

Main Board Quotation

Issue Date :

Monday June 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	3.92	0.08	98,391	3.86	MCOT	5.25	0.10	7,404	5.19
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	2.76	(0.02)	23,774	2.73
SAFARI	-	-	-	-	DIF	14.90	(0.10)	188,756	14.92	MPIC	1.35	(0.03)	34	1.34
VI	-	-	-	-	DTAC	40.25	0.50	44,679	39.55	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	6.00	-	247	5.99	PLANB	5.95	-	125,569	5.91
WR	-	-	-	-	HUMAN	8.10	0.25	18,990	8.04	POST	1.38	(0.02)	8	1.35
Agribusiness					ILINK	3.60	(0.06)	3,362	3.63	PRAKIT	-	-	-	-
CHOTI	78.75	4.75	7	75.79	INET	3.00	0.22	278,766	2.99	SE-ED	1.43	(0.02)	97	1.59
EE	0.48	(0.01)	8,019	0.48	INTUCH	57.00	-	114,679	56.44	TBSP	-	-	-	-
GFPT	12.90	(0.10)	24,012	12.91	JAS	3.56	(0.04)	290,738	3.55	TH	0.52	0.01	210	0.49
LEE	2.22	0.02	1,312	2.17	JASIF	9.35	-	71,757	9.35	TKS	4.94	(0.02)	278	4.92
NER	2.60	0.02	191,528	2.58	JMART	11.00	-	192,722	10.85	VGI	7.50	0.05	89,130	7.41
PPPM	0.39	-	6,435	0.38	JTS	2.26	0.06	12,755	2.21	WAVE	1.02	(0.02)	100	1.02
STA	26.75	0.50	137,843	26.65	MFEF	4.46	-	948	4.42	WORK	11.20	0.40	82,186	11.13
TRUBB	1.77	(0.07)	56,310	1.79	MSC	4.80	(0.04)	325	4.77	Finance & Securities	-	-	-	-
TWPC	3.78	(0.10)	11,662	3.80	PT	4.32	(0.08)	2,686	4.33	AEC	0.25	(0.02)	22,969	0.25
UPOIC	3.34	-	124	3.19	SAMART	5.60	(0.05)	22,338	5.57	AEONTS	107.00	(2.00)	9,027	106.98
UVAN	4.24	0.02	2,273	4.22	SAMTEL	6.00	(0.10)	6,773	5.92	AMANAH	2.72	0.02	34,652	2.68
VPO	0.41	0.01	1,064	0.41	SDC	0.16	0.01	2,725	0.15	ASAP	1.76	0.01	16,402	1.73
Banking					SIS	8.30	(0.10)	6,123	8.23	ASK	16.60	(0.70)	13,908	16.77
BAY	23.00	0.10	2,694	22.82	SVOA	0.99	(0.01)	6,540	0.99	ASP	1.68	(0.01)	12,008	1.66
BBL	108.00	-	90,692	107.56	SYMC	2.90	0.02	40	2.86	BAM	24.30	0.10	348,830	24.26
CIMBT	0.60	(0.01)	10,715	0.60	SYNEX	7.50	(0.10)	5,828	7.47	BFIT	27.00	-	8,118	26.59
KBANK	92.75	1.75	168,331	91.72	THCOM	4.30	(0.38)	145,634	4.27	CGH	0.73	(0.01)	9,152	0.73
KKP	41.25	(0.50)	27,001	40.93	TRUE	3.38	(0.08)	843,363	3.38	ECL	0.89	(0.02)	17,628	0.89
KTB	10.10	(0.10)	444,423	10.06	TWZ	0.07	0.01	51,182	0.07	FNS	2.88	(0.04)	1,092	2.27
LHFG	1.02	(0.02)	40,728	1.01	Electronic Componer	-	-	-	-	FSS	1.48	0.01	642	1.47
SCB	73.25	1.25	140,046	72.33	CCET	1.48	(0.03)	35,887	1.49	GBX	0.51	-	3,216	0.50
TCAP	36.25	0.25	57,296	35.49	DELTA	53.75	(0.25)	19,405	52.74	GL	3.78	(0.02)	42,145	3.74
TISCO	70.50	(0.50)	31,630	70.11	HANA	27.00	0.25	26,364	26.39	IFS	2.42	(0.02)	8,000	2.42
TMB	1.04	(0.01)	2,501,347	1.04	KCE	21.50	0.60	479,956	21.42	JMT	22.90	0.30	76,836	22.68
Construction Materia					METCO	131.50	(1.00)	4	131.50	KCAR	7.70	(0.05)	106	7.69
CCP	0.29	0.01	31,482	0.29	NEX	3.86	0.06	37,385	3.80	KGI	3.46	(0.02)	22,811	3.44
COTTO	1.11	(0.03)	3,328	1.11	SMT	1.21	(0.08)	56,737	1.22	KTC	30.25	0.50	133,452	29.76
DCC	2.06	(0.10)	146,219	2.08	SVI	2.70	(0.06)	12,834	2.70	MBKET	8.65	-	1,516	8.55
DCON	0.29	-	11,183	0.29	TEAM	1.03	(0.04)	388	1.04	MFC	13.20	-	86	13.12
DRT	5.45	-	4,621	5.41	W	0.13	(0.01)	366,888	0.13	ML	0.79	(0.03)	1,442	0.79
EPG	4.76	0.04	51,392	4.71	Energy & Utilities	-	-	-	-	MTC	51.25	(1.00)	124,544	51.23
GEL	0.19	-	16,840	0.19	7UP	0.40	-	32,871	0.40	PE	-	-	-	-
PPP	2.10	0.02	985	2.04	ABPIF	3.48	(0.02)	247	3.48	PL	2.00	(0.04)	6,069	2.01
Q-CON	4.88	(0.27)	15	4.85	ACE	3.82	0.04	77,569	3.77	S11	5.00	(0.10)	9,680	5.03
RCI	2.70	-	478	2.69	AI	1.28	(0.03)	66,068	1.28	SAWAD	51.50	0.50	68,225	51.08
SCC	365.00	(3.00)	22,600	363.67	AKR	0.50	(0.02)	6,258	0.50	THANI	3.52	(0.06)	172,727	3.54
SCCC	128.50	(1.50)	461	128.53	BAFS	23.00	(0.20)	3,422	22.80	TK	7.50	(0.10)	1,409	7.48
SCP	5.40	-	1,964	5.38	BANPU	6.05	-	497,295	6.07	TNITY	3.76	(0.02)	475	3.78
SKN	2.00	-	467	1.98	BCP	20.40	(0.10)	10,970	20.41	UOBKH	3.36	(0.06)	10	3.36
TASCO	24.90	1.30	458,338	24.42	BCPG	15.50	(0.20)	9,617	15.50	ZMICO	0.70	-	3,056	0.69
TCMC	1.12	(0.05)	30,971	1.13	BGRIM	53.50	(0.25)	76,987	53.37	Food & Beverage	-	-	-	-
TOA	37.50	0.25	22,706	37.34	BPP	16.90	0.40	36,987	16.81	APURE	1.74	(0.10)	52,604	1.70
TPIPL	1.18	(0.01)	20,859	1.19	BRRGIF	7.15	-	305	7.13	ASIAN	7.25	0.55	400,087	7.05
UMI	0.63	(0.02)	2,659	0.63	CKP	4.10	(0.06)	133,362	4.09	BR	1.97	0.06	68,656	1.94
VNG	3.14	(0.12)	2,062	3.21	DEMCO	3.20	(0.08)	10,323	3.21	BRR	2.98	(0.04)	2,558	2.95
WIJK	1.58	(0.02)	7,053	1.58	EA	39.75	0.50	59,260	39.02	CBG	99.50	1.75	66,165	99.05
Petrochemicals & Ch					EASTW	10.10	(0.10)	3,348	10.11	CFRESH	2.40	0.08	33,999	2.41
BCT	40.00	0.75	1,000	39.02	EGATIF	12.10	(0.10)	11,182	12.09	CM	2.66	(0.06)	1,365	2.68
CMAN	1.34	(0.02)	4,286	1.34	EGCO	250.00	(4.00)	8,594	250.68	CPF	31.75	-	269,459	31.42
GC	5.20	0.05	1,173	5.17	ESSO	6.85	(0.10)	226,328	6.79	CPI	1.24	(0.02)	311	1.22
GGC	8.90	0.05	5,039	8.83	GPSC	74.00	(0.75)	159,481	73.63	F&D	19.90	1.90	2	19.90
GIFT	2.18	0.04	693	2.15	GULF	37.25	(0.25)	308,185	37.24	HTC	17.70	(0.30)	923	17.77
IVL	27.00	0.50	161,895	26.41	GUNKUL	2.60	(0.04)	214,832	2.61	ICHI	8.00	(0.15)	75,787	8.05
NFC	1.64	(0.03)	15	1.67	IFEC	-	-	-	-	KBS	3.24	(0.10)	1,742	3.24
PATO	9.00	(0.10)	204	9.07	IRPC	2.60	-	457,076	2.57	KSL	1.99	(0.01)	23,696	1.98
PMTA	8.50	-	73	8.20	LANNA	7.25	0.05	629	7.25	KTIS	2.80	(0.04)	1,719	2.80
PTTGC	45.00	(0.25)	132,056	44.60	MDX	2.24	(0.04)	5,798	2.23	LST	4.50	-	1,121	4.47
SUTHA	3.40	0.10	2	3.35	PRIME	0.41	0.02	58,603	0.41	M	58.75	1.00	1,637	58.04
TCCC	20.00	0.10	305	19.98	PTG	16.60	-	92,785	16.45	MALEE	6.70	(0.10)	2,682	6.67
TPA	5.30	(0.05)	50	5.33	PTT	37.25	0.25	357,987	36.93	MINT	19.70	(0.40)	378,678	19.70
UAC	3.68	0.02	3,551	3.67	PTTEP	91.25	(1.25)	91,778	90.45	OISHI	39.00	(0.25)	182	38.93
UP	14.40	(0.60)	16	14.39	RATCH	62.50	0.25	32,600	62.24	OSP	38.00	(1.25)	303,456	37.99
VNT	21.90	(0.20)	3,609	21.77	RPC	0.53	0.01	1,109	0.52	PB	68.75	-	23	68.32
WG	182.00	-	12	181.54	SCG	3.90	-	138	3.85	PM	6.90	0.05	6,046	6.84
YCI	-	-	-	-	SCI	1.39	0.01	4,018	1.39	PRG	11.20	(0.10)	70	11.20
Commerce					SCN	2.10	0.04	18,565	2.07	RBF	8.35	0.45	427,233	7.98
BEAUTY	1.51	-	125,909	1.51	SGP	8.70	0.10	17,583	8.63	SAPPE	19.10	0.10	4,919	18.77
BIG	0.56	0.03	316,788	0.56	SKE	0.80	(0.01)	585	0.80	SAUCE	24.80	-	43	24.72
BIC	39.50	-	57,128	39.13	SOLAR	1.15	0.01	10,350	1.14	SFP	133.00	7.00	7	133.00
COL	14.10	-	555	13.99	SPCG	16.30	(0.10)	7,938	16.24	SNP	10.50	-	2,460	10.60
COM7	28.25	(0.25)	37,917	28.11	SPRC	6.60	0.05	91,777	6.50	SORKON	-	-	-	-
CPALL	67.75	0.25	182,819	67.35	SSP	7.35	0.05	1,167	7.27	SSC	32.75	(0.50)	1	32.75
CPW	1.71	0.01	16,257	1.69	SUPER	0.93	(0.01)	5,813,036	0.93	SSF	6.10	(0.55)	1	6.10
CRC	31.75	(0.75)	82,015	31.77	SUPEREIF	11.40	-	1,270	11.34	SST	2.68	-	40	2.68
CSS	1.33	(0.02)	146,524	1.35	SUSCO	2.42	-	8,344	2.42	TC	3.18	-	233	3.15
DOHOME	10.40	(0.10)	102,299	10.24	TAE	2.74	(0.02)	8,068	2.76	TFG	5.00	0.04	211,650	5.00
FN	1.08	0.01	13,631	1.08	TCC	0.23	0.01	22,909	0.23	TFMAMA	198.50	0.50	88	198.11
FTE	1.65	(0.02)	767	1.65	TOP	42.75	-	102,958	42.18	TIPCO	6.50	0.10	4,077	6.40
GLOBAL	16.70	0.10	93,390	16.56	TPIPP	3.96	0.02	65,002	3.93	TKN	10.20	0.20	100,077	10.05
HMPRO	15.00	(0.20)	318,507	14.97	TSE	2.90	-	130,669	2.87	TU	12.70	0.30	286,859	12.64
ILM	13.50	0.10	12,412	13.32	TTW	13.40	(0.10)	133,816	13.33	TVO	26.00	-	10,845	26.06
IT	2.50	(0.06)	18	2.56	WHAUP	4.52	(0.02)	13,541	4.48	ZEN	8.60	(0.35)	1,238	8.68
KAMART	2.96	(0.04)	30,220	2.96	WP	4.98	-	1,081	4.91	Health Care Services	-	-	-	-
LOXLEY	1.44	0.01	12,543	1.43	Media & Publishing	-	-	-	-	AHC	12.80	(0.10)	145	12.87
MAKRO	41.50	0.50	64,007	4										

Main Board Quotation

Issue Date :

Monday June 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	3.28	(0.06)	31,934	3.29	CGD	0.61	0.01	3,858	0.60	IHL	2.64	-	10,286	2.60
RAM	142.00	(0.50)	3	142.00	CI	0.81	(0.01)	364	0.81	INGRS	0.37	(0.01)	3,904	0.37
RJH	21.00	(0.30)	918	20.95	CPN	49.00	0.50	63,987	48.41	IRC	13.50	-	4	13.38
RPH	5.15	(0.05)	7,665	5.13	ESTAR	0.36	0.01	10,880	0.35	PCSGH	4.50	(0.02)	18	4.50
SKR	5.05	-	2,649	5.01	EVER	0.23	(0.01)	64,501	0.23	SAT	10.60	0.10	3,975	10.40
SVH	420.00	6.00	19	413.79	FPT	11.40	(0.30)	2,500	11.41	SPG	-	-	-	-
THG	19.80	(0.40)	3,953	19.89	GLAND	2.24	0.02	608	2.19	STANLY	169.00	-	376	168.26
VIBHA	1.56	-	2,347	1.56	GOLD	8.45	-	10,216	8.45	TKT	0.98	(0.07)	46,695	1.08
VIH	6.30	-	13,824	6.16	GREEN	0.83	-	13	0.82	TNPC	0.79	(0.01)	107	0.79
WPH	1.63	0.02	762	1.62	J	0.85	(0.01)	5,724	0.86	TRU	3.74	-	118	3.72
Tourism & Leisure	-	-	-	-	JCK	0.77	(0.03)	2,264	0.75	TSC	9.95	-	23	9.90
ASIA	5.10	0.10	12	4.81	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	22.40	(0.80)	55,845	22.41	KWG	0.86	0.01	1,308	0.83	ALLA	1.25	(0.01)	5,866	1.24
CSR	-	-	-	-	LALIN	4.36	(0.04)	3,162	4.35	ASEFA	3.48	(0.22)	27,499	3.56
DTC	7.30	(0.05)	2,614	7.12	LH	7.55	(0.10)	343,100	7.52	CPT	0.85	(0.02)	4,493	0.86
ERW	3.64	(0.16)	224,362	3.69	LPN	4.40	(0.08)	62,161	4.40	CRANE	2.96	(0.04)	96,872	2.96
GRAND	0.66	0.02	53,008	0.69	MBK	13.70	0.10	4,161	13.56	CTW	4.92	(0.08)	300	4.91
LRH	35.00	(1.00)	15	34.27	MJD	1.59	(0.01)	8,790	1.58	FMT	21.80	0.10	2	21.80
MANRIN	23.80	-	1	23.80	MK	2.70	(0.04)	961	2.71	HTECH	2.32	0.02	1,009	2.29
OHTL	-	-	-	-	NCH	0.62	-	226	0.60	KKC	0.58	(0.02)	378	0.57
ROH	36.00	0.75	26	35.89	NNCL	1.89	0.03	8,455	1.84	PK	1.53	(0.02)	130	1.54
SHANG	60.50	(0.25)	6	59.79	NOBLE	10.80	(0.10)	4,362	10.73	SNC	8.65	(0.10)	633	8.65
SHR	2.12	(0.02)	27,960	2.11	NUSA	0.36	0.01	522,198	0.37	STARK	2.08	0.02	87,606	2.05
VRANDA	5.95	(0.05)	547	5.94	NVD	1.35	0.04	55,786	1.36	TCJ	2.92	-	21,111	3.05
Home & Office Produ	-	-	-	-	ORI	5.45	(0.05)	114,928	5.44	VARO	3.84	(0.04)	4	3.84
ACC	0.59	0.01	633	0.59	PACE	0.03	-	229,686	0.03	Property Fund & REIT	-	-	-	-
AJA	0.14	-	64,293	0.15	PF	0.41	(0.01)	332,488	0.41	AIMCG	7.00	(0.10)	543	7.00
DTCI	-	-	-	-	PLAT	3.08	0.04	13,431	3.01	AIMIRT	12.90	-	3,438	12.83
FANCY	0.60	-	8,949	0.56	POLAR	-	-	-	-	AMATAR	10.30	-	258	10.14
KYE	312.00	(5.00)	91	313.02	PRECHA	0.88	-	85	0.88	B-WORK	11.70	(0.10)	33	11.70
L&E	1.60	-	45	1.59	PRIN	1.62	0.14	86	1.51	BKER	6.55	(0.05)	1,273	6.53
MODERN	2.50	(0.02)	121	2.50	PSH	11.50	(0.30)	18,447	11.45	BKKCP	11.70	(0.10)	160	11.79
OGC	25.25	-	11	25.02	QH	2.16	(0.04)	379,850	2.17	BOFFICE	13.50	(0.20)	448	13.65
ROCK	-	-	-	-	RICHY	0.66	-	10,795	0.66	CPNCG	10.70	(0.10)	3,827	10.61
SIAM	1.45	-	5,871	1.42	RML	0.65	(0.02)	29,253	0.65	CPNREIT	26.00	(1.25)	15,128	25.89
TSR	2.10	-	1,374	2.06	ROJNA	4.36	(0.08)	11,225	4.35	CPTGF	12.20	-	2,035	12.20
Insurance	-	-	-	-	S	1.57	(0.04)	20,503	1.58	CTARAF	5.10	0.05	233	5.05
AYUD	35.00	-	15	35.00	SAMCO	1.21	-	3,517	1.21	DREIT	4.00	(0.08)	3,652	4.00
BKI	278.00	-	54	279.24	SC	2.18	(0.02)	12,551	2.16	ERWPF	4.58	0.12	1	4.58
BLA	15.40	0.10	5,334	15.28	SENA	2.52	(0.04)	11,871	2.50	FTREIT	14.70	(0.50)	9,442	14.68
BUI	-	-	-	-	SF	4.56	0.02	15,909	4.48	FUTUREPF	19.10	-	15,549	19.00
CHARAN	21.60	0.60	1	21.60	SIRI	0.73	(0.03)	833,218	0.74	GAHREIT	-	-	-	-
INSURE	-	-	-	-	SPALI	16.50	0.20	46,700	16.24	GOLDPF	5.95	0.05	6	5.95
MTI	85.25	(3.25)	2	85.25	UV	1.42	-	161,812	1.41	GVREIT	14.10	(0.40)	843	14.32
NKI	-	-	-	-	UV	3.00	(0.02)	18,717	3.00	HPF	4.66	-	80	4.66
NSI	54.00	(1.25)	3	54.33	WHA	3.24	0.02	771,863	3.21	HREIT	8.10	(0.10)	1,233	8.11
SEG	25.25	0.55	40	25.21	WIN	0.40	-	151	0.40	IMPACT	17.10	(0.10)	6,888	17.04
SMK	33.75	-	42	33.90	Paper & Printing Mat	-	-	-	-	KNPFP	6.80	(0.10)	200	6.80
THRE	0.92	0.10	750,616	0.92	UTP	11.00	0.20	16,517	10.82	LHHOTEL	11.50	(0.10)	3,453	11.50
THREL	2.60	0.04	84,794	2.62	Fashion	-	-	-	-	LHPF	6.20	(0.10)	11	6.20
TIP	22.30	(0.10)	2,634	22.26	AFC	-	-	-	-	LHSC	12.80	(0.10)	927	12.80
TQM	135.00	9.00	36,269	130.08	B52	0.15	-	144	0.15	LUXF	6.15	-	29	6.19
TSI	0.37	-	5,542	0.36	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.02	(0.02)	2,528	3.06	CPH	3.24	0.02	8	3.12	M-PAT	4.10	(0.08)	1	4.10
Mining	-	-	-	-	CPL	-	-	-	-	M-STOR	6.00	0.05	35	6.05
PDI	5.75	-	2,599	5.77	ICC	30.00	(0.25)	13	30.04	MIPF	15.70	1.00	1	15.70
THL	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
Packaging	-	-	-	-	PAF	0.69	0.09	98,986	0.68	MJLF	7.40	0.10	59	7.47
AJ	11.80	0.70	5,253	11.61	PDJ	1.11	(0.02)	2,268	1.13	MNIT	1.39	-	50	1.39
ALUCON	142.00	-	5	140.40	PG	4.72	0.02	2	4.70	MNIT2	3.60	-	1	3.60
BGC	10.60	-	3,465	10.47	SABINA	18.80	0.40	6,087	18.52	MNRF	-	-	-	-
CSC	45.75	-	22	46.40	SAWANG	12.00	(0.90)	37	12.75	POPF	10.80	-	778	10.71
GLOCON	0.69	0.01	29,544	0.70	SUC	36.00	(0.25)	44	36.01	PPF	11.40	0.10	118	11.30
NEP	0.15	(0.02)	1,463	0.15	TNL	18.50	2.20	3	18.50	QHHR	6.85	(0.05)	785	6.83
PTL	15.70	(0.20)	11,133	15.68	TPCORP	9.55	0.10	1	9.55	QHOP	2.40	(0.10)	256	2.40
SFLEX	11.80	0.20	8,307	11.68	TR	26.00	(0.75)	26	25.98	QHPP	11.00	(0.20)	2,037	11.11
SITHAI	0.73	0.02	2,128	0.71	TTI	20.00	-	4	20.00	SBPF	-	-	-	-
SLP	0.46	-	198	0.46	TTT	52.75	-	12	52.83	SHREIT	3.66	0.06	4,679	3.60
SMPC	8.25	-	12,746	8.24	UPF	40.25	0.25	3	40.25	SIRIP	9.30	(0.25)	100	9.43
SPACK	2.24	0.08	1,675	2.19	UT	15.00	0.30	300	15.00	SPF	13.80	(0.20)	4,492	13.66
TCOAT	-	-	-	-	WACOAL	46.25	0.50	1	46.25	SPRIME	11.00	-	1,013	11.00
TFI	0.05	-	2,944	0.06	Transportation & Log	-	-	-	-	SRIPANWA	8.05	0.05	127	7.90
THIP	22.80	(0.20)	75	22.72	AAV	1.83	(0.02)	478,165	1.82	SSPF	9.10	-	1	9.10
TMD	21.00	-	2	21.00	AOT	59.25	0.25	228,263	58.64	SSTRT	5.25	(0.15)	235	5.28
TOPP	172.00	-	1	172.00	ASIMAR	1.32	(0.01)	2,664	1.31	TIF1	8.45	-	129	8.45
TPBI	3.40	(0.02)	163	3.45	B	0.25	-	2,743	0.25	TLGF	18.40	(0.50)	8,314	18.42
TPP	15.10	0.10	6	14.98	BA	6.20	0.05	19,078	6.10	TLHPF	8.70	(0.25)	5	8.70
Personal Products &	-	-	-	-	BEM	9.50	-	292,845	9.42	TNPF	-	-	-	-
APCO	3.70	0.02	479	3.69	BTS	11.30	0.10	173,928	11.23	TPRIME	14.50	(0.30)	107	14.52
DDD	16.60	2.10	3,436	15.99	BTS GIF	7.25	0.05	52,897	7.20	TTLPF	-	-	-	-
JCT	-	-	-	-	III	4.30	(0.02)	1,595	4.25	TU-PF	1.00	0.03	52	1.00
OCC	-	-	-	-	JUTHA	0.50	0.04	247	0.48	URBNPF	-	-	-	-
S & J	25.75	(2.25)	7	25.89	JWD	6.35	(0.15)	13,543	6.30	WHABT	8.65	(0.05)	57	8.64
STHAI	-	-	-	-	KWC	275.00	5.00	3	275.00	WHART	15.80	(0.40)	8,785	16.08
TNR	10.00	-	1,309	9.9										

Main Board Quotation

Issue Date :

Monday June 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.72	(0.01)	9,999	-	ADVA06C2009A	0.14	(0.01)	50,701	-
ABICO	5.15	(0.05)	963	5.00	AIE	0.54	(0.02)	139,660	-	ADVA06C2010A	0.52	0.01	67,564	-
AU	9.60	0.15	63,778	9.00	PSTC	1.83	(0.04)	85,028	1.00	ADVA06P2011A	0.88	(0.04)	78,351	-
JCKH	0.27	(0.01)	152	-	QTC	4.56	(0.06)	4,382	4.00	ADVA08C2009A	0.30	-	18,267	-
KASET	1.46	0.05	39,792	1.00	SAAM	1.11	(0.01)	951	1.00	ADVA08P2009A	0.53	(0.02)	36,222	-
MM	1.53	(0.08)	817	1.00	SEAOIL	2.40	(0.02)	2,953	2.00	ADVA11C2006A	-	-	-	-
SUN	2.06	-	1,850	2.00	SR	0.69	(0.04)	594	-	ADVA11C2011A	0.66	-	12,104	-
TACC	4.70	-	20,333	4.00	TAKUNI	0.40	-	2,873	-	ADVA11P2011A	0.76	(0.02)	11,008	-
TMILL	3.06	(0.04)	6,620	3.00	TPCH	11.60	-	3,636	11.00	ADVA13C2006A	-	-	-	-
XO	6.90	(0.10)	23,100	6.00	TRT	1.67	-	3	1.00	ADVA13C2007A	0.01	(0.01)	1,000	-
Consumer Products														
BGT	1.06	0.01	203	1.00	UMS	0.34	(0.01)	12	-	ADVA13C2008A	0.13	(0.01)	110,474	-
BIZ	3.52	(0.04)	901	3.00	UWC	0.04	(0.01)	217,993	-	ADVA13C2010A	0.66	-	87,967	-
DOD	8.10	0.10	109,249	8.00	Services (MAI)	-	-	-	-	ADVA13P2009A	1.02	(0.02)	71,651	1.00
ECF	1.55	(0.05)	230,439	1.00	A5	-	-	-	-	ADVA16C2007A	-	-	-	-
HPT	0.84	(0.01)	4,498	-	AKP	0.94	-	4,318	-	ADVA16C2009A	-	-	-	-
IP	10.00	(0.30)	57,954	9.00	AMA	5.00	(0.10)	1,972	5.00	ADVA19C2007A	-	-	-	-
JUBILE	15.30	(0.30)	880	15.00	ARIP	0.34	-	1,180	-	ADVA19C2007B	-	-	-	-
MOONG	3.58	-	308	3.00	ATP30	0.78	(0.02)	12,772	-	ADVA19C2008A	0.49	0.02	99,582	-
NPK	11.90	(0.10)	1	11.00	AUCT	7.65	(0.15)	21,733	7.00	ADVA19C2009A	0.27	-	6,262	-
OCEAN	0.91	(0.01)	5,328	-	BOL	3.54	(0.14)	3,672	3.00	ADVA19C2010A	0.14	0.01	53,694	-
TM	2.36	-	1,312	2.00	CHUO	-	-	-	-	ADVA19C2010B	0.62	-	52,447	-
Financials (MAI)														
ACAP	0.55	(0.08)	59,772	-	CMO	0.98	-	1,600	-	ADVA19P2006A	-	-	-	-
AF	0.56	-	407	-	D	3.30	(0.08)	1,875	3.00	ADVA19P2009A	0.20	(0.01)	34,641	-
AIRA	0.91	0.01	149	-	DCORP	0.39	0.02	17,267	-	ADVA19P2010A	0.73	(0.01)	82,543	-
ASN	4.24	(0.04)	11	4.00	EFORL	0.04	0.01	79,005	-	ADVA24C2006A	-	-	-	-
BROOK	0.40	-	10,250	-	ETE	0.97	-	6,576	-	ADVA24C2009A	0.22	(0.01)	6,000	-
CHAYO	6.05	0.05	73,176	5.00	FSMART	6.20	-	13,699	6.00	ADVA28C2007A	-	-	-	-
GCAP	1.57	(0.01)	6,606	1.00	FVC	0.40	(0.02)	8,092	-	ADVA28C2008A	0.19	-	31,130	-
LIT	3.10	(0.02)	691	3.00	GSC	0.74	-	2,454	-	ADVA28C2008B	-	-	-	-
MITSI	1.00	(0.02)	3,100	1.00	HARN	2.10	0.02	13,323	2.00	ADVA28C2011A	0.13	-	2,028	-
SGF	0.58	(0.01)	4,076	-	IMH	2.12	(0.12)	2,195	2.00	ADVA28C2012A	0.11	-	13,087	-
Industrials (MAI)														
ZS	2.40	(0.04)	620	2.00	JKN	5.40	(0.10)	58,402	5.00	ADVA28C2102L	0.43	-	37,390	-
ACG	1.07	(0.07)	2,357	1.00	KIAT	0.43	-	28,756	-	ADVA28P2012A	0.37	(0.01)	10,295	-
ADB	0.70	-	2,133	-	KOOL	0.80	(0.01)	5,220	-	ADVA41C2007A	-	-	-	-
BM	2.06	(0.02)	373	2.00	LDC	0.73	(0.01)	137	-	ADVA41C2007B	-	-	-	-
CHO	0.55	(0.04)	47,339	-	MORE	0.34	(0.02)	393,809	-	ADVA41C2010A	0.25	-	3,186	-
CHOW	2.20	0.04	2,845	2.00	MPG	0.21	(0.02)	7,444	-	ADVA41C2010B	0.54	(0.03)	92,496	-
CIG	0.23	-	10,052	-	MVP	1.26	0.04	1,781	1.00	ADVA41P2009A	0.97	(0.01)	26,844	-
COLOR	1.15	0.04	1	1.00	NBC	0.72	(0.01)	1,207	-	ADVA41P2011A	-	-	-	-
CPR	3.08	0.04	1,241	3.00	NCL	0.74	(0.02)	1,357	-	ADVA42C2102T	0.53	0.01	3,766	-
FPI	1.91	(0.03)	3,078	1.00	NEWS	0.01	-	2,565	-	ADVA42P2007A	-	-	-	-
GTB	0.57	(0.01)	1,566	-	NINE	1.75	(0.02)	1,250	1.00	AEON13C2007A	0.01	(0.01)	945	-
KCM	0.46	-	5,253	-	OTO	2.76	-	205	2.00	AEON13C2010A	0.17	(0.02)	62,948	-
KUMWEL	0.94	(0.01)	1,857	-	PHOL	2.56	(0.12)	11,220	2.00	AEON19C2006A	-	-	-	-
KWM	0.74	(0.02)	4,703	-	PICO	3.26	(0.18)	136	3.00	AEON19C2010A	0.30	(0.02)	100,986	-
MBAX	4.44	0.02	416	4.00	QLT	4.00	(0.04)	315	3.00	AEON19C2010B	0.49	(0.04)	136,918	-
MGT	1.74	(0.07)	2,162	1.00	RP	1.61	(0.08)	39,917	1.00	AMAT01C2007B	-	-	-	-
NDR	1.13	(0.02)	111	1.00	SE	1.26	(0.02)	369	1.00	AMAT01C2008A	-	-	-	-
PDG	3.32	0.02	556	3.00	SONIC	1.01	(0.03)	1,157	1.00	AMAT01P2008A	0.45	0.08	121	-
PIMO	1.19	(0.02)	8,202	1.00	SPA	6.70	(0.15)	9,330	6.00	AMAT06C2010A	0.61	(0.04)	51,065	-
PJW	1.31	-	2,114	1.00	THMUI	0.61	-	610	-	AMAT08C2010A	0.49	(0.02)	39,411	-
PPM	0.81	0.01	18	-	TNDT	2.78	0.02	4	2.00	AMAT11C2008A	0.04	(0.01)	200	-
RWI	1.42	0.02	2,757	1.00	TNH	32.75	-	25	32.00	AMAT13C2010A	0.44	(0.02)	240,193	-
SALEE	0.66	-	50	-	TNP	2.56	(0.04)	6,602	2.00	AMAT16C2006A	-	-	-	-
SANKO	0.95	-	1,484	-	TSF	-	-	-	-	AMAT16C2008A	-	-	-	-
SELIC	2.22	-	39,399	2.00	TVT	0.61	0.02	371	-	AMAT19C2006A	-	-	-	-
SWC	3.88	(0.12)	2,057	3.00	TVT	1.12	0.02	14,518	1.00	AMAT19C2009A	0.54	(0.02)	14,688	-
TMC	0.53	(0.01)	4,434	-	VL	0.62	0.02	14,518	1.00	AMAT19C2011A	0.44	(0.01)	62,786	-
TMI	0.62	(0.01)	16,960	-	WINNER	2.88	0.04	1,154	2.00	AMAT24C2006A	-	-	-	-
TMW	37.75	0.50	391	37.00	YGG	9.10	1.15	258,170	8.00	AMAT24C2010A	0.41	(0.01)	12,762	-
TPAC	11.80	(1.00)	1,131	11.00	Technology (MAI)	-	-	-	-	AMAT28C2012A	0.38	(0.01)	82,460	-
TPLAS	1.18	(0.02)	2,629	1.00	APP	1.61	0.03	8,870	1.00	AMAT28C2102L	0.26	(0.03)	40,532	-
UBIS	-	-	-	-	COMAN	2.06	(0.08)	621	2.00	AMAT42C2007A	-	-	-	-
UEC	0.86	-	1,026	-	ICN	1.80	(0.01)	5,211	1.00	AMAT42C2101T	0.25	(0.75)	6,200	-
UKEM	0.59	(0.04)	103,437	-	INSET	2.96	(0.02)	112,850	2.00	ANAN13C2007A	0.01	-	100	-
UREKA	1.00	-	136,071	1.00	IRCP	0.46	0.01	65	-	ANAN19C2007A	-	-	-	-
YUASA	12.90	-	830	12.00	ITEL	3.20	(0.08)	100,604	3.00	AOT01C2006B	0.01	-	52,172	-
ZIGA	1.55	0.03	1,647	1.00	NETBAY	33.50	0.50	2,784	33.00	AOT01C2007A	0.12	(0.02)	1,567	-
Property & Construc														
ALL	3.86	0.06	397,975	3.00	PLANET	1.01	(0.01)	3,213	1.00	AOT01P2006B	0.17	(0.11)	37,066	-
ARIN	1.07	-	54,718	1.00	SKY	15.10	(0.30)	40,198	15.00	AOT01P2007A	1.17	0.06	243	1.00
ARROW	7.20	-	461	7.00	SPVI	2.48	(0.04)	32,318	2.00	AOT06C2007A	-	-	-	-
BC	1.02	(0.01)	1,069	1.00	TPS	1.92	0.03	3,600	1.00	AOT06C2008A	-	-	-	-
BSM	0.26	0.01	2,470	-	UPA	0.28	0.01	18,464	-	AOT06C2009A	0.36	0.01	51,558	-
BTW	0.77	(0.02)	250	-	VCOM	3.38	0.10	444,993	3.00	AOT06P2009A	0.30	(0.01)	30,212	-
CAZ	1.46	(0.04)	5,936	1.00	Unit Trust	-	-	-	-	AOT06P2011A	1.17	(0.04)	25,764	1.00
CHEWA	0.42	-	4,406	-	MGE	-	-	-	-	AOT08C2006A	0.01	-	1,041	-
CMC	0.74	-	750	-	SCBSET	-	-	-	-	AOT08C2007A	-	-	-	-
CRD	0.47	(0.02)	1,676	-	ETF	-	-	-	-	AOT08C2009A	0.65	0.01	49,628	-
DIMET	0.38	-	12,336	-	IDIV	8.16	(0.09)	84	8.00	AOT08P2009A	0.59	-	25,718	-
FLOYD	1.03	-	1,963	1.00	ABFTH	-	-	-	-	AOT11C2011A	0.62	0.01	16,775	-
HYDRO	0.12	0.01	15,094	-	BMSCG	6.86	(0.07)	123	6.00	AOT11P2007A	-	-	-	-
JSP	0.24	(0.01)	42,041	-	BMSCITH	9.78	(0.01)	1,528	9.00	AOT13C2006A	-	-	-	-

Main Board Quotation

Issue Date :

Monday June 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C2008A	-	-	-	-	BCH01C2006B	0.01	-	2,695	-	BJC16C2006A	-	-	-	-
AOT28C2008B	0.18	-	33,524	-	BCH01P2006A	-	-	-	-	BJC19C2007A	0.08	(0.05)	300	-
AOT28C2008C	0.34	(0.03)	16	-	BCH06C2011A	0.42	0.02	29,106	-	BJC19C2010A	0.22	-	6,861	-
AOT28C2011A	0.22	-	13,182	-	BCH11C2008A	-	-	-	-	BJC19C2010B	0.39	-	47,349	-
AOT28C2012A	0.22	(0.01)	17,698	-	BCH13C2007A	-	-	-	-	BJC24C2006A	-	-	-	-
AOT28P2012A	0.30	(0.01)	14,672	-	BCH13C2010A	0.32	0.02	18,870	-	BJC27C2009A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH16C2006A	-	-	-	-	BJC28C2007A	0.01	(0.01)	7,602	-
AOT41C2007B	-	-	-	-	BCH19C2006A	-	-	-	-	BJC28C2010A	0.14	-	6,084	-
AOT41C2010A	0.40	0.02	70,764	-	BCH19C2008A	0.44	0.02	5,006	-	BJC28C2012A	0.24	(0.01)	11,154	-
AOT41P2009A	0.21	0.02	20	-	BCH19C2011A	0.42	0.02	13,041	-	BJC28C2102L	0.24	(0.01)	14,168	-
AOT41P2009B	0.44	(0.01)	10,670	-	BCH41C2006A	-	-	-	-	BJC41C2007A	-	-	-	-
AOT41P2010A	0.69	-	79,942	-	BCP13C2007A	-	-	-	-	BJC41C2008A	0.32	(0.03)	5,220	-
AOT42C2006A	-	-	-	-	BCPG01C2008B	-	-	-	-	BPP13C2007A	0.22	-	2	-
AOT42C2101T	0.24	(0.02)	3,400	-	BCPG01C2009A	-	-	-	-	BPP19C2007A	-	-	-	-
AOT42P2009A	-	-	-	-	BCPG01P2009A	0.14	(0.05)	350	-	BPP19C2010A	0.47	0.04	27,004	-
AP19C2007A	-	-	-	-	BCPG13C2007A	-	-	-	-	BTS11C2011A	0.33	(0.01)	2,552	-
AP19C2010A	0.89	(0.04)	50	-	BCPG13C2010A	0.26	(0.01)	5,545	-	BTS13C2008A	-	-	-	-
AP19C2011A	0.23	(0.02)	15,820	-	BCPG16C2009A	0.26	(0.03)	778	-	BTS13C2009A	0.20	-	2,168	-
AP28C2012A	0.81	(0.05)	38,730	-	BCPG19C2010A	0.25	(0.01)	34,732	-	BTS16C2008A	0.01	-	106	-
AP28C2012B	0.21	(0.02)	60,218	-	BCPG28C2008A	-	-	-	-	BTS19C2008A	0.20	-	12,290	-
AWC01C2009A	0.12	0.02	510	-	BCPG28C2012A	0.26	(0.01)	28,930	-	BTS19C2010A	0.19	-	2,880	-
AWC01P2007A	0.84	-	988	-	BCPG28C2012B	0.25	(0.02)	42,740	-	BTS24C2007A	-	-	-	-
AWC06C2009A	0.32	(0.01)	25,693	-	BCPG42C2007A	-	-	-	-	BTS41C2010A	-	-	-	-
AWC06C2011A	0.11	-	3,300	-	BDM01C2007B	0.02	(0.01)	2,650	-	BTS42C2008A	-	-	-	-
AWC13C2009A	0.25	(0.02)	48,965	-	BDM01P2008A	0.35	0.02	45	-	CBG01C2007B	0.62	0.05	460	-
AWC13C2010A	0.06	-	40,370	-	BDM06C2008A	-	-	-	-	CBG01C2007B	0.02	(0.01)	2,761	-
AWC13C2010B	0.20	(0.02)	131,151	-	BDM06C2010A	0.54	-	22,581	-	CBG08C2007A	1.33	-	1,226	1.00
AWC16C2007A	-	-	-	-	BDM06P2009A	0.26	-	21,215	-	CBG11C2008A	-	-	-	-
AWC19C2006A	-	-	-	-	BDM08C2006A	0.01	-	8,810	-	CBG13C2008A	-	-	-	-
AWC19C2010A	0.29	(0.01)	13,330	-	BDM08C2011A	0.38	-	38,964	-	CBG13C2010A	0.97	0.04	159,510	-
AWC19C2010B	0.06	-	13,330	-	BDM11C2007A	-	-	-	-	CBG16C2008A	-	-	-	-
AWC19C2010C	0.44	(0.56)	2,676	-	BDM11C2008A	-	-	-	-	CBG19C2008A	1.55	0.12	110	1.00
AWC24C2007A	-	-	-	-	BDM11C2011A	0.85	-	18,671	-	CBG19C2010A	1.26	0.06	152,254	1.00
AWC24C2010A	0.11	-	801	-	BDM13C2008A	0.21	(0.02)	36,439	-	CBG19C2011A	0.52	0.02	124,035	-
AWC28C2008A	-	-	-	-	BDM13C2009A	0.35	(0.01)	78,504	-	CBG19P2006A	-	-	-	-
AWC28C2010A	0.26	(0.03)	31,698	-	BDM16C2006A	-	-	-	-	CBG19P2010A	0.75	(0.05)	155,654	-
AWC28C2010B	-	-	-	-	BDM19C2010A	0.36	-	67,108	-	CBG24C2008A	1.64	0.05	17,351	1.00
AWC28C2012A	0.06	(0.01)	1,797	-	BDM19P2010A	0.32	0.02	450	-	CBG41C2009A	1.39	(0.01)	246	1.00
AWC41C2007A	-	-	-	-	BDM24C2006A	-	-	-	-	CBG41C2010A	0.48	0.04	36,644	-
AWC41C2007B	-	-	-	-	BDM28C2011A	0.35	(0.02)	22,616	-	CBG41P2010A	0.83	(0.05)	16,938	-
AWC41C2010A	-	-	-	-	BDM28C2012A	0.26	(0.01)	4,566	-	CBG42C2006A	-	-	-	-
AWC42C2008A	-	-	-	-	BDM28C2012B	-	-	-	-	CBG42C2008A	-	-	-	-
AWC42C2101T	-	-	-	-	BDM541C2009A	0.29	(0.01)	18,024	-	CBG42C2101T	0.68	(0.32)	6,700	-
BANP06C2010A	0.24	-	48,192	-	BDM542C2101T	0.25	(0.75)	20	-	CENT01C2006A	0.01	(0.26)	260	-
BANP06P2011A	0.67	0.01	24,778	-	BEC01C2006A	0.01	-	69,429	-	CENT01C2006B	0.01	-	30,000	-
BANP08C2007A	-	-	-	-	BEC01C2006B	0.01	-	1,038	-	CENT01C2009A	0.66	-	55	-
BANP08C2009A	0.31	(0.01)	25,500	-	BEC01P2006A	0.01	(0.06)	2,503	-	CENT01P2009A	0.21	0.03	2,718	-
BANP08P2009A	0.63	(0.01)	33,862	-	BEM06P2009A	0.23	-	12,405	-	CENT06C2006A	-	-	-	-
BANP11C2008A	-	-	-	-	BEM08C2009A	0.65	(0.03)	8,000	-	CENT06P2007A	-	-	-	-
BANP13C2008A	0.18	(0.02)	182,040	-	BEM11C2011A	0.45	(0.02)	10,120	-	CENT11C2007A	-	-	-	-
BANP13C2010A	0.13	-	164,978	-	BEM13C2007A	-	-	-	-	CENT11C2010A	0.16	(0.01)	29,314	-
BANP19C2007A	-	-	-	-	BEM13C2009A	0.40	(0.01)	26,855	-	CENT19C2008A	-	-	-	-
BANP19C2007B	-	-	-	-	BEM13C2010A	0.16	-	930	-	CENT19C2010A	0.44	(0.04)	52,730	-
BANP19C2009A	0.30	(0.01)	42,364	-	BEM16C2006A	-	-	-	-	CENT19C2011A	0.18	(0.04)	9,433	-
BANP19C2010A	0.23	-	52,455	-	BEM19C2010A	0.51	(0.02)	29,495	-	CENT24C2008A	0.16	(0.03)	4,500	-
BANP19P2010A	0.33	-	25,405	-	BEM19C2011A	0.19	-	13,802	-	CENT27C2008A	-	-	-	-
BANP19P2010B	0.83	(0.01)	192,121	-	BEM19P2010A	-	-	-	-	CENT28C2008A	-	-	-	-
BANP24C2011A	0.24	(0.01)	20,395	-	BEM24C2008A	0.69	(0.01)	6,020	-	CENT28C2010A	0.69	(0.05)	39,459	-
BANP27C2007A	-	-	-	-	BEM28C2007A	-	-	-	-	CENT28C2012A	0.30	(0.05)	51,488	-
BANP28C2008A	-	-	-	-	BEM28C2008A	-	-	-	-	CENT42C2006A	-	-	-	-
BANP28C2010A	0.20	(0.01)	30,420	-	BEM28C2010A	-	-	-	-	CHG01C2006A	0.01	(0.13)	500	-
BANP28C2012A	0.22	(0.01)	20,070	-	BEM28C2012A	-	-	-	-	CHG01C2006B	0.01	-	3,540	-
BANP41C2007A	-	-	-	-	BGR101C2006A	0.01	-	19,862	-	CHG01P2006A	0.20	(0.10)	5	-
BANP41C2010A	0.29	-	3,280	-	BGR101C2006B	0.01	-	85,335	-	CHG13C2010A	-	-	-	-
BANP41P2007A	-	-	-	-	BGR101C2008B	-	-	-	-	CHG16C2009A	0.18	(0.01)	21,416	-
BANP42C2006A	-	-	-	-	BGR101C2009A	0.78	(0.04)	5	-	CHG19C2011A	0.26	(0.01)	26,444	-
BANP42C2012T	-	-	-	-	BGR101P2006A	0.01	(0.01)	3,740	-	CHG27C2009A	-	-	-	-
BBL06C2007A	-	-	-	-	BGR106C2010A	0.73	(0.02)	91,998	-	CHG42C2006A	-	-	-	-
BBL06C2009A	0.68	(0.01)	56,646	-	BGR108C2009A	0.65	(0.01)	65,194	-	CK06C2009A	0.60	-	37,905	-
BBL06P2011A	1.00	-	43,440	1.00	BGR11C2006A	0.40	(0.03)	250	-	CK11C2007A	-	-	-	-
BBL08C2007A	0.01	(0.02)	1,064	-	BGR11C2008A	-	-	-	-	CK13C2010A	0.68	(0.01)	138,168	-
BBL08C2009A	0.42	(0.01)	68,023	-	BGR113C2007A	-	-	-	-	CK16C2006A	-	-	-	-
BBL08P2007A	0.86	0.08	1,800	-	BGR113C2008A	-	-	-	-	CK19C2007A	-	-	-	-
BBL08P2009A	0.56	-	46,675	-	BGR113C2009A	0.69	(0.03)	139,376	-	CK19C2010A	0.54	(0.01)	84,876	-
BBL11C2007A	-	-	-	-	BGR119C2006A	-	-	-	-	CK27C2008A	-	-	-	-
BBL11C2011A	0.80	(0.01)	45,154	-	BGR119C2008A	-	-	-	-	CK41C2009A	0.55	(0.02)	9,660	-
BBL11P2008A	1.05	0.12	32	1.00	BGR119C2008B	-	-	-	-	CK42C2006A	-	-	-	-
BBL13C2006A	-	-	-	-	BGR119C2009A	0.73	(0.01)	27,098	-	CKP01C2008B	-	-	-	-
BBL13C2008A	0.13	(0.01)	415,124	-	BGR119C2011A	0.53	(0.02)	59,628	-	CKP01C2009A	-	-	-	-
BBL13C2010A	1.32	(0.08)	4,941	1.00	BGR119P2007A	0.30	0.11	65	-	CKP01P2009A	0.23	-	600	-
BBL13C2010B	0.44	(0.01)	330,584	-	BGR119P2010A	0.52	-	91,622	-	CKP08C2010A	0.50	(0.03)	141,996	-
BBL13P2008A	0.33	(0.01)	10	-	BGR124C2009A	0.64	(0.04)	11,865	-	CKP11C2006A	-	-	-	-
BBL13P2010A	0.61	(0.02)	174,838	-	BGR127P2006A	-	-	-	-	CKP13C2007A	-	-	-	-
BBL16C2006A	-	-	-	-	BGR141C2007A	-	-	-	-	CKP13C2010A	0.41	(0.03)	127,304	-
BBL19C2007A	-	-	-	-	BGR141C2010A	0.47	(0.01)	7,270	-	CKP16C2007A	0.10	(0.01)	1	-
BBL19C2009A	-	-	-	-	BGR141P2006A	-	-	-	-	CKP19C2006A	-	-	-	-
BBL19C2010A	0.46	-	154,609	-	BGR142C2006A	-	-	-	-	CKP19C2010A	0.57	(0.03)	219,757	-
BBL19C2011A	0.35	(0.01)	17,848	-	BGR142C2101T	0.33	(0.01)	3,436	-	CKP19C2011A	0.37	(0.02)	37,740	-
BBL19P2007A	-	-	-	-	BH08C2007A	-	-	-	-	CKP24C2006A	-	-	-	-
BBL19P2010A	0.56	-	75,904	-	BH11C2008A	-	-	-	-	CKP28C2011A	0.39	(0.03)	74,436	-
BBL19P2011A	0.93	(0.01)	80,532	-	BH13C2006A	-	-	-	-	CKP28C2012A	0.45	(0.03)	30,836	-
BBL24C2009A	0.40	(0.01)	31,401	-	BH13C2010A	0.30	(0.01)	39,565	-	CKP41C2007A	-	-	-	-

Main Board Quotation

Issue Date :

Monday June 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719C2010A	1.12	(0.19)	7	1.00	DTAC27C2008A	0.11	-	464	-	GPSC19C2008A	-	-	-	-
COM719C2011A	0.39	(0.01)	114,825	-	DTAC41C2007A	0.01	-	31,095	-	GPSC19C2009A	-	-	-	-
COM719P2011A	0.52	-	48,818	-	DTAC41C2007B	-	-	-	-	GPSC19C2010A	0.66	(0.03)	188,434	-
COM724C2007A	0.29	(0.03)	1,210	-	DTAC41C2010A	0.22	(0.02)	2,200	-	GPSC19P2010A	0.39	0.01	73,091	-
CPAL01C2006A	0.04	(0.01)	2,400	-	DTAC42C2006A	-	-	-	-	GPSC19P2011A	1.08	0.01	491,532	1.00
CPAL01C2006B	0.01	-	3,271	-	DTAC42C2010T	-	-	-	-	GPSC24C2007A	-	-	-	-
CPAL01C2008B	0.14	-	17,079	-	EA06C2010A	0.37	(0.01)	54,809	-	GPSC24C2011A	0.57	(0.04)	39,864	-
CPAL01P2008B	0.22	0.01	1,532	-	EA08C2006A	0.01	-	100	-	GPSC28C2008A	0.30	(0.03)	69,995	-
CPAL06C2011A	0.39	-	63,753	-	EA08C2009A	0.38	-	17,200	-	GPSC28C2011A	0.61	(0.05)	111,752	-
CPAL08C2006A	0.01	(0.01)	12,516	-	EA13C2006A	-	-	-	-	GPSC41C2009A	0.55	(0.05)	205,762	-
CPAL08C2008A	0.37	0.01	2,648	-	EA13C2008A	-	-	-	-	GPSC41P2006A	-	-	-	-
CPAL08C2011A	0.40	0.02	24,721	-	EA13C2009A	0.28	0.01	60,088	-	GPSC41P2010A	0.87	0.01	47,457	-
CPAL08P2006A	-	-	-	-	EA13P2006A	-	-	-	-	GPSC42C2006A	-	-	-	-
CPAL08P2009A	0.23	(0.01)	43,004	-	EA16C2006A	-	-	-	-	GPSC42C2010T	0.38	(0.04)	20,500	-
CPAL11C2006A	-	-	-	-	EA16C2008A	0.02	0.01	842	-	GPSC42P2006A	-	-	-	-
CPAL11C2007A	-	-	-	-	EA19C2008A	-	-	-	-	GULF01C2007A	0.11	-	37,549	-
CPAL13C2007A	-	-	-	-	EA19C2010A	0.32	0.01	14,879	-	GULF06C2009A	0.43	(0.01)	50,387	-
CPAL13C2009A	0.63	-	132,853	-	EA19P2007A	-	-	-	-	GULF08C2008A	-	-	-	-
CPAL16C2006A	-	-	-	-	EA19P2011A	0.68	-	48,811	-	GULF08C2009A	0.28	(0.01)	33,634	-
CPAL16C2007A	-	-	-	-	EA24C2008A	0.23	(0.01)	3,484	-	GULF11C2006A	0.09	(0.07)	7,159	-
CPAL19C2008A	0.22	-	140,125	-	EA27C2006A	-	-	-	-	GULF11C2011A	0.42	(0.01)	23,461	-
CPAL19C2010A	0.32	-	46,425	-	EA28C2011A	0.30	0.01	16,979	-	GULF13C2006B	-	-	-	-
CPAL19P2010A	0.18	(0.01)	101,058	-	EA28C2012A	0.24	0.01	5,420	-	GULF13C2008A	0.56	0.02	20	-
CPAL19P2010B	0.82	(0.01)	56,914	-	EA41C2009A	0.24	0.02	10,400	-	GULF13C2009A	0.95	(0.06)	3,006	-
CPAL24C2009A	0.76	-	9,468	-	EA42C2101T	0.23	(0.77)	6,400	-	GULF13C2009B	0.26	(0.01)	243,365	-
CPAL28C2007A	-	-	-	-	EGC001C2007B	-	-	-	-	GULF13C2011A	0.41	(0.59)	395,993	-
CPAL28C2008A	-	-	-	-	EGC006C2007A	-	-	-	-	GULF13P2009A	0.21	-	295,365	-
CPAL28C2008B	-	-	-	-	EGC006C2010A	0.45	(0.05)	62,836	-	GULF16C2007A	-	-	-	-
CPAL28C2010A	0.18	-	40,462	-	EGC006P2009A	0.36	0.02	34,632	-	GULF19C2006A	-	-	-	-
CPAL28C2012A	0.21	(0.01)	13,184	-	EGC013C2009A	0.31	(0.04)	17,842	-	GULF19C2008A	-	-	-	-
CPAL28C2012B	0.35	-	49,732	-	EGC019C2007A	0.02	0.01	2	-	GULF19C2010A	0.30	(0.01)	99,813	-
CPAL41C2007A	0.08	(0.06)	1,000	-	EGC019C2010A	0.47	(0.04)	9,940	-	GULF19P2006A	-	-	-	-
CPAL41C2010A	0.43	0.01	19,560	-	EGC024C2009A	0.40	(0.03)	4,802	-	GULF19P2009A	0.19	-	10,518	-
CPAL42C2007A	-	-	-	-	EGC042C2007A	-	-	-	-	GULF19P2010A	0.25	-	64,447	-
CPAL42C2101T	0.24	-	7,310	-	EGC042C2101T	0.34	0.01	5,000	-	GULF19P2010B	0.46	-	109,762	-
CPF06C2010A	0.26	(0.02)	18,241	-	EPG13C2006A	-	-	-	-	GULF24C2009A	0.24	(0.01)	11,287	-
CPF06P2011A	0.36	(0.01)	42,524	-	EPG13C2010A	0.16	-	78,939	-	GULF28C2008A	-	-	-	-
CPF08C2006A	-	-	-	-	EPG13C2011A	0.61	(0.02)	54,514	-	GULF28C2008B	-	-	-	-
CPF08C2010A	0.31	(0.01)	15,875	-	EPG19C2007A	-	-	-	-	GULF28C2008C	0.99	0.05	1	-
CPF11C2007A	-	-	-	-	EPG19C2008A	-	-	-	-	GULF28C2010A	0.19	(0.02)	39,542	-
CPF13C2006A	-	-	-	-	EPG19C2010A	0.65	0.01	29,918	-	GULF28C2012A	0.18	(0.01)	4,388	-
CPF13C2008A	-	-	-	-	EPG19C2011A	0.19	-	3,170	-	GULF41C2009A	0.25	(0.01)	4,497	-
CPF13C2009A	0.23	0.01	48,333	-	EPG24C2008A	0.09	(0.01)	1,502	-	GULF41P2007A	-	-	-	-
CPF16C2007A	-	-	-	-	EPG42C2101T	-	-	-	-	GULF41P2009A	0.45	0.01	34,193	-
CPF19C2006A	-	-	-	-	ERW06C2007A	-	-	-	-	GULF42C2010M	0.31	(0.02)	21,559	-
CPF19C2009A	0.87	(0.01)	1	-	ERW06C2010A	-	-	-	-	GULF42C2101T	0.22	(0.02)	18,510	-
CPF19C2010A	0.25	(0.01)	11,906	-	ERW13C2006A	-	-	-	-	GUNK11C2007A	-	-	-	-
CPF19P2010A	0.31	0.01	6,070	-	ERW13C2007A	-	-	-	-	GUNK13C2006A	-	-	-	-
CPF24C2007A	0.34	(0.03)	1,335	-	ERW13C2010A	0.43	(0.08)	54,756	-	GUNK19C2006A	-	-	-	-
CPF28C2007A	-	-	-	-	ERW19C2006A	-	-	-	-	GUNK19C2010A	0.21	(0.03)	112,591	-
CPF28C2010A	0.79	(0.01)	2	-	ERW19C2007A	0.15	(0.05)	29,807	-	GUNK24C2006A	-	-	-	-
CPF28C2011A	0.27	(0.01)	500	-	ERW19C2010A	0.81	(0.08)	1	-	GUNK28C2012A	0.24	(0.03)	26,662	-
CPF28C2012A	0.18	-	9,198	-	ERW19C2010B	0.36	(0.07)	170,085	-	HANA01C2006A	-	-	-	-
CPF28C2012B	0.16	(0.02)	8,112	-	ERW24C2006A	-	-	-	-	HANA01C2006B	0.01	-	4,567	-
CPF41C2008A	-	-	-	-	ESSO01C2008B	-	-	-	-	HANA01P2006A	-	-	-	-
CPF41C2010A	-	-	-	-	ESSO01C2009A	0.43	0.01	22	-	HANA11C2008A	0.05	-	200	-
CPF42C2101T	-	-	-	-	ESSO01P2009A	0.17	(0.01)	2,994	-	HANA13C2008A	0.08	-	1	-
CPN06C2006A	-	-	-	-	ESSO06C2011A	0.42	(0.03)	36,151	-	HANA16C2008A	0.10	(0.01)	510	-
CPN06C2010A	0.51	0.02	29,379	-	ESSO08C2008A	-	-	-	-	HANA19C2006A	-	-	-	-
CPN11C2006A	0.01	-	2	-	ESSO08C2011A	0.48	(0.03)	33,990	-	HANA19C2010A	0.19	-	19,499	-
CPN11C2008A	-	-	-	-	ESSO13C2010A	0.42	(0.02)	56,264	-	HANA27C2007A	-	-	-	-
CPN13C2007A	-	-	-	-	ESSO19C2007A	-	-	-	-	HANA27P2007A	0.48	0.03	9	-
CPN13C2009A	0.32	-	42,755	-	ESSO19C2009A	-	-	-	-	HMPR01C2006A	-	-	-	-
CPN19C2007A	-	-	-	-	ESSO19C2010A	0.46	(0.03)	46,742	-	HMPR01C2006B	0.01	(0.01)	8,009	-
CPN19C2010A	0.36	0.01	9,091	-	ESSO19C2011A	0.31	(0.01)	27,664	-	HMPR01P2006A	0.20	0.01	457	-
CPN19P2010A	0.57	(0.03)	15,970	-	ESSO24C2007A	0.26	(0.05)	20,340	-	HMPR06C2010A	0.46	(0.02)	45,328	-
CPN24C2007A	0.05	(0.01)	11,310	-	ESSO41C2006A	-	-	-	-	HMPR06P2007A	-	-	-	-
CPN41C2009A	0.26	0.02	11,856	-	ESSO41C2010A	-	-	-	-	HMPR06P2011A	0.50	(0.01)	39,614	-
CPN41P2006A	-	-	-	-	ESSO41C2011A	-	-	-	-	HMPR11C2011A	0.57	(0.02)	27,155	-
CPN42C2006A	-	-	-	-	ESSO42C2007A	-	-	-	-	HMPR13C2006A	-	-	-	-
CRC01C2007A	0.03	0.01	121	-	ESSO42C2101T	-	-	-	-	HMPR13C2007A	-	-	-	-
CRC08C2007A	-	-	-	-	GFPT08C2011A	0.36	(0.01)	2,000	-	HMPR13C2009A	0.33	(0.03)	25,519	-
CRC08C2009A	0.27	(0.01)	2,480	-	GFPT13C2010A	0.31	(0.01)	65,805	-	HMPR19C2007A	-	-	-	-
CRC13C2008A	0.04	-	69	-	GFPT19C2006A	0.02	(0.03)	157,295	-	HMPR19C2010A	0.44	(0.02)	24,459	-
CRC13C2009A	0.29	(0.02)	3,308	-	GFPT19C2010A	0.36	(0.02)	41,379	-	HMPR24C2008A	0.54	(0.02)	6,300	-
CRC19C2008A	-	-	-	-	GFPT19C2010B	0.24	(0.01)	8,336	-	HMPR41C2006A	-	-	-	-
CRC19C2008B	0.25	(0.03)	32,795	-	GFPT24C2007A	0.14	(0.02)	21,622	-	HMPR41C2007A	-	-	-	-
CRC19C2010A	0.21	(0.02)	9,761	-	GFPT42C2008A	0.40	(0.03)	4,869	-	HMPR41C2007B	-	-	-	-
CRC24C2008A	0.33	(0.03)	7,950	-	GFPT42C2101T	-	-	-	-	HMPR41C2010A	0.34	(0.01)	7,120	-
CRC28C2007A	-	-	-	-	GLOB01C2007B	-	-	-	-	HSI28C2006A	-	-	-	-
CRC28C2007B	-	-	-	-	GLOB01C2008A	-	-	-	-	HSI28C2006B	0.01	(0.32)	8,738	-
CRC28C2011A	0.25	(0.02)	3,192	-	GLOB13C2007A	-	-	-	-	HSI28C2006C	0.01	-	14	-
CRC28C2012A	0.19	(0.02)	15,620	-	GLOB19C2007A	-	-	-	-	HSI28C2007A	0.59	(0.20)	279,381	-
CRC41C2007A	0.08	(0.02)	700	-	GLOB19C2010A	0.54	0.02	24,594	-	HSI28C2007B	0.26	(0.12)	55,219	-
CRC41C2009A	-	-	-	-	GLOB24C2010A	0.49	0.02	13,824	-	HSI28C2007C	0.08	(0.04)	1,255,068	-
CRC41C2010A	0.15	(0.01)	1,100	-	GLOB42C2009A	-	-	-	-	HSI28C2008A	1.62	(0.29)	7,111	1.00
DTAC01C2007B	0.02	-	23	-	GPSC01C2007B	-	-	-	-	HSI28C2008B	1.02	(0.20)	149,489	-
DTAC01C2008A	0.35	-	108	-	GPSC01C2008A	0.46	(0.05)	50	-	HSI28C2008C	0.54	(0.15)	58,869	-
DTAC01P2007B	-	-	-	-	GPSC01P2007B	0.08	(0.01)	20	-	HSI28C2010L	0.33	(0.07)	48,956	-
DTAC01P2008A	0.36	0.03	894	-	GPSC01P2008A	0.69	0.06	10	-	HSI28C2011L	0.73	(0.11)	10,577	-
DTAC08C2007A	-	-	-	-	GPSC06C2006A	-	-	-	-	HSI28P2006A	-	-	-	-
DTAC08C2008A	0.21	0.01	18,7											

Main Board Quotation

Issue Date :

Monday June 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI41C2007A	0.33	(0.09)	467,382	-	KBAN01C2007A	0.07	-	3,629	-	MAJO13C2007A	0.01	(0.01)	50,653	-
HSI41C2007B	0.15	(0.06)	18,140	-	KBAN01C2007B	0.02	-	5,504	-	MAJO13C2011A	0.32	(0.02)	22,189	-
HSI41C2007C	0.81	(0.19)	2,911	-	KBAN01P2007A	2.16	0.02	4	2.00	MAJO19C2006A	-	-	-	-
HSI41C2008A	0.70	(0.12)	2,503	-	KBAN01P2007B	1.45	(0.11)	251	1.00	MAJO19C2011A	0.44	(0.03)	4,916	-
HSI41C2008B	0.39	(0.10)	139,896	-	KBAN06C2008A	0.03	(0.02)	1,562	-	MEGA16C2009A	-	-	-	-
HSI41P2006A	-	-	-	-	KBAN06C2009A	0.48	0.04	171,808	-	MINT01C2007B	-	-	-	-
HSI41P2006B	-	-	-	-	KBAN06C2011A	0.18	0.01	67,443	-	MINT01C2008A	0.04	(0.01)	15,809	-
HSI41P2007A	0.69	0.10	192,270	-	KBAN06P2011A	1.00	(0.08)	127,798	1.00	MINT01P2008A	1.20	0.03	2,111	1.00
HSI41P2007B	0.41	0.04	100	-	KBAN08C2007A	-	-	-	-	MINT06P2007A	-	-	-	-
HSI41P2007C	0.31	0.05	6,010	-	KBAN08C2011A	0.65	0.05	101,604	-	MINT08C2010A	0.51	(0.03)	42,530	-
HSI41P2008A	0.80	0.08	50,856	-	KBAN13C2008A	0.05	(0.01)	48	-	MINT08P2011A	1.04	0.03	75,211	1.00
HSI41P2008B	0.57	0.04	30	-	KBAN13C2008B	0.57	-	16	-	MINT11C2006A	0.01	-	11	-
INTU01C2006A	0.14	(0.01)	5,011	-	KBAN13C2010A	0.65	0.05	679,094	-	MINT11C2011A	0.71	(0.04)	17,334	-
INTU01C2006B	0.01	-	6,399	-	KBAN13C2010B	0.21	0.02	264,558	-	MINT11P2011A	0.66	0.01	20,625	-
INTU01P2006A	-	-	-	-	KBAN13P2008A	0.89	(0.01)	2	-	MINT13C2008A	-	-	-	-
INTU01P2006B	0.01	-	20	-	KBAN13P2010A	0.56	(0.07)	430,503	-	MINT13C2009A	0.33	(0.03)	234,230	-
INTU06C2009A	0.72	-	20,449	-	KBAN16C2008A	-	-	-	-	MINT13C2010A	0.65	(0.05)	284,426	-
INTU06P2011A	0.77	(0.02)	17,134	-	KBAN19C2007A	-	-	-	-	MINT19C2006A	-	-	-	-
INTU13C2006A	-	-	-	-	KBAN19C2009A	0.88	0.07	148	-	MINT19C2010A	0.40	(0.02)	105,985	-
INTU13C2008A	0.52	(0.01)	74,851	-	KBAN19C2010A	0.22	0.02	24,983	-	MINT19C2011A	0.79	(0.04)	64,776	-
INTU13C2011A	0.46	(0.54)	152,401	-	KBAN19C2010B	0.62	0.04	229,974	-	MINT24C2006A	-	-	-	-
INTU16C2007A	-	-	-	-	KBAN19C2011A	0.18	-	90,283	-	MINT28C2008A	-	-	-	-
INTU16C2009A	0.40	(0.01)	9,170	-	KBAN19P2007A	-	-	-	-	MINT28C2012A	0.28	(0.02)	49,072	-
INTU19C2009A	0.44	(0.01)	69,277	-	KBAN19P2010A	1.04	(0.07)	267,212	1.00	MINT41C2010A	-	-	-	-
INTU19P2007A	0.10	0.08	1	-	KBAN19P2010P	0.42	(0.03)	45,530	-	MINT41C2010A	0.42	(0.03)	9,866	-
INTU19P2010A	0.40	(0.01)	18,649	-	KBAN24C2009A	0.77	0.06	66,658	-	MINT42C2101T	0.37	(0.63)	1,489	-
INTU23C2111A	-	-	-	-	KBAN28C2008A	-	-	-	-	MTC01C2007B	0.01	-	390	-
INTU24C2008A	0.38	0.02	15,582	-	KBAN28C2008B	0.22	0.02	18,724	-	MTC01C2008A	0.15	(0.02)	570	-
INTU28C2008A	0.19	(0.02)	27,910	-	KBAN28C2008C	0.50	0.03	58,223	-	MTC06C2007A	-	-	-	-
INTU28C2010A	0.35	(0.02)	12,296	-	KBAN28C2010A	0.10	0.01	83,992	-	MTC06C2009A	1.12	(0.60)	50	1.00
INTU41C2007A	0.01	(0.03)	1	-	KBAN28C2012A	0.26	-	24,441	-	MTC06C2010A	0.41	(0.04)	99,557	-
INTU41C2010A	0.37	0.02	17,710	-	KBAN28P2012A	0.53	(0.03)	64,082	-	MTC08C2009A	-	-	-	-
INTU42C2101T	-	-	-	-	KBAN41C2007A	-	-	-	-	MTC08C2011A	0.64	(0.02)	66,146	-
IRPC01C2007B	-	-	-	-	KBAN41C2008A	-	-	-	-	MTC11C2008A	-	-	-	-
IRPC01P2007B	0.23	0.03	1	-	KBAN41C2009A	0.76	0.06	98,403	-	MTC13C2007A	-	-	-	-
IRPC06C2007A	-	-	-	-	KBAN41C2011A	0.17	-	248	-	MTC13C2009A	0.51	(0.02)	68,514	-
IRPC06C2010A	0.24	(0.01)	9,878	-	KBAN41P2010A	0.68	(0.03)	17,090	-	MTC13C2010A	0.44	(0.04)	256,087	-
IRPC06P2010A	0.47	-	37,473	-	KBAN41P2011A	1.37	(0.10)	15,738	1.00	MTC16C2007A	-	-	-	-
IRPC11C2008A	-	-	-	-	KBAN42C2007A	-	-	-	-	MTC19C2006A	-	-	-	-
IRPC13C2007A	-	-	-	-	KBAN42C2101T	0.61	(0.39)	31,790	-	MTC19C2009A	0.86	(0.03)	15,680	-
IRPC13C2008A	-	-	-	-	KBAN42P2008A	-	-	-	-	MTC19C2010A	0.56	(0.04)	57,349	-
IRPC13C2009A	0.29	-	66,193	-	KCE01C2007B	0.02	-	12,285	-	MTC24C2009A	0.48	(0.02)	19,882	-
IRPC16C2008A	0.21	(0.02)	4,224	-	KCE01C2008A	0.15	-	18,474	-	MTC27C2007A	-	-	-	-
IRPC19C2007A	-	-	-	-	KCE06C2009A	1.42	0.10	94,753	1.00	MTC28C2008A	-	-	-	-
IRPC19C2008A	-	-	-	-	KCE08C2009A	1.12	0.05	87,273	1.00	MTC28C2011A	0.50	(0.03)	109,107	-
IRPC19C2010A	0.23	-	3,675	-	KCE13C2006A	-	-	-	-	MTC28C2012A	0.34	(0.01)	41,718	-
IRPC24C2007A	0.15	(0.02)	3,000	-	KCE13C2009A	0.67	0.04	550,549	-	MTC28C2102L	0.34	(0.02)	67,972	-
IRPC27C2007A	-	-	-	-	KCE16C2007A	-	-	-	-	MTC41C2007A	0.03	(0.02)	100	-
IRPC28C2008A	0.19	(0.03)	10	-	KCE19C2007A	-	-	-	-	MTC41C2010A	0.42	(0.04)	8,520	-
IRPC28C2012A	0.16	(0.01)	4,196	-	KCE19C2008A	1.08	0.10	1,110	1.00	MTC42C2101T	0.30	(0.03)	19,665	-
IRPC41C2007A	-	-	-	-	KCE19C2009A	0.92	0.06	132,170	-	ORI19C2010A	0.80	(0.03)	3,482	-
IRPC41C2010A	0.21	(0.01)	7,912	-	KCE19C2010A	0.86	0.05	262,611	-	ORI19C2011A	0.30	(0.01)	27,419	-
IRPC41P2007A	-	-	-	-	KCE24C2010A	0.33	0.01	31,110	-	ORI28C2007A	-	-	-	-
IRPC42C2006A	-	-	-	-	KCE27C2007A	-	-	-	-	ORI28C2011A	-	-	-	-
IVL01C2006B	0.01	-	650	-	KCE42C2012T	0.50	0.02	5,142	-	ORI28C2012A	-	-	-	-
IVL01P2006B	0.01	(0.01)	5,176	-	KKP01C2006A	0.01	-	40	-	ORI28C2012B	0.26	(0.01)	11,672	-
IVL06C2008A	0.12	0.01	100,918	-	KKP01C2006B	0.01	-	3,162	-	OSP01C2006A	-	-	-	-
IVL06C2010A	0.20	0.01	109,911	-	KKP01P2006A	-	-	-	-	OSP01C2006B	0.01	-	4,193	-
IVL06P2009A	0.17	(0.01)	339,775	-	KKP11C2007A	-	-	-	-	OSP01P2006A	0.01	-	591	-
IVL06P2011A	0.73	(0.03)	14,310	-	KKP13C2007A	-	-	-	-	OSP06C2008A	0.45	(0.10)	62,528	-
IVL08C2009A	0.25	0.01	10,202	-	KKP13C2010A	0.33	(0.02)	112,882	-	OSP06C2011A	0.28	(0.06)	53,023	-
IVL08P2011A	0.40	(0.03)	14,308	-	KKP19C2010A	0.41	(0.02)	61,286	-	OSP06P2009A	0.44	0.05	270,682	-
IVL11C2006A	0.01	-	602	-	KKP19C2011A	0.25	(0.02)	10,284	-	OSP08C2009A	0.32	(0.02)	63,261	-
IVL13C2006A	-	-	-	-	KKP41C2006A	-	-	-	-	OSP13C2006A	-	-	-	-
IVL13C2008A	-	-	-	-	KTB01C2008B	-	-	-	-	OSP13C2010A	0.27	(0.04)	109,549	-
IVL13C2009A	0.17	-	141,146	-	KTB01C2009A	-	-	-	-	OSP16C2008A	-	-	-	-
IVL13P2010A	0.38	(0.04)	124,635	-	KTB01P2009A	0.78	0.02	437	-	OSP19C2009A	0.26	(0.03)	152,296	-
IVL16C2006A	-	-	-	-	KTB11C2006A	-	-	-	-	OSP19C2010A	0.18	(0.02)	29,929	-
IVL16C2009A	0.25	0.03	12,792	-	KTB13C2010A	0.15	(0.02)	47,489	-	OSP24C2008A	0.13	(0.04)	20,239	-
IVL19C2006A	-	-	-	-	KTB19C2010A	0.16	(0.02)	1,261	-	OSP41C2010A	0.23	(0.03)	3,315	-
IVL19C2008A	-	-	-	-	KTB24C2009A	0.16	(0.01)	8,140	-	OSP42C2101T	0.20	(0.80)	6,000	-
IVL19C2009A	-	-	-	-	KTB28C2011A	-	-	-	-	PLAN13C2007A	0.01	(0.03)	330	-
IVL19C2010A	0.25	0.01	60,992	-	KTB28C2012A	0.10	-	3,079	-	PLAN13C2010A	0.31	(0.01)	130,813	-
IVL19P2006A	0.07	0.03	4	-	KTB28C2012B	0.12	(0.02)	6,286	-	PLAN19C2007A	-	-	-	-
IVL19P2010A	0.32	(0.03)	74,253	-	KTC01C2007A	0.13	0.03	1,170	-	PLAN19C2010A	-	-	-	-
IVL19P2010B	0.35	(0.03)	39,325	-	KTC01C2007B	0.05	-	715	-	PLAN19C2010B	0.32	(0.01)	41,488	-
IVL24C2008A	0.68	(0.04)	1,260	-	KTC01P2007A	0.19	(0.02)	7,239	-	PLAN24C2006A	-	-	-	-
IVL27P2007A	0.19	(0.03)	12,432	-	KTC06C2006A	-	-	-	-	PLAN24C2009A	0.30	(0.01)	4,595	-
IVL28C2007A	-	-	-	-	KT08C2006A	0.01	(0.01)	18,506	-	PLAN27C2008A	-	-	-	-
IVL28C2011A	0.22	0.01	6,084	-	KT08C2011A	0.29	-	100	-	PLAN28C2010A	0.28	(0.01)	28,090	-
IVL28C2012A	0.16	0.01	9,735	-	KT13C2008A	0.31	0.01	67,271	-	PLAN28C2012A	-	-	-	-
IVL41C2007A	-	-	-	-	KT13C2010A	0.09	-	267,022	-	PLAN42C2007A	-	-	-	-
IVL41C2007B	-	-	-	-	KT13C2010B	0.30	0.01	301,028	-	PLAN42C2101T	-	-	-	-
IVL41C2009A	0.18	0.01	5,600	-	KT13P2007A	0.67	0.13	7	-	PRM13C2006A	-	-	-	-
IVL41C2010A	-	-	-	-	KT19C2006A	-	-	-	-	PRM13C2010A	0.33	(0.03)	125,631	-
IVL41P2007A	-	-	-	-	KT19C2008A	0.31	0.01	57,296	-	PRM19C2006A	0.18	(0.25)	1	-
IVL41P2010A	0.50	(0.01)	3,268	-	KT19C2010A	0.12	-	267,248	-	PRM19C2010A	0.54	(0.04)	47,509	-
IVL42C2008A	-	-	-	-	KT19C2010B	0.31	0.02	38,419	-	PRM42C2006A	-	-	-	-
IVL42C2101T	-	-	-	-	KT19P2010A	0.50	(0.02)	155,366	-	PSL06C2006A	-	-	-	-
JAS08C2011A	0.42	(0.0												

Main Board Quotation

Issue Date :

Monday June 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG42C2006A	-	-	-	-	PTTG13P2010A	0.50	0.01	183,271	-	S5013C2006D	0.01	-	100	-
PTG42C2101T	0.29	(0.71)	1	-	PTTG16C2006A	-	-	-	-	S5013C2006E	-	-	-	-
PTT01C2007A	0.06	-	35,640	-	PTTG19C2006A	-	-	-	-	S5013C2006F	-	-	-	-
PTT01C2007B	0.01	(0.01)	5,750	-	PTTG19C2006B	-	-	-	-	S5013C2006G	-	-	-	-
PTT01P2007A	0.96	0.02	75	-	PTTG19C2008A	0.18	0.03	51	-	S5013C2006H	-	-	-	-
PTT01P2007B	0.20	0.02	516	-	PTTG19C2008B	0.94	(0.19)	2	-	S5013C2006I	-	-	-	-
PTT06C2008A	0.80	(0.04)	13,014	-	PTTG19C2009A	0.49	(0.02)	31,133	-	S5013C2009A	0.76	(0.04)	6,760,144	-
PTT08C2008A	0.34	(0.02)	29,510	-	PTTG19C2011A	0.44	(0.01)	80,274	-	S5013C2009B	0.41	(0.03)	5,922,465	-
PTT08P2009A	0.41	(0.02)	4,111	-	PTTG19P2006A	-	-	-	-	S5013C2009C	0.22	(0.01)	2,703,144	-
PTT11C2008A	0.02	(0.01)	2	-	PTTG19P2009A	0.18	-	34,921	-	S5013P2006A	2.24	0.04	145	2.00
PTT13C2006A	-	-	-	-	PTTG19P2010A	0.64	-	142,289	-	S5013P2006B	1.35	0.24	307	1.00
PTT13C2008A	0.08	-	2,912	-	PTTG19P2011A	0.55	-	41,085	-	S5013P2006C	0.10	(0.10)	531	-
PTT13C2008B	-	-	-	-	PTTG24C2008A	0.42	(0.02)	17,374	-	S5013P2006D	0.01	-	1	-
PTT13C2009A	0.33	(0.01)	144,121	-	PTTG27P2006A	-	-	-	-	S5013P2006E	-	-	-	-
PTT13C2010A	0.25	-	270,501	-	PTTG28C2008A	0.24	(0.03)	93,820	-	S5013P2006F	-	-	-	-
PTT13P2008A	0.02	-	8,891	-	PTTG28C2011A	0.28	(0.01)	27,996	-	S5013P2006G	-	-	-	-
PTT13P2009A	0.15	(0.01)	4,983	-	PTTG28C2012A	0.53	(0.02)	55,903	-	S5013P2006H	-	-	-	-
PTT13P2010A	0.38	(0.02)	261,610	-	PTTG41C2007A	-	-	-	-	S5013P2006I	-	-	-	-
PTT16C2008A	-	-	-	-	PTTG41C2008A	-	-	-	-	S5013P2006J	-	-	-	-
PTT19C2008A	-	-	-	-	PTTG41C2010A	0.60	(0.03)	415	-	S5013P2006K	0.32	0.01	41,463	-
PTT19C2009A	0.37	(0.01)	21,206	-	PTTG41C2011A	0.33	-	55,546	-	S5013P2009A	0.52	(0.01)	2,557,900	-
PTT19C2011A	0.29	(0.01)	23,719	-	PTTG41P2010A	-	-	-	-	S5013P2009B	0.45	(0.01)	1,843,998	-
PTT19P2006A	0.22	(0.02)	150	-	PTTG41P2011A	0.91	0.01	7,750	-	S5013P2009C	0.61	(0.02)	2,946,579	-
PTT19P2009A	0.10	-	181	-	PTTG42C2007A	-	-	-	-	S5013P2009D	0.62	(0.03)	11,465,600	-
PTT19P2010A	0.36	(0.01)	2,792	-	PTTG42C2012T	0.26	-	6,404	-	S5013P2009E	1.58	(0.04)	1,350,891	1.00
PTT19P2010B	0.44	-	33,512	-	QH01C2006A	0.01	(0.09)	10	-	S5016C2006A	-	-	-	-
PTT24C2008A	0.26	(0.02)	14,566	-	QH01C2006B	-	-	-	-	S5016C2006B	-	-	-	-
PTT28C2007A	-	-	-	-	QH01P2006A	0.31	0.06	32	-	S5016C2006C	-	-	-	-
PTT28C2008A	0.06	(0.01)	8,010	-	QH11C2006A	-	-	-	-	S5016C2006D	-	-	-	-
PTT28C2008B	-	-	-	-	QH19C2006A	-	-	-	-	S5016C2006E	-	-	-	-
PTT28C2008C	-	-	-	-	QH27C2007A	-	-	-	-	S5016C2009A	0.31	(0.02)	20,035	-
PTT28C2011A	0.30	(0.02)	6,124	-	RAT001C2006A	0.03	(0.15)	63	-	S5016P2006A	-	-	-	-
PTT28C2012A	0.21	(0.01)	22,428	-	RAT001C2006B	0.01	-	768	-	S5016P2006B	-	-	-	-
PTT41C2007A	-	-	-	-	RAT001P2006A	-	-	-	-	S5016P2006C	-	-	-	-
PTT41C2009A	-	-	-	-	RAT006C2009A	0.44	0.01	66,658	-	S5016P2006D	-	-	-	-
PTT41C2010A	0.28	(0.01)	3,732	-	RAT006P2010A	0.87	(0.03)	18,314	-	S5016P2006E	-	-	-	-
PTT41P2010A	0.28	0.01	2,700	-	RAT013C2007A	0.08	-	2,950	-	S5016P2009A	1.39	(0.01)	70,169	1.00
PTT41P2011A	-	-	-	-	RAT013C2010A	0.39	-	91,806	-	S5016P2103Z	3.50	0.02	2	3.00
PTT42C2007A	-	-	-	-	RAT16C2008A	-	-	-	-	S5019C2006A	-	-	-	-
PTT42C2010M	0.33	(0.02)	6,862	-	RAT19C2007A	0.29	-	15,620	-	S5019C2006B	-	-	-	-
PTT42C2012T	0.22	0.05	4,550	-	RAT19C2011A	0.47	0.01	19,990	-	S5019C2006C	0.01	(0.34)	5	-
PTTE01C2007A	0.04	-	11,604	-	RAT19P2011A	0.78	(0.02)	73,161	-	S5019C2006D	-	-	-	-
PTTE01C2007B	0.01	(0.01)	11,050	-	RAT24C2006A	-	-	-	-	S5019C2006E	-	-	-	-
PTTE01P2007A	1.84	0.15	6	1.00	RAT27C2007A	-	-	-	-	S5019C2006F	0.28	(0.15)	140	-
PTTE01P2007B	0.48	0.05	253	-	RAT41C2006A	-	-	-	-	S5019C2006G	-	-	-	-
PTTE06C2008A	2.40	(0.08)	22,939	2.00	RAT41C2010A	0.45	-	1,540	-	S5019C2007B	0.01	-	150	-
PTTE06C2011A	0.69	(0.05)	68,127	-	RAT42C2006A	-	-	-	-	S5019C2009A	2.90	(0.04)	13,734	2.00
PTTE06P2009A	0.22	-	31,451	-	RAT42C2102T	-	-	-	-	S5019C2009B	0.88	(0.02)	611,706	-
PTTE06P2011A	1.18	0.03	101,221	1.00	RS06C2010A	0.88	0.04	100,613	-	S5019C2009C	0.22	(0.02)	216,602	-
PTTE08C2008A	1.83	(0.16)	32,200	1.00	RS08C2011A	0.58	0.01	129,436	-	S5019C2009D	0.40	(0.02)	406,943	-
PTTE08C2011A	0.95	(0.04)	63,155	-	RS08P2006A	-	-	-	-	S5019P2006A	-	-	-	-
PTTE08P2006A	-	-	-	-	RS13C2006A	-	-	-	-	S5019P2006B	-	-	-	-
PTTE11C2006A	-	-	-	-	RS13C2010A	0.72	0.03	192,662	-	S5019P2006C	0.14	(0.01)	65,164	-
PTTE11C2011A	0.88	(0.03)	35,329	-	RS13C2011A	0.39	(0.61)	394,411	-	S5019P2006D	-	-	-	-
PTTE13C2008A	0.05	-	1,928	-	RS19C2007A	0.73	0.02	3,903	-	S5019P2006E	-	-	-	-
PTTE13C2008B	0.97	(0.17)	3	-	RS19C2010A	1.95	0.38	22	1.00	S5019P2006F	0.01	-	101	-
PTTE13C2009A	1.27	(0.06)	90	1.00	RS19C2010B	0.47	0.02	176,470	-	S5019P2006G	-	-	-	-
PTTE13C2010A	0.78	(0.05)	85,275	-	RS19C2011A	0.75	0.02	51,490	-	S5019P2007B	-	-	-	-
PTTE13C2010B	0.31	(0.03)	42,078	-	RS24C2008A	0.49	0.03	33,331	-	S5019P2009A	0.39	(0.01)	159,686	-
PTTE13P2008A	0.04	-	2,382	-	RS28C2012A	0.57	0.01	120,066	-	S5019P2009B	0.15	(0.01)	186,140	-
PTTE13P2009A	0.18	(0.01)	23,769	-	RS28C2101L	0.37	-	76,823	-	S5019P2009C	0.81	-	850,475	-
PTTE13P2010A	1.25	0.03	142,137	1.00	RS42C2008A	0.99	(0.02)	13,273	1.00	S5019P2009D	1.31	-	384,540	1.00
PTTE16C2009A	0.07	-	11	-	RS42C2101T	0.27	(0.73)	20,204	-	S5024C2006A	-	-	-	-
PTTE19C2006A	-	-	-	-	S10001C2011A	0.10	-	469	-	S5024C2006B	-	-	-	-
PTTE19C2008A	0.06	(0.01)	2,101	-	S5001C2006F	0.01	-	202,522	-	S5024C2006C	-	-	-	-
PTTE19C2008B	-	-	-	-	S5001C2006G	0.01	-	197,592	-	S5024C2006D	-	-	-	-
PTTE19C2009A	-	-	-	-	S5001C2006H	0.01	-	485,508	-	S5024C2006E	-	-	-	-
PTTE19C2009B	1.24	(0.11)	1	1.00	S5001C2007A	0.30	0.01	4,626	-	S5024C2009A	0.03	-	1,997	-
PTTE19C2010A	0.58	(0.04)	46,131	-	S5001P2006F	3.46	0.02	158	3.00	S5024C2009B	0.97	(0.06)	136,762	-
PTTE19C2010B	0.99	(0.06)	32,986	-	S5001P2006G	1.26	0.04	384	1.00	S5024C2009C	0.30	(0.06)	274	-
PTTE19C2011A	0.39	(0.02)	29,534	-	S5001P2006H	0.01	(0.01)	80,116	-	S5024C2009D	0.29	(0.02)	19,116	-
PTTE19P2006A	-	-	-	-	S5001P2007A	0.89	(0.01)	28,705	-	S5024C2009E	0.64	(0.08)	12,384	-
PTTE19P2009A	0.13	(0.02)	11,301	-	S5006C2006A	0.01	-	37,592	-	S5024C2009F	1.35	0.07	119,538	1.00
PTTE19P2009B	0.34	0.01	49,698	-	S5006C2006B	0.01	(0.01)	19,179	-	S5024C2012A	0.12	-	3,428	-
PTTE19P2010A	0.82	0.02	116,615	-	S5006C2006C	0.60	(0.08)	374	-	S5024P2006A	-	-	-	-
PTTE19P2010B	1.21	0.05	38,048	1.00	S5006C2006D	0.50	(0.04)	392	-	S5024P2006B	0.01	(2.65)	5,690	-
PTTE24C2008A	0.04	(0.01)	952	-	S5006C2006E	0.01	-	3,170	-	S5024P2006C	-	-	-	-
PTTE24C2011A	0.57	(0.07)	15,540	-	S5006C2006F	1.14	(0.12)	67	1.00	S5024P2006D	-	-	-	-
PTTE28C2008A	0.08	(0.02)	5,950	-	S5006C2009A	0.68	(0.02)	340,636	-	S5024P2006E	-	-	-	-
PTTE28C2011A	0.92	(0.06)	21,294	-	S5006C2009B	1.04	(0.04)	236,772	-	S5024P2006F	-	-	-	-
PTTE28C2011B	0.30	(0.03)	22,426	-	S5006C2009C	0.49	(0.04)	158,710	-	S5024P2009A	0.73	(0.05)	10,075	-
PTTE28C2012A	0.68	(0.04)	30,441	-	S5006P2006A	3.32	1.67	2	3.00	S5024P2009B	1.35	(0.07)	228,750	1.00
PTTE28C2102L	0.50	(0.02)	14,196	-	S5006P2006B	0.01	(0.03)	49,500	-	S5024P2009C	1.19	(0.05)	77,090	1.00
PTTE41C2007A	-	-	-	-	S5006P2006C	0.01	-	26,104	-	S5024P2012A	0.24	-	28,246	-
PTTE41C2008A	0.56	(0.04)	86,140	-	S5006P2006D	0.01	-	984	-	S5028C2006A	-	-	-	-
PTTE41C2009A	-	-	-	-	S5006P2006E	0.01	(0.01)	59,018	-	S5028C2006B	-	-	-	-
PTTE41C2010A	-	-	-	-	S5006P2006F	0.01	(0.01)	517	-	S5028C2006C	0.01	(0.51)	60	-
PTTE41P2009A	0.70	0.01	15	-	S5006P2009A	1.23	-	535,004	1.00	S5028C2006D	-	-	-	-
PTTE41P2010A	0.83	0.01	74,591	-	S5006P2009B	0.37	(0.01)	392,305	-	S5028C2007A	0.18			

Main Board Quotation

Issue Date :

Monday June 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5041C2006D	-	-	-	-	SCC42C2008A	-	-	-	-	TCAP13C2010A	0.32	-	151,301	-
S5041C2006E	-	-	-	-	SGP13C2007A	-	-	-	-	TCAP19C2010A	0.35	-	35,273	-
S5041C2006F	0.31	(0.63)	50	-	SGP13C2011A	0.39	-	78,625	-	TCAP42C2011T	0.17	-	50	-
S5041C2006G	-	-	-	-	SGP19C2006A	-	-	-	-	THAI27C2008A	0.19	0.08	1	-
S5041C2009A	0.82	(0.05)	3,164,094	-	SGP19C2006B	0.01	(0.01)	2,754	-	THAN01C2006A	0.01	-	35,504	-
S5041C2009B	0.43	(0.04)	660,837	-	SGP19C2011A	0.41	0.01	110,983	-	THAN01C2006B	0.01	(0.03)	24,000	-
S5041C2009C	0.31	(0.01)	60,991	-	SGP42C2007A	-	-	-	-	THAN01P2006A	-	-	-	-
S5041C2009D	0.17	(0.02)	39,079	-	SGP42C2011T	-	-	-	-	THAN06C2010A	0.39	(0.04)	224,963	-
S5041P2006A	-	-	-	-	SIRI13C2007A	0.02	(0.01)	500	-	THAN13C2007A	-	-	-	-
S5041P2006B	0.17	(0.30)	22	-	SIRI19C2007A	0.02	(0.01)	41	-	THAN19C2007A	-	-	-	-
S5041P2006C	-	-	-	-	SPAL06C2010A	0.60	0.03	58,210	-	THAN19C2010A	0.35	(0.02)	140,427	-
S5041P2006D	0.01	(0.14)	30	-	SPAL06P2009A	0.18	(0.03)	42,760	-	TISCO1C2006A	0.01	-	15,831	-
S5041P2006E	0.01	-	90	-	SPAL11C2006A	0.01	(0.03)	25	-	TISCO1C2006B	0.01	-	5,057	-
S5041P2006F	-	-	-	-	SPAL13C2006A	-	-	-	-	TISCO1P2006A	-	-	-	-
S5041P2006G	0.01	(0.11)	3	-	SPAL13C2010A	0.38	-	70,161	-	TISC11C2007A	-	-	-	-
S5041P2009A	0.76	(0.02)	70,150	-	SPAL19C2011A	0.54	0.03	52,677	-	TISC13C2010A	0.53	(0.02)	56,003	-
S5041P2009B	0.93	0.02	3,178,307	-	SPAL27C2008A	-	-	-	-	TISC19C2006A	-	-	-	-
S5041P2009C	1.27	0.02	350,917	1.00	SPRC01C2007A	-	-	-	-	TISC19C2010A	0.41	(0.02)	31,257	-
S5041P2009D	1.04	0.03	26,199	1.00	SPRC06C2007A	0.01	-	1,000	-	TISC19C2010B	0.64	-	100,574	-
SAWA01C2006A	0.01	-	7,332	-	SPRC06C2010A	0.39	(0.02)	25,768	-	TISC41C2006A	-	-	-	-
SAWA01C2006B	0.01	-	59,798	-	SPRC06P2007A	-	-	-	-	TISC41C2010A	0.38	(0.02)	9,350	-
SAWA01P2006A	0.94	(0.10)	1,229	1.00	SPRC06P2011A	0.57	(0.02)	38,338	-	TISC41P2006A	-	-	-	-
SAWA06C2007A	0.01	(0.01)	197	-	SPRC08C2006A	0.01	-	541	-	TKN01C2007B	-	-	-	-
SAWA06C2010A	0.48	0.02	61,805	-	SPRC08C2011A	0.37	(0.02)	26,000	-	TKN01C2008A	-	-	-	-
SAWA08C2006A	0.01	-	8,414	-	SPRC11C2008A	-	-	-	-	TKN06C2011A	0.33	0.02	29,941	-
SAWA08C2011A	0.49	0.01	41,613	-	SPRC13C2008A	-	-	-	-	TKN08C2007A	0.21	-	1,000	-
SAWA13C2007A	-	-	-	-	SPRC13C2010A	0.27	-	43,839	-	TKN08C2011A	0.25	0.01	10,132	-
SAWA13C2009A	0.42	(0.02)	1,100	-	SPRC19C2007A	-	-	-	-	TKN13C2006A	-	-	-	-
SAWA13C2010A	0.38	0.01	80,104	-	SPRC19C2010A	0.35	-	15,307	-	TKN13C2010A	0.73	0.04	100	-
SAWA16C2008A	-	-	-	-	SPRC19P2011A	0.53	(0.01)	47,804	-	TKN13C2010B	0.23	0.01	28,975	-
SAWA19C2009A	0.46	(0.04)	486	-	SPRC28C2008A	-	-	-	-	TKN16C2008A	-	-	-	-
SAWA19C2009B	0.47	0.01	59,222	-	SPRC28C2011A	0.26	(0.02)	22,318	-	TKN19C2007A	-	-	-	-
SAWA24C2009A	0.42	(0.01)	11,290	-	SPRC42C2006A	-	-	-	-	TKN19C2010A	0.88	(0.07)	14	-
SAWA27C2007A	-	-	-	-	SPRC42C2011T	-	-	-	-	TKN19C2011A	0.65	0.03	32,218	-
SAWA28C2007A	-	-	-	-	STA01C2008B	2.76	0.14	1,188	2.00	TKN19C2011B	0.26	0.02	46,472	-
SAWA28C2008A	-	-	-	-	STA01C2009A	-	-	-	-	TKN28C2007A	-	-	-	-
SAWA28C2011A	0.47	(0.01)	30,920	-	STA01P2009A	0.27	0.01	4,872	-	TKN28C2012A	-	-	-	-
SAWA28C2012A	0.44	0.01	37,422	-	STA08C2010A	2.00	(0.32)	14	1.00	TKN28C2012B	0.24	0.01	14,818	-
SAWA28C2102L	0.25	-	24,406	-	STA08C2011A	0.26	0.01	31,558	-	TKN42C2006A	-	-	-	-
SAWA41C2009A	0.41	-	18,058	-	STA13C2006A	-	-	-	-	TMB19C2007A	0.03	(0.01)	752	-
SAWA41C2010A	0.38	(0.04)	470	-	STA13C2009A	-	-	-	-	TMB19C2011A	0.35	(0.01)	17,609	-
SAWA42C2010T	0.25	-	3,735	-	STA13C2010A	1.35	0.06	400	1.00	TMB19C2011B	0.20	(0.01)	18,367	-
SCB01C2007A	0.04	-	6,826	-	STA13C2010B	0.28	-	594,134	-	TMB41C2010A	0.15	(0.01)	310	-
SCB01C2007B	0.03	-	65	-	STA13C2010C	0.26	0.01	299,190	-	TOA01C2006A	-	-	-	-
SCB01C2008B	0.05	(0.04)	412	-	STA13P2010A	0.40	(0.02)	106,309	-	TOA01C2006B	-	-	-	-
SCB01C2009A	0.34	0.02	36,070	-	STA19C2007A	-	-	-	-	TOA13C2007A	0.19	0.02	2,786	-
SCB01P2007A	1.13	(0.08)	141	1.00	STA19C2009A	-	-	-	-	TOA19C2007A	0.25	0.01	28,786	-
SCB01P2007B	0.74	0.01	678	-	STA19C2010A	1.88	0.03	250	1.00	TOA19C2010A	0.37	0.01	28,466	-
SCB06C2007A	-	-	-	-	STA19C2010B	-	-	-	-	TOA42C2011T	-	-	-	-
SCB06C2010A	0.74	0.04	99,728	-	STA19C2010C	0.27	0.01	32,558	-	TOP01C2006A	0.01	-	98,994	-
SCB08C2007A	-	-	-	-	STA19C2011A	0.97	0.04	2,585	-	TOP01C2006B	0.01	-	60,918	-
SCB08C2009A	0.60	-	60,460	-	STA19C2011B	0.30	0.02	397,401	-	TOP01C2008B	-	-	-	-
SCB11C2006A	-	-	-	-	STA19P2009A	0.42	(0.02)	80,680	-	TOP01C2009A	-	-	-	-
SCB11C2008A	-	-	-	-	STA28C2011A	-	-	-	-	TOP01P2006A	-	-	-	-
SCB13C2006A	-	-	-	-	STA28C2011B	0.28	0.01	31,617	-	TOP01P2009A	0.31	(0.02)	46	-
SCB13C2006B	-	-	-	-	STA28C2012A	1.29	(0.06)	76	1.00	TOP06C2007A	-	-	-	-
SCB13C2007A	-	-	-	-	STA28C2102L	0.19	-	16,384	-	TOP06C2008A	0.98	(0.03)	41,781	-
SCB13C2008A	-	-	-	-	STA41C2010A	0.24	0.01	40,111	-	TOP06C2011A	0.35	(0.01)	68,527	-
SCB13C2009A	0.59	0.02	519,074	-	STA42C2007A	-	-	-	-	TOP06P2010A	0.42	(0.01)	48,931	-
SCB13C2010A	0.34	0.01	112,245	-	STA42C2011T	0.21	(0.01)	5,010	-	TOP08C2007A	-	-	-	-
SCB13P2006A	-	-	-	-	STEC01C2006A	0.18	(0.02)	2,489	-	TOP08C2010A	0.45	(0.02)	16,860	-
SCB13P2008A	0.17	(0.03)	337	-	STEC01C2006B	0.01	-	3,700	-	TOP08P2007A	0.77	0.04	300	-
SCB13P2010A	1.34	(0.07)	322,251	1.00	STEC01P2006A	0.01	(0.01)	344	-	TOP11C2007A	0.01	-	400	-
SCB16C2008A	-	-	-	-	STEC06C2010A	0.46	0.01	20,915	-	TOP11C2011A	0.56	(0.03)	34,513	-
SCB19C2006A	-	-	-	-	STEC11C2007A	-	-	-	-	TOP13C2008A	-	-	-	-
SCB19C2007A	-	-	-	-	STEC13C2010A	0.33	-	84,174	-	TOP13C2008B	-	-	-	-
SCB19C2008A	-	-	-	-	STEC16C2006A	-	-	-	-	TOP13C2010A	0.38	(0.02)	43,835	-
SCB19C2010A	0.38	0.01	55,499	-	STEC16C2009A	-	-	-	-	TOP13P2010A	0.58	-	49,030	-
SCB19C2010B	0.74	0.03	72,297	-	STEC19C2009A	0.45	-	27,066	-	TOP16C2008A	-	-	-	-
SCB19P2010A	0.47	(0.03)	13,862	-	STEC19C2011A	0.31	0.01	14,312	-	TOP19C2006A	-	-	-	-
SCB19P2011A	1.56	(0.05)	126,222	1.00	STEC24C2006A	-	-	-	-	TOP19C2007A	-	-	-	-
SCB24C2008A	0.33	-	20,694	-	STEC28C2011A	0.35	-	19,502	-	TOP19C2008A	0.25	-	24,577	-
SCB27C2007A	0.01	-	580	-	STEC28C2012A	0.34	-	13,807	-	TOP19C2010A	0.45	-	55,618	-
SCB27P2006A	-	-	-	-	STEC41C2009A	0.26	0.01	2,200	-	TOP19P2006A	-	-	-	-
SCB28C2008A	-	-	-	-	SUPE19C2007A	0.66	(0.12)	341	-	TOP19P2010A	0.55	0.01	169,469	-
SCB28C2010A	0.47	0.01	56,584	-	SUPE19C2010A	0.46	(0.02)	3,033	-	TOP24C2007A	-	-	-	-
SCB41C2006A	-	-	-	-	SUPE19C2011A	0.26	(0.01)	364,047	-	TOP24C2008A	0.22	(0.03)	16,700	-
SCB41C2006B	-	-	-	-	SUPE42C2011T	0.19	-	2,299	-	TOP41C2007A	-	-	-	-
SCB41C2008A	0.35	0.02	85,317	-	TASC01C2007B	-	-	-	-	TOP41C2008A	-	-	-	-
SCB41C2011A	0.28	-	3,503	-	TASC01C2008A	1.03	0.21	15,297	-	TOP41C2010A	-	-	-	-
SCB42C2006A	-	-	-	-	TASC01P2008A	0.12	(0.01)	296	-	TOP41P2006A	-	-	-	-
SCB42C2007A	-	-	-	-	TASC06C2009A	1.17	0.21	105,046	1.00	TOP41P2010A	-	-	-	-
SCB42C2011T	0.33	(0.01)	8,167	-	TASC08C2006A	0.48	0.17	2	-	TOP41P2011A	-	-	-	-
SCC06C2007A	-	-	-	-	TASC08C2011A	0.74	0.12	131,579	-	TOP42C2007A	-	-	-	-
SCC08C2011A	0.70	(0.04)	38,057	-	TASC13C2009A	0.80	0.15	580,176	-	TOP42C2011T	0.27	(0.02)	60	-
SCC08P2006A	0.01	-	2,900	-	TASC16C2008A	-	-	-	-	TQM13C2011A	0.84	0.15	315,010	-
SCC11C2006A	-	-	-	-	TASC19C2006A	-	-	-	-	TQM19C2010A	3.48	0.48	13,948	3.00
SCC11C2007A	-	-	-	-	TASC19C2007A	0.40	0.16	127	-	TQM19C2011A	1.11	0.18	416,324	-
SCC11C2011A	0.83	(0.04)	43,103	-	TASC19C2009A	1.05	0.13	12,693	1.00	TQM42C2011T	0.71	0.10	2,730	-
SCC13C2008A	-	-	-	-	TASC19C2011A	0.83	0.12	254,841	-	TRUE01C2007A	0.14	(0.09)	200	-
SCC13C2009A	0.77	(0.04)	74,925	-	TASC19P2010A	0.52	(0.09)	364,589	-	TRUE01C2007B	0.01	(0.01)		

Main Board Quotation

Issue Date :

Monday June 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE19C2011A	0.23	(0.03)	19,102	-	PACE-W2	0.01	-	106	-	-	-	-	-	-
TRUE19P2011A	0.53	0.02	201,930	-	PACE-W3	0.02	0.01	4,000	-	-	-	-	-	-
TRUE28C2011A	0.20	(0.04)	35,706	-	PDI-W1	0.50	-	11,979	-	-	-	-	-	-
TRUE28C2012A	0.20	(0.02)	9,586	-	PDJ-W4	0.26	(0.02)	14,454	-	-	-	-	-	-
TRUE41C2007A	-	-	-	-	PERM-W1	0.17	-	6,306	-	-	-	-	-	-
TRUE41C2010A	-	-	-	-	PORT-W1	0.71	(0.01)	36,368	-	-	-	-	-	-
TRUE42C2007A	-	-	-	-	PPPM-W4	0.15	0.01	1,000	-	-	-	-	-	-
TRUE42C2101T	0.22	(0.78)	16,400	-	PRIME-W1	0.03	0.01	24,022	-	-	-	-	-	-
TTW27C2009A	0.15	(0.01)	4,253	-	PRIME-W2	0.04	0.01	10,463	-	-	-	-	-	-
TU06C2009A	0.19	0.02	60,070	-	RICHY-W2	-	-	-	-	-	-	-	-	-
TU06P2007A	-	-	-	-	SAMART-W2	0.39	(0.01)	4,580	-	-	-	-	-	-
TU06P2010A	0.35	(0.04)	25,581	-	SDC-W1	0.08	-	702	-	-	-	-	-	-
TU08C2008A	0.08	0.01	84,921	-	SINGER-W1	5.50	0.10	5,875	5.00	-	-	-	-	-
TU08C2011A	0.25	0.01	31,655	-	SINGER-W2	2.82	0.06	2,451	2.00	-	-	-	-	-
TU11C2008A	0.09	-	5	-	SST-W2	1.03	-	434	1.00	-	-	-	-	-
TU13C2010A	0.24	0.01	68,676	-	SUPER-W4	0.01	-	7,534	-	-	-	-	-	-
TU19C2007A	-	-	-	-	TCC-W3	0.06	0.02	10	-	-	-	-	-	-
TU19C2009A	0.06	-	168,190	-	TCC-W4	0.05	0.01	1,502	-	-	-	-	-	-
TU19C2010A	0.20	0.02	8,308	-	TCC-W5	0.14	-	1	-	-	-	-	-	-
TU24C2006A	-	-	-	-	TGPRO-W3	0.01	-	1,825	-	-	-	-	-	-
TU27C2006A	0.01	-	6,023	-	TNITY-W1	0.27	(0.01)	10,968	-	-	-	-	-	-
TU28C2011A	0.21	0.02	15,384	-	TRITN-W3	0.11	-	46,167	-	-	-	-	-	-
TU28C2012A	0.13	0.01	47,425	-	TTCL-W1	0.41	(0.01)	3,259	-	-	-	-	-	-
TU41C2009A	0.12	-	1,000	-	U-W4	-	-	-	-	-	-	-	-	-
TU41C2010A	0.20	0.02	575	-	UAC-W2	-	-	-	-	-	-	-	-	-
TU42C2007A	-	-	-	-	VGI-W2	0.76	(0.01)	68,588	-	-	-	-	-	-
TU42C2101T	0.17	(0.83)	1	-	VIBHA-W3	0.14	(0.01)	5,227	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	W-W2	-	-	-	-	-	-	-	-	-
TVO19C2007A	-	-	-	-	W-W3	0.03	-	25	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	WIK-W2	0.23	(0.01)	18,477	-	-	-	-	-	-
VGI06C2010A	0.30	-	32,083	-	ZMICO-W4	0.09	-	23,216	-	-	-	-	-	-
VGI08C2006A	0.01	-	500	-	Preferred Shares	-	-	-	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
VGI13C2010A	0.23	0.01	74,060	-	CSC-P	-	-	-	-	-	-	-	-	-
VGI19C2006A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
VGI19C2010A	0.37	-	17,511	-	KTB-P	-	-	-	-	-	-	-	-	-
VGI41C2007A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
VGI42C2101T	0.21	(0.79)	4,180	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA01C2008B	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA01C2009A	-	-	-	-	U-P	1.69	(0.04)	2,240	1.00	-	-	-	-	-
WHA01P2009A	0.11	-	15,516	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
WHA06C2007A	0.01	(0.28)	100	-	BM-W1	0.02	0.01	15,689	-	-	-	-	-	-
WHA06C2010A	0.44	-	163,868	-	BROOK-W5	0.15	0.01	31,142	-	-	-	-	-	-
WHA08C2006A	0.01	(0.02)	10	-	CHAYO-W1	2.18	0.02	88,782	2.00	-	-	-	-	-
WHA08C2011A	0.51	0.01	58,096	-	CHO-W2	0.05	-	124,650	-	-	-	-	-	-
WHA08P2006A	0.01	-	400	-	CIG-W8	0.03	-	15,852	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	D-W1	-	-	-	-	-	-	-	-	-
WHA13C2006A	-	-	-	-	DIMET-W3	0.76	0.05	3	-	-	-	-	-	-
WHA13C2009A	0.47	-	247,792	-	DOD-W1	0.64	0.02	404,246	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	ECF-W3	0.29	(0.01)	6,520	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	HPT-W1	0.32	(0.03)	10,090	-	-	-	-	-	-
WHA19C2006A	-	-	-	-	HYDRO-W1	0.02	0.01	576	-	-	-	-	-	-
WHA19C2010A	0.56	0.01	31,113	-	ITEL-W1	0.44	(0.01)	199,250	-	-	-	-	-	-
WHA19C2011A	0.40	0.01	72,735	-	LIT-W1	0.55	(0.05)	2,830	-	-	-	-	-	-
WHA24C2007A	0.15	(0.02)	25,269	-	META-W4	0.06	(0.02)	34,604	-	-	-	-	-	-
WHA27C2008A	0.20	(0.04)	5,208	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA28C2011A	0.39	-	50,716	-	OCEAN-W3	0.33	(0.01)	8,956	-	-	-	-	-	-
WHA28C2012A	0.48	(0.01)	10	-	PROUD-W2	-	-	-	-	-	-	-	-	-
WHA41C2007A	-	-	-	-	RWI-W2	0.17	-	14,067	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	SANKO-W1	0.11	(0.01)	3,872	-	-	-	-	-	-
WHA42C2101T	0.29	(0.71)	16,620	-	SIMAT-W3	0.51	(0.01)	15,921	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	SIMAT-W4	2.10	0.06	3,228	2.00	-	-	-	-	-
BH-Q	-	-	-	-	SMART-W2	0.20	-	3,041	-	-	-	-	-	-
CSC-Q	-	-	-	-	SWC-W1	-	-	-	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	TAKUNI-W	0.05	(0.01)	14,643	-	-	-	-	-	-
KTB-Q	-	-	-	-	TAPAC-W4	0.38	(0.01)	5,723	-	-	-	-	-	-
SCB-Q	-	-	-	-	TVD-W2	0.26	(0.01)	14,387	-	-	-	-	-	-
TCAP-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.11	(0.01)	29,332	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.05	-	68,354	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	1.22	0.06	276,985	1.00	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.19	(0.01)	24,689	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.04	-	797	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.05	-	891	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.10	-	2,267	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	1.12	0.02	148,622	1.00	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.05	(0.01)	4,143	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.03	-	6,212	-	-	-	-	-	-	-	-	-	-	-
CRANE-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.68	0.01	208,804	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.15	0.01	6,313	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.04	-	56,110	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.29	(0.02)	16,759	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.23	-	25,396	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.61	(0.02)	23,854	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.37	-	1,881	-	-	-	-	-	-	-	-	-	-	-
JAS-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JCK-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JMT-W2	4.90	0.06	46,560	4.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.09	(0.02)	874,349	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.05	0.01	24,968	-	-	-	-	-	-	-	-	-	-	-
MILL-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	1.17	0.01	4,366	1.00	-	-	-	-	-	-	-	-	-	-
NER-W1	1.16	0.02	234,903	1.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	2.76	0.06	50,640	2.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.69	-	2,780	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.14	0.01	218,409	-	-	-	-	-	-	-	-	-	-	-
ORI-W1	0.22	-	66,052	-	-	-	-	-	-	-	-	-	-	-