

Main Board Quotation

Issue Date :

Friday January 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	TCAP-Q	-	-	-	-	PATO	8.20	-	44	8.20
Agribusiness	-	-	-	-	TCAP19C2504A	-	-	-	-	PMTA	8.60	(0.10)	20	8.60
EE	0.57	0.01	113,164	0.57	TISCO	98.50	0.50	24,694	98.43	PTTGC	22.40	1.70	308,526	21.89
EE-W1	0.01	-	66,079	0.01	TISCO-P	-	-	-	-	PTTGC01C2502A	-	-	-	-
GFPT	9.70	0.10	12,694	9.60	TISCO-Q	-	-	-	-	PTTGC01C2504A	0.10	0.02	35,330	0.10
LEE	2.32	0.02	169	2.32	TISCO11C2501A	-	-	-	-	PTTGC01C2505A	0.04	0.01	120	0.04
NER	4.94	0.02	50,206	4.94	TISCO13C2502A	-	-	-	-	PTTGC01C2506A	0.51	(0.49)	73,071	0.47
NER-W2	0.55	0.01	2,828	0.55	TISCO19C2502A	-	-	-	-	PTTGC01P2503A	0.37	(0.14)	70,066	0.41
PCE	3.12	0.02	133,645	3.10	TISCO41C2606T	0.35	-	39,961	0.35	PTTGC01P2506A	0.52	(0.48)	66,743	0.55
PPPM	0.44	(0.01)	3,997	0.45	TTB	1.87	-	1,787,060	1.88	PTTGC11C2501A	-	-	-	-
PPPM-W6	0.35	(0.06)	1,022	0.36	TTB-W1	0.90	(0.01)	1,121	0.91	PTTGC11C2502A	-	-	-	-
STA	16.60	-	40,422	16.61	TTB01C2503A	-	-	-	-	PTTGC11C2503A	0.05	0.01	700	0.05
STA01C2502A	0.02	0.01	11	0.01	TTB01C2504A	0.18	-	18,361	0.18	PTTGC13C2502A	-	-	-	-
STA01C2503A	-	-	-	-	TTB13C2503A	0.06	(0.01)	800	0.06	PTTGC13C2503A	0.03	-	400	0.03
STA01C2504A	0.13	(0.02)	41,206	0.14	TTB13C2506A	0.32	(0.68)	20,241	0.33	PTTGC13C2504A	0.03	(0.01)	24,000	0.03
STA01C2506A	0.36	(0.64)	17,428	0.36	TTB19C2504A	0.17	(0.01)	3,012	0.18	PTTGC13C2505A	0.25	0.09	127,051	0.22
STA01P2502A	0.52	-	151	0.52	Construction Ma	-	-	-	-	PTTGC13C2506A	0.49	0.15	240,625	0.44
STA13C2502A	0.01	-	4	0.01	CCP	0.25	-	20,932	0.24	PTTGC13P2502A	0.18	(0.16)	5,240	0.23
STA13C2502B	-	-	-	-	DCC	1.61	0.02	15,643	1.61	PTTGC13P2502B	-	-	-	-
STA13C2503A	-	-	-	-	DCON	0.29	-	12,059	0.29	PTTGC13P2506A	0.38	(0.13)	132,692	0.42
STA13C2505A	0.19	(0.01)	5,458	0.20	DCON-W3	-	-	-	-	PTTGC19C2502A	-	-	-	-
STA13P2502A	0.23	(0.02)	11,502	0.23	DRT	7.45	-	645	7.47	PTTGC19C2504A	-	-	-	-
STA19C2502A	-	-	-	-	EPG	3.62	0.06	12,841	3.60	PTTGC19C2505A	0.17	0.06	29,704	0.14
STA19C2502B	-	-	-	-	GEL	0.06	-	26,000	0.06	PTTGC19C2506A	0.38	0.12	157,166	0.33
STA19C2503A	-	-	-	-	GEL-W5	-	-	-	-	PTTGC19P2503A	0.15	(0.09)	60,614	0.18
STA19C2504A	0.08	-	816	0.08	PPP	1.49	0.02	3	1.45	PTTGC41C2502A	-	-	-	-
STA19C2505A	0.18	(0.01)	90,048	0.19	Q-CON	9.00	-	370	8.98	PTTGC41C2502B	-	-	-	-
STA19P2503A	0.32	-	19,304	0.32	SCC	156.00	6.00	47,669	153.46	PTTGC41C2503A	-	-	-	-
STA41C2503A	-	-	-	-	SCC01C2502A	0.01	(0.01)	10	0.01	PTTGC41C2505A	0.14	0.04	15,300	0.13
STA41C2505A	0.17	(0.01)	8,060	0.17	SCC01C2503A	-	-	-	-	PTTGC41P2502A	0.17	(0.07)	2,000	0.17
TEGH	3.22	-	5,796	3.20	SCC01C2505A	0.07	0.01	11,917	0.06	RSXYZ	0.69	(0.04)	129,401	0.70
TFM	7.30	-	96	7.29	SCC01C2505B	0.19	0.04	103,541	0.17	SUTHA	2.62	-	104	2.63
TRUBB	0.85	-	1,119	0.85	SCC01C2507A	0.40	0.07	279,648	0.36	TPA	3.68	(0.62)	4	3.68
UPOIC	6.70	0.05	167	6.70	SCC01P2503A	1.57	(0.24)	12,071	1.68	UAC	2.94	(0.06)	289	2.94
UVAN	9.65	0.15	4,892	9.57	SCC01P2507A	0.71	(0.29)	102,242	0.76	UP	16.60	0.10	58	16.96
VPO	0.58	0.04	43,491	0.58	SCC13C2502A	-	-	-	-	Commerce	-	-	-	-
Banking	-	-	-	-	SCC13C2503A	-	-	-	-	ADVICE	5.25	(0.15)	46,474	5.32
BAY	23.80	-	789	23.85	SCC13C2504A	-	-	-	-	B52	0.38	-	9	0.37
BBL	152.50	(1.50)	82,490	153.34	SCC13C2504B	0.04	(0.01)	100	0.04	BEAUTY	0.28	-	8,697	0.28
BBL11C2501A	-	-	-	-	SCC13C2505A	0.14	0.03	83,671	0.13	BIG	0.31	-	8,855	0.31
BBL11C2502A	-	-	-	-	SCC13C2505B	0.34	0.08	176,178	0.30	BJC	22.10	(0.10)	35,618	21.98
BBL13C2503A	-	-	-	-	SCC13P2502A	1.54	0.12	2	1.57	BJC01C2503A	-	-	-	-
BBL13C2504A	0.17	(0.03)	28,365	0.19	SCC13P2504A	-	-	-	-	BJC13C2502A	-	-	-	-
BBL19C2502A	-	-	-	-	SCC13P2505A	0.53	(0.11)	81,817	0.57	BJC13C2503A	-	-	-	-
BBL19C2503A	-	-	-	-	SCC19C2502A	0.01	-	1,382	0.01	BJC13C2505A	0.19	(0.01)	72,201	0.18
BBL19C2503B	0.08	(0.04)	1,316	0.10	SCC19C2503A	-	-	-	-	BJC19C2502A	-	-	-	-
BBL19C2506A	0.28	(0.04)	9,550	0.29	SCC19C2504A	0.02	-	82	0.02	BJC19C2503A	-	-	-	-
BBL41C2502A	-	-	-	-	SCC19C2505A	-	-	-	-	BJC41C2606T	0.29	(0.01)	18,000	0.29
BBL41C2504A	0.16	(0.03)	10,651	0.18	SCC19C2505B	0.13	0.04	16,364	0.12	COM7	22.80	0.20	56,763	22.85
CI MBT	0.43	-	15,535	0.43	SCC19C2506A	0.37	0.09	41,403	0.33	COM701C2503A	-	-	-	-
CREDIT	20.00	0.20	328	19.86	SCC19P2505A	-	-	-	-	COM713C2504A	-	-	-	-
KBANK	158.50	(0.50)	71,874	159.00	SCC41C2503A	-	-	-	-	COM713C2505A	-	-	-	-
KBANK01C2502A	-	-	-	-	SCC41C2504A	-	-	-	-	COM713C2506A	0.40	0.01	20,151	0.41
KBANK01C2503A	0.20	(0.03)	18,183	0.21	SCC41C2505A	-	-	-	-	COM719C2502A	-	-	-	-
KBANK01C2506A	0.45	(0.03)	32,985	0.47	SCCC	161.00	-	723	161.06	COM719C2505A	-	-	-	-
KBANK01P2502A	-	-	-	-	SCGD	4.46	0.08	4,668	4.46	COM719P2502A	0.02	(0.01)	36	0.02
KBANK01P2502B	-	-	-	-	SCP	7.00	0.05	479	6.97	COM741C2503A	-	-	-	-
KBANK13C2503A	0.12	(0.02)	45,972	0.12	SKN	5.35	0.05	50	5.33	COM741C2505A	-	-	-	-
KBANK13C2505A	0.31	(0.01)	77,049	0.32	STECH	1.05	0.02	704	1.03	COM741C2606T	0.27	-	36,000	0.27
KBANK13P2504A	0.10	0.01	20	0.10	TASCO	18.20	0.10	12,684	18.21	CPALL	55.50	0.25	176,098	55.21
KBANK19C2502A	-	-	-	-	TASCO19C2502A	-	-	-	-	CPALL01C2502A	-	-	-	-
KBANK19C2502B	-	-	-	-	TOA	13.30	0.20	20,109	13.24	CPALL01C2504A	-	-	-	-
KBANK19C2504A	0.28	(0.05)	20,156	0.31	TPIPL	1.00	-	16,351	1.01	CPALL01C2505A	0.21	0.01	18,115	0.20
KBANK19C2505A	0.20	(0.03)	11,285	0.21	UMI	0.64	0.01	2,166	0.63	CPALL01P2502X	0.06	(0.04)	15,100	0.07
KBANK19P2502A	-	-	-	-	VNG	2.98	-	670	2.92	CPALL01P2505A	0.33	(0.01)	16,660	0.34
KBANK41C2502A	-	-	-	-	WIKI	1.08	(0.01)	1,091	1.08	CPALL06C2504A	-	-	-	-
KBANK41C2505A	0.25	(0.03)	41,990	0.26	WIKI-W3	0.05	0.01	738	0.04	CPALL11C2501A	-	-	-	-
KBANK41C2604T	0.81	(0.03)	28,820	0.82	WINDOW	0.69	0.01	508	0.68	CPALL11C2503A	0.02	-	50	0.02
KBANK41P2502A	-	-	-	-	Petrochemicals &	-	-	-	-	CPALL13C2503A	-	-	-	-
KBANK41P2606T	0.41	-	50	0.41	BCT	-	-	-	-	CPALL13C2504A	0.02	-	25	0.02
KKP	53.50	0.50	12,252	53.49	CMAN	2.24	0.04	1,182	2.21	CPALL13C2505A	0.08	-	4,620	0.08
KKP-W6	1.32	0.04	187	1.30	GC	4.94	-	414	4.91	CPALL13C2505B	0.15	-	28,310	0.14
KKP13C2502A	0.01	(0.06)	3	0.01	GGC	4.12	0.18	1,276	4.22	CPALL13P2504A	-	-	-	-
KKP13C2504A	0.23	0.01	44,776	0.23	IVL	23.70	1.10	196,881	23.56	CPALL13P2505A	0.25	-	1,925	0.25
KKP19C2503A	0.14	-	13,087	0.14	IVL01C2502A	-	-	-	-	CPALL19C2502A	-	-	-	-
KTB	22.60	(0.10)	410,271	22.74	IVL01C2502B	-	-	-	-	CPALL19C2502B	0.01	-	105	0.01
KTB-P	-	-	-	-	IVL01C2503A	-	-	-	-	CPALL19C2504A	-	-	-	-
KTB-Q	-	-	-	-	IVL01C2504A	0.06	0.02	1	0.06	CPALL19C2505A	0.09	-	6,126	0.09
KTB01C2502A	-	-	-	-	IVL01C2506A	0.45	0.08	97,697	0.43	CPALL19C2505B	0.21	0.01	23,635	0.19
KTB01C2506A	0.39	(0.02)	16,392	0.41	IVL01P2502A	0.04	(0.04)	200	0.04	CPALL19C2506A	0.20	-	13,695	0.19
KTB01P2502A	-	-	-	-	IVL01P2502W	-	-	-	-	CPALL19P2505A	0.28	(0.02)	35,051	0.29
KTB11C2501A	-	-	-	-	IVL01P2504A	0.25	(0.07)	75,607	0.27	CPALL19P2505B	0.14	(0.01)	4,777	0.15
KTB13C2503A	0.12	(0.03)	24,776	0.14	IVL11C2501A	-	-	-	-	CPALL41C2504A	-	-	-	-
KTB13C2505A	0.34	(0.01)	93,707	0.35	IVL11C2501B	-	-	-	-	CPALL41C2505A	0.14	0.01	23,526	0.13
KTB19C2502A	-	-	-	-	IVL11C2502A	-	-	-	-	CPALL41C2605T	0.24	(0.01)	28,090	0.24
KTB19C2505A	0.37	(0.02)	4,255	0.38	IVL13C2502A	0.01	-	1,656	0.01	CPALL41P2502A	-	-	-	-
KTB19C2506A	0.27	(0.73)	18,650	0.28	IVL13C2502B	-	-	-	-	CPALL41P2504A	0.37	-	10,005	0.38
KTB41C2506A	0.26	(0.02)	16,960	0.27	IVL13C2504A	0.08	0.03	6,002	0.07	CPAXT	28.25	0.25	69,463	27.87
LHFG	0.74	0.01	13,942	0.74	IVL13C2505A	0.39	0.09	147,634	0.38	CPW	2.14	0.04	445	2.12
SCB	123.00	0.50	61,637	123.40	IVL13P2502A	-	-	-	-	CRC	34.25	0.50	39,701	34.13
SCB01C2502A	0.08	-	681	0.08	IVL									

Main Board Quotation

Issue Date :

Friday January 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
DOHOME13C2503A	-	-	-	-	JAS13C2503A	0.05	-	5	0.05	HANA	24.50	0.50	61,544	24.31
DOHOME13C2505A	0.18	(0.01)	7,840	0.19	JAS13C2505A	0.13	-	33,093	0.14	HANA01C2502A	-	-	-	-
DOHOME19C2502A	-	-	-	-	JAS19C2503A	-	-	-	-	HANA01C2504A	-	-	-	-
DOHOME19C2504A	-	-	-	-	JAS19C2505A	-	-	-	-	HANA01C2504W	-	-	-	-
FN	0.65	0.03	568	0.65	JAS41C2605T	-	-	-	-	HANA01C2505A	0.47	0.03	51,714	0.46
GLOBAL	11.80	-	65,481	11.83	JMART	11.30	0.10	13,125	11.33	HANA01C2505B	0.15	0.01	25,808	0.15
GLOBAL01C2503A	-	-	-	-	JMART-W5	0.26	0.01	935	0.28	HANA01P2503W	-	-	-	-
GLOBAL11C2501A	-	-	-	-	JMART01C2503A	-	-	-	-	HANA01P2504A	0.27	(0.02)	29,194	0.27
GLOBAL13C2504A	0.02	-	344	0.02	JMART13C2504A	0.05	-	21	0.05	HANA01P2505A	0.55	(0.45)	26,414	0.55
GLOBAL19C2503A	-	-	-	-	JMART13C2506A	0.25	0.02	4,715	0.24	HANA06C2504A	-	-	-	-
HMPRO	8.90	0.25	148,030	8.84	JMART19C2503A	-	-	-	-	HANA13C2502A	-	-	-	-
HMPRO01C2503A	-	-	-	-	JMART19C2504A	-	-	-	-	HANA13C2503A	-	-	-	-
HMPRO01C2504A	0.08	0.01	1	0.08	JMART19C2506A	0.29	0.02	13,493	0.28	HANA13C2504A	-	-	-	-
HMPRO01C2507A	0.28	(0.72)	24,423	0.27	JMART41C2504A	-	-	-	-	HANA13C2504B	0.03	-	51	0.02
HMPRO11C2502A	-	-	-	-	JMART41C2606T	0.28	0.01	2,000	0.28	HANA13C2504C	-	-	-	-
HMPRO13C2504A	0.08	0.01	628	0.08	JTS	61.50	(0.50)	2,033	62.21	HANA13C2505A	0.36	0.04	80,079	0.34
HMPRO13C2506A	0.29	0.04	63,915	0.27	MFEC	5.75	-	688	5.73	HANA13C2505B	0.13	0.01	7,310	0.13
HMPRO19C2502A	-	-	-	-	MSC	8.00	0.05	31	8.00	HANA13P2502A	-	-	-	-
HMPRO19C2503A	-	-	-	-	PT	9.60	0.15	2,285	9.55	HANA13P2503A	0.56	(0.03)	26,304	0.56
HMPRO41C2503A	-	-	-	-	ROCTEC	1.06	0.04	151,099	1.06	HANA13P2504A	0.31	(0.04)	33,617	0.33
HMPRO41C2606T	-	-	-	-	ROCTEC-W3	0.03	-	72,203	0.03	HANA19C2503A	-	-	-	-
ICC	32.25	(1.25)	2	32.38	ROCTEC-W5	0.08	0.01	74,529	0.07	HANA19C2504A	0.04	(0.03)	41	0.04
ILM	15.40	-	148	15.33	SAMART	6.55	0.15	11,936	6.42	HANA19C2505A	-	-	-	-
IT	3.92	-	291	3.91	SAMTEL	11.20	0.05	1,211	6.05	HANA19C2505B	0.39	0.03	148,251	0.38
KAMART	10.60	(0.20)	21,266	10.64	SDC	0.04	(0.01)	17,449	0.04	HANA19P2504A	0.90	(0.04)	32,804	0.91
LOXLEY	1.36	0.02	5,341	1.35	SIS	27.75	1.50	3,352	27.03	HANA19P2504B	0.30	(0.03)	17,531	0.31
MC	10.00	(0.10)	13,292	10.00	SKY	22.60	0.20	6,787	22.32	HANA41C2502A	-	-	-	-
MEGA	33.00	-	1,594	32.95	SPREME	1.46	-	1,245	1.45	HANA41C2504A	-	-	-	-
MEGA13C2502A	-	-	-	-	SVOA	1.05	-	1,979	1.05	HANA41C2504B	0.26	0.02	38,650	0.25
MEGA19C2502A	-	-	-	-	SYMC	7.30	-	3,486	7.25	HANA41C2505A	0.10	-	10,400	0.10
MIDA	0.26	-	3,816	0.26	SYNEX	13.20	-	6,076	13.22	HANA41C2606T	0.28	-	2,411	0.28
MOSHI	40.75	-	11,501	40.99	THCOM	12.00	0.10	24,634	12.00	KCE	23.10	0.40	63,156	22.99
RS	1.22	0.01	205,663	1.23	TKC	11.70	(0.10)	74	11.72	KCE01C2503A	-	-	-	-
RS-W5	0.40	0.01	8,209	0.40	TRUE	11.80	0.20	501,020	11.77	KCE01C2504A	0.05	-	2	0.05
RSP	1.76	(0.01)	315	1.75	TRUE01C2503A	0.05	-	30	0.05	KCE01C2504W	-	-	-	-
SABUY	0.56	-	28,355	0.56	TRUE01C2505A	0.27	0.01	67,205	0.27	KCE01C2505A	0.33	-	63,121	0.33
SCM	0.61	(0.03)	302,641	0.63	TRUE01P2503A	-	-	-	-	KCE01P2503W	-	-	-	-
SCM-W2	0.08	-	35,181	0.08	TRUE01P2505A	0.21	(0.02)	6,943	0.22	KCE01P2504A	0.47	(0.02)	34,515	0.48
SINGER	7.10	0.25	18,907	7.03	TRUE11C2501A	0.02	(0.03)	200	0.02	KCE11C2501A	-	-	-	-
SPC	57.75	0.25	1,803	57.62	TRUE11C2501B	-	-	-	-	KCE11C2502A	-	-	-	-
SPI	58.00	(0.50)	276	57.95	TRUE13C2503A	-	-	-	-	KCE13C2503A	-	-	-	-
SVT	1.43	0.01	6,937	1.41	TRUE13C2504A	0.12	-	15,000	0.12	KCE13C2503B	-	-	-	-
TAN	5.65	0.05	6,133	5.66	TRUE13C2505A	0.22	0.02	21,709	0.22	KCE13C2504A	0.01	-	9,000	0.01
Information & Commr					TRUE13P2503A	0.03	-	100	0.03	KCE13C2504B	-	-	-	-
3BBIF	5.20	0.05	68,868	5.16	TRUE13P2505A	0.29	(0.02)	11,363	0.29	KCE13C2504C	0.12	0.01	12,048	0.12
ADVANC	287.00	4.00	33,606	285.57	TRUE19C2503A	-	-	-	-	KCE13C2504D	-	-	-	-
ADVANC01C2503A	0.10	-	10,140	0.10	TRUE19C2504A	0.18	0.01	57,792	0.17	KCE13C2505A	0.42	0.03	217,640	0.41
ADVANC01C2503B	0.12	0.01	47,405	0.12	TRUE41C2503A	-	-	-	-	KCE13C2505B	0.11	-	11,554	0.11
ADVANC01C2506A	0.35	0.01	48,767	0.35	TRUE41C2505A	0.21	0.01	9,900	0.19	KCE13P2503A	-	-	-	-
ADVANC01P2502X	0.02	-	1	0.02	TRUE41C2604T	0.64	(0.01)	2,000	0.64	KCE13P2504A	0.48	(0.05)	24,947	0.49
ADVANC01P2503X	-	-	-	-	TRUE41C2612T	0.34	0.01	14,388	0.34	KCE13P2505A	0.32	(0.03)	11,453	0.33
ADVANC01P2505A	0.39	(0.04)	42,828	0.41	TRUE41P2504A	0.15	(0.02)	4,171	0.15	KCE19C2503A	-	-	-	-
ADVANC06C2501A	0.02	0.01	1	0.02	TWZ	0.03	-	91,064	0.03	KCE19C2503B	-	-	-	-
ADVANC13C2502A	0.02	0.01	10	0.02	TWZ-W8	-	-	-	-	KCE19C2504A	-	-	-	-
ADVANC13C2503A	0.10	-	2,267	0.09	TWZ-W9	-	-	-	-	KCE19C2504B	-	-	-	-
ADVANC13C2503B	0.03	(0.01)	510	0.03	Electronic Comp	-	-	-	-	KCE19C2505A	0.24	-	47,156	0.25
ADVANC13C2505A	0.36	0.02	51,950	0.34	CCET	8.90	0.05	678,170	8.90	KCE19C2506A	0.48	0.02	25,760	0.48
ADVANC13P2502A	-	-	-	-	CCET13C2505A	0.12	(0.01)	45,750	0.12	KCE19P2504A	0.46	(0.03)	23,975	0.47
ADVANC13P2504A	0.19	(0.03)	14,365	0.20	CCET13C2505B	0.29	-	75,694	0.30	KCE19P2505A	0.40	(0.03)	38,500	0.41
ADVANC19C2502A	-	-	-	-	CCET13C2506A	0.49	-	106,396	0.49	KCE41C2502A	-	-	-	-
ADVANC19C2503A	-	-	-	-	CCET19C2506A	0.18	-	23,031	0.19	KCE41C2504A	-	-	-	-
ADVANC19C2505A	0.18	-	31,297	0.18	CCET19C2506B	0.19	-	22,847	0.19	KCE41C2504B	-	-	-	-
ADVANC19C2506A	0.40	0.02	14,418	0.38	CCET19C2506C	0.48	-	20,886	0.48	KCE41C2505A	0.19	0.01	17,500	0.19
ADVANC19P2503A	-	-	-	-	CCET41C2505A	0.16	-	21,001	0.17	KCE41C2606T	0.25	-	19,202	0.25
ADVANC19P2504A	0.15	(0.03)	14,328	0.16	DELTA	147.00	0.50	104,498	145.99	METCO	177.50	2.00	40	176.53
ADVANC41C2502A	-	-	-	-	DELTA01C2502A	0.21	(0.01)	3,609	0.19	SMT	1.42	(0.04)	2,528	1.43
ADVANC41C2503A	-	-	-	-	DELTA01C2503A	0.09	(0.01)	14,570	0.10	SVI	6.85	(0.05)	4,170	6.87
ADVANC41C2505A	0.21	0.02	50,410	0.20	DELTA01C2505A	0.54	(0.01)	33,284	0.54	TEAM	2.82	0.08	17,581	2.78
ADVANC41P2504A	-	-	-	-	DELTA01P2502A	-	-	-	-	Energy & Utilities	-	-	-	-
AIT	4.38	0.12	30,226	4.34	DELTA01P2503A	0.05	(0.01)	2,394	0.06	ACC	0.52	-	35,873	0.53
ALT	1.02	-	212	1.02	DELTA01P2504A	0.46	(0.01)	150,203	0.47	ACC-W2	0.67	(0.01)	4,988	0.66
AMR	0.81	0.01	851	0.80	DELTA06C2502A	0.15	(0.01)	7,516	0.15	ACE	1.25	(0.01)	9,160	1.25
BLISS	-	-	-	-	DELTA06C2504A	0.21	(0.01)	1,989	0.22	AE	0.19	(0.01)	22,525	0.19
DIF	8.40	-	22,327	8.40	DELTA11C2501A	0.36	(0.04)	11,230	0.41	AGE	1.19	0.02	3,245	1.19
DITTO	14.70	0.10	16,129	14.69	DELTA11C2501E	0.35	(0.03)	4,023	0.38	AI	3.46	-	1,270	3.47
DITTO-W1	0.22	(0.01)	2,089	0.23	DELTA11C2503A	0.08	-	117	0.08	AIE	0.85	0.07	19,405	0.85
DTCENT	1.00	0.02	5,263	1.00	DELTA13C2502A	0.49	-	456	0.49	BAFS	9.65	0.20	4,579	9.53
FORTH	9.30	-	2,457	9.33	DELTA13C2502E	0.11	(0.01)	31,780	0.11	BANPU	5.30	0.15	370,341	5.25
GABLE	2.72	0.06	2,105	2.71	DELTA13C2503A	0.19	-	50,797	0.18	BANPU01C2502A	-	-	-	-
HUMAN	6.95	-	684	6.92	DELTA13C2503E	0.08	(0.01)	1,872	0.08	BANPU01C2503A	-	-	-	-
ICN	2.02	0.02	3,813	2.03	DELTA13C2503C	0.04	(0.01)	1,250	0.04	BANPU01C2504A	0.05	-	650	0.05
ILINK	5.55	0.10	4,042	5.54	DELTA13C2505A	0.59	-	137,373	0.58	BANPU01C2506A	0.16	0.02	42,320	0.15
INET	5.90	0.85	343,381	5.72	DELTA13P2502A	-	-	-	-	BANPU01P2502A	-	-	-	-
INSET	2.96	0.18	370,562	2.93	DELTA13P2502E	-	-	-	-	BANPU11C2501A	-	-	-	-
INTUCH	99.50	0.50	57,388	99.54	DELTA13P2502E	0.05	(0.02)	6,776	0.05	BANPU13C2502A	-	-	-	-
INTUCH01C2502A	-	-	-	-	DELTA13P2503E	0.22	(0.01)	18,435	0.23	BANPU13C2503A	-	-	-	-
INTUCH01C2504A	0.16	-	62,182	0.16	DELTA13P2505A	0.70	(0.02)	157,788	0.72	BANPU13C2504A	0.05	-	10	0.05
INTUCH13C2502A	-	-	-	-	DELTA19C2502A	-	-	-	-	BANPU13C2505A	0.13	0.01	32,514	0.13
INTUCH13C2502B	-	-	-	-	DELTA19C2503A	0.34	-	33,886	0.34	BANPU13P2502A	0.03	(0.07)	600	0.04
INTUCH13C2503A	0.16	-	23,241	0.17	DELTA19C									

Main Board Quotation

Issue Date :

Friday January 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BCP01P2505A	0.29	(0.06)	60,015	0.32	GPSC19C2503A	-	-	-	-	PTTEP41C2503A	-	-	-	-
BCP11C2501A	-	-	-	-	GPSC19C2505A	-	-	-	-	PTTEP41C2504A	-	-	-	-
BCP11C2502A	-	-	-	-	GPSC19C2506A	0.10	-	9,740	0.10	PTTEP41C2505A	0.25	0.01	62,360	0.23
BCP11C2503A	0.27	0.04	5,007	0.24	GPSC19C2506B	0.29	0.02	98,887	0.28	PTTEP41C2604T	0.15	(0.01)	20,010	0.15
BCP13C2503A	0.05	0.01	3,334	0.06	GPSC19P2506A	0.31	(0.02)	18,601	0.31	PTTEP41P2503A	-	-	-	-
BCP13C2504A	0.29	0.04	33,881	0.27	GPSC41C2502A	-	-	-	-	PTTEP41P2506A	0.37	(0.63)	10,960	0.37
BCP13C2505A	0.18	0.03	161,224	0.17	GPSC41C2504A	-	-	-	-	RATCH	29.25	1.00	28,582	28.82
BCP13P2505A	0.17	(0.05)	120,505	0.19	GPSC41C2505A	-	-	-	-	RATCH01C2503A	-	-	-	-
BCP19C2503A	0.12	0.02	28,488	0.11	GPSC41C2606T	0.21	-	20,000	0.21	RATCH13C2503A	-	-	-	-
BCP19C2503B	-	-	-	-	GREEN	1.01	0.01	1,462	1.00	RATCH19C2502A	-	-	-	-
BCP19C2504A	0.33	0.07	7,179	0.30	GULF	60.50	0.75	124,749	60.32	RPC	0.33	-	2,745	0.33
BCP19C2506A	0.31	0.05	222,440	0.29	GULF01C2502A	-	-	-	-	SCG	3.34	0.02	27	3.34
BCP41C2502A	0.01	(0.01)	420	0.01	GULF01C2502B	-	-	-	-	SCN	0.56	0.01	1,402	0.55
BCP41C2504A	0.18	0.04	55,010	0.17	GULF01C2503A	-	-	-	-	SCN-W2	0.04	(0.01)	2,100	0.04
BCP41C2505A	0.33	0.07	36,452	0.31	GULF01C2504A	0.17	-	11,664	0.17	SEAOIL	2.58	-	628	2.56
BCPG	6.65	0.05	73,471	6.66	GULF01P2504A	0.46	(0.03)	112,850	0.47	SGP	7.25	0.15	1,968	7.32
BCPG01C2502A	-	-	-	-	GULF06C2503A	-	-	-	-	SKE	0.28	-	4,441	0.28
BCPG01C2506A	0.30	-	18,749	0.31	GULF13C2502A	-	-	-	-	SKE-W1	0.05	0.01	270	0.05
BCPG01P2506A	0.27	(0.73)	22,170	0.27	GULF13C2502B	-	-	-	-	SOLAR	0.38	-	2,969	0.38
BCPG13C2502A	-	-	-	-	GULF13C2504A	0.10	-	10,730	0.10	SPCG	8.05	0.05	865	8.02
BCPG13C2504A	0.23	-	42,032	0.23	GULF13C2505A	0.23	0.01	114,895	0.23	SPRC	5.60	0.05	160,435	5.56
BCPG19C2503A	0.05	0.01	20	0.05	GULF13C2505B	0.40	0.03	261,664	0.39	SPRC01C2502A	-	-	-	-
BCPG19C2505A	0.28	-	34,827	0.28	GULF13P2502A	-	-	-	-	SPRC13C2503A	-	-	-	-
BCPG41C2606T	0.31	-	26,000	0.31	GULF13P2502B	-	-	-	-	SPRC13C2504A	0.04	-	420	0.04
BGRIM	15.70	0.10	46,543	15.68	GULF13P2504A	0.34	(0.04)	8,149	0.36	SPRC13C2506A	0.21	-	57,784	0.20
BGRIM01C2502A	-	-	-	-	GULF13P2505A	0.25	(0.02)	79,117	0.25	SPRC19C2503A	-	-	-	-
BGRIM01C2503A	-	-	-	-	GULF19C2502A	-	-	-	-	SPRC19C2505A	0.10	0.01	4,014	0.10
BGRIM01C2504A	-	-	-	-	GULF19C2503A	0.06	0.01	1,000	0.06	SPRC41C2606T	0.23	-	20,103	0.23
BGRIM01C2505A	0.12	-	7,105	0.12	GULF19C2503B	-	-	-	-	SSP	5.35	0.10	1,709	5.32
BGRIM01C2506A	0.28	0.01	39,796	0.28	GULF19C2505A	0.22	0.01	98,383	0.21	SSP-W2	0.03	-	13,576	0.02
BGRIM01P2505A	0.59	(0.03)	23,690	0.60	GULF19C2506A	0.46	0.01	14,745	0.46	SUPER	0.22	-	41,701	0.22
BGRIM11C2501A	-	-	-	-	GULF19P2503A	0.10	(0.02)	17,260	0.10	SUPEREIF	6.25	0.05	235	6.25
BGRIM11C2502A	-	-	-	-	GULF19P2504A	0.28	(0.04)	10,124	0.30	SUSCO	2.82	-	2,748	2.82
BGRIM13C2502A	-	-	-	-	GULF41C2502A	0.13	(0.02)	39,524	0.13	TAE	0.70	(0.01)	1,163	0.69
BGRIM13C2503A	-	-	-	-	GULF41C2502B	-	-	-	-	TCC	0.31	0.01	2,890	0.31
BGRIM13C2504A	0.01	-	8	0.01	GULF41C2504A	-	-	-	-	TCC-W5	0.16	0.01	104	0.15
BGRIM13C2505A	-	-	-	-	GULF41C2505A	0.27	0.01	93,234	0.26	TGE	1.97	(0.01)	246	1.97
BGRIM13C2505B	0.09	(0.01)	66	0.09	GULF41C2605T	0.66	-	42,600	0.65	TGE-W1	0.86	(0.02)	157	0.83
BGRIM13C2506A	0.26	0.01	37,875	0.26	GULF41P2504A	0.32	(0.06)	15,160	0.33	TOP	27.00	1.50	331,873	26.45
BGRIM13P2505A	0.75	-	3,600	0.75	GUNKUL	2.12	0.10	171,193	2.08	TOP01C2503A	-	-	-	-
BGRIM13P2506A	0.31	(0.01)	26,543	0.31	GUNKUL13C250	0.05	0.01	100	0.05	TOP01C2504A	-	-	-	-
BGRIM19C2502A	-	-	-	-	GUNKUL13C250	0.11	0.01	28,725	0.11	TOP01C2505A	0.03	0.01	75,924	0.02
BGRIM19C2504A	-	-	-	-	GUNKUL19C250	-	-	-	-	TOP01C2506A	0.24	0.04	74,643	0.23
BGRIM19C2505A	-	-	-	-	GUNKUL19C250	0.14	0.01	9,480	0.14	TOP01P2504A	-	-	-	-
BGRIM19C2506A	0.28	-	96,563	0.28	IRPC	1.17	0.04	217,204	1.16	TOP01P2506A	0.27	(0.06)	47,801	0.29
BGRIM41C2502A	-	-	-	-	IRPC01C2502A	-	-	-	-	TOP11C2501A	-	-	-	-
BGRIM41C2504A	-	-	-	-	IRPC01C2504A	-	-	-	-	TOP11C2502A	-	-	-	-
BGRIM41C2505A	-	-	-	-	IRPC13C2502A	-	-	-	-	TOP13C2502A	-	-	-	-
BGRIM41C2506A	0.26	-	35,403	0.26	IRPC13C2503A	-	-	-	-	TOP13C2503A	-	-	-	-
BIOTEC	0.22	-	1,267	0.22	IRPC19C2502A	-	-	-	-	TOP13C2503B	-	-	-	-
BIOTEC-P	-	-	-	-	IRPC19C2503A	-	-	-	-	TOP13C2504A	-	-	-	-
BIOTEC-Q	-	-	-	-	KBSPIF	8.00	-	567	7.98	TOP13C2504B	-	-	-	-
BIOTEC-W2	0.04	-	1,259	0.04	LANNA	16.40	-	4,441	16.26	TOP13C2505A	0.02	0.01	2,986	0.02
BPP	8.90	0.20	20,516	8.73	MDX	3.06	0.12	3,186	3.07	TOP13C2505B	0.08	0.03	23,364	0.07
BRRGIF	3.84	-	168	3.82	NOVA	8.50	-	4	8.43	TOP13C2505C	0.18	0.04	112,385	0.16
BSRC	6.35	0.05	12,754	6.26	OR	11.60	0.10	47,982	11.59	TOP13P2503A	-	-	-	-
CKP	2.96	0.02	8,550	2.95	OR01C2502A	-	-	-	-	TOP13P2505A	0.63	(0.07)	3	0.63
CKP01C2504A	-	-	-	-	OR01C2503A	-	-	-	-	TOP13P2505B	0.27	(0.07)	24,060	0.29
CKP19C2502A	-	-	-	-	OR01C2505A	-	-	-	-	TOP19C2502A	-	-	-	-
CV	0.09	(0.01)	323,184	0.08	OR13C2503A	-	-	-	-	TOP19C2503A	-	-	-	-
CV-W1	0.03	(0.01)	72,971	0.02	OR13C2504A	-	-	-	-	TOP19C2503B	-	-	-	-
EA	2.94	0.04	382,770	2.95	OR13C2506A	0.11	0.01	13,535	0.11	TOP19C2504A	-	-	-	-
EA13C2502A	-	-	-	-	OR19C2502A	-	-	-	-	TOP19C2505A	-	-	-	-
EA13C2503A	-	-	-	-	OR19C2503A	-	-	-	-	TOP19C2505B	0.18	0.05	156,320	0.16
EA13C2503B	-	-	-	-	OR19C2504A	-	-	-	-	TOP19P2505A	0.15	(0.03)	40,018	0.16
EA13C2503C	0.01	(0.01)	600	0.01	OR19C2505A	0.06	-	297	0.06	TOP41C2502A	-	-	-	-
EA13C2504A	0.06	-	566	0.06	OR19C2506A	0.16	-	20,583	0.16	TOP41C2503A	-	-	-	-
EA13C2504B	0.07	(0.01)	25,570	0.08	OR41C2502A	-	-	-	-	TOP41C2505A	0.01	-	75	0.01
EA13C2505A	0.09	-	199,975	0.10	OR41C2505A	-	-	-	-	TOP41C2506B	0.26	0.05	80,841	0.23
EA13C2505B	0.23	0.02	45,149	0.23	OR41C2605T	-	-	-	-	TP41P2505A	0.27	-	2,000	0.27
EA13P2504A	0.87	(0.08)	85,128	0.86	PRIME	0.10	-	21,652	0.10	TPIPP	2.96	-	2,958	2.95
EA19C2503A	-	-	-	-	PTG	7.60	0.10	13,538	7.55	TSE	0.72	(0.01)	8,197	0.71
EA19C2503B	-	-	-	-	PTT	30.75	0.25	263,759	30.73	TTW	8.95	0.05	5,332	8.94
EA19C2504A	-	-	-	-	PTT01C2502A	-	-	-	-	UBE	0.64	0.01	16,496	0.63
EA19C2504B	0.08	0.01	1,380	0.08	PTT01C2505A	-	-	-	-	WHAUP	4.00	0.04	18,930	3.98
EA19C2505A	0.27	-	48,020	0.28	PTT11C2501A	-	-	-	-	WP	3.24	0.02	40	3.26
EA19C2506A	0.14	-	9,308	0.15	PTT13C2503A	-	-	-	-	Media & Publishing	-	-	-	-
EA19P2505A	1.07	(0.03)	73,783	1.07	PTT19C2502A	-	-	-	-	AMARIN	2.80	-	112	2.76
EA41C2606T	0.20	0.01	3,590	0.20	PTT19C2505A	-	-	-	-	AQUA	0.30	-	12,386	0.29
EASTW	2.26	0.10	14,093	2.21	PTT41C2502A	-	-	-	-	AS	3.18	(0.02)	5,493	3.17
EGATIF	5.95	-	3,193	5.94	PTT41C2606T	0.24	-	17,502	0.24	BEC	4.22	0.16	14,698	4.16
EGCO	115.00	1.50	3,309	114.12	PTTEP	122.50	1.50	53,970	121.75	FE	-	-	-	-
EGCO13C2502A	0.01	-	54	0.01	PTTEP01C2502A	0.02	-	1,001	0.01	GPI	1.53	(0.05)	421	1.53
EGCO19C2502A	-	-	-	-	PTTEP01C2503A	0.02	-	20	0.02	GRAMMY	8.00	-	63	8.00
EGCO19C2504A	-	-	-	-	PTTEP01C2504A	0.10	-	18,470	0.10	JKN	-	-	-	-
EP	1.50	-	443	1.49	PTTEP01C2505A	0.26	0.01	66,081	0.25	MAJOR	14.20	(0.10)	4,507	14.22
EP-W4	-	-	-	-	PTTEP01P2503A	0.27	(0.03)	34,413	0.29	MATCH	-	-	-	-
ETC	1.60	(0.01)	9,354	1.58	PTTEP01P2506A	0.44	(0.56)	27,570	0.45	MATI	5.25	(0.15)	6	5.25
GPSC	32.50	0.50	90,219	32.40	PTTEP11C2501A	-	-	-	-	MCOT	4.62	0.06	20,343	4.59
GPSC01C2502A	-	-	-	-	PTTEP11C2501B	-	-	-	-	MONO	1.66	(0.02)	314,512	1.69
GPSC01C2504W	0.01	-	1	0.01	PTTEP11C2502A	-	-	-	-	NATION	0.03	-	12,190	0.03
GPSC01C2505A	0.16	0.01	277,326	0.16	PT									

Main Board Quotation

Issue Date :

Friday January 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI-W4	1.55	0.11	122,040	1.53	SAWAD01P2505	0.48	-	19,968	0.48	KCG	7.00	-	8,131	7.04
VG101C2502A	0.14	0.03	1,823	0.14	SAWAD13C2503	-	-	-	-	KSL	1.79	-	4,083	1.79
VG101C2505A	0.44	0.06	114,976	0.41	SAWAD13C2505	0.19	-	167,612	0.19	KTIS	2.70	0.02	558	2.67
VG106C2502A	0.23	0.07	57,051	0.19	SAWAD13P2504	0.22	(0.01)	11,470	0.22	LST	4.92	0.06	377	4.88
VG113C2504A	0.56	0.08	45,002	0.52	SAWAD19C2502	-	-	-	-	M	18.60	0.30	25,763	18.42
VG113C2505A	0.36	0.06	65,902	0.34	SAWAD19C2504	0.11	(0.01)	10,936	0.11	MALEE	8.80	0.05	18,079	8.83
VG113P2504A	0.08	(0.02)	10,493	0.08	SAWAD19C2505	0.19	(0.01)	55,271	0.20	NRF	0.74	0.05	70,727	0.71
VG119C2502A	0.23	0.05	23,620	0.20	SAWAD19P2504	0.17	-	14,940	0.17	NSL	28.00	(0.75)	12,665	28.01
VG119C2504A	0.47	0.06	85,820	0.42	SAWAD41C2502	-	-	-	-	OKJ	15.80	-	14,432	15.76
VG119C2505A	0.36	0.05	133,114	0.33	SAWAD41C2505	-	-	-	-	OSP	20.70	(0.10)	90,951	20.52
VG119P2503A	0.02	(0.02)	3	0.02	SAWAD41C2505	0.19	(0.02)	28,721	0.20	OSP01C2503A	0.01	(0.01)	1	0.01
VG141C2502A	0.18	0.05	17,108	0.15	SCAP	1.34	0.01	2,470	1.32	OSP01C2504A	0.13	(0.01)	24,805	0.12
VG141C2505A	0.36	0.05	78,403	0.34	SGC	1.04	0.03	69,951	1.03	OSP11C2501A	-	-	-	-
VG141C2606T	0.36	0.03	48,088	0.35	SGC-W1	0.20	0.01	12,796	0.18	OSP11C2502A	-	-	-	-
WORK	5.20	(0.05)	6,828	5.10	SGC-W2	0.30	(0.02)	8,495	0.29	OSP13C2503A	0.05	(0.01)	6,908	0.05
ZAA	0.87	(0.01)	110	0.84	SM	0.99	-	224	0.98	OSP13C2505A	0.23	(0.01)	51,017	0.22
Finance & Securities	-	-	-	-	TH	0.65	-	16,470	0.65	OSP19C2502A	-	-	-	-
AEONTS	115.50	2.00	938	115.82	TH-W3	0.04	-	1,042	0.04	OSP19C2503A	-	-	-	-
AMANAHAH	0.90	0.01	4,866	0.90	THANI	1.32	(0.04)	22,712	1.33	OSP41C2503A	-	-	-	-
ASAP	-	-	-	-	TIDLOR	16.80	0.30	61,551	16.66	OSP41C2505A	0.15	(0.01)	7,800	0.15
ASK	8.85	0.15	2,760	8.80	TIDLOR01C2506	0.34	0.02	85,632	0.32	PB	58.00	(0.75)	56	58.17
ASP	2.32	-	1,312	2.32	TIDLOR13C2504	0.18	0.02	32,660	0.17	PLUS	4.94	(0.06)	2,455	4.94
BAM	5.75	0.10	116,411	5.71	TIDLOR13C2505	0.40	0.03	105,862	0.38	PM	8.45	(0.05)	3,045	8.48
BAM01C2502A	0.02	-	721	0.01	TIDLOR19C2504	0.13	0.01	12,436	0.12	PQS	2.26	0.04	2,064	2.24
BAM01C2504A	0.04	0.01	1	0.04	TIDLOR19C2505	0.26	0.02	36,415	0.25	PRG	-	-	-	-
BAM01C2506A	0.20	0.01	20,659	0.20	TIDLOR19C2505	0.40	0.03	62,950	0.38	PRG-W2	-	-	-	-
BAM13C2503A	-	-	-	-	TIDLOR41C2605	0.43	0.01	44,000	0.43	PRG-W3	-	-	-	-
BAM13C2503B	0.01	(0.01)	210	0.01	TK	3.92	0.02	124	3.89	PRG-W4	-	-	-	-
BAM13C2504A	-	-	-	-	TNITY	3.50	0.02	1,433	3.50	PRG-W5	-	-	-	-
BAM13C2505A	0.11	-	5,919	0.10	TNL	35.25	(0.25)	69	34.83	RBF	5.60	(0.05)	47,305	5.55
BAM19C2502A	-	-	-	-	UOBKH	5.10	(0.20)	2	5.10	RBF01C2504A	0.10	-	3,689	0.10
BAM19C2503A	-	-	-	-	XPG	1.05	0.10	1,471,896	1.02	RBF13C2503A	0.06	(0.01)	2,203	0.06
BAM19C2504A	0.04	0.01	505	0.04	Food & Beverage	-	-	-	-	RBF13C2504A	0.05	-	1,362	0.05
BAM19C2505A	0.12	0.01	9,748	0.12	AAI	5.45	(0.05)	10,511	5.48	RBF13C2507A	0.13	-	7,811	0.13
BAM41C2504A	-	-	-	-	APURE	3.98	-	741	3.97	RBF19C2503A	0.09	(0.01)	6,534	0.08
BAM41C2505A	0.10	-	30,584	0.10	ASIAN	7.85	0.10	4,902	7.83	RBF19C2505A	0.09	-	20	0.09
BYD	0.70	0.02	37,451	0.69	BR	1.76	-	384	1.76	RBF19C2508A	0.17	-	6,096	0.16
CGH	0.58	-	5,605	0.58	BR-W1	0.03	(0.01)	6,634	0.03	SAPPE	59.00	(0.25)	2,273	58.67
CGH-W5	-	-	-	-	BRR	4.20	0.02	1,410	4.19	SAPPE01C2502A	-	-	-	-
CHASE	0.71	0.01	13,813	0.70	BRR-W2	0.24	0.02	178	0.24	SAPPE01C2504A	0.18	(0.01)	6,779	0.18
CHASE-W1	0.28	0.01	945	0.27	BTG	17.00	0.20	7,002	17.41	SAPPE13C2502A	-	-	-	-
CHAYO	2.52	0.08	8,598	2.49	CBG	79.50	-	29,805	79.56	SAPPE19C2502A	-	-	-	-
CHAYO-W3	0.11	(0.01)	1,506	0.10	CBG01C2502W	-	-	-	-	SAUCE	38.00	0.50	46	37.90
ECL	0.85	0.02	2,611	0.84	CBG01C2503A	0.09	(0.01)	31,584	0.10	SNNP	12.30	0.10	1,495	12.25
FNS	1.77	0.01	2,005	1.78	CBG01C2504A	0.43	(0.01)	42,857	0.43	SNP	11.20	-	297	11.12
FSX	1.75	(0.02)	434	1.74	CBG01C2506A	0.53	(0.47)	57,247	0.53	SORKON	4.08	-	268	4.13
GBX	0.66	-	282	0.65	CBG01P2502X	-	-	-	-	SSF	6.40	(0.10)	13	6.49
GL	-	-	-	-	CBG01P2504W	0.31	(0.02)	52,017	0.31	SST	3.26	0.14	1	3.26
HENG	1.06	0.02	5,494	1.05	CBG01P2506A	0.78	(0.22)	15,146	0.78	SUN	3.54	0.02	3,345	3.54
IFS	2.30	0.02	11	2.30	CBG13C2503A	0.16	(0.01)	25,946	0.16	TC	6.35	(0.10)	2,370	6.32
JMT	15.40	0.40	80,091	15.26	CBG13C2505A	0.40	(0.01)	70,929	0.41	TFG	3.30	-	33,094	3.30
JMT01C2502A	-	-	-	-	CBG13P2502A	-	-	-	-	TFG-W4	0.38	(0.01)	1,995	0.37
JMT01C2504A	0.11	-	46,630	0.11	CBG13P2504A	0.32	(0.01)	19,950	0.32	TFMAMA	200.00	-	32	199.52
JMT13C2502A	0.01	-	782	0.01	CBG19C2502A	-	-	-	-	TIPCO	10.10	-	623	10.10
JMT13C2504A	0.09	-	19,551	0.09	CBG19C2504A	0.27	-	18,516	0.27	TKN	8.90	0.20	47,030	8.79
JMT13C2506A	0.29	0.03	57,997	0.27	CBG19C2506A	0.56	(0.01)	53,622	0.56	TU	11.60	0.30	357,213	11.46
JMT19C2503A	0.02	-	273	0.02	CBG19P2502A	-	-	-	-	TU01C2505A	-	-	-	-
JMT19C2504A	-	-	-	-	CBG41C2503A	0.14	(0.01)	8,000	0.15	TU01C2506A	0.10	0.01	17,990	0.09
JMT19C2504B	0.11	0.01	22,540	0.10	CBG41C2505A	0.41	(0.01)	16,950	0.42	TU11C2501A	-	-	-	-
JMT19C2506A	0.28	0.01	43,741	0.28	CFRESH	1.09	-	1,444	1.08	TU13C2502A	-	-	-	-
JMT41C2505A	0.14	0.01	6,000	0.14	CH	2.00	-	406	1.98	TU13C2504A	-	-	-	-
KCAR	4.44	-	92	4.44	CHAO	6.20	0.15	2,326	6.19	TU13C2505A	0.06	0.01	4,032	0.06
KGI	4.20	-	2,482	4.19	CHOTI	66.50	0.25	2	65.88	TU19C2502A	0.01	-	160	0.01
KTC	51.50	0.50	23,025	51.41	CM	1.76	-	1,821	1.76	TU19C2504A	-	-	-	-
KTC01C2503A	0.15	0.01	55,981	0.15	COCOCO	10.90	-	56,344	10.99	TU19C2505A	0.06	-	2,420	0.06
KTC11C2502A	-	-	-	-	COCOCO13C250	-	-	-	-	TU19C2506A	0.14	0.01	32,411	0.13
KTC13C2502A	-	-	-	-	COCOCO19C250	0.11	(0.01)	19,079	0.12	TU41C2506A	0.12	0.02	21,290	0.11
KTC13C2503A	0.12	-	21,203	0.12	CPF	22.20	0.70	84,648	22.11	TVO	21.40	0.40	1,851	21.30
KTC19C2502A	-	-	-	-	CPF01C2502A	-	-	-	-	TWPC	2.40	-	860	2.39
KTC19C2504A	0.26	(0.01)	31,480	0.26	CPF01C2503A	-	-	-	-	XBIO	0.32	0.01	115,997	0.31
KTC41C2606T	0.35	-	10,000	0.35	CPF01C2504A	0.14	0.02	28,281	0.14	XBIO-W6	0.03	-	26	0.02
MFC	29.50	(0.25)	100	29.68	CPF13C2502A	-	-	-	-	XBIO-W7	0.02	-	63,135	0.02
MICRO	1.04	0.02	2,046	1.03	CPF13C2503A	-	-	-	-	ZEN	6.95	(0.05)	50	6.95
ML	0.51	-	501	0.50	CPF13C2504A	-	-	-	-	Health Care Services	-	-	-	-
MST	-	-	-	-	CPF13C2505A	0.19	0.03	26,904	0.18	AHC	15.00	0.20	54	15.00
MTC	43.50	(0.25)	20,378	43.74	CPF19C2502A	-	-	-	-	BCH	15.00	-	9,316	14.98
MTC01C2502A	-	-	-	-	CPF19C2504A	-	-	-	-	BCH01C2502A	-	-	-	-
MTC01C2504A	0.08	(0.02)	1	0.08	CPF19C2505A	0.15	0.01	31,710	0.14	BCH13C2504A	-	-	-	-
MTC01C2506A	0.31	(0.01)	47,627	0.32	CPF41C2503A	-	-	-	-	BCH19C2502A	-	-	-	-
MTC01P2502A	-	-	-	-	CPF41C2505A	0.11	0.01	6,400	0.10	BCH19C2505A	-	-	-	-
MTC01P2506A	0.51	(0.49)	3,493	0.51	CPF41C2505B	0.16	0.01	9,000	0.16	BCH19C2505B	0.16	-	7,674	0.16
MTC13C2502A	-	-	-	-	CPI	2.92	(0.02)	389	2.90	BCH41C2506A	0.19	-	90	0.19
MTC13C2503A	-	-	-	-	F8D	34.75	0.75	15	33.87	BDMS	23.60	(0.10)	282,928	23.53
MTC13C2505A	0.14	(0.01)	38,964	0.15	FM	3.50	(0.04)	14,027	3.52	BDMS01C2503A	-	-	-	-
MTC13C2506A	0.32	(0.01)	15,973	0.33	GLOCON	0.17	-	39,387	0.17	BDMS01C2503B	-	-	-	-
MTC13P2502A	-	-	-	-	HTC	16.00	(0.10)	2,027	16.00	BDMS01C2504A	0.03	-	4	0.03
MTC13P2506A	0.42	-	8,214	0.41	ICHI	13.00	(0.30)	74,573	12.98	BDMS01C2506A	0.31	(0.02)	27,112	0.31
MTC19C2502A	-	-	-	-	ICHI01C2503A	-	-	-	-	BDMS11C2501A	-	-	-	-
MTC19C2504A	0.08	(0.01)	11	0.08	ICHI13C2504A	0.04	(0.02)	1,580	0.04	BDMS11C2502A	-	-	-	-
MTC19C2506A	0.27	(0.01)	36,754	0.28	ITC									

Main Board Quotation

Issue Date :

Friday January 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BH01C2504A	0.07	-	5	0.07	FANCY	0.36	0.01	525	0.35	BIZ	3.48	-	276	3.46
BH01C2505A	0.45	(0.05)	64,395	0.46	FTI	1.96	(0.01)	83	1.96	BLC	4.30	0.10	10,992	4.24
BH01C2506A	0.18	(0.02)	36,195	0.19	KYE	286.00	2.00	20	284.20	DDD	8.30	-	49	8.25
BH01P2502X	-	-	-	-	L&E	1.20	-	20	1.21	IP	2.84	(0.04)	1,536	2.89
BH01P2504A	0.56	0.03	68,780	0.56	MODERN	2.08	-	16	2.08	IP-W2	0.21	0.02	2,341	0.21
BH06C2503A	-	-	-	-	OGC	16.00	-	18	16.00	JCT	-	-	-	-
BH11C2503A	-	-	-	-	ROCK	10.40	(0.60)	41	10.48	KISS	4.02	(0.02)	10,767	4.03
BH13C2503A	0.01	-	7,250	0.01	SIAM	1.00	0.01	271	0.97	NAM	4.52	0.04	1,040	4.49
BH13C2504A	0.06	-	500	0.06	TCMC	0.55	0.01	981	0.54	NEO	31.25	0.75	2,068	31.16
BH13C2504B	0.28	(0.04)	69,613	0.28	TSR	0.33	-	5,258	0.33	NV	0.84	0.05	3,230	0.82
BH13C2505A	0.17	(0.01)	10,556	0.17	TSR-W2	0.02	-	4,723	0.02	OCC	-	-	-	-
BH13P2503A	0.44	0.03	31,687	0.43	Insurance	-	-	-	-	S&J	32.25	0.25	23	32.03
BH19C2502A	-	-	-	-	AYUD	31.25	0.25	15	30.65	SNPS	5.45	-	9,657	5.44
BH19C2504A	-	-	-	-	BKIH	284.00	(1.00)	59	284.02	STGT	8.85	(0.15)	28,730	8.93
BH19C2504B	-	-	-	-	BLA	18.80	0.20	6,380	18.81	STGT01C2502A	0.01	-	10,000	0.01
BH19C2505A	0.31	(0.04)	23,128	0.32	BLA01C2503A	0.02	(0.03)	1	0.02	STGT01C2503A	-	-	-	-
BH19C2506A	0.17	(0.02)	6,362	0.17	BLA13C2502A	-	-	-	-	STGT01C2504A	0.19	(0.02)	19,148	0.20
BH19P2504A	0.72	0.05	36,666	0.71	BLA13C2502B	-	-	-	-	STGT01P2502A	0.21	-	17,467	0.20
BH41C2503A	-	-	-	-	BLA13C2504A	0.07	(0.02)	670	0.07	STGT13C2502A	-	-	-	-
BH41C2504A	-	-	-	-	BLA19C2502A	-	-	-	-	STGT13C2503A	0.12	(0.02)	17,468	0.12
BH41C2505A	0.36	(0.05)	42,252	0.37	BLA19C2502B	-	-	-	-	STGT13C2504A	-	-	-	-
BH41C2605T	0.16	(0.01)	14,130	0.16	BLA19C2502C	-	-	-	-	STGT13C2506A	0.41	(0.03)	121,929	0.43
BH41P2504A	0.52	0.02	20,001	0.52	BLA19C2506A	0.29	0.02	8,805	0.29	STGT13P2502A	0.12	(0.01)	210	0.10
BKGI	2.44	0.20	255,274	2.44	BLA41C2606T	0.35	0.01	12,000	0.35	STGT19C2502A	-	-	-	-
CHG	2.28	-	109,851	2.30	BUI	16.60	0.10	18	16.50	STGT19C2503A	-	-	-	-
CHG13C2504A	-	-	-	-	CHARAN	20.00	(1.00)	1	20.00	STGT19C2504A	0.22	(0.02)	8,600	0.23
CHG19C2505A	0.07	(0.01)	1,050	0.08	INSURE	-	-	-	-	STGT19C2504B	-	-	-	-
CMR	1.66	-	950	1.66	KWI	0.32	(0.01)	1,531	0.32	STGT19P2502A	0.23	0.01	880	0.23
EKH	6.50	0.05	5,915	6.46	MTI	107.00	1.00	41	106.51	STGT41C2503A	-	-	-	-
KDH	93.25	1.75	5	93.25	NKI	24.50	-	6	24.50	STGT41C2606T	0.27	(0.01)	6,000	0.28
LPH	4.26	(0.02)	577	4.24	TGH	11.80	(0.10)	12	11.95	TMAN	14.70	0.20	2,990	14.69
M-CHAI	26.00	1.00	22	25.50	THRE	0.52	-	2,790	0.51	TNR	7.75	(0.25)	218	7.83
MASTER	30.00	(0.25)	45,562	29.40	THREL	1.31	-	2,040	1.30	TOG	9.65	-	339	9.65
MEDEZE	10.20	0.35	377,207	10.19	TIPH	20.20	0.10	349	20.15	Professional Service	-	-	-	-
NEW	-	-	-	-	TIPH13C2502A	-	-	-	-	BWG	0.32	0.01	25,939	0.31
NKT	5.35	0.25	10,006	5.33	TLI	10.90	0.20	50,650	10.81	BWG-W6	0.02	-	957	0.02
NTV	29.75	-	95	29.67	TLI01C2502A	-	-	-	-	GENCO	0.41	-	1,163	0.40
PHG	15.40	(0.10)	2,174	15.36	TLI01C2503A	-	-	-	-	PRTR	3.86	(0.04)	84	3.81
PR9	24.20	(0.20)	17,379	24.35	TLI06C2503A	0.10	-	1,779	0.10	SISB	25.25	(0.25)	7,964	25.42
PR913C2505A	-	-	-	-	TLI13C2502A	-	-	-	-	SISB13C2502A	-	-	-	-
PR913C2506A	0.44	(0.02)	105,880	0.47	TLI13C2502B	-	-	-	-	SISB13C2504A	0.04	-	291	0.03
PR919C2506A	0.17	(0.01)	17,008	0.17	TLI13C2505A	0.18	0.02	62,925	0.17	SISB13C2506A	-	-	-	-
PRINC	2.74	0.04	5,719	2.70	TLI19C2502A	-	-	-	-	SISB13C2506B	0.19	(0.01)	1,087	0.19
RAM	21.80	0.20	186	21.67	TLI41C2606T	-	-	-	-	SISB19C2502A	-	-	-	-
RJH	19.80	0.30	2,497	19.65	TQM	19.20	(0.10)	4,350	19.31	SO	4.32	(0.02)	88	4.22
RPH	5.45	-	1,658	5.43	TSI	0.10	0.01	138	0.10	WAVE	0.07	-	858,490	0.07
SAFE	11.20	-	318	11.16	TVH	8.80	0.15	952	8.74	WAVE-W3	0.01	-	261	0.01
SKR	8.70	0.05	401	8.66	Packaging	-	-	-	-	WAVE-W4	0.03	-	1,030	0.03
THG	14.60	1.10	21,144	14.13	AJ	2.80	0.32	47,271	2.93	Property Developer	-	-	-	-
VIBHA	1.88	0.01	3,427	1.88	ALUCON	170.00	0.50	1	170.00	A	4.94	-	1	4.94
VIBHA-W4	0.02	-	104,541	0.01	BGC	6.80	-	1,654	6.71	A5	2.66	0.12	21,079	2.55
VIH	8.00	-	946	7.95	CSC	45.50	(0.50)	1	45.50	A5-W4	0.06	0.01	146,982	0.06
VIH-W1	-	-	-	-	CSC-P	-	-	-	-	AKS	0.01	-	3,478	0.01
WPH	8.70	0.20	2,981	8.64	CSC-Q	-	-	-	-	AMATA	26.25	(0.50)	66,826	26.09
Tourism & Leisure	-	-	-	-	NEP	0.24	0.01	329	0.23	AMATA01C2502A	-	-	-	-
ASIA	6.10	-	75	6.09	PJW	2.28	-	22,807	2.27	AMATA01C2503A	-	-	-	-
BEYOND	7.80	(0.10)	87	7.77	PTL	10.50	0.20	4,181	10.45	AMATA01C2507A	0.17	(0.83)	30,308	0.18
CENTEL	30.50	1.00	29,663	30.26	SCGP	16.70	0.30	160,040	16.61	AMATA13C2503A	0.02	(0.01)	850	0.02
CENTEL01C2504A	-	-	-	-	SCGP01C2502A	-	-	-	-	AMATA13C2505A	0.09	(0.02)	25,126	0.10
CENTEL11C2501A	-	-	-	-	SCGP01C2502B	-	-	-	-	AMATA19C2502A	-	-	-	-
CENTEL11C2503A	-	-	-	-	SCGP01C2504A	-	-	-	-	AMATA19C2503A	-	-	-	-
CENTEL13C2504A	-	-	-	-	SCGP01C2504W	-	-	-	-	AMATA19C2505A	0.11	(0.03)	13,698	0.11
CENTEL13C2506A	0.21	0.03	57,498	0.21	SCGP01C2506A	0.12	(0.01)	75,390	0.12	AMATA41C2502A	-	-	-	-
CENTEL19C2502A	-	-	-	-	SCGP01P2503A	1.41	(0.02)	11,143	1.41	AMATA41C2505A	0.13	(0.03)	33,890	0.13
CENTEL19C2504A	-	-	-	-	SCGP01P2504A	0.47	(0.53)	46,877	0.47	AMATAV	4.38	(0.04)	260	4.39
CENTEL41C2502A	-	-	-	-	SCGP11C2501A	-	-	-	-	ANAN	0.51	0.01	11,119	0.51
CENTEL41C2504A	-	-	-	-	SCGP13C2503A	-	-	-	-	AP	7.80	0.05	20,747	7.78
CENTEL41C2606T	0.26	0.01	24,030	0.25	SCGP13C2503B	-	-	-	-	AP01C2503A	-	-	-	-
CSR	-	-	-	-	SCGP13C2504A	-	-	-	-	AP13C2502A	-	-	-	-
DUSIT	10.40	(0.10)	1,412	10.48	SCGP13C2504B	0.04	(0.02)	56	0.04	AP13C2503A	-	-	-	-
ERW	3.38	0.04	266,142	3.39	SCGP13C2506A	0.14	-	137,378	0.14	AP19C2502A	-	-	-	-
ERW01C2504A	0.06	-	300	0.06	SCGP13C2506B	0.28	(0.72)	130,415	0.28	ASW	7.80	(0.05)	2,986	7.80
ERW13C2503A	-	-	-	-	SCGP13P2502A	-	-	-	-	AWC	3.12	0.04	246,764	3.12
ERW13C2505A	0.14	0.01	90,068	0.14	SCGP13P2504A	-	-	-	-	AWC01C2504A	-	-	-	-
ERW19C2503A	-	-	-	-	SCGP13P2504B	0.53	(0.02)	85	0.53	AWC01P2502A	-	-	-	-
ERW19C2506A	0.30	0.01	69,687	0.31	SCGP13P2506A	0.34	(0.66)	103,109	0.35	AWC11C2501A	-	-	-	-
ERW41C2606T	0.25	0.01	20,000	0.25	SCGP19C2502A	-	-	-	-	AWC13C2504A	0.06	-	15	0.06
GRAND	0.05	-	13,081	0.05	SCGP19C2503A	-	-	-	-	AWC13C2506A	0.26	0.01	20,259	0.26
LRH	39.25	0.25	10	39.38	SCGP19C2504A	-	-	-	-	AWC19C2504A	-	-	-	-
MANRIN	-	-	-	-	SCGP19C2505A	-	-	-	-	AWC19C2506A	0.25	0.01	25,608	0.25
MINT	23.90	0.10	167,062	23.78	SCGP19C2506A	0.20	0.01	185,556	0.20	AWC41C2502A	-	-	-	-
MINT01C2504A	-	-	-	-	SCGP19P2505A	-	-	-	-	AWC41C2606T	0.19	-	20,006	0.19
MINT01C2506A	0.39	(0.01)	92,391	0.38	SCGP41C2502A	-	-	-	-	BLAND	0.51	(0.01)	201,578	0.51
MINT11C2501A	-	-	-	-	SCGP41C2502B	-	-	-	-	BRI	3.46	-	859	3.47
MINT13C2503A	-	-	-	-	SCGP41C2505A	-	-	-	-	BROCK	1.67	0.10	2	1.63
MINT13C2505A	0.07	-	20	0.07	SFLEX	2.80	(0.02)	20,750	2.78	CGD	0.30	0.01	182,881	0.30
MINT13C2506A	0.34	-	80,802	0.33	SFLEX-W2	0.05	-	6	0.05	CI	0.53	0.13	47,774	0.51
MINT19C2502A	-	-	-	-	SITHAI	1.12	(0.01)	1,886	1.12	CMC	1.01	0.01	114	1.00
MINT19C2504A	-	-	-	-	SLP	0.40	-	58	0.40	CPN	53.50	1.00	54,949	53.50
MINT41C2502A	-	-	-	-	SPAC	9.40	0.05	488	9.36	CPN01C2503A	-	-	-	-
MINT41C2504A	-	-	-	-	SPACK	1.76	0.05	116	1.77	CPN01C2505A	0.11	0.01	23,480	0.11
MINT41C2604T	-	-	-	-	TCOAT	-	-	-	-	CPN01C2506A	0.36	(0.64)	26,284	0.36
MINT41C2612T	0.18	(0.01)	4,020	0.19	TFI	0.06	-	9,919	0.06	CPN13C2503A	-	-	-	-
OHTL	-	-	-	-	TF									

Main Board Quotation

Issue Date :

Friday January 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
FPT	8.80	(0.20)	510	8.87	AOT01C2506A	0.25	(0.04)	27,073	0.27	TSC	15.20	(0.20)	2,251	15.44
GLAND	1.20	-	14	1.22	AOT01P2502A	-	-	-	-	Industrial Materials	-	-	-	-
J	1.15	0.01	1,023	1.13	AOT11C2501A	-	-	-	-	AKR	0.98	-	2,744	0.98
J-W3	-	-	-	-	AOT13C2502A	0.01	-	2	0.01	ALLA	1.53	0.02	5,125	1.53
J-W4	-	-	-	-	AOT13C2503A	-	-	-	-	ASEFA	2.98	0.04	326	2.98
JCK	0.21	-	29,629	0.21	AOT13C2504A	0.05	-	2,516	0.05	CPT	0.98	-	508	0.98
KC	0.06	-	11,094	0.05	AOT13C2506A	0.21	(0.03)	15,313	0.22	CRANE	0.48	0.04	67,519	0.50
KUN	1.20	-	180	1.20	AOT19C2502A	0.01	(0.02)	200	0.01	CTW	3.16	0.04	215	3.12
KUN-W2	0.02	-	8,514	0.01	AOT19C2504A	-	-	-	-	FMT	32.75	0.50	31	32.73
LALIN	5.75	(0.05)	67	5.77	AOT19C2506A	0.22	(0.03)	15,070	0.23	FTE	1.54	0.02	292	1.53
LH	4.80	0.06	149,371	4.76	AOT41C2503A	-	-	-	-	HTECH	3.26	(0.02)	18,747	3.25
LH19C2504A	-	-	-	-	AOT41C2505A	0.09	(0.02)	220	0.09	KKC	-	-	-	-
LPN	2.16	0.02	12,134	2.17	AOT41C2605T	0.20	(0.02)	22,540	0.21	PCC	2.70	-	1,590	2.68
MBK	18.40	(0.10)	16,377	18.32	AOT41P2504A	0.36	0.02	50,710	0.36	PK	0.49	-	418	0.50
MBK-W4	16.00	(0.10)	2	16.00	ASIMAR	1.55	(0.01)	5,623	1.58	PSP	3.96	0.02	1,056	3.96
MBK19C2508A	0.26	(0.01)	3,517	0.26	B	0.07	0.01	19,157	0.07	QTC	3.60	(0.14)	28	3.58
MJD	0.82	(0.04)	2,600	0.83	B-W8	0.01	-	340	0.01	SCI	0.86	0.01	2,055	0.84
MK	1.52	0.08	31	1.51	BA	19.00	-	38,625	18.86	SE	0.50	(0.02)	5,949	0.50
NCH	0.70	0.01	41,828	0.73	BA01C2503A	-	-	-	-	SELIC	3.18	0.02	109	3.16
NNCL	1.67	0.02	574	1.66	BA01C2504A	-	-	-	-	SNC	5.30	-	182	5.28
NOBLE	2.36	-	2,459	2.35	BA13C2502A	-	-	-	-	TCJ	3.08	(0.02)	5	3.05
NVD	1.39	0.09	12	1.34	BA13C2503A	-	-	-	-	TPCS	11.30	0.40	10	11.36
ORI	3.42	0.02	23,407	3.41	BA13C2504A	-	-	-	-	VARO	4.58	0.08	200	4.57
ORN	0.67	0.01	9,947	0.66	BA13C2506A	0.30	-	19,817	0.29	Property Fund & REIT	-	-	-	-
PEACE	2.48	-	115	2.47	BA19C2503A	-	-	-	-	AIMCG	2.92	-	2,805	2.91
PF	0.13	-	36,790	0.13	BA41C2606T	0.19	-	12,600	0.18	AIMIRT	10.50	0.10	1,452	10.41
PIN	6.05	0.05	9,693	6.03	BEM	6.65	-	294,455	6.60	ALLY	5.10	-	2,368	5.11
PLAT	1.94	0.06	1,191	1.87	BEM11C2502A	-	-	-	-	AMATAR	6.55	-	41	6.55
POLAR	0.02	-	516,328	0.02	BEM11C2503A	-	-	-	-	AXTRART	11.00	0.10	20,689	10.87
PRECHA	0.94	0.04	2,502	0.95	BEM13C2505A	0.04	(0.01)	13,024	0.04	B-WORK	4.74	0.04	5,299	4.72
PRIN	1.72	0.01	11	1.64	BEM19C2503A	-	-	-	-	BAREIT	9.00	-	3,281	9.02
PROUD	1.27	(0.02)	2,377	1.32	BEM19C2505A	-	-	-	-	BOFFICE	4.98	-	978	4.96
PSH	6.75	0.10	5,029	6.69	BEM41C2606T	0.22	(0.02)	8,160	0.22	CPNCG	6.20	(0.05)	5,130	6.21
QH	1.73	0.01	24,589	1.72	BTS	6.15	0.30	844,000	6.03	CPNREIT	12.20	-	4,886	12.24
RABBIT	0.43	0.01	11,129	0.42	BTS-W8	0.08	0.01	24,363	0.07	CPTREIT	4.96	-	1,873	4.96
RABBIT-P	0.57	-	2,535	0.57	BTS01C2503A	0.86	0.14	2,453	0.79	CTARAF	4.32	(0.06)	2,367	4.32
RABBIT-Q	-	-	-	-	BTS01C2504A	0.23	0.03	76,645	0.21	DREIT	5.15	0.10	54	5.08
RICHY	0.40	-	5,141	0.41	BTS01P2504A	0.07	(0.01)	10,000	0.07	FTREIT	10.10	-	1,074	10.10
RML	0.26	0.02	13,019	0.25	BTS01P2505A	0.22	(0.04)	20,041	0.25	FUTURERT	10.00	(0.10)	1,895	10.06
ROJINA	5.90	-	8,091	5.88	BTS13C2502A	-	-	-	-	GAHREIT	6.70	-	420	6.70
S	0.73	0.02	6,408	0.72	BTS13C2503A	0.21	0.06	54,615	0.19	GROREIT	8.55	(0.05)	62	8.56
SA	7.30	-	364	7.32	BTS13C2505A	0.17	0.03	102,011	0.17	GVREIT	6.55	0.05	778	6.52
SA-W1	0.02	-	2,206	0.02	BTS13P2503A	-	-	-	-	HPF	4.86	-	81	4.86
SAMCO	0.84	0.02	249	0.84	BTS13P2505A	0.20	(0.05)	7,171	0.22	HYDROGEN	9.20	-	973	9.20
SC	2.68	0.06	25,399	2.64	BTS19C2503A	-	-	-	-	IMPACT	10.60	0.10	178	10.57
SENA	2.20	-	1,594	2.18	BTS19C2503B	0.27	0.07	11,602	0.23	INETREIT	8.40	-	1,792	8.43
SIRI	1.71	-	204,932	1.71	BTS19C2505A	0.23	0.04	80,188	0.21	ISSARA	8.75	(0.05)	30	8.77
SIRI01C2504A	0.11	(0.01)	23,227	0.11	BTS41C2504A	0.56	0.01	2	0.56	KPNREIT	2.36	-	207	2.36
SIRI13C2503A	-	-	-	-	BTS41C2504B	0.28	0.05	30,790	0.26	KTBSTMR	6.10	-	197	6.15
SIRI19C2502A	0.01	-	3,802	0.01	BTS41C2504B	0.28	0.05	30,790	0.26	LHHOTEL	13.20	0.10	4,515	13.16
SIRI19C2503A	-	-	-	-	BTS41C2504B	0.28	0.05	30,790	0.26	LHRREIT	5.20	0.10	50	5.20
SIRI41C2606T	0.31	(0.01)	4,000	0.31	DTM	10.60	-	1,418	10.58	LHSC	11.40	-	5,371	11.38
SPALI	16.80	-	74,400	16.78	ETL	0.66	0.03	9,759	0.66	LUXF	8.00	-	121	8.00
SPALI19C2504A	-	-	-	-	III	5.05	-	10,975	5.13	M-PAT	-	-	-	-
STELLA	0.18	-	68,773	0.18	KEEX	1.40	(0.04)	7,398	1.40	M-STOR	7.20	-	1	7.20
STELLA-W5	-	-	-	-	KIAT	0.30	(0.01)	13,757	0.30	MII	6.05	-	9	6.02
UV	1.28	(0.01)	2,748	1.28	KWC	-	-	-	-	MIPF	10.00	(1.10)	28	9.98
WHA	4.90	(0.10)	1,364,732	4.93	MENA	1.11	0.04	20,702	1.12	MIT	0.31	-	962	0.31
WHA01C2503A	-	-	-	-	NYT	3.08	(0.06)	16,971	3.08	MJLF	4.18	-	238	4.17
WHA01C2504A	-	-	-	-	PORT	1.22	-	200	1.22	MNIT	-	-	-	-
WHA01C2506A	0.11	(0.02)	34,892	0.12	PRM	7.35	0.05	100,822	7.29	MNIT2	5.10	0.20	2	5.10
WHA11C2503A	-	-	-	-	PSL	6.20	0.05	13,881	6.18	MNRF	2.20	(0.08)	1	2.20
WHA13C2503A	-	-	-	-	RCL	25.00	0.10	13,976	24.96	POPF	6.35	-	1,770	6.32
WHA13C2504A	-	-	-	-	RCL01C2502A	-	-	-	-	PROSPECT	8.40	(0.05)	270	8.43
WHA13C2505A	0.03	-	1,000	0.03	RCL01C2502B	-	-	-	-	QHBREIT	4.56	-	1,676	4.57
WHA13C2506A	0.08	(0.01)	212	0.08	RCL01C2505A	0.15	(0.01)	9,414	0.15	QHHRREIT	6.80	(0.05)	760	6.80
WHA19C2502A	-	-	-	-	RCL13C2502A	0.01	-	281	0.01	QHOP	3.40	0.02	1	3.40
WHA19C2504A	-	-	-	-	RCL13C2502B	-	-	-	-	SIRIPRT	8.20	(0.10)	230	8.07
WHA19C2506A	0.17	(0.02)	6,301	0.18	RCL13C2506A	0.17	(0.01)	11,180	0.17	SPRIME	4.20	0.02	970	4.20
WHA41C2605T	0.18	(0.02)	6,001	0.18	RCL19C2503A	0.28	(0.04)	12,653	0.27	SRIPANWA	5.00	(0.15)	399	5.01
WIN	0.42	-	16,974	0.43	RCL19C2503B	-	-	-	-	SSPF	-	-	-	-
Paper & Printing Mat	-	-	-	-	RCL19C2504A	0.08	-	5	0.08	SSTRT	4.94	(0.02)	55	4.94
UTP	7.70	0.10	1,833	7.65	RCL41C2502A	-	-	-	-	TIF1	7.40	(0.05)	75	7.30
Fashion	-	-	-	-	RCL41C2502B	-	-	-	-	TLHPF	2.68	0.14	25	2.56
AFC	4.04	0.04	13	4.03	RCL41C2505A	0.11	-	21,000	0.11	TNPF	-	-	-	-
AURA	14.70	-	16,238	14.50	SAV	18.60	0.30	12,310	18.47	TPRIME	7.75	0.25	2,041	7.50
BTNC	15.30	(0.10)	9	15.47	SINO	0.86	0.03	18,340	0.86	TTLPF	14.20	-	71	14.14
CPH	8.65	0.25	4,893	8.64	SJWD	8.85	0.05	25,272	8.89	TU-PF	0.67	(0.05)	4	0.67
CPL	1.08	0.05	12,808	1.08	SJWD13C2504A	-	-	-	-	WHABT	7.25	-	20	7.26
NC	2.86	0.52	47,387	2.78	TFFIF	6.40	0.10	28,234	6.33	WHAIR	6.45	-	2,633	6.45
PAF	0.93	-	764	0.94	THAI	-	-	-	-	WHART	10.30	0.10	8,575	10.21
PDJ	1.94	0.02	2,418	1.92	TSTE	9.80	0.10	1	9.80	Steel and Metal Prod	-	-	-	-
PG	9.00	-	51	9.02	TTA	4.70								

Main Board Quotation

Issue Date :

Friday January 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TSTH	0.60	0.01	5,570	0.58	HSIO6C2503B	0.22	0.06	43,834	0.21	NIKKEI41C2503B	1.01	0.03	2,276	1.05
TWP	1.45	-	33	1.43	HSIO6C2503D	0.05	0.01	211	0.06	NIKKEI41C2506A	0.57	0.03	2,556	0.56
TYCN	1.83	-	100	1.83	HSIO6C2503D	-	-	-	-	NIKKEI41C2506B	0.33	0.01	38	0.35
Construction Service	-	-	-	-	HSIO6C2503E	-	-	-	-	NIKKEI41P2503A	0.02	(0.01)	895	0.02
APCS	1.74	(0.16)	1,009	1.79	HSIO6C2503F	0.43	(0.57)	56,001	0.44	NIKKEI41P2503B	-	-	-	-
B3CHI	1.12	0.03	2,372	1.10	HSIO6C2504A	0.38	0.07	21,072	0.38	NIKKEI41P2506A	0.25	(0.02)	23,442	0.25
BKD	1.23	(0.02)	1,627	1.23	HSIO6C2504B	0.71	0.11	284	0.71	NIKKEI41P2506B	0.13	(0.01)	5,133	0.13
CIVIL	1.72	0.02	141	1.71	HSIO6C2506A	0.49	(0.51)	25,150	0.49	NTE541C2502A	0.69	0.06	2	0.69
CK	16.70	(0.10)	13,880	16.66	HSIO6P2501A	0.01	(0.01)	188	0.02	PINGAN41C2502A	-	-	-	-
CK01C2503A	-	-	-	-	HSIO6P2501B	0.01	-	147	0.01	PINGAN41C2504A	0.20	0.04	1,000	0.20
CK13C2503A	-	-	-	-	HSIO6P2501C	0.01	-	44	0.01	POPMAR41C2503A	0.57	0.06	1,116	0.54
CK19C2503A	-	-	-	-	HSIO6P2501D	0.12	(0.30)	118,226	0.12	SET01C2503A	0.02	-	5,182	0.02
CNT	0.92	-	741	0.93	HSIO6P2502A	0.10	(0.06)	63,863	0.10	SET01C2503B	0.09	-	1,439	0.09
DEMCO	3.06	0.14	91	3.04	HSIO6P2502B	0.23	(0.11)	89,474	0.23	SET01C2505A	0.35	0.02	124,700	0.34
EMC	0.07	(0.01)	19,971	0.08	HSIO6P2502C	-	-	-	-	SET01P2502A	0.17	(0.07)	1,126	0.19
EMC-W7	0.04	-	8,240	0.04	HSIO6P2502D	0.55	(0.05)	28,648	0.55	SET01P2502B	0.56	0.02	2,196	0.62
ITD	0.47	(0.01)	4,970	0.47	HSIO6P2502E	-	-	-	-	SET01P2503A	0.86	(0.12)	18,771	0.91
JR	1.51	-	6,659	1.51	HSIO6P2503A	0.03	(0.01)	1	0.03	SET01P2505A	0.73	(0.08)	290,264	0.77
NL	1.01	0.01	2,225	1.01	HSIO6P2503B	0.18	(0.05)	30,168	0.17	SET5001C2503A	0.02	-	1,409	0.02
NWR	0.13	(0.02)	7,992	0.14	HSIO6P2503C	0.56	(0.14)	17	0.57	SET5001C2503F	0.01	(0.01)	1,611	0.01
PLE	0.33	0.02	3,209	0.33	HSIO6P2503D	-	-	-	-	SET5001C2505A	0.30	0.02	177,182	0.28
PREB	4.28	0.02	368	4.27	HSIO6P2503E	0.34	(0.12)	45,022	0.35	SET5001C2506F	0.37	0.03	74,809	0.36
PYLON	1.86	0.03	160	1.85	HSIO6P2504A	0.24	(0.08)	12,511	0.25	SET5001P2502A	0.22	(0.09)	3,376	0.25
RT	0.36	0.01	9,259	0.36	HSIO6P2504B	0.12	(0.04)	4,002	0.13	SET5001P2503F	0.16	(0.04)	26,961	0.17
SEAFAC	2.10	(0.02)	16,349	2.08	HSIO6P2506A	0.47	(0.08)	15,358	0.47	SET5001P2505A	0.46	(0.04)	58,983	0.47
SQ	0.76	0.01	512	0.75	HSI28C2501A	0.01	-	1,789	0.01	SET5001P2506F	0.54	(0.06)	79,311	0.56
SRICHA	5.00	0.26	1,896	4.93	HSI28C2501B	-	-	-	-	SET5006C2503A	0.02	(0.01)	349	0.02
STECON	6.00	0.10	3,311	5.95	HSI28C2501C	-	-	-	-	SET5006C2503B	-	-	-	-
STI	2.98	-	333	2.96	HSI28C2501D	-	-	-	-	SET5006C2503C	0.04	0.01	107	0.03
STPI	3.02	0.02	6,400	3.02	HSI28C2501E	-	-	-	-	SET5006C2503D	0.08	0.01	146	0.08
SYNTEC	1.53	-	2,091	1.51	HSI28C2501F	-	-	-	-	SET5006C2503E	0.17	0.02	55,682	0.15
TEAMG	3.28	0.08	130,603	3.29	HSI28C2501G	-	-	-	-	SET5006C2503F	0.40	0.03	77,814	0.41
TEAMG-W1	0.23	-	7,327	0.23	HSI28C2501H	-	-	-	-	SET5006P2503A	0.08	(0.03)	43,435	0.10
TEKA	2.24	0.06	17	2.19	HSI28C2501I	-	-	-	-	SET5006P2503B	0.28	(0.05)	47,589	0.30
TPOLY	0.57	(0.01)	15,681	0.58	HSI28C2501J	0.63	0.27	20,019	0.65	SET5006P2503C	-	-	-	-
TRC	1.08	0.04	5,902	1.07	HSI28C2501K	0.07	0.03	330,823	0.08	SET5013C2503A	0.02	-	22,422	0.01
TRITN	0.10	-	27,352	0.10	HSI28C2502A	0.10	0.03	7,607	0.11	SET5013C2503B	0.01	-	22,405	0.01
TTCL	1.87	0.04	404	1.83	HSI28C2502B	0.02	-	150	0.02	SET5013C2503C	0.02	-	64,522	0.02
UNIQ	2.42	(0.06)	510	2.42	HSI28C2502C	-	-	-	-	SET5013C2503D	0.03	-	6,407	0.03
WGE	0.77	0.03	2,448	0.77	HSI28C2502D	0.44	0.11	502,832	0.44	SET5013C2503E	0.03	-	57,908	0.03
Unit Trust	-	-	-	-	HSI28C2502E	0.83	0.18	160	0.83	SET5013C2503F	0.06	0.01	150,374	0.06
SCBSET	-	-	-	-	HSI28C2502F	0.22	0.06	103,675	0.23	SET5013C2503G	0.10	0.03	726,617	0.09
VAYU1	10.00	-	85,050	10.00	HSI28C2503A	0.58	0.11	20,864	0.58	SET5013C2503H	0.13	0.02	770,072	0.13
ETF	-	-	-	-	HSI28C2503B	0.05	0.01	8,711	0.05	SET5013C2503I	0.19	0.04	1,529,951	0.17
1DIV	10.59	0.02	86	10.58	HSI28C2503D	0.03	-	940	0.03	SET5013C2503J	0.31	0.05	4,004,359	0.29
ABFTH	-	-	-	-	HSI28C2503E	0.02	-	500	0.02	SET5013C2503K	0.48	(0.52)	803,141	0.45
BMSCG	-	-	-	-	HSI28C2503F	0.17	0.04	14,050	0.17	SET5013C2503T	0.01	-	1,926	0.01
BMSCITH	9.76	0.04	1,049	9.75	HSI28C2503G	-	-	-	-	SET5013C2506T	0.11	0.01	117,600	0.11
BSET100	9.24	0.03	334	9.24	HSI28C2504A	0.18	0.02	21,485	0.18	SET5013P2503A	0.29	(0.08)	1,127,517	0.32
CHINA	5.83	(0.01)	274	5.85	HSI28C2504B	0.39	0.06	199,646	0.40	SET5013P2503B	0.53	(0.12)	2,905,625	0.58
ENGY	4.35	0.01	21	4.36	HSI28C2504C	0.73	0.06	864	0.74	SET5013P2503C	0.80	(0.18)	45,915	0.87
GLD	3.74	-	3,240	3.75	HSI28C2505A	0.27	0.05	19,004	0.27	SET5013P2503D	0.21	(0.05)	828,044	0.23
TDEX	8.73	0.02	3,727	8.70	HSI28P2501A	-	-	-	-	SET5013P2503E	0.36	(0.64)	959,929	0.39
UBOT	14.16	0.09	9	14.12	HSI28P2501B	-	-	-	-	SET5013P2503T	0.08	(0.02)	67,795	0.09
UHERO	7.97	(0.12)	12	8.08	HSI28P2501C	-	-	-	-	SET5013P2506T	0.45	(0.07)	132,169	0.47
Warrant Foreign	-	-	-	-	HSI28P2501D	-	-	-	-	SET5019C2503A	0.01	-	150	0.01
AIA41C2502A	-	-	-	-	HSI28P2501E	-	-	-	-	SET5019C2503B	-	-	-	-
AIA41C2504A	-	-	-	-	HSI28P2502A	0.43	(0.17)	316,778	0.44	SET5019C2503C	-	-	-	-
ALIH41C2502A	-	-	-	-	HSI28P2502B	0.06	(0.03)	2,893	0.06	SET5019C2503D	0.09	0.01	540,445	0.08
BABA28C2503A	-	-	-	-	HSI28P2502C	0.03	-	1	0.03	SET5019C2503E	0.21	0.03	310,450	0.20
BABA28C2506A	0.31	0.04	209	0.31	HSI28P2502D	0.16	(0.07)	95,409	0.16	SET5019C2503F	0.29	0.05	447,880	0.27
BABA28P2503A	0.25	(0.04)	20	0.26	HSI28P2503A	0.05	-	1,006	0.04	SET5019C2503G	1.75	0.19	91,746	1.67
BABA41C2502A	-	-	-	-	HSI28P2503B	0.17	(0.05)	4,278	0.17	SET5019C2506A	0.13	0.02	131,088	0.12
BABA41C2503A	-	-	-	-	HSI28P2503C	0.07	(0.01)	2	0.07	SET5019P2503A	0.37	(0.08)	366,515	0.41
BABA41C2504A	0.26	0.05	2,510	0.26	HSI28P2503D	0.54	(0.16)	64,267	0.56	SET5019P2503B	0.82	(0.13)	98,713	0.87
BABA41P2502A	0.12	(0.07)	2	0.13	HSI28P2504A	0.13	(0.04)	11,292	0.13	SET5019P2503C	0.14	(0.04)	197,301	0.16
BABA41P2502B	-	-	-	-	HSI28P2504B	0.19	(0.05)	3,944	0.19	SET5019P2506A	0.39	(0.04)	294,079	0.41
BIDU41C2502A	0.13	0.02	500	0.13	HSI28P2505A	0.13	(0.04)	9,786	0.13	SET5028C2503A	0.02	-	1	0.02
BIDU41C2502B	-	-	-	-	HSTECH28C2501	0.16	0.01	286	0.16	SET5041C2503A	0.02	-	101	0.01
BYDCOM28C2501A	-	-	-	-	HSTECH28C2501	0.61	0.09	1,270	0.60	SET5041C2503B	0.02	(0.01)	23	0.01
BYDCOM28C2503A	-	-	-	-	HSTECH28P2501	-	-	-	-	SET5041C2503C	0.02	-	201	0.01
BYDCOM28C2508A	0.39	0.03	18	0.38	HSTECH28P2501	0.26	(0.05)	10	0.26	SET5041C2503D	0.02	-	50	0.01
BYDCOM28P2501A	-	-	-	-	JD41C2502A	-	-	-	-	SET5041C2503E	-	-	-	-
BYDCOM28P2503A	0.39	(0.04)	57	0.39	JD41C2502B	-	-	-	-	SET5041C2503F	-	-	-	-
BYDCOM41C2502A	0.28	(0.04)	2	0.28	KUAI5H41C2502	0.04	(0.03)	65	0.04	SET5041C2503G	0.10	(0.01)	305	0.10
BYDCOM41C2506A	0.42	0.03	19	0.41	KUAI5H41C2506	-	-	-	-	SET5041C2503H	0.06	(0.02)	6	0.07
BYDCOM41P2502A	-	-	-	-	LENOV041C2501	-	-	-	-	SET5041C2503I	0.17	0.02	25,374	0.17
CATHAY41C2502A	-	-	-	-	MCA5041C2503	0.08	(0.01)	7,000	0.08	SET5041C2503J	0.40	0.06	53,574	0.38
DJI28C2503A	0.34	0.06	1,156	0.34	MCA5041C2503	0.26	0.02	150	0.26	SET5041C2506A	0.14	0.01	2,831	0.14
DJI28C2503B	0.16	0.04	670	0.16	MCA5041C2506	0.35	0.02	338	0.35	SET5041C2506B	0.46	0.04	305,249	0.44
DJI28P2503A	0.07	(0.01)	2,800	0.07	MCA5041P2503	0.38	(0.06)	3	0.39	SET5041C2506T	0.09	-	4,010	0.09
DJI28P2503B	0.15	(0.03)	103	0.14	MCA5041P2506	0.60	(0.01)	208	0.59	SET5041P2503A	0.19	(0.03)	57,330	0.20
DJI41C2503A	0.28	0.04	4,429	0.28	MEITUA28C2501	-	-	-	-	SET5041P2503B	0.50	(0.05)	554	0.51
DJI41C2503B	0.22	0.04	1	0.22	MEITUA28C2501	0.36	(0.03)	14	0.38	SET5041P2503C	0.37	(0.05)	46	0.40
DJI41P2503A	0.06	(0.02)	10	0.06	MEITUA28C2501	-								

Main Board Quotation

Issue Date :

Friday January 24, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust			-		TRV	2.10	(0.02)	764	00 2.0	MCA	1.38	(0.01)	21,557	00 1.3
APO	1.83	(0.01)	897	00 1.8	UBIS	1.42	0.02	156	00 1.4	MEB	22.00	-	2,560	00 21.8
AU	9.65	0.20	11,842	00 9.5	UEC	1.08	0.04	586	00 1.0	MORE	0.03	-	9,999	00 0.0
CFARM	0.79	0.01	513	00 0.7	UKEM	0.68	0.15	316,923	00 0.6	MPJ	2.76	0.02	28,746	00 2.7
JCHK	0.42	-	9,162	00 0.4	UREKA	0.89	0.01	42,504	00 0.8	MVP	0.57	0.01	2,152	00 0.5
KASET	0.77	0.05	7,754	00 0.7	YUASA	9.75	(0.05)	19	00 9.7	NCL	0.37	-	14,912	00 0.3
MAGURO	21.10	(0.10)	9,070	00 21.1	ZIGA	1.48	(0.02)	10,447	00 1.4	NCP	1.05	0.01	3,643	00 1.0
MUD	1.20	(0.11)	20	00 1.2	ZIGA-W2	0.14	-	6,696	00 0.1	NEWS	0.01	-	341,697	00 0.0
NTSC	8.85	-	1	00 8.8	Property			-		PEER	0.24	0.01	15,872	00 0.2
TACC	4.32	0.08	11,423	00 4.2	24CS	2.72	0.02	1,594	00 2.7	PEER-W2	0.04	-	34,914	00 0.0
TMILL	2.98	(0.02)	201	00 2.9	ARIN	0.59	(0.01)	71,130	00 0.5	PICO	-	-	-	00 0.0
WINNER	2.02	0.04	3,385	00 2.0	ARROW	5.40	0.05	103	00 5.3	PLT	0.69	-	2,496	00 0.6
XO	18.90	0.10	5,570	00 18.8	BC	0.97	0.01	169	00 0.9	QLT	3.00	0.08	172	00 2.8
Consumer Products			-		BC-W2	0.07	-	3,000	00 0.0	RP	0.98	(0.01)	44	00 0.9
ALPHAX	0.50	(0.01)	12,530	00 0.5	BLESS	0.30	0.01	3,476	00 0.2	SONIC	1.64	0.01	47,594	00 1.7
BGT	0.45	-	172	00 0.4	BSM	1.64	(0.04)	1	00 1.6	THMUI	0.44	-	5	00 0.4
DOD	1.40	-	661	00 1.3	BTW	0.22	0.01	3,383	00 0.2	TNDT	0.18	-	299	00 0.1
ECF	0.37	0.01	70,173	00 0.3	CAZ	2.18	0.04	690	00 2.1	TNDT-W1	0.01	-	30	00 0.0
ECF-W5	0.03	0.01	10,748	00 0.0	CHEWA	0.36	0.02	4,770	00 0.3	TNH	36.75	-	3	00 36.7
EFORL	0.24	-	63,251	00 0.2	CPANEL	3.38	0.04	438	00 3.4	TNP	3.08	(0.02)	765	00 3.0
EFORL-W6	0.03	-	6,596	00 0.0	CPANEL-W1	0.17	(0.02)	218	00 0.1	TPL	0.79	0.01	30,565	00 0.8
EURO	4.58	(0.02)	61	00 4.5	CRD	0.36	-	2,088	00 0.3	TRP	7.50	(0.10)	2,143	00 7.4
HPT	0.41	(0.01)	20,982	00 0.4	DHOUSE	0.63	0.01	751	00 0.6	TURTLE	-	-	-	00 0.0
ITTHI	1.52	(0.02)	1,759	00 1.4	DIMET	0.25	0.01	1,986	00 0.2	TVDH	0.17	-	2,057	00 0.1
JSP	1.92	-	3,182	00 1.9	DPAINT	1.00	(0.03)	115,590	00 1.0	TVDH-W3	-	-	-	00 0.0
JSP-W2	0.06	-	4,368	00 0.0	FLOYD	0.66	0.02	2,335	00 0.6	TVT	0.33	-	213	00 0.3
JUBILE	10.00	0.05	163	00 9.9	HYDRO	0.13	(0.02)	4,009	00 0.1	UBA	0.83	0.02	1,028	00 0.8
LTS	13.20	(0.10)	39,085	00 13.1	HYDRO-W2	0.11	(0.03)	2	00 0.1	VL	1.01	0.01	5,017	00 1.0
MGI	10.80	(0.10)	11,459	00 10.7	IND	0.72	0.03	9,988	00 0.7	VS	0.50	0.01	166	00 0.5
MGI-W1	2.26	0.04	15,554	00 2.2	JAK	1.30	0.07	365	00 1.2	YGG	0.63	-	54,633	00 0.6
MOONG	1.97	-	205	00 1.9	K	1.15	(0.04)	754	00 1.1	Technology			-	
NPK	12.00	0.60	35	00 11.5	K-W3	0.24	0.01	501	00 0.2	APP	1.64	(0.01)	799	00 1.6
SEI	4.12	-	27,503	00 4.0	META	0.11	(0.01)	930	00 0.1	BBIK	38.50	-	10,118	00 38.8
SMD100	4.46	0.06	253	00 4.4	PANEL	1.23	0.01	357	00 1.2	BE8	13.80	0.30	47,444	00 13.5
TM	0.81	0.02	6,062	00 0.8	PPS	0.19	-	5,369	00 0.1	BE8-W1	1.20	-	57	00 1.1
TM-W1	0.05	-	25	00 0.0	PRI	8.00	0.05	2,379	00 8.0	BVG	2.30	0.10	209	00 2.3
WARRIX	3.54	-	1,770	00 3.5	PROS	0.80	(0.03)	584	00 0.7	COMAN	0.70	(0.04)	1,333	00 0.7
WINMED	1.39	0.03	1,089	00 1.3	PROS-W1	0.08	-	1,466	00 0.0	I2	1.27	-	2,043	00 1.2
Financials			-		PSG	0.38	0.05	504,001	00 0.3	IIG	3.98	0.36	33,627	00 4.0
ACAP	-	-	-	00 0.0	QTGC	0.32	(0.01)	12,382	00 0.3	IRCP	0.52	0.04	53,528	00 0.5
AF	0.62	0.02	192	00 0.5	SENX	0.29	-	24,528	00 0.2	ITNS	1.33	0.02	587	00 1.3
AIRA	1.23	-	2	00 1.2	SK	0.62	0.02	7,653	00 0.6	NAT	4.44	0.06	842	00 4.3
ASN	1.36	0.02	46	00 1.3	SMART	0.83	0.01	6,379	00 0.8	NETBAY	15.00	-	1,817	00 14.9
BTC	0.58	0.03	383,220	00 0.5	STC	0.53	-	123	00 0.5	PIS	5.55	0.10	550,468	00 5.4
BTC-W7	0.28	0.01	13,622	00 0.2	STX	1.33	0.05	5,120	00 1.3	PLANET	1.69	0.19	202,570	00 1.6
GCAP	0.33	0.03	7,186	00 0.3	SVR	0.68	-	984	00 0.6	PROEN	1.46	0.04	142,501	00 1.4
KCC	2.06	0.06	1,044	00 2.0	TAPAC	-	-	-	00 0.0	PROEN-W2	0.66	0.01	11,560	00 0.6
LIT	0.62	0.01	636	00 0.6	THANA	1.18	0.05	3,788	00 1.1	READY	4.44	(0.24)	479	00 4.4
LIT-W2	-	-	-	00 0.0	TIGER	0.60	(0.03)	64	00 0.5	SECURE	12.30	(0.10)	239	00 12.1
MITSIB	0.67	0.01	839	00 0.6	TITLE	3.98	0.02	140	00 3.9	SICT	3.58	0.02	2,020	00 3.5
SGF	0.21	-	341	00 0.2	WELL	-	-	-	00 0.0	SIMAT	1.49	0.01	27,695	00 1.5
SGF-P1	-	-	-	00 0.0	YONG	1.04	0.01	528	00 1.0	SIMAT-W3	0.05	0.01	3,595	00 0.0
SGF-Q1	-	-	-	00 0.0	Resources			-		SPVI	1.71	0.03	4,451	00 1.6
TQR	5.15	0.05	173	00 5.1	ABM	1.02	0.02	587	00 0.9	SRS	3.58	0.08	344	00 3.5
Industrials			-		GTV	0.13	-	10,102	00 0.1	TBN	8.00	0.15	9,187	00 8.0
ADB	0.86	0.01	18	00 0.8	PSTC	0.49	-	3,500	00 0.4	TERA	1.14	0.06	571	00 1.1
BM	2.94	(0.02)	540	00 2.9	PSTC-W2	0.01	-	2,033	00 0.0	TPS	3.26	0.24	21,049	00 3.1
BM-W3	1.47	0.05	100	00 1.3	PSTC-W3	0.18	0.01	1,851	00 0.1	VCOM	2.44	-	992	00 2.4
BPS	0.52	0.01	4,503	00 0.5	PTC	1.37	-	121	00 1.3	-	-	-	-	-
CHO	0.04	-	214,938	00 0.0	SAAM	5.65	-	223	00 5.5	-	-	-	-	-
CHO-W4	-	-	-	00 0.0	SR	0.52	(0.01)	12	00 0.5	-	-	-	-	-
CHOW	1.61	(0.04)	3,370	00 1.6	STOWER	0.06	(0.01)	24,034	00 0.0	-	-	-	-	-
CIG	0.05	0.01	36,034	00 0.0	TAKUNI	0.59	-	148,207	00 0.6	-	-	-	-	-
CIG-W10	0.06	(0.01)	1	00 0.0	TPCH	4.10	-	216	00 4.1	-	-	-	-	-
CIG-W9	0.02	-	575	00 0.0	UMS	0.47	-	80	00 0.4	-	-	-	-	-
COLOR	1.20	0.04	770	00 1.1	Services			-		-	-	-	-	-
CPR	3.10	0.08	4,065	00 3.1	ADD	4.68	0.14	163	00 4.6	-	-	-	-	-
FPI	1.85	(0.01)	379	00 1.8	AKP	0.67	0.04	18,503	00 0.6	-	-	-	-	-
GTB	0.73	-	347	00 0.7	AMA	4.18	-	708	00 4.1	-	-	-	-	-
HARN	2.12	-	352	00 2.1	AMARC	1.25	0.01	2,247	00 1.2	-	-	-	-	-
KCM	0.23	0.01	526	00 0.2	ARIP	0.45	-	7,139	00 0.4	-	-	-	-	-
KJL	6.70	0.05	193	00 6.6	ATP30	0.91	0.01	1,089	00 0.9	-	-	-	-	-
KUMWEL	1.19	(0.05)	625	00 1.1	AUCT	7.85	0.05	1,305	00 7.7	-	-	-	-	-
KWM	1.08	0.01	1,181	00 1.0	BIS	2.70	(0.06)	456	00 2.7	-	-	-	-	-
MBAX	1.83	0.01	312	00 1.8	BOL	5.30	(0.05)	2,182	00 5.3	-	-	-	-	-
MGT	1.89	(0.01)	178	00 1.8	CEYE	-	-	-	00 0.0	-	-	-	-	-
MTW	1.13	-	129	00 1.1	CHIC	0.43	-	18,878	00 0.4	-	-	-	-	-
MTW-W1	0.04	-	80	00 0.0	CMO	0.74	-	97	00 0.6	-	-	-	-	-
NDR	1.65	0.05	75	00 1.6	D	2.68	(0.02)	2,401	00 2.6	-	-	-	-	-
PACO	1.38	(0.01)	4,665	00 1.3	DEXON	1.54	-	115	00 1.5	-	-	-	-	-
PACO-W1	0.04	-	47	00 0.0	DV8	0.51	0.02	12	00 0.5	-	-	-	-	-
PDG	2.56	(0.04)	62	00 2.5	DV8-W2	0.13	(0.01)	10	00 0.1	-	-	-	-	-
PHOL	2.96	-	573											