

Asia Plus Securities Company Limited

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
Agribusiness				
EE	0.44	0.06	512,354	0.43
GPPT	9.80	(0.30)	54,610	9.84
LEE	2.44	0.04	3,730	2.42
NER	4.16	(0.04)	52,986	4.18
NER-W2	0.21	(0.01)	9,753	0.22
PCE	2.70	0.06	11,314	2.68
PPPM	0.55	0.08	26,835	0.54
PPPM-W6	0.38	0.12	2,454	0.35
STA	13.00	(0.10)	31,593	13.00
STA01C2506A	-	-	-	-
STA01C2510A	0.22	(0.02)	12,926	0.23
STA13C2506A	0.01	-	5	0.01
STA13C2508A	0.15	(0.03)	13,339	0.16
STA19C2506A	-	-	-	-
STA41C2612T	0.28	-	2,000	0.27
TEGH	2.88	(0.02)	5,516	2.89
TFM	4.86	-	3,344	4.88
TRUBB	0.59	-	1,666	0.58
UPOIC	6.60	-	16	6.60
UVAN	9.10	-	1,455	9.15
VPO	0.45	(0.01)	2,682	0.45
Banking				
BAY	22.10	0.10	547	22.02
BBL	147.50	(0.50)	45,031	147.96
BBL1C2507A	0.12	(0.01)	10,298	0.13
BBL1C2507A	-	-	-	-
BBL13C2508A	0.17	(0.02)	39,192	0.18
BBL13C2509A	0.51	(0.02)	10	0.51
BBL19C2506A	0.01	(0.01)	345	0.01
BBL19C2508A	0.12	(0.02)	15,681	0.13
BBL41C2506A	-	-	-	-
BBL41C2609T	0.39	-	10	0.39
CIMBT	0.53	-	5,238	0.52
CREDIT	18.50	-	499	18.34
KBANK	163.50	(0.50)	61,407	163.62
KBANK01C2506A	-	-	-	-
KBANK01C2508A	0.87	(0.04)	438	0.87
KBANK01C2509A	0.57	(0.01)	23,301	0.58
KBANK01P2507A	-	-	-	-
KBANK01P2509A	0.35	0.01	6,978	0.34
KBANK13C2507A	0.26	(0.04)	40,578	0.26
KBANK13C2508A	0.71	(0.03)	11,166	0.71
KBANK13C2509A	0.44	(0.02)	28,064	0.45
KBANK13P2507A	0.01	-	57	0.01
KBANK13P2509A	0.30	(0.01)	9,938	0.30
KBANK19C2507A	0.11	(0.02)	5,548	0.12
KBANK19C2507B	0.22	(0.05)	8,586	0.23
KBANK19C2510A	0.38	(0.02)	38,172	0.38
KBANK41C2604T	0.90	(0.02)	19,675	0.92
KBANK41C2609T	0.49	(0.01)	4,820	0.50
KBANK41P2606T	0.28	-	10	0.28
KKP	47.00	(0.25)	25,351	47.01
KKP-W6	0.68	-	1,054	0.66
KKP13C2508A	0.18	(0.02)	14,850	0.19
KKP19C2507A	-	-	-	-
KKP19C2509A	0.36	(0.02)	37,122	0.37
KTB	22.80	0.10	328,207	22.75
KTB-P	-	-	-	-
KTB-Q	-	-	-	-
KTB01C2506A	0.12	0.01	32	0.11
KTB01C2509A	0.63	-	3,168	0.63
KTB01P2509A	0.31	(0.01)	14,456	0.32
KTB13C2507A	-	-	-	-
KTB13C2508A	0.35	-	18,815	0.35
KTB13P2507A	-	-	-	-
KTB19C2506A	-	-	-	-
KTB19C2508A	0.37	0.01	67,272	0.36
KTB41C2506A	-	-	-	-
KTB41C2609T	0.54	0.01	5,500	0.54
LHFG	0.77	-	27,168	0.76
SCB	121.50	(0.50)	37,118	121.52
SCB01C2507A	0.18	(0.01)	20,585	0.18
SCB01C2509A	0.35	(0.01)	28,873	0.35
SCB01P2507A	0.12	0.01	2,655	0.11
SCB01P2510A	0.53	(0.47)	9,625	0.53
SCB13C2508A	0.18	(0.01)	17,184	0.18
SCB13P2507A	0.01	(0.01)	476	0.02
SCB19C2507A	-	-	-	-
SCB19C2509A	0.28	(0.02)	21,685	0.28
SCB41C2609T	0.37	-	13,500	0.37
SCB41P2509A	0.15	-	500	0.15
TCAP	47.50	(0.50)	18,018	47.59
TCAP-P	-	-	-	-
TCAP-Q	-	-	-	-
TCAP13C2508A	0.12	(0.02)	5,469	0.13
TISCO	98.00	0.25	25,528	97.87
TISCO-P	-	-	-	-
TISCO-Q	-	-	-	-
TISCO41C2606T	0.34	(0.01)	1,000	0.34
TTB	1.95	0.01	1,828,789	1.94
TTB01C2507A	0.02	(0.01)	43	0.02
TTB13C2506A	-	-	-	-
TTB13C2507A	-	-	-	-
TTB19C2508A	0.11	(0.01)	879	0.11
Construction Materia				
CCP	0.20	-	11,042	0.20
DCC	1.55	0.04	4,605	1.52
DCON	0.23	-	230,555	0.23
DCON-W3	-	-	-	-
DCON-W4	0.04	0.01	52,446	0.03
DRT	5.20	-	1,622	5.19
EPG	2.32	(0.02)	6,655	2.33

Securities	Close	Change	Volume (Lot)	Average Price
GEL	0.04	(0.01)	169,736	0.04
GEL-W5	-	-	-	-
PPP	1.02	0.02	60	1.00
Q-CON	7.35	(0.05)	684	7.32
SCC	173.50	2.00	39,290	172.09
SCC01C2507A	0.19	0.02	42,235	0.18
SCC01C2508A	0.66	0.04	1	0.66
SCC01C2508B	0.69	0.03	35,624	0.67
SCC01C2511A	0.85	0.03	105,058	0.82
SCC01C2606T	0.59	0.01	44,884	0.58
SCC01P2507A	0.03	(0.01)	840	0.03
SCC01P2508A	0.31	(0.02)	59,087	0.32
SCC13C2507A	0.44	0.03	17,182	0.40
SCC13C2509A	0.60	0.02	166,915	0.58
SCC13P2508A	0.12	(0.01)	27,873	0.12
SCC19C2506A	-	-	-	-
SCC19C2507A	-	-	-	-
SCC19C2509A	0.88	0.03	12,674	0.84
SCC19C2509B	0.56	0.01	121,473	0.55
SCC19P2508A	0.18	(0.03)	25,786	0.19
SCC19P2509A	0.20	(0.02)	15,625	0.21
SCC41C2608T	0.62	0.02	102,998	0.60
SCC41P2508A	-	-	-	-
SCCC	152.50	0.50	146	151.70
SCGD	4.02	-	586	4.02
SCP	6.25	(0.10)	248	6.26
SKN	5.65	(0.05)	70	5.63
STECH	1.07	0.01	3,090	1.08
TASCO	14.30	(0.10)	37,082	14.24
TASCO19C2507	-	-	-	-
TOA	11.30	0.30	15,248	11.15
TPIPL	0.97	(0.01)	7,184	0.98
UMI	0.69	(0.01)	1,095	0.68
VNG	2.18	0.02	1,521	2.14
WIJK	0.95	-	4,212	0.98
WIJK-W3	0.04	-	33,224	0.04
WINDOW	0.72	(0.01)	1,070	0.71
Petrochemicals &				
BCT	47.50	-	17	47.32
CMC	2.24	-	923	2.20
GC	4.58	-	705	4.57
GGC	4.50	-	49	4.51
IVL	20.60	0.60	193,215	20.44
IVL01C2506A	-	-	-	-
IVL01C2507A	0.14	0.02	120,751	0.14
IVL01C2509A	0.36	0.04	74,879	0.36
IVL01P2506A	0.13	(0.06)	20	0.14
IVL01P2510A	0.45	(0.03)	9,459	0.46
IVL13C2507A	-	-	-	-
IVL13C2508A	0.20	0.03	177,952	0.19
IVL13C2509A	0.40	0.05	66,948	0.38
IVL13P2508A	0.21	(0.04)	35,301	0.22
IVL19C2506A	0.01	-	4,018	0.01
IVL19C2507A	-	-	-	-
IVL19C2508A	0.22	0.03	236,838	0.21
IVL19P2508A	0.21	(0.05)	49,647	0.22
IVL41C2605T	0.18	0.01	29,000	0.17
IVL41P2605T	-	-	-	-
NFC	1.77	0.06	1,727	1.71
PATO	7.25	-	44	7.22
PMTA	-	-	-	-
PTTGC	20.20	0.50	351,794	19.95
PTTGC01C2506A	-	-	-	-
PTTGC01C2507A	0.18	0.03	77,126	0.16
PTTGC01C2508A	0.51	0.06	95,973	0.48
PTTGC01P2506A	0.03	(0.01)	1,007	0.03
PTTGC01P2510A	0.55	(0.45)	28,806	0.57
PTTGC13C2506A	-	-	-	-
PTTGC13C2507A	0.14	0.02	103,452	0.12
PTTGC13C2507E	0.40	0.05	7,992	0.39
PTTGC13C2510A	0.44	0.03	276,294	0.42
PTTGC13P2506A	0.01	-	510	0.01
PTTGC19C2506A	-	-	-	-
PTTGC19C2508A	0.32	0.04	251,156	0.29
PTTGC41C2506A	-	-	-	-
PTTGC41C2608T	0.47	0.03	56,801	0.45
PTTGC41P2506A	-	-	-	-
SUTHA	2.42	0.02	4	2.44
TPA	2.58	(0.02)	8	2.53
UAC	2.74	0.02	161	2.74
UP	20.50	0.20	7	20.41
XYZ	0.37	0.01	11,901	0.38
Commerce				
ADVCE	4.54	0.02	4,181	4.52
B52	-	-	-	-
B52-W4	0.04	-	1,114	0.03
BEAUTY	0.30	0.01	16,195	0.29
BIG	0.32	-	36,249	0.32
BJC	21.00	0.30	39,344	20.96
BJC13C2508A	0.16	0.01	40,099	0.15
BJC41C2606T	0.22	-	34,400	0.22
COM7	20.20	(0.40)	86,473	20.22
COM701C2506A	-	-	-	-
COM701C2508A	0.26	(0.03)	43,050	0.28
COM713C2506A	-	-	-	-
COM713C2507A	-	-	-	-
COM713C2508A	0.27	(0.04)	44,850	0.28
COM719C2507A	-	-	-	-
COM719C2508A	0.22	(0.05)	27,308	0.23
COM719P2508A	0.19	0.01	9,442	0.19
COM741C2606T	0.19	(0.01)	46,000	0.20
COM741C2609T	0.34	(0.02)	65,008	0.35
CPALL	47.75	-	285,114	47.53

Issue Date :

Monday May 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price
CPALL01C2507A	0.09	(0.01)	33,801	0.09
CPALL01C2510A	0.27	(0.73)	19,282	0.27
CPALL01C2606T	0.25	(0.01)	15,280	0.25
CPALL01P2507A	0.22	-	30,279	0.23
CPALL01P2510A	0.48	(0.52)	13,712	0.49
CPALL13C2506A	-	-	-	-
CPALL13C2506B	-	-	-	-
CPALL13C2508A	0.10	(0.01)	13,239	0.10
CPALL13P2506A	0.01	-	2,792	0.01
CPALL19C2506A	-	-	-	-
CPALL19C2506B	-	-	-	-
CPALL19C2508A	0.09	-	32,045	0.09
CPALL19C2510A	0.23	(0.02)	72,438	0.24
CPALL41C2506A	0.01	-	102	0.01
CPALL41C2605T	0.11	(0.01)	1,400	0.11
CPALL41P2508A	0.19	-	2,160	0.19
CPAXT	19.50	(0.50)	143,461	19.66
CPW	1.92	0.01	822	1.90
CRC	18.60	(0.10)	231,090	18.47
CRC01C2506A	-	-	-	-
CRC01C2511A	0.39	-	86,306	0.38
CRC13C2506A	-	-	-	-
CRC13C2508A	-	-	-	-
CRC13C2509A	0.14	(0.02)	127,572	0.14
CRC13C2510A	0.35	(0.02)	65,755	0.34
CRC19C2506A	0.01	-	6,987	0.01
CRC19C2508A	-	-	-	-
CRC19C2510A	0.32	(0.01)	85,375	0.31
CRC41C2608T	0.04	-	500	0.04
CRC41C2609T	0.26	(0.02)	40,827	0.27
CSS	0.81	(0.01)	4,839	0.82
DOHOME	3.70	0.02	114,742	3.64
DOHOME01C2507A	-	-	-	-
DOHOME01C2508A	-	-	-	-
DOHOME01C2510A	0.25	-	19,8	

Main Board Quotation

Issue Date :

Monday May 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ALT	0.90	0.03	8,394	0.89	DELTA19C2506F	0.01	-	9,245	0.01	BGRIM13C2507A	-	-	-	-
AMR	0.60	-	3,105	0.60	DELTA19C2506E	-	-	-	-	BGRIM13C2507B	-	-	-	-
BLISS	-	-	-	-	DELTA19C2506C	-	-	-	-	BGRIM13C2508A	0.08	(0.01)	8,066	0.08
DIF	8.05	-	43,345	8.06	DELTA19C2507F	0.18	0.01	26,364	0.16	BGRIM13C2510A	0.17	(0.02)	13,949	0.18
DITTO	10.50	-	8,880	10.41	DELTA19C2507E	-	-	-	-	BGRIM13P2506A	-	-	-	-
DTCENT	0.91	0.01	1,041	0.89	DELTA19C2507C	-	-	-	-	BGRIM19C2506A	-	-	-	-
FORTH	8.90	-	311	8.93	DELTA19C2508F	2.32	(0.12)	2	2.32	BGRIM19C2507A	-	-	-	-
GABLE	2.96	-	4,226	2.98	DELTA19C2509F	0.71	0.04	113,206	0.66	BGRIM19C2507B	-	-	-	-
HUMAN	7.55	(0.25)	2,733	7.61	DELTA19P2506F	-	-	-	-	BGRIM19C2507C	-	-	-	-
ICN	1.90	0.01	925	1.88	DELTA19P2507A	-	-	-	-	BGRIM19C2508A	-	-	-	-
ILINK	5.20	-	932	5.20	DELTA19P2509F	0.12	(0.01)	19,887	0.13	BGRIM19C2509A	0.11	(0.02)	62,917	0.12
INET	4.10	(0.02)	12,941	4.11	DELTA19P2509E	0.22	(0.03)	42,227	0.24	BGRIM19P2506A	-	-	-	-
INSET	1.67	-	13,250	1.68	DELTA19P2509C	0.31	(0.04)	25,167	0.33	BGRIM41C2506A	-	-	-	-
ITEL	1.19	-	15,599	1.19	DELTA19P2509E	0.40	(0.07)	125,471	0.45	BGRIM41C2608T	0.15	(0.01)	16,080	0.15
JAS	1.74	0.05	794,287	1.71	DELTA41C2506F	-	-	-	-	BIOTEC	0.19	-	3,745	0.19
JAS-W4	0.55	0.07	781,450	0.51	DELTA41C2507F	0.42	0.05	4,000	0.37	BIOTEC-P	-	-	-	-
JAS13C2507A	0.17	0.01	6	0.14	DELTA41C2508F	0.80	0.04	7,200	0.74	BIOTEC-Q	-	-	-	-
JAS13C2509A	0.45	0.03	46,095	0.42	DELTA41C2509F	0.48	0.04	30,900	0.44	BIOTEC-W2	0.03	-	667	0.02
JAS19C2507A	0.11	0.01	22,196	0.10	DELTA41C2608T	0.56	0.02	40,003	0.54	BPP	7.25	0.20	38,422	7.20
JAS19C2509A	0.67	0.05	12,535	0.62	DELTA41C2612I	0.18	0.01	23,790	0.17	BRRGIF	3.94	-	8,871	3.94
JAS19C2510A	0.44	0.03	103,694	0.40	DELTA41P2507A	0.02	(0.02)	1	0.02	BSRC	5.15	(0.10)	18,668	5.18
JAS41C2605T	0.15	0.01	26,052	0.14	DELTA41P2509A	0.40	0.01	4,099	0.40	BSRC13C2506A	-	-	-	-
JMART	6.55	0.15	38,580	6.50	HANA	18.20	0.70	100,125	17.83	CKP	2.76	(0.02)	9,757	2.75
JMART-W5	0.04	-	24,084	0.04	HANA01C2509A	0.28	0.04	162,299	0.25	CV	-	-	-	-
JMART13C2506A	-	-	-	-	HANA13C2506A	0.02	0.01	30,084	0.02	CV-W1	-	-	-	-
JMART13C2507A	-	-	-	-	HANA13C2507A	0.02	-	26,187	0.01	EA	3.22	0.28	3,118,575	3.14
JMART13C2508A	0.07	-	2,881	0.07	HANA13C2508A	0.26	0.04	108,016	0.23	EA-W1	1.34	0.24	1,924,134	1.24
JMART13C2510A	0.27	0.02	33,168	0.26	HANA13C2509A	0.19	0.03	48,947	0.17	EA13C2506A	0.02	0.01	1,200	0.02
JMART19C2506A	-	-	-	-	HANA13P2507A	0.07	(0.02)	13	0.08	EA13C2506B	0.01	(0.01)	8,659	0.01
JMART19C2508A	-	-	-	-	HANA19C2507A	0.01	(0.01)	1	0.01	EA13C2507A	0.16	0.07	354,605	0.14
JMART19C2508B	-	-	-	-	HANA19C2508A	0.24	0.04	101,643	0.21	EA13C2508A	0.49	0.16	65,461	0.46
JMART19C2510A	0.27	0.01	6,398	0.26	HANA19C2510A	0.24	0.03	38,329	0.22	EA13C2508B	0.81	0.16	2,167	0.79
JMART41C2606T	-	-	-	-	HANA41C2606T	0.12	-	1,000	0.12	EA13C2509A	0.29	0.08	358,803	0.27
JMART41C2609T	0.22	-	47,501	0.23	HANA41C2608T	0.49	0.02	63,200	0.47	EA13P2508A	0.23	(0.07)	61,551	0.25
JTS	41.75	(0.25)	2,708	41.28	KCE	15.30	0.40	52,082	15.10	EA19C2506A	-	-	-	-
MFEC	5.40	-	1,618	5.36	KCE01C2507A	-	-	-	-	EA19C2506B	-	-	-	-
MSC	7.90	-	7	7.90	KCE13C2506A	-	-	-	-	EA19C2508A	0.54	0.14	121,034	0.49
PT	13.00	(0.20)	1,234	12.93	KCE13C2507A	-	-	-	-	EA19C2508B	0.80	0.18	5,081	0.79
ROCTEC	0.64	0.01	89,863	0.64	KCE13C2508A	0.04	0.01	1,820	0.04	EA19C2510A	0.50	0.11	176,777	0.47
ROCTEC-W3	-	-	-	-	KCE13C2508B	0.09	0.01	9,192	0.09	EA19P2509A	0.29	(0.07)	60,517	0.30
ROCTEC-W5	0.02	(0.01)	31,561	0.02	KCE13C2510A	0.26	0.02	45,451	0.24	EA41C2606T	0.18	0.03	26,403	0.17
SAMART	6.50	(0.10)	19,121	6.52	KCE13P2508A	0.30	(0.04)	43,194	0.31	EA41C2609T	0.52	0.06	16,188	0.51
SAMTEL	-	-	-	-	KCE19C2506A	-	-	-	-	EASTW	1.73	(0.01)	4,909	1.72
SAMTEL-W2	1.01	(0.10)	134	1.01	KCE19C2507A	-	-	-	-	EGATIF	6.05	0.05	6,301	6.01
SDC	0.03	-	20,841	0.03	KCE19C2508A	0.06	-	1	0.06	EGCO	109.00	0.50	4,088	108.17
SIS	21.10	0.80	1,854	20.75	KCE19C2510A	0.19	0.02	18,877	0.18	EP	1.35	(0.06)	1,107	1.33
SKY	14.40	0.30	8,644	14.20	KCE19C2510B	0.30	0.02	70,019	0.29	EP-W4	0.01	-	1	0.01
SPREME	1.32	0.02	799	1.32	KCE41C2606T	0.07	0.01	500	0.07	ETC	1.35	(0.02)	3,901	1.36
SVOA	1.17	0.02	281	1.16	KCE41C2609T	0.29	0.01	35,587	0.28	GPSC	33.50	(0.25)	24,061	33.40
SYMC	4.60	0.02	333	4.51	METCO	189.00	1.00	89	189.08	GPSC01C2507A	-	-	-	-
SYNEX	10.70	0.30	3,872	10.51	SMT	1.26	0.04	3,456	1.24	GPSC01C2508A	-	-	-	-
THCOM	8.35	(0.15)	10,539	8.40	SVI	6.80	-	6,504	6.73	GPSC01C2510A	0.29	(0.01)	20,974	0.30
TKC	10.50	0.50	2,933	10.26	TEAM	2.62	-	636	2.62	GPSC01P2506A	0.01	-	1	0.01
TRUE	12.80	0.10	944,871	12.70	Energy & Utilitie	-	-	-	-	GPSC13C2506A	-	-	-	-
TRUE01C2507A	-	-	-	-	ACC	0.30	-	15,968	0.30	GPSC13C2507A	-	-	-	-
TRUE01C2508A	0.27	0.01	20,632	0.25	ACC-W2	0.24	0.03	1,035	0.23	GPSC13C2509A	0.24	(0.01)	42,749	0.24
TRUE01C2606T	0.19	-	5,934	0.19	ACE	1.31	(0.02)	11,227	1.31	GPSC13P2506A	0.01	-	20	0.01
TRUE01P2507A	0.07	(0.01)	375	0.07	AE	0.13	-	12,458	0.13	GPSC19C2506A	0.01	(0.01)	2,216	0.01
TRUE13C2507A	0.13	-	15,896	0.12	AGE	0.93	-	2,640	0.92	GPSC19C2506B	0.03	(0.02)	1,000	0.03
TRUE13P2506A	-	-	-	-	AI	3.20	(0.08)	4,660	3.18	GPSC19C2507A	0.25	(0.02)	4,479	0.25
TRUE19C2507A	0.06	-	13	0.06	AIE	1.15	0.02	27,383	1.16	GPSC19C2510A	0.31	(0.69)	6,664	0.31
TRUE19C2507B	0.21	0.01	7,230	0.20	BAFS	8.15	(0.05)	2,096	8.11	GPSC19P2506A	-	-	-	-
TRUE19P2506A	-	-	-	-	BANPU	4.78	0.06	172,487	4.74	GPSC41C2606T	0.20	-	3,000	0.20
TRUE19P2507A	-	-	-	-	BANPU01C2506/	-	-	-	-	GREEN	0.87	0.02	690	0.86
TRUE41C2604T	0.69	0.04	1,004	0.69	BANPU01C2507/	0.14	0.01	16,638	0.14	GULF	47.00	(1.00)	125,311	47.13
TRUE41C2612T	0.37	0.01	21,905	0.35	BANPU01C2508/	0.46	0.01	19,886	0.45	GULF01C2508A	0.14	(0.01)	2,693	0.14
TWZ	0.03	-	37,238	0.03	BANPU01C2508B	0.36	0.01	21,617	0.36	GULF01C2509A	0.34	(0.02)	18,334	0.35
TWZ-W8	0.01	-	121	0.01	BANPU01C2606T	0.36	0.01	21,617	0.36	GULF01C2606T	0.30	(0.70)	1,616	0.30
TWZ-W9	0.01	-	106	0.01	BANPU01P2510/	0.58	(0.42)	4,285	0.59	GULF01P2510A	0.52	(0.48)	4,650	0.51
Electronic Componer	-	-	-	-	BANPU13C2506/	-	-	-	-	GULF13C2508A	0.09	(0.01)	22,260	0.08
CCET	5.75	0.10	587,338	5.59	BANPU13C2506F	-	-	-	-	GULF13C2508B	0.33	(0.03)	47,365	0.34
CCET13C2506A	0.01	-	2,100	0.01	BANPU13C2507/	0.22	0.01	14,625	0.21	GULF19C2509A	0.47	(0.04)	5,383	0.48
CCET13C2507A	0.01	-	4,032	0.01	BANPU13C2509/	0.57	-	17,725	0.56	GULF19C2509B	0.24	(0.04)	34,865	0.25
CCET13C2507B	0.08	-	14,627	0.08	BANPU19C2506/	-	-	-	-	GULF41C2508A	0.29	(0.03)	3,700	0.30
CCET13C2508A	0.24	0.01	66,405	0.22	BANPU19C2507/	0.12	-	1,743	0.12	GULF41C2609T	0.39	(0.01)	960	0.40
CCET19C2506A	0.01	-	12,500	0.01	BANPU19C2508/	0.41	0.02	34,528	0.39	GUNKUL	1.68	0.03	330,149	1.67
CCET19C2506B	0.01	-	173	0.01	BANPU41C2605T	-	-	-	-	GUNKUL13C2509A	0.33	0.02	51,038	0.33
CCET19C2506C	-	-	-	-	BBSI	3.10	-	4,216	3.08	GUNKUL19C2510A	0.38	0.01	9,553	0.39
CCET19C2507A	0.01	(0.02)	80	0.01	BCP	36.50	(0.50)	25,420	36.57	IRPC	0.83	-	214,047	0.83
CCET19C2507B	0.10	-	8,265	0.09	BCP01C2507A	-	-	-	-	IRPC19C2508A	0.07	(0.01)	2,069	0.07
CCET19C2509A	0.31	0.01	168,436	0.28	BCP13C2507A	0.07	(0.01)	1,001	0.07	KBSPIF	7.55	0.15	3,080	7.53
CCET19C2510A	0.18	-	53,025	0.17	BCP13C2508A	-	-	-	-	LANNA	15.60	(0.20)	1,230	15.70
CCET41C2506A	-	-	-	-	BCP13C2509A	0.25	(0.03)	19,811	0.25	MDX	2.86	0.02	573	2.84
CCET41C2609T	0.31	-	29,001	0.30	BCP19C2506A	-	-	-	-	NOVA	7.80	-	23	7.80
DELTA	111.50	3.50	161,806	108.93	BCP19C2507A	0.04	(0.02)	30	0.04	OR	12.60	(0.40)	243,228	12.71
DELTA01C2506A	0.02	(0.01)	4,890	0.02	BCP41C2609T	-	-	-	-	OR01C2507A	0.11	(0.04)	57,649	0.13
DELTA01C2507A	1.77	0.09	6,851	1.59	BCPG	6.90	0.20	66,109	6.81	OR01C2508A	0.25			

Main Board Quotation

Issue Date :

Monday May 26, 2025

Securities					Securities					Securities				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT41C2606T	0.22	-	13,000	0.22	VGI19C2508A	-	-	-	-	TIDLOR	16.20	0.90	177,323	15.94
PTTEP	101.00	-	31,519	100.92	VGI19C2509A	0.32	(0.01)	26,305	0.32	TK	3.88	0.02	318	3.85
PTTEP01C2507A	0.02	(0.02)	6,519	0.02	VGI41C2606T	0.11	-	7,050	0.11	TNITY	2.68	(0.02)	129	2.67
PTTEP01C2509A	0.32	(0.01)	4,182	0.33	WORK	4.38	(0.02)	1,324	4.34	TNL	28.75	-	2	28.63
PTTEP01C2606T	0.64	(0.01)	2,424	0.64	ZAA	1.11	0.03	514	1.03	UOBKH	5.50	-	324	5.29
PTTEP01P2506A	-	-	-	-	Finance & Securi	-	-	-	-	XPG	0.79	(0.01)	73,974	0.79
PTTEP01P2510A	0.56	0.01	10,093	0.56	AEONTS	101.00	(0.50)	5,240	101.33	Food & Beverage	-	-	-	-
PTTEP13C2507A	0.01	-	1,500	0.01	AMANAH	0.89	0.01	5,981	0.90	AAI	4.30	0.10	30,318	4.26
PTTEP13C2507B	-	-	-	-	ASAP	1.32	-	104	1.31	APURE	3.40	0.10	253	3.28
PTTEP13C2508A	0.25	(0.01)	10,297	0.25	ASK	7.00	-	842	7.02	ASIAN	7.00	(0.05)	1,255	7.03
PTTEP13C2509A	-	-	-	-	ASP	2.00	-	8,934	2.00	BR	1.61	-	2,208	1.61
PTTEP13P2506A	-	-	-	-	BAM	6.15	0.10	196,647	6.16	BR-W1	0.05	0.02	6,250	0.05
PTTEP13P2510A	0.55	(0.01)	5,783	0.55	BAM01C2506A	-	-	-	-	BRR	4.26	0.04	1,369	4.24
PTTEP19C2507A	-	-	-	-	BAM13C2506A	-	-	-	-	BRR-W2	0.14	(0.01)	2,373	0.14
PTTEP19C2508A	0.02	(0.01)	2,072	0.02	BAM13C2509A	0.18	0.01	31,714	0.18	BTG	23.60	(0.40)	19,200	23.60
PTTEP19C2509A	-	-	-	-	BAM19C2506A	-	-	-	-	CBG	59.25	0.25	20,875	59.14
PTTEP41C2507A	-	-	-	-	BAM19C2510A	0.26	0.02	30,268	0.25	CBG01C2506A	-	-	-	-
PTTEP41C2604T	-	-	-	-	BAM41C2612T	0.33	0.02	76,444	0.33	CBG01C2507A	-	-	-	-
PTTEP41C2609T	0.36	(0.01)	25,075	0.37	BYD	0.39	0.04	182,401	0.38	CBG01C2508A	0.15	-	30,660	0.15
PTTEP41P2506A	-	-	-	-	CGH	0.51	-	13,576	0.51	CBG01C2510A	0.55	-	98,395	0.55
PTTEP41P2509A	-	-	-	-	CGH-W5	-	-	-	-	CBG01P2506A	-	-	-	-
RATCH	26.00	(0.25)	10,643	25.90	CHASE	0.64	0.02	16,238	0.63	CBG01P2507A	0.28	(0.02)	54,613	0.29
RATCH19C2506A	-	-	-	-	CHASE-W1	0.24	-	1,257	0.24	CBG01P2510A	0.63	(0.37)	25,032	0.64
RPC	0.29	-	12,604	0.29	CHAYO	1.72	-	66,698	1.74	CBG13C2506A	-	-	-	-
SCG	2.04	-	166	2.03	CHAYO-W3	0.03	-	34,646	0.03	CBG13C2507A	-	-	-	-
SCN	0.41	(0.03)	2,712	0.42	CHAYO-W4	0.21	(0.06)	196,968	0.23	CBG13C2508A	0.20	(0.01)	22,560	0.20
SCN-W2	0.03	-	3,020	0.03	EAST	0.85	(0.01)	2,117	0.85	CBG13C2509A	0.44	(0.01)	33,566	0.44
SEAQIL	2.40	(0.02)	752	2.42	FNS	1.06	-	111	1.06	CBG19C2506A	0.01	(0.01)	5,423	0.01
SGP	6.85	0.05	707	6.81	FSX	1.05	(0.09)	4,596	1.09	CBG19C2506B	-	-	-	-
SKE	0.22	-	9,112	0.22	GBX	0.47	-	139	0.47	CBG19C2508A	0.10	(0.01)	9,581	0.11
SKE-W1	0.02	(0.02)	32,092	0.03	HENG	1.00	0.01	7,598	0.98	CBG19C2510A	0.34	-	55,291	0.34
SOLAR	0.27	(0.01)	4,554	0.28	IFS	1.94	(0.01)	432	1.93	CBG19P2507A	0.28	(0.03)	30,549	0.28
SPCG	8.00	-	1,085	8.02	JMT	9.70	0.05	125,155	9.72	CBG41C2608T	-	-	-	-
SPRC	5.45	(0.10)	44,785	5.47	JMT13C2506A	-	-	-	-	CFRESH	0.97	(0.01)	345	0.98
SPRC13C2506A	-	-	-	-	JMT13C2507A	0.01	-	45	0.01	CH	1.88	-	524	1.88
SPRC13C2508A	0.18	(0.03)	8,416	0.20	JMT13C2509A	0.05	0.01	4,490	0.05	CHAO	5.75	0.05	13,133	5.78
SPRC19C2510A	0.27	(0.02)	28,031	0.28	JMT13C2509B	0.12	-	47,089	0.12	CHOTI	62.75	(1.75)	10	62.95
SPRC41C2606T	-	-	-	-	JMT13C2510A	0.52	(0.48)	92,181	0.51	CM	1.67	0.02	239	1.68
SSP	4.70	0.04	310	4.68	JMT19C2506A	-	-	-	-	COCOCO	6.35	(0.05)	19,068	6.36
SUPER	0.17	-	426,070	0.17	JMT19C2507A	-	-	-	-	COCOCO19C2506A	0.01	-	5,752	0.01
SUPEREIF	4.80	(0.02)	5,903	4.79	JMT19C2509A	0.07	-	28,540	0.07	CPF	25.50	(0.75)	77,537	25.72
SUSCO	2.74	0.04	2,167	2.74	JMT19C2510A	0.15	-	23,036	0.15	CPF01C2508A	0.72	-	399	0.72
TAE	0.62	0.02	2,255	0.63	JMT41C2608T	0.11	-	12,104	0.12	CPF01C2509A	0.20	-	2,355	0.20
TCC	0.30	0.02	9,486	0.29	KCAR	4.54	-	120	4.53	CPF01P2512A	0.37	(0.63)	3,633	0.37
TCC-W5	0.17	0.01	10,109	0.16	KGI	3.80	(0.12)	34,613	3.83	CPF13C2506A	-	-	-	-
TGE	1.55	(0.01)	1,714	1.56	KTC	41.75	1.00	77,085	40.90	CPF13C2508A	0.13	(0.02)	2,215	0.13
TGE-W2	0.14	0.01	3,702	0.13	KTC01C2507A	-	-	-	-	CPF19C2509A	0.19	(0.04)	4,430	0.21
TOP	28.50	-	63,463	28.49	KTC01C2508A	0.10	0.01	9,442	0.10	CPF19C2509B	0.19	(0.02)	2,474	0.19
TOP01C2506A	-	-	-	-	KTC13C2506A	-	-	-	-	CPF41C2609T	0.28	(0.01)	5,500	0.29
TOP01C2507A	-	-	-	-	KTC13C2509A	0.10	0.01	8,766	0.10	CPF41C2612T	-	-	-	-
TOP01C2508A	0.20	(0.01)	218	0.20	KTC13C2509B	0.27	0.02	41,671	0.25	CPI	2.62	(0.02)	679	2.61
TOP01P2506A	-	-	-	-	KTC19C2507A	-	-	-	-	F&D	59.75	-	2,815	59.50
TOP01P2508A	0.08	(0.01)	2,000	0.08	KTC19C2510A	0.34	0.04	71,158	0.30	FM	4.24	(0.02)	14,199	4.25
TOP13C2506A	-	-	-	-	KTC41C2606T	0.16	0.01	13,220	0.14	GLOCON	0.15	(0.02)	123,630	0.15
TOP13C2507A	-	-	-	-	MFC	29.50	-	268	29.48	HTC	15.70	(0.10)	879	15.76
TOP13C2509A	0.29	(0.01)	17,181	0.29	MICRO	0.89	0.01	3,088	0.88	ICHI	10.50	(0.30)	45,490	10.57
TOP13P2508A	0.07	-	2,460	0.07	ML	0.38	-	1,444	0.38	ITC	11.60	0.20	44,395	11.46
TOP19C2508A	0.23	(0.01)	14,037	0.23	MST	7.70	(0.05)	219	7.69	ITC01C2506A	0.01	-	400	0.01
TOP41C2506B	-	-	-	-	MTC	42.00	1.00	24,811	41.62	ITC01C2606T	0.16	-	25,762	0.16
TOP41C2609T	0.51	-	15,000	0.51	MTC01C2506A	-	-	-	-	ITC13C2506A	-	-	-	-
TPIPP	2.20	-	7,134	2.20	MTC01C2508A	0.24	0.02	20,222	0.23	ITC13C2508A	0.04	(0.01)	49	0.04
TSE	0.37	(0.01)	4,070	0.37	MTC01P2506A	0.02	(0.05)	298	0.02	ITC13C2509A	0.15	0.01	15,000	0.14
TTW	8.80	-	7,486	8.76	MTC01P2510A	0.52	(0.48)	14,445	0.53	ITC19C2506A	-	-	-	-
UBE	0.56	0.01	14,845	0.55	MTC13C2506A	-	-	-	-	ITC41C2612T	0.17	0.01	7,764	0.17
WHAUP	3.26	0.04	8,391	3.22	MTC13C2508A	0.20	0.02	16,328	0.18	JDF	1.85	-	699	1.84
WP	3.40	-	572	3.35	MTC13P2506A	-	-	-	-	KBS	5.25	(0.05)	770	5.28
Media & Publishing	-	-	-	-	MTC13P2509A	0.34	(0.03)	10,757	0.35	KCG	8.60	(0.05)	4,413	8.61
AMARIN	2.04	-	123	2.04	MTC19C2506A	-	-	-	-	KSL	1.48	0.02	804	1.47
AQUA	0.15	(0.01)	11,946	0.15	MTC19C2508A	0.15	0.01	41,238	0.14	KTIS	2.42	-	20	2.43
AS	2.40	0.08	17,423	2.42	MTC19P2506A	-	-	-	-	LST	4.62	-	965	4.61
BEC	3.90	(0.02)	970	3.89	MTC19P2509A	0.31	(0.04)	33,491	0.32	M	15.30	0.30	15,215	15.26
FE	179.00	0.50	8	179.00	MTC41C2606T	0.23	-	12,000	0.23	MALEE	7.40	-	6,549	7.34
GPI	1.58	(0.01)	385	1.57	NCAP	2.58	0.04	67,967	2.58	NRF	0.30	(0.01)	6,436	0.30
GRAMMY	5.10	0.28	16	4.86	PL	1.26	0.02	624	1.20	NSL	30.75	(0.75)	8,820	30.89
JKN	9.20	-	12,072	9.11	S11	3.44	0.04	344	3.38	OKJ	6.70	0.05	34,435	6.71
MAJOR	9.20	0.15	10,072	9.11	SAK	3.96	(0.02)	3,649	3.98	OSP	16.70	(0.30)	230,859	16.67
MATCH	1.14	(0.02)	254	1.04	SAWAD	18.70	(0.30)	122,625	18.83	OSP01C2507A	-	-	-	-
MATI	-	-	-	-	SAWAD-W2	0.16	(0.04)	40,904	0.18	OSP01C2507B	0.15	(0.03)	106,972	0.16
MCOT	3.74	-	25,813	3.80	SAWAD01C2506	0.02	-	3,500	0.02	OSP01C2508A	0.45	(0.03)	64,560	0.45
MONO	1.84	0.16	970,256	1.77	SAWAD01C2508	-	-	-	-	OSP01P2507A	0.03	0.01	200	0.03
NATION	0.03	0.01	318	0.02	SAWAD01C2508	0.02	-	2	0.02	OSP13C2506A	-	-	-	-
NATION-W4	-	-	-	-	SAWAD01C2511	0.35	(0.02)	81,793	0.37	OSP13C2506B	-	-	-	-
ONEE	2.08	-	6,207	2.07	SAWAD13C2506	-	-	-	-	OSP13C2507A	0.11	(0.04)	53,452	0.11
PLANB	5.25	0.10	75,638	5.20	SAWAD13C2507	-	-	-	-	OSP13C2508A	0.40	(0.05)	7,347	0.44
PLANB13C2508A	0.06	0.01	221	0.06	SAWAD13C2508	0.01	-	130	0.01	OSP13C2510A	0.32	(0.68)	89,791	0.32
PLANB13C2510A	0.26	0.01	63,034	0.25	SAWAD13C2508	0.02	-	275	0.02	OSP1				

Main Board Quotation

Issue Date :

Monday May 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAPPE19C2508A	0.11	(0.04)	3,671	0.12	CENTEL41C2606	-	-	-	-	SLP	0.40	-	2,053	0.39
SAUCE	38.50	0.25	75	38.09	CSR	-	-	-	-	SMPC	8.50	-	824	8.49
SNNP	10.90	(0.20)	3,145	10.95	DUSIT	7.40	(0.05)	477	7.44	SPACK	1.26	-	155	1.26
SNP	9.95	0.05	1,308	9.95	ERW	2.00	0.02	145,347	2.00	TCOAT	-	-	-	-
SORKON	4.32	(0.02)	1,923	4.24	ERW01C2507A	-	-	-	-	TFI	0.05	-	1,616	0.04
SSF	5.50	0.05	100	5.50	ERW13C2507A	-	-	-	-	TFI-W1	-	-	-	-
SST	1.88	-	1	1.88	ERW13C2508A	0.01	(0.01)	2	0.01	THIP	25.50	-	51	25.50
SUN	3.20	0.04	1,217	3.21	ERW13C2510A	0.16	0.01	44,766	0.16	TMD	25.00	-	3	24.83
TC	5.25	(0.05)	82	5.30	ERW19C2506A	-	-	-	-	TOPP	-	-	-	-
TFG	5.20	(0.10)	69,095	5.22	ERW19C2508A	-	-	-	-	TPAC	8.00	-	484	8.02
TFG-W4	1.08	(0.10)	16,226	1.13	ERW41C2606T	-	-	-	-	TPBI	3.10	-	3,523	3.10
TFMAMA	195.50	1.50	54	194.67	GRAND	0.04	(0.01)	19,719	0.04	TPP	11.90	1.00	82	11.88
TIPCO	9.20	(0.05)	376	9.21	LRH	36.25	(0.75)	4	36.44	Personal Products	-	-	-	-
TKN	6.25	(0.15)	19,637	6.33	MANRIN	-	-	-	-	APCO	3.26	0.16	1,425	3.21
TU	10.00	-	113,017	9.96	MINT	25.75	0.75	111,677	25.64	BIZ	3.24	-	121	3.25
TU01C2506A	-	-	-	-	MINT01C2506A	-	-	-	-	BLC	4.46	0.02	14,422	4.41
TU01C2508A	-	-	-	-	MINT01C2507A	-	-	-	-	DDD	6.35	(0.10)	314	6.39
TU01C2512A	0.19	(0.81)	700	0.19	MINT01C2606T	0.26	-	20,632	0.26	IP	3.12	-	1,662	3.09
TU13C2508A	-	-	-	-	MINT13C2506A	-	-	-	-	IP-W2	0.01	-	1,000	0.01
TU13C2509A	0.14	-	12,938	0.14	MINT13C2506B	-	-	-	-	JCT	-	-	-	-
TU19C2506A	-	-	-	-	MINT13C2509A	0.53	0.04	5	0.53	KISS	3.50	-	8,526	3.50
TU41C2506A	0.01	(0.05)	705	0.01	MINT13C2509B	0.16	0.01	22,305	0.16	NAM	4.40	0.02	301	4.38
TU41C2609T	-	-	-	-	MINT19C2506A	-	-	-	-	NEO	27.25	(0.50)	2,989	27.75
TVO	22.40	0.30	1,992	22.32	MINT19C2508A	-	-	-	-	NV	0.68	-	1,244	0.69
TWPC	2.18	-	728	2.18	MINT41C2604T	-	-	-	-	OCC	-	-	-	-
XBIO	0.20	(0.01)	512,937	0.21	MINT41C2612T	0.21	0.01	3,000	0.21	S&J	33.50	-	2	33.50
XBIO-W6	0.08	(0.01)	104,404	0.09	OHTL	311.00	11.00	1	311.00	SNPS	5.10	0.10	12,080	5.01
XBIO-W7	0.03	(0.01)	1,299,927	0.03	ROH	1.82	-	65	1.81	STGT	6.65	(0.25)	95,705	6.76
ZEN	5.40	(0.05)	56	5.45	SHANG	-	-	-	-	STGT01C2510A	0.28	(0.72)	22,526	0.30
Health Care Services	-	-	-	-	SHR	1.57	0.01	11,915	1.58	STGT13C2506A	0.01	-	90	0.01
AHC	14.20	(0.40)	9	14.33	SPA	2.96	(0.02)	25,565	2.96	STGT13C2508A	0.13	(0.03)	38,227	0.14
BCH	12.90	(1.00)	137,099	13.24	VRANDA	4.40	-	149	4.40	STGT19C2509A	0.24	(0.04)	18,048	0.26
BCH01C2508A	-	-	-	-	Home & Office P	-	-	-	-	STGT41C2606T	-	-	-	-
BCH13C2507A	-	-	-	-	AJA	0.12	(0.01)	79,236	0.12	TMAN	10.50	0.20	2,484	10.34
BCH13C2508A	0.06	(0.06)	30,341	0.09	DTCI	-	-	-	-	TNR	7.25	-	704	7.27
BCH19C2508A	-	-	-	-	FANCY	0.34	(0.01)	175	0.35	TOG	7.30	(0.10)	1,113	7.41
BCH41C2506A	-	-	-	-	FTI	1.87	0.02	271	1.87	Professional Service	-	-	-	-
BCH41C2609T	0.25	(0.04)	7,800	0.27	KYE	315.00	-	34	314.47	BWG	0.23	-	130,662	0.23
BDMS	21.70	-	356,911	21.64	L&E	1.22	0.05	962	1.19	BWG-W6	0.01	-	1,394	0.01
BDMS01C2506A	-	-	-	-	MODERN	2.02	(0.06)	339	2.03	GENCO	0.24	0.01	15,249	0.23
BDMS01C2508A	-	-	-	-	OGC	9.50	0.45	1	9.50	PRTR	3.48	-	2,137	3.49
BDMS01C2509A	0.19	(0.01)	71,059	0.21	ROCK	10.60	(0.70)	21	10.66	SISB	16.20	(0.30)	11,786	16.30
BDMS13C2508A	0.08	(0.02)	6,521	0.09	SIAM	0.71	(0.01)	640	0.70	SISB13C2506A	-	-	-	-
BDMS19C2508A	0.09	(0.01)	35,694	0.10	TCMC	0.40	(0.01)	980	0.40	SISB13C2506B	-	-	-	-
BDMS41C2609T	0.15	(0.01)	4,091	0.15	TSR	0.16	-	5,162	0.15	SISB13C2508A	0.13	(0.02)	15,318	0.14
BH	145.50	1.50	45,607	146.13	TSR-W2	-	-	-	-	SISB19C2507A	-	-	-	-
BH-P	-	-	-	-	Insurance	-	-	-	-	SO	4.20	(0.06)	75	4.20
BH-Q	-	-	-	-	AYUD	32.00	-	99	32.19	WAVE	0.04	-	3,659	0.04
BH01C2506A	-	-	-	-	BKIH	282.00	(2.00)	263	282.75	WAVE-W3	-	-	-	-
BH01C2507A	0.02	(0.01)	2,642	0.02	BLA	16.30	0.20	12,888	16.21	WAVE-W4	0.02	-	1	0.02
BH01C2510A	0.27	(0.01)	100,500	0.29	BLA01C2508A	-	-	-	-	Property Development	-	-	-	-
BH01P2507A	0.37	(0.05)	99,167	0.36	BLA13C2507A	-	-	-	-	A	4.88	-	2	4.88
BH13C2506A	-	-	-	-	BLA13C2510A	0.22	-	28,032	0.22	A5	2.14	(0.02)	1,950	2.15
BH13C2508A	0.09	-	63,705	0.10	BLA19C2506A	-	-	-	-	A5-W4	0.03	-	169	0.03
BH13C2510A	0.29	0.01	275,873	0.31	BLA41C2606T	0.19	-	8,400	0.19	A5-W5	0.13	(0.01)	351,196	0.13
BH19C2506A	-	-	-	-	BUI	13.80	0.20	70	13.76	AKS	0.05	-	50,705	0.04
BH19C2506B	0.02	0.01	1	0.02	CHARAN	14.90	(0.30)	222	15.00	AMATA	14.30	(0.70)	154,630	14.44
BH19C2508A	0.06	(0.01)	12,000	0.06	INSURE	79.75	(0.25)	1	79.75	AMATA01C2507A	0.01	(0.01)	500	0.01
BH19C2509A	0.23	-	43,967	0.24	KWI	-	-	-	-	AMATA01C2508A	-	-	-	-
BH19C2510A	0.42	(0.58)	161,645	0.43	MTI	13.30	1.00	6,382	12.67	AMATA01C2509A	0.47	(0.06)	31,241	0.49
BH41C2605T	0.05	(0.03)	1	0.05	NKI	20.10	(0.20)	50	20.10	AMATA13C2506A	-	-	-	-
BH41C2609T	0.16	-	21,548	0.17	TGH	11.30	0.40	17	13.59	AMATA13C2506B	-	-	-	-
BH41P2508A	0.47	(0.02)	24,400	0.47	THRE	0.42	0.01	5,950	0.41	AMATA13C2508A	0.01	(0.01)	20,016	0.01
BKGI	1.58	(0.04)	3,548	1.58	THREL	1.31	-	1,325	1.30	AMATA13C2508B	0.08	(0.04)	15,903	0.09
CHG	1.47	(0.01)	362,189	1.47	TIPH	18.50	(0.10)	3,292	18.56	AMATA13C2508C	0.33	(0.06)	16,656	0.35
CMR	1.18	0.01	244	1.17	TLI	11.40	0.10	59,465	11.24	AMATA19C2508A	-	-	-	-
EKH	5.95	-	5,892	5.92	TLI01C2507A	-	-	-	-	AMATA19C2509A	0.41	(0.06)	37,278	0.43
KDH	-	-	-	-	TLI13C2509A	0.17	-	10,909	0.16	AMATA41C2508A	0.22	(0.05)	10,797	0.23
LPH	3.58	(0.02)	675	3.59	TLI19C2506A	-	-	-	-	AMATA41C2608T	-	-	-	-
M-CHAI	17.70	(0.10)	397	17.68	TLI41C2606T	0.28	0.01	14,030	0.27	AMATA41C2609T	0.30	(0.02)	12,000	0.31
MASTER	12.70	0.60	59,875	12.61	TQM	15.50	0.10	971	15.46	AMATAV	2.82	(0.08)	649	2.85
MEDEZE	6.50	(0.05)	5,472	6.51	TSI	0.04	(0.01)	4,698	0.04	ANAN	0.43	-	16,334	0.42
NEW	-	-	-	-	TVH	8.30	0.35	11	8.30	AP	6.40	(0.15)	171,707	6.41
NKT	4.24	(0.04)	10,601	4.24	Packaging	-	-	-	-	AP01C2507A	-	-	-	-
NTV	25.00	(1.25)	1,087	24.96	AJ	2.66	(0.04)	15,091	2.70	ASW	6.70	-	361	6.70
PHG	14.00	-	134	13.86	ALUCON	171.00	-	23	171.35	AWC	2.00	-	720,223	2.00
PR9	23.00	0.20	29,669	22.90	BGC	5.00	(0.10)	1,127	5.03	AWC01C2506A	-	-	-	-
PR901C2507A	-	-	-	-	CSC	44.50	0.75	11	44.48	AWC01C2508A	-	-	-	-
PR913C2506A	-	-	-	-	CSC-P	-	-	-	-	AWC01C2510A	0.24	(0.76)	40,383	0.24
PR919C2506A	-	-	-	-	CSC-Q	-	-	-	-	AWC01C2606T	0.22	-	43,613	0.22
PR941C2609T	0.41	0.01	66,039	0.40	NEP	0.21	-	403	0.21	AWC13C2506A	-	-	-	-
PRINC	2.00	0.01	2,155	1.99	PJW	2.24	0.02	123	2.22	AWC13C2508A	-	-	-	-
RAM	18.40	(0.10)	189	18.33	PTL	11.20	-	327	11.17	AWC13C2509A	0.13	(0.01)	43,291	0.14
RJH	12.00	0.20	1,118	11.94	SCGP	17.00	-	117,898	17.04	AWC19C2506A	-	-	-	-
RPH	5.15	-	3,284	5.17	SCGP01C2506A	-	-	-	-	AWC19C2510A	0.15	-	64,154	0.15
SAFE	7.95	(0.30)	3,013	8.08	SCGP01C2507A	0.10	-	54,694	0.10	AWC41C2606T	0.04	0.01	1	0.04
SKR	6.65	-	195	6.64	SCGP01C2508A	0.40	0.01	60,626	0.39	AWC41C2609T	0.22	0.01	18,120	0.22
THG	8.75	(0.30)	7,454	8.85	SCGP01P2507A	0.06	-	2,261	0.05	BLAND	0.49	-	45,251	0.50
VIBHA	1.57	0.02	1,852	1.56	SCGP13C2506A	-	-	-	-	BRI	1.53	(0.06)	1,723	1.55
VIBHA-W4	-	-	-	-	SCGP13C2506B	-	-	-	-	BROCK	1.36	(0.25)	34	1.37
VIH	7.25	(0.25)	2,104	7.32	SCGP13C2507A	0.26	-	9,147	0.25	CGD	0.16	-	2,814	0.15
VIH-W1	0.90	0.27	42	0.65	SCGP13C2508A	0.61	0.06	700	0.61	CI	0.28	(0.02)	605	0.29
WPH	8.30	-	2,309	8.26	SCGP13C2510A	0.34	(0.01)	131,829	0.35	CMC	0.76	(0.02)	3,863	0.75
Tourism & Leisure	-	-	-	-	SCGP13P2506A	0.01	-							

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
GLAND	0.87	(0.01)	77	0.89
J	0.88	0.01	1,229	0.87
J-W3	0.09	-	8,729	0.09
J-W4	0.17	(0.06)	199	0.22
JCK	0.18	-	5,076	0.17
KC	0.07	-	186,804	0.06
KUN	1.18	(0.01)	303	1.11
KUN-W2	-	-	-	-
KUN-W3	0.05	0.01	1,026	0.04
LALIN	4.90	-	160	4.92
LH	3.96	0.04	143,374	3.93
LH19C2510A	0.29	0.01	4,860	0.28
LPN	1.99	(0.01)	1,119	1.98
MBK	16.50	0.40	14,942	16.37
MBK19C2508A	0.03	0.01	70	0.03
MJD	0.50	-	749	0.49
MK	1.36	(0.01)	11,690	1.32
NCH	0.58	0.02	3,182	0.57
NNCL	1.51	0.01	13	1.51
NOBLE	1.77	(0.01)	2,064	1.78
NVD	1.03	0.01	38	1.02
ORI	1.79	0.06	13,581	1.75
ORN	0.68	-	4,262	0.67
PEACE	-	-	-	-
PF	0.11	-	4,941	0.11
PIN	4.98	(0.07)	16,546	4.98
PLAT	1.25	(0.01)	5,419	1.25
PRECHA	0.64	-	995	0.63
PRIN	1.53	0.01	110	1.50
PROUD	1.39	-	224	1.36
PSH	4.44	(0.04)	2,072	4.44
QH	1.42	-	69,769	1.42
RABBIT	0.39	0.05	397,613	0.38
RABBIT-P	0.47	(0.01)	7,743	0.49
RABBIT-Q	-	-	-	-
RICHY	0.35	(0.01)	1,046	0.33
RML	0.15	(0.01)	4,524	0.16
ROJNA	4.60	-	6,435	4.62
S	0.59	(0.02)	7,419	0.59
SA	7.45	-	382	7.42
SA-W1	0.01	-	467	0.01
SAMCO	0.66	(0.02)	936	0.67
SC	1.65	(0.11)	98,229	1.67
SENA	1.74	(0.01)	4,909	1.75
SIRI	1.31	(0.02)	104,518	1.31
SIRI13C2508A	-	-	-	-
SIRI19C2508A	-	-	-	-
SIRI41C2606T	0.14	-	2,000	0.14
SPALI	14.40	(0.10)	20,502	14.41
SPALI13C2507A	-	-	-	-
SPALI13C2509A	0.23	(0.03)	1,230	0.23
SPALI19C2509A	-	-	-	-
SPALI41C2609T	0.21	(0.01)	5,000	0.21
STELLA	0.20	0.01	41,889	0.19
STELLA-W5	-	-	-	-
STELLA-W6	-	-	-	-
UV	0.94	(0.01)	2,367	0.94
WHA	3.10	(0.10)	956,099	3.11
WHA01C2506A	-	-	-	-
WHA01C2507A	-	-	-	-
WHA01C2508A	0.10	(0.02)	25,333	0.10
WHA01C2509A	0.50	(0.05)	22,723	0.51
WHA01C2510A	0.37	(0.63)	28,074	0.38
WHA13C2506A	-	-	-	-
WHA13C2506B	-	-	-	-
WHA13C2507A	-	-	-	-
WHA13C2507B	0.04	(0.01)	50	0.04
WHA13C2508A	0.20	(0.05)	35,878	0.22
WHA13C2508B	0.44	(0.06)	49,055	0.45
WHA13C2509A	0.18	(0.04)	41,416	0.19
WHA19C2506A	-	-	-	-
WHA19C2507A	-	-	-	-
WHA19C2509A	0.35	(0.04)	1,118	0.33
WHA19C2510A	0.24	(0.03)	64,032	0.25
WHA41C2605T	-	-	-	-
WHA41C2608T	0.14	(0.01)	5,000	0.15
WIN	0.40	-	935	0.39
Paper & Printing Mat	-	-	-	-
UTP	7.75	-	261	7.79
Fashion	-	-	-	-
AFC	-	-	-	-
AURA	15.70	0.10	9,912	15.49
BTNC	-	-	-	-
CPH	7.50	(0.05)	156	7.52
CPL	0.78	0.01	107	0.79
NC	2.30	0.02	136	2.25
PAF	0.83	0.04	1,396	0.80
PDJ	1.48	0.03	15	1.48
PG	7.50	(0.20)	11	7.50
SABINA	16.70	(0.30)	7,402	16.73
SAWANG	9.05	(0.35)	3	9.07
SUC	29.75	-	112	29.53
TR	-	-	-	-
TTI	-	-	-	-
TTT	50.00	-	4	50.00
UPF	-	-	-	-
WACOAL	20.00	(2.00)	2	20.00
WFX	0.83	-	1,581	0.81
Transportation & Log	-	-	-	-
AAV	1.18	0.02	281,531	1.18
AAV13C2506A	-	-	-	-
AAV13C2508A	0.03	-	15,025	0.03
AAV13C2509A	0.12	0.01	39,882	0.12

Securities	Close	Change	Volume (Lot)	Average Price
AAV19C2507A	-	-	-	-
AAV19C2510A	0.21	-	19,932	0.21
AAV41C2608T	-	-	-	-
ANI	2.90	0.02	1,215	2.90
AOT	34.00	-	140,137	34.03
AOT01C2506A	0.01	(0.01)	10,049	0.01
AOT01C2507A	0.01	(0.01)	501	0.02
AOT01C2507B	-	-	-	-
AOT01C2509A	0.10	-	719	0.10
AOT01C2511A	0.24	-	7,699	0.23
AOT01C2606T	0.14	-	16,454	0.14
AOT01P2507A	1.87	0.04	3,330	1.82
AOT01P2507B	0.49	(0.01)	10,962	0.47
AOT01P2510A	0.37	-	21,066	0.37
AOT11C2507A	-	-	-	-
AOT13C2506A	-	-	-	-
AOT13C2507A	-	-	-	-
AOT13C2507B	0.01	-	1,000	0.01
AOT13C2507C	-	-	-	-
AOT13C2508A	0.03	-	1,042	0.03
AOT13C2509A	0.09	-	2,641	0.09
AOT13C2509B	0.16	(0.01)	25,729	0.17
AOT13P2507A	-	-	-	-
AOT13P2507B	0.23	(0.01)	38,430	0.23
AOT19C2506A	-	-	-	-
AOT19C2507A	0.02	0.01	4	0.01
AOT19C2507B	-	-	-	-
AOT19C2508A	0.03	(0.01)	300	0.03
AOT19C2509A	0.14	-	31,674	0.15
AOT19P2507A	-	-	-	-
AOT41C2507A	-	-	-	-
AOT41C2605T	-	-	-	-
AOT41C2609T	0.17	-	25,961	0.18
AOT41P2509A	0.38	0.02	17,670	0.37
AOT41P2606T	-	-	-	-
ASIMAR	1.38	0.04	12	1.35
B	0.04	(0.01)	21,119	0.05
B-W8	0.01	-	1,503	0.01
BA	13.80	-	23,385	13.79
BA01C2508A	-	-	-	-
BA13C2506A	-	-	-	-
BA13C2510A	0.26	(0.74)	30,672	0.26
BA19C2507A	-	-	-	-
BA41C2606T	-	-	-	-
BEM	5.45	(0.35)	432,254	5.58
BEM13C2506A	-	-	-	-
BEM13C2508A	0.07	(0.03)	17,719	0.08
BEM19C2510A	0.14	(0.06)	4,624	0.17
BEM41C2606T	0.10	(0.01)	20	0.10
BTS	4.58	0.04	104,209	4.56
BTS-W8	0.02	-	90,240	0.02
BTS01C2507A	-	-	-	-
BTS01C2508A	-	-	-	-
BTS01C2509A	0.34	-	22,519	0.34
BTS13C2507A	-	-	-	-
BTS13C2508A	0.03	-	200	0.03
BTS13C2508B	0.20	-	30,693	0.20
BTS13C2509A	0.10	0.01	590	0.10
BTS19C2508A	-	-	-	-
BTS19C2509A	-	-	-	-
BTS19P2508A	0.29	(0.01)	15,571	0.29
BTS41C2608T	-	-	-	-
BTS5GIF	2.76	-	27,199	2.76
DMT	10.10	-	3,272	10.11
ETL	0.83	0.03	38,125	0.83
III	4.70	(0.08)	4,431	4.67
KEX	1.47	-	3,190	1.46
KIAT	0.30	-	3,349	0.30
KWC	-	-	-	-
MENA	0.93	0.01	549	0.92
NYT	3.02	0.02	7,813	3.00
PORT	0.80	-	602	0.80
PRM	5.80	(0.05)	65,991	5.78
PSL	6.40	-	15,082	6.33
RCL	27.25	(0.50)	23,126	27.28
RCL01C2507A	0.17	(0.03)	13,143	0.17
RCL01C2510A	0.22	(0.02)	15,268	0.22
RCL13C2506A	0.01	(0.01)	2	0.01
RCL13C2507A	0.55	(0.01)	8	0.55
RCL13C2509A	0.25	(0.02)	17,083	0.25
RCL19C2507A	0.17	(0.03)	16,140	0.17
RCL41C2608T	0.53	(0.02)	48,542	0.53
SAV	16.10	0.10	1,226	16.10
SINO	1.13	0.06	90,374	1.12
SJWD	8.40	(0.10)	13,924	8.46
TFFIF	6.05	0.05	21,571	6.03
THAI	-	-	-	-
TSTE	11.70	0.20	2	11.70
TTA	4.18	-	21,602	4.15
WICE	3.84	0.26	91,838	3.80
Automotive	-	-	-	-
ACG	0.73	(0.01)	126	0.71
AH	15.00	-	1,015	14.90
CWT	0.77	-	2,201	0.76
EASON	1.15	0.04	12,582	1.13
GYT	180.50	(2.50)	15	180.20
HFT	3.88	0.02	671	3.93
IHL	1.46	(0.13)	2,081	1.47
INGRS	0.26	0.01	778	0.26
IRC	11.50	(0.10)	2	11.50
MGC	3.20	0.10	361	3.15
NEX	0.90	0.11	1,249,751	0.87
PCSGH	3.22	-	635	3.20

Issue Date :

Monday May 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price
PCSGH	3.22	-	635	3.20
POLY	7.00	0.30	17	6.79
SAT	12.20	(0.10)	3,093	12.21
SPG	-	-	-	-
STANLY	204.00	2.00	79	203.59
TKT	1.21	0.01	132	1.22
TNPC	0.85	(0.01)	143	0.84
TRU	3.10	-	3,769	3.08
TSC	13.00	0.20	52	12.98
Industrial Materials	-	-	-	-
AKR	0.96	-	42,489	0.96
ALLA	1.26	(0.01)	2,997	1.25
ASEFA	3.36	(0.02)	3,800	3.36
CPT	0.98	0.01	132	0.97
CRANE	0.41	0.02	1,337	0.42
CTW	-	-	-	-
FMT	25.50	-	2	25.50
FTE	1.55	(0.01)	1,214	1.56
HTECH	2.68	0.02	3,190	2.67
KKC	-	-	-	-
PCC	2.52	(0.02)	4,254	2.50
PK	0.69	0.09	75,856	0.69
PSP	4.56	(0.04)	33,150	4.58
QTC	3.60	(0.14)	169	3.63
SCI	0.91	-	604	0.90
SE	0.41	-	954	0.40
SELIC	2.66	(0.02)	19	2.65
SNC	6.55	(0.10)	775	6.61
TCJ	2.86	-	18	2.86
TPCS	12.50	0.50	1	12.50
VARO	5.20	0.05	320	5.24
Property Fund & REI	-	-	-	-
AIMCG	1.94	(0.03)	673	1.95
AIMIRT	9.65	(0.05)	1,376	9.63
ALLY	4.70	(0.04)	1,019	4.72
AMATAR	6.20	0.10	2,190	6.15
AXTRART	12.20	(0.30)	6,053	12.30
B-WORK	4.60	0.02	2,064	4.58
BAREIT	9.30	-	998	9.26
BOFFICE	4.96	0.06	4,345	4.95
CPNCG	5.90	0.05	1,359	5.88
CPNREIT	12.10	-	18,765	12.02
CPTREIT	4.64	(0.20)	859	4.62
CTARAF	4.60	(0.02)	1,056	4.52
DREIT	4.86	0.02	668	4.83
FTREIT	9.65	(0.20)	6,584	9.71
FUTURET	9.65	-	5,335	9.57
GAHREIT	6.45	(0.05)	56	6.47
GREIT	8.50	-	227	8.50
GVREIT	6.85	-	4,049	6.90
HPF	4.78	-	3,019	4.79
HYDROGEN	-	-	-	-
IMPACT	9.90	(0.10)	15,568	9.85
INETREIT	9.30	(0.05)	21,232	9.31
ISSARA	8.05	-	153	8.05
KPNREIT	-	-	-	-
KTBSTMR	5.80	-	1,378	5.80
LHHOTEL	12.20	(0.10)	9,354	12.21

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday May 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PERM	0.37	(0.01)	3,662	0.37	HSI06C2506D	0.08	(0.04)	361,510	0.08	NDX41C2506B	0.17	(0.01)	6	0.16
SAM	0.15	0.01	2,230	0.14	HSI06C2506E	-	-	-	-	NDX41C2506C	0.62	0.01	10	0.62
SMIT	3.74	-	528	3.71	HSI06C2506F	-	-	-	-	NDX41C2506D	-	-	-	-
SSSC	2.12	0.02	336	2.11	HSI06C2507A	0.13	(0.04)	33,912	0.15	NDX41C2509A	1.09	0.02	200	1.08
TGPRO	0.06	-	13,170	0.06	HSI06C2507B	0.32	(0.08)	44,935	0.35	NDX41C2509T	2.46	0.02	22	2.44
THE	0.84	0.02	588	0.84	HSI06C2507C	0.70	(0.12)	10,977	0.75	NDX41P2506A	-	-	-	-
TMT	3.22	-	218	3.23	HSI06C2508A	0.36	(0.08)	21,380	0.39	NDX41P2506B	-	-	-	-
TSTH	0.67	(0.02)	16,260	0.69	HSI06C2509A	0.45	(0.07)	17,228	0.47	NDX41P2509A	0.42	(0.03)	56,101	0.42
TWP	1.12	-	53	1.12	HSI06P2505A	-	-	-	-	NDX41P2509T	2.08	(0.06)	596	2.11
TYCN	1.71	(0.04)	15	1.67	HSI06P2505B	0.01	-	100	0.01	NIKKEI28C2506A	-	-	-	-
Construction Service	-	-	-	-	HSI06P2505C	-	-	-	-	NIKKEI28C2506B	0.09	(0.01)	10	0.09
APCS	1.42	(0.03)	21	1.42	HSI06P2505D	0.01	(0.02)	2,838	0.01	NIKKEI28C2506C	-	-	-	-
BJCHI	0.85	(0.04)	1,416	0.87	HSI06P2505E	0.20	0.05	293,006	0.17	NIKKEI28P2506A	0.04	-	10	0.04
BKD	1.23	-	1,873	1.23	HSI06P2505F	-	-	-	-	NIKKEI28P2506B	0.09	(0.02)	4	0.09
CIVIL	1.31	(0.03)	2,050	1.31	HSI06P2506A	0.02	0.01	90	0.02	NIKKEI28P2506C	-	-	-	-
CK	14.40	(0.20)	16,303	14.45	HSI06P2506B	0.02	-	60	0.02	NIKKEI41C2506A	-	-	-	-
CNT	1.03	0.01	316	1.02	HSI06P2506C	0.08	0.01	80	0.08	NIKKEI41C2506B	-	-	-	-
DEMCO	2.00	(0.04)	1,765	2.00	HSI06P2506D	0.14	0.01	4,503	0.14	NIKKEI41C2509A	0.36	0.01	82	0.36
EMC	0.05	-	83,360	0.05	HSI06P2506E	0.34	0.05	72,913	0.32	NIKKEI41C2509B	-	-	-	-
EMC-W7	0.03	-	14,932	0.03	HSI06P2506F	0.74	0.11	33,062	0.71	NIKKEI41C2509C	0.56	0.04	3	0.56
ITD	0.30	0.01	10,708	0.30	HSI06P2507A	0.24	0.03	141,673	0.22	NIKKEI41P2506A	-	-	-	-
JR	1.90	0.01	1,795	1.90	HSI06P2507B	0.11	0.02	261	0.10	NIKKEI41P2506B	-	-	-	-
NL	0.89	-	2,730	0.90	HSI06P2507C	0.42	0.03	45,174	0.40	NIKKEI41P2509A	0.30	(0.04)	2,420	0.32
NWR	-	-	-	-	HSI06P2507D	0.77	0.07	13,445	0.74	NIKKEI41P2509B	0.22	(0.03)	156	0.23
PLE	0.24	(0.01)	1,453	0.25	HSI06P2508A	0.43	0.03	18,320	0.42	NIKKEI41P2509C	0.40	(0.04)	577	0.41
PREB	3.58	(0.02)	851	3.56	HSI06P2508B	0.21	0.01	10,161	0.20	NTES41C2506A	0.48	-	14,000	0.49
PYLON	1.77	(0.02)	2,011	1.77	HSI06P2509A	0.29	0.02	10,775	0.28	PINGAN41C2507A	0.18	0.01	8,000	0.19
RT	0.28	-	6,215	0.27	HSI06P2509B	0.60	0.04	21,658	0.58	POPMAR41C2506A	-	-	-	-
SEAFCO	2.00	-	2,761	1.98	HSI28C2505A	0.01	(0.01)	5,077	0.01	POPMAR41C2507A	0.88	0.01	1,090	0.90
SQ	0.72	(0.01)	6,758	0.71	HSI28C2505B	-	-	-	-	POPMAR41C2509A	0.42	0.01	22,195	0.42
SRICHA	6.45	0.25	4,508	6.35	HSI28C2505C	-	-	-	-	SET01C2506A	0.02	-	92	0.02
STECON	7.20	0.20	42,381	7.11	HSI28C2505D	0.01	-	1,940	0.01	SET01C2506B	-	-	-	-
STI	2.36	(0.04)	16	2.36	HSI28C2505E	-	-	-	-	SET01C2507A	0.11	(0.01)	3,458	0.08
STPI	2.68	0.16	17,651	2.62	HSI28C2505F	0.02	(0.12)	23,634	0.02	SET01C2509A	0.70	0.01	4,360	0.68
SYNTEC	1.68	-	2,848	1.66	HSI28C2505G	0.01	(0.04)	2,045	0.01	SET01C2512T	0.73	(0.01)	451	0.72
TEAMG	2.84	0.02	11,571	2.84	HSI28C2505H	0.05	(0.41)	863,981	0.19	SET01C2606L	2.20	(0.04)	1	2.20
TEAMG-W1	0.15	(0.01)	13,634	0.16	HSI28C2506A	-	-	-	-	SET01P2506A	-	-	-	-
TEKA	1.69	0.01	931	1.70	HSI28C2506B	0.03	(0.02)	13,406	0.03	SET01P2507A	0.23	(0.01)	455	0.24
TPOLY	0.41	-	1,356	0.39	HSI28C2506C	0.06	(0.04)	11,017	0.06	SET5001C2506A	0.02	-	5,888	0.01
TRC	0.57	(0.01)	2,124	0.56	HSI28C2506D	-	-	-	-	SET5001C2506F	-	-	-	-
TRITN	0.05	(0.01)	18,186	0.05	HSI28C2506E	1.14	(0.23)	125	1.14	SET5001C2506G	-	-	-	-
TRITN-W7	-	-	-	-	HSI28C2506F	0.69	(0.31)	10	0.69	SET5001C2507A	0.15	-	51	0.12
TTCL	0.98	-	601	0.97	HSI28C2506G	0.35	(0.13)	123,702	0.37	SET5001C2509A	0.74	0.01	25,607	0.72
UNIQ	1.93	(0.01)	916	1.93	HSI28C2507A	0.11	(0.03)	6,408	0.11	SET5001C2509F	0.34	(0.02)	647	0.34
WGE	0.78	(0.01)	1,176	0.78	HSI28C2507B	-	-	-	-	SET5001P2506A	0.23	(0.04)	18	0.24
Unit Trust	-	-	-	-	HSI28C2507C	-	-	-	-	SET5001P2506F	0.50	0.04	100	0.50
SCBSET	-	-	-	-	HSI28C2507D	0.39	(0.10)	11,276	0.39	SET5001P2506G	-	-	-	-
VAYU1	10.20	-	15,256	10.20	HSI28C2507E	0.26	(0.09)	428,724	0.27	SET5001P2507A	0.04	(0.01)	50	0.04
ETF	-	-	-	-	HSI28C2507F	0.14	(0.05)	2,584	0.16	SET5001P2509F	0.41	(0.06)	293	0.45
1DIV	10.08	(0.06)	80	10.11	HSI28C2508A	0.22	(0.04)	5,074	0.22	SET5006C2506A	-	-	-	-
ABFTH	1,379.00	0.14	1	1,379.00	HSI28C2508B	0.35	(0.07)	132,441	0.34	SET5006C2506B	0.06	(0.03)	16	0.06
BMSCG	6.80	(0.05)	1	6.80	HSI28C2509A	0.41	(0.07)	10,579	0.42	SET5006C2506C	0.09	(0.03)	22	0.08
BMSCITH	8.85	(0.03)	471	8.85	HSI28P2505A	0.01	-	4	0.01	SET5006C2506D	0.14	(0.02)	39,571	0.13
BSET100	8.20	(0.05)	161	8.21	HSI28P2505B	-	-	-	-	SET5006C2506E	0.25	(0.03)	72,683	0.23
CHINA	5.75	-	100	5.71	HSI28P2505C	-	-	-	-	SET5006C2506F	0.44	(0.01)	13,321	0.41
ENGY	3.85	(0.06)	35	3.85	HSI28P2505D	-	-	-	-	SET5006C2509A	0.54	(0.01)	55,908	0.52
GLD	4.36	0.01	5,715	4.35	HSI28P2505E	0.01	-	8,264	0.01	SET5006C2509B	0.29	-	52,166	0.28
TDEX	7.51	0.01	5,239	7.48	HSI28P2505F	-	-	-	-	SET5006P2506A	-	-	-	-
UBOT	12.60	(0.10)	3	12.67	HSI28P2505G	0.10	(0.04)	477,477	0.10	SET5006P2506B	0.37	(0.04)	62,415	0.40
UHERO	9.06	-	7	9.06	HSI28P2506A	0.02	-	1	0.02	SET5006P2506C	0.20	(0.02)	107,697	0.21
Warrant Foreign	-	-	-	-	HSI28P2506B	-	-	-	-	SET5006P2506D	-	-	-	-
AI41C2507A	0.74	(0.04)	2,014	0.74	HSI28P2506C	0.02	(0.02)	100	0.02	SET5006P2506E	-	-	-	-
BABA28C2506A	0.84	(0.07)	3	0.86	HSI28P2506D	0.11	-	2,300	0.11	SET5006P2506F	-	-	-	-
BABA28C2506B	-	-	-	-	HSI28P2506E	0.39	0.02	397,439	0.39	SET5006P2506G	-	-	-	-
BABA28C2506C	0.30	(0.04)	12	0.30	HSI28P2506F	0.16	0.01	83,111	0.17	SET5006P2509A	0.28	(0.01)	38,580	0.30
BABA28C2509A	0.12	-	4,355	0.12	HSI28P2507A	0.30	0.02	23,468	0.29	SET5006P2509B	0.62	(0.01)	43,726	0.65
BABA28P2507A	0.61	(0.88)	2	0.61	HSI28P2507B	0.05	-	130	0.05	SET5013C2506A	-	-	-	-
BABA28P2509A	0.14	-	721	0.14	HSI28P2507C	-	-	-	-	SET5013C2506B	-	-	-	-
BABA41C2505A	-	-	-	-	HSI28P2507D	0.08	0.01	430	0.08	SET5013C2506C	-	-	-	-
BABA41C2506A	0.12	(0.02)	14,000	0.13	HSI28P2507E	0.58	0.05	93,780	0.57	SET5013C2506D	-	-	-	-
BABA41C2507A	0.38	(0.04)	23,154	0.38	HSI28P2507F	0.86	0.07	2,026	0.82	SET5013C2506E	-	-	-	-
BABA41P2506A	0.18	-	42,000	0.18	HSI28P2508A	0.38	0.02	61,142	0.38	SET5013C2506F	0.01	-	10	0.01
BABA41P2507A	0.76	0.01	4,022	0.75	HSI28P2508B	0.08	-	5,202	0.08	SET5013C2506G	0.01	-	100	0.01
BIDU41C2506A	0.17	(0.03)	779	0.17	HSI28P2508C	0.14	0.01	2,650	0.14	SET5013C2506H	-	-	-	-
BIDU41C2509A	0.30	(0.02)	2	0.30	HSI28P2509A	0.35	0.03	15,708	0.34	SET5013C2506I	0.01	(0.01)	3,004	0.02
BIDU41P2507A	0.50	0.01	12,014	0.50	HSI28P2509B	0.66	0.04	50	0.66	SET5013C2506J	0.02	(0.01)	18,450	0.02
BYDCOM28C2508A	-	-	-	-	HSTECH28C2506A	0.50	(0.08)	181	0.51	SET5013C2506K	0.04	(0.01)	2,948	0.05
BYDCOM28C2510A	0.57	(0.30)	452	0.59	HSTECH28C2506B	0.05	(0.01)	100	0.05	SET5013C2506L	0.07	(0.02)	948,627	0.07
BYDCOM28P2510A	0.13	0.04	393	0.13	HSTECH28C2506C	0.15	(0.06)	47	0.14	SET5013C2506M	0.12	(0.03)	235,887	0.11
BYDCOM41C2506A	1.75	(0.69)	8,404	1.77	HSTECH28P2506A	-	-	-	-	SET5013C2506N	0.05	(0.01)	57,537	0.05
BYDCOM41C2506B	0.31	(0.25)	2,200	0.33	HSTECH28P2506B	-	-	-	-	SET5013C2506O	0.33	(0.02)	698,439	0.30
BYDCOM41C2509A	0.27	(0.14)	64,961	0.27	HSTECH28P2506C	-	-	-	-	SET5013C2506P	0.40	(0.04)	369,296	0.37
BYDCOM41P2507A	0.10	0.05	12,702	0.10	JD41C2506A	0.03	-	7,063	0.03	SET5013C2506Q	0.18	(0.02)	98,948	0.17
DJI28C2506A	-	-	-	-	JD41C2509A	0.33	(0.03)	25,015	0.34	SET5013C2506R	0.11	(0.02)	15,165	0.10
DJI28C2509A	-	-	-	-	KUAI5H41C2506E	0.42	(0.01)	14,023	0.44	SET5013C2506S	0.06	(0.02)	66,755	0.06
DJI28C2509B	0.66	-	3	0.65	KUAI5H41C2509E									

Main Board Quotation

Issue Date :

Monday May 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5013P2506M	0.37	(0.09)	1,118,574	0.41	TENCEN41C250A	-	-	-	-	0	-	-	-	-
SET5013P2506N	0.01	-	155	0.01	TENCEN41C250B	-	-	-	-	0	-	-	-	-
SET5013P2506O	0.02	-	2,502	0.02	TENCEN41C250C	0.29	(0.03)	10,011	0.30	0	-	-	-	-
SET5013P2506P	0.03	-	98,047	0.02	TENCEN41P250A	-	-	-	-	0	-	-	-	-
SET5013P2506Q	0.03	(0.01)	993	0.03	TENCEN41P250B	0.36	(0.64)	12,001	0.36	0	-	-	-	-
SET5013P2506R	0.04	(0.01)	18,304	0.04	TRIPDC41C250A	0.26	(0.04)	4,004	0.27	0	-	-	-	-
SET5013P2506S	0.10	(0.01)	17,278	0.10	XIAOMI28C250A	-	-	-	-	0	-	-	-	-
SET5013P2506T	-	-	-	-	XIAOMI28C250B	0.39	(0.08)	1,390	0.41	0	-	-	-	-
SET5013P2506U	0.21	(0.03)	544,666	0.23	XIAOMI28P250A	0.02	-	305	0.02	0	-	-	-	-
SET5013P2506V	0.17	(0.03)	394,683	0.18	XIAOMI28P250B	-	-	-	-	0	-	-	-	-
SET5013P2506W	0.17	-	191,470	0.17	XIAOMI28P250C	0.44	0.03	187	0.44	0	-	-	-	-
SET5013P2506X	0.29	(0.02)	202,623	0.31	XIAOMI41C250A	-	-	-	-	0	-	-	-	-
SET5013P2506Y	0.83	(0.03)	1,341,610	0.88	XIAOMI41C250B	0.17	(0.04)	2,091	0.17	0	-	-	-	-
SET5013P2506Z	0.69	(0.02)	1,582,250	0.72	XIAOMI41C250C	0.11	(0.03)	6,202	0.11	0	-	-	-	-
SET5013P2507A	0.15	(0.01)	39,220	0.16	XIAOMI41P250A	0.21	0.03	8,501	0.21	0	-	-	-	-
SET5019C2506A	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506B	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506C	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506D	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506E	0.01	(0.01)	100	0.01		0	-	-	-	0	-	-	-	-
SET5019C2506F	0.01	(0.04)	5	0.01		0	-	-	-	0	-	-	-	-
SET5019C2506G	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506H	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506I	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506J	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506K	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506L	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506M	0.15	(0.03)	18,272	0.14		0	-	-	-	0	-	-	-	-
SET5019C2506N	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506O	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506P	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019C2506Q	0.43	(0.03)	41,420	0.39		0	-	-	-	0	-	-	-	-
SET5019C2506R	1.17	-	158,357	1.14		0	-	-	-	0	-	-	-	-
SET5019C2506S	0.49	-	181,033	0.46		0	-	-	-	0	-	-	-	-
SET5019C2506T	0.50	(0.02)	174,335	0.47		0	-	-	-	0	-	-	-	-
SET5019P2506A	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019P2506B	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019P2506C	0.80	0.11	4	0.80		0	-	-	-	0	-	-	-	-
SET5019P2506D	0.85	(0.27)	1	0.85		0	-	-	-	0	-	-	-	-
SET5019P2506E	0.37	(0.23)	20	0.37		0	-	-	-	0	-	-	-	-
SET5019P2506F	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019P2506G	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019P2506H	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019P2506I	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019P2506J	0.02	(0.11)	502	0.02		0	-	-	-	0	-	-	-	-
SET5019P2506K	0.05	(0.13)	6	0.05		0	-	-	-	0	-	-	-	-
SET5019P2506L	0.05	-	5,661	0.05		0	-	-	-	0	-	-	-	-
SET5019P2506M	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019P2506N	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5019P2506O	0.11	(0.02)	61,998	0.12		0	-	-	-	0	-	-	-	-
SET5019P2506P	0.37	(0.01)	84,606	0.38		0	-	-	-	0	-	-	-	-
SET5019P2506Q	0.85	(0.03)	190,609	0.89		0	-	-	-	0	-	-	-	-
SET5019P2506R	1.06	(0.03)	356,316	1.10		0	-	-	-	0	-	-	-	-
SET5019P2506S	1.01	(0.03)	197,626	1.06		0	-	-	-	0	-	-	-	-
SET5041C2506A	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5041C2506B	0.02	-	1	0.02		0	-	-	-	0	-	-	-	-
SET5041C2506C	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5041C2506D	0.20	(0.04)	125	0.19		0	-	-	-	0	-	-	-	-
SET5041C2506E	0.21	(0.06)	444	0.21		0	-	-	-	0	-	-	-	-
SET5041C2506F	0.20	(0.02)	537,645	0.18		0	-	-	-	0	-	-	-	-
SET5041C2506G	0.38	(0.02)	9,233	0.37		0	-	-	-	0	-	-	-	-
SET5041C2506H	0.46	(0.10)	78	0.47		0	-	-	-	0	-	-	-	-
SET5041C2506I	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5041C2506J	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5041C2506K	0.14	(0.01)	10	0.14		0	-	-	-	0	-	-	-	-
SET5041C2506L	0.01	-	8,540	0.01		0	-	-	-	0	-	-	-	-
SET5041C2506M	0.42	-	627,299	0.40		0	-	-	-	0	-	-	-	-
SET5041C2506N	0.11	-	5,811	0.11		0	-	-	-	0	-	-	-	-
SET5041C2506O	0.39	(0.01)	20,025	0.39		0	-	-	-	0	-	-	-	-
SET5041C2506P	0.87	0.01	163,704	0.84		0	-	-	-	0	-	-	-	-
SET5041P2506A	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5041P2506B	0.50	(0.03)	565,811	0.55		0	-	-	-	0	-	-	-	-
SET5041P2506C	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5041P2506D	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5041P2506E	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5041P2506F	-	-	-	-		0	-	-	-	0	-	-	-	-
SET5041P2506G	1.26	-	123,395	1.28		0	-	-	-	0	-	-	-	-
SET5041P2506H	0.27	(0.01)	54,139	0.29		0	-	-	-	0	-	-	-	-
SET5041P2506I	0.39	-	224,219	0.41		0	-	-	-	0	-	-	-	-
SET5041P2506J	0.27	(0.01)	6,602	0.28		0	-	-	-	0	-	-	-	-
SPX28C2506A	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX28C2506B	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX28C2506C	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX28C2506D	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX28C2506E	0.95	0.01	90	0.95		0	-	-	-	0	-	-	-	-
SPX28C2506F	0.39	(0.61)	1	0.39		0	-	-	-	0	-	-	-	-
SPX28P2506A	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX28P2506B	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX28P2506C	0.19	(0.02)	2,523	0.19		0	-	-	-	0	-	-	-	-
SPX28P2506D	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX28P2506E	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX41C2506A	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX41C2506B	0.10	(0.06)	101	0.10		0	-	-	-	0	-	-	-	-
SPX41C2506C	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX41C2506D	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX41C2506E	0.91	0.05	1,200	0.87		0	-	-	-	0	-	-	-	-
SPX41C2506F	2.22	0.02	4	2.21		0	-	-	-	0	-	-	-	-
SPX41P2506A	0.09	(0.03)	262	0.09		0	-	-	-	0	-	-	-	-
SPX41P2506B	-	-	-	-		0	-	-	-	0	-	-	-	-
SPX41P2506C	0.52	(0.04)	55,479											

Main Board Quotation

Issue Date :

Monday May 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust			-		UKEM	0.52	-	10,857	00 0.5	LTMH	4.88	0.02	122	00 4.8
APO	1.23	0.01	1,839	00 1.2	UREKA	0.63	(0.01)	19,521	00 0.6	MCA	1.10	-	1,376	00 1.0
AU	7.05	0.05	4,093	00 7.0	YUASA	10.60	0.10	41	00 10.4	MEB	19.10	(0.50)	5,425	00 19.1
CFARM	0.85	0.01	110,646	00 0.8	ZIGA	1.41	(0.03)	154,056	00 1.3	MORE	0.04	0.01	185,766	00 0.0
JCHK	0.13	(0.01)	3,422	00 0.1	ZIGA-W2	0.14	-	46,605	00 0.1	MOTHER	1.30	0.20	850,222	00 1.2
KASET	0.59	(0.02)	1,225	00 0.5	Property					MPJ	3.22	-	5,868	00 3.2
MAGURO	15.90	0.20	1,582	00 15.9	24CS	0.95	(0.07)	475,356	00 0.9	MVP	-	-	-	00 0.0
MUD	1.19	-	1,140	00 1.1	24CS-W1	0.20	0.02	98,105	00 0.2	NCL	0.28	(0.01)	3,971	00 0.2
NTSC	5.85	-	197	00 5.8	24CS-W2	0.25	0.01	121,468	00 0.2	NCP	1.07	(0.08)	1,057	00 1.0
TACC	4.50	(0.02)	6,586	00 4.5	ARIN	0.39	-	1,995	00 0.3	NEWS	0.01	-	69,661	00 0.0
TMILL	2.14	0.02	170	00 2.1	ARROW	4.90	(0.02)	130	00 4.8	PEER	0.11	-	9,829	00 0.1
WINNER	2.06	0.02	1,380	00 2.0	BC	0.86	(0.01)	349	00 0.8	PEER-W2	0.01	(0.01)	6,789	00 0.0
XO	15.20	0.20	1,712	00 15.1	BC-W2	-	-	-	00 0.0	PICO	4.40	-	22	00 4.2
Consumer Products			-		BKA	1.04	(0.06)	30,544	00 1.0	PLT	0.56	-	1,333	00 0.5
ALPHAX	0.41	-	9,994	00 0.4	BLESS	0.28	-	917	00 0.2	QLT	2.76	(0.02)	1	00 2.7
BGT	0.37	-	52	00 0.3	BSM	0.77	(0.04)	188	00 0.7	RP	0.79	-	16	00 0.7
DOD	1.92	(0.07)	7,717	00 1.9	BTW	0.18	-	30	00 0.1	SONIC	1.57	0.01	2,956	00 1.5
ECF	0.11	-	12,844	00 0.1	CAZ	1.91	(0.02)	18	00 1.9	THMUI	0.35	(0.01)	1,023	00 0.3
ECF-W5	-	-	-	00 0.0	CHEWA	0.27	0.01	377	00 0.2	TNDT	0.18	(0.01)	1,969	00 0.1
EFORL	0.16	-	8,085	00 0.1	CPANEL	2.50	(0.06)	215	00 2.5	TNDT-W1	-	-	-	00 0.0
EFORL-W6	-	-	-	00 0.0	CPANEL-W1	-	-	-	00 0.0	TNH	33.00	-	17	00 33.0
EURO	4.36	-	105	00 4.3	CRD	-	-	-	00 0.0	TNP	2.58	(0.02)	1,534	00 2.5
HPT	0.40	0.01	13,865	00 0.3	DHOUSE	0.61	-	931	00 0.5	TPL	0.65	0.03	9,439	00 0.6
ITTHI	1.43	0.03	163	00 1.4	DIMET	0.10	0.01	10,606	00 0.0	TRP	5.90	0.05	8,264	00 5.8
JSP	1.80	-	1,946	00 1.7	DPAINTE	0.58	0.01	3,632	00 0.5	TURTLE	6.80	-	1	00 6.8
JSP-W2	0.03	-	69	00 0.0	FLOYD	0.82	0.01	457	00 0.8	TVDH	0.12	-	1,116	00 0.1
JUBILE	7.20	-	553	00 7.0	HYDRO	1.58	(0.02)	389	00 1.5	TVDH-W3	-	-	-	00 0.0
LTS	4.74	(0.04)	3,936	00 4.7	HYDRO-W2	-	-	-	00 0.0	TVT	0.29	-	434	00 0.2
MGI	10.10	(0.10)	1,474	00 10.1	IND	0.82	(0.02)	6,678	00 0.8	UBA	0.88	0.03	10,438	00 0.8
MGI-W1	2.18	(0.02)	7,164	00 2.2	JAK	1.00	-	1,218	00 0.9	VL	0.88	(0.01)	411	00 0.8
MOONG	1.86	-	322	00 1.8	K	1.23	(0.01)	37	00 1.1	VS	0.51	0.05	126	00 0.5
NPK	10.50	-	1	00 10.5	K-W3	0.20	0.02	48	00 0.1	YGG	0.38	-	9,053	00 0.3
SEI	3.16	0.02	851	00 3.1	META	0.07	-	857	00 0.0	Technology	-	-	-	-
SMD100	3.94	(0.02)	377	00 3.9	PANEL	1.21	0.03	57	00 1.1	APP	2.22	0.12	19,027	00 2.2
TM	0.75	0.02	1,574	00 0.7	PPS	0.18	-	3,478	00 0.1	BBIK	22.50	0.60	2,279	00 22.1
WARRIX	2.36	0.02	3,300	00 2.3	PRI	5.30	-	31,541	00 5.3	BE8	7.30	-	7,261	00 7.1
WINMED	1.20	(0.03)	310	00 1.2	PROS	0.77	0.18	38,671	00 0.7	BE8-W1	0.67	0.02	18,959	00 0.7
Financials			-		PROS-W1	0.06	0.02	388,157	00 0.0	BVG	1.84	(0.02)	1,904	00 1.7
ACAP	-	-	-	00 0.0	PSG	1.34	0.04	183,240	00 1.3	COMAN	0.57	0.02	204	00 0.5
AF	0.40	0.01	21	00 0.3	QTCG	0.15	-	287	00 0.1	I2	0.86	(0.03)	627	00 0.8
AIRA	-	-	-	00 0.0	SENX	0.23	-	493	00 0.2	IIG	1.78	-	1,547	00 1.7
ASN	1.00	-	11	00 1.0	SK	0.58	(0.01)	2,509	00 0.5	IRCP	0.36	(0.01)	5,455	00 0.3
BTC	0.35	-	159,717	00 0.3	SMART	0.60	(0.01)	2,104	00 0.6	ITNS	1.41	-	262	00 1.3
BTC-W7	0.15	-	8,540	00 0.1	STC	0.49	0.01	121	00 0.4	NAT	3.12	(0.06)	996	00 3.1
GCAP	0.29	-	2,859	00 0.2	STX	1.22	-	5,614	00 1.2	NETBAY	17.70	(0.60)	11,031	00 17.8
KCC	1.75	0.03	1,730	00 1.8	SVR	0.58	-	189	00 0.5	PIS	4.10	(0.02)	1,665	00 4.1
LIT	0.65	(0.01)	5,256	00 0.6	TAPAC	-	-	-	00 0.0	PLANET	1.78	(0.04)	14,874	00 1.7
MITSI8	0.55	-	445	00 0.5	THANA	0.93	-	244	00 0.9	PLANET-W2	0.80	-	718	00 0.7
SGF	0.17	(0.01)	970	00 0.1	TIGER	0.49	-	1	00 0.4	PROEN	1.23	0.07	174,622	00 1.2
SGF-P1	-	-	-	00 0.0	TITLE	3.78	-	469	00 3.7	PROEN-W2	0.43	0.03	99,715	00 0.4
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	READY	3.92	(0.02)	9	00 3.8
TQR	5.00	0.02	120	00 4.9	YONG	0.81	-	5,445	00 0.8	SECURE	10.40	-	196	00 10.4
Industrials			-		Resources			-		SICT	2.90	(0.08)	3,004	00 2.8
ADB	0.54	-	1,590	00 0.5	ABM	0.64	(0.02)	518	00 0.6	SIMAT	0.96	-	19,159	00 0.9
BM	1.30	0.06	11,022	00 1.2	GTV	0.08	(0.01)	13,034	00 0.0	SPVI	1.65	(0.03)	4,505	00 1.6
BM-W3	0.07	0.02	43,150	00 0.0	PSTC	0.40	(0.02)	19,175	00 0.4	SRS	2.90	(0.12)	248	00 2.9
BPS	0.52	0.02	7,380	00 0.5	PSTC-W2	-	-	-	00 0.0	TBN	5.60	0.05	11	00 5.6
CHO	0.08	-	5,790	00 0.0	PSTC-W3	0.09	-	3,715	00 0.0	TERA	1.14	(0.01)	192	00 1.1
CHO-W4	-	-	-	00 0.0	PTC	0.91	(0.01)	118	00 0.9	TPS	3.30	0.02	1,218	00 3.2
CHOW	0.98	-	384	00 0.9	SAAM	6.80	0.05	258	00 6.7	VCOM	2.64	(0.10)	2,514	00 2.6
CIG	0.04	-	141	00 0.0	SR	0.45	0.01	507	00 0.4		-	-	-	-
CIG-W10	-	-	-	00 0.0	STOWER	0.04	(0.01)	956	00 0.0		-	-	-	-
CIG-W9	-	-	-	00 0.0	TAKUNI	0.38	-	7,409	00 0.3		-	-	-	-
COLOR	1.01	-	842	00 0.9	TPCH	3.08	0.02	1,006	00 3.0		-	-	-	-
CPR	2.84	0.02	45	00 2.8	UMS	0.34	(0.06)	294	00 0.3		-	-	-	-
FPI	1.76	-	1,241	00 1.7	Services			-			-	-	-	-
GTB	0.71	(0.01)	1,426	00 0.7	ADD	3.26	0.04	2,333	00 3.3		-	-	-	-
HARN	2.06	(0.02)	773	00 2.0	AKP	0.61	-	613	00 0.6		-	-	-	-
KCM	0.18	0.01	1,243	00 0.1	AMA	4.14	-	1,401	00 4.1		-	-	-	-
KJL	6.30	-	134	00 6.2	AMARC	1.73	(0.06)	14,481	00 1.7		-	-	-	-
KUMWEL	1.11	(0.06)	401	00 1.1	ARIP	0.39	-	1,922	00 0.3		-	-	-	-
KWM	1.01	(0.03)	7,058	00 1.0	ATP30	0.88	-	2,908	00 0.8		-	-	-	-
MBAX	1.47	-	707	00 1.4	AUCT	5.55	0.05	4,672	00 5.5		-	-	-	-
MGT	1.87	0.06	1,068	00 1.8	BIS	2.64	(0.06)	138	00 2.6		-	-	-	-
MTW	1.01	0.01	4,603	00 1.0	BOL	5.05	(0.10)	786	00 5.0		-	-	-	-
NDR	1.25	0.01	230	00 1.2	CEYE	1.96	(0.06)	85	00 1.9		-	-	-	-
PACO	1.35	0.01	840	00 1.3	CHIC	0.26	(0.04)	3,931	00 0.2		-	-	-	-
PACO-W1	0.02	-	64,258	00 0.0	CMO	0.63	(0.01)	142	00 0.6		-	-	-	-
PDG	2.76	0.02	81	00 2.7	D	2.18	(0.02)	907	00 2.1		-	-	-	-
PHOL	2.84	-	315	00 2.8	DEXON	1.51	(0.01)	703	00 1.4		-	-	-	-
PIMO	1.15	0.01	3,483	00 1.1	DV8	3.88	0.08	14,232	00 3.8		-	-	-	-
PMC	0.80	0.02	5,376	00 0.8	DV8-W2	1.98	0.22	3,056	00 1.9		-	-	-	-
PPM	1.67	(0.01)	51	00 1.6	ETE	0.75	-	157	00 0.7		-	-	-	-
PRAPAT	0.90	-	1,561	00 0.8	FSMART	7.05	-	2,401						