

## Main Board Quotation

Issue Date :

Wednesday June 04, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Agribusiness					EPG	2.44	(0.04)	14,295	2.47	COM741C2606T	0.15	(0.03)	39,800	0.16
GFPT	9.75	(0.15)	57,206	9.79	GEL	0.05	-	5,589	0.04	COM741C2609T	0.28	(0.04)	65,900	0.29
LEE	2.42	-	1,402	2.42	GEL-W5	-	-	-	-	CPALL	48.25	1.25	512,903	47.51
NER	4.12	(0.04)	44,801	4.13	PPP	1.04	0.04	1,313	1.01	CPALL01C2507A	0.07	(0.01)	87,431	0.06
NER-W2	0.21	(0.01)	5,668	0.21	Q-CON	7.30	(0.05)	425	7.23	CPALL01C2510A	0.27	0.02	31,873	0.25
PCE	2.66	-	16,969	2.65	SCC	160.50	(5.50)	63,291	162.15	CPALL01C2606T	0.26	0.02	10,739	0.25
PPPM	0.49	-	4,137	0.49	SCC01C2507A	0.06	(0.03)	9,590	0.06	CPALL01P2507A	0.17	(0.04)	13,389	0.20
PPPM-W6	0.40	0.06	305	0.38	SCC01C2508A	0.35	(0.26)	31,370	0.39	CPALL01P2510A	0.45	(0.03)	29,187	0.49
STA	12.30	(0.50)	41,235	12.37	SCC01C2508B	0.39	(0.16)	30,202	0.42	CPALL13C2506A	-	-	-	-
STA01C2506A	0.01	-	2,000	0.01	SCC01C2511A	0.61	(0.08)	48,150	0.64	CPALL13C2506B	-	-	-	-
STA01C2510A	0.16	(0.03)	3,955	0.16	SCC01C2606T	0.48	(0.04)	23,250	0.49	CPALL13C2508A	0.08	0.01	20,113	0.06
STA13C2506A	-	-	-	-	SCC01P2507A	0.04	0.02	3,501	0.03	CPALL13C2510A	0.28	0.03	39,838	0.26
STA13C2508A	0.09	(0.04)	5,620	0.11	SCC01P2508A	0.38	0.05	36,681	0.36	CPALL13P2506A	-	-	-	-
STA19C2506A	-	-	-	-	SCC13C2507A	0.13	(0.13)	10,256	0.17	CPALL13P2510A	0.36	(0.05)	45,666	0.39
STA19C2510A	0.22	(0.04)	5,213	0.23	SCC13C2509A	0.36	(0.09)	89,347	0.39	CPALL19C2506A	-	-	-	-
STA41C2612T	0.24	(0.04)	4,001	0.25	SCC13P2508A	0.14	0.01	26,088	0.13	CPALL19C2506B	-	-	-	-
TEGH	2.82	(0.04)	2,180	2.85	SCC19C2506A	-	-	-	-	CPALL19C2508A	0.08	-	14,555	0.06
TFM	4.78	(0.04)	680	4.79	SCC19C2507A	-	-	-	-	CPALL19C2510A	0.23	0.02	140,770	0.21
TRUBB	0.58	-	1,230	0.58	SCC19C2509A	0.55	(0.13)	104,955	0.59	CPALL41C2506A	-	-	-	-
UPOIC	6.35	(0.15)	82	6.25	SCC19C2509B	0.34	(0.08)	56,817	0.36	CPALL41C2605T	0.11	-	1,100	0.11
UVAN	9.20	0.05	3,189	9.15	SCC19P2508A	0.25	0.03	17,746	0.24	CPALL41P2508A	-	-	-	-
VPO	0.45	-	2,146	0.45	SCC19P2509A	0.25	0.02	54,198	0.24	CPAXT	19.40	0.60	174,273	19.16
Banking					SCC41C2608T	0.49	(0.05)	53,920	0.51	CPW	1.90	(0.03)	1,323	1.91
BAY	21.90	-	1,080	21.88	SCC41P2508A	0.19	0.07	12,000	0.18	CRC	19.30	0.60	809,404	19.19
BBL	140.00	(1.50)	78,106	141.05	SCCC	146.00	(1.00)	457	146.56	CRC01C2506A	-	-	-	-
BBL11C2507A	-	-	-	-	SCGD	4.00	-	1,203	3.98	CRC01C2511A	0.43	0.05	99,245	0.41
BBL13C2507A	-	-	-	-	SCP	6.30	0.05	794	6.22	CRC13C2506A	-	-	-	-
BBL13C2508A	0.08	(0.02)	166	0.08	SKN	5.70	(0.10)	234	5.67	CRC13C2508A	0.01	-	5,857	0.01
BBL13C2509A	0.31	(0.06)	159,674	0.34	STECH	1.05	(0.04)	503	1.06	CRC13C2509A	0.15	0.02	206,549	0.14
BBL19C2506A	-	-	-	-	TASCO	14.00	(0.40)	32,127	14.13	CRC13C2510A	0.38	0.03	202,017	0.37
BBL19C2508A	-	-	-	-	TASCO19C2507	-	-	-	-	CRC19C2506A	-	-	-	-
BBL41C2506A	-	-	-	-	TOA	10.50	(0.20)	30,214	10.44	CRC19C2508A	-	-	-	-
BBL41C2609T	0.32	(0.02)	43,013	0.33	TPPL	0.92	(0.01)	53,173	0.93	CRC19C2510A	0.35	0.03	328,176	0.33
CIMBT	0.37	(0.14)	521,552	0.39	UMI	0.69	(0.02)	1,623	0.69	CRC41C2608T	0.05	-	1	0.05
CREDIT	17.90	(0.30)	540	17.99	VNG	2.08	-	349	2.04	CRC41C2609T	0.30	0.03	102,728	0.29
KBANK	152.50	(1.50)	127,951	153.65	WIJK	0.93	-	1,235	0.92	CSS	0.80	(0.01)	7,456	0.80
KBANK01C2506A	-	-	-	-	WIJK-W3	0.04	(0.01)	10,171	0.04	DOHOME	3.70	0.16	234,811	3.60
KBANK01C2508A	-	-	-	-	WINDOW	0.81	(0.03)	16,153	0.83	DOHOME01C2507A	-	-	-	-
KBANK01C2509A	0.36	(0.03)	39,656	0.39	Petrochemicals &					DOHOME01C2508A	-	-	-	-
KBANK01P2507A	0.08	0.01	175	0.08	BCT	47.25	-	49	47.02	DOHOME01C2510A	0.23	0.03	42,659	0.21
KBANK01P2509A	0.43	0.02	23,229	0.42	CMAN	2.28	0.02	1,180	2.24	DOHOME13C2506A	-	-	-	-
KBANK13C2507A	0.06	(0.03)	21,714	0.07	GC	4.00	(0.12)	12,400	3.97	DOHOME13C2508A	0.01	-	1,600	0.01
KBANK13C2508A	0.39	(0.06)	160,774	0.42	GCC	4.50	(0.08)	22	4.58	DOHOME13C2509A	0.10	0.02	19,228	0.10
KBANK13C2509A	0.25	(0.03)	90,520	0.27	IVL	20.00	(0.30)	309,827	20.00	DOHOME13C2510A	0.42	0.05	116,626	0.37
KBANK13P2507A	0.01	(0.01)	11	0.01	IVL01C2506A	-	-	-	-	DOHOME19C2506A	-	-	-	-
KBANK13P2509A	0.38	-	46,180	0.36	IVL01C2507A	0.09	(0.02)	29,653	0.09	DOHOME19C2506B	-	-	-	-
KBANK19C2507A	-	-	-	-	IVL01C2509A	0.32	(0.04)	118,565	0.31	DOHOME19C2508A	-	-	-	-
KBANK19C2507B	0.04	(0.04)	6,000	0.05	IVL01P2506A	0.06	(0.05)	19,097	0.07	DOHOME19C2510A	0.21	0.03	10,426	0.19
KBANK19C2510A	0.21	(0.03)	33,812	0.23	IVL01P2510A	0.44	0.02	37,746	0.44	DOHOME41C2609T	0.11	(0.01)	12,500	0.11
KBANK41C2604T	0.72	(0.04)	38,452	0.75	IVL13C2507A	-	-	-	-	FN	0.48	(0.01)	202	0.48
KBANK41C2609T	0.40	(0.01)	14,951	0.42	IVL13C2508A	0.14	(0.05)	141,137	0.15	GLOBAL	5.50	-	101,763	5.47
KBANK41P2606T	-	-	-	-	IVL13C2509A	0.34	(0.04)	19,995	0.34	GLOBAL01C2507A	-	-	-	-
KKP	44.00	(1.50)	43,801	44.42	IVL13P2508A	0.19	-	57,700	0.19	GLOBAL01C2510A	0.21	-	41,758	0.20
KKP-W6	0.62	(0.05)	887	0.66	IVL19C2506A	-	-	-	-	GLOBAL13C2506A	-	-	-	-
KKP13C2508A	0.10	(0.03)	17,475	0.10	IVL19C2507A	-	-	-	-	GLOBAL13C2507A	0.01	(0.05)	1	0.01
KKP19C2507A	-	-	-	-	IVL19C2508A	0.17	(0.03)	73,829	0.17	GLOBAL13C2508A	0.03	(0.01)	367	0.03
KKP19C2509A	0.23	(0.07)	15,198	0.24	IVL19P2508A	0.19	-	144,468	0.20	GLOBAL13C2510A	0.16	(0.02)	20,368	0.16
KTB	21.60	(0.60)	931,920	21.72	IVL41C2605T	0.17	(0.01)	42,120	0.17	GLOBAL19C2507A	-	-	-	-
KTB-P	-	-	-	-	IVL41P2605T	0.49	(0.03)	41,000	0.50	GLOBAL19C2509A	0.08	(0.01)	1,322	0.08
KTB-Q	-	-	-	-	NFC	1.23	(0.54)	3,619	1.33	GLOBAL19C2510A	0.19	(0.01)	47,786	0.19
KTB01C2506A	0.03	(0.01)	142	0.03	PATO	7.30	-	430	7.24	GLOBAL41C2606T	-	-	-	-
KTB01C2509A	0.49	(0.06)	17,481	0.49	PMTA	9.10	(0.10)	288	9.12	HMPRO	7.65	(0.05)	207,912	7.66
KTB01P2509A	0.35	0.03	34,031	0.35	PTTGC	20.10	(0.70)	253,404	20.15	HMPRO01C2507A	-	-	-	-
KTB13C2507A	-	-	-	-	PTTGC01C2506/	-	-	-	-	HMPRO01C2508A	-	-	-	-
KTB13C2508A	0.23	(0.05)	55,212	0.23	PTTGC01C2507/	0.13	(0.06)	172,798	0.15	HMPRO13C2506A	-	-	-	-
KTB13P2507A	-	-	-	-	PTTGC01C2508/	0.46	(0.09)	1,734	0.46	HMPRO13C2508A	0.11	(0.01)	300	0.11
KTB19C2506A	-	-	-	-	PTTGC01C2511/	0.47	(0.53)	57,618	0.49	HMPRO19C2506A	-	-	-	-
KTB19C2508A	0.22	(0.07)	131,010	0.23	PTTGC01P2506/	0.02	-	1	0.02	HMPRO19C2508A	0.15	(0.02)	19,200	0.16
KTB41C2506A	-	-	-	-	PTTGC01P2510/	0.51	0.04	73,585	0.51	HMPRO41C2606T	0.11	-	500	0.11
KTB41C2609T	0.47	(0.03)	58,000	0.48	PTTGC13C2506/	-	-	-	-	ICC	26.75	(1.25)	229	27.06
LHFG	0.77	0.01	17,533	0.76	PTTGC13C2507/	0.09	(0.06)	76,302	0.10	ILM	13.40	(0.30)	2,629	13.46
SCB	116.50	(2.00)	179,784	116.50	PTTGC13C2507E	0.33	(0.12)	1,009	0.37	IT	3.10	(0.04)	297	3.10
SCB01C2507A	0.09	(0.02)	3,554	0.10	PTTGC13C2510/	0.41	(0.07)	197,657	0.42	KAMART	7.35	0.05	11,340	7.34
SCB01C2509A	0.25	(0.05)	17,439	0.25	PTTGC13P2506/	0.01	-	1,800	0.01	LOXLEY	1.03	-	93	1.02
SCB01P2507A	0.12	0.01	15,388	0.12	PTTGC13P2510/	0.47	0.03	59,337	0.46	MEC	9.75	(0.25)	46,016	9.87
SCB01P2510A	0.60	0.05	28,722	0.60	PTTGC19C2506/	-	-	-	-	MEGA	25.00	(0.50)	7,322	25.28
SCB13C2508A	0.09	(0.03)	50,734	0.09	PTTGC19C2508/	0.27	(0.08)	100,253	0.28	MIDA	0.25	-	2,808	0.25
SCB13P2507A	0.01	(0.01)	20	0.01	PTTGC19C2510/	0.31	(0.07)	142,869	0.32	MOSHI	37.75	(0.25)	1,782	37.87
SCB13P2510A	0.46	0.02	97,293	0.46	PTTGC41C2506/	-	-	-	-	RS	0.27	(0.01)	29,200	0.28
SCB19C2507A	-	-	-	-	PTTGC41C2608/	0.45	(0.03)	94,464	0.47	RS-W5	0.12	-	719	0.12
SCB19C2509A	0.17	(0.04)	97,894	0.17	PTTGC41P2506/	0.01	(0.02)	250	0.01	RSP	1.18	(0.05)	3,474	1.19
SCB41C2609T	0.31	(0.04)	28,002	0.33	SUTHA	2.32	-	146	2.32	SCM	0.37	(0.01)	3,965	0.37
SCB41P2509A	0.18	0.02	4,014	0.18	TPA	2.70	0.16	150	2.53	SCM-W2	-	-	-	-
TCAP	46.75	(0.50)	20,546	46.84	UAC	2.70	(0.02)	1,676	2.68	SINGER	5.00	(0.15)	24,866	5.02
TCAP-P	-	-	-	-	UP	20.30	-	121	20.15	SPC	59.00	0.25	14	58.82
TCAP-Q	-	-	-	-	Commerce					SPI	-	-	-	-
TCAP13C2508A	0.09	(0.02)	8,052	0.09	ADVICE									

## Main Board Quotation

Issue Date :

Wednesday June 04, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC19C2507A	0.07	-	21,025	0.06	DELTA13C2507C	0.59	(0.85)	48,991	0.58	BCPG41C2606T	0.23	(0.02)	13,007	0.23
ADVANC19C2510A	0.32	0.02	160,168	0.30	DELTA13C2508A	1.39	(0.65)	1,577	1.55	BGRIM	9.80	0.05	157,851	9.68
ADVANC19P2508A	-	-	-	-	DELTA13C2509A	0.24	(0.09)	288,451	0.25	BGRIM01C2506A	-	-	-	-
ADVANC41C2606T	0.33	0.03	88,796	0.32	DELTA13C2509E	0.37	(0.15)	413,079	0.39	BGRIM01C2507A	-	-	-	-
ADVANC41P2508A	0.10	(0.01)	100	0.10	DELTA13P2506A	0.01	(0.01)	2,477	0.01	BGRIM01C2508A	-	-	-	-
AIT	4.56	-	31,411	4.58	DELTA13P2507A	0.02	-	16,792	0.02	BGRIM01C2509A	0.06	(0.02)	1,700	0.06
ALT	0.91	(0.02)	5,777	0.91	DELTA13P2507E	0.01	-	10,981	0.01	BGRIM01C2606T	0.09	(0.01)	1	0.09
AMR	0.59	(0.01)	2,573	0.59	DELTA13P2508A	0.16	0.03	313,146	0.16	BGRIM01P2507A	0.31	(0.01)	40,234	0.33
BLISS	-	-	-	-	DELTA13P2508E	0.37	0.08	358,655	0.37	BGRIM1C2507A	-	-	-	-
DIF	8.05	(0.10)	138,309	8.10	DELTA19C2506A	0.01	-	600	0.01	BGRIM13C2506A	-	-	-	-
DITTO	9.80	(0.30)	34,705	9.94	DELTA19C2506E	0.01	-	50	0.01	BGRIM13C2507A	0.01	-	460	0.01
DTCENT	0.87	(0.02)	2,430	0.88	DELTA19C2506C	-	-	-	-	BGRIM13C2507B	0.01	-	150	0.01
FORTH	8.60	-	2,502	8.57	DELTA19C2507A	0.03	(0.06)	38,825	0.03	BGRIM13C2508A	0.06	-	23,236	0.05
GABLE	2.96	0.04	1,072	2.97	DELTA19C2507E	0.11	(0.17)	53,260	0.13	BGRIM13C2510A	0.14	-	15,730	0.13
HUMAN	7.85	(0.30)	8,273	7.71	DELTA19C2507C	0.78	(0.60)	141,829	0.83	BGRIM13P2506A	-	-	-	-
ICN	1.88	(0.03)	3,142	1.91	DELTA19C2508A	1.42	(0.76)	877	1.68	BGRIM19C2506A	-	-	-	-
ILINK	4.92	(0.13)	12,616	4.95	DELTA19C2509A	0.40	(0.17)	138,962	0.43	BGRIM19C2507A	-	-	-	-
INET	4.14	(0.10)	7,355	4.18	DELTA19P2506A	0.02	-	11,000	0.02	BGRIM19C2507B	-	-	-	-
INSET	1.58	(0.03)	12,489	1.58	DELTA19P2507A	0.02	-	1,149	0.02	BGRIM19C2508A	0.12	-	19,778	0.12
ITEL	1.21	(0.02)	31,102	1.21	DELTA19P2509A	0.17	0.04	107,681	0.16	BGRIM19C2509A	0.09	-	4,222	0.09
JAS	1.40	(0.19)	2,180,121	1.46	DELTA19P2509E	0.31	0.06	101,343	0.29	BGRIM19P2506A	-	-	-	-
JAS-W4	0.45	(0.06)	719,153	0.48	DELTA19P2509C	0.41	0.08	79,384	0.40	BGRIM41C2506A	-	-	-	-
JAS13C2507A	0.03	(0.08)	34	0.03	DELTA19P2509E	0.56	0.11	266,956	0.56	BGRIM41C2608T	0.13	-	9,180	0.13
JAS13C2509A	0.19	(0.14)	123,374	0.23	DELTA41C2506A	-	-	-	-	BIOTEC	0.19	-	4,091	0.19
JAS19C2507A	0.02	(0.04)	22,407	0.02	DELTA41C2507A	0.18	(0.10)	400	0.18	BIOTEC-P	-	-	-	-
JAS19C2509A	0.31	(0.18)	132,807	0.36	DELTA41C2508A	0.51	(0.15)	9,300	0.55	BIOTEC-Q	-	-	-	-
JAS19C2510A	0.19	(0.17)	138,203	0.23	DELTA41C2509A	0.26	(0.13)	77,629	0.29	BIOTEC-W2	0.02	-	4,804	0.02
JAS41C2605T	0.09	(0.04)	5,100	0.09	DELTA41C2608T	0.42	(0.10)	151,240	0.45	BPP	6.90	(0.05)	20,073	6.88
JMART	6.30	0.05	136,940	6.27	DELTA41C2612T	0.11	(0.05)	67,682	0.12	BRRGIF	3.78	0.04	2,222	3.78
JMART-W5	0.07	0.02	129,441	0.06	DELTA41P2507A	0.02	(0.02)	196	0.02	BSRC	4.94	(0.06)	11,132	4.96
JMART13C2506A	0.01	-	1,000	0.01	DELTA41P2509A	0.46	0.06	29,006	0.46	BSRCL3C2506A	-	-	-	-
JMART13C2507A	-	-	-	-	HANA	17.80	(0.90)	99,811	18.09	CKP	2.76	(0.04)	22,142	2.76
JMART13C2508A	0.04	(0.01)	20,851	0.04	HANA01C2509A	0.24	(0.06)	48,071	0.26	CV	0.08	(0.12)	427,665	0.09
JMART13C2510A	0.21	(0.02)	63,752	0.21	HANA13C2506A	-	-	-	-	CV-W1	0.03	(0.02)	38,839	0.02
JMART19C2506A	-	-	-	-	HANA13C2507A	0.01	(0.02)	6,736	0.01	EA	2.74	(0.16)	1,613,593	2.83
JMART19C2508A	0.02	-	1	0.02	HANA13C2508A	0.21	(0.07)	112,241	0.22	EA-W1	1.01	(0.03)	793,962	1.06
JMART19C2508B	0.03	(0.01)	3,535	0.03	HANA13C2509A	0.15	(0.05)	81,754	0.17	EA13C2506A	0.01	-	670	0.01
JMART19C2510A	0.22	-	47,465	0.21	HANA13P2507A	-	-	-	-	EA13C2506B	0.01	-	9,080	0.01
JMART41C2606T	-	-	-	-	HANA19C2507A	0.01	(0.02)	60	0.01	EA13C2507A	0.02	(0.03)	501,977	0.04
JMART41C2609T	0.21	-	35,591	0.21	HANA19C2508A	0.19	(0.07)	48,329	0.21	EA13C2508A	0.18	(0.09)	66,186	0.21
JTS	37.50	(2.50)	791	38.34	HANA19C2510A	0.20	(0.05)	99,511	0.22	EA13C2508B	0.39	(0.18)	1,124	0.45
MFEC	5.45	(0.10)	355	5.51	HANA41C2606T	0.12	(0.02)	17,000	0.13	EA13C2509A	0.13	(0.05)	181,863	0.16
MSC	7.80	(0.10)	128	7.79	HANA41C2608T	0.48	(0.05)	57,000	0.50	EA13C2510A	0.25	(0.08)	162,529	0.29
PT	13.30	0.10	3,067	13.15	KCE	15.30	(0.50)	88,154	15.49	EA13P2508A	0.28	0.02	46,527	0.26
ROCTEC	0.65	0.01	138,224	0.66	KCE01C2507A	-	-	-	-	EA13P2509A	0.66	0.03	53,517	0.63
ROCTEC-W3	-	-	-	-	KCE13C2506A	-	-	-	-	EA19C2506A	0.01	-	58	0.01
ROCTEC-W5	0.02	(0.01)	406,575	0.03	KCE13C2507A	-	-	-	-	EA19C2506B	-	-	-	-
SAMART	6.30	0.10	6,350	6.25	KCE13C2508A	0.04	-	1,023	0.03	EA19C2508A	0.26	(0.08)	63,164	0.32
SAMTEL	5.70	(0.10)	186	5.65	KCE13C2508B	0.07	(0.03)	5,176	0.08	EA19C2508B	0.41	(0.13)	3,753	0.41
SAMTEL-W2	-	-	-	-	KCE13C2510A	0.23	(0.05)	120,106	0.25	EA19C2510A	0.29	(0.07)	42,822	0.33
SDC	0.03	-	107,346	0.03	KCE13P2508A	0.25	0.02	61,194	0.24	EA19C2510B	0.21	(0.79)	36,131	0.24
SIS	20.70	0.10	4,556	20.93	KCE19C2506A	-	-	-	-	EA19P2509A	0.36	0.02	28,625	0.34
SKY	13.40	(0.60)	13,438	13.58	KCE19C2507A	-	-	-	-	EA19P2510A	0.71	0.05	52,993	0.67
SPREME	1.30	(0.02)	3,480	1.30	KCE19C2508A	0.05	(0.02)	1	0.05	EA41C2606T	0.13	(0.02)	47,200	0.14
SVOA	1.13	(0.01)	1,350	1.14	KCE19C2510A	0.18	(0.03)	97,520	0.19	EA41C2609T	0.41	(0.04)	61,510	0.44
SYMC	4.48	(0.12)	983	4.52	KCE19C2510B	0.30	(0.04)	78,285	0.31	EASTW	1.71	(0.01)	5,804	1.72
SYNEX	11.00	(0.60)	4,338	11.06	KCE41C2606T	-	-	-	-	EGATIF	5.90	0.05	3,767	5.94
THCOM	8.50	-	14,821	8.37	KCE41C2609T	0.30	(0.02)	77,000	0.31	EGCO	107.50	1.50	6,189	106.20
TKC	10.00	(0.70)	668	10.22	METCO	188.50	(0.50)	8	188.56	EP	1.38	-	412	1.36
TRUE	12.40	(0.10)	529,827	12.41	SMT	1.24	(0.07)	5,217	1.27	EP-W4	-	-	-	-
TRUE01C2507A	-	-	-	-	SMT	6.55	(0.25)	11,406	6.55	ETC	1.27	(0.05)	4,852	1.28
TRUE01C2508A	0.20	(0.01)	6,038	0.21	TEAM	2.60	(0.02)	1,759	2.60	GPSC	32.50	-	76,411	31.60
TRUE01C2606T	-	-	-	-	Energy & Utilitie	-	-	-	-	GPSC01C2507A	-	-	-	-
TRUE01P2507A	-	-	-	-	ACC	0.29	(0.02)	21,312	0.30	GPSC01C2508A	0.37	(0.04)	1,076	0.37
TRUE01P2511A	0.34	(0.66)	3,135	0.34	ACC-W2	0.26	-	76	0.23	GPSC01C2510A	0.25	(0.01)	46,166	0.22
TRUE13C2507A	0.07	(0.02)	10,118	0.08	ACE	1.32	0.01	26,067	1.31	GPSC01P2506A	-	-	-	-
TRUE13C2510A	0.21	(0.79)	23,791	0.22	AE	0.12	-	26,307	0.12	GPSC13C2506A	-	-	-	-
TRUE13P2506A	-	-	-	-	AGE	0.89	(0.03)	8,719	0.89	GPSC13C2507A	-	-	-	-
TRUE19C2507A	-	-	-	-	AI	3.14	-	693	3.13	GPSC13C2509A	0.19	-	62,427	0.16
TRUE19C2507B	0.14	(0.02)	9,790	0.15	AIE	1.05	(0.01)	17,465	1.05	GPSC13P2506A	-	-	-	-
TRUE19P2506A	-	-	-	-	BAFS	8.30	-	1,737	8.22	GPSC19C2506A	-	-	-	-
TRUE19P2507A	-	-	-	-	BANPU	4.58	(0.06)	389,791	4.59	GPSC19C2506B	0.01	(0.02)	2,000	0.01
TRUE41C2604T	-	-	-	-	BANPU01C2506A	-	-	-	-	GPSC19C2507A	0.18	(0.01)	69,501	0.14
TRUE41C2612T	0.34	(0.01)	10,000	0.34	BANPU01C2507A	0.07	(0.01)	5,954	0.07	GPSC19C2510A	0.25	(0.02)	70,353	0.23
TWZ	0.03	-	51,108	0.03	BANPU01C2508A	0.33	(0.05)	53,350	0.35	GPSC19P2506A	0.01	-	41	0.01
TWZ-W8	-	-	-	-	BANPU01C2606T	0.32	(0.03)	27,291	0.33	GPSC41C2606T	0.18	-	33,902	0.16
TWZ-W9	-	-	-	-	BANPU01P2510A	0.62	0.03	22,352	0.62	GREEN	0.85	0.01	1,663	0.86
XYZ	0.35	(0.01)	2,378	0.35	BANPU13C2506A	-	-	-	-	GULF	44.00	(1.00)	314,233	44.02
Electronic Componer	-	-	-	-	BANPU13C2506E	0.01	(0.01)	4,200	0.01	GULF01C2508A	0.08	(0.02)	639	0.07
CCET	5.10	(0.40)	921,976	5.16	BANPU13C2507A	0.12	(0.02)	47,108	0.11	GULF01C2509A	0.23	(0.03)	29,789	0.23
CCET13C2506A	0.01	-	170	0.01	BANPU13C2509A	0.44	(0.06)	68,409	0.44	GULF01C2606T	0.25	(0.02)	17,060	0.25
CCET13C2507A	-	-	-	-	BANPU13P2510A	0.53	0.02	43,036	0.53	GULF01P2510A	0.58	0.02	17,777	0.59
CCET13C2507B	0.03	(0.02)	48,680	0.02	BANPU19C2506A	0.01	-	829	0.01	GULF13C2508A	0.04	(0.02)	21,415	0.04
CCET13C2508A	0.12	(0.07)	77,660	0.13	BANPU19C2507A	-	-	-	-	GULF13C2508B	0.21	(0.05)	87,262	0.22
CCET19C2506A	-	-	-	-	BANPU19C2508A	0.27	(0.05)	80,805	0.28	GULF13P2510A	0.52	0.02	73,598	0.52
CCET19C2506B	-	-	-	-	BANPU41C2605T	0.11	(0.01)	11,000	0.11	GULF				

## Main Board Quotation

Issue Date :

Wednesday June 04, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OR13C2506A	-	-	-	-	PLANB19C2508A	0.05	(0.01)	20	0.05	SAWAD13C2508A	0.01	-	4	0.01
OR13C2507A	-	-	-	-	PLANB19C2510A	0.21	(0.05)	73,178	0.23	SAWAD13C2508B	0.01	-	490	0.01
OR13C2508A	0.15	(0.01)	120,380	0.14	PLANB41C2606T	0.12	(0.01)	3,000	0.12	SAWAD13C2509A	0.07	(0.03)	30,275	0.08
OR13C2509A	0.06	-	4,457	0.06	PRAKIT	11.00	0.20	113	11.00	SAWAD13C2510A	0.19	(0.03)	81,687	0.19
OR19C2506A	-	-	-	-	PTECH	0.95	(0.19)	2,623	0.98	SAWAD19C2506A	-	-	-	-
OR19C2508A	0.23	(0.52)	1,156	0.22	SE-ED	1.67	(0.04)	85	1.66	SAWAD19C2507A	-	-	-	-
OR19C2509A	0.07	(0.01)	31,001	0.06	TKS	5.15	-	1,918	5.13	SAWAD19C2508A	-	-	-	-
OR19C2510A	0.18	-	61,159	0.18	VGI	2.26	0.06	601,352	2.21	SAWAD19C2510A	0.16	(0.02)	27,820	0.16
OR41C2605T	-	-	-	-	VGI-W3	0.04	-	71,015	0.03	SAWAD19C2510B	0.27	(0.03)	180,166	0.27
OR41C2608T	0.29	-	39,103	0.28	VGI-W4	0.72	0.06	44,151	0.69	SAWAD41C2609T	0.09	(0.01)	6	0.09
PRIME	0.08	-	30,984	0.08	VGI01C2507A	-	-	-	-	SAWAD41C2610T	0.29	(0.01)	20,328	0.29
PTG	6.10	(0.20)	65,929	6.10	VGI01C2509A	0.28	0.01	12,373	0.27	SCAP	1.21	0.01	11,414	1.22
PTT	29.50	(0.25)	416,659	29.70	VGI13C2507A	-	-	-	-	SGC	0.70	(0.02)	44,458	0.71
PTT01C2508A	-	-	-	-	VGI13C2508A	0.03	-	2,876	0.03	SGC-W1	0.02	-	344	0.01
PTT01C2606T	-	-	-	-	VGI13C2508B	0.17	-	13,751	0.16	SGC-W2	0.24	-	2,959	0.23
PTT13C2508A	0.04	(0.01)	1,918	0.05	VGI13C2509A	0.23	-	56,886	0.22	SM	0.86	0.01	3,987	0.84
PTT19C2509A	0.11	-	9,620	0.11	VGI19C2507A	0.01	-	12,400	0.01	TH	0.56	(0.01)	13,205	0.56
PTT41C2606T	0.20	(0.01)	1,000	0.20	VGI19C2508A	-	-	-	-	TH-W3	-	-	-	-
PTTEP	97.75	(0.25)	133,730	98.15	VGI19C2509A	0.32	0.02	19,759	0.30	THANI	1.62	(0.01)	46,368	1.62
PTTEP01C2507A	0.02	(0.01)	604	0.02	VGI41C2606T	0.11	(0.01)	3,000	0.11	TIDLOR	16.40	(0.50)	164,106	16.46
PTTEP01C2509A	0.27	0.01	25,491	0.27	WORK	4.34	(0.02)	634	4.30	TK	3.84	(0.02)	709	3.84
PTTEP01C2606T	0.58	-	9,759	0.58	ZAA	0.98	0.01	176	0.96	TNITY	2.66	(0.04)	512	2.61
PTTEP01P2506A	0.04	(0.01)	70	0.04	Finance & Secur	-	-	-	-	TNL	-	-	-	-
PTTEP01P2510A	0.58	(0.01)	27,182	0.58	AEONTS	100.00	(3.00)	1,608	100.70	UOBKH	5.35	(0.05)	3,234	5.24
PTTEP13C2507A	0.01	(0.01)	2,803	0.01	AMANAH	0.88	(0.03)	3,654	0.89	XPG	0.80	-	69,237	0.79
PTTEP13C2507B	0.01	(0.01)	5,600	0.01	ASAP	1.35	(0.01)	52	1.31	Food & Beverage	-	-	-	-
PTTEP13C2508A	0.18	(0.01)	74,340	0.19	ASK	6.70	(0.25)	6,269	6.80	AAI	4.42	-	79,357	4.49
PTTEP13C2509A	0.63	(0.04)	66,608	0.65	ASP	1.98	(0.01)	5,459	1.99	APURE	3.40	(0.04)	412	3.40
PTTEP13P2506A	-	-	-	-	BAM	6.20	(0.10)	116,606	6.21	ASIAN	7.00	-	16,407	6.95
PTTEP13P2510A	0.58	(0.01)	36,502	0.57	BAM01C2506A	-	-	-	-	BR	1.58	(0.02)	560	1.58
PTTEP19C2507A	-	-	-	-	BAM13C2506A	0.01	-	20,000	0.01	BR-W1	0.03	(0.01)	3,751	0.03
PTTEP19C2508A	-	-	-	-	BAM13C2509A	0.17	(0.02)	12,142	0.17	BRR	4.20	(0.02)	866	4.21
PTTEP19C2509A	0.27	(0.02)	67,040	0.28	BAM19C2506A	-	-	-	-	BRR-W2	0.14	-	3,549	0.13
PTTEP41C2507A	-	-	-	-	BAM19C2510A	0.24	(0.03)	44,797	0.24	BTG	22.80	0.40	35,705	22.64
PTTEP41C2604T	-	-	-	-	BAM41C2612T	0.33	(0.01)	62,624	0.33	CBG	57.00	(1.75)	33,724	56.96
PTTEP41C2609T	0.33	(0.04)	14,003	0.33	BYD	0.44	(0.06)	154,023	0.46	CBG01C2506A	-	-	-	-
PTTEP41P2506A	-	-	-	-	CGH	0.50	0.01	17,600	0.49	CBG01C2507A	-	-	-	-
PTTEP41P2509A	-	-	-	-	CGH-W5	-	-	-	-	CBG01C2508A	0.10	(0.02)	8,433	0.11
RATCH	25.75	0.25	10,738	25.60	CHASE	0.60	(0.01)	5,797	0.60	CBG01C2510A	0.44	(0.07)	20,023	0.44
RATCH19C2506A	-	-	-	-	CHASE-W1	0.22	-	7,429	0.22	CBG01P2506A	-	-	-	-
RPC	0.28	(0.01)	9,497	0.29	CHAYO	1.60	(0.03)	57,183	1.63	CBG01P2507A	0.30	0.05	29,448	0.29
SCG	2.00	(0.04)	60	2.01	CHAYO-W3	0.03	-	9,614	0.02	CBG01P2510A	0.67	0.05	12,001	0.66
SCN	0.40	(0.04)	3,368	0.40	CHAYO-W4	0.29	0.01	232,705	0.28	CBG13C2506A	-	-	-	-
SCN-W2	0.03	-	20,954	0.02	EAST	0.81	(0.04)	3,472	0.82	CBG13C2507A	-	-	-	-
SEAOL	2.44	0.04	469	2.44	FNS	1.03	(0.05)	361	1.03	CBG13C2508A	0.12	(0.05)	12,956	0.13
SGP	6.75	(0.10)	557	6.74	FSX	0.99	(0.03)	439	0.99	CBG13C2509A	0.33	(0.06)	32,704	0.34
SKE	0.21	(0.02)	12,754	0.22	GBX	0.45	(0.01)	307	0.45	CBG19C2506A	-	-	-	-
SKE-W1	0.04	0.01	3,712	0.03	HENG	0.98	-	13,794	0.98	CBG19C2506B	-	-	-	-
SPCG	8.05	0.10	2,724	8.00	IFS	1.81	(0.02)	996	1.79	CBG19C2508A	0.06	(0.02)	10	0.06
SPRC	5.50	(0.20)	100,177	5.56	JMT	8.90	(0.35)	154,384	9.01	CBG19C2510A	0.26	(0.04)	30,907	0.26
SPRC13C2506A	0.02	0.01	350	0.02	JMT13C2506A	-	-	-	-	CBG19P2507A	0.28	0.03	23,381	0.27
SPRC13C2508A	0.19	(0.01)	81,118	0.19	JMT13C2507A	-	-	-	-	CBG41C2608T	0.17	(0.01)	4,700	0.18
SPRC19C2510A	0.27	(0.02)	46,792	0.27	JMT13C2509A	0.03	(0.01)	6,244	0.03	CFRESH	0.87	(0.07)	4,368	0.89
SPRC41C2606T	0.20	(0.01)	4,500	0.20	JMT13C2509B	0.08	(0.02)	7,282	0.08	CH	1.93	0.03	2,203	1.89
SSP	4.70	0.04	7,350	4.69	JMT13C2510A	0.34	(0.07)	90,177	0.37	CHAO	5.70	(0.10)	8,691	5.75
SUPER	0.16	(0.01)	65,499	0.16	JMT19C2506A	-	-	-	-	CHOTI	63.25	(0.75)	7	63.29
SUPEREIF	4.96	(0.04)	863	4.97	JMT19C2507A	0.01	-	10	0.01	CM	1.65	(0.02)	161	1.64
SUSCO	2.70	(0.02)	2,267	2.71	JMT19C2509A	0.05	-	35	0.05	COCOCO	6.10	0.05	31,263	6.15
TAE	0.62	(0.01)	222	0.62	JMT19C2510A	0.10	(0.02)	29,940	0.11	COCOCO19C2506A	-	-	-	-
TCC	0.33	-	7,778	0.32	JMT19C2510B	0.35	(0.07)	91,101	0.37	CPF	25.00	0.50	501,161	25.11
TCC-W5	0.18	-	1,634	0.17	JMT41C2608T	0.10	(0.01)	170	0.10	CPF01C2508A	0.57	0.02	1,092	0.57
TGE	1.49	(0.01)	2,087	1.48	KCAR	4.54	(0.02)	222	4.55	CPF01C2509A	0.16	0.01	16,570	0.16
TGE-W2	0.11	(0.01)	9,613	0.11	KGI	3.72	(0.10)	27,849	3.73	CPF01P2512A	0.38	(0.03)	4,547	0.38
TOP	29.75	-	171,637	29.56	KTC	37.25	(1.25)	234,204	37.49	CPF13C2506A	-	-	-	-
TOP01C2506A	-	-	-	-	KTC01C2507A	-	-	-	-	CPF13C2508A	0.10	0.01	85,221	0.10
TOP01C2507A	0.65	(0.05)	65	0.57	KTC01C2508A	-	-	-	-	CPF19C2509A	0.17	0.02	3,778	0.17
TOP01C2508A	0.23	(0.01)	32,974	0.22	KTC13C2506A	-	-	-	-	CPF19C2509B	0.16	0.02	214	0.16
TOP01P2506A	0.01	-	650	0.01	KTC13C2509A	0.04	(0.02)	8,642	0.04	CPF41C2609T	0.26	0.01	12,004	0.27
TOP01P2508A	0.05	(0.01)	844	0.05	KTC13C2509B	0.13	(0.03)	259,225	0.14	CPF41C2612T	0.63	(0.10)	17,002	0.64
TOP13C2506A	-	-	-	-	KTC19C2507A	-	-	-	-	CPI	2.68	0.04	5,102	2.68
TOP13C2507A	0.13	(0.01)	48,884	0.12	KTC19C2510A	0.17	(0.05)	611,215	0.18	F&D	59.75	-	77	59.53
TOP13C2509A	0.33	(0.01)	100,659	0.32	KTC41C2606T	0.10	(0.02)	38,331	0.10	FM	4.26	(0.06)	29,826	4.25
TOP13P2508A	0.04	(0.01)	51	0.04	MFC	29.50	-	914	29.50	GLOCON	0.15	(0.01)	3,634	0.15
TOP19C2508A	0.26	(0.02)	17,398	0.25	MICRO	0.87	(0.02)	617	0.88	HTC	15.70	(0.10)	2,314	15.74
TOP19C2510A	0.22	(0.02)	135,781	0.22	ML	0.40	0.01	400	0.39	ICHI	9.75	(0.45)	202,776	9.68
TOP41C2506B	0.01	-	200	0.01	MST	7.35	(0.25)	255	7.41	ITC	11.80	(0.20)	87,775	11.77
TOP41C2609T	0.55	(0.01)	60,410	0.54	MTC	40.25	(1.50)	48,941	40.52	ITC01C2506A	-	-	-	-
TPIPP	2.20	(0.04)	9,063	2.21	MTC01C2506A	-	-	-	-	ITC01C2606T	0.17	(0.01)	11,488	0.17
TSE	0.37	0.01	5,091	0.36	MTC01C2508A	0.17	(0.06)	54,210	0.20	ITC13C2506A	-	-	-	-
TTW	8.70	-	12,524	8.74	MTC01P2506A	-	-	-	-	ITC13C2508A	0.04	(0.02)	10	0.04
UBE	0.54	(0.01)	7,083	0.54	MTC01P2510A	0.55	(0.04)	15,893	0.53	ITC13C2509A	0.15	(0.02)	51,511	0.15
WHAUP	3.16	(0.06)	11,455	3.20	MTC13C2506A	-	-	-	-	ITC19C2506A	-	-	-	-
WP	3.36	(0.08)	560	3.36	MTC13C2508A	0.12	(0.05)	19,865	0.13	ITC41C2612T	0.17	(0.01)	1	0.17
Media & Publishing	-	-	-	-	MTC13P2506A	-	-	-	-	JDF	1.81	(0.02)	634	1.82
AMARIN	1.92	(0.07)	1,029	1.91	MTC13P2509A	0.35	0.03	11,655	0.34	KBS	5.30	-	2,982	5.35
AQUA	0.16	(0.01)	122,809	0.16	MTC19C2506A	-	-	-	-	KCG	8.45	(0.05)	1,619	8.51
AS	2.24	(0.10)	7,777	2.27	MTC19C2508A	0.10	(0.03)	6,846	0.11	KSL	1.47	(0.01)	2,586	1.47
BEC	3.86	(0.02)	1,819	3.86										

## Main Board Quotation

Issue Date :

Wednesday June 04, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP13C2508A	0.31	0.01	1	0.31	PHG	13.60	(0.40)	1,273	13.56	AJ	2.46	(0.02)	5,081	2.47
OSP13C2510A	0.23	(0.02)	59,538	0.25	PR9	24.40	0.30	47,082	24.32	ALUCON	173.00	1.50	5	173.00
OSP19C2506A	0.01	-	5,532	0.01	PR901C2507A	0.12	0.01	28,445	0.12	BGC	4.96	(0.02)	403	4.95
OSP19C2506B	-	-	-	-	PR913C2506A	-	-	-	-	CSC	44.00	(0.25)	1	44.00
OSP19C2506C	-	-	-	-	PR919C2506A	-	-	-	-	CSC-P	-	-	-	-
OSP19C2509A	0.32	(0.02)	70,286	0.34	PR941C2609T	0.46	0.01	88,652	0.46	CSC-Q	-	-	-	-
OSP41C2606T	0.17	(0.01)	60,502	0.18	PRINC	1.99	(0.01)	1,691	1.99	NEP	0.22	-	300	0.22
PB	51.50	(0.50)	31	51.37	RAM	18.30	(0.10)	230	18.33	PJW	2.22	(0.02)	2,059	2.20
PLUS	3.08	0.10	1,737	3.08	RJH	12.00	(0.20)	3,382	12.07	PTL	10.20	-	3,240	10.20
PM	10.90	(0.40)	5,127	11.11	RPH	5.10	-	4,096	5.09	SCGP	16.40	(0.10)	144,290	16.24
PQS	2.34	(0.08)	1,974	2.36	SAFE	7.90	(0.20)	225	7.87	SCGP01C2506A	0.01	-	26	0.01
PRG	7.00	(0.05)	1,320	7.01	SKR	6.60	-	2,605	6.59	SCGP01C2507A	0.06	(0.02)	8,002	0.04
PRG-W3	-	-	-	-	THG	8.85	(0.40)	5,625	8.92	SCGP01C2508A	0.30	-	69,732	0.28
PRG-W4	2.00	-	1	2.00	VIBHA	1.50	(0.03)	10,280	1.52	SCGP01C2511A	0.35	(0.65)	34,158	0.34
PRG-W5	1.61	(0.39)	1	1.61	VIBHA-W4	-	-	-	-	SCGP01P2507A	0.06	-	11,806	0.06
RBF	4.16	(0.20)	20,431	4.23	VIH	6.95	(0.20)	3,945	6.97	SCGP13C2506A	-	-	-	-
RBF13C2507A	-	-	-	-	VIH-W1	0.61	(0.07)	32	0.62	SCGP13C2506B	-	-	-	-
RBF19C2508A	-	-	-	-	WPH	8.75	(0.15)	2,012	8.78	SCGP13C2507A	0.14	(0.03)	71,047	0.13
SAPPE	28.25	(1.00)	9,853	28.66	Tourism & Leisu	-	-	-	-	SCGP13C2508A	0.43	(0.18)	1	0.43
SAPPE13C2507A	-	-	-	-	ASIA	5.05	(0.05)	5	5.05	SCGP13C2510A	0.27	(0.02)	154,016	0.26
SAPPE19C2508A	0.06	(0.01)	3,727	0.06	BEYOND	6.60	-	95	6.53	SCGP13P2506A	-	-	-	-
SAUCE	38.25	-	44	38.30	CENTEL	22.50	0.90	89,269	22.47	SCGP19C2506A	-	-	-	-
SNNP	10.30	(0.20)	6,254	10.25	CENTEL01C250E	-	-	-	-	SCGP19C2506B	-	-	-	-
SNP	9.85	(0.10)	1,315	9.90	CENTEL13C250E	-	-	-	-	SCGP19C2507A	-	-	-	-
SORKON	4.26	(0.06)	827	4.28	CENTEL13C250E	-	-	-	-	SCGP19C2510A	0.30	(0.02)	182,550	0.30
SSF	-	-	-	-	CENTEL13C251C	0.59	0.10	47,503	0.58	SCGP41C2606T	0.24	(0.01)	57,000	0.23
SST	1.83	(0.01)	1	1.83	CENTEL19C250E	0.01	-	56,001	0.01	SCGP41C2609T	0.45	-	86,300	0.44
SUN	3.10	(0.06)	1,499	3.12	CENTEL19C250E	0.03	-	249	0.03	SFLEX	2.94	0.02	17,551	2.88
TC	5.30	-	583	5.25	CENTEL41C260E	0.11	0.03	3,000	0.11	SFLEX-W2	0.03	(0.01)	2,676	0.03
TFG	4.90	(0.20)	140,502	4.94	CSR	-	-	-	-	SITHAI	1.07	-	845	1.07
TFG-W4	1.04	(0.03)	6,598	1.03	DUSIT	7.25	(0.15)	1,414	7.29	SLP	0.39	(0.02)	5,814	0.40
TFMAMA	194.00	(0.50)	31	194.24	ERW	2.04	(0.06)	163,720	2.08	SMPC	8.70	-	475	8.63
TIPCO	9.05	(0.10)	220	9.09	ERW01C2507A	0.01	-	745	0.01	SPACK	1.28	0.02	144	1.26
TKN	5.60	(0.50)	98,275	5.68	ERW13C2507A	-	-	-	-	TCOAT	-	-	-	-
TU	10.00	-	154,790	9.98	ERW13C2508A	0.01	-	680	0.01	TFI	0.05	-	13,038	0.04
TU01C2506A	0.01	-	1,638	0.01	ERW13C2510A	0.17	(0.02)	26,073	0.17	TFI-W1	-	-	-	-
TU01C2508A	-	-	-	-	ERW19C2506A	-	-	-	-	THIP	24.90	-	48	24.91
TU01C2512A	0.18	0.01	14,352	0.18	ERW19C2508A	-	-	-	-	TMD	25.00	-	3	24.90
TU13C2508A	-	-	-	-	ERW41C2606T	-	-	-	-	TOPP	-	-	-	-
TU13C2509A	0.13	-	16,992	0.13	ERW41C2611T	0.30	-	57,114	0.30	TPAC	7.80	(0.05)	353	7.80
TU19C2506A	-	-	-	-	GRAND	0.05	0.01	19,886	0.04	TPBI	3.02	(0.06)	7,436	3.00
TU41C2506A	-	-	-	-	LRH	33.75	(2.75)	421	34.43	TPP	-	-	-	-
TU41C2609T	0.15	-	8,000	0.15	MANRIN	-	-	-	-	Personal Products	-	-	-	-
TVO	21.70	(0.80)	15,132	21.90	MINT	25.00	0.20	163,231	25.13	APCO	3.36	0.02	1,278	3.34
TWPC	2.20	0.02	1,091	2.18	MINT01C2506A	-	-	-	-	BIZ	3.24	(0.02)	315	3.26
XBIO	0.17	-	244,822	0.18	MINT01C2507A	-	-	-	-	BLC	4.30	(0.06)	12,161	4.31
XBIO-W6	0.06	(0.01)	32,586	0.07	MINT01C2606T	0.25	-	8,763	0.25	DDD	6.30	(0.25)	339	6.39
XBIO-W7	0.33	0.01	349,918	0.33	MINT13C2506A	-	-	-	-	IP	3.02	(0.12)	4,214	3.07
ZEN	5.35	0.05	15	5.38	MINT13C2506B	-	-	-	-	IP-W2	-	-	-	-
Health Care Services	-	-	-	-	MINT13C2509A	0.41	-	1	0.41	JCT	79.50	1.50	2	79.75
AHC	13.70	(0.30)	49	13.84	MINT13C2509B	0.13	0.01	14,278	0.13	KISS	3.40	(0.08)	3,544	3.44
BCH	13.50	(0.20)	54,324	13.58	MINT19C2506A	0.01	-	1,000	0.01	NAM	4.30	(0.04)	1,120	4.33
BCH01C2508A	-	-	-	-	MINT19C2508A	0.05	(0.01)	3,000	0.05	NEO	26.75	(0.75)	2,732	27.21
BCH13C2507A	-	-	-	-	MINT41C2604T	-	-	-	-	NV	0.67	(0.02)	3,158	0.68
BCH13C2508A	0.08	(0.01)	15,710	0.08	MINT41C2612T	0.20	0.01	18,000	0.20	OCC	11.80	1.00	1	11.80
BCH13C2510A	0.29	(0.03)	40,201	0.31	OHTL	308.00	(4.00)	8	300.63	S&J	33.00	2.00	27	33.00
BCH19C2508A	-	-	-	-	ROH	1.21	(0.50)	2,613	1.29	SNPS	5.15	-	11,767	5.12
BCH19C2510A	0.24	(0.76)	48,144	0.27	SHANG	-	-	-	-	STGT	6.35	(0.15)	44,062	6.42
BCH41C2506A	-	-	-	-	SHR	1.51	(0.04)	18,464	1.52	STGT01C2510A	0.23	(0.02)	17,091	0.24
BCH41C2609T	0.26	(0.02)	27,000	0.27	SPA	3.00	(0.02)	16,462	2.98	STGT13C2506A	-	-	-	-
BDMS	21.30	(0.20)	552,169	21.40	VRANDA	4.36	(0.02)	619	4.35	STGT13C2508A	0.08	(0.02)	3,809	0.08
BDMS01C2506A	-	-	-	-	Home & Office P	-	-	-	-	STGT13C2510A	0.22	(0.78)	20,238	0.25
BDMS01C2508A	-	-	-	-	AJA	0.13	0.02	581,596	0.12	STGT19C2509A	0.19	(0.02)	26,344	0.19
BDMS01C2509A	0.16	(0.01)	13,557	0.16	DTCI	-	-	-	-	STGT41C2606T	0.12	(0.01)	1,000	0.12
BDMS13C2508A	0.06	(0.01)	2,055	0.06	FANCY	0.32	(0.01)	241	0.32	TMAN	11.10	-	1,860	10.93
BDMS13C2510A	0.26	(0.03)	16,778	0.27	FTI	1.89	0.01	4,671	1.89	TNR	7.20	-	1,047	7.19
BDMS19C2508A	0.07	(0.01)	903	0.07	KYE	320.00	-	10	319.80	TOG	7.30	0.20	1,065	7.13
BDMS41C2609T	0.14	(0.01)	1	0.14	L&E	1.12	(0.08)	854	1.14	Professional Service	-	-	-	-
BH	140.50	0.50	84,334	140.24	MODERN	2.00	(0.06)	65	2.00	BWG	0.21	(0.01)	179,392	0.22
BH-P	-	-	-	-	OGC	-	-	-	-	BWG-W6	0.01	-	165	0.01
BH-Q	-	-	-	-	ROCK	10.00	(0.70)	30	9.95	GENCO	0.25	-	2,800	0.24
BH01C2506A	-	-	-	-	SIAM	0.69	0.01	516	0.67	PRTR	3.26	0.04	986	3.23
BH01C2507A	0.02	(0.01)	4	0.01	TCMC	0.39	(0.01)	1,235	0.40	SISB	14.70	(0.10)	37,508	14.58
BH01C2510A	0.20	(0.01)	80,570	0.20	TSR	0.14	(0.01)	1,553	0.15	SISB13C2506A	-	-	-	-
BH01P2507A	0.37	(0.03)	67,037	0.37	TSR-W2	-	-	-	-	SISB13C2506B	-	-	-	-
BH01P2511A	0.79	(0.21)	19,190	0.79	Insurance	-	-	-	-	SISB13C2508A	0.06	(0.01)	113	0.06
BH13C2506A	0.01	-	500	0.01	AYUD	32.00	-	111	32.03	SISB19C2507A	-	-	-	-
BH13C2508A	0.05	-	28,561	0.05	BKIH	282.00	1.00	211	281.91	SO	4.16	(0.22)	275	4.20
BH13C2510A	0.21	(0.01)	215,123	0.21	BLA	15.70	(0.70)	31,202	15.90	WAVE	0.03	(0.01)	404,403	0.03
BH13P2510A	0.76	(0.02)	123,261	0.77	BLA01C2508A	0.02	(0.03)	501	0.02	WAVE-W3	-	-	-	-
BH19C2506A	-	-	-	-	BLA13C2507A	-	-	-	-	WAVE-W4	0.02	-	58	0.02
BH19C2506B	0.01	(0.01)	6	0.01	BLA13C2510A	0.17	(0.04)	41,468	0.19	Property Developer	-	-	-	-
BH19C2508A	0.03	(0.01)	36,218	0.03	BLA19C2506A	-	-	-	-	A	4.86	-	1	4.86
BH19C2509A	0.15	(0.01)	58,758	0.16	BLA41C2606T	0.17	(0.02)	15,900	0.18	A5	2.16	(0.06)	1,103	2.23
BH19C2510A	0.31	(0.01)	204,228	0.31	BUI	13.00	(0.60)	559	13.15	A5-W4	0.03	-	96	0.02
BH19P2510A	0.70	(0.03)	83,997	0.71	CHARAN	14.60	(0.20)	40	14.86	A5-W5	0.12	-	65,326	0.12
BH41C2605T	-	-	-	-	INSURE	78.25	(1.75)	2	78.25	AKS	0.04	-	91,022	0.04
BH41C2609T	0.15	-	21,035	0.14	KWI	0.10	(0.20)	130,130	0.12	AMATA	14.10	(0.40)	126,803	14.18
BH41C2611T	0.40	-	193,700	0.39	MTI	14.10	(1.10)	14,820	14.56	AMATA01C2507A	-	-	-	-
BH41P2508A	0.50	0.01	38,000	0.52	NKI	20.00	-	110	20.00	AMATA01C2508A	-	-	-	-
BKGI	1.47	(0.02)	4,250	1.48	TGH	11.30	-	1	11.30	AMATA01C2509A	0.43	(0.03)	23,330	0.43
CHG	1.59	0.03	255,806	1.59	THRE	0.40	(0.02)	2,794	0.40	AMATA13C2506A	-	-	-	-</

## Main Board Quotation

Issue Date :

Wednesday June 04, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP	6.70	(0.10)	63,186	6.66	WHA13C2508B	0.43	(0.04)	44,122	0.43	ETL	0.74	(0.03)	6,997	0.74
AP01C2507A	-	-	-	-	WHA13C2509A	0.17	(0.03)	45,865	0.17	III	4.70	(0.02)	1,858	4.69
ASW	6.75	-	177	6.69	WHA19C2506A	-	-	-	-	KEX	1.46	-	6,921	1.46
AWC	1.91	(0.07)	820,565	1.93	WHA19C2507A	-	-	-	-	KIAT	0.30	(0.01)	5,811	0.30
AWC01C2506A	-	-	-	-	WHA19C2509A	0.31	(0.05)	7,426	0.32	KWC	-	-	-	-
AWC01C2508A	-	-	-	-	WHA19C2510A	0.23	(0.03)	30,937	0.24	MENA	0.88	(0.01)	2,893	0.88
AWC01C2510A	0.19	(0.04)	20,696	0.20	WHA41C2605T	-	-	-	-	NYT	2.94	(0.02)	8,408	2.96
AWC01C2606T	0.20	(0.01)	26,071	0.20	WHA41C2608T	0.14	(0.01)	22,500	0.14	PORT	0.77	(0.02)	956	0.77
AWC13C2506A	-	-	-	-	WIN	0.40	-	3,280	0.38	PRM	5.75	0.15	109,746	5.66
AWC13C2508A	0.01	-	300	0.01	Paper & Printing	-	-	-	-	PSL	6.35	(0.10)	25,811	6.39
AWC13C2509A	0.09	(0.03)	71,063	0.10	UTP	7.75	-	794	7.77	RCL	27.00	0.75	39,513	27.01
AWC19C2506A	-	-	-	-	Fashion	-	-	-	-	RCL01C2507A	0.14	0.02	31,241	0.14
AWC19C2510A	0.11	(0.02)	31,185	0.12	AFC	3.68	0.08	102	3.68	RCL01C2510A	0.20	0.01	10,017	0.20
AWC41C2606T	0.03	(0.01)	130	0.03	AURA	14.60	(0.30)	16,740	14.79	RCL13C2506A	0.01	-	1,180	0.01
AWC41C2609T	0.20	-	24,500	0.20	BTNC	12.00	0.80	75	12.62	RCL13C2507A	0.44	(0.11)	1	0.44
BLAND	0.48	-	81,833	0.48	CPH	7.20	(0.50)	440	7.31	RCL13C2509A	0.22	0.02	63,427	0.22
BRI	1.55	(0.01)	1,296	1.55	CPL	0.73	(0.05)	2,303	0.75	RCL19C2507A	0.14	0.02	16,070	0.14
BROCK	1.35	(0.15)	132	1.36	NC	2.18	(0.04)	179	2.21	RCL41C2608T	0.51	0.02	11,530	0.51
CGD	0.16	-	1,679	0.16	PAF	0.79	(0.03)	1,111	0.80	SAV	14.40	(0.60)	3,348	14.55
CI	0.30	(0.01)	1,540	0.31	PDJ	1.51	0.01	15	1.51	SINO	0.98	(0.08)	17,465	1.00
CMC	0.75	(0.05)	121	0.75	PG	7.35	(0.20)	2	7.35	SJWD	8.60	-	41,990	8.62
CPN	46.00	0.50	124,140	45.77	SABINA	16.10	(0.20)	4,676	16.09	TFFIF	5.90	(0.05)	19,118	5.90
CPN01C2506A	-	-	-	-	SAWANG	8.05	-	1	8.05	THAI	-	-	-	-
CPN01C2606T	0.18	-	15,474	0.18	SUC	29.50	(0.25)	57	29.51	TSTE	12.00	-	47	11.99
CPN13C2507A	-	-	-	-	TR	30.00	-	1	30.00	TTA	4.12	(0.06)	17,265	4.13
CPN13C2510A	0.24	-	103,375	0.24	TTI	-	-	-	-	WICE	3.00	(0.20)	25,746	3.03
CPN19C2508A	-	-	-	-	TTT	-	-	-	-	Automotive	-	-	-	-
CPN41C2608T	0.23	0.01	32,992	0.23	UPF	26.75	(0.25)	1	26.75	ACG	0.72	-	14	0.71
ESTAR	0.19	-	1,432	0.19	WACOAL	19.00	(2.00)	4	19.08	AH	13.80	0.20	712	13.71
EVER	0.07	-	3,704	0.06	WFX	0.80	(0.04)	259	0.81	CWT	0.66	(0.03)	7,046	0.65
FPT	7.00	0.10	66	6.88	Transportation &	-	-	-	-	EASON	1.19	(0.01)	6,631	1.19
GLAND	0.74	(0.24)	2,850	0.80	AAV	1.16	(0.02)	317,713	1.17	GYT	179.00	(2.50)	6	180.67
J	0.74	(0.01)	3,401	0.73	AAV13C2506A	0.01	-	110	0.01	HFT	3.82	0.02	3,266	3.82
J-W3	0.08	-	6,367	0.08	AAV13C2508A	0.02	(0.01)	71,202	0.02	IHL	1.55	(0.02)	55	1.55
J-W4	0.17	(0.03)	730	0.19	AAV13C2509A	0.10	(0.02)	40,610	0.10	INGRS	0.28	-	5,827	0.28
JCK	0.17	-	56,575	0.16	AAV19C2507A	-	-	-	-	IRC	11.20	-	105	11.08
KC	0.06	0.01	29,168	0.05	AAV19C2510A	0.19	(0.02)	51,295	0.19	MGC	3.06	-	238	3.05
KUN	1.19	-	29	1.16	AAV41C2608T	0.04	(0.01)	1,000	0.04	NEX	0.83	(0.08)	336,471	0.86
KUN-W2	0.01	-	2	0.01	ANI	3.72	(0.02)	2,797	3.71	PCSGH	3.20	-	20,496	3.20
KUN-W3	0.03	-	399	0.03	AOT	32.75	(0.50)	267,035	32.78	POLY	6.85	0.20	33	6.70
LALIN	4.90	(0.02)	267	4.90	AOT01C2506A	0.01	-	15,229	0.01	SAT	12.00	(0.20)	10,082	12.14
LH	3.90	(0.12)	234,509	3.93	AOT01C2507A	0.01	-	5,066	0.01	SPG	-	-	-	-
LH19C2510A	0.26	(0.03)	4,974	0.28	AOT01C2507B	0.02	0.01	251	0.02	STANLY	201.00	(3.00)	284	201.98
LPN	1.98	(0.01)	2,914	1.97	AOT01C2509A	0.07	(0.01)	2,330	0.07	TKT	1.19	(0.08)	523	1.23
MBK	16.50	(0.90)	20,301	16.76	AOT01C2511A	0.19	(0.01)	33,963	0.19	TNPC	0.83	(0.02)	346	0.82
MBK19C2508A	-	-	-	-	AOT01C2606T	0.12	-	28,540	0.12	TRU	3.24	(0.02)	291	3.23
MJD	0.48	-	863	0.44	AOT01P2507A	2.02	0.04	361	2.00	TSC	13.00	(0.10)	346	13.00
MK	1.37	-	26,580	1.35	AOT01P2507B	0.52	0.01	9,260	0.52	Industrial Materials	-	-	-	-
NCH	0.58	(0.02)	2,212	0.59	AOT01P2510A	0.40	0.01	46,864	0.40	AKR	0.95	(0.02)	59,609	0.96
NNCL	1.51	0.01	160	1.50	AOT11C2507A	-	-	-	-	ALLA	1.24	-	4,494	1.24
NOBLE	1.74	(0.01)	5,482	1.73	AOT13C2506A	-	-	-	-	ASEFA	3.38	0.02	3,556	3.37
NOBLE-W3	0.09	-	154,032	0.09	AOT13C2507A	-	-	-	-	CPT	0.95	(0.01)	1,239	0.96
NVD	1.01	0.01	112	1.00	AOT13C2507B	0.01	-	2,200	0.01	CRANE	0.39	-	1,916	0.39
ORI	1.68	(0.06)	86,473	1.69	AOT13C2507C	-	-	-	-	CTW	-	-	-	-
ORI-W2	0.18	(0.02)	196,219	0.18	AOT13C2508A	0.02	(0.01)	665	0.02	FMT	-	-	-	-
ORN	0.70	(0.01)	7,101	0.71	AOT13C2509A	0.06	(0.01)	5,378	0.06	FTE	1.56	(0.01)	2,152	1.56
PEACE	2.18	(0.08)	193	2.13	AOT13C2509B	0.12	(0.01)	1,480	0.12	HTECH	2.64	(0.02)	4,844	2.63
PF	0.11	-	1,320	0.11	AOT13P2507A	-	-	-	-	KKC	-	-	-	-
PIN	4.92	(0.02)	17,374	4.92	AOT13P2507B	0.22	(0.01)	45,090	0.22	PCC	2.52	-	1,924	2.50
PLAT	1.07	(0.02)	11,074	1.08	AOT19C2506A	-	-	-	-	PK	0.59	(0.03)	10,409	0.61
PRECHA	0.64	-	164	0.64	AOT19C2507A	-	-	-	-	PSP	4.48	-	16,255	4.41
PRIN	1.52	(0.01)	2	1.52	AOT19C2507B	-	-	-	-	QTC	3.58	(0.02)	163	3.57
PROUD	1.29	(0.06)	2,389	1.35	AOT19C2508A	-	-	-	-	SCI	0.88	0.04	366	0.86
PROUD-W3	0.20	0.20	538,491	0.20	AOT19C2509A	0.10	(0.01)	26,517	0.10	SE	0.40	(0.01)	593	0.40
PSH	4.34	(0.04)	4,355	4.33	AOT19C2510A	0.21	(0.02)	54,375	0.21	SELIC	2.62	0.04	43	2.64
QH	1.39	(0.04)	88,379	1.41	AOT19P2507A	-	-	-	-	SNC	6.35	(0.20)	2,622	6.37
RABBIT	0.36	(0.01)	58,529	0.37	AOT41C2507A	0.01	(0.02)	1,500	0.01	TCJ	2.82	(0.04)	2	2.82
RABBIT-P	0.44	(0.02)	2,961	0.45	AOT41C2605T	-	-	-	-	TPCS	12.40	(0.10)	2	12.25
RABBIT-Q	-	-	-	-	AOT41C2609T	0.15	(0.02)	5,954	0.15	VARO	5.00	-	38	5.00
RICHY	0.37	0.01	54	0.36	AOT41P2509A	0.41	0.02	30,001	0.42	Property Fund & REI	-	-	-	-
RML	0.15	-	1,608	0.15	AOT41P2606T	-	-	-	-	AIMCG	1.96	0.01	174	1.96
ROJNA	4.50	(0.06)	11,670	4.53	ASIMAR	1.40	0.05	330	1.43	AIMIRT	9.70	-	1,169	9.65
S	0.58	-	23,772	0.58	B	0.04	-	64,315	0.04	ALLY	4.54	(0.06)	1,703	4.56
SA	7.40	-	167	7.38	B-W8	0.01	-	10,000	0.01	AMATAR	6.00	-	8	6.04
SA-W1	0.01	-	767	0.01	BA	13.40	(0.50)	65,458	13.60	AXTRART	12.00	(0.40)	12,718	12.17
SAMCO	0.66	(0.02)	1,259	0.66	BA01C2508A	-	-	-	-	B-WORK	4.50	-	4,367	4.47
SC	1.67	0.04	78,174	1.65	BA13C2506A	-	-	-	-	BAREIT	9.35	-	805	9.34
SENA	1.70	(0.03)	2,410	1.70	BA13C2510A	0.21	(0.05)	96,303	0.23	BOFFICE	4.80	(0.04)	9,863	4.79
SIRI	1.32	(0.02)	229,738	1.32	BA19C2507A	-	-	-	-	CPNCG	5.90	-	928	5.91
SIRI13C2508A	-	-	-	-	BA41C2606T	0.05	-	1,000	0.05	CPNREIT	11.90	(0.20)	22,412	11.89
SIRI19C2508A	-	-	-	-	BEM	5.35	-	933,095	5.28	CPTREIT	4.72	(0.02)	381	4.69
SIRI41C2606T	0.14	0.01	2,000	0.14	BEM01C2511A	0.21	(0.79)	32,505	0.20	CTARAF	4.68	0.04	529	4.64
SPALI	14.20	(0.30)	50,126	14.32	BEM13C2506A	-	-	-	-	DREIT	4.88	(0.02)	213	4.88
SPALI13C2507A	0.01	-	150,512	0.01	BEM13C2508A	0.04	(0.01)	1,754	0.04	FTREIT	9.60	(0.15)	15,207	9.71
SPALI13C2509A	0.21	-	3,048	0.21	BEM19C2510A	0.12	(0.01)	39,447	0.11	FUTURET	9.30	(0.10)	158	9.36
SPALI19C2509A	0.12	0.01	500	0.12	BEM41C2606T	0.07	(0.03)	60	0.07	GAHREIT	6.40	(0.05)	4	6.44
SPALI19C2510A	0.26	0.01	1,000	0.26	BTS	4.60	0.14	939,067	4.53	GROREIT	8.55	(0.05)	2,261	8.60
SPAL41C2609T	0.20	-	1,500	0.20	BTS-W8	0.02	-	58,595	0.02	GVREIT	6.70	-	1,104	6.66
STELLA	0.19	-	28,588	0.19	BTS01C2507A	-	-	-	-	HPF	4.68	(0.06)	346	4.70
STELLA-W5	-	-	-	-	BTS01C2508A	0.02	-	10,000	0.02	HYDROGEN	8.65	(0.05)	20	8.65
STELLA-W6	0.06	(0.02)	13	0.06	BTS01C2509A	0.31	0.03	40,436	0.30	IMPACT	10.00	(0.20)	9,132	10.04
UV	0.93	-	975											

## Main Board Quotation

Issue Date :

Wednesday June 04, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MJLF	4.22	-	2,236	4.24	BABA28C2506B	-	-	-	-	HSI28P2505F	-	-	-	-
MNIT	1.80	0.02	77	1.79	BABA28C2506C	0.17	(0.12)	2	0.18	HSI28P2505G	-	-	-	-
MNIT2	4.84	-	27	4.84	BABA28C2508A	0.29	(0.09)	302	0.28	HSI28P2506A	0.01	-	600	0.01
MNRF	2.04	(0.02)	23	2.06	BABA28C2509A	0.09	-	202	0.09	HSI28P2506B	0.04	-	2,595	0.04
POPF	5.65	0.05	5,761	5.59	BABA28P2507A	0.62	(0.10)	4	0.62	HSI28P2506C	0.01	(0.01)	6	0.01
PROSPECT	7.50	(0.10)	1,416	7.54	BABA28P2509A	0.15	(0.01)	59	0.13	HSI28P2506D	0.03	(0.06)	518	0.03
QHBREIT	3.34	(0.10)	3,885	3.36	BABA41C2505A	-	-	-	-	HSI28P2506E	0.19	(0.13)	350,852	0.19
QHHRREIT	6.55	(0.05)	89	6.51	BABA41C2506A	-	-	-	-	HSI28P2506F	0.06	(0.07)	13,353	0.06
QHOP	-	-	-	-	BABA41C2507A	0.29	0.02	12,526	0.30	HSI28P2507A	0.18	(0.08)	3,876	0.18
SIRIPRT	-	-	-	-	BABA41C2509A	0.30	-	14,017	0.30	HSI28P2507B	-	-	-	-
SRIME	3.74	0.02	464	3.71	BABA41P2506A	-	-	-	-	HSI28P2507C	0.07	(0.05)	25	0.07
SRIPANWA	4.64	(0.14)	289	4.73	BABA41P2507A	0.78	(0.06)	17,195	0.77	HSI28P2507D	-	-	-	-
SSPF	3.70	0.10	8	3.70	BIDU41C2506A	0.14	0.05	153	0.14	HSI28P2507E	0.39	(0.12)	263,004	0.40
SSTRT	4.34	(0.04)	76	4.36	BIDU41C2509A	0.30	0.03	333	0.30	HSI28P2507F	0.62	(0.20)	290,725	0.62
TIFI	6.70	(0.10)	237	6.69	BIDU41P2507A	0.42	(0.06)	2,000	0.42	HSI28P2507G	0.21	(0.07)	122,586	0.20
TLHPF	4.62	(0.10)	44	4.68	BYDCOM28C250	1.49	0.24	7	1.48	HSI28P2507H	-	-	-	-
TNPF	-	-	-	-	BYDCOM28C251	0.43	0.06	101	0.45	HSI28P2508A	0.27	(0.07)	654	0.27
TPRIME	7.00	-	53	6.89	BYDCOM28P251	0.15	(0.04)	5	0.15	HSI28P2508B	0.06	(0.02)	14,445	0.06
TTLPF	11.40	-	755	11.40	BYDCOM41C250	-	-	-	-	HSI28P2508C	0.09	(0.03)	10,000	0.09
TU-PF	-	-	-	-	BYDCOM41C250	-	-	-	-	HSI28P2509A	0.25	(0.06)	3,975	0.25
WHABT	7.00	0.15	367	6.98	BYDCOM41C250	0.20	0.04	14,362	0.19	HSI28P2509B	0.48	(0.10)	17,919	0.49
WHAIR	4.98	(0.17)	6,305	5.02	BYDCOM41P250	0.11	(0.04)	4,000	0.11	HSTECH28C2506A	-	-	-	-
WHART	9.65	(0.05)	8,599	9.61	DJI28C2506A	-	-	-	-	HSTECH28C2506B	-	-	-	-
Steel and Metal Prod					DJI28C2509A	-	-	-	-	HSTECH28C2506C	-	-	-	-
2S	2.34	-	1,530	2.34	DJI28C2509B	-	-	-	-	HSTECH28P2506A	-	-	-	-
AMC	2.04	(0.02)	14	2.03	DJI28P2506A	0.07	(0.10)	204	0.06	HSTECH28P2506B	-	-	-	-
BSBM	0.69	-	585	0.70	DJI41C2506A	-	-	-	-	HSTECH28P2506C	-	-	-	-
CEN	1.51	(0.03)	76	1.53	DJI41C2506B	0.20	-	18	0.20	JD41C2506A	-	-	-	-
CEN-W5	0.05	-	103	0.05	DJI41C2509A	0.74	0.05	15	0.74	JD41C2509A	0.29	(0.01)	12,079	0.31
CITY	1.48	0.08	100	1.41	DJI41P2506A	0.09	(0.04)	30	0.09	KUAI5H41C2506A	-	-	-	-
CSP	0.46	-	7	0.46	DJI41P2509A	0.55	(0.07)	233	0.56	KUAI5H41C2506B	-	-	-	-
GJS	0.13	-	15,188	0.12	GEELY41C2506A	-	-	-	-	KUAI5H41C2509A	0.43	(0.05)	14,012	0.43
GSTEEL	-	-	-	-	GEELY41C2509A	0.16	0.02	2,000	0.16	MCA5041C2506A	-	-	-	-
INOX	0.39	-	3,127	0.39	HSIO6C2505A	-	-	-	-	MCA5041C2509A	-	-	-	-
LHK	3.50	(0.04)	1,651	3.52	HSIO6C2505B	-	-	-	-	MCA5041P2506A	0.17	(0.03)	1	0.17
MCS	8.60	-	4,763	8.62	HSIO6C2505C	-	-	-	-	MCA5041P2509A	-	-	-	-
MILL	0.09	-	818	0.08	HSIO6C2505D	-	-	-	-	MEITUA28C2507A	-	-	-	-
PAP	1.95	0.05	1,221	1.95	HSIO6C2505E	-	-	-	-	MEITUA28C2509A	0.27	0.02	1,076	0.28
PERM	0.34	(0.03)	7,615	0.35	HSIO6C2505F	-	-	-	-	MEITUA41C2506A	-	-	-	-
SAM	0.15	-	1,950	0.15	HSIO6C2506A	0.48	0.06	314,043	0.47	MEITUA41C2507A	0.21	0.02	16,002	0.21
SMIT	3.70	-	380	3.72	HSIO6C2506B	-	-	-	-	MEITUA41P2509A	0.26	-	6,000	0.26
SSSC	2.06	-	2,650	2.06	HSIO6C2506C	0.14	0.02	303,997	0.13	NDX28C2506A	0.05	(0.06)	101	0.05
TGPRO	0.06	(0.01)	22,560	0.06	HSIO6C2506D	0.05	-	350	0.05	NDX28C2506B	0.61	(0.19)	800	0.61
THE	0.88	-	1,543	0.88	HSIO6C2506E	0.01	(0.01)	1	0.01	NDX28C2506C	-	-	-	-
TMT	3.18	-	181	3.17	HSIO6C2506F	-	-	-	-	NDX28C2509A	1.14	0.11	102	1.14
TSTH	0.66	(0.01)	11,915	0.66	HSIO6C2507A	0.11	0.01	24,359	0.11	NDX28C2509B	0.99	0.09	82	0.97
TWP	1.03	(0.05)	736	1.05	HSIO6C2507B	0.31	0.04	304,403	0.31	NDX28C2509C	0.72	(0.05)	2,002	0.72
TYCN	1.82	(0.03)	3	1.83	HSIO6C2507C	0.66	0.07	80,061	0.66	NDX28P2506A	-	-	-	-
Construction Service					HSIO6C2508A	0.36	0.04	29,138	0.36	NDX28P2509A	0.16	(0.04)	10	0.16
APCS	1.39	-	51	1.39	HSIO6C2508B	0.63	0.06	13,108	0.63	NDX28P2509B	-	-	-	-
BJCHI	0.85	(0.02)	916	0.85	HSIO6C2509A	0.46	0.06	23,583	0.46	NDX28P2509C	-	-	-	-
BKD	1.17	(0.03)	4,309	1.17	HSIO6P2505A	-	-	-	-	NDX41C2506A	0.05	(0.02)	1,663	0.05
CIVIL	1.36	(0.01)	1,026	1.36	HSIO6P2505B	-	-	-	-	NDX41C2506B	0.19	(0.07)	67	0.18
CK	14.20	(0.70)	36,346	14.33	HSIO6P2505C	-	-	-	-	NDX41C2506C	0.74	0.17	1	0.74
CNT	1.03	(0.03)	652	1.04	HSIO6P2505D	-	-	-	-	NDX41C2506D	1.83	(0.12)	1	1.83
DEMCO	1.76	(0.03)	1,091	1.77	HSIO6P2505E	-	-	-	-	NDX41C2509A	1.23	0.15	10,191	1.21
EMC	0.04	-	6,579	0.05	HSIO6P2505F	-	-	-	-	NDX41C2509B	0.70	0.10	12,005	0.70
EMC-W7	0.03	0.01	30,100	0.03	HSIO6P2506A	0.02	-	6	0.01	NDX41C2509C	2.68	0.18	105	2.68
ITD	0.31	0.01	51,094	0.30	HSIO6P2506B	-	-	-	-	NDX41P2506A	0.01	(0.02)	50	0.01
JR	1.75	0.03	953	1.72	HSIO6P2506C	0.02	(0.03)	6,000	0.02	NDX41P2506B	0.01	-	1,188	0.01
NL	0.90	(0.01)	113	0.89	HSIO6P2506D	0.04	(0.06)	680	0.04	NDX41P2509A	0.31	(0.05)	83,649	0.31
NWR	-	-	-	-	HSIO6P2506E	0.16	(0.10)	74,973	0.16	NDX41P2509B	1.77	(0.21)	641	1.80
PLE	0.25	0.01	4,343	0.24	HSIO6P2506F	0.43	(0.16)	300,757	0.44	NDX41P2509C	-	-	-	-
PREB	3.56	-	877	3.56	HSIO6P2507A	0.13	(0.05)	176,009	0.13	NIKKEI28C2506A	-	-	-	-
PYLON	2.12	0.02	6,365	2.15	HSIO6P2507B	-	-	-	-	NIKKEI28C2506B	-	-	-	-
RT	0.28	0.01	24,616	0.28	HSIO6P2507C	0.23	(0.09)	208,089	0.23	NIKKEI28C2506C	-	-	-	-
SEAFCO	2.02	-	4,647	2.03	HSIO6P2507D	0.50	(0.16)	30,632	0.49	NIKKEI28P2506A	-	-	-	-
SOLAR	0.22	(0.01)	5,883	0.22	HSIO6P2508A	0.29	(0.08)	31,823	0.30	NIKKEI28P2506B	-	-	-	-
SQ	0.72	(0.01)	3,031	0.71	HSIO6P2508B	0.14	(0.03)	6,000	0.14	NIKKEI28P2506C	-	-	-	-
SRICHA	7.45	0.15	5,917	7.42	HSIO6P2508C	0.56	(0.10)	12,046	0.55	NIKKEI41C2506A	-	-	-	-
STECON	7.40	-	87,456	7.37	HSIO6P2509A	0.20	(0.06)	43	0.20	NIKKEI41C2506B	-	-	-	-
STI	2.34	(0.06)	1	2.34	HSIO6P2509B	0.41	(0.11)	19,280	0.41	NIKKEI41C2509A	0.36	(0.02)	2,578	0.36
STPI	3.30	0.18	85,121	3.25	HSI28C2505A	-	-	-	-	NIKKEI41C2509B	0.22	-	115	0.21
SYNTEC	1.63	(0.02)	4,520	1.64	HSI28C2505B	-	-	-	-	NIKKEI41C2509C	0.57	(0.03)	71	0.56
TEAMG	2.72	(0.06)	20,534	2.75	HSI28C2505C	-	-	-	-	NIKKEI41P2506A	-	-	-	-
TEAMG-W1	0.15	(0.01)	8,024	0.15	HSI28C2505D	-	-	-	-	NIKKEI41P2506B	0.01	(0.02)	2	0.01
TEKA	1.71	0.02	955	1.70	HSI28C2505E	-	-	-	-	NIKKEI41P2509A	0.27	-	40	0.27
TPOLY	0.41	0.01	1,831	0.39	HSI28C2505F	-	-	-	-	NIKKEI41P2509B	0.18	0.01	15,000	0.18
TRC	0.56	(0.01)	3,356	0.57	HSI28C2505G	-	-	-	-	NIKKEI41P2509C	0.36	(0.01)	6,258	0.37
TRITN	0.05	-	20,419	0.05	HSI28C2505H	-	-	-	-	NTE541C2506A	0.65	0.12	61	0.64
TRITN-W7	-	-	-	-	HSI28C2506A	0.05	(0.01)	2,799	0.05	PINGAN41C2507A	0.16	-	5,000	0.16
TTCL	0.98	(0.01)	4,469	0.97	HSI28C2506B	0.02	(0.01)	14,241	0.02	POP41C2506A	-	-	-	-
UNIQ	1.96	-	1,443	1.95	HSI28C2506C	0.03	(0.02)	7,605	0.03	POP41C2507A	1.15	0.30	3,134	1.15
WGE	0.77	(0.01)	738	0.78	HSI28C2506D	1.85	0.21	500	1.84	POP41C2509A	0.55	0.10	32,287	0.55
Unit Trust					HSI28C2506E	1.14	-	1,044	1.14	POP41P2511A	0.47	(0.08)	2,000	0.48
SCBSET	-	-	-	-	HSI28C2506F	0.69	0.05	237,747	0.69	SET01C2506A	0.02	0.01	6,698	0.01
VAYU1	10.20	-	7,022	10.23	HSI28C2506G	0.32	0.02	660,354	0.32	SET01C2506B	0.01	(0.01)	6,540	0.01
ETF					HSI28C2507A	0.09	-	4,785	0.09	SET01C2507A	0.04	0.01	9,871	0.04
IDIV	9.84	(0.08)	456	9.87	HSI28C2507B	0.99	(0.33)	30	0.99	SET01C2509A	0.43	(0.09)	23,804	0.45
ABFTH	-	-	-	-	HSI28C2507C	0.64	0.06	29,453	0.64	SET01C2512T	0.55	(0.07)	253	0.57
BMSCG	6.66	(0.1												

Main Board Quotation

Issue Date :

Wednesday June 04, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5001P2509A	0.80	(0.20)	21,402	0.79	SET5019P2506I	-	-	-	-	0	-	-	-	-
SET5001P2509F	0.71	0.13	516	0.63	SET5019P2506J	0.05	0.02	1,311	0.05	0	-	-	-	-
SET5006C2506A	-	-	-	-	SET5019P2506K	0.24	0.15	1	0.24	0	-	-	-	-
SET5006C2506B	0.01	(0.01)	4	0.01	SET5019P2506L	-	-	-	-	0	-	-	-	-
SET5006C2506C	-	-	-	-	SET5019P2506M	-	-	-	-	0	-	-	-	-
SET5006C2506D	-	-	-	-	SET5019P2506N	-	-	-	-	0	-	-	-	-
SET5006C2506E	0.05	(0.01)	15,922	0.03	SET5019P2506O	0.17	0.01	262,822	0.17	0	-	-	-	-
SET5006C2506F	0.07	(0.05)	73,139	0.08	SET5019P2506P	0.48	0.03	190,382	0.48	0	-	-	-	-
SET5006C2509A	0.29	(0.06)	130,982	0.30	SET5019P2509B	1.11	0.07	1,921,705	1.10	0	-	-	-	-
SET5006C2509B	0.13	(0.04)	22,206	0.14	SET5019P2509C	1.42	0.09	5,915	1.37	0	-	-	-	-
SET5006C2509C	0.18	(0.05)	60,707	0.18	SET5019P2509D	1.49	0.18	1,719	1.45	0	-	-	-	-
SET5006P2506A	0.89	(0.02)	331	0.89	SET5041C2506A	-	-	-	-	0	-	-	-	-
SET5006P2506B	0.55	0.11	33,931	0.50	SET5041C2506B	0.01	(0.01)	514	0.01	0	-	-	-	-
SET5006P2506C	0.29	0.05	286,852	0.29	SET5041C2506C	0.10	0.08	50,014	0.10	0	-	-	-	-
SET5006P2506D	0.16	0.05	4	0.16	SET5041C2506E	0.02	(0.08)	1	0.02	0	-	-	-	-
SET5006P2506E	0.11	0.02	253	0.11	SET5041C2506F	-	-	-	-	0	-	-	-	-
SET5006P2506F	0.07	0.02	570	0.07	SET5041C2506G	-	-	-	-	0	-	-	-	-
SET5006P2506G	-	-	-	-	SET5041C2506H	0.05	(0.06)	24,612	0.07	0	-	-	-	-
SET5006P2509A	0.41	0.05	105,239	0.40	SET5041C2506I	0.10	(0.07)	270	0.11	0	-	-	-	-
SET5006P2509B	0.89	0.09	29,079	0.88	SET5041C2506J	0.22	(0.23)	1,000	0.23	0	-	-	-	-
SET5013C2506A	-	-	-	-	SET5041C2506K	-	-	-	-	0	-	-	-	-
SET5013C2506B	-	-	-	-	SET5041C2506L	0.01	(0.03)	200	0.01	0	-	-	-	-
SET5013C2506C	-	-	-	-	SET5041C2506M	-	-	-	-	0	-	-	-	-
SET5013C2506D	-	-	-	-	SET5041C2509A	0.21	(0.05)	703,098	0.22	0	-	-	-	-
SET5013C2506E	-	-	-	-	SET5041C2509B	0.25	(0.06)	392,818	0.27	0	-	-	-	-
SET5013C2506F	-	-	-	-	SET5041C2509C	0.05	(0.02)	33,767	0.05	0	-	-	-	-
SET5013C2506G	-	-	-	-	SET5041C2509D	0.22	(0.05)	42,546	0.22	0	-	-	-	-
SET5013C2506H	-	-	-	-	SET5041C2509E	0.60	(0.08)	171,718	0.61	0	-	-	-	-
SET5013C2506I	-	-	-	-	SET5041P2506A	-	-	-	-	0	-	-	-	-
SET5013C2506J	0.01	-	12,281	0.01	SET5041P2506B	0.77	0.11	8,197	0.78	0	-	-	-	-
SET5013C2506K	0.01	-	11,685	0.01	SET5041P2506C	-	-	-	-	0	-	-	-	-
SET5013C2506L	0.01	-	194,228	0.01	SET5041P2506D	0.05	-	18	0.05	0	-	-	-	-
SET5013C2506M	0.02	-	33,577	0.02	SET5041P2506E	-	-	-	-	0	-	-	-	-
SET5013C2506N	0.01	-	1,915	0.01	SET5041P2506F	0.03	(0.02)	200	0.03	0	-	-	-	-
SET5013C2506O	0.06	(0.06)	236,410	0.07	SET5041P2506G	1.68	0.12	2,207	1.64	0	-	-	-	-
SET5013C2506P	0.08	(0.08)	78,389	0.09	SET5041P2509A	0.40	0.05	68,058	0.38	0	-	-	-	-
SET5013C2506Q	0.03	(0.04)	37,836	0.04	SET5041P2509B	0.52	0.06	958,095	0.49	0	-	-	-	-
SET5013C2506R	0.01	(0.01)	6,500	0.01	SET5041P2509C	0.80	0.08	910,361	0.77	0	-	-	-	-
SET5013C2506S	0.01	-	44,794	0.01	SET5041P2509T	0.39	0.04	34,587	0.38	0	-	-	-	-
SET5013C2506T	-	-	-	-	SPX28C2506A	-	-	-	-	0	-	-	-	-
SET5013C2509A	0.45	(0.08)	1,526,831	0.46	SPX28C2506B	-	-	-	-	0	-	-	-	-
SET5013C2509B	0.12	(0.04)	298,854	0.13	SPX28C2506C	-	-	-	-	0	-	-	-	-
SET5013C2509C	0.16	(0.05)	916,973	0.17	SPX28C2509A	1.82	0.17	9	1.77	0	-	-	-	-
SET5013C2509D	0.20	(0.06)	1,309,751	0.21	SPX28C2509B	1.06	0.08	9	1.06	0	-	-	-	-
SET5013C2509E	0.30	(0.08)	3,512,972	0.30	SPX28C2509C	-	-	-	-	0	-	-	-	-
SET5013C2509F	0.45	(0.55)	1,679,130	0.45	SPX28P2506A	0.01	(0.06)	52	0.01	0	-	-	-	-
SET5013C2509T	0.18	(0.03)	166,021	0.17	SPX28P2506B	0.01	(0.07)	56	0.01	0	-	-	-	-
SET5013P2506A	0.74	0.21	383	0.68	SPX28P2509A	-	-	-	-	0	-	-	-	-
SET5013P2506B	0.35	-	14	0.39	SPX28P2509B	-	-	-	-	0	-	-	-	-
SET5013P2506C	-	-	-	-	SPX41C2506A	-	-	-	-	0	-	-	-	-
SET5013P2506D	1.02	0.07	1	1.02	SPX41C2506B	0.09	0.03	81	0.08	0	-	-	-	-
SET5013P2506E	0.45	0.05	1	0.45	SPX41C2506C	0.35	(0.05)	15	0.35	0	-	-	-	-
SET5013P2506F	0.08	-	1,924	0.08	SPX41C2506D	-	-	-	-	0	-	-	-	-
SET5013P2506G	0.04	0.02	24,912	0.02	SPX41C2509A	0.98	0.10	643	0.98	0	-	-	-	-
SET5013P2506H	0.10	0.08	133	0.03	SPX41C2509T	-	-	-	-	0	-	-	-	-
SET5013P2506I	0.01	(0.01)	758	0.01	SPX41P2506A	-	-	-	-	0	-	-	-	-
SET5013P2506J	0.02	0.01	3,187	0.01	SPX41P2506B	-	-	-	-	0	-	-	-	-
SET5013P2506K	0.22	(0.01)	63,317	0.20	SPX41P2509A	0.40	(0.06)	49,917	0.41	0	-	-	-	-
SET5013P2506L	0.30	(0.04)	1,481,289	0.29	SPX41P2509T	2.14	(0.18)	18	2.15	0	-	-	-	-
SET5013P2506M	0.41	(0.05)	2,132,383	0.41	TENCEN28C250A	0.87	0.11	1	0.87	0	-	-	-	-
SET5013P2506N	0.01	-	149	0.01	TENCEN28C250B	0.26	0.03	398	0.25	0	-	-	-	-
SET5013P2506O	0.02	-	260	0.01	TENCEN28P250A	0.23	(0.05)	26	0.23	0	-	-	-	-
SET5013P2506P	0.02	(0.01)	1,827	0.02	TENCEN41C250A	-	-	-	-	0	-	-	-	-
SET5013P2506Q	0.02	(0.01)	175	0.02	TENCEN41C250B	-	-	-	-	0	-	-	-	-
SET5013P2506R	0.03	(0.01)	3,765	0.04	TENCEN41C250C	0.28	0.04	10,060	0.28	0	-	-	-	-
SET5013P2506S	0.09	(0.01)	21,173	0.09	TENCEN41P250A	-	-	-	-	0	-	-	-	-
SET5013P2506T	2.34	0.34	225	2.12	TENCEN41P250B	0.34	(0.05)	1,017	0.34	0	-	-	-	-
SET5013P2506U	0.23	(0.02)	912,868	0.23	TRIPDC41C250A	0.22	(0.03)	11	0.19	0	-	-	-	-
SET5013P2506V	0.18	(0.02)	101,963	0.18	TRIPDC41C250B	0.40	(0.05)	4,311	0.41	0	-	-	-	-
SET5013P2509A	0.22	0.02	203,791	0.22	XIAOMI28C2508	1.34	0.14	87	1.34	0	-	-	-	-
SET5013P2509B	0.39	0.01	977,367	0.38	XIAOMI28C2509	0.43	0.08	7,719	0.45	0	-	-	-	-
SET5013P2509C	1.05	0.05	396,462	1.04	XIAOMI28P2505	-	-	-	-	0	-	-	-	-
SET5013P2509D	0.88	0.03	2,791,918	0.88	XIAOMI28P2509	-	-	-	-	0	-	-	-	-
SET5013P2509E	0.67	(0.33)	436,369	0.68	XIAOMI28P2510	0.38	(0.08)	24	0.34	0	-	-	-	-
SET5013P2509T	0.21	0.01	53,346	0.21	XIAOMI41C2506	1.04	(0.02)	75	1.07	0	-	-	-	-
SET5019C2506A	-	-	-	-	XIAOMI41C2506	0.17	0.05	3,034	0.18	0	-	-	-	-
SET5019C2506B	-	-	-	-	XIAOMI41C2507	0.12	0.04	4,669	0.12	0	-	-	-	-
SET5019C2506C	-	-	-	-	XIAOMI41P2506	0.12	(0.10)	82	0.12	0	-	-	-	-
SET5019C2506D	-	-	-	-	XIAOMI41P2511	0.45	(0.07)	9,015	0.44	0	-	-	-	-
SET5019C2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506L	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506M	0.02	(0.02)	20	0.02	0	-	-	-	-	0	-	-	-	-
SET5019C2506N	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506O	0.10	(0.11)	370,009	0.11	0	-	-	-	-	0	-	-	-	-
SET5019C2506P	0.47	(0.32)	9,046	0.45	0	-	-	-	-	0	-	-	-	-
SET5019C2506Q	0.11	(0.07)	93,774	0.12	0	-	-	-	-	0	-	-	-	-
SET5019C2509A	0.82	(0.09)	1,199,896	0.83	0	-	-	-	-	0	-	-	-	-
SET5019C2509B	0.25	(0.05)	72,410	0.26	0	-	-	-	-	0	-	-	-	-
SET5019C2509C	0.23	(0.07)	151,410	0.24	0	-	-	-	-	0	-	-	-	-
SET5019P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2														





## Main Board Quotation

Issue Date :

Wednesday June 04, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		YUASA	10.50	-	13	00 10.5	MEB	19.10	(0.20)	906	00 19.1
APO	1.29	0.06	10,904	00 1.2	ZIGA	1.22	(0.06)	27,121	00 1.2	MORE	0.04	(0.01)	214,591	00 0.0
AU	7.10	(0.05)	5,178	00 7.1	ZIGA-W2	0.12	0.01	10,014	00 0.1	MOTHER	1.14	(0.08)	138,281	00 1.2
CFARM	1.05	0.07	369,320	00 1.0	Property	-	-	-	-	MPJ	3.18	(0.04)	2,500	00 3.2
JCKH	0.15	0.01	2,334	00 0.1	24CS	0.94	0.03	135,878	00 0.9	MVP	-	-	-	00 0.0
KASET	0.59	(0.01)	544	00 0.5	24CS-W1	0.18	-	21,840	00 0.1	NCL	0.27	-	864	00 0.2
MAGURO	15.10	(0.80)	10,706	00 15.4	24CS-W2	0.24	0.01	32,513	00 0.2	NCP	1.09	0.02	14	00 1.1
MUD	1.19	-	25	00 1.1	ARIN	0.43	-	15,224	00 0.4	NEWS	0.01	-	229,832	00 0.0
NTSC	5.90	0.05	605	00 5.8	ARROW	4.84	(0.02)	265	00 4.8	PEER	0.11	-	18,149	00 0.1
TACC	4.38	(0.08)	19,547	00 4.4	BC	0.88	0.02	3,743	00 0.8	PEER-W2	0.02	-	6,988	00 0.0
TMILL	2.04	(0.04)	64	00 2.0	BKA	1.21	(0.03)	531,492	00 1.2	PICO	4.46	0.02	61	00 4.2
WINNER	2.04	0.04	3,083	00 2.0	BLESS	0.25	(0.01)	2,254	00 0.2	PLT	0.55	(0.01)	1,316	00 0.5
XO	15.00	(0.20)	3,776	00 15.0	BSM	0.76	0.04	68	00 0.7	QLT	2.56	(0.12)	295	00 2.5
Consumer Products			-		BTW	0.17	-	5,719	00 0.1	RP	0.79	0.01	42	00 0.7
BGT	0.35	(0.02)	1,118	00 0.3	CAZ	1.83	(0.05)	275	00 1.8	SONIC	1.53	(0.01)	2,521	00 1.5
DOD	1.53	(0.07)	4,009	00 1.5	CHEWA	0.25	(0.01)	2,179	00 0.2	THMUI	0.33	0.01	229	00 0.3
ECF	0.11	-	8,740	00 0.1	CPANEL	2.50	(0.02)	32	00 2.4	TNDT	0.19	-	1,528	00 0.1
ECF-W5	0.01	-	1	00 0.0	CPANEL-W1	-	-	-	00 0.0	TNDT-W1	-	-	-	00 0.0
EFORL	0.15	(0.02)	50,846	00 0.1	CRD	0.34	(0.01)	8	00 0.3	TNH	32.00	-	17	00 32.0
EURO	4.10	(0.14)	557	00 4.1	DHOUSE	0.59	(0.01)	877	00 0.5	TNP	2.52	(0.02)	1,343	00 2.5
HPT	0.39	(0.01)	32,472	00 0.3	DIMET	0.08	(0.01)	424	00 0.0	TPL	0.66	(0.06)	12,988	00 0.6
ITTHI	1.38	(0.02)	1,039	00 1.3	DPAINT	0.59	-	4,101	00 0.5	TRP	5.75	-	2,412	00 5.7
JSP	1.78	(0.02)	1,010	00 1.7	FLOYD	0.80	(0.01)	330	00 0.7	TURTLE	6.90	0.10	2	00 6.9
JSP-W2	0.02	-	9,306	00 0.0	HYDRO	1.25	(0.30)	5,535	00 1.3	TVDH	0.12	0.01	1,161	00 0.1
JUBILE	7.00	(0.05)	1,208	00 7.0	HYDRO-W2	-	-	-	00 0.0	TVDH-W3	-	-	-	00 0.0
LTS	4.86	0.14	11,883	00 4.8	IND	0.84	0.02	3,358	00 0.8	TVT	0.28	0.01	3,287	00 0.2
MGI	9.95	-	6,823	00 10.1	JAK	0.95	(0.02)	239	00 0.9	UBA	0.89	0.02	11,909	00 0.8
MGI-W1	2.12	-	7,149	00 2.2	K	1.25	0.04	12	00 1.1	VL	0.88	(0.02)	600	00 0.8
MOONG	1.87	(0.02)	365	00 1.8	K-W3	0.18	0.02	100	00 0.1	VS	0.42	(0.04)	200	00 0.4
NPK	-	-	-	00 0.0	META	0.07	-	45,031	00 0.0	YGG	0.39	-	36,684	00 0.3
SEI	3.06	(0.08)	2,432	00 3.0	PANEL	1.20	0.02	965	00 1.1	Technology	-	-	-	-
SMD100	3.96	-	494	00 3.8	PPS	0.17	-	6,600	00 0.1	APP	2.32	0.02	11,576	00 2.3
TM	0.79	0.01	134	00 0.7	PRI	4.70	(0.10)	705	00 4.6	BBIK	20.60	(0.30)	1,638	00 20.6
WARRIX	2.22	(0.12)	6,395	00 2.2	PROS	0.79	-	10,713	00 0.8	BE8	6.00	(0.30)	19,279	00 6.0
WINMED	1.19	-	226	00 1.1	PROS-W1	0.05	(0.01)	43,413	00 0.0	BE8-W1	0.44	(0.13)	3,268	00 0.4
Financials			-		PSG	1.15	(0.06)	56,211	00 1.1	BVG	1.70	(0.07)	3,167	00 1.7
ACAP	-	-	-	00 0.0	QTCG	0.15	(0.01)	5,577	00 0.1	COMAN	0.55	(0.04)	3,922	00 0.5
AF	0.38	-	31	00 0.3	SENX	0.22	(0.01)	4,524	00 0.2	I2	0.87	(0.02)	649	00 0.8
AIRA	1.23	0.02	11	00 1.2	SK	0.58	(0.01)	9,046	00 0.5	IIG	1.52	(0.13)	4,797	00 1.5
ASN	0.97	(0.03)	277	00 0.9	SMART	0.59	-	4,921	00 0.5	IRCP	0.36	-	3,124	00 0.3
BTC	0.33	-	90,654	00 0.3	STC	0.45	(0.02)	879	00 0.4	ITNS	1.39	(0.01)	138	00 1.3
BTC-W7	0.12	-	6,281	00 0.1	STX	1.24	-	6,647	00 1.2	NAT	3.18	0.06	1,019	00 3.1
GCAP	0.29	(0.01)	8,196	00 0.2	SVR	0.24	-	157	00 0.5	NETBAY	17.90	0.40	7,160	00 17.7
KCC	1.64	(0.03)	273	00 1.6	TAPAC	-	-	-	00 0.0	PIS	3.98	(0.06)	6,626	00 4.0
LIT	0.59	(0.03)	4,647	00 0.5	THANA	0.91	(0.02)	4	00 0.9	PLANET	1.79	(0.01)	17,726	00 1.7
MITSB	0.54	-	220	00 0.5	TIGER	0.43	(0.06)	265	00 0.4	PLANET-W2	0.82	(0.01)	107	00 0.8
SGF	0.16	(0.01)	20,992	00 0.1	TITLE	3.72	0.02	859	00 3.7	PROEN	1.10	(0.04)	46,705	00 1.1
SGF-P1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	PROEN-W2	0.37	(0.02)	23,454	00 0.3
SGF-Q1	-	-	-	00 0.0	YONG	0.76	(0.05)	32,084	00 0.7	READY	3.94	(0.06)	88	00 3.9
TQR	5.00	(0.05)	850	00 5.0	Resources	-	-	-	-	SECURE	10.40	-	384	00 10.2
Industrials			-		ABM	0.61	(0.03)	230	00 0.5	SICT	2.76	(0.08)	2,312	00 2.7
ADB	0.53	(0.02)	1,318	00 0.5	ALPHAX	0.41	0.01	16,343	00 0.4	SIMAT	0.96	(0.01)	17,139	00 0.9
BM	1.08	-	15,847	00 1.0	GTV	0.08	-	105,346	00 0.0	SPVI	1.57	(0.03)	1,247	00 1.5
BM-W3	-	-	-	00 0.0	PSTC	0.44	-	19,251	00 0.4	SRS	2.76	(0.04)	191	00 2.8
BPS	0.50	-	523	00 0.5	PSTC-W2	-	-	-	00 0.0	TBN	5.70	0.05	225	00 5.4
CHO	0.08	0.01	35,576	00 0.0	PSTC-W3	0.10	0.01	270	00 0.0	TERA	1.13	0.01	1,212	00 1.1
CHO-W4	-	-	-	00 0.0	PTC	-	-	-	00 0.0	TPS	3.36	-	74	00 3.3
CHOW	0.89	(0.05)	304	00 0.8	SAAM	6.75	-	326	00 6.6	VCOM	2.42	(0.06)	7,997	00 2.4
CIG	0.04	-	256,819	00 0.0	SR	0.45	0.01	93	00 0.4	-	-	-	-	-
CIG-W10	-	-	-	00 0.0	STOWER	0.05	-	1,912	00 0.0	-	-	-	-	-
CIG-W9	0.02	-	17,631	00 0.0	TAKUNI	0.34	(0.03)	14,494	00 0.3	-	-	-	-	-
COLOR	1.00	-	1,559	00 0.9	TPCH	3.04	(0.04)	1,145	00 3.0	-	-	-	-	-
CPR	2.74	(0.02)	280	00 2.7	UMS	0.26	(0.05)	6,803	00 0.2	-	-	-	-	-
FPI	1.71	0.01	1,719	00 1.7	Services	-	-	-	-	-	-	-	-	-
GTB	0.72	0.01	1,451	00 0.7	ADD	3.16	-	115	00 3.1	-	-	-	-	-
HARN	2.04	(0.02)	2,808	00 2.0	AKP	0.60	-	3,010	00 0.5	-	-	-	-	-
KCM	0.17	(0.01)	434	00 0.1	AMA	4.10	(0.02)	1,431	00 4.1	-	-	-	-	-
KJL	6.20	(0.25)	375	00 6.2	AMARC	1.79	-	12,367	00 1.8	-	-	-	-	-
KUMWEL	1.08	(0.02)	855	00 1.0	ARIP	0.39	-	163	00 0.3	-	-	-	-	-
KWM	1.01	(0.01)	353	00 1.0	ATP30	0.88	(0.01)	4,190	00 0.8	-	-	-	-	-
MBAX	1.60	0.05	817	00 1.7	AUCT	5.50	0.05	4,575	00 5.5	-	-	-	-	-
MGT	1.72	(0.05)	590	00 1.7	BIS	2.54	(0.04)	1,138	00 2.5	-	-	-	-	-
MTW	1.00	(0.02)	1,447	00 1.0	BOL	5.10	(0.05)	360	00 5.0	-	-	-	-	-
NDR	1.22	(0.04)	130	00 1.2	CEYE	1.99	(0.11)	103	00 1.9	-	-	-	-	-
PACO	1.37	(0.01)	768	00 1.3	CHIC	0.28	(0.02)	1,548	00 0.2	-	-	-	-	-
PACO-W1	0.01	(0.01)	21,641	00 0.0	CMO	0.65	0.01	3,975	00 0.6	-	-	-	-	-
PDG	2.74	0.02	40	00 2.7	D	2.06	(0.02)	725	00 2.0	-	-	-	-	-
PHOL	2.84	(0.02)	4,095	00 2.8	DEXON	1.45	(0.07)	307	00 1.4	-	-	-	-	-
PIMO	1.15	-	17,859	00 1.1	DV8	3.84	(0.08)	17,127	00 3.8	-	-	-	-	-
PMC	0.90	0.02	247,468	00 0.9	DV8-W2	1.93	(0.02)	450	00 1.9	-	-	-	-	-
PPM	1.64	0.04	119	00 1.6	ETE	0.73	(0.01)	89	00 0.7	-	-	-	-	-
PRAPAT	0.80	(0.05)	5,287	00 0.8	FSMART	6.70	(0.20)	5,825	00 6.6	-	-	-	-	-
RWI	0.24	(0.01)	2,841	00 0.2	FVC	0.42								