

Main Board Quotation

Issue Date :

Monday June 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Agribusiness					DCON-W3	-	-	-	-	COM741C2606T	-	-	-	-
GFPT	9.95	(0.15)	11,726	9.94	DCON-W4	0.03	-	2	0.03	COM741C2609T	0.29	(0.01)	36,000	0.30
LEE	2.40	-	564	2.40	DRT	5.10	-	1,725	5.12	CPALL	47.25	(0.25)	210,073	47.46
NER	4.16	0.02	18,764	4.14	EPG	2.62	0.14	28,436	2.58	CPALL01C2507A	-	-	-	-
NER-W2	0.21	-	9,732	0.22	GEL	0.05	-	1,839	0.04	CPALL01C2510A	0.23	(0.01)	20,727	0.24
PCE	2.64	(0.04)	11,683	2.65	GEL-W5	-	-	-	-	CPALL01C2606T	0.25	0.01	3,424	0.24
PPPM	0.49	-	3,615	0.50	PPP	1.08	0.05	2	1.08	CPALL01P2507A	0.17	(0.01)	15,229	0.17
PPPM-W6	0.43	0.01	1	0.43	Q-CON	7.25	(0.05)	734	7.28	CPALL01P2510A	0.45	(0.01)	15,432	0.45
STA	12.40	(0.20)	18,167	12.49	SCC	158.50	(4.00)	37,294	161.05	CPALL13C2506A	-	-	-	-
STA01C2506A	-	-	-	-	SCC01C2507A	0.03	-	1,577	0.04	CPALL13C2506B	-	-	-	-
STA01C2510A	0.16	(0.01)	3,784	0.17	SCC01C2508A	0.29	(0.07)	45,304	0.33	CPALL13C2508A	0.06	(0.01)	1,932	0.06
STA13C2506A	-	-	-	-	SCC01C2508B	0.33	(0.06)	22,618	0.38	CPALL13C2510A	0.24	(0.01)	14,836	0.24
STA13C2508A	0.08	(0.02)	5,646	0.09	SCC01C2511A	0.56	(0.05)	36,630	0.61	CPALL13P2506A	-	-	-	-
STA13C2510A	0.24	(0.03)	10,665	0.25	SCC01C2606T	0.46	(0.02)	24,932	0.49	CPALL13P2510A	0.37	(0.01)	20,718	0.37
STA19C2506A	-	-	-	-	SCC01P2507A	-	-	-	-	CPALL19C2506A	-	-	-	-
STA19C2510A	0.23	(0.01)	921	0.23	SCC01P2508A	0.38	0.03	46,150	0.36	CPALL19C2506B	-	-	-	-
STA41C2612T	0.25	-	2,000	0.25	SCC13C2507A	0.09	(0.05)	26,815	0.12	CPALL19C2508A	0.05	(0.01)	4,828	0.05
TEGH	2.86	-	3,125	2.87	SCC13C2509A	0.31	(0.06)	87,663	0.35	CPALL19C2510A	0.20	(0.01)	49,536	0.20
TFM	4.76	-	1,819	4.76	SCC13P2508A	0.13	0.01	20,714	0.12	CPALL41C2506A	-	-	-	-
TL	0.59	-	226,532	0.60	SCC19C2506A	-	-	-	-	CPALL41C2605T	0.11	-	10	0.11
TRUBB	0.58	(0.01)	1,050	0.58	SCC19C2507A	-	-	-	-	CPALL41P2508A	0.17	(0.02)	4	0.17
UPOIC	6.50	0.20	50	6.50	SCC19C2509A	0.48	(0.09)	70,675	0.52	CPAXT	19.30	0.30	68,011	19.31
UVAN	9.20	0.05	1,534	9.21	SCC19C2509B	0.28	(0.06)	19,304	0.31	CPW	1.92	-	997	1.93
VPO	0.46	0.01	2,110	0.45	SCC19P2508A	0.24	0.02	20,394	0.21	CRC	18.90	(0.30)	117,630	19.12
Banking					SCC19P2509A	0.25	0.02	33,152	0.24	CRC01C2506A	0.01	-	11,380	0.01
BAY	21.90	0.20	669	21.80	SCC41C2608T	0.47	(0.01)	50,405	0.50	CRC01C2511A	0.39	(0.02)	58,398	0.41
BBL	140.00	(0.50)	42,556	140.75	SCC41P2508A	0.19	0.02	12,000	0.18	CRC13C2508A	-	-	-	-
BBL11C2507A	0.03	(0.01)	15	0.02	SCCC	145.50	(1.50)	428	145.57	CRC13C2509A	0.12	(0.02)	30,411	0.13
BBL13C2507A	0.01	(0.03)	1	0.01	SCGD	3.88	-	1,807	3.88	CRC13C2510A	0.34	(0.03)	51,165	0.37
BBL13C2508A	0.06	(0.02)	490	0.06	SCP	6.30	0.05	234	6.28	CRC19C2506A	-	-	-	-
BBL13C2509A	0.30	(0.01)	36,966	0.31	SKN	5.70	0.10	232	5.65	CRC19C2508A	-	-	-	-
BBL19C2506A	-	-	-	-	STECH	1.02	(0.03)	1,046	1.03	CRC19C2510A	0.31	(0.02)	60,761	0.33
BBL19C2508A	-	-	-	-	TASCO	14.00	-	10,809	13.93	CRC41C2608T	-	-	-	-
BBL19C2510A	0.31	-	10,693	0.32	TASCO19C2507A	0.01	(0.01)	50	0.01	CRC41C2609T	0.28	-	20,660	0.28
BBL41C2506A	-	-	-	-	TOA	10.30	-	16,846	10.32	CSS	0.81	0.01	5,811	0.81
BBL41C2609T	0.32	-	8,500	0.32	TP IPL	0.91	-	15,873	0.91	DOHOME	3.56	(0.02)	75,717	3.57
CI MBT	-	-	-	-	UMI	0.70	-	295	0.71	DOHOME01C2507A	-	-	-	-
CREDIT	18.00	-	131	17.85	VNG	2.06	(0.02)	91	2.06	DOHOME01C2508A	-	-	-	-
KBANK	155.00	-	56,997	155.17	WIJK	0.93	0.02	853	0.93	DOHOME01C2510A	0.18	(0.01)	11,757	0.20
KBANK01C2506A	-	-	-	-	WIJK-W3	0.04	(0.01)	54,700	0.04	DOHOME13C2506A	-	-	-	-
KBANK01C2508A	-	-	-	-	WINDOW	0.88	0.05	34,575	0.88	DOHOME13C2508A	-	-	-	-
KBANK01C2509A	0.37	(0.01)	37,735	0.38	Petrochemicals &					DOHOME13C2509A	0.08	(0.02)	188	0.08
KBANK01P2507A	0.05	(0.02)	90	0.05	BCT	47.75	0.50	157	47.56	DOHOME13C2510A	0.35	(0.02)	43,600	0.36
KBANK01P2509A	0.38	-	23,010	0.38	CMAN	2.28	0.02	1,083	2.28	DOHOME19C2506A	-	-	-	-
KBANK13C2507A	0.05	(0.02)	1,054	0.06	GC	4.08	0.02	1,425	4.08	DOHOME19C2506B	-	-	-	-
KBANK13C2508A	0.40	(0.02)	72,950	0.40	GGC	4.20	(0.16)	176	4.28	DOHOME19C2508A	-	-	-	-
KBANK13C2509A	0.26	(0.01)	64,632	0.26	IVL	19.80	(0.50)	132,811	19.96	DOHOME19C2510A	0.17	(0.01)	8,584	0.18
KBANK13P2507A	-	-	-	-	IVL01C2506A	0.01	-	2	0.01	DOHOME41C2609T	-	-	-	-
KBANK13P2509A	0.32	(0.01)	44,005	0.32	IVL01C2507A	0.07	(0.02)	335	0.08	FN	0.49	0.03	295	0.48
KBANK19C2507A	-	-	-	-	IVL01C2509A	0.29	(0.03)	41,411	0.30	GLOBAL	5.00	(0.15)	105,825	5.09
KBANK19C2507B	-	-	-	-	IVL01P2506A	-	-	-	-	GLOBAL01C2507A	-	-	-	-
KBANK19C2510A	0.22	(0.01)	11,516	0.22	IVL01P2510A	0.43	0.02	38,840	0.41	GLOBAL01C2510A	0.14	-	15,582	0.15
KBANK41C2604T	0.75	-	26,400	0.76	IVL13C2507A	-	-	-	-	GLOBAL13C2506A	-	-	-	-
KBANK41C2609T	0.41	-	19,946	0.42	IVL13C2508A	0.12	(0.03)	54,173	0.13	GLOBAL13C2507A	-	-	-	-
KBANK41P2606T	0.31	(0.01)	3	0.31	IVL13C2509A	0.28	(0.05)	54,945	0.30	GLOBAL13C2508A	-	-	-	-
KKP	44.75	(0.75)	10,534	44.85	IVL13P2508A	0.18	0.02	32,735	0.17	GLOBAL13C2510A	0.11	(0.01)	22,620	0.12
KKP-W6	0.65	(0.05)	10,399	0.67	IVL19C2506A	-	-	-	-	GLOBAL19C2507A	-	-	-	-
KKP13C2508A	-	-	-	-	IVL19C2507A	-	-	-	-	GLOBAL19C2509A	-	-	-	-
KKP19C2507A	-	-	-	-	IVL19C2508A	0.14	(0.03)	85,590	0.15	GLOBAL19C2510A	0.13	(0.01)	10,636	0.14
KKP19C2509A	0.24	(0.03)	12,315	0.24	IVL19P2508A	0.18	0.02	114,597	0.17	GLOBAL41C2606T	-	-	-	-
KTB	22.10	(0.30)	352,874	22.20	IVL41C2605T	0.16	(0.01)	28,214	0.16	HMPRO	7.65	0.10	96,373	7.63
KTB-P	-	-	-	-	IVL41P2605T	-	-	-	-	HMPRO01C2507A	0.02	-	227	0.01
KTB-Q	-	-	-	-	NFC	-	-	-	-	HMPRO01C2508A	-	-	-	-
KTB01C2506A	0.01	(0.02)	4,068	0.02	PATO	7.40	0.10	24	7.34	HMPRO13C2508A	0.10	-	5	0.10
KTB01C2509A	0.52	(0.04)	5,132	0.53	PMTA	9.25	0.10	33	9.27	HMPRO19C2506A	-	-	-	-
KTB01P2509A	0.31	0.02	17,901	0.30	PTTGC	19.40	(0.40)	201,207	19.61	HMPRO19C2508A	0.14	0.01	300	0.14
KTB13C2507A	-	-	-	-	PTTGC01C2506A	0.01	-	15,774	0.01	HMPRO41C2606T	-	-	-	-
KTB13C2508A	0.23	(0.03)	36,383	0.24	PTTGC01C2507A	0.08	(0.03)	33,081	0.10	ICC	28.00	0.50	20	27.63
KTB13P2507A	0.01	-	1,000	0.01	PTTGC01C2508A	0.38	(0.08)	9,564	0.39	ILM	13.20	-	781	13.04
KTB19C2506A	-	-	-	-	PTTGC01C2511A	0.41	(0.03)	71,916	0.43	IT	3.10	(0.02)	90	3.09
KTB19C2508A	0.23	(0.04)	13,370	0.27	PTTGC01P2506A	0.01	-	5	0.01	KAMART	7.85	0.45	41,807	7.65
KTB41C2506A	-	-	-	-	PTTGC01P2510A	0.55	0.03	57,681	0.53	LOXLEY	1.03	0.02	3,235	1.01
KTB41C2609T	0.49	(0.02)	59,000	0.49	PTTGC13C2507A	0.05	(0.02)	31,914	0.06	MC	9.90	-	9,924	9.94
LHFG	0.76	(0.01)	6,052	0.77	PTTGC13C2507E	0.23	(0.05)	2,306	0.25	MEGA	25.75	0.50	11,506	25.83
SCB	117.00	-	15,863	117.33	PTTGC13C2510A	0.34	(0.04)	149,488	0.35	MIDA	-	-	-	-
SCB01C2507A	0.07	-	30	0.07	PTTGC13P2510A	0.49	0.01	45,323	0.48	MOSHI	41.75	(0.25)	10,448	41.44
SCB01C2509A	0.25	-	8,072	0.26	PTTGC19C2506A	-	-	-	-	RS	0.29	-	32,443	0.29
SCB01P2507A	-	-	-	-	PTTGC19C2508A	0.19	(0.03)	39,740	0.22	RS-W5	0.14	-	268	0.13
SCB01P2510A	0.56	(0.02)	750	0.56	PTTGC19C2510A	0.25	(0.03)	127,434	0.26	RSP	1.22	0.02	1,860	1.21
SCB13C2508A	0.08	(0.01)	2,200	0.08	PTTGC41C2506A	-	-	-	-	SCM	0.33	-	25,741	0.33
SCB13C2510A	0.28	-	125	0.30	PTTGC41C2608T	0.42	(0.02)	204,120	0.43	SCM-W2	-	-	-	-
SCB13P2507A	-	-	-	-	PTTGC41P2506A	-	-	-	-	SINGER	5.15	-	11,213	5.21
SCB13P2510A	0.43	(0.01)	1,595	0.42	SUTHA	2.34	(0.10)	69	2.32	SPC	58.75	(0.25)	122	58.72
SCB19C2507A	-	-	-	-	TPA	-	-	-	-	SPI	44.75	(0.75)	171	44.60
SCB19C2509A	-	-	-	-	UAC	2.80	0.10	64	2.76	SVT	1.22	-	172	1.22
SCB41C2609T	0.32	-	1,001	0.32	UP	20.90	-	8	20.85	TAN	4.32	(0.02)	1,989	4.28
SCB41P2509A	-	-	-	-	Commerce					WSOL	0.30	(0.01)	10,844	0.31
TCAP	47.00	(0.50)	14,304	47.22	ADVCE	4.86	0.04	16,785	4.84	Information & Comm	-	-	-	-
TCAP-P	-	-	-	-	B52	0.21	-	1,055	0.18	3BBIF	6.00	-	43,626	5.99
TCAP-Q	-	-	-	-	B52-W4	0.								

Main Board Quotation

Issue Date :

Monday June 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC19P2508A	-	-	-	-	DELTA13C2509E	0.42	0.05	125,476	0.41	BCPG19C2508A	0.04	0.01	100	0.04
ADVANC41C2606T	0.31	(0.01)	30,034	0.31	DELTA13C2509C	0.83	0.09	144,697	0.81	BCPG41C2606T	0.25	0.01	4,000	0.25
ADVANC41P2508A	-	-	-	-	DELTA13P2506A	-	-	-	-	BGRIM	10.70	0.30	140,812	10.73
AIT	4.66	0.04	24,424	4.64	DELTA13P2507A	0.01	(0.01)	6,407	0.01	BGRIM01C2506A	-	-	-	-
ALT	0.89	(0.03)	1,496	0.92	DELTA13P2507E	0.01	-	5,305	0.01	BGRIM01C2507A	-	-	-	-
AMR	0.61	0.01	3,209	0.60	DELTA13P2508A	0.10	(0.04)	88,299	0.11	BGRIM01C2508A	-	-	-	-
BLISS	-	-	-	-	DELTA13P2508E	0.25	(0.08)	98,323	0.26	BGRIM01C2509A	0.13	0.02	71,978	0.12
DIF	8.10	0.05	62,823	8.11	DELTA13P2509A	0.70	(0.11)	211,977	0.72	BGRIM01C2606T	0.13	0.01	20,916	0.13
DITTO	10.60	0.40	18,693	10.47	DELTA19C2506A	-	-	-	-	BGRIM01P2507A	0.16	(0.04)	6,344	0.17
DTCENT	0.85	(0.04)	12,752	0.86	DELTA19C2506E	-	-	-	-	BGRIM11C2507A	0.09	0.02	60	0.09
FORTH	8.30	(0.05)	2,251	8.30	DELTA19C2506C	-	-	-	-	BGRIM13C2507A	-	-	-	-
GABLE	2.98	-	4,983	2.99	DELTA19C2507A	0.03	-	2,930	0.03	BGRIM13C2507B	-	-	-	-
HUMAN	8.05	(0.20)	736	8.06	DELTA19C2507E	0.11	0.01	49,758	0.10	BGRIM13C2508A	0.09	0.01	192,077	0.10
ICN	1.87	0.01	1,689	1.87	DELTA19C2507C	0.90	0.11	2,390	0.86	BGRIM13C2510A	0.20	0.02	28,959	0.20
ILINK	5.00	(0.05)	1,435	5.01	DELTA19C2508A	1.72	0.25	1,494	1.66	BGRIM13C2510B	0.59	0.03	8,001	0.59
INET	4.14	-	3,298	4.15	DELTA19C2509A	0.46	0.06	47,623	0.44	BGRIM19C2506A	-	-	-	-
INSET	1.59	(0.04)	12,527	1.61	DELTA19C2510A	0.78	0.08	146,367	0.77	BGRIM19C2507A	-	-	-	-
ITEL	1.28	0.02	9,391	1.27	DELTA19P2506A	-	-	-	-	BGRIM19C2507B	-	-	-	-
JAS	1.44	(0.01)	509,495	1.46	DELTA19P2507A	-	-	-	-	BGRIM19C2508A	0.20	0.01	52	0.20
JAS-W4	0.47	-	229,216	0.48	DELTA19P2509A	0.12	(0.03)	10,655	0.13	BGRIM19C2509A	0.14	0.01	29,422	0.14
JAS13C2507A	-	-	-	-	DELTA19P2509E	0.24	(0.05)	27,044	0.25	BGRIM19P2506A	-	-	-	-
JAS13C2509A	0.20	(0.01)	28,499	0.21	DELTA19P2509C	0.31	(0.07)	48,637	0.32	BGRIM41C2506A	-	-	-	-
JAS13C2510A	0.35	(0.65)	33,289	0.37	DELTA19P2509E	0.43	(0.08)	47,547	0.45	BGRIM41C2608T	0.17	0.01	25,411	0.17
JAS19C2507A	0.01	(0.01)	3	0.02	DELTA19P2510A	1.00	(0.10)	25,551	1.02	BIOTEC	0.18	(0.01)	5,901	0.18
JAS19C2509A	0.33	-	36,497	0.34	DELTA41C2506A	-	-	-	-	BIOTEC-P	-	-	-	-
JAS19C2510A	0.20	-	24,761	0.21	DELTA41C2507A	-	-	-	-	BIOTEC-Q	-	-	-	-
JAS41C2605T	-	-	-	-	DELTA41C2508A	0.57	0.05	3,040	0.57	BIOTEC-W2	0.03	-	1,074	0.02
JMART	7.15	0.05	61,474	7.18	DELTA41C2509A	0.31	0.04	77,079	0.30	BPP	7.00	0.05	6,180	6.91
JMART-W5	0.26	0.01	211,839	0.27	DELTA41C2608T	0.47	0.04	35,206	0.46	BRRGIF	3.78	-	1,479	3.78
JMART13C2506A	-	-	-	-	DELTA41C2612T	0.13	0.01	20,470	0.13	BSRC	5.00	0.10	56,658	4.94
JMART13C2507A	-	-	-	-	DELTA41P2507A	-	-	-	-	BSRC13C2506A	-	-	-	-
JMART13C2508A	0.09	-	12,091	0.09	DELTA41P2509A	0.42	(0.02)	2,018	0.42	CKP	2.80	(0.04)	20,505	2.82
JMART13C2510A	0.33	-	22,003	0.34	HANA	18.50	0.10	44,785	18.54	CV	0.08	-	32,483	0.08
JMART19C2506A	-	-	-	-	HANA01C2509A	0.26	-	51,430	0.27	CV-W1	0.02	(0.01)	86	0.02
JMART19C2508A	-	-	-	-	HANA13C2506A	-	-	-	-	EA	3.06	0.12	1,970,326	3.05
JMART19C2508B	-	-	-	-	HANA13C2507A	0.02	0.01	1	0.02	EA-W1	1.36	0.02	750,214	1.38
JMART19C2510A	0.34	0.02	31,208	0.34	HANA13C2508A	0.23	-	80,804	0.24	EA13C2506B	-	-	-	-
JMART41C2606T	-	-	-	-	HANA13C2509A	0.17	-	51,528	0.17	EA13C2507A	0.04	0.01	208,027	0.04
JMART41C2609T	0.28	0.02	9,500	0.27	HANA13P2507A	0.02	(0.02)	1,004	0.03	EA13C2508A	0.30	0.05	40,304	0.29
JTS	39.25	-	191	39.52	HANA19C2507A	-	-	-	-	EA13C2508B	0.63	0.07	2,320	0.59
MFEF	5.40	(0.05)	445	5.45	HANA19C2508A	0.22	-	73,010	0.22	EA13C2509A	0.19	0.02	375,434	0.20
MSC	7.80	(0.10)	145	7.79	HANA19C2510A	0.22	-	48,341	0.22	EA13C2510A	0.37	0.05	162,492	0.36
PT	13.10	(0.20)	2,205	13.15	HANA41C2606T	0.13	0.01	15,384	0.13	EA13P2508A	0.18	(0.04)	47,394	0.19
ROCTEC	0.62	(0.02)	70,893	0.63	HANA41C2608T	0.51	0.02	82,001	0.51	EA13P2509A	0.53	(0.05)	78,386	0.53
ROCTEC-W3	-	-	-	-	KCE	16.10	0.50	64,682	15.91	EA19C2506A	-	-	-	-
ROCTEC-W5	0.02	(0.01)	57,216	0.03	KCE01C2507A	-	-	-	-	EA19C2506B	-	-	-	-
SAMART	6.25	(0.20)	16,773	6.31	KCE13C2506A	-	-	-	-	EA19C2508A	0.40	0.05	297,094	0.39
SAMTEL	5.55	-	574	5.43	KCE13C2507A	-	-	-	-	EA19C2508B	0.61	0.18	10	0.61
SAMTEL-W2	1.00	-	4,005	1.09	KCE13C2508A	0.04	-	1,280	0.04	EA19C2510A	0.39	0.03	123,562	0.39
SDC	0.04	-	32,136	0.03	KCE13C2508B	0.09	0.02	1,166	0.09	EA19C2510B	0.29	0.03	40,207	0.29
SIS	20.90	0.10	3,302	20.83	KCE13C2510A	0.28	0.03	30,423	0.26	EA19P2509A	0.27	(0.03)	15,248	0.27
SKY	12.90	(0.10)	4,841	12.94	KCE13P2508A	0.17	(0.04)	27,281	0.19	EA19P2510A	0.58	(0.04)	16,997	0.58
SPREME	1.32	0.01	4,876	1.34	KCE19C2506A	-	-	-	-	EA41C2606T	0.16	0.01	87,680	0.16
SVOA	1.15	0.01	438	1.14	KCE19C2507A	-	-	-	-	EA41C2609T	0.48	0.02	63,000	0.47
SYMC	4.28	(0.10)	633	4.32	KCE19C2508A	0.06	0.02	900	0.06	EASTW	1.74	0.02	2,365	1.74
SYNEX	12.30	0.10	13,356	12.24	KCE19C2510A	0.20	0.01	33,978	0.20	EGATIF	5.85	(0.05)	312	5.86
THCOM	8.35	0.05	18,289	8.44	KCE19C2510B	0.33	0.02	47,333	0.33	EGCO	107.50	0.50	4,103	107.55
TKC	10.80	0.40	1,940	10.70	KCE41C2606T	-	-	-	-	EP	1.42	(0.03)	281	1.41
TRUE	12.30	(0.20)	531,391	12.45	KCE41C2609T	0.32	0.02	66,001	0.32	EP-W4	-	-	-	-
TRUE01C2507A	-	-	-	-	METCO	191.50	2.00	36	189.21	ETC	1.29	0.02	3,798	1.28
TRUE01C2508A	0.18	(0.02)	12,158	0.20	SMT	1.22	-	2,124	1.22	GPSC	33.00	0.50	29,396	32.87
TRUE01C2606T	-	-	-	-	SVI	6.40	-	12,350	6.32	GPSC01C2507A	-	-	-	-
TRUE01P2507A	-	-	-	-	TEAM	2.66	0.04	1,486	2.62	GPSC01C2508A	-	-	-	-
TRUE01P2511A	0.33	0.01	5,860	0.32	Energy & Utilitie	-	-	-	-	GPSC01C2510A	0.26	0.02	29,286	0.25
TRUE13C2507A	-	-	-	-	ACC	0.32	0.02	26,638	0.32	GPSC01P2506A	0.01	-	1,684	0.01
TRUE13C2510A	0.20	(0.01)	10,184	0.21	ACC-W2	0.23	-	218	0.22	GPSC13C2506A	-	-	-	-
TRUE19C2507A	-	-	-	-	ACE	1.33	-	16,882	1.32	GPSC13C2507A	0.19	(0.03)	3,675	0.19
TRUE19C2507B	0.12	(0.02)	30,000	0.13	AE	0.13	-	20,757	0.12	GPSC13C2509A	0.19	0.01	47,216	0.19
TRUE19P2506A	-	-	-	-	AGE	0.81	(0.02)	5,276	0.81	GPSC19C2506A	-	-	-	-
TRUE19P2507A	0.05	-	2,520	0.05	AI	3.22	0.04	1,352	3.22	GPSC19C2506B	-	-	-	-
TRUE41C2604T	-	-	-	-	AIE	1.05	0.01	15,077	1.06	GPSC19C2507A	0.18	0.01	2,491	0.18
TRUE41C2612T	0.33	(0.02)	24,001	0.34	BAFS	8.60	0.10	1,466	8.57	GPSC19C2510A	0.27	0.01	49,078	0.26
TWZ	0.03	-	67,923	0.03	BANPU	4.44	(0.02)	159,144	4.46	GPSC19P2506A	-	-	-	-
TWZ-W8	-	-	-	-	BANPU01C2506A	0.01	-	3,482	0.01	GPSC41C2606T	0.19	0.01	15,700	0.19
TWZ-W9	-	-	-	-	BANPU01C2507A	0.04	(0.01)	600	0.04	GREEN	0.82	(0.02)	1,395	0.83
XYZ	0.36	-	243	0.35	BANPU01C2508A	0.26	(0.02)	19,873	0.27	GULF	43.75	-	209,397	43.78
Electronic Componer	-	-	-	-	BANPU01C2606T	0.30	-	6,160	0.30	GULF01C2508A	0.06	-	20	0.05
CCET	5.10	-	439,509	5.13	BANPU01P2510A	0.67	0.01	11,086	0.66	GULF01C2509A	0.21	-	46,493	0.21
CCET13C2507A	-	-	-	-	BANPU13C2506A	-	-	-	-	GULF01C2606T	0.24	-	8,777	0.24
CCET13C2507B	0.02	-	2,100	0.02	BANPU13C2506E	-	-	-	-	GULF01P2510A	0.59	-	22,049	0.59
CCET13C2508A	0.11	-	46,959	0.12	BANPU13C2507A	0.06	(0.01)	780	0.06	GULF13C2508A	0.03	-	15,860	0.03
CCET13C2510A	0.23	-	42,799	0.23	BANPU13C2509A	0.36	(0.01)	10,555	0.38	GULF13C2508B	0.19	(0.01)	77,189	0.20
CCET19C2506A	-	-	-	-	BANPU13P2510A	0.55	(0.01)	38,048	0.54	GULF13C2510A	0.30	(0.70)	141,719	0.30
CCET19C2506B	-	-	-	-	BANPU19C2506A	-	-	-	-	GULF13P2510A	0.51	(0.01)	83,098	0.51
CCET19C2506C	-	-	-	-	BANPU19C2507A	-	-	-	-	GULF19C2509A	0.29	-	108,663	0.29
CCET19C2507A	-	-	-	-	BANPU19C2508A	0.20	(0.02)	20,048	0.21	GULF19C2509B	0.13	-	24,253	0.13
CCET19C2507B	0.03	0.01	440	0.03	BANPU41C2605T	0.10	-	300	0.10	GULF41C2508A	0.16	-	17,510	0.16
CCET19C2509A	0.18	-	68,821	0.18	BBGI									

Main Board Quotation

Issue Date :

Monday June 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OR13C2507A	-	-	-	-	PLANB19C2510A	0.17	0.01	4,647	0.16	SAWAD13C2509A	0.08	(0.03)	11,743	0.10
OR13C2508A	0.16	0.01	60	0.16	PLANB41C2606T	0.10	0.01	11	0.10	SAWAD13C2510A	0.21	(0.06)	132,099	0.23
OR13C2509A	0.07	-	4	0.07	PRAKIT	10.90	0.10	16	10.87	SAWAD19C2506A	-	-	-	-
OR19C2506A	-	-	-	-	PTECH	-	-	-	-	SAWAD19C2507A	-	-	-	-
OR19C2508A	-	-	-	-	SE-ED	-	-	-	-	SAWAD19C2508A	0.02	0.01	5,100	0.02
OR19C2509A	-	-	-	-	TKS	5.15	-	444	5.15	SAWAD19C2510A	0.18	(0.04)	59,690	0.19
OR19C2510A	0.18	-	31,296	0.19	VGI	1.89	(0.17)	1,195,180	1.96	SAWAD19C2510B	0.30	(0.07)	110,131	0.32
OR41C2605T	-	-	-	-	VGI-W3	0.03	(0.01)	6,086	0.03	SAWAD41C2609T	0.10	(0.01)	10	0.10
OR41C2608T	0.30	0.01	41,500	0.30	VGI-W4	0.43	(0.12)	56,705	0.48	SAWAD41C2610T	0.31	(0.03)	23,080	0.32
PRIME	0.07	(0.01)	2,400	0.07	VGI01C2507A	0.01	-	16,811	0.01	SCAP	1.25	(0.01)	5,939	1.26
PTG	6.10	-	24,756	6.16	VGI01C2509A	0.14	(0.07)	86,774	0.16	SGC	0.75	(0.01)	68,751	0.75
PTT	30.00	(0.50)	234,398	30.03	VGI13C2507A	-	-	-	-	SGC-W1	0.02	-	22,104	0.02
PTT01C2508A	-	-	-	-	VGI13C2508A	0.02	-	56,912	0.01	SGC-W2	0.24	(0.01)	1,351	0.24
PTT01C2606T	0.14	-	6	0.14	VGI13C2508B	0.09	(0.02)	15,784	0.10	SM	0.86	0.01	1,152	0.84
PTT13C2508A	0.05	-	361	0.05	VGI13C2509A	0.10	(0.05)	96,531	0.12	TH	0.57	(0.01)	5,116	0.57
PTT19C2509A	0.11	(0.01)	100	0.11	VGI19C2507A	-	-	-	-	TH-W3	-	-	-	-
PTT41C2606T	-	-	-	-	VGI19C2508A	-	-	-	-	THANI	1.62	-	38,650	1.62
PTTPE	98.50	(1.00)	56,191	99.15	VGI19C2509A	0.17	(0.06)	34,364	0.21	TIDLOR	16.30	-	19,239	16.29
PTTPE01C2507A	-	-	-	-	VGI41C2606T	0.08	(0.01)	29	0.08	TK	3.84	-	395	3.80
PTTPE01C2509A	0.26	-	12,582	0.27	WORK	4.30	(0.02)	249	4.31	TNITY	2.60	(0.04)	58	2.61
PTTPE01C2606T	0.59	-	10,345	0.60	ZAA	1.00	0.02	184	1.00	TNL	-	-	-	-
PTTPE01P2506A	-	-	-	-	Finance & Secur	-	-	-	-	UOBKH	-	-	-	-
PTTPE01P2510A	0.55	(0.01)	6,877	0.54	AEONTS	99.25	0.50	2,299	99.06	XPG	0.79	0.01	56,456	0.79
PTTPE13C2507A	0.01	-	700	0.01	AMANA	0.92	-	2,645	0.91	Food & Beverage	-	-	-	-
PTTPE13C2507B	0.01	-	1,501	0.01	ASAP	1.29	(0.02)	57	1.30	AAI	4.30	-	7,261	4.31
PTTPE13C2508A	0.17	(0.02)	3,091	0.17	ASK	6.75	0.05	1,848	6.76	APURE	3.40	0.04	11	3.40
PTTPE13C2509A	0.61	(0.06)	6,197	0.64	ASP	1.99	(0.01)	21,515	2.00	ASIAN	6.95	(0.05)	2,220	6.98
PTTPE13P2510A	0.53	-	30,974	0.52	BAM	6.40	0.20	181,272	6.41	BR	1.60	0.01	257	1.58
PTTPE19C2507A	-	-	-	-	BAM01C2506A	0.01	-	1,150	0.01	BR-W1	0.05	-	26,362	0.05
PTTPE19C2508A	-	-	-	-	BAM13C2509A	0.19	0.03	52,293	0.19	BRR	4.20	0.02	693	4.18
PTTPE19C2509A	0.26	(0.03)	10,845	0.28	BAM19C2506A	-	-	-	-	BRR-W2	0.15	(0.01)	11,985	0.16
PTTPE41C2507A	-	-	-	-	BAM19C2510A	0.27	0.03	20,895	0.27	BTG	22.80	0.20	17,665	22.77
PTTPE41C2604T	0.04	-	8	0.04	BAM41C2612T	0.35	0.02	87,856	0.35	CBG	57.25	-	9,229	57.48
PTTPE41C2609T	0.34	-	26,100	0.34	BYD	0.51	0.07	363,802	0.50	CBG01C2506A	0.01	-	3,000	0.01
PTTPE41P2506A	-	-	-	-	CGH	0.50	0.02	4,687	0.49	CBG01C2507A	0.01	-	2	0.01
PTTPE41P2509A	-	-	-	-	CGH-W5	-	-	-	-	CBG01C2508A	-	-	-	-
RATCH	25.25	(0.50)	22,419	25.38	CHASE	0.60	-	10,859	0.61	CBG01C2510A	0.44	-	9,998	0.45
RATCH19C2506A	-	-	-	-	CHASE-W1	0.23	(0.01)	2,706	0.24	CBG01P2506A	-	-	-	-
RATCH19C2601A	0.22	(0.78)	60	0.22	CHAYO	1.66	0.04	57,987	1.65	CBG01P2507A	0.24	(0.02)	8,223	0.23
RPC	0.29	-	892	0.28	CHAYO-W3	0.03	-	89,080	0.03	CBG01P2510A	0.63	(0.01)	12,000	0.63
SCG	2.00	(0.02)	72	2.01	CHAYO-W4	0.51	0.12	444,198	0.45	CBG13C2506A	-	-	-	-
SCN	0.43	-	560	0.42	EAST	0.83	0.01	2,560	0.82	CBG13C2507A	-	-	-	-
SCN-W2	0.03	0.01	1,001	0.02	FNS	1.07	0.01	52	1.05	CBG13C2508A	0.12	-	5,260	0.12
SEAOL	2.46	(0.02)	126	2.47	FSX	0.99	0.02	448	0.96	CBG13C2509A	0.31	(0.01)	16,763	0.33
SGP	6.70	-	1,055	6.58	GBX	0.45	-	8,401	0.46	CBG19C2506A	-	-	-	-
SKE	0.22	-	5,685	0.23	HENG	0.98	(0.01)	6,537	0.99	CBG19C2506B	-	-	-	-
SKE-W1	0.04	0.01	21	0.04	IFS	1.79	0.01	243	1.76	CBG19C2508A	-	-	-	-
SPCG	7.95	-	1,692	7.92	JMT	9.35	-	108,302	9.41	CBG19C2510A	0.25	(0.01)	19,082	0.26
SPRC	5.45	-	49,556	5.43	JMT13C2507A	-	-	-	-	CBG19P2507A	0.21	(0.03)	7,028	0.20
SPRC13C2508A	0.15	(0.01)	26,074	0.15	JMT13C2509A	0.03	(0.01)	235	0.03	CBG41C2608T	0.18	-	7,000	0.18
SPRC19C2510A	0.25	-	3,769	0.25	JMT13C2509B	0.08	-	5,502	0.09	CFRESH	0.87	(0.01)	2,308	0.88
SPRC41C2606T	0.18	-	7,000	0.18	JMT13C2510A	0.40	(0.01)	86,332	0.41	CH	1.89	(0.03)	1,665	1.87
SSP	4.64	(0.04)	706	4.66	JMT19C2506A	-	-	-	-	CHAO	5.15	(0.05)	1,375	5.18
SUPER	0.17	0.01	91,520	0.16	JMT19C2507A	-	-	-	-	CHOTT	-	-	-	-
SUPEREIF	4.96	(0.02)	996	4.98	JMT19C2509A	0.05	-	100	0.05	CM	1.65	(0.03)	4	1.65
SUSCO	2.74	0.02	2,341	2.75	JMT19C2510A	0.12	-	44,178	0.12	COCOCO	5.95	(0.05)	11,804	5.99
TAE	0.61	-	32	0.61	JMT19C2510B	0.41	-	28,653	0.43	COCOCO19C2506A	-	-	-	-
TCC	0.32	-	8,313	0.31	JMT41C2608T	0.10	-	25,200	0.11	CPF	26.00	(0.25)	144,571	26.04
TCC-W5	0.18	-	2,020	0.17	KCAR	4.54	(0.04)	440	4.54	CPF01C2508A	0.65	(0.04)	1,232	0.65
TGE	1.51	0.07	689	1.46	KGI	3.72	(0.02)	2,475	3.73	CPF01C2509A	0.18	(0.01)	14,405	0.18
TGE-W2	0.13	0.01	3,742	0.12	KTC	37.50	(0.25)	33,635	37.52	CPF01P2512A	0.34	0.01	7,996	0.34
TOP	28.00	0.50	156,375	28.08	KTC01C2507A	-	-	-	-	CPF13C2506A	-	-	-	-
TOP01C2506A	0.01	-	100	0.01	KTC01C2508A	-	-	-	-	CPF13C2508A	0.11	(0.01)	1,150	0.11
TOP01C2507A	0.36	0.02	2,000	0.37	KTC13C2506A	-	-	-	-	CPF19C2509A	0.19	(0.01)	21,604	0.19
TOP01C2508A	0.16	0.02	43,631	0.16	KTC13C2509A	-	-	-	-	CPF19C2509B	0.18	(0.01)	6,249	0.18
TOP01P2506A	0.01	-	12	0.01	KTC13C2509B	0.12	(0.01)	202	0.12	CPF41C2609T	-	-	-	-
TOP01P2508A	0.06	(0.01)	1,500	0.06	KTC13C2510A	0.19	(0.02)	17,050	0.20	CPF41C2612T	-	-	-	-
TOP13C2506A	-	-	-	-	KTC19C2507A	-	-	-	-	CPI	2.68	(0.04)	3,618	2.70
TOP13C2507A	0.07	0.01	3,378	0.07	KTC19C2510A	0.17	(0.01)	4,052	0.17	F&D	59.75	0.25	353	59.50
TOP13C2509A	0.24	0.01	55,649	0.24	KTC19C2510B	0.26	(0.01)	17,291	0.26	FM	4.22	(0.02)	4,738	4.23
TOP13P2508A	0.04	(0.01)	6,712	0.04	KTC41C2606T	-	-	-	-	GLOCON	0.15	-	194,912	0.14
TOP19C2508A	0.18	0.02	92,502	0.18	MFC	29.25	0.25	4,899	29.29	GLOCON-WG	0.15	0.15	1,045,124	0.08
TOP19C2510A	0.16	0.01	15,664	0.17	MICRO	0.87	(0.01)	1,256	0.87	HTC	15.90	0.10	1,331	15.89
TOP41C2506B	-	-	-	-	ML	0.39	0.01	208	0.38	ICHI	10.00	0.05	25,755	10.00
TOP41C2609T	0.48	0.01	7,020	0.49	MST	7.40	-	36	7.45	ITC	11.60	(0.10)	82,891	11.74
TOP41C2611T	0.26	0.01	4	0.26	MTC	40.25	(0.50)	26,866	40.61	ITC01C2506A	0.01	-	250	0.01
TPIPP	2.22	0.02	2,083	2.21	MTC01C2506A	0.01	-	1,129	0.01	ITC01C2606T	0.17	0.01	6,442	0.17
TSE	0.37	-	6,888	0.37	MTC01C2508A	0.17	(0.01)	38,020	0.18	ITC13C2506A	-	-	-	-
TTW	8.70	(0.05)	5,498	8.73	MTC01P2506A	0.01	-	6	0.01	ITC13C2508A	0.03	(0.01)	8	0.03
UBE	0.55	0.01	4,071	0.54	MTC01P2510A	0.52	-	42,271	0.51	ITC13C2509A	0.13	(0.01)	19,454	0.14
WHAUP	3.24	-	2,067	3.23	MTC13C2508A	0.11	(0.02)	15,640	0.12	ITC19C2506A	-	-	-	-
WP	3.38	(0.02)	217	3.36	MTC13C2510A	0.27	(0.02)	26,764	0.27	ITC19C2601A	0.30	(0.70)	65,831	0.33
Media & Publishing	-	-	-	-	MTC13P2509A	0.32	0.01	15,872	0.32	ITC41C2612T	0.17	0.01	1,642	0.17
AMARIN	1.60	(0.07)	189	1.61	MTC19C2506A	-	-	-	-	JDF	1.80	(0.01)	377	1.81
AQUA	0.17	0.01	31,962	0.17	MTC19C2508A	0.09	-	1,444	0.09	KBS	5.55	0.10	3,329	5.49
AS	2.30	0.04	5,470	2.28	MTC19C2510A	0.24	(0.01)	40,961	0.24	KCG	8.70	-	2,923	8.68
BEC	3.86	-	1,403	3.87	MTC19P2506A	-	-	-	-	KSL	1.47	-	493	1.48
FE	180.00	1.00	35	180.39	MTC19P2509A	0.31	0.01	42,925	0.30	KTIS	2.44	(0.02)	38	2.43
GPI	1.59	-	1,078	1.59	MTC41C2606T	0.21	-	29,000	0.21	LST	4.60	0.02	434	4.57

Main Board Quotation

Issue Date :

Monday June 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP13C2508A	0.26	(0.03)	12,223	0.27	NKT	4.04	-	1,266	4.04	TSI	0.05	-	323	0.05
OSP13C2510A	0.23	(0.02)	13,164	0.23	NTV	25.00	(0.25)	50	24.92	TVH	8.00	0.10	36	7.94
OSP19C2506A	-	-	-	-	PHG	14.00	0.10	26	13.80	Packaging	-	-	-	-
OSP19C2506B	-	-	-	-	PR9	24.60	0.20	9,583	24.49	AJ	2.64	0.02	22,186	2.64
OSP19C2506C	-	-	-	-	PR901C2507A	0.11	0.01	12,934	0.10	ALUCON	173.50	1.50	1	173.50
OSP19C2509A	0.30	(0.04)	7,911	0.31	PR919C2506A	-	-	-	-	BGC	4.90	-	1,993	4.88
OSP41C2606T	0.17	(0.01)	12,250	0.17	PR919C2601A	0.29	(0.71)	6,063	0.29	CSC	44.50	(0.50)	17	44.31
PB	49.75	1.75	20	49.00	PR941C2609T	0.47	0.01	13,400	0.47	CSC-P	-	-	-	-
PLUS	3.24	-	2,515	3.14	PRINC	2.06	0.06	2,451	2.04	CSC-Q	-	-	-	-
PM	10.80	(0.10)	568	10.86	RAM	18.10	0.10	308	18.01	NEP	0.23	-	3,602	0.22
PQS	2.36	(0.02)	216	2.32	RJH	12.00	-	1,693	12.19	PJW	2.20	-	34,756	2.18
PRG	7.05	-	320	7.05	RPH	5.35	-	4,154	5.29	PTL	10.20	-	1,059	10.19
PRG-W3	-	-	-	-	SAFE	7.80	(0.05)	43	7.80	SCGP	16.00	(0.20)	106,968	16.19
PRG-W4	-	-	-	-	SKR	6.80	0.10	4,993	6.69	SCGP01C2506A	-	-	-	-
PRG-W5	-	-	-	-	THG	9.25	0.60	17,102	9.07	SCGP01C2507A	0.03	(0.03)	50	0.03
RBF	4.06	(0.08)	18,697	4.09	VIBHA	1.51	(0.02)	3,530	1.51	SCGP01C2508A	0.24	(0.02)	66,344	0.26
RBF13C2507A	-	-	-	-	VIBHA-W4	0.01	-	40	0.01	SCGP01C2511A	0.31	(0.01)	36,450	0.33
RBF19C2508A	0.01	-	1,500	0.01	VIH	6.90	-	2,041	6.83	SCGP01P2507A	0.05	-	650	0.05
SAPPE	29.00	(0.75)	2,170	29.37	VIH-W1	-	-	-	-	SCGP13C2506A	-	-	-	-
SAPPE13C2507A	-	-	-	-	WPH	8.60	(0.15)	1,229	8.66	SCGP13C2507A	0.09	(0.02)	60,452	0.11
SAPPE19C2508A	-	-	-	-	Tourism & Leisu	-	-	-	-	SCGP13C2508A	-	-	-	-
SAUCE	38.00	(0.25)	15	38.05	ASIA	-	-	-	-	SCGP13C2510A	0.23	(0.02)	76,716	0.26
SNNP	10.10	(0.10)	3,206	10.08	BEYOND	6.60	(0.15)	176	6.60	SCGP19C2506A	-	-	-	-
SNP	9.90	-	1,378	9.90	CENTEL	23.20	(0.50)	45,480	23.39	SCGP19C2506B	-	-	-	-
SORKON	4.18	(0.02)	1,635	4.18	CENTEL01C250E	-	-	-	-	SCGP19C2507A	-	-	-	-
SSF	5.50	(0.05)	62	5.50	CENTEL13C250E	-	-	-	-	SCGP19C2510A	0.26	(0.02)	73,260	0.29
SST	1.81	(0.01)	3	1.84	CENTEL13C2510	0.62	(0.06)	140,210	0.65	SCGP41C2606T	0.22	-	28,000	0.23
SUN	3.06	-	1,554	3.07	CENTEL19C250E	-	-	-	-	SCGP41C2609T	0.42	(0.01)	56,000	0.44
TC	5.40	(0.10)	362	5.34	CENTEL19C250E	-	-	-	-	SFLEX	3.00	-	6,532	2.99
TFG	5.10	0.12	80,073	5.05	CENTEL19C2510	0.44	(0.04)	56,978	0.46	SFLEX-W2	0.04	-	223	0.04
TFG-W4	1.09	0.04	4,770	1.09	CENTEL41C260E	0.12	(0.01)	16,000	0.12	SITHAI	1.08	0.01	10,456	1.07
TFMAMA	193.50	(0.50)	59	193.90	CSR	71.50	-	10	71.50	SLP	0.40	(0.01)	1,775	0.39
TIPCO	9.10	0.10	1,360	9.02	DUST	7.60	0.25	1,185	7.60	SMPC	8.55	(0.05)	196	8.54
TKN	5.40	(0.05)	45,927	5.39	ERW	2.16	(0.04)	250,892	2.16	SPACK	1.26	(0.02)	39	1.24
TU	10.10	0.10	129,916	10.10	ERW01C2507A	-	-	-	-	TCOAT	-	-	-	-
TU01C2506A	-	-	-	-	ERW13C2507A	-	-	-	-	TFI	0.05	-	177	0.04
TU01C2508A	-	-	-	-	ERW13C2508A	-	-	-	-	TFI-W1	-	-	-	-
TU01C2512A	0.19	0.01	22,056	0.19	ERW13C2510A	0.20	(0.02)	98,161	0.21	THIP	25.50	0.25	28	25.32
TU13C2508A	-	-	-	-	ERW19C2506A	-	-	-	-	TMD	24.70	(0.10)	3	24.70
TU13C2509A	0.13	-	32,475	0.13	ERW19C2508A	-	-	-	-	TOPP	-	-	-	-
TU19C2506A	-	-	-	-	ERW41C2606T	0.05	-	200	0.05	TPAC	7.70	0.05	154	7.66
TU19C2601A	-	-	-	-	ERW41C2611T	0.33	(0.01)	70,000	0.33	TPBI	3.02	0.02	4,894	3.02
TU41C2506A	-	-	-	-	GRAND	0.04	(0.01)	76,805	0.04	TPP	11.90	0.10	13	11.90
TU41C2609T	-	-	-	-	LRH	-	-	-	-	Personal Products	-	-	-	-
TVO	21.90	-	2,496	22.02	MANRIN	-	-	-	-	APCO	3.38	0.02	340	3.35
TWPC	2.18	-	2,005	2.16	MINT	24.80	(0.10)	64,087	24.95	BIZ	3.26	0.02	130	3.25
XBIO	0.16	-	34,217	0.16	MINT01C2506A	-	-	-	-	BLC	4.40	0.04	6,832	4.39
XBIO-W6	0.07	0.01	3,328	0.06	MINT01C2507A	-	-	-	-	DDD	6.25	(0.10)	185	6.26
XBIO-W7	0.03	-	6,240	0.03	MINT01C2606T	0.24	-	8,632	0.24	IP	3.06	0.02	2,594	3.07
ZEN	5.30	-	87	5.26	MINT13C2506B	-	-	-	-	IP-W2	-	-	-	-
Health Care Services	-	-	-	-	MINT13C2509A	0.39	-	400	0.39	JCT	79.25	(0.25)	2	79.25
AHC	13.70	(0.10)	14	13.81	MINT13C2509B	-	-	-	-	KISS	3.40	-	2,017	3.41
BCH	13.20	0.10	18,992	13.14	MINT19C2506A	-	-	-	-	NAM	4.28	0.02	779	4.24
BCH01C2508A	-	-	-	-	MINT19C2508A	-	-	-	-	NEO	27.00	-	3,572	27.02
BCH13C2507A	-	-	-	-	MINT41C2604T	0.04	-	3,200	0.04	NV	0.68	(0.02)	553	0.69
BCH13C2508A	-	-	-	-	MINT41C2612T	0.19	-	10,000	0.19	OCC	-	-	-	-
BCH13C2510A	0.25	-	1,400	0.25	OHTL	-	-	-	-	S&J	-	-	-	-
BCH19C2508A	-	-	-	-	ROH	-	-	-	-	SNPS	5.30	-	27,475	5.30
BCH19C2510A	0.21	-	1,625	0.21	SHANG	-	-	-	-	STGT	6.15	(0.15)	35,415	6.22
BCH41C2506A	-	-	-	-	SHR	1.55	0.01	5,740	1.54	STGT01C2510A	0.19	(0.02)	36,524	0.20
BCH41C2609T	0.25	0.01	17,000	0.25	SPA	3.14	(0.04)	8,843	3.16	STGT13C2508A	-	-	-	-
BDMS	21.00	(0.40)	249,620	21.11	VRANDA	4.38	-	149	4.38	STGT13C2510A	0.18	(0.03)	48,428	0.20
BDMS01C2506A	-	-	-	-	Home & Office P	-	-	-	-	STGT19C2509A	0.16	(0.01)	423	0.16
BDMS01C2508A	-	-	-	-	AJA	0.16	0.01	622,929	0.17	STGT41C2606T	0.11	(0.01)	6,000	0.11
BDMS01C2509A	0.14	(0.01)	455	0.14	DTCI	-	-	-	-	TMAN	11.70	0.30	7,612	11.76
BDMS13C2508A	0.05	-	20	0.05	FANCY	0.33	-	457	0.32	TNR	7.15	0.10	398	7.07
BDMS13C2510A	0.23	(0.03)	9,580	0.24	FTI	1.90	0.02	75	1.88	TOG	7.00	0.05	179	6.99
BDMS19C2508A	0.04	(0.01)	902	0.04	KYE	321.00	1.00	9	320.67	Professional Service	-	-	-	-
BDMS41C2609T	0.14	-	4,300	0.14	L&E	1.20	0.01	1	1.20	BWG	0.21	-	39,206	0.22
BH	137.50	-	33,089	137.16	MODERN	2.06	(0.02)	95	2.07	BWG-W6	0.01	-	3	0.01
BH-P	-	-	-	-	OGC	9.00	(2.00)	15	9.02	GENCO	0.25	-	560	0.24
BH-Q	-	-	-	-	ROCK	-	-	-	-	PRTR	3.28	(0.04)	715	3.28
BH01C2506A	0.01	-	1	0.01	SIAM	0.69	(0.01)	1,204	0.69	SISB	15.00	-	4,247	14.95
BH01C2507A	-	-	-	-	TCMC	0.40	(0.01)	593	0.40	SISB13C2508A	-	-	-	-
BH01C2510A	0.16	(0.01)	23,880	0.16	TSR	0.14	-	2,178	0.13	SISB19C2507A	-	-	-	-
BH01P2507A	0.40	0.01	4	0.39	TSR-W2	-	-	-	-	SO	4.18	-	2	4.18
BH01P2511A	0.81	(0.02)	54,433	0.83	Insurance	-	-	-	-	WAVE	0.02	(0.01)	3,106	0.03
BH13C2506A	-	-	-	-	AYUD	32.00	-	34	32.00	WAVE-W3	-	-	-	-
BH13C2508A	0.04	-	2,000	0.04	BKIH	281.00	-	112	281.98	WAVE-W4	0.01	(0.01)	10,100	0.01
BH13C2510A	0.17	(0.01)	30,560	0.18	BLA	15.70	0.20	20,400	15.54	Property Developer	-	-	-	-
BH13C2510B	0.37	(0.63)	61,625	0.37	BLA01C2508A	-	-	-	-	A	4.88	-	2	4.88
BH13P2510A	0.78	(0.01)	33,904	0.78	BLA13C2507A	-	-	-	-	A5	2.14	(0.02)	320	2.16
BH19C2506A	-	-	-	-	BLA13C2510A	0.16	-	19,393	0.16	A5-W4	0.03	-	2,266	0.02
BH19C2506B	-	-	-	-	BLA19C2506A	-	-	-	-	A5-W5	0.14	0.02	74,586	0.14
BH19C2508A	0.03	-	70	0.03	BLA19C2601A	0.39	(0.61)	25,592	0.38	AKS	0.04	-	87,511	0.04
BH19C2509A	0.12	-	4,136	0.12	BLA41C2606T	-	-	-	-	AMATA	14.10	0.10	120,347	14.24
BH19C2510A	0.26	(0.01)	37,256	0.26	BUI	13.00	-	101	13.05	AMATA01C2507A	-	-	-	-
BH19P2510A	0.72	(0.02)	27,808	0.72	CHARAN	14.90	0.10	22	14.99	AMATA01C2508A	-	-	-	-
BH41C2605T	-	-	-	-	INSURE	-	-	-	-	AMATA01C2509A	0.41	0.01	21,625	0.43
BH41C2609T	0.13	(0.01)	8,012	0.13	KWI	0.10	-	8,405	0.09	AMATA13C2506B	-	-	-	-
BH41C2611T	0.37	-	46,500	0.38	MTI	14.30	(0.20)	405	14.18	AMATA13C2508A	0.01	-	290	0.01
BH41P2508A	0.54	0.01	4,000	0.53	NKI	19.90	-	14	19.95	AMATA13C2508B	0.05	(0.01)	660	0.05
BKGI	1.42	(0.07)	20,821	1.42	TGH	-	-	-	-	AMATA13C2508C	0.28	0.01	13,683	0.28
CHG	1.69	0.05	329,077	1.66	THRE	0.40	-	8,177	0.39	AMATA19C2508A	-	-	-	-
CHG13C2510A	0.39	0.04	38,477	0.36	THREL	1.22	(0.04)	2,279	1.25	AMATA19C2509A				

Main Board Quotation

Issue Date :

Monday June 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ASW-W3	0.90	0.90	238,413	1.17	WHA19C2509A	0.29	(0.02)	322	0.32	KEX	1.46	-	36,694	1.46
AWC	1.93	-	333,186	1.94	WHA19C2510A	0.22	-	4,942	0.23	KIAT	0.30	-	3,182	0.30
AWC01C2506A	-	-	-	-	WHA41C2605T	-	-	-	-	KWC	-	-	-	-
AWC01C2508A	0.02	0.01	1	0.02	WHA41C2608T	0.14	-	29,001	0.14	MENA	0.90	0.01	187	0.90
AWC01C2510A	0.19	-	34,450	0.20	WIN	0.39	-	986	0.37	NYT	2.96	0.02	4,953	2.96
AWC01C2606T	0.19	(0.01)	9,522	0.20	Paper & Printing	-	-	-	-	PORT	0.78	-	380	0.74
AWC13C2508A	-	-	-	-	UTP	7.85	0.05	835	7.87	PRM	5.85	(0.15)	103,714	5.94
AWC13C2509A	0.10	0.01	28,946	0.10	Fashion	-	-	-	-	PSL	6.30	(0.15)	17,964	6.32
AWC19C2506A	-	-	-	-	AFC	3.62	-	21	3.62	RCL	28.50	(1.00)	29,410	28.81
AWC19C2510A	0.11	-	13,222	0.11	AURA	14.60	(0.40)	3,751	14.69	RCL01C2507A	0.19	(0.03)	22,411	0.19
AWC41C2606T	-	-	-	-	BTNC	11.60	-	28	12.36	RCL01C2510A	0.24	(0.02)	37,823	0.24
AWC41C2609T	0.19	(0.01)	10,000	0.20	CPH	7.50	0.15	154	7.33	RCL13C2507A	-	-	-	-
BLAND	0.47	(0.02)	64,614	0.48	CPL	0.72	(0.02)	76	0.73	RCL13C2509A	0.27	(0.05)	53,516	0.28
BRI	1.54	-	1,022	1.55	NC	2.18	(0.08)	324	2.18	RCL19C2507A	0.21	(0.03)	13	0.21
BROCK	1.49	0.04	1	1.49	PAF	0.77	-	936	0.77	RCL41C2608T	0.58	(0.03)	43,426	0.58
CGD	0.15	0.01	13,438	0.15	PDJ	1.48	(0.03)	162	1.46	SAV	14.50	-	592	14.55
CI	0.31	0.01	9,328	0.32	PG	7.50	0.15	1	7.50	SINO	1.00	(0.03)	10,223	1.00
CMC	0.75	(0.02)	5,102	0.74	SABINA	16.10	-	2,158	16.06	SJWD	8.65	(0.05)	17,320	8.63
CPN	45.75	(1.00)	104,121	45.73	SAWANG	-	-	-	-	TFJIF	5.90	0.05	6,211	5.89
CPN01C2506A	-	-	-	-	SUC	29.75	0.25	664	29.50	THAI	-	-	-	-
CPN01C2606T	0.17	(0.01)	5,878	0.18	TR	30.00	-	13	29.98	TSTE	11.50	0.50	52	11.50
CPN13C2507A	-	-	-	-	TTI	25.25	(2.75)	2	25.25	TTA	4.12	-	9,719	4.13
CPN13C2510A	0.22	(0.04)	100,311	0.23	TTT	50.00	(0.25)	10	50.15	WICE	3.00	(0.10)	11,054	3.04
CPN19C2508A	0.03	(0.01)	1	0.03	UPF	-	-	-	-	Automotive	-	-	-	-
CPN41C2608T	0.23	(0.01)	34,530	0.23	WACOAL	19.00	(0.40)	1	19.00	ACG	0.72	-	20	0.72
ESTAR	0.19	-	1,128	0.18	WFX	0.80	(0.01)	836	0.81	AH	13.80	0.20	213	13.68
EVER	0.07	-	1,032	0.07	Transportation 8	-	-	-	-	CWT	0.67	(0.01)	2,055	0.67
FPT	6.70	(0.15)	129	6.80	AAV	1.14	(0.02)	330,757	1.16	EASON	1.14	(0.02)	6,093	1.14
GLAND	-	-	-	-	AAV13C2506A	-	-	-	-	GYT	-	-	-	-
J	0.83	0.06	28,074	0.83	AAV13C2508A	0.01	(0.01)	1	0.01	HFT	3.88	(0.02)	791	3.86
J-W3	0.12	0.02	67,840	0.12	AAV13C2509A	0.08	(0.01)	8	0.08	IHL	1.53	-	12	1.50
J-W4	0.22	0.02	4,222	0.23	AAV13C2510A	0.18	(0.82)	68,761	0.20	INGRS	0.27	(0.01)	1,406	0.27
JCK	0.16	(0.01)	12,938	0.16	AAV19C2507A	-	-	-	-	IRC	11.10	(0.30)	28	11.13
KC	0.05	0.01	89,396	0.04	AAV19C2510A	0.17	(0.01)	22,743	0.18	MGC	2.92	-	65	2.90
KUN	1.18	(0.01)	21	1.16	AAV41C2608T	0.05	0.01	15,083	0.04	NEX	0.96	0.09	795,252	0.96
KUN-W2	0.01	-	13	0.01	AAV41C2611T	0.26	-	32,000	0.26	PCSGH	3.28	0.10	607	3.18
KUN-W3	-	-	-	-	ANI	3.54	(0.08)	1,220	3.64	POLY	6.95	-	45	6.94
LALIN	4.90	(0.02)	157	4.90	AOT	31.75	-	253,279	31.83	SAT	12.00	(0.10)	7,963	11.97
LH	3.88	-	112,541	3.88	AOT01C2506A	0.01	-	26,203	0.01	SPG	-	-	-	-
LH19C2510A	0.23	(0.01)	13,244	0.23	AOT01C2507A	-	-	-	-	STANLY	201.00	(1.00)	108	201.89
LPN	1.96	-	1,243	1.96	AOT01C2507B	-	-	-	-	TKT	1.26	-	235	1.27
MBK	16.70	(0.10)	7,683	16.84	AOT01C2509A	0.05	-	19,240	0.05	TNPC	0.83	(0.01)	365	0.82
MBK19C2508A	-	-	-	-	AOT01C2511A	0.15	-	65,551	0.16	TRU	3.36	0.04	1,131	3.35
MJD	0.46	(0.02)	2,218	0.45	AOT01C2606T	0.10	(0.01)	30,440	0.11	TSC	13.00	-	96	13.00
MK	1.25	(0.07)	4,150	1.27	AOT01P2507A	-	-	-	-	Industrial Materials	-	-	-	-
NCH	0.57	-	45	0.57	AOT01P2507B	0.58	(0.04)	4,072	0.58	AKR	0.96	-	10,671	0.96
NNCL	1.50	(0.01)	1,688	1.48	AOT01P2510A	0.43	(0.01)	31,275	0.43	ALLA	1.23	(0.01)	4,184	1.23
NOBLE	1.78	0.02	10,782	1.78	AOT11C2507A	-	-	-	-	ASEFA	3.40	-	410	3.39
NOBLE-W3	0.14	0.03	673,355	0.14	AOT13C2507A	-	-	-	-	CPT	0.98	-	205	0.97
NVD	1.00	-	386	1.00	AOT13C2507B	-	-	-	-	CRANE	0.37	(0.01)	14,377	0.37
ORI	1.73	0.05	54,341	1.73	AOT13C2507C	-	-	-	-	CTW	2.96	0.12	161	2.95
ORI-W2	0.23	0.01	221,019	0.23	AOT13C2508A	0.01	(0.01)	10	0.01	FMT	26.25	0.25	48	26.49
ORN	0.68	(0.02)	6,339	0.68	AOT13C2509A	0.04	-	15,371	0.04	FTE	1.58	0.01	1,399	1.57
PEACE	-	-	-	-	AOT13C2509B	0.09	-	15,256	0.09	HTECH	2.64	-	3,498	2.65
PF	0.10	-	13,998	0.10	AOT13C2510A	0.18	(0.01)	65,672	0.19	KKC	-	-	-	-
PIN	4.94	-	9,073	4.93	AOT13P2507A	-	-	-	-	PCC	2.52	-	10,624	2.51
PLAT	1.09	0.02	9,913	1.07	AOT13P2507B	0.23	(0.03)	18,130	0.23	PK	0.69	0.01	65,498	0.71
PRECHA	0.64	-	540	0.63	AOT19C2506A	-	-	-	-	PSP	4.46	0.06	8,581	4.42
PRIN	1.52	-	4,501	1.49	AOT19C2507A	-	-	-	-	QTC	3.76	(0.08)	503	3.78
PROUD	1.27	(0.03)	360	1.28	AOT19C2507B	-	-	-	-	SCI	0.87	0.04	1,749	0.88
PROUD-W3	0.17	-	175,763	0.18	AOT19C2508A	-	-	-	-	SE	0.40	-	1,447	0.40
PSH	4.30	(0.02)	1,633	4.30	AOT19C2509A	-	-	-	-	SELIC	2.68	-	11	2.68
QH	1.41	(0.01)	34,335	1.42	AOT19C2510A	0.17	-	50,608	0.18	SNC	6.30	-	217	6.26
RABBIT	0.38	0.01	88,914	0.37	AOT19P2507A	-	-	-	-	TCT	2.86	-	2	2.77
RABBIT-P	0.46	-	2,632	0.46	AOT41C2507A	-	-	-	-	TPCS	-	-	-	-
RABBIT-Q	-	-	-	-	AOT41C2605T	-	-	-	-	VARO	4.96	(0.04)	43	4.99
RICHY	0.37	0.01	218	0.35	AOT41C2609T	0.14	-	5,981	0.14	Property Fund & REI	-	-	-	-
RML	0.16	-	14,393	0.16	AOT41P2509A	0.45	(0.02)	10,002	0.45	AIMCG	1.96	(0.01)	473	1.97
ROJNA	4.50	(0.02)	12,191	4.53	AOT41P2606T	-	-	-	-	AIMIRT	9.60	-	988	9.61
S	0.58	-	11,602	0.57	ASIMAR	1.39	0.01	23	1.38	ALLY	4.54	-	487	4.52
SA	7.40	0.05	427	7.38	B	0.04	-	26,287	0.04	AMATAR	6.05	-	21	5.98
SA-W1	0.01	-	12,350	0.01	B-W8	0.01	-	3	0.01	AXTRART	11.40	(0.40)	14,737	11.51
SAMCO	0.66	-	273	0.65	BA	13.50	(0.30)	14,273	13.68	B-WORK	4.48	(0.02)	1,715	4.48
SC	1.69	0.02	10,537	1.68	BA01C2508A	-	-	-	-	BAREIT	9.35	(0.05)	3,353	9.35
SENA	1.69	(0.01)	2,011	1.68	BA13C2510A	0.21	(0.03)	7,940	0.22	BOFFICE	4.84	0.04	894	4.81
SIRI	1.27	(0.02)	323,771	1.28	BA19C2507A	-	-	-	-	CPNCG	5.95	-	1,953	5.90
SIRI13C2508A	-	-	-	-	BA41C2606T	-	-	-	-	CPNREIT	11.50	(0.30)	20,118	11.57
SIRI19C2508A	-	-	-	-	BEM	5.15	(0.25)	620,647	5.25	CPTREIT	4.68	-	798	4.66
SIRI41C2606T	-	-	-	-	BEM01C2511A	0.18	(0.03)	13,736	0.21	CTARAF	4.54	-	935	4.52
SPALI	14.30	-	8,995	14.28	BEM13C2506A	-	-	-	-	DREIT	4.84	(0.06)	977	4.84
SPALI13C2507A	-	-	-	-	BEM13C2508A	0.03	(0.01)	1,439	0.04	FREIT	9.15	(0.20)	7,615	9.22
SPALI13C2509A	-	-	-	-	BEM19C2510A	0.09	(0.02)	21,119	0.10	FUTURERT	9.35	-	540	9.31
SPALI19C2509A	-	-	-	-	BEM41C2606T	0.07	(0.01)	10	0.07	GAHREIT	6.45	-	53	6.45
SPALI19C2510A	-	-	-	-	BTS	4.48	(0.02)	497,884	4.51	GROREIT	8.55	(0.05)	56	8.55
SPALI41C2609T	0.20	-	315	0.20	BTS-W8	0.02	(0.01)	19,048	0.02	GVREIT	6.70	-	2,003	6.71
STELLA	0.18	(0.01)	5,160	0.19	BTS01C2507A	0.01	-	2,500	0.01	HPF	4.72	0.02	125	4.71
STELLA-W5	-	-	-	-	BTS01C2508A	-	-	-	-	HYDROGEN	8.65	-	502	7.25
STELLA-W6	0.06	-	21	0.05	BTS01C2509A	0.27	(0.01)	44,053	0.28	IMPACT	9.50	(0.20)	4,836	9.65
UV	0.91	(0.01)	5,390	0.90	BTS13C2507A	0.01	(0.04)	163	0.01	INETREIT	9.40	0.10	10,462	9.37
WHA	3.10	0.02	822,445	3.14	BTS13C2508A	0.02	-	50	0.02	ISSARA	7.95	-	5	7.93
WHA01C2506A	0.01	-	165	0.01	BTS13C2508B	0.13	-	31,452	0.13	KPNREIT	-	-	-	-
WHA01C2507A	-	-	-	-	BTS13C2509A	0.07	(0.01)	15	0.08	KTBSTMR	5.45	-	657	5.47
WHA01C2508A	-	-	-	-	BTS13C2510A	0.33	(0.01)	52,694	0.35	LHHOTEL	11.20	(0.20)	9,555	11.23
WHA01C2509A	0.46	-	6,214	0.47	BTS19C2508A									

Main Board Quotation

Issue Date :

Monday June 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MNRF	2.04	-	4	2.04	BABA28C2509A	0.10	0.02	667	0.10	HSTECH28P2506A	-	-	-	-
POPF	5.65	-	1,416	5.61	BABA28P2507A	-	-	-	-	HSTECH28P2506B	-	-	-	-
PROSPECT	7.30	(0.20)	8,825	7.27	BABA28P2509A	-	-	-	-	HSTECH28P2506C	-	-	-	-
QHBREIT	3.34	-	5,908	3.34	BABA41C2506A	-	-	-	-	HSTECH28P2508A	0.42	(0.09)	75	0.42
QHHRREIT	6.55	(0.05)	933	6.55	BABA41C2507A	0.37	0.07	8,033	0.35	JD41C2506A	-	-	-	-
QHOP	3.50	(0.16)	57	3.50	BABA41C2509A	0.35	0.04	6,014	0.35	JD41C2509A	0.40	0.11	26,202	0.36
SIRIPRT	-	-	-	-	BABA41P2506A	-	-	-	-	KUAISH41C2506A	-	-	-	-
SPRIME	3.70	(0.02)	1,255	3.72	BABA41P2507A	0.64	(0.08)	12,015	0.64	KUAISH41C2506B	-	-	-	-
SRIPANWA	4.84	0.04	1,024	4.87	BIDU41C2506A	0.18	0.04	178	0.18	KUAISH41C2509A	0.87	0.20	40,400	0.87
SSPF	3.70	-	1	3.70	BIDU41C2509A	0.34	0.04	2,023	0.34	MCA5041C2506A	-	-	-	-
SSTRT	4.32	-	145	4.34	BIDU41P2507A	0.32	(0.07)	3,013	0.33	MCA5041C2509A	0.33	(0.02)	35	0.33
TIF1	6.65	0.05	35	6.65	BYDCOM28C250	1.33	(0.18)	5	1.28	MCA5041P2506A	-	-	-	-
TLHPF	4.48	(0.02)	71	4.49	BYDCOM28C251	0.37	(0.07)	20,051	0.37	MCA5041P2509A	0.39	-	186	0.39
TNPF	1.30	(0.01)	20	1.31	BYDCOM28P251	0.17	0.02	8	0.17	MEITUA28C2507A	-	-	-	-
TPRIME	6.80	0.15	462	6.74	BYDCOM41C250	1.36	(0.15)	2	1.38	MEITUA28C2509A	0.35	0.07	61	0.33
TLPF	11.30	-	535	11.32	BYDCOM41C250	0.12	(0.08)	70	0.12	MEITUA41C2506A	0.03	0.01	1	0.03
TU-PF	-	-	-	-	BYDCOM41C250	0.17	(0.02)	28,611	0.15	MEITUA41C2507A	0.28	0.07	6,101	0.28
WHABT	6.55	(0.10)	153	6.59	BYDCOM41P250	0.12	0.02	12,000	0.13	MEITUA41P2509A	0.19	(0.05)	4,000	0.20
WHAIR	4.98	(0.07)	1,530	5.01	DJI28C2506A	-	-	-	-	NDX28C2506A	-	-	-	-
WHART	9.10	(0.10)	9,356	9.14	DJI28C2509A	-	-	-	-	NDX28C2506B	0.48	(0.13)	365	0.48
Steel and Metal Prod	-	-	-	-	DJI28C2509B	0.69	0.04	50	0.69	NDX28C2506C	-	-	-	-
2S	2.28	(0.08)	394	2.18	DJI28P2506A	-	-	-	-	NDX28C2509A	-	-	-	-
AMC	2.00	(0.04)	74	2.00	DJI41C2506A	-	-	-	-	NDX28C2509B	-	-	-	-
BSBM	0.69	-	233	0.71	DJI41C2506B	-	-	-	-	NDX28C2509C	0.72	0.01	105	0.71
CEN	1.53	0.01	114	1.51	DJI41C2509A	0.75	0.03	92	0.75	NDX28P2506A	-	-	-	-
CEN-W5	0.05	(0.01)	3,110	0.05	DJI41P2506A	-	-	-	-	NDX28P2509A	-	-	-	-
CITY	1.42	-	41	1.41	DJI41P2509A	0.51	(0.04)	5,406	0.51	NDX28P2509B	-	-	-	-
CSP	0.47	(0.01)	185	0.48	GEELY41C2506A	0.06	(0.04)	6	0.06	NDX28P2509C	0.29	-	350	0.29
GJS	0.12	(0.01)	127	0.13	GEELY41C2509A	0.13	(0.02)	10,000	0.13	NDX41C2506A	-	-	-	-
GSTEEL	-	-	-	-	HSIO6C2506A	0.61	0.11	96,417	0.59	NDX41C2506B	-	-	-	-
INOX	0.39	-	2,171	0.40	HSIO6C2506B	-	-	-	-	NDX41C2506C	-	-	-	-
LHK	3.66	0.06	9,437	3.62	HSIO6C2506C	0.16	0.03	104,614	0.15	NDX41C2506D	-	-	-	-
MCS	8.70	(0.15)	3,878	8.80	HSIO6C2506D	-	-	-	-	NDX41C2509A	1.23	0.06	1,929	1.21
MILL	0.09	0.01	25	0.09	HSIO6C2506E	0.01	(0.01)	2,280	0.01	NDX41C2509B	0.69	0.02	46,189	0.68
PAP	1.66	-	390	1.66	HSIO6C2506F	-	-	-	-	NDX41C2509T	-	-	-	-
PERM	0.37	-	2,936	0.36	HSIO6C2507A	0.14	0.03	73,769	0.13	NDX41P2506A	-	-	-	-
SAM	0.16	0.01	2,879	0.16	HSIO6C2507B	0.38	0.06	242,811	0.38	NDX41P2506B	-	-	-	-
SMIT	3.72	-	360	3.69	HSIO6C2507C	0.80	0.11	5	0.79	NDX41P2509A	0.29	(0.01)	984	0.29
SSSC	2.08	-	1,896	2.08	HSIO6C2507D	-	-	-	-	NDX41P2509B	0.42	(0.04)	1	0.42
TGPRO	0.06	(0.01)	7,096	0.06	HSIO6C2507E	2.00	0.19	108	1.98	NDX41P2509T	1.74	(0.05)	5,883	1.76
THE	0.87	(0.01)	638	0.86	HSIO6C2508A	0.40	0.05	29,642	0.36	NIKKEI28C2506A	-	-	-	-
TMT	3.14	0.04	223	3.10	HSIO6C2508B	0.71	0.07	170	0.68	NIKKEI28C2506B	0.01	(0.04)	120	0.01
TSTH	0.69	(0.01)	26,337	0.71	HSIO6C2509A	0.54	0.06	19,537	0.52	NIKKEI28C2506C	-	-	-	-
TWP	1.02	(0.01)	33	1.02	HSIO6P2506A	-	-	-	-	NIKKEI28P2506A	-	-	-	-
TYCN	1.75	0.05	1	1.75	HSIO6P2506B	-	-	-	-	NIKKEI28P2506B	-	-	-	-
Construction Service	-	-	-	-	HSIO6P2506C	-	-	-	-	NIKKEI28P2506C	-	-	-	-
APCS	1.38	-	12	1.38	HSIO6P2506D	0.02	(0.01)	57	0.02	NIKKEI41C2506A	-	-	-	-
BJCHI	0.86	0.03	3,647	0.84	HSIO6P2506E	0.08	(0.03)	64	0.08	NIKKEI41C2506B	-	-	-	-
BKD	1.23	0.02	318	1.22	HSIO6P2506F	0.24	(0.11)	429,503	0.26	NIKKEI41C2509A	0.37	0.01	90	0.37
CIVIL	1.29	(0.02)	2,281	1.29	HSIO6P2507A	-	-	-	-	NIKKEI41C2509B	0.23	0.02	309	0.22
CK	14.40	0.20	11,035	14.35	HSIO6P2507B	0.04	(0.05)	26	0.04	NIKKEI41C2509C	0.59	0.04	23	0.59
CNT	0.97	-	195	0.96	HSIO6P2507C	0.14	(0.04)	272,771	0.15	NIKKEI41P2506A	-	-	-	-
DEMCO	1.80	(0.02)	1,103	1.81	HSIO6P2507D	0.33	(0.09)	409,929	0.35	NIKKEI41P2506B	-	-	-	-
EMC	0.04	-	24,918	0.04	HSIO6P2507E	0.55	(0.12)	161,646	0.57	NIKKEI41P2509A	-	-	-	-
EMC-W7	0.03	-	15,149	0.03	HSIO6P2507F	1.32	(0.19)	172	1.35	NIKKEI41P2509B	-	-	-	-
ITD	0.30	0.02	29,026	0.29	HSIO6P2508A	0.21	(0.05)	29,248	0.22	NIKKEI41P2509C	0.34	(0.02)	100	0.34
JR	1.78	0.02	496	1.79	HSIO6P2508B	0.10	(0.02)	58	0.10	NTES41C2506A	0.74	0.10	2,000	0.76
NL	0.91	0.01	3,114	0.91	HSIO6P2508C	0.37	(0.09)	36,024	0.37	PINGAN41C2507A	0.19	0.04	11	0.19
NWR	-	-	-	-	HSIO6P2509A	0.16	(0.02)	122	0.16	POPMAR41C2506A	2.56	0.67	40	2.52
PLE	0.24	(0.01)	234	0.24	HSIO6P2509B	0.29	(0.06)	12,176	0.30	POPMAR41C2507A	1.22	0.11	7	1.22
PREB	3.62	0.02	482	3.59	HSI28C2506A	0.29	(0.06)	12,176	0.30	POPMAR41C2509A	0.59	0.06	55,733	0.57
PYLON	2.10	0.02	2,741	2.08	HSI28C2506B	0.02	0.01	48	0.02	POPMAR41P2511A	0.45	(0.01)	10,011	0.46
RT	0.28	-	2,059	0.28	HSI28C2506C	0.03	-	180	0.03	SET01C2506A	0.01	(0.01)	51,979	0.01
SEAFCCO	2.06	(0.02)	2,614	2.06	HSI28C2506D	2.24	0.24	700	2.18	SET01C2506B	0.02	-	64,208	0.01
SOLAR	0.23	-	2,005	0.23	HSI28C2506E	-	-	-	-	SET01C2507A	0.04	-	98	0.04
SQ	0.70	(0.02)	3,050	0.70	HSI28C2506F	-	-	-	-	SET01C2509A	0.42	(0.01)	45,525	0.43
SRICHA	8.10	0.20	9,246	8.11	HSI28C2506G	0.38	0.05	929,591	0.36	SET01C2512T	0.56	0.01	2,353	0.55
STECON	7.90	0.60	267,099	7.74	HSI28C2507A	0.10	0.01	668	0.09	SET01C2606L	1.97	0.01	31,614	1.97
STI	2.32	(0.04)	490	2.31	HSI28C2507B	-	-	-	-	SET01P2506A	0.19	(0.13)	3,459	0.20
STPI	3.40	0.12	41,832	3.35	HSI28C2507C	0.74	0.08	5,347	0.74	SET01P2507A	0.32	(0.04)	683	0.33
SYNTEC	1.66	-	2,393	1.66	HSI28C2507D	0.48	0.07	256,879	0.46	SET01P2509A	0.79	(0.02)	40,957	0.78
TEAMG	2.86	0.08	18,720	2.84	HSI28C2507E	0.31	0.04	65,614	0.30	SET5001C2506A	0.02	-	20,883	0.01
TEAMG-W1	0.20	0.02	59,339	0.19	HSI28C2507F	0.17	0.02	5,595	0.17	SET5001C2506F	0.02	-	1,001	0.01
TEKA	1.75	-	248	1.75	HSI28C2507G	1.35	0.35	40	1.35	SET5001C2506G	0.02	-	1,001	0.01
TPOLY	0.51	0.01	1,057	0.39	HSI28C2508A	0.22	0.02	855	0.22	SET5001C2507A	0.03	-	3,620	0.03
TRC	0.48	(0.01)	1,280	0.38	HSI28C2508B	0.38	0.04	6,198	0.37	SET5001C2509A	0.42	(0.01)	76,469	0.43
TRITN	0.05	-	81,895	0.05	HSI28C2508C	0.52	0.05	196,567	0.51	SET5001C2509F	0.16	0.01	120	0.16
TRITN-W7	-	-	-	-	HSI28C2509A	0.47	0.05	9,448	0.47	SET5001P2506A	0.60	(0.04)	8,059	0.57
TTCL	0.98	0.01	643	0.98	HSI28C2509B	0.38	0.05	5,648	0.37	SET5001P2506F	0.76	(0.15)	614	0.67
UNIQ	2.00	0.06	10,741	2.00	HSI28P2506A	-	-	-	-	SET5001P2506G	-	-	-	-
WGE	0.78	(0.01)	324	0.77	HSI28P2506B	0.04	-	1,161	0.03	SET5001P2507A	0.06	-	67	0.05
Unit Trust	-	-	-	-	HSI28P2506C	-	-	-	-	SET5001P2509A	0.74	(0.04)	21,940	0.74
SCBSET	-	-	-	-	HSI28P2506D	0.01	(0.02)	10,001	0.01	SET5001P2509F	0.61	(0.05)	665	0.64
VAYU1	10.30	0.10	72,454	10.30	HSI28P2506E	0.08	(0.06)	17,259	0.09	SET5006C2506A	-	-	-	-
ETF	-	-	-	-	HSI28P2506F	0.02	(0.02)	753	0.02	SET5006C2506B	-	-	-	-
1DIV	9.86	-	59	9.87	HSI28P2507A	0.11	(0.04)	2,725	0.12	SET5006C2506C	-	-	-	-
ABFTH	1,363.00	(20.00)	3	1,363.00	HSI28P2507B	0.04	-	3	0.04	SET5006C2506D	-	-	-	-
BMSCG	-	-	-	-	HSI28P2507C	0.04	(0.03)	13,300	0.04	SET5006C2506E	0.05	0.01	5	0.05
BMSCITH	8.51	(0.01)	304	8.53	HSI28P2507D	-	-	-	-	SET5006C2506F	0.05	(0.01)	20	

Main Board Quotation

Issue Date :

Monday June 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5013C2506C	-	-	-	-	SET5041C2506T	-	-	-	-	0	-	-	-	-
SET5013C2506D	-	-	-	-	SET5041C2509A	0.21	-	32	0.21	0	-	-	-	-
SET5013C2506E	0.01	-	1	0.01	SET5041C2509B	0.25	-	248,698	0.25	0	-	-	-	-
SET5013C2506F	0.01	-	1	0.01	SET5041C2509C	0.46	-	129,569	0.47	0	-	-	-	-
SET5013C2506G	-	-	-	-	SET5041C2509T	0.06	-	10	0.06	0	-	-	-	-
SET5013C2506H	0.01	-	1	0.01	SET5041C2509U	0.22	-	6,701	0.23	0	-	-	-	-
SET5013C2506I	-	-	-	-	SET5041C2509V	0.61	-	47,476	0.61	0	-	-	-	-
SET5013C2506J	0.01	-	841	0.01	SET5041P2506A	-	-	-	-	0	-	-	-	-
SET5013C2506K	-	-	-	-	SET5041P2506B	-	-	-	-	0	-	-	-	-
SET5013C2506L	0.01	-	34,593	0.01	SET5041P2506C	-	-	-	-	0	-	-	-	-
SET5013C2506M	0.02	-	5	0.02	SET5041P2506D	-	-	-	-	0	-	-	-	-
SET5013C2506N	-	-	-	-	SET5041P2506E	-	-	-	-	0	-	-	-	-
SET5013C2506O	0.04	(0.01)	4,588	0.04	SET5041P2506F	-	-	-	-	0	-	-	-	-
SET5013C2506P	0.05	(0.02)	3,970	0.06	SET5041P2506T	1.63	-	378	1.62	0	-	-	-	-
SET5013C2506Q	0.02	-	45,690	0.02	SET5041P2509A	0.37	(0.01)	43,394	0.37	0	-	-	-	-
SET5013C2506R	0.01	-	1,430	0.01	SET5041P2509B	0.46	(0.02)	267,681	0.46	0	-	-	-	-
SET5013C2506S	-	-	-	-	SET5041P2509C	0.73	(0.02)	228,045	0.72	0	-	-	-	-
SET5013C2506T	-	-	-	-	SET5041P2509T	0.36	(0.02)	43,689	0.36	0	-	-	-	-
SET5013C2509A	0.44	(0.01)	765,167	0.45	SPX28C2506A	-	-	-	-	0	-	-	-	-
SET5013C2509B	0.13	0.01	98,322	0.13	SPX28C2506B	-	-	-	-	0	-	-	-	-
SET5013C2509C	0.15	(0.01)	243,747	0.16	SPX28C2506C	-	-	-	-	0	-	-	-	-
SET5013C2509D	0.19	(0.02)	432,710	0.20	SPX28C2509A	-	-	-	-	0	-	-	-	-
SET5013C2509E	0.29	-	1,504,448	0.29	SPX28C2509B	-	-	-	-	0	-	-	-	-
SET5013C2509F	0.43	(0.02)	2,420,872	0.45	SPX28C2509C	-	-	-	-	0	-	-	-	-
SET5013C2509T	0.16	(0.01)	90,167	0.17	SPX28P2506A	-	-	-	-	0	-	-	-	-
SET5013P2506A	0.66	(0.08)	2	0.54	SPX28P2506B	0.01	-	205	0.01	0	-	-	-	-
SET5013P2506B	-	-	-	-	SPX28P2509A	0.13	(0.01)	300	0.13	0	-	-	-	-
SET5013P2506C	-	-	-	-	SPX28P2509B	0.36	(0.02)	185	0.36	0	-	-	-	-
SET5013P2506D	-	-	-	-	SPX41C2506A	-	-	-	-	0	-	-	-	-
SET5013P2506E	-	-	-	-	SPX41C2506B	-	-	-	-	0	-	-	-	-
SET5013P2506F	0.05	(0.02)	335	0.04	SPX41C2506C	-	-	-	-	0	-	-	-	-
SET5013P2506G	0.02	(0.01)	316	0.01	SPX41C2506D	-	-	-	-	0	-	-	-	-
SET5013P2506H	0.01	(0.27)	94	0.01	SPX41C2509A	1.01	0.07	7,623	0.97	0	-	-	-	-
SET5013P2506I	0.01	-	17	0.01	SPX41C2509T	-	-	-	-	0	-	-	-	-
SET5013P2506J	0.01	-	1,551	0.01	SPX41P2506A	-	-	-	-	0	-	-	-	-
SET5013P2506K	0.10	(0.05)	27,865	0.10	SPX41P2506B	-	-	-	-	0	-	-	-	-
SET5013P2506L	0.14	(0.07)	243,981	0.14	SPX41P2509A	0.37	(0.02)	516	0.38	0	-	-	-	-
SET5013P2506M	0.20	(0.09)	2,258,390	0.20	SPX41P2509T	2.08	(0.06)	12	2.08	0	-	-	-	-
SET5013P2506N	-	-	-	-	TENCEN28C2506A	-	-	-	-	0	-	-	-	-
SET5013P2506O	0.02	0.01	1,009	0.01	TENCEN28C2506B	0.26	(0.01)	99	0.26	0	-	-	-	-
SET5013P2506P	0.01	-	19,578	0.01	TENCEN28P2506A	0.21	(0.01)	16	0.21	0	-	-	-	-
SET5013P2506Q	0.01	-	2,737	0.01	TENCEN41C2506A	-	-	-	-	0	-	-	-	-
SET5013P2506R	-	-	-	-	TENCEN41C2506B	0.29	0.01	2,614	0.29	0	-	-	-	-
SET5013P2506S	-	-	-	-	TENCEN41P2506A	-	-	-	-	0	-	-	-	-
SET5013P2506T	2.12	(0.16)	33	1.99	TENCEN41P2506B	0.31	(0.02)	401	0.31	0	-	-	-	-
SET5013P2506U	0.14	(0.05)	236,732	0.15	TRIPDC41C2506A	0.16	0.04	6	0.15	0	-	-	-	-
SET5013P2506V	0.10	(0.03)	14,201	0.10	TRIPDC41C2509A	0.40	0.08	6,001	0.40	0	-	-	-	-
SET5013P2509A	0.19	(0.02)	178,712	0.20	XIAOMI28C2508A	-	-	-	-	0	-	-	-	-
SET5013P2509B	0.35	(0.01)	634,068	0.35	XIAOMI28C2509A	0.46	0.04	15,146	0.45	0	-	-	-	-
SET5013P2509C	0.96	(0.04)	293,739	0.96	XIAOMI28P2509A	-	-	-	-	0	-	-	-	-
SET5013P2509D	0.82	(0.03)	1,840,976	0.82	XIAOMI28P2510A	0.36	(0.03)	2,558	0.37	0	-	-	-	-
SET5013P2509E	0.63	(0.01)	401,745	0.63	XIAOMI41C2506A	-	-	-	-	0	-	-	-	-
SET5013P2509T	0.19	-	119,421	0.19	XIAOMI41C2506B	0.17	-	530	0.18	0	-	-	-	-
SET5019C2506A	-	-	-	-	XIAOMI41C2507A	0.12	0.02	75	0.12	0	-	-	-	-
SET5019C2506B	-	-	-	-	XIAOMI41C2509A	0.46	0.04	12,800	0.46	0	-	-	-	-
SET5019C2506C	-	-	-	-	XIAOMI41P2506A	-	-	-	-	0	-	-	-	-
SET5019C2506D	-	-	-	-	XIAOMI41P2511A	0.42	(0.03)	2,010	0.43	0	-	-	-	-
SET5019C2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506L	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506M	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506N	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506O	0.07	(0.01)	24,859	0.07	0	-	-	-	-	0	-	-	-	-
SET5019C2506P	0.38	(0.06)	23,917	0.39	0	-	-	-	-	0	-	-	-	-
SET5019C2506Q	0.07	(0.02)	1,314	0.07	0	-	-	-	-	0	-	-	-	-
SET5019C2509A	0.82	-	372,906	0.83	0	-	-	-	-	0	-	-	-	-
SET5019C2509B	0.24	(0.01)	140,249	0.25	0	-	-	-	-	0	-	-	-	-
SET5019C2509C	0.23	-	161,747	0.23	0	-	-	-	-	0	-	-	-	-
SET5019P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506H	0.13	(0.03)	6	0.13	0	-	-	-	-	0	-	-	-	-
SET5019P2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506J	0.02	(0.03)	1,055	0.02	0	-	-	-	-	0	-	-	-	-
SET5019P2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506L	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506M	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506N	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506O	0.09	(0.05)	109,021	0.09	0	-	-	-	-	0	-	-	-	-
SET5019P2509A	0.43	(0.02)	197,208	0.44	0	-	-	-	-	0	-	-	-	-
SET5019P2509B	1.02	(0.03)	1,098,122	1.02	0	-	-	-	-	0	-	-	-	-
SET5019P2509C	1.32	(0.06)	100,220	1.32	0	-	-	-	-	0	-	-	-	-
SET5019P2509D	1.34	(0.08)	120	1.35	0	-	-	-	-	0	-	-	-	-
SET5041C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506B	0.02	-	203	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-

Main Board Quotation

Issue Date :

Monday June 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust			-		YUASA	10.40	-	77	00 10.4	LTMH	4.70	(0.04)	211	00 4.7
APO	1.37	(0.01)	2,560	00 1.3	ZIGA	1.21	0.02	23,256	00 1.2	MCA	1.16	0.03	21,608	00 1.1
AU	7.15	-	4,024	00 7.1	ZIGA-W2	0.11	-	1,470	00 0.1	MEB	19.10	(0.10)	742	00 19.0
CFARM	1.00	(0.03)	99,874	00 1.0	Property			-		MORE	0.04	-	397,999	00 0.0
JCHK	0.14	-	3,855	00 0.1	24CS	1.20	0.18	736,921	00 1.2	MOTHER	1.20	0.02	177,078	00 1.2
KASET	0.59	0.01	300	00 0.5	24CS-W1	0.23	0.03	287,290	00 0.2	MPJ	3.24	0.06	625	00 3.2
MAGURO	15.50	0.20	573	00 15.4	24CS-W2	0.37	0.08	746,005	00 0.3	MVP	-	-	-	00 0.0
MUD	1.19	-	1	00 1.1	ARIN	0.50	0.04	53,468	00 0.4	NCL	0.26	0.01	114	00 0.2
NTSC	5.80	0.05	143	00 5.8	ARROW	4.88	-	134	00 4.8	NCP	1.14	-	931	00 1.1
TACC	4.42	(0.02)	4,913	00 4.4	BC	0.96	0.05	1,399	00 0.9	NEWS	0.01	-	2,650,092	00 0.0
TMILL	2.08	0.04	22	00 2.0	BC-W3	0.16	0.16	144,393	00 0.2	PEER	0.12	0.01	8,619	00 0.1
WINNER	1.99	(0.01)	3,001	00 1.9	BC-W4	0.17	0.17	153,913	00 0.2	PEER-W2	0.02	-	28,249	00 0.0
XO	15.30	-	1,641	00 15.3	BKA	1.60	0.08	544,516	00 1.5	PICO	4.00	-	21	00 4.0
Consumer Products					BLESS	0.26	(0.01)	3,124	00 0.2	PLT	0.55	0.01	2,372	00 0.5
BGT	0.35	(0.01)	610	00 0.3	BSM	0.77	0.04	99	00 0.7	QLT	2.70	0.02	302	00 2.5
DOD	1.77	(0.13)	34,783	00 1.8	BTW	0.18	0.01	1,475	00 0.1	RP	0.76	-	138	00 0.7
ECF	1.97	(0.03)	6,728	00 1.8	CAZ	1.95	0.07	1,635	00 1.9	SONIC	1.53	(0.02)	1,998	00 1.5
ECF-W5	0.01	-	1,003	00 0.0	CHEWA	0.25	-	375	00 0.2	THMUI	0.32	-	768	00 0.3
EFORL	0.16	(0.01)	38,016	00 0.1	CPANEL	2.54	-	34	00 2.5	TNDT	0.19	-	613	00 0.1
EURO	4.10	-	1	00 4.1	CPANEL-W1	-	-	-	00 0.0	TNDT-W1	-	-	-	00 0.0
HPT	0.38	-	18,213	00 0.3	CRD	0.33	0.01	293	00 0.3	TNH	31.50	(1.00)	15	00 31.5
ITTHI	1.43	0.03	64	00 1.4	DHOUSE	0.58	(0.01)	286	00 0.5	TNP	2.52	-	187	00 2.5
JSP	1.80	-	912	00 1.7	DIMET	-	-	-	00 0.0	TPL	0.67	(0.01)	96,948	00 0.6
JSP-W2	0.02	(0.01)	2,108	00 0.0	DPAINT	0.59	-	2,929	00 0.5	TRP	5.80	(0.05)	2,230	00 5.7
JUBILE	6.95	-	121	00 6.9	FLOYD	0.78	(0.02)	5,070	00 0.7	TURTLE	-	-	-	00 0.0
LTS	4.88	0.06	3,179	00 4.8	HYDRO	1.21	0.01	20	00 1.2	TVDH	0.12	-	93	00 0.1
MGI	10.00	-	1,831	00 9.9	HYDRO-W2	-	-	-	00 0.0	TVDH-W3	-	-	-	00 0.0
MGI-W1	2.12	-	2,484	00 2.1	IND	0.84	0.01	467	00 0.8	TVT	0.28	-	119	00 0.2
MOONG	1.88	(0.02)	20	00 1.8	JAK	0.98	0.05	103	00 0.9	UBA	0.90	-	1,660	00 0.8
NPK	-	-	-	00 0.0	K	1.21	0.02	126	00 1.1	VL	0.88	-	1,966	00 0.8
SEI	3.06	(0.04)	1,526	00 3.0	K-W3	0.21	0.01	1,555	00 0.2	VS	0.43	(0.02)	32	00 0.4
SMD100	3.96	-	110	00 3.9	META	0.07	-	859	00 0.0	YGG	0.39	-	21,038	00 0.3
TM	0.83	0.04	2,184	00 0.8	PANEL	1.17	(0.04)	1,975	00 1.1	Technology				
WARRIX	2.24	-	1,661	00 2.2	PPS	0.17	-	1,549	00 0.1	APP	2.22	0.08	9,488	00 2.2
WINMED	1.19	(0.04)	193	00 1.1	PRI	4.42	(0.10)	1,414	00 4.4	BBIK	20.70	(0.70)	1,794	00 20.9
Financials					PROS	0.80	0.01	14,230	00 0.7	BE8	6.40	(0.05)	19,008	00 6.4
ACAP	-	-	-	00 0.0	PROS-W1	0.05	-	28,655	00 0.0	BE8-W1	0.98	(0.02)	29,911	00 1.0
AF	0.37	(0.01)	131	00 0.3	PSG	1.06	0.01	57,848	00 1.0	BVG	1.62	(0.01)	6,996	00 1.6
AIRA	1.20	(0.03)	220	00 1.2	QTGC	0.18	-	5,387	00 0.1	COMAN	0.57	-	4,983	00 0.5
ASN	1.08	0.04	510	00 1.0	SENX	0.22	-	2,587	00 0.2	I2	0.89	-	309	00 0.8
BTC	0.33	0.01	113,635	00 0.3	SK	0.59	(0.02)	4,399	00 0.5	IIG	1.71	0.05	590	00 1.7
BTC-W7	0.12	0.01	4,122	00 0.1	SMART	0.58	-	3,170	00 0.5	IRCP	0.35	-	2,858	00 0.3
GCAP	0.29	0.01	2,077	00 0.2	STC	0.44	(0.01)	1,578	00 0.4	ITNS	1.40	0.01	537	00 1.3
KCC	-	-	-	00 0.0	STX	1.50	0.03	77,599	00 1.4	NAT	3.34	(0.24)	5,907	00 3.2
LIT	0.63	-	1,449	00 0.6	SVR	0.56	(0.02)	988	00 0.5	NETBAY	19.20	0.20	4,718	00 19.2
MTSIB	0.55	-	551	00 0.5	TAPAC	-	-	-	00 0.0	PIS	4.10	0.10	4,839	00 4.0
SGF	0.17	0.01	598	00 0.1	THANA	0.91	0.01	96	00 0.9	PLANET	1.80	-	4,211	00 1.7
SGF-P1	-	-	-	00 0.0	TIGER	0.47	0.01	26	00 0.4	PLANET-W2	0.80	-	419	00 0.7
SGF-Q1	-	-	-	00 0.0	TITLE	3.72	(0.06)	2,464	00 3.7	PROEN	1.22	0.10	131,119	00 1.1
TQR	5.15	-	49	00 5.1	WELL	-	-	-	00 0.0	PROEN-W2	0.43	0.05	62,083	00 0.4
Industrials					YONG	0.76	-	7,745	00 0.7	READY	4.02	0.12	217	00 3.9
ADB	0.55	-	101	00 0.5	Resources					SECURE	10.40	0.20	262	00 10.3
BM	1.06	-	32,433	00 1.0	ABM	0.57	(0.05)	193	00 0.5	SICT	2.78	(0.04)	1,788	00 2.7
BM-W3	-	-	-	00 0.0	ALPHAX	0.39	(0.01)	10,042	00 0.3	SIMAT	0.95	(0.02)	9,014	00 0.9
BPS	0.50	-	4,631	00 0.5	GTV	0.09	0.01	13,794	00 0.0	SPVI	1.72	0.11	7,074	00 1.6
CHO	0.08	-	9,740	00 0.0	PSTC	0.42	(0.01)	7,300	00 0.4	SRS	2.80	0.04	26	00 2.8
CHO-W4	-	-	-	00 0.0	PSTC-W2	-	-	-	00 0.0	TBN	5.45	(0.25)	117	00 5.4
CHOW	0.81	(0.02)	1,787	00 0.8	PSTC-W3	0.10	0.01	21,054	00 0.0	TERA	1.13	-	273	00 1.1
CIG	0.04	0.01	141,379	00 0.0	PTC	0.90	-	144	00 0.8	TPS	3.48	0.06	2,400	00 3.4
CIG-W10	-	-	-	00 0.0	SAAM	6.65	(0.10)	285	00 6.5	VCOM	2.32	(0.02)	3,851	00 2.3
CIG-W9	0.02	0.01	401	00 0.0	SR	0.52	0.01	1,694	00 0.5		-	-	-	-
COLOR	1.00	(0.01)	1	00 1.0	STOWER	0.05	-	1,061	00 0.0		-	-	-	-
CPR	2.82	0.02	158	00 2.7	TAKUNI	0.37	-	6,913	00 0.3		-	-	-	-
FPI	1.69	(0.01)	135	00 1.6	TPCH	2.94	(0.02)	348	00 2.9		-	-	-	-
GTB	0.70	-	408	00 0.6	UMS	-	-	-	00 0.0		-	-	-	-
HARN	2.04	(0.02)	684	00 2.0	Services						-	-	-	-
KCM	0.17	(0.01)	1,276	00 0.1	ADD	3.00	(0.08)	1,075	00 3.0		-	-	-	-
KJL	6.30	(0.05)	50	00 6.3	AKP	0.57	(0.01)	4,891	00 0.5		-	-	-	-
KUMWEL	1.21	-	104	00 1.2	AMA	4.10	0.02	1,890	00 4.0		-	-	-	-
KWM	1.01	(0.01)	510	00 1.0	AMARC	1.97	0.11	102,431	00 1.9		-	-	-	-
MBAX	1.53	(0.02)	97	00 1.5	ARIP	0.40	-	33	00 0.3		-	-	-	-
MGT	1.70	0.02	42	00 1.6	ATP30	0.88	(0.01)	1,450	00 0.8		-	-	-	-
MTW	1.02	0.02	7,603	00 1.0	AUCT	5.40	(0.10)	3,021	00 5.4		-	-	-	-
NDR	1.23	(0.05)	364	00 1.2	BIS	2.54	0.04	2,598	00 2.5		-	-	-	-
PACO	1.37	(0.01)	663	00 1.3	BOL	5.10	(0.05)	149	00 5.1		-	-	-	-
PACO-W1	0.01	-	2,221	00 0.0	CEYE	2.02	-	19	00 2.0		-	-	-	-
PDG	2.76	0.04	19	00 2.7	CHIC	0.28	0.01	1,633	00 0.2		-	-	-	-
PHOL	2.88	-	3,386	00 2.8	CMO	0.65	-	156	00 0.6		-	-	-	-
PIMO	1.14	-	1,924	00 1.1	D	2.08	0.02	1,020	00 2.0		-	-	-	-
PMC	1.12	0.04	576,381	00 1.1	DEXON	1.50	-	319	00 1.3		-	-	-	-
PPM	1.62	(0.03)	30	00 1.6	DV8	4.96	0.10	58,184	00 4.8		-	-	-	-
PRAPAT	0.80	(0.01)	2,602	00 0.8	DV8-W2	2.84	(0.16)	2,318	00 2.9		-	-	-	-
RWI	0.24	-	2,103	00 0.2	ETE	0.63	(0.11)	2,128	00 0.6		-	-	-	-
SAF	0.48	(0.01)	59	00 0.4	FSMART	6.80								