

Main Board Quotation

Issue Date :

Thursday June 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Agribusiness					GEL	0.05	0.01	6,142	0.04	CPALL01P2507A	0.17	0.01	9,275	0.16
GFPT	9.70	(0.10)	11,665	9.76	GEL-W5	-	-	-	-	CPALL01P2510A	0.47	0.02	9,488	0.46
LEE	2.40	(0.02)	1,254	2.40	PPP	1.04	-	200	1.04	CPALL13C2508A	0.04	(0.01)	8,149	0.04
NER	4.08	(0.02)	35,985	4.08	Q-CON	7.20	(0.05)	221	7.20	CPALL13C2510A	0.21	(0.02)	14,605	0.22
NER-W2	0.20	(0.01)	29,533	0.19	SCC	174.50	5.50	91,004	174.66	CPALL13P2510A	0.39	0.01	2,886	0.37
PCE	2.70	(0.02)	12,284	2.69	SCC01C2507A	0.10	0.02	43,426	0.10	CPALL19C2508A	0.04	(0.02)	1,011	0.04
PPPM	0.48	(0.01)	3,802	0.48	SCC01C2508A	0.61	0.11	4,200	0.63	CPALL19C2510A	0.17	(0.01)	6,820	0.18
PPPM-W6	0.36	0.03	8	0.33	SCC01C2508B	0.57	0.10	47,454	0.58	CPALL41C2605T	0.10	(0.01)	20	0.10
STA	12.40	0.10	64,545	12.53	SCC01C2511A	0.80	0.09	60,583	0.80	CPALL41P2508A	0.16	(0.01)	4	0.16
STA01C2506A	-	-	-	-	SCC01C2606T	0.59	0.05	54,956	0.59	CPAXT	18.70	(0.50)	70,879	18.82
STA01C2510A	0.15	-	36,139	0.16	SCC01P2507A	0.02	0.01	110	0.02	CPW	1.98	0.08	319	1.90
STA13C2508A	0.10	0.02	6,001	0.08	SCC01P2508A	0.21	(0.05)	161,736	0.22	CRC	18.40	(0.70)	281,728	18.62
STA13C2510A	0.24	-	29,527	0.25	SCC13C2507A	0.27	0.08	24,276	0.26	CRC01C2506A	-	-	-	-
STA19C2510A	0.21	-	50,733	0.22	SCC13C2509A	0.51	0.08	273,215	0.52	CRC01C2511A	0.33	(0.08)	177,099	0.35
STA41C2612T	-	-	-	-	SCC13P2508A	0.05	(0.02)	111	0.09	CRC13C2508A	-	-	-	-
TEGH	2.92	0.02	7,870	2.93	SCC13P2510A	0.55	(0.45)	145,680	0.55	CRC13C2509A	0.10	(0.02)	33,993	0.11
TFM	4.76	0.02	505	4.77	SCC19C2507A	0.39	0.18	1,788	0.39	CRC13C2510A	0.29	(0.05)	48,300	0.32
TL	0.48	(0.08)	461,182	0.49	SCC19C2509A	0.79	0.10	34,150	0.78	CRC19C2508A	-	-	-	-
TRUBB	0.57	-	12,622	0.58	SCC19C2509B	0.48	0.06	232,828	0.49	CRC19C2510A	0.26	(0.06)	36,469	0.28
UPOIC	6.65	0.05	403	6.61	SCC19P2508A	0.10	(0.04)	34,176	0.11	CRC41C2608T	-	-	-	-
UVAN	9.40	0.10	3,883	9.38	SCC19P2509A	0.13	(0.04)	84,307	0.14	CRC41C2609T	0.26	(0.03)	12,996	0.27
VPO	0.46	(0.03)	13,927	0.47	SCC41C2608T	0.61	0.04	85,990	0.62	CSS	0.80	(0.01)	8,516	0.81
Banking					SCC41P2508A	0.10	(0.03)	4,016	0.11	DOHOME	3.38	(0.14)	137,241	3.47
BAY	21.70	-	1,099	21.74	SCCC	146.00	1.50	189	145.66	DOHOME01C2507A	-	-	-	-
BBL	138.50	(2.50)	92,525	139.50	SCCGD	3.86	(0.04)	10,231	3.87	DOHOME01C2508A	0.01	(0.01)	100	0.01
BBL11C2507A	-	-	-	-	SCP	6.20	(0.05)	420	6.22	DOHOME01C2510A	0.14	(0.03)	16,379	0.17
BBL13C2507A	0.01	-	32	0.01	SKN	5.60	-	173	5.62	DOHOME13C2508A	-	-	-	-
BBL13C2508A	0.05	(0.01)	20	0.05	STECH	1.02	0.01	1,076	1.02	DOHOME13C2509A	0.05	(0.02)	41,001	0.05
BBL13C2509A	0.26	(0.03)	101,864	0.26	TASCO	14.10	-	20,960	14.00	DOHOME13C2510A	0.29	(0.04)	15,194	0.33
BBL19C2508A	-	-	-	-	TASCO19C2507A	-	-	-	-	DOHOME19C2508A	0.01	-	300	0.01
BBL19C2510A	0.26	(0.04)	14,181	0.28	TOA	10.20	(0.40)	25,028	10.32	DOHOME19C2510A	0.13	(0.03)	5,196	0.16
BBL41C2609T	0.30	(0.02)	6,800	0.30	TPIPL	0.88	(0.02)	118,952	0.89	DOHOME19C2510B	0.33	(0.06)	13,977	0.39
CIMBT	-	-	-	-	UMI	0.71	0.01	6,902	0.72	DOHOME41C2609T	-	-	-	-
CREDIT	17.80	(0.20)	248	17.83	VNG	2.00	-	59	1.98	FN	0.45	(0.01)	707	0.45
KBANK	152.50	(3.50)	135,915	154.11	WIJK	0.91	(0.01)	1,147	0.91	GLOBAL	4.84	(0.10)	179,816	4.90
KBANK01C2506A	-	-	-	-	WIJK-W3	0.05	0.01	17,485	0.04	GLOBAL01C2507A	-	-	-	-
KBANK01C2508A	0.43	(0.09)	574	0.45	WINDOW	0.82	(0.03)	10,323	0.85	GLOBAL01C2510A	0.11	-	34,542	0.11
KBANK01C2509A	0.32	(0.06)	41,541	0.35	Petrochemicals &	-	-	-	-	GLOBAL13C2507A	-	-	-	-
KBANK01P2507A	0.04	(0.01)	35,001	0.03	BCT	45.00	(0.75)	39	45.39	GLOBAL13C2508A	0.02	-	1,492	0.01
KBANK01P2509A	0.38	0.03	18,370	0.36	CMAN	2.26	(0.02)	1,286	2.24	GLOBAL13C2510A	0.08	(0.01)	6,122	0.09
KBANK13C2507A	0.03	(0.02)	12,079	0.03	GC	3.98	(0.08)	2,647	4.00	GLOBAL19C2507A	-	-	-	-
KBANK13C2508A	0.33	(0.07)	108,281	0.36	GGC	4.10	(0.26)	145	4.22	GLOBAL19C2509A	-	-	-	-
KBANK13C2509A	0.21	(0.05)	98,807	0.24	IVL	20.60	-	87,450	20.64	GLOBAL19C2510A	0.10	(0.01)	10,722	0.11
KBANK13P2507A	-	-	-	-	IVL01C2506A	-	-	-	-	GLOBAL41C2606T	0.04	(0.02)	10,000	0.04
KBANK13P2509A	0.33	0.03	44,412	0.32	IVL01C2507A	0.08	-	1,501	0.08	HMPRO	7.10	(0.55)	462,155	7.21
KBANK19C2507A	-	-	-	-	IVL01C2509A	0.33	(0.01)	109,633	0.33	HMPRO01C2507A	-	-	-	-
KBANK19C2507B	0.03	(0.02)	10	0.03	IVL01P2506A	-	-	-	-	HMPRO01C2508A	-	-	-	-
KBANK19C2510A	0.19	(0.03)	10,030	0.21	IVL01P2510A	0.36	(0.01)	55,997	0.37	HMPRO13C2508A	0.04	(0.05)	31,217	0.05
KBANK19C2510B	0.34	(0.06)	54,531	0.36	IVL13C2507A	0.01	(0.01)	3	0.01	HMPRO19C2508A	0.07	(0.06)	16,831	0.08
KBANK19P2510A	0.51	0.05	80,056	0.47	IVL13C2508A	0.14	(0.01)	68,357	0.15	HMPRO41C2606T	-	-	-	-
KBANK41C2604T	0.71	(0.05)	29,064	0.74	IVL13C2509A	0.34	-	52,644	0.34	ICC	27.25	-	29	27.65
KBANK41C2609T	0.40	(0.02)	42,600	0.41	IVL13P2508A	0.12	(0.01)	4,859	0.12	ILM	12.90	(0.20)	1,757	12.89
KBANK41P2606T	-	-	-	-	IVL19C2507A	-	-	-	-	IT	3.20	0.08	573	3.16
KKP	45.50	0.50	12,593	45.47	IVL19C2508A	0.17	-	52,887	0.17	KAMART	7.40	(0.30)	48,977	7.56
KKP-W6	0.66	-	25,044	0.71	IVL19C2510A	0.38	-	100,908	0.38	LOXLEY	1.06	-	2,019	1.05
KKP13C2508A	0.09	-	2,098	0.09	IVL19P2508A	0.12	(0.01)	22,894	0.12	MC	9.95	-	19,686	9.99
KKP19C2507A	-	-	-	-	IVL41C2605T	0.18	0.01	3,000	0.18	MEGA	25.75	-	12,966	25.66
KKP19C2509A	0.25	0.01	1,366	0.25	IVL41P2605T	-	-	-	-	MIDA	0.25	-	1,002	0.26
KTB	21.70	(0.70)	326,487	21.96	NFC	-	-	-	-	MOSHI	40.75	(1.00)	3,864	41.32
KTB-P	-	-	-	-	PATO	7.30	(0.05)	9	7.29	RS	0.29	(0.01)	46,928	0.29
KTB-Q	-	-	-	-	PMTA	9.40	-	40	9.40	RS-W5	0.13	-	403	0.12
KTB01C2506A	-	-	-	-	PTTGC	20.60	0.40	206,927	20.53	RSP	1.30	0.01	2,708	1.30
KTB01C2509A	0.46	(0.07)	5,952	0.49	PTTGC01C2506A	-	-	-	-	SCM	0.31	-	12,671	0.31
KTB01P2509A	0.31	0.03	29,544	0.30	PTTGC01C2507A	0.12	0.01	55,670	0.12	SCM-W2	-	-	-	-
KTB13C2507A	-	-	-	-	PTTGC01C2508A	0.48	0.04	82	0.49	SINGER	5.00	(0.05)	27,459	4.99
KTB13C2508A	0.19	(0.05)	2,165	0.20	PTTGC01C2511A	0.48	0.02	115,392	0.48	SPC	58.75	-	38	58.64
KTB13P2507A	-	-	-	-	PTTGC01P2506A	-	-	-	-	SPI	44.50	-	8	44.81
KTB19C2508A	0.20	(0.05)	16,092	0.22	PTTGC01P2510A	0.44	(0.02)	30,097	0.44	SVT	1.17	(0.04)	1,756	1.19
KTB41C2609T	0.47	(0.03)	9,127	0.49	PTTGC13C2507A	0.07	-	3,417	0.07	TAN	4.22	(0.02)	1,535	4.23
LHFG	0.76	-	11,321	0.76	PTTGC13C2507E	0.31	0.01	899	0.31	WSOL	0.31	(0.01)	11,232	0.31
SCB	118.50	(2.00)	76,357	119.34	PTTGC13C2510A	0.42	0.03	128,484	0.41	Information & Commr	-	-	-	-
SCB01C2507A	-	-	-	-	PTTGC13P2510A	0.39	(0.04)	22,926	0.40	3BBIF	5.90	(0.05)	56,579	5.93
SCB01C2509A	0.26	(0.04)	8,816	0.28	PTTGC13C2508A	0.27	0.02	71,608	0.26	ADVANC	286.00	(6.00)	43,616	287.06
SCB01P2507A	0.06	-	1,790	0.06	PTTGC19C2510A	0.32	0.03	134,718	0.31	ADVANC01C2506A	-	-	-	-
SCB01P2510A	0.52	0.03	14,867	0.51	PTTGC41C2608T	0.48	0.02	39,005	0.48	ADVANC01C2508A	0.18	(0.05)	19,663	0.19
SCB13C2508A	0.10	(0.01)	3,639	0.10	SUTHA	2.32	-	5	2.32	ADVANC01C2510A	0.30	(0.05)	28,951	0.32
SCB13C2510A	0.29	(0.04)	62,666	0.30	TPA	2.70								

Main Board Quotation

Issue Date :

Thursday June 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
JAS	1.44	(0.04)	445,465	1.47	DELTA41P2509A	0.42	0.03	32	0.42	EAI13P2508A	0.18	(0.01)	13,312	0.18
JAS-W4	0.47	(0.01)	128,637	0.47	HANA	17.90	(0.60)	71,538	18.15	EAI13P2509A	0.53	(0.01)	10,016	0.54
JAS13C2507A	0.01	(0.01)	3	0.01	HANA01C2509A	0.22	(0.04)	28,154	0.24	EAI19C2508A	0.33	(0.01)	34,879	0.32
JAS13C2509A	0.19	(0.03)	22,479	0.21	HANA13C2507A	-	-	-	-	EAI19C2508B	-	-	-	-
JAS13C2510A	0.34	(0.04)	22,719	0.37	HANA13C2508A	0.17	(0.06)	60,034	0.21	EAI19C2510A	0.35	0.01	47,683	0.35
JAS19C2507A	-	-	-	-	HANA13C2509A	0.13	(0.03)	27,794	0.16	EAI19C2510B	0.25	-	35,571	0.25
JAS19C2509A	0.32	(0.03)	75,083	0.35	HANA13P2507A	-	-	-	-	EAI19P2509A	0.26	(0.01)	13,767	0.27
JAS19C2510A	0.19	(0.02)	23,532	0.21	HANA19C2507A	-	-	-	-	EAI19P2510A	0.58	(0.01)	13,713	0.59
JAS41C2605T	-	-	-	-	HANA19C2508A	0.16	(0.05)	66,450	0.19	EA41C2606T	0.15	(0.01)	36,000	0.15
JAS41C2611T	0.40	(0.02)	3,332	0.40	HANA19C2510A	0.18	(0.03)	13,097	0.20	EA41C2609T	0.46	0.01	18,000	0.46
JMART	6.70	(0.35)	78,848	6.83	HANA41C2606T	-	-	-	-	EASTW	1.73	(0.01)	1,948	1.73
JMART-W5	0.12	(0.01)	185,497	0.15	HANA41C2608T	0.48	(0.03)	12,420	0.51	EGATIF	5.85	(0.05)	72,684	5.88
JMART13C2507A	-	-	-	-	KCE	16.30	0.10	77,572	16.33	EGCO	106.50	(1.00)	5,189	106.85
JMART13C2508A	0.05	(0.03)	1,956	0.06	KCE01C2507A	-	-	-	-	EP	1.41	(0.01)	575	1.40
JMART13C2510A	0.25	(0.06)	33,701	0.27	KCE13C2507A	-	-	-	-	EP-W4	-	-	-	-
JMART19C2508A	-	-	-	-	KCE13C2508A	0.04	-	282	0.04	ETC	1.27	-	3,501	1.26
JMART19C2508B	-	-	-	-	KCE13C2508B	0.08	(0.01)	5,216	0.10	GPSC	32.25	-	31,650	32.44
JMART19C2510A	0.25	(0.07)	22,202	0.27	KCE13C2510A	0.29	0.01	48,899	0.29	GPSCO1C2507A	0.12	(0.02)	12,559	0.13
JMART41C2606T	0.07	(0.01)	1,000	0.07	KCE13P2508A	0.14	(0.02)	19,137	0.14	GPSCO1C2508A	0.40	(0.01)	3	0.40
JMART41C2609T	0.24	(0.03)	25,000	0.25	KCE19C2507A	-	-	-	-	GPSCO1C2510A	0.23	-	25,466	0.23
JTS	38.00	(1.25)	551	38.62	KCE19C2508A	-	-	-	-	GPSCO1P2506A	-	-	-	-
MFEC	5.45	(0.05)	303	5.45	KCE19C2510A	0.21	-	31,544	0.22	GPSC13C2507A	0.15	-	10,069	0.16
MSC	7.95	0.10	115	7.83	KCE19C2510B	0.35	-	25,776	0.36	GPSC13C2509A	0.16	-	28,098	0.17
PT	13.20	-	1,841	13.11	KCE41C2606T	-	-	-	-	GPSC19C2507A	0.13	(0.01)	9,340	0.13
ROCTEC	0.62	-	32,098	0.62	KCE41C2609T	0.35	0.01	16,000	0.35	GPSC19C2510A	0.24	(0.01)	43,574	0.24
ROCTEC-W3	0.01	-	5,000	0.01	METCO	190.50	(0.50)	21	190.93	GPSC41C2606T	0.17	(0.01)	5,002	0.18
ROCTEC-W5	0.02	-	341,282	0.02	SMT	1.23	(0.01)	2,302	1.24	GREEN	0.81	(0.02)	88	0.81
SAMART	6.25	(0.15)	13,666	6.28	SVI	6.35	(0.20)	2,284	6.43	GULF	43.50	-	166,234	43.74
SAMTEL	5.80	-	863	5.74	TEAM	2.58	-	49	2.60	GULF01C2508A	0.05	-	2	0.05
SAMTEL-W2	1.06	-	46	1.02	Energy & Utilitie	-	-	-	-	GULF01C2509A	0.19	-	9,601	0.19
SDC	0.03	-	3,460	0.03	ACC	0.30	(0.01)	15,669	0.30	GULF01C2606T	0.24	-	12,299	0.24
SIS	21.90	-	3,248	21.59	ACC-W2	0.20	-	800	0.20	GULF01P2510A	0.58	-	7,294	0.57
SKY	12.80	(0.10)	2,892	12.89	ACE	1.31	(0.01)	74,201	1.31	GULF13C2508A	0.03	-	224	0.02
SPREME	1.39	0.01	1,582	1.38	AE	0.12	-	17,699	0.12	GULF13C2508B	0.17	-	52,856	0.18
SVOA	1.19	(0.01)	9,205	1.22	AGE	0.77	0.01	3,129	0.77	GULF13C2510A	0.28	-	101,990	0.29
SYMC	4.16	(0.08)	143	4.18	AI	3.24	-	1,358	3.25	GULF13P2510A	0.50	(0.01)	17,265	0.49
SYNEX	11.60	(0.30)	6,325	11.60	AIE	1.20	(0.07)	182,422	1.25	GULF19C2509A	0.27	(0.01)	22,404	0.28
THCOM	8.35	(0.10)	14,960	8.41	BAFS	8.20	(0.15)	2,053	8.27	GULF19C2509B	0.12	-	3,705	0.13
TKC	9.55	(0.55)	838	9.76	BANPU	4.38	(0.06)	202,452	4.44	GULF41C2508A	0.14	-	4,400	0.15
TRUE	12.00	(0.10)	872,721	12.05	BANPU01C2506A	-	-	-	-	GULF41C2609T	0.33	0.01	2,010	0.33
TRUE01C2507A	-	-	-	-	BANPU01C2507A	-	-	-	-	GUNKUL	1.53	(0.03)	181,952	1.54
TRUE01C2508A	0.13	(0.02)	49,121	0.14	BANPU01C2508A	0.23	(0.02)	24,027	0.25	GUNKUL13C2509A	0.22	(0.02)	13,663	0.23
TRUE01C2606T	-	-	-	-	BANPU01C2606T	0.29	(0.01)	3,770	0.30	GUNKUL19C2510A	0.31	-	221	0.31
TRUE01P2507A	0.05	(0.01)	300	0.05	BANPU01P2510A	0.66	-	8,964	0.64	IRPC	0.81	-	151,513	0.81
TRUE01P2511A	0.35	0.01	16,535	0.34	BANPU13C2507A	0.03	(0.01)	3,271	0.04	IRPC19C2508A	0.04	(0.01)	808	0.04
TRUE13C2507A	-	-	-	-	BANPU13C2509A	0.33	(0.02)	16,415	0.36	KBSPIF	7.35	-	654	7.37
TRUE13C2510A	0.16	(0.01)	40,273	0.16	BANPU13P2510A	0.57	0.02	21,892	0.55	LANNA	15.70	-	668	15.62
TRUE19C2507A	-	-	-	-	BANPU19C2507A	-	-	-	-	MDX	2.58	(0.10)	1,267	2.61
TRUE19C2507B	0.08	(0.01)	8,322	0.08	BANPU19C2508A	0.17	(0.02)	12,715	0.19	NOVA	11.80	0.40	1,094	11.70
TRUE19P2507A	-	-	-	-	BANPU41C2605T	0.10	-	100	0.10	OR	11.60	(0.30)	100,602	11.77
TRUE41C2604T	0.59	(0.08)	5,000	0.58	BGGI	3.00	(0.04)	3,919	3.03	OR01C2507A	0.04	0.01	60	0.04
TRUE41C2612T	0.31	(0.02)	6,000	0.31	BCP	35.25	(0.25)	16,972	35.51	OR01C2508A	0.13	(0.05)	12,449	0.13
TWZ	0.03	-	2,838	0.03	BCP01C2507A	-	-	-	-	OR01C2511A	0.20	(0.01)	30,729	0.21
TWZ-W8	-	-	-	-	BCP13C2507A	-	-	-	-	OR01C2606T	0.14	-	16,206	0.14
TWZ-W9	-	-	-	-	BCP13C2508A	-	-	-	-	OR13C2507A	-	-	-	-
XYZ	0.34	(0.01)	11,520	0.33	BCP13C2509A	0.17	(0.01)	46,469	0.18	OR13C2508A	0.11	(0.02)	50,816	0.13
Electronic Componer	-	-	-	-	BCP19C2507A	-	-	-	-	OR13C2509A	0.05	-	2,890	0.05
CCET	5.00	(0.25)	410,368	5.11	BCP41C2609T	0.26	-	12,004	0.27	OR19C2508A	0.21	-	235	0.21
CCET13C2507A	-	-	-	-	BCPG	6.05	-	41,414	6.04	OR19C2509A	0.05	(0.01)	121,002	0.05
CCET13C2507B	-	-	-	-	BCPG01C2506A	-	-	-	-	OR19C2510A	0.15	(0.02)	7,805	0.17
CCET13C2508A	0.10	(0.03)	6,525	0.11	BCPG01C2508A	0.11	-	28,878	0.11	OR41C2605T	-	-	-	-
CCET13C2510A	0.20	(0.04)	41,548	0.23	BCPG01P2506A	-	-	-	-	OR41C2608T	0.27	(0.02)	14,000	0.28
CCET19C2507A	-	-	-	-	BCPG13C2507A	-	-	-	-	PRIME	0.07	(0.01)	2,004	0.07
CCET19C2507B	0.02	(0.01)	1	0.02	BCPG13C2507B	0.07	-	8,461	0.07	PTG	6.35	-	19,982	6.36
CCET19C2509A	0.16	(0.04)	28,383	0.18	BCPG13C2509A	0.08	-	17,301	0.08	PTT	30.25	-	693,150	30.34
CCET19C2510A	0.09	(0.02)	20,651	0.10	BCPG19C2508A	0.02	(0.01)	24,000	0.03	PTT01C2508A	0.05	-	2,010	0.05
CCET41C2609T	0.25	(0.02)	2,064	0.25	BCPG41C2606T	0.23	(0.01)	4,000	0.23	PTT01C2606T	0.14	-	9,496	0.14
DELTA	97.25	(3.75)	111,880	98.10	BGRIM	10.30	(0.10)	61,356	10.37	PTT13C2508A	-	-	-	-
DELTA01C2506A	-	-	-	-	BGRIM01C2506A	-	-	-	-	PTT19C2509A	0.11	(0.01)	16,795	0.12
DELTA01C2507A	0.89	(0.14)	33,621	0.92	BGRIM01C2507A	0.02	0.01	1,000	0.02	PTT41C2606T	-	-	-	-
DELTA01C2509A	0.76	(0.13)	67,814	0.80	BGRIM01C2508A	-	-	-	-	PTTEP	105.00	4.50	212,273	104.14
DELTA01C2509B	0.46	(0.08)	112,309	0.48	BGRIM01C2509A	0.09	(0.01)	14,411	0.10	PTTEP01C2507A	0.02	-	6	0.02
DELTA11C2507A	0.71	(0.13)	9,840	0.74	BGRIM01C2606T	0.12	(0.01)	17,571	0.12	PTTEP01C2509A	0.32	0.05	71,176	0.32
DELTA13C2507A	0.09	(0.04)	12,980	0.10	BGRIM01P2507A	0.19	0.03	12	0.19	PTTEP01C2606T	0.68	0.06	32,968	0.66
DELTA13C2507B	0.06	(0.02)	6,851	0.06	BGRIM11C2507A	-	-	-	-	PTTEP01P2506A	-	-	-	-
DELTA13C2507C	0.55	(0.18)	60,244	0.58	BGRIM13C2507A	-	-	-	-	PTTEP01P2510A	0.41	(0.08)	32,193	0.43
DELTA13C2508A	1.38	(0.22)	15	1.42	BGRIM13C2507B	-	-	-	-	PTTEP13C2507A	-	-	-	-
DELTA13C2509A	0.24	(0.03)	91,381	0.24	BGRIM13C2508A	0.07	-	1,700	0.07	PTTEP13C2507B	-	-	-	-
DELTA13C2509B	0.36	(0.06)	92,605	0.38	BGRIM13C2510A	0.16	(0.01)	28,510	0.17	PTTEP13C2508A	0.23	0.05	92,023	0.22
DELTA13C2509C	0.73	(0.12)	120,515	0.76	BGRIM13C2510B	-	-	-	-	PTTEP13C2509A	0.80	0.14	1,266	0.77
DELTA13P2507A	0.01	-	800	0.01	BGRIM13P2511A	0.40	0.01	61,698	0.39	PTTEP13C2511A	0.49	0.07	117,166	0.48
DELTA13P2507B	0.01	-	387	0.01	BGRIM19C2507A	-	-	-	-	PTTEP13P2510A	0.40	(0.09)	35,185	0.42
DELTA13P2508A	0.10	0.01	66,548	0.10	BGRIM19C2507B	-	-	-	-	PTTEP19C2507A	-	-	-	-
DELTA13P2508B	0.23	0.02	58,082	0.22	BGRIM19C2508A	0.14	(0.06)	150	0.14	PTTEP19C2508A	0.01	(0.01)	190	0.01
DELTA13P2509A	0.69	0.05	171,183	0.68	BGRIM19C2509A	0.11	(0.01)	10,720	0.12	PTTEP19C2509A	0.34	0.06	79,301	0.33
DELTA19C2507A	0.02	-	162	0.02										

Main Board Quotation

Issue Date :

Thursday June 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC41C2606T	0.20	0.01	16,000	0.20	JMT19C2510A	0.08	(0.02)	1,965	0.09	CPF19C2509A	0.16	(0.01)	2,501	0.16
SSP	4.58	(0.06)	1,814	4.61	JMT19C2510B	0.28	(0.07)	8,438	0.32	CPF19C2509B	0.16	-	1,244	0.16
SUPER	0.16	-	152,814	0.16	JMT41C2608T	0.09	(0.01)	2,615	0.09	CPF41C2609T	-	-	-	-
SUPEREIF	4.98	0.02	1,775	4.97	KCAR	4.56	-	320	4.55	CPF41C2612T	-	-	-	-
SUSCO	2.76	-	634	2.75	KGI	3.70	(0.02)	5,261	3.70	CPI	2.72	(0.06)	3,327	2.77
TAE	0.62	(0.01)	525	0.63	KTC	36.25	(0.75)	102,962	36.70	F&D	59.75	-	38	59.52
TCC	0.30	(0.01)	1,400	0.31	KTC01C2507A	-	-	-	-	FM	4.06	(0.02)	13,366	4.07
TCC-W5	0.17	(0.01)	1,360	0.17	KTC01C2508A	-	-	-	-	GLOCON	0.22	0.02	802,160	0.22
TGE	1.47	-	101	1.46	KTC13C2509A	0.02	(0.01)	2	0.03	GLOCON-W6	0.26	0.06	174,247	0.24
TGE-W2	0.12	(0.01)	1,406	0.12	KTC13C2509B	0.10	(0.01)	3,142	0.10	HTC	15.80	-	563	15.80
TOP	28.75	0.50	144,370	28.89	KTC13C2510A	0.15	(0.02)	25,633	0.16	ICHI	10.00	(0.10)	42,162	10.01
TOP01C2506A	-	-	-	-	KTC13C2507A	-	-	-	-	ITC	11.00	(0.20)	49,546	11.12
TOP01C2507A	0.41	0.05	51	0.41	KTC19C2510A	0.13	(0.02)	49,092	0.15	ITC01C2506A	-	-	-	-
TOP01C2508A	0.18	0.01	28,017	0.18	KTC19C2510B	0.21	(0.03)	18,248	0.22	ITC01C2606T	0.14	(0.01)	3,620	0.15
TOP01P2506A	-	-	-	-	KTC41C2606T	0.09	(0.01)	100	0.09	ITC13C2508A	0.02	(0.01)	12	0.02
TOP01P2508A	-	-	-	-	MFC	29.50	0.50	3,274	29.50	ITC13C2509A	0.10	-	4,724	0.10
TOP13C2507A	0.07	0.01	35,000	0.07	MICRO	0.86	-	1,619	0.87	ITC19C2601A	0.26	(0.01)	3,823	0.27
TOP13C2509A	0.26	0.01	111,621	0.27	ML	0.38	-	593	0.37	ITC41C2612T	-	-	-	-
TOP13P2508A	-	-	-	-	MST	7.40	(0.10)	28	7.41	JDF	1.80	(0.02)	1,473	1.79
TOP19C2508A	0.21	0.02	43,008	0.21	MTC	37.25	(1.75)	80,391	37.87	KBS	5.75	(0.10)	1,038	5.74
TOP19C2510A	0.19	0.02	13,290	0.18	MTC01C2506A	-	-	-	-	KCG	8.60	(0.10)	2,820	8.65
TOP41C2609T	0.51	0.02	15,496	0.51	MTC01C2508A	0.09	(0.04)	101,318	0.10	KSL	1.47	0.01	1,394	1.45
TOP41C2611T	0.28	0.01	6,010	0.28	MTC01P2506A	-	-	-	-	KTIS	2.44	0.08	119	2.37
TPIPP	2.20	(0.02)	6,690	2.22	MTC01P2510A	0.63	0.07	19,793	0.60	LST	4.54	-	68	4.55
TSE	0.37	-	2,674	0.37	MTC13C2508A	0.06	(0.02)	1,728	0.07	M	14.70	(0.10)	15,151	14.88
TTW	8.75	-	5,041	8.73	MTC13C2510A	0.17	(0.05)	24,400	0.19	MALEE	6.15	(0.25)	17,672	6.26
UBE	0.54	(0.01)	3,192	0.53	MTC13P2509A	0.40	0.05	122,124	0.39	NRF	0.31	-	4,870	0.30
WHAUP	3.22	0.02	4,361	3.22	MTC19C2508A	-	-	-	-	NSL	30.25	(0.75)	3,542	30.68
WP	3.36	0.02	14	3.36	MTC19C2510A	0.16	(0.03)	51,021	0.17	OKJ	6.10	(0.20)	21,367	6.18
Media & Publishing					MTC19P2509A	0.41	0.07	74,758	0.37	OSP	15.80	(0.30)	78,317	15.87
AMARIN	1.60	(0.01)	213	1.59	MTC41C2606T	-	-	-	-	OSP01C2507A	-	-	-	-
AQUA	0.16	-	6,966	0.16	NCAP	2.12	(0.02)	59,262	2.11	OSP01C2507B	0.05	(0.01)	10,660	0.04
AS	2.22	(0.02)	28,133	2.21	PL	1.21	0.01	113	1.20	OSP01C2508A	-	-	-	-
BEC	3.84	(0.02)	4,616	3.86	S11	3.08	(0.02)	206	3.10	OSP01C2511A	0.30	(0.03)	10,820	0.30
FE	-	-	-	-	SAK	3.74	(0.06)	6,588	3.74	OSP01P2507A	0.02	-	5,080	0.02
GPI	1.59	-	589	1.58	SAWAD	16.40	(0.40)	329,307	16.75	OSP13C2507A	-	-	-	-
GRAMMY	4.92	-	10	4.93	SAWAD-W2	0.22	0.05	182,525	0.25	OSP13C2508A	0.23	(0.04)	14,699	0.24
JKN	-	-	-	-	SAWAD01C2506	-	-	-	-	OSP13C2510A	0.21	(0.03)	33,584	0.22
MAJOR	7.70	(0.05)	6,836	7.72	SAWAD01C2508	-	-	-	-	OSP19C2509A	0.29	(0.05)	24,087	0.30
MATCH	1.24	-	5	1.24	SAWAD01C2508	0.01	-	21,707	0.01	OSP41C2606T	0.17	(0.01)	3,200	0.17
MATI	3.92	0.06	112	3.96	SAWAD01C2511	0.17	(0.03)	100,039	0.19	PB	49.75	-	61	49.26
MCOT	4.34	(0.10)	20,608	4.37	SAWAD13C2507	-	-	-	-	PLUS	3.22	-	4,554	3.22
MONO	1.71	(0.05)	631,716	1.74	SAWAD13C2508	-	-	-	-	PM	10.50	(0.30)	8,200	10.53
NATION	0.03	0.01	10,840	0.02	SAWAD13C2508	0.01	-	10	0.01	PQS	2.36	(0.02)	1,332	2.33
NATION-W4	-	-	-	-	SAWAD13C2509	0.04	(0.01)	10,930	0.04	PRG	7.05	-	399	7.05
ONEE	2.10	(0.02)	1,997	2.10	SAWAD13C2510	0.11	(0.01)	166,543	0.12	PRG-W3	-	-	-	-
PLANB	4.64	(0.04)	144,397	4.69	SAWAD13C2510	0.17	(0.02)	136,014	0.19	PRG-W4	-	-	-	-
PLANB13C2508A	-	-	-	-	SAWAD19C2507	0.01	-	12,014	0.01	PRG-W5	1.61	(0.41)	1	1.61
PLANB13C2510A	0.14	(0.01)	50,466	0.16	SAWAD19C2508	-	-	-	-	RBF	3.90	(0.14)	50,617	3.94
PLANB19C2508A	-	-	-	-	SAWAD19C2510	0.09	(0.02)	66,328	0.10	RBF13C2507A	-	-	-	-
PLANB19C2510A	0.15	-	17,490	0.16	SAWAD19C2510	0.16	(0.02)	130,980	0.18	RBF19C2508A	-	-	-	-
PLANB41C2606T	-	-	-	-	SAWAD41C2609	-	-	-	-	SAPPE	28.75	(0.75)	3,617	28.83
PRAKIT	11.00	0.10	126	10.90	SAWAD41C2610	0.23	(0.01)	16,199	0.24	SAPPE13C2507A	-	-	-	-
PTECH	-	-	-	-	SCAP	1.14	(0.01)	19,717	1.14	SAPPE19C2508A	0.05	(0.02)	500	0.05
SE-ED	1.73	-	12	1.73	SGC	0.69	(0.04)	126,692	0.70	SAUCE	38.00	-	11	37.98
TKS	5.25	0.05	661	5.20	SGC-W1	0.02	-	8,347	0.01	SNNP	10.00	(0.10)	1,193	10.10
VGI	2.24	0.04	634,791	2.21	SGC-W2	0.21	(0.02)	6,229	0.22	SNP	9.70	(0.10)	537	9.74
VGI-W3	0.03	-	4,822	0.03	SM	0.85	(0.03)	1,786	0.86	SORKON	4.18	(0.02)	510	4.19
VGI-W4	0.61	0.01	66,347	0.62	SH	0.56	(0.01)	9,187	0.56	SSF	5.45	-	6	5.45
VG101C2507A	-	-	-	-	TH-W3	-	-	-	-	SST	-	-	-	-
VG101C2509A	0.25	0.01	48,462	0.25	THANI	1.62	-	85,756	1.62	SUN	3.02	(0.02)	1,543	3.03
VG113C2507A	0.02	0.01	2	0.02	TIDLOR	15.40	(0.60)	57,486	15.53	TC	5.35	0.20	177	5.26
VG113C2508A	0.02	-	1,913	0.02	TK	3.80	-	305	3.79	TFG	5.25	0.15	81,634	5.25
VG113C2508B	0.14	-	29,602	0.14	TNITY	2.76	0.10	1,821	2.74	TFG-W4	1.16	0.03	10,247	1.16
VG113C2509A	0.20	0.01	73,608	0.19	TNITY-W2	0.40	0.40	825,990	0.48	TFMAMA	195.00	1.00	10	194.75
VG119C2507A	-	-	-	-	TNL	-	-	-	-	TIPCO	9.10	(0.05)	989	9.13
VG119C2508A	-	-	-	-	UOBKH	-	-	-	-	TKN	5.25	(0.20)	51,516	5.32
VG119C2509A	0.29	0.01	73,128	0.28	XPG	0.79	-	74,928	0.78	TU	10.00	-	158,803	9.99
VG141C2606T	0.11	-	21,000	0.11	Food & Beverag	-	-	-	-	TU01C2506A	-	-	-	-
WORK	4.26	(0.02)	191	4.27	AAI	4.34	(0.14)	28,459	4.41	TU01C2508A	-	-	-	-
ZAA	0.93	(0.07)	1,021	0.96	APURE	3.32	(0.06)	380	3.32	TU01C2512A	0.17	-	1,598	0.17
Finance & Securities					ASIAN	6.75	(0.15)	13,572	6.83	TU13C2508A	-	-	-	-
AEONTS	102.00	-	2,686	101.88	BR	1.59	-	550	1.58	TU13C2509A	-	-	-	-
AMANAHA	0.89	(0.02)	2,318	0.90	BR-W1	0.04	-	1,152	0.04	TU19C2601A	0.26	-	4,386	0.26
ASAP	1.30	-	25	1.24	BRR	4.18	-	815	4.17	TU41C2609T	0.15	-	1,000	0.15
ASK	6.70	-	869	6.70	BRR-W2	0.14	(0.01)	2,596	0.14	TVO	21.80	-	2,462	21.87
ASP	2.02	-	10,152	2.01	BTG	22.50	(0.10)	10,826	22.57	TWPC	2.16	(0.02)	2,399	2.17
BAM	6.70	-	193,145	6.66	CBG	56.00	(1.50)	33,774	56.20	XBIO	0.17	0.01	59,491	0.16
BAM01C2506A	-	-	-	-	CBG01C2506A	-	-	-	-	XBIO-W6	0.07	-	9,433	0.06
BAM13C2509A	0.23	-	41,421	0.22	CBG01C2507A	-	-	-	-	XBIO-W7	0.03	-	45,299	0.02
BAM19C2510A	0.31	(0.01)	42,303	0.31	CBG01C2508A	-	-	-	-	ZEN	5.20	(0.05)	502	5.20
BAM41C2612T	0.39	-	27,010	0.39	CBG01C2510A	0.38	(0.05)	17,229	0.40	Health Care Services				
BYD	0.45	(0.01)	89,907	0.44	CBG01P2506A	-	-	-	-	AHC	13.80	-	22	13.84
CGH	0.50	-	29,000	0.49	CBG01P2507A	0.23	0.02	17,472	0.23	BCH	13.90	(0.40)	86,626	13.90
CGH-W5	-	-	-	-	CBG01P2510A	0.66	0.04	9,625	0.64	BCH01C2508A	-	-	-	-
CHASE	0.59	(0.02)	23,546	0.60	CBG13C2507A	0.01	(0.01)	82	0.01	BCH13C2507A	-	-	-	-
CHASE-W1	0.24	0.02	3,146	0.23	CBG13C2508A	0.08	(0.03)	2,738	0.09	BCH13C2508A	0.08	(0.02)	10,333	0.08
CHAYO	1.60	(0.01)	39,634	1.62	CBG13C2509A	0.26	(0.05)	13,193	0.28	BCH13C2510A	0.31	(0.04)	23,750	0.31
CHAYO-W3	0.03	(0.01)	12,152	0.03	CBG19C2508A	-	-	-	-	BCH19C2508A	-	-	-	-
CHAYO-W4	0.45	0.05	156,061	0.44	CBG19C2510A	0.22	(0.03)	9,185	0.23	BCH19C2510A	0.27	(0.04)	12,785	0.27
EAST	0.83	(0.01)	576	0.82	CB									

Main Board Quotation

Issue Date :

Thursday June 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BH01C2507A	-	-	-	-	BLA	15.60	-	8,877	15.65	A5-W4	0.02	(0.01)	8,500	0.02
BH01C2510A	0.18	-	43,810	0.19	BLA01C2508A	-	-	-	-	A5-W5	0.13	(0.02)	113,062	0.14
BH01P2507A	0.23	(0.05)	1,800	0.23	BLA13C2507A	-	-	-	-	AKS	0.04	-	32,383	0.04
BH01P2511A	0.73	(0.02)	30,238	0.72	BLA13C2510A	0.15	(0.01)	10,422	0.15	AMATA	13.80	(0.30)	64,661	13.89
BH13C2508A	0.04	-	11,000	0.04	BLA19C2601A	0.38	(0.01)	8,094	0.39	AMATA01C2507A	-	-	-	-
BH13C2510A	0.19	(0.01)	113,434	0.21	BLA41C2606T	-	-	-	-	AMATA01C2508A	0.01	-	1,173	0.01
BH13C2510B	0.41	-	104,673	0.42	BUI	12.90	-	48	12.96	AMATA01C2509A	0.37	(0.03)	2,009	0.40
BH13P2510A	0.70	(0.01)	53,825	0.69	CHARAN	15.00	-	42	15.00	AMATA13C2508A	0.01	-	2,710	0.01
BH19C2508A	-	-	-	-	INSURE	75.25	0.25	12	75.33	AMATA13C2508B	0.04	(0.01)	1,270	0.04
BH19C2509A	0.13	(0.01)	9,136	0.14	KWI	0.05	(0.02)	26,196	0.05	AMATA13C2508C	0.24	(0.02)	4,808	0.25
BH19C2510A	0.29	-	45,691	0.30	MTI	15.80	0.70	10,888	15.56	AMATA19C2508A	-	-	-	-
BH19C2510B	0.47	0.01	23,465	0.49	NKI	20.00	-	25	19.98	AMATA19C2509A	0.33	(0.02)	16,346	0.34
BH19P2510A	0.64	(0.01)	36,132	0.63	TGH	-	-	-	-	AMATA41C2508A	-	-	-	-
BH41C2605T	-	-	-	-	THRE	0.40	-	2,060	0.39	AMATA41C2608T	-	-	-	-
BH41C2609T	-	-	-	-	THREL	1.18	(0.03)	5,814	1.19	AMATA41C2609T	-	-	-	-
BH41C2611T	0.40	-	42,000	0.41	TIPH	18.30	-	2,322	18.36	AMATAV	2.64	(0.06)	372	2.66
BH41P2508A	-	-	-	-	TLI	10.20	(0.20)	102,412	10.29	ANAN	0.40	-	21,017	0.40
BKGI	1.40	(0.01)	4,508	1.41	TLI01C2507A	-	-	-	-	AP	6.35	(0.05)	109,400	6.35
CHG	1.67	(0.06)	301,307	1.69	TLI13C2509A	0.08	(0.01)	2,000	0.08	AP01C2507A	0.01	(0.02)	260	0.01
CHG13C2510A	0.36	(0.07)	85,882	0.40	TLI19C2601A	0.24	(0.02)	10,560	0.25	ASW	6.65	-	268	6.61
CMR	1.17	-	413	1.17	TLI41C2606T	0.20	(0.02)	20,000	0.21	ASW-W3	0.71	(0.07)	184,478	0.70
EKH	5.95	(0.05)	15,902	5.93	TQM	15.10	(0.50)	2,864	15.17	AWC	1.89	(0.04)	548,988	1.90
KDH	-	-	-	-	TSI	-	-	-	-	AWC01C2506A	-	-	-	-
LPH	3.62	-	699	3.62	TVH	7.80	-	15	7.93	AWC01C2508A	-	-	-	-
M-CHAI	16.90	(0.10)	161	16.89	Packaging	-	-	-	-	AWC01C2510A	0.16	(0.02)	29,361	0.17
MASTER	13.40	(0.20)	21,480	13.46	AJ	2.44	(0.04)	8,229	2.47	AWC01C2606T	0.18	(0.01)	20,335	0.18
MEDEZE	6.90	0.20	27,556	6.92	ALUCON	172.00	(0.50)	5	172.00	AWC13C2508A	-	-	-	-
NEW	-	-	-	-	BGC	4.88	-	822	4.90	AWC13C2509A	0.07	(0.01)	1,568	0.07
NKT	4.04	(0.08)	2,201	4.08	CSC	-	-	-	-	AWC19C2510A	0.10	-	4,509	0.10
NTV	24.70	(0.30)	311	25.06	CSC-P	-	-	-	-	AWC41C2606T	0.03	(0.01)	5,360	0.03
PHG	13.80	(0.10)	208	13.81	CSC-Q	-	-	-	-	AWC41C2609T	0.18	(0.01)	20,500	0.18
PR9	25.25	(0.50)	21,372	25.22	NEP	0.23	-	506	0.22	BLAND	0.47	(0.01)	57,865	0.47
PR901C2507A	0.14	-	346	0.14	PJW	2.16	(0.04)	16,889	2.18	BRI	1.58	0.01	795	1.57
PR919C2601A	0.31	(0.02)	8,276	0.31	PTL	10.20	(0.10)	592	10.20	BROCK	1.37	(0.12)	101	1.37
PR941C2609T	0.50	(0.02)	79,000	0.50	SCGP	16.90	(0.20)	73,843	16.96	CGD	0.14	-	24,148	0.14
PRINC	2.06	(0.02)	2,003	2.09	SCGP01C2506A	-	-	-	-	CI	0.30	(0.01)	2,244	0.30
RAM	17.80	(0.30)	901	17.87	SCGP01C2507A	0.05	(0.01)	100	0.05	CMC	0.76	-	1,539	0.74
RJH	12.50	0.10	4,722	12.41	SCGP01C2508A	0.32	(0.01)	17,993	0.33	CPN	45.25	(0.50)	69,081	45.67
RPH	5.25	(0.05)	3,471	5.23	SCGP01C2511A	0.37	(0.01)	133,061	0.37	CPN01C2506A	-	-	-	-
SAFE	7.75	(0.05)	249	7.74	SCGP01P2507A	0.02	(0.02)	9	0.02	CPN01C2606T	0.17	(0.01)	7,762	0.18
SKR	6.70	(0.15)	3,246	6.72	SCGP13C2507A	0.13	(0.03)	66,345	0.14	CPN13C2507A	-	-	-	-
THG	8.80	(0.15)	3,643	8.81	SCGP13C2508A	-	-	-	-	CPN13C2510A	0.21	(0.01)	67,201	0.22
VIBHA	1.48	(0.03)	13,278	1.49	SCGP13C2510A	0.29	(0.02)	101,558	0.30	CPN19C2508A	-	-	-	-
VIBHA-W4	-	-	-	-	SCGP19C2507A	-	-	-	-	CPN41C2608T	0.22	-	18,100	0.23
VIH	7.10	0.10	667	7.06	SCGP19C2510A	0.33	(0.02)	20,523	0.33	ESTAR	0.19	-	594	0.19
VIH-W1	1.04	0.16	24	0.91	SCGP41C2606T	0.26	(0.01)	26,400	0.26	EVER	0.07	-	467	0.07
WPH	8.40	(0.10)	1,369	8.45	SCGP41C2609T	0.48	-	44,000	0.48	FPT	6.85	0.20	410	6.65
Tourism & Leisure	-	-	-	-	SFLEX	2.92	(0.04)	25,488	2.90	GLAND	-	-	-	-
ASIA	5.10	-	11	5.05	SFLEX-W2	0.03	-	16,003	0.03	J	0.75	(0.03)	5,458	0.77
BEYOND	6.70	-	23	6.63	SITHAI	1.07	(0.01)	10,296	1.07	J-W3	0.11	-	7,620	0.11
CENTEL	23.00	(0.80)	32,960	23.17	SLP	0.40	0.01	2,603	0.39	J-W4	0.21	-	544	0.21
CENTEL01C2508A	-	-	-	-	SMPC	8.50	-	190	8.48	JCK	0.16	(0.01)	4,374	0.16
CENTEL13C2508A	-	-	-	-	SPACK	1.25	-	33	1.25	KC	0.05	-	864	0.05
CENTEL13C2510A	0.60	(0.07)	56,248	0.64	TCOAT	25.25	0.25	4	25.06	KUN	1.16	-	9	1.15
CENTEL19C2508A	-	-	-	-	TFI	0.05	-	2,103	0.05	KUN-W2	0.01	-	3	0.01
CENTEL19C2510A	0.41	(0.09)	25,447	0.45	TFI-W1	-	-	-	-	KUN-W3	-	-	-	-
CENTEL41C2606T	0.11	(0.02)	80	0.11	THIP	25.25	(0.25)	35	25.47	LALIN	4.90	-	609	4.89
CSR	-	-	-	-	TMD	24.60	(0.10)	44	24.65	LH	3.68	(0.10)	452,820	3.72
DUSIT	8.15	-	1,418	8.22	TOPP	-	-	-	-	LH19C2510A	0.17	(0.03)	16,157	0.19
ERW	2.02	(0.08)	168,759	2.05	TPAC	7.70	0.10	114	7.62	LPN	1.85	(0.08)	17,421	1.89
ERW01C2507A	0.01	-	150	0.01	TPBI	2.96	(0.08)	5,413	2.98	MBK	16.50	(0.20)	29,718	16.53
ERW13C2507A	-	-	-	-	TPP	-	-	-	-	MBK19C2508A	-	-	-	-
ERW13C2508A	-	-	-	-	Personal Product	-	-	-	-	MJD	0.48	-	2,368	0.45
ERW13C2510A	0.14	(0.03)	56,955	0.16	APCO	3.36	-	181	3.32	MK	1.10	(0.09)	1,186	1.12
ERW19C2508A	-	-	-	-	BIZ	3.26	-	1,094	3.28	NCH	0.55	-	1,192	0.55
ERW19C2511A	0.21	(0.79)	17,952	0.22	BLC	4.50	0.22	28,998	4.39	NNCL	1.41	-	1,194	1.40
ERW41C2606T	-	-	-	-	DDD	6.25	0.05	1,391	6.30	NOBLE	1.79	0.02	14,015	1.80
ERW41C2611T	0.28	(0.02)	14,001	0.31	IP	3.10	(0.04)	3,052	3.11	NOBLE-W3	0.18	0.02	917,372	0.19
GRAND	0.04	0.01	16,462	0.04	IP-W2	-	-	-	-	NVD	1.00	(0.04)	311	1.00
LRH	-	-	-	-	JCT	-	-	-	-	ORI	1.69	(0.05)	34,736	1.71
MANRIN	24.80	3.30	4	24.83	KISS	3.36	(0.06)	3,325	3.36	ORI-W2	0.22	-	82,585	0.22
MINT	23.90	(0.40)	102,750	24.09	NAM	4.30	-	59	4.29	ORN	0.68	(0.02)	5,282	0.68
MINT01C2506A	-	-	-	-	NEO	26.25	(0.25)	3,903	26.19	PEACE	2.14	(0.04)	136	2.06
MINT01C2507A	-	-	-	-	NV	0.68	(0.01)	2,517	0.68	PF	0.10	-	32,698	0.10
MINT01C2606T	0.21	-	2,070	0.21	OCC	-	-	-	-	PIN	4.70	(0.08)	18,235	4.75
MINT13C2509A	0.29	(0.02)	8,154	0.30	S&J	-	-	-	-	PLAT	1.06	(0.02)	14,564	1.07
MINT13C2509B	0.08	(0.01)	4,026	0.09	SNPS	5.30	-	12,507	5.29	PRECHA	0.64	-	6	0.64
MINT19C2508A	-	-	-	-	STGT	6.10	-	38,541	6.16	PRIN	1.50	-	2,504	1.50
MINT41C2604T	-	-	-	-	STGT01C2510A	0.18	0.01	36,043	0.18	PROUD	1.31	0.02	52	1.31
MINT41C2612T	-	-	-	-	STGT13C2508A	-	-	-	-	PROUD-W3	0.16	-	36,257	0.17
OHTL	266.00	(13.00)	23	266.22	STGT13C2510A	0.18	-	36,212	0.19	PSH	4.28	(0.02)	2,646	4.29
ROH	-	-	-	-	STGT19C2509A	0.14	-	17,800	0.14	QH	1.32	(0.05)	190,982	1.35
SHANG	-	-	-	-	STGT19C2511A	0.26	0.01	8,731	0.26	RABBIT	0.35	(0.02)	40,208	0.36
SHR	1.52	-	8,220	1.51	STGT41C2606T	0.10	(0.01)	400	0.11	RABBIT-P	0.44	(0.01)	1,547	0.44
SPA	3.00	(0.08)	30,437	3.04	TMAN	11.60	(0.30)	5,156	11.70	RABBIT-Q	-	-	-	-
VRANDA	4.38	-	195	4.36	TNR	7.10	-	825	7.04	RICHY	0.37	0.01	4,150	0.36
Home & Office Prod.	-	-	-	-	TOG	7.05	0.05	289	7.01	RML	0.15	-	400	0.15
AJA	0.17	-	199,571	0.17	Professional Ser	-	-	-	-	ROJNA	4.42	(0.06)	12,270	4.46
DTCI	-	-	-	-	BWG	0.22	(0.01)	305,101	0.22	S	0.57	(0.01)	10,620	0.56
FANCY	0.32	-	397	0.30	BWG-W6	-	-	-	-	SA	7.40	0.05	430	7.37
FTI	1.90	-	662	1.89	BWG-W7	0.02	(0.01)	200,889	0.03	SA-W1	0.01	-	74	0.01
KYE	317.00	(1.00)	39	316.74	GENCO	0.25	(0.01)	126	0.25	SAMCO	0.68	0.03	684	0.65
L&E	1.25	0.03	53	1.19	PRTR	3.26	-							

Main Board Quotation

Issue Date :

Thursday June 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPAL141C2609T	-	-	-	-	BTS13C2508A	-	-	-	-	INETREIT	9.50	-	6,786	9.47
STELLA	0.19	(0.01)	74,214	0.19	BTS13C2508B	0.08	(0.03)	40,901	0.10	ISSARA	7.80	(0.05)	18	7.80
STELLA-W5	-	-	-	-	BTS13C2509A	0.06	(0.01)	54	0.06	KPNREIT	2.24	(0.26)	743	2.24
STELLA-W6	0.05	(0.01)	3,260	0.05	BTS13C2510A	0.27	(0.05)	86,325	0.29	KTBSTMR	5.50	-	785	5.45
UV	0.90	(0.01)	5,458	0.90	BTS19C2508A	-	-	-	-	LHHOTEL	11.20	(0.20)	5,602	11.24
WHA	2.98	(0.12)	847,657	3.02	BTS19C2509A	-	-	-	-	LHRREIT	4.74	-	321	4.74
WHA01C2506A	-	-	-	-	BTS19C2510A	0.32	(0.05)	68,706	0.33	LHSC	11.50	(0.10)	7,475	11.46
WHA01C2507A	-	-	-	-	BTS19P2508A	0.28	0.03	13,924	0.27	LUXF	7.95	-	6	7.87
WHA01C2508A	-	-	-	-	BTS41C2608T	-	-	-	-	M-PAT	-	-	-	-
WHA01C2509A	0.38	(0.05)	15,850	0.39	BTSGIF	2.66	0.02	34,962	2.64	M-STOR	-	-	-	-
WHA01C2510A	0.29	(0.04)	31,690	0.30	DMT	9.85	(0.05)	3,451	9.90	MII	4.96	(0.04)	172	5.00
WHA13C2507A	0.01	(0.01)	2,465	0.01	ETL	0.79	0.01	4,174	0.78	MIPF	9.45	-	21	9.45
WHA13C2507B	-	-	-	-	III	4.70	(0.02)	4,706	4.68	MJLF	3.98	0.06	824	3.94
WHA13C2508A	0.11	(0.03)	7,892	0.11	KEX	1.46	-	10,103	1.46	MNIT	1.84	(0.02)	67	1.84
WHA13C2508B	0.33	(0.05)	38,042	0.35	KIAT	0.31	0.01	3,103	0.30	MNIT2	-	-	-	-
WHA13C2509A	0.12	(0.02)	7,440	0.12	KWC	-	-	-	-	MNRF	-	-	-	-
WHA19C2507A	0.01	(0.05)	25	0.01	MENA	0.89	(0.02)	7,087	0.89	POPF	5.70	-	2,420	5.65
WHA19C2509A	0.22	(0.05)	64,377	0.24	NYT	2.92	0.02	6,046	2.89	PROSPECT	7.25	(0.05)	3,287	7.27
WHA19C2510A	0.17	(0.04)	36,655	0.18	PORT	0.75	(0.01)	191	0.75	QHBREIT	3.34	-	7,695	3.34
WHA41C2605T	-	-	-	-	PRM	5.75	(0.15)	85,329	5.78	QHHREIT	6.60	-	229	6.56
WHA41C2608T	0.12	(0.02)	25,000	0.12	PSL	6.20	(0.05)	11,443	6.24	QHOP	-	-	-	-
WIN	0.38	(0.01)	1,587	0.37	RCL	28.50	(0.25)	17,750	28.53	SIRIPRT	8.45	-	1	8.45
Paper & Printing Mat	-	-	-	-	RCL01C2507A	0.15	(0.03)	4,391	0.16	SPRIME	3.72	-	778	3.71
UTP	7.75	(0.10)	1,680	7.81	RCL01C2510A	0.22	(0.02)	5,254	0.23	SRIPANWA	4.82	-0.2	365	4.82
Fashion	-	-	-	-	RCL13C2507A	-	-	-	-	SSPF	-	-	-	-
AFC	-	-	-	-	RCL13C2509A	0.26	(0.01)	15,847	0.26	SSTRT	4.34	-	319	4.36
AURA	14.20	-	14,071	14.12	RCL19C2507A	0.16	(0.01)	164	0.16	TIFI	6.65	-	64	6.69
BTNC	13.90	2.40	12	12.66	RCL19C2511A	0.26	(0.74)	2,262	0.26	TLHPF	4.36	(0.08)	95	4.38
CPH	7.40	(0.10)	50	7.34	RCL41C2608T	0.57	(0.01)	35,250	0.57	TNPF	-	-	-	-
CPL	0.75	0.01	159	0.76	SAV	14.70	-	3,118	14.92	TPRIME	6.70	-	223	6.70
NC	2.22	(0.02)	391	2.23	SINO	0.98	(0.01)	3,016	0.99	TTLPF	11.20	-	277	11.20
PAF	0.79	0.01	200	0.79	SJWD	9.10	-	57,453	9.09	TU-PF	-	-	-	-
PDJ	1.49	-	3	1.49	TFFIF	5.85	(0.05)	3,937	5.88	WHABT	6.70	(0.05)	26	6.68
PG	7.30	(0.20)	16	7.33	THAI	-	-	-	-	WHAIR	5.05	-	4,132	5.07
SABINA	15.10	(0.20)	5,512	15.19	TSST	11.30	(0.20)	34	11.24	WHART	9.00	-	13,584	9.02
SAWANG	8.05	-	1	8.05	TTA	4.14	0.02	20,610	4.17	Steel and Metal Prod	-	-	-	-
SUC	29.75	0.25	116	29.75	WICE	3.02	0.02	17,814	3.06	2S	2.24	(0.04)	10	2.27
TR	-	-	-	-	Automotive	-	-	-	-	AMC	2.14	0.02	2,053	2.14
TTI	-	-	-	-	ACG	0.72	-	7	0.71	BSBM	0.69	-	766	0.70
TTT	50.25	0.25	21	50.02	AH	13.70	-	1,058	13.60	CEN	1.55	0.02	12	1.55
UPF	-	-	-	-	CWT	0.69	0.01	595	0.68	CEN-W5	0.05	-	607	0.05
WACOAL	-	-	-	-	EASON	1.18	0.02	9,087	1.20	CITY	1.44	(0.01)	61	1.41
WFX	0.79	(0.02)	810	0.80	GYT	-	-	-	-	CSP	0.47	-	242	0.45
Transportation & Log	-	-	-	-	HFT	3.90	-	2,302	3.89	GJS	0.14	(0.01)	12,545	0.14
AAV	1.14	(0.03)	428,319	1.15	IHL	1.50	(0.02)	2,685	1.51	GSTEEL	-	-	-	-
AAV13C2508A	0.02	0.01	9,223	0.01	INGRS	0.27	-	7,474	0.27	INOX	0.40	-	2,421	0.40
AAV13C2509A	-	-	-	-	IRC	11.00	-	1	11.00	LHK	3.46	(0.20)	2,610	3.46
AAV13C2510A	0.17	(0.03)	81,838	0.18	MGC	2.90	(0.10)	522	2.90	MCS	8.30	(0.25)	10,757	8.40
AAV19C2507A	-	-	-	-	NEX	0.92	(0.04)	258,003	0.94	MILL	0.09	-	4,567	0.08
AAV19C2510A	0.17	(0.01)	10,097	0.17	PCSGH	3.26	0.06	541	3.20	PAP	1.64	(0.03)	610	1.62
AAV41C2608T	0.03	(0.02)	15,000	0.03	POLY	6.85	-	2	6.88	PERM	0.35	(0.03)	5,293	0.35
AAV41C2611T	0.25	(0.01)	12,799	0.26	SAT	12.10	0.10	6,765	12.02	SAM	0.18	0.01	1,622	0.18
ANI	3.26	(0.22)	783	3.29	SPG	12.80	(1.00)	3	13.20	SMIT	3.70	0.02	288	3.68
AOT	32.00	(0.50)	125,680	32.19	STANLY	201.00	-	160	201.59	SSSC	2.04	(0.02)	399	2.04
AOT01C2506A	-	-	-	-	TKT	1.27	(0.02)	66	1.28	TGPRO	0.05	(0.01)	23,879	0.05
AOT01C2507A	0.01	-	3,083	0.01	TNPC	0.82	-	343	0.82	THE	0.84	(0.01)	176	0.84
AOT01C2507B	-	-	-	-	TRU	3.38	0.02	1,360	3.35	TMT	3.06	(0.08)	81	3.08
AOT01C2509A	0.05	(0.01)	4,210	0.05	TSC	12.90	-	57	12.90	TSTH	0.68	-	7,401	0.68
AOT01C2511A	0.16	(0.02)	27,261	0.16	Industrial Materi	-	-	-	-	TWP	0.98	(0.01)	146	0.99
AOT01C2606T	0.11	(0.01)	438	0.11	AKR	0.96	-	53,625	0.96	TYCN	1.76	-	4	1.71
AOT01P2507A	-	-	-	-	ALLA	1.24	(0.01)	2,592	1.23	Construction Service	-	-	-	-
AOT01P2507B	0.50	0.03	405	0.50	ASEFA	3.42	0.02	4,605	3.41	APCS	1.37	-	1	1.37
AOT01P2510A	0.41	0.03	11,356	0.40	CPT	0.98	-	2,172	0.98	BJCHI	0.80	(0.03)	3,365	0.81
AOT11C2507A	-	-	-	-	CRANE	0.40	0.02	8,786	0.40	BKD	1.17	(0.05)	2,500	1.18
AOT13C2507A	-	-	-	-	CTW	3.00	0.08	10	2.99	CIVIL	1.28	(0.01)	391	1.28
AOT13C2507B	-	-	-	-	FMT	26.50	-	7	25.71	CK	14.30	(0.20)	17,643	14.42
AOT13C2507C	-	-	-	-	FTE	1.56	-	1,395	1.57	CNT	0.98	0.01	69	0.95
AOT13C2508A	0.01	-	600	0.01	HTECH	2.60	(0.04)	5,657	2.61	DEMCO	1.83	(0.01)	904	1.83
AOT13C2509A	0.04	(0.01)	8,049	0.04	KKC	-	-	-	-	EMC	0.04	-	116,597	0.05
AOT13C2509B	0.09	(0.01)	20,083	0.09	PCC	2.50	(0.02)	3,096	2.48	EMC-W7	0.04	0.01	11,551	0.03
AOT13C2510A	0.18	(0.03)	27,667	0.19	PK	0.77	0.10	197,236	0.74	ITD	0.28	-	13,831	0.28
AOT13P2507A	-	-	-	-	PSP	4.34	(0.10)	4,935	4.36	JR	1.76	(0.01)	1,779	1.76
AOT13P2507B	0.18	0.01	19,495	0.17	QTC	3.74	(0.04)	30	3.74	NL	0.90	(0.01)	88	0.90
AOT19C2507A	0.02	-	9,534	0.01	SCI	0.89	0.01	7,098	0.90	NWR	-	-	-	-
AOT19C2507B	-	-	-	-	SE	0.41	-	281	0.40	PLE	0.24	-	7	0.24
AOT19C2508A	-	-	-	-	SELIC	2.64	-	2,006	2.50	PREB	3.64	-	155	3.60
AOT19C2509A	-	-	-	-	SNC	6.10	(0.15)	1,683	6.14	PYLON	2.04	-	1,446	2.03
AOT19C2510A	0.17	(0.03)	17,583	0.18	TCJ	2.88	0.08	1	2.88	RT	0.27	(0.01)	5,515	0.27
AOT19P2507A	-	-	-	-	TPCS	-	-	-	-	SEAFCO	2.02	-	872	2.03
AOT41C2507A	-	-	-	-	VARO	4.98	-	80	4.98	SOLAR	0.23	0.01	3,132	0.23
AOT41C2605T	-	-	-	-	Property Fund &	-	-	-	-	SQ	0.70	-	1,050	0.70
AOT41C2609T	0.14	(0.01)	60	0.14	AIMCG	1.92	(0.02)	3,266	1.92	SRICHA	7.80	-	4,654	7.88
AOT41P2509A	-	-	-	-	AIMIRT	9.55	-	1,894	9.56	STECON	7.55	(0.05)	64,600	7.54
AOT41P2606T	-	-	-	-	ALLY	4.48	(0.06)	1,919	4.50	STI	2.30	(0.02)	1,614	2.17
ASIMAR	1.37	(0.01)	84	1.37	AMATAR	6.10	0.05	516	6.00	STPI	3.58	0.04	31,594	3.59
B	0.04	-	10,008	0.04	AXTRART	11.40	(0.10)	16,459	11.45	SYNTEC	1.67	0.01	358	1.65
B-W8	0.01	-	33	0.01	B-WORK	4.46	-	2,175	4.46	TEAMG	2.72	(0.08)	16,526	2.75
BA	13.20	(0.20)	44,197	13.28	BAREIT	9.25	(0.05)	2,229	9.24	TEAMG-W1	0.16	-	12,024	0.16
BA01C2508A	-	-	-	-	BOFFICE	4.84	0.04	224	4.84	TEKA	1.73	(0.02)	254	1.74
BA13C2510A	0.18	(0.02)	65,646	0.19	CPNCG	5.90	-	2,059	5.90	TPOLY	0.38	(0.01)	1,754	0.40
BA19C2507A	0.01	(0.03)	1	0.01	CPNREIT	11.10	-	22,236	11.05	TRC	0.58	(0.02)	1,281	0.59
BA41C2606T	-	-	-	-	CPTREIT	4.66	-	1,910	4.66	TRITN	0.05	-	78,889	0.05
BEM	5.25	0.10	792,450	5.12	CTARAF	4.54	-	346	4.54	TRITN-W7	-	-	-	-
BEM01C2511A	0.17	0.02	34,263	0.16	DREIT	4.84	0.04	54	4.84	TTCL	0.96	(0.01)	1,391	0.97
BEM13C2508A	0.03	0.01	1,347	0.03										

Main Board Quotation

Issue Date :

Thursday June 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BMSCITH	8.51	(0.07)	352	8.54	HSI28P2507B	-	-	-	-	SET5006C2506D	-	-	-	-
BSET100	7.88	(0.11)	434	7.89	HSI28P2507C	-	-	-	-	SET5006C2506E	-	-	-	-
CHINA	5.74	(0.02)	72	5.72	HSI28P2507D	-	-	-	-	SET5006C2506F	0.03	(0.02)	526	0.03
ENGY	3.79	0.04	83	3.77	HSI28P2507E	0.23	0.03	880,282	0.22	SET5006C2509A	0.24	(0.06)	92,285	0.26
GLD	4.35	0.02	14,147	4.34	HSI28P2507F	0.38	0.04	434,736	0.37	SET5006C2509B	0.11	(0.03)	4,580	0.11
TDEX	7.15	(0.09)	10,364	7.17	HSI28P2507G	0.13	-	400	0.13	SET5006C2509C	0.13	(0.05)	29	0.15
UBOT	13.00	0.05	9	13.00	HSI28P2507H	0.61	0.07	79,655	0.58	SET5006C2509D	0.36	(0.64)	67,124	0.38
UHERO	9.49	(0.01)	67	9.49	HSI28P2508A	0.17	0.01	4,605	0.16	SET5006P2506A	-	-	-	-
Warrant Foreign	-	-	-	-	HSI28P2508B	0.04	0.01	440	0.04	SET5006P2506B	0.35	0.11	22,379	0.27
AIA41C2507A	1.16	(0.08)	1	1.16	HSI28P2508C	-	-	-	-	SET5006P2506C	0.16	0.05	164,560	0.13
BABA28C2506A	0.56	(0.11)	2	0.58	HSI28P2508D	0.34	0.03	507,748	0.34	SET5006P2506D	-	-	-	-
BABA28C2506B	-	-	-	-	HSI28P2509A	0.18	0.02	3	0.18	SET5006P2506E	-	-	-	-
BABA28C2506C	0.13	(0.08)	2,000	0.14	HSI28P2509B	0.35	0.03	383,178	0.34	SET5006P2506F	-	-	-	-
BABA28C2508A	0.28	(0.05)	2,020	0.28	HSTECH28C250A	-	-	-	-	SET5006P2506G	-	-	-	-
BABA28C2509A	0.09	(0.02)	2,425	0.09	HSTECH28C250A	-	-	-	-	SET5006P2509A	0.38	0.06	64,178	0.36
BABA28P2507A	-	-	-	-	HSTECH28C250A	-	-	-	-	SET5006P2509B	0.85	0.12	17,199	0.81
BABA28P2509A	0.12	0.01	2,003	0.12	HSTECH28C250A	0.55	(0.09)	312	0.59	SET5013C2506A	-	-	-	-
BABA41C2506A	-	-	-	-	HSTECH28P250A	-	-	-	-	SET5013C2506B	-	-	-	-
BABA41C2507A	0.27	(0.23)	2,005	0.29	HSTECH28P250A	-	-	-	-	SET5013C2506C	-	-	-	-
BABA41C2509A	0.31	(0.06)	2,016	0.32	HSTECH28P250A	-	-	-	-	SET5013C2506D	-	-	-	-
BABA41P2506A	-	-	-	-	HSTECH28P250A	0.43	0.04	682	0.43	SET5013C2506E	-	-	-	-
BABA41P2507A	0.67	0.09	16,025	0.64	JD41C2506A	-	-	-	-	SET5013C2506F	-	-	-	-
BIDU41C2506A	-	-	-	-	JD41C2509A	0.30	(0.05)	14,158	0.32	SET5013C2506G	-	-	-	-
BIDU41C2509A	0.33	(0.02)	2,179	0.33	KUAI5H41C250E	-	-	-	-	SET5013C2506H	0.01	-	1	0.01
BIDU41P2507A	0.30	0.02	28	0.30	KUAI5H41C250E	-	-	-	-	SET5013C2506I	-	-	-	-
BYDCOM28C2508A	1.58	(0.17)	227	1.58	KUAI5H41C250E	0.67	(0.18)	49,275	0.70	SET5013C2506J	-	-	-	-
BYDCOM28C2510A	0.42	(0.11)	7,069	0.45	MCA5041C2506A	-	-	-	-	SET5013C2506K	-	-	-	-
BYDCOM28P2510A	0.14	0.02	12,309	0.13	MCA5041C2509A	0.35	-	50	0.35	SET5013C2506L	0.01	-	25	0.01
BYDCOM41C2506A	-	-	-	-	MCA5041P2506A	0.07	(0.10)	28	0.07	SET5013C2506M	0.02	-	1,035	0.01
BYDCOM41C2506B	-	-	-	-	MCA5041P2509A	0.36	(0.01)	2	0.36	SET5013C2506N	-	-	-	-
BYDCOM41C2509A	0.18	(0.07)	25,263	0.20	MEITUUA28C250A	0.01	(0.01)	5,355	0.01	SET5013C2506O	0.02	(0.01)	77,401	0.02
BYDCOM41P2507A	-	-	-	-	MEITUUA28C250A	0.24	(0.05)	32,010	0.26	SET5013C2506P	0.02	(0.03)	3,098	0.03
DJI28C2506A	-	-	-	-	MEITUUA41C250A	-	-	-	-	SET5013C2506Q	0.01	-	1,486	0.01
DJI28C2509A	0.91	(0.02)	50	0.91	MEITUUA41C250A	0.18	(0.04)	30,000	0.19	SET5013C2506R	0.01	(0.01)	4,380	0.01
DJI28C2509B	-	-	-	-	MEITUUA41P250A	0.24	0.02	6,000	0.23	SET5013C2506S	-	-	-	-
DJI28P2506A	-	-	-	-	NDX28C2506A	0.04	-	4	0.04	SET5013C2506T	-	-	-	-
DJI41C2506A	0.01	(0.04)	312	0.01	NDX28C2506B	-	-	-	-	SET5013C2509A	0.37	(0.09)	1,580,825	0.41
DJI41C2506B	-	-	-	-	NDX28C2506C	-	-	-	-	SET5013C2509B	0.10	(0.03)	91,787	0.11
DJI41C2509A	0.71	(0.03)	153	0.70	NDX28C2509A	1.11	(0.10)	6	1.13	SET5013C2509C	0.13	(0.04)	217,957	0.13
DJI41P2506A	-	-	-	-	NDX28C2509B	0.98	(0.06)	808	0.98	SET5013C2509D	0.15	(0.06)	186,015	0.17
DJI41P2509A	0.49	-	6,426	0.48	NDX28C2509C	0.71	(0.05)	108	0.69	SET5013C2509E	0.22	(0.09)	2,467,605	0.25
GEELY41C2506A	-	-	-	-	NDX28P2506A	-	-	-	-	SET5013C2509F	0.35	(0.12)	3,010,243	0.38
GEELY41C2509A	0.10	(0.03)	4,000	0.11	NDX28P2509A	0.13	0.01	98	0.13	SET5013C2509G	0.46	(0.54)	1,000,745	0.52
HSI06C2506A	0.55	(0.13)	15,605	0.59	NDX28P2509B	-	-	-	-	SET5013C2509T	0.13	(0.04)	57,911	0.15
HSI06C2506B	1.41	0.31	40	1.41	NDX28P2509C	0.29	-	1,000	0.29	SET5013P2506A	0.98	0.51	274	0.82
HSI06C2506C	0.11	(0.06)	308,246	0.13	NDX41C2506A	-	-	-	-	SET5013P2506B	0.77	0.37	124	0.65
HSI06C2506D	-	-	-	-	NDX41C2506B	-	-	-	-	SET5013P2506C	1.50	0.79	45	1.50
HSI06C2506E	-	-	-	-	NDX41C2506C	-	-	-	-	SET5013P2506D	1.02	0.54	764	1.02
HSI06C2506F	-	-	-	-	NDX41C2506D	-	-	-	-	SET5013P2506E	0.12	0.07	200	0.12
HSI06C2507A	0.12	(0.03)	224	0.12	NDX41C2509A	1.17	(0.11)	7,598	1.19	SET5013P2506F	0.03	0.01	793	0.02
HSI06C2507B	0.35	(0.07)	269,374	0.38	NDX41C2509B	0.65	(0.07)	100,079	0.65	SET5013P2506G	0.02	-	6,640	0.01
HSI06C2507C	0.75	(0.12)	3,730	0.77	NDX41C2509T	-	-	-	-	SET5013P2506H	-	-	-	-
HSI06C2507D	-	-	-	-	NDX41P2506A	0.01	-	1,617	0.01	SET5013P2506I	0.01	-	53	0.01
HSI06C2507E	-	-	-	-	NDX41P2506B	-	-	-	-	SET5013P2506J	0.01	-	707	0.01
HSI06C2508A	0.34	(0.06)	33,538	0.37	NDX41P2509A	0.27	0.01	23,100	0.27	SET5013P2506K	0.07	0.02	331	0.05
HSI06C2508B	0.61	(0.11)	21,684	0.66	NDX41P2509B	0.40	0.01	24,952	0.39	SET5013P2506L	0.10	0.03	60,521	0.08
HSI06C2509A	0.51	(0.07)	14,186	0.55	NDX41P2509T	1.67	0.04	2,537	1.68	SET5013P2506M	0.13	0.03	1,042,885	0.12
HSI06P2506A	0.01	-	10	0.01	NIKKEI28C2506A	-	-	-	-	SET5013P2506N	0.01	-	31	0.01
HSI06P2506B	-	-	-	-	NIKKEI28C2506B	-	-	-	-	SET5013P2506O	0.01	-	2,500	0.01
HSI06P2506C	-	-	-	-	NIKKEI28C2506C	-	-	-	-	SET5013P2506P	0.01	-	1	0.01
HSI06P2506D	0.01	-	1	0.01	NIKKEI28P2506A	-	-	-	-	SET5013P2506Q	0.01	-	5	0.01
HSI06P2506E	0.05	0.01	32,376	0.04	NIKKEI28P2506B	-	-	-	-	SET5013P2506R	0.01	-	10	0.01
HSI06P2506F	0.20	0.04	182,066	0.17	NIKKEI28P2506C	-	-	-	-	SET5013P2506S	0.02	(0.01)	6,907	0.02
HSI06P2507A	0.06	(0.02)	1	0.06	NIKKEI41C2506A	-	-	-	-	SET5013P2506T	2.28	0.41	232	2.22
HSI06P2507B	0.03	(0.01)	21	0.03	NIKKEI41C2506B	-	-	-	-	SET5013P2506U	0.11	0.02	4,491	0.10
HSI06P2507C	0.12	0.02	15	0.11	NIKKEI41C2509A	0.36	(0.05)	503	0.36	SET5013P2506V	0.06	0.01	19,360	0.06
HSI06P2507D	0.30	0.04	146,251	0.27	NIKKEI41C2509B	0.22	(0.02)	4	0.22	SET5013P2509A	0.20	0.03	196,734	0.19
HSI06P2507E	0.50	0.06	114,467	0.46	NIKKEI41C2509C	0.56	(0.06)	199	0.57	SET5013P2509B	0.36	0.05	1,025,012	0.34
HSI06P2507F	1.14	0.01	1	1.14	NIKKEI41P2506A	-	-	-	-	SET5013P2509C	0.99	0.11	558,237	0.95
HSI06P2508A	0.19	0.02	106	0.18	NIKKEI41P2506B	-	-	-	-	SET5013P2509D	0.85	0.09	2,638,683	0.82
HSI06P2508B	0.08	0.01	3	0.08	NIKKEI41P2509A	0.23	0.01	21	0.23	SET5013P2509E	0.65	0.08	507,422	0.62
HSI06P2508C	0.31	0.03	34,224	0.28	NIKKEI41P2509B	-	-	-	-	SET5013P2509T	0.20	0.03	128,644	0.18
HSI06P2508D	0.66	(0.34)	23,147	0.62	NIKKEI41P2509C	0.32	0.02	111	0.32	SET5019C2506A	-	-	-	-
HSI06P2509A	0.14	0.01	18,108	0.14	NTE541C2506A	-	-	-	-	SET5019C2506B	-	-	-	-
HSI06P2509B	0.27	0.03	962	0.26	PINGAN41C250A	0.23	(0.01)	4,000	0.23	SET5019C2506C	-	-	-	-
HSI06P2509C	0.54	(0.46)	133,630	0.53	POP41C250A	3.00	0.08	10	3.00	SET5019C2506D	-	-	-	-
HSI28C2506A	-	-	-	-	POP41C250B	1.47	0.07	45	1.50	SET5019C2506E	-	-	-	-
HSI28C2506B	0.01	-	14,216	0.01	POP41C250C	0.68	(0.03)	44,180	0.73	SET5019C2506F	0.01	-	1	0.01
HSI28C2506C	-	-	-	-	POP41P251A	0.41	-	2,035	0.38	SET5019C2506G	-	-	-	-
HSI28C2506D	-	-	-	-	SET01C2506A	-	-	-	-	SET5019C2506H	-	-	-	-
HSI28C2506E	1.34	(0.14)	10	1.34	SET01C2506B	-	-	-	-	SET5019C2506I	-	-	-	-
HSI28C2506F	-	-	-	-	SET01C2507A	0.01	(0.02)	2,588	0.01	SET5019C2506J	-	-	-	-
HSI28C2506G	0.30	(0.12)	737,307	0.32	SET01C2509A	0.37	(0.05)	7,970	0.39	SET5019C2506K	-	-	-	-
HSI28C2507A	0.07	(0.02)	1,260	0.08	SET01C2512T	0.51	(0.06)	433	0.54	SET5019C2506L	0.02	(0.04)	2	0.02
HSI28C2507B	-	-	-	-	SET01C2606A	1.92	(0.08)	131	1.95	SET5019C2506M	-	-	-	-
HSI28C2507C	0.69	(0.16)	1,102	0.69	SET01P2506A	-	-	-	-	SET5019C2506N	-	-	-	-
HSI28C2507D	0.41	(0.10)	101,735	0.43	SET01P2507A	0.33	0.							

Main Board Quotation

Issue Date :

Thursday June 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust			-		UREKA	0.66	0.16	376,858	00 0.6	LEO	2.04	-	359	00 2.0
APO	1.35	(0.02)	484	00 1.3	YUASA	10.20	(0.10)	195	00 10.3	LTMH	4.78	0.16	735	00 4.6
AU	7.15	0.05	4,752	00 7.1	ZIGA	1.20	(0.06)	17,203	00 1.2	MCA	1.18	(0.14)	73,195	00 1.2
CFARM	1.02	(0.07)	266,471	00 1.0	ZIGA-W2	0.11	-	1,895	00 0.1	MEB	19.00	-	484	00 19.0
JCKH	0.14	(0.01)	3,890	00 0.1	Property			-		MORE	0.04	(0.01)	25,130	00 0.0
KASET	0.58	0.01	202	00 0.5	24CS	1.25	(0.08)	166,762	00 1.2	MOTHER	1.17	(0.04)	107,409	00 1.1
MAGURO	15.20	(0.20)	913	00 15.3	24CS-W1	0.19	(0.02)	18,375	00 0.1	MPJ	3.18	(0.02)	770	00 3.1
MUD	1.19	-	3,500	00 1.1	24CS-W2	0.28	(0.04)	35,478	00 0.2	MVP	-	-	-	00 0.0
NTSC	5.80	0.05	160	00 5.7	ARIN	0.44	-	15,171	00 0.4	NCL	0.25	-	559	00 0.2
TACC	4.42	-	5,429	00 4.4	ARROW	4.88	-	88	00 4.8	NCP	1.12	(0.03)	113	00 1.1
TMILL	2.04	0.02	70	00 2.0	BC	0.94	0.03	6,457	00 0.9	NEWS	0.01	-	109,385	00 0.0
WINNER	1.98	(0.01)	934	00 1.9	BC-W3	0.16	0.04	111,416	00 0.1	PEER	0.12	0.01	11,627	00 0.1
XO	15.50	(0.10)	2,086	00 15.4	BC-W4	0.12	-	169,621	00 0.1	PEER-W2	0.02	(0.01)	34,795	00 0.0
Consumer Products			-		BKA	1.36	(0.13)	416,701	00 1.3	PICO	4.00	-	26	00 3.9
BGT	0.35	(0.01)	1,807	00 0.3	BLESS	0.24	0.01	10,492	00 0.2	PLT	0.54	(0.01)	3,091	00 0.5
DOD	1.99	0.07	43,610	00 1.9	BSM	0.71	(0.02)	134	00 0.7	QLT	2.70	-	111	00 2.5
ECF	1.97	(0.05)	4,737	00 2.0	BTW	0.16	(0.01)	7,046	00 0.1	RP	0.76	(0.02)	16	00 0.7
ECF-W5	-	-	-	00 0.0	CAZ	2.06	0.02	21,168	00 2.1	SONIC	1.52	(0.01)	1,815	00 1.5
EFORL	0.17	0.01	13,448	00 0.1	CHEWA	0.26	-	827	16 0.2	THMUI	0.32	-	3,145	00 0.3
EURO	4.02	(0.02)	122	00 4.0	CPANEL	2.50	-	97	00 2.4	TNDT	0.17	(0.01)	3,192	00 0.1
HPT	0.38	-	14,363	00 0.3	CPANEL-W1	-	-	-	00 0.0	TNDT-W1	-	-	-	00 0.0
ITTHI	1.38	-	655	00 1.3	CRD	0.33	-	4	00 0.3	TNH	31.00	(0.50)	21	00 31.3
JSP	1.77	(0.01)	985	00 1.7	DHOUSE	0.57	(0.01)	895	00 0.5	TNP	2.56	-	484	00 2.5
JSP-W2	0.02	(0.01)	979	00 0.0	DIMET	0.58	(0.01)	338	00 0.0	TPL	0.66	(0.01)	65,830	00 0.6
JUBILE	6.95	(0.05)	200	00 6.9	DPAINT	0.07	(0.02)	1,669	00 0.5	TRP	5.80	0.05	833	00 5.7
LTS	4.48	(0.28)	13,075	00 4.6	FLOYD	0.80	-	15	00 0.8	TURTLE	-	-	-	00 0.0
MGI	9.95	-	617	00 9.9	HYDRO	1.11	-	733	00 1.1	TVDH	0.12	-	3,086	00 0.1
MGI-W1	2.06	0.02	2,691	00 2.0	HYDRO-W2	-	-	-	00 0.0	TVT	0.28	-	48	00 0.2
MOONG	1.86	(0.02)	141	00 1.8	IND	0.81	(0.01)	2,795	00 0.8	UBA	0.91	-	866	00 0.9
NPK	-	-	-	00 0.0	JAK	1.00	-	1,367	00 0.9	VL	0.86	(0.01)	15	00 0.8
NUT	5.80	0.60	405,868	00 5.8	K	1.20	-	30	00 1.2	VS	0.43	-	27	00 0.4
SEI	3.04	(0.04)	1,429	00 3.0	K-W3	0.21	0.01	1,836	00 0.2	YGG	0.37	(0.01)	15,391	00 0.3
SMD100	3.90	(0.02)	282	00 3.9	META	0.07	-	1,141	00 0.0	Technology			-	
TM	0.80	(0.01)	268	00 0.8	PANEL	1.18	(0.01)	1,102	00 1.1	APP	2.24	0.04	2,000	00 2.2
WARRIX	2.24	(0.02)	16,988	00 2.2	PPS	0.17	(0.01)	9,997	00 0.1	BBIK	19.70	(0.50)	2,785	00 19.8
WINMED	1.16	(0.02)	64	00 1.1	PRI	4.38	(0.02)	457	00 4.4	BE8	6.10	(0.15)	2,442	00 6.1
Financials			-		PROS	0.75	(0.02)	11,787	00 0.7	BE8-W1	0.85	-	1,846	00 0.8
ACAP	-	-	-	00 0.0	PROS-W1	0.04	(0.01)	13,517	00 0.0	BVG	1.54	(0.04)	5,376	00 1.5
AF	0.37	(0.01)	48	00 0.3	PSG	1.08	0.01	49,250	00 1.0	COMAN	0.56	-	4,142	00 0.5
AIRA	-	-	-	00 0.0	QTCG	0.17	(0.01)	24,341	00 0.1	I2	0.87	(0.04)	462	00 0.8
ASN	1.09	0.02	12	00 1.0	SENX	0.22	-	541	00 0.2	IIG	1.63	(0.02)	822	00 1.6
BTC	0.33	(0.01)	65,901	00 0.3	SK	0.57	(0.01)	6,220	00 0.5	IRCP	0.36	-	1,403	00 0.3
BTC-W7	0.12	(0.01)	7,758	00 0.1	SMART	0.56	(0.02)	9,495	00 0.5	ITNS	1.38	(0.02)	359	00 1.3
GCAP	0.28	0.01	2,544	00 0.2	STC	0.46	0.01	18	00 0.4	NAT	3.66	0.16	5,723	00 3.6
KCC	1.62	(0.04)	205	00 1.6	STX	1.28	(0.10)	49,196	00 1.3	NETBAY	19.00	(0.20)	2,530	00 19.1
LIT	0.63	(0.01)	1,722	00 0.6	SVR	0.55	(0.01)	169	00 0.5	PIS	3.96	(0.08)	4,058	00 3.9
MITSIB	0.55	0.01	300	00 0.5	TAPAC	-	-	-	00 0.0	PLANET	1.80	0.01	2,613	00 1.7
SGF	0.16	(0.01)	1,194	00 0.1	THANA	0.92	0.01	200	00 0.9	PLANET-W2	0.78	-	105	00 0.7
SGF-P1	-	-	-	00 0.0	TIGER	0.49	-	15	00 0.4	PROEN	1.13	(0.04)	90,592	00 1.1
SGF-Q1	-	-	-	00 0.0	TITLE	3.68	-	2,972	00 3.6	PROEN-W2	0.40	(0.02)	24,953	00 0.4
TQR	5.10	0.05	64	00 5.1	WELL	-	-	-	00 0.0	READY	3.94	(0.06)	301	00 3.9
Industrials			-		YONG	0.76	-	54,113	00 0.7	SECURE	10.40	-	535	00 10.4
ADB	0.54	-	279	00 0.5	Resources			-		SICT	2.74	(0.02)	708	00 2.7
BM	1.07	0.02	19,159	00 1.0	ABM	0.55	0.01	150	00 0.5	SIMAT	0.93	(0.01)	4,271	00 0.9
BM-W3	-	-	-	00 0.0	ALPHAX	0.39	(0.01)	7,291	00 0.3	SPVI	1.68	(0.01)	1,875	00 1.7
BPS	0.51	(0.02)	5,385	00 0.5	GTV	0.09	0.01	56,166	00 0.0	SRS	2.76	(0.04)	26	00 2.7
CHO	0.07	-	7,925	00 0.0	PSTC	0.43	(0.01)	9,478	00 0.4	TBN	5.30	(0.15)	163	00 5.4
CHO-W4	-	-	-	00 0.0	PSTC-W2	0.01	-	7	00 0.0	TERA	1.08	-	618	00 1.0
CHOW	0.81	-	263	00 0.8	PSTC-W3	0.09	-	1,072	00 0.0	TPS	3.40	(0.08)	59	00 3.3
CIG	0.03	-	49,500	00 0.0	PTC	0.89	-	470	00 0.8	VCOM	2.42	0.02	2,558	00 2.4
CIG-W10	-	-	-	00 0.0	SAAM	6.75	-	77	00 6.6		-	-	-	-
CIG-W9	0.01	(0.01)	36	00 0.0	SR	0.49	(0.03)	191	00 0.4		-	-	-	-
COLOR	1.01	0.01	537	00 1.0	STOWER	0.04	-	1,646	00 0.0		-	-	-	-
CPR	2.66	(0.06)	623	00 2.6	TAKUNI	0.41	0.05	417,184	00 0.4		-	-	-	-
FPI	1.69	(0.03)	494	00 1.6	TPCH	2.84	(0.02)	726	00 2.8		-	-	-	-
GTB	0.70	-	348	00 0.6	UMS	-	-	-	00 0.0		-	-	-	-
HARN	2.02	-	595	00 2.0	Services			-			-	-	-	-
KCM	0.17	-	1,104	00 0.1	ADD	3.02	0.04	4,924	00 3.1		-	-	-	-
KJL	6.30	(0.10)	1	00 6.3	AKP	0.57	-	3,005	00 0.5		-	-	-	-
KUMWEL	1.19	0.02	16	00 1.1	AMA	4.06	(0.02)	1,425	00 4.0		-	-	-	-
KWM	0.99	(0.03)	2,348	00 0.9	AMARC	2.14	0.04	33,615	00 2.1		-	-	-	-
MBAX	1.55	0.03	358	00 1.5	ARIP	0.37	(0.01)	620	00 0.3		-	-	-	-
MGT	1.67	0.02	78	00 1.6	ATP30	0.87	-	985	00 0.8		-	-	-	-
MTW	0.99	(0.02)	6,334	00 1.0	AUCT	5.50	0.05	1,638	00 5.4		-	-	-	-
NDR	1.20	(0.01)	123	00 1.1	BIS	2.52	(0.06)	1,107	00 2.5		-	-	-	-
PACO	1.35	(0.02)	653	00 1.3	BOL	5.10	(0.05)	696	00 5.1		-	-	-	-
PACO-W1	0.01	-	3,751	00 0.0	CEYE	1.95	0.02	198	00 1.9		-	-	-	-
PDG	2.72	(0.02)	93	00 2.7	CHIC	0.28	(0.01)	550	00 0.2		-	-	-	-
PHOL	2.88	(0.02)	1,050	00 2.8	CMO	0.60	(0.02)	301	00 0.6		-	-	-	-
PIMO	1.13	-	17,144	00 1.1	D	2.08	(0.02)	920	00 2.0		-	-	-	-
PMC	0.99	(0.16)	162,106	00 1.0	DEXON	1.44	0.02	4,583	00 1.4		-	-	-	-
PPM	1.62	-	19	00 1.6	DV8	5.45	0.25	28,397	00 5.2		-	-	-	-
PRAPAT	0.77	(0.03)	6,505	00 0.7	DV8-W2	3.14	0.08	386	00 3.0		-	-	-	-
RWI	0.23	0.01												