

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Thursday January 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	1.12	(0.01)	32,778	1.12
POMPI	-	-	-	-	DIF	16.50	0.10	76,415	16.53	MPIC	1.79	(0.06)	149	1.75
SAFARI	-	-	-	-	DTAC	53.25	-	44,136	53.41	NMG	-	-	-	-
VI	-	-	-	-	FORTH	5.70	0.15	675	5.69	PLANB	7.50	(0.10)	95,652	7.60
WORLD	-	-	-	-	HUMAN	7.75	0.05	1,343	7.72	POST	2.20	-	26	2.11
WR	-	-	-	-	ILINK	3.84	0.04	1,083	3.82	PRAKIT	10.20	0.10	252	10.07
Agribusiness	-	-	-	-	INET	2.16	-	128	2.18	SE-ED	1.67	(0.28)	131	1.67
CHOTI	80.00	1.00	9	79.47	INTUCH	58.50	1.25	79,903	58.34	SPORT	0.16	-	2,117	0.16
EE	0.59	0.01	52,680	0.59	JAS	5.05	0.05	167,304	5.04	TBSP	13.90	-	13	13.88
GFPT	12.60	0.30	52,480	12.56	JASIF	9.65	(0.05)	144,204	9.63	TH	0.61	-	1,415	0.61
LEE	2.16	(0.02)	812	2.15	JMART	8.45	0.10	18,677	8.40	TKS	6.50	0.05	1,388	6.49
NER	2.80	-	384,156	2.83	JTS	1.01	(0.01)	26	1.01	VGI	9.85	0.30	266,031	9.77
PPPM	0.55	0.01	777	0.55	MFCF	3.34	0.06	1,237	3.34	WAVE	1.43	(0.02)	176	1.44
STA	10.30	0.30	30,955	10.25	MSC	5.35	0.10	1,384	5.31	WORK	14.60	0.60	20,159	14.47
TRUBB	0.63	-	1,646	0.63	PT	4.26	0.02	924	4.25	Finance & Securities	-	-	-	-
TWPC	4.18	-	203	4.16	SAMART	6.85	0.05	6,792	6.88	AEC	0.33	-	1,144	0.32
UPOIC	3.72	0.22	113	3.58	SAMTEL	8.05	0.10	809	8.03	AEONTS	191.00	-	2,002	191.95
UVAN	5.30	(0.05)	5,603	5.30	SDC	0.20	0.01	1,257	0.19	AMANAHA	3.28	0.12	143,895	3.25
VPO	0.62	-	22,302	0.63	SIS	7.70	0.15	704	7.61	ASAP	1.90	(0.01)	7,491	1.89
Banking	-	-	-	-	SVOA	1.00	0.01	3,280	0.99	ASK	26.00	0.50	3,820	25.84
BAY	30.00	-	5,069	30.10	SYMC	3.14	0.14	1	3.14	ASP	1.75	0.01	10,370	1.74
BBL	163.50	3.50	110,840	162.40	SYNEX	7.40	(0.10)	3,079	7.46	BAM	19.70	1.60	1,609,226	19.09
CIMBT	0.52	(0.01)	19,143	0.53	THCOM	3.98	0.12	19,315	3.91	BFIT	32.00	0.25	2,044	31.99
KBANK	153.50	2.50	49,945	152.36	TRUE	4.60	-	821,435	4.58	CGH	0.83	-	565	0.82
KKP	67.00	1.00	28,004	66.77	TWZ	0.07	(0.01)	36,900	0.08	CNS	2.50	-	19,551	2.48
KTB	16.70	0.30	305,841	16.64	Electronic Componen	-	-	-	-	ECL	1.16	-	3,758	1.16
LHFG	1.37	0.01	58,622	1.37	CCET	1.86	-	10,959	1.85	FNS	2.22	0.04	126	2.21
SCB	122.50	0.50	39,383	122.29	DELTA	51.75	(1.75)	10,778	52.16	FSS	1.58	(0.01)	35	1.58
TCAP	53.25	(0.25)	45,383	53.30	EIC	0.04	-	5,012	0.03	GBX	0.53	0.03	15,668	0.53
TISCO	101.50	2.25	47,414	100.96	HANA	33.25	(1.25)	67,067	33.04	GL	4.28	0.04	12,383	4.29
TMB	1.68	-	4,110,189	1.68	KCE	23.20	(1.30)	435,747	23.23	IFS	3.14	-	507	3.12
Construction Materia	-	-	-	-	METCO	175.00	1.00	11	175.09	JMT	21.30	1.30	84,132	20.93
CCP	0.30	0.01	6,776	0.29	NEX	2.90	-	9,030	2.88	KCAR	11.00	0.10	122	10.97
COTTO	1.52	0.02	1,549	1.53	SMT	1.18	0.01	5,495	1.18	KGI	4.52	0.06	22,964	4.51
DCC	1.87	(0.02)	15,313	1.86	SVI	3.54	(0.06)	23,922	3.55	KTC	39.25	(0.25)	25,204	39.16
DCON	0.34	-	11,195	0.35	TEAM	0.87	-	4,023	0.88	MBKET	6.75	0.05	485	6.73
DRT	6.25	-	3,156	6.28	Energy & Utilities	-	-	-	-	MFC	15.40	-	504	15.39
EPG	6.30	0.05	20,075	6.28	7UP	0.51	-	44,180	0.50	ML	0.88	0.01	301	0.88
GEL	0.15	-	20,944	0.15	ABPIF	4.62	0.04	1,020	4.61	MTC	64.25	0.50	34,343	64.07
PPP	2.10	-	3	2.10	ACE	4.30	0.08	222,202	4.29	PE	-	-	-	-
Q-CON	-	-	-	-	AI	1.06	0.01	6,780	1.05	PL	2.68	0.02	51	2.68
RCI	3.68	0.06	118	3.53	AKR	0.61	0.01	4,513	0.60	S11	7.35	(0.05)	2,512	7.34
SCC	392.00	-	9,569	392.01	BAFS	30.50	0.50	1,435	30.36	SAWAD	68.00	(0.50)	32,693	68.42
SCCC	191.50	1.50	74	191.51	BANPU	12.10	0.20	157,111	12.09	THANI	5.80	-	67,630	5.80
SCP	5.95	0.05	1,350	5.94	BCP	29.00	1.00	80,690	28.95	TK	10.10	0.10	1,116	10.02
SKN	2.12	(0.02)	2,665	2.12	BCPG	16.70	0.50	41,561	16.52	TNITY	-	-	-	-
TASCO	21.10	(0.10)	29,593	21.18	BGRIM	53.00	0.50	60,922	52.95	UOBKH	3.00	0.02	21	2.98
TCMC	2.02	(0.02)	1,601	2.03	BPP	18.00	0.30	24,445	17.97	ZMICO	0.77	0.01	9,384	0.77
TOA	39.25	-	17,277	39.52	BRRGIF	8.30	0.10	249	8.24	Food & Beverage	-	-	-	-
TIPL	1.45	0.05	311,154	1.43	CKP	5.00	0.04	78,859	5.00	APURE	0.76	(0.02)	2,241	0.76
UMI	0.74	0.02	487	0.74	DEMCO	2.68	-	1,861	2.66	ASIAN	4.24	(0.02)	667	4.24
VNG	3.84	0.02	212	3.84	EA	44.50	0.75	76,031	44.04	BR	2.48	0.02	3,364	2.50
WHIK	1.26	0.01	2,696	1.26	EASTW	11.10	0.10	7,669	11.06	BRR	3.92	(0.02)	576	3.89
Petrochemicals & Che	-	-	-	-	EGATIF	12.60	0.20	17,894	12.56	CBG	83.00	(1.00)	27,564	83.61
BCT	40.00	-	11	39.66	EGCO	331.00	3.00	10,399	330.67	CFRESH	1.53	0.01	1,448	1.54
CMAN	1.54	(0.07)	147,737	1.61	ESSO	9.25	0.60	478,447	9.13	CM	2.76	0.02	378	2.77
GC	5.80	(0.25)	2,554	5.63	GPSC	86.25	0.50	97,984	86.10	CPF	27.75	0.25	182,090	27.77
GGC	13.40	0.80	94,133	13.09	GULF	169.00	3.00	69,112	168.45	CPI	1.64	0.02	1,469	1.64
GIFT	2.34	0.04	12,205	2.35	GUNKUL	2.96	(0.02)	138,452	2.97	F&D	18.00	-	1	18.00
IVL	36.25	1.25	568,151	36.07	IFEC	-	-	-	-	HTC	22.60	(0.10)	1,924	22.73
NFC	-	-	-	-	IRPC	3.94	0.26	4,804,023	3.87	ICHI	4.96	(0.09)	17,924	4.98
PATO	11.40	0.10	230	11.41	LANNA	7.80	0.10	3,080	7.74	KBS	3.60	-	202	3.59
PMTA	-	-	-	-	MDX	2.88	0.06	101	2.85	KSL	2.24	-	21,344	2.22
PTTGC	59.25	2.25	293,261	58.54	PRIME	0.38	0.01	3,306	0.37	KTIS	4.20	-	455	4.20
SUTHA	1.93	(0.02)	324	1.91	PTG	16.30	0.20	184,530	16.21	LST	5.15	-	5,293	5.23
TCCC	20.60	0.10	80	20.55	PTT	45.50	1.50	590,847	45.09	M	69.75	(0.75)	4,452	69.64
TPA	5.40	(0.05)	1	5.40	PTTEP	127.50	3.00	140,685	127.05	MALEE	6.80	0.30	2,014	6.68
UP	-	-	-	-	RATCH	69.75	1.00	31,328	69.50	MINT	35.75	(0.25)	131,082	36.11
VNT	26.00	0.75	21,098	26.00	RPC	0.66	-	4,081	0.66	OISHI	100.50	(0.50)	35	100.89
WG	-	-	-	-	SCG	3.86	(0.02)	33	3.87	OSP	40.50	-	138,761	40.54
YCI	-	-	-	-	SCI	1.53	(0.04)	4,286	1.55	PB	69.00	(3.00)	63	67.59
Commerce	-	-	-	-	SCN	2.10	(0.06)	21,386	2.10	PM	7.75	(0.05)	5,072	7.73
BEAUTY	1.84	0.16	928,404	1.79	SGP	10.10	0.40	137,603	9.98	PRG	-	-	-	-
BIG	0.52	(0.01)	24,609	0.52	SKE	0.87	0.01	5,128	0.86	RBF	4.46	0.06	130,448	4.44
BJC	41.00	(1.00)	92,056	41.51	SOLAR	1.52	(0.02)	1,032	1.53	SAPPE	19.10	(0.80)	5,872	19.37
COL	18.80	0.10	423	18.74	SPCG	19.30	(0.30)	7,761	19.45	SAUCE	22.50	(1.40)	127	22.65
COM7	25.00	(1.50)	113,340	25.47	SPRC	10.90	0.20	255,611	10.95	SFP	-	-	-	-
CPALL	71.00	(1.25)	599,873	71.96	SSP	7.30	(0.05)	988	7.35	SNP	15.70	-	31	15.70
CPW	1.88	0.10	96,778	1.85	SUPER	0.55	(0.01)	568,999	0.55	SORKON	50.75	0.25	2	50.63
CSS	1.42	(0.01)	7,814	1.42	SUPEREIF	11.30	-	714	11.31	SSC	32.25	-	1	32.25
DOHOME	9.70	(0.05)	92,098	9.83	SUSCO	2.86	0.06	3,454	2.84	SSF	-	-	-	-
FN	1.07	-	8,725	1.07	TAE	3.28	-	15,498	3.27	SST	-	-	-	-
FTE	2.04	0.02	1,194	2.04	TCC	0.22	(0.01)	17,436	0.22	TC	3.24	-	428	3.20
GLOBAL	16.10	(0.10)	103,695	16.11	TOP	71.00	1.25	123,372	70.83	TFG	4.32	0.12	30,517	4.28
HMPRO	15.90	(0.10)	222,370	15.91	TPIPP	4.38	(0.02)	59,006	4.39	TFMAMA	183.50	0.50	59	183.08
ILM	14.40	0.20	5,978	14.39	TSE	2.94	-	17,750	2.94	TIPCO	7.70	0.05	2,517	7.71
IT	2.90	0.02	200	2.90	TTW	13.50	(0.30)	30,837	13.60	TKN	10.60	0.10	57,806	10.52
KAMART	3.88	0.02	6,947	3.93	WHAUP	5.45	-	58,999	5.42	TU	13.60	0.10	79,940	13.57
LOXLEY	1.38	0.02	6,065	1.38	WP	5.05	-	570	5.03	TVO	28.00	0.50	19,186	27.73
MAKRO	31.75	0.75	8,829	31.76	Media & Publishing	-	-	-	-	ZEN	14.30	(0.30)	11,625	14.27
MC	7.75	0.40	27,856	7.63	AMARIN	4.14	(0.02)	122	4.09	Health Care Services	-	-	-	-
MEGA	27.25	1.25	11,569	26.71	AQUA	0.43	0.02	280,244	0.42	AHC	18.10	0.20	291	18.03
MIDA	0.53	-	564	0.52</										

**Main Board Quotation**

**Issue Date :**

Thursday January 02, 2020

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
PR9	8.20	0.35	4,944	8.09	BROCK	1.67	(0.01)	201	1.65	HFT	3.02	(0.06)	1,601	3.04
PRINC	4.86	(0.02)	12,309	4.85	CGD	0.90	0.02	8,512	0.88	IHL	3.78	0.10	4,168	3.77
RAM	150.00	(2.00)	27	150.81	CI	0.84	(0.04)	350	0.85	INGRS	0.53	-	3,811	0.53
RJH	25.25	-	3,797	25.17	CPN	62.00	(0.25)	65,060	62.06	IRC	15.80	0.30	25	15.44
RPH	6.60	0.05	4,529	6.51	ESTAR	0.36	-	719	0.36	PCSGH	5.95	0.15	1	5.95
SKR	5.15	0.10	2,877	5.11	EVER	0.27	0.01	96,772	0.27	SAT	15.70	0.10	673	15.69
SVH	450.00	2.00	3	450.00	FPT	15.60	0.40	493	15.53	SPG	12.30	(1.00)	49	12.38
THG	27.00	0.25	2,977	26.95	GLAND	2.44	(0.04)	803	2.44	STANLY	182.00	2.00	55	181.70
VIBHA	1.80	0.01	140,766	1.80	GOLD	8.45	-	915	8.44	TKT	0.99	0.01	15,541	1.01
VIH	6.15	(0.05)	4,201	6.23	GREEN	0.83	0.02	1,921	0.81	TNPC	-	-	-	-
WPH	2.00	0.01	252	1.99	J	0.85	(0.03)	221	0.85	TRU	4.16	-	135	4.16
Tourism & Leisure					JCK	0.90	(0.01)	1,620	0.91	TSC	12.40	0.20	106	12.47
ASIA	5.60	0.05	2	5.60	KC	-	-	-	-	Industrial Materials				
CENTEL	24.60	(0.40)	39,682	24.70	KWG	1.67	(0.08)	745	1.69	ALLA	1.36	-	36,098	1.34
CSR	-	-	-	-	LALIN	5.25	0.10	8,523	5.19	ASEFA	3.40	0.04	253	3.38
DTC	9.70	-	245	9.71	LH	10.10	0.30	547,099	10.11	CPT	0.82	0.02	3,268	0.82
ERW	5.55	(0.40)	268,664	5.61	LPN	4.68	0.30	167,363	4.64	CRANE	1.80	(0.01)	6	1.80
GRAND	0.76	(0.02)	3,102	0.77	MBK	21.60	0.40	12,557	21.56	CTW	5.50	0.10	140	5.46
LRH	41.75	(1.25)	50	41.28	MJD	3.04	0.02	2,141	3.02	FMT	23.60	0.10	2	23.60
MANRIN	-	-	-	-	MK	3.08	-	1,334	3.08	HTECH	3.26	(0.04)	1,029	3.25
OHTL	-	-	-	-	NCH	0.84	0.01	153	0.84	KKC	0.80	-	87	0.80
ROH	34.00	(1.50)	57	34.01	NNCL	2.20	0.02	8,413	2.17	PK	1.32	(0.02)	920	1.33
SHANG	70.00	(1.75)	27	70.17	NOBLE	16.30	(0.10)	998	16.35	SNC	10.00	-	2,305	10.00
SHR	3.26	0.10	94,576	3.22	NUSA	0.44	(0.05)	176,423	0.45	STARK	2.12	-	41,280	2.11
VRANDA	8.40	(0.10)	866	8.45	NVD	1.94	0.07	87	1.90	TCJ	3.68	(0.02)	2	3.67
Home & Office Produ					ORI	7.15	0.15	102,589	7.07	VARO	6.50	-	10	6.50
ACC	0.63	(0.04)	4,913	0.66	PACE	0.08	0.01	25,462	0.07	Property Fund & REI				
AJA	0.21	-	15,353	0.21	PF	0.82	0.01	88,617	0.82	AIMCG	8.90	(0.10)	775	8.90
DTCI	24.40	(5.60)	4	24.18	PLAT	4.14	0.06	4,535	4.11	AIMIRT	13.20	(0.20)	2,908	13.30
FANCY	0.58	-	1,321	0.55	POLAR	-	-	-	-	AMATAR	11.70	0.30	740	11.50
KYE	255.00	-	1	255.00	PRECHA	1.09	-	53	1.09	B-WORK	12.20	0.10	310	12.10
L&E	1.96	-	739	1.96	PRIN	1.51	(0.01)	936	1.50	BKER	9.40	(0.15)	1,996	9.38
MODERN	2.56	-	1,003	2.55	PSH	15.40	0.60	21,243	15.24	BKKCP	13.20	0.10	104	13.11
OGC	26.00	1.20	10	25.60	QH	2.62	0.06	574,857	2.60	BOFFICE	16.70	-	102	16.70
ROCK	-	-	-	-	RICHY	0.90	0.01	3,970	0.89	CPNCG	12.50	-	2,569	12.50
SIAM	1.68	(0.05)	1,629	1.70	RML	1.00	(0.02)	13,395	1.00	CPNREIT	33.25	0.50	6,059	32.98
TSR	1.99	(0.01)	264	2.00	ROJNA	5.20	0.10	6,144	5.18	CPTGF	13.00	-	7,502	13.00
Insurance					S	2.62	0.02	36,850	2.63	CTARAF	5.65	(0.05)	243	5.60
AYUD	39.50	0.50	58	39.02	SAMCO	1.72	0.01	130	1.71	DREIT	6.40	-	2,422	6.44
BKI	294.00	(1.00)	14	293.21	SC	2.34	0.08	40,768	2.32	ERWPF	5.15	-	1	5.15
BLA	20.90	0.20	3,781	20.82	SENA	2.84	0.14	12,660	2.79	FTREIT	15.60	(0.10)	6,253	15.60
BUI	-	-	-	-	SF	5.60	0.30	6,372	5.58	FUTUREPF	25.25	0.35	68	25.07
CHARAN	-	-	-	-	SIRI	1.14	0.05	444,461	1.13	GAHREIT	-	-	-	-
INSURE	-	-	-	-	SPALI	18.80	0.90	327,080	18.71	GLANDRT	13.20	(0.10)	271	13.20
MTI	84.75	(0.25)	7	83.79	U	1.74	0.03	23,366	1.74	GOLDFP	-	-	-	-
NKI	-	-	-	-	UV	6.55	0.10	53,160	6.54	GVREIT	16.40	0.10	8,053	16.32
NSI	-	-	-	-	WHA	3.90	0.02	710,218	3.91	HPF	4.94	0.02	2,590	4.94
SEG	35.50	(1.75)	10	36.13	WIN	0.37	(0.03)	12,078	0.37	HREIT	8.95	0.15	1,729	8.92
SMK	30.00	0.25	26	30.00	Paper & Printing Mat					IMPACT	23.80	(0.30)	5,154	23.79
THRE	0.65	-	37,040	0.65	UTP	9.70	0.20	2,121	9.65	KNPF	-	-	-	-
THREL	3.66	0.04	4,446	3.62	Fashion	-	-	-	-	LHHOTEL	19.60	0.10	675	19.56
TIP	24.30	0.10	2,733	24.05	AFC	-	-	-	-	LHPF	8.80	-	2,091	8.71
TQM	65.50	(0.50)	11,731	66.44	B52	0.19	(0.01)	701	0.19	LHSC	18.40	0.20	1,586	18.40
TSI	0.50	-	733	0.48	BTNC	-	-	-	-	LUXF	8.45	-	150	8.42
TVI	4.20	-	24	4.21	CPH	-	-	-	-	M-II	-	-	-	-
Mining					CPL	0.90	-	160	0.90	M-PAT	5.70	(0.20)	142	5.41
PDI	6.75	0.20	1,692	6.64	ICC	-	-	-	-	M-STOR	6.60	(0.10)	135	6.61
THL	-	-	-	-	NC	-	-	-	-	MIPF	-	-	-	-
Packaging					PAF	0.62	-	351	0.62	MIT	3.06	0.14	357	3.03
AJ	8.30	0.05	53	8.16	PDJ	1.51	(0.03)	668	1.51	MJLF	11.00	(0.10)	1,514	11.02
ALUCON	154.50	0.50	3	154.50	PG	-	-	-	-	MNIT	1.64	(0.05)	155	1.59
BGC	13.60	-	25,105	13.69	SABINA	23.50	(0.30)	5,176	23.75	MNIT2	-	-	-	-
CSC	52.50	0.25	162	52.51	SAWANG	9.70	0.15	12	10.39	MNRF	3.10	0.02	56	3.10
GLOCON	0.72	-	3,103	0.72	SUC	43.25	-	15	43.18	POPF	13.00	-	642	12.97
NEP	0.25	-	1,736	0.25	TNL	-	-	-	-	PPF	11.30	-	3	11.37
PTL	14.60	0.10	2,556	14.59	TPCORP	10.10	0.10	15	10.10	QHHR	9.40	(0.10)	964	9.40
SFLEX	3.74	0.06	31,365	3.69	TR	28.50	(0.25)	152	28.89	QHOP	-	-	-	-
SITHAI	0.75	0.03	3,463	0.74	TTI	-	-	-	-	QHPP	13.40	(0.10)	11,725	13.40
SLP	0.47	-	28	0.47	TTT	50.25	0.25	11	50.36	SBPF	-	-	-	-
SMPC	6.40	0.05	952	6.36	UPF	37.00	-	12	37.17	SHREIT	5.85	0.05	199	5.80
SPACK	1.11	(0.01)	137	1.07	UT	-	-	-	-	SIRIP	-	-	-	-
TCOAT	-	-	-	-	WACOAL	43.50	(3.50)	22	43.50	SPF	23.10	-	649	23.03
TFI	0.08	0.01	1	0.08	Transportation & Log					SPRIME	13.10	(0.10)	330	13.31
THIP	18.70	-	383	18.72	AAV	2.26	0.02	126,929	2.27	SRIPANWA	11.20	-	705	11.20
TMD	26.00	0.50	262	25.99	AOT	75.25	1.00	115,002	74.97	SSPF	-	-	-	-
TOPP	185.00	5.00	9	185.00	ASIMAR	1.20	-	958	1.21	SSTPF	-	-	-	-
TPBI	4.08	(0.04)	302	4.10	B	0.21	(0.01)	28,370	0.21	SSTRT	5.95	-	121	5.95
TPP	-	-	-	-	BA	7.00	0.05	13,685	6.95	TIF1	9.10	-	26	9.10
Personal Products &					BEM	10.90	-	337,534	10.99	TLGF	20.30	-	1,518	20.23
APCO	3.24	-	843	3.20	BTS	13.40	0.20	472,093	13.38	TLHPF	11.00	-	5,000	11.00
DDD	23.90	(0.20)	66	23.93	BTSGIF	9.95	-	38,196	9.95	TNPF	2.94	(0.04)	137	2.92
JCT	-	-	-	-	III	5.15	(0.05)	407	5.15	TPRIME	16.10	0.20	350	15.84
OCC	-	-	-	-	JUTHA	-	-	-	-	TTLPF	21.80	0.10	40	21.80
S & J	25.00	-	2	25.13	JWD	7.90	(0.05)	5,598	7.93	TU-PF	1.78	0.03	20	1.78
STHAI	-	-	-	-	KWC	-	-	-	-	URBNPF	4.52	-	2	4.52
TNR	9.10	-	145	9.05	NOK	2.08	0.08	252	2.07	WHABT	9.70	-	8	9.66
TOG	5.75	(0.10)	1,286	5.76	NYT	3.86	-	6,147	3.86	WHART	17.40	-	4,301	17.28
Professional Service					PORT	2.28	0.20	100,141	2.22	Steel	-	-	-	-
BWG	0.60	(0.01)	54,129	0.60	PRM	7.30	0.20	107,607	7.24	AMC	1.85	-	1,709	1.81
GENCO	0.55	-	335	0.55	PSL	7.60	-	56,852	7.71	BSBM	0.92	0.01	3,389	0.91
PRO	-	-	-	-	RCL	3.52	(0.02)	3,254	3.53	CEN	0.60	-	666	0.60
SISB	9.60	-	36,609	9.61	TFIF	12.30	0.10	43,016	12.24	CITY	2.02	-	5	2.02
TEAMG	2.28	-	5,213	2.27	THAI	6.90	0.05	17,870	6.93	CSP	0.71	(0.07)	740	0.72
Property Developer					TSTE	6.10	(0.85)	10	6.10	GJS	0.13	-	11,791	0.12
A	6.20	0.05	75	6.15	TTA	4.50	0.06	8,798	4.49	GSTEEL	-	-	-	-
AMATA	20.40	0.30	99,108	20.40	WICE	2.30	0.06	8,502	2.28	INOX	0.63	0.01	221	0.62
AMATAV	4.80	0.02	343	4.80	Automotive					LHK	2.74	0.02	1,203	2.73
ANAN	2.70	0.08												

## Main Board Quotation

Issue Date :

Thursday January 02, 2020

Main Board Quotation					Main Board Quotation					Issue Date :				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	ABM	0.74	0.01	216	-	AAV19C2003A	0.02	-	1,001	-
ABICO	4.08	0.04	115	4.00	AGE	0.89	-	5,476	-	AAV19C2004A	0.18	-	28,097	-
AU	10.10	0.10	23,176	10.00	AIE	0.30	-	10,838	-	AAV24C2001A	-	-	-	-
JCKH	0.26	0.02	163	-	PSTC	0.74	(0.01)	180,905	-	ADVA01C1912A	-	-	-	-
KASET	1.22	0.01	116	1.00	OTC	4.16	(0.04)	1,135	4.00	ADVA01C1912B	-	-	-	-
MM	2.38	(0.02)	215	2.00	SAAM	0.98	(0.04)	9,645	1.00	ADVA01C2003A	0.27	0.04	225,363	-
SUN	1.74	0.02	919	1.00	SEAOIL	4.08	(0.02)	497	4.00	ADVA01C2003B	0.12	0.02	101,629	-
TACC	4.40	0.02	24,270	4.00	SR	1.01	0.07	80	-	ADVA01C2005A	0.55	0.05	138,032	-
TMILL	2.84	0.02	166	2.00	TAKUNI	0.42	(0.01)	6,559	-	ADVA01C2005B	0.31	0.02	157,451	-
XO	5.75	-	1,564	5.00	TPCH	13.10	0.60	35,942	12.00	ADVA01P1912A	-	-	-	-
<b>Consumer Products</b>														
BGT	0.99	(0.02)	15	-	TRT	1.90	0.05	853	1.00	ADVA01P1912B	-	-	-	-
BIZ	2.92	(0.04)	993	2.00	UMS	0.28	0.01	253	-	ADVA01P2003A	0.73	(0.07)	37,774	-
DOD	7.70	0.40	9,413	7.00	UWC	0.03	-	31,302	-	ADVA01P2003B	0.47	(0.04)	105,746	-
ECF	1.21	(0.01)	165,335	1.00	Services (MAI)	-	-	-	-	ADVA06C2005A	0.23	0.04	85,973	-
HPT	0.65	0.01	110	-	A5	-	-	-	-	ADVA08C2001A	0.04	-	500	-
IP	6.25	(0.10)	17,687	6.00	AKP	1.09	0.04	21,583	1.00	ADVA08C2005A	0.31	0.02	47,770	-
JUBILE	19.50	0.80	2,076	19.00	AMA	5.30	0.05	649	5.00	ADVA08P2004A	0.34	(0.03)	12,753	-
MOONG	3.76	0.08	872	3.00	ARIP	0.40	0.01	256	-	ADVA11C2006A	0.10	0.01	69,310	-
NPK	-	-	-	-	ATP30	1.31	0.03	10,798	1.00	ADVA11P2005A	0.16	(0.02)	5,315	-
OCEAN	1.19	0.02	4,639	1.00	AUCT	7.05	(0.05)	11,803	7.00	ADVA13C2001A	0.03	-	18,196	-
TM	2.50	-	1,380	2.00	BOL	2.94	0.02	5,465	2.00	ADVA13C2004A	0.31	0.04	286,402	-
<b>Financials (MAI)</b>														
ACAP	1.31	-	1,917	1.00	CHUO	-	-	-	-	ADVA13P2003A	0.32	(0.07)	46,216	-
AF	0.65	-	150	-	CMO	1.25	-	1,092	1.00	ADVA16C2002A	0.07	0.01	16,383	-
AIRA	1.20	0.01	13	1.00	D	3.92	-	569	3.00	ADVA16C2005A	0.05	-	1,991	-
ASN	6.35	(0.05)	15	6.00	DCORP	0.46	-	2,627	-	ADVA16C2007A	0.28	0.04	69,990	-
BROOK	0.44	0.01	13,408	-	EFORL	0.04	-	11,261	-	ADVA19C2002A	0.02	(0.01)	1,180	-
CHAYO	5.15	(0.25)	93,411	5.00	ETE	0.84	0.01	12,560	-	ADVA19C2005A	0.28	0.03	70,289	-
GCAP	2.20	(0.02)	7,277	2.00	FSMART	6.45	0.05	4,244	6.00	ADVA19P2002A	0.10	(0.04)	48,820	-
LIT	4.62	0.08	4,010	4.00	FVC	0.40	0.01	47,292	-	ADVA23C2001A	-	-	-	-
MITTSIB	1.49	0.01	2,265	1.00	GSC	0.78	0.01	2,369	-	ADVA24C2001A	0.12	0.02	97,368	-
SGF	0.72	(0.01)	23,233	-	HARN	2.28	-	6,182	2.00	ADVA24C2006A	0.39	0.02	33,042	-
<b>Industrials (MAI)</b>														
2S	2.00	-	1,761	2.00	IMH	4.32	(0.16)	25,258	4.00	ADVA24P2001A	0.01	(0.01)	4,000	-
ACG	1.02	(0.01)	1,365	1.00	JKN	5.55	0.20	39,626	5.00	ADVA27C1912A	-	-	-	-
ADB	0.64	(0.01)	603	-	KIAT	0.29	-	7,781	-	ADVA28C2001A	0.06	0.02	1,118	-
BM	1.90	0.01	133	1.00	KOOL	0.91	0.02	2,300	-	ADVA28C2002A	-	-	-	-
CHO	0.71	-	10,185	-	LDC	1.03	-	1,149	1.00	ADVA28C2004A	0.10	(0.01)	13,764	-
CHOW	1.40	(0.04)	1,354	1.00	MORE	0.39	-	69,392	-	ADVA28C2005A	0.26	(0.01)	34,532	-
CIG	0.22	(0.01)	670	-	MPG	0.39	-	2,496	-	ADVA28P2001A	-	-	-	-
COLOR	1.07	0.01	73	1.00	MVP	1.73	(0.02)	4,352	1.00	ADVA28P2004A	-	-	-	-
CPR	3.36	0.02	1,690	3.00	NBC	0.49	0.01	9,564	-	ADVA41C2001A	-	-	-	-
FPI	1.98	(0.02)	1,449	1.00	NCL	1.08	0.03	23	1.00	ADVA41C2004A	0.13	(0.01)	1,666	-
GTB	0.71	-	1,979	-	NEWS	0.01	-	15,451	-	ADVA41C2005A	0.23	-	6,000	-
KCM	0.57	0.01	8,228	-	NINE	2.04	(0.06)	175	2.00	ADVA41C2006A	0.32	0.02	23,520	-
KUMWEL	0.78	0.01	269	-	OTO	2.86	0.10	2,309	2.00	ADVA41C2007A	0.42	0.05	103	-
KWM	0.82	(0.02)	2,665	-	PHOL	1.78	0.01	131	1.00	ADVA41P2001A	0.06	(0.02)	200	-
MBAX	3.10	-	166	3.00	PICO	-	-	-	-	ADVA41P2004A	-	-	-	-
MGT	1.74	0.01	303	1.00	QLT	4.32	-	639	4.00	ADVA41P2005A	0.36	(0.03)	29,285	-
NDR	1.01	(0.07)	86	1.00	RP	1.48	(0.03)	1,073	1.00	ADVA42C2003A	0.03	-	1,601	-
PDG	2.94	0.02	33	2.00	SE	1.84	(0.02)	571	1.00	ADVA42C2005A	0.32	0.04	10,582	-
PIMO	1.22	(0.01)	2,410	1.00	SONIC	1.03	-	2,338	1.00	AEON01C2005A	0.28	(0.01)	43,736	-
PJW	1.24	0.01	230	1.00	SPA	14.90	0.40	1,209	14.00	AEON13C2003A	0.15	-	21,932	-
PPM	0.95	0.01	200	-	THMUI	0.68	(0.01)	796	-	AEON19C2003A	0.14	(0.01)	7,158	-
RWI	1.56	0.06	10,482	1.00	TNDT	3.72	-	507	3.00	AMAT01C2001A	0.02	-	1,348	-
SALEE	-	-	-	-	TNH	32.75	0.50	249	32.00	AMAT01C2001B	0.02	0.01	1	-
SANKO	0.84	0.01	1,877	-	TNP	2.18	(0.02)	4,073	2.00	AMAT01C2004A	0.40	0.02	96,967	-
SELIC	2.68	0.02	323	2.00	TSF	-	-	-	-	AMAT01C2004B	0.27	-	64,082	-
SWC	3.58	0.04	551	3.00	TVD	1.00	0.01	2,352	1.00	AMAT01P2001A	0.54	(0.05)	9,169	-
TMC	0.48	(0.01)	311	-	TVT	0.62	0.02	277	-	AMAT06C2005A	0.37	-	43,630	-
TMI	0.70	0.01	7,837	-	VL	1.42	-	295,171	1.00	AMAT08C2001A	-	-	-	-
TMW	37.75	(0.50)	64	37.00	WINNER	2.10	0.02	2,519	2.00	AMAT08C2002A	-	-	-	-
TPAC	9.50	(0.50)	37	9.00	Technology (MAI)	-	-	-	-	AMAT08C2005A	0.37	0.03	19,015	-
TPLAS	1.17	-	3,710	1.00	APP	2.26	-	6,103	2.00	AMAT11C2001A	0.03	-	50	-
UAC	2.84	0.04	789	2.00	COMAN	2.54	(0.10)	2,077	2.00	AMAT11C2004A	-	-	-	-
UBIS	5.60	0.05	63	5.00	ICN	1.59	-	699	1.00	AMAT13C2001A	-	-	-	-
UEC	0.71	-	12	-	INSET	2.58	(0.02)	11,643	2.00	AMAT13C2004A	0.26	0.01	388,455	-
UKEM	0.41	0.01	7,702	-	IRCP	0.50	0.01	4,883	-	AMAT16C2003A	-	-	-	-
UREKA	1.10	(0.03)	766	1.00	ITEL	2.50	0.02	4,706	2.00	AMAT16C2006A	0.10	0.01	23,696	-
YUASA	13.50	0.20	724	13.00	NETBAY	32.50	0.50	1,737	32.00	AMAT19C1912A	-	-	-	-
ZIGA	1.03	0.01	1,596	1.00	PLANET	1.13	-	345	1.00	AMAT19C2003A	0.07	0.01	501	-
<b>Property &amp; Construc</b>														
ALL	3.94	(0.04)	36,686	3.00	SIMAT	1.58	0.02	74,793	1.00	AMAT19C2005A	0.31	0.01	47,377	-
ARIN	0.82	(0.01)	12,497	-	SKY	14.20	(0.30)	845	14.00	AMAT24C2001A	0.02	0.01	6,003	-
ARROW	8.75	(0.10)	139	8.00	SPVI	3.02	(0.02)	56,956	3.00	AMAT41C2002A	-	-	-	-
BC	1.63	0.02	5,089	1.00	TPS	2.02	-	3,767	2.00	AMAT41C2003A	-	-	-	-
BSM	0.35	(0.01)	9,791	-	UPA	0.22	-	6,566	-	AMAT41C2004A	-	-	-	-
BSM	0.35	(0.01)	9,791	-	VCOM	2.80	-	1,099	2.00	AMAT41C2005A	0.16	0.01	400	-
BTW	0.76	0.01	2,039	-	Unit Trust	-	-	-	-	AMAT41C2006A	0.31	(0.01)	15,620	-
CAZ	2.58	0.06	6,279	2.00	MGE	-	-	-	-	AMAT42C2003A	0.02	0.01	25,103	-
CHEWA	0.49	-	25,111	-	SCBSET	-	-	-	-	AMAT42C2005A	0.29	(0.02)	12,934	-
CMC	0.84	0.02	5,696	-	ETF	-	-	-	-	ANAN13C2007A	0.35	0.04	37,650	-
CRD	0.64	-	1,014	-	IDIV	10.64	0.19	568	10.00	ANAN19C2001A	-	-	-	-
DIMET	0.35	(0.01)	6,107	-	ABFTG	-	-	-	-	ANAN19C2004A	0.17	0.02	15,607	-
FLOYD	1.38	-	2,172	1.00	BMSCG	7.60	0.02	23						

## Main Board Quotation

## Issue Date :

Thursday January 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT16C2002A	0.15	0.01	36,751	-	BBL08P1912A	-	-	-	-	BEAU01C2001A	0.02	-	36,215	-
AOT16C2007A	0.41	0.03	73,811	-	BBL08P2002A	0.26	(0.08)	24,921	-	BEAU01P2001A	1.82	(0.42)	462	1.00
AOT19C2002A	0.15	0.01	31,047	-	BBL11C2001A	0.01	-	1,199	-	BEAU13C2001A	-	-	-	-
AOT19C2005A	0.46	0.02	31,732	-	BBL11C2005A	0.09	0.02	82,315	-	BEAU13C2003A	0.03	0.01	55,546	-
AOT19P1912A	-	-	-	-	BBL11C2007A	0.43	0.05	90,156	-	BEAU13C2003B	0.01	-	3,082	-
AOT19P2004A	0.35	(0.04)	7,110	-	BBL11P2001A	0.35	(0.06)	58,600	-	BEAU19C2002A	0.02	-	499	-
AOT24C2003A	-	-	-	-	BBL13C2001A	-	-	-	-	BEC01C2001A	0.01	(0.01)	1,714	-
AOT27C1912A	-	-	-	-	BBL13C2003A	0.26	0.04	697,337	-	BEC01C2001B	-	-	-	-
AOT28C2002A	0.12	(0.01)	20,786	-	BBL13C2004A	0.67	0.06	333,922	-	BEC01P2001A	0.95	(0.03)	39,905	-
AOT28C2003A	0.09	(0.02)	49	-	BBL13P2001A	0.02	(0.01)	250	-	BEC16C2002A	-	-	-	-
AOT28P2004A	0.34	(0.03)	16,224	-	BBL13P2003A	0.55	(0.09)	419	-	BEC19C2003A	0.06	-	10	-
AOT41C2002A	0.20	-	11,760	-	BBL13P2004A	0.43	(0.04)	85,047	-	BEC27C2002A	-	-	-	-
AOT41C2003A	-	-	-	-	BBL16C2006A	0.36	0.04	62,806	-	BEC41C2001A	-	-	-	-
AOT41C2004A	-	-	-	-	BBL19C2001A	-	-	-	-	BEC41C2002A	-	-	-	-
AOT41C2005A	-	-	-	-	BBL19C2003A	0.14	0.02	53,570	-	BEC41C2003A	-	-	-	-
AOT41C2006A	0.51	0.03	27,793	-	BBL19C2005A	0.63	0.07	90,559	-	BEC42C2003A	-	-	-	-
AOT41P2002A	-	-	-	-	BBL19P2002A	0.14	(0.04)	11,008	-	BEC42C2005A	0.36	0.01	2,912	-
AOT41P2004A	0.56	(0.05)	1,500	-	BBL24C2001A	-	-	-	-	BEM01C2004A	0.28	-	60,855	-
AOT41P2005A	-	-	-	-	BBL24C2004A	0.69	0.04	58,570	-	BEM01C2004B	0.16	-	74,230	-
AOT41P2006A	0.47	(0.03)	3,000	-	BBL27C2002A	-	-	-	-	BEM01P2004A	0.23	(0.01)	150	-
AOT42P2003A	-	-	-	-	BBL28C2003A	0.13	0.02	79,899	-	BEM06C2004A	0.14	-	31,564	-
AP01C2001A	0.18	0.04	165,964	-	BBL28C2005A	0.49	0.03	63,673	-	BEM08C2001A	-	-	-	-
AP01C2001B	0.03	0.01	1	-	BBL41C2001A	-	-	-	-	BEM08C2005A	0.21	0.01	10,000	-
AP08C1912A	-	-	-	-	BBL41C2003A	0.18	0.03	33,120	-	BEM11C2001A	0.03	(0.04)	401	-
AP11C2001A	0.10	0.03	1,300	-	BBL41C2005A	0.18	-	50	-	BEM11C2003A	0.09	-	5,600	-
AP16C2002A	-	-	-	-	BBL41C2006A	0.29	0.04	15,760	-	BEM13C2002A	0.04	-	710	-
AP19C2002A	0.16	0.03	24,580	-	BBL41P2001A	-	-	-	-	BEM13C2004A	0.15	-	78,114	-
AP28C2004A	0.36	0.05	53,371	-	BBL41P2002A	0.49	(0.08)	3,690	-	BEM16C2001A	-	-	-	-
AWC01C2003A	0.22	(0.02)	110,702	-	BBL41P2004A	0.36	(0.06)	47,560	-	BEM16C2006A	0.25	-	23,916	-
AWC01C2003B	0.04	(0.01)	480	-	BBL42C2003A	-	-	-	-	BEM19C2001A	0.04	(0.01)	18,916	-
AWC01C2004A	0.17	(0.03)	93,280	-	BBL42C2005A	0.60	0.05	13,108	-	BEM19C2005A	0.20	0.01	18,512	-
AWC01P2003A	0.48	0.03	92,938	-	BCH01C2001A	0.36	(0.01)	45,903	-	BEM23C2001A	-	-	-	-
AWC01P2003B	0.15	0.01	88,346	-	BCH01C2001B	-	-	-	-	BEM24C2003A	-	-	-	-
AWC06C2002A	0.04	-	1,200	-	BCH01P2001A	0.10	-	46,100	-	BEM27P1912A	-	-	-	-
AWC06C2004A	0.23	(0.03)	12,350	-	BCH06C2001A	-	-	-	-	BEM28C2001A	-	-	-	-
AWC06P2002A	0.40	0.04	17,872	-	BCH08C2004A	0.28	(0.02)	16,707	-	BEM28C2002A	0.07	-	3,028	-
AWC08C2004A	0.12	(0.01)	4,100	-	BCH11C2001A	-	-	-	-	BEM41C2001A	-	-	-	-
AWC13C2002A	0.05	(0.02)	53,345	-	BCH13C2004A	0.24	-	45,609	-	BEM41C2002A	-	-	-	-
AWC13C2003A	0.16	(0.02)	87,012	-	BCH16C2001A	-	-	-	-	BEM41C2004A	-	-	-	-
AWC13P2002A	0.14	0.02	166,644	-	BCH16C2006A	0.36	(0.01)	71,431	-	BEM41P2003A	-	-	-	-
AWC13P2003A	0.08	-	9	-	BCH19C2001A	0.13	(0.02)	60,035	-	BEM41P2004A	0.19	(0.01)	6,000	-
AWC16C2005A	0.06	-	50,015	-	BCH19C2005A	0.22	(0.01)	53,358	-	BEM42C2001A	-	-	-	-
AWC16C2007A	0.16	(0.02)	26,792	-	BCH24C2003A	0.26	(0.01)	4,125	-	BGRI01C2001A	1.17	0.03	23,003	1.00
AWC19C2003A	0.11	(0.03)	5,288	-	BCH27C2003A	0.32	(0.03)	30,880	-	BGRI01C2001B	0.95	0.04	16,964	-
AWC19C2004A	0.09	(0.02)	11,972	-	BCH41C2001A	-	-	-	-	BGRI01C2003A	0.57	0.02	33,175	-
AWC24C2007A	0.12	(0.02)	31,523	-	BCH41C2005A	-	-	-	-	BGRI01C2003B	0.32	0.02	130,680	-
AWC28C2003A	0.04	-	24,970	-	BCH42C2002A	-	-	-	-	BGRI01P2001A	0.02	-	4,756	-
AWC28C2003B	0.05	(0.01)	4	-	BCP01C2001A	0.12	0.03	179,229	-	BGRI01P2003A	0.30	(0.02)	97,964	-
AWC28C2003C	0.16	(0.01)	6,084	-	BCP01C2001B	-	-	-	-	BGRI06C2005A	0.35	0.02	24,643	-
AWC28P2003A	-	-	-	-	BCP01C2005A	1.01	0.13	35,475	1.00	BGRI08C2003A	-	-	-	-
AWC41C2003A	-	-	-	-	BCP01C2005B	0.27	0.05	143,018	-	BGRI08C2005A	0.39	0.01	8,560	-
AWC41C2004A	0.06	-	1	-	BCP01P2001A	0.21	(0.07)	82,768	-	BGRI11C2006A	0.79	0.03	5,031	-
AWC41C2005A	-	-	-	-	BCP01P2005A	0.14	(0.03)	186,054	-	BGRI13C2001A	-	-	-	-
AWC41C2006A	-	-	-	-	BCP11C2004A	0.08	0.02	950	-	BGRI13C2002A	0.36	0.02	284,427	-
AWC41C2007A	-	-	-	-	BCP13C2003A	0.18	0.04	191,582	-	BGRI13C2004A	0.27	0.01	44,796	-
AWC42C2003A	0.06	-	10	-	BCP13C2003B	0.92	0.26	1	-	BGRI16C2001A	-	-	-	-
BANP01C1912A	-	-	-	-	BCP19C2001A	-	-	-	-	BGRI16C2005A	0.37	0.01	40,002	-
BANP01C1912B	-	-	-	-	BCP19C2004A	-	-	-	-	BGRI19C2004A	0.57	0.03	115	-
BANP01C2002A	0.25	0.02	128,189	-	BCP19C2005A	0.29	0.05	43,897	-	BGRI19C2005A	0.35	0.02	6,491	-
BANP01C2002B	0.08	0.01	95,680	-	BCP24C2004A	-	-	-	-	BGRI24C2004A	0.53	0.02	9,220	-
BANP01C2005A	0.37	0.02	130,328	-	BCPG01C1912A	-	-	-	-	BGRI27C1912A	-	-	-	-
BANP01C2005B	0.23	0.02	77,946	-	BCPG01C1912B	-	-	-	-	BGRI28C2002A	-	-	-	-
BANP01P1912A	-	-	-	-	BCPG01C2005A	0.43	0.03	30,333	-	BGRI28C2003A	-	-	-	-
BANP01P1912B	-	-	-	-	BCPG01C2005B	0.25	0.04	54,054	-	BGRI28C2003B	0.29	0.01	13,282	-
BANP01P2002A	0.26	(0.02)	32,308	-	BCPG01P1912A	-	-	-	-	BGRI41C2001A	-	-	-	-
BANP01P2002B	0.20	(0.04)	103,613	-	BCPG01P2005A	0.37	(0.02)	15,064	-	BGRI41C2002A	-	-	-	-
BANP01P2005A	0.32	(0.01)	46,907	-	BCPG06C2002A	-	-	-	-	BGRI41C2004A	0.41	0.02	1	-
BANP01P2005B	0.16	(0.01)	103,048	-	BCPG13C2001A	-	-	-	-	BGRI41C2005A	0.33	0.01	8,642	-
BANP06C2002A	0.03	-	6,400	-	BCPG13C2004A	0.23	0.02	46,915	-	BGRI41C2006A	0.33	-	1	-
BANP06C2005A	0.26	0.02	26,850	-	BCPG19C2003A	0.12	0.01	27,422	-	BGRI41P1912A	-	-	-	-
BANP08C1912A	-	-	-	-	BCPG19C2005A	0.36	0.04	30,414	-	BGRI41P2004A	0.38	(0.03)	1,820	-
BANP08C2002A	-	-	-	-	BCPG28C2002A	-	-	-	-	BGRI41P2005A	-	-	-	-
BANP08C2005A	0.28	0.01	9,460	-	BCPG28C2003A	-	-	-	-	BGRI42C2003A	0.30	0.01	9,874	-
BANP08P1912A	-	-	-	-	BCPG28C2004A	0.19	0.02	22,803	-	BH01C2001A	-	-	-	-
BANP08P2003A	0.32	(0.03)	6,480	-	BCPG41C2002A	-	-	-	-	BH01C2001B	0.01	-	31	-
BANP11C2004A	-	-	-	-	BCPG41C2005A	0.31	0.01	1,802	-	BH01C2004A	0.92	(0.01)	30,208	-
BANP13C2001A	0.03	-	4,575	-	BCPG42C2001A	-	-	-	-	BH01C2004B	0.57	(0.02)	59,753	-
BANP13C2003A	0.12	0.01	25,001	-	BCPG42C2004A	-	-	-	-	BH01P2001A	1.45	0.06	7,112	1.00
BANP19C2002A	0.04	-	13,000	-	BDM501C2002A	0.68	0.03	9,381	-	BH01P2004A	0.51	0.01	38,994	-
BANP19C2004A	-	-	-	-	BDM501C2002B	0.14	-	30,460	-	BH11C2002A	0.01	(0.02)	400	-
BANP19C2005A	0.20	0.01	8,533	-	BDM501P2002A	0.13	(0.01)	29,310	-	BH13C2001A	0.01	(0.01)	200	-
BANP19P2003A	0.23	(0.02)	185	-	BDM506C2003A	0.55	-	5,590	-	BH13C2002A	0.38	(0.02)	131,676	-
BANP24C2003A	-	-	-	-	BDM506P2004A	0.15	-	13,000	-	BH19C1912A	-	-	-	-
BANP27C2007A	0.26	0.01	9,491	-	BDM508C2003A	-	-	-	-	BH19C2002A	0.21	(0.03)	18,215	-
BANP28C2001A	-	-	-	-	BDM511C2001A	0.20	0.01	1,120	-	BH19C2003A	0.63	(0.05)	2,936	-
BANP28C2002A	0.05	-	4,042	-	BDM511C2007A	0.72	0.02	1,100	-	BH24C2001A	-	-	-	-
BANP28C2003A	-	-	-	-	BDM511P2002A	0.07	(0.01)	7,050	-	BH24C2003A	0.69	(0.03)	24,510	-
BANP28C2004A	0.15	-	21,961	-	BDM513C2003A	0.49	-	11	-	BH41C2002A	-	-	-	-
BANP41C2002A	-	-	-	-	BDM513C2004A	0.16	0.02	21,924	-	BH41C2003A	0.70	(0.02)	1,200	-
BANP41C2003A	-	-	-	-	BDM516C2006A	0.66	(0.01)	3,778	-	BH41C2004A	0.65	0.02	1,200	-
BANP41C2005A	-	-	-	-	BDM519C2001A	-	-	-	-	BH41C2005A	0.60	(0.02)	18,368	-
BANP41C2006A	0.25	(0.75)	2,0											

**Main Board Quotation**

Issue Date :

Thursday January 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC13C2005A	0.24	(0.03)	135,372	-	CENT41C2004A	-	-	-	-	CPAL19C2004A	0.17	(0.03)	64,027	-
BJC16C2002A	-	-	-	-	CENT41C2005A	-	-	-	-	CPAL19P2004A	0.46	0.04	191,778	-
BJC16C2006A	0.18	(0.02)	68,680	-	CENT41P2001A	-	-	-	-	CPAL24C2005A	0.16	(0.01)	53,470	-
BJC19C2003A	-	-	-	-	CENT41P2002A	0.69	0.04	40	-	CPAL27C1912A	-	-	-	-
BJC19C2005A	0.14	(0.03)	68,098	-	CENT41P2003A	-	-	-	-	CPAL28C2001A	-	-	-	-
BJC23C2001A	-	-	-	-	CENT42C2002A	-	-	-	-	CPAL28C2003A	-	-	-	-
BJC24C2003A	-	-	-	-	CENT42C2004A	-	-	-	-	CPAL28C2003B	-	-	-	-
BJC28C2004A	0.10	(0.03)	64,546	-	CHG01C2001A	0.41	-	117,528	-	CPAL28C2004A	0.13	(0.04)	33,740	-
BJC41C2002A	-	-	-	-	CHG01C2001B	0.12	(0.01)	134,902	-	CPAL28C2005A	0.27	(0.03)	51,339	-
BJC41C2004A	-	-	-	-	CHG01P2001A	-	-	-	-	CPAL41C2001A	-	-	-	-
BJC41C2005A	-	-	-	-	CHG06C2002A	0.12	(0.01)	20,150	-	CPAL41C2002A	-	-	-	-
BJC41C2006A	0.19	(0.05)	28,920	-	CHG06P2003A	0.14	(0.01)	20,400	-	CPAL41C2003A	-	-	-	-
BJC41P1912A	-	-	-	-	CHG08C1912A	-	-	-	-	CPAL41C2004A	-	-	-	-
BJC41P2004A	-	-	-	-	CHG08C2005A	0.19	-	17,000	-	CPAL41C2005A	0.35	(0.07)	61,587	-
BJC41P2005A	0.54	0.03	40,893	-	CHG13C2003A	0.12	-	201,290	-	CPAL41C2006A	-	-	-	-
BJC42C2004A	0.13	(0.05)	62,615	-	CHG16C2002A	0.17	0.01	39,306	-	CPAL41P2003A	0.60	0.16	9,000	-
BLAN19C1912A	-	-	-	-	CHG19C2004A	0.28	0.01	42,051	-	CPAL41P2004A	0.54	0.02	83,866	-
BLAN19C2004A	0.16	0.02	14,834	-	CHG41C2005A	-	-	-	-	CPAL41P2005A	0.91	0.14	6,000	-
BLAN28C2004A	0.12	0.02	4,061	-	CK01C2001A	0.01	-	350	-	CPAL41P2006A	0.65	0.10	30,880	-
BPP01C1912A	-	-	-	-	CK01C2001B	0.02	0.01	4	-	CPAL42C2003A	0.02	(0.01)	12,997	-
BPP01C1912B	-	-	-	-	CK01C2005A	0.57	0.06	61,375	-	CPAL42C2005A	0.19	(0.03)	24,568	-
BPP01C2005A	0.48	0.04	59,849	-	CK01C2005B	0.34	0.02	84,508	-	CPF01C2001A	0.11	(0.01)	152,484	-
BPP01C2005B	0.31	0.03	76,275	-	CK01P2001A	0.81	(0.04)	78,170	-	CPF01C2001B	-	-	-	-
BPP01P1912A	-	-	-	-	CK01P2005A	0.37	(0.03)	85,594	-	CPF01C2004A	0.25	-	63,354	-
BPP01P2005A	0.39	(0.04)	58,583	-	CK06C2002A	-	-	-	-	CPF01C2004B	0.17	-	89,388	-
BPP13C2001A	-	-	-	-	CK06C2004A	0.36	0.05	33,052	-	CPF01P2001A	0.30	(0.01)	9,019	-
BPP13C2004A	0.24	0.02	175,545	-	CK11C2007A	0.30	0.02	54,960	-	CPF01P2001B	0.06	-	101,922	-
BPP16C2001A	-	-	-	-	CK13C2002A	-	-	-	-	CPF01P2004A	0.22	(0.01)	310	-
BPP19C2002A	-	-	-	-	CK13C2003A	0.29	0.03	189,863	-	CPF11C2004A	0.07	-	10	-
BPP19C2005A	0.29	0.03	83,864	-	CK16C2003A	-	-	-	-	CPF11C2007A	0.26	0.01	13,200	-
BPP24C2003A	0.14	0.01	3,321	-	CK16C2006A	0.23	0.02	80,752	-	CPF13C2003A	0.16	0.02	35,954	-
BTS01C2001A	0.33	0.03	83,563	-	CK19C1912A	-	-	-	-	CPF16C2001A	-	-	-	-
BTS01C2001B	0.09	0.02	11,696	-	CK19C2002A	-	-	-	-	CPF16C2007A	0.21	-	20,849	-
BTS01C2005A	0.34	0.02	19,838	-	CK19C2003A	-	-	-	-	CPF19C2001A	-	-	-	-
BTS01C2005B	0.20	0.01	95,517	-	CK19C2004A	0.32	0.02	32,634	-	CPF19C2003A	0.11	0.01	12,780	-
BTS01P2001A	0.06	(0.03)	922	-	CK24C2003A	-	-	-	-	CPF19C2005A	0.25	0.02	100	-
BTS01P2005A	0.27	(0.02)	21,689	-	CK41C2001A	-	-	-	-	CPF19P2002A	0.05	(0.01)	200	-
BTS08C2005A	0.14	0.01	15,386	-	CK41C2003A	0.26	0.03	52,520	-	CPF24C2007A	0.28	0.02	29,080	-
BTS11C2003A	0.25	0.03	26,000	-	CK41C2004A	0.16	0.01	36,040	-	CPF27C2001A	-	-	-	-
BTS13C2001A	-	-	-	-	CK41C2005A	-	-	-	-	CPF28C2004A	0.18	-	6,584	-
BTS13C2003A	0.15	0.01	148,120	-	CKP01C2004A	0.13	-	86,111	-	CPF41C2001A	-	-	-	-
BTS16C2001A	0.08	0.01	10,320	-	CKP01C2004B	-	-	-	-	CPF41C2002A	-	-	-	-
BTS16C2001B	0.29	0.03	7,594	-	CKP01P2004A	0.48	(0.02)	4,442	-	CPF41C2004A	-	-	-	-
BTS19C2002A	0.07	0.01	4,786	-	CKP08C2004A	0.07	-	51	-	CPF41C2005A	-	-	-	-
BTS19C2005A	0.24	0.01	23,572	-	CKP11C2006A	0.09	0.01	11	-	CPF41P2003A	-	-	-	-
BTS19P2002A	-	-	-	-	CKP13C2001A	-	-	-	-	CPF42C2001A	-	-	-	-
BTS24C2001A	0.26	0.03	4,600	-	CKP13C2003A	0.05	(0.01)	130	-	CPF42C2003A	-	-	-	-
BTS24C2007A	0.25	0.02	10,368	-	CKP13C2004A	0.15	-	850	-	CPN01C2001A	0.05	-	48,722	-
BTS24P2001A	-	-	-	-	CKP13C2004B	0.56	0.01	31,555	-	CPN01C2001B	-	-	-	-
BTS41C1912A	-	-	-	-	CKP16C2001A	-	-	-	-	CPN01C2005A	0.56	(0.02)	93,666	-
BTS41C2003A	-	-	-	-	CKP16C2005A	0.03	-	2,870	-	CPN01C2005B	0.28	(0.01)	111,933	-
BTS41C2004A	-	-	-	-	CKP16C2007A	0.52	0.02	24,144	-	CPN01P2001A	1.30	0.02	31,598	1.00
BTS41P1912A	-	-	-	-	CKP19C2003A	-	-	-	-	CPN01P2005A	0.56	-	121,919	-
BTS41P2001A	-	-	-	-	CKP19C2005A	0.15	0.01	1,994	-	CPN06C2001A	-	-	-	-
BTS41P2004A	0.27	(0.03)	270	-	CKP24C2006A	0.43	0.01	9,810	-	CPN11C2006A	0.16	(0.02)	11,042	-
BTS42C2003A	0.06	0.01	5,000	-	CKP27C2005A	-	-	-	-	CPN13C2001A	-	-	-	-
CBG01C2001A	0.49	(0.05)	98,911	-	CKP28C2003A	0.01	(0.01)	200	-	CPN13C2004A	0.24	(0.02)	73,784	-
CBG01C2001B	0.06	(0.02)	13,433	-	CKP28C2004A	0.06	-	150	-	CPN16C2001A	-	-	-	-
CBG01C2004A	0.87	(0.04)	34,903	-	CKP28C2004B	0.10	-	950	-	CPN16C2005A	0.42	-	83,078	-
CBG01C2004B	0.41	(0.04)	108,782	-	CKP41C2002A	-	-	-	-	CPN19C2002A	-	-	-	-
CBG01P2001A	0.02	-	804	-	CKP41C2004A	-	-	-	-	CPN19C2004A	0.25	-	13,740	-
CBG01P2003A	0.31	0.01	74,131	-	CKP41C2005A	-	-	-	-	CPN24C2002A	-	-	-	-
CBG01P2004A	1.08	0.03	61,929	1.00	CKP41C2006A	-	-	-	-	CPN41C2001A	-	-	-	-
CBG06C2002A	0.43	(0.05)	18,940	-	CKP42C2003A	-	-	-	-	CPN41C2002A	-	-	-	-
CBG08C2003A	0.53	(0.04)	17,800	-	CKP42C2005A	-	-	-	-	CPN41C2003A	0.18	0.01	1,000	-
CBG11C2002A	0.43	(0.03)	12,125	-	COM708C2002A	0.10	(0.03)	6,211	-	CPN41C2004A	-	-	-	-
CBG13C2004A	0.55	(0.04)	96,224	-	COM711C2004A	0.14	(0.03)	30,587	-	CPN41C2006A	0.42	-	30,400	-
CBG13P2001A	0.03	(0.01)	650	-	COM713C2001A	0.01	-	5,000	-	CPN41P2003A	0.24	-	31,260	-
CBG16C2001A	0.79	(0.08)	38,032	-	COM713C2004A	0.12	(0.04)	41,435	-	CPN42C2002A	-	-	-	-
CBG19C2004A	0.46	(0.06)	50,269	-	COM716C2001A	0.24	(0.11)	21,593	-	CPN42C2004A	-	-	-	-
CBG19P2002A	0.14	(0.01)	11,920	-	COM719C2001A	-	-	-	-	DTAC01C2001A	0.22	-	109,840	-
CBG24C2003A	0.39	(0.04)	14,828	-	COM719C2003A	0.36	(0.15)	4,376	-	DTAC01C2001B	0.01	(0.01)	50	-
CBG27C1912A	-	-	-	-	COM719C2005A	0.15	(0.03)	98,928	-	DTAC01C2004A	0.55	-	133,207	-
CBG41C2001A	-	-	-	-	COM719P2004A	0.27	0.03	71,333	-	DTAC01C2004B	0.33	0.01	117,648	-
CBG41C2001B	-	-	-	-	COM724C2001A	-	-	-	-	DTAC01P2001A	0.54	(0.01)	42,806	-
CBG41C2002A	0.46	(0.05)	3,600	-	COM741C2001A	-	-	-	-	DTAC01P2001B	0.12	(0.01)	35,992	-
CBG41C2003A	-	-	-	-	COM741C2002A	0.26	(0.07)	1,000	-	DTAC01P2004A	0.82	(0.01)	26,806	-
CBG41C2004A	0.52	(0.05)	2,401	-	COM741C2004A	0.13	0.01	2	-	DTAC01P2004B	0.55	(0.01)	35,938	-
CBG41P2001A	-	-	-	-	COM741C2006A	0.17	(0.02)	2,000	-	DTAC06C2001A	-	-	-	-
CBG41P2002A	-	-	-	-	COM742C2002A	-	-	-	-	DTAC08C2005A	0.27	-	14,983	-
CBG41P2003A	0.59	0.02	51,708	-	COM742C2004A	0.11	(0.04)	1,050	-	DTAC08C2005B	0.50	0.02	20,920	-
CBG41P2004A	1.18	0.02	34,780	1.00	CPAL01C2002A	0.08	(0.02)	157,940	-	DTAC08P2002A	0.53	(0.01)	17,045	-
CBG42C2003A	0.24	(0.04)	4,500	-	CPAL01C2002B	0.02	-	1,651	-	DTAC11C2002A	0.24	-	9,506	-
CENT01C2003A	0.07	(0.01)	15,253	-	CPAL01C2004A	0.31	(0.03)	255,519	-	DTAC13C2003A	0.17	(0.01)	70,868	-
CENT01C2003B	0.02	(0.01)	4,497	-	CPAL01C2004B	0.19	(0.03)	217,126	-	DTAC13P2003A	0.61	-	35,164	-
CENT01P2003A	0.58	0.03	121,860	-	CPAL01C2006A	0.57	(0.05)	109,255	-	DTAC16C2001A	0.06	-	5,112	-
CENT06C2003A	0.05	(0.01)	3,938	-	CPAL01C2006B	0.38	(0.04)	255,268	-	DTAC19C2001A	0.02	(0.02)	30,910	-
CENT08C2004A	-	-	-	-	CPAL01P2002A	1.51	0.06	88,278	1.00	DTAC19C2005A	0.37	-	30,075	-
CENT11C2004A	0.04	-	1	-	CPAL01P2002B	1.14	0.12	74,770	1.00	DTAC19P2002A	0.45	(0.04)	16,517	-
CENT11C2007A	0.12	-	1,300	-	CPAL01P2004A	1.12	0.07	83,082	1.00	DTAC24C2004A	-	-	-	-
CENT13C20														

## Main Board Quotation

Issue Date :

Thursday January 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA06C2005A	0.44	0.03	24,209	-	GPSC01P2003A	0.59	(0.03)	173,621	-	HMPR01C2001A	0.10	(0.02)	57,799	-
EA08C2001A	0.02	-	1,000	-	GPSC01P2005A	1.03	(0.02)	54,872	1.00	HMPR01C2001B	-	-	-	-
EA08C2004A	0.16	0.02	5,724	-	GPSC01P2005B	0.75	(0.03)	91,481	-	HMPR01P2001A	0.44	0.05	35,850	-
EA11C2005A	0.32	0.02	33,249	-	GPSC08C2001A	1.56	0.05	250	1.00	HMPR06C2002A	-	-	-	-
EA13C2001A	0.02	0.01	7,674	-	GPSC08C2004B	0.56	0.01	50,123	-	HMPR06C2006A	0.26	(0.01)	19,760	-
EA13C2003A	0.30	0.02	43,016	-	GPSC11C2006A	1.07	0.02	17,972	1.00	HMPR08C1912A	-	-	-	-
EA13C2005A	0.45	0.04	296,622	-	GPSC13C2001A	0.65	0.01	93,799	-	HMPR11C2003A	0.10	(0.01)	8,000	-
EA13P2001A	-	-	-	-	GPSC13C2002A	0.36	-	174,667	-	HMPR13C2003A	0.08	(0.02)	12,348	-
EA13P2003A	0.24	(0.02)	77,671	-	GPSC13C2005A	0.90	0.01	251,202	-	HMPR19C2003A	0.08	(0.01)	4,005	-
EA16C2003A	0.04	(0.01)	106	-	GPSC13P2002A	0.06	(0.02)	8,389	-	HMPR19C2005A	0.23	(0.04)	17,734	-
EA16C2006A	0.25	0.03	12,209	-	GPSC13P2003A	0.57	(0.04)	247,185	-	HMPR24C2004A	0.11	(0.01)	8	-
EA19C2001A	-	-	-	-	GPSC16C2003A	1.10	0.03	86,026	1.00	HMPR27P2001A	0.17	0.02	18,398	-
EA19C2002A	0.07	-	3,297	-	GPSC16C2007A	0.90	0.02	87,347	-	HMPR28C2003A	-	-	-	-
EA19C2004A	0.35	0.01	34,559	-	GPSC19C2001A	0.88	0.04	16,304	-	HMPR41C2002A	-	-	-	-
EA19P2002A	0.32	(0.04)	1,934	-	GPSC19C2004A	0.57	-	87,843	-	HMPR41C2003A	-	-	-	-
EA24C2003A	0.07	-	10	-	GPSC19P2002A	0.03	(0.01)	200	-	HMPR41C2005A	0.15	-	1,200	-
EA24C2004A	0.40	0.02	43,555	-	GPSC19P2005A	0.58	(0.05)	35,309	-	HMPR41P2003A	0.22	-	13,760	-
EA27C2006A	0.39	0.02	31,084	-	GPSC24C2002A	0.89	0.01	38,877	-	HMPR42C2003A	-	-	-	-
EA28C2002A	0.03	(0.01)	769	-	GPSC27C2005A	0.45	0.01	39,516	-	HSI28C2001A	1.83	0.14	6	1.00
EA28C2004A	0.20	-	14,196	-	GPSC41C2002A	0.73	0.10	1,200	-	HSI28C2001B	1.19	0.21	102	1.00
EA28C2004B	0.28	0.02	28,392	-	GPSC41C2003A	0.76	0.09	2,500	-	HSI28C2001C	0.67	0.07	28,330	-
EA41C1912A	-	-	-	-	GPSC41C2004A	0.50	0.02	47,120	-	HSI28C2002A	-	-	-	-
EA41C2002A	-	-	-	-	GPSC41C2005A	0.72	0.02	41,503	-	HSI28C2002B	1.42	0.32	900	1.00
EA41C2004A	0.30	-	14,880	-	GPSC41C2006A	-	-	-	-	HSI28C2002C	0.91	0.05	38,006	-
EA41C2005A	0.30	0.02	2,400	-	GPSC41P1912A	-	-	-	-	HSI28P2001A	-	-	-	-
EA41C2006A	0.43	0.02	11	-	GPSC41P2003A	-	-	-	-	HSI28P2001B	-	-	-	-
EA41P2003A	-	-	-	-	GPSC41P2004A	0.85	(0.05)	300	-	HSI28P2001C	-	-	-	-
EA41P2004A	0.49	-	1,800	-	GPSC41P2005A	0.94	(0.05)	54,248	-	HSI28P2002A	0.26	(0.08)	1,161	-
EA42C2001A	-	-	-	-	GPSC42C2002A	0.55	(0.02)	19,234	-	HSI28P2002B	-	-	-	-
EA42C2004A	0.31	0.03	8,191	-	GULF01C1912A	-	-	-	-	HSI28P2002C	0.08	(0.02)	11,000	-
EGCO01C2001A	0.54	0.02	33,564	-	GULF01C1912B	-	-	-	-	INTU01C1912A	-	-	-	-
EGCO01C2001B	0.10	0.01	178,131	-	GULF01C2003A	0.80	0.05	191,942	-	INTU01C1912B	-	-	-	-
EGCO01C2004A	0.38	0.01	75,456	-	GULF01C2003B	0.32	0.03	262,604	-	INTU01C2003A	0.17	0.02	107,729	-
EGCO01C2004B	0.14	0.01	67,955	-	GULF01C2005A	0.96	0.07	108,586	-	INTU01C2003B	0.10	0.01	82,470	-
EGCO06C2004A	0.19	0.02	48,618	-	GULF01C2005B	0.65	0.05	177,969	-	INTU01C2006A	0.56	0.04	113,505	-
EGCO06P2004A	0.67	(0.03)	23,300	-	GULF01P1912A	-	-	-	-	INTU01C2006B	0.38	0.04	142,699	-
EGCO13C2002A	0.11	0.01	41,173	-	GULF01P2003A	0.27	(0.04)	168,951	-	INTU01P1912A	-	-	-	-
EGCO13C2005A	0.57	0.01	143,755	-	GULF01P2003B	0.44	(0.05)	356,108	-	INTU01P1912B	-	-	-	-
EGCO16C2001A	0.10	-	29,400	-	GULF03C2005A	0.32	0.04	62,615	-	INTU01P2003A	1.00	(0.04)	17,926	1.00
EGCO19C2002A	0.04	-	5,450	-	GULF06C2004A	0.90	0.11	34,006	-	INTU01P2003B	0.38	(0.08)	109,410	-
EGCO19C2005A	0.39	-	68,324	-	GULF08C2003A	0.58	0.05	27,993	-	INTU01P2006A	0.74	(0.06)	43,905	-
EGCO41C2001A	-	-	-	-	GULF11C2003A	1.65	0.12	9,300	1.00	INTU01P2006B	0.45	(0.04)	61,490	-
EGCO41C2002A	-	-	-	-	GULF11C2006A	0.65	0.07	60,889	-	INTU11C2001A	0.13	0.02	52,564	-
EGCO41C2003A	-	-	-	-	GULF13C2001A	0.10	0.01	297,006	-	INTU13C2002A	0.04	-	9,300	-
EGCO41C2004A	0.19	0.01	3,000	-	GULF13C2004A	0.58	0.04	733,983	-	INTU13C2004A	0.29	0.03	259,015	-
EGCO41C2006A	0.61	-	71,992	-	GULF13P2001A	-	-	-	-	INTU13P2004A	0.31	(0.03)	315,237	-
EGCO41P2001A	0.02	-	250	-	GULF13P2001B	0.01	(0.01)	4,852	-	INTU16C2001A	0.06	0.01	7,150	-
EGCO41P2002A	0.30	(0.02)	40,075	-	GULF13P2002A	0.17	(0.06)	228,205	-	INTU16C2005A	-	-	-	-
EGCO41P2004A	0.90	(0.03)	8,410	-	GULF13P2004A	0.75	(0.08)	340,992	-	INTU16C2007A	0.29	0.03	94,440	-
EGCO41P2006A	0.63	(0.01)	17,761	-	GULF16C2001A	1.91	0.11	25,100	1.00	INTU19C1912A	-	-	-	-
EGCO42C2003A	-	-	-	-	GULF16C2003A	0.40	0.04	101,738	-	INTU19C2004A	0.15	0.02	25,494	-
EPG08C2004A	0.14	(0.02)	2,200	-	GULF16C2007A	0.73	0.05	94,118	-	INTU19C2005A	0.38	0.03	43,167	-
EPG13C2004A	0.09	0.01	1,265	-	GULF19C1912A	-	-	-	-	INTU19P2002A	0.25	(0.05)	37,153	-
EPG19C2002A	0.02	-	610	-	GULF19C2003A	0.61	0.04	94,714	-	INTU24C2003A	-	-	-	-
EPG19C2005A	0.19	-	19,924	-	GULF19C2004A	0.38	0.02	47,293	-	INTU28C2003A	0.03	(0.02)	3,200	-
EPG19P2002A	0.29	(0.03)	7,322	-	GULF19P2001A	-	-	-	-	INTU41C2003A	0.06	-	2	-
ERW06C2001A	0.03	(0.07)	81,542	-	GULF19P2003A	0.21	(0.06)	10,907	-	INTU41C2004A	-	-	-	-
ERW06P2001A	0.04	0.02	501	-	GULF24C2001A	1.22	0.13	1	1.00	INTU41C2005A	-	-	-	-
ERW11C2001A	-	-	-	-	GULF24C2002A	0.29	0.04	28,973	-	INTU41C2006A	0.34	0.01	28,640	-
ERW13C2001A	0.01	(0.01)	3,505	-	GULF24P2001A	-	-	-	-	INTU41C2007A	0.37	(0.63)	5,760	-
ERW13C2005A	0.15	(0.07)	272,658	-	GULF27C2004A	1.12	0.06	10,584	1.00	INTU41P2001A	-	-	-	-
ERW19C2001A	0.05	(0.06)	20,408	-	GULF28C2001A	-	-	-	-	INTU41P2003A	-	-	-	-
ERW19C2005A	0.08	(0.04)	10,085	-	GULF28C2003A	0.22	0.03	62,152	-	INTU41P2004A	-	-	-	-
ESSO01C2004A	0.71	0.12	115,046	-	GULF28C2003B	0.23	0.04	22,309	-	INTU41P2005A	0.50	(0.03)	32,960	-
ESSO01C2004B	0.68	0.16	112,614	-	GULF41C2001A	-	-	-	-	INTU41P2006A	-	-	-	-
ESSO08C2004A	0.72	0.15	61,286	-	GULF41C2001B	-	-	-	-	INTU42C2003A	-	-	-	-
ESSO11C2002A	0.04	0.02	259	-	GULF41C2002A	-	-	-	-	INTU42C2005A	0.34	0.03	11,296	-
ESSO13C2003A	0.50	0.12	488,239	-	GULF41C2003A	0.50	0.05	103,980	-	IRPC01C2002A	0.24	0.09	750,142	-
ESSO19C2001A	0.02	-	500	-	GULF41C2004A	-	-	-	-	IRPC01C2002B	0.26	0.10	836,318	-
ESSO19C2004A	0.54	0.11	120,816	-	GULF41C2005A	-	-	-	-	IRPC01P2002A	0.29	(0.13)	404,442	-
ESSO24C2003A	0.52	0.15	35,850	-	GULF41P2001A	-	-	-	-	IRPC06C2001A	0.08	0.05	25,953	-
ESSO27C1912A	-	-	-	-	GULF41P2002A	-	-	-	-	IRPC06C2005A	0.56	0.18	145,766	-
ESSO41C2002A	-	-	-	-	GULF41P2003A	0.62	(0.07)	48,750	-	IRPC06P2004A	0.14	(0.06)	72,226	-
ESSO41C2003A	0.41	0.10	48,864	-	GULF41P2004A	0.91	(0.07)	4,842	-	IRPC11C2001A	0.02	0.01	5	-
ESSO41C2004A	0.68	0.13	6,000	-	GULF41P2006A	-	-	-	-	IRPC11C2005A	0.06	0.02	5,219	-
ESSO41C2005A	-	-	-	-	GULF42C2002A	0.51	0.05	23,269	-	IRPC13C2001A	-	-	-	-
ESSO42C2001A	-	-	-	-	GULF42C2003A	0.21	0.01	14,564	-	IRPC13C2003A	0.34	0.12	1,329,537	-
ESSO42C2003A	0.47	0.15	19,102	-	GUNK01C1912A	-	-	-	-	IRPC19C2001A	0.01	(0.01)	2,000	-
GFPT08C1912A	-	-	-	-	GUNK01C1912B	-	-	-	-	IRPC19C2003A	0.23	0.08	234,713	-
GFPT13C2003A	0.19	0.02	85,272	-	GUNK01C2005A	0.34	(0.02)	71,668	-	IRPC19C2005A	0.53	0.13	148,831	-
GFPT19C1912A	-	-	-	-	GUNK01C2005B	0.17	(0.01)	68,516	-	IRPC24C2002A	0.09	0.05	2	-
GFPT19C2004A	0.17	0.01	39,561	-	GUNK01P1912A	-	-	-	-	IRPC24C2004A	0.46	0.14	123,633	-
GFPT19P1912A	-	-	-	-	GUNK01P2005A	0.33	-	62,467	-	IRPC28C2003A	0.19	0.07	59,696	-
GFPT42C2004A	0.25	0.02	37,658	-	GUNK08C1912A	-	-	-	-	IRPC28C2003B	0.36	0.10	140,703	-
GLOB01C2003A	0.21	(0.02)	239,392	-	GUNK11C2007A	0.22	(0.01)	17,700	-	IRPC41C2001A	-	-	-	-
GLOB01P2003A	0.33	-	94,971	-	GUNK13C2003A	0.07	(0.01)	20,993	-	IRPC41C2002A	-	-	-	-
GLOB06C2002A	0.15	(0.02)	20,364	-	GUNK16C2002A	-	-	-	-	IRPC41C2002B	-</			

## Main Board Quotation

**Issue Date :**

Thursday January 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL01P2004A	0.21	(0.03)	114,273	-	KBAN28C2002B	-	-	-	-	MBK19C2004A	0.23	-	45,405	-
IVL01P2004B	0.08	(0.02)	63,115	-	KBAN28C2003A	0.19	-	27,084	-	MEGA19C2001A	-	-	-	-
IVL06C2001A	0.06	0.02	2,104	-	KBAN28C2004A	0.59	(0.01)	24,336	-	MEGA19C2005A	0.16	0.01	28,243	-
IVL06C2003A	0.87	0.14	88,445	-	KBAN28P2003A	0.13	(0.02)	10,140	-	MINT01C2003A	0.23	-	160,959	-
IVL06P2001A	0.01	(0.01)	18,050	-	KBAN41C2001A	-	-	-	-	MINT01C2003B	0.10	-	196,950	-
IVL06P2005A	0.26	(0.07)	118,488	-	KBAN41C2002A	-	-	-	-	MINT01P2003A	0.38	0.01	91,600	-
IVL08C2002A	0.06	0.01	16,626	-	KBAN41C2003A	-	-	-	-	MINT06C2001A	-	-	-	-
IVL08C2004A	0.56	0.06	58,526	-	KBAN41C2004A	0.40	0.04	17,602	-	MINT06C2002A	0.06	(0.01)	18,540	-
IVL08P2003A	0.25	(0.05)	24,967	-	KBAN41C2005A	-	-	-	-	MINT08C2003A	-	-	-	-
IVL08P2004A	0.17	(0.01)	4,800	-	KBAN41P2002A	0.25	(0.04)	1,560	-	MINT11C2006A	0.22	0.01	25,002	-
IVL11C2005A	0.14	0.03	115,601	-	KBAN41P2004A	-	-	-	-	MINT13C2002A	0.07	(0.01)	19,172	-
IVL11C2006A	0.61	0.06	92,810	-	KBAN41P2005A	-	-	-	-	MINT13C2004A	0.15	(0.01)	106,879	-
IVL13C2001A	-	-	-	-	KBAN42C2003A	0.11	0.02	3,762	-	MINT16C2001A	0.05	0.01	8,100	-
IVL13C2002A	0.10	0.03	428,380	-	KBAN42C2004A	0.24	-	8,994	-	MINT19C2001A	-	-	-	-
IVL13C2002B	0.24	0.06	637,268	-	KCE01C2004A	1.24	(0.18)	192,693	1.00	MINT19C2002A	-	-	-	-
IVL13C2003A	0.51	0.07	30,012	-	KCE01C2004B	0.92	(0.19)	164,267	-	MINT19C2004A	0.20	(0.01)	43,569	-
IVL13P2001A	-	-	-	-	KCE08C2002A	1.03	(0.24)	710	-	MINT19P2004A	0.20	(0.01)	16,759	-
IVL13P2004A	0.16	(0.04)	111,562	-	KCE08C2005A	0.53	(0.12)	123,319	-	MINT23C2001A	-	-	-	-
IVL16C2001A	-	-	-	-	KCE08C2005B	0.19	(0.04)	33,835	-	MINT24C2001A	-	-	-	-
IVL16C2006A	0.40	0.06	173,560	-	KCE11C2004A	0.84	(0.15)	158,252	-	MINT27C1912A	-	-	-	-
IVL19C2001A	-	-	-	-	KCE13C2001A	0.52	(0.36)	14,230	-	MINT27P1912A	-	-	-	-
IVL19C2002A	0.23	0.04	18,901	-	KCE13C2003A	1.55	(0.40)	1,121	1.00	MINT28C2002A	0.02	-	100	-
IVL19C2003A	0.19	0.03	131,963	-	KCE13C2004A	0.68	(0.16)	416,535	-	MINT41C2001A	-	-	-	-
IVL19C2004A	0.63	0.07	85,558	-	KCE13C2005A	0.17	(0.05)	132,865	-	MINT41C2002A	-	-	-	-
IVL19P2003A	-	-	-	-	KCE16C2001A	0.28	(0.16)	496,866	-	MINT41C2005A	0.20	0.01	9,000	-
IVL24C2001A	-	-	-	-	KCE16C2007A	0.62	(0.14)	84,147	-	MINT41P2004A	0.28	0.02	1,800	-
IVL24C2002A	0.25	0.06	19,980	-	KCE19C2002A	0.85	(0.24)	22,464	-	MINT42C2002A	-	-	-	-
IVL24C2003A	0.57	0.08	25,960	-	KCE19C2005A	0.70	(0.15)	223,576	-	MINT42C2004A	0.13	0.01	4,760	-
IVL27C1912A	-	-	-	-	KCE24C2005A	1.22	(0.26)	23,174	1.00	MTC01C1912A	-	-	-	-
IVL27P1912A	-	-	-	-	KCE28C2003A	0.88	(0.31)	150	-	MTC01C1912B	-	-	-	-
IVL28C2001A	-	-	-	-	KCE28C2003B	-	-	-	-	MTC01C2003A	0.63	0.03	56,286	-
IVL28C2002A	-	-	-	-	KCE41C2002A	0.78	(0.44)	2	-	MTC01C2003B	0.38	-	70,256	-
IVL28C2003A	0.22	0.04	48,253	-	KCE41C2003A	1.17	(0.56)	24	1.00	MTC01P1912A	-	-	-	-
IVL28C2003B	0.40	0.05	27,878	-	KCE41C2005A	0.77	(0.15)	245	-	MTC01P2003A	0.35	(0.03)	62,633	-
IVL28P2003A	-	-	-	-	KCE42C2001A	0.89	(0.40)	1,600	1.00	MTC03C2005A	0.56	-	2,100	-
IVL41C1912A	-	-	-	-	KKP01C2001A	0.27	0.04	107,305	-	MTC08C2005A	0.64	-	24,001	-
IVL41C2001A	-	-	-	-	KKP01C2001B	-	-	-	-	MTC11C2002A	0.88	0.04	23,756	-
IVL41C2002A	-	-	-	-	KKP01P2001A	0.64	(0.03)	2,998	-	MTC13C2003A	0.49	0.02	116,705	-
IVL41C2002B	-	-	-	-	KKP08C2003A	0.16	0.01	5,000	-	MTC13P2003A	0.18	(0.02)	44,637	-
IVL41C2003A	0.29	0.04	44,000	-	KKP11C2007A	0.44	0.04	23,906	-	MTC16C2007A	0.49	0.02	68,243	-
IVL41C2004A	-	-	-	-	KKP13C2001A	-	-	-	-	MTC19C2002A	0.41	0.01	21,711	-
IVL41C2005A	0.44	0.07	8,642	-	KKP13C2004A	0.24	0.02	76,023	-	MTC19P2004A	0.27	(0.03)	14,055	-
IVL41C2006A	-	-	-	-	KKP16C2002A	0.31	0.03	31,256	-	MTC24C2004A	-	-	-	-
IVL41P2001A	0.15	(0.07)	1,000	-	KKP19C2003A	0.22	0.02	21,335	-	MTC28C2002A	0.41	0.02	20,369	-
IVL41P2002A	-	-	-	-	KKP24C2003A	-	-	-	-	MTC41C2003A	0.44	-	30,446	-
IVL41P2003A	-	-	-	-	KKP27P2002A	0.16	(0.03)	4,096	-	MTC41C2004A	-	-	-	-
IVL41P2004A	-	-	-	-	KKP41C2002A	0.17	0.01	3,600	-	MTC41P2003A	-	-	-	-
IVL41P2005A	0.40	(0.06)	24,520	-	KTB01C2003A	0.26	0.03	298,700	-	MTC41P2004A	0.47	(0.02)	10	-
IVL41P2006A	0.29	(0.05)	3,600	-	KTB01P2003A	0.31	(0.04)	181,869	-	MTC42C2003A	0.32	0.01	6,200	-
IVL42C2001A	-	-	-	-	KTB11C2004A	0.04	(0.01)	780	-	ORI08C2001A	0.02	-	100	-
IVL42C2002A	0.20	0.04	60,920	-	KTB11C2006A	0.13	0.01	27,600	-	ORI13C2004A	0.29	0.02	109,106	-
JAS06C2002A	0.03	(0.01)	911	-	KTB13C2002A	0.05	0.01	1,900	-	ORI19C2001A	-	-	-	-
JAS08C1912A	-	-	-	-	KTB19C1912A	-	-	-	-	ORI19C2003A	0.14	0.01	56,782	-
JAS13C2001A	0.03	-	1,943	-	KTB19C2002A	-	-	-	-	ORI19C2005A	0.36	0.02	29,805	-
JAS13C2002A	0.54	0.01	19,728	-	KTB19C2005A	0.26	0.03	37,552	-	ORI24C2001A	-	-	-	-
JAS13C2002B	0.14	(0.01)	61,856	-	KTB24C2004A	-	-	-	-	ORI28C2004A	0.26	0.02	36,287	-
JAS16C2002A	0.04	-	24,465	-	KTB41C2002A	-	-	-	-	ORI41C2002A	-	-	-	-
JAS16C2002B	-	-	-	-	KTB41C2003A	-	-	-	-	ORI41C2004A	0.29	0.01	9,760	-
JAS19C1912A	-	-	-	-	KTB41C2004A	0.17	0.02	6,000	-	OSP01C1912A	-	-	-	-
JAS19C2002A	0.02	-	10,099	-	KTB41P2004A	0.20	(0.03)	6,000	-	OSP01C1912B	-	-	-	-
JAS19C2004A	0.28	-	367	-	KTC01C2001A	0.15	(0.01)	144,446	-	OSP01C2003A	0.24	-	356,150	-
JAS19P2001A	0.01	-	20,168	-	KTC01C2001B	0.01	-	1,500	-	OSP01C2003B	0.09	-	50,530	-
JAS28C2002A	-	-	-	-	KTC01C2004A	0.33	(0.01)	37,816	-	OSP01P1912A	-	-	-	-
JAS28C2002B	-	-	-	-	KTC01C2004B	0.21	(0.01)	97,789	-	OSP01P2003A	0.50	(0.01)	121,022	-
JAS28C2003A	-	-	-	-	KTC01P2001A	0.12	(0.02)	64,180	-	OSP06C2005A	0.30	0.02	33,649	-
JAS41C2001A	-	-	-	-	KTC01P2004A	0.43	0.01	56,419	-	OSP06P2003A	0.39	(0.05)	32,208	-
JAS41C2004A	-	-	-	-	KTC06C2002A	-	-	-	-	OSP08C2001A	0.21	(0.01)	20,300	-
JAS41C2005A	-	-	-	-	KTC08C2004A	0.20	-	15,105	-	OSP08C2004A	0.16	-	12,700	-
JAS41C2006A	-	-	-	-	KTC11C2005A	0.23	(0.01)	23,191	-	OSP11C2005A	0.31	0.01	55,359	-
JAS41P2001A	0.43	(0.02)	10,352	-	KTC13C2002A	0.05	(0.01)	25,374	-	OSP13C2002A	0.08	(0.01)	56,964	-
JAS41P2005A	0.50	(0.01)	3,000	-	KTC13C2004A	0.20	(0.01)	38,700	-	OSP13C2004A	0.26	-	195,608	-
KBAN01C2002A	0.12	0.01	108,079	-	KTC13P2002A	0.27	-	75,249	-	OSP16C2001A	0.20	-	51,245	-
KBAN01C2002B	0.01	(0.01)	500	-	KTC19C2002A	-	-	-	-	OSP19C1912A	-	-	-	-
KBAN01C2004A	0.57	0.05	230,162	-	KTC19C2005A	0.28	(0.02)	14,031	-	OSP19C2004A	0.13	-	20,684	-
KBAN01C2004B	0.63	0.07	98,852	-	KTC19P2001A	0.03	(0.01)	30	-	OSP24C2008A	0.35	0.01	33,380	-
KBAN01P2002A	1.23	(0.12)	18,414	1.00	KTC19P2005A	0.36	(0.02)	10,202	-	OSP28C2001A	0.13	(0.02)	6	-
KBAN01P2002B	0.53	(0.09)	88,972	-	KTC24C2001A	-	-	-	-	OSP28C2003A	0.11	-	14,168	-
KBAN01P2004A	0.72	(0.04)	144,082	-	KTC28C2002A	-	-	-	-	OSP41C2003A	0.27	0.02	4,100	-
KBAN01P2004B	0.15	(0.03)	58,266	-	KTC28C2003A	-	-	-	-	OSP41C2004A	-	-	-	-
KBAN06C200														

## Main Board Quotation

Issue Date :

Thursday January 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price
KBAN28C2002A	0.01	-	180	-
MAJ027C1912A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
PRM27C2002A	0.10	0.01	5,750	-



## Main Board Quotation

Issue Date :

Thursday January 02, 2020

Securities					Securities					Securities				
Close	Change	Volume (Lot)	Average Price		Close	Change	Volume (Lot)	Average Price		Close	Change	Volume (Lot)	Average Price	
PRM41C2002A	-	-	-	-	PTTE13P2001A	-	-	-	-	ROBI41P2001A	-	-	-	-
PRM42C2001A	-	-	-	-	PTTE13P2003A	0.23	(0.05)	49,230	-	RS06C2001A	0.01	-	3,700	-
PSH13C2001A	-	-	-	-	PTTE16C2003A	0.25	0.02	72,584	-	RS06C2004A	0.24	-	52,024	-
PSH19C2001A	-	-	-	-	PTTE19C2001A	-	-	-	-	RS08C2001A	-	-	-	-
PSH19C2003A	0.06	(0.01)	2,000	-	PTTE19C2002A	0.27	0.03	66,830	-	RS08P2003A	1.22	(0.01)	456	1.00
PSL06C2002A	0.10	0.01	16,544	-	PTTE19P2004A	0.19	(0.04)	36,914	-	RS13C2002A	-	-	-	-
PSL13C2003A	0.28	(0.02)	113,625	-	PTTE24C2003A	0.36	0.05	22,529	-	RS13C2004A	0.20	-	263,289	-
PSL19C1912A	-	-	-	-	PTTE27C1912A	-	-	-	-	RS16C2001A	-	-	-	-
PSL19C2004A	0.19	-	21,645	-	PTTE28C2001A	-	-	-	-	RS16C2005A	0.07	-	5,101	-
PSL27C2002A	0.10	-	46,948	-	PTTE28C2002A	0.20	0.02	22,217	-	RS19C2002A	-	-	-	-
PTG01C2001A	0.08	(0.01)	69,020	-	PTTE28C2005A	0.34	-	42,099	-	RS19C2004A	-	-	-	-
PTG01C2001B	0.02	-	2,009	-	PTTE28P2004A	0.20	(0.05)	20,280	-	RS19C2005A	0.22	(0.01)	55,976	-
PTG01C2003A	0.18	0.01	5,903	-	PTTE41C2001A	-	-	-	-	RS24C2004A	-	-	-	-
PTG01C2003B	0.11	-	16,943	-	PTTE41C2001B	-	-	-	-	RS24C2008A	0.36	-	42,250	-
PTG01C2005A	0.49	0.02	134,888	-	PTTE41C2002A	0.27	0.04	50,920	-	RS41C2002A	-	-	-	-
PTG01C2005B	0.31	0.01	203,509	-	PTTE41C2003A	-	-	-	-	RS41C2004A	0.25	0.02	22,956	-
PTG01P2001A	0.53	(0.04)	45,483	-	PTTE41C2005A	-	-	-	-	RS42C2004A	-	-	-	-
PTG01P2003A	0.71	(0.04)	36,944	-	PTTE41P2002A	0.20	(0.07)	6,000	-	S10001C2011A	-	-	-	-
PTG01P2005A	0.67	(0.01)	45,366	-	PTTE41P2003A	-	-	-	-	S5001C1912F	-	-	-	-
PTG01P2005B	0.47	(0.02)	169,417	-	PTTE42C2001A	-	-	-	-	S5001C1912G	-	-	-	-
PTG03C2005A	0.03	-	42,532	-	PTTE42C2004A	0.26	0.02	12,960	-	S5001C1912H	-	-	-	-
PTG06C2001A	0.01	-	100	-	PTTG01C1912A	-	-	-	-	S5001C1912I	-	-	-	-
PTG06C2006A	0.41	0.02	49,114	-	PTTG01C1912B	-	-	-	-	S5001C1912J	-	-	-	-
PTG08C1912A	-	-	-	-	PTTG01C2002A	0.62	0.08	224,981	-	S5001C2001A	0.37	0.06	371,065	-
PTG08C2005A	0.26	0.01	39,502	-	PTTG01C2002B	0.38	0.07	400,673	-	S5001C2002A	0.73	0.10	428,648	-
PTG11C2003A	0.38	0.02	36,817	-	PTTG01C2005A	0.64	0.07	271,937	-	S5001C2003F	0.78	0.09	2,685,475	-
PTG11C2005A	0.16	0.01	68,174	-	PTTG01C2005B	0.45	0.06	156,191	-	S5001C2003G	0.61	0.08	1,808,310	-
PTG13C2002A	0.05	0.01	5,002	-	PTTG01P1912A	-	-	-	-	S5001C2004A	0.95	0.09	100,517	-
PTG13C2004A	0.29	0.01	949,629	-	PTTG01P1912B	-	-	-	-	S5001P1912F	-	-	-	-
PTG13P2001A	0.29	(0.03)	81,753	-	PTTG01P2002A	0.30	(0.07)	91,237	-	S5001P1912G	-	-	-	-
PTG13P2004A	0.41	(0.01)	711,748	-	PTTG01P2002B	0.06	(0.03)	5,801	-	S5001P1912H	-	-	-	-
PTG19C2003A	0.17	-	2,440	-	PTTG01P2005A	0.67	(0.06)	26,491	-	S5001P1912I	-	-	-	-
PTG19C2004A	0.14	-	37,485	-	PTTG01P2005B	0.45	(0.06)	104,216	-	S5001P1912J	-	-	-	-
PTG19C2005A	0.36	0.01	101,603	-	PTTG06C2001A	0.30	0.10	58,477	-	S5001P2001A	0.62	(0.14)	1,514,818	-
PTG19P2001A	0.24	(0.05)	23,402	-	PTTG08C2001A	-	-	-	-	S5001P2002A	0.49	(0.10)	583,541	-
PTG24C2002A	-	-	-	-	PTTG08C2004A	0.58	0.08	48,010	-	S5001P2003F	0.63	(0.10)	2,086,233	-
PTG27P2001A	0.13	(0.02)	27,600	-	PTTG08P1912A	-	-	-	-	S5001P2003G	0.48	(0.10)	1,359,841	-
PTG28C2004A	0.16	0.01	1,014	-	PTTG08P2004A	0.19	(0.03)	5,100	-	S5001P2004A	0.83	(0.10)	301,686	-
PTG41C2002A	0.12	(0.01)	4,000	-	PTTG11C2004A	0.19	0.03	56,089	-	S5006C1912A	-	-	-	-
PTG41C2004A	-	-	-	-	PTTG11C2007A	0.85	0.09	33,031	-	S5006C1912B	-	-	-	-
PTG41C2005A	-	-	-	-	PTTG13C2001A	0.17	0.07	188,682	-	S5006C1912C	-	-	-	-
PTG42C2001A	-	-	-	-	PTTG13C2002A	0.57	0.10	241,170	-	S5006C1912D	-	-	-	-
PTG42C2004A	0.16	-	900	-	PTTG13C2005A	0.51	0.07	517,222	-	S5006C2003A	0.42	0.07	237,751	-
PTT01C2001A	0.22	0.05	510,167	-	PTTG13P2001A	-	-	-	-	S5006C2003B	0.51	0.06	130,796	-
PTT01C2001B	0.02	-	18,572	-	PTTG13P2004A	0.23	(0.04)	166,001	-	S5006C2003C	0.71	0.11	314,422	-
PTT01C2004A	0.46	0.05	125,047	-	PTTG16C2001A	-	-	-	-	S5006P1912A	-	-	-	-
PTT01C2004B	0.28	0.05	165,467	-	PTTG16C2006A	0.51	0.07	120,757	-	S5006P1912B	-	-	-	-
PTT01P2001A	0.45	(0.06)	77,278	-	PTTG19C2001A	-	-	-	-	S5006P1912C	-	-	-	-
PTT01P2001B	0.09	(0.03)	120,832	-	PTTG19C2002A	0.33	0.08	48,235	-	S5006P1912D	-	-	-	-
PTT01P2004A	0.40	(0.03)	70,330	-	PTTG19P2003A	0.09	(0.03)	17,667	-	S5006P2003A	0.66	(0.15)	239,214	-
PTT01P2004B	0.21	(0.02)	71,225	-	PTTG24C2003A	0.68	0.10	10,141	-	S5006P2003B	0.81	(0.12)	135,262	-
PTT06C2005A	0.38	0.07	86,755	-	PTTG27C2001A	-	-	-	-	S5006P2003C	0.32	(0.08)	248,795	-
PTT08C1912A	-	-	-	-	PTTG28C2001A	-	-	-	-	S5008C1912A	-	-	-	-
PTT08C2005A	0.36	0.04	41,650	-	PTTG28C2002A	0.22	0.06	48,491	-	S5008C1912B	-	-	-	-
PTT08P2005A	0.23	(0.03)	10,250	-	PTTG28C2003A	0.50	0.09	33,686	-	S5008C2003A	0.77	0.11	273,056	-
PTT11C2004A	0.12	0.01	62,942	-	PTTG41C2001A	-	-	-	-	S5008C2003B	0.49	0.07	189,312	-
PTT13C2001A	0.01	(0.01)	110	-	PTTG41C2002A	0.49	0.08	19,288	-	S5008P1912A	-	-	-	-
PTT13C2004A	0.26	0.05	371,445	-	PTTG41C2003A	0.41	0.06	33,460	-	S5008P2003A	0.29	(0.07)	177,854	-
PTT13P2001A	-	-	-	-	PTTG41P2001A	-	-	-	-	S5008P2003B	0.14	(0.04)	157,895	-
PTT13P2004A	0.19	(0.04)	205,327	-	PTTG41P2002A	0.14	(0.05)	18,962	-	S5011C1912A	-	-	-	-
PTT16C2001A	-	-	-	-	PTTG41P2003A	-	-	-	-	S5011P1912A	-	-	-	-
PTT19C2002A	0.15	0.03	88,210	-	PTTG42C2003A	0.23	0.02	2	-	S5013C1912A	-	-	-	-
PTT19C2005A	0.40	0.05	61,628	-	QH01C2001A	-	-	-	-	S5013C1912B	-	-	-	-
PTT19P2003A	0.12	(0.03)	1,720	-	QH01C2001B	-	-	-	-	S5013C1912C	-	-	-	-
PTT24C2003A	0.14	0.03	35,239	-	QH01P2001A	0.38	(0.06)	7,648	-	S5013C1912D	-	-	-	-
PTT24P2001A	-	-	-	-	QH11C2006A	0.22	0.02	32,700	-	S5013C1912E	-	-	-	-
PTT28C2002A	0.08	-	5,072	-	QH13C2003A	0.11	0.01	40,598	-	S5013C2003A	0.51	0.07	10,998,253	-
PTT28C2003A	0.05	-	29,500	-	QH19C2002A	-	-	-	-	S5013C2003B	0.84	0.09	5,725,886	-
PTT28C2004A	0.19	0.02	29,176	-	QH27C2007A	0.21	0.02	19,960	-	S5013C2003C	0.71	0.08	10,625,795	-
PTT28P2004A	0.19	(0.03)	18,014	-	RATC01C2003A	0.23	0.02	68,477	-	S5013P1912A	-	-	-	-
PTT41C1912A	-	-	-	-	RATC01C2003B	0.10	0.01	103,414	-	S5013P1912B	-	-	-	-
PTT41C2001A	-	-	-	-	RATC06C2006A	0.50	0.02	27,717	-	S5013P1912C	-	-	-	-
PTT41C2002A	-	-	-	-	RATC06P2006A	0.35	(0.02)	27,085	-	S5013P1912D	-	-	-	-
PTT41C2004A	0.25	0.02	29,960	-	RATC13C2001A	0.01	-	14	-	S5013P1912E	-	-	-	-
PTT41C2005A	0.36	0.06	25,921	-	RATC13C2002A	0.02	(0.01)	62	-	S5013P2003A	0.85	(0.13)	3,470,884	-
PTT41P2001A	-	-	-	-	RATC13C2004A	0.29	0.02	129,387	-	S5013P2003B	0.52	(0.09)	11,167,058	-
PTT41P2004A	-	-	-	-	RATC16C2001A	0.10	0.02	51,076	-	S5013P2003C	0.74	(0.12)	3,631,703	-
PTT41P2005A	-	-	-	-	RATC19C2002A	0.03	-	30,000	-	S5016C1912A	-	-	-	-
PTT42C2003A	-	-	-	-	RATC19C2005A	0.31	0.01	60,570	-	S5016C1912B	-	-	-	-
PTTE01C2001A	0.31	0.03	210,912	-	RATC24C2001A	0.12	0.01	92,089	-	S5016C1912C	-	-	-	-
PTTE01C2001B	0.03	0.01	1,511	-	RATC24C2006A	0.46	0.02	30,106	-	S5016C2003A	0.52	0.08	162,020	-
PTTE01C2004A	0.71	0.05	143,762	-	RATC27C2004A	0.09	-	20	-	S5016C2003B	0.78	0.09	177,958	-
PTTE01C2004B	0.48	0.05	328,144	-	RATC41C2001A	-	-	-	-	S5016P1912A	-	-	-	-
PTTE01P2001A	0.82	(0.07)	20,205	-	RATC41C2002A	0.04	-	16	-	S5016P1912B	-	-	-	-
PTTE01P2001B	0.10	(0.03)	51,638	-	RATC41C2003A	-	-	-	-	S5016P2003A	0.54	(0.10)	201,396	-
PTTE01P2004A	0.38	(0.03)	37,172	-	RATC41C2005A	0.36	0.01	27,389	-	S5019C1912A	-	-	-	-
PTTE01P2004B	0.21	(0.04)	88,426	-	RATC41P2004A	0.60	(0.03)	41,840	-	S5019C1912B	-	-	-	-
PTTE06C2001A	-	-	-	-	RATC42C2003A	0.05	(0.02)	1,100	-	S5019C1912C	-	-	-	-
PTTE06C2001B	0.27	0.05	51,317	-	ROBI01C1912A	-	-	-	-	S5019C1912D				

## Main Board Quotation

Issue Date :

Thursday January 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE08C2005A	0.51	0.04	42,376	-	ROBI08C2001A	-	-	-	-	S5019C2003B	0.96	0.10	683,807	-
PTTE08P2005A	0.37	(0.03)	13,697	-	ROBI11C2003A	0.37	(0.01)	22,600	-	S5019P1912A	-	-	-	-
PTTE11C2006A	0.59	0.04	76,990	-	ROBI13C2002A	-	-	-	-	S5019P1912B	-	-	-	-
PTTE13C2001A	0.16	0.02	29,514	-	ROBI19C2004A	0.35	(0.02)	56,686	-	S5019P1912C	-	-	-	-
PTTE13C2004A	0.51	0.04	469,781	-	ROBI41C2001A	-	-	-	-	S5019P1912D	-	-	-	-

## Main Board Quotation

Issue Date :

Thursday January 02, 2020

Securities					Securities					Securities					
Close	Change	Volume (Lot)	Average Price		Close	Change	Volume (Lot)	Average Price		Close	Change	Volume (Lot)	Average Price		
S5019P2003A	0.56	(0.12)	507,820	-	SCB41C2001A	-	-	-	-	STA13C2001A	-	-	-	-	
S5019P2003B	0.25	(0.08)	750,511	-	SCB41C2002A	-	-	-	-	STA13C2003A	0.14	0.02	26,920	-	
S5024C1912A	-	-	-	-	SCB41C2004A	-	-	-	-	STA19C2001A	-	-	-	-	
S5024C1912B	-	-	-	-	SCB41C2005A	-	-	-	-	STA19C2002A	-	-	-	-	
S5024C1912C	-	-	-	-	SCB41P2004A	-	-	-	-	STA19C2004A	0.16	0.02	8,645	-	
S5024C1912D	-	-	-	-	SCB41P2005A	-	-	-	-	STA19C2005A	0.55	0.03	14,087	-	
S5024C1912E	-	-	-	-	SCB42C2003A	-	-	-	-	STA24C2002A	-	-	-	-	
S5024C2003A	0.58	0.09	201,048	-	SCC01C2001A	0.08	(0.01)	45,798	-	STA41C1912A	-	-	-	-	
S5024C2003B	1.23	0.18	164,759	1.00	SCC01C2001B	0.01	(0.01)	7,006	-	STA42C2001A	-	-	-	-	
S5024P1912A	-	-	-	-	SCC01C2004A	0.98	(0.01)	46,054	-	STEC01C2003A	0.10	0.02	164,093	-	
S5024P1912B	-	-	-	-	SCC01C2004B	0.56	-	39,468	-	STEC01C2003B	0.03	-	7,000	-	
S5024P1912C	-	-	-	-	SCC01P2001A	0.55	-	68,971	-	STEC01C2004A	0.23	0.04	530,189	-	
S5024P1912D	-	-	-	-	SCC01P2004A	0.66	-	22,985	-	STEC01P2003A	1.00	(0.12)	35,609	1.00	
S5024P1912E	-	-	-	-	SCC06C2002A	0.22	(0.01)	26,789	-	STEC06C2002A	0.02	-	2,601	-	
S5024P2003A	0.67	(0.17)	274,877	-	SCC08C2002A	-	-	-	STEC06C2004A	0.34	0.06	62,926	-		
S5024P2003B	0.28	(0.08)	80,607	-	SCC08C2004A	0.55	-	15,202	-	STEC08C2001A	-	-	-	-	
S5028C1912A	-	-	-	-	SCC11C2003A	-	-	-	STEC08C2004A	-	-	-	-	-	
S5028C1912B	-	-	-	-	SCC11C2006A	0.13	-	12,001	-	STEC08C2005A	0.39	0.03	82,381	-	
S5028C1912C	-	-	-	-	SCC11C2007A	0.87	(0.01)	30,000	-	STEC11C2001A	0.01	-	2,000	-	
S5028C2001A	0.16	0.02	163,558	-	SCC13C2001A	-	-	-	STEC11C2007A	0.10	0.02	1,022	-		
S5028C2002A	0.36	0.03	158,707	-	SCC13C2002A	0.30	0.01	52,860	-	STEC13C2001A	0.01	-	1	-	
S5028C2003A	0.13	0.01	117,715	-	SCC13C2004A	0.69	(0.03)	14	-	STEC13C2003A	0.15	0.02	85,153	-	
S5028P1912A	-	-	-	-	SCC13P2001A	0.04	(0.07)	210	-	STEC13C2004A	0.31	0.04	276,084	-	
S5028P1912B	-	-	-	-	SCC13P2002A	0.11	-	4,156	-	STEC16C2003A	0.01	-	50	-	
S5028P2001A	0.27	(0.10)	20,460	-	SCC16C2002A	-	-	-	STEC16C2006A	0.11	0.02	24,460	-		
S5028P2002A	0.26	(0.09)	21,032	-	SCC16C2005A	0.43	(0.02)	51,102	-	STEC19C2002A	-	-	-	-	
S5028P2003A	0.22	(0.03)	218,156	-	SCC19C2002A	-	-	-	STEC19C2004A	0.12	0.01	26,211	-		
S5041C1912A	-	-	-	-	SCC19C2003A	-	-	-	STEC19C2005A	0.35	0.02	27,781	-		
S5041C1912B	-	-	-	-	SCC19C2003B	0.27	(0.02)	10,767	-	STEC24C2003A	-	-	-	-	
S5041C1912C	-	-	-	-	SCC19P2004A	0.29	(0.01)	12,311	-	STEC27C2002A	0.01	-	7,001	-	
S5041C1912D	-	-	-	-	SCC24C2003A	0.31	(0.02)	22,430	-	STEC27C2002B	-	-	-	-	
S5041C1912E	-	-	-	-	SCC27C2001A	-	-	-	STEC28C2002A	-	-	-	-	-	
S5041C1912F	-	-	-	-	SCC28C2001A	-	-	-	STEC28C2004A	-	-	-	-	-	
S5041C2003A	0.31	0.03	856,284	-	SCC28C2002A	-	-	-	STEC28C2004B	0.18	0.02	17,238	-		
S5041C2003B	0.48	0.05	72,720	-	SCC28C2003A	0.22	(0.04)	9,542	-	STEC28C2005A	0.34	0.05	49,278	-	
S5041C2003C	0.63	0.05	212,985	-	SCC28C2004A	-	-	-	STEC41C1912A	-	-	-	-	-	
S5041P1912A	-	-	-	-	SCC41C2001A	-	-	-	STEC41C2001A	0.01	-	1,000	-	-	
S5041P1912B	-	-	-	-	SCC41C2002A	-	-	-	STEC41C2003A	-	-	-	-	-	
S5041P1912C	-	-	-	-	SCC41C2003A	-	-	-	STEC41C2004A	-	-	-	-	-	
S5041P1912D	-	-	-	-	SCC41C2004A	0.46	0.01	2,722	-	STEC41C2005A	0.35	0.03	27,960	-	
S5041P1912E	-	-	-	-	SCC41C2005A	-	-	-	STEC41C2006A	0.43	0.04	57,960	-	-	
S5041P1912F	-	-	-	-	SCC41P2001A	-	-	-	STEC41P2001A	-	-	-	-	-	
S5041P2003A	0.43	(0.06)	353	-	SCC41P2004A	-	-	-	STEC41P2003A	-	-	-	-	-	
S5041P2003B	0.62	(0.07)	191,897	-	SCC41P2005A	0.45	-	39,928	-	STEC41P2004A	0.36	(0.04)	4,000	-	-
S5041P2003C	0.28	(0.05)	910,597	-	SCC42C2002A	-	-	-	STEC41P2005A	0.39	(0.02)	1,500	-	-	
SAWA01C2003A	1.05	(0.03)	25,291	1.00	SCC42C2003A	-	-	-	STEC42C2001A	-	-	-	-	-	
SAWA01C2003B	0.69	(0.02)	77,200	-	SGP13C2001A	0.23	0.08	75,707	-	STEC42C2004A	0.28	0.04	8,807	-	-
SAWA01P2003A	0.27	-	204,110	-	SGP13C2004A	0.62	0.10	45,715	-	SUPE13C2003A	0.07	(0.01)	14,465	-	-
SAWA06C2002A	0.72	(0.03)	15,445	-	SGP19C2001A	0.03	-	2,024	-	SUPE19C2002A	-	-	-	-	-
SAWA08C2001A	0.56	(0.03)	19,920	-	SGP19C2002A	0.36	0.05	53,507	-	SUPE19C2004A	0.10	-	15,732	-	-
SAWA11C2003A	0.91	(0.02)	31,200	-	SGP24C2002A	0.40	0.06	16,118	-	SUPE42C2004A	0.12	(0.02)	600	-	-
SAWA13C2002A	0.70	(0.04)	3,654	-	SGP41C2001A	-	-	-	TASC01C1912A	-	-	-	-	-	
SAWA13C2005A	0.61	(0.02)	53,253	-	SGP42C2001A	0.21	0.02	8,956	-	TASC01C1912B	-	-	-	-	-
SAWA16C2001A	0.71	(0.04)	50,479	-	SIRI13C2007A	0.29	0.04	66,238	-	TASC01C2003A	0.42	(0.02)	28,091	-	-
SAWA19C1912A	-	-	-	-	SIRI19C2002A	0.02	0.01	10	-	TASC01C2003B	0.19	-	24,868	-	-
SAWA19C2002A	0.49	(0.05)	7,166	-	SIRI19C2004A	0.11	0.02	44,775	-	TASC01P1912A	-	-	-	-	-
SAWA24C2004A	0.59	(0.02)	22,165	-	SIRI19C2007A	0.25	0.03	10,684	-	TASC01P2003A	0.40	-	34,544	-	-
SAWA28C2001A	0.49	0.04	1,014	-	SPAL01C2004A	0.46	0.08	209,254	-	TASC08C2005A	0.32	-	11,000	-	-
SAWA28C2002A	0.89	0.06	1,114	-	SPAL01C2004B	0.30	0.06	195,629	-	TASC11C2002A	0.72	(0.01)	12,834	-	-
SAWA28C2004A	0.46	(0.03)	49,746	-	SPAL06P2004A	0.31	(0.08)	133,596	-	TASC13C2003A	0.25	(0.01)	12,528	-	-
SAWA41C2003A	0.78	0.01	12,000	-	SPAL11C2006A	0.47	0.08	95,020	-	TASC16C2001A	0.11	(0.01)	20,547	-	-
SAWA41C2004A	0.49	(0.03)	44,284	-	SPAL13C2001A	-	-	-	TASC19C2003A	0.24	(0.02)	33,782	-	-	
SAWA41C2005A	-	-	-	-	SPAL13C2003A	0.33	0.08	529,965	-	TASC19P2004A	0.37	(0.01)	5,891	-	-
SAWA41P1912A	-	-	-	-	SPAL16C2002A	-	-	-	TASC24C2001A	-	-	-	-	-	
SAWA41P2003A	0.13	(0.02)	50	-	SPAL19C2002A	-	-	-	TASC28C2001A	-	-	-	-	-	
SAWA41P2004A	0.50	(0.02)	5,561	-	SPAL19C2004A	0.37	0.07	83,923	-	TASC28C2004A	0.21	(0.01)	16,978	-	-
SAWA42C2003A	0.42	(0.04)	9,776	-	SPAL24C2003A	-	-	-	TASC41C2003A	-	-	-	-	-	
SCB01C2002A	0.18	0.01	65,131	-	SPAL41C2001A	-	-	-	TASC41C2004A	-	-	-	-	-	
SCB01C2002B	0.03	0.01	13,624	-	SPAL41C2002A	-	-	-	TASC42C2003A	-	-	-	-	-	
SCB01C2004A	0.59	-	16,637	-	SPAL41C2004A	0.41	0.09	53,184	-	TCAP01C2001A	0.35	(0.01)	3,000	-	-
SCB01C2004B	0.38	-	72,747	-	SPAL42C2003A	0.17	0.02	80,295	-	TCAP01C2001B	-	-	-	-	-
SCB01P2002A	1.09	-	290	1.00	SPRC01C2003A	0.71	0.07	50,831	-	TCAP01P2001A	0.10	-	27,200	-	-
SCB01P2002B	0.59	(0.02)	14,915	-	SPRC01C2003B	0.20	0.03	178,931	-	TCAP11C2002A	0.19	(0.03)	8,558	-	-
SCB01P2004A	0.37	-	600	-	SPRC06P2003A	0.03	(0.01)	703	-	TCAP13C2002A	0.38	(0.01)	29,101	-	-
SCB01P2004B	0.13	(0.01)	4,685	-	SPRC08C2005A	0.73	0.11	137	-	TCAP19C2001A	-	-	-	-	-
SCB06C2001A	-	-	-	-	SPRC11C2005A	0.19	0.03	20,391	-	TCAP19C2004A	0.44	(0.02)	7,106	-	-
SCB08C2002A	0.11	0.01	3,000	-	SPRC13C2001A	0.48	0.11	56,579	-	TCAP24C2001A	-	-	-	-	-
SCB08C2005A	0.41	(0.01)	8,000	-	SPRC13C2004A	0.20	0.01	268,425	-	TCAP41C2002A	-	-	-	-	-
SCB08P2004A	0.23	0.01	150	-	SPRC19C2001A	0.13	0.01	10,097	-	TCAP41C2004A	-	-	-	-	-
SCB11C2005A	0.12	0.01	14	-	SPRC19C2002A	0.94	0.10	3,502	-	THA11C2003A	-	-	-	-	-
SCB11C2006A	0.26	0.01	8,751	-	SPRC19C2005A	0.70	0.06	500	-	THA13C2004A	0.21	-	40,228	-	-
SCB11P2005A	0.64	-	5	-	SPRC19C2005B	0.22	0.01	55,951	-	THA19C2002A	0.02	-	1	-	-
SCB13C2001A	0.01	(0.01)	1,000	-	SPRC19P2005A	0.35	(0.03)	18,798	-	THA19C2004A	0.22	-	13,102	-	-
SCB13C2003A	0.32	-	147,370	-	SPRC24C2003A	0.17	0.01	6,000	-	THA14C2003A	-	-	-	-	-
SCB13P2003A	0.10	0.01	4,200	-	SPRC41C2001A	-	-	-	THA14C2005A	-	-	-	-	-	
SCB16C2001A	-	-	-	-	SPRC41C2002A	0.58	0.10	1,350	-	THAN01C2001A	0.06	-	5,005	-	-
SCB16C2003A	0.21	-	26,815	-	SPRC41C2004A	-	-	-	THAN01C2001B	-	-	-	-	-	
SCB19C2002A	-	-	-	-	SPRC41C2006A	-	-	-	THAN06C2003A	0.06	-	-	-	-	

**Main Board Quotation**

**Issue Date :**

*Thursday January 02, 2020*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB19C2003A	0.28	-	59,111	-	STA01C1912A	-	-	-	-	THAN06C2005A	0.24	(0.01)	16,458	-
SCB19P2005A	-	-	-	-	STA01C1912B	-	-	-	-	THAN06P2003A	0.35	(0.03)	10,150	-
SCB24C2001A	-	-	-	-	STA01C2003A	0.19	0.02	36,014	-	THAN13C2003A	0.13	-	27,070	-
SCB24C2004A	0.66	0.01	1,184	-	STA01C2003B	-	-	-	-	THAN19C2001A	-	-	-	-
SCB28C2001A	-	-	-	-	STA01P1912A	-	-	-	-	THAN19C2004A	0.15	0.01	1,000	-
SCB28C2003A	0.10	(0.01)	559	-	STA01P2003A	0.39	(0.03)	13,396	-	THAN24C2001A	-	-	-	-
SCB28C2004A	0.26	(0.03)	12,016	-	STA11C2005A	0.13	0.01	1	-	THAN27C2003A	-	-	-	-

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Thursday January 02, 2020

Securities					Securities					Securities				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAN41C2002A	-	-	-	-	TRUE08C2004A	0.23	(0.01)	19,000	-	Warrant	-	-	-	-
TISCO1C2001A	1.02	0.12	45,689	-	TRUE08C2005A	0.54	(0.01)	29,560	-	7UP-W4	0.13	0.01	39,591	-
TISCO1C2001B	0.30	0.06	78,480	-	TRUE08P2005A	0.55	-	21,956	-	AKR-W1	0.10	-	1,070	-
TISCO1P2001A	0.02	(0.02)	27,510	-	TRUE11C2005A	0.04	-	250	-	ALT-W1	0.20	(0.01)	2,785	-
TISCO8C2001A	0.19	0.05	15,410	-	TRUE11C2005B	0.11	0.01	10	-	APEX-W1	-	-	-	-
TISCO8C2002A	0.12	0.02	9,921	-	TRUE11P2002A	0.23	0.01	29,404	-	APURE-W2	0.10	-	698	-
TISC11C2005A	0.25	0.05	4,000	-	TRUE13C2003A	0.07	(0.01)	21,673	-	AS-W1	0.11	-	2,599	-
TISC11C2007A	0.88	0.08	22,805	-	TRUE13C2003B	0.39	(0.01)	282,065	-	AYUD-W1	1.59	0.13	54,025	1.00
TISC13C2001A	-	-	-	-	TRUE13P2001A	0.32	-	227,080	-	B-W3	-	-	-	-
TISC13C2004A	0.66	0.10	68,536	-	TRUE16C2002A	0.06	0.01	1	-	B-W4	-	-	-	-
TISC16C2001A	0.41	0.08	49,614	-	TRUE19C2003A	-	-	-	-	B-W5	0.04	0.01	34,520	-
TISC19C1912A	-	-	-	-	TRUE19C2004A	0.24	(0.02)	14,976	-	B52-W2	-	-	-	-
TISC19C2004A	0.59	0.08	25,951	-	TRUE19P2003A	0.31	0.01	5,030	-	BKD-W2	0.12	-	431	-
TISC41C2001A	-	-	-	-	TRUE19P2005A	0.29	-	6,120	-	CGD-W4	0.11	0.02	1,651	-
TISC41C2005A	0.71	0.07	43,734	-	TRUE28C2001A	-	-	-	-	CGH-W3	0.03	-	8,057	-
TISC42C2003A	-	-	-	-	TRUE28C2003A	-	-	-	-	CI-W1	0.03	(0.01)	3,303	-
TKN01C2003A	0.21	-	98,460	-	TRUE28C2003B	0.15	(0.03)	21,444	-	CKP-W1	0.34	0.02	242,312	-
TKN01C2003B	0.14	-	107,694	-	TRUE41C2001A	-	-	-	-	CRANE-W1	0.79	0.09	2	-
TKN08C2003A	0.26	0.01	23,618	-	TRUE41C2001B	-	-	-	-	DCC-W1	0.60	-	16,665	-
TKN13C2004A	0.22	0.01	26,134	-	TRUE41C2002A	-	-	-	-	ECL-W3	0.27	-	3,248	-
TKN16C2001A	0.17	-	21,811	-	TRUE41C2003A	-	-	-	-	EIC-W2	-	-	-	-
TKN19C2001A	0.02	(0.01)	751	-	TRUE41C2004A	0.42	(0.04)	70,860	-	EIC-W3	-	-	-	-
TKN19C2004A	0.51	0.01	62	-	TRUE41C2005A	0.39	(0.04)	12,000	-	EMC-W3	0.05	-	78,958	-
TKN19C2004B	0.26	0.01	47,888	-	TRUE41C2006A	0.60	(0.07)	3,600	-	EPCO-W6	0.58	-	2,059	-
TKN24C2002A	-	-	-	-	TRUE41P2001A	0.40	0.03	1,000	-	GJS-W3	-	-	-	-
TKN28C2002A	-	-	-	-	TRUE41P2004A	-	-	-	-	GLOCON-W4	0.24	0.01	10,788	-
TKN28C2003A	0.10	(0.01)	11,633	-	TRUE41P2005A	0.52	-	22,000	-	J-W1	0.25	(0.03)	910	-
TKN41C2001A	0.12	-	6,150	-	TRUE42C2003A	0.04	(0.01)	1,000	-	JAS-W3	1.72	0.01	23,274	1.00
TKN41C2003A	0.13	-	1,800	-	TRUE42C2004A	0.43	(0.03)	9,964	-	JCK-W5	0.08	(0.01)	14,962	-
TKN42C2003A	0.13	-	250	-	TU01C2001A	0.02	-	302	-	JMT-W2	4.40	0.04	6,172	4.00
TMB01C2004A	0.55	-	295,601	-	TU01C2001B	0.01	-	4,190	-	MACO-W2	0.17	-	79,384	-
TMB01C2004B	0.35	(0.01)	112,012	-	TU01C2004A	0.23	0.01	65,620	-	MILL-W4	0.04	(0.01)	13,044	-
TMB01P2004A	0.26	-	57,786	-	TU01C2004B	0.22	0.01	61,900	-	MILL-W5	0.01	-	54,900	-
TMB13C2002A	0.38	0.01	150,387	-	TU01P2001A	1.11	(0.03)	7,008	1.00	MINT-W6	3.24	0.02	2,283	3.00
TMB19C2001A	0.05	(0.01)	93,299	-	TU01P2004A	0.31	(0.02)	55,642	-	NFC-W1	0.83	0.07	221	-
TMB19C2004A	0.48	-	29,209	-	TU06C2004A	0.10	0.01	109,653	-	NOK-W1	0.04	(0.01)	13,401	-
TMB19P2004A	0.24	(0.01)	12,436	-	TU11C2003A	-	-	-	-	NUSA-W3	0.01	-	10	-
TMB28C2002A	0.35	(0.01)	1,758	-	TU13C2003A	0.04	0.01	2,164	-	NVD-W1	0.12	0.01	120	-
TMB41C2002A	0.31	0.04	61,460	-	TU13C2004A	0.23	0.01	36,922	-	ORI-W1	0.62	0.11	182,709	-
TMB41P2002A	0.01	(0.01)	1	-	TU19C2001A	-	-	-	-	PACE-W2	0.01	-	7,552	-
TMB41P2003A	0.08	-	1,002	-	TU19C2002A	-	-	-	-	PACE-W3	0.07	(0.01)	23	-
TMB41P2006A	0.26	(0.03)	7,384	-	TU19C2003A	-	-	-	-	PDJ-W1	0.47	0.05	13,854	-
TOA01C2001A	0.22	-	42,093	-	TU19C2005A	0.31	0.01	5,224	-	PDJ-W3	0.45	(0.03)	252	-
TOA01C2001B	0.06	0.01	3,600	-	TU24C2003A	0.02	-	820	-	PDJ-W4	0.46	-	1	-
TOA01P2001A	0.07	(0.02)	191	-	TU27C2004A	-	-	-	-	PERM-W1	0.16	-	256	-
TOA08C2003A	0.15	0.02	10,886	-	TU27C2006A	0.19	0.01	30,696	-	PORT-W1	0.86	0.11	130,720	-
TOA13C2003A	0.13	(0.02)	19,199	-	TU41C2001A	-	-	-	-	PPPM-W4	0.17	-	5,440	-
TOA16C2001A	0.17	-	62,247	-	TU41C2002A	-	-	-	-	PRIME-W1	0.05	0.02	1	-
TOA19C2004A	0.18	0.02	7,071	-	TU41C2003A	-	-	-	-	PRIME-W2	-	-	-	-
TOA24C2005A	0.16	0.01	20,831	-	TU41C2004A	0.16	-	50	-	RICHY-W2	0.03	-	3,664	-
TOA41C2004A	-	-	-	-	TU41C2005A	0.27	0.01	4,892	-	RS-W3	1.92	0.33	272,417	1.00
TOP01C1912A	-	-	-	-	TU41P2001A	-	-	-	-	SAMART-W2	0.47	(0.01)	101	-
TOP01C1912B	-	-	-	-	TU41P2003A	0.41	(0.04)	1,000	-	SAWAD-W1	20.80	(0.10)	1,333	21.00
TOP01C2003A	0.73	0.05	94,899	-	TU41P2004A	0.24	(0.02)	11,760	-	SDC-W1	0.09	0.01	166	-
TOP01C2003B	0.34	0.04	680,370	-	TV011C2001A	-	-	-	-	SINGER-W1	1.60	0.07	65	1.00
TOP01P1912A	-	-	-	-	TVO13C2007A	0.27	(0.73)	20,010	-	SINGER-W2	1.35	0.04	255	1.00
TOP01P2003A	0.37	(0.05)	65,340	-	TVO19C2004A	0.20	(0.01)	2,290	-	SMT-W2	0.11	0.01	24,056	-
TOP06C2004A	0.34	0.04	97,423	-	TVO19C2007A	0.20	0.03	2,417	-	SST-W2	0.92	(0.04)	870	-
TOP06P2005A	0.33	(0.08)	36,324	-	WHA01C2002A	0.09	-	55,380	-	SUPER-W4	0.02	0.01	17,106	-
TOP08C2003A	0.33	0.06	47,325	-	WHA01C2002B	0.02	-	2	-	SVI-W3	0.84	(0.03)	11,671	-
TOP08P1912A	-	-	-	-	WHA01P2002A	0.80	(0.02)	22,755	-	TCC-W3	-	-	-	-
TOP08P2003A	0.33	(0.06)	26,019	-	WHA08C2002A	0.02	-	352	-	TCC-W4	-	-	-	-
TOP11C2002A	0.13	-	26,144	-	WHA08C2003A	-	-	-	-	TCC-W5	0.14	(0.01)	540	-
TOP11C2007A	0.63	0.04	83,329	-	WHA08C2005A	0.22	0.02	34,150	-	TCJ-W2	0.15	(0.01)	3,714	-
TOP11P2002A	0.18	(0.04)	44,960	-	WHA11C2001A	-	-	-	-	TFG-W2	0.58	0.03	7,575	-
TOP13C2002A	0.16	0.02	74,195	-	WHA13C2001A	-	-	-	-	TGPRO-W3	0.01	-	1	-
TOP13C2004A	0.47	0.05	192,249	-	WHA13C2003A	0.10	0.01	34,869	-	TH-W2	0.06	(0.01)	3,659	-
TOP13P2001A	0.05	(0.04)	19,072	-	WHA13C2005A	0.32	0.01	178,733	-	THE-W2	-	-	-	-
TOP13P2005A	0.52	(0.07)	62,030	-	WHA16C2006A	0.13	-	36,525	-	TNITY-W1	-	-	-	-
TOP16C2001A	0.07	0.01	21,438	-	WHA19C2002A	-	-	-	-	TRITN-W3	0.09	(0.01)	100	-
TOP19C2002A	0.39	0.04	34,952	-	WHA19C2004A	0.13	-	24,062	-	TTCL-W1	0.45	0.02	2,711	-
TOP19C2003A	0.30	0.02	167,392	-	WHA19C2005A	0.35	-	29,882	-	TWZ-W5	0.01	-	5	-
TOP19P2002A	0.16	(0.05)	50,427	-	WHA24C2004A	-	-	-	-	U-W4	-	-	-	-
TOP23C2001A	-	-	-	-	WHA24P2003A	0.63	(0.05)	2,202	-	VGI-W2	1.61	0.02	224,944	1.00
TOP24C2007A	0.54	0.06	46,005	-	WHA28C2003A	-	-	-	-	VIBHA-W2	0.81	0.01	5,964	-
TOP28C2004A	0.46	0.04	58,614	-	WHA28C2003B	-	-	-	-	VIBHA-W3	0.19	0.01	42,325	-
TOP41C2002A	0.30	0.05	3,000	-	WHA28C2004A	-	-	-	-	WAVE-W1	0.15	-	952	-
TOP41C2002B	-	-	-	-	WHA28C2005A	0.18	0.01	28,392	-	WHA-W1	4.54	0.20	12,775	4.00
TOP41C2003A	-	-	-	-	WHA41C2003A	-	-	-	-	WIK-W2	0.14	0.01	2,604	-
TOP41C2005A	0.60	0.03	63,794	-	WHA41C2004A	-	-	-	-	ZMICO-W4	0.09	-	52,752	-
TOP41C2006A	0.57	0.05	34,920	-	WHA41C2005A	0.21	0.02	1,800	-	Preferred Shares	-	-	-	-
TOP41P2002A	0.23	(0.05)	40,400	-	WHA41P2003A	0.92	(0.03)	1,080	-	BH-P	-	-	-	-
TOP41P2004A	0.39	(0.04)	3,000	-	WHA41P2005A	0.70	(0.02)	6,000	-	CSC-P	-	-	-	-
TP119C2002A	-	-	-	-	WHA42C2005A	0.21	0.01	11,594	-	JUTHA-P	-	-	-	-
TP119C2004A	0.39	(0.04)	8,598	-	WHAU27C2002A	0.08	(0.02)	2,003	-	KTB-P	-	-	-	-
TRUE01C2002A	0.02	-	2,823	-	WORK08C1912A	-	-	-	-	SCB-P	-	-	-	-
TRUE01C2002B	-	-	-	-	Preferred/Foreign	-	-	-	-	TCAP-P	-	-	-	-
TRUE01C2004A	0.11	-	63,079	-	BH-Q	-	-	-	-	TISCO-P	-	-	-	-

## Main Board Quotation

Issue Date :

Thursday January 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE01C2004B	0.49	-	56,962	-	CSC-Q	-	-	-	-	U-P	2.90	-	35	2.00
TRUE01P2002A	1.19	0.02	45,316	1.00	JUTHA-Q	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE01P2002B	0.86	0.01	40,480	-	KTB-Q	-	-	-	-	BM-W1	0.08	(0.01)	4	-
TRUE01P2004A	0.49	0.01	27,952	-	SCB-Q	-	-	-	-	BROOK-W5	0.16	0.01	12,290	-
TRUE01P2004B	0.23	-	168,658	-	TCAP-Q	-	-	-	-	CHO-W2	0.09	0.01	3,274	-
TRUE06C2004A	0.50	(0.04)	33,350	-	TISCO-Q	-	-	-	-	DOD-W1	0.61	0.14	169,151	-
TRUE08C2001A	-	-	-	-	U-Q	-	-	-	-	ECF-W3	0.43	0.01	9,020	-



**Main Board Quotation**

**Issue Date :**

Thursday January 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------