

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	1.10	-	3,417	1.10
POMPUI	-	-	-	-	DIF	16.60	-	102,869	16.57	MPIC	1.79	-	138	1.78
SAFARI	-	-	-	-	DTAC	53.25	0.75	37,279	53.22	NMG	-	-	-	-
VI	-	-	-	-	FORTH	5.80	0.05	781	5.79	PLANB	7.05	(0.05)	239,854	7.05
WORLD	-	-	-	-	HUMAN	8.05	0.35	8,300	7.92	POST	-	-	-	-
WR	-	-	-	-	ILINK	3.82	(0.04)	4,355	3.81	PRAKIT	10.10	-	805	9.99
Agribusiness	-	-	-	-	INET	2.14	0.02	1,243	2.14	SE-ED	1.51	-	10	1.52
CHOTI	79.50	0.50	1	79.50	INTUCH	60.25	1.50	163,222	59.99	SPORT	0.16	-	2,454	0.16
EE	0.56	-	30,966	0.55	JAS	5.00	0.06	168,655	4.99	TBSP	-	-	-	-
GFPT	12.50	0.30	31,434	12.41	JASIF	9.60	0.05	76,825	9.60	TH	0.62	-	110	0.61
LEE	2.12	-	1,712	2.11	JMART	8.15	0.15	15,185	8.12	TKS	6.40	-	3,047	6.36
NER	2.62	0.08	97,941	2.60	JTS	1.00	(0.01)	56	0.98	VGI	9.50	-	214,589	9.47
PPPM	0.48	(0.04)	9,165	0.49	MFEC	3.34	-	969	3.34	WAVE	1.23	0.01	184	1.25
STA	10.10	0.20	28,266	10.07	MSC	5.30	(0.10)	1,043	5.37	WORK	13.60	0.10	4,996	13.68
TRUBB	0.63	-	1,639	0.63	PT	4.22	(0.02)	660	4.19	Finance & Securities	-	-	-	-
TWPC	4.28	0.06	1,219	4.27	SAMART	6.70	0.05	9,846	6.58	AEC	0.32	0.01	130	0.32
UPOIC	3.60	(0.04)	401	3.61	SAMTEL	7.35	(0.05)	2,209	7.34	AEONTS	186.50	4.50	1,293	186.22
UVAN	5.35	-	2,888	5.34	SDC	0.18	-	12,123	0.18	AMANAH	3.10	0.04	143,113	3.09
VPO	0.59	-	2,063	0.58	SIS	7.45	(0.15)	1,017	7.50	ASAP	1.88	0.01	1,688	1.88
Banking	-	-	-	-	SVOA	0.99	0.01	8,520	1.00	ASK	25.50	0.25	2,004	25.27
BAY	29.50	0.50	4,194	29.53	SYMC	2.86	-	29	2.89	ASP	1.78	(0.01)	32,255	1.78
BBL	156.50	0.50	170,975	154.67	SYNEX	7.35	0.05	653	7.29	BAM	21.20	1.20	1,773,513	20.77
CIMBT	0.52	0.01	2,614	0.52	THCOM	4.08	0.04	5,478	4.06	BFIT	30.00	1.25	12,774	29.68
KBANK	143.00	(0.50)	177,820	143.40	TRUE	4.38	-	969,997	4.40	CGH	0.81	-	3,841	0.81
KKP	67.00	0.50	17,444	66.78	TWZ	0.08	0.01	32,716	0.08	CNS	2.48	-	21,433	2.48
KTB	16.40	(0.10)	415,863	16.27	Electronic Componen	-	-	-	-	ECL	1.18	0.04	14,184	1.17
LHFG	1.34	-	47,803	1.34	CCET	1.83	-	15,415	1.84	FNS	2.16	0.02	498	2.12
SCB	116.00	(0.50)	112,963	116.06	DELTA	50.00	(0.25)	6,354	50.43	FSS	1.60	0.02	310	1.56
TCAP	52.25	0.25	31,617	52.07	EIC	0.03	(0.01)	126,398	0.03	GBX	0.47	(0.02)	27,094	0.48
TISCO	101.00	0.50	56,938	100.60	HANA	33.50	0.50	29,317	33.43	GL	4.16	-	4,273	4.17
TMB	1.59	-	3,913,110	1.59	KCE	22.00	0.50	236,183	22.10	IFS	3.14	0.02	3,246	3.12
Construction Materia	-	-	-	-	METCO	174.00	0.50	4	174.00	JMT	20.70	0.40	31,479	20.66
CCP	0.28	-	68,761	0.27	NEX	2.84	-	8,136	2.84	KCAR	11.00	0.10	307	10.93
COTTO	1.48	-	4,343	1.49	SMT	1.11	(0.01)	2,999	1.11	KGI	4.54	-	21,932	4.55
DCC	1.84	(0.01)	8,357	1.84	SVI	3.46	-	20,862	3.46	KTC	38.00	0.25	80,172	37.97
DCON	0.35	-	2,145	0.35	TEAM	0.79	0.01	3,342	0.80	MBKET	6.70	0.05	523	6.66
DRT	6.20	0.05	3,894	6.16	Energy & Utilities	-	-	-	-	MFC	15.20	(0.10)	2,138	15.23
EPG	6.05	0.20	70,406	5.99	7UP	0.51	-	44,692	0.50	ML	0.87	(0.01)	1,306	0.88
GEL	0.15	-	5,117	0.15	ABPIF	4.72	0.08	2,397	4.70	MTC	62.25	(1.50)	152,459	62.84
PPP	2.06	(0.02)	929	1.99	ACE	4.30	0.18	116,195	4.23	PE	0.06	-	1,002	0.06
Q-CON	-	-	-	-	AI	1.03	(0.01)	20,614	1.03	PL	2.68	-	580	2.66
RCI	3.52	0.06	105	3.53	AKR	0.59	-	1,999	0.59	S11	7.30	-	1,466	7.26
SCC	378.00	6.00	20,361	375.32	BAFS	29.50	(0.25)	1,998	29.11	SAWAD	70.25	3.25	120,105	69.70
SCCC	190.00	1.00	212	189.79	BANPU	11.60	0.10	160,487	11.54	THANI	5.70	0.05	28,962	5.70
SCP	6.05	0.10	1,131	5.97	BCP	28.25	0.50	46,829	27.88	TK	9.95	0.05	178	9.81
SKN	2.02	0.02	4,714	2.04	BCPG	16.90	0.10	19,371	16.91	TNITY	3.90	(0.04)	32	3.95
TASCO	18.90	(0.50)	141,402	19.14	BGRIM	53.75	1.25	127,112	53.40	UOBKH	2.96	0.08	35	2.92
TCMC	1.97	(0.02)	995	1.98	BPP	17.20	(0.10)	29,471	17.24	ZMICO	0.84	0.05	29,517	0.82
TOA	37.50	0.50	27,071	36.97	BRRGIF	8.30	-	371	8.27	Food & Beverage	-	-	-	-
TPIPL	1.50	0.02	190,119	1.48	CKP	4.52	(0.10)	531,620	4.53	APURE	0.74	-	4,192	0.74
UMI	0.70	-	349	0.69	DEMCO	2.68	0.02	4,259	2.65	ASIAN	4.10	(0.02)	1,020	4.12
VNG	3.80	(0.02)	581	3.81	EA	41.00	(0.50)	178,650	41.03	BR	2.46	0.04	6,746	2.44
WIIK	1.25	0.01	85	1.26	EASTW	11.40	0.40	29,113	11.22	BRR	3.94	0.02	473	3.91
Petrochemicals & Che	-	-	-	-	EGATIF	12.90	0.10	23,268	12.86	CBG	83.25	2.25	33,291	82.46
BCT	40.00	(0.50)	1,387	40.06	EGCO	327.00	1.00	5,761	325.79	CFRESH	1.50	0.01	307	1.50
CMAN	1.40	-	7,987	1.41	ESSO	9.25	0.35	318,994	9.09	CM	2.76	0.02	141	2.72
GC	5.75	-	691	5.71	GPSC	89.50	1.75	261,581	88.60	CPF	28.00	0.25	297,222	27.84
GGC	13.30	0.60	33,669	13.04	GULF	173.50	3.00	64,978	172.35	CPI	1.59	-	2,163	1.59
GIFT	2.28	0.08	4,332	2.24	GUNKUL	2.82	-	351,590	2.82	F&D	17.70	(0.20)	6	17.77
IVL	33.25	-	352,805	33.27	IFEC	-	-	-	-	HTC	22.60	0.20	765	22.42
NFC	2.04	(0.02)	6	2.03	IRPC	3.76	-	2,431,409	3.73	ICHI	5.00	0.04	17,711	4.97
PATO	11.30	(0.10)	222	11.35	LANNA	7.75	0.05	1,819	7.70	KBS	3.50	(0.02)	626	3.50
PMTA	7.45	0.05	10	7.49	MDX	2.82	-	783	2.82	KSL	2.18	-	15,387	2.21
PTTGC	59.75	1.25	324,623	59.48	PRIME	0.38	-	8,353	0.37	KTIS	4.18	0.02	230	4.18
SUTHA	1.89	(0.01)	542	1.89	PTG	15.20	(0.80)	591,640	15.35	LST	5.15	0.10	1,876	5.11
TCCC	20.40	(0.10)	87	20.47	PTT	47.25	0.25	600,596	46.73	M	68.75	-	1,845	68.71
TPA	5.40	-	19	5.40	PTTEP	133.00	(0.50)	182,037	132.11	MALEE	6.50	(0.10)	585	6.52
UP	-	-	-	-	RATCH	68.25	0.25	26,866	68.19	MINT	34.75	1.00	115,501	34.51
VNT	26.50	1.25	8,550	26.00	RPC	0.67	-	19,698	0.66	OISHI	99.00	-	49	98.69
WG	-	-	-	-	SCG	3.82	(0.04)	81	3.78	OSP	41.75	0.75	209,725	41.71
YCI	-	-	-	-	SCI	1.45	0.01	3,171	1.44	PB	69.00	0.50	18	69.00
Commerce	-	-	-	-	SCN	2.06	0.02	2,220	2.06	PM	7.70	(0.05)	5,231	7.65
BEAUTY	2.04	0.13	2,285,271	2.02	SGP	9.80	0.40	41,661	9.68	PRG	12.50	0.10	151	14.02
BIG	0.52	0.01	24,347	0.51	SKE	0.81	(0.01)	4,775	0.81	RBF	4.26	0.10	114,694	4.26
BJC	42.25	0.75	62,382	42.00	SOLAR	1.52	0.04	6,329	1.53	SAPPE	19.10	(0.10)	2,694	19.00
COL	18.80	(0.10)	5,934	18.80	SPCG	19.50	0.20	7,455	19.49	SAUCE	22.40	-	86	22.21
COM7	24.50	(0.10)	72,701	24.52	SPRC	11.00	0.20	273,977	10.81	SFP	169.00	-	1	169.00
CPALL	72.25	1.00	217,544	72.18	SSP	7.25	0.05	3,937	7.20	SNP	-	-	-	-
CPW	1.68	(0.06)	40,373	1.72	SUPER	0.54	-	242,029	0.54	SORKON	-	-	-	-
CSS	1.32	0.01	11,263	1.33	SUPEREIF	11.10	0.20	3,025	11.05	SSC	-	-	-	-
DOHOME	9.30	0.15	84,598	9.26	SUSCO	2.94	-	34,373	2.94	SSF	-	-	-	-
FN	1.04	(0.01)	9,349	1.05	TAE	3.28	0.02	4,911	3.26	SST	3.78	0.02	3	3.77
FTE	2.02	0.02	849	2.00	TCC	0.22	-	2,397	0.22	TC	3.18	0.02	210	3.14
GLOBAL	14.80	(0.60)	204,360	14.82	TOP	70.00	-	99,253	69.96	TFG	4.52	0.10	57,750	4.48
HMPRO	16.00	-	181,377	15.91	TPIPP	4.38	0.10	45,614	4.35	TFMAMA	185.00	1.50	23	184.93
ILM	13.50	-	6,401	13.52	TSE	2.94	0.02	43,334	2.93	TIPCO	7.40	0.05	2,080	7.39
IT	2.84	(0.02)	212	2.85	TTW	13.70	0.10	15,978	13.61	TKN	10.00	0.10	183,872	9.98
KAMART	3.86	0.04	3,880	3.83	WHAUP	5.35	0.05	53,934	5.30	TU	13.50	0.30	150,508	13.47
LOXLEY	1.35	-	1,450	1.35	WP	5.00	-	849	5.00	TVO	27.75	0.25	3,012	27.72
MAKRO	35.00	2.25	18,921	34.45	Media & Publishing	-	-	-	-	ZEN	13.80	0.20	5,679	13.69
MC	7.80	0.15	6,823	7.74	AMARIN	4.12	(0.02)	68	4.06	Health Care Services	-	-	-	-
MEGA	27.50	0.50	6,553	27.50	AQUA	0.41	-	76,633	0.42	AHC	17.80	0.40	25	17.52
MIDA	0.52	-	1,465	0.52	AS	1.30</								

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
PR9	8.35	0.20	2,741	8.26	BROCK	1.67	0.03	115	1.64	HFT	3.00	0.02	409	3.02
PRINC	4.58	0.08	7,734	4.55	CGD	0.89	0.01	2,088	0.88	IHL	3.84	0.10	6,791	3.80
RAM	151.00	-	17	151.00	CI	0.82	(0.04)	381	0.84	INGRS	0.53	0.01	737	0.52
RJH	24.80	0.40	2,939	24.65	CPN	61.00	(0.25)	43,087	60.75	IRC	15.80	0.30	9	15.81
RPH	6.50	(0.05)	857	6.51	ESTAR	0.36	-	4,383	0.35	PCSGH	-	-	-	-
SKR	5.15	0.05	1,300	5.12	EVER	0.26	-	27,970	0.26	SAT	15.50	0.10	2,479	15.46
SVH	448.00	(2.00)	13	449.23	FPT	14.70	(0.20)	2,128	14.76	SPG	-	-	-	-
THG	26.25	0.75	3,230	26.09	GLAND	2.22	(0.04)	30,439	2.22	STANLY	178.00	2.00	10	178.60
VIBHA	1.70	(0.02)	105,032	1.72	GOLD	8.45	-	1,053	8.41	TKT	1.01	0.01	113	1.00
VIH	6.05	0.05	3,273	6.01	GREEN	0.80	0.01	2,022	0.78	TNPC	0.70	(0.01)	3,717	0.70
WPH	1.95	0.02	3,124	1.92	J	0.85	0.02	69	0.82	TRU	4.12	-	305	4.12
Tourism & Leisure	-	-	-	-	JCK	0.91	0.04	1,368	0.90	TSC	12.40	0.20	118	12.40
ASIA	5.30	0.20	53	5.27	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	23.80	0.70	48,505	23.67	KWG	1.62	-	246	1.59	ALLA	1.37	(0.02)	835	1.36
CSR	-	-	-	-	LALIN	5.20	-	3,927	5.16	ASEFA	3.46	0.06	91	3.44
DTC	9.70	-	274	9.63	LH	10.20	0.20	441,125	10.15	CPT	0.79	-	807	0.79
ERW	5.30	0.20	166,538	5.26	LPN	4.76	0.18	81,573	4.72	CRANE	1.72	-	235	1.73
GRAND	0.74	0.01	4,290	0.74	MBK	21.40	0.10	4,395	21.36	CTW	5.25	-	91	5.30
LRH	40.50	(0.75)	70	40.20	MJD	2.98	-	704	2.96	FMT	22.90	(1.00)	72	21.94
MANRIN	-	-	-	-	MK	3.10	0.04	559	3.08	HTECH	3.18	0.04	779	3.19
OHTL	394.00	14.00	1	394.00	NCH	0.80	(0.01)	969	0.80	KKC	0.78	-	822	0.76
ROH	-	-	-	-	NNCL	2.16	0.02	11,388	2.15	PK	1.32	-	219	1.32
SHANG	72.00	2.00	1	72.00	NOBLE	16.00	0.40	933	15.92	SNC	10.00	0.10	1,286	9.95
SHR	3.04	(0.04)	125,944	3.07	NUSA	0.50	-	219,953	0.50	STARK	2.10	0.04	8,992	2.09
VRANDA	8.30	(0.10)	667	8.33	NVD	1.93	-	38	1.93	TCJ	3.70	-	87	3.70
Home & Office Produ	-	-	-	-	ORI	7.35	0.25	74,045	7.30	VARO	6.50	(0.45)	10	6.50
ACC	0.63	0.02	272	0.63	PACE	0.07	-	10,425	0.07	Property Fund & REIT	-	-	-	-
AJA	0.19	(0.01)	23,492	0.19	PF	0.82	0.03	125,433	0.81	AIMCG	8.65	-	1,540	8.68
DTCI	22.20	(4.80)	43	21.26	PLAT	4.04	(0.06)	5,487	4.04	AIMIRT	13.00	-	4,566	12.90
FANCY	0.52	(0.01)	1,726	0.52	POLAR	-	-	-	-	AMATAR	11.60	-	184	11.53
KYE	253.00	-	2	253.00	PRECHA	1.14	0.01	82	1.10	B-WORK	12.40	0.10	7,996	12.30
L&E	1.97	(0.03)	27	1.97	PRIN	1.52	-	500	1.52	BKER	9.10	0.10	1,346	9.01
MODERN	2.48	(0.04)	1,883	2.48	PSH	15.10	0.40	26,848	14.92	BKKCP	13.10	-	38	13.19
OGC	24.20	(0.80)	22	24.05	QH	2.64	0.06	180,104	2.62	BOFFICE	16.80	-	2,371	16.77
ROCK	-	-	-	-	RICHY	0.88	-	2,162	0.87	CPNCG	12.50	0.10	4,220	12.49
SIAM	1.69	-	733	1.69	RML	0.98	(0.02)	8,167	0.98	CPNREIT	34.00	0.25	18,174	33.89
TSR	2.14	0.10	8,783	2.10	ROJNA	5.15	0.15	22,070	5.12	CPTGF	13.10	0.10	124	13.08
Insurance	-	-	-	-	S	2.46	0.04	44,523	2.45	CTARAF	5.60	-	967	5.60
AYUD	39.50	0.75	1	39.50	SAMCO	1.65	(0.01)	678	1.64	DREIT	6.40	-	1,296	6.39
BKI	292.00	(1.00)	49	292.65	SC	2.34	0.06	16,063	2.31	ERWPF	5.20	0.05	3,500	5.19
BLA	20.10	0.10	14,581	20.02	SENA	2.76	0.04	7,692	2.75	FTREIT	15.10	(0.20)	7,470	15.06
BUI	-	-	-	-	SF	5.70	0.10	8,832	5.60	FUTUREPF	24.90	-	26	24.90
CHARAN	-	-	-	-	SIRI	1.10	0.03	157,567	1.09	GAHREIT	9.15	-	10	9.63
INSURE	-	-	-	-	SPALI	18.80	0.60	124,871	18.83	GLANDRT	13.20	0.10	725	13.17
MTI	82.00	(0.50)	1	82.00	U	1.72	0.01	50,185	1.72	GOLDFP	-	-	-	-
NKI	-	-	-	-	UV	6.50	0.10	44,802	6.50	GVREIT	16.50	-	950	16.50
NSI	59.75	(0.25)	6	59.67	WHA	3.76	0.04	633,843	3.74	HPF	4.92	-	379	4.91
SEG	36.00	-	6	36.00	WIN	0.36	0.02	814	0.35	HREIT	8.90	-	2,043	8.90
SMK	-	-	-	-	Paper & Printing Mat	-	-	-	-	IMPACT	23.00	(0.60)	9,948	23.14
THRE	0.63	0.01	22,199	0.63	UTP	9.55	0.10	3,520	9.50	KNPFF	-	-	-	-
THREL	3.60	-	1,173	3.57	Fashion	-	-	-	-	LHHOTEL	20.00	0.20	266	19.87
TIP	24.30	-	1,330	24.27	AFC	-	-	-	-	LHPF	8.80	0.10	138	8.77
TQM	65.00	-	14,691	65.73	B52	0.20	0.01	1,612	0.20	LHSC	18.80	0.20	4,053	18.65
TSI	0.49	(0.01)	880	0.49	BTNC	-	-	-	-	LUXF	8.50	(0.35)	12	8.71
TVI	4.18	0.06	308	4.05	CPH	-	-	-	-	M-II	8.30	-	3	8.30
Mining	-	-	-	-	CPL	0.90	(0.02)	254	0.90	M-PAT	-	-	-	-
PDI	6.40	(0.15)	1,664	6.50	ICC	39.50	-	16	39.28	M-STOR	6.65	0.15	252	6.47
THL	-	-	-	-	NC	11.30	(1.20)	53	11.20	MIPF	-	-	-	-
Packaging	-	-	-	-	PAF	0.59	-	668	0.58	MIT	2.76	0.02	20	2.76
AJ	8.20	0.20	2	8.20	PDJ	1.50	0.03	1,200	1.48	MJLF	11.00	-	48	11.00
ALUCON	-	-	-	-	PG	5.15	(0.15)	20	5.15	MNIT	-	-	-	-
BGC	12.70	(0.10)	11,292	12.79	SABINA	22.80	-	7,131	22.67	MNIT2	-	-	-	-
CSC	53.25	-	92	53.12	SAWANG	9.45	(0.25)	7	9.52	MNRF	3.08	(0.02)	100	3.08
GLOCON	0.72	0.01	9,631	0.71	SUC	42.75	(0.25)	54	42.81	POPF	13.00	-	315	13.00
NEP	0.18	(0.05)	2,369	0.18	TNL	17.00	(2.00)	37	16.59	PPF	11.30	(0.10)	8	11.20
PTL	14.20	-	5,181	14.12	TPCORP	10.10	(0.20)	29	10.03	QHHR	9.50	0.15	76	9.44
SFLEX	3.76	0.06	49,129	3.76	TR	27.25	(1.25)	324	28.07	QHOP	3.78	(0.02)	10	3.78
SITHAI	0.70	(0.01)	1,337	0.71	TTI	-	-	-	-	QHPF	13.50	0.10	7,830	13.50
SLP	0.47	0.01	1,489	0.46	TTT	50.75	0.25	325	50.75	SBPF	2.50	0.04	1	2.50
SMPC	6.45	0.10	1,134	6.48	UPF	-	-	-	-	SHREIT	5.85	-	2,210	5.75
SPACK	1.16	0.06	1	1.16	UT	14.50	-	1	14.50	SIRIP	10.80	-	1	10.80
TCOAT	23.90	(3.10)	47	21.45	WACOAL	-	-	-	-	SPF	23.10	0.20	615	23.03
TFI	0.05	(0.01)	61,908	0.05	Transportation & Log	-	-	-	-	SPRIME	13.20	0.20	3,765	13.03
THIP	19.10	0.40	613	18.95	AAV	2.08	0.04	124,307	2.06	SRIPANWA	11.10	-	415	11.10
TMD	26.00	0.50	41	25.51	AOT	73.75	1.50	147,694	73.32	SSPF	9.75	-	171	9.70
TOPP	156.50	(18.50)	3	151.50	ASIMAR	1.18	(0.01)	211	1.18	SSTRT	5.95	-	273	5.93
TPBI	4.04	(0.04)	726	4.01	B	0.21	-	3,443	0.22	TIF1	9.10	0.05	195	9.06
TPP	-	-	-	-	BA	6.65	0.05	11,416	6.59	TLGF	20.60	(0.10)	4,498	20.62
Personal Products &	-	-	-	-	BEM	11.30	0.40	589,964	11.17	TLHPF	10.80	(0.20)	210	10.92
APCO	3.22	-	211	3.19	BTS	13.50	0.40	419,234	13.37	TNPF	2.92	(0.02)	56	2.92
DDD	24.30	0.50	24,089	24.15	BTSGIF	10.10	-	4,201	10.09	TPRIME	16.00	-	1,350	16.00
JCT	80.50	(1.50)	150	80.57	III	5.05	-	1,092	5.05	TTLPF	-	-	-	-
OCC	11.60	(1.20)	68	11.23	JUTHA	-	-	-	-	TU-PF	1.74	-	50	1.76
S & J	26.00	1.00	11	26.00	JWD	7.60	0.05	2,294	7.58	URBNPF	4.20	(0.32)	4	4.20
STHAI	-	-	-	-	KWC	300.00	-	6	300.00	WHABT	9.75	-	261	9.71
TNR	9.00	-	305	9.00	NOK	2.00	-	2,864	2.00	WHART	17.00	-	22,647	16.98
TOG	5.80	0.15	12	5.78	NYT	3.90	0.02	406	3.88	Steel	-	-	-	-
Professional Service	-	-	-	-	PORT	2.14	0.08	50,109	2.12	AMC	1.83	0.01	197	1.82
BWG	0.57	-	51,160	0.58	PRM	6.60	(0.10)	92,257	6.61	BSBM	0.91	0.01	356	0.91
GENCO	0.56	0.01	167	0.55	PSL	6.85	(0.25)	45,153	6.88	CEN	0.61	0.01	4	0.61
PRO	-	-	-	-	RCL	3.48	0.02	784	3.45	CITY	1.94	(0.02)	306	1.99
SISB	9.50	0.20	12,519	9.34	TFFFI	12.10	0.20	9,076	12.00	CSP	0.72	-	51	0.72
TEAMG	2.22	0.02	11,106	2.20	THAI	6.65	0.05	21,063	6.70	GJS	0.12	-	2,411	0.12
Property Developer	-	-	-	-	TSTE	6.70	0.60	171	5.97	GSTEEL	-	-	-	-
A	6.20	0.10	96	6.15	TTA	4.18	(0.06)	21,868	4.20	INOX	0.62	-	45	0.63
AMATA	19.30	0.20	80,613</											

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	ABM	0.73	0.01	404	-	AAV19C2001A	-	-	-	-
ABICO	4.04	0.02	2,161	3.00	AGE	0.88	0.01	2,373	-	AAV19C2003A	-	-	-	-
AU	10.10	0.30	32,632	9.00	AIE	0.29	-	10,400	-	AAV19C2004A	0.11	0.01	29,811	-
JCKH	0.26	0.01	189	-	PSTC	0.71	-	469,732	-	AAV24C2001A	-	-	-	-
KASET	1.19	0.01	15	1.00	QTC	4.12	-	3,043	4.00	ADVA01C2003A	0.30	0.05	144,721	-
MM	2.34	-	567	2.00	SAAM	0.96	-	783	-	ADVA01C2003B	0.13	0.01	84,277	-
SUN	1.62	-	1,208	1.00	SEOIL	3.90	0.02	1,598	3.00	ADVA01C2005A	0.60	0.06	69,263	-
TACC	4.22	0.08	9,181	4.00	SR	0.97	(0.07)	2	-	ADVA01C2005B	0.36	0.06	99,749	-
TMILL	2.82	0.02	190	2.00	TAKUNI	0.41	0.01	5,799	-	ADVA01P2003A	0.65	(0.08)	39,052	-
XO	5.75	0.10	9,404	5.00	TPCH	12.50	0.10	5,354	12.00	ADVA01P2003B	0.39	(0.07)	54,528	-
Consumer Products	-	-	-	-	TRT	1.81	(0.06)	611	1.00	ADVA06C2005A	0.27	0.04	81,565	-
BGT	1.01	0.01	60	1.00	UMS	0.37	0.05	120	-	ADVA08C2001A	0.05	0.02	14,000	-
BIZ	3.00	0.14	1,435	2.00	UWC	0.03	-	63,675	-	ADVA08C2005A	0.36	0.04	20,530	-
DOD	8.00	0.60	35,534	7.00	Services (MAI)	-	-	-	-	ADVA08P2004A	0.27	(0.06)	14,030	-
ECF	1.26	0.06	365,995	1.00	A5	-	-	-	-	ADVA11C2006A	0.12	0.02	37,957	-
HPT	0.62	-	434	-	AKP	1.06	-	1,521	1.00	ADVA11P2005A	0.12	(0.03)	4,700	-
IP	6.30	0.15	4,907	6.00	AMA	5.25	(0.05)	1,854	5.00	ADVA13C2001A	0.04	0.01	15,301	-
JUBILE	19.10	0.30	1,531	18.00	ARIP	0.39	(0.01)	1,293	-	ADVA13C2004A	0.34	0.05	336,026	-
MOONG	3.66	(0.02)	186	3.00	ATP30	1.33	0.02	6,856	1.00	ADVA13P2003A	0.26	(0.06)	82,273	-
NPK	16.30	(2.20)	27	16.00	AUCT	6.45	-	18,731	6.00	ADVA16C2002A	0.09	0.02	8,549	-
OCEAN	1.19	0.01	3,784	1.00	BOL	2.92	0.02	4,124	2.00	ADVA16C2005A	0.06	-	7,363	-
TM	2.44	0.02	1,409	2.00	CHUO	-	-	-	-	ADVA16C2007A	0.31	0.04	55,708	-
Financials (MAI)	-	-	-	-	CMO	1.22	0.02	1,425	1.00	ADVA19C2002A	0.03	-	1,600	-
ACAP	1.29	0.01	2,032	1.00	D	3.84	(0.04)	796	3.00	ADVA19C2005A	0.32	0.04	36,034	-
AF	0.65	-	102	-	DCORP	0.42	-	923	-	ADVA19P2002A	0.07	(0.02)	20,494	-
AIRA	1.02	(0.20)	3,421	1.00	EFORL	0.05	-	5,116	-	ADVA23C2001A	0.97	0.16	3,500	-
ASN	6.40	(0.05)	34	6.00	ETE	0.83	0.01	1,871	-	ADVA24C2001A	0.15	0.02	903	-
BROOK	0.43	(0.01)	1,233	-	FSMART	6.55	0.10	3,158	6.00	ADVA24C2006A	0.44	0.05	37,154	-
CHAYO	5.30	0.30	76,501	5.00	FVC	0.39	-	9,023	-	ADVA24P2001A	-	-	-	-
GCAP	2.16	-	2,201	2.00	GSC	0.75	0.01	16,597	-	ADVA28C2001A	0.04	-	150	-
LIT	4.68	0.08	3,326	4.00	HARN	2.30	0.02	870	2.00	ADVA28C2002A	0.02	(0.01)	681	-
MITSI	1.45	(0.03)	3,375	1.00	IMH	3.18	(0.08)	60,315	3.00	ADVA28C2004A	0.14	0.05	11,598	-
SGF	0.69	0.01	61,902	-	JKN	5.00	0.08	32,191	4.00	ADVA28C2005A	0.34	0.08	25,332	-
Industrials (MAI)	-	-	-	-	KIAT	0.28	(0.01)	7,446	-	ADVA28P2001A	0.01	(0.01)	1,318	-
2S	1.92	(0.05)	2,712	1.00	KOOL	0.86	(0.02)	5,317	-	ADVA28P2004A	0.24	(0.05)	31,166	-
ACG	1.02	0.02	652	1.00	LDC	1.01	(0.01)	7,977	1.00	ADVA41C2001A	-	-	-	-
ADB	0.59	(0.01)	1,420	-	MORE	0.37	-	138,181	-	ADVA41C2004A	-	-	-	-
BM	1.86	(0.02)	1,334	1.00	MPG	0.38	-	1,212	-	ADVA41C2005A	-	-	-	-
CHO	0.69	(0.01)	15,168	-	MVP	1.65	(0.05)	375	1.00	ADVA41C2006A	0.34	0.01	27,720	-
CHOW	1.38	(0.02)	128	1.00	NBC	0.46	-	921	-	ADVA41C2007A	0.45	0.04	5	-
CIG	0.22	-	232	-	NCL	1.06	(0.03)	937	1.00	ADVA41P2001A	0.03	(0.02)	400	-
COLOR	1.04	(0.03)	2,110	1.00	NEWS	0.01	-	57,384	-	ADVA41P2004A	-	-	-	-
CPR	3.38	0.04	765	3.00	NINE	2.08	0.02	10	2.00	ADVA41P2005A	0.35	-	6,660	-
FPI	1.95	0.03	555	1.00	OTO	2.88	0.02	3,081	2.00	ADVA42C2003A	0.04	-	2,000	-
GTB	0.69	0.01	1,236	-	PHOL	1.76	(0.01)	201	1.00	ADVA42C2005A	0.35	0.04	8,886	-
KCM	0.56	0.01	6,173	-	PICO	3.42	(0.36)	1	3.00	AEON01C2005A	0.25	0.02	28,586	-
KUMWEL	0.77	0.01	826	-	QLT	4.30	-	305	4.00	AEON13C2003A	0.11	-	12,517	-
KWM	0.81	0.01	5,063	-	RP	1.48	0.02	286	1.00	AEON19C2003A	0.11	0.01	11,587	-
MBAX	3.06	0.04	25	3.00	SE	1.82	0.04	1,259	1.00	AMAT01C2001A	0.02	0.01	1,408	-
MGT	1.68	(0.03)	762	1.00	SONIC	1.00	-	2,042	1.00	AMAT01C2001B	-	-	-	-
NDR	1.04	(0.02)	283	1.00	SPA	14.70	0.40	2,925	14.00	AMAT01C2004A	0.31	0.01	102,663	-
PDG	2.90	0.02	680	2.00	THMUI	0.65	(0.01)	2,237	-	AMAT01C2004B	0.19	0.01	71,143	-
PIMO	1.19	-	4,904	1.00	TNDT	3.74	(0.08)	138	3.00	AMAT01P2001A	0.75	(0.03)	8,480	-
PJW	1.23	0.03	84	1.00	TNH	32.25	-	71	32.00	AMAT06C2005A	0.27	0.01	31,260	-
PPM	0.92	0.01	93	-	TNP	2.06	(0.02)	2,447	2.00	AMAT08C2001A	-	-	-	-
RWI	1.37	0.02	850	1.00	TSF	-	-	-	-	AMAT08C2002A	-	-	-	-
SALEE	0.90	-	21	-	TVD	0.91	-	9,510	-	AMAT08C2005A	0.26	0.01	6,406	-
SANKO	0.83	0.01	1,646	-	TVT	0.58	(0.02)	1,994	-	AMAT11C2001A	0.02	-	10	-
SELIC	2.56	(0.04)	5,485	2.00	VL	1.45	0.03	475,316	1.00	AMAT11C2004A	-	-	-	-
SWC	3.68	(0.02)	567	3.00	WINNER	2.06	0.02	2,761	2.00	AMAT13C2001A	-	-	-	-
TMC	0.46	-	481	-	YGG	6.10	1.10	1,141,332	5.00	AMAT13C2004A	0.18	0.01	147,998	-
TMI	0.69	-	100	-	Technology (MAI)	-	-	-	-	AMAT16C2003A	-	-	-	-
TMW	37.25	(0.25)	459	37.00	APP	2.22	0.04	11,780	2.00	AMAT16C2006A	0.08	0.01	2,740	-
TPAC	9.25	-	103	9.00	COMAN	2.64	(0.02)	619	2.00	AMAT19C2003A	0.04	0.01	921	-
TPLAS	1.15	-	1,803	1.00	ICN	1.56	-	929	1.00	AMAT19C2005A	0.22	-	17,852	-
UAC	2.84	0.04	110	2.00	INSET	2.58	0.04	14,116	2.00	AMAT24C2001A	-	-	-	-
UBIS	5.75	0.10	20	5.00	IRCP	0.50	0.01	802	-	AMAT24C2006A	-	-	-	-
UEC	0.70	-	191	-	ITEL	2.42	-	2,359	2.00	AMAT41C2002A	-	-	-	-
UKEM	0.40	-	8,116	-	NETBAY	32.00	0.75	1,977	31.00	AMAT41C2003A	-	-	-	-
UREKA	1.04	(0.02)	8,261	1.00	PLANET	1.15	0.02	48	1.00	AMAT41C2004A	-	-	-	-
YUASA	13.30	-	127	13.00	SIMAT	1.57	0.02	590	1.00	AMAT41C2005A	-	-	-	-
ZIGA	1.01	0.01	679	1.00	SKY	14.20	0.10	1,318	14.00	AMAT41C2006A	0.24	0.02	5,970	-
Property & Construc	-	-	-	-	SPVI	2.92	0.12	23,649	2.00	AMAT42C2003A	-	-	-	-
ALL	3.90	-	38,011	3.00	TPS	1.99	0.02	5,152	2.00	AMAT42C2005A	0.21	(0.03)	3,550	-
ARIN	0.77	-	5,688	-	UPA	0.21	0.01	7,803	-	ANAN13C2007A	0.28	(0.03)	51	-
ARROW	8.55	0.05	310	8.00	VCOM	2.80	0.02	139	2.00	ANAN19C2001A	-	-	-	-
BC	1.57	-	3,176	1.00	Unit Trust	-	-	-	-	ANAN19C2004A	0.11	-	10,132	-
BSM	0.35	(0.01)	941	-	MGE	-	-	-	-	ANAN19C2007A	0.33	0.03	41,305	-
BTW	0.74	0.03	15	-	SCBSET	-	-	-	-	AOT01C2002A	0.36	0.05	393,674	-
CAZ	2.50	0.04	2,636	2.00	ETF	-	-	-	-	AOT01C2002B	0.14	0.02	328,008	-
CHEWA	0.48	0.01	5,853	-	1DIV	10.60	0.11	121	10.00	AOT01C2004A	0.45	0.04	151,987	-
CMC	0.85	-	3,514	-	ABFTH	1,361.00	(38.00)	1	1,361.00	AOT01C2004B	0.19	0.02	120,258	-
CRD														

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19P2004A	0.40	(0.06)	20,127	-	BBL19C2001A	-	-	-	-	BEC01C2006B	0.28	(0.72)	22,694	-
AOT24C2003A	0.13	0.02	7,980	-	BBL19C2003A	0.08	-	114,944	-	BEC01P2001A	0.98	(0.01)	29,266	-
AOT28C2002A	0.08	0.02	8,818	-	BBL19C2005A	0.47	0.01	124,532	-	BEC01P2006A	0.53	(0.47)	27,754	-
AOT28C2003A	0.07	0.02	1	-	BBL19P2002A	0.20	(0.01)	102,703	-	BEC16C2002A	-	-	-	-
AOT28P2004A	0.39	(0.04)	37,364	-	BBL24C2001A	0.01	-	10	-	BEC19C2003A	-	-	-	-
AOT41C2002A	-	-	-	-	BBL24C2004A	0.56	0.01	71,388	-	BEC19C2005A	0.28	-	14,081	-
AOT41C2003A	-	-	-	-	BBL27C2002A	0.01	(0.01)	7,600	-	BEC27C2002A	-	-	-	-
AOT41C2004A	-	-	-	-	BBL28C2003A	0.07	-	69,570	-	BEC41C2001A	-	-	-	-
AOT41C2005A	-	-	-	-	BBL28C2005A	0.37	(0.01)	67,301	-	BEC41C2002A	-	-	-	-
AOT41C2006A	0.43	0.02	48,440	-	BBL41C2001A	-	-	-	-	BEC41C2003A	-	-	-	-
AOT41C2007A	-	-	-	-	BBL41C2003A	0.08	(0.03)	801	-	BEC42C2003A	-	-	-	-
AOT41P2002A	-	-	-	-	BBL41C2004A	0.34	(0.66)	6,000	-	BEC42C2005A	0.33	0.01	14,478	-
AOT41P2004A	0.63	(0.04)	2	-	BBL41C2005A	-	-	-	-	BEM01C2004A	0.31	0.05	143,002	-
AOT41P2005A	-	-	-	-	BBL41C2006A	0.20	(0.01)	2	-	BEM01C2004B	0.18	0.03	137,002	-
AOT41P2006A	0.51	(0.04)	21,722	-	BBL41P2001A	-	-	-	-	BEM01P2004A	0.19	(0.05)	60,967	-
AOT42P2003A	-	-	-	-	BBL41P2002A	0.65	0.03	10,562	-	BEM06C2004A	0.17	0.04	17,679	-
AP01C2001A	0.20	0.08	398,196	-	BBL41P2004A	0.46	(0.01)	48,570	-	BEM08C2001A	-	-	-	-
AP01C2001B	0.03	-	194	-	BBL41P2006A	-	-	-	-	BEM08C2005A	0.22	0.03	24,400	-
AP11C2001A	0.10	0.01	12,600	-	BBL42C2003A	0.02	(0.01)	39,580	-	BEM11C2001A	0.04	0.01	37,801	-
AP16C2002A	0.02	0.01	1,400	-	BBL42C2005A	0.43	(0.02)	24,310	-	BEM11C2003A	0.10	0.01	8,400	-
AP19C2002A	0.18	0.07	66,996	-	BCH01C2001A	0.23	0.08	148,787	-	BEM13C2002A	-	-	-	-
AP28C2004A	0.39	0.10	38,971	-	BCH01C2001B	0.03	0.01	251	-	BEM13C2004A	0.17	0.03	142,746	-
AWC01C2003A	0.20	0.02	41,422	-	BCH01C2006A	0.35	(0.65)	61,164	-	BEM16C2001A	-	-	-	-
AWC01C2003B	-	-	-	-	BCH01C2006B	0.22	(0.78)	59,215	-	BEM16C2006A	0.28	0.04	66,432	-
AWC01C2004A	0.15	0.01	32,803	-	BCH01P2001A	0.17	(0.10)	83,486	-	BEM19C2001A	0.03	(0.01)	1,000	-
AWC01P2003A	0.48	(0.05)	35,104	-	BCH01P2006A	0.67	(0.33)	34,079	-	BEM19C2005A	0.21	0.01	14,980	-
AWC01P2003B	0.15	(0.03)	102,604	-	BCH06C2001A	-	-	-	-	BEM23C2001A	0.03	(0.02)	300	-
AWC06C2002A	-	-	-	-	BCH08C2004A	0.18	0.06	31,702	-	BEM24C2003A	-	-	-	-
AWC06C2004A	0.20	0.01	12,550	-	BCH11C2001A	-	-	-	-	BEM28C2001A	0.01	(0.01)	2	-
AWC06P2002A	0.41	(0.09)	8,643	-	BCH13C2004A	0.14	0.04	112,214	-	BEM28C2002A	0.07	-	14	-
AWC08C2004A	0.11	(0.01)	3,000	-	BCH16C2001A	-	-	-	-	BEM41C2001A	0.01	(0.08)	900	-
AWC13C2002A	0.04	-	22,944	-	BCH16C2006A	0.27	0.07	87,305	-	BEM41C2002A	-	-	-	-
AWC13C2003A	0.14	0.02	126,354	-	BCH19C2001A	0.05	0.03	3,400	-	BEM41C2004A	-	-	-	-
AWC13P2002A	0.12	(0.05)	151,450	-	BCH19C2005A	0.14	0.04	74,102	-	BEM41C2006A	-	-	-	-
AWC13P2003A	0.07	(0.01)	210	-	BCH24C2003A	0.14	0.05	18,070	-	BEM41P2003A	-	-	-	-
AWC16C2005A	0.05	-	33,620	-	BCH27C2003A	0.22	0.06	15,908	-	BEM41P2004A	0.16	(0.04)	4	-
AWC16C2007A	0.15	0.01	54,015	-	BCH41C2001A	-	-	-	-	BEM42C2001A	-	-	-	-
AWC19C2003A	0.10	-	900	-	BCH41C2005A	0.18	(0.06)	20,880	-	BGRI01C2001A	1.23	0.06	18,690	1.00
AWC19C2004A	0.08	0.01	11,600	-	BCH42C2002A	-	-	-	-	BGRI01C2001B	1.00	0.07	21,404	-
AWC24C2007A	0.11	0.01	50,101	-	BCP01C2001A	0.09	0.01	7,520	-	BGRI01C2003A	0.59	0.05	64,543	-
AWC28C2003A	0.03	0.01	10,002	-	BCP01C2001B	-	-	-	-	BGRI01C2003B	0.32	0.03	269,973	-
AWC28C2003B	-	-	-	-	BCP01C2005A	0.87	0.07	2,600	-	BGRI01P2001A	0.01	-	4,001	-
AWC28C2003C	0.13	-	13,212	-	BCP01C2005B	0.22	0.02	98,946	-	BGRI01P2003A	0.27	(0.04)	115,664	-
AWC28P2003A	0.06	(0.01)	8	-	BCP01P2001A	0.29	(0.04)	41,006	-	BGRI06C2005A	0.35	0.02	50,166	-
AWC41C2003A	-	-	-	-	BCP01P2005A	0.17	(0.02)	104,335	-	BGRI08C2003A	0.74	0.05	720	-
AWC41C2004A	-	-	-	-	BCP11C2004A	-	-	-	-	BGRI08C2005A	0.41	0.03	43,862	-
AWC41C2005A	-	-	-	-	BCP13C2003A	0.14	0.02	152,549	-	BGRI11C2006A	0.82	0.04	20,075	-
AWC41C2006A	-	-	-	-	BCP13C2003B	-	-	-	-	BGRI13C2001A	0.54	0.03	200	-
AWC41C2007A	-	-	-	-	BCP19C2001A	-	-	-	-	BGRI13C2002A	0.36	0.02	185,616	-
AWC42C2003A	-	-	-	-	BCP19C2004A	-	-	-	-	BGRI13C2004A	0.27	0.03	91,047	-
BANP01C2002A	0.19	-	48,102	-	BCP19C2005A	0.25	0.03	15,764	-	BGRI16C2001A	-	-	-	-
BANP01C2002B	0.05	(0.01)	1,700	-	BCP24C2004A	-	-	-	-	BGRI16C2005A	0.38	0.03	82,806	-
BANP01C2005A	0.33	0.02	13,635	-	BCPG01C2005A	0.44	(0.01)	39,017	-	BGRI19C2004A	0.58	0.03	7,494	-
BANP01C2005B	0.18	(0.01)	10,220	-	BCPG01C2005B	0.26	(0.01)	71,536	-	BGRI19C2005A	0.36	0.04	79,964	-
BANP01P2002A	0.31	-	24,707	-	BCPG01P2005A	0.32	(0.02)	33,331	-	BGRI24C2004A	0.55	0.02	61,766	-
BANP01P2002B	0.25	(0.01)	65,321	-	BCPG06C2002A	-	-	-	-	BGRI28C2002A	-	-	-	-
BANP01P2005A	0.36	(0.01)	34,527	-	BCPG13C2001A	-	-	-	-	BGRI28C2003A	0.54	(0.02)	507	-
BANP01P2005B	0.19	(0.01)	12,712	-	BCPG13C2004A	0.27	0.02	193,056	-	BGRI28C2003B	0.30	0.03	24,599	-
BANP06C2002A	-	-	-	-	BCPG19C2003A	0.13	(0.01)	15,398	-	BGRI41C2001A	-	-	-	-
BANP06C2005A	0.19	(0.01)	12,300	-	BCPG19C2005A	0.37	-	28,028	-	BGRI41C2002A	-	-	-	-
BANP08C2002A	0.06	(0.03)	501	-	BCPG28C2002A	-	-	-	-	BGRI41C2004A	0.42	0.03	18,880	-
BANP08C2005A	0.22	(0.01)	3,550	-	BCPG28C2003A	0.10	-	4,563	-	BGRI41C2005A	-	-	-	-
BANP08P2003A	0.38	(0.02)	3,600	-	BCPG28C2004A	0.19	-	14,198	-	BGRI41C2006A	0.35	0.02	2	-
BANP11C2004A	-	-	-	-	BCPGA1C2002A	-	-	-	-	BGRI41P2004A	0.34	(0.04)	21,728	-
BANP13C2001A	0.01	(0.01)	3,100	-	BCPGA1C2005A	0.34	-	589	-	BGRI41P2005A	0.63	(0.06)	4,500	-
BANP13C2003A	0.08	(0.01)	33,012	-	BCPGA2C2001A	-	-	-	-	BGRI42C2003A	0.31	0.02	16,853	-
BANP19C2002A	0.02	(0.02)	5,951	-	BCPG42C2004A	-	-	-	-	BH01C2001A	0.03	-	2,602	-
BANP19C2004A	-	-	-	-	BDMS01C2002A	0.58	0.05	4,116	-	BH01C2001B	0.01	-	393	-
BANP19C2005A	0.15	0.01	69,100	-	BDMS01C2002B	0.11	0.01	30,000	-	BH01C2004A	0.80	0.06	45,336	-
BANP19P2003A	0.28	(0.01)	20,200	-	BDMS01P2002A	0.15	(0.02)	26,676	-	BH01C2004B	0.45	0.05	73,736	-
BANP24C2003A	-	-	-	-	BDMS06C2003A	0.46	0.04	4,580	-	BH01P2001A	1.66	(0.11)	6,156	1.00
BANP27C2007A	0.21	(0.01)	1,265	-	BDMS06P2004A	0.17	(0.02)	2,255	-	BH01P2004A	0.57	(0.04)	54,009	-
BANP28C2001A	-	-	-	-	BDMS08C2003A	-	-	-	-	BH11C2002A	-	-	-	-
BANP28C2002A	-	-	-	-	BDMS11C2001A	0.12	0.01	1,140	-	BH13C2001A	-	-	-	-
BANP28C2003A	-	-	-	-	BDMS11C2007A	0.65	0.05	600	-	BH13C2002A	0.25	0.05	182,625	-
BANP28C2004A	0.12	-	500	-	BDMS11P2002A	-	-	-	-	BH19C2002A	0.13	0.02	60,828	-
BANP41C2002A	-	-	-	-	BDMS13C2003A	0.40	0.06	25	-	BH19C2003A	0.50	0.07	31,440	-
BANP41C2003A	-	-	-	-	BDMS13C2004A	0.13	0.01	52,564	-	BH24C2001A	-	-	-	-
BANP41C2005A	-	-	-	-	BDMS16C2006A	-	-	-	-	BH24C2003A	0.51	0.06	39,889	-
BANP41C2006A	-	-	-	-	BDMS19C2001A	0.09	0.02	16,142	-	BH41C2002A	-	-	-	-
BANP41P2001A	-	-	-	-	BDMS19C2005A	-	-	-	-	BH41C2003A	-	-	-	-
BANP41P2002A	-	-	-	-	BDMS19C2005B	0.14	0.01	30,246	-	BH41C2004A	-	-	-	-
BANP41P2005A	-	-	-	-	BDMS24C2001A	-	-	-	-	BH41C2005A	0.48	-	34,044	-
BANP41P2007A	0.40	(0.60)	8,880	-	BDMS24C2006A	0.16	-	10	-	BH41C2006A	0.46	0.04	30,193	-
BANP42C2004A	0.12	-	270	-	BDMS27C2002A	-	-	-	-	BH41P2004A	-	-	-	-
BANP42P2005A	-	-	-	-	BDMS41C2001A	-	-	-	-	BH41P2006A	0.68	0.01	50,240	-
BBL06C2002A	0.06	-	9,187	-	BDMS41C2002A	-	-	-	-	BH42C2003A	0.38	0.07	17,628	-
BBL06P2004A	-	-	-	-	BDMS41C2004A	-	-	-	-	BJC01C2004A	0.19	0.01	126,222	-
BBL08C2001A	0.01	(0.01)	1,028	-	BDMS41C2005A	-	-	-	-	BJC01C2004B	0.06	0.01	30	-
BBL08C2002A	0.04	-	48,491	-	BDMS41C2006A	0.18	0.01	8,880	-	BJC01P2004A	0.80	(0.05)	39,111	

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC28C2004A	0.12	0.02	1,018	-	CHG01C2006A	0.30	(0.70)	106,675	-	CPAL28C2004A	0.15	0.01	20,132	-
BJC41C2002A	-	-	-	-	CHG01C2006B	0.18	(0.82)	239,551	-	CPAL28C2005A	0.28	0.01	21,368	-
BJC41C2004A	-	-	-	-	CHG01P2001A	0.02	(0.01)	4	-	CPAL41C2001A	-	-	-	-
BJC41C2005A	-	-	-	-	CHG01P2006A	0.49	(0.51)	55,592	-	CPAL41C2002A	-	-	-	-
BJC41C2006A	-	-	-	-	CHG06C2002A	0.06	0.02	7,765	-	CPAL41C2003A	-	-	-	-
BJC41P2004A	-	-	-	-	CHG06P2003A	0.18	(0.06)	37,174	-	CPAL41C2004A	-	-	-	-
BJC41P2005A	-	-	-	-	CHG08C2005A	0.14	0.02	38,005	-	CPAL41C2005A	0.36	0.02	32,122	-
BJC42C2004A	0.15	0.01	5,000	-	CHG13C2003A	0.08	0.01	40,365	-	CPAL41C2006A	-	-	-	-
BLAN19C2004A	0.13	0.01	13,052	-	CHG16C2002A	0.10	0.02	38,684	-	CPAL41P2003A	-	-	-	-
BLAN28C2004A	0.09	-	10,480	-	CHG19C2004A	0.22	0.03	104,412	-	CPAL41P2004A	0.51	(0.03)	3,790	-
BPP01C2005A	0.40	(0.01)	23,226	-	CHG41C2005A	0.14	0.01	400	-	CPAL41P2005A	-	-	-	-
BPP01C2005B	0.24	(0.02)	53,534	-	CK01C2001A	-	-	-	-	CPAL41P2006A	0.60	(0.05)	54	-
BPP01P2005A	0.46	0.02	25,226	-	CK01C2001B	0.01	(0.01)	447	-	CPAL42C2003A	-	-	-	-
BPP13C2001A	-	-	-	-	CK01C2005A	0.50	0.02	38,998	-	CPAL42C2005A	0.19	0.01	7,160	-
BPP13C2004A	0.16	(0.02)	46,112	-	CK01C2005B	0.30	0.02	37,868	-	CPF01C2001A	0.12	0.01	51,749	-
BPP16C2001A	-	-	-	-	CK01P2001A	0.85	(0.02)	6,014	-	CPF01C2001B	-	-	-	-
BPP19C2002A	-	-	-	-	CK01P2005A	0.39	(0.02)	27,144	-	CPF01C2004A	0.26	0.01	51,179	-
BPP19C2005A	0.22	(0.02)	26,566	-	CK06C2002A	-	-	-	-	CPF01C2004B	0.18	0.01	61,104	-
BPP24C2003A	0.09	-	2,102	-	CK06C2004A	0.30	0.02	13,800	-	CPF01P2001A	0.28	(0.01)	41,960	-
BTS01C2001A	0.34	0.06	79,231	-	CK11C2007A	0.27	-	9,500	-	CPF01P2001B	0.05	(0.01)	41,410	-
BTS01C2001B	0.08	0.03	36,732	-	CK13C2002A	0.01	-	2,500	-	CPF01P2004A	0.20	(0.02)	71,625	-
BTS01C2005A	0.34	0.04	70,458	-	CK13C2003A	0.24	0.01	23,676	-	CPF11C2004A	0.07	-	1,600	-
BTS01C2005B	0.20	0.03	98,601	-	CK16C2003A	-	-	-	-	CPF11C2007A	0.26	0.01	27,300	-
BTS01P2001A	0.05	(0.03)	7,151	-	CK16C2006A	0.19	-	20,898	-	CPF13C2003A	0.15	0.01	48,340	-
BTS01P2005A	0.26	(0.03)	98,831	-	CK19C2002A	-	-	-	-	CPF16C2001A	-	-	-	-
BTS08C2005A	0.15	0.03	44,076	-	CK19C2003A	-	-	-	-	CPF16C2007A	0.22	0.01	38,570	-
BTS11C2003A	0.24	0.03	51,192	-	CK19C2004A	0.26	-	14,880	-	CPF19C2001A	-	-	-	-
BTS13C2001A	0.01	-	5,029	-	CK24C2003A	-	-	-	-	CPF19C2003A	0.11	0.01	11,822	-
BTS13C2003A	0.15	0.03	156,212	-	CK41C2001A	-	-	-	-	CPF19C2005A	0.25	0.01	1,157	-
BTS16C2001A	0.07	0.01	6,049	-	CK41C2003A	0.22	-	9,966	-	CPF19P2002A	-	-	-	-
BTS16C2001B	0.28	0.04	15,264	-	CK41C2004A	-	-	-	-	CPF24C2007A	0.28	0.03	17,428	-
BTS19C2002A	0.07	0.02	220	-	CK41C2005A	-	-	-	-	CPF27C2001A	-	-	-	-
BTS19C2005A	0.25	0.04	63,456	-	CKP01C2004A	0.08	-	53,276	-	CPF28C2004A	0.19	0.02	11,112	-
BTS19P2002A	0.06	(0.02)	441	-	CKP01C2004B	0.01	(0.01)	2	-	CPF41C2001A	0.01	-	60	-
BTS24C2001A	0.27	0.08	7,703	-	CKP01P2004A	0.65	0.03	229,532	-	CPF41C2002A	-	-	-	-
BTS24C2007A	0.25	0.04	16,221	-	CKP08C2004A	-	-	-	-	CPF41C2004A	-	-	-	-
BTS24P2001A	-	-	-	-	CKP11C2006A	0.05	(0.01)	15,003	-	CPF41C2005A	-	-	-	-
BTS41C2003A	-	-	-	-	CKP13C2001A	-	-	-	-	CPF41P2003A	0.06	(0.01)	1	-
BTS41C2004A	-	-	-	-	CKP13C2003A	-	-	-	-	CPF42C2001A	-	-	-	-
BTS41C2006A	-	-	-	-	CKP13C2004A	0.09	(0.01)	36,122	-	CPF42C2003A	0.09	(0.01)	480	-
BTS41P2001A	-	-	-	-	CKP13C2004B	0.33	(0.05)	179,556	-	CPN01C2001A	0.02	(0.01)	2,420	-
BTS41P2004A	0.25	(0.04)	7	-	CKP16C2001A	-	-	-	-	CPN01C2001B	0.01	-	251	-
BTS42C2003A	0.07	0.02	48,000	-	CKP16C2005A	0.02	-	1,011	-	CPN01C2005A	0.52	(0.01)	67,160	-
CBG01C2001A	0.46	0.07	325,661	-	CKP16C2007A	0.31	(0.04)	107,703	-	CPN01C2005B	0.24	(0.02)	41,658	-
CBG01C2001B	0.04	-	11,487	-	CKP19C2003A	0.02	(0.01)	500	-	CPN01P2001A	1.41	0.03	20,247	1.00
CBG01C2004A	0.86	0.09	64,064	-	CKP19C2005A	0.08	(0.01)	12,856	-	CPN01P2005A	0.60	0.01	67,784	-
CBG01C2004B	0.39	0.03	98,708	-	CKP24C2006A	0.26	(0.01)	68,066	-	CPN06C2001A	-	-	-	-
CBG01P2001A	0.02	-	1,427	-	CKP27C2005A	-	-	-	-	CPN11C2006A	0.13	(0.01)	29,001	-
CBG01P2003A	0.28	(0.05)	154,334	-	CKP28C2003A	0.01	-	1,500	-	CPN13C2001A	-	-	-	-
CBG01P2004A	1.03	(0.12)	75,551	1.00	CKP28C2004A	0.03	-	100	-	CPN13C2004A	0.21	0.01	92,395	-
CBG06C2002A	0.38	0.06	25,960	-	CKP28C2004B	-	-	-	-	CPN16C2001A	-	-	-	-
CBG08C2003A	0.51	0.05	16,404	-	CKP41C2002A	-	-	-	-	CPN16C2005A	0.36	(0.01)	52,766	-
CBG11C2002A	0.40	0.04	11,054	-	CKP41C2004A	-	-	-	-	CPN19C2002A	-	-	-	-
CBG13C2004A	0.53	0.06	106,264	-	CKP41C2005A	-	-	-	-	CPN19C2004A	0.20	(0.01)	7,150	-
CBG13P2001A	-	-	-	-	CKP41C2006A	-	-	-	-	CPN24C2002A	-	-	-	-
CBG16C2001A	0.75	0.11	58,611	-	CKP42C2003A	-	-	-	-	CPN24C2007A	0.34	(0.04)	112	-
CBG19C2004A	0.45	0.05	77,237	-	CKP42C2005A	-	-	-	-	CPN41C2001A	-	-	-	-
CBG19C2005A	0.68	0.06	93,492	-	COM708C2002A	-	-	-	-	CPN41C2002A	-	-	-	-
CBG19P2002A	0.13	(0.03)	55,312	-	COM711C2004A	0.11	(0.01)	12,676	-	CPN41C2003A	0.13	(0.02)	4	-
CBG24C2003A	0.36	0.05	11,701	-	COM713C2001A	-	-	-	-	CPN41C2004A	-	-	-	-
CBG41C2001A	-	-	-	-	COM713C2004A	0.10	(0.01)	17,023	-	CPN41C2006A	-	-	-	-
CBG41C2001B	-	-	-	-	COM716C2001A	0.17	(0.01)	44,176	-	CPN41P2003A	0.26	0.02	39,118	-
CBG41C2002A	0.39	(0.07)	2,000	-	COM719C2001A	-	-	-	-	CPN42C2002A	-	-	-	-
CBG41C2003A	-	-	-	-	COM719C2003A	0.31	(0.03)	18,611	-	CPN42C2004A	-	-	-	-
CBG41C2004A	-	-	-	-	COM719C2005A	0.12	(0.01)	79,816	-	DTAC01C2001A	0.20	0.01	97,241	-
CBG41C2006A	0.77	(0.23)	6,660	-	COM719P2004A	0.28	(0.01)	35,037	-	DTAC01C2001B	0.02	0.01	21	-
CBG41P2001A	-	-	-	-	COM724C2001A	-	-	-	-	DTAC01C2004A	0.54	0.02	118,739	-
CBG41P2002A	-	-	-	-	COM724C2007A	0.19	(0.01)	1,000	-	DTAC01C2004B	0.30	0.02	103,588	-
CBG41P2003A	0.56	(0.07)	18,642	-	COM741C2001A	-	-	-	-	DTAC01P2001A	0.52	(0.06)	22,586	-
CBG41P2004A	1.19	(0.07)	20,708	1.00	COM741C2002A	-	-	-	-	DTAC01P2001B	0.10	(0.01)	50,890	-
CBG41P2006A	-	-	-	-	COM741C2004A	-	-	-	-	DTAC01P2004A	0.82	(0.03)	20,628	-
CBG42C2003A	0.22	0.02	7,097	-	COM741C2006A	-	-	-	-	DTAC01P2004B	0.53	(0.05)	56,330	-
CENT01C2003A	0.04	-	9,335	-	COM742C2002A	0.09	(0.75)	12,221	-	DTAC06C2001A	-	-	-	-
CENT01C2003B	0.02	0.01	1,610	-	COM742C2004A	0.09	(0.01)	2,200	-	DTAC08C2005A	0.25	-	20,000	-
CENT01C2006A	0.49	(0.51)	46,166	-	CPAL01C2002A	0.09	0.02	10,221	-	DTAC08C2005B	0.47	0.01	23,900	-
CENT01C2006B	0.12	(0.88)	92,193	-	CPAL01C2002B	0.02	0.01	51,001	-	DTAC08P2002A	0.51	(0.03)	12,000	-
CENT01P2003A	0.65	(0.04)	133,106	-	CPAL01C2004A	0.32	0.02	117,999	-	DTAC11C2002A	0.21	-	14,932	-
CENT06C2003A	0.03	0.01	4,110	-	CPAL01C2004B	0.20	0.02	118,087	-	DTAC13C2003A	0.16	0.01	59,941	-
CENT08C2004A	-	-	-	-	CPAL01C2006A	0.59	0.03	48,793	-	DTAC13P2003A	0.57	(0.06)	38,459	-
CENT11C2004A	0.04	-	1	-	CPAL01C2006B	0.39	0.01	153,076	-	DTAC16C2001A	-	-	-	-
CENT11C2007A	0.10	0.01	2,121	-	CPAL01P2002A	1.46	(0.05)	15,528	1.00	DTAC19C2001A	0.02	0.01	70	-
CENT13C2001A	-	-	-	-	CPAL01P2002B	1.03	(0.07)	10,203	1.00	DTAC19C2005A	0.35	0.01	120,997	-
CENT13C2003A	0.04	0.01	8,605	-	CPAL01P2004A	1.04	(0.04)	13,680	1.00	DTAC19P2002A	0.43	(0.05)	36,322	-
CENT13C2005A	0.12	0.02	75,245	-	CPAL01P2004B	0.58	(0.05)	67,504	-	DTAC24C2004A	0.11	-	10,982	-
CENT16C2001A	-	-	-	-	CPAL08C2001A	0.02	0.01	3	-	DTAC27C2002A	0.18	0.01	22,890	-
CENT19C2001A	0.02	-	1	-	CPAL08C2004A	0.16	0.02	11,755	-	DTAC27P2002A	0.07	(0.02)	12	-
CENT19C2004A	0.06	(0.01)	1,000	-	CPAL08P2002A	0.68	(0.07)	154	-	DTAC28C2001A	-	-	-	-
CENT19C2005A	0.37	0.05	28,412	-	CPAL11C2006A	0.11	0.01	46,450	-	DTAC41C2002A	-	-	-	-
CENT24C2003A	-	-	-	-	CPAL11C2007A	0.35	0.01	40,140	-	DTAC41C2004A	-	-	-	-
CENT24C2008A														

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA13C2005A	0.30	(0.01)	401,548	-	GPSC19C2004A	0.67	0.06	194,002	-	HMPR41C2003A	-	-	-	-
EA13P2001A	0.35	0.01	1,750	-	GPSC19P2002A	-	-	-	-	HMPR41C2005A	-	-	-	-
EA13P2003A	0.30	-	238,478	-	GPSC19P2005A	0.49	(0.05)	37,253	-	HMPR41P2003A	0.21	0.02	13,422	-
EA16C2003A	0.02	-	21	-	GPSC24C2002A	1.06	0.08	54,012	-	HMPR42C2003A	-	-	-	-
EA16C2006A	0.15	(0.01)	77,209	-	GPSC27C2005A	0.52	0.05	132,904	-	HSI28C2001A	-	-	-	-
EA19C2001A	-	-	-	-	GPSC41C2002A	-	-	-	-	HSI28C2001B	-	-	-	-
EA19C2002A	0.03	(0.01)	2,000	-	GPSC41C2003A	-	-	-	-	HSI28C2001C	0.50	0.06	26,005	-
EA19C2004A	0.23	(0.02)	34,054	-	GPSC41C2004A	0.59	0.03	58,280	-	HSI28C2002A	-	-	-	-
EA19P2002A	0.46	0.02	16,227	-	GPSC41C2005A	0.81	0.02	164,401	-	HSI28C2002B	1.24	(0.07)	1,200	1.00
EA24C2003A	-	-	-	-	GPSC41C2006A	-	-	-	-	HSI28C2002C	0.78	0.08	37,228	-
EA24C2004A	0.26	(0.02)	36,916	-	GPSC41P2003A	0.15	(0.17)	133	-	HSI28P2001A	-	-	-	-
EA27C2006A	0.27	(0.02)	25,100	-	GPSC41P2004A	-	-	-	-	HSI28P2001B	0.02	(0.01)	2,000	-
EA28C2002A	0.01	-	1,950	-	GPSC41P2005A	0.81	(0.06)	35,508	-	HSI28P2001C	-	-	-	-
EA28C2004A	0.12	(0.01)	28,164	-	GPSC42C2002A	0.68	0.09	29,341	-	HSI28P2002A	0.27	(0.05)	40,586	-
EA28C2004B	0.18	(0.01)	48,060	-	GULF01C2003A	0.89	0.06	384,418	-	HSI28P2002B	0.14	(0.03)	200	-
EA41C2002A	-	-	-	-	GULF01C2003B	0.36	0.03	253,401	-	HSI28P2002C	0.07	(0.02)	100	-
EA41C2004A	0.20	(0.02)	2	-	GULF01C2005A	1.05	0.08	167,080	1.00	INTU01C2003A	0.20	0.03	148,626	-
EA41C2005A	0.21	(0.02)	1,000	-	GULF01C2005B	0.72	0.06	202,175	-	INTU01C2003B	0.11	0.02	111,198	-
EA41C2006A	0.31	(0.02)	53,698	-	GULF01P2003A	0.23	(0.02)	113,434	-	INTU01C2006A	0.62	0.06	67,391	-
EA41P2003A	-	-	-	-	GULF01P2003B	0.33	(0.06)	404,296	-	INTU01C2006B	0.42	0.04	97,541	-
EA41P2004A	0.57	0.02	31,995	-	GULF03C2005A	0.40	0.05	50,111	-	INTU01P2003A	0.91	(0.07)	19,987	-
EA42C2001A	-	-	-	-	GULF06C2004A	1.03	0.11	38,660	-	INTU01P2003B	0.30	(0.07)	84,380	-
EA42C2004A	-	-	-	-	GULF08C2003A	0.65	0.06	43,948	-	INTU01P2006A	0.68	(0.05)	24,306	-
EGCO01C2001A	0.48	0.01	15,840	-	GULF11C2003A	1.78	0.07	3,700	1.00	INTU01P2006B	0.39	(0.04)	44,547	-
EGCO01C2001B	0.06	-	7,220	-	GULF11C2006A	0.74	0.07	56,834	-	INTU11C2001A	0.17	0.04	69,429	-
EGCO01C2004A	0.34	-	62,968	-	GULF13C2001A	0.10	0.01	271,962	-	INTU13C2002A	0.05	-	12,600	-
EGCO01C2004B	0.12	-	7,425	-	GULF13C2004A	0.64	0.05	946,053	-	INTU13C2002A	0.34	0.06	165,703	-
EGCO06C2004A	0.15	-	25,040	-	GULF13P2001A	-	-	-	-	INTU13P2004A	0.25	(0.04)	75,561	-
EGCO06P2004A	0.71	(0.02)	9,559	-	GULF13P2001B	0.01	-	3,000	-	INTU16C2001A	0.08	0.01	4,002	-
EGCO13C2002A	0.08	(0.01)	250	-	GULF13P2002A	0.10	(0.04)	46,954	-	INTU16C2005A	0.08	0.01	4,990	-
EGCO13C2005A	0.52	0.01	97,519	-	GULF13P2004A	0.64	(0.06)	716,746	-	INTU16C2007A	0.34	0.05	79,712	-
EGCO16C2001A	0.07	(0.01)	1,298	-	GULF16C2001A	2.10	0.11	34,996	2.00	INTU19C2004A	0.17	0.03	31,423	-
EGCO19C2002A	0.02	(0.01)	187	-	GULF16C2003A	0.47	0.06	106,492	-	INTU19C2005A	0.43	0.05	86,909	-
EGCO19C2005A	0.34	(0.01)	28,383	-	GULF16C2007A	0.84	0.07	109,887	-	INTU19P2002A	0.17	(0.04)	23,404	-
EGCO41C2001A	0.03	(0.03)	2,003	-	GULF19C2003A	0.69	0.06	74,399	-	INTU24C2000A	0.09	0.02	2	-
EGCO41C2002A	0.04	(0.06)	450	-	GULF19C2004A	0.42	0.03	50,689	-	INTU28C2003A	0.04	0.01	3,000	-
EGCO41C2003A	-	-	-	-	GULF19P2001A	-	-	-	-	INTU41C2003A	0.08	-	2	-
EGCO41C2004A	0.15	(0.04)	1	-	GULF19P2003A	0.17	(0.02)	27,421	-	INTU41C2004A	0.06	-	1,999	-
EGCO41C2006A	0.56	-	28,944	-	GULF24C2001A	1.37	0.07	2	1.00	INTU41C2005A	-	-	-	-
EGCO41P2001A	-	-	-	-	GULF24C2002A	0.36	0.05	32,030	-	INTU41C2006A	0.41	0.05	102,546	-
EGCO41P2002A	0.28	(0.01)	33,246	-	GULF24C2005A	0.79	0.07	5,000	-	INTU41C2007A	-	-	-	-
EGCO41P2004A	0.93	0.03	2,318	-	GULF24P2001A	-	-	-	-	INTU41P2001A	-	-	-	-
EGCO41P2006A	0.62	(0.01)	23,715	-	GULF27C2004A	1.22	0.05	14,802	1.00	INTU41P2003A	-	-	-	-
EGCO42C2003A	0.04	-	2,000	-	GULF28C2001A	-	-	-	-	INTU41P2004A	-	-	-	-
EPG08C2004A	0.11	0.01	5,506	-	GULF28C2003A	0.24	0.02	54,876	-	INTU41P2005A	0.43	(0.04)	4,112	-
EPG13C2004A	0.06	-	37,739	-	GULF28C2003B	0.24	0.02	33,462	-	INTU41P2006A	0.46	(0.11)	434	-
EPG19C2002A	0.01	-	105	-	GULF41C2001A	-	-	-	-	INTU42C2003A	-	-	-	-
EPG19C2005A	0.15	0.01	8,535	-	GULF41C2001B	-	-	-	-	INTU42C2005A	0.36	0.04	4,109	-
EPG19P2002A	0.32	(0.06)	49,048	-	GULF41C2002A	0.30	0.01	4	-	IRPC01C2002A	0.16	-	417,722	-
ERW06C2001A	0.02	-	1,202	-	GULF41C2003A	0.56	0.02	8,324	-	IRPC01C2002B	0.16	(0.01)	486,845	-
ERW06P2001A	0.04	(0.05)	17,794	-	GULF41C2004A	-	-	-	-	IRPC01C2005A	0.41	(0.59)	139,798	-
ERW11C2001A	-	-	-	-	GULF41C2005A	0.48	0.12	7,060	-	IRPC01C2005B	0.27	(0.73)	199,857	-
ERW13C2001A	-	-	-	-	GULF41C2006A	0.80	(0.20)	106,660	-	IRPC01P2002A	0.35	(0.02)	352,161	-
ERW13C2005A	0.12	0.03	191,869	-	GULF41P2001A	-	-	-	-	IRPC01P2005A	0.72	(0.28)	91,476	-
ERW19C2001A	-	-	-	-	GULF41P2002A	-	-	-	-	IRPC06C2001A	0.02	(0.01)	14,350	-
ERW19C2005A	0.06	0.01	3,322	-	GULF41P2003A	0.53	(0.03)	21,268	-	IRPC06C2005A	0.42	-	76,260	-
ESSO01C2004A	0.71	0.08	85,677	-	GULF41P2004A	0.81	(0.07)	66,402	-	IRPC06P2004A	0.17	-	40,917	-
ESSO01C2004B	0.66	0.10	86,595	-	GULF41P2005A	-	-	-	-	IRPC11C2001A	-	-	-	-
ESSO08C2004A	0.71	0.09	43,919	-	GULF41P2006A	-	-	-	-	IRPC11C2005A	0.04	(0.01)	5,521	-
ESSO11C2002A	-	-	-	-	GULF42C2002A	0.62	0.09	24,705	-	IRPC13C2001A	-	-	-	-
ESSO13C2003A	0.48	0.07	319,919	-	GULF42C2003A	0.25	0.03	10,801	-	IRPC13C2003A	0.23	-	565,570	-
ESSO19C2001A	0.02	-	1,500	-	GUNK01C2005A	0.27	(0.01)	45,991	-	IRPC19C2001A	-	-	-	-
ESSO19C2004A	0.54	0.08	65,540	-	GUNK01C2005B	0.12	(0.01)	45,299	-	IRPC19C2003A	0.16	-	120,536	-
ESSO24C2003A	0.50	0.10	16,903	-	GUNK01P2005A	0.41	0.02	34,855	-	IRPC19C2005A	0.42	(0.01)	80,041	-
ESSO41C2002A	0.23	0.03	2,011	-	GUNK11C2007A	0.16	(0.01)	24,240	-	IRPC24C2002A	0.07	-	12,410	-
ESSO41C2003A	0.41	-	6,660	-	GUNK13C2003A	-	-	-	-	IRPC24C2004A	0.34	-	63,871	-
ESSO41C2004A	0.62	(0.06)	322	-	GUNK16C2002A	0.02	(0.01)	5,000	-	IRPC28C2003A	0.12	(0.01)	36,782	-
ESSO41C2005A	0.63	0.09	1,001	-	GUNK19C2003A	0.09	(0.01)	11,415	-	IRPC28C2003B	0.26	-	31,396	-
ESSO42C2001A	0.02	(0.02)	100	-	GUNK24C2001A	-	-	-	-	IRPC41C2001A	-	-	-	-
ESSO42C2003A	0.44	0.02	13,575	-	GUNK24C2006A	0.22	(0.01)	82	-	IRPC41C2002A	-	-	-	-
GFPT13C2003A	0.17	0.01	10,222	-	GUNK28C2002A	-	-	-	-	IRPC41C2002B	-	-	-	-
GFPT19C2004A	0.15	0.01	17,363	-	GUNK28C2003A	-	-	-	-	IRPC41C2003A	0.25	(0.03)	36,453	-
GFPT42C2004A	0.22	0.03	5,878	-	GUNK28C2005A	0.14	(0.01)	20,898	-	IRPC41C2004A	0.38	(0.01)	9,540	-
GLOB01C2003A	0.12	(0.04)	164,402	-	GUNK41C2002A	-	-	-	-	IRPC41C2005A	-	-	-	-
GLOB01P2003A	0.47	0.08	179,678	-	GUNK41C2003A	-	-	-	-	IRPC41P2001A	-	-	-	-
GLOB06C2002A	0.05	(0.05)	5,730	-	GUNK41C2005A	-	-	-	-	IRPC41P2002A	-	-	-	-
GLOB11C2002A	-	-	-	-	GUNK41P2005A	0.48	-	9,972	-	IRPC41P2004A	-	-	-	-
GLOB13C2002A	0.06	(0.03)	12,008	-	GUNK42C2003A	-	-	-	-	IRPC41P2005A	0.27	-	23,089	-
GLOB16C2001A	-	-	-	-	HANA01C2001A	0.37	0.03	41,272	-	IRPC41P2006A	0.42	0.04	100	-
GLOB19C2002A	0.04	(0.04)	500	-	HANA01C2001B	0.10	-	49,566	-	IRPC42C2002A	-	-	-	-
GLOB19C2005A	0.14	(0.06)	26,028	-	HANA01C2006A	0.44	(0.56)	62,968	-	IRPC42C2003A	0.12	(0.03)	7,324	-
GLOB24C2005A	0.14	(0.05)	17,082	-	HANA01C2006B	0.26	(0.74)	67,842	-	IVL01C2002A	0.07	(0.01)	259,821	-
GLOB41C2001A	-	-	-	-	HANA01P2006A	0.42	(0.58)	44,060	-	IVL01C2002B	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA13C2002A	0.34	0.02	130,152	-	IVL01C2004A	0.34	(0.01)	231,158	-
GLOB41P2001A	0.21	0.11	53	-	HANA19C2003A	0.41	0.01	27,082	-	IVL01C2004B	0.44	0.01	294,506	-
GPSC01C2003A	0.96	0.08	487,737	-	HANA27C2001A	0.40	0.03	2,893	-	IVL01P2002A	0.72	-	83,472	-
GPSC01C2003B	0.52	0.05	664,186	-	HANA41C2002A	0.27	0.02	60	-	IVL01P2002B	0.35	(0		

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL13P2001A	-	-	-	-	KCE08C2005A	0.43	0.04	69,568	-	MINT19C2004A	0.16	0.01	35,433	-
IVL13P2004A	0.22	(0.02)	118,265	-	KCE08C2005B	0.15	0.01	41,796	-	MINT19P2004A	0.23	(0.03)	89,775	-
IVL16C2001A	-	-	-	-	KCE11C2004A	0.69	0.04	97,530	-	MINT23C2001A	-	-	-	-
IVL16C2006A	0.28	0.01	109,778	-	KCE13C2001A	0.14	0.04	10,415	-	MINT24C2001A	-	-	-	-
IVL19C2001A	-	-	-	-	KCE13C2003A	1.27	(0.28)	4,068	1.00	MINT24C2006A	0.22	0.02	37,515	-
IVL19C2002A	0.12	-	69,203	-	KCE13C2004A	0.53	0.04	319,515	-	MINT28C2002A	-	-	-	-
IVL19C2003A	0.10	-	15,010	-	KCE13C2005A	0.13	-	128,619	-	MINT41C2001A	-	-	-	-
IVL19C2004A	0.46	0.01	12,225	-	KCE16C2001A	0.16	0.04	377,432	-	MINT41C2002A	-	-	-	-
IVL19P2003A	0.13	0.02	23,339	-	KCE16C2007A	0.50	0.04	72,347	-	MINT41C2005A	-	-	-	-
IVL24C2001A	-	-	-	-	KCE19C2002A	0.66	0.08	8,068	-	MINT41P2004A	0.34	(0.01)	280	-
IVL24C2002A	0.10	(0.01)	16,146	-	KCE19C2005A	0.58	0.05	275,510	-	MINT42C2002A	-	-	-	-
IVL24C2003A	0.37	0.01	49,969	-	KCE24C2005A	1.01	0.06	105,778	1.00	MINT42C2004A	0.09	0.01	901	-
IVL28C2001A	-	-	-	-	KCE28C2003A	-	-	-	-	MTC01C2003A	0.54	(0.05)	218,269	-
IVL28C2002A	-	-	-	-	KCE28C2003B	-	-	-	-	MTC01C2003B	0.31	(0.05)	331,255	-
IVL28C2003A	0.12	0.01	36,935	-	KCE41C2002A	0.59	(0.05)	1	-	MTC01P2003A	0.39	0.04	288,972	-
IVL28C2003B	0.25	0.02	63,568	-	KCE41C2003A	1.02	(0.11)	1	1.00	MTC03C2005A	0.49	(0.04)	38,640	-
IVL28P2003A	0.03	0.02	2,000	-	KCE41C2005A	0.62	(0.06)	27,757	-	MTC08C2005A	0.56	(0.07)	70,065	-
IVL41C2001A	-	-	-	-	KCE41C2006A	0.45	(0.05)	22,660	-	MTC11C2002A	0.77	(0.08)	33,010	-
IVL41C2002A	-	-	-	-	KCE42C2001A	0.65	0.01	20,800	-	MTC13C2003A	0.39	(0.06)	429,969	-
IVL41C2002B	-	-	-	-	KKP01C2001A	0.25	-	46,887	-	MTC13P2003A	0.21	0.03	135,492	-
IVL41C2003A	-	-	-	-	KKP01C2001B	-	-	-	-	MTC16C2007A	0.39	(0.07)	304,159	-
IVL41C2004A	-	-	-	-	KKP01C2006A	0.61	(0.39)	36,579	-	MTC19C2002A	0.29	(0.07)	123,506	-
IVL41C2005A	0.29	(0.14)	50,296	-	KKP01C2006B	0.40	(0.60)	45,243	-	MTC19C2006A	0.39	(0.61)	84,390	-
IVL41C2006A	0.29	(0.03)	12,754	-	KKP01P2001A	0.64	0.01	20,641	-	MTC19P2004A	0.29	0.02	178,182	-
IVL41C2007A	-	-	-	-	KKP01P2006A	0.70	(0.30)	17,600	-	MTC24C2004A	0.45	(0.10)	7,180	-
IVL41P2001A	0.25	(0.01)	481	-	KKP08C2003A	0.15	-	3,004	-	MTC28C2002A	0.32	(0.07)	60,859	-
IVL41P2002A	0.09	0.02	1	-	KKP11C2007A	0.41	(0.02)	44,510	-	MTC41C2003A	0.42	-	8,886	-
IVL41P2003A	-	-	-	-	KKP13C2001A	-	-	-	-	MTC41C2004A	-	-	-	-
IVL41P2004A	-	-	-	-	KKP13C2004A	0.23	0.01	134,970	-	MTC41P2003A	-	-	-	-
IVL41P2005A	0.50	-	33,658	-	KKP16C2002A	0.30	0.01	68,588	-	MTC41P2004A	0.48	0.03	48,060	-
IVL41P2006A	-	-	-	-	KKP19C2003A	0.20	-	7,606	-	MTC42C2003A	0.23	(0.06)	19,104	-
IVL41P2007A	-	-	-	-	KKP24C2003A	-	-	-	-	ORI08C2001A	-	-	-	-
IVL42C2001A	-	-	-	-	KKP27P2002A	0.14	(0.01)	23,922	-	ORI13C2004A	0.31	0.03	64,076	-
IVL42C2002A	0.08	0.01	95,866	-	KKP41C2002A	0.15	(0.02)	3,762	-	ORI19C2001A	-	-	-	-
JAS06C2002A	0.03	-	3,851	-	KTB01C2003A	0.22	(0.02)	176,900	-	ORI19C2003A	0.15	-	13,099	-
JAS13C2001A	0.02	(0.01)	11,504	-	KTB01P2003A	0.36	0.03	34,358	-	ORI19C2005A	0.39	0.02	26,376	-
JAS13C2002A	0.47	0.02	71,882	-	KTB11C2004A	0.02	(0.01)	1,000	-	ORI24C2001A	-	-	-	-
JAS13C2002B	0.12	0.01	226,022	-	KTB11C2006A	0.11	(0.01)	30,204	-	ORI28C2004A	0.27	0.02	18,782	-
JAS16C2002A	-	-	-	-	KTB13C2002A	-	-	-	-	ORI41C2002A	-	-	-	-
JAS16C2002B	-	-	-	-	KTB19C2002A	0.02	(0.01)	10,000	-	ORI41C2004A	-	-	-	-
JAS19C2002A	0.02	-	29	-	KTB19C2005A	0.22	(0.02)	24,220	-	OSP01C2003A	0.27	0.02	254,585	-
JAS19C2004A	0.26	-	9,336	-	KTB24C2004A	-	-	-	-	OSP01C2003B	0.10	0.01	233,958	-
JAS19P2001A	-	-	-	-	KTB41C2002A	-	-	-	-	OSP01C2006A	0.46	(0.54)	97,380	-
JAS28C2002A	-	-	-	-	KTB41C2003A	-	-	-	-	OSP01C2006B	0.31	(0.69)	61,975	-
JAS28C2002B	0.09	-	13,020	-	KTB41C2004A	0.14	(0.03)	1,713	-	OSP01P2003A	0.43	(0.03)	244,780	-
JAS28C2003A	-	-	-	-	KTB41C2006A	-	-	-	-	OSP06C2005A	0.35	0.03	48,377	-
JAS41C2001A	-	-	-	-	KTB41P2004A	0.24	0.03	102	-	OSP06P2003A	0.30	(0.06)	51,575	-
JAS41C2004A	-	-	-	-	KTC01C2001A	0.10	-	301,188	-	OSP08C2001A	0.26	0.05	22,245	-
JAS41C2005A	-	-	-	-	KTC01C2001B	0.01	-	2,280	-	OSP08C2004A	0.18	0.02	18,770	-
JAS41C2006A	-	-	-	-	KTC01C2004A	0.28	-	420,492	-	OSP11C2005A	0.35	0.03	83,281	-
JAS41P2001A	0.43	(0.01)	121	-	KTC01C2004B	0.17	-	299,920	-	OSP13C2002A	0.11	0.02	125,181	-
JAS41P2005A	-	-	-	-	KTC01P2001A	0.12	(0.02)	193,114	-	OSP13C2004A	0.29	0.02	265,064	-
JMT19C2006A	0.48	(0.52)	15,824	-	KTC01P2004A	0.46	(0.02)	258,385	-	OSP16C2001A	0.24	0.04	40,808	-
KBAN01C2002A	0.05	(0.01)	135,876	-	KTC06C2002A	-	-	-	-	OSP19C2004A	0.15	0.01	41,463	-
KBAN01C2002B	0.02	-	2,701	-	KTC08C2004A	0.16	-	17,594	-	OSP19C2005A	0.32	0.02	60,474	-
KBAN01C2004A	0.38	(0.01)	567,027	-	KTC11C2005A	0.20	-	70,765	-	OSP24C2008A	0.40	0.03	39,301	-
KBAN01C2004B	0.40	(0.02)	250,343	-	KTC13C2002A	0.03	-	4,230	-	OSP28C2001A	0.19	-	31	-
KBAN01P2002A	1.70	0.02	36,413	1.00	KTC13C2004A	0.16	0.01	212,859	-	OSP28C2003A	0.12	0.02	24,480	-
KBAN01P2002B	0.86	0.01	83,338	-	KTC13P2002A	0.31	(0.02)	252,101	-	OSP41C2003A	-	-	-	-
KBAN01P2004A	0.93	0.01	250,761	-	KTC19C2002A	-	-	-	-	OSP41C2004A	-	-	-	-
KBAN01P2004B	0.22	-	226,762	-	KTC19C2005A	0.24	-	88,753	-	OSP41C2005A	0.26	-	740	-
KBAN06C2001A	-	-	-	-	KTC19P2001A	0.03	-	40	-	OSP41P2003A	0.17	(0.01)	4	-
KBAN06C2004A	0.30	(0.02)	114,226	-	KTC19P2005A	0.40	(0.01)	70,087	-	OSP41P2004A	-	-	-	-
KBAN08C2001A	0.01	-	169	-	KTC24C2001A	0.07	(0.01)	3,780	-	OSP42C2001A	0.18	0.02	6,960	-
KBAN08C2002A	-	-	-	-	KTC28C2002A	-	-	-	-	OSP42C2005A	0.32	0.03	10,454	-
KBAN08C2005A	0.37	-	38,222	-	KTC28C2003A	0.04	-	500	-	PLAN08C2004A	0.06	-	1,200	-
KBAN08P2002A	0.46	0.03	45,982	-	KTC28C2004A	0.12	-	42,832	-	PLAN13C2004A	0.08	(0.01)	52,395	-
KBAN08P2004A	0.31	0.02	31,360	-	KTC41C2001A	-	-	-	-	PLAN13C2005A	0.21	(0.02)	88,854	-
KBAN13C2001A	-	-	-	-	KTC41C2004A	-	-	-	-	PLAN16C2002A	0.12	(0.01)	109,262	-
KBAN13C2003A	0.15	-	171,219	-	KTC41C2005A	-	-	-	-	PLAN19C2001A	-	-	-	-
KBAN13C2003B	0.35	(0.01)	786,929	-	KTC41C2006A	0.25	(0.03)	4	-	PLAN19C2005A	0.11	-	11,986	-
KBAN13P2001A	0.02	(0.02)	2,968	-	KTC41P2001A	0.39	0.06	4	-	PLAN24C2006A	0.21	(0.01)	19,136	-
KBAN13P2003A	0.15	-	271,614	-	KTC42C2003A	-	-	-	-	PLAN28C2002A	0.01	(0.02)	710	-
KBAN16C2001A	-	-	-	-	LH01C2003A	0.14	0.02	291,847	-	PLAN28C2004A	0.07	(0.01)	11,681	-
KBAN16C2005A	0.15	-	159,683	-	LH01P2003A	0.35	(0.03)	92,302	-	PLAN28C2005A	0.13	(0.02)	24,336	-
KBAN19C2001A	-	-	-	-	LH11C2007A	0.46	0.04	36,410	-	PLAN41C2002A	-	-	-	-
KBAN19C2003A	0.08	-	56,875	-	LH16C2002A	0.09	-	85,351	-	PLAN41C2004A	0.03	-	5	-
KBAN19C2004A	0.43	(0.02)	98,994	-	LH19C2003A	-	-	-	-	PLAN41C2005A	-	-	-	-
KBAN19P2004A	0.29	0.03	219,713	-	LH19C2003B	0.20	0.03	36,185	-	PLAN41C2006A	0.19	(0.04)	2,270	-
KBAN24C2001A	-	-	-	-	LH19P2004A	0.15	(0.01)	12,236	-	PRM08C2003A	0.07	(0.01)	2,346	-
KBAN24C2005A	0.34	(0.02)	51,156	-	LH41C2002A	-	-	-	-	PRM13C2003A	0.13	(0.02)	6,606	-
KBAN27P2001A	0.23	0.02	119,599	-	LH41C2004A	-	-	-	-	PRM19C2001A	-	-	-	-
KBAN28C2001A	-	-	-	-	LH41C2005A	-	-	-	-	PRM19C2004A	0.18	(0.03)	17,201	-
KBAN28C2002A	0.01	-	8,116	-	LH41P2003A	-	-	-	-	PRM27C2002A	0.04	(0.02)	2,070	-
KBAN28C2002B	-	-	-	-	MAJO06C2001A	-	-	-	-	PRM41C2002A	-	-	-	-
KBAN28C2003A	0.09	-	16,150	-	MAJO13C2002A	0.34	0.03	14,341	-	PRM42C2001A	-	-	-	-
KBAN28C2004A	0.42	0.02	99,844	-	MAJO19C2002A	0.09	(0.02)	200	-	PSH13C2001A	-	-	-	-
KBAN28P2003A	0.21	-	51,232	-	MAJO24C2002A	-	-	-	-	PSH19C2001A	-	-	-	-
KBAN41C2001A	-	-	-	-	MBK19C2004A	0.22	(0.01)	22,115	-	PSH19C2003A	0.07	-	100	-
KBAN41C2002A	-	-	-	-	MEGA19C2001A	-	-	-	-	PSH19C2005A	0.29			

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price
KCE08C2002A	0.80	0.05	490	-
MINT19C2002A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
PTG01P2005A	0.77	0.09	281,357	-

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG01P2005B	0.56	0.08	514,242	-	PTTE42C2001A	-	-	-	-	S10001C2011A	0.64	0.04	563	-
PTG03C2005A	0.03	-	196,481	-	PTTE42C2004A	0.37	(0.02)	9,842	-	S5001C2001A	0.31	0.05	542,592	-
PTG06C2001A	0.01	-	50	-	PTTG01C2002A	0.65	0.07	94,162	-	S5001C2002A	0.65	0.08	994,680	-
PTG06C2006A	0.29	(0.09)	92,251	-	PTTG01C2002B	0.40	0.04	439,106	-	S5001C2003F	0.67	0.09	3,164,915	-
PTG08C2005A	0.18	(0.05)	60,478	-	PTTG01C2005A	0.68	0.06	186,825	-	PTG01C2003G	0.50	0.08	3,556,271	-
PTG11C2003A	0.28	(0.09)	46,570	-	PTTG01C2005B	0.46	0.04	195,202	-	S5001C2003H	0.86	(0.14)	2,202,262	-
PTG11C2005A	0.11	(0.05)	54,978	-	PTTG01P2002A	0.26	(0.04)	111,045	-	S5001C2004A	0.88	0.08	819,202	-
PTG13C2002A	0.03	0.01	102,527	-	PTTG01P2002B	-	-	-	-	S5001P2001A	0.67	(0.13)	830,863	-
PTG13C2004A	0.19	(0.07)	897,478	-	PTTG01P2005A	0.62	(0.06)	108,147	-	S5001P2002A	0.51	(0.11)	723,767	-
PTG13P2001A	0.41	0.13	208,522	-	PTTG01P2005B	0.40	(0.06)	290,300	-	S5001P2003F	0.66	(0.13)	4,225,283	-
PTG13P2004A	0.50	0.08	760,575	-	PTTG06C2001A	0.32	0.07	55,580	-	S5001P2003G	0.51	(0.11)	2,784,877	-
PTG19C2003A	0.11	(0.05)	77,274	-	PTTG08C2001A	-	-	-	-	S5001P2003H	0.90	(0.10)	2,448,109	-
PTG19C2004A	0.09	(0.04)	46,592	-	PTTG08C2004A	0.62	0.07	49,793	-	S5001P2004A	0.87	(0.10)	324,872	-
PTG19C2005A	0.26	(0.07)	377,150	-	PTTG08P2004A	0.17	(0.03)	8,800	-	S5006C2003A	0.33	0.06	217,508	-
PTG19P2001A	0.35	0.10	49,827	-	PTTG11C2004A	0.21	0.03	71,766	-	S5006C2003B	0.42	0.07	128,353	-
PTG24C2002A	0.07	(0.04)	18,090	-	PTTG11C2007A	0.91	0.10	42,471	-	S5006C2003C	0.57	0.10	293,514	-
PTG27P2001A	0.18	0.05	201,464	-	PTTG13C2001A	0.11	0.03	2,708	-	S5006P2003A	0.71	(0.17)	488,024	-
PTG28C2004A	0.11	(0.03)	48,310	-	PTTG13C2002A	0.59	0.07	245,217	-	S5006P2003B	0.86	(0.16)	208,975	-
PTG41C2002A	-	-	-	-	PTTG13C2005A	0.52	0.05	667,390	-	S5006P2003C	0.34	(0.10)	388,630	-
PTG41C2004A	-	-	-	-	PTTG13P2001A	-	-	-	-	S5008C2003A	0.63	0.10	341,773	-
PTG41C2005A	-	-	-	-	PTTG13P2004A	0.19	(0.04)	287,206	-	S5008C2003B	0.40	0.09	200,877	-
PTG41C2006A	0.31	(0.19)	22,880	-	PTTG16C2001A	-	-	-	-	S5008P2003A	0.30	(0.08)	291,265	-
PTG42C2001A	-	-	-	-	PTTG16C2006A	0.54	0.06	163,102	-	S5008P2003B	0.14	(0.05)	105,022	-
PTG42C2004A	0.09	(0.06)	9,890	-	PTTG19C2001A	-	-	-	-	S5013C2003A	0.42	0.06	10,919,290	-
PTT01C2001A	0.29	0.01	194,393	-	PTTG19C2002A	0.34	0.05	35,421	-	S5013C2003B	0.74	0.09	6,616,263	-
PTT01C2001B	0.03	-	12,604	-	PTTG19C2006A	0.41	(0.59)	27,379	-	S5013C2003C	0.61	0.09	9,717,632	-
PTT01C2004A	0.54	0.01	192,389	-	PTTG19P2003A	0.07	(0.02)	2,150	-	S5013P2003A	0.90	(0.13)	4,104,501	-
PTT01C2004B	0.34	0.01	157,983	-	PTTG24C2003A	0.74	0.10	14,600	-	S5013P2003B	0.54	(0.10)	10,967,688	-
PTT01P2001A	0.32	(0.02)	90,007	-	PTTG27C2001A	-	-	-	-	S5013P2003C	0.77	(0.14)	8,064,052	-
PTT01P2001B	0.05	-	16	-	PTTG28C2001A	-	-	-	-	S5016C2003A	0.43	0.07	204,957	-
PTT01P2004A	0.33	(0.01)	115,823	-	PTTG28C2002A	0.22	0.04	69,476	-	S5016C2003B	0.66	0.08	270,756	-
PTT01P2004B	0.15	(0.01)	168,324	-	PTTG28C2003A	0.54	0.04	10,240	-	S5016C2003C	0.78	0.08	115,234	-
PTT06C2005A	0.48	0.02	23,620	-	PTTG41C2001A	-	-	-	-	S5016P2003A	0.57	(0.12)	400,005	-
PTT08C2005A	0.45	0.01	29,900	-	PTTG41C2002A	0.54	(0.01)	1,550	-	S5016P2003C	0.71	(0.09)	157,537	-
PTT08P2005A	0.18	-	3,840	-	PTTG41C2003A	0.45	(0.01)	66,106	-	S5019C2003A	0.41	0.07	359,738	-
PTT11C2004A	0.15	-	42,066	-	PTTG41C2006A	-	-	-	-	S5019C2003B	0.85	0.12	550,563	-
PTT13C2001A	0.02	-	203	-	PTTG41P2001A	-	-	-	-	S5019P2003A	0.60	(0.11)	439,851	-
PTT13C2004A	0.33	0.01	334,140	-	PTTG41P2002A	-	-	-	-	S5019P2003B	0.27	(0.07)	328,330	-
PTT13P2001A	-	-	-	-	PTTG41P2003A	-	-	-	-	S5024C2003A	0.46	0.08	182,336	-
PTT13P2004A	0.14	-	109,333	-	PTTG41P2006A	0.46	(0.54)	4,100	-	S5024C2003B	1.01	0.18	211,491	-
PTT16C2001A	-	-	-	-	PTTG42C2003A	0.26	0.04	13,144	-	S5024P2003A	0.73	(0.18)	324,200	-
PTT19C2002A	0.20	0.01	8,680	-	QH01C2001A	-	-	-	-	S5024P2003B	0.30	(0.08)	41,891	-
PTT19C2005A	0.49	0.04	25,810	-	QH01C2001B	-	-	-	-	S5028C2001A	0.10	0.03	156,636	-
PTT19P2003A	0.08	(0.01)	1,000	-	QH01P2001A	0.35	(0.06)	1,244	-	S5028C2002A	0.29	0.05	147,411	-
PTT24C2003A	0.20	-	88,222	-	QH11C2006A	0.22	0.01	50	-	S5028C2003A	0.12	0.03	55,947	-
PTT24P2001A	0.01	(0.03)	34,460	-	QH13C2003A	-	-	-	-	S5028P2001A	0.27	(0.09)	18,474	-
PTT28C2002A	0.12	0.01	68,620	-	QH19C2002A	-	-	-	-	S5028P2002A	0.29	0.03	19	-
PTT28C2003A	0.08	0.01	8,500	-	QH19C2006A	-	-	-	-	S5028P2003A	0.23	(0.03)	252,872	-
PTT28C2004A	0.26	0.03	31,262	-	QH27C2007A	-	-	-	-	S5041C2003A	0.27	0.04	604,637	-
PTT28P2004A	0.14	-	22,408	-	RATC01C2003A	0.19	-	46,356	-	S5041C2003B	0.41	0.05	106,082	-
PTT41C2001A	-	-	-	-	RATC01C2003B	0.07	(0.01)	41,095	-	S5041C2003C	0.56	0.08	1,031,597	-
PTT41C2002A	-	-	-	-	RATC01C2006A	0.66	(0.34)	33,360	-	S5041P2003A	0.44	(0.09)	101,468	-
PTT41C2004A	-	-	-	-	RATC01C2006B	0.47	(0.53)	37,842	-	S5041P2003B	0.65	(0.10)	1,948,350	-
PTT41C2005A	0.41	(0.02)	750	-	RATC01P2006A	0.84	(0.16)	25,788	-	S5041P2003C	0.28	(0.07)	1,512,724	-
PTT41C2006A	-	-	-	-	RATC06C2006A	0.42	0.01	14,616	-	SAWA01C2003A	1.15	0.15	106,890	1.00
PTT41P2001A	-	-	-	-	RATC06P2006A	0.37	(0.01)	18,810	-	SAWA01C2003B	0.77	0.15	342,002	-
PTT41P2004A	-	-	-	-	RATC13C2001A	0.01	-	4	-	SAWA01P2003A	0.23	(0.06)	545,845	-
PTT41P2005A	-	-	-	-	RATC13C2002A	0.02	0.01	2,864	-	SAWA06C2002A	0.81	0.16	78,948	-
PTT42C2003A	0.16	-	3,762	-	RATC13C2004A	0.24	0.01	89,591	-	SAWA08C2001A	0.65	0.16	63,960	-
PTTE01C2001A	0.41	(0.01)	57,157	-	RATC16C2001A	0.06	0.01	12,621	-	SAWA11C2003A	0.98	0.13	112,029	-
PTTE01C2001B	0.04	(0.01)	2,099	-	RATC19C2002A	0.02	-	1,360	-	SAWA13C2002A	0.79	0.19	450	-
PTTE01C2004A	0.83	(0.01)	80,298	-	RATC19C2005A	0.26	-	25,070	-	SAWA13C2005A	0.67	0.11	337,862	-
PTTE01C2004B	0.58	(0.01)	203,051	-	RATC24C2001A	0.07	(0.01)	2,572	-	SAWA16C2001A	0.83	0.19	161,986	-
PTTE01P2001A	0.62	0.01	67,820	-	RATC24C2006A	0.40	0.01	13,800	-	SAWA19C2002A	0.57	0.16	87,349	-
PTTE01P2001B	0.04	-	1	-	RATC27C2004A	0.07	-	10	-	SAWA19C2005A	0.59	0.11	87,731	-
PTTE01P2004A	0.29	(0.01)	91,651	-	RATC41C2001A	-	-	-	-	SAWA24C2004A	0.67	0.13	70,198	-
PTTE01P2004B	0.15	(0.01)	192,414	-	RATC41C2002A	-	-	-	-	SAWA28C2001A	0.53	0.22	64	-
PTTE06C2001A	0.01	-	18,350	-	RATC41C2003A	-	-	-	-	SAWA28C2002A	-	-	-	-
PTTE06C2001B	0.38	(0.04)	30,125	-	RATC41C2004A	0.34	-	20,880	-	SAWA28C2004A	0.52	0.11	267,607	-
PTTE08C2002A	0.21	(0.03)	22,244	-	RATC41C2005A	-	-	-	-	SAWA41C2003A	0.84	0.06	28,810	-
PTTE08C2005A	0.61	(0.02)	31,059	-	RATC41P2004A	0.63	-	29,148	-	SAWA41C2004A	0.56	0.12	92,910	-
PTTE08P2005A	0.29	0.01	26,165	-	RATC41P2006A	-	-	-	-	SAWA41C2005A	-	-	-	-
PTTE11C2006A	0.70	(0.03)	69,867	-	RATC42C2003A	0.05	-	5,130	-	SAWA41P2003A	0.09	(0.06)	13,481	-
PTTE13C2001A	0.28	(0.06)	2,830	-	ROBI08C2001A	-	-	-	-	SAWA41P2004A	0.43	(0.08)	39,236	-
PTTE13C2004A	0.63	(0.02)	157,743	-	ROBI11C2003A	-	-	-	-	SAWA42C2003A	0.46	0.08	20,768	-
PTTE13P2001A	-	-	-	-	ROBI13C2002A	-	-	-	-	SCB01C2002A	0.10	-	50,370	-
PTTE13P2003A	0.15	(0.01)	109,976	-	ROBI19C2004A	0.33	(0.01)	44,429	-	SCB01C2002B	0.02	-	222,001	-
PTTE16C2003A	0.33	(0.01)	79,975	-	ROBI41C2001A	-	-	-	-	SCB01C2004A	0.46	(0.01)	62,577	-
PTTE19C2001A	-	-	-	-	ROBI41P2001A	-	-	-	-	SCB01C2004B	0.25	(0.01)	148,399	-
PTTE19C2002A	0.38	(0.01)	9,475	-	RS06C2001A	0.01	-	65,120	-	SCB01P2002A	1.31	-	18,841	1.00
PTTE19C2006A	0.51	(0.49)	15,147	-	RS06C2004A	0.18	-	5,650	-	SCB01P2002B	0.81	(0.01)	48,177	-
PTTE19P2004A	0.13	(0.01)	30,368	-	RS08C2001A	-	-	-	-	SCB01P2004A	0.47	0.01	99,659	-
PTTE24C2003A	0.48	(0.01)	16,358	-	RS08P2003A	1.32	(0.03)	6	1.00	SCB01P2004B	0.18	-	126,702	-
PTTE28C2001A	-	-	-	-	RS13C2002A	-	-	-	-	SCB06C2001A	-	-	-	-
PTTE28C2002A	0.29	(0.02)	1											

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE41C2003A	0.25	(0.04)	1,000	-	RS24C2004A	-	-	-	-	SCB13C2001A	-	-	-	-
PTTE41C2005A	0.63	(0.02)	21,390	-	RS24C2008A	0.30	0.02	5,858	-	SCB13C2003A	0.19	(0.01)	113,558	-
PTTE41C2006A	-	-	-	-	RS41C2002A	-	-	-	-	SCB13P2003A	0.12	(0.01)	68,414	-
PTTE41P2002A	-	-	-	-	RS41C2004A	-	-	-	-	SCB16C2001A	-	-	-	-
PTTE41P2003A	0.11	-	2,200	-	RS42C2004A	-	-	-	-	SCB16C2003A	0.12	-	32,755	-

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB19C2002A	-	-	-	-	SPRC41C2002A	-	-	-	-	THAN06C2005A	0.22	-	5,080	-
SCB19C2003A	0.17	(0.01)	17,736	-	SPRC41C2004A	-	-	-	-	THAN06P2003A	0.37	(0.01)	7,506	-
SCB19P2005A	0.45	(0.02)	117,571	-	SPRC41C2006A	-	-	-	-	THAN13C2003A	0.11	-	15,000	-
SCB24C2001A	-	-	-	-	STA01C2003A	0.16	-	384,488	-	THAN19C2001A	-	-	-	-
SCB24C2004A	0.48	(0.01)	9,350	-	STA01C2003B	-	-	-	-	THAN19C2004A	0.13	-	17,522	-
SCB28C2001A	-	-	-	-	STA01P2003A	0.41	(0.03)	17,473	-	THAN24C2001A	-	-	-	-
SCB28C2003A	0.05	(0.01)	6,000	-	STA11C2005A	0.11	-	2,120	-	THAN27C2003A	-	-	-	-
SCB28C2004A	0.17	0.02	10,140	-	STA13C2001A	-	-	-	-	THAN41C2002A	-	-	-	-
SCB41C2001A	-	-	-	-	STA13C2003A	0.12	0.01	30,918	-	TISCO1C2001A	0.98	0.05	71,487	-
SCB41C2002A	-	-	-	-	STA19C2001A	-	-	-	-	TISCO1C2001B	0.28	0.04	133,479	-
SCB41C2004A	0.33	(0.14)	186	-	STA19C2002A	-	-	-	-	TISCO1C2006A	1.03	0.03	59,587	1.00
SCB41C2005A	0.23	(0.09)	2,000	-	STA19C2004A	0.13	0.01	14,086	-	TISCO1C2006B	0.32	(0.68)	110,592	-
SCB41P2004A	-	-	-	-	STA19C2005A	0.48	0.03	9,848	-	TISCO1P2001A	0.01	-	1,300	-
SCB41P2005A	0.52	-	41,832	-	STA24C2002A	-	-	-	-	TISCO1P2006A	0.55	(0.45)	70,757	-
SCB42C2003A	-	-	-	-	STA42C2001A	-	-	-	-	TISCO8C2001A	0.15	-	20,300	-
SCC01C2001A	0.04	-	11,948	-	STEC01C2003A	0.08	0.02	48,968	-	TISCO8C2002A	0.10	(0.01)	13,500	-
SCC01C2001B	0.01	-	3,000	-	STEC01C2003B	0.03	-	11,200	-	TISC11C2005A	0.22	-	81,020	-
SCC01C2004A	0.81	0.06	96,820	-	STEC01C2004A	0.19	0.04	354,622	-	TISC11C2007A	0.86	0.04	41,100	-
SCC01C2004B	0.41	0.04	108,046	-	STEC01P2003A	1.08	(0.12)	22,191	1.00	TISC13C2001A	-	-	-	-
SCC01P2001A	0.71	(0.06)	33,123	-	STEC06C2002A	0.02	-	4,001	-	TISC13C2004A	-	-	-	-
SCC01P2004A	0.77	(0.06)	95,737	-	STEC06C2004A	0.29	0.05	41,711	-	TISC13C2006A	0.32	0.01	39,341	-
SCC06C2002A	0.08	0.01	15,056	-	STEC08C2001A	-	-	-	-	TISC16C2001A	0.36	-	136,179	-
SCC08C2002A	-	-	-	-	STEC08C2004A	-	-	-	-	TISC19C2004A	0.54	0.03	35,666	-
SCC08C2004A	0.40	0.03	17,406	-	STEC08C2005A	0.36	0.03	40,980	-	TISC41C2001A	-	-	-	-
SCC11C2003A	0.01	(0.03)	9	-	STEC11C2001A	-	-	-	-	TISC41C2005A	0.67	(0.01)	4	-
SCC11C2006A	0.09	-	1	-	STEC11C2007A	0.08	0.01	376	-	TISC42C2003A	0.25	0.02	17,072	-
SCC11C2007A	0.70	0.05	50,067	-	STEC13C2001A	-	-	-	-	TKN01C2003A	0.16	-	96,132	-
SCC13C2001A	-	-	-	-	STEC13C2003A	0.12	0.02	124,318	-	TKN01C2003B	0.10	(0.01)	15,439	-
SCC13C2002A	0.17	0.03	37,814	-	STEC13C2004A	0.28	0.05	262,246	-	TKN08C2003A	0.20	(0.01)	8,887	-
SCC13C2004A	0.52	0.05	82,959	-	STEC16C2003A	-	-	-	-	TKN13C2004A	0.16	-	37,516	-
SCC13P2001A	-	-	-	-	STEC16C2006A	0.09	0.02	39,554	-	TKN16C2001A	0.08	-	6,184	-
SCC13P2002A	0.15	(0.03)	45,073	-	STEC19C2002A	-	-	-	-	TKN19C2001A	-	-	-	-
SCC16C2002A	-	-	-	-	STEC19C2004A	0.09	-	1,000	-	TKN19C2004A	0.40	0.01	23,738	-
SCC16C2005A	0.30	0.04	89,956	-	STEC19C2005A	0.31	-	230,779	-	TKN19C2004B	0.20	0.01	31,014	-
SCC19C2002A	-	-	-	-	STEC24C2003A	-	-	-	-	TKN24C2002A	-	-	-	-
SCC19C2003A	0.02	-	200	-	STEC24C2006A	0.34	0.01	5,500	-	TKN28C2002A	-	-	-	-
SCC19C2003B	0.17	0.03	19,364	-	STEC27C2002A	-	-	-	-	TKN28C2003A	0.07	(0.01)	10	-
SCC19P2004A	0.37	(0.03)	11,043	-	STEC27C2002B	-	-	-	-	TKN41C2001A	0.07	(0.05)	1,200	-
SCC24C2003A	0.17	0.01	10,350	-	STEC28C2002A	0.02	-	10	-	TKN41C2003A	-	-	-	-
SCC27C2001A	-	-	-	-	STEC28C2004A	0.06	0.01	200	-	TKN41C2006A	-	-	-	-
SCC28C2001A	-	-	-	-	STEC28C2004B	0.14	0.02	26,384	-	TKN42C2003A	-	-	-	-
SCC28C2002A	0.01	(0.01)	1,600	-	STEC28C2005A	0.28	0.01	40,190	-	TMB01C2004A	0.44	-	98,035	-
SCC28C2003A	0.15	0.05	28,684	-	STEC41C2001A	-	-	-	-	TMB01C2004B	0.26	-	96,028	-
SCC28C2004A	0.44	0.06	16,042	-	STEC41C2003A	-	-	-	-	TMB01P2004A	0.32	0.01	145,418	-
SCC41C2001A	-	-	-	-	STEC41C2004A	-	-	-	-	TMB13C2002A	0.25	(0.02)	84,297	-
SCC41C2002A	-	-	-	-	STEC41C2005A	0.30	(0.04)	4,666	-	TMB19C2001A	0.02	-	34,140	-
SCC41C2003A	-	-	-	-	STEC41C2006A	0.38	(0.04)	22,960	-	TMB19C2004A	0.36	-	20,212	-
SCC41C2004A	0.29	-	6,660	-	STEC41P2001A	-	-	-	-	TMB19P2004A	0.30	-	83,448	-
SCC41C2005A	-	-	-	-	STEC41P2003A	-	-	-	-	TMB28C2002A	0.21	(0.02)	18,589	-
SCC41P2001A	-	-	-	-	STEC41P2004A	0.40	0.04	4,002	-	TMB41C2002A	0.17	(0.06)	6,660	-
SCC41P2004A	-	-	-	-	STEC41P2005A	0.41	-	4,100	-	TMB41P2002A	0.01	(0.01)	902	-
SCC41P2005A	0.58	(0.03)	12,100	-	STEC42C2001A	-	-	-	-	TMB41P2003A	0.12	0.01	3,238	-
SCC42C2002A	-	-	-	-	STEC42C2004A	0.23	(0.03)	5,000	-	TMB41P2006A	0.31	0.05	5,672	-
SCC42C2003A	-	-	-	-	SUPE13C2003A	0.06	-	12,110	-	TOA01C2001A	0.14	-	136,033	-
SGP13C2001A	0.07	-	3,776	-	SUPE19C2002A	0.02	-	2,145	-	TOA01C2001B	0.01	(0.01)	9	-
SGP13C2004A	0.53	0.11	31,979	-	SUPE19C2004A	0.09	-	8,314	-	TOA01P2001A	0.08	(0.02)	75,711	-
SGP13C2006A	0.17	0.03	17,842	-	SUPE42C2004A	-	-	-	-	TOA08C2003A	0.09	-	6,322	-
SGP19C2001A	-	-	-	-	TASC01C2003A	0.23	(0.04)	85,901	-	TOA13C2003A	0.09	(0.01)	9,376	-
SGP19C2002A	0.30	0.07	13,042	-	TASC01C2003B	0.07	(0.03)	23,103	-	TOA16C2001A	0.10	-	21,596	-
SGP19C2006A	0.17	(0.83)	11,628	-	TASC01P2003A	0.62	0.06	246,620	-	TOA19C2004A	0.12	0.01	34,780	-
SGP24C2002A	0.33	0.06	3,914	-	TASC08C2005A	0.17	(0.03)	44,075	-	TOA24C2005A	0.11	-	10,750	-
SGP41C2001A	-	-	-	-	TASC11C2002A	0.39	(0.07)	41,506	-	TOA41C2004A	0.11	0.01	400	-
SGP42C2001A	-	-	-	-	TASC13C2003A	0.11	(0.02)	49,733	-	TOP01C2003A	0.68	-	112,772	-
SIRI13C2007A	0.24	(0.01)	32,338	-	TASC16C2001A	0.02	(0.02)	8,706	-	TOP01C2003B	0.29	(0.01)	174,258	-
SIRI19C2002A	-	-	-	-	TASC19C2003A	0.10	(0.03)	36,854	-	TOP01P2003A	0.39	(0.01)	97,818	-
SIRI19C2004A	0.08	-	1,604	-	TASC19P2004A	0.56	0.07	122,741	-	TOP06C2004A	0.28	(0.01)	89,863	-
SIRI19C2007A	0.22	0.02	3,458	-	TASC24C2001A	0.01	(0.12)	40	-	TOP06P2005A	0.35	(0.01)	49,000	-
SPAL01C2004A	0.45	0.07	122,932	-	TASC24C2006A	0.26	(0.08)	1,631	-	TOP08C2003A	0.29	(0.01)	41,348	-
SPAL01C2004B	0.28	0.04	163,237	-	TASC28C2001A	0.01	(0.13)	1,700	-	TOP08P2003A	0.34	-	34,100	-
SPAL06P2004A	0.31	(0.05)	54,757	-	TASC28C2004A	0.11	(0.01)	14,198	-	TOP11C2002A	0.10	(0.01)	20,250	-
SPAL11C2006A	0.47	0.07	77,293	-	TASC41C2003A	-	-	-	-	TOP11C2007A	0.57	(0.03)	77,887	-
SPAL13C2001A	-	-	-	-	TASC41C2004A	-	-	-	-	TOP11P2002A	0.18	(0.01)	45,044	-
SPAL13C2003A	0.32	0.06	308,874	-	TASC42C2003A	0.06	(0.05)	1,200	-	TOP13C2002A	0.12	-	43,221	-
SPAL16C2002A	0.04	0.02	1,000	-	TCAP01C2001A	0.29	0.01	54,213	-	TOP13C2004A	0.41	(0.01)	126,074	-
SPAL19C2002A	-	-	-	-	TCAP01C2001B	0.03	(0.01)	701	-	TOP13P2001A	0.05	-	7,001	-
SPAL19C2004A	0.36	0.06	42,331	-	TCAP01P2001A	0.12	(0.01)	55,074	-	TOP13P2005A	0.53	-	87,073	-
SPAL24C2003A	-	-	-	-	TCAP11C2002A	0.15	-	26,550	-	TOP16C2001A	-	-	-	-
SPAL41C2001A	-	-	-	-	TCAP13C2002A	0.31	-	172,759	-	TOP19C2002A	0.34	0.01	33,508	-
SPAL41C2002A	-	-	-	-	TCAP19C2001A	-	-	-	-	TOP19C2003A	0.26	-	103,203	-
SPAL41C2004A	0.40	0.02	30,797	-	TCAP19C2004A	0.39	0.01	28,514	-	TOP19P2002A	0.16	(0.01)	37,290	-
SPAL42C2003A	0.16	0.04	20,927	-	TCAP24C2001A	0.07	-	30,726	-	TOP23C2001A	0.21	(0.06)	2,000	-
SPRC01C2003A	0.67	0.02	12,543	-	TCAP41C2002A	-	-	-	-	TOP24C2007A	0.49	(0.01)	62,901	-
SPRC01C2003B	0.19	0.02	451,118	-	TCAP41C2004A	0.29	(0.02)	2,000	-	TOP28C2004A	0.40	(0.01)	62,490	-
SPRC06P2003A	0.03	-	858	-	THAI11C2003A	0.03	0.02	1	-	TOP41C2002A	-	-	-	-
SPRC08C2005A	-	-	-	-	THAI13C2004A	0.16	(0.01)	131,765	-	TOP41C2002B	-	-	-	-
SPRC11C2005A	0.17	0.02	22,008	-	THAI19C2002A	-	-	-	-	TOP41C2003A	0.26	(0.06)	100	-
SPRC13C2001A	0.41	0.04	22,981	-	THAI19C2004A	0.18	-	17,382	-	TOP41C2005A	0.55	(0.07)	73,840	-
SPRC13C2004A	0.20	0.01	115,135	-	THAI42C2003A	0.03	-	180	-	TOP41C2006A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC19C2001A	0.13	0.06	38,734	-	THAI42C2005A	0.20	(0.04)	5,080	-	TOP41P2002A	-	-	-	-
SPRC19C2002A	0.93	0.08	7,428	-	THAN01C2001A	0.04	-	1,738	-	TOP41P2004A	-	-	-	-
SPRC19C2005A	0.69	0.04	17,355	-	THAN01C2001B	-	-	-	-	TPI19C2002A	0.01	-	17	-
SPRC19C2005B	0.23	0.02	51,170	-	THAN01C2006A	0.33	(0.67)	47,212	-	TPI19C2004A	0.39	0.05	17,803	-
SPRC19P2005A	0.34	(0.02)	30,260	-	THAN01C2006B	-	-	-	-	TRUE01C2002A	0.02	-	2,188	-
SPRC24C2003A	0.14	-	1,050	-	THAN01P2006A	0.43	(0.57)	10,218	-	TRUE01C2002B	0.02	0.01	111	-
SPRC41C2001A	-	-	-	-	THAN06C2003A	-	-	-	-	TRUE01C2004A	0.08	-	16,642	-

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE01C2004B	0.35	(0.01)	174,463	-	WHA41C2005A	-	-	-	-	BH-P	-	-	-	-
TRUE01P2002A	1.28	-	24,199	1.00	WHA41P2003A	1.07	0.07	6,669	1.00	CSC-P	-	-	-	-
TRUE01P2002B	0.98	-	10,029	-	WHA41P2005A	0.80	(0.01)	21,419	-	JUTHA-P	-	-	-	-
TRUE01P2004A	0.54	(0.01)	34,353	-	WHA42C2005A	-	-	-	-	KTB-B	-	-	-	-
TRUE01P2004B	0.28	-	196,070	-	WHAU27C2002A	-	-	-	-	SCB-P	-	-	-	-
TRUE06C2004A	0.37	(0.01)	40,140	-	Preferred/Foreign	-	-	-	-	TCAP-P	-	-	-	-
TRUE08C2001A	-	-	-	-	BH-Q	-	-	-	-	TISCO-P	-	-	-	-
TRUE08C2004A	0.17	0.01	28,000	-	CSC-Q	-	-	-	-	U-P	2.80	(0.02)	791	2.00
TRUE08C2005A	0.43	(0.01)	24,860	-	JUTHA-Q	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE08P2005A	0.63	-	19,670	-	KTB-Q	-	-	-	-	BM-W1	0.09	0.01	6,206	-
TRUE11C2005A	0.04	(0.01)	3,010	-	SCB-Q	-	-	-	-	BROOK-W5	0.16	-	1,622	-
TRUE11C2005B	0.08	(0.01)	40	-	TCAP-Q	-	-	-	-	CHO-W2	0.08	0.01	3,075	-
TRUE11P2002A	0.28	(0.01)	23,988	-	TISCO-Q	-	-	-	-	DOD-W1	0.67	0.11	223,596	-
TRUE13C2003A	0.05	-	1,614	-	U-Q	-	-	-	-	ECF-W3	0.48	0.07	33,755	-
TRUE13C2003B	0.28	-	112,033	-	Warrant	-	-	-	-	EFORL-W3	-	-	-	-
TRUE13P2001A	0.40	(0.01)	129,374	-	7UP-W4	0.12	-	26,501	-	EFORL-W4	-	-	-	-
TRUE16C2002A	-	-	-	-	AKR-W1	0.10	0.01	1,892	-	FVC-W2	0.06	-	1,461	-
TRUE19C2003A	0.03	0.01	15	-	ALT-W1	0.21	0.03	13,782	-	HPT-W1	0.22	-	1,541	-
TRUE19C2004A	0.17	(0.01)	39,610	-	APEX-W1	-	-	-	-	ITEL-W1	0.30	-	360	-
TRUE19P2003A	0.36	-	31,244	-	APURE-W2	0.08	-	1,888	-	JKN-W1	0.65	0.01	9,091	-
TRUE19P2005A	0.34	-	30,550	-	AS-W1	0.12	-	50	-	LIT-W1	0.88	(0.02)	1,487	-
TRUE28C2001A	-	-	-	-	AYUD-W1	1.41	0.13	6,730	1.00	META-W4	0.11	0.01	508	-
TRUE28C2003A	-	-	-	-	B-W3	-	-	-	-	NEWS-W6	-	-	-	-
TRUE28C2003B	0.10	-	43,917	-	B-W4	0.04	-	2,001	-	OCEAN-W3	0.45	(0.01)	8,838	-
TRUE41C2001A	-	-	-	-	B-W5	0.04	-	773	-	PROUD-W2	0.24	0.03	695	-
TRUE41C2001B	-	-	-	-	B52-W2	-	-	-	-	SANKO-W1	0.08	-	30	-
TRUE41C2002A	-	-	-	-	BKD-W2	0.11	-	2,845	-	SIMAT-W2	0.15	-	890	-
TRUE41C2003A	-	-	-	-	CGD-W4	0.11	-	2,818	-	SIMAT-W3	0.22	(0.03)	95	-
TRUE41C2004A	0.32	(0.01)	24,748	-	CGH-W3	0.02	(0.01)	7,053	-	SIMAT-W4	-	-	-	-
TRUE41C2005A	-	-	-	-	CI-W1	0.05	-	30,473	-	SMART-W2	0.17	-	547	-
TRUE41C2006A	0.50	(0.10)	51,641	-	CKP-W1	0.22	(0.01)	397,328	-	STAR-W3	0.06	0.01	363,743	-
TRUE41P2001A	-	-	-	-	CRANE-W1	0.55	0.01	1,171	-	SWC-W1	2.64	-	110	2.00
TRUE41P2004A	-	-	-	-	DCC-W1	0.59	-	5,298	-	TAKUNI-W	0.05	0.01	32,905	-
TRUE41P2005A	0.60	-	29,964	-	ECL-W3	0.28	(0.01)	11,182	-	TVD-W2	0.19	-	3,322	-
TRUE42C2003A	-	-	-	-	EIC-W2	-	-	-	-	UAC-W2	0.22	0.02	903	-
TRUE42C2004A	0.32	-	4,055	-	EIC-W3	-	-	-	-	UKEM-W2	0.17	-	835	-
TU01C2001A	0.02	-	5	-	EMC-W6	0.04	-	52,681	-	Preferred Shares	-	-	-	-
TU01C2001B	-	-	-	-	EPCO-W3	0.58	0.01	876	-	SGF-P1	-	-	-	-
TU01C2004A	0.22	0.02	57,197	-	GJS-W3	-	-	-	-	-	-	-	-	-
TU01C2004B	0.21	0.02	75,109	-	GLOCON-W4	0.23	0.01	19,941	-	-	-	-	-	-
TU01P2001A	1.14	(0.06)	4,561	1.00	J-W1	0.23	0.03	106	-	-	-	-	-	-
TU01P2004A	0.32	(0.03)	37,656	-	JAS-W3	1.65	0.07	18,227	1.00	-	-	-	-	-
TU06C2004A	0.08	0.01	96,634	-	JCK-W5	0.07	-	7,381	-	-	-	-	-	-
TU11C2003A	-	-	-	-	JMT-W2	4.24	0.06	1,543	4.00	-	-	-	-	-
TU13C2003A	0.03	-	8,252	-	MACO-W2	0.18	0.01	214,035	-	-	-	-	-	-
TU13C2004A	0.22	0.03	41,738	-	MILL-W4	0.05	0.01	42	-	-	-	-	-	-
TU19C2001A	-	-	-	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU19C2002A	-	-	-	-	MINT-W6	3.12	0.02	827	3.00	-	-	-	-	-
TU19C2003A	-	-	-	-	NFC-W1	0.75	0.01	153	-	-	-	-	-	-
TU19C2005A	0.28	0.01	27,176	-	NOK-W1	0.03	(0.02)	1,119	-	-	-	-	-	-
TU24C2003A	-	-	-	-	NUSA-W3	0.01	-	10	-	-	-	-	-	-
TU24C2006A	0.26	0.03	100	-	NVD-W1	0.13	0.01	2,622	-	-	-	-	-	-
TU27C2004A	-	-	-	-	ORI-W1	0.61	0.05	79,105	-	-	-	-	-	-
TU27C2006A	0.18	0.01	7,922	-	PACE-W2	0.02	-	9,871	-	-	-	-	-	-
TU41C2001A	0.01	(0.01)	100	-	PACE-W3	0.05	(0.02)	101	-	-	-	-	-	-
TU41C2002A	-	-	-	-	PDI-W1	0.49	0.02	1,204	-	-	-	-	-	-
TU41C2003A	-	-	-	-	PDJ-W3	0.43	0.02	598	-	-	-	-	-	-
TU41C2004A	-	-	-	-	PDJ-W4	0.44	0.01	209	-	-	-	-	-	-
TU41C2005A	0.26	0.01	8,880	-	PERM-W1	0.15	(0.01)	2,300	-	-	-	-	-	-
TU41P2001A	-	-	-	-	PORT-W1	0.80	0.05	50,130	-	-	-	-	-	-
TU41P2003A	-	-	-	-	PPPM-W4	0.14	(0.02)	1,686	-	-	-	-	-	-
TU41P2004A	0.24	(0.02)	4	-	PRIME-W1	-	-	-	-	-	-	-	-	-
TVO11C2001A	-	-	-	-	PRIME-W2	-	-	-	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	RICHY-W2	-	-	-	-	-	-	-	-	-
TVO19C2004A	0.21	-	1,000	-	RS-W3	1.70	(0.01)	48,174	1.00	-	-	-	-	-
TVO19C2007A	-	-	-	-	SAMART-W2	0.48	-	3,830	-	-	-	-	-	-
VGI01C2005A	0.47	0.02	65,168	-	SAWAD-W1	22.30	2.70	5,706	21.00	-	-	-	-	-
VGI13C2006A	0.42	(0.01)	242,901	-	SDC-W1	0.09	0.01	51	-	-	-	-	-	-
VGI19C2006A	0.36	(0.64)	2,334	-	SINGER-W1	1.48	-	30	1.00	-	-	-	-	-
VGI41C2006A	0.33	-	290	-	SINGER-W2	1.30	0.01	25	1.00	-	-	-	-	-
WHA01C2002A	0.06	-	41,892	-	SMT-W2	0.09	(0.01)	3,285	-	-	-	-	-	-
WHA01C2002B	-	-	-	-	SST-W2	0.83	(0.06)	971	-	-	-	-	-	-
WHA01C2005A	0.38	(0.62)	77,092	-	SUPER-W4	0.02	0.01	16,853	-	-	-	-	-	-
WHA01C2005B	0.23	(0.77)	64,410	-	SVI-W3	0.76	0.03	19,757	-	-	-	-	-	-
WHA01P2002A	0.92	(0.02)	68,071	-	TCC-W3	0.05	-	1,001	-	-	-	-	-	-
WHA01P2005A	0.56	(0.44)	86,983	-	TCC-W4	0.04	-	1	-	-	-	-	-	-
WHA08C2002A	-	-	-	-	TCC-W5	0.15	0.01	3	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCJ-W2	0.15	0.01	406	-	-	-	-	-	-
WHA08C2005A	0.15	-	26,115	-	TFG-W2	0.57	-	50,842	-	-	-	-	-	-
WHA11C2001A	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA13C2001A	-	-	-	-	TH-W2	0.08	-	9,895	-	-	-	-	-	-
WHA13C2003A	0.06	-	3,806	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA13C2005A	0.25	0.01	172,856	-	TNITY-W1	0.26	-	19	-	-	-	-	-	-
WHA16C2006A	0.10	-	11,612	-	TRITN-W3	0.09	-	15,876	-	-	-	-	-	-
WHA19C2002A	-	-	-	-	TTCL-W1	0.41	(0.02)	4,608	-	-	-	-	-	-
WHA19C2004A	0.10	0.01	15,737	-	TWZ-W5	0.01	-	450	-	-	-	-	-	-
WHA19C2005A	0.27	-	16,491	-	U-W4	-	-	-	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VGI-W2	1.54	-	101,304	1.00	-	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA24P2003A	0.75	(0.01)	33	-	VIBHA-W2	0.74	(0.02)	1,934	-	-	-	-	-	-
WHA28C2003A	-	-	-	-	VIBHA-W3	0.16	-	26,237	-	-	-	-	-	-
WHA28C2003B	-	-	-	-	WAVE-W1	0.13	-	1,110	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	WHA-W1	3.76	0.10	3,831	3.00	-	-	-	-	-
WHA28C2005A	0.13	0.01	24,336	-	WIHK-W2	0.11	(0.01)	5,050	-	-	-	-	-	-
WHA41C2003A	-	-	-	-	ZMICO-W4	0.09	-	3,753	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday January 07, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-