

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	1.04	(0.06)	14,989	1.06
POMPUI	-	-	-	-	DIF	16.40	(0.20)	103,812	16.44	MPIC	-	-	-	-
SAFARI	-	-	-	-	DTAC	52.00	(1.25)	76,814	51.97	NMG	-	-	-	-
VI	-	-	-	-	FORTH	5.75	(0.05)	381	5.70	PLANB	6.80	(0.25)	106,271	6.84
WORLD	-	-	-	-	HUMAN	7.80	(0.25)	5,118	7.96	POST	1.99	(0.07)	84	1.89
WR	-	-	-	-	ILINK	3.72	(0.10)	719	3.74	PRAKIT	10.00	(0.10)	114	9.96
Agribusiness	-	-	-	-	INET	2.10	(0.04)	3,218	2.10	SE-ED	1.51	-	55	1.48
CHOTI	77.00	(2.50)	5	77.80	INTUCH	59.75	(0.50)	179,733	59.47	SPORT	0.16	-	4,371	0.16
EE	0.54	(0.02)	30,057	0.54	JAS	4.78	(0.22)	441,795	4.86	TBSP	-	-	-	-
GFPT	12.30	(0.20)	26,215	12.25	JASIF	9.55	(0.05)	246,265	9.52	TH	0.61	(0.01)	677	0.60
LEE	2.10	(0.02)	1,093	2.10	JMART	7.75	(0.40)	20,501	7.86	TKS	6.25	(0.15)	10,419	6.27
NER	2.58	(0.04)	68,866	2.56	JTS	0.98	(0.02)	14	0.98	VGI	9.45	(0.05)	107,503	9.40
PPPM	0.44	(0.04)	10,314	0.45	MFCF	3.32	(0.02)	3,156	3.32	WAVE	1.27	0.04	79	1.24
STA	9.65	(0.45)	71,523	9.76	MSC	5.35	0.05	2,107	5.22	WORK	13.20	(0.40)	10,536	13.29
TRUBB	0.60	(0.03)	6,374	0.62	PT	4.12	(0.10)	845	4.14	Finance & Securities	-	-	-	-
TWPC	4.34	0.06	2,139	4.27	SAMART	6.65	(0.05)	17,937	6.49	AEC	0.32	-	1,325	0.31
UPOIC	3.56	(0.04)	87	3.59	SAMTEL	7.30	(0.05)	7,019	7.10	AEONTS	182.50	(4.00)	5,094	182.86
UVAN	5.05	(0.30)	14,977	5.13	SDC	0.18	-	20,271	0.18	AMANAH	2.98	(0.12)	146,452	3.00
VPO	0.59	-	2,875	0.58	SIS	7.40	(0.05)	1,384	7.42	ASAP	1.86	(0.02)	4,299	1.86
Banking	-	-	-	-	SVOA	0.98	(0.01)	3,907	0.98	ASK	25.50	-	608	25.43
BAY	29.50	-	3,089	29.26	SYMC	2.88	0.02	31	2.86	ASP	1.72	(0.06)	31,180	1.73
BBL	153.00	(3.50)	93,022	153.59	SYNEX	7.20	(0.15)	2,958	7.17	BAM	20.80	(0.40)	1,956,233	21.17
CIMBT	0.51	(0.01)	4,006	0.51	THCOM	3.94	(0.14)	9,533	3.97	BFIT	29.25	(0.75)	10,779	29.13
KBANK	140.00	(3.00)	165,599	139.60	TRUE	4.20	(0.18)	2,008,648	4.23	CGH	0.82	0.01	9,817	0.81
KKP	66.75	(0.25)	20,024	66.29	TWZ	0.07	(0.01)	32,614	0.08	CNS	2.50	0.02	26,643	2.48
KTB	16.10	(0.30)	335,694	16.12	Electronic Componen	-	-	-	-	ECL	1.12	(0.06)	34,747	1.13
LHFG	1.32	(0.02)	39,548	1.32	CCET	1.82	(0.01)	12,031	1.83	FNS	2.12	(0.04)	519	2.11
SCB	114.00	(2.00)	95,471	114.19	DELTA	49.25	(0.75)	6,263	49.08	FSS	1.56	(0.04)	123	1.56
TCAP	50.50	(1.75)	57,941	50.80	EIC	0.03	-	3,166	0.03	GBX	0.45	(0.02)	5,631	0.46
TISCO	100.50	(0.50)	20,011	99.83	HANA	34.00	0.50	44,734	33.39	GL	4.02	(0.14)	10,095	4.04
TMB	1.54	(0.05)	5,022,891	1.54	KCE	20.90	(1.10)	376,223	20.99	IFS	3.08	(0.06)	4,516	3.10
Construction Materia	-	-	-	-	METCO	174.00	-	46	174.07	JMT	20.10	(0.60)	46,739	20.12
CCP	0.26	(0.02)	54,748	0.26	NEX	2.80	(0.04)	13,697	2.79	KCAR	10.90	(0.10)	283	10.78
COTTO	1.48	-	5,954	1.47	SMT	1.00	(0.11)	10,604	1.03	KGI	4.46	(0.08)	78,161	4.45
DCC	1.82	(0.02)	18,633	1.82	SVI	3.36	(0.10)	30,360	3.39	KTC	37.00	(1.00)	32,828	37.30
DCON	0.35	-	7,843	0.34	TEAM	0.75	(0.04)	4,740	0.76	MBKET	6.60	(0.10)	568	6.63
DRT	6.10	(0.10)	4,674	6.12	Energy & Utilities	-	-	-	-	MFC	15.10	(0.10)	1,593	15.04
EPG	5.80	(0.25)	68,882	5.79	7UP	0.50	(0.01)	32,925	0.50	ML	0.88	0.01	1,250	0.88
GEL	0.14	(0.01)	72,223	0.14	ABPIF	4.70	(0.02)	841	4.70	MTC	60.50	(1.75)	103,589	60.40
PPP	2.02	(0.04)	281	2.01	ACE	4.40	0.10	274,983	4.31	PE	0.06	-	8,694	0.06
Q-CON	5.10	(0.20)	20	5.10	AI	1.00	(0.03)	23,610	1.01	PL	2.66	(0.02)	371	2.67
RCI	3.46	(0.06)	625	3.46	AKR	0.57	(0.02)	2,873	0.57	S11	7.15	(0.15)	2,266	7.20
SCC	365.00	(13.00)	39,004	368.46	BAFS	29.25	(0.25)	1,124	29.07	SAWAD	69.50	(0.75)	56,284	69.39
SCCC	189.00	(1.00)	349	188.51	BANPU	11.10	(0.50)	603,193	11.13	THANI	5.60	(0.10)	60,045	5.61
SCP	5.85	(0.20)	2,030	5.88	BCP	27.75	(0.50)	82,370	27.46	TK	9.70	(0.25)	430	9.71
SKN	2.02	-	4,674	2.02	BCPG	16.30	(0.60)	24,908	16.49	TNITY	3.88	(0.02)	50	3.88
TASCO	17.80	(1.10)	138,921	18.16	BGRIM	52.25	(1.50)	159,727	52.65	UOBKH	2.94	(0.02)	327	2.94
TCMC	1.94	(0.03)	1,781	1.95	BPP	17.10	(0.10)	28,009	17.12	ZMICO	0.82	(0.02)	2,777	0.81
TOA	36.25	(1.25)	26,051	36.43	BRRGIF	8.30	-	688	8.25	Food & Beverage	-	-	-	-
TIPL	1.50	-	214,496	1.48	CKP	4.30	(0.22)	406,158	4.38	APURE	0.71	(0.03)	1,642	0.72
UMI	0.69	(0.01)	428	0.69	DEMCO	2.62	(0.06)	6,063	2.64	ASIAN	4.12	0.02	3,670	4.05
VNG	3.80	-	2,895	3.78	EA	38.50	(2.50)	317,038	39.11	BR	2.40	(0.06)	7,067	2.42
WHIK	1.21	(0.04)	5,827	1.22	EASTW	11.60	0.20	32,772	11.47	BRR	3.84	(0.10)	1,351	3.83
Petrochemicals & Che	-	-	-	-	EGATIF	12.90	-	75,674	12.80	CBG	81.25	(2.00)	51,545	81.83
BCT	41.00	1.00	2,130	40.26	EGCO	327.00	-	8,871	326.03	CFRESH	1.48	(0.02)	441	1.49
CMAN	1.32	(0.08)	9,245	1.34	ESSO	8.85	(0.40)	329,988	9.10	CM	2.74	(0.02)	454	2.71
GC	5.80	0.05	757	5.75	GPSC	88.25	(1.25)	309,948	88.69	CPF	28.00	-	348,039	27.77
GGC	13.00	(0.30)	25,737	12.93	GULF	168.50	(5.00)	82,179	169.96	CPI	1.59	-	2,462	1.57
GIFT	2.18	(0.10)	9,615	2.18	GUNKUL	2.74	(0.08)	224,375	2.75	F&D	-	-	-	-
IVL	30.50	(2.75)	577,960	31.07	IFEC	-	-	-	-	HTC	22.40	(0.20)	2,957	22.14
NFC	2.02	(0.02)	1	2.02	IRPC	3.54	(0.22)	2,491,169	3.60	ICHI	4.84	(0.16)	21,333	4.89
PATO	11.10	(0.20)	170	11.19	LANNA	7.60	(0.15)	834	7.60	KBS	3.42	(0.08)	1,731	3.39
PMTA	-	-	-	-	MDX	2.80	(0.02)	1,399	2.80	KSL	2.18	-	12,801	2.16
PTTGC	57.75	(2.00)	336,940	58.12	PRIME	0.37	(0.01)	8,581	0.37	KTIS	4.06	(0.12)	529	4.06
SUTHA	1.80	(0.09)	1,327	1.86	PTG	13.90	(1.30)	551,198	14.22	LST	4.98	(0.17)	3,252	4.99
TCCC	20.30	(0.10)	104	20.38	PTT	46.75	(0.50)	577,599	47.08	M	68.75	-	2,858	68.47
TPA	-	-	-	-	PTTEP	134.00	1.00	229,296	134.54	MALEE	6.10	(0.40)	2,240	6.20
UP	18.40	3.60	260	18.40	RATCH	67.50	(0.75)	37,759	67.40	MINT	33.50	(1.25)	122,256	33.60
VNT	25.25	(1.25)	12,753	25.98	RPC	0.66	(0.01)	12,689	0.65	OISHI	98.75	(0.25)	13	98.96
WG	-	-	-	-	SCG	3.86	0.04	7	3.82	OSP	42.25	0.50	198,805	41.83
YCI	-	-	-	-	SCI	1.44	(0.01)	1,956	1.43	PB	68.50	(0.50)	17	68.18
Commerce	-	-	-	-	SCN	2.04	(0.02)	18,415	2.01	PM	7.65	(0.05)	6,925	7.59
BEAUTY	2.00	(0.04)	990,728	2.01	SGP	9.45	(0.35)	32,201	9.57	PRG	12.50	-	5	12.52
BIG	0.50	(0.02)	120,044	0.50	SKE	0.77	(0.04)	4,022	0.78	RBF	4.22	(0.04)	120,667	4.16
BJC	42.00	(0.25)	74,806	41.88	SOLAR	1.48	(0.04)	1,343	1.50	SAPPE	18.20	(0.90)	15,184	17.87
COL	18.30	(0.50)	1,979	18.39	SPCG	19.50	-	17,716	19.35	SAUCE	22.50	0.10	124	22.35
COM7	23.60	(0.90)	139,100	23.65	SPRC	10.70	(0.30)	154,747	10.64	SFP	158.00	(11.00)	1	158.00
CPALL	72.50	0.25	250,612	72.11	SSP	7.20	(0.05)	8,927	7.10	SNP	15.80	0.10	41	15.58
CPW	1.55	(0.13)	45,382	1.57	SUPER	0.53	(0.01)	411,603	0.54	SORKON	-	-	-	-
CSS	1.25	(0.07)	19,487	1.27	SUPEREIF	10.90	(0.20)	2,846	10.93	SSC	31.50	(0.50)	2	31.63
DOHOME	8.95	(0.35)	144,014	9.01	SUSCO	2.80	(0.14)	44,011	2.85	SSF	-	-	-	-
FN	0.98	(0.06)	37,119	0.98	TAE	3.20	(0.08)	25,189	3.20	SST	3.78	-	7	3.73
FTE	1.98	(0.04)	2,299	1.98	TCC	0.21	(0.01)	1,330	0.21	TC	3.14	(0.04)	583	3.13
GLOBAL	14.40	(0.40)	85,709	14.42	TOP	67.25	(2.75)	177,803	67.48	TFG	4.42	(0.10)	35,345	4.41
HMPRO	15.80	(0.20)	272,123	15.68	TPIPP	4.32	(0.06)	89,656	4.32	TFMAMA	185.00	-	36	184.79
ILM	12.70	(0.80)	14,303	12.88	TSE	2.80	(0.14)	237,091	2.88	TIPCO	7.05	(0.35)	6,777	7.17
IT	2.82	(0.02)	497	2.84	TTW	13.60	(0.10)	22,506	13.60	TKN	9.50	(0.50)	106,663	9.65
KAMART	3.74	(0.12)	5,576	3.79	WHAUP	5.20	(0.15)	55,312	5.24	TU	13.30	(0.20)	139,054	13.28
LOXLEY	1.32	(0.03)	9,239	1.32	WP	5.00	-	813	4.98	TVO	27.25	(0.50)	22,652	27.28
MAKRO	35.25	0.25	16,878	35.37	Media & Publishing	-	-	-	-	ZEN	13.30	(0.50)	6,322	13.39
MC	7.65	(0.15)	8,840	7.62	AMARIN	4.08	(0.04)	600	4.04	Health Care Services	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	8.15	(0.20)	1,984	8.16	BROCK	-	-	-	-	HFT	3.00	-	7,441	2.98
PRINC	4.66	0.08	2,663	4.47	CGD	0.88	(0.01)	20,953	0.87	IHL	3.84	-	3,901	3.81
RAM	150.00	(1.00)	8	150.88	CI	0.79	(0.03)	812	0.80	INGRS	0.52	(0.01)	3,033	0.52
RJH	24.60	(0.20)	1,041	24.55	CPN	59.75	(1.25)	55,891	59.93	IRC	15.80	-	58	15.80
RPH	6.45	(0.05)	1,630	6.48	ESTAR	0.34	(0.02)	14,411	0.34	PCSGH	5.90	-	101	5.75
SKR	5.15	-	2,873	5.11	EVER	0.25	(0.01)	166,135	0.25	SAT	15.20	(0.30)	4,623	15.20
SVH	446.00	(2.00)	7	448.00	FPT	14.50	(0.20)	585	14.58	SPG	12.30	-	6	12.53
THG	25.75	(0.50)	9,540	25.45	GLAND	2.12	(0.10)	35,264	2.15	STANLY	177.00	(1.00)	53	176.14
VIBHA	1.68	(0.02)	84,501	1.69	GOLD	8.40	(0.05)	916	8.39	TKT	0.99	(0.02)	1,984	0.97
VIH	5.85	(0.20)	5,699	5.88	GREEN	0.77	(0.03)	974	0.78	TNPC	0.70	-	2,126	0.69
WPH	1.92	(0.03)	595	1.93	J	0.82	(0.03)	504	0.81	TRU	4.12	-	67	4.11
Tourism & Leisure	-	-	-	-	JCK	0.87	(0.04)	2,122	0.88	TSC	12.30	(0.10)	18	12.39
ASIA	5.15	(0.15)	55	5.24	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	23.10	(0.70)	45,003	23.07	KWG	1.61	(0.01)	2	1.60	ALLA	1.37	-	10,221	1.36
CSR	-	-	-	-	LALIN	5.15	(0.05)	1,547	5.14	ASEFA	3.40	(0.06)	1,136	3.35
DTC	9.65	(0.05)	759	9.57	LH	10.10	(0.10)	648,581	10.02	CPT	0.79	-	9,938	0.79
ERW	5.20	(0.10)	106,239	5.18	LPN	4.70	(0.06)	52,644	4.66	CRANE	1.71	(0.01)	387	1.71
GRAND	0.72	(0.02)	3,865	0.72	MBK	21.20	(0.20)	2,679	21.34	CTW	5.15	(0.10)	109	5.21
LRH	40.25	(0.25)	19	39.58	MJD	2.98	-	1,331	2.96	FMT	23.00	0.10	2	23.20
MANRIN	-	-	-	-	MK	3.04	(0.06)	3,090	3.06	HTECH	3.12	(0.06)	2,710	3.13
OHTL	-	-	-	-	NCH	0.78	(0.02)	408	0.78	KKC	0.77	(0.01)	1	0.77
ROH	-	-	-	-	NNCL	2.10	(0.06)	25,739	2.13	PK	1.29	(0.03)	168	1.30
SHANG	-	-	-	-	NOBLE	15.70	(0.30)	2,162	15.69	SNC	9.85	(0.15)	3,817	9.87
SHR	2.88	(0.16)	148,456	2.92	NUSA	0.47	(0.03)	150,764	0.48	STARK	2.08	(0.02)	18,304	2.08
VRANDA	8.30	-	1,972	8.31	NVD	1.92	(0.01)	148	1.92	TCJ	3.68	(0.02)	53	3.60
Home & Office Produ	-	-	-	-	ORI	7.10	(0.25)	41,790	7.15	VARO	-	-	-	-
ACC	0.63	-	1,210	0.62	PACE	0.07	-	9,773	0.07	Property Fund & REIT	-	-	-	-
AJA	0.20	0.01	27,730	0.19	PF	0.82	-	122,720	0.81	AIMCG	8.40	(0.25)	3,670	8.45
DTCI	24.20	2.00	1	24.20	PLAT	3.90	(0.14)	11,780	3.95	AIMIRT	12.80	(0.20)	592	12.81
FANCY	0.50	(0.02)	784	0.50	POLAR	-	-	-	-	AMATAR	11.60	-	481	11.60
KYE	251.00	(2.00)	4	251.50	PRECHA	-	-	-	-	B-WORK	12.10	(0.30)	1,810	12.04
L&E	1.97	-	122	1.96	PRIN	1.49	(0.03)	10,183	1.47	BKER	8.90	(0.20)	2,144	8.95
MODERN	2.48	-	974	2.46	PSH	14.80	(0.30)	22,276	14.77	BKKCP	13.00	(0.10)	189	13.10
OGC	23.80	(0.40)	54	23.95	QH	2.62	(0.02)	268,383	2.60	BOFFICE	16.80	-	2,403	16.73
ROCK	-	-	-	-	RICHY	0.88	-	2,081	0.87	CPNCG	12.50	-	3,021	12.50
SIAM	1.67	(0.02)	573	1.66	RML	0.97	(0.01)	4,448	0.97	CPNREIT	33.25	(0.75)	16,017	33.66
TSR	2.10	(0.04)	10,987	2.13	ROJNA	5.00	(0.15)	17,425	5.02	CPTGF	13.00	(0.10)	204	13.02
Insurance	-	-	-	-	S	2.40	(0.06)	88,892	2.38	CTARAF	5.60	-	430	5.54
AYUD	39.00	(0.50)	16	38.95	SAMCO	1.64	(0.01)	1,188	1.64	DREIT	6.30	(0.10)	1,032	6.30
BKI	290.00	(2.00)	153	289.81	SC	2.30	(0.04)	11,197	2.30	ERWPF	5.20	-	1,800	5.20
BLA	19.30	(0.80)	16,302	19.40	SENA	2.70	(0.06)	8,539	2.72	FTREIT	14.80	(0.30)	8,129	14.90
BUI	-	-	-	-	SF	5.45	(0.25)	10,467	5.51	FUTUREPF	25.00	0.10	1,534	25.00
CHARAN	-	-	-	-	SIRI	1.04	(0.06)	338,985	1.06	GAHREIT	9.15	-	21	9.15
INSURE	-	-	-	-	SPALI	18.60	(0.20)	86,907	18.55	GLANDRT	13.20	-	739	13.12
MTI	82.00	-	9	82.00	U	1.65	(0.07)	93,550	1.66	GOLDFP	7.05	(0.20)	93	7.05
NKI	-	-	-	-	UV	6.30	(0.20)	46,246	6.36	GVREIT	16.40	(0.10)	2,694	16.42
NSI	59.50	(0.25)	5	59.50	WHA	3.50	(0.26)	1,047,604	3.59	HPF	4.90	(0.02)	1,001	4.90
SEG	-	-	-	-	WIN	0.36	-	910	0.36	HREIT	8.60	(0.30)	3,716	8.72
SMK	-	-	-	-	Paper & Printing Mat	-	-	-	-	IMPACT	22.70	(0.30)	8,479	22.52
THRE	0.62	(0.01)	47,104	0.61	UTP	9.40	(0.15)	9,769	9.46	KNPFP	-	-	-	-
THREL	3.54	(0.06)	4,563	3.51	Fashion	-	-	-	-	LHHOTEL	19.70	(0.30)	34	19.63
TIP	24.20	(0.10)	2,654	24.22	AFC	-	-	-	-	LHPF	8.75	(0.05)	123	8.73
TQM	64.25	(0.75)	9,613	64.77	B52	0.18	(0.02)	24,451	0.19	LHSC	18.70	(0.10)	2,407	18.74
TSI	0.50	0.01	7	0.50	BTNC	-	-	-	-	LUXF	8.40	(0.10)	66	8.41
TVI	4.12	(0.06)	230	4.08	CPH	-	-	-	-	M-II	8.20	(0.10)	435	8.21
Mining	-	-	-	-	CPL	0.89	(0.01)	197	0.89	M-PAT	-	-	-	-
PDI	6.15	(0.25)	2,039	6.25	ICC	-	-	-	-	M-STOR	6.65	-	134	6.35
THL	-	-	-	-	NC	-	-	-	-	MIPF	-	-	-	-
Packaging	-	-	-	-	PAF	0.55	(0.04)	1,996	0.56	MIT	2.68	(0.08)	163	2.69
AJ	8.05	(0.15)	67	7.81	PDJ	1.49	(0.01)	1,026	1.46	MJLF	11.00	-	108	10.91
ALUCON	153.00	(2.00)	9	153.00	PG	5.20	0.05	31	5.15	MNIT	-	-	-	-
BGC	12.10	(0.60)	34,562	12.02	SABINA	22.30	(0.50)	4,332	22.48	MNIT2	-	-	-	-
CSC	53.25	-	90	53.00	SAWANG	-	-	-	-	MNRF	3.08	-	174	3.04
GLOCON	0.71	(0.01)	7,131	0.73	SUC	43.25	0.50	692	43.00	POPF	13.00	-	722	12.92
NEP	0.19	0.01	1,462	0.20	TNL	16.80	(0.20)	6	16.80	PPF	11.30	-	2	11.20
PTL	13.90	(0.30)	7,231	13.99	TPCORP	10.00	(0.10)	13	10.08	QHHR	9.50	-	137	9.40
SFLEX	3.66	(0.10)	24,092	3.65	TR	27.25	-	33	27.42	QHOP	3.80	0.02	1	3.80
SITHAI	0.70	-	1,384	0.70	TTI	-	-	-	-	QHPF	13.60	0.10	1,098	13.67
SLP	0.47	-	2,724	0.45	TTT	50.25	(0.50)	108	50.46	SBPF	-	-	-	-
SMPC	6.35	(0.10)	990	6.40	UPF	-	-	-	-	SHREIT	5.85	-	841	5.80
SPACK	1.07	(0.09)	17	1.07	UT	-	-	-	-	SIRIP	-	-	-	-
TCOAT	23.90	-	3	23.73	WACOAL	-	-	-	-	SPF	23.00	(0.10)	505	23.00
TFI	0.05	-	12,523	0.05	Transportation & Log	-	-	-	-	SPRIME	13.00	(0.20)	216	13.09
THIP	18.80	(0.30)	487	18.81	AAV	2.00	(0.08)	259,405	2.00	SRIPANWA	11.10	-	587	11.01
TMD	26.25	0.25	62	25.92	AOT	73.00	(0.75)	219,805	72.58	SSPF	9.65	(0.10)	13	9.66
TOPP	-	-	-	-	ASIMAR	1.14	(0.04)	1,334	1.14	SSTRT	5.95	-	393	5.91
TPBI	4.04	-	342	4.03	B	0.22	0.01	6,424	0.21	TIF1	9.10	-	191	9.00
TPP	16.20	(0.70)	8	16.25	BA	6.40	(0.25)	9,473	6.43	TLGF	20.30	(0.30)	14,328	20.38
Personal Products &	-	-	-	-	BEM	11.20	(0.10)	618,060	11.14	TLHPF	10.80	-	2,793	10.80
APCO	3.22	-	373	3.20	BTS	13.40	(0.10)	372,148	13.30	TNPF	2.80	(0.12)	55	2.82
DDD	23.80	(0.50)	383	23.90	BTSGIF	10.10	-	19,362	10.02	TPRIME	16.00	-	285	16.00
JCT	80.75	0.25	11	80.91	III	5.00	(0.05)	4,210	4.99	TTLPF	-	-	-	-
OCC	11.20	(0.40)	3	11.20	JUTHA	0.35	(0.02)	339	0.35	TU-PF	1.74	-	40	1.74
S & J	-	-	-	-	JWD	7.40	(0.20)	7,892	7.47	URBNPF	4.54	0.34	20	4.54
STHAI	-	-	-	-	KWC	290.00	(10.00)	2	285.50	WHABT	9.75	-	1	9.75
TNR	9.05	0.05	71	8.97	NOK	1.98	(0.02)	6,416	1.93	WHART	16.40	(0.60)	14,862	16.79
TOG	5.80	-	697	5.76	NYT	3.82	(0.08)	1,453	3.86	Steel	-	-	-	-
Professional Service	-	-	-	-	PORT	2.04	(0.10)	23,769	2.04	AMC	1.80	(0.03)	2,221	1.80
BWG	0.56	(0.01)	54,501	0.56	PRM	6.00	(0.60)	171,528	6.12	BSBM	0.89	(0.02)	347	0.89
GENCO	0.54	(0.02)	5,192	0.54	PSL	6.60	(0.25)	41,238	6.57	CEN	0.60	(0.01)	20	0.60
PRO	-	-	-	-	RCL	3.30	(0.18)	5,570	3.33	CITY	2.00	0.06	206	1.93
SISB	9.25	(0.25)	15,887	9.29	TFFIF	11.90	(0.20)	48,990	12.00	CSP	0.73	0.01	10	0.73
TEAMG	2.18	(0.04)	5,307	2.16	THAI	6.40	(0.25)	34,303	6.44	GJS	0.12	-	49,527	0.12
Property Developer	-	-	-	-	TSTE	6.95	0.25	205	6.95	GSTEEL	-	-	-	-
A	6.10	(0.10)	80	6.10	TTA	4.02	(0.16)	19,233	4.07	INOX	0.60	(0.02)	1,343	0.58
AMATA	18.40	(0.90)	124,688	18.43	WICE	2.26	(0.10)	12,146	2.23	LHK	2.70	(0.02)	774	2.68
AMATAV	4.74	(0.08)	991	4.75	Automotive	-	-	-	-	MAX	0.02	-		

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	ABM	0.71	(0.02)	470	-	AAV19C2001A	-	-	-	-
ABICO	4.00	(0.04)	289	4.00	AGE	0.88	-	4,921	-	AAV19C2003A	-	-	-	-
AU	9.90	(0.20)	47,832	9.00	AIE	0.28	(0.01)	73,258	-	AAV19C2004A	0.09	(0.02)	56,241	-
JCKH	0.26	-	51	-	PSTC	0.71	-	605,689	-	AAV24C2001A	-	-	-	-
KASET	1.19	-	120	1.00	QTC	4.06	(0.06)	5,306	4.00	ADVA01C2003A	0.27	(0.03)	188,189	-
MM	2.28	(0.06)	995	2.00	SAAM	0.93	(0.03)	4,847	-	ADVA01C2003B	0.11	(0.02)	421,850	-
SUN	1.59	(0.03)	1,154	1.00	SEOIL	3.76	(0.14)	1,858	3.00	ADVA01C2005A	0.57	(0.03)	91,089	-
TACC	4.08	(0.14)	21,012	4.00	SR	0.97	-	76	-	ADVA01C2005B	0.33	(0.03)	150,334	-
TMILL	2.78	(0.04)	328	2.00	TAKUNI	0.40	(0.01)	7,119	-	ADVA01P2003A	0.69	0.04	53,097	-
XO	5.70	(0.05)	3,760	5.00	TPCH	12.20	(0.30)	18,493	12.00	ADVA01P2003B	0.41	0.02	106,237	-
Consumer Products	-	-	-	-	TRT	1.88	0.07	811	1.00	ADVA06C2005A	0.25	(0.02)	104,759	-
BGT	0.96	(0.05)	214	-	UMS	0.29	(0.08)	150	-	ADVA08C2001A	0.04	(0.01)	2,000	-
BIZ	2.90	(0.10)	2,358	2.00	UWC	0.03	-	281,559	-	ADVA08C2005A	0.33	(0.03)	33,652	-
DOD	7.70	(0.30)	8,226	7.00	Services (MAI)	-	-	-	-	ADVA08P2004A	0.29	0.02	18,370	-
ECF	1.23	(0.03)	99,580	1.00	A5	-	-	-	-	ADVA11C2006A	0.11	(0.01)	38,758	-
HPT	0.61	(0.01)	1,429	-	AKP	1.04	(0.02)	8,260	1.00	ADVA11P2005A	0.13	0.01	52,673	-
IP	5.70	(0.60)	39,258	5.00	ARA	4.80	(0.45)	6,252	4.00	ADVA13C2001A	0.03	(0.01)	10	-
JUBILE	18.40	(0.70)	2,456	18.00	ARIP	0.39	-	1,903	-	ADVA13C2004A	0.32	(0.02)	404,630	-
MOONG	3.54	(0.12)	998	3.00	ATP30	1.33	-	9,173	1.00	ADVA13P2003A	0.28	0.02	104,762	-
NPK	16.20	(0.10)	4	16.00	AUCT	6.10	(0.35)	20,790	6.00	ADVA16C2002A	-	-	-	-
OCEAN	1.17	(0.02)	8,840	1.00	BOL	2.80	(0.12)	8,384	2.00	ADVA16C2005A	0.06	-	8,218	-
TM	2.40	(0.04)	1,257	2.00	CHUO	-	-	-	-	ADVA16C2007A	0.28	(0.03)	103,709	-
Financials (MAI)	-	-	-	-	CMO	1.21	(0.01)	96	1.00	ADVA19C2002A	-	-	-	-
ACAP	1.19	(0.10)	13,029	1.00	D	3.72	(0.12)	793	3.00	ADVA19C2005A	0.30	(0.02)	53,941	-
AF	0.62	(0.03)	322	-	DCORP	0.38	(0.04)	9,060	-	ADVA19P2002A	0.08	0.01	47,610	-
AIRA	1.09	0.07	319	1.00	EFORL	0.05	-	49,123	-	ADVA19P2006A	0.26	(0.74)	10,440	-
ASN	6.20	(0.20)	437	5.00	ETE	0.81	(0.02)	9,825	-	ADVA23C2001A	-	-	-	-
BROOK	0.41	(0.02)	13,276	-	FSMART	6.45	(0.10)	4,538	6.00	ADVA24C2001A	0.12	(0.03)	40	-
CHAYO	5.05	(0.25)	70,982	5.00	FVC	0.38	(0.01)	1,080	-	ADVA24C2006A	0.42	(0.02)	44,896	-
GCAP	2.12	(0.04)	4,777	2.00	GSC	0.71	(0.04)	13,744	-	ADVA24P2001A	-	-	-	-
LIT	4.56	(0.12)	4,236	4.00	HARN	2.30	-	1,413	2.00	ADVA28C2001A	-	-	-	-
MITSB	1.42	(0.03)	8,616	1.00	IMH	2.88	(0.30)	40,643	2.00	ADVA28C2002A	0.02	-	1,924	-
SGF	0.68	(0.01)	14,403	-	JKN	4.76	(0.24)	46,519	4.00	ADVA28C2004A	0.12	(0.02)	8,212	-
Industrials (MAI)	-	-	-	-	KIAT	0.29	0.01	7,194	-	ADVA28C2005A	0.31	(0.03)	52,672	-
2S	1.91	(0.01)	5,969	1.00	KOOL	0.84	(0.02)	4,036	-	ADVA28P2001A	-	-	-	-
ACG	1.01	(0.01)	931	1.00	LDC	1.00	(0.01)	1,991	1.00	ADVA28P2004A	0.26	0.02	76,708	-
ADB	0.59	-	711	-	MORE	0.37	-	59,366	-	ADVA41C2001A	-	-	-	-
BM	1.89	0.03	360	1.00	MPG	0.36	(0.02)	3,159	-	ADVA41C2004A	-	-	-	-
CHO	0.69	-	53,244	-	MVP	1.63	(0.02)	845	1.00	ADVA41C2005A	-	-	-	-
CHOW	1.37	(0.01)	740	1.00	NBC	0.41	(0.05)	631	-	ADVA41C2006A	-	-	-	-
CIG	0.22	-	2,613	-	NCL	1.04	(0.02)	185	1.00	ADVA41C2007A	0.44	(0.01)	19,726	-
COLOR	1.01	(0.03)	1,694	1.00	NEWS	0.01	-	906	-	ADVA41P2001A	-	-	-	-
CPR	3.40	0.02	1,550	3.00	NINE	-	-	-	-	ADVA41P2004A	0.41	(0.07)	21,958	-
FPI	1.99	0.04	2,306	1.00	OTO	2.88	-	961	2.00	ADVA41P2005A	0.32	(0.03)	22,396	-
GTB	0.68	(0.01)	4,778	-	PHOL	1.70	(0.06)	810	1.00	ADVA42C2003A	0.04	-	34	-
KCM	0.55	(0.01)	42,698	-	PICO	3.42	-	285	3.00	ADVA42C2005A	0.35	-	6,112	-
KUMWEL	0.75	(0.02)	3,892	-	QLT	4.36	0.06	169	4.00	AEON01C2005A	0.22	(0.03)	49,877	-
KWM	0.80	(0.01)	2,596	-	RP	1.42	(0.06)	896	1.00	AEON13C2003A	0.09	(0.02)	8,364	-
MBAX	3.00	(0.06)	220	3.00	SE	1.78	(0.04)	1,556	1.00	AEON19C2003A	0.10	(0.01)	4,351	-
MGT	1.69	0.01	471	1.00	SONIC	0.97	(0.03)	10,743	-	AMAT01C2001A	0.02	-	96,968	-
NDR	1.05	0.01	265	1.00	SPA	14.30	(0.40)	2,182	14.00	AMAT01C2001B	0.01	-	800	-
PDG	2.88	(0.02)	505	2.00	THMUI	0.63	(0.02)	3,764	-	AMAT01C2004A	0.24	(0.07)	58,247	-
PIMO	1.17	(0.02)	5,241	1.00	TNDT	3.48	(0.26)	627	3.00	AMAT01C2004B	0.14	(0.05)	63,983	-
PJW	1.17	(0.06)	1,592	1.00	TNH	32.25	-	33	32.00	AMAT01P2001A	0.94	0.19	8,203	-
PPM	0.81	(0.11)	3,832	-	TNP	2.02	(0.04)	3,052	2.00	AMAT06C2005A	0.19	(0.08)	26,601	-
RWI	1.38	0.01	119	1.00	TSF	-	-	-	-	AMAT08C2001A	-	-	-	-
SALEE	0.89	(0.01)	466	-	TVD	0.87	(0.04)	4,797	-	AMAT08C2002A	-	-	-	-
SANKO	0.82	(0.01)	2,217	-	TVT	0.58	-	1,937	-	AMAT08C2005A	0.20	(0.06)	14,050	-
SELIC	2.46	(0.10)	4,559	2.00	VL	1.44	(0.01)	322,508	1.00	AMAT11C2001A	-	-	-	-
SWC	3.60	(0.08)	1,201	3.00	WINNER	2.02	(0.04)	7,381	2.00	AMAT11C2004A	0.01	(0.02)	1	-
TMC	0.42	(0.04)	4,773	-	YGG	6.30	0.20	438,492	6.00	AMAT13C2001A	-	-	-	-
TMI	0.69	-	4,174	-	Technology (MAI)	-	-	-	-	AMAT13C2004A	0.13	(0.05)	74,955	-
TMW	36.25	(1.00)	760	36.00	APP	2.08	(0.14)	19,341	2.00	AMAT16C2003A	-	-	-	-
TPAC	9.25	-	8	9.00	COMAN	2.54	(0.10)	1,274	2.00	AMAT16C2006A	0.06	(0.02)	2,307	-
TPLAS	1.12	(0.03)	1,886	1.00	ICN	1.47	(0.09)	1,909	1.00	AMAT19C2003A	0.02	(0.02)	103,011	-
UAC	2.82	(0.02)	245	2.00	INSET	2.52	(0.06)	10,295	2.00	AMAT19C2005A	0.17	(0.05)	27,809	-
UBIS	5.60	(0.15)	506	5.00	IRCP	0.48	(0.02)	2,568	-	AMAT24C2001A	-	-	-	-
UEC	0.70	-	16	-	ITEL	2.36	(0.06)	4,436	2.00	AMAT24C2006A	0.20	(0.08)	100	-
UKEM	0.40	-	15,220	-	NETBAY	31.00	(1.00)	5,329	31.00	AMAT41C2002A	-	-	-	-
UREKA	1.04	-	1,838	1.00	PLANET	1.12	(0.03)	246	1.00	AMAT41C2003A	0.01	(0.04)	2,524	-
YUASA	12.80	(0.50)	268	12.00	SIMAT	1.54	(0.03)	7,676	1.00	AMAT41C2004A	-	-	-	-
ZIGA	1.00	(0.01)	2,518	1.00	SKY	14.00	(0.20)	2,407	13.00	AMAT41C2005A	0.08	(0.08)	1,002	-
Property & Construc	-	-	-	-	SPVI	2.72	(0.20)	35,741	2.00	AMAT41C2006A	0.17	(0.07)	27,132	-
ALL	3.86	(0.04)	49,964	3.00	TPS	1.94	(0.05)	5,042	1.00	AMAT42C2003A	-	-	-	-
ARIN	0.71	(0.06)	11,700	-	UPA	0.21	-	18,687	-	AMAT42C2005A	-	-	-	-
ARROW	8.50	(0.05)	136	8.00	VCOM	2.70	(0.10)	2,019	2.00	ANAN13C2007A	0.25	(0.03)	57	-
BC	1.55	(0.02)	16,543	1.00	Unit Trust	-	-	-	-	ANAN19C2001A	-	-	-	-
BSM	0.35	-	1,767	-	MGE	-	-	-	-	ANAN19C2004A	0.10	(0.01)	1	-
BTW	0.71	(0.03)	1,366	-	SCBSET	-	-	-	-	ANAN19C2007A	0.26	(0.07)	1,735	-
CAZ	2.40	(0.10)	5,932	2.00	ETF	-	-	-	-	AOT01C2002A	0.32	(0.04)	273,341	-
CHEWA	0.46	(0.02)	9,819	-	1DIV	10.40	(0.20)	276	10.00	AOT01C2002B	0.11	(0.03)	205,739	-
CMC	0.83	(0.02)	5,936	-	ABFTH	-	-	-	-	AOT01C2004A	0.42	(0.03)	178,5	

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2005A	0.37	(0.03)	18,928	-	BBL16C2006A	0.24	(0.03)	49,845	-	BEC01C2001B	0.01	-	20,137	-
AOT19P2004A	0.42	0.02	52,183	-	BBL19C2001A	-	-	-	-	BEC01C2006A	0.41	(0.03)	22,418	-
AOT24C2003A	0.10	(0.03)	1,401	-	BBL19C2003A	0.06	(0.02)	62,332	-	BEC01C2006B	0.26	(0.02)	28,576	-
AOT28C2002A	0.06	(0.02)	3,750	-	BBL19C2005A	0.40	(0.07)	67,473	-	BEC01P2001A	1.02	0.04	11,639	1.00
AOT28C2003A	-	-	-	-	BBL19P2002A	0.24	0.04	30,298	-	BEC01P2006A	0.56	0.03	14,572	-
AOT28P2004A	0.41	0.02	22,112	-	BBL24C2001A	0.01	-	3,800	-	BEC16C2002A	-	-	-	-
AOT41C2002A	-	-	-	-	BBL24C2004A	0.49	(0.07)	108,212	-	BEC19C2003A	-	-	-	-
AOT41C2003A	-	-	-	-	BBL27C2002A	-	-	-	-	BEC19C2005A	0.26	(0.02)	9,710	-
AOT41C2004A	-	-	-	-	BBL28C2003A	0.05	(0.02)	26,484	-	BEC27C2002A	-	-	-	-
AOT41C2005A	-	-	-	-	BBL28C2005A	0.33	(0.04)	37,987	-	BEC41C2001A	-	-	-	-
AOT41C2006A	0.41	(0.02)	18,485	-	BBL41C2001A	-	-	-	-	BEC41C2002A	-	-	-	-
AOT41C2007A	-	-	-	-	BBL41C2003A	0.08	-	1,000	-	BEC41C2003A	-	-	-	-
AOT41P2002A	-	-	-	-	BBL41C2004A	-	-	-	-	BEC42C2003A	-	-	-	-
AOT41P2004A	0.66	0.03	294	-	BBL41C2005A	-	-	-	-	BEC42C2005A	0.30	(0.03)	10,791	-
AOT41P2005A	0.90	0.04	6,334	-	BBL41C2006A	0.17	(0.03)	2	-	BEM01C2004A	0.29	(0.02)	124,452	-
AOT41P2006A	0.53	0.02	33,040	-	BBL41P2001A	-	-	-	-	BEM01C2004B	0.17	(0.01)	192,900	-
AOT42P2003A	-	-	-	-	BBL41P2002A	0.72	0.07	3,962	-	BEM01P2004A	0.20	0.01	146,000	-
AP01C2001A	0.17	(0.03)	94,122	-	BBL41P2004A	0.53	0.07	60,256	-	BEM06C2004A	0.16	(0.01)	40,784	-
AP01C2001B	-	-	-	-	BBL41P2006A	0.68	(0.32)	1,516	-	BEM08C2001A	0.07	-	1,700	-
AP11C2001A	0.09	(0.01)	15,761	-	BBL42C2003A	-	-	-	-	BEM08C2005A	0.22	-	28,660	-
AP16C2002A	-	-	-	-	BBL42C2005A	0.39	(0.04)	10,136	-	BEM11C2001A	0.03	(0.01)	300	-
AP19C2002A	0.15	(0.03)	28,311	-	BCH01C2001A	0.21	(0.02)	162,123	-	BEM11C2003A	0.10	-	7,040	-
AP28C2004A	0.37	(0.02)	62,363	-	BCH01C2001B	0.02	(0.01)	751	-	BEM13C2002A	0.03	-	5,000	-
AWC01C2003A	0.18	(0.02)	53,011	-	BCH01C2006A	0.34	(0.01)	154,082	-	BEM13C2004A	0.16	(0.01)	199,357	-
AWC01C2003B	0.03	-	2,010	-	BCH01C2006B	0.21	(0.01)	63,700	-	BEM16C2001A	-	-	-	-
AWC01C2004A	0.14	(0.01)	65,815	-	BCH01P2001A	0.17	-	58,766	-	BEM16C2006A	0.26	(0.02)	91,811	-
AWC01P2003A	0.51	0.03	41,626	-	BCH01P2006A	0.67	-	56,471	-	BEM19C2001A	-	-	-	-
AWC01P2003B	0.16	0.01	42,152	-	BCH06C2001A	-	-	-	-	BEM19C2005A	0.21	-	10,510	-
AWC06C2002A	0.02	(0.02)	3,550	-	BCH08C2004A	0.17	(0.01)	22,850	-	BEM23C2001A	0.02	(0.01)	300	-
AWC06C2004A	0.19	(0.01)	12,450	-	BCH11C2001A	0.02	(0.07)	1,200	-	BEM24C2003A	-	-	-	-
AWC06P2002A	0.45	0.04	5,915	-	BCH13C2004A	0.14	-	81,433	-	BEM28C2001A	-	-	-	-
AWC08C2004A	0.11	-	2,600	-	BCH16C2001A	-	-	-	-	BEM28C2002A	0.07	-	10	-
AWC13C2002A	0.03	(0.01)	18,393	-	BCH16C2006A	0.26	(0.01)	62,450	-	BEM41C2001A	-	-	-	-
AWC13C2003A	0.12	(0.02)	50,209	-	BCH19C2001A	0.04	(0.01)	24,510	-	BEM41C2002A	-	-	-	-
AWC13P2002A	0.14	0.02	64,270	-	BCH19C2005A	0.13	(0.01)	29,548	-	BEM41C2004A	-	-	-	-
AWC13P2003A	0.06	(0.01)	6,918	-	BCH19C2006A	0.32	(0.68)	1,890	-	BEM41C2006A	-	-	-	-
AWC16C2005A	0.05	-	16,382	-	BCH24C2003A	-	-	-	-	BEM41P2003A	-	-	-	-
AWC16C2007A	0.13	(0.02)	23,451	-	BCH27C2003A	0.22	-	20,656	-	BEM41P2004A	-	-	-	-
AWC19C2003A	0.09	(0.01)	600	-	BCH41C2001A	-	-	-	-	BEM42C2001A	-	-	-	-
AWC19C2004A	-	-	-	-	BCH41C2005A	0.18	-	18,964	-	BGR101C2001A	1.11	(0.12)	15,295	1.00
AWC24C2007A	0.10	(0.01)	5,018	-	BCH42C2002A	-	-	-	-	BGR101C2001B	0.85	(0.15)	16,486	-
AWC28C2003A	0.02	(0.01)	1,189	-	BCP01C2001A	0.07	(0.02)	72,839	-	BGR101C2003A	0.52	(0.07)	259,559	-
AWC28C2003B	-	-	-	-	BCP01C2001B	-	-	-	-	BGR101C2003B	0.27	(0.05)	369,937	-
AWC28C2003C	0.12	(0.01)	20,140	-	BCP01C2005A	0.83	(0.04)	34,004	-	BGR101P2001A	0.02	0.01	1,000	-
AWC28P2003A	0.12	(0.01)	20,140	-	BCP01C2005B	0.20	(0.02)	186,202	-	BGR101P2003A	0.31	0.04	150,107	-
AWC41C2003A	-	-	-	-	BCP01P2001A	0.29	-	32,274	-	BGR106C2005A	0.30	(0.05)	57,528	-
AWC41C2004A	-	-	-	-	BCP01P2005A	0.17	-	126,837	-	BGR108C2003A	0.64	(0.10)	110	-
AWC41C2005A	-	-	-	-	BCP11C2004A	-	-	-	-	BGR108C2005A	0.35	(0.06)	60,206	-
AWC41C2006A	0.21	(0.04)	868	-	BCP13C2003A	0.12	(0.02)	207,524	-	BGR111C2006A	0.71	(0.11)	24,035	-
AWC41C2007A	-	-	-	-	BCP13C2003B	-	-	-	-	BGR113C2001A	0.44	(0.10)	200	-
AWC42C2003A	0.03	(0.03)	250	-	BCP19C2001A	-	-	-	-	BGR113C2002A	0.30	(0.06)	139,803	-
BANP01C2002A	0.14	(0.05)	260,282	-	BCP19C2004A	-	-	-	-	BGR113C2004A	0.23	(0.04)	161,319	-
BANP01C2002B	0.03	(0.02)	10,100	-	BCP19C2005A	0.22	(0.03)	17,367	-	BGR116C2001A	-	-	-	-
BANP01C2005A	0.27	(0.06)	94,834	-	BCP24C2004A	-	-	-	-	BGR116C2005A	0.31	(0.07)	95,224	-
BANP01C2005B	0.15	(0.03)	136,228	-	BCPG01C2005A	0.39	(0.05)	103,239	-	BGR119C2004A	0.52	(0.06)	7,728	-
BANP01P2002A	0.35	0.04	153,322	-	BCPG01C2005B	0.23	(0.03)	26,536	-	BGR119C2005A	0.31	(0.05)	68,745	-
BANP01P2002B	0.31	0.06	227,134	-	BCPG01P2005A	0.36	0.04	34,267	-	BGR124C2004A	0.49	(0.06)	75,751	-
BANP01P2005A	0.40	0.04	204,822	-	BCPG06C2002A	-	-	-	-	BGR128C2002A	-	-	-	-
BANP01P2005B	0.23	0.04	178,922	-	BCPG13C2001A	-	-	-	-	BGR128C2003A	-	-	-	-
BANP06C2002A	0.01	(0.01)	1,000	-	BCPG13C2004A	0.22	(0.05)	100,842	-	BGR128C2003B	0.23	(0.07)	35,030	-
BANP06C2005A	0.15	(0.04)	29,156	-	BCPG19C2003A	0.10	(0.03)	2,888	-	BGR141C2001A	-	-	-	-
BANP08C2002A	-	-	-	-	BCPG19C2005A	0.32	(0.05)	8,981	-	BGR141C2002A	-	-	-	-
BANP08C2005A	0.20	(0.02)	7,650	-	BCPG28C2002A	-	-	-	-	BGR141C2004A	0.36	(0.06)	60,804	-
BANP08P2003A	0.42	0.04	15,182	-	BCPG28C2003A	0.08	(0.02)	511	-	BGR141C2005A	0.33	-	1,228	-
BANP11C2004A	0.02	(0.03)	12,400	-	BCPG28C2004A	0.16	(0.03)	4,028	-	BGR141C2006A	0.31	(0.04)	5,832	-
BANP13C2001A	-	-	-	-	BCPG41C2002A	-	-	-	-	BGR141P2004A	0.36	0.02	24,616	-
BANP13C2003A	0.05	(0.03)	29,514	-	BCPG41C2005A	0.29	(0.05)	670	-	BGR141P2005A	0.69	0.06	65,482	-
BANP19C2002A	-	-	-	-	BCPG42C2001A	-	-	-	-	BGR142C2003A	0.25	(0.06)	14,990	-
BANP19C2004A	-	-	-	-	BCPG42C2004A	-	-	-	-	BH01C2001A	0.03	-	2,000	-
BANP19C2005A	0.12	(0.03)	28,980	-	BDMS01C2002A	0.55	(0.03)	14,611	-	BH01C2001B	-	-	-	-
BANP19P2003A	0.32	0.04	107,638	-	BDMS01C2002B	0.10	(0.01)	17,285	-	BH01C2004A	0.77	(0.03)	12,593	-
BANP24C2003A	-	-	-	-	BDMS01P2002A	0.16	0.01	67,404	-	BH01C2004B	0.43	(0.02)	17,676	-
BANP27C2007A	0.18	(0.03)	7,270	-	BDMS06C2003A	0.38	(0.08)	7,713	-	BH01P2001A	1.71	0.05	1,869	1.00
BANP28C2001A	-	-	-	-	BDMS06P2004A	0.18	0.01	19,550	-	BH01P2004A	0.57	-	38,897	-
BANP28C2002A	-	-	-	-	BDMS08C2003A	0.30	0.01	1,000	-	BH11C2002A	-	-	-	-
BANP28C2003A	0.02	(0.03)	1,020	-	BDMS11C2001A	0.10	(0.02)	5,900	-	BH13C2001A	-	-	-	-
BANP28C2004A	0.09	(0.03)	32,256	-	BDMS11C2007A	0.59	(0.06)	2,325	-	BH13C2002A	0.22	(0.03)	78,583	-
BANP41C2002A	-	-	-	-	BDMS11P2002A	0.09	-	16,005	-	BH19C2002A	0.12	(0.01)	13,110	-
BANP41C2003A	-	-	-	-	BDMS13C2003A	-	-	-	-	BH19C2003A	0.46	(0.04)	3,422	-
BANP41C2005A	-	-	-	-	BDMS13C2004A	0.11	(0.02)	41,261	-	BH24C2001A	-	-	-	-
BANP41C2006A	-	-	-	-	BDMS16C2006A	0.55	(0.01)	16,377	-	BH24C2003A	0.48	(0.03)	3,886	-
BANP41P2001A	-	-	-	-	BDMS19C2001A	0.07	(0.02)	2	-	BH41C2002A	-	-	-	-
BANP41P2002A	0.11	0.04	2	-	BDMS19C2005A	-	-	-	-	BH41C2003A	-	-	-	-
BANP41P2005A	-	-	-	-	BDMS19C2005B	-	-	-	-	BH41C2004A	0.49	(0.16)	408	-
BANP41P2007A	0.43	0.03	10,900	-	BDMS24C2001A	0.24	0.02	2	-	BH41C2005A	0.45	(0.03)	50	-
BANP42C2004A	0.10	(0.02)	1,050	-	BDMS24C2006A	-	-	-	-	BH41C2006A	-	-	-	-
BANP42P2005A	-	-	-	-	BDMS27C2002A	-	-	-	-	BH41P2004A	-	-	-	-
BBL06C2002A	0.06	-	7,195	-	BDMS41C2001A	-	-	-	-	BH41P2006A	0.68	-	4,864	-
BBL06P2004A	-	-	-	-	BDMS41C2002A	-	-	-	-	BH42C2003A	0.34	(0.04)	15,593	-
BBL08C2001A	-	-	-	-	BDMS41C2004A	-	-	-	-	BJC01C2004A	0.18	(0.01)		

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC24C2003A	-	-	-	-	CHG01C2001A	0.33	0.01	32,901	-	CPAL28C2003A	0.02	0.01	1,004	-
BJC24C2006A	-	-	-	-	CHG01C2001B	0.07	0.01	21,988	-	CPAL28C2003B	-	-	-	-
BJC28C2004A	0.11	(0.01)	22,308	-	CHG01C2006A	0.30	-	46,785	-	CPAL28C2004A	0.14	(0.01)	27,878	-
BJC41C2002A	-	-	-	-	CHG01C2006B	0.19	0.01	59,667	-	CPAL28C2005A	0.29	0.01	28,402	-
BJC41C2004A	-	-	-	-	CHG01P2001A	0.01	(0.01)	10	-	CPAL41C2001A	-	-	-	-
BJC41C2005A	-	-	-	-	CHG01P2006A	0.47	(0.02)	41,874	-	CPAL41C2002A	-	-	-	-
BJC41C2006A	-	-	-	-	CHG06C2002A	0.06	-	3,828	-	CPAL41C2003A	-	-	-	-
BJC41P2004A	0.67	(0.09)	400	-	CHG06P2003A	0.16	(0.02)	27,224	-	CPAL41C2004A	-	-	-	-
BJC41P2005A	0.50	(0.01)	11,498	-	CHG08C2005A	0.15	0.01	10,996	-	CPAL41C2005A	0.35	(0.01)	10,550	-
BJC42C2004A	0.16	0.01	14,540	-	CHG13C2003A	0.08	-	38,634	-	CPAL41C2006A	-	-	-	-
BLAN19C2004A	0.10	(0.03)	10,904	-	CHG16C2002A	0.11	0.01	24,396	-	CPAL41P2003A	-	-	-	-
BLAN28C2004A	0.07	(0.02)	9,225	-	CHG19C2004A	0.22	-	22,309	-	CPAL41P2004A	0.48	(0.03)	59,170	-
BPP01C2005A	0.38	(0.02)	155,623	-	CHG41C2005A	-	-	-	-	CPAL41P2005A	-	-	-	-
BPP01C2005B	0.23	(0.01)	54,404	-	CK01C2001A	0.01	-	41,390	-	CPAL41P2006A	-	-	-	-
BPP01P2005A	0.47	0.01	26,890	-	CK01C2001B	0.01	-	9,000	-	CPAL42C2003A	-	-	-	-
BPP13C2001A	-	-	-	-	CK01C2005A	0.44	(0.06)	41,007	-	CPAL42C2005A	0.18	(0.01)	5,860	-
BPP13C2004A	0.16	-	25,572	-	CK01C2005B	0.24	(0.06)	27,832	-	CPF01C2001A	0.11	(0.01)	151,054	-
BPP16C2001A	-	-	-	-	CK01P2001A	0.93	0.08	20,258	-	CPF01C2001B	-	-	-	-
BPP19C2002A	-	-	-	-	CK01P2005A	0.45	0.06	110,226	-	CPF01C2004A	0.25	(0.01)	71,905	-
BPP19C2005A	0.21	(0.01)	2,894	-	CK06C2002A	0.02	-	26,234	-	CPF01C2004B	0.17	(0.01)	91,892	-
BPP24C2003A	0.08	(0.01)	4,362	-	CK06C2004A	0.23	(0.07)	10,300	-	CPF01P2001A	0.29	0.01	7,271	-
BTS01C2001A	0.32	(0.02)	51,236	-	CK11C2007A	0.22	(0.05)	17,600	-	CPF01P2001B	0.05	-	2,065	-
BTS01C2001B	0.07	(0.01)	33,610	-	CK13C2002A	-	-	-	-	CPF01P2004A	0.21	0.01	115,218	-
BTS01C2005A	0.33	(0.01)	47,059	-	CK13C2003A	0.19	(0.05)	77,542	-	CPF11C2004A	-	-	-	-
BTS01C2005B	0.19	(0.01)	108,371	-	CK16C2003A	-	-	-	-	CPF11C2007A	0.26	-	34,500	-
BTS01P2001A	0.05	-	23,447	-	CK16C2006A	0.16	(0.03)	54,086	-	CPF13C2003A	0.15	-	104,279	-
BTS01P2005A	0.26	-	80,572	-	CK19C2002A	-	-	-	-	CPF16C2001A	-	-	-	-
BTS08C2005A	0.14	(0.01)	20,910	-	CK19C2003A	-	-	-	-	CPF16C2007A	0.22	-	55,410	-
BTS11C2003A	0.23	(0.01)	16,400	-	CK19C2004A	0.21	(0.05)	24,804	-	CPF19C2001A	-	-	-	-
BTS13C2001A	0.01	-	600	-	CK24C2003A	-	-	-	-	CPF19C2003A	0.11	-	14,453	-
BTS13C2003A	0.14	(0.01)	136,700	-	CK41C2001A	-	-	-	-	CPF19C2005A	0.24	(0.01)	499	-
BTS16C2001A	0.06	(0.01)	2,600	-	CK41C2003A	0.17	(0.05)	1,004	-	CPF19P2002A	-	-	-	-
BTS16C2001B	0.28	-	27,877	-	CK41C2004A	0.10	(0.03)	80	-	CPF24C2007A	0.28	-	13,188	-
BTS19C2002A	-	-	-	-	CK41C2005A	-	-	-	-	CPF27C2001A	-	-	-	-
BTS19C2005A	0.24	(0.01)	1,100	-	CKP01C2004A	0.06	(0.02)	13,189	-	CPF28C2004A	0.18	(0.01)	12,168	-
BTS19P2002A	0.06	-	3,860	-	CKP01C2004B	-	-	-	-	CPF41C2001A	-	-	-	-
BTS24C2001A	0.23	(0.04)	2,002	-	CKP01P2004A	0.76	0.11	117,154	-	CPF41C2002A	-	-	-	-
BTS24C2007A	0.24	(0.01)	23,760	-	CKP08C2004A	0.03	(0.02)	100	-	CPF41C2004A	-	-	-	-
BTS24P2001A	-	-	-	-	CKP11C2006A	0.04	(0.01)	7,000	-	CPF41C2005A	-	-	-	-
BTS41C2003A	-	-	-	-	CKP13C2001A	-	-	-	-	CPF41P2003A	-	-	-	-
BTS41C2004A	-	-	-	-	CKP13C2003A	-	-	-	-	CPF42C2001A	-	-	-	-
BTS41C2006A	-	-	-	-	CKP13C2004A	0.07	(0.02)	50,209	-	CPF42C2003A	0.09	-	20	-
BTS41P2001A	-	-	-	-	CKP13C2004B	0.25	(0.08)	98,694	-	CPN01C2001A	0.02	-	20,893	-
BTS41P2004A	0.27	0.02	10,906	-	CKP16C2001A	-	-	-	-	CPN01C2001B	-	-	-	-
BTS42C2003A	-	-	-	-	CKP16C2005A	0.01	(0.01)	8,544	-	CPN01C2005A	0.48	(0.04)	50,948	-
CBG01C2001A	0.38	(0.08)	885,911	-	CKP16C2007A	0.23	(0.08)	66,344	-	CPN01C2005B	0.22	(0.02)	46,828	-
CBG01C2001B	0.03	(0.01)	6,124	-	CKP19C2003A	0.01	(0.01)	3,000	-	CPN01P2001A	1.49	0.08	13,776	1.00
CBG01C2004A	0.81	(0.05)	116,621	-	CKP19C2005A	0.07	(0.01)	3,304	-	CPN01P2005A	0.64	0.04	58,434	-
CBG01C2004B	0.35	(0.04)	158,287	-	CKP24C2006A	0.19	(0.07)	60,502	-	CPN06C2001A	-	-	-	-
CBG01P2001A	0.02	-	5,000	-	CKP27C2005A	-	-	-	-	CPN11C2006A	0.12	(0.01)	19,101	-
CBG01P2003A	0.30	0.02	287,374	-	CKP28C2003A	0.01	-	950	-	CPN13C2001A	-	-	-	-
CBG01P2004A	1.11	0.08	184,056	1.00	CKP28C2004A	0.02	(0.01)	1,250	-	CPN13C2004A	0.17	(0.04)	28,613	-
CBG06C2002A	0.30	(0.08)	45,695	-	CKP28C2004B	-	-	-	-	CPN16C2001A	-	-	-	-
CBG08C2003A	0.47	(0.04)	45,356	-	CKP41C2002A	-	-	-	-	CPN16C2005A	0.33	(0.03)	66,101	-
CBG11C2002A	0.36	(0.04)	32,517	-	CKP41C2004A	-	-	-	-	CPN19C2002A	-	-	-	-
CBG13C2004A	0.46	(0.07)	32,591	-	CKP41C2005A	-	-	-	-	CPN19C2004A	0.19	(0.01)	1,724	-
CBG13P2001A	0.02	(0.01)	500	-	CKP41C2006A	-	-	-	-	CPN24C2002A	-	-	-	-
CBG16C2001A	0.64	(0.11)	115,621	-	CKP42C2003A	-	-	-	-	CPN24C2007A	0.31	(0.03)	2	-
CBG19C2004A	0.39	(0.06)	86,940	-	CKP42C2005A	-	-	-	-	CPN41C2001A	-	-	-	-
CBG19C2005A	0.63	(0.05)	87,045	-	COM708C2002A	0.06	(0.03)	210	-	CPN41C2002A	-	-	-	-
CBG19P2002A	0.14	0.01	34,800	-	COM711C2004A	0.10	(0.01)	10,840	-	CPN41C2003A	-	-	-	-
CBG24C2003A	0.31	(0.05)	28,016	-	COM713C2001A	-	-	-	-	CPN41C2004A	0.14	(0.08)	10,162	-
CBG41C2001A	-	-	-	-	COM713C2004A	0.08	(0.02)	20,182	-	CPN41C2006A	0.35	(0.07)	10,056	-
CBG41C2001B	-	-	-	-	COM716C2001A	0.10	(0.07)	52,766	-	CPN41P2003A	0.28	0.02	15,440	-
CBG41C2002A	-	-	-	-	COM719C2001A	-	-	-	-	CPN42C2002A	-	-	-	-
CBG41C2003A	0.37	(0.07)	4,724	-	COM719C2003A	0.25	(0.06)	20,211	-	CPN42C2004A	-	-	-	-
CBG41C2004A	-	-	-	-	COM719C2005A	0.10	(0.02)	34,738	-	DTAC01C2001A	0.15	(0.05)	86,820	-
CBG41C2006A	-	-	-	-	COM719P2004A	0.32	0.04	46,628	-	DTAC01C2001B	-	-	-	-
CBG41P2001A	-	-	-	-	COM724C2001A	-	-	-	-	DTAC01C2004A	0.48	(0.06)	194,850	-
CBG41P2002A	0.16	(0.08)	100	-	COM724C2007A	0.17	(0.02)	3,150	-	DTAC01C2004B	0.26	(0.04)	132,688	-
CBG41P2003A	0.60	0.04	20,135	-	COM741C2001A	-	-	-	-	DTAC01P2001A	0.59	0.07	55,388	-
CBG41P2004A	1.22	0.03	27,110	1.00	COM741C2002A	-	-	-	-	DTAC01P2001B	0.11	0.01	83,534	-
CBG41P2006A	1.26	0.04	4,386	1.00	COM741C2004A	-	-	-	-	DTAC01P2004A	0.88	0.06	39,119	-
CBG42C2003A	0.18	(0.04)	9,495	-	COM741C2006A	-	-	-	-	DTAC01P2004B	0.59	0.06	121,194	-
CENT01C2003A	0.03	(0.01)	43,988	-	COM742C2002A	0.06	(0.03)	5,158	-	DTAC06C2001A	-	-	-	-
CENT01C2003B	0.02	-	3,386	-	COM742C2004A	0.08	(0.01)	801	-	DTAC08C2005A	0.22	(0.03)	14,000	-
CENT01C2006A	0.44	(0.05)	13,679	-	CPAL01C2002A	0.08	(0.01)	12,425	-	DTAC08C2005B	0.42	(0.05)	33,290	-
CENT01C2006B	0.10	(0.02)	39,840	-	CPAL01C2002B	0.01	(0.01)	3,516	-	DTAC08P2002A	0.56	0.05	25,000	-
CENT01P2003A	0.70	0.05	87,038	-	CPAL01C2004A	0.33	0.01	56,698	-	DTAC11C2002A	0.17	(0.04)	50,582	-
CENT06C2003A	0.02	(0.01)	9,257	-	CPAL01C2004B	0.20	-	150,858	-	DTAC13C2003A	0.13	(0.03)	45,869	-
CENT08C2004A	-	-	-	-	CPAL01C2006A	0.60	0.01	78,022	-	DTAC13P2003A	0.63	0.06	65,481	-
CENT11C2004A	-	-	-	-	CPAL01C2006B	0.41	0.02	221,982	-	DTAC16C2001A	-	-	-	-
CENT11C2007A	0.08	(0.02)	2,209	-	CPAL01P2002A	1.43	(0.03)	15,888	1.00	DTAC19C2001A	0.02	-	15,230	-
CENT13C2001A	-	-	-	-	CPAL01P2002B	0.98	(0.05)	19,788	1.00	DTAC19C2005A	0.31	(0.04)	18,081	-
CENT13C2003A	0.02	(0.02)	14,393	-	CPAL01P2004A	1.01	(0.03)	20,321	1.00	DTAC19P2002A	0.49	0.06	15,756	-
CENT13C2005A	0.10	(0.02)	119,010	-	CPAL01P2004B	0.57	(0.01)	124,566	-	DTAC24C2004A	0.10	(0.01)	5	-
CENT16C2001A	-	-	-	-	CPAL08C2001A	0.02	-	6	-	DTAC27C2002A	0.14	(0.04)	22,306	-
CENT19C2001A	-	-	-	-	CPAL08C2004A	0.16	-	5,000	-	DTAC27P2002A	-	-	-	-
CENT19C2004A	0.05	(0.01)	10,000	-	CPAL08P2002A	0.66	(0.02)	11	-	DTAC28C2001A	0.01	(0.01)	100	-
CENT19C2005A	0.31	(0.06)	17,228</											

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA13C2001A	-	-	-	-	GPSC16C2003A	1.21	(0.08)	231,057	1.00	HMPR27P2001A	0.15	0.01	32,990	-
EA13C2003A	0.12	(0.05)	179,334	-	GPSC16C2007A	0.96	(0.06)	214,007	-	HMPR28C2003A	-	-	-	-
EA13C2005A	0.22	(0.08)	125,170	-	GPSC19C2001A	0.96	(0.12)	13,774	1.00	HMPR41C2002A	-	-	-	-
EA13P2001A	0.58	0.23	320	-	GPSC19C2004A	0.62	(0.05)	312,895	-	HMPR41C2003A	-	-	-	-
EA13P2003A	0.41	0.11	351,290	-	GPSC19P2002A	0.02	-	800	-	HMPR41C2005A	-	-	-	-
EA16C2003A	0.01	(0.01)	97	-	GPSC19P2005A	0.52	0.03	23,622	-	HMPR41P2003A	0.22	0.01	22,416	-
EA16C2006A	0.11	(0.04)	125,619	-	GPSC24C2002A	0.97	(0.09)	61,102	1.00	HMPR42C2003A	-	-	-	-
EA19C2001A	-	-	-	-	GPSC27C2005A	0.48	(0.04)	74,293	-	HSI28C2001A	-	-	-	-
EA19C2002A	0.02	(0.01)	4,000	-	GPSC41C2002A	-	-	-	-	HSI28C2001B	0.83	(0.36)	10	-
EA19C2004A	0.18	(0.05)	68,220	-	GPSC41C2003A	-	-	-	-	HSI28C2001C	0.40	(0.10)	20,000	-
EA19P2002A	0.62	0.16	26,254	-	GPSC41C2004A	0.53	(0.06)	43,680	-	HSI28C2002A	-	-	-	-
EA24C2003A	0.03	(0.01)	20,000	-	GPSC41C2005A	0.77	(0.04)	391,524	-	HSI28C2002B	-	-	-	-
EA24C2004A	0.20	(0.06)	76,725	-	GPSC41C2006A	0.89	0.17	39,402	-	HSI28C2002C	0.65	(0.13)	49,711	-
EA27C2006A	0.22	(0.05)	54,354	-	GPSC41P2003A	0.16	0.01	133	-	HSI28P2001A	-	-	-	-
EA28C2002A	0.01	-	25,410	-	GPSC41P2004A	0.76	-	35,896	-	HSI28P2001B	-	-	-	-
EA28C2004A	0.08	(0.04)	34,163	-	GPSC41P2005A	0.84	0.03	153,506	-	HSI28P2001C	0.08	(0.04)	200	-
EA28C2004B	0.13	(0.05)	65,776	-	GPSC42C2002A	0.60	(0.08)	21,964	-	HSI28P2002A	0.34	0.07	2,297	-
EA41C2002A	-	-	-	-	GULF01C2003A	0.78	(0.11)	308,167	-	HSI28P2002B	-	-	-	-
EA41C2004A	0.15	(0.05)	2	-	GULF01C2003B	0.29	(0.07)	241,651	-	HSI28P2002C	0.09	0.02	631	-
EA41C2005A	0.17	(0.04)	3,000	-	GULF01C2005A	0.92	(0.13)	175,995	-	INTU01C2003A	0.19	(0.01)	134,259	-
EA41C2006A	0.24	(0.07)	2,166	-	GULF01C2005B	0.61	(0.11)	217,404	-	INTU01C2003B	0.11	-	114,190	-
EA41P2003A	0.99	0.29	7,872	-	GULF01P2003A	0.26	0.03	314,392	-	INTU01C2006A	0.60	(0.02)	64,014	-
EA41P2004A	0.68	0.11	52,223	-	GULF01P2003B	0.39	0.06	511,536	-	INTU01C2006B	0.42	-	78,834	-
EA42C2001A	-	-	-	-	GULF03C2005A	0.29	(0.11)	65,388	-	INTU01P2003A	0.91	-	31,558	-
EA42C2004A	0.13	(0.06)	1,100	-	GULF06C2004A	0.84	(0.19)	37,200	-	INTU01P2003B	0.31	0.01	93,454	-
EGCO01C2001A	0.48	-	17,258	-	GULF08C2003A	0.54	(0.11)	55,133	-	INTU01P2006A	0.68	-	52,471	-
EGCO01C2001B	0.06	-	6,196	-	GULF11C2003A	1.63	(0.15)	11,100	1.00	INTU01P2006B	0.39	-	70,296	-
EGCO01C2004A	0.34	-	65,302	-	GULF11C2006A	0.63	(0.11)	79,236	-	INTU11C2001A	0.15	(0.02)	61,211	-
EGCO01C2004B	0.12	-	25,387	-	GULF13C2001A	0.05	(0.05)	306,944	-	INTU13C2002A	0.05	-	26,630	-
EGCO06C2004A	0.16	0.01	50,710	-	GULF13C2004A	0.55	(0.09)	743,742	-	INTU13C2004A	0.32	(0.02)	171,667	-
EGCO06P2004A	0.70	(0.01)	47,226	-	GULF13P2001A	-	-	-	-	INTU13P2004A	0.26	0.01	99,128	-
EGCO13C2002A	0.08	-	65,458	-	GULF13P2001B	-	-	-	-	INTU16C2001A	-	-	-	-
EGCO13C2005A	0.53	0.01	75,530	-	GULF13P2002A	0.13	0.03	172,488	-	INTU16C2005A	0.07	(0.01)	1,000	-
EGCO16C2001A	-	-	-	-	GULF13P2004A	0.72	0.08	745,412	-	INTU16C2007A	0.32	(0.02)	134,672	-
EGCO19C2002A	0.03	0.01	10	-	GULF16C2001A	1.88	(0.22)	41,116	2.00	INTU19C2004A	0.16	(0.01)	11,757	-
EGCO19C2005A	0.35	0.01	11,836	-	GULF16C2003A	0.36	(0.11)	123,089	-	INTU19C2005A	0.41	(0.02)	27,949	-
EGCO41C2001A	-	-	-	-	GULF16C2007A	0.71	(0.13)	99,069	-	INTU19P2002A	0.17	-	70,839	-
EGCO41C2002A	0.04	-	500	-	GULF19C2003A	0.58	(0.11)	29,539	-	INTU24C2003A	-	-	-	-
EGCO41C2003A	-	-	-	-	GULF19C2004A	0.36	(0.06)	14,191	-	INTU28C2003A	-	-	-	-
EGCO41C2004A	0.14	(0.01)	3	-	GULF19P2001A	-	-	-	-	INTU41C2003A	-	-	-	-
EGCO41C2006A	0.56	-	51,090	-	GULF19P2003A	0.20	0.03	5,264	-	INTU41C2004A	-	-	-	-
EGCO41P2001A	-	-	-	-	GULF24C2001A	1.29	(0.08)	100	1.00	INTU41C2005A	-	-	-	-
EGCO41P2002A	0.27	(0.01)	69,450	-	GULF24C2002A	0.27	(0.09)	28,876	-	INTU41C2006A	0.38	(0.03)	65,870	-
EGCO41P2004A	0.92	(0.01)	14,810	-	GULF24C2005A	0.68	(0.11)	762	-	INTU41C2007A	0.40	0.02	6,660	-
EGCO41P2006A	0.63	0.01	26,108	-	GULF24P2001A	-	-	-	-	INTU41P2001A	0.06	(0.02)	601	-
EGCO42C2003A	-	-	-	-	GULF27C2004A	1.11	(0.11)	12,554	1.00	INTU41P2003A	-	-	-	-
EPG08C2004A	0.09	(0.02)	8,832	-	GULF28C2001A	-	-	-	-	INTU41P2004A	0.64	(0.07)	322	-
EPG13C2004A	0.04	(0.02)	52,905	-	GULF28C2003A	0.19	(0.05)	52,496	-	INTU41P2005A	0.43	-	14,732	-
EPG19C2002A	-	-	-	-	GULF28C2003B	0.19	(0.05)	33,204	-	INTU41P2006A	0.45	(0.01)	28,130	-
EPG19C2005A	0.12	(0.03)	12,137	-	GULF41C2001A	-	-	-	-	INTU42C2003A	-	-	-	-
EPG19P2002A	0.38	0.06	90,526	-	GULF41C2001B	-	-	-	-	INTU42C2005A	0.28	(0.08)	762	-
ERW06C2001A	-	-	-	-	GULF41C2002A	0.23	(0.07)	2,362	-	IRPC01C2002A	0.09	(0.07)	233,828	-
ERW06P2001A	0.06	0.02	56,536	-	GULF41C2003A	-	-	-	-	IRPC01C2002B	0.09	(0.07)	314,283	-
ERW11C2001A	-	-	-	-	GULF41C2004A	-	-	-	-	IRPC01C2005A	0.32	(0.09)	198,332	-
ERW13C2001A	-	-	-	-	GULF41C2005A	0.42	(0.06)	10,285	-	IRPC01C2005B	0.20	(0.07)	220,821	-
ERW13C2005A	0.10	(0.02)	72,520	-	GULF41C2006A	0.72	(0.08)	62,000	-	IRPC01P2002A	0.47	0.12	327,562	-
ERW19C2001A	-	-	-	-	GULF41P2001A	0.01	(0.01)	1,301	-	IRPC01P2005A	0.83	0.11	154,832	-
ERW19C2005A	0.04	(0.02)	8,193	-	GULF41P2002A	0.11	0.03	1	-	IRPC06C2001A	-	-	-	-
ERW19C2006A	-	-	-	-	GULF41P2003A	0.59	0.06	33,488	-	IRPC06C2005A	0.30	(0.12)	65,212	-
ESSO01C2004A	0.61	(0.10)	86,684	-	GULF41P2004A	0.89	0.08	99,639	-	IRPC06P2004A	0.23	0.06	73,525	-
ESSO01C2004B	0.55	(0.11)	90,224	-	GULF41P2005A	-	-	-	-	IRPC11C2001A	0.01	(0.01)	1,592	-
ESSO08C2004A	0.62	(0.09)	73,271	-	GULF41P2006A	-	-	-	-	IRPC11C2005A	0.04	-	1,628	-
ESSO11C2002A	0.03	-	1	-	GULF42C2002A	0.45	(0.17)	15,128	-	IRPC13C2001A	0.02	-	400	-
ESSO13C2003A	0.39	(0.09)	337,241	-	GULF42C2003A	0.19	(0.06)	15,994	-	IRPC13C2003A	0.14	(0.09)	625,025	-
ESSO19C2001A	0.02	-	2,335	-	GUNK01C2005A	0.23	(0.04)	69,373	-	IRPC19C2001A	-	-	-	-
ESSO19C2004A	0.45	(0.09)	59,031	-	GUNK01C2005B	0.10	(0.02)	11,124	-	IRPC19C2003A	0.11	(0.05)	24,712	-
ESSO24C2003A	0.41	(0.09)	52,928	-	GUNK01P2005A	0.45	0.04	58,674	-	IRPC19C2005A	0.32	(0.10)	93,891	-
ESSO41C2002A	0.20	(0.03)	1,200	-	GUNK11C2007A	0.14	(0.02)	44,458	-	IRPC24C2002A	0.03	(0.04)	35,160	-
ESSO41C2003A	0.36	(0.05)	32,444	-	GUNK13C2003A	-	-	-	-	IRPC24C2004A	0.23	(0.11)	66,509	-
ESSO41C2004A	0.62	-	17,130	-	GUNK16C2002A	-	-	-	-	IRPC28C2003A	0.07	(0.05)	6,500	-
ESSO41C2005A	0.58	(0.05)	1,006	-	GUNK19C2003A	0.07	(0.02)	2,400	-	IRPC28C2003B	0.18	(0.08)	31,353	-
ESSO42C2001A	0.02	-	600	-	GUNK24C2001A	-	-	-	-	IRPC41C2001A	-	-	-	-
ESSO42C2003A	0.33	(0.11)	27,007	-	GUNK24C2006A	0.18	(0.04)	50	-	IRPC41C2002A	-	-	-	-
GFPT13C2003A	0.15	(0.02)	7,663	-	GUNK28C2002A	-	-	-	-	IRPC41C2002B	-	-	-	-
GFPT19C2004A	0.14	(0.01)	38,177	-	GUNK28C2003A	-	-	-	-	IRPC41C2003A	0.16	(0.09)	22,530	-
GFPT42C2004A	0.20	(0.02)	518	-	GUNK28C2005A	0.12	(0.02)	15,210	-	IRPC41C2004A	0.27	(0.11)	6,744	-
GLOB01C2003A	0.10	(0.02)	32,749	-	GUNK41C2002A	-	-	-	-	IRPC41C2005A	0.28	(0.20)	39,514	-
GLOB01P2003A	0.52	0.05	59,903	-	GUNK41C2003A	-	-	-	-	IRPC41P2001A	0.04	0.01	260	-
GLOB06C2002A	0.04	(0.01)	500	-	GUNK41C2005A	-	-	-	-	IRPC41P2002A	-	-	-	-
GLOB11C2002A	-	-	-	-	GUNK41P2005A	0.54	0.06	21,732	-	IRPC41P2004A	-	-	-	-
GLOB13C2002A	0.06	-	500	-	GUNK42C2003A	-	-	-	-	IRPC41P2005A	0.33	0.06	18,332	-
GLOB16C2001A	-	-	-	-	HANA01C2001A	0.37	-	66,222	-	IRPC41P2006A	0.48	0.06	36,025	-
GLOB19C2002A	-	-	-	-	HANA01C2001B	0.11	0.01	99,747	-	IRPC42C2002A	-	-	-	-
GLOB19C2005A	0.12	(0.02)	8,070	-	HANA01C2006A	0.46	0.02	84,977	-	IRPC42C2003A	0.07	(0.05)	1,174	-
GLOB24C2005A	0.11	(0.03)	2,315	-	HANA01C2006B	0.27	0.01	79,137	-	IVL01C2002A	0.04	(0.03)	268,376	-
GLOB41C2001A	0.01	(0.12)	100	-	HANA01P2006A	0.40	(0.02)	79,597	-	IVL01C2002B	0.02	-	14,668	-
GLOB41C2004A	-	-	-	-	HANA13C2002A	0.37	0.03	6,600	-	IVL01C2004A	0.24	(0.10)	330,103	-

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL13C2002A	0.02	(0.01)	72,810	-	KBAN42C2004A	0.09	(0.02)	1,210	-	MINT13C2002A	-	-	-	-
IVL13C2002B	0.05	(0.06)	85,550	-	KCE01C2004A	0.93	(0.14)	259,305	-	MINT13C2004A	0.08	(0.03)	25,431	-
IVL13C2003A	0.19	(0.13)	227,794	-	KCE01C2004B	0.62	(0.13)	272,986	-	MINT16C2001A	-	-	-	-
IVL13P2001A	-	-	-	-	KCE01P2004A	0.95	0.12	191,736	-	MINT19C2001A	-	-	-	-
IVL13P2004A	0.32	0.10	257,211	-	KCE08C2002A	0.65	(0.15)	690	-	MINT19C2002A	-	-	-	-
IVL16C2001A	-	-	-	-	KCE08C2005A	0.34	(0.09)	99,369	-	MINT19C2004A	0.12	(0.04)	7,800	-
IVL16C2006A	0.18	(0.10)	63,441	-	KCE08C2005B	0.12	(0.03)	31,058	-	MINT19P2004A	0.28	0.05	33,422	-
IVL19C2001A	-	-	-	-	KCE11C2004A	0.59	(0.10)	111,259	-	MINT23C2001A	-	-	-	-
IVL19C2002A	0.06	(0.06)	14,484	-	KCE13C2001A	-	-	-	-	MINT24C2001A	-	-	-	-
IVL19C2003A	0.05	(0.05)	20,504	-	KCE13C2003A	1.08	(0.19)	4,003	1.00	MINT24C2006A	0.18	(0.04)	6,498	-
IVL19C2004A	0.33	(0.13)	17,780	-	KCE13C2004A	0.43	(0.10)	589,865	-	MINT28C2002A	-	-	-	-
IVL19P2003A	0.19	0.06	75,535	-	KCE13C2005A	0.11	(0.02)	161,814	-	MINT41C2001A	-	-	-	-
IVL19P2006A	0.47	(0.53)	29,428	-	KCE16C2001A	0.08	(0.08)	479,301	-	MINT41C2002A	-	-	-	-
IVL24C2001A	-	-	-	-	KCE16C2007A	0.40	(0.10)	113,187	-	MINT41C2005A	-	-	-	-
IVL24C2002A	0.05	(0.05)	802	-	KCE19C2002A	0.51	(0.15)	46,023	-	MINT41P2004A	0.37	0.03	16,756	-
IVL24C2003A	0.26	(0.11)	39,536	-	KCE19C2005A	0.47	(0.11)	300,886	-	MINT42C2002A	-	-	-	-
IVL28C2001A	-	-	-	-	KCE24C2005A	0.85	(0.16)	168,458	-	MINT42C2004A	0.06	(0.03)	2,901	-
IVL28C2002A	-	-	-	-	KCE28C2003A	0.61	(0.27)	30	-	MTC01C2003A	0.47	(0.07)	129,094	-
IVL28C2003A	0.06	(0.06)	6,095	-	KCE28C2003B	-	-	-	-	MTC01C2003B	0.24	(0.07)	171,868	-
IVL28C2003B	0.13	(0.12)	63,630	-	KCE41C2002A	0.49	(0.10)	7	-	MTC01P2003A	0.43	0.04	128,598	-
IVL28P2003A	-	-	-	-	KCE41C2003A	0.82	(0.20)	3	-	MTC03C2005A	0.40	(0.09)	21,720	-
IVL41C2001A	-	-	-	-	KCE41C2005A	0.50	(0.12)	86,101	-	MTC08C2005A	0.50	(0.06)	32,092	-
IVL41C2002A	-	-	-	-	KCE41C2006A	-	-	-	-	MTC11C2002A	0.67	(0.10)	22,100	-
IVL41C2002B	-	-	-	-	KCE42C2001A	0.44	(0.21)	45,668	-	MTC13C2003A	0.32	(0.07)	164,212	-
IVL41C2003A	-	-	-	-	KKP01C2001A	0.22	(0.03)	54,396	-	MTC13P2003A	0.24	0.03	103,028	-
IVL41C2004A	-	-	-	-	KKP01C2001B	0.02	(0.02)	50	-	MTC16C2007A	0.33	(0.06)	108,836	-
IVL41C2005A	0.23	(0.06)	6,660	-	KKP01C2006A	0.59	(0.02)	30,910	-	MTC19C2002A	0.23	(0.06)	66,353	-
IVL41C2006A	-	-	-	-	KKP01C2006B	0.38	(0.02)	48,712	-	MTC19C2006A	0.35	(0.04)	18,534	-
IVL41C2007A	-	-	-	-	KKP01P2001A	0.64	-	14,482	-	MTC19P2004A	0.33	0.04	20,371	-
IVL41P2001A	0.47	0.22	1	-	KKP01P2006A	0.68	(0.02)	23,228	-	MTC24C2004A	0.41	(0.04)	32,495	-
IVL41P2002A	0.14	0.05	505	-	KKP08C2003A	-	-	-	-	MTC28C2002A	0.26	(0.06)	23,262	-
IVL41P2003A	-	-	-	-	KKP11C2007A	0.39	(0.02)	33,128	-	MTC41C2003A	0.27	(0.15)	3,774	-
IVL41P2004A	-	-	-	-	KKP13C2001A	-	-	-	-	MTC41C2004A	-	-	-	-
IVL41P2005A	0.60	0.10	77,538	-	KKP13C2004A	0.21	(0.02)	88,704	-	MTC41P2003A	-	-	-	-
IVL41P2006A	-	-	-	-	KKP16C2002A	0.27	(0.03)	36,815	-	MTC41P2004A	0.54	0.06	18,980	-
IVL41P2007A	0.75	(0.25)	4,880	-	KKP19C2003A	0.19	(0.01)	12,967	-	MTC42C2003A	0.19	(0.04)	9,910	-
IVL42C2001A	-	-	-	-	KKP24C2003A	-	-	-	-	ORI08C2001A	-	-	-	-
IVL42C2002A	0.02	(0.06)	22,902	-	KKP27P2002A	0.15	0.01	4,020	-	ORI13C2004A	0.27	(0.04)	39,946	-
JAS06C2002A	0.02	(0.01)	2,175	-	KKP41C2002A	0.14	(0.01)	1,004	-	ORI19C2001A	-	-	-	-
JAS13C2001A	0.01	(0.01)	8,080	-	KT801C2003A	0.20	(0.02)	47,543	-	ORI19C2003A	0.13	(0.02)	11,314	-
JAS13C2002A	0.35	(0.12)	138,422	-	KT801P2003A	0.37	0.01	48,151	-	ORI19C2005A	0.34	(0.05)	13,007	-
JAS13C2002B	0.10	(0.02)	44,482	-	KT811C2004A	-	-	-	-	ORI24C2001A	-	-	-	-
JAS16C2002A	0.02	(0.02)	13,740	-	KT811C2006A	0.10	(0.01)	207	-	ORI28C2004A	0.24	(0.03)	18,618	-
JAS16C2002B	-	-	-	-	KT813C2002A	0.02	(0.02)	36,000	-	ORI41C2002A	-	-	-	-
JAS19C2002A	0.02	-	332	-	KT819C2002A	-	-	-	-	ORI41C2004A	-	-	-	-
JAS19C2004A	0.22	(0.04)	25,822	-	KT819C2005A	0.20	(0.02)	27,830	-	OSP01C2003A	0.29	0.02	122,560	-
JAS19P2001A	0.02	0.01	45,996	-	KT824C2004A	-	-	-	-	OSP01C2003B	0.10	-	74,952	-
JAS28C2002A	0.01	(0.02)	33	-	KT841C2002A	-	-	-	-	OSP01C2006A	0.48	0.02	65,695	-
JAS28C2002B	0.08	(0.01)	6	-	KT841C2003A	-	-	-	-	OSP01C2006B	0.32	0.01	52,499	-
JAS28C2003A	0.06	(0.01)	20	-	KT841C2004A	-	-	-	-	OSP01P2003A	0.40	(0.03)	95,355	-
JAS41C2001A	-	-	-	-	KT841C2006A	-	-	-	-	OSP06C2005A	0.37	0.02	37,832	-
JAS41C2004A	-	-	-	-	KT841P2004A	0.24	-	17,728	-	OSP06P2003A	0.31	0.01	33,018	-
JAS41C2005A	-	-	-	-	KTC01C2001A	0.08	(0.02)	26,754	-	OSP08C2001A	0.29	0.03	10,750	-
JAS41C2006A	-	-	-	-	KTC01C2001B	0.01	-	22,000	-	OSP08C2004A	0.18	-	13,900	-
JAS41P2001A	0.49	0.06	1,338	-	KTC01C2004A	0.25	(0.03)	97,445	-	OSP11C2005A	0.35	-	62,384	-
JAS41P2005A	0.54	0.04	28,865	-	KTC01C2004B	0.15	(0.02)	46,632	-	OSP13C2002A	0.11	-	69,626	-
JMT13C2006A	0.50	(0.50)	15,932	-	KTC01P2001A	0.14	0.02	70,567	-	OSP13C2004A	0.31	0.02	172,757	-
JMT19C2006A	0.42	(0.06)	15,798	-	KTC01P2004A	0.50	0.04	81,031	-	OSP16C2001A	0.27	0.03	64,371	-
KBAN01C2002A	0.03	(0.02)	63,637	-	KTC06C2002A	-	-	-	-	OSP19C2004A	0.15	-	32,150	-
KBAN01C2002B	0.01	(0.01)	6,474	-	KTC08C2004A	0.15	(0.01)	3,000	-	OSP19C2005A	0.34	0.02	42,882	-
KBAN01C2004A	0.33	(0.05)	171,309	-	KTC11C2005A	0.18	(0.02)	23,786	-	OSP24C2008A	0.42	0.02	28,008	-
KBAN01C2004B	0.34	(0.06)	90,971	-	KTC13C2002A	0.02	(0.01)	488	-	OSP28C2001A	0.18	(0.01)	3,003	-
KBAN01P2002A	1.85	0.15	12,890	1.00	KTC13C2004A	0.14	(0.02)	51,927	-	OSP28C2003A	0.13	0.01	21,024	-
KBAN01P2002B	0.98	0.12	51,745	-	KTC13P2002A	0.35	0.04	112,402	-	OSP41C2003A	-	-	-	-
KBAN01P2004A	1.00	0.07	159,161	1.00	KTC19C2002A	-	-	-	-	OSP41C2004A	-	-	-	-
KBAN01P2004B	0.26	0.04	85,378	-	KTC19C2005A	0.22	(0.02)	25,585	-	OSP41C2005A	-	-	-	-
KBAN06C2001A	-	-	-	-	KTC19P2001A	0.03	-	2,230	-	OSP41P2003A	0.15	(0.02)	52	-
KBAN06C2004A	0.24	(0.06)	68,599	-	KTC19P2005A	0.42	0.02	8,865	-	OSP41P2004A	-	-	-	-
KBAN08C2001A	-	-	-	-	KTC24C2001A	0.07	-	30	-	OSP42C2001A	0.19	0.01	5,600	-
KBAN08C2002A	-	-	-	-	KTC28C2002A	-	-	-	-	OSC24C2005A	0.34	0.02	7,014	-
KBAN08C2005A	0.31	(0.06)	21,690	-	KTC28C2003A	-	-	-	-	PLAN08C2004A	-	-	-	-
KBAN08P2002A	0.53	0.07	30,255	-	KTC28C2004A	0.11	(0.01)	20,424	-	PLAN13C2004A	0.06	(0.02)	38,492	-
KBAN08P2004A	0.34	0.03	24,340	-	KTC41C2001A	-	-	-	-	PLAN13C2005A	0.19	(0.02)	27,849	-
KBAN13C2001A	-	-	-	-	KTC41C2004A	-	-	-	-	PLAN16C2002A	0.08	(0.04)	27,531	-
KBAN13C2003A	0.12	(0.03)	162,340	-	KTC41C2005A	-	-	-	-	PLAN19C2001A	-	-	-	-
KBAN13C2003B	0.29	(0.06)	129,028	-	KTC41C2006A	-	-	-	-	PLAN19C2005A	0.10	(0.01)	5,849	-
KBAN13P2001A	-	-	-	-	KTC41P2001A	-	-	-	-	PLAN24C2006A	0.17	(0.04)	34,500	-
KBAN13P2003A	0.18	0.03	364,421	-	KTC42C2003A	-	-	-	-	PLAN28C2002A	0.01	-	17,000	-
KBAN16C2001A	-	-	-	-	LH01C2003A	0.13	(0.01)	635,641	-	PLAN28C2004A	0.06	(0.01)	3,042	-
KBAN16C2005A	0.12	(0.03)	88,384	-	LH01P2003A	0.36	0.01	98,780	-	PLAN28C2005A	0.12	(0.01)	13,154	-
KBAN19C2001A	-	-	-	-	LH11C2007A	0.44	(0.02)	77,990	-	PLAN41C2002A	-	-	-	-
KBAN19C2003A	0.06	(0.02)	7,240	-	LH16C2002A	0.07	(0.02)	2,000	-	PLAN41C2004A	-	-	-	-
KBAN19C2004A	0.36	(0.07)	23,106	-	LH19C2003A	-	-	-	-	PLAN41C2005A	-	-	-	-
KBAN19P2004A	0.32	0.03	75,676	-	LH19C2003B	0.18	(0.02)	12,654	-	PLAN41C2006A	0.17	(0.02)	50	-
KBAN24C2001A	0.01	(0.01)	3	-	LH19P2004A	0.16	0.01	6,235	-	PRM08C2003A	0.05	(0.02)	7,073	-
KBAN24C2005A	0.28	(0.06)	41,065	-	LH41C2002A	-	-	-	-	PRM13C2003A	0.07	(0.06)	22,698	-
KBAN27P2001A	0.27	0.04	42,275	-	LH41C2004A	-	-	-	-	PRM19C2001A	-	-	-	-
KBAN28C2001A	-	-	-	-	LH41C2005A	-	-	-	-	PRM19C2004A	0.12	(0.06)	29,349	-
KBAN28C2002A	0.01	-	39,259	-	LH41P2003A	-	-	-	-	PRM27C2002A	0.02			

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN42C2003A	-	-	-	-	MINT11C2006A	0.14	(0.04)	18,001	-	PTG01C2003B	0.03	(0.03)	327,471	-

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG01C2005A	0.28	(0.11)	481,508	-	PTTE41C2001A	-	-	-	-	RS16C2005A	0.04	(0.01)	1,901	-
PTG01C2005B	0.14	(0.07)	323,605	-	PTTE41C2001B	-	-	-	-	RS19C2002A	-	-	-	-
PTG01P2001A	1.01	0.32	57,074	-	PTTE41C2002A	-	-	-	-	RS19C2004A	-	-	-	-
PTG01P2003A	1.14	0.28	54,680	1.00	PTTE41C2003A	-	-	-	-	RS19C2005A	0.16	(0.02)	2,400	-
PTG01P2005A	0.94	0.17	106,787	-	PTTE41C2005A	0.62	(0.01)	20,273	-	RS24C2004A	-	-	-	-
PTG01P2005B	0.73	0.17	239,359	-	PTTE41C2006A	0.68	(0.32)	11,100	-	RS24C2008A	0.27	(0.03)	27,804	-
PTG03C2005A	0.02	(0.01)	75,809	-	PTTE41P2002A	0.11	(0.05)	1	-	RS41C2002A	-	-	-	-
PTG06C2001A	0.01	-	20	-	PTTE41P2003A	0.09	(0.02)	4,064	-	RS41C2004A	-	-	-	-
PTG06C2006A	0.19	(0.10)	77,217	-	PTTE42C2001A	0.02	0.01	1	-	RS42C2004A	-	-	-	-
PTG08C2005A	0.13	(0.05)	41,117	-	PTTE42C2004A	0.39	0.02	13,342	-	S10001C2011A	0.57	(0.07)	294	-
PTG11C2003A	0.18	(0.10)	44,229	-	PTTG01C2002A	0.59	(0.06)	264,115	-	S5001C2001A	0.20	(0.11)	605,693	-
PTG11C2005A	0.07	(0.04)	30,456	-	PTTG01C2002B	0.32	(0.08)	382,208	-	S5001C2002A	0.51	(0.14)	1,075,675	-
PTG13C2002A	0.01	(0.02)	41,148	-	PTTG01C2005A	0.59	(0.09)	106,524	-	S5001C2003F	0.50	(0.17)	3,640,553	-
PTG13C2004A	0.12	(0.07)	1,040,901	-	PTTG01C2005B	0.38	(0.08)	124,384	-	S5001C2003G	0.37	(0.13)	2,489,585	-
PTG13P2001A	0.72	0.31	184,120	-	PTTG01P2002A	0.32	0.06	234,338	-	S5001C2003H	0.68	(0.18)	2,107,649	-
PTG13P2004A	0.67	0.17	340,126	-	PTTG01P2002B	0.06	0.01	200	-	S5001C2004A	0.74	(0.14)	2,203,178	-
PTG19C2003A	0.07	(0.04)	12,030	-	PTTG01P2005A	0.70	0.08	135,855	-	S5001P2001A	0.85	0.18	1,070,592	-
PTG19C2004A	0.05	(0.04)	62,402	-	PTTG01P2005B	0.46	0.06	269,076	-	S5001P2002A	0.65	0.14	509,409	-
PTG19C2005A	0.17	(0.09)	206,407	-	PTTG06C2001A	0.20	(0.12)	38,233	-	S5001P2003F	0.81	0.15	4,114,415	-
PTG19P2001A	0.59	0.24	93,664	-	PTTG08C2001A	-	-	-	-	S5001P2003G	0.64	0.13	3,401,700	-
PTG19P2006A	0.67	(0.33)	65,872	-	PTTG08C2004A	0.52	(0.10)	47,717	-	S5001P2003H	1.12	0.22	3,016,430	1.00
PTG24C2002A	0.03	(0.04)	24,950	-	PTTG08P2004A	0.20	0.03	12,790	-	S5001P2004A	1.02	0.15	715,954	1.00
PTG27P2001A	0.35	0.17	73,456	-	PTTG11C2004A	0.16	(0.05)	48,200	-	S5006C2003A	0.22	(0.11)	325,406	-
PTG28C2004A	0.06	(0.05)	3,600	-	PTTG11C2007A	0.80	(0.11)	27,752	-	S5006C2003B	0.31	(0.11)	229,679	-
PTG41C2002A	0.02	(0.17)	1,000	-	PTTG13C2001A	0.01	(0.10)	4	-	S5006C2003C	0.39	(0.18)	410,153	-
PTG41C2004A	0.07	(0.19)	3,500	-	PTTG13C2002A	0.47	(0.12)	18,804	-	S5006P2003A	0.92	0.21	383,375	-
PTG41C2005A	0.08	(0.17)	240	-	PTTG13C2005A	0.44	(0.08)	212,173	-	S5006P2003B	1.07	0.21	299,011	1.00
PTG41C2006A	0.22	(0.09)	18,024	-	PTTG13P2001A	-	-	-	-	S5006P2003C	0.46	0.12	483,260	-
PTG42C2001A	-	-	-	-	PTTG13P2004A	0.23	0.04	233,974	-	S5008C2003A	0.45	(0.18)	302,187	-
PTG42C2004A	-	-	-	-	PTTG16C2001A	-	-	-	-	S5008C2003B	0.27	(0.13)	181,290	-
PTT01C2001A	0.27	(0.02)	170,209	-	PTTG16C2006A	0.46	(0.08)	121,919	-	S5008P2003A	0.39	0.09	254,118	-
PTT01C2001B	0.03	-	19,060	-	PTTG19C2001A	-	-	-	-	S5008P2003B	0.19	0.05	174,451	-
PTT01C2004A	0.53	(0.01)	167,107	-	PTTG19C2002A	0.25	(0.09)	122,875	-	S5013C2003A	0.31	(0.11)	11,578,924	-
PTT01C2004B	0.31	(0.03)	153,652	-	PTTG19C2006A	0.35	(0.06)	12,298	-	S5013C2003B	0.58	(0.16)	8,718,393	-
PTT01P2001A	0.34	0.02	58,545	-	PTTG19P2003A	0.09	0.02	2,600	-	S5013C2003C	0.47	(0.14)	11,576,049	-
PTT01P2001B	0.04	(0.01)	10	-	PTTG19P2006A	0.53	(0.47)	48,034	-	S5013P2003A	1.09	0.19	1,095,931	1.00
PTT01P2004A	0.34	0.01	135,811	-	PTTG24C2003A	0.60	(0.14)	19,280	-	S5013P2003B	0.67	0.13	6,957,771	-
PTT01P2004B	0.17	0.02	67,704	-	PTTG27C2001A	-	-	-	-	S5013P2003C	0.95	0.18	974,314	-
PTT06C2005A	0.46	(0.02)	19,921	-	PTTG28C2001A	-	-	-	-	S5016C2003A	0.31	(0.12)	225,273	-
PTT08C2005A	0.44	(0.01)	3,373	-	PTTG28C2002A	0.16	(0.06)	45,294	-	S5016C2003B	0.50	(0.16)	359,445	-
PTT08P2005A	0.17	(0.01)	14,120	-	PTTG28C2003A	0.43	(0.11)	4,763	-	S5016C2003C	0.66	(0.12)	92,702	-
PTT11C2004A	0.14	(0.01)	44,139	-	PTTG41C2001A	-	-	-	-	S5016P2003A	0.72	0.15	519,972	-
PTT13C2001A	0.01	(0.01)	1,375	-	PTTG41C2002A	-	-	-	-	S5016P2003C	0.82	0.11	167,528	-
PTT13C2004A	0.30	(0.03)	289,287	-	PTTG41C2003A	0.37	(0.08)	28,994	-	S5019C2003A	0.29	(0.12)	857,175	-
PTT13P2001A	-	-	-	-	PTTG41C2006A	0.50	(0.50)	18,000	-	S5019C2003B	0.65	(0.20)	578,485	-
PTT13P2004A	0.14	-	167,816	-	PTTG41P2001A	-	-	-	-	S5019P2003A	0.75	0.15	951,108	-
PTT16C2001A	-	-	-	-	PTTG41P2002A	-	-	-	-	S5019P2003B	0.36	0.09	723,602	-
PTT19C2002A	0.19	(0.01)	14,686	-	PTTG41P2003A	-	-	-	-	S5024C2003A	0.32	(0.14)	165,485	-
PTT19C2005A	0.45	(0.04)	13,786	-	PTTG41P2006A	0.52	0.06	25,764	-	S5024C2003B	0.72	(0.29)	304,638	-
PTT19P2003A	0.08	-	880	-	PTTG42C2003A	0.19	(0.07)	13,344	-	S5024P2003A	0.97	0.24	433,118	-
PTT19P2006A	0.30	(0.70)	201	-	QH01C2001A	-	-	-	-	S5024P2003B	0.41	0.11	98,981	-
PTT24C2003A	0.18	(0.02)	62,605	-	QH01C2001B	0.01	(0.01)	500	-	S5028C2001A	0.05	(0.05)	117,645	-
PTT24P2001A	-	-	-	-	QH01P2001A	0.38	0.03	5,916	-	S5028C2002A	0.21	(0.08)	185,698	-
PTT28C2002A	0.11	(0.01)	44,974	-	QH11C2006A	0.21	(0.01)	17,000	-	S5028C2003A	0.08	(0.04)	166,709	-
PTT28C2003A	0.07	(0.01)	50	-	QH13C2003A	0.10	-	386	-	S5028P2001A	0.37	0.10	16,433	-
PTT28C2004A	0.25	(0.01)	18,275	-	QH19C2002A	-	-	-	-	S5028P2002A	0.34	0.05	6,668	-
PTT28P2004A	0.14	-	1,434	-	QH19C2006A	-	-	-	-	S5028P2003A	0.27	0.04	378,719	-
PTT41C2001A	-	-	-	-	QH27C2007A	0.20	-	10,140	-	S5041C2003A	0.20	(0.07)	721,056	-
PTT41C2002A	-	-	-	-	RATC01C2003A	0.18	(0.01)	84,195	-	S5041C2003B	0.31	(0.10)	189,913	-
PTT41C2004A	0.30	-	11,852	-	RATC01C2003B	0.06	(0.01)	43,820	-	S5041C2003C	0.42	(0.14)	1,562,525	-
PTT41C2005A	0.44	0.03	250	-	RATC01C2006A	0.63	(0.03)	62,335	-	S5041P2003A	0.54	0.10	178,703	-
PTT41C2006A	0.38	0.02	1	-	RATC01C2006B	0.44	(0.03)	70,570	-	S5041P2003B	0.77	0.12	3,123,994	-
PTT41P2001A	-	-	-	-	RATC01P2006A	0.86	0.02	92,063	-	S5041P2003C	0.36	0.08	1,267,470	-
PTT41P2004A	-	-	-	-	RATC06C2006A	0.36	(0.06)	30,460	-	SAWA01C2003A	1.10	(0.05)	41,800	1.00
PTT41P2005A	-	-	-	-	RATC06P2006A	0.40	0.03	23,830	-	SAWA01C2003B	0.72	(0.05)	163,620	-
PTT42C2003A	-	-	-	-	RATC13C2001A	0.01	-	2	-	SAWA01P2003A	0.23	-	195,777	-
PTTE01C2001A	0.44	0.03	69,253	-	RATC13C2002A	0.01	(0.01)	1,000	-	SAWA06C2002A	0.76	(0.05)	28,662	-
PTTE01C2001B	0.05	0.01	1,529	-	RATC13C2004A	0.22	(0.02)	89,533	-	SAWA08C2001A	0.59	(0.06)	37,800	-
PTTE01C2004A	0.85	0.02	88,159	-	RATC16C2001A	0.03	(0.03)	15,657	-	SAWA11C2003A	0.94	(0.04)	75,947	-
PTTE01C2004B	0.60	0.02	204,821	-	RATC19C2002A	0.02	-	95,211	-	SAWA13C2002A	-	-	-	-
PTTE01P2001A	0.59	(0.03)	61,677	-	RATC19C2005A	0.24	(0.02)	37,735	-	SAWA13C2005A	0.65	(0.02)	178,389	-
PTTE01P2001B	0.03	(0.01)	250	-	RATC24C2001A	0.05	(0.02)	2	-	SAWA16C2001A	0.75	(0.08)	174,282	-
PTTE01P2004A	0.27	(0.02)	68,285	-	RATC24C2006A	0.36	(0.04)	17,900	-	SAWA19C2002A	0.53	(0.04)	10,009	-
PTTE01P2004B	0.14	(0.01)	360,380	-	RATC27C2004A	0.06	(0.01)	75	-	SAWA19C2005A	0.55	(0.04)	8,478	-
PTTE06C2001A	-	-	-	-	RATC41C2001A	-	-	-	-	SAWA24C2004A	0.64	(0.03)	55,420	-
PTTE06C2001B	0.42	0.04	25,670	-	RATC41C2002A	-	-	-	-	SAWA28C2001A	-	-	-	-
PTTE08C2002A	0.23	0.02	22,320	-	RATC41C2003A	0.04	-	140	-	SAWA28C2002A	-	-	-	-
PTTE08C2005A	0.64	0.03	22,691	-	RATC41C2004A	0.30	(0.04)	8,020	-	SAWA28C2004A	0.49	(0.03)	112,186	-
PTTE08P2005A	0.27	(0.02)	19,040	-	RATC41C2005A	0.27	(0.05)	10,674	-	SAWA41C2003A	0.80	(0.04)	1,430	-
PTTE11C2006A	0.73	0.03	71,817	-	RATC41P2004A	0.67	0.04	24,088	-	SAWA41C2004A	0.52	(0.04)	7,014	-
PTTE13C2001A	0.32	0.04	1,514	-	RATC41P2006A	0.67	0.03	4	-	SAWA41C2005A	-	-	-	-
PTTE13C2004A	0.65	0.02	196,045	-	RATC42C2003A	-	-	-	-	SAWA41P2003A	0.10	0.01	6,752	-
PTTE13P2001A	-	-	-	-	ROBI08C2001A	-	-	-	-	SAWA41P2004A	0.43	-	63,895	-
PTTE13P2003A	0.13	(0.02)	13,025	-	ROBI11C2003A	-	-</							

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE24C2003A	0.49	0.01	25,563	-	RS08C2001A	-	-	-	-	SCB01P2004A	0.48	0.01	57,990	-
PTTE28C2001A	-	-	-	-	RS08P2003A	1.36	0.04	1,491	1.00	SCB01P2004B	0.20	0.02	191,424	-
PTTE28C2002A	0.30	0.01	18,235	-	RS13C2002A	-	-	-	-	SCB06C2001A	-	-	-	-
PTTE28C2005A	0.46	0.02	41,618	-	RS13C2004A	0.13	(0.02)	9,664	-	SCB08C2002A	-	-	-	-
PTTE28P2004A	0.12	(0.02)	10,112	-	RS16C2001A	-	-	-	-	SCB08C2005A	0.27	(0.02)	7,000	-

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB08P2004A	0.31	0.03	5,918	-	SPRC11C2005A	0.16	(0.01)	18,000	-	THAI19C2002A	0.01	(0.01)	1	-
SCB11C2005A	0.06	(0.01)	2,097	-	SPRC13C2001A	0.33	(0.08)	1,770	-	THAI19C2004A	0.15	(0.03)	3,786	-
SCB11C2006A	0.15	(0.01)	20,200	-	SPRC13C2004A	0.17	(0.03)	87,381	-	THAI42C2003A	0.02	(0.01)	10	-
SCB11P2005A	0.83	0.02	30,900	-	SPRC19C2001A	0.08	(0.05)	21,594	-	THAI42C2005A	-	-	-	-
SCB13C2001A	-	-	-	-	SPRC19C2002A	0.76	(0.17)	4,026	-	THAN01C2001A	0.03	(0.01)	10,002	-
SCB13C2003A	0.16	(0.03)	133,820	-	SPRC19C2005A	0.62	(0.07)	5,299	-	THAN01C2001B	-	-	-	-
SCB13P2003A	0.13	0.01	61,602	-	SPRC19C2005B	0.19	(0.04)	10,358	-	THAN01C2006A	0.31	(0.02)	16,602	-
SCB16C2001A	-	-	-	-	SPRC19P2005A	0.36	0.02	28,749	-	THAN01C2006B	0.17	(0.83)	7,336	-
SCB16C2003A	0.10	(0.02)	40,728	-	SPRC24C2003A	0.12	(0.02)	200	-	THAN01P2006A	0.45	0.02	24,016	-
SCB19C2002A	-	-	-	-	SPRC41C2001A	-	-	-	-	THAN06C2003A	-	-	-	-
SCB19C2003A	0.14	(0.03)	19,991	-	SPRC41C2002A	-	-	-	-	THAN06C2005A	0.19	(0.03)	9,857	-
SCB19P2005A	0.48	0.03	63,532	-	SPRC41C2004A	-	-	-	-	THAN06P2003A	0.41	0.04	2,306	-
SCB24C2001A	-	-	-	-	SPRC41C2006A	0.25	(0.05)	4,000	-	THAN13C2003A	0.09	(0.02)	19,677	-
SCB24C2004A	0.43	(0.05)	7,004	-	STA01C2003A	0.13	(0.03)	191,689	-	THAN19C2001A	-	-	-	-
SCB28C2001A	-	-	-	-	STA01C2003B	0.04	(0.03)	16,000	-	THAN19C2004A	0.12	(0.01)	11,832	-
SCB28C2003A	0.04	(0.01)	7,200	-	STA01P2003A	0.47	0.06	126,718	-	THAN24C2001A	-	-	-	-
SCB28C2004A	0.15	(0.02)	17,238	-	STA11C2005A	0.09	(0.02)	2,478	-	THAN27C2003A	-	-	-	-
SCB41C2001A	-	-	-	-	STA13C2001A	-	-	-	-	THAN41C2002A	-	-	-	-
SCB41C2002A	-	-	-	-	STA13C2003A	0.09	(0.03)	29,345	-	TISCO1C2001A	0.95	(0.03)	9,990	-
SCB41C2004A	0.29	(0.04)	2,142	-	STA19C2001A	-	-	-	-	TISCO1C2001B	0.25	(0.03)	54,325	-
SCB41C2005A	-	-	-	-	STA19C2002A	-	-	-	-	TISCO1C2006A	1.00	(0.03)	44,869	-
SCB41P2004A	-	-	-	-	STA19C2004A	0.11	(0.02)	2,880	-	TISCO1C2006B	0.31	(0.01)	23,772	-
SCB41P2005A	0.54	0.02	67,648	-	STA19C2005A	0.41	(0.07)	46,555	-	TISCO1P2001A	0.02	0.01	80	-
SCB42C2003A	-	-	-	-	STA24C2002A	-	-	-	-	TISCO1P2006A	0.55	-	23,292	-
SCC01C2001A	0.02	(0.02)	12,072	-	STA42C2001A	-	-	-	-	TISCO8C2001A	0.12	(0.03)	1,800	-
SCC01C2001B	0.02	0.01	52,130	-	STEC01C2003A	0.06	(0.02)	25,426	-	TISCO8C2002A	0.10	-	1,701	-
SCC01C2004A	0.67	(0.14)	115,878	-	STEC01C2003B	0.02	(0.01)	29,540	-	TISC11C2005A	0.21	(0.01)	7,200	-
SCC01C2004B	0.32	(0.09)	61,273	-	STEC01C2004A	0.16	(0.03)	182,165	-	TISC11C2007A	0.82	(0.04)	17,066	-
SCC01P2001A	0.84	0.13	130,014	-	STEC01P2003A	1.15	0.07	13,727	1.00	TISC13C2001A	-	-	-	-
SCC01P2004A	0.89	0.12	165,146	-	STEC06C2002A	0.02	-	18,319	-	TISC13C2004A	0.58	(0.02)	140	-
SCC06C2002A	0.04	(0.04)	12,961	-	STEC06C2004A	0.25	(0.04)	35,347	-	TISC13C2006A	0.31	(0.01)	21,956	-
SCC08C2002A	-	-	-	-	STEC08C2001A	0.01	-	2,002	-	TISC16C2001A	0.31	(0.05)	59,726	-
SCC08C2004A	0.31	(0.09)	20,300	-	STEC08C2004A	-	-	-	-	TISC19C2004A	0.52	(0.02)	12,690	-
SCC11C2003A	-	-	-	-	STEC08C2005A	0.33	(0.03)	4,800	-	TISC41C2001A	-	-	-	-
SCC11C2006A	0.08	(0.01)	433	-	STEC11C2001A	0.01	-	1,280	-	TISC41C2005A	-	-	-	-
SCC11C2007A	0.59	(0.11)	42,570	-	STEC11C2007A	-	-	-	-	TISC42C2003A	-	-	-	-
SCC13C2001A	-	-	-	-	STEC13C2001A	-	-	-	-	TKN01C2003A	0.14	(0.02)	95,040	-
SCC13C2002A	0.10	(0.07)	41,460	-	STEC13C2003A	0.10	(0.02)	17,554	-	TKN01C2003B	0.08	(0.02)	46,159	-
SCC13C2004A	0.40	(0.12)	81,596	-	STEC13C2004A	0.24	(0.04)	209,349	-	TKN08C2003A	0.16	(0.04)	28,460	-
SCC13P2001A	-	-	-	-	STEC16C2003A	0.01	-	5,000	-	TKN13C2004A	0.13	(0.03)	65,458	-
SCC13P2002A	0.22	0.07	78,725	-	STEC16C2006A	0.07	(0.02)	6,558	-	TKN16C2001A	0.04	(0.04)	2,237	-
SCC16C2002A	-	-	-	-	STEC19C2002A	-	-	-	-	TKN19C2001A	-	-	-	-
SCC16C2005A	0.21	(0.09)	66,241	-	STEC19C2004A	0.08	(0.01)	26,302	-	TKN19C2004A	0.32	(0.08)	39,332	-
SCC19C2002A	-	-	-	-	STEC19C2005A	0.29	(0.02)	45,852	-	TKN19C2004B	0.16	(0.04)	19,629	-
SCC19C2003A	-	-	-	-	STEC24C2003A	-	-	-	-	TKN24C2002A	-	-	-	-
SCC19C2003B	0.12	(0.05)	29,683	-	STEC24C2006A	0.32	(0.02)	13,900	-	TKN28C2002A	0.02	(0.01)	755	-
SCC19C2006A	0.44	(0.56)	10,016	-	STEC27C2002A	0.01	-	2,170	-	TKN28C2003A	0.05	(0.02)	208	-
SCC19P2004A	0.43	0.06	45,163	-	STEC27C2002B	-	-	-	-	TKN41C2001A	-	-	-	-
SCC24C2003A	0.16	(0.01)	200	-	STEC28C2002A	-	-	-	-	TKN41C2003A	-	-	-	-
SCC27C2001A	-	-	-	-	STEC28C2004A	0.05	(0.01)	100	-	TKN41C2006A	-	-	-	-
SCC28C2001A	-	-	-	-	STEC28C2004B	0.12	(0.02)	31,434	-	TKN42C2003A	-	-	-	-
SCC28C2002A	-	-	-	-	STEC28C2005A	0.26	(0.02)	63,500	-	TMB01C2004A	0.38	(0.06)	73,291	-
SCC28C2003A	0.09	(0.06)	15,196	-	STEC41C2001A	0.01	-	395	-	TMB01C2004B	0.21	(0.05)	134,581	-
SCC28C2004A	0.33	(0.11)	21,266	-	STEC41C2003A	-	-	-	-	TMB01P2004A	0.35	0.03	113,870	-
SCC41C2001A	-	-	-	-	STEC41C2004A	-	-	-	-	TMB13C2002A	0.19	(0.06)	76,138	-
SCC41C2002A	-	-	-	-	STEC41C2005A	-	-	-	-	TMB19C2001A	0.01	(0.01)	3,065	-
SCC41C2003A	-	-	-	-	STEC41C2006A	-	-	-	-	TMB19C2004A	0.31	(0.05)	44,340	-
SCC41C2004A	0.26	(0.03)	11,818	-	STEC41P2001A	-	-	-	-	TMB19P2004A	0.34	0.04	40,324	-
SCC41C2005A	0.32	(0.18)	21,820	-	STEC41P2003A	-	-	-	-	TMB28C2002A	0.15	(0.06)	10,886	-
SCC41P2001A	-	-	-	-	STEC41P2004A	0.41	0.01	2	-	TMB41C2002A	0.14	(0.03)	10,000	-
SCC41P2004A	-	-	-	-	STEC41P2005A	0.42	0.01	102	-	TMB41P2002A	0.03	0.02	4	-
SCC41P2005A	0.65	0.07	78,452	-	STEC42C2001A	-	-	-	-	TMB41P2003A	0.13	0.01	3,628	-
SCC42C2002A	-	-	-	-	STEC42C2004A	-	-	-	-	TMB41P2006A	0.35	0.04	8,769	-
SCC42C2003A	-	-	-	-	SUPE13C2003A	0.05	(0.01)	20,082	-	TOA01C2001A	0.10	(0.04)	64,940	-
SGP13C2001A	-	-	-	-	SUPE19C2002A	-	-	-	-	TOA01C2001B	0.01	-	333	-
SGP13C2004A	0.43	(0.10)	46,464	-	SUPE19C2004A	0.09	-	82	-	TOA01P2001A	0.11	0.03	79,910	-
SGP13C2006A	0.14	(0.03)	21,136	-	SUPE42C2004A	0.11	(0.01)	1,000	-	TOA08C2003A	0.09	-	1,061	-
SGP19C2001A	-	-	-	-	TASC01C2003A	0.17	(0.06)	36,282	-	TOA13C2003A	0.08	(0.01)	5,250	-
SGP19C2002A	0.23	(0.07)	6,107	-	TASC01C2003B	0.06	(0.01)	7,004	-	TOA16C2001A	0.07	(0.03)	31,623	-
SGP19C2006A	0.15	(0.02)	844	-	TASC01P2003A	0.76	0.14	129,197	-	TOA19C2004A	0.10	(0.02)	15,053	-
SGP24C2002A	0.26	(0.07)	11,946	-	TASC08C2005A	0.12	(0.05)	31,165	-	TOA24C2005A	0.09	(0.02)	7,979	-
SGP41C2001A	-	-	-	-	TASC11C2002A	0.28	(0.11)	56,161	-	TOA41C2004A	-	-	-	-
SGP42C2001A	-	-	-	-	TASC13C2003A	0.08	(0.03)	9,505	-	TOP01C2003A	0.56	(0.12)	120,919	-
SIRI13C2007A	-	-	-	-	TASC16C2001A	0.01	(0.01)	1,080	-	TOP01C2003B	0.20	(0.09)	183,785	-
SIRI19C2002A	-	-	-	-	TASC19C2003A	0.07	(0.03)	8,660	-	TOP01P2003A	0.47	0.08	117,052	-
SIRI19C2004A	0.07	(0.01)	1,700	-	TASC19P2004A	0.69	0.13	6,675	-	TOP06C2004A	0.18	(0.10)	37,356	-
SIRI19C2007A	-	-	-	-	TASC24C2001A	-	-	-	-	TOP06P2005A	0.44	0.09	80,890	-
SPAL01C2004A	0.43	(0.02)	59,566	-	TASC24C2006A	0.23	(0.03)	1,399	-	TOP08C2003A	0.21	(0.08)	48,980	-
SPAL01C2004B	0.27	(0.01)	70,089	-	TASC28C2001A	-	-	-	-	TOP08P2003A	0.42	0.08	47,881	-
SPAL06P2004A	0.32	0.01	25,590	-	TASC28C2004A	0.06	(0.05)	20,134	-	TOP11C2002A	0.08	(0.02)	1,000	-
SPAL11C2006A	0.44	(0.03)	58,163	-	TASC41C2003A	-	-	-	-	TOP11C2007A	0.47	(0.10)	84,423	-
SPAL13C2001A	-	-	-	-	TASC41C2004A	-	-	-	-	TOP11P2002A	0.22	0.04	59,400	-
SPAL13C2003A	0.29	(0.03)	155,067	-	TASC42C2003A	-	-	-	-	TOP13C2002A	0.09	(0.03)	13,338	-
SPAL16C2002A	-	-	-	-	TCAP01C2001A	0.21	(0.08)	111,827	-	TOP13C2004A	0.32	(0.09)	151,134	-
SPAL19C2002A	0.02	-	5,020	-	TCAP01C2001B	-	-	-	-	TOP13P2001A	0.09	0.04	7,390	-
SPAL19C2004A	0.33	(0.03)	35,466	-	TCAP01P2001A	0.18	0.06	106,967	-	TOP13P2005A	0.64	0.11	127,147	-
SPAL24C2003A	-	-	-	-	TCAP11C2002A	0.11	(0.04)	36,289	-	TOP16C2001A	-	-	-	-
SPAL41C2001A	0.01	(0.08)	100	-	TCAP13C2002A	0.24	(0.07)	172,140	-	TOP19C2002A	0.22	(0.12)	43,866	-

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPAL41C2002A	-	-	-	-	TCAP19C2001A	-	-	-	-	TOP19C2003A	0.19	(0.07)	56,222	-
SPAL41C2004A	0.38	(0.02)	25,317	-	TCAP19C2004A	0.32	(0.07)	18,554	-	TOP19P2002A	0.21	0.05	24,568	-
SPAL42C2003A	0.14	(0.02)	8,414	-	TCAP24C2001A	0.05	(0.02)	3,762	-	TOP19P2006A	0.65	(0.35)	29,606	-
SPRC01C2003A	0.62	(0.05)	20,576	-	TCAP41C2002A	-	-	-	-	TOP23C2001A	0.12	(0.09)	3,500	-
SPRC01C2003B	0.16	(0.03)	251,957	-	TCAP41C2004A	0.24	(0.05)	10,700	-	TOP24C2007A	0.40	(0.09)	76,349	-
SPRC06P2003A	0.03	-	7,792	-	THAI11C2003A	-	-	-	-	TOP28C2004A	0.31	(0.09)	61,086	-
SPRC08C2005A	-	-	-	-	THAI13C2004A	0.13	(0.03)	7,047	-	TOP41C2002A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP41C2002B	-	-	-	-	WHA19C2002A	-	-	-	-	TTCL-W1	0.39	(0.02)	11,810	-
TOP41C2003A	-	-	-	-	WHA19C2004A	0.06	(0.04)	16,831	-	TWZ-W5	-	-	-	-
TOP41C2005A	0.43	(0.12)	61,324	-	WHA19C2005A	0.18	(0.09)	18,009	-	U-W4	-	-	-	-
TOP41C2006A	0.40	(0.10)	502	-	WHA24C2004A	-	-	-	-	VGI-W2	1.46	(0.08)	172,020	1.00
TOP41P2002A	0.33	0.12	18,130	-	WHA24P2003A	0.98	0.23	13	-	VIBHA-W2	0.71	(0.03)	1,101	-
TOP41P2004A	0.52	0.14	23,698	-	WHA28C2003A	-	-	-	-	VIBHA-W3	0.16	-	16,898	-
TPI19C2002A	0.01	-	50	-	WHA28C2003B	-	-	-	-	WAVE-W1	0.12	(0.01)	3,653	-
TPI19C2004A	0.35	(0.04)	2,842	-	WHA28C2004A	0.03	(0.04)	330	-	WHA-W1	2.28	(1.48)	19,169	2.00
TRUE01C2002A	0.02	-	16,361	-	WHA28C2005A	0.09	(0.04)	4,000	-	WIK-W2	0.12	0.01	13,838	-
TRUE01C2002B	0.01	(0.01)	69,450	-	WHA41C2003A	-	-	-	-	ZMICO-W4	0.08	(0.01)	30,982	-
TRUE01C2004A	0.06	(0.02)	45,490	-	WHA41C2004A	-	-	-	-	Preferred Shares	-	-	-	-
TRUE01C2004B	0.26	(0.09)	355,972	-	WHA41C2005A	-	-	-	-	BH-P	-	-	-	-
TRUE01P2002A	1.37	0.09	57,389	1.00	WHA41P2003A	-	-	-	-	CSC-P	-	-	-	-
TRUE01P2002B	1.13	0.15	58,095	1.00	WHA41P2005A	0.94	0.14	15,736	-	JUTHA-P	-	-	-	-
TRUE01P2004A	0.60	0.06	75,263	-	WHA42C2005A	0.08	(0.07)	6,854	-	KTB-P	-	-	-	-
TRUE01P2004B	0.33	0.05	260,572	-	WHAU27C2002A	0.05	(0.01)	100	-	SCB-P	-	-	-	-
TRUE06C2004A	0.29	(0.08)	58,900	-	Preferred/Foreign	-	-	-	-	TCAP-P	-	-	-	-
TRUE08C2001A	-	-	-	-	BH-Q	-	-	-	-	TISCO-P	-	-	-	-
TRUE08C2004A	0.11	(0.06)	33,032	-	CSC-Q	-	-	-	-	U-P	2.80	-	4,636	2.00
TRUE08C2005A	0.35	(0.08)	43,800	-	JUTHA-Q	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE08P2005A	0.73	0.10	41,859	-	KTB-Q	-	-	-	-	BM-W1	0.07	(0.02)	9,676	-
TRUE11C2005A	0.04	-	14,036	-	SCB-Q	-	-	-	-	BROOK-W5	0.17	0.01	18,514	-
TRUE11C2005B	0.07	(0.01)	100	-	TCAP-Q	-	-	-	-	CHO-W2	0.07	(0.01)	60,257	-
TRUE11P2002A	0.37	0.09	75,674	-	TISCO-Q	-	-	-	-	DOD-W1	0.60	(0.07)	152,955	-
TRUE13C2003A	0.04	(0.01)	11,088	-	U-Q	-	-	-	-	ECF-W3	0.42	(0.06)	26,912	-
TRUE13C2003B	0.21	(0.07)	128,024	-	Warrant	-	-	-	-	EFORL-W3	-	-	-	-
TRUE13P2001A	0.50	0.10	47,121	-	7UP-W4	0.11	(0.01)	37,898	-	EFORL-W4	-	-	-	-
TRUE16C2002A	-	-	-	-	AKR-W1	0.09	(0.01)	42,261	-	FVC-W2	0.06	-	104	-
TRUE19C2003A	-	-	-	-	ALT-W1	0.19	(0.02)	486	-	HPT-W1	0.23	0.01	1,202	-
TRUE19C2004A	0.13	(0.04)	16,900	-	APEX-W1	0.02	-	50,000	-	ITEL-W1	0.28	(0.02)	2,820	-
TRUE19P2003A	0.45	0.09	33,405	-	APURE-W2	0.08	-	293	-	JKN-W1	0.59	(0.06)	7,759	-
TRUE19P2005A	0.41	0.07	76,898	-	AS-W1	0.11	(0.01)	167	-	LIT-W1	0.64	(0.24)	1,512	-
TRUE28C2001A	-	-	-	-	AYUD-W1	1.25	(0.16)	6,840	1.00	META-W4	0.10	(0.01)	68,736	-
TRUE28C2003A	-	-	-	-	B-W3	0.01	-	50	-	NEWS-W6	-	-	-	-
TRUE28C2003B	0.05	(0.05)	69,324	-	B-W4	0.02	(0.02)	9,364	-	OCEAN-W3	0.45	-	17,540	-
TRUE41C2001A	-	-	-	-	B-W5	0.04	-	2,175	-	PROUD-W2	0.23	(0.01)	61	-
TRUE41C2001B	-	-	-	-	B52-W2	-	-	-	-	SANKO-W1	0.07	(0.01)	1,932	-
TRUE41C2002A	-	-	-	-	BKD-W2	0.11	-	4,116	-	SIMAT-W2	0.13	(0.02)	3,279	-
TRUE41C2003A	-	-	-	-	CGD-W4	0.10	(0.01)	18,015	-	SIMAT-W3	0.21	(0.01)	645	-
TRUE41C2004A	0.26	(0.06)	22,462	-	CGH-W3	0.02	-	5,091	-	SIMAT-W4	0.58	(0.01)	250	-
TRUE41C2005A	-	-	-	-	CI-W1	0.04	(0.01)	15,676	-	SMART-W2	0.15	(0.02)	2	-
TRUE41C2006A	0.41	(0.09)	47,804	-	CKP-W1	0.17	(0.05)	447,960	-	STAR-W3	0.05	(0.01)	224,812	-
TRUE41P2001A	-	-	-	-	CRANE-W1	0.51	(0.04)	342	-	SWC-W1	2.58	(0.06)	74	2.00
TRUE41P2004A	0.41	0.08	10,000	-	DCC-W1	0.59	-	29,019	-	TAKUNI-W	0.04	(0.01)	36,735	-
TRUE41P2005A	0.67	0.07	107,053	-	ECL-W3	0.25	(0.03)	24,181	-	TVD-W2	0.17	(0.02)	8,108	-
TRUE42C2003A	-	-	-	-	EIC-W2	-	-	-	-	UAC-W2	0.19	(0.03)	1,202	-
TRUE42C2004A	0.26	(0.06)	4,440	-	EIC-W3	0.02	-	170	-	UKEM-W2	0.16	(0.01)	136	-
TU01C2001A	0.02	-	1,686	-	EMC-W6	0.04	-	12,712	-	Preferred Shares	-	-	-	-
TU01C2001B	-	-	-	-	EPCO-W3	0.53	(0.05)	10,864	-	SGF-P1	-	-	-	-
TU01C2004A	0.20	(0.02)	194,580	-	GJS-W3	-	-	-	-	-	-	-	-	-
TU01C2004B	0.18	(0.03)	253,536	-	GLOCON-W4	0.22	(0.01)	30,230	-	-	-	-	-	-
TU01P2001A	1.20	0.06	23,523	1.00	J-W1	0.19	(0.04)	496	-	-	-	-	-	-
TU01P2004A	0.34	0.02	151,992	-	JAS-W3	1.54	(0.11)	36,337	1.00	-	-	-	-	-
TU06C2004A	0.07	(0.01)	64,996	-	JCK-W5	0.06	(0.01)	10,182	-	-	-	-	-	-
TU11C2003A	-	-	-	-	JMT-W2	4.04	(0.20)	1,659	4.00	-	-	-	-	-
TU13C2003A	0.02	(0.01)	9,037	-	MACO-W2	0.17	(0.01)	365,875	-	-	-	-	-	-
TU13C2004A	0.21	(0.01)	68,441	-	MILL-W4	0.05	-	1,550	-	-	-	-	-	-
TU19C2001A	-	-	-	-	MILL-W5	0.01	-	2	-	-	-	-	-	-
TU19C2002A	-	-	-	-	MINT-W6	2.94	(0.18)	5,285	2.00	-	-	-	-	-
TU19C2003A	-	-	-	-	NFC-W1	0.74	(0.01)	124	-	-	-	-	-	-
TU19C2005A	0.27	(0.01)	28,760	-	NOK-W1	0.03	-	4,139	-	-	-	-	-	-
TU24C2003A	-	-	-	-	NUSA-W3	0.01	-	3	-	-	-	-	-	-
TU24C2006A	0.23	(0.03)	100	-	NVD-W1	0.13	-	2,656	-	-	-	-	-	-
TU27C2004A	-	-	-	-	ORI-W1	0.55	(0.06)	80,495	-	-	-	-	-	-
TU27C2006A	0.16	(0.02)	6,980	-	PACE-W2	0.02	-	14,405	-	-	-	-	-	-
TU41C2001A	-	-	-	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU41C2002A	-	-	-	-	PDI-W1	0.44	(0.05)	2,132	-	-	-	-	-	-
TU41C2003A	-	-	-	-	PDJ-W3	0.41	(0.02)	253	-	-	-	-	-	-
TU41C2004A	-	-	-	-	PDJ-W4	0.43	(0.01)	127	-	-	-	-	-	-
TU41C2005A	0.24	(0.02)	11,972	-	PERM-W1	0.15	-	6,426	-	-	-	-	-	-
TU41P2001A	-	-	-	-	PORT-W1	0.75	(0.05)	32,504	-	-	-	-	-	-
TU41P2003A	-	-	-	-	PPPM-W4	0.14	-	6,383	-	-	-	-	-	-
TU41P2004A	0.26	0.02	7	-	PRIME-W1	0.02	(0.01)	34,459	-	-	-	-	-	-
TVO11C2001A	-	-	-	-	PRIME-W2	-	-	-	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	RICHY-W2	-	-	-	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	RS-W3	1.43	(0.27)	27,728	1.00	-	-	-	-	-
TVO19C2007A	0.17	(0.02)	894	-	SAMART-W2	0.46	(0.02)	7,334	-	-	-	-	-	-
VGI01C2005A	0.45	(0.02)	44,590	-	SAWAD-W1	21.70	(0.60)	1,634	21.00	-	-	-	-	-
VGI13C2006A	0.39	(0.03)	78,349	-	SDC-W1	0.08	(0.01)	1,501	-	-	-	-	-	-
VGI19C2006A	0.33	(0.03)	10,394	-	SINGER-W1	1.29	(0.19)	287	1.00	-	-	-	-	-
VGI41C2006A	-	-	-	-	SINGER-W2	1.24	(0.06)	203	1.00	-	-	-	-	-
WHA01C2002A	0.03	(0.03)	134,111	-	SMT-W2	0.09	-	11,281	-	-	-	-	-	-
WHA01C2002B	0.01	(0.01)	1,050	-	SST-W2	0.71	(0.12)	1,505	-	-	-	-	-	-
WHA01C2005A	0.30	(0.08)	22,634	-	SUPER-W4	0.01	(0.01)	34,516	-	-	-	-	-	-
WHA01C2005B	0.15	(0.08)	223,663	-	SVI-W3	0.66	(0.10)	13,106	-	-	-	-	-	-
WHA01P2002A	1.15	0.23	43,631	1.00	TCC-W3	-	-	-	-	-	-	-	-	-
WHA01P2005A	0.72	0.16	66,420	-	TCC-W4	-	-	-	-	-	-	-	-	-
WHA08C2002A	0.01	(0.01)	400	-	TCC-W5	0.15	-	22	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA08C2003A	-	-	-	-	TCJ-W2	0.15	-	1,613	-	-	-	-	-	-
WHA08C2005A	0.11	(0.04)	32,570	-	TFG-W2	0.53	(0.04)	11,743	-	-	-	-	-	-
WHA11C2001A	-	-	-	-	TGPRO-W3	0.01	-	110,000	-	-	-	-	-	-
WHA13C2001A	-	-	-	-	TH-W2	0.07	(0.01)	8,992	-	-	-	-	-	-
WHA13C2003A	0.04	(0.02)	55,677	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA13C2005A	0.17	(0.08)	99,965	-	TNITY-W1	0.25	(0.01)	151	-	-	-	-	-	-
WHA16C2006A	0.06	(0.04)	30,742	-	TRITN-W3	0.08	(0.01)	29,705	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday January 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-