

## Main Board Quotation

## Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	1.10	0.05	36,814	1.11
POMPUI	-	-	-	-	DIF	16.40	(0.10)	154,730	16.45	MPIC	1.78	-	103	1.77
SAFARI	-	-	-	-	DTAC	51.00	(0.25)	80,179	51.49	NMG	-	-	-	-
VI	-	-	-	-	FORTH	5.85	-	1,218	5.89	PLANB	7.60	0.25	227,511	7.55
WORLD	-	-	-	-	HUMAN	7.80	(0.05)	1,447	7.78	POST	1.96	(0.24)	280	1.90
WR	-	-	-	-	ILINK	3.70	(0.02)	400	3.68	PRAKIT	9.80	(0.20)	168	9.90
Agribusiness	-	-	-	-	INET	2.14	(0.02)	670	2.14	SE-ED	1.49	-	124	1.49
CHOTI	77.00	(0.50)	6	77.29	INTUCH	58.50	(0.25)	75,739	58.74	SPORT	0.16	-	2,784	0.16
EE	0.56	0.01	19,641	0.55	JAS	5.00	-	116,383	5.00	TBSP	14.00	0.10	18	13.99
GFPT	13.30	0.20	119,819	13.34	JASIF	9.75	-	61,353	9.75	TH	0.62	-	135	0.60
LEE	2.10	(0.02)	1,344	2.11	JMART	8.25	0.15	45,991	8.30	TKS	6.35	0.05	1,412	6.31
NER	2.72	0.02	123,754	2.68	JTS	1.02	0.04	270	0.98	VGI	9.55	-	89,163	9.56
PPPM	0.46	(0.01)	8,188	0.47	MFEC	3.26	(0.10)	2,485	3.28	WAVE	1.07	(0.03)	1,082	1.08
STA	10.20	0.10	27,466	10.18	MSC	5.45	-	420	5.45	WORK	14.00	0.10	40,740	14.29
TRUBB	0.63	-	430	0.63	PT	4.14	0.02	774	4.12	Finance & Securities	-	-	-	-
TWPC	4.54	(0.02)	3,771	4.61	SAMART	6.80	0.10	12,319	6.77	AEC	0.32	0.01	402	0.32
UPOIC	3.54	(0.10)	471	3.62	SAMTEL	7.15	-	1,306	7.15	AEONTS	178.00	6.50	12,642	176.00
UVAN	5.30	0.05	1,444	5.26	SDC	0.19	-	6,599	0.19	AMANAH	3.48	(0.02)	584,323	3.55
VPO	0.59	-	706	0.59	SIS	7.75	0.05	747	7.73	ASAP	1.86	-	1,405	1.86
Banking	-	-	-	-	SVOA	1.10	0.01	16,454	1.10	ASK	26.00	0.50	476	25.83
BAY	29.50	-	2,723	29.48	SYMC	2.94	0.02	11	2.93	ASP	1.78	0.01	8,031	1.78
BBL	152.50	(0.50)	73,022	152.76	SYNEX	7.35	0.05	796	7.32	BAM	22.80	(0.40)	1,006,384	23.04
CIMBT	0.52	0.02	3,130	0.51	THCOM	3.92	0.02	3,862	3.93	BFIT	32.75	-	2,316	32.64
KBANK	133.00	(3.00)	178,958	133.53	TRUE	4.12	(0.08)	1,932,682	4.17	CGH	0.84	-	400	0.84
KKP	68.00	(0.75)	18,599	68.27	TWZ	0.08	-	148,661	0.08	CNS	2.48	-	22,105	2.48
KTB	16.20	(0.10)	444,388	16.16	Electronic Componen	-	-	-	-	ECL	1.15	(0.01)	11,621	1.15
LHFG	1.32	-	59,884	1.31	CCET	1.87	0.01	6,514	1.87	FNS	2.12	(0.02)	1,391	2.12
SCB	113.50	(1.00)	43,641	113.98	DELTA	51.50	(3.25)	14,973	52.46	FSS	1.60	-	3	1.59
TCAP	51.50	(0.25)	36,188	51.76	EIC	0.04	-	8,667	0.03	GBX	0.44	(0.01)	4,422	0.45
TISCO	102.50	(2.00)	35,488	102.46	HANA	35.75	0.25	20,901	35.79	GL	4.12	(0.02)	3,634	4.15
TMB	1.58	(0.01)	1,431,284	1.58	KCE	20.80	0.60	320,842	20.82	IFS	3.14	-	1,183	3.14
Construction Materia	-	-	-	-	METCO	174.00	-	20	174.00	JMT	21.60	1.40	139,542	21.28
CCP	0.30	0.02	254,617	0.30	NEX	2.98	0.04	15,390	2.95	KCAR	10.50	(0.10)	763	10.37
COTTO	1.45	(0.01)	1,983	1.45	SMT	1.16	(0.03)	7,458	1.19	KGI	4.62	0.04	31,581	4.61
DCC	1.87	0.04	6,390	1.86	SVI	3.50	0.02	9,932	3.53	KTC	36.50	-	64,316	36.52
DCON	0.35	0.01	3,626	0.35	TEAM	0.78	0.01	1,714	0.77	MBKET	6.70	(0.05)	866	6.75
DRT	6.35	0.05	3,962	6.35	Energy & Utilities	-	-	-	-	MFC	15.20	-	256	15.24
EPG	6.20	0.05	43,639	6.23	7UP	0.49	-	27,553	0.49	ML	0.88	-	362	0.88
GEL	0.15	0.01	19,324	0.14	ABPIF	4.76	0.04	2,689	4.74	MTC	62.50	(0.25)	40,404	62.63
PPP	2.04	0.02	48	2.00	ACE	4.42	(0.08)	99,914	4.46	PE	0.06	0.01	445	0.06
Q-CON	-	-	-	-	AI	1.01	-	17,874	1.00	PL	2.66	(0.02)	74	2.67
RCI	3.40	-	995	3.42	AKR	0.59	-	3,960	0.59	S11	7.25	-	1,292	7.26
SCC	367.00	(1.00)	14,320	367.55	BAFS	29.25	0.50	3,158	28.92	SAWAD	70.00	(0.50)	62,503	70.29
SCCC	191.00	-	111	190.92	BANPU	11.90	0.40	638,134	11.81	THANI	5.55	-	23,344	5.59
SCP	6.00	-	1,125	5.98	BCP	27.00	0.25	62,191	26.84	TK	9.60	(0.10)	1,242	9.62
SKN	2.02	0.02	2,772	2.01	BCPG	17.00	(0.20)	25,597	17.12	TNITY	3.86	0.04	111	3.85
TASCO	20.20	0.40	80,188	20.14	BGRIM	62.50	2.50	175,668	60.94	UOBKH	2.90	(0.10)	1,286	2.90
TCMC	1.98	-	1,804	1.95	BPP	17.70	-	16,048	17.69	ZMICO	0.81	(0.02)	3,501	0.81
TOA	36.75	-	12,886	37.00	BRRGIF	8.30	-	5	8.29	Food & Beverage	-	-	-	-
TIPL	1.59	0.03	172,375	1.59	CKP	4.46	(0.04)	199,643	4.48	APURE	0.74	0.01	421	0.74
UMI	0.69	(0.03)	2,007	0.70	DEMCO	2.72	0.02	3,920	2.73	ASIAN	4.06	-	4,405	4.09
VNG	3.78	0.02	5,244	3.81	EA	41.75	2.00	290,845	41.42	BR	2.48	0.04	3,141	2.49
WIIK	1.18	-	5,724	1.17	EASTW	11.60	-	8,027	11.64	BRR	3.94	0.04	215	3.94
Petrochemicals & Che	-	-	-	-	EGATIF	12.80	-	49,087	12.80	CBG	84.00	2.75	91,556	83.89
BCT	41.00	0.50	739	40.85	EGCO	349.00	6.00	24,570	347.88	CFRESH	1.50	(0.01)	724	1.50
CMAN	1.35	(0.01)	3,886	1.36	ESSO	7.95	(0.35)	306,464	8.01	CM	2.74	-	580	2.73
GC	5.90	-	467	5.92	GPSC	96.75	1.00	272,315	95.39	CPF	29.25	(0.25)	361,842	29.24
GGC	13.20	(0.20)	33,638	13.33	GULF	195.00	1.50	158,577	193.57	CPI	1.62	-	691	1.62
GIFT	2.40	0.04	18,783	2.41	GUNKUL	2.72	(0.02)	249,962	2.73	F&D	18.00	(0.50)	67	17.99
IVL	31.50	-	106,247	31.54	IFEC	-	-	-	-	HTC	24.30	0.40	3,234	24.05
NFC	2.00	(0.02)	21	2.01	IRPC	3.40	(0.14)	1,632,081	3.45	ICHI	5.55	(0.10)	10,563	5.60
PATO	11.20	(0.10)	240	11.08	LANNA	7.60	-	702	7.57	KBS	3.58	0.04	561	3.58
PMTA	7.30	0.05	17	7.10	MDX	2.80	(0.02)	2,237	2.80	KSL	2.24	0.02	31,127	2.26
PTTGC	55.75	(1.00)	174,092	55.85	PRIME	0.38	-	12,237	0.37	KTIS	4.20	0.02	3,018	4.19
SUTHA	1.88	0.03	257	1.86	PTG	14.70	0.20	152,543	14.76	LST	5.10	-	6,842	5.17
TCCC	20.30	-	23	20.23	PTT	46.00	(0.50)	331,510	46.05	M	69.75	0.75	2,365	69.25
TPA	-	-	-	-	PTTEP	132.00	0.50	94,915	131.77	MALEE	6.05	0.05	768	6.09
UP	16.00	(0.20)	10	19.74	RATCH	74.50	-	101,086	74.08	MINT	34.50	0.50	79,176	34.39
VNT	25.50	1.10	12,459	25.27	RPC	0.64	-	5,372	0.64	OISHI	98.75	(0.25)	5	98.35
WG	-	-	-	-	SCG	3.84	0.02	43	3.84	OSP	44.50	0.50	186,140	44.66
YCI	-	-	-	-	SCI	1.52	-	239	1.49	PB	68.50	-	27	68.00
Commerce	-	-	-	-	SCN	2.00	-	5,046	1.99	PM	7.75	0.10	5,076	7.67
BEAUTY	2.84	(0.04)	7,955,349	2.90	SGP	9.25	(0.35)	66,720	9.37	PRG	12.40	(0.10)	22	12.58
BIG	0.51	-	24,231	0.51	SKE	0.76	(0.02)	2,563	0.77	RBF	4.22	(0.04)	57,073	4.23
BJC	43.00	-	86,261	42.95	SOLAR	1.50	(0.01)	809	1.51	SAPPE	20.80	1.70	9,715	20.19
COL	18.30	-	832	18.27	SPCG	20.30	0.50	15,115	20.04	SAUCE	22.50	(0.50)	46	22.47
COM7	24.70	(0.10)	55,130	24.67	SPRC	9.60	(0.40)	430,857	9.61	SFP	-	-	-	-
CPALL	73.00	1.25	221,932	72.56	SSP	7.40	(0.10)	3,126	7.44	SNP	14.00	(0.10)	615	14.01
CPW	1.67	(0.04)	40,898	1.71	SUPER	0.54	-	399,666	0.55	SORKON	50.00	-	4	50.00
CSS	1.31	0.04	10,610	1.30	SUPEREIF	10.90	-	5,110	10.90	SSC	31.50	(0.50)	12	31.50
DOHOME	8.90	(0.15)	58,526	8.99	SUSCO	2.76	(0.02)	8,840	2.78	SSF	-	-	-	-
FN	1.07	0.06	91,671	1.06	TAE	3.38	(0.04)	5,515	3.40	SST	3.70	0.02	5	3.71
FTE	2.00	0.01	256	1.99	TCC	0.23	0.01	7,099	0.22	TC	3.12	-	121	3.12
GLOBAL	15.20	(0.10)	53,619	15.34	TOP	61.25	(3.00)	359,621	61.83	TFG	4.80	0.04	41,064	4.81
HMPRO	16.30	(0.20)	203,963	16.31	TPIPP	4.48	0.06	137,208	4.49	TFMAMA	190.50	-	54	190.98
ILM	14.50	0.30	5,905	14.35	TSE	2.96	0.04	95,323	2.94	TIPCO	7.40	(0.05)	3,454	7.47
IT	2.90	-	330	2.90	TTW	13.90	-	35,669	13.91	TKN	10.00	(0.20)	49,865	10.14
KAMART	4.04	0.16	19,422	4.01	WHAUP	5.65	0.15	87,017	5.61	TU	14.80	0.20	276,397	14.83
LOXLEY	1.36	0.02	6,153	1.35	WP	5.15	0.10	2,714	5.08	TVO	27.00	(0.75)	33,352	27.19
MAKRO	36.50	0.50	7,606	36.20	Media & Publishing	-	-	-	-	ZEN	13.00	(0.20)	17,171	13.08
MC	8.40	(0.10)	27,981	8.40	AMARIN	4.12	0.10	705	4.08	Health Care Services	-	-	-	-
MEGA	27.75	0.50	6,282	27.89	AQUA	0.43	0.01	66,390	0.42	AHC	17.50	0.20	83	17.13
MIDA														

## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	8.20	(0.05)	3,755	8.21	BROCK	1.63	0.02	6	1.63	HFT	2.98	-	745	2.98
PRINC	4.48	(0.12)	11,056	4.52	CGD	0.88	-	18,549	0.87	IHL	3.98	(0.06)	2,363	4.01
RAM	149.50	1.50	86	149.30	CI	0.84	-	313	0.84	INGRS	0.51	(0.01)	13,801	0.51
RJH	24.70	0.30	5,288	24.37	CPN	62.25	(0.25)	36,360	62.54	IRC	15.60	(0.20)	65	15.66
RPH	6.55	0.10	1,351	6.50	ESTAR	0.35	(0.01)	13,538	0.35	PCSGH	5.70	0.20	2,964	5.70
SKR	5.20	0.10	8,125	5.13	EVER	0.26	-	30,777	0.26	SAT	15.20	-	4,881	15.26
SVH	448.00	-	7	448.00	FPT	14.70	(0.10)	902	14.76	SPG	12.20	0.10	6	12.28
THG	26.00	-	4,272	26.06	GLAND	2.62	0.16	17,418	2.55	STANLY	174.00	(2.50)	32	173.67
VIBHA	1.69	(0.01)	60,857	1.69	GOLD	8.40	-	2,782	8.35	TKT	0.96	(0.04)	823	0.95
VIH	5.85	0.05	4,739	5.86	GREEN	0.77	0.01	13	0.77	TNPC	0.70	-	1,100	0.69
WPH	1.92	0.03	1,638	1.93	J	0.81	(0.02)	477	0.80	TRU	4.20	-	98	4.15
Tourism & Leisure	-	-	-	-	JCK	0.87	(0.03)	1,567	0.89	TSC	12.50	0.10	52	12.52
ASIA	5.35	(0.05)	10	5.35	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	24.00	0.50	89,382	24.01	KWG	1.57	(0.02)	452	1.58	ALLA	1.35	0.02	4,809	1.33
CSR	-	-	-	-	LALIN	5.15	(0.05)	5,547	5.20	ASEFA	3.44	0.04	186	3.44
DTC	9.60	-	1,285	9.57	LH	10.30	-	244,753	10.29	CPT	0.79	(0.02)	11,787	0.79
ERW	5.35	0.20	206,063	5.34	LPN	4.90	(0.15)	100,632	4.99	CRANE	1.78	-	312	1.77
GRAND	0.69	(0.02)	18,237	0.71	MBK	21.60	0.30	8,094	21.53	CTW	5.50	0.20	323	5.42
LRH	40.00	(1.00)	4	40.25	MJD	2.94	(0.04)	1,563	2.96	FMT	23.80	-	10	23.80
MANRIN	-	-	-	-	MK	3.08	-	1,177	3.09	HTECH	3.14	(0.06)	993	3.16
OHTL	398.00	-	7	395.71	NCH	0.77	(0.02)	1,024	0.77	KKC	0.79	0.01	62	0.78
ROH	-	-	-	-	NNCL	2.16	-	7,380	2.16	PK	1.28	-	152	1.28
SHANG	70.00	-	2	69.75	NOBLE	16.30	(0.10)	2,013	16.43	SNC	9.95	-	2,759	9.96
SHR	2.72	(0.14)	196,590	2.80	NUSA	0.50	0.01	193,503	0.50	STARK	2.24	(0.08)	74,249	2.24
VRANDA	8.35	(0.05)	322	8.33	NVD	1.90	0.03	184	1.91	TCJ	3.64	0.06	12	3.60
Home & Office Produ	-	-	-	-	ORI	7.35	(0.30)	92,306	7.39	VARO	-	-	-	-
ACC	0.68	0.02	330	0.68	PACE	0.07	-	322,765	0.06	Property Fund & REIT	-	-	-	-
AJA	0.20	(0.01)	55,486	0.20	PF	0.87	0.02	213,360	0.86	AIMCG	8.60	-	577	8.63
DTCI	-	-	-	-	PLAT	4.00	0.04	4,163	4.05	AIMIRT	12.90	0.10	1,134	12.85
FANCY	0.51	0.01	5,612	0.51	POLAR	-	-	-	-	AMATAR	11.90	-	131	11.88
KYE	256.00	2.00	11	255.18	PRECHA	1.15	0.02	100	1.14	B-WORK	12.20	-	100	12.20
L&E	1.98	(0.02)	15	2.00	PRIN	1.49	-	90	1.49	BKER	9.20	0.20	3,469	9.16
MODERN	2.52	0.02	125	2.52	PSH	15.30	0.10	50,433	15.35	BKKCP	-	-	-	-
OGC	24.50	(0.50)	1	24.50	QH	2.64	-	227,260	2.64	BOFFICE	17.30	0.10	1,956	17.38
ROCK	-	-	-	-	RICHY	0.89	-	5,223	0.88	CPNCG	12.50	-	5,041	12.55
SIAM	1.67	(0.02)	1,923	1.66	RML	0.97	-	454	0.97	CPNREIT	34.25	0.50	24,531	34.16
TSR	2.14	(0.02)	6,584	2.15	ROJNA	5.40	0.20	44,049	5.33	CPTGF	13.10	-	7,175	13.08
Insurance	-	-	-	-	S	2.52	0.02	21,991	2.52	CTARAF	5.60	(0.05)	675	5.60
AYUD	39.00	-	58	39.00	SAMCO	1.68	0.03	366	1.66	DREIT	6.40	-	725	6.40
BKI	292.00	2.00	57	290.81	SC	2.36	-	19,451	2.36	ERWPF	5.25	0.05	3	5.22
BLA	20.30	0.10	8,768	20.42	SENA	2.80	-	6,539	2.80	FTREIT	14.80	(0.20)	36,863	14.97
BUI	-	-	-	-	SF	5.60	0.05	3,608	5.65	FUTUREPF	25.00	0.50	1,000	24.97
CHARAN	-	-	-	-	SIRI	1.04	(0.01)	573,733	1.05	GAHREIT	9.15	0.05	24	9.15
INSURE	-	-	-	-	SPALI	18.20	(0.80)	134,787	18.40	GLANDRT	13.20	-	785	13.20
MTI	82.50	0.50	51	82.50	U	1.71	(0.03)	282,960	1.76	GOLDPF	7.05	(0.05)	107	6.96
NKI	54.00	(2.00)	10	54.00	UV	6.50	0.05	15,430	6.50	GVREIT	16.80	0.10	4,427	16.69
NSI	60.25	0.50	99	60.17	WHA	3.66	(0.04)	625,207	3.70	HPF	4.92	-	69	4.92
SEG	37.75	2.25	1	37.75	WIN	0.36	(0.02)	3,416	0.37	HREIT	8.60	0.05	4,796	8.54
SMK	29.75	(0.25)	3	29.75	Paper & Printing Mat	-	-	-	-	IMPACT	23.70	0.30	3,581	23.64
THRE	0.62	0.01	6,873	0.62	UTP	9.50	-	971	9.53	KPNPF	8.20	0.10	10	8.20
THREL	3.64	0.04	2,418	3.62	Fashion	-	-	-	-	LHHOTEL	20.00	0.30	1,737	19.92
TIP	24.50	0.20	1,883	24.51	AFC	-	-	-	-	LHPF	8.80	0.10	60	8.80
TQM	73.00	(0.25)	23,602	73.67	B52	0.20	0.01	23,416	0.19	LHSC	19.10	0.10	1,343	19.09
TSI	0.50	-	560	0.49	BTNC	-	-	-	-	LUXF	8.45	(0.05)	85	8.45
TVI	4.06	(0.04)	83	4.06	CPH	3.70	-	1	3.70	M-II	-	-	-	-
Mining	-	-	-	-	CPL	0.97	0.08	825	0.89	M-PAT	5.15	(0.35)	35	5.10
PDI	6.00	(0.20)	2,219	6.09	ICC	-	-	-	-	M-STOR	-	-	-	-
THL	-	-	-	-	NC	11.00	(0.30)	1	11.00	MIPF	16.40	(0.10)	1	16.40
Packaging	-	-	-	-	PAF	0.56	(0.01)	1,200	0.56	MIT	2.74	-	25	2.74
AJ	8.30	(0.10)	840	8.30	PDJ	1.49	-	2,612	1.48	MJLF	11.00	-	8	10.99
ALUCON	153.00	-	8	151.25	PG	5.45	0.05	5	5.56	MINIT	-	-	-	-
BGC	13.20	0.70	31,849	12.97	SABINA	23.00	(0.10)	6,281	23.23	MNIT2	5.00	0.02	41	5.00
CSC	53.25	-	25	53.07	SAWANG	-	-	-	-	MNRF	-	-	-	-
GLOCON	0.73	0.02	19,549	0.73	SUC	43.00	-	127	43.00	POPF	13.00	-	3,790	12.95
NEP	0.19	-	2,796	0.19	TNL	-	-	-	-	PPF	-	-	-	-
PTL	14.10	(0.10)	3,391	14.18	TPCORP	9.95	(0.05)	1	9.95	QHHR	9.50	0.05	298	9.50
SFLEX	3.64	-	15,046	3.62	TR	27.75	(0.25)	64	28.07	QHOP	3.94	0.08	1,038	3.92
SITHAI	0.70	(0.01)	1,368	0.71	TTI	-	-	-	-	QHPF	14.10	0.30	7,614	14.03
SLP	0.47	-	1,724	0.46	TTT	50.00	(0.25)	323	50.42	SBPF	-	-	-	-
SMPC	6.35	(0.10)	1,719	6.39	UPF	-	-	-	-	SHREIT	5.75	(0.15)	1,089	5.75
SPACK	1.09	(0.06)	145	1.10	UT	-	-	-	-	SIRIP	-	-	-	-
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPF	23.30	-	727	23.28
TFI	0.05	-	3,058	0.05	Transportation & Log	-	-	-	-	SPRIME	14.00	0.80	2,920	13.77
THIP	20.00	0.50	433	19.96	AAV	2.06	(0.08)	187,589	2.10	SRIPANWA	11.20	-	310	11.20
TMD	26.50	-	42	26.60	AOT	75.50	0.75	318,727	75.65	SSPF	9.75	-	80	9.75
TOPP	178.00	21.50	1	178.00	ASIMAR	1.15	0.01	1,308	1.14	SSTRT	5.95	0.05	140	5.91
TPBI	4.04	(0.06)	38	4.06	B	0.24	0.02	70,456	0.24	TIF1	9.10	0.05	128	9.02
TPP	17.30	1.20	8	16.85	BA	6.45	(0.05)	5,174	6.49	TLGF	20.70	0.30	9,607	20.65
Personal Products &	-	-	-	-	BEM	11.40	0.10	330,981	11.32	TLHPF	-	-	-	-
APCO	3.20	-	1,390	3.20	BTS	13.40	(0.10)	155,850	13.39	TNPF	2.94	0.14	162	2.84
DDD	24.70	0.60	1,613	25.02	BTSGIF	10.00	(0.10)	5,708	10.01	TPRIME	16.10	-	3,600	16.17
JCT	79.75	(0.25)	4	79.81	III	5.05	-	60	5.03	TTLPF	-	-	-	-
OCC	12.40	0.60	14	12.34	JUTHA	0.36	0.06	111	0.35	TU-PF	-	-	-	-
S & J	-	-	-	-	JWD	7.90	0.10	3,331	7.84	URBNPF	-	-	-	-
STHAI	-	-	-	-	KWC	-	-	-	-	WHABT	9.70	(0.05)	201	9.65
TNR	9.00	-	21	8.93	NOK	1.98	(0.02)	4,423	2.00	WHART	16.70	-	40,558	16.74
TOG	5.80	-	226	5.80	NYT	3.84	0.02	5,310	3.82	Steel	-	-	-	-
Professional Service	-	-	-	-	PORT	2.38	0.22	157,611	2.27	AMC	1.79	(0.02)	252	1.79
BWG	0.58	(0.02)	34,333	0.58	PRM	6.30	(0.10)	32,947	6.33	BSBM	0.88	(0.01)	500	0.88
GENCO	0.55	(0.01)	2,146	0.54	PSL	6.90	(0.10)	28,129	7.08	CEN	0.60	-	1,731	0.60
PRO	-	-	-	-	RCL	3.32	(0.02)	1,448	3.32	CITY	1.83	(0.04)	138	1.83
SISB	9.35	0.25	56,323	9.22	TFFIF	12.10	(0.10)	28,298	12.19	CSP	-	-	-	-
TEAMG	2.26	-	2,221	2.24	THAI	6.65	0.15	61,650	6.78	GJS	0.12	-	47,514	0.13
Property Developer	-	-	-	-	TSTE	-	-	-	-	GSTEEL	-	-	-	-
A	6.15	(0.05)	80	6.16	TTA	4.14	0.04	6,570	4.16	INOX	0.63	-	129	0.62
AMATA	19.50	0.20	58,688	19.53	WICE	2.22	(0.06)	10,568	2.21	LHK	2.72	0.04	389	2.70
AMATAV	4.78	-	176	4.76	Automotive	-	-	-	-	MAX	0.01	-	66,764	0.01
ANAN	2.50	(0.02)	62,709											

## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price		
<b>MAI</b>																
Agro & Food Industr	-	-	-	-	ABM	0.71	0.01	1,366	-	AAV19C2001A	-	-	-	-		
ABICO	4.02	(0.08)	80	4.00	AGE	0.90	-	2,634	-	AAV19C2003A	0.01	-	1,506	-		
AU	10.40	0.20	38,162	10.00	AIE	0.29	-	21,127	-	AAV19C2004A	0.10	(0.03)	6,440	-		
JCKH	0.24	-	507	-	PSTC	0.73	-	563,940	-	AAV24C2001A	-	-	-	-		
KASET	1.17	(0.01)	526	1.00	QTC	4.20	0.02	1,123	4.00	ADVA01C2003A	0.22	0.01	179,978	-		
MM	2.36	-	112	2.00	SAAM	0.94	-	333	-	ADVA01C2003B	0.08	-	136,478	-		
SUN	1.62	0.02	1,160	1.00	SEOIL	3.36	(0.20)	3,840	3.00	ADVA01C2005A	0.49	0.01	99,815	-		
TACC	4.28	-	22,907	4.00	SR	1.01	0.01	713	1.00	ADVA01C2005B	0.25	0.01	184,644	-		
TMILL	2.80	-	291	2.00	TAKUNI	0.40	(0.01)	22,910	-	ADVA01P2003A	0.78	-	82,179	-		
XO	5.65	0.05	1,759	5.00	TPCH	12.60	(0.10)	7,194	12.00	ADVA01P2003B	0.48	(0.01)	85,907	-		
<b>Consumer Products</b>																
BGT	0.99	0.01	155	-	TRT	1.87	-	862	1.00	ADVA06C2005A	0.16	-	58,409	-		
BIZ	2.94	-	1,239	2.00	UMS	0.30	-	10	-	ADVA08C2001A	0.02	(0.01)	37	-		
DOD	7.35	-	6,796	7.00	UWC	0.03	-	65,559	-	ADVA08C2005A	0.26	-	22,550	-		
ECF	1.24	(0.01)	32,033	1.00	<b>Services (MAI)</b>					-	-	ADVA08P2004A	0.34	(0.02)	30,363	-
HPT	0.62	0.01	1,371	-	A5	-	-	-	-	ADVA11C2006A	0.08	-	9,774	-		
IP	6.30	0.15	16,102	6.00	AKP	1.08	0.01	7,857	1.00	ADVA11P2005A	0.16	-	7,200	-		
JUBILE	18.90	-	1,060	18.00	AMA	5.05	0.05	1,322	5.00	ADVA13C2001A	-	-	-	-		
MOONG	3.72	(0.02)	551	3.00	ARIP	0.40	(0.02)	6,184	-	ADVA13C2004A	0.24	-	264,651	-		
NPK	-	-	-	-	ATP30	1.35	(0.03)	3,932	1.00	ADVA13P2003A	0.34	(0.01)	75,843	-		
OCEAN	1.18	0.01	17,942	1.00	AUCT	6.60	(0.05)	12,193	6.00	ADVA16C2002A	0.04	0.01	102	-		
TM	2.44	(0.04)	2,788	2.00	BOL	2.80	(0.02)	3,185	2.00	ADVA16C2005A	0.03	(0.01)	290	-		
<b>Financials (MAI)</b>																
ACAP	1.28	0.02	9,872	1.00	CHUO	-	-	-	-	ADVA16C2007A	0.22	0.01	68,237	-		
AF	-	-	-	-	CMO	1.22	0.02	365	1.00	ADVA19C2002A	-	-	-	-		
AIRA	1.04	(0.01)	67	1.00	D	3.66	0.04	1,756	3.00	ADVA19C2005A	0.22	-	19,707	-		
ASN	6.20	0.05	11	6.00	DCORP	0.38	(0.01)	3,650	-	ADVA19P2002A	0.09	(0.01)	6,032	-		
BROOK	0.43	0.01	2,689	-	EFORL	0.05	-	611,278	-	ADVA19P2006A	0.30	(0.02)	3,517	-		
CHAYO	5.30	0.20	102,478	5.00	ETE	0.80	(0.01)	2,210	-	ADVA23C2001A	0.68	0.02	30	-		
GCAP	2.08	(0.04)	20,056	2.00	FSMART	6.50	(0.10)	5,587	6.00	ADVA24C2001A	-	-	-	-		
LIT	4.66	0.02	633	4.00	FVC	0.39	-	25,818	-	ADVA24C2006A	0.36	-	22,223	-		
MITSI	1.43	(0.01)	6,358	1.00	GSC	0.78	0.01	5,804	-	ADVA24P2001A	-	-	-	-		
SGF	0.70	0.02	67,744	-	HARN	2.28	(0.02)	2,163	2.00	ADVA28C2001A	-	-	-	-		
<b>Industrials (MAI)</b>																
2S	1.94	-	425	1.00	IMH	3.28	(0.24)	43,288	3.00	ADVA28C2002A	0.01	-	562	-		
ACG	1.00	0.01	222	1.00	KJN	5.20	(0.05)	21,461	5.00	ADVA28C2004A	-	-	-	-		
ADB	0.60	-	703	-	KIAT	0.29	-	5,079	-	ADVA28C2005A	0.23	(0.01)	37,598	-		
BM	1.92	-	35	1.00	KOOL	0.88	0.02	9,000	-	ADVA28P2001A	-	-	-	-		
CHO	0.67	-	5,200	-	LDC	1.03	0.01	291	1.00	ADVA28P2004A	0.31	(0.01)	27,172	-		
CHOW	1.41	(0.01)	319	1.00	MORE	0.38	(0.01)	131,380	-	ADVA41C2001A	-	-	-	-		
CIG	0.22	-	2,125	-	MPG	0.36	(0.01)	1,179	-	ADVA41C2004A	-	-	-	-		
COLOR	1.04	0.01	1,015	1.00	MVP	1.69	(0.05)	345	1.00	ADVA41C2005A	-	-	-	-		
CPR	3.40	-	341	3.00	NBC	0.44	-	151	-	ADVA41C2006A	-	-	-	-		
FPI	1.98	(0.02)	1,361	1.00	NCL	1.01	(0.08)	1,498	1.00	ADVA41C2007A	0.36	(0.01)	8,230	-		
GTB	0.69	-	370	-	NEWS	0.01	-	1,000	-	ADVA41P2001A	-	-	-	-		
KCM	0.55	(0.01)	2,585	-	NINE	1.99	0.05	85	1.00	ADVA41P2004A	0.48	-	1,000	-		
KUMWEL	0.76	-	133	-	OTO	3.02	(0.04)	1,644	3.00	ADVA41P2005A	0.37	(0.01)	18,294	-		
KWM	0.79	-	1,758	-	PHOL	1.79	-	81	1.00	ADVA42C2003A	0.02	-	4,500	-		
MBAX	3.00	(0.02)	38	2.00	PICO	4.08	-	56	4.00	ADVA42C2005A	0.25	(0.01)	3,798	-		
MGT	1.71	0.01	568	1.00	QLT	4.84	0.06	1,452	4.00	AEON01C2005A	0.18	0.03	141,674	-		
NDR	1.04	-	13	1.00	RP	1.39	(0.01)	794	1.00	AEON13C2003A	0.07	0.02	3,510	-		
PDG	2.90	(0.02)	210	2.00	SE	1.79	(0.02)	476	1.00	AEON19C2003A	0.06	0.01	14,682	-		
PIMO	1.21	-	21,203	1.00	SONIC	0.99	-	3,160	-	AMAT01C2001A	0.01	-	21,200	-		
PJW	1.20	-	15	1.00	SPA	14.80	0.10	883	14.00	AMAT01C2001B	-	-	-	-		
PPM	0.81	0.01	1,216	-	THMUI	0.66	0.01	419	-	AMAT01C2004A	0.30	-	26,990	-		
RWI	1.38	-	620	1.00	TNDT	3.68	-	40	3.00	AMAT01C2004B	0.19	0.01	45,185	-		
SALEE	0.85	(0.01)	837	-	TNH	32.50	0.25	9	32.00	AMAT01P2001A	0.63	(0.06)	7,145	-		
SANKO	0.88	0.03	3,910	-	TNP	2.12	0.02	1,061	2.00	AMAT06C2005A	0.27	0.01	16,720	-		
SELIC	2.50	(0.02)	332	2.00	TSF	-	-	-	-	AMAT08C2001A	-	-	-	-		
SWC	3.64	-	250	3.00	TVD	0.90	(0.01)	932	-	AMAT08C2002A	-	-	-	-		
TMC	0.43	0.01	518	-	TVT	0.60	-	237	-	AMAT08C2005A	0.27	0.02	4,900	-		
TMI	0.70	0.01	8,915	-	VL	1.40	(0.04)	323,404	1.00	AMAT11C2001A	-	-	-	-		
TMW	37.25	(0.25)	103	37.00	WINNER	2.02	-	1,356	2.00	AMAT11C2004A	-	-	-	-		
TPAC	-	-	-	-	YGG	5.00	(0.05)	74,374	5.00	AMAT11C2008A	0.49	-	13,730	-		
TPLAS	1.09	(0.01)	1,371	1.00	<b>Technology (MAI)</b>					-	-	AMAT13C2001A	-	-	-	-
UAC	2.80	-	616	2.00	APP	2.16	(0.02)	10,278	2.00	AMAT13C2004A	0.17	-	33,129	-		
UBIS	5.85	0.05	227	5.00	COMAN	2.54	0.02	258	2.00	AMAT16C2003A	-	-	-	-		
UEC	0.70	0.01	302	-	ICN	1.49	(0.01)	4,929	1.00	AMAT16C2006A	0.08	0.01	1,801	-		
UKEM	0.39	-	11,441	-	INSET	2.62	-	27,425	2.00	AMAT19C2003A	0.03	-	104	-		
UREKA	0.99	(0.03)	6,616	1.00	IRCP	0.48	-	1,648	-	AMAT19C2005A	0.22	-	10,700	-		
YUASA	12.70	(0.10)	95	12.00	ITEL	2.42	0.02	1,027	2.00	AMAT24C2001A	-	-	-	-		
ZIGA	1.02	0.01	304	1.00	NETBAY	34.00	0.50	7,439	34.00	AMAT24C2006A	0.29	0.02	12,262	-		
<b>Property &amp; Construc</b>																
ALL	3.92	0.02	11,565	3.00	PLANET	1.12	(0.02)	132	1.00	AMAT41C2002A	-	-	-	-		
ARIN	0.68	(0.03)	13,692	-	SIMAT	1.65	-	1,692	1.00	AMAT41C2003A	-	-	-	-		
ARROW	8.50	(0.05)	322	8.00	SKY	14.10	(0.20)	3,327	14.00	AMAT41C2004A	-	-	-	-		
BC	1.59	-	2,833	1.00	SPVI	2.96	(0.04)	46,407	3.00	AMAT41C2005A	-	-	-	-		
BSM	0.35	-	2,606	-	TPS	2.02	0.03	2,203	2.00	AMAT41C2006A	-	-	-	-		
BTW	0.71	-	237	-	UPA	0.20	-	22,256	-	AMAT42C2003A	0.01	-	1	-		
CAZ	2.48	(0.06)	5,206	2.00	VCOM	2.76	(0.02)	20	2.00	AMAT42C2005A	0.20	0.01	500	-		
CHEWA	0.46	-	20,929	-	<b>Unit Trust</b>					-	-	ANAN13C2007A	0.24	(0.01)	18,998	-
CMC	0.85	-	1,394	-	MGE	-	-	-	-	ANAN19C2001A	-	-	-	-		
CRD	0.62	(0.01)	344	-	SCBSET	-	-	-	-	ANAN19C2004A	0.10	-	3,019	-		
DIMET	0.35	-	3,857	-	ETF	-	-	-	-	ANAN19C2007A	0.29	(0.01)	5,704	-		
FLOYD	1.34	(0.01)	411	1.00	1DIV	10.32	(0.06)	1,453	10.00	AOT01C2002A	0.41	0.03	376,114	-		
HYDRO	0.32	-	96	-	ABFTH	-	-	-	-	AOT01C2002B	0.15	0.01	402,624	-		
JSP	0.28	-	16,953	-	BMSCG	7.50	-	14	7.00	AOT01C2004A	0.50	0.02	176,722	-		
K	1.23	(0.02)	234	1.00	BMSCITH											

## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2002A	0.12	0.01	46,402	-	BBL13P2003A	0.74	0.01	461	-	BEAU19C2002A	0.10	(0.03)	878,918	-
AOT19C2005A	0.45	0.03	51,180	-	BBL13P2004A	0.55	-	81,150	-	BEC01C2001A	-	-	-	-
AOT19P20004A	0.31	(0.03)	51,478	-	BBL16C2006A	0.22	-	84,640	-	BEC01C2001B	-	-	-	-
AOT24C2003A	0.15	0.02	29,151	-	BBL19C2001A	-	-	-	-	BEC01C2006A	0.52	0.08	159,708	-
AOT28C2002A	0.09	0.02	27,774	-	BBL19C2003A	0.05	-	4,108	-	BEC01C2006B	0.36	0.09	276,848	-
AOT28C2003A	-	-	-	-	BBL19C2005A	0.38	(0.01)	27,867	-	BEC01P2001A	0.84	(0.14)	129,505	-
AOT28P2004A	0.29	(0.02)	60,666	-	BBL19P2002A	0.22	-	32,761	-	BEC01P2006A	0.43	(0.09)	173,474	-
AOT41C2002A	0.17	0.03	1	-	BBL24C2001A	-	-	-	-	BEC16C2002A	0.01	-	8,468	-
AOT41C2003A	-	-	-	-	BBL24C2004A	0.48	(0.01)	67,960	-	BEC19C2003A	0.06	0.02	74,138	-
AOT41C2004A	-	-	-	-	BBL27C2002A	0.01	-	3,525	-	BEC19C2005A	0.35	0.07	97,994	-
AOT41C2005A	-	-	-	-	BBL28C2003A	0.03	(0.02)	4,735	-	BEC27C2002A	-	-	-	-
AOT41C2006A	0.50	0.04	13,970	-	BBL28C2005A	0.30	(0.02)	30,099	-	BEC41C2002A	0.02	(0.07)	500	-
AOT41C2007A	0.46	(0.54)	12,152	-	BBL41C2001A	-	-	-	-	BEC41C2003A	0.11	0.03	201	-
AOT41P2002A	-	-	-	-	BBL41C2003A	-	-	-	-	BEC42C2003A	-	-	-	-
AOT41P2004A	0.50	(0.04)	8,204	-	BBL41C2004A	-	-	-	-	BEC42C2005A	0.42	0.10	27,794	-
AOT41P2005A	0.76	(0.04)	369	-	BBL41C2005A	-	-	-	-	BEM01C2004A	0.30	-	97,763	-
AOT41P2006A	-	-	-	-	BBL41C2006A	-	-	-	-	BEM01C2004B	0.18	0.01	123,445	-
AOT42C2006A	0.43	(0.57)	13,502	-	BBL41C2007A	0.57	(0.43)	11	-	BEM01P2004A	0.17	(0.01)	204,144	-
AOT42P2003A	-	-	-	-	BBL41P2002A	0.71	0.01	2,000	-	BEM06C2004A	0.16	-	26,200	-
AP01C2001A	0.12	(0.05)	149,258	-	BBL41P2004A	0.52	0.02	18,888	-	BEM08C2001A	0.08	-	1,902	-
AP01C2001B	-	-	-	-	BBL41P2006A	-	-	-	-	BEM08C2005A	0.22	-	23,450	-
AP11C2001A	-	-	-	-	BBL42C2003A	-	-	-	-	BEM11C2001A	0.03	-	1,000	-
AP16C2002A	-	-	-	-	BBL42C2005A	0.35	(0.01)	4,902	-	BEM11C2003A	0.10	-	62,400	-
AP19C2002A	0.11	(0.04)	33,128	-	BCH01C2001A	0.21	(0.02)	145,121	-	BEM13C2002A	-	-	-	-
AP28C2004A	0.32	(0.03)	12,109	-	BCH01C2001B	-	-	-	-	BEM13C2004A	0.17	0.01	178,059	-
AWC01C2003A	0.21	-	50,576	-	BCH01C2006A	0.35	(0.01)	77,497	-	BEM16C2001A	-	-	-	-
AWC01C2003B	0.03	-	200	-	BCH01C2006B	0.21	-	100,430	-	BEM16C2006A	0.27	-	94,260	-
AWC01C2004A	0.16	-	22,958	-	BCH01P2001A	0.12	(0.02)	78,262	-	BEM19C2001A	-	-	-	-
AWC01P2003A	0.45	0.01	22,029	-	BCH01P2006A	0.64	-	113,944	-	BEM19C2005A	0.22	0.01	48,878	-
AWC01P2003B	0.13	0.01	35,534	-	BCH06C2001A	-	-	-	-	BEM23C2001A	-	-	-	-
AWC06C2002A	0.03	0.01	1,200	-	BCH06P2006A	0.45	(0.01)	20,050	-	BEM24C2003A	-	-	-	-
AWC06C2004A	0.22	(0.01)	12,650	-	BCH08C2004A	0.17	-	25,266	-	BEM28C2001A	-	-	-	-
AWC06P2002A	0.34	0.01	4,558	-	BCH11C2001A	-	-	-	-	BEM28C2002A	-	-	-	-
AWC08C2004A	-	-	-	-	BCH13C2004A	0.14	0.01	125,914	-	BEM41C2002A	-	-	-	-
AWC13C2002A	0.04	-	12,280	-	BCH16C2001A	-	-	-	-	BEM41C2004A	-	-	-	-
AWC13C2003A	0.14	-	45,702	-	BCH16C2006A	0.27	-	59,391	-	BEM41C2006A	-	-	-	-
AWC13P2002A	0.07	(0.01)	28,624	-	BCH19C2001A	-	-	-	-	BEM41P2003A	-	-	-	-
AWC13P2003A	0.05	-	106	-	BCH19C2005A	0.13	-	12,454	-	BEM41P2004A	-	-	-	-
AWC16C2005A	-	-	-	-	BCH19C2006A	0.33	0.01	69,905	-	BEM42C2001A	-	-	-	-
AWC16C2007A	0.15	(0.01)	3,766	-	BCH24C2003A	0.14	-	15,500	-	BGRI01C2001A	1.73	0.15	30,667	1.00
AWC19C2003A	0.10	(0.01)	1,928	-	BCH27C2003A	0.21	(0.01)	22,136	-	BGRI01C2001B	1.59	0.13	15,045	1.00
AWC19C2004A	0.08	-	5,033	-	BCH41C2005A	0.18	-	1,000	-	BGRI01C2003A	1.04	0.16	109,681	-
AWC19C2006A	0.19	(0.81)	1,935	-	BCH41C2006A	-	-	-	-	BGRI01C2003B	0.72	0.13	322,806	-
AWC24C2007A	0.11	(0.01)	74,597	-	BCH42C2002A	-	-	-	-	BGRI01P2001A	0.01	-	100	-
AWC28C2003A	0.02	(0.01)	1,101	-	BCHP01C2001A	0.05	0.01	10,001	-	BGRI01P2003A	0.11	(0.02)	482,443	-
AWC28C2003B	-	-	-	-	BCHP01C2001B	0.01	(0.01)	4	-	BGRI06C2005A	0.75	0.13	75,278	-
AWC28C2003C	0.14	(0.01)	1,014	-	BCHP01C2005A	0.73	0.06	22,356	-	BGRI08C2003A	1.15	(0.02)	161	1.00
AWC28P2003A	-	-	-	-	BCHP01C2005B	0.16	0.01	161,964	-	BGRI08C2005A	0.74	0.11	45,311	-
AWC41C2003A	-	-	-	-	BCHP01P2001A	0.34	(0.05)	42,696	-	BGRI11C2006A	1.36	0.18	17,162	1.00
AWC41C2004A	0.04	-	12	-	BCHP01P2005A	0.19	(0.02)	223,198	-	BGRI13C2001A	1.18	0.10	111	1.00
AWC41C2005A	-	-	-	-	BCHP11C2004A	-	-	-	-	BGRI13C2002A	0.93	0.22	10,914	-
AWC41C2006A	-	-	-	-	BCHP13C2003A	0.09	0.01	1,700	-	BGRI13C2004A	0.60	0.11	310,166	-
AWC41C2007A	-	-	-	-	BCHP13C2003B	-	-	-	-	BGRI16C2001A	-	-	-	-
AWC42C2003A	-	-	-	-	BCHP19C2001A	-	-	-	-	BGRI16C2005A	0.83	0.15	108,750	-
BANP01C2002A	0.20	0.03	223,144	-	BCHP19C2004A	0.63	(0.14)	10	-	BGRI19C2004A	1.04	0.13	2,319	-
BANP01C2002B	-	-	-	-	BCHP19C2005A	0.18	-	13,552	-	BGRI19C2005A	0.69	0.10	17,477	-
BANP01C2005A	0.33	0.03	470,095	-	BCHP24C2004A	0.05	(0.01)	400	-	BGRI24C2004A	0.92	0.09	49,818	-
BANP01C2005B	0.19	0.02	140,267	-	BCHPG01C2005A	0.44	(0.03)	37,076	-	BGRI27P2006A	0.31	(0.05)	42,873	-
BANP01P2002A	0.26	(0.04)	68,944	-	BCHPG01C2005B	0.25	(0.01)	67,647	-	BGRI28C2002A	-	-	-	-
BANP01P2002B	0.20	(0.04)	91,596	-	BCHPG01P2005A	0.31	0.01	14,514	-	BGRI28C2003A	-	-	-	-
BANP01P2005A	0.33	(0.03)	53,105	-	BCHPG06C2002A	0.07	(0.01)	2,400	-	BGRI28C2003B	0.70	0.14	31,687	-
BANP01P2005B	0.16	(0.03)	348,748	-	BCHPG13C2004A	0.25	-	139,449	-	BGRI41C2001A	-	-	-	-
BANP06C2002A	0.02	-	700	-	BCHPG19C2003A	0.13	(0.01)	9,177	-	BGRI41C2002A	-	-	-	-
BANP06C2005A	0.21	0.04	101,581	-	BCHPG19C2005A	0.37	(0.02)	15,696	-	BGRI41C2004A	0.73	0.05	2,622	-
BANP08C2002A	-	-	-	-	BCHPG28C2002A	-	-	-	-	BGRI41C2005A	0.58	0.02	56,620	-
BANP08C2005A	0.24	0.03	42,300	-	BCHPG28C2003A	-	-	-	-	BGRI41C2006A	0.60	0.06	7,871	-
BANP08P2003A	0.34	(0.05)	15,915	-	BCHPG28C2004A	0.19	(0.01)	10,494	-	BGRI41P2004A	0.15	(0.04)	2,105	-
BANP11C2004A	-	-	-	-	BCHPG41C2002A	-	-	-	-	BGRI41P2005A	0.38	(0.04)	35,340	-
BANP11C2008A	0.28	0.04	70,405	-	BCHPG41C2005A	0.35	(0.02)	554	-	BGRI42C2003A	0.69	0.08	10,282	-
BANP13C2001A	0.01	-	13,990	-	BCHPG42C2001A	-	-	-	-	BH01C2001A	-	-	-	-
BANP13C2003A	0.09	0.02	46,930	-	BCHPG42C2004A	-	-	-	-	BH01C2001B	0.01	-	234	-
BANP19C2002A	0.01	-	10,003	-	BDM501C2002A	0.54	(0.03)	47,934	-	BH01C2004A	0.80	0.05	39,377	-
BANP19C2004A	0.09	0.01	20,000	-	BDM501C2002B	0.09	(0.01)	213,590	-	BH01C2004B	0.44	0.03	57,681	-
BANP19C2005A	0.17	0.03	34,352	-	BDM501P2002A	0.13	-	132,618	-	BH01P2001A	1.59	(0.14)	5,556	1.00
BANP19P2003A	0.22	(0.04)	14,344	-	BDM506C2003A	0.40	(0.04)	2,450	-	BH01P2004A	0.51	(0.05)	12,487	-
BANP24C2003A	0.07	0.01	100	-	BDM506P2004A	0.16	0.01	28,080	-	BH11C2002A	-	-	-	-
BANP27C2007A	0.23	0.03	5,025	-	BDM508C2003A	-	-	-	-	BH11C2008A	0.58	0.05	27,828	-
BANP28C2001A	-	-	-	-	BDM511C2001A	0.09	(0.01)	14,000	-	BH13C2001A	-	-	-	-
BANP28C2002A	0.02	-	3,010	-	BDM511C2007A	0.63	(0.04)	2,710	-	BH13C2002A	0.22	0.03	98,075	-
BANP28C2003A	-	-	-	-	BDM511C2008A	0.18	-	19,500	-	BH19C2002A	0.12	0.01	7,434	-
BANP28C2004A	0.13	0.03	78,898	-	BDM511P2002A	0.07	-	15,790	-	BH19C2003A	0.50	0.07	16,867	-
BANP41C2002A	-	-	-	-	BDM513C2003A	-	-	-	-	BH24C2001A	-	-	-	-
BANP41C2003A	-	-	-	-	BDM513C2004A	0.11	(0.01)	169,012	-	BH24C2003A	0.52	0.07	27,858	-
BANP41C2005A	0.22	(0.04)	8,880	-	BDM516C2006A	0.57	(0.04)	34,455	-	BH41C2002A	-	-	-	-
BANP41C2006A	-	-	-	-	BDM519C2001A	0.06	-	2,422	-	BH41C2003A	0.56	0.04	10	-
BANP41P2001A	-	-	-	-	BDM519C2005A	-	-	-	-	BH41C2004A	0.52	0.03	5,552	-
BANP41P2002A	-	-	-	-	BDM519C2005B	0.13	-	21,817	-	BH41C2005A	0.49	0.05	20,470	-
BANP41P2005A	0.26	0.02	1,137	-	BDM524C2001A	-	-	-	-	BH41C2006A	-	-	-	-
BANP41P2007A	0.36	(0.07)	277	-	BDM524C2006A	0.16	-	22,630	-	BH41P2004A	-	-	-	-
BANP42C2004A	0.14	0.03	8,566	-	BDM527C									

## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC16C2006A	0.21	-	24,236	-	CENT42C2002A	-	-	-	-	CPAL19C2004A	0.17	0.01	3,789	-
BJC19C2003A	-	-	-	-	CENT42C2004A	0.03	-	2,300	-	CPAL19C2005A	0.35	0.04	36,598	-
BJC19C2005A	0.17	-	22,400	-	CENT42C2006A	0.45	0.03	15,734	-	CPAL19P2004A	0.35	(0.06)	6,263	-
BJC23C2001A	-	-	-	-	CHG01C2001A	0.40	0.08	54,344	-	CPAL24C2005A	0.15	0.01	21,531	-
BJC24C2003A	-	-	-	-	CHG01C2001B	0.08	0.02	32,938	-	CPAL28C2001A	-	-	-	-
BJC24C2006A	0.30	-	22,698	-	CHG01C2006A	0.34	0.04	106,946	-	CPAL28C2003A	-	-	-	-
BJC28C2004A	0.12	-	9,126	-	CHG01C2006B	0.22	0.04	152,464	-	CPAL28C2003B	-	-	-	-
BJC41C2002A	-	-	-	-	CHG01P2001A	-	-	-	-	CPAL28C2004A	0.14	0.02	8,098	-
BJC41C2004A	-	-	-	-	CHG01P2006A	0.42	(0.04)	68,739	-	CPAL28C2005A	0.27	0.01	15,426	-
BJC41C2005A	-	-	-	-	CHG06C2002A	0.08	0.02	8,150	-	CPAL41C2001A	-	-	-	-
BJC41C2006A	-	-	-	-	CHG06P2003A	0.11	(0.05)	29,775	-	CPAL41C2002A	-	-	-	-
BJC41C2007A	-	-	-	-	CHG08C2005A	0.18	0.04	22,003	-	CPAL41C2003A	-	-	-	-
BJC41P2004A	-	-	-	-	CHG13C2003A	0.09	0.02	98,351	-	CPAL41C2004A	-	-	-	-
BJC41P2005A	-	-	-	-	CHG16C2002A	0.14	0.03	59,735	-	CPAL41C2005A	-	-	-	-
BJC42C2004A	0.17	0.05	12,890	-	CHG19C2004A	0.26	0.04	36,324	-	CPAL41C2006A	-	-	-	-
BLAN19C2004A	0.12	-	6,059	-	CHG41C2005A	-	-	-	-	CPAL41P2003A	-	-	-	-
BLAN28C2004A	-	-	-	-	CHG42C2006A	0.27	(0.73)	851	-	CPAL41P2004A	0.47	(0.03)	1,000	-
BPP01C2005A	0.42	(0.02)	67,100	-	CK01C2001A	-	-	-	-	CPAL41P2005A	-	-	-	-
BPP01C2005B	0.26	(0.01)	89,024	-	CK01C2001B	-	-	-	-	CPAL41P2006A	-	-	-	-
BPP01P2005A	0.40	-	46,542	-	CK01C2005A	0.70	(0.04)	151,624	-	CPAL42C2003A	0.02	0.01	1	-
BPP13C2004A	0.19	-	81,998	-	CK01C2005B	0.46	(0.04)	134,335	-	CPAL42C2005A	-	-	-	-
BPP16C2001A	-	-	-	-	CK01P2001A	0.64	-	39,690	-	CPF01C2001A	0.15	(0.02)	79,312	-
BPP19C2002A	-	-	-	-	CK01P2005A	0.24	0.02	242,213	-	CPF01C2001B	0.02	-	1,001	-
BPP19C2005A	0.25	-	38,198	-	CK06C2002A	0.03	0.01	1	-	CPF01C2004A	0.31	(0.01)	51,026	-
BPP24C2003A	0.10	(0.01)	8,454	-	CK06C2004A	0.54	(0.04)	53,871	-	CPF01C2004B	0.21	(0.02)	54,513	-
BTS01C2001A	0.32	(0.01)	1,668	-	CK11C2007A	0.39	(0.02)	70,160	-	CPF01P2001A	0.22	0.03	89,134	-
BTS01C2001B	0.05	(0.01)	29,052	-	CK13C2002A	0.03	-	62,010	-	CPF01P2001B	0.01	(0.01)	1	-
BTS01C2005A	0.32	(0.02)	9,086	-	CK13C2003A	0.40	(0.04)	380,704	-	CPF01P2004A	0.15	-	137,730	-
BTS01C2005B	0.17	(0.02)	20,687	-	CK16C2003A	-	-	-	-	CPF11C2004A	0.09	(0.01)	18,940	-
BTS01P2001A	0.04	-	12,262	-	CK16C2006A	0.32	(0.02)	216,436	-	CPF11C2007A	0.30	(0.03)	9,354	-
BTS01P2005A	0.25	-	26,475	-	CK19C2002A	-	-	-	-	CPF13C2003A	0.19	(0.02)	91,859	-
BTS08C2005A	0.12	(0.02)	14,002	-	CK19C2003A	0.06	-	111,821	-	CPF16C2001A	-	-	-	-
BTS11C2003A	0.22	(0.01)	11,000	-	CK19C2004A	0.44	(0.04)	53,562	-	CPF16C2007A	0.26	(0.02)	36,992	-
BTS13C2001A	0.01	-	1,500	-	CK24C2003A	0.05	-	100	-	CPF19C2001A	0.02	-	100	-
BTS13C2003A	0.13	(0.01)	49,670	-	CK41C2001A	-	-	-	-	CPF19C2003A	0.14	(0.01)	6,281	-
BTS16C2001A	-	-	-	-	CK41C2003A	0.37	(0.01)	37,276	-	CPF19C2005A	0.30	(0.01)	6,120	-
BTS16C2001B	0.26	(0.03)	51,743	-	CK41C2004A	0.23	(0.03)	9,728	-	CPF19P2002A	-	-	-	-
BTS19C2002A	-	-	-	-	CK41C2005A	0.27	(0.03)	1,480	-	CPF24C2007A	0.32	(0.03)	15,887	-
BTS19C2005A	-	-	-	-	CKP01C2004A	0.06	-	21,383	-	CPF27C2001A	0.09	(0.01)	1,800	-
BTS19P2002A	-	-	-	-	CKP01C2004B	-	-	-	-	CPF28C2004A	0.23	(0.03)	13,682	-
BTS24C2001A	-	-	-	-	CKP01P2004A	0.67	0.02	55,124	-	CPF41C2002A	-	-	-	-
BTS24C2007A	0.24	(0.01)	141,978	-	CKP08C2004A	-	-	-	-	CPF41C2004A	-	-	-	-
BTS24P2001A	-	-	-	-	CKP11C2006A	0.04	(0.01)	2,800	-	CPF41C2005A	-	-	-	-
BTS41C2003A	-	-	-	-	CKP13C2001A	-	-	-	-	CPF41P2003A	-	-	-	-
BTS41C2004A	-	-	-	-	CKP13C2003A	-	-	-	-	CPF41P2005A	-	-	-	-
BTS41C2006A	-	-	-	-	CKP13C2004A	0.08	-	1,000	-	CPF42C2001A	-	-	-	-
BTS41P2001A	-	-	-	-	CKP13C2004B	0.30	(0.01)	75,481	-	CPF42C2003A	0.13	(0.01)	22,054	-
BTS41P2004A	-	-	-	-	CKP16C2001A	-	-	-	-	CPN01C2001A	0.03	-	1,002	-
BTS42C2003A	-	-	-	-	CKP16C2005A	0.01	-	41,366	-	CPN01C2001B	0.01	-	1,000	-
CBG01C2001A	0.42	0.08	159,268	-	CKP16C2007A	0.27	(0.02)	83,110	-	CPN01C2005A	0.56	(0.01)	41,160	-
CBG01C2001B	0.02	-	4,221	-	CKP19C2003A	-	-	-	-	CPN01C2005B	0.27	-	56,133	-
CBG01C2004A	0.84	0.08	327,284	-	CKP19C2005A	0.07	-	2,600	-	CPN01P2001A	1.28	-	12,864	1.00
CBG01C2004B	0.37	0.05	223,957	-	CKP24C2006A	0.23	-	22,244	-	CPN01P2005A	0.52	-	74,176	-
CBG01P2001A	0.02	-	501	-	CKP27C2005A	-	-	-	-	CPN06C2001A	-	-	-	-
CBG01P2003A	0.22	(0.06)	320,444	-	CKP28C2003A	-	-	-	-	CPN11C2006A	0.15	(0.01)	32,032	-
CBG01P2004A	0.95	(0.12)	202,238	-	CKP28C2004A	-	-	-	-	CPN11C2008A	0.52	-	32,010	-
CBG06C2002A	0.33	0.08	85,176	-	CKP28C2004B	-	-	-	-	CPN13C2001A	-	-	-	-
CBG08C2003A	0.50	0.06	37,875	-	CKP41C2002A	-	-	-	-	CPN13C2004A	0.22	-	65,164	-
CBG11C2002A	0.38	0.05	36,982	-	CKP41C2004A	-	-	-	-	CPN16C2001A	-	-	-	-
CBG13C2004A	0.51	0.08	273,148	-	CKP41C2005A	-	-	-	-	CPN16C2005A	0.41	-	61,685	-
CBG13P2001A	-	-	-	-	CKP41C2006A	0.31	(0.01)	11,846	-	CPN19C2002A	-	-	-	-
CBG16C2001A	0.73	0.15	65,411	-	CKP42C2003A	-	-	-	-	CPN19C2004A	0.23	-	6,138	-
CBG19C2004A	0.43	0.05	101,504	-	CKP42C2005A	-	-	-	-	CPN24C2002A	-	-	-	-
CBG19C2005A	0.68	0.09	82,060	-	CKP42C2006A	0.43	(0.57)	5,111	-	CPN24C2007A	0.38	-	25,742	-
CBG19P2002A	0.10	(0.02)	8,511	-	COM708C2002A	0.06	(0.01)	72	-	CPN41C2001A	-	-	-	-
CBG24C2003A	0.35	0.07	39,800	-	COM711C2004A	0.11	(0.01)	1,200	-	CPN41C2002A	-	-	-	-
CBG41C2002A	-	-	-	-	COM713C2004A	0.10	-	30,611	-	CPN41C2003A	-	-	-	-
CBG41C2003A	-	-	-	-	COM716C2001A	0.13	(0.02)	5,240	-	CPN41C2004A	-	-	-	-
CBG41C2004A	0.50	0.06	22,726	-	COM719C2001A	-	-	-	-	CPN41C2006A	0.42	(0.01)	20,760	-
CBG41C2005A	0.87	(0.13)	97,303	-	COM719C2003A	0.29	(0.02)	7,494	-	CPN41P2003A	0.18	(0.01)	1,000	-
CBG41C2006A	0.79	0.08	130,993	-	COM719C2005A	0.12	-	16,876	-	CPN42C2002A	-	-	-	-
CBG41P2002A	-	-	-	-	COM719P2004A	0.26	-	13,982	-	CPN42C2004A	-	-	-	-
CBG41P2003A	0.47	(0.10)	59,840	-	COM724C2001A	-	-	-	-	DTAC01C2001A	0.11	(0.01)	144,442	-
CBG41P2004A	1.09	(0.11)	33,453	1.00	COM724C2007A	0.19	(0.01)	4,220	-	DTAC01C2001B	0.01	-	300	-
CBG41P2006A	1.11	(0.11)	36,489	1.00	COM741C2001A	-	-	-	-	DTAC01C2004A	0.43	(0.02)	247,024	-
CBG42C2003A	0.20	0.04	2,407	-	COM741C2002A	0.17	(0.01)	11,780	-	DTAC01C2004B	0.21	(0.01)	170,510	-
CENT01C2003A	0.05	0.01	7,484	-	COM741C2004A	-	-	-	-	DTAC01P2001A	0.61	-	52,718	-
CENT01C2003B	0.02	-	101	-	COM741C2006A	-	-	-	-	DTAC01P2001B	0.08	(0.02)	59,196	-
CENT01C2006A	0.51	0.04	214,686	-	COM742C2002A	-	-	-	-	DTAC01P2004A	0.90	-	121,713	-
CENT01C2006B	0.13	0.02	46,129	-	COM742C2004A	0.08	(0.01)	3,099	-	DTAC01P2004B	0.59	(0.01)	80,970	-
CENT01P2003A	0.62	(0.03)	122,323	-	CPAL01C2002A	0.07	0.01	9,101	-	DTAC06C2001A	-	-	-	-
CENT06C2003A	0.03	-	6,511	-	CPAL01C2002B	0.01	(0.01)	7,701	-	DTAC06C2006A	0.37	(0.01)	54,533	-
CENT08C2004A	-	-	-	-	CPAL01C2004A	0.33	0.03	146,358	-	DTAC08C2005A	0.20	-	32,205	-
CENT11C2004A	-	-	-	-	CPAL01C2004B	0.19	0.02	51,872	-	DTAC08C2005B	0.38	-	40,598	-
CENT11C2007A	0.09	0.01	9,124	-	CPAL01C2006A	0.61	0.04	71,049	-	DTAC08P2002A	0.58	0.01	18,000	-
CENT13C2001A	-	-	-	-	CPAL01C2006B	0.40	0.04	149,248	-	DTAC11C2002A	0.14	(0.01)	24,460	-
CENT13C2003A	0.05	0.01	4,531	-	CPAL01P2002A	1.35	(0.13)	4,854	1.00	DTAC13C2003A	0.10	-	48,143	-
CENT13C2005A	0.12	0.01	61,688	-	CPAL01P2002B	0.96	(0.07)	1,040	-	DTAC13C2006A	0.37	-	98,629	-
CENT16C2001A	-	-	-	-	CPAL01P2004A	0.96	(0.09)	34,797	-	DTAC13P2003A	0.65	(0.01)	3,312	-
CENT19C2001A	-	-	-	-	CPAL01P2004B	0.53	(0.05)	53,612	-	DTAC13P2006A	0.47	(0.01)	45,160	-
CENT19C2004A	0.06	-	137,200</											

## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
DTAC41P2002A	0.56	0.01	15,166	-	GPSC01C2005B	1.13	0.04	217,243	1.00	HMPR01C2001A	0.11	(0.03)	53,656	-
DTAC41P2006A	0.77	-	14,276	-	GPSC01P2003A	0.28	(0.01)	632,382	-	HMPR01C2001B	-	-	-	-
DTAC42C2001A	-	-	-	-	GPSC01P2005A	0.65	(0.03)	298,555	-	HMPR01C2006A	0.41	(0.02)	78,757	-
DTAC42C2004A	0.17	-	7,050	-	GPSC01P2005B	0.43	(0.02)	226,567	-	HMPR01C2006B	0.29	(0.02)	65,233	-
EA06C2002A	0.02	0.01	520	-	GPSC08C2001A	-	-	-	-	HMPR01P2001A	0.31	0.02	21,786	-
EA06C2005A	0.29	0.08	145,337	-	GPSC08C2004B	0.88	0.03	86,486	-	HMPR01P2006A	0.38	0.01	36,247	-
EA08C2001A	0.01	-	4,101	-	GPSC11C2006A	1.51	0.04	39,657	1.00	HMPR06C2002A	-	-	-	-
EA08C2004A	0.10	0.03	28,276	-	GPSC13C2001A	1.23	0.03	2,497	1.00	HMPR06C2006A	0.28	(0.03)	22,175	-
EA11C2005A	0.22	0.04	123,854	-	GPSC13C2002A	0.65	0.04	986,049	-	HMPR11C2003A	0.10	(0.02)	22,003	-
EA13C2001A	-	-	-	-	GPSC13C2005A	1.31	0.05	619,672	1.00	HMPR13C2003A	0.08	(0.02)	10,122	-
EA13C2003A	0.18	0.05	174,273	-	GPSC13P2002A	0.03	0.01	50	-	HMPR19C2003A	0.09	(0.01)	2,938	-
EA13C2005A	0.31	0.06	478,019	-	GPSC13P2003A	0.23	(0.02)	338,794	-	HMPR19C2005A	0.26	(0.05)	18,749	-
EA13P2001A	0.24	(0.17)	1,004	-	GPSC16C2003A	1.75	0.06	205,111	1.00	HMPR24C2004A	0.11	(0.04)	20,592	-
EA13P2003A	0.27	(0.06)	189,627	-	GPSC16C2007A	1.35	0.05	196,737	1.00	HMPR27P2001A	-	-	-	-
EA16C2003A	0.01	(0.01)	9,500	-	GPSC19C2001A	1.56	-	14,986	1.00	HMPR28C2003A	-	-	-	-
EA16C2006A	0.15	0.04	144,481	-	GPSC19C2004A	0.93	0.03	153,321	-	HMPR41C2002A	-	-	-	-
EA19C2001A	-	-	-	-	GPSC19P2002A	-	-	-	-	HMPR41C2003A	-	-	-	-
EA19C2002A	0.03	0.01	11,410	-	GPSC19P2005A	0.35	(0.01)	50,432	-	HMPR41C2005A	-	-	-	-
EA19C2004A	0.24	0.04	74,007	-	GPSC24C2002A	1.52	0.07	68,718	1.00	HMPR41C2006A	-	-	-	-
EA19P2002A	0.38	(0.13)	23,598	-	GPSC27C2005A	0.72	0.05	114,919	-	HMPR41P2003A	0.17	0.04	1	-
EA24C2003A	-	-	-	-	GPSC41C2002A	1.15	(0.06)	400	1.00	HMPR42C2003A	-	-	-	-
EA24C2004A	0.28	0.07	78,874	-	GPSC41C2003A	1.19	(0.02)	9	1.00	HSI28C2001A	-	-	-	-
EA27C2006A	0.28	0.05	90,669	-	GPSC41C2004A	0.82	0.07	346,629	-	HSI28C2001B	1.25	0.26	160	1.00
EA28C2002A	0.01	-	5,505	-	GPSC41C2005A	1.01	(0.04)	54,062	1.00	HSI28C2001C	0.65	(0.03)	104,153	-
EA28C2004A	0.12	0.03	43,660	-	GPSC41C2006A	1.15	0.16	7,199	1.00	HSI28C2002A	-	-	-	-
EA28C2004B	0.18	0.05	34,944	-	GPSC41P2003A	-	-	-	-	HSI28C2002B	-	-	-	-
EA41C2002A	-	-	-	-	GPSC41P2004A	0.54	0.03	5,859	-	HSI28C2002C	0.94	(0.04)	160,398	-
EA41C2004A	-	-	-	-	GPSC41P2005A	0.58	(0.05)	58,772	-	HSI28C2003A	1.24	(0.07)	148,161	1.00
EA41C2005A	0.22	0.04	7,077	-	GPSC42C2002A	1.00	0.02	16,574	-	HSI28C2003B	0.81	(0.02)	110,736	-
EA41C2006A	0.34	0.07	47,319	-	GULF01C2003A	1.36	0.04	365,905	1.00	HSI28C2003C	0.51	(0.03)	2,537	-
EA41P2003A	0.83	(0.16)	50	-	GULF01C2003B	0.69	0.04	856,893	-	HSI28P2001A	-	-	-	-
EA41P2004A	0.52	(0.09)	361	-	GULF01C2005A	1.57	0.06	251,003	1.00	HSI28P2001B	-	-	-	-
EA42C2001A	-	-	-	-	GULF01C2005B	1.20	0.04	395,432	1.00	HSI28P2001C	-	-	-	-
EA42C2004A	0.17	0.03	2,605	-	GULF01P2003A	0.08	(0.02)	1,068,668	-	HSI28P2002A	0.16	0.01	1,347	-
EGCO01C2001A	0.75	0.08	86,517	-	GULF01P2003B	0.12	(0.01)	1,351,109	-	HSI28P2002B	-	-	-	-
EGCO01C2001B	0.14	0.03	145,034	-	GULF03C2005A	0.81	0.02	157,943	-	HSI28P2002C	-	-	-	-
EGCO01C2004A	0.48	0.04	146,946	-	GULF06C2004A	1.83	0.06	63,752	1.00	HSI28P2003A	0.43	0.02	2,242	-
EGCO01C2004B	0.19	0.02	174,118	-	GULF08C2003A	1.12	0.02	76,729	1.00	HSI28P2003B	0.63	0.02	20	-
EGCO06C2004A	0.29	0.04	137,796	-	GULF11C2003A	2.52	0.12	5,693	2.00	HSI28P2003C	0.96	0.04	81,130	-
EGCO06P2004A	0.40	(0.07)	110,820	-	GULF11C2006A	1.20	0.02	87,281	1.00	INTU01C2003A	0.15	(0.01)	206,761	-
EGCO13C2002A	0.13	0.02	153,166	-	GULF13C2001A	0.35	-	1,046,547	-	INTU01C2003B	0.08	-	6,877	-
EGCO13C2005A	0.75	0.07	295,224	-	GULF13C2004A	1.08	0.03	1,129,420	1.00	INTU01C2006A	0.55	-	81,689	-
EGCO16C2001A	0.15	0.03	83,439	-	GULF13P2001A	-	-	-	-	INTU01C2006B	0.35	0.01	122,324	-
EGCO19C2002A	0.06	0.01	15,145	-	GULF13P2001B	-	-	-	-	INTU01P2003A	0.98	-	27,644	-
EGCO19C2005A	0.52	0.05	96,274	-	GULF13P2002A	0.02	(0.01)	22,502	-	INTU01P2003B	0.33	(0.02)	82,477	-
EGCO41C2001A	-	-	-	-	GULF13P2004A	0.32	(0.02)	1,561,457	-	INTU01P2006A	0.72	(0.01)	42,471	-
EGCO41C2002A	-	-	-	-	GULF16C2001A	3.02	0.20	105,956	2.00	INTU01P2006B	0.42	(0.01)	55,497	-
EGCO41C2003A	-	-	-	-	GULF16C2003A	0.99	0.03	266,344	-	INTU11C2001A	0.09	(0.01)	33,530	-
EGCO41C2004A	-	-	-	-	GULF16C2007A	1.47	0.04	201,091	1.00	INTU13C2002A	0.03	-	4,442	-
EGCO41C2006A	0.74	0.04	90,688	-	GULF19C2003A	1.23	0.04	26,397	1.00	INTU13C2004A	0.26	0.01	138,993	-
EGCO41P2001A	-	-	-	-	GULF19C2004A	0.73	0.02	135,964	-	INTU13P2004A	0.28	0.01	72,891	-
EGCO41P2002A	0.10	(0.03)	36,446	-	GULF19P2001A	-	-	-	-	INTU16C2001A	0.02	(0.01)	3	-
EGCO41P2004A	0.68	(0.03)	9,478	-	GULF19P2003A	0.06	-	18,829	-	INTU16C2005A	0.05	(0.01)	2,000	-
EGCO41P2006A	0.47	(0.02)	13,264	-	GULF24C2001A	2.46	0.22	1	2.00	INTU16C2007A	0.27	0.01	111,595	-
EGCO42C2003A	0.06	0.01	82,001	-	GULF24C2002A	0.88	0.04	86,575	-	INTU19C2004A	0.13	-	8,816	-
EGCO42C2007A	0.71	(0.29)	4,200	-	GULF24C2005A	1.23	0.03	241,901	1.00	INTU19C2005A	0.37	0.02	12,084	-
EPG08C2004A	0.12	0.01	9,154	-	GULF24P2001A	-	-	-	-	INTU19P2002A	0.18	(0.01)	18,193	-
EPG13C2004A	0.07	0.01	1,512	-	GULF27C2004A	1.92	0.25	26,112	1.00	INTU24C2003A	-	-	-	-
EPG19C2002A	0.01	-	30	-	GULF28C2001A	-	-	-	-	INTU28C2003A	-	-	-	-
EPG19C2005A	0.16	-	21,744	-	GULF28C2003A	0.48	0.02	244,230	-	INTU41C2003A	0.05	-	3	-
EPG19P2002A	0.26	(0.01)	29,321	-	GULF28C2003B	0.56	0.09	133,879	-	INTU41C2004A	-	-	-	-
ERW06C2001A	0.02	-	14,515	-	GULF41C2001A	-	-	-	-	INTU41C2005A	0.15	(0.02)	3	-
ERW06C2006A	0.18	0.04	274,434	-	GULF41C2001B	-	-	-	-	INTU41C2006A	0.33	-	26,654	-
ERW06P2001A	0.01	(0.01)	201	-	GULF41C2002A	-	-	-	-	INTU41C2007A	-	-	-	-
ERW06P2006A	0.30	(0.06)	72,650	-	GULF41C2003A	1.09	0.15	3,000	1.00	INTU41P2001A	0.06	(0.02)	200	-
ERW11C2001A	-	-	-	-	GULF41C2004A	0.78	0.01	481,868	-	INTU41P2003A	-	-	-	-
ERW13C2005A	0.11	0.02	210,260	-	GULF41C2005A	0.76	(0.07)	25,541	-	INTU41P2004A	-	-	-	-
ERW19C2001A	-	-	-	-	GULF41C2006A	1.25	0.06	21,772	1.00	INTU41P2005A	0.46	(0.01)	12,611	-
ERW19C2005A	0.05	0.01	3,552	-	GULF41P2001A	-	-	-	-	INTU41P2006A	0.47	(0.02)	23,466	-
ERW19C2006A	0.25	0.04	96,612	-	GULF41P2002A	0.02	(0.01)	1,001	-	INTU42C2003A	-	-	-	-
ESSO01C2004A	0.41	(0.07)	102,183	-	GULF41P2003A	0.23	(0.02)	28,532	-	INTU42C2005A	-	-	-	-
ESSO01C2004B	0.33	(0.07)	89,373	-	GULF41P2004A	0.48	(0.02)	145,435	-	IRPC01C2002A	0.06	(0.02)	74,274	-
ESSO08C2004A	0.39	(0.09)	59,316	-	GULF41P2005A	0.38	(0.62)	26,174	-	IRPC01C2002B	0.05	(0.02)	196,581	-
ESSO11C2002A	-	-	-	-	GULF41P2006A	0.42	(0.01)	20,140	-	IRPC01C2005A	0.26	(0.05)	223,606	-
ESSO13C2003A	0.20	(0.06)	132,074	-	GULF42C2002A	1.48	0.07	7,555	1.00	IRPC01C2005B	0.15	(0.03)	66,346	-
ESSO19C2001A	-	-	-	-	GULF42C2003A	0.52	0.03	15,926	-	IRPC01P2002A	0.55	0.08	283,204	-
ESSO19C2004A	0.27	(0.06)	53,314	-	GUNK01C2005A	0.22	(0.01)	75,231	-	IRPC01P2005A	0.89	0.06	145,190	-
ESSO24C2003A	0.18	(0.07)	38,114	-	GUNK01C2005B	0.10	-	21,277	-	IRPC06C2001A	0.02	0.01	9,491	-
ESSO41C2002A	0.06	(0.14)	5	-	GUNK01P2005A	0.44	0.01	46,367	-	IRPC06C2005A	0.22	(0.06)	61,012	-
ESSO41C2003A	-	-	-	-	GUNK11C2007A	0.14	-	19,303	-	IRPC06P2004A	0.29	0.06	68,383	-
ESSO41C2004A	-	-	-	-	GUNK13C2003A	-	-	-	-	IRPC11C2001A	-	-	-	-
ESSO41C2005A	0.37	(0.09)	525	-	GUNK16C2002A	0.01	(0.01)	450	-	IRPC11C2005A	-	-	-	-
ESSO42C2001A	-	-	-	-	GUNK19C2003A	0.07	-	5	-	IRPC11C2008A	0.23	(0.03)	19,968	-
ESSO42C2003A	0.15	(0.07)	8,921	-	GUNK24C2001A	-	-	-	-	IRPC13C2003A	0.08	(0.05)	284,214	-
GFPT13C2003A	0.22	0.02	182,385	-	GUNK24C2006A	0.18	-	16,630	-	IRPC19C2001A	-	-	-	-

## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IRPC41P2007A	0.71	(0.29)	4,684	-	KBAN19C2003A	0.03	(0.01)	7,778	-	LH11C2007A	0.47	(0.01)	7,193	-
IRPC42C2002A	-	-	-	-	KBAN19C2004A	0.26	(0.03)	63,917	-	LH16C2002A	0.09	0.01	5,110	-
IRPC42C2003A	0.04	(0.02)	4	-	KBAN19P2004A	0.42	0.05	103,101	-	LH19C2003A	0.07	(0.01)	6,704	-
IVL01C2002A	0.03	-	88,623	-	KBAN24C2001A	-	-	-	-	LH19C2003B	0.20	0.02	50	-
IVL01C2002B	0.02	-	1,201	-	KBAN24C2005A	0.19	(0.03)	38,882	-	LH19P2004A	0.11	(0.02)	7,086	-
IVL01C2004A	0.27	-	160,535	-	KBAN27P2001A	0.37	0.07	4,882	-	LH41C2002A	-	-	-	-
IVL01C2004B	0.31	(0.02)	207,388	-	KBAN28C2001A	-	-	-	-	LH41C2004A	-	-	-	-
IVL01P2002A	0.87	(0.02)	14,863	-	KBAN28C2002A	0.01	-	4,000	-	LH41C2005A	-	-	-	-
IVL01P2002B	0.49	(0.01)	27,346	-	KBAN28C2002B	-	-	-	-	LH41P2003A	-	-	-	-
IVL01P2004A	0.32	-	134,069	-	KBAN28C2003A	0.03	(0.01)	12,564	-	MAJ06C2001A	0.01	-	10	-
IVL01P2004B	0.13	-	137,194	-	KBAN28C2004A	0.23	(0.05)	61,540	-	MAJ013C2002A	0.18	0.02	35,576	-
IVL06C2001A	-	-	-	-	KBAN28P2003A	0.31	0.04	54,038	-	MAJ019C2002A	-	-	-	-
IVL06C2003A	0.31	(0.01)	17,516	-	KBAN41C2001A	-	-	-	-	MAJ024C2002A	-	-	-	-
IVL06P2001A	0.02	0.01	7,743	-	KBAN41C2002A	-	-	-	-	MBK19C2004A	0.21	-	2,576	-
IVL06P2005A	0.49	-	17,500	-	KBAN41C2003A	-	-	-	-	MEGA19C2001A	-	-	-	-
IVL08C2002A	-	-	-	-	KBAN41C2004A	0.10	(0.03)	3,751	-	MEGA19C2005A	0.17	-	22,663	-
IVL08C2004A	0.31	(0.01)	33,022	-	KBAN41C2005A	0.32	(0.05)	24,262	-	MINT01C2003A	0.17	0.01	220,193	-
IVL08P2003A	0.40	(0.01)	19,700	-	KBAN41P2002A	-	-	-	-	MINT01C2003B	-	-	-	-
IVL08P2004A	0.23	(0.01)	4,700	-	KBAN41P2004A	0.40	0.08	7,332	-	MINT01P2003A	0.43	(0.02)	77,057	-
IVL11C2005A	0.06	-	5,662	-	KBAN41P2005A	0.82	0.05	25,700	-	MINT06C2001A	0.01	-	15,265	-
IVL11C2006A	0.37	0.01	50,644	-	KBAN41P2006A	1.11	0.07	20,308	1.00	MINT06C2002A	-	-	-	-
IVL13C2002A	0.01	(0.01)	14,672	-	KBAN42C2003A	-	-	-	-	MINT08C2003A	-	-	-	-
IVL13C2002B	0.06	-	34,818	-	KBAN42C2004A	0.05	-	50,000	-	MINT11C2006A	0.16	0.01	24,450	-
IVL13C2003A	0.21	(0.01)	88,435	-	KCE01C2004A	0.91	0.08	302,047	-	MINT13C2002A	-	-	-	-
IVL13P2004A	0.26	(0.01)	43,602	-	KCE01C2004B	0.57	0.05	366,579	-	MINT13C2004A	0.10	0.01	46,636	-
IVL16C2001A	-	-	-	-	KCE01P2004A	0.93	(0.08)	195,028	-	MINT16C2001A	-	-	-	-
IVL16C2006A	0.20	-	78,508	-	KCE08C2002A	0.65	0.12	800	-	MINT19C2001A	-	-	-	-
IVL19C2001A	-	-	-	-	KCE08C2005A	0.32	0.04	49,886	-	MINT19C2002A	-	-	-	-
IVL19C2002A	-	-	-	-	KCE08C2005B	0.11	-	9,620	-	MINT19C2004A	0.14	0.01	6,454	-
IVL19C2003A	0.06	-	7,120	-	KCE11C2004A	0.57	0.06	132,804	-	MINT19P2004A	0.22	(0.03)	34,666	-
IVL19C2004A	0.36	-	4,455	-	KCE13C2003A	0.99	(0.03)	62	1.00	MINT23C2001A	-	-	-	-
IVL19C2006A	0.28	0.01	71,750	-	KCE13C2004A	0.39	0.03	403,255	-	MINT24C2001A	-	-	-	-
IVL19P2003A	0.15	(0.01)	15,782	-	KCE13C2005A	0.10	0.01	127,156	-	MINT24C2006A	0.20	0.01	19,481	-
IVL19P2006A	0.42	(0.01)	3,588	-	KCE16C2001A	0.04	-	160,588	-	MINT28C2002A	-	-	-	-
IVL24C2001A	-	-	-	-	KCE16C2007A	0.39	0.06	90,136	-	MINT41C2001A	-	-	-	-
IVL24C2002A	-	-	-	-	KCE19C2002A	0.46	0.08	40,847	-	MINT41C2002A	-	-	-	-
IVL24C2003A	0.29	0.01	40,170	-	KCE19C2005A	0.45	0.04	387,967	-	MINT41C2005A	-	-	-	-
IVL27P2007A	0.36	(0.02)	11,003	-	KCE24C2005A	0.81	0.02	69,707	-	MINT41P2004A	0.31	(0.02)	1,624	-
IVL28C2001A	-	-	-	-	KCE28C2003A	0.55	(0.17)	3,775	-	MINT42C2002A	-	-	-	-
IVL28C2002A	-	-	-	-	KCE28C2003B	-	-	-	-	MINT42C2004A	0.07	0.01	150	-
IVL28C2003A	0.09	0.01	910	-	KCE41C2002A	0.41	0.04	9	-	MTC01C2003A	0.53	(0.01)	130,219	-
IVL28C2003B	0.15	-	55,586	-	KCE41C2003A	-	-	-	-	MTC01C2003B	0.27	(0.02)	54,248	-
IVL28P2003A	-	-	-	-	KCE41C2005A	0.49	0.05	78,890	-	MTC01P2003A	0.35	-	51,710	-
IVL41C2001A	-	-	-	-	KCE41C2006A	0.35	(0.03)	21,304	-	MTC03C2005A	0.46	(0.03)	9,400	-
IVL41C2002A	-	-	-	-	KCE42C2001A	0.36	0.09	22,707	-	MTC08C2005A	0.55	(0.02)	33,511	-
IVL41C2002B	-	-	-	-	KKP01C2001A	0.28	(0.03)	15,098	-	MTC11C2002A	0.77	(0.03)	15,000	-
IVL41C2003A	-	-	-	-	KKP01C2001B	-	-	-	-	MTC11C2008A	0.57	(0.01)	19,288	-
IVL41C2004A	-	-	-	-	KKP01C2006A	0.66	(0.02)	13,865	-	MTC13C2003A	0.37	(0.03)	164,846	-
IVL41C2005A	-	-	-	-	KKP01C2006B	0.43	(0.03)	22,290	-	MTC13P2003A	0.17	-	48,032	-
IVL41C2006A	-	-	-	-	KKP01P2001A	0.51	0.01	14,786	-	MTC16C2007A	0.38	(0.01)	116,591	-
IVL41C2007A	-	-	-	-	KKP01P2006A	0.62	0.02	27,831	-	MTC19C2002A	0.27	(0.02)	20,176	-
IVL41P2001A	-	-	-	-	KKP08C2003A	-	-	-	-	MTC19C2006A	0.39	(0.01)	9,093	-
IVL41P2002A	-	-	-	-	KKP11C2007A	0.44	(0.03)	23,714	-	MTC19P2004A	0.26	-	19,514	-
IVL41P2003A	-	-	-	-	KKP13C2001A	-	-	-	-	MTC24C2004A	0.44	(0.02)	20,201	-
IVL41P2004A	-	-	-	-	KKP13C2004A	0.24	(0.02)	62,767	-	MTC27C2007A	0.53	(0.02)	24,000	-
IVL41P2005A	-	-	-	-	KKP16C2002A	0.33	(0.02)	24,168	-	MTC28C2002A	0.29	(0.01)	23,708	-
IVL41P2006A	-	-	-	-	KKP19C2003A	0.21	(0.03)	10,318	-	MTC41C2003A	0.33	(0.03)	14,980	-
IVL41P2007A	-	-	-	-	KKP24C2003A	0.23	(0.02)	4,500	-	MTC41C2004A	-	-	-	-
IVL42C2001A	-	-	-	-	KKP27P2002A	0.10	0.01	18,566	-	MTC41P2003A	-	-	-	-
IVL42C2002A	0.03	-	40	-	KKP41C2002A	0.17	(0.02)	9,960	-	MTC41P2004A	0.46	-	7,900	-
JAS06C2002A	0.03	-	382	-	KKP41C2006A	-	-	-	-	MTC42C2003A	-	-	-	-
JAS13C2001A	0.01	-	1,153	-	KTB01C2003A	0.19	(0.02)	225,801	-	ORI08C2001A	-	-	-	-
JAS13C2002A	0.41	(0.01)	32,612	-	KTB01P2003A	0.35	0.01	103,773	-	ORI13C2004A	0.30	(0.06)	120,617	-
JAS13C2002B	0.09	(0.01)	120	-	KTB11C2004A	-	-	-	-	ORI19C2001A	-	-	-	-
JAS16C2002A	-	-	-	-	KTB11C2006A	0.09	(0.02)	31,200	-	ORI19C2003A	0.14	(0.04)	17,284	-
JAS16C2002B	-	-	-	-	KTB13C2002A	-	-	-	-	ORI19C2005A	0.38	(0.06)	48,961	-
JAS19C2002A	-	-	-	-	KTB19C2002A	-	-	-	-	ORI24C2001A	-	-	-	-
JAS19C2004A	0.26	-	8,369	-	KTB19C2005A	0.20	(0.01)	21,904	-	ORI28C2004A	0.27	(0.05)	45,412	-
JAS19P2001A	-	-	-	-	KTB24C2004A	-	-	-	-	ORI41C2002A	-	-	-	-
JAS28C2002A	-	-	-	-	KTB41C2002A	-	-	-	-	ORI41C2004A	0.30	(0.07)	39,589	-
JAS28C2002B	-	-	-	-	KTB41C2003A	-	-	-	-	OSP01C2003A	0.36	0.01	514,261	-
JAS28C2003A	0.06	-	175	-	KTB41C2004A	-	-	-	-	OSP01C2003B	0.15	0.01	92,592	-
JAS41C2001A	-	-	-	-	KTB41C2006A	-	-	-	-	OSP01C2006A	0.56	0.01	49,230	-
JAS41C2004A	-	-	-	-	KTB41P2004A	-	-	-	-	OSP01C2006B	0.40	0.02	201,684	-
JAS41C2005A	-	-	-	-	KTC01C2001A	0.05	(0.01)	11,934	-	OSP01P2003A	0.30	(0.02)	189,549	-
JAS41C2006A	-	-	-	-	KTC01C2001B	-	-	-	-	OSP06C2005A	0.49	0.03	37,417	-
JAS41P2001A	0.33	(0.02)	5	-	KTC01C2004A	0.22	-	162,970	-	OSP06P2003A	0.16	(0.02)	104,622	-
JAS41P2005A	0.48	(0.01)	2,065	-	KTC01C2004B	0.12	(0.01)	200,814	-	OSP08C2001A	0.43	0.06	9,641	-
JMT13C2006A	0.63	0.12	147,137	-	KTC01P2001A	0.12	(0.02)	143,208	-	OSP08C2004A	0.24	-	28,550	-
JMT19C2006A	0.54	0.12	23,764	-	KTC01P2004A	0.50	(0.01)	160,463	-	OSP11C2005A	0.45	0.02	70,233	-
JMT42C2006A	0.69	0.14	11,657	-	KTC06C2002A	-	-	-	-	OSP13C2002A	0.16	0.01	180,996	-
KBAN01C2002A	0.02	-	4,897	-	KTC08C2004A	0.12	(0.01)	7,523	-	OSP13C2004A	0.40	0.02	74,706	-
KBAN01C2002B	0.02	-	7,171	-	KTC11C2005A	0.15	-	45,466	-	OSP16C2001A	0.41	0.03	34,079	-
KBAN01C2004A	0.24	(0.03)	268,019	-	KTC13C2002A	0.02	-	590	-	OSP19C2004A	0.21	0.01	18,293	-
KBAN01C2004B	0.22	(0.04)	233,582	-	KTC13C2004A	0.11	-	170,582	-	OSP19C2005A	0.43	0.02	49,780	-
KBAN01P2002A	2.20	0.18	20,288	2.00	KTC13P2002A	0.34	(0.01)	184,392	-	OSP24C2008A	0.51	0.03	35,412	-
KBAN01P2002B	1.31	0.16	40,328	1.00	KTC19C2002A	-	-	-	-	OSP28C2001A	-	-	-	-
KBAN01P2004A	1.17	0.08	170,984	1.00	KTC19C2005A	0.19	(0.01)	43,938	-	OSP28C2003A	0.18	0.01	23,722	-
KBAN01P2004B	0.33	0.04	178,828	-	KTC19P2001A	-	-	-	-	OSP41C2003A	0.41	0.03	32,200	-
KBAN06C2001A	-	-	-	-	KTC19P2005A	0.43	0.01	12,471	-	OSP41C2004A	0.24	0.08		

**Main Board Quotation**

**Issue Date :**

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN19C2001A	-	-	-	-	LH01P2003A	0.33	-	26,512	-	PLAN28C2002A	-	-	-	-



## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PLAN28C2004A	0.10	0.01	7,011	-	PTTE01C2001A	0.37	0.01	111,247	-	RATC13C2002A	0.02	(0.01)	2,910	-
PLAN28C2005A	0.21	0.03	49,060	-	PTTE01C2001B	0.02	(0.01)	200	-	RATC13C2004A	0.41	-	380,154	-
PLAN41C2002A	-	-	-	-	PTTE01C2004A	0.79	-	87,174	-	RATC16C2001A	0.20	(0.01)	47,376	-
PLAN41C2004A	0.04	-	10	-	PTTE01C2004B	0.54	0.01	338,663	-	RATC19C2002A	0.05	-	13,001	-
PLAN41C2005A	0.17	0.07	700	-	PTTE01P2001A	0.61	(0.03)	38,230	-	RATC19C2005A	0.42	(0.01)	36,324	-
PLAN41C2006A	0.28	0.03	28,035	-	PTTE01P2001B	0.02	(0.01)	1,000	-	RATC24C2001A	0.26	(0.02)	200	-
PRM08C2003A	-	-	-	-	PTTE01P2004A	0.29	-	352,918	-	RATC24C2006A	0.70	(0.03)	11,180	-
PRM13C2003A	0.09	(0.01)	10,033	-	PTTE01P2004B	0.14	(0.01)	58,010	-	RATC27C2004A	0.13	-	42,541	-
PRM19C2001A	-	-	-	-	PTTE06C2001B	0.31	(0.01)	9,308	-	RATC27C2007A	0.77	(0.01)	12,600	-
PRM19C2004A	0.14	(0.01)	14,584	-	PTTE08C2002A	0.18	-	5,500	-	RATC41C2001A	0.14	0.08	5	-
PRM27C2002A	-	-	-	-	PTTE08C2005A	0.57	-	50,178	-	RATC41C2002A	0.06	-	170	-
PRM41C2002A	-	-	-	-	PTTE08P2005A	0.28	(0.01)	7,040	-	RATC41C2003A	-	-	-	-
PRM42C2001A	-	-	-	-	PTTE11C2006A	0.67	0.01	90,285	-	RATC41C2004A	0.52	0.01	292	-
PRM42C2006A	0.42	(0.01)	3,655	-	PTTE13C2001A	-	-	-	RATC41C2005A	0.51	-	89,401	-	
PSH19C2001A	-	-	-	-	PTTE13C2004A	0.58	-	6,174	-	RATC41P2004A	0.39	-	52,600	-
PSH19C2003A	0.07	0.01	1	-	PTTE13C2006A	0.52	0.02	361,150	-	RATC41P2006A	-	-	-	-
PSH19C2005A	0.30	0.01	40,340	-	PTTE13P2001A	-	-	-	RATC42C2003A	0.12	-	800	-	
PSL06C2002A	-	-	-	-	PTTE13P2003A	0.14	-	245,529	-	RATC42C2006A	-	-	-	-
PSL13C2003A	0.16	-	6,892	-	PTTE16C2003A	0.30	0.01	246,765	-	ROBI08C2001A	-	-	-	-
PSL19C2004A	0.11	-	9,260	-	PTTE19C2001A	-	-	-	ROBI11C2003A	-	-	-	-	
PSL27C2002A	-	-	-	-	PTTE19C2002A	0.32	(0.01)	22,238	-	ROBI13C2002A	-	-	-	-
PTG01C2001A	0.02	-	20,202	-	PTTE19C2006A	0.47	0.01	64,243	-	ROBI19C2004A	-	-	-	-
PTG01C2001B	0.01	-	762	-	PTTE19P2004A	0.13	(0.01)	14,000	-	ROBI41C2001A	-	-	-	-
PTG01C2003A	0.08	-	58,388	-	PTTE19P2006A	0.55	(0.02)	58,616	-	ROBI41P2001A	-	-	-	-
PTG01C2003B	0.05	0.01	2,700	-	PTTE24C2003A	0.43	0.02	13,215	-	RS06C2004A	0.22	0.02	52,430	-
PTG01C2005A	0.32	0.01	297,749	-	PTTE28C2001A	-	-	-	RS08C2001A	-	-	-	-	
PTG01C2005B	0.17	0.01	199,960	-	PTTE28C2002A	0.24	0.01	39,222	-	RS08P2003A	1.17	(0.07)	2,156	1.00
PTG01P2001A	0.79	(0.05)	16,874	-	PTTE28C2005A	0.40	0.01	67,356	-	RS13C2002A	-	-	-	-
PTG01P2003A	0.94	(0.05)	15,182	-	PTTE28P2004A	0.13	-	2,079	-	RS13C2004A	0.18	0.02	182,242	-
PTG01P2005A	0.83	(0.02)	27,722	-	PTTE41C2001A	-	-	-	RS16C2001A	-	-	-	-	
PTG01P2005B	0.60	(0.04)	84,834	-	PTTE41C2001B	-	-	-	RS16C2005A	0.06	0.01	3,101	-	
PTG03C2005A	0.03	-	14,699	-	PTTE41C2002A	-	-	-	RS19C2002A	-	-	-	-	
PTG06C2001A	0.01	-	30	-	PTTE41C2003A	-	-	-	RS19C2004A	-	-	-	-	
PTG06C2006A	0.23	-	39,510	-	PTTE41C2005A	-	-	-	RS19C2005A	0.21	0.02	31,876	-	
PTG08C2005A	0.15	0.01	14,730	-	PTTE41C2006A	-	-	-	RS24C2004A	0.05	0.01	590	-	
PTG11C2003A	0.22	0.02	14,000	-	PTTE41P2002A	0.11	-	1	-	RS24C2008A	0.34	0.03	61,179	-
PTG11C2005A	0.09	0.01	501	-	PTTE41P2003A	-	-	-	RS41C2002A	0.04	-	540	-	
PTG13C2002A	0.01	-	9,999	-	PTTE42C2001A	-	-	-	RS41C2004A	-	-	-	-	
PTG13C2004A	0.15	0.01	230,602	-	PTTE42C2004A	0.31	0.01	15,884	-	RS42C2004A	-	-	-	-
PTG13C2006A	0.35	0.02	227,940	-	PTTG01C2002A	0.44	(0.07)	39,140	-	S10001C2011A	0.63	0.01	17	-
PTG13P2001A	0.43	(0.07)	34,866	-	PTTG01C2002B	0.21	(0.04)	185,897	-	S5001C2001A	0.25	(0.01)	370,306	-
PTG13P2004A	0.55	(0.02)	76,468	-	PTTG01C2005A	0.50	(0.05)	117,673	-	S5001C2002A	0.60	(0.01)	267,173	-
PTG19C2003A	-	-	-	-	PTTG01C2005B	0.30	(0.04)	80,989	-	S5001C2003F	0.61	(0.01)	2,330,164	-
PTG19C2004A	0.06	-	27,450	-	PTTG01P2002A	0.37	0.05	98,206	-	S5001C2003G	0.43	(0.01)	1,788,374	-
PTG19C2005A	0.21	0.01	127,894	-	PTTG01P2002B	0.07	0.01	8,960	-	S5001C2003H	0.81	(0.01)	1,132,467	-
PTG19C2006A	0.38	0.02	32,946	-	PTTG01P2005A	0.78	0.07	44,026	-	S5001C2004A	0.84	(0.01)	463,097	-
PTG19P2001A	0.38	(0.07)	5,354	-	PTTG01P2005B	0.52	0.04	209,892	-	S5001P2001A	0.62	(0.02)	1,349,799	-
PTG19P2006A	0.57	(0.03)	21,487	-	PTTG06C2001A	0.07	(0.06)	17,940	-	S5001P2002A	0.48	(0.01)	682,843	-
PTG24C2002A	-	-	-	-	PTTG08C2001A	-	-	-	S5001P2003F	0.60	(0.01)	1,757,891	-	
PTG27C2007A	0.41	0.03	34,800	-	PTTG08C2004A	0.41	(0.06)	15,120	-	S5001P2003G	0.46	-	1,274,707	-
PTG27P2001A	0.22	(0.03)	28,026	-	PTTG08P2004A	0.23	0.03	10,460	-	S5001P2003H	0.84	(0.01)	1,617,742	-
PTG28C2004A	0.07	0.01	360	-	PTTG11C2004A	0.11	(0.03)	42,600	-	S5001P2004A	0.87	0.01	732,292	-
PTG41C2002A	-	-	-	-	PTTG11C2007A	0.66	(0.09)	22,511	-	S5006C2003A	0.29	(0.01)	248,560	-
PTG41C2004A	-	-	-	-	PTTG13C2002A	0.36	(0.07)	740	-	S5006C2003B	0.37	(0.02)	175,348	-
PTG41C2005A	-	-	-	-	PTTG13C2005A	0.34	(0.06)	119,014	-	S5006C2003C	0.50	(0.02)	270,134	-
PTG41C2006A	0.27	0.02	22,142	-	PTTG13P2004A	0.26	0.02	197,211	-	S5006P2003A	0.64	-	288,733	-
PTG41P2005A	0.64	(0.36)	4,000	-	PTTG16C2001A	-	-	-	S5006P2003B	0.81	(0.02)	189,373	-	
PTG42C2001A	-	-	-	-	PTTG16C2006A	0.37	(0.05)	67,932	-	S5006P2003C	0.30	-	269,893	-
PTG42C2004A	0.07	0.01	1	-	PTTG19C2001A	-	-	-	S5008C2003A	0.56	(0.02)	243,452	-	
PTT01C2001A	0.22	(0.02)	65,549	-	PTTG19C2002A	0.17	(0.02)	11,310	-	S5008C2003B	0.32	(0.02)	207,976	-
PTT01C2001B	0.02	-	22	-	PTTG19C2006A	0.28	(0.03)	44,982	-	S5008P2003A	0.26	(0.01)	101,541	-
PTT01C2004A	0.48	(0.02)	44,898	-	PTTG19P2003A	0.10	0.01	32,150	-	S5008P2003B	0.11	-	12,808	-
PTT01C2004B	0.27	(0.03)	254,185	-	PTTG19P2006A	0.59	0.05	43,532	-	S5011C2003A	0.71	(0.02)	207,742	-
PTT01P2001A	0.37	0.01	53,199	-	PTTG24C2003A	0.44	(0.09)	7,515	-	S5011P2003A	0.52	0.02	107,436	-
PTT01P2001B	-	-	-	-	PTTG27C2001A	-	-	-	S5013C2003A	0.38	(0.01)	11,544,121	-	
PTT01P2004A	0.35	0.01	110,900	-	PTTG27P2006A	0.40	0.03	28,738	-	S5013C2003B	0.70	(0.01)	5,224,048	-
PTT01P2004B	0.17	0.01	89,785	-	PTTG28C2001A	-	-	-	S5013C2003C	0.56	(0.02)	6,344,356	-	
PTT06C2005A	0.38	(0.04)	17,044	-	PTTG28C2002A	0.08	(0.03)	2,000	-	S5013P2003A	0.85	-	2,285,509	-
PTT08C2005A	0.37	(0.02)	7,800	-	PTTG28C2003A	-	-	-	S5013P2003B	0.49	-	8,306,543	-	
PTT08P2005A	0.18	0.01	3,307	-	PTTG41C2001A	-	-	-	S5013P2003C	0.71	(0.01)	5,228,046	-	
PTT11C2004A	0.12	(0.01)	22,776	-	PTTG41C2002A	-	-	-	S5016C2003A	0.38	(0.01)	210,046	-	
PTT13C2004A	0.26	(0.02)	207,407	-	PTTG41C2003A	0.27	(0.17)	17,312	-	S5016C2003B	0.60	(0.02)	99,552	-
PTT13P2001A	-	-	-	-	PTTG41C2005A	0.35	(0.65)	2,342	-	S5016C2003C	0.76	(0.01)	50,161	-
PTT13P2004A	0.15	0.01	27,602	-	PTTG41C2006A	0.39	(0.06)	27,920	-	S5016P2003A	0.51	-	215,954	-
PTT13P2006A	0.37	0.02	169,992	-	PTTG41P2001A	-	-	-	S5016P2003C	0.70	0.01	106,400	-	
PTT16C2001A	-	-	-	-	PTTG41P2002A	0.17	0.04	5,000	-	S5019C2003A	0.38	(0.01)	743,699	-
PTT19C2002A	0.14	(0.02)	33,242	-	PTTG41P2003A	-	-	-	S5019C2003B	0.82	-	595,618	-	
PTT19C2005A	0.41	(0.01)	2,535	-	PTTG41P2006A	0.57	0.04	42,840	-	S5019P2003A	0.55	(0.01)	769,110	-
PTT19P2003A	-	-	-	-	PTTG42C2003A	0.11	(0.05)	4,463	-	S5019P2003B	0.24	-	350,465	-
PTT19P2006A	0.32	-	36,160	-	QH01C2001A	0.07	(0.01)	22,146	-	S5024C2003A	0.41	(0.01)	145,628	-
PTT24C2003A	0.13	(0.03)	26,527	-	QH01C2001B	-	-	-	S5024C2003B	0.92	(0.02)	284,231	-	
PTT24P2001A	-	-	-	-	QH01P2001A	0.32	(0.03)	26,002	-	S5024P2003A	0.67	0.01	221,101	-
PTT28C2002A	-	-	-	-	QH11C2006A	0.17	(0.05)	25,970	-	S5024P2003B	0.26	-	68,629	-
PTT28C2003A	0.04	(0.01)	1,040	-	QH13C2003A	0.10	-	23,346	-	S5028C2001A	0.08	0.01	1,653	-
PTT28C2004A	0.20	(0.01)	16,789	-	QH19C2002A	-	-	-	S5028C2002A	0.24	(0.01)	58,576	-	
PTT28P2004A	0.14	-	4,056	-	QH19C2006A	0.21	-	1,022	-	S5028C2003A	0.10	-	59,206	-
PTT41C2001A	-	-	-	-	QH27C2007A	0.21	0.01	9,250	-	S5028P2001A	0.20	-	23,292	-
PTT41C2002														

## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT41C2006A	0.30	(0.02)	294	-	RATC01C2006B	0.71	0.01	117,734	-	S5041C2003B	0.36	(0.02)	98,075	-
PTT41P2001A	-	-	-	-	RATC01P2006A	0.60	-	132,378	-	S5041C2003C	0.50	(0.02)	73,750	-
PTT41P2004A	-	-	-	-	RATC06C2006A	0.81	-	14,976	-	S5041C2003D	0.50	(0.50)	1,078,469	-
PTT41P2005A	-	-	-	-	RATC06P2006A	0.19	-	41,810	-	S5041C2003E	0.64	(0.36)	37,610	-
PTT42C2003A	0.12	-	2	-	RATC13C2001A	0.01	-	8	-	S5041P2003A	0.42	0.01	596,968	-

## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5041P2003B	0.59	(0.01)	157,434	-	SCC41C2003A	-	-	-	-	STEC41P2003A	-	-	-	-
S5041P2003C	0.26	-	1,460,783	-	SCC41C2004A	-	-	-	-	STEC41P2004A	-	-	-	-
S5041P2003D	0.73	(0.27)	1,139,200	-	SCC41C2005A	0.32	(0.01)	16,880	-	STEC41P2005A	0.30	0.01	9,859	-
S5041P2003E	0.87	(0.18)	11	-	SCC41P2001A	-	-	-	-	STEC42C2001A	-	-	-	-
SAWA01C2003A	1.12	(0.03)	38,482	1.00	SCC41P2004A	-	-	-	-	STEC42C2004A	0.31	(0.01)	13,816	-
SAWA01C2003B	0.72	(0.03)	113,917	-	SCC41P2005A	0.62	0.01	8,264	-	SUPE13C2003A	-	-	-	-
SAWA01P2003A	0.20	-	204,149	-	SCC42C2002A	-	-	-	-	SUPE19C2002A	-	-	-	-
SAWA06C2002A	0.78	(0.03)	27,434	-	SCC42C2003A	-	-	-	-	SUPE19C2004A	0.08	-	9,074	-
SAWA08C2001A	0.59	(0.04)	27,780	-	SGP13C2001A	-	-	-	-	SUPE42C2004A	0.11	-	2,250	-
SAWA11C2003A	0.95	(0.02)	43,765	-	SGP13C2004A	0.36	(0.09)	173,658	-	TASC01C2003A	0.32	0.04	102,031	-
SAWA13C2002A	-	-	-	-	SGP13C2006A	0.12	(0.02)	54,081	-	TASC01C2003B	0.10	0.01	66,342	-
SAWA13C2005A	0.64	(0.03)	102,551	-	SGP19C2001A	-	-	-	-	TASC01P2003A	0.43	(0.06)	83,721	-
SAWA16C2001A	0.77	(0.04)	90,977	-	SGP19C2002A	0.18	(0.05)	130,781	-	TASC08C2005A	0.22	-	15,918	-
SAWA19C2002A	0.51	(0.02)	26,941	-	SGP19C2006A	0.13	(0.02)	17,276	-	TASC11C2002A	0.57	0.07	34,086	-
SAWA19C2005A	0.56	(0.03)	19,383	-	SGP24C2002A	0.20	(0.06)	36,541	-	TASC13C2003A	0.16	0.02	64,687	-
SAWA24C2004A	0.65	(0.05)	21,820	-	SGP42C2001A	-	-	-	-	TASC16C2001A	-	-	-	-
SAWA27C2007A	0.62	-	25,500	-	SIR113C2007A	0.19	(0.01)	79,717	-	TASC19C2003A	0.16	0.02	19,790	-
SAWA28C2001A	-	-	-	-	SIR19C2002A	-	-	-	-	TASC19C2006A	0.61	0.04	14,876	-
SAWA28C2002A	-	-	-	-	SIR19C2004A	0.06	-	500	-	TASC19P2004A	0.41	(0.04)	8,191	-
SAWA28C2004A	0.48	(0.03)	99,708	-	SIR19C2007A	0.17	(0.01)	9,995	-	TASC24C2001A	-	-	-	-
SAWA41C2003A	-	-	-	-	SPAL01C2004A	0.38	(0.08)	83,829	-	TASC24C2006A	0.35	0.03	34,758	-
SAWA41C2004A	0.52	(0.03)	15,960	-	SPAL01C2004B	0.23	(0.07)	56,685	-	TASC28C2001A	-	-	-	-
SAWA41C2005A	0.59	(0.03)	23,856	-	SPAL06P2004A	0.35	0.07	40,858	-	TASC28C2004A	0.14	0.02	12,524	-
SAWA41P2003A	0.09	0.01	753	-	SPAL11C2006A	0.39	(0.09)	59,648	-	TASC41C2003A	-	-	-	-
SAWA41P2004A	0.41	0.01	20,826	-	SPAL13C2001A	-	-	-	-	TASC41C2004A	-	-	-	-
SAWA41P2005A	-	-	-	-	SPAL13C2003A	0.23	(0.09)	98,970	-	TASC42C2003A	-	-	-	-
SAWA42C2003A	0.42	(0.02)	10,703	-	SPAL16C2002A	-	-	-	-	TASC42C2005A	-	-	-	-
SCB01C2002A	0.06	(0.01)	42,682	-	SPAL19C2002A	-	-	-	-	TCAP01C2001A	0.23	(0.02)	99,680	-
SCB01C2002B	0.02	-	10,001	-	SPAL19C2004A	0.28	(0.08)	33,507	-	TCAP01C2001B	-	-	-	-
SCB01C2004A	0.40	(0.02)	37,651	-	SPAL24C2003A	-	-	-	-	TCAP01P2001A	0.11	-	43,524	-
SCB01C2004B	0.20	(0.02)	131,368	-	SPAL41C2001A	-	-	-	-	TCAP11C2002A	0.13	0.01	12,000	-
SCB01P2002A	1.36	0.02	10,674	1.00	SPAL41C2002A	-	-	-	-	TCAP13C2002A	0.26	-	59,540	-
SCB01P2002B	0.84	0.01	14,373	-	SPAL41C2004A	0.34	(0.07)	1,500	-	TCAP19C2001A	-	-	-	-
SCB01P2004A	0.49	0.02	59,843	-	SPAL42C2003A	0.10	(0.04)	28,500	-	TCAP19C2004A	0.34	(0.01)	5,529	-
SCB01P2004B	0.18	-	116,568	-	SPRC01C2003A	0.37	(0.09)	251,766	-	TCAP24C2001A	-	-	-	-
SCB06C2001A	-	-	-	-	SPRC01C2003B	0.07	(0.03)	29,104	-	TCAP41C2002A	-	-	-	-
SCB08C2002A	-	-	-	-	SPRC06P2003A	0.07	0.02	4,855	-	TCAP41C2004A	0.27	0.01	1,980	-
SCB08C2005A	0.26	-	2,000	-	SPRC08C2005A	0.38	(0.08)	50,170	-	THAI11C2003A	-	-	-	-
SCB08P2004A	0.30	0.01	6,600	-	SPRC11C2005A	0.09	(0.02)	34,010	-	THAI13C2004A	0.15	0.02	20,782	-
SCB11C2005A	0.06	0.01	18	-	SPRC13C2001A	-	-	-	-	THAI19C2002A	0.01	-	3,001	-
SCB11C2006A	0.14	(0.01)	3,300	-	SPRC13C2004A	0.08	(0.03)	227,725	-	THAI19C2004A	0.17	0.02	20,637	-
SCB11P2005A	0.83	0.01	2,200	-	SPRC19C2001A	0.01	(0.01)	110	-	THAI42C2003A	0.02	-	2,645	-
SCB13C2001A	-	-	-	-	SPRC19C2002A	0.42	(0.10)	7,100	-	THAI42C2005A	0.18	0.02	16,380	-
SCB13C2003A	0.14	(0.01)	22,487	-	SPRC19C2005A	0.39	(0.08)	83,247	-	THAN01C2001A	0.02	-	17,200	-
SCB13P2003A	0.12	-	42,904	-	SPRC19C2005B	0.12	(0.02)	5,421	-	THAN01C2001B	-	-	-	-
SCB16C2001A	-	-	-	-	SPRC19P2005A	0.45	0.04	33,890	-	THAN01C2006A	0.31	0.01	36,389	-
SCB16C2003A	0.09	-	1,140	-	SPRC24C2003A	0.06	(0.02)	9,000	-	THAN01C2006B	0.16	0.01	44,970	-
SCB19C2002A	-	-	-	-	SPRC41C2002A	-	-	-	-	THAN01P2006A	0.45	-	56,383	-
SCB19C2003A	0.13	(0.01)	9,114	-	SPRC41C2004A	-	-	-	-	THAN06C2003A	-	-	-	-
SCB19P2005A	0.48	0.01	18,134	-	SPRC41C2006A	0.15	(0.04)	1,017	-	THAN06C2005A	0.17	(0.01)	10,000	-
SCB24C2001A	-	-	-	-	STA01C2003A	0.17	0.01	81,884	-	THAN06P2003A	0.41	-	2,675	-
SCB24C2004A	0.40	(0.03)	8,396	-	STA01C2003B	-	-	-	-	THAN13C2003A	0.07	-	2,200	-
SCB27C2007A	0.28	(0.02)	23,428	-	STA01P2003A	0.37	(0.01)	26,121	-	THAN19C2001A	-	-	-	-
SCB27P2006A	0.46	(0.01)	11,202	-	STA11C2005A	-	-	-	-	THAN19C2004A	-	-	-	-
SCB28C2001A	-	-	-	-	STA13C2001A	-	-	-	-	THAN24C2001A	-	-	-	-
SCB28C2003A	-	-	-	-	STA13C2003A	0.11	-	9,360	-	THAN27C2003A	-	-	-	-
SCB28C2004A	0.13	(0.01)	11,140	-	STA19C2001A	-	-	-	-	THAN41C2002A	-	-	-	-
SCB41C2001A	-	-	-	-	STA19C2002A	-	-	-	-	THAN41C2005A	-	-	-	-
SCB41C2002A	-	-	-	-	STA19C2004A	0.13	-	3,150	-	TISCO1C2001A	1.10	(0.12)	91	1.00
SCB41C2004A	0.27	(0.02)	16,880	-	STA19C2005A	0.49	0.02	10,952	-	TISCO1C2001B	0.25	(0.12)	16,897	-
SCB41C2005A	-	-	-	-	STA24C2002A	-	-	-	-	TISCO1C2006A	1.09	(0.10)	5,414	1.00
SCB41P2004A	-	-	-	-	STA42C2001A	-	-	-	-	TISCO1C2006B	0.36	(0.02)	47,931	-
SCB41P2005A	0.53	-	8,706	-	STEC01C2003A	0.11	(0.02)	94,787	-	TISCO1P2001A	-	-	-	-
SCB42C2003A	-	-	-	-	STEC01C2003B	0.04	0.01	22,655	-	TISCO1P2006A	0.50	0.03	115,623	-
SCB42C2006A	-	-	-	-	STEC01C2004A	0.25	(0.02)	292,928	-	TISCO8C2001A	0.12	(0.06)	6,920	-
SCC01C2001A	0.02	-	1,912	-	STEC01P2003A	0.80	0.01	56,557	-	TISCO8C2002A	0.13	-	1,000	-
SCC01C2001B	0.01	-	250,400	-	STEC06C2002A	0.02	-	25,002	-	TISC11C2005A	0.23	(0.03)	9,600	-
SCC01C2004A	0.68	(0.01)	77,943	-	STEC06C2004A	0.39	(0.02)	43,127	-	TISC11C2007A	0.88	(0.11)	4,010	-
SCC01C2004B	0.31	(0.01)	10,969	-	STEC08C2001A	-	-	-	-	TISC13C2004A	-	-	-	-
SCC01P2001A	0.84	0.03	40,986	-	STEC08C2004A	-	-	-	-	TISC13C2006A	0.34	(0.04)	29,708	-
SCC01P2004A	0.85	0.01	73,582	-	STEC08C2005A	0.44	(0.02)	21,610	-	TISC16C2001A	0.41	(0.06)	2,536	-
SCC06C2002A	0.03	-	3,002	-	STEC11C2001A	-	-	-	-	TISC19C2004A	0.55	(0.11)	733	-
SCC08C2002A	-	-	-	-	STEC11C2007A	0.10	(0.01)	63	-	TISC41C2001A	-	-	-	-
SCC08C2004A	0.30	(0.02)	14,410	-	STEC13C2001A	-	-	-	-	TISC41C2005A	-	-	-	-
SCC11C2003A	0.01	-	29	-	STEC13C2003A	0.16	(0.02)	116,419	-	TISC41C2006A	0.35	(0.65)	6,000	-
SCC11C2006A	0.08	-	761	-	STEC13C2004A	0.37	(0.02)	172,740	-	TISC41P2006A	-	-	-	-
SCC11C2007A	0.58	(0.01)	27,062	-	STEC16C2003A	-	-	-	-	TISC42C2003A	0.24	(0.08)	13,645	-
SCC13C2002A	0.09	-	325	-	STEC16C2006A	0.13	-	37,986	-	TKN01C2003A	0.16	(0.01)	71,306	-
SCC13C2004A	0.39	(0.01)	40,938	-	STEC19C2002A	-	-	-	-	TKN01C2003B	0.09	(0.01)	8,488	-
SCC13P2002A	0.17	-	24,289	-	STEC19C2004A	0.14	(0.01)	15,739	-	TKN08C2003A	0.19	(0.01)	17,305	-
SCC16C2002A	-	-	-	-	STEC19C2005A	0.40	(0.03)	37,730	-	TKN13C2004A	0.15	(0.01)	34,123	-
SCC16C2005A	0.20	(0.01)	26,675	-	STEC24C2003A	-	-	-	-	TKN16C2001A	0.05	(0.02)	400	-
SCC19C2002A	-	-	-	-	STEC24C2006A	0.47	(0.02)	18,252	-	TKN19C2001A	-	-	-	-
SCC19C2003A	-	-	-	-	STEC27C2002A	-	-	-	-	TKN19C2004A	0.41	-	2,646	-
SCC19C2003B	0.11	(0.01)	13,646	-	STEC27C2002B	-	-	-	-	TKN19C2004B	0.20	-	22,216	-
SCC19C2006A	0.43	(0.02)	20,010	-	STEC28C2002A	-	-	-	-	TKN24C2002A	0.17	-	12,790	-
SCC19P2004A	0.41	-	17,610	-	STEC28C2004A	0.08	(0.01)	1,101	-	TKN28C2002A	-	-	-	-
SCC24C2003A	-	-	-	-	STEC28C2004B	0.21	(0.01)	20,353	-	TKN28C2003A	0.06	(0.01)	718	-

**Main Board Quotation**

**Issue Date :**

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC27C2001A	-	-	-	-	STEC28C2005A	0.38	(0.01)	17,134	-	TKN41C2001A	-	-	-	-
SCC28C2001A	-	-	-	-	STEC41C2001A	-	-	-	-	TKN41C2003A	-	-	-	-
SCC28C2002A	-	-	-	-	STEC41C2003A	-	-	-	-	TKN41C2006A	0.25	0.01	250	-
SCC28C2003A	0.08	(0.01)	500	-	STEC41C2004A	-	-	-	-	TKN42C2003A	0.08	0.01	200	-
SCC28C2004A	0.32	(0.01)	12,240	-	STEC41C2005A	0.39	(0.03)	4,000	-	TMB01C2004A	0.41	(0.01)	72,321	-
SCC41C2001A	-	-	-	-	STEC41C2006A	0.48	(0.03)	1,520	-	TMB01C2004B	0.23	(0.01)	92,239	-
SCC41C2002A	-	-	-	-	STEC41P2001A	-	-	-	-	TMB01P2004A	0.30	0.01	120,729	-

## Main Board Quotation

## Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB13C2002A	0.22	(0.01)	54,154	-	TU01P2004A	0.20	(0.01)	148,822	-	EPCO-W3	0.56	0.03	1,830	-
TMB19C2001A	0.02	-	454	-	TU06C2004A	0.19	0.02	83,344	-	GJS-W3	-	-	-	-
TMB19C2004A	0.34	(0.01)	27,706	-	TU11C2003A	-	-	-	-	GLOCON-W4	0.23	0.01	5,081	-
TMB19P2004A	0.29	-	38,344	-	TU11C2008A	0.50	0.06	17,573	-	J-W1	0.22	(0.02)	140	-
TMB28C2002A	0.17	(0.02)	18,684	-	TU13C2003A	0.07	0.02	3,747	-	JAS-W3	1.64	-	22,630	1.00
TMB41C2002A	-	-	-	-	TU13C2004A	0.33	0.01	109,232	-	JCK-W5	0.06	(0.01)	7,851	-
TMB41C2005A	0.29	(0.71)	11	-	TU19C2001A	-	-	-	-	JMT-W2	4.42	0.24	7,637	4.00
TMB41P2002A	-	-	-	-	TU19C2002A	-	-	-	-	MACO-W2	0.17	(0.01)	471,128	-
TMB41P2003A	0.11	0.01	2	-	TU19C2003A	0.07	0.01	2,310	-	MILL-W4	0.04	-	42	-
TMB41P2006A	0.29	(0.01)	1,000	-	TU19C2005A	0.42	0.02	23,222	-	MILL-W5	-	-	-	-
TOA01C2001A	0.11	0.01	14,480	-	TU24C2003A	0.03	0.01	4,830	-	MINT-W6	3.00	(0.02)	3,167	3.00
TOA01C2001B	0.01	(0.01)	11	-	TU24C2006A	0.40	0.03	20,201	-	NFC-W1	0.71	(0.01)	369	-
TOA01P2001A	0.08	-	5,001	-	TU27C2004A	0.04	0.02	2,500	-	NOK-W1	0.02	(0.01)	4,490	-
TOA08C2003A	0.07	(0.01)	200	-	TU27C2006A	0.27	0.02	31,552	-	NUSA-W3	0.01	-	5	-
TOA13C2003A	0.08	-	150	-	TU41C2001A	-	-	-	-	NVD-W1	0.14	-	603	-
TOA16C2001A	0.06	(0.01)	11,424	-	TU41C2002A	-	-	-	-	ORI-W1	0.59	(0.03)	70,012	-
TOA19C2004A	0.11	0.01	2,911	-	TU41C2003A	-	-	-	-	PACE-W2	0.01	(0.01)	1,006	-
TOA24C2005A	0.10	-	1,960	-	TU41C2004A	0.24	0.02	43,156	-	PACE-W3	-	-	-	-
TOA41C2004A	-	-	-	-	TU41C2005A	-	-	-	-	PDI-W1	0.44	(0.01)	823	-
TOP01C2003A	0.33	(0.11)	488,873	-	TU41P2001A	-	-	-	-	PDJ-W3	0.41	-	438	-
TOP01C2003B	0.08	(0.05)	126,293	-	TU41P2003A	-	-	-	-	PDJ-W4	0.41	(0.01)	231	-
TOP01P2003A	0.68	0.12	150,867	-	TU41P2004A	-	-	-	-	PERM-W1	0.16	(0.01)	5,192	-
TOP06C2004A	0.06	(0.04)	45,399	-	TVO11C2001A	-	-	-	-	PORT-W1	0.88	0.09	269,094	-
TOP06P2005A	0.70	0.13	76,078	-	TVO13C2007A	0.22	(0.04)	42,543	-	PPPM-W4	0.15	(0.01)	13,797	-
TOP08C2003A	0.09	(0.05)	18,523	-	TVO19C2004A	0.18	(0.04)	8,941	-	PRIME-W1	0.03	-	600	-
TOP08P2003A	0.65	0.12	37,000	-	TVO19C2007A	0.15	(0.05)	6,176	-	PRIME-W2	0.03	-	3	-
TOP11C2002A	-	-	-	-	VGI01C2005A	0.46	0.01	34,345	-	RICHY-W2	0.04	-	978	-
TOP11C2007A	0.30	(0.09)	82,989	-	VGI11C2008A	0.40	-	24,005	-	RS-W3	1.65	(0.02)	145,214	1.00
TOP11P2002A	0.37	0.09	112,571	-	VGI13C2006A	0.42	-	108,638	-	SAMART-W2	0.50	-	5,242	-
TOP13C2002A	0.03	(0.04)	855	-	VGI19C2006A	0.35	-	929	-	SAWAD-W1	23.80	(0.40)	3,587	24.00
TOP13C2004A	0.15	(0.07)	197,991	-	VGI41C2006A	-	-	-	-	SDC-W1	0.08	-	1,705	-
TOP13P2001A	0.22	0.10	106,284	-	WHA01C2002A	0.04	(0.01)	34,144	-	SINGER-W1	1.63	0.03	513	1.00
TOP13P2005A	0.90	0.14	98,061	-	WHA01C2002B	-	-	-	-	SINGER-W2	1.33	0.04	70	1.00
TOP16C2001A	-	-	-	-	WHA01C2005A	0.35	(0.02)	138,012	-	SMT-W2	0.10	(0.02)	34,590	-
TOP19C2002A	0.07	(0.05)	39,184	-	WHA01C2005B	0.20	-	34,229	-	SST-W2	0.71	(0.01)	707	-
TOP19C2003A	0.08	(0.04)	15,260	-	WHA01P2002A	0.96	(0.02)	21,293	-	SUPER-W4	0.01	-	52,673	-
TOP19P2002A	0.39	0.10	66,398	-	WHA01P2005A	0.60	0.02	76,831	-	SVI-W3	0.70	-	18,550	-
TOP19P2006A	0.86	0.10	86,452	-	WHA08C2002A	-	-	-	-	TCC-W3	0.05	0.01	13,857	-
TOP23C2001A	-	-	-	-	WHA08C2003A	-	-	-	-	TCC-W4	0.05	0.01	8,047	-
TOP24C2007A	0.21	(0.09)	55,638	-	WHA08C2005A	0.13	-	32,400	-	TCC-W5	0.15	0.01	532	-
TOP28C2004A	0.15	(0.06)	74,849	-	WHA11C2001A	-	-	-	-	TCJ-W2	0.16	-	2,136	-
TOP41C2002A	-	-	-	-	WHA11C2008A	0.35	(0.01)	30,364	-	TFG-W2	0.31	(0.19)	222,986	-
TOP41C2002B	-	-	-	-	WHA13C2001A	-	-	-	-	TGPRO-W3	-	-	-	-
TOP41C2003A	-	-	-	-	WHA13C2003A	0.05	-	6,143	-	TH-W2	0.07	-	6	-
TOP41C2005A	0.26	(0.08)	10	-	WHA13C2005A	0.21	(0.01)	111,331	-	THE-W2	-	-	-	-
TOP41C2006A	-	-	-	-	WHA16C2006A	0.08	-	19,032	-	TNITY-W1	0.20	(0.05)	12,103	-
TOP41P2002A	-	-	-	-	WHA19C2002A	-	-	-	-	TRITN-W3	0.09	-	23,111	-
TOP41P2004A	0.69	0.13	46,301	-	WHA19C2004A	0.08	-	10	-	TTCL-W1	0.47	(0.01)	15,559	-
TP19C2002A	-	-	-	-	WHA19C2005A	0.23	(0.01)	38,449	-	TWZ-W5	-	-	-	-
TP19C2004A	0.42	0.04	25,492	-	WHA24C2004A	0.05	-	200	-	U-W4	0.01	-	6,000	-
TRUE01C2002A	0.01	-	29,106	-	WHA24P2003A	0.79	0.01	220	-	VGI-W2	1.48	(0.01)	41,357	1.00
TRUE01C2002B	0.02	-	3,516	-	WHA28C2003A	-	-	-	-	VIBHA-W2	0.71	(0.01)	161	-
TRUE01C2004A	0.05	(0.01)	103,753	-	WHA28C2003B	-	-	-	-	VIBHA-W3	0.17	-	7,469	-
TRUE01C2004B	0.22	(0.03)	252,298	-	WHA28C2004A	0.03	-	3,252	-	WAVE-W1	0.11	(0.01)	2,199	-
TRUE01P2002A	1.39	0.04	25,677	1.00	WHA28C2005A	0.10	-	2,028	-	WHA-W1	3.38	(0.28)	23,637	3.00
TRUE01P2002B	1.16	0.06	35,979	1.00	WHA41C2003A	-	-	-	-	WIIK-W2	0.11	(0.01)	2,100	-
TRUE01P2004A	0.62	0.02	24,236	-	WHA41C2004A	-	-	-	-	ZMICO-W4	0.09	-	2,578	-
TRUE01P2004B	0.34	0.02	205,220	-	WHA41C2005A	-	-	-	-	Preferred Shares	-	-	-	-
TRUE06C2004A	0.25	(0.03)	41,503	-	WHA41C2006A	-	-	-	-	BH-P	-	-	-	-
TRUE08C2001A	-	-	-	-	WHA41P2003A	-	-	-	-	CSC-P	-	-	-	-
TRUE08C2004A	0.10	(0.02)	34,000	-	WHA41P2005A	0.82	(0.01)	11,716	-	JUTHA-P	-	-	-	-
TRUE08C2005A	0.31	(0.03)	78,133	-	WHA42C2005A	0.11	0.04	1,500	-	KTB-P	-	-	-	-
TRUE08P2005A	0.73	0.03	36,236	-	WHAU27C2002A	0.09	0.02	470	-	SCB-P	-	-	-	-
TRUE11C2005A	0.02	(0.02)	7,354	-	Preferred/Foreign	-	-	-	-	TCAP-P	-	-	-	-
TRUE11C2005B	-	-	-	-	BH-Q	-	-	-	-	TISCO-P	-	-	-	-
TRUE11P2002A	0.37	0.04	145,245	-	CSC-Q	-	-	-	-	U-P	2.84	(0.02)	1,712	2.00
TRUE13C2003A	0.03	(0.01)	3,400	-	JUTHA-Q	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE13C2003B	0.17	(0.03)	176,302	-	KTB-Q	-	-	-	-	BM-W1	0.07	-	4	-
TRUE13P2001A	0.56	0.08	1	-	SCB-Q	-	-	-	-	BROOK-W5	0.15	(0.01)	24,684	-
TRUE16C2002A	-	-	-	-	TCAP-Q	-	-	-	-	CHO-W2	0.07	-	9,983	-
TRUE19C2003A	0.02	-	22	-	TISCO-Q	-	-	-	-	DOD-W1	0.60	(0.01)	51,133	-
TRUE19C2004A	0.10	(0.03)	9,207	-	U-Q	-	-	-	-	ECF-W3	0.41	(0.02)	705	-
TRUE19C2006A	0.38	(0.03)	86,046	-	Warrant	-	-	-	-	EFORL-W3	-	-	-	-
TRUE19P2003A	0.44	0.03	136,941	-	7UP-W4	0.11	-	35,577	-	EFORL-W4	-	-	-	-
TRUE19P2005A	0.42	0.03	141,154	-	AKR-W1	0.09	-	8,980	-	FVC-W2	0.05	(0.01)	5,088	-
TRUE28C2001A	-	-	-	-	ALT-W1	0.16	(0.02)	3,105	-	HPT-W1	0.21	(0.01)	459	-
TRUE28C2003A	-	-	-	-	APEX-W1	0.02	-	333	-	ITEL-W1	0.30	-	450	-
TRUE28C2003B	-	-	-	-	APURE-W2	0.07	(0.01)	162	-	JKN-W1	0.62	(0.01)	5,338	-
TRUE41C2001A	-	-	-	-	AS-W1	0.13	-	701	-	LIT-W1	0.80	-	394	-
TRUE41C2001B	-	-	-	-	AYUD-W1	1.20	(0.04)	6,513	1.00	META-W4	0.10	-	3,912	-
TRUE41C2002A	-	-	-	-	B-W3	-	-	-	-	NEWS-W6	-	-	-	-
TRUE41C2003A	-	-	-	-	B-W4	0.04	-	1,060	-	OCEAN-W3	0.47	(0.01)	8,232	-
TRUE41C2004A	-	-	-	-	B-W5	0.04	-	128,822	-	PROUD-W2	0.20	-	200	-
TRUE41C2005A	-	-	-	-	B52-W2	-	-	-	-	SANKO-W1	0.08	-	131	-
TRUE41C2006A	0.37	(0.03)	15,904	-	BKD-W2	0.11	-	560	-	SIMAT-W2	0.14	-	255	-
TRUE41P2001A	-	-	-	-	CGD-W4	0.10	-	8,471	-	SIMAT-W3	0.24	0.01	1	-
TRUE41P2004A	0.44	0.02	1,000	-	CGH-W3	0.02	(0.01)	106	-	SIMAT-W4	0.74	0.10	1	-
TRUE41P2005A	0.69	0.03	53,480	-	CI-W1	0.04	-	1,085	-	SMART-W2	0.16	-	-	-

## Main Board Quotation

Issue Date :

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE42C2003A	-	-	-	-	CKP-W1	0.23	(0.02)	359,820	-	STAR-W3	0.02	-	45,197	-
TRUE42C2004A	-	-	-	-	CRANE-W1	0.62	(0.07)	2,488	-	SWC-W1	2.60	-	283	2.00
TU01C2001A	0.02	-	212	-	DCC-W1	0.59	-	15,510	-	TAKUNI-W	0.05	0.01	208	-
TU01C2001B	-	-	-	-	ECL-W3	0.25	(0.01)	11,659	-	TVD-W2	0.19	-	241	-
TU01C2004A	0.32	0.01	130,621	-	EIC-W2	-	-	-	-	UAC-W2	0.21	-	2,109	-
TU01C2004B	0.31	0.02	123,170	-	EIC-W3	-	-	-	-	UKEM-W2	0.14	(0.01)	1,204	-
TU01P2001A	0.85	(0.05)	10,068	-	EMC-W6	0.04	-	1,262	-	Preferred Shares	-	-	-	-



**Main Board Quotation**

**Issue Date :**

Tuesday January 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-