

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday, January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	1.06	(0.02)	7,609	1.06
POMPUI	-	-	-	-	DIF	16.90	0.10	117,338	16.96	MPIC	1.77	-	1	1.77
SAFARI	-	-	-	-	DTAC	48.75	-	36,424	48.61	NMG	-	-	-	-
VI	-	-	-	-	FORTH	6.05	0.05	2,992	6.05	PLANB	7.90	(0.10)	34,339	7.89
WORLD	-	-	-	-	HUMAN	8.05	0.20	33,704	8.03	POST	1.95	(0.01)	10	1.90
WR	-	-	-	-	ILINK	3.58	(0.04)	1,977	3.60	PRAKIT	10.30	-	44	10.35
Agribusiness	-	-	-	-	INET	2.40	(0.08)	9,324	2.43	SE-ED	1.67	0.12	1,146	1.55
CHOTI	-	-	-	-	INTUCH	60.00	(0.25)	57,444	59.73	SPORT	0.17	0.01	7,090	0.16
EE	0.55	-	15,688	0.55	JAS	5.05	(0.10)	146,712	5.08	TBSP	-	-	-	-
GFPT	12.80	(0.40)	43,561	12.97	JASIF	9.90	0.10	224,070	9.89	TH	0.60	-	3,200	0.60
LEE	2.12	-	267	2.10	JMART	9.30	(0.25)	99,530	9.45	TKS	6.50	0.05	4,350	6.46
NER	2.76	(0.02)	85,679	2.76	JTS	1.00	(0.01)	10	1.00	VGI	9.50	(0.05)	42,877	9.54
PPPM	0.53	(0.03)	3,016	0.55	MFEC	3.40	(0.04)	1,314	3.40	WAVE	1.06	0.02	229	1.03
STA	10.20	(0.30)	39,415	10.34	MSC	5.50	-	1,169	5.40	WORK	13.60	(0.70)	31,346	13.77
TRUBB	0.64	-	1,364	0.64	PT	4.26	(0.02)	3,158	4.30	Finance & Securities	-	-	-	-
TPWC	4.40	0.04	837	4.34	SAMART	7.40	0.30	63,710	7.35	AEC	0.32	0.01	531	0.31
UPOIC	3.66	0.02	426	3.64	SAMTEL	7.50	-	3,843	7.49	AEONTS	172.00	(2.00)	2,510	172.32
UVAN	5.40	-	3,058	5.44	SDC	0.19	0.01	12,901	0.18	AMANAH	3.54	0.06	250,044	3.56
VPO	0.58	(0.02)	7,119	0.59	SIS	8.25	-	1,275	8.21	ASAP	2.02	0.02	3,337	2.01
Banking	-	-	-	-	SVOA	1.08	(0.02)	3,433	1.08	ASK	26.25	0.25	3,259	26.48
BAY	29.50	(0.50)	4,287	29.48	SYMC	2.92	(0.02)	61	2.92	ASP	1.80	0.01	11,571	1.79
BBL	150.00	(4.00)	170,649	150.50	SYNEX	7.10	(0.05)	1,526	7.11	BAM	26.50	1.60	916,711	25.82
CIMBT	0.52	0.02	11,712	0.51	THCOM	3.90	(0.16)	27,523	3.96	BFIT	31.75	(0.50)	2,340	31.96
KBANK	135.00	(6.50)	181,067	135.56	TRUE	4.04	(0.12)	1,715,407	4.06	CGH	0.83	-	14,596	0.82
KKP	68.00	0.50	23,664	67.85	TWZ	0.09	-	239,018	0.08	CNS	2.48	-	9,976	2.48
KTB	16.10	(0.30)	407,572	16.12	Electronic Componer	-	-	-	-	ECL	1.15	(0.02)	12,990	1.17
LHFG	1.32	(0.01)	40,379	1.33	CCET	1.86	(0.01)	12,178	1.86	FNS	2.12	-	1,144	2.11
SCB	102.00	(15.00)	987,773	103.80	DELTA	53.00	0.25	6,211	52.91	FSS	1.57	(0.01)	50	1.57
TCAP	51.50	(0.75)	26,319	51.59	EIC	0.03	-	5,578	0.03	GBX	0.45	-	3,548	0.45
TISCO	102.00	(0.50)	27,839	102.16	HANA	35.75	(1.50)	31,028	36.35	GL	4.54	0.02	53,033	4.55
TMB	1.51	(0.05)	2,428,171	1.52	KCE	21.70	(0.70)	384,434	22.19	IFS	3.24	-	622	3.24
Construction Materia	-	-	-	-	METCO	175.00	0.50	8	174.63	JMT	22.80	0.30	95,830	22.90
CCP	0.29	(0.01)	69,031	0.29	NEX	3.10	(0.04)	15,625	3.10	KCAR	10.30	-	144	10.21
COTTO	1.40	(0.03)	2,464	1.41	SMT	1.11	(0.04)	6,247	1.12	KGI	4.66	-	14,176	4.64
DCC	1.92	(0.01)	55,473	1.92	SVI	3.28	(0.06)	18,653	3.30	KTC	34.75	1.00	96,794	34.47
DCON	0.34	(0.01)	6,137	0.35	TEAM	0.81	-	2,579	0.81	MBKET	6.70	-	978	6.67
DRT	6.40	(0.05)	5,901	6.45	Energy & Utilities	-	-	-	-	MFC	15.30	(0.10)	62	15.24
EPG	6.35	(0.05)	19,121	6.33	7UP	0.49	-	28,017	0.49	ML	0.86	-	522	0.86
GEL	0.15	-	13,343	0.14	ABPIF	4.74	(0.04)	1,111	4.76	MTC	63.50	(0.50)	22,897	63.76
PPP	2.06	(0.02)	116	2.04	ACE	4.38	(0.14)	140,247	4.41	PE	0.05	(0.01)	19	0.05
Q-CON	5.80	0.05	42	5.61	AI	1.10	(0.02)	33,897	1.12	PL	2.68	-	511	2.67
RCI	3.38	(0.02)	141	3.42	AKR	0.60	(0.02)	7,290	0.62	S11	7.25	-	5,723	7.23
SCC	369.00	(2.00)	13,203	369.21	BAFS	30.00	0.75	1,685	29.71	SAWAD	70.25	(0.25)	21,452	70.02
SCCC	190.00	(1.00)	335	190.13	BANPU	11.30	(0.30)	241,014	11.33	THANI	5.55	(0.05)	29,380	5.61
SCP	6.00	(0.05)	1,729	6.01	BCP	27.25	(0.75)	20,656	27.45	TK	9.65	0.05	78	9.60
SKN	2.02	(0.04)	5,026	2.05	BCPG	17.10	(0.40)	38,950	17.20	TNITY	3.82	(0.06)	28	3.82
TASCO	21.30	0.40	59,401	21.23	BGRIM	64.25	1.25	89,672	63.89	UOBKH	-	-	-	-
TCMC	1.97	(0.01)	1,163	1.99	BPP	17.20	(0.20)	18,967	17.30	ZMICO	0.82	-	811	0.82
TOA	36.50	(0.75)	24,003	36.92	BRRGIF	8.40	0.05	92	8.29	Food & Beverage	-	-	-	-
TPIPL	1.61	-	60,161	1.61	CKP	4.40	(0.10)	121,452	4.45	APURE	0.71	(0.02)	1,594	0.72
UMI	0.72	(0.02)	607	0.72	DEMCO	2.80	(0.04)	3,609	2.82	ASIAN	4.08	(0.04)	6,341	4.14
VNG	3.76	(0.04)	2,243	3.79	EA	40.75	(0.25)	78,866	40.52	BR	2.52	(0.08)	14,583	2.58
WIHK	1.30	-	8,381	1.30	EASTW	11.70	(0.20)	8,860	11.78	BRR	3.96	-	493	3.93
Petrochemicals & Ch	-	-	-	-	EGATIF	12.80	0.10	8,771	12.77	CBG	86.50	0.50	77,128	87.35
BCT	41.00	-	6	41.38	EGCO	344.00	8.00	13,141	342.94	CFRESH	1.56	(0.02)	492	1.56
CMAN	1.26	(0.08)	49,085	1.33	ESSO	7.35	(0.25)	287,623	7.47	CM	2.76	(0.02)	700	2.77
GC	5.85	(0.05)	40	5.82	GPSC	94.00	1.75	194,969	93.72	CPF	30.50	-	300,211	30.51
GGC	13.60	(0.10)	18,338	13.65	GULF	198.50	3.50	75,606	197.80	CPI	1.63	-	560	1.64
GIFT	2.44	(0.02)	8,031	2.44	GUNKUL	2.74	(0.02)	140,508	2.74	F&D	19.80	1.10	1	19.80
IVL	30.00	(2.00)	406,290	30.60	IFEC	-	-	-	-	HTC	23.50	(0.70)	1,425	23.77
NFC	2.14	-	10	2.14	IRPC	3.28	(0.08)	969,803	3.31	ICHI	5.55	(0.20)	17,607	5.60
PATO	11.10	(0.10)	117	11.11	LANNA	7.70	(0.05)	904	7.66	KBS	3.80	0.02	1,777	3.78
PMTA	-	-	-	-	MDX	2.80	(0.04)	2,277	2.79	KSL	2.40	0.04	53,669	2.40
PTTGC	55.50	(0.75)	92,676	55.82	PRIME	0.37	-	6,874	0.37	KTIS	4.16	(0.04)	1,350	4.17
SUTHA	1.93	(0.02)	42	1.89	PTG	14.50	(0.60)	154,467	14.67	LST	5.25	(0.10)	5,157	5.35
TCCC	20.40	0.10	266	20.35	PTT	46.25	0.25	181,118	46.09	M	71.75	1.00	2,010	71.09
TPA	-	-	-	-	PTTEP	132.00	-	81,026	132.41	MALEE	7.40	0.10	2,151	7.23
UP	-	-	-	-	RATCH	75.00	2.00	92,693	74.69	MINT	34.75	(0.25)	69,866	34.72
VNT	27.00	1.75	32,422	26.32	RPC	0.65	-	2,302	0.64	OISHI	98.00	(1.75)	50	98.30
WG	-	-	-	-	SCG	3.94	0.04	15	3.94	OSP	45.50	1.00	169,434	45.38
YCI	-	-	-	-	SCI	1.57	0.05	108,250	1.62	PB	-	-	-	-
Commerce	-	-	-	-	SCN	2.00	0.01	4,467	1.99	PM	7.60	-	2,025	7.59
BEAUTY	2.82	0.12	2,701,666	2.74	SGP	9.30	(0.15)	20,204	9.43	PRG	12.40	-	105	12.35
BIG	0.79	0.01	1,055,500	0.79	SKE	0.72	(0.03)	9,049	0.73	RBF	4.32	(0.16)	144,492	4.36
BJC	43.00	0.75	28,365	42.76	SOLAR	1.50	(0.04)	751	1.51	SAPPE	20.60	(0.40)	1,952	20.79
COL	18.00	(0.10)	2,941	17.91	SPCG	20.20	-	4,219	20.20	SAUCE	22.80	-	5	22.80
COM7	26.25	-	36,398	26.44	SPRC	9.20	(0.25)	188,692	9.36	SFP	-	-	-	-
CPALL	75.00	0.75	176,512	74.84	SSP	7.35	-	1,949	7.39	SNP	14.20	(0.20)	15	14.19
CPW	1.70	(0.04)	26,812	1.73	SUPER	0.54	-	459,047	0.54	SORKON	48.75	(0.75)	16	49.09
CSS	1.35	(0.02)	6,723	1.36	SUPEREIF	11.00	-	6,796	11.04	SSC	-	-	-	-
DOHOME	8.65	(0.45)	136,749	8.84	SUSCO	2.80	-	3,941	2.79	SSF	5.95	0.05	13	6.08
FN	1.23	0.01	80,512	1.25	TAE	3.76	-	26,162	3.73	SST	3.78	(0.02)	8	3.79
FTE	1.98	(0.02)	122	1.99	TCC	0.22	-	2,801	0.22	TC	3.14	-	10	3.14
GLOBAL	15.60	-	27,015	15.65	TOP	61.50	(1.00)	89,774	61.88	TFG	4.96	0.14	129,392	4.93
HMPRO	16.10	(0.10)	64,733	16.15	TPIPP	4.52	-	35,811	4.51	TFMAMA	193.00	1.50	46	192.21
ILM	14.00	-	6,244	14.01	TSE	2.96	-	121,179	2.98	TIPCO	7.50	(0.05)	3,438	7.53
IT	2.86	(0.04)	29	2.91	TTW	14.00	0.10	46,834	13.89	TKN	10.90	0.10	135,853	10.87
KAMART	4.24	-	10,452	4.28	WHAUP	5.60	(0.20)	43,453	5.65	TU	14.40	(0.30)	110,137	14.48
LOXLEY	1.34	(0.02)	7,843	1.34	WP	5.00	-	11,701	5.00	TVO	27.75	0.50	5,789	27.45
MAKRO	37.00	0.25	3,990	36.79	Media & Publishing	-	-	-	-	ZEN	12.90	(0.30)	8,611	12.99
MC	9.20	-	40,445	9.17	AMARIN	4.08	(0.06)	922	4.01	Health Care Services	-	-	-	-
MEGA	28.75	(0.25)	12,401	28.91	AQUA	0.42	-	20,779	0.43	AHC	18.00	-	11	18.00
MIDA	0.49	0.01	5,113	0.50	AS	1.48								

Main Board Quotation

Issue Date :

Monday, January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	8.00	(0.05)	2,227	8.05	BROCK	1.62	(0.01)	69	1.62	HFT	3.00	-	1,980	3.03
PRINC	4.60	(0.02)	843	4.61	CGD	0.87	-	38,121	0.87	IHL	4.00	-	1,558	4.00
RAM	149.50	-	19	149.03	CI	0.83	-	1,007	0.81	INGRS	0.51	-	3,287	0.51
RJH	24.70	(0.10)	604	24.76	CPN	63.00	(1.00)	38,319	63.16	IRC	15.50	(0.30)	97	15.50
RPH	6.50	(0.10)	6,951	6.57	ESTAR	0.34	(0.01)	4,511	0.35	PCSGH	-	-	-	-
SKR	5.15	-	5,720	5.14	EVER	0.25	-	134,766	0.26	SAT	14.00	(0.60)	16,415	14.09
SVH	450.00	2.00	5	449.20	FPT	14.80	(0.20)	505	14.90	SPG	12.10	0.10	13	12.10
THG	27.00	0.25	7,439	26.92	GLAND	2.86	0.08	2,578	2.84	STANLY	174.00	(0.50)	17	174.21
VIBHA	1.67	(0.01)	35,845	1.68	GOLD	8.40	-	3,428	8.41	TKT	0.94	(0.02)	656	0.95
VIH	6.20	(0.05)	4,259	6.20	GREEN	0.77	-	638	0.75	TNPC	0.69	(0.01)	26	0.69
WPH	1.89	(0.01)	1,403	1.89	J	0.80	(0.03)	917	0.78	TRU	4.22	-	124	4.18
Tourism & Leisure					JCK	0.85	(0.01)	2,686	0.84	TSC	12.60	0.20	67	12.59
ASIA	5.40	(0.10)	22	5.43	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	23.80	(0.50)	31,080	23.90	KWG	1.60	-	1	1.60	ALLA	1.23	(0.08)	29,985	1.25
CSR	-	-	-	-	LALIN	5.20	-	2,696	5.19	ASEFA	3.50	0.06	582	3.44
DTC	9.60	-	14	9.56	LH	10.20	-	206,696	10.20	CPT	0.79	-	5,620	0.79
ERW	5.20	(0.05)	106,997	5.16	LPN	4.88	(0.04)	61,118	4.94	CRANE	1.75	(0.05)	21	1.76
GRAND	0.73	0.02	6,005	0.73	MBK	20.90	(0.20)	7,866	21.01	CTW	5.40	-	130	5.38
LRH	39.50	-	66	39.23	MJD	2.94	(0.06)	350	2.96	FMT	23.80	-	1	23.80
MANRIN	29.75	1.75	1	29.75	MK	3.06	-	1,217	3.07	HTECH	3.20	0.04	434	3.19
OHTL	-	-	-	-	NCH	0.76	(0.02)	1,010	0.75	KKC	0.72	(0.06)	2,425	0.75
ROH	-	-	-	-	NOCL	2.20	0.02	9,085	2.19	PK	1.34	0.05	275	1.31
SHANG	-	-	-	-	NOBLE	17.00	0.50	13,061	17.00	SNC	9.85	(0.05)	6,964	9.87
SHR	2.78	(0.12)	80,504	2.83	NUSA	0.58	0.05	638,382	0.56	STARK	2.22	(0.04)	20,525	2.22
VRANDA	8.35	0.10	297	8.28	NVD	1.93	0.04	15	1.93	TCJ	3.50	(0.02)	31	3.50
Home & Office Prod.					ORI	7.20	(0.15)	101,552	7.36	VARO	-	-	-	-
ACC	0.66	-	421	0.66	PACE	0.06	0.01	149,251	0.05	Property Fund & REI	-	-	-	-
AJA	0.19	-	93,014	0.19	PF	0.82	(0.01)	265,681	0.83	AIMCG	8.60	0.05	2,101	8.51
DTCI	-	-	-	-	PLAT	4.22	(0.02)	2,830	4.23	AIMIRT	13.30	0.20	1,417	13.21
FANCY	0.55	0.01	2,303	0.53	POLAR	-	-	-	-	AMATAR	11.90	(0.10)	287	11.89
KYE	-	-	-	-	PRECHA	1.06	(0.08)	215	1.12	B-WORK	12.40	-	2,301	12.31
L&E	2.00	0.02	157	1.99	PRIN	1.47	-	57	1.47	BKER	9.50	0.15	7,885	9.43
MODERN	2.50	-	280	2.49	PSH	15.30	0.20	20,226	15.28	BKKCP	13.30	-	12	13.30
OGC	24.50	(0.30)	5	24.62	QH	2.62	0.02	448,060	2.61	BOFFICE	17.20	(0.20)	1,242	17.23
ROCK	-	-	-	-	RICHY	0.90	(0.01)	144	0.90	CPNCG	12.60	(0.10)	4,521	12.66
SIAM	1.68	(0.01)	2,153	1.64	RML	0.96	-	2,782	0.96	CPNREIT	35.25	-	14,940	35.40
TSR	2.20	0.04	15,570	2.21	ROJNA	5.35	(0.10)	11,690	5.40	CPTGF	13.00	-	1,139	12.96
Insurance					S	2.50	0.02	13,508	2.51	CTARAF	5.55	(0.05)	105	5.55
AYUD	39.00	0.50	82	39.00	SAMCO	1.62	(0.02)	2,104	1.61	DREIT	6.45	(0.05)	5,187	6.46
BKI	293.00	(2.00)	49	292.16	SC	2.36	0.02	13,975	2.34	ERWPF	5.25	0.05	61	5.15
BLA	20.20	(0.80)	21,807	20.67	SENA	2.80	0.02	3,797	2.80	FTREIT	15.40	0.20	9,858	15.32
BUI	-	-	-	-	SF	5.60	0.10	3,685	5.58	FUTUREPF	25.00	-	1,543	24.99
CHARAN	-	-	-	-	SIRI	1.03	(0.01)	339,243	1.04	GAHREIT	9.15	-	724	9.15
INSURE	-	-	-	-	SPALI	18.00	-	101,535	18.28	GLANDRT	13.20	-	600	13.32
MTI	82.00	(1.00)	10	82.00	U	1.71	(0.04)	45,957	1.73	GOLDPF	7.00	-	36	6.92
NKI	-	-	-	-	UV	6.50	-	19,091	6.50	GVREIT	17.20	0.10	6,254	17.19
NSI	-	-	-	-	WHA	3.32	(0.30)	2,579,250	3.42	HPF	4.94	-	10	4.94
SEG	-	-	-	-	WIN	0.43	0.02	693	0.42	HREIT	8.75	0.10	1,093	8.76
SMK	30.75	-	2	30.88	Paper & Printing Mat					IMPACT	24.70	0.20	20,613	24.61
THRE	0.66	(0.03)	24,231	0.68	UTP	9.60	(0.10)	2,426	9.66	KPNPF	8.05	(0.05)	150	8.08
THREL	3.70	(0.02)	3,163	3.70	Fashion	-	-	-	-	LHHOTEL	19.40	0.10	1,044	19.48
TIP	24.60	(0.10)	809	24.65	AFC	-	-	-	-	LHPF	8.80	(0.10)	765	8.72
TQM	71.50	(1.50)	10,176	72.39	B52	0.19	-	5,073	0.18	LHSC	18.70	(0.10)	2,513	18.72
TSI	0.51	0.01	500	0.51	BTNC	-	-	-	-	LUXF	-	-	-	-
TVI	4.18	0.06	96	4.13	CPH	3.60	-	30	3.60	M-II	-	-	-	-
Mining					CPL	1.01	0.02	337	0.99	M-PAT	5.80	0.75	25	5.64
PDI	6.05	(0.10)	1,766	6.09	ICC	39.00	-	10	39.00	M-STOR	6.85	0.15	1	6.85
THL	-	-	-	-	NC	-	-	-	-	MIPF	-	-	-	-
Packaging					PAF	0.56	-	1,600	0.56	MIT	2.78	-	1	2.78
AJ	8.20	-	265	8.13	PDJ	1.49	-	300	1.49	MJLF	10.90	(0.10)	250	10.90
ALUCON	152.00	0.50	15	152.00	PG	5.15	(0.10)	119	5.21	MNIT	-	-	-	-
BGC	13.30	(0.40)	5,918	13.40	SABINA	24.00	-	3,676	23.84	MNIT2	-	-	-	-
CSC	52.75	(0.25)	29	52.80	SAWANG	-	-	-	-	MNRF	3.08	0.04	771	3.00
GLOCON	0.75	-	23,920	0.75	SUC	43.00	(0.25)	131	43.00	POPF	13.00	-	2,389	12.94
NEP	0.18	-	2	0.18	TNL	-	-	-	-	PPF	11.20	(0.20)	4	11.20
PTL	14.20	0.10	2,828	14.12	TPCORP	-	-	-	-	QHHR	9.50	(0.05)	1,397	9.49
SFLEX	4.20	0.14	201,285	4.24	TR	27.75	(0.25)	7	27.82	QHOP	3.92	0.04	26	3.93
SITHAI	0.71	-	2,770	0.71	TTI	-	-	-	-	QHPP	14.00	-	3,087	14.00
SLP	0.50	-	1,199	0.50	TTT	51.00	0.75	4	51.31	SBPF	-	-	-	-
SMPC	6.35	(0.05)	932	6.40	UPF	36.00	(0.50)	5	34.70	SHREIT	5.75	-	704	5.72
SPACK	-	-	-	-	UT	-	-	-	-	SIRIP	10.70	-	45	10.70
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPF	23.00	(0.50)	9,426	23.50
TFI	0.05	0.01	9	0.05	Transportation & Log					SPRIME	14.10	0.10	879	14.01
THIP	20.50	(0.10)	215	20.78	AAV	2.04	(0.04)	108,761	2.04	SRIPANWA	11.20	(0.10)	16	11.27
TMD	26.50	(0.50)	76	26.68	AOT	74.25	(0.75)	149,289	74.63	SSPF	-	-	-	-
TOPP	-	-	-	-	ASIMAR	1.17	-	1,376	1.17	SSTRT	5.90	-	244	5.89
TPBI	4.00	(0.08)	6	4.04	B	0.23	(0.01)	9,306	0.24	TIF1	-	-	-	-
TPP	17.50	(0.50)	8	17.26	BA	6.55	(0.05)	25,364	6.69	TLGF	22.00	-	6,302	21.99
Personal Products &					BEM	11.30	(0.10)	359,735	11.31	TLHPF	10.80	-	100	10.80
APCO	3.18	-	507	3.18	BTS	13.60	(0.20)	156,910	13.69	TNPF	2.92	0.12	2	2.92
DDD	24.00	(0.30)	455	24.09	BTSGIF	9.95	(0.15)	23,649	10.00	TPRIME	16.40	0.30	300	16.38
JCT	81.25	0.25	26	81.25	III	5.00	(0.10)	1,560	5.07	TTLPF	21.80	-	12	21.80
OCC	12.60	(0.20)	87	12.56	JUTHA	-	-	-	-	TU-PF	1.73	(0.01)	40	1.74
S & J	-	-	-	-	JWD	7.70	(0.15)	4,484	7.69	URBNPF	-	-	-	-
STHAI	-	-	-	-	KWC	299.00	-	1	299.00	WHABT	9.70	(0.05)	218	9.65
TNR	8.95	(0.05)	182	8.94	NOK	2.00	-	2,230	2.00	WHART	16.50	-	2,370	16.50
TOG	5.75	(0.05)	201	5.77										

Main Board Quotation

Issue Date :

Monday, January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	ABM	0.71	-	24	-	AAV19C2001A	-	-	-	-
ABICO	4.12	-	96	4.00	AGE	0.89	-	364	-	AAV19C2003A	0.01	-	4	-
AU	11.70	0.20	38,430	11.00	AIE	0.37	-	208,955	-	AAV19C2004A	0.09	(0.01)	105	-
JCKH	0.25	(0.01)	181	-	PSTC	0.72	-	307,496	-	AAV24C2001A	-	-	-	-
KASET	1.22	(0.01)	28,170	1.00	OTC	4.52	0.02	3,436	4.00	ADVA01C2003A	0.23	-	112,475	-
MM	2.46	0.02	98	2.00	SAAM	0.94	-	938	-	ADVA01C2003B	0.08	(0.01)	2,074	-
SUN	1.84	0.22	81,407	1.00	SEAOIL	2.72	(0.08)	11,320	2.00	ADVA01C2005A	0.52	-	84,848	-
TACC	4.46	0.02	14,745	4.00	SR	-	-	-	-	ADVA01C2005B	0.27	-	126,012	-
TMILL	2.82	-	591	2.00	TAKUNI	0.39	(0.01)	21,386	-	ADVA01P2003A	0.71	0.01	44,002	-
XO	5.65	(0.05)	1,726	5.00	TPCH	12.60	-	5,460	12.00	ADVA01P2003B	0.41	(0.01)	94,777	-
Consumer Products	-	-	-	-	TRT	1.86	-	539	1.00	ADVA06C2005A	0.18	0.01	95,794	-
BGT	1.00	(0.01)	1,100	1.00	UMS	0.34	0.04	306	-	ADVA08C2001A	-	-	-	-
BIZ	3.16	0.04	14,134	3.00	UWC	0.02	(0.01)	124,337	-	ADVA08C2005A	0.28	-	29,908	-
DOD	7.45	(0.05)	1,600	7.00	Services (MAI)	-	-	-	-	ADVA08P2004A	0.29	-	21,660	-
ECF	1.30	0.04	184,101	1.00	A5	-	-	-	-	ADVA11C2006A	0.09	-	716	-
HPT	0.60	(0.01)	522	-	AKP	1.10	(0.01)	8,453	1.00	ADVA11P2005A	0.13	-	22,180	-
IP	6.85	0.45	25,154	6.00	AMA	5.20	(0.05)	783	5.00	ADVA13C2001A	-	-	-	-
JUBILE	18.70	(0.40)	1,433	18.00	ARIP	0.39	-	1,224	-	ADVA13C2004A	0.26	(0.01)	411,328	-
MOONG	3.78	(0.04)	285	3.00	ATP30	1.35	(0.03)	10,696	1.00	ADVA13P2003A	0.29	-	164,213	-
NPK	16.60	(0.10)	81	16.00	AUCT	6.55	-	6,786	6.00	ADVA16C2002A	-	-	-	-
OCEAN	1.19	(0.01)	9,093	1.00	BOL	2.80	-	4,467	2.00	ADVA16C2005A	0.03	(0.01)	5,581	-
TM	2.46	-	938	2.00	CHUO	-	-	-	-	ADVA16C2007A	0.23	-	103,977	-
Financials (MAI)	-	-	-	-	CMO	1.15	(0.07)	5,135	1.00	ADVA19C2002A	-	-	-	-
ACAP	1.41	(0.16)	39,995	1.00	D	3.66	0.04	1,045	3.00	ADVA19C2005A	0.24	(0.01)	26,718	-
AF	-	-	-	-	DCORP	0.39	(0.01)	22,631	-	ADVA19P2002A	0.07	-	40	-
AIRA	1.02	(0.01)	45	1.00	EFORL	0.06	0.01	449,255	-	ADVA19P2006A	0.27	0.01	20,192	-
ASN	6.15	-	129	6.00	ETE	0.82	-	666	-	ADVA23C2001A	-	-	-	-
BROOK	0.44	-	13,877	-	FSMART	6.65	0.05	3,169	6.00	ADVA24C2001A	0.05	(0.01)	6	-
CHAYO	5.80	0.10	66,140	5.00	FVC	0.39	(0.01)	9,817	-	ADVA24C2006A	0.38	(0.01)	54,898	-
GCAP	2.08	(0.04)	4,195	2.00	GSC	0.76	(0.02)	2,384	-	ADVA24P2001A	-	-	-	-
LIT	4.68	(0.02)	2,482	4.00	HARN	2.28	(0.02)	3,844	2.00	ADVA28C2002A	-	-	-	-
MITSI	1.43	(0.02)	4,533	1.00	IMH	3.22	(0.08)	8,131	3.00	ADVA28C2004A	-	-	-	-
SGF	0.76	(0.01)	282,576	-	JKN	4.96	(0.29)	76,154	5.00	ADVA28C2005A	0.24	(0.02)	38,018	-
Industrials (MAI)	-	-	-	-	KIAT	0.31	-	7,177	-	ADVA28P2004A	0.26	(0.01)	32,484	-
ZS	1.97	0.02	264	1.00	KOOL	1.06	0.04	130,324	1.00	ADVA41C2001A	-	-	-	-
ACG	0.97	(0.01)	2,579	-	LDC	1.02	-	163	1.00	ADVA41C2004A	-	-	-	-
ADB	0.63	0.03	47	-	MORE	0.37	0.01	100,628	-	ADVA41C2005A	-	-	-	-
BM	1.91	-	137	1.00	MPG	0.36	(0.01)	2,344	-	ADVA41C2006A	0.28	-	469	-
CHO	0.66	(0.02)	26,065	-	MVP	1.69	(0.05)	123	1.00	ADVA41C2007A	0.39	-	8,342	-
CHOW	1.45	0.01	708	1.00	NBC	0.46	(0.02)	256	-	ADVA41P2001A	-	-	-	-
CIG	0.22	-	3,108	-	NCL	1.06	0.01	247	1.00	ADVA41P2004A	0.41	(0.01)	7,898	-
COLOR	1.04	0.01	10	1.00	NEWS	0.01	-	30,006	-	ADVA41P2005A	0.34	0.02	1,167	-
CPR	3.34	-	325	3.00	NINE	-	-	-	-	ADVA42C2003A	-	-	-	-
FPI	2.00	(0.02)	425	2.00	OTO	3.12	-	938	3.00	ADVA42C2005A	0.27	(0.02)	6,278	-
GTB	0.69	(0.02)	2,891	-	PHOL	1.77	-	4,295	1.00	AEON01C2005A	0.14	(0.01)	79,808	-
KCM	0.54	(0.01)	8,593	-	PICO	4.08	(0.02)	32	4.00	AEON13C2003A	0.04	(0.01)	300	-
KUMWEL	0.75	(0.01)	532	-	QLT	5.15	0.05	1,426	5.00	AEON19C2003A	-	-	-	-
KWM	0.78	(0.01)	4,269	-	RP	1.44	(0.01)	331	1.00	AEON19C2006A	0.60	(0.04)	26,404	-
MBAX	3.00	0.04	17	2.00	SE	-	-	-	-	AMAT01C2001A	0.01	(0.01)	62,597	-
MGT	1.71	0.01	585	1.00	SONIC	0.99	(0.02)	317	-	AMAT01C2001B	-	-	-	-
NDR	1.02	(0.02)	42	1.00	SPA	14.40	(0.40)	3,722	14.00	AMAT01C2004A	0.25	(0.05)	72,237	-
PDG	2.92	-	1,912	2.00	THMUI	0.62	-	808	-	AMAT01C2004B	0.15	(0.03)	104,948	-
PIMO	1.24	(0.01)	72,968	1.00	TNDT	3.86	0.16	231	3.00	AMAT01P2001A	0.79	0.19	12,503	-
PJW	1.20	(0.02)	611	1.00	TNH	32.25	-	14	32.00	AMAT06C2005A	0.20	(0.06)	41,819	-
PPM	0.83	(0.05)	330	-	TNP	2.08	0.02	1,441	2.00	AMAT08C2001A	-	-	-	-
RWI	1.47	0.07	9,288	1.00	TSF	-	-	-	-	AMAT08C2002A	0.01	-	2,000	-
SALEE	0.83	(0.02)	754	-	TVD	0.86	(0.02)	3,387	-	AMAT08C2005A	0.21	(0.05)	13,054	-
SANKO	0.96	-	3,022	-	TVT	0.59	(0.01)	314	-	AMAT11C2001A	-	-	-	-
SELIC	2.50	(0.04)	2,026	2.00	VL	1.43	0.01	130,105	1.00	AMAT11C2004A	-	-	-	-
SWC	3.64	-	384	3.00	WINNER	2.06	-	753	2.00	AMAT11C2008A	0.43	(0.06)	42,360	-
TMC	0.41	(0.01)	1,216	-	YGG	4.98	(0.02)	10,405	4.00	AMAT13C2004A	0.12	(0.05)	82,335	-
TMI	0.70	-	6,682	-	Technology (MAI)	-	-	-	-	AMAT13C2006A	0.32	(0.08)	130,456	-
TMW	38.25	1.25	198	38.00	APP	2.20	(0.04)	7,847	2.00	AMAT16C2003A	-	-	-	-
TPAC	9.35	0.05	30	9.00	COMAN	2.66	0.04	1,001	2.00	AMAT16C2006A	0.06	(0.01)	3,503	-
TPLAS	1.10	-	1,956	1.00	ICN	1.48	-	696	1.00	AMAT19C2003A	0.02	(0.01)	3,187	-
UAC	2.82	0.02	1,721	2.00	INSET	2.66	(0.02)	22,841	2.00	AMAT19C2005A	0.18	(0.04)	9,882	-
UBIS	5.60	-	39	5.00	IRCP	0.49	(0.01)	2,706	-	AMAT24C2001A	-	-	-	-
UEC	0.78	0.02	937	-	ITEL	2.36	(0.02)	2,650	2.00	AMAT24C2006A	0.22	(0.06)	51,272	-
UKEM	0.42	-	19,397	-	NETBAY	33.50	(0.50)	490	33.00	AMAT41C2002A	-	-	-	-
UREKA	1.02	(0.01)	972	1.00	PLANET	1.15	0.02	1,923	1.00	AMAT41C2003A	-	-	-	-
YUASA	12.70	0.10	17	12.00	SIMAT	1.71	0.06	8	1.00	AMAT41C2004A	-	-	-	-
ZIGA	1.05	-	1,407	1.00	SKY	14.50	0.20	2,875	14.00	AMAT41C2005A	0.09	(0.01)	1	-
Property & Construc	-	-	-	-	SPVI	3.00	(0.06)	21,535	3.00	AMAT41C2006A	-	-	-	-
ALL	4.04	-	90,036	4.00	TPS	1.97	(0.03)	1,880	1.00	AMAT42C2003A	-	-	-	-
ARIN	0.67	-	945	-	UPA	0.19	(0.01)	2,815	-	AMAT42C2005A	0.17	(0.03)	100	-
ARROW	8.65	0.05	38	8.00	VCOM	2.84	0.02	16	2.00	ANAN13C2007A	0.23	(0.01)	22,683	-
BC	1.66	-	6,709	1.00	Unit Trust	-	-	-	-	ANAN19C2001A	-	-	-	-
BSM	0.35	0.01	3,598	-	MGE	-	-	-	-	ANAN19C2004A	0.10	0.01	8,858	-
BTW	0.71	(0.01)	414	-	SCBSET	-	-	-	-	ANAN19C2007A	0.29	-	16,124	-
CAZ	2.50	0.02	821	2.00	ETF	-	-	-	-	AOT01C2002A	0.34	(0.03)	112,905	-
CHEWA	0.47	0.01	10,488	-	1DIV	10.24	(0.19)	1,383	10.00	AOT01C2002B	0.10	(0.02)	122,361	-
CMC	0.86	(0.02)	4,072	-	ABFTH	-	-	-	-	AOT01C2004A	0.44	(0.03)	33,223	-
CRD	0.63	-	323	-	BMSCG	7.57	(0.07)	30	7.00	AOT01C2004B	0.17	(0.01)	32,578	-
DIMET	0.39	(0.01)	9,424	-										

Main Board Quotation

Issue Date :

Monday January 20, 2020

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2005A	0.40	(0.03)	9,236	-	BBL13C2003A	0.07	(0.04)	258,974	-	BEAU13C2001A	0.01	-	7,440	-
AOT19P2004A	0.33	0.02	9,918	-	BBL13C2004A	0.36	(0.07)	157,702	-	BEAU13C2003A	0.23	0.03	380,501	-
AOT24C2003A	0.11	(0.02)	9,000	-	BBL13P2003A	0.81	0.14	5,178	-	BEAU13C2003B	0.07	0.01	96,856	-
AOT27C2008A	0.45	(0.55)	10,222	-	BBL13P2004A	0.58	0.08	106,537	-	BEAU19C2002A	0.08	0.02	166,238	-
AOT28C2002A	0.05	(0.04)	100	-	BBL16C2006A	0.18	(0.05)	96,375	-	BEC01C2001A	-	-	-	-
AOT28C2003A	0.05	-	362	-	BBL19C2001A	0.01	-	150	-	BEC01C2001B	-	-	-	-
AOT28P2004A	0.29	-	34,448	-	BBL19C2003A	0.03	(0.02)	149,972	-	BEC01C2006A	0.38	(0.11)	90,133	-
AOT41C2002A	-	-	-	-	BBL19C2005A	0.33	(0.06)	67,392	-	BEC01C2006B	0.22	(0.09)	80,390	-
AOT41C2003A	-	-	-	-	BBL19P2002A	0.23	0.05	34,404	-	BEC01P2001A	1.04	0.17	18,698	1.00
AOT41C2004A	-	-	-	-	BBL24C2001A	-	-	-	-	BEC01P2006A	0.56	0.13	142,366	-
AOT41C2005A	-	-	-	-	BBL24C2004A	0.41	(0.08)	144,055	-	BEC16C2002A	-	-	-	-
AOT41C2006A	0.44	(0.02)	9,436	-	BBL27C2002A	-	-	-	-	BEC19C2003A	0.03	(0.02)	4,272	-
AOT41C2007A	0.40	(0.02)	1,008	-	BBL28C2003A	0.02	(0.02)	4,445	-	BEC19C2005A	0.23	(0.09)	199,971	-
AOT41P2002A	-	-	-	-	BBL28C2005A	0.26	(0.06)	45,526	-	BEC27C2002A	-	-	-	-
AOT41P2004A	0.51	0.01	6,034	-	BBL41C2001A	-	-	-	-	BEC41C2002A	-	-	-	-
AOT41P2005A	-	-	-	-	BBL41C2003A	-	-	-	-	BEC41C2003A	-	-	-	-
AOT41P2006A	0.43	(0.01)	25,988	-	BBL41C2004A	0.31	(0.07)	5,784	-	BEC42C2003A	-	-	-	-
AOT42C2006A	0.35	(0.04)	16,842	-	BBL41C2005A	-	-	-	-	BEC42C2005A	0.27	(0.10)	33,697	-
AOT42P2003A	-	-	-	-	BBL41C2006A	0.14	(0.03)	1,000	-	BEM01C2004A	0.29	(0.02)	238,225	-
AP01C2001A	0.12	0.04	102	-	BBL41C2007A	0.50	(0.09)	16,386	-	BEM01C2004B	0.16	(0.01)	371,441	-
AP01C2001B	-	-	-	-	BBL41P2002A	0.76	0.11	8,712	-	BEM01P2004A	0.18	-	2	-
AP11C2001A	-	-	-	-	BBL41P2004A	0.55	0.10	28,392	-	BEM06C2004A	0.15	(0.01)	50,054	-
AP16C2002A	-	-	-	-	BBL41P2006A	0.70	0.08	47,166	-	BEM08C2001A	0.06	(0.01)	17,400	-
AP19C2002A	0.09	0.01	19,962	-	BBL42C2003A	-	-	-	-	BEM08C2005A	0.22	-	25,000	-
AP28C2004A	0.28	0.03	35,943	-	BBL42C2005A	0.28	(0.09)	13,380	-	BEM11C2001A	-	-	-	-
AWC01C2003A	0.25	0.01	336,279	-	BCH01C2001A	0.20	-	29,034	-	BEM11C2003A	0.09	(0.01)	5,600	-
AWC01C2003B	-	-	-	-	BCH01C2001B	-	-	-	-	BEM13C2002A	-	-	-	-
AWC01C2004A	0.20	-	313,902	-	BCH01C2006A	0.33	(0.01)	56,286	-	BEM13C2004A	0.15	-	221,551	-
AWC01P2003A	0.34	(0.03)	127,517	-	BCH01C2006B	0.20	-	90,460	-	BEM16C2001A	-	-	-	-
AWC01P2003B	0.08	(0.01)	74,322	-	BCH01P2001A	0.11	-	50,222	-	BEM16C2006A	0.27	-	158,503	-
AWC06C2002A	0.04	(0.01)	4,835	-	BCH01P2006A	0.66	0.01	40,100	-	BEM19C2001A	-	-	-	-
AWC06C2004A	0.30	0.04	29,755	-	BCH06C2001A	-	-	-	-	BEM19C2005A	0.21	(0.01)	27,502	-
AWC06P2002A	0.17	(0.04)	15,775	-	BCH06C2006A	0.27	(0.01)	24,107	-	BEM23C2001A	0.01	-	8,500	-
AWC08C2004A	0.14	(0.01)	10,530	-	BCH06P2006A	0.46	0.01	7,153	-	BEM24C2003A	0.07	-	6,000	-
AWC13C2002A	0.06	0.01	49,974	-	BCH08C2004A	0.15	(0.01)	12,760	-	BEM28C2002A	-	-	-	-
AWC13C2003A	0.18	0.01	159,437	-	BCH11C2001A	-	-	-	-	BEM41C2002A	-	-	-	-
AWC13C2006A	0.22	-	110,881	-	BCH13C2004A	0.12	(0.01)	45,732	-	BEM41C2004A	-	-	-	-
AWC13P2002A	0.02	(0.01)	6,122	-	BCH16C2001A	-	-	-	-	BEM41C2006A	0.22	-	2,500	-
AWC13P2003A	0.02	(0.01)	2,524	-	BCH16C2006A	0.25	-	23,555	-	BEM41P2003A	-	-	-	-
AWC13P2006A	0.32	(0.02)	60,792	-	BCH19C2001A	-	-	-	-	BEM41P2004A	-	-	-	-
AWC16C2005A	0.07	0.01	3,399	-	BCH19C2005A	0.12	(0.01)	18,452	-	BEM42C2001A	-	-	-	-
AWC16C2007A	0.20	0.01	81,368	-	BCH19C2006A	0.31	(0.01)	12,730	-	BGR101C2001A	1.85	0.10	4,367	1.00
AWC19C2003A	0.15	0.02	23,729	-	BCH24C2003A	0.12	(0.01)	9,998	-	BGR101C2001B	1.80	0.14	7,304	1.00
AWC19C2004A	0.10	0.01	60,572	-	BCH27C2003A	0.20	-	19,086	-	BGR101C2003A	1.12	0.07	54,785	1.00
AWC19C2006A	0.25	0.03	32,065	-	BCH41C2005A	-	-	-	-	BGR101C2003B	0.79	0.06	60,065	-
AWC24C2007A	0.15	-	32,011	-	BCH41C2006A	-	-	-	-	BGR101C2006A	0.86	0.05	40,572	-
AWC28C2003A	0.04	0.01	24,600	-	BCH42C2002A	-	-	-	-	BGR101C2006B	0.58	0.06	157,048	-
AWC28C2003B	-	-	-	-	BCP01C2001A	0.05	(0.01)	5,500	-	BGR101P2001A	0.01	-	29,509	-
AWC28C2003C	0.18	(0.01)	26,660	-	BCP01C2001B	-	-	-	-	BGR101P2003A	0.08	-	46,203	-
AWC28P2003A	0.03	-	1,000	-	BCP01C2005A	0.78	(0.07)	2,786	-	BGR101P2006A	0.60	(0.05)	92,508	-
AWC41C2003A	-	-	-	-	BCP01C2005B	0.17	(0.02)	13,004	-	BGR106C2005A	0.85	0.10	25,160	-
AWC41C2004A	-	-	-	-	BCP01P2001A	0.29	0.04	18,280	-	BGR108C2003A	1.40	0.09	420	1.00
AWC41C2005A	-	-	-	-	BCP01P2005A	0.17	0.01	69,971	-	BGR108C2005A	0.79	0.05	34,161	-
AWC41C2006A	-	-	-	-	BCP11C2004A	-	-	-	-	BGR111C2006A	1.48	0.11	6,863	1.00
AWC41C2007A	-	-	-	-	BCP13C2003A	0.09	(0.02)	44,138	-	BGR13C2001A	-	-	-	-
AWC42C2003A	-	-	-	-	BCP13C2003B	-	-	-	-	BGR13C2002A	1.00	0.09	2,400	-
BANP01C2002A	0.15	(0.03)	25,057	-	BCP19C2001A	-	-	-	-	BGR13C2004A	0.66	0.05	16,846	-
BANP01C2002B	0.02	(0.01)	2,000	-	BCP19C2004A	0.69	0.10	28	-	BGR13C2006A	0.62	0.05	72,981	-
BANP01C2005A	0.28	(0.03)	56,444	-	BCP19C2005A	0.20	(0.02)	12,397	-	BGR13P2005A	0.33	(0.06)	27,873	-
BANP01C2005B	0.15	(0.02)	169,158	-	BCP24C2004A	-	-	-	-	BGR16C2001A	-	-	-	-
BANP01P2002A	0.31	0.03	28,699	-	BCPG01C2005A	0.44	(0.04)	27,411	-	BGR16C2005A	0.92	0.08	45,566	-
BANP01P2002B	0.23	0.02	159,944	-	BCPG01C2005B	0.25	(0.03)	48,645	-	BGR19C2004A	1.15	0.06	3,842	1.00
BANP01P2005A	0.37	0.03	21,295	-	BCPG01P2005A	0.29	0.03	88,310	-	BGR19C2005A	0.76	0.05	2,729	-
BANP01P2005B	0.19	0.02	42,490	-	BCPG06C2002A	-	-	-	-	BGR124C2004A	1.04	0.06	13,707	1.00
BANP06C2002A	0.01	(0.01)	620	-	BCPG13C2004A	0.23	(0.03)	174,538	-	BGR127P2006A	0.26	(0.04)	16,610	-
BANP06C2005A	0.15	(0.03)	6,800	-	BCPG19C2003A	0.11	(0.03)	3,410	-	BGR128C2002A	-	-	-	-
BANP08C2002A	-	-	-	-	BCPG19C2005A	0.37	(0.04)	16,156	-	BGR128C2003A	-	-	-	-
BANP08C2005A	0.19	(0.02)	7,000	-	BCPG28C2002A	-	-	-	-	BGR128C2003B	-	-	-	-
BANP08P2003A	0.38	0.03	3,500	-	BCPG28C2003A	0.08	(0.02)	352	-	BGR141C2002A	-	-	-	-
BANP11C2004A	-	-	-	-	BCPG28C2004A	0.18	(0.03)	27,414	-	BGR141C2004A	0.87	(0.01)	1,476	-
BANP11C2008A	0.23	(0.02)	6,000	-	BCPG41C2002A	-	-	-	-	BGR141C2005A	0.73	0.07	24,376	-
BANP13C2001A	-	-	-	-	BCPG41C2005A	-	-	-	-	BGR141C2006A	0.70	0.07	71,297	-
BANP13C2003A	0.05	(0.02)	44,815	-	BCPG42C2001A	-	-	-	-	BGR141P2004A	0.12	(0.01)	5	-
BANP13C2006A	0.18	(0.01)	11,093	-	BCPG42C2004A	-	-	-	-	BGR141P2005A	0.31	(0.03)	6,211	-
BANP19C2002A	-	-	-	-	BDM501C2002A	0.53	(0.10)	37,831	-	BGR142C2003A	0.87	0.11	1,550	-
BANP19C2004A	0.07	(0.01)	2,490	-	BDM501C2002B	0.09	(0.01)	163,040	-	BH01C2001A	-	-	-	-
BANP19C2005A	0.12	(0.02)	2,497	-	BDM501P2002A	0.11	-	195,804	-	BH01C2001B	0.01	-	28,323	-
BANP19P2003A	0.27	0.04	20,982	-	BDM506C2003A	0.39	(0.06)	10,510	-	BH01C2004A	0.81	(0.04)	48,643	-
BANP24C2003A	-	-	-	-	BDM506P2004A	0.13	-	62,635	-	BH01C2004B	0.44	(0.02)	48,206	-
BANP27C2007A	0.19	(0.01)	3,020	-	BDM508C2003A	-	-	-	-	BH01P2001A	1.55	0.07	12,114	1.00
BANP28C2002A	0.01	-	1,000	-	BDM511C2001A	-	-	-	-	BH01P2004A	0.48	0.02	59,520	-
BANP28C2003A	-	-	-	-	BDM511C2007A	0.60	(0.08)	5,000	-	BH11C2002A	-	-	-	-
BANP28C2004A	-	-	-	-	BDM511C2008A	0.17	(0.02)	57,751	-	BH11C2008A	0.58	(0.04)	18,222	-
BANP41C2002A	-	-	-	-	BDM511P2002A	0.04	(0.03)	5,930	-	BH13C2002A	0.21	(0.04)	94,189	-
BANP41C2003A	-	-	-	-	BDM513C2003A	-	-	-	-	BH19C2002A	0.11	(0.02)	14,710	-
BANP41C2005A	-	-	-	-	BDM513C2004A	0.11	(0.02)	111,034	-	BH19C2003A	0.49	(0.04)	8,862	-
BANP41C2006A	-	-	-	-	BDM516C2006A	0.59	(0.03)	29,670	-	BH24C2001A	-	-	-	-
BANP41P2001A	-	-	-	-	BDM519C2001A	-	-	-	-	BH24C2003A	0.52	(0.06)	10,024	-
BANP41P2002A	0.05	(0.06)												

Main Board Quotation

Issue Date :

Monday, January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC1C2008A	0.39	0.01	11,844	-	CENT27C2008A	0.12	(0.88)	12,720	-	CPAL01P2004B	0.40	(0.03)	80,601	-
BJC13C2001A	-	-	-	-	CENT28C2004A	0.02	(0.02)	3,999	-	CPAL06C2006A	0.59	0.01	73,280	-
BJC13C2002A	-	-	-	-	CENT28C2005A	0.08	(0.01)	1,850	-	CPAL08C2001A	0.02	-	3	-
BJC13C2004A	0.10	0.01	28,886	-	CENT41C2001A	0.01	-	5,000	-	CPAL08C2004A	0.19	0.01	17,679	-
BJC13C2005A	0.27	0.02	32,633	-	CENT41C2003A	-	-	-	-	CPAL08P2002A	0.42	(0.04)	7,900	-
BJC16C2002A	-	-	-	-	CENT41C2004A	-	-	-	-	CPAL11C2006A	0.13	-	8,685	-
BJC16C2006A	0.20	0.01	26,118	-	CENT41C2005A	-	-	-	-	CPAL11C2007A	0.41	0.02	80,788	-
BJC19C2003A	-	-	-	-	CENT41P2001A	-	-	-	-	CPAL13C2002A	0.06	-	1,741	-
BJC19C2005A	0.15	-	7,832	-	CENT41P2002A	-	-	-	-	CPAL13C2004A	0.43	0.02	149,960	-
BJC23C2001A	-	-	-	-	CENT41P2003A	0.54	0.04	26,748	-	CPAL13P2003A	0.47	(0.05)	41,754	-
BJC24C2003A	-	-	-	-	CENT42C2002A	-	-	-	-	CPAL16C2001A	-	-	-	-
BJC24C2006A	0.27	0.02	9,787	-	CENT42C2004A	-	-	-	-	CPAL16C2006A	0.30	0.02	18,291	-
BJC27C2009A	0.30	(0.70)	12,126	-	CENT42C2006A	0.42	(0.07)	8,459	-	CPAL16C2007A	0.47	0.02	55,248	-
BJC28C2004A	0.10	-	2,000	-	CHG01C2001A	0.42	0.03	17,080	-	CPAL19C2002A	-	-	-	-
BJC41C2002A	-	-	-	-	CHG01C2001B	0.07	-	35,686	-	CPAL19C2004A	0.21	0.01	29,170	-
BJC41C2004A	-	-	-	-	CHG01C2006A	0.36	0.01	116,515	-	CPAL19C2005A	0.41	0.01	65,393	-
BJC41C2005A	-	-	-	-	CHG01C2006B	0.23	0.01	26,491	-	CPAL19P2004A	0.27	(0.01)	1,476	-
BJC41C2006A	-	-	-	-	CHG01P2001A	-	-	-	-	CPAL24C2005A	0.19	-	37,420	-
BJC41C2007A	-	-	-	-	CHG01P2006A	0.39	(0.01)	21,880	-	CPAL28C2003A	-	-	-	-
BJC41P2004A	-	-	-	-	CHG06C2002A	0.08	-	37,918	-	CPAL28C2003B	-	-	-	-
BJC41P2005A	0.43	(0.02)	1,060	-	CHG06P2003A	0.09	(0.01)	4,080	-	CPAL28C2004A	0.18	0.01	5,126	-
BJC42C2004A	0.14	-	8,004	-	CHG08C2005A	0.18	-	7,970	-	CPAL28C2005A	0.33	-	18,252	-
BLAN19C2004A	0.10	(0.01)	10,187	-	CHG13C2003A	0.10	-	65,677	-	CPAL41C2002A	-	-	-	-
BLAN28C2004A	0.07	(0.01)	301	-	CHG13C2006A	0.29	0.01	102,664	-	CPAL41C2003A	-	-	-	-
BPP01C2005A	0.38	(0.01)	41,776	-	CHG16C2002A	0.15	0.01	17,810	-	CPAL41C2004A	-	-	-	-
BPP01C2005B	0.21	(0.02)	52,443	-	CHG19C2004A	0.26	-	24,809	-	CPAL41C2005A	0.42	0.02	16,884	-
BPP01P2005A	0.43	0.02	37,126	-	CHG27C2009A	0.34	(0.66)	14,052	-	CPAL41C2006A	-	-	-	-
BPP13C2004A	0.14	(0.02)	6,138	-	CHG41C2005A	0.19	0.01	4	-	CPAL41P2003A	-	-	-	-
BPP16C2001A	-	-	-	-	CHG42C2006A	0.27	(0.01)	5,276	-	CPAL41P2004A	0.35	(0.02)	1,005	-
BPP19C2002A	-	-	-	-	CK01C2001A	0.01	-	1,000	-	CPAL41P2005A	-	-	-	-
BPP19C2005A	0.20	(0.02)	14,440	-	CK01C2001B	-	-	-	-	CPAL41P2006A	-	-	-	-
BPP24C2003A	0.07	(0.01)	250	-	CK01C2005A	0.68	(0.10)	53,257	-	CPAL42C2003A	-	-	-	-
BTS01C2001A	0.34	(0.02)	46,333	-	CK01C2005B	0.43	(0.11)	63,024	-	CPAL42C2005A	-	-	-	-
BTS01C2001B	0.04	(0.02)	52,632	-	CK01P2001A	0.65	0.10	32,172	-	CPF01C2001A	0.22	-	109,625	-
BTS01C2005A	0.35	(0.01)	89,848	-	CK01P2005A	0.23	0.05	114,958	-	CPF01C2001B	-	-	-	-
BTS01C2005B	0.19	(0.02)	114,184	-	CK06C2002A	-	-	-	-	CPF01C2004A	0.37	-	258,384	-
BTS01P2001A	0.01	(0.01)	900	-	CK06C2004A	0.51	(0.15)	25,296	-	CPF01C2004B	0.28	0.01	251,579	-
BTS01P2005A	0.22	0.01	144,396	-	CK11C2007A	0.40	(0.07)	42,130	-	CPF01P2001A	0.11	(0.01)	108,282	-
BTS08C2005A	0.14	(0.01)	11,760	-	CK13C2002A	0.02	(0.02)	27,896	-	CPF01P2001B	0.01	-	50	-
BTS11C2003A	0.24	(0.01)	23,066	-	CK13C2003A	0.37	(0.11)	101,287	-	CPF01P2004A	0.11	(0.01)	582,492	-
BTS13C2001A	-	-	-	-	CK13C2006A	0.38	(0.08)	223,612	-	CPF11C2004A	0.13	0.01	120,069	-
BTS13C2003A	0.13	(0.02)	135,409	-	CK16C2003A	-	-	-	-	CPF11C2007A	0.37	0.01	69,606	-
BTS13C2006A	0.25	(0.02)	116,363	-	CK16C2006A	0.31	(0.07)	95,637	-	CPF13C2003A	0.25	-	122,725	-
BTS16C2001A	-	-	-	-	CK19C2002A	-	-	-	-	CPF13C2006A	0.22	(0.78)	189,383	-
BTS16C2001B	0.32	(0.02)	14,000	-	CK19C2003A	0.05	(0.03)	12,471	-	CPF16C2001A	-	-	-	-
BTS19C2002A	0.05	-	2,000	-	CK19C2004A	0.42	(0.11)	16,533	-	CPF16C2007A	0.33	-	112,192	-
BTS19C2005A	0.25	(0.01)	12,249	-	CK24C2003A	0.04	(0.03)	3,567	-	CPF19C2001A	-	-	-	-
BTS19P2002A	-	-	-	-	CK41C2001A	-	-	-	-	CPF19C2003A	0.19	-	36,776	-
BTS24C2001A	-	-	-	-	CK41C2003A	0.36	(0.10)	25,208	-	CPF19C2005A	0.36	0.01	5,911	-
BTS24C2007A	0.27	(0.01)	32,781	-	CK41C2004A	0.22	(0.08)	1,035	-	CPF19P2002A	-	-	-	-
BTS24P2001A	-	-	-	-	CK41C2005A	0.25	(0.07)	2,008	-	CPF24C2007A	0.39	0.01	54,054	-
BTS41C2003A	-	-	-	-	CKP01C2004A	0.05	(0.02)	3,872	-	CPF27C2001A	0.12	0.03	15,122	-
BTS41C2004A	-	-	-	-	CKP01C2004B	0.01	(0.01)	10	-	CPF28C2004A	0.29	0.03	605	-
BTS41C2006A	0.26	(0.02)	4	-	CKP01P2004A	0.67	0.03	28,068	-	CPF41C2002A	-	-	-	-
BTS41P2001A	-	-	-	-	CKP08C2004A	-	-	-	-	CPF41C2004A	-	-	-	-
BTS41P2004A	0.22	(0.01)	4	-	CKP11C2006A	-	-	-	-	CPF41C2005A	0.27	0.02	19,664	-
BTS42C2003A	0.05	(0.01)	3,000	-	CKP13C2001A	-	-	-	-	CPF41P2003A	-	-	-	-
CBG01C2001A	0.45	(0.01)	121,017	-	CKP13C2003A	-	-	-	-	CPF41P2005A	-	-	-	-
CBG01C2001B	0.02	-	19,289	-	CKP13C2004A	-	-	-	-	CPF42C2001A	-	-	-	-
CBG01C2004A	0.91	-	270,440	-	CKP13C2004B	0.27	(0.04)	39,713	-	CPF42C2003A	-	-	-	-
CBG01C2004B	0.39	-	121,894	-	CKP16C2001A	-	-	-	-	CPN01C2001A	0.02	(0.01)	25,107	-
CBG01P2001A	0.01	(0.01)	11,473	-	CKP16C2005A	0.01	(0.01)	24	-	CPN01C2001B	0.01	-	11,095	-
CBG01P2003A	0.16	(0.01)	155,896	-	CKP16C2007A	0.25	(0.04)	30,127	-	CPN01C2005A	0.58	(0.04)	36,800	-
CBG01P2004A	0.80	(0.03)	147,830	-	CKP19C2003A	-	-	-	-	CPN01C2005B	0.27	(0.03)	66,804	-
CBG06C2002A	0.35	-	256,667	-	CKP19C2005A	-	-	-	-	CPN1P2001A	1.19	0.04	20,285	1.00
CBG08C2003A	0.55	-	37,022	-	CKP19C2006A	0.37	(0.05)	9,137	-	CPN01P2005A	0.48	0.04	104,874	-
CBG11C2002A	0.41	(0.01)	35,510	-	CKP24C2006A	0.20	(0.03)	29,332	-	CPN06C2001A	-	-	-	-
CBG13C2004A	0.55	-	199,855	-	CKP27C2005A	-	-	-	-	CPN11C2006A	0.15	(0.02)	11,001	-
CBG13P2001A	-	-	-	-	CKP28C2003A	0.01	-	4,840	-	CPN11C2008A	0.54	(0.04)	26,718	-
CBG13P2006A	1.01	(0.02)	97,445	1.00	CKP28C2004A	-	-	-	-	CPN13C2004A	0.22	(0.04)	67,130	-
CBG16C2001A	0.83	(0.02)	42,193	-	CKP28C2004B	-	-	-	-	CPN16C2001A	-	-	-	-
CBG19C2004A	0.47	(0.01)	74,781	-	CKP41C2002A	-	-	-	-	CPN16C2005A	0.43	(0.03)	44,454	-
CBG19C2005A	0.75	0.02	88,667	-	CKP41C2004A	-	-	-	-	CPN19C2002A	-	-	-	-
CBG19P2002A	0.05	(0.02)	27,002	-	CKP41C2005A	-	-	-	-	CPN19C2004A	0.25	(0.01)	17,730	-
CBG24C2003A	0.41	-	31,021	-	CKP41C2006A	-	-	-	-	CPN24C2002A	-	-	-	-
CBG41C2002A	-	-	-	-	CKP42C2003A	-	-	-	-	CPN24C2007A	0.40	(0.05)	36,067	-
CBG41C2003A	0.49	0.01	30	-	CKP42C2005A	-	-	-	-	CPN41C2001A	-	-	-	-
CBG41C2004A	-	-	-	-	CKP42C2006A	0.40	(0.06)	7,096	-	CPN41C2002A	-	-	-	-
CBG41C2005A	0.95	0.01	37,312	-	COM708C2002A	0.09	-	2	-	CPN41C2003A	0.18	(0.02)	1,000	-
CBG41C2006A	0.85	0.01	225,580	-	COM711C2004A	0.16	0.01	1,706	-	CPN41C2004A	-	-	-	-
CBG41P2002A	-	-	-	-	COM713C2004A	0.13	-	13,286	-	CPN41C2006A	0.43	(0.03)	26,704	-
CBG41P2003A	0.36	(0.01)	39,238	-	COM716C2001A	-	-	-	-	CPN41P2003A	0.14	0.01	8,964	-
CBG41P2004A	0.95	(0.03)	96,347	-	COM719C2001A	-	-	-	-	CPN42C2002A	-	-	-	-
CBG41P2006A	1.00	(0.02)	15,892	-	COM719C2003A	0.41	(0.01)	37	-	CPN42C2004A	-	-	-	-
CBG42C2003A	0.22	(0.01)	25,992	-	COM719C2005A	0.15	(0.01)	1,287	-	DTAC01C2001A	0.04	(0.01)	8,331	-
CENT01C2003A	0.04	(0.02)	4,887	-	COM719P2004A	0.19	(0.01)	9,310	-	DTAC01C2001B	0.01	-	100	-
CENT01C2003B	-	-	-	-	COM724C2001A	-	-	-	-	DTAC01C2004A	0.34	(0.01)	41,155	-
CENT01C2006A	0.48	(0.06)	33,252	-	COM724C2007A	0.24	-	1,129	-	DTAC01C2004B	0.15	(0.01)	6,255	-
CENT01C2006B	0.11	(0.02)	23,392	-	COM741C2001A	-	-	-	-	DTAC01P2001A	0.77	0.01	20	-
CENT01P2003A	0.63	0.06	56,983	-	COM741C2002A	0.27	(0.01)	1,000	-	DTAC01P2001B	0.10	(0.0		

Main Board Quotation

Issue Date :

Monday, January 20, 2020

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
DTAC19C2001A	-	-	-	-	GLOB06C2006A	0.44	-	1,004	-	GUNK41C2002A	-	-	-	-
DTAC19C2005A	0.20	(0.02)	22,938	-	GLOB11C2002A	-	-	-	-	GUNK41C2003A	-	-	-	-
DTAC19P2002A	0.60	(0.01)	1,457	-	GLOB13C2002A	0.08	(0.01)	4,831	-	GUNK41C2005A	-	-	-	-
DTAC24C2004A	0.05	(0.02)	2	-	GLOB16C2001A	-	-	-	-	GUNK41P2005A	0.49	(0.01)	1,254	-
DTAC27C2002A	0.06	-	8,000	-	GLOB19C2002A	-	-	-	-	GUNK42C2003A	-	-	-	-
DTAC27P2002A	-	-	-	-	GLOB19C2005A	0.20	-	1,619	-	HANA01C2001A	0.57	(0.01)	3,122	-
DTAC41C2002A	-	-	-	-	GLOB24C2005A	0.19	-	5,000	-	HANA01C2001B	0.12	(0.07)	40,187	-
DTAC41C2004A	-	-	-	-	GLOB41C2004A	-	-	-	-	HANA01C2006A	0.53	(0.06)	30,746	-
DTAC41C2005A	-	-	-	-	GPSCO1C2003A	1.10	0.08	266,343	1.00	HANA01C2006B	0.31	(0.08)	33,472	-
DTAC41C2006A	0.24	(0.01)	6	-	GPSCO1C2003B	0.59	0.05	810,084	-	HANA01P2006A	0.31	0.03	79,460	-
DTAC41P2001A	-	-	-	-	GPSCO1C2005A	1.33	0.08	186,900	1.00	HANA13C2002A	0.46	(0.09)	41,167	-
DTAC41P2002A	0.69	0.01	2,044	-	GPSCO1C2005B	0.95	0.08	229,647	-	HANA13C2006A	0.27	(0.07)	111,166	-
DTAC41P2006A	0.90	0.03	9	-	GPSCO1P2003A	0.28	(0.05)	147,142	-	HANA19C2003A	0.53	(0.09)	1,712	-
DTAC42C2001A	-	-	-	-	GPSCO1P2005A	0.68	(0.06)	270,294	-	HANA19C2006A	0.34	(0.05)	21,201	-
DTAC42C2004A	0.11	(0.02)	1,001	-	GPSCO1P2005B	0.44	(0.04)	97,596	-	HANA27C2001A	-	-	-	-
EA06C2002A	0.01	-	8,817	-	GPSCO8C2001A	2.10	0.12	120	2.00	HANA27C2007A	0.32	(0.68)	18,241	-
EA06C2005A	0.24	(0.01)	58,189	-	GPSCO8C2004B	0.74	0.04	79,985	-	HANA27P2007A	0.40	(0.60)	14,400	-
EA08C2001A	0.01	-	1,000	-	GPSC11C2006A	1.39	0.09	28,158	1.00	HANA41C2002A	0.38	(0.07)	114	-
EA08C2004A	0.08	-	80	-	GPSC13C2001A	1.10	0.15	310	-	HMPR01C2001A	0.07	(0.01)	1,595	-
EA11C2005A	0.18	(0.02)	19,964	-	GPSC13C2002A	0.48	0.04	712,087	-	HMPR01C2001B	-	-	-	-
EA13C2001A	-	-	-	-	GPSC13C2005A	1.14	0.06	472,953	1.00	HMPR01C2006A	0.39	(0.01)	17,387	-
EA13C2003A	0.14	(0.01)	42,183	-	GPSC13P2002A	-	-	-	-	HMPR01C2006B	0.27	(0.01)	9,401	-
EA13C2005A	0.27	(0.01)	71,623	-	GPSC13P2003A	0.24	(0.05)	242,137	-	HMPR01P2001A	0.32	(0.03)	600	-
EA13P2001A	-	-	-	-	GPSC13P2005A	0.87	(0.08)	313,821	-	HMPR01P2006A	0.40	0.01	16,977	-
EA13P2003A	0.26	(0.01)	101,805	-	GPSC16C2003A	1.56	0.11	83,654	1.00	HMPR06C2002A	0.02	0.01	10,001	-
EA16C2003A	-	-	-	-	GPSC16C2007A	1.17	0.08	109,790	1.00	HMPR06C2006A	0.26	0.01	10,289	-
EA16C2006A	0.12	(0.01)	14,858	-	GPSC19C2001A	1.45	0.22	2,276	1.00	HMPR11C2003A	-	-	-	-
EA19C2001A	-	-	-	-	GPSC19C2004A	0.79	0.06	170,557	-	HMPR13C2003A	0.07	-	8,414	-
EA19C2002A	0.02	-	3,655	-	GPSC19P2002A	-	-	-	-	HMPR13C2006A	0.29	(0.71)	15,790	-
EA19C2004A	0.20	(0.01)	22,279	-	GPSC19P2005A	0.35	(0.04)	53,972	-	HMPR19C2003A	-	-	-	-
EA19P2002A	0.43	0.02	4,286	-	GPSC24C2002A	1.31	0.11	70,613	1.00	HMPR19C2005A	0.27	0.02	20	-
EA24C2003A	-	-	-	-	GPSC27C2005A	0.60	0.05	106,359	-	HMPR24C2004A	0.11	-	6,031	-
EA24C2004A	0.23	(0.01)	68,789	-	GPSC41C2002A	1.03	(0.08)	400	1.00	HMPR27P2001A	0.05	(0.03)	1,210	-
EA27C2006A	0.24	(0.02)	24,230	-	GPSC41C2003A	-	-	-	-	HMPR28C2003A	-	-	-	-
EA28C2002A	0.01	-	200	-	GPSC41C2004A	0.71	0.08	377,536	-	HMPR41C2002A	-	-	-	-
EA28C2004A	0.08	(0.02)	8,332	-	GPSC41C2005A	0.96	0.07	53,990	-	HMPR41C2003A	-	-	-	-
EA28C2004B	0.14	(0.02)	18,252	-	GPSC41C2006A	1.09	0.09	33	1.00	HMPR41C2005A	-	-	-	-
EA41C2002A	-	-	-	-	GPSC41P2003A	-	-	-	-	HMPR41C2006A	0.26	-	11,964	-
EA41C2004A	-	-	-	-	GPSC41P2004A	0.51	(0.06)	5,000	-	HMPR41P2003A	-	-	-	-
EA41C2005A	-	-	-	-	GPSC41P2005A	0.61	(0.06)	101,100	-	HMPR42C2003A	-	-	-	-
EA41C2006A	0.27	(0.04)	3,150	-	GPSC42C2002A	0.79	0.07	22,626	-	HSI28C2001A	-	-	-	-
EA41P2003A	0.87	0.02	50	-	GULF01C2003A	1.44	0.08	225,937	1.00	HSI28C2001B	-	-	-	-
EA41P2004A	0.56	0.03	6	-	GULF01C2003B	0.72	0.05	632,411	-	HSI28C2001C	0.44	(0.26)	16,365	-
EA42C2001A	-	-	-	-	GULF01C2005A	1.64	0.08	126,873	1.00	HSI28C2002A	-	-	-	-
EA42C2004A	-	-	-	-	GULF01C2005B	1.25	0.12	131,048	1.00	HSI28C2002B	-	-	-	-
EGCO01C2001A	0.68	0.10	21,969	-	GULF01P2003A	0.06	(0.01)	192,869	-	HSI28C2002C	0.79	(0.22)	133,365	-
EGCO01C2001B	0.07	0.02	44,926	-	GULF01P2003B	0.08	(0.02)	329,277	-	HSI28C2003A	1.13	(0.23)	150,913	1.00
EGCO01C2004A	0.43	0.06	123,787	-	GULF01P2005A	0.72	(0.07)	295,099	-	HSI28C2003B	0.68	(0.18)	124,285	-
EGCO01C2004B	0.15	0.02	78,999	-	GULF03C2005A	0.88	0.08	60,449	-	HSI28C2003C	0.43	(0.12)	617	-
EGCO06C2004A	0.23	0.05	57,901	-	GULF06C2004A	1.95	0.18	32,927	1.00	HSI28P2001A	-	-	-	-
EGCO06P2004A	0.42	(0.11)	70,145	-	GULF08C2003A	1.22	0.12	37,053	1.00	HSI28P2001B	-	-	-	-
EGCO13C2002A	0.09	0.02	59,650	-	GULF11C2003A	2.66	0.12	4,245	2.00	HSI28P2001C	-	-	-	-
EGCO13C2005A	0.67	0.09	226,100	-	GULF11C2006A	1.30	0.11	39,323	1.00	HSI28P2002A	0.15	-	411	-
EGCO16C2001A	0.07	0.02	32,700	-	GULF13C2001A	0.30	0.03	38,792	-	HSI28P2002B	-	-	-	-
EGCO19C2002A	0.03	-	10,000	-	GULF13C2004A	1.13	0.07	189,273	1.00	HSI28P2002C	-	-	-	-
EGCO19C2005A	0.46	0.07	90,868	-	GULF13C2006A	0.98	0.07	649,370	-	HSI28P2003A	-	-	-	-
EGCO41C2001A	-	-	-	-	GULF13P2001B	-	-	-	-	HSI28P2003B	0.63	0.07	62	-
EGCO41C2002A	0.06	0.02	1	-	GULF13P2002A	0.01	-	19,500	-	HSI28P2003C	0.96	0.11	99,580	-
EGCO41C2003A	-	-	-	-	GULF13P2004A	0.27	(0.04)	388,072	-	INTU01C2003A	0.17	(0.01)	92,178	-
EGCO41C2004A	-	-	-	-	GULF13P2005A	0.68	(0.08)	292,615	-	INTU01C2003B	0.08	(0.01)	56,096	-
EGCO41C2006A	0.70	0.09	96,216	-	GULF16C2001A	3.22	0.18	30,952	3.00	INTU01C2006A	0.58	(0.02)	33,979	-
EGCO41P2002A	0.09	(0.05)	7,564	-	GULF16C2003A	1.07	0.10	94,930	1.00	INTU01C2006B	0.38	(0.02)	133,900	-
EGCO41P2004A	0.69	(0.06)	11,781	-	GULF16C2007A	1.57	0.12	61,064	1.00	INTU01P2003A	0.87	-	27,041	-
EGCO41P2006A	0.46	(0.06)	4,000	-	GULF19C2003A	1.33	0.13	7,245	1.00	INTU01P2003B	0.26	0.01	40,314	-
EGCO42C2003A	0.05	0.01	2,100	-	GULF19C2004A	0.77	0.05	67,988	-	INTU01P2006A	0.66	-	39,090	-
EGCO42C2007A	0.63	0.09	19,998	-	GULF19P2001A	-	-	-	-	INTU01P2006B	0.36	-	131,353	-
EPG08C2004A	0.12	(0.01)	10,280	-	GULF19P2003A	0.04	(0.01)	1,082	-	INTU11C2001A	0.09	(0.02)	44,490	-
EPG13C2004A	-	-	-	-	GULF19P2006A	0.61	(0.05)	22,561	-	INTU13C2002A	0.03	(0.01)	1,000	-
EPG19C2002A	-	-	-	-	GULF24C2001A	-	-	-	-	INTU13C2004A	0.29	(0.01)	65,938	-
EPG19C2005A	0.17	(0.01)	6,203	-	GULF24C2002A	0.96	0.08	19,276	-	INTU13P2004A	0.22	-	33,260	-
EPG19P2002A	0.20	-	15,971	-	GULF24C2005A	1.31	0.07	30,954	1.00	INTU16C2001A	-	-	-	-
ERW06C2001A	-	-	-	-	GULF24P2001A	-	-	-	-	INTU16C2005A	-	-	-	-
ERW06C2006A	0.14	(0.01)	74,181	-	GULF27C2004A	-	-	-	-	INTU16C2007A	0.29	(0.02)	55,864	-
ERW06P2001A	-	-	-	-	GULF28C2003A	0.50	0.03	78,810	-	INTU19C2004A	0.15	-	71,845	-
ERW06P2006A	0.35	0.02	37,695	-	GULF28C2003B	0.59	0.06	128,240	-	INTU19C2005A	0.39	(0.02)	20,596	-
ERW11C2001A	-	-	-	-	GULF41C2001A	-	-	-	-	INTU19P2002A	0.12	-	14,680	-
ERW13C2005A	0.09	(0.01)	34,855	-	GULF41C2001B	-	-	-	-	INTU23C2111A	0.93	(0.07)	6,000	-
ERW13C2006A	0.18	(0.82)	52,086	-	GULF41C2002A	-	-	-	-	INTU24C2003A	0.06	(0.02)	200	-
ERW19C2001A	-	-	-	-	GULF41C2003A	-	-	-	-	INTU28C2003A	-	-	-	-
ERW19C2005A	0.03	(0.02)	14,881	-	GULF41C2004A	0.86	0.08	34,762	-	INTU41C2003A	-	-	-	-
ERW19C2006A	0.20	(0.01)	45,123	-	GULF41C2005A	0.85	0.08	272,032	-	INTU41C2004A	-	-	-	-
ESSO01C2004A	0.29	(0.06)	112,899	-	GULF41C2006A	1.39	0.10	3,732	1.00	INTU41C2005A	-	-	-	-
ESSO01C2004B	0.20	(0.05)	130,096	-	GULF41P2001A	-	-	-	-	INTU41C2006A	0.37	(0.03)	371	-
ESSO08C2004A	0.27	(0.05)	70,878	-	GULF41P2002A	-	-	-	-	INTU41C2007A	0.39	(0.02)	2,209	-
ESSO11C2002A	-	-	-	-	GULF41P2003A	0.19	(0.04)	31	-	INTU41P2001A	-	-	-	-
ESSO13C2003A	0.11	(0.04)	139,192	-	GULF41P2004A	0.41	(0.04)	39,365	-	INTU41P2003A	-	-	-	-
ESSO13C2006A	0.32	(0.68)	104,181	-	GULF41P2005A	0.34	(0.01)	50	-	INTU41P2004A	-	-	-	-
ESSO19C2001A														

Main Board Quotation

Issue Date :

Monday, January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IRPC11C2008A	0.18	(0.03)	6,515	-	KBAN01C2004A	0.24	(0.09)	635,306	-	KTC13C2004A	0.07	(0.02)	2,897	-
IRPC13C2003A	0.05	(0.02)	130,253	-	KBAN01C2004B	0.22	(0.10)	253,973	-	KTC13C2006A	0.23	0.03	234,390	-
IRPC13C2006A	0.21	(0.05)	32,915	-	KBAN01P2002A	2.04	0.34	19,631	2.00	KTC13P2002A	0.44	(0.08)	88,448	-
IRPC19C2001A	-	-	-	-	KBAN01P2002B	1.10	0.28	45,463	1.00	KTC13P2006A	0.34	(0.66)	267,425	-
IRPC19C2003A	0.05	(0.01)	1,927	-	KBAN01P2004A	1.10	0.17	269,767	1.00	KTC19C2002A	-	-	-	-
IRPC19C2005A	0.20	(0.03)	104,437	-	KBAN01P2004B	0.27	0.07	441,167	-	KTC19C2005A	0.14	0.02	76,757	-
IRPC24C2002A	-	-	-	-	KBAN06C2001A	0.01	-	400	-	KTC19C2006A	0.27	(0.73)	22,325	-
IRPC24C2004A	0.12	(0.03)	29,168	-	KBAN06C2004A	0.16	(0.09)	44,360	-	KTC19P2001A	-	-	-	-
IRPC27C2007A	0.20	(0.04)	4,800	-	KBAN08C2001A	-	-	-	-	KTC19P2005A	0.48	(0.05)	14,396	-
IRPC28C2003A	-	-	-	-	KBAN08C2002A	-	-	-	-	KTC24C2001A	0.01	-	530	-
IRPC28C2003B	0.08	(0.02)	2,010	-	KBAN08C2005A	0.23	(0.08)	25,550	-	KTC27C2007A	0.22	0.02	56,975	-
IRPC41C2001A	-	-	-	-	KBAN08P2002A	0.58	0.18	11,035	-	KTC28C2002A	-	-	-	-
IRPC41C2002A	-	-	-	-	KBAN08P2004A	0.37	0.09	41,269	-	KTC28C2003A	-	-	-	-
IRPC41C2002B	-	-	-	-	KBAN13C2003A	0.07	(0.03)	57,332	-	KTC28C2004A	-	-	-	-
IRPC41C2003A	-	-	-	-	KBAN13C2003B	0.19	(0.09)	77,040	-	KTC41C2001A	-	-	-	-
IRPC41C2004A	-	-	-	-	KBAN13C2006A	0.43	(0.13)	307,061	-	KTC41C2004A	0.12	(0.13)	500	-
IRPC41C2005A	0.18	(0.03)	2,500	-	KBAN13P2003A	0.19	0.05	228,082	-	KTC41C2005A	-	-	-	-
IRPC41P2001A	-	-	-	-	KBAN16C2001A	-	-	-	-	KTC41C2006A	0.15	0.02	157	-
IRPC41P2002A	0.60	0.21	1,960	-	KBAN16C2005A	0.08	(0.03)	40,013	-	KTC41P2001A	-	-	-	-
IRPC41P2004A	-	-	-	-	KBAN19C2001A	-	-	-	-	KTC42C2003A	-	-	-	-
IRPC41P2005A	0.42	0.04	4	-	KBAN19C2003A	0.03	(0.02)	5,330	-	LH01C2003A	0.13	0.01	23,313	-
IRPC41P2006A	0.59	0.05	19,640	-	KBAN19C2004A	0.27	(0.09)	82,590	-	LH01P2003A	0.34	-	4,882	-
IRPC41P2007A	-	-	-	-	KBAN19P2004A	0.36	0.09	53,148	-	LH11C2007A	0.43	-	6,189	-
IRPC42C2002A	-	-	-	-	KBAN24C2001A	-	-	-	-	LH16C2002A	0.07	(0.01)	48	-
IRPC42C2003A	0.02	(0.01)	4	-	KBAN24C2005A	0.20	(0.09)	35,063	-	LH19C2003A	-	-	-	-
IVL01C2002A	0.03	-	187,428	-	KBAN27P2001A	0.19	0.08	51,385	-	LH19C2003B	-	-	-	-
IVL01C2002B	0.01	-	23,800	-	KBAN28C2002A	-	-	-	-	LH19P2004A	-	-	-	-
IVL01C2004A	0.21	(0.07)	253,605	-	KBAN28C2002B	-	-	-	-	LH41C2002A	-	-	-	-
IVL01C2004B	0.25	(0.10)	445,712	-	KBAN28C2003A	0.03	(0.04)	61	-	LH41C2004A	-	-	-	-
IVL01P2002A	1.01	0.18	44,808	-	KBAN28C2004A	0.24	(0.11)	34,960	-	LH41C2005A	0.17	-	3,100	-
IVL01P2002B	0.59	0.19	84,127	-	KBAN28P2003A	0.25	0.07	38,818	-	LH41P2003A	-	-	-	-
IVL01P2004A	0.36	0.07	473,253	-	KBAN41C2002A	-	-	-	-	MAJ006C2001A	-	-	-	-
IVL01P2004B	0.15	0.04	220,946	-	KBAN41C2003A	0.06	(0.05)	2,000	-	MAJ013C2002A	0.18	(0.02)	111,997	-
IVL06C2001A	0.01	-	162	-	KBAN41C2004A	0.12	0.01	3,000	-	MAJ019C2002A	0.03	(0.01)	21,144	-
IVL06C2003A	0.20	(0.14)	71,584	-	KBAN41C2005A	0.34	(0.12)	83,288	-	MAJ019C2006A	0.45	-	13,410	-
IVL06P2001A	0.02	-	895	-	KBAN41P2002A	0.54	(0.02)	1,060	-	MAJ024C2002A	-	-	-	-
IVL06P2005A	0.58	0.15	51,802	-	KBAN41P2004A	0.34	0.08	38,192	-	MBK19C2004A	0.17	(0.01)	25,369	-
IVL08C2002A	-	-	-	-	KBAN41P2005A	0.74	0.12	18,769	-	MEGA19C2001A	-	-	-	-
IVL08C2004A	0.25	(0.08)	75,631	-	KBAN41P2006A	1.02	0.14	9,060	1.00	MEGA19C2005A	0.20	-	16,666	-
IVL08P2003A	0.46	0.10	38,919	-	KBAN42C2003A	-	-	-	-	MINT01C2003A	0.18	(0.01)	115,154	-
IVL08P2004A	0.27	0.06	20,990	-	KBAN42C2004A	-	-	-	-	MINT01C2003B	0.06	(0.01)	800	-
IVL11C2005A	0.04	(0.01)	16,212	-	KCE01C2004A	1.01	(0.10)	139,432	1.00	MINT01P2003A	0.39	0.02	142,002	-
IVL11C2006A	0.31	(0.07)	105,478	-	KCE01C2004B	0.66	(0.10)	344,415	-	MINT06C2001A	-	-	-	-
IVL13C2002A	0.01	-	8	-	KCE01P2004A	0.78	0.08	443,653	-	MINT06C2002A	0.01	(0.02)	2,000	-
IVL13C2002B	0.03	(0.02)	44,425	-	KCE08C2002A	0.74	0.03	100	-	MINT06C2006A	0.27	(0.02)	14,871	-
IVL13C2003A	0.14	(0.08)	273,710	-	KCE08C2005A	0.37	(0.05)	77,610	-	MINT08C2003A	-	-	-	-
IVL13P2004A	0.30	0.07	134,380	-	KCE08C2005B	0.14	(0.02)	25,220	-	MINT11C2006A	0.16	(0.02)	23,796	-
IVL16C2001A	-	-	-	-	KCE11C2004A	0.65	(0.06)	60,510	-	MINT13C2002A	-	-	-	-
IVL16C2006A	0.15	(0.06)	64,460	-	KCE13C2003A	1.23	(0.12)	3	1.00	MINT13C2004A	0.09	(0.01)	31,675	-
IVL19C2001A	-	-	-	-	KCE13C2004A	0.46	(0.08)	525,235	-	MINT13C2006A	0.26	(0.01)	72,969	-
IVL19C2002A	0.02	(0.04)	1,797	-	KCE13C2005A	0.11	(0.02)	121,050	-	MINT16C2001A	-	-	-	-
IVL19C2003A	-	-	-	-	KCE16C2001A	0.06	(0.04)	685,666	-	MINT19C2001A	-	-	-	-
IVL19C2004A	0.28	(0.09)	16,818	-	KCE16C2007A	0.43	(0.07)	246,170	-	MINT19C2002A	-	-	-	-
IVL19C2006A	0.22	(0.08)	173,327	-	KCE19C2002A	0.54	(0.11)	27,091	-	MINT19C2004A	0.14	(0.01)	24,360	-
IVL19P2003A	0.18	0.05	63,908	-	KCE19C2005A	0.51	(0.07)	180,010	-	MINT19P2004A	0.21	0.02	10,861	-
IVL19P2006A	0.47	0.07	12,608	-	KCE24C2005A	1.01	(0.11)	110,536	1.00	MINT23C2001A	-	-	-	-
IVL24C2001A	-	-	-	-	KCE27C2007A	0.30	(0.70)	80,836	-	MINT24C2001A	-	-	-	-
IVL24C2002A	0.03	(0.03)	810	-	KCE28C2003A	-	-	-	-	MINT24C2006A	0.21	(0.02)	41,732	-
IVL24C2003A	0.21	(0.08)	58,239	-	KCE28C2003B	-	-	-	-	MINT28C2002A	-	-	-	-
IVL27P2007A	0.40	0.05	58,663	-	KCE41C2002A	-	-	-	-	MINT41C2001A	-	-	-	-
IVL28C2002A	-	-	-	-	KCE41C2003A	-	-	-	-	MINT41C2002A	-	-	-	-
IVL28C2003A	0.05	(0.04)	4,723	-	KCE41C2005A	0.57	(0.07)	216,629	-	MINT41C2005A	-	-	-	-
IVL28C2003B	0.09	(0.07)	30,818	-	KCE41C2006A	-	-	-	-	MINT41P2004A	0.28	(0.03)	1,004	-
IVL28P2003A	-	-	-	-	KCE42C2001A	0.49	(0.24)	31,675	-	MINT42C2002A	-	-	-	-
IVL41C2002A	-	-	-	-	KKP01C2001A	0.26	0.03	43,241	-	MINT42C2004A	0.06	(0.02)	6,200	-
IVL41C2002B	-	-	-	-	KKP01C2001B	-	-	-	-	MTC01C2003A	0.55	(0.03)	38,657	-
IVL41C2003A	-	-	-	-	KKP01C2006A	0.64	0.02	70,579	-	MTC01C2003B	0.28	(0.02)	24,839	-
IVL41C2004A	0.29	(0.10)	8	-	KKP01C2006B	0.43	0.03	83,447	-	MTC01P2003A	0.29	-	43,194	-
IVL41C2005A	-	-	-	-	KKP01P2001A	0.48	(0.04)	33,490	-	MTC03C2005A	0.49	(0.03)	8,228	-
IVL41C2006A	-	-	-	-	KKP01P2006A	0.61	(0.02)	83,776	-	MTC08C2005A	0.57	(0.03)	9,157	-
IVL41C2007A	-	-	-	-	KKP08C2003A	0.15	0.01	18,500	-	MTC11C2002A	0.82	(0.02)	6,500	-
IVL41P2002A	-	-	-	-	KKP11C2007A	0.44	0.02	50,524	-	MTC11C2008A	0.60	(0.01)	8,200	-
IVL41P2003A	-	-	-	-	KKP13C2004A	0.21	-	133,141	-	MTC13C2003A	0.40	(0.02)	45,382	-
IVL41P2004A	-	-	-	-	KKP16C2002A	0.31	0.02	94,379	-	MTC13P2003A	0.13	-	9,006	-
IVL41P2005A	0.63	0.07	12,616	-	KKP19C2003A	0.20	0.01	23,520	-	MTC16C2007A	0.40	(0.03)	39,810	-
IVL41P2006A	0.49	0.02	39,230	-	KKP24C2003A	0.21	-	11,812	-	MTC19C2002A	0.29	(0.02)	9,186	-
IVL41P2007A	-	-	-	-	KKP27P2002A	0.08	(0.02)	14,142	-	MTC19C2006A	0.40	(0.02)	12,665	-
IVL42C2001A	-	-	-	-	KKP41C2002A	-	-	-	-	MTC19P2004A	0.22	-	68,815	-
IVL42C2002A	0.02	(0.01)	200	-	KKP41C2006A	-	-	-	-	MTC24C2004A	0.48	(0.02)	6,500	-
IVL42C2005A	0.20	(0.80)	14,700	-	KTBO1C2003A	0.18	(0.03)	84,962	-	MTC27C2007A	0.56	(0.02)	7,600	-
JAS06C2002A	0.02	(0.01)	1,153	-	KTBO1P2003A	0.35	0.04	21,655	-	MTC28C2002A	0.30	(0.03)	10,340	-
JAS13C2001A	-	-	-	-	KTB11C2004A	-	-	-	-	MTC41C2003A	0.35	(0.03)	12,280	-
JAS13C2002A	0.37	(0.09)	14,225	-	KTB11C2006A	0.10	(0.01)	700	-	MTC41C2004A	-	-	-	-
JAS13C2002B	0.08	(0.02)	35,005	-	KTB13C2002A	-	-	-	-	MTC41P2003A	0.10	(0.07)	500	-
JAS16C2002A	0.03	(0.01)	5,600	-	KTB13C2006A	0.22	(0.03)	29,588	-	MTC41P2004A	-	-	-	-
JAS16C2002B	-	-	-	-	KTB19C2002A	0.02	-	1	-	MTC42C2003A	-	-	-	-
JAS19C2002A	-	-	-	-	KTB19C2005A	0.18	(0.03)	20,946	-	ORIO8C2001A	-	-	-	-
JAS19C2004A	0.26	(0.01)	10,361	-	KTB24C2004A	-	-	-	-	ORI13C2004A	0.26	(0.04)	59,126	-
JAS19P2001A	-	-	-	-	KTB41C2002A	-	-	-	-	ORI19C2001A	-	-	-	-
JAS28C2002A	-	-	-											

Main Board Quotation

Issue Date :

Monday, January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP08C2004A	0.27	0.03	46,528	-	PTT01P2007A	0.64	(0.01)	1,536	-	PTTG19P2006A	0.57	0.01	64,444	-
OSP11C2005A	0.49	0.04	93,632	-	PTT01P2007B	-	-	-	-	PTTG24C2003A	0.43	(0.05)	16,064	-
OSP13C2002A	0.18	0.02	176,920	-	PTT06C2005A	0.37	0.01	6,135	-	PTTG27C2001A	-	-	-	-
OSP13C2004A	0.43	0.04	31,800	-	PTT08C2005A	0.36	0.01	5,950	-	PTTG27P2006A	0.40	0.03	25,050	-
OSP16C2001A	0.46	0.04	16,821	-	PTT08P2005A	0.17	(0.01)	4	-	PTTG28C2002A	-	-	-	-
OSP19C2004A	0.23	0.03	65,771	-	PTT11C2004A	0.12	-	9,392	-	PTTG28C2003A	0.29	(0.04)	11,154	-
OSP19C2005A	0.48	0.04	16,818	-	PTT13C2004A	0.25	-	138,849	-	PTTG41C2001A	-	-	-	-
OSP24C2008A	0.56	0.05	27,375	-	PTT13P2001A	-	-	-	-	PTTG41C2002A	-	-	-	-
OSP28C2003A	0.20	0.03	56,648	-	PTT13P2004A	0.14	(0.01)	20,812	-	PTTG41C2003A	-	-	-	-
OSP41C2003A	-	-	-	-	PTT13P2006A	0.34	(0.03)	30,481	-	PTTG41C2005A	-	-	-	-
OSP41C2004A	-	-	-	-	PTT16C2001A	-	-	-	-	PTTG41C2006A	0.39	(0.03)	6,780	-
OSP41C2005A	0.39	0.04	38,990	-	PTT19C2002A	0.13	-	27,305	-	PTTG41P2001A	-	-	-	-
OSP41P2003A	0.07	(0.01)	100	-	PTT19C2005A	0.40	(0.01)	4,829	-	PTTG41P2002A	-	-	-	-
OSP41P2004A	0.25	(0.02)	7,184	-	PTT19P2003A	-	-	-	-	PTTG41P2003A	-	-	-	-
OSP42C2001A	0.42	0.10	22,180	-	PTT19P2006A	0.30	(0.03)	229	-	PTTG41P2006A	0.56	0.02	1,008	-
OSP42C2005A	0.43	0.01	13,564	-	PTT24C2003A	0.14	-	2,446	-	PTTG42C2003A	-	-	-	-
PLAN08C2004A	0.09	(0.01)	20,000	-	PTT24P2001A	-	-	-	-	QH01C2001A	-	-	-	-
PLAN13C2004A	0.14	(0.01)	50,527	-	PTT28C2002A	-	-	-	-	QH01C2001B	-	-	-	-
PLAN13C2005A	0.36	(0.02)	54,376	-	PTT28C2003A	0.04	-	14,540	-	QH01C2006A	0.31	(0.01)	82,237	-
PLAN16C2002A	0.25	(0.01)	20,050	-	PTT28C2004A	0.19	(0.01)	4,056	-	QH01C2006B	0.22	0.01	24,027	-
PLAN19C2001A	-	-	-	-	PTT28P2004A	0.13	(0.01)	2,228	-	QH01P2001A	0.32	(0.02)	16,880	-
PLAN19C2005A	0.21	(0.02)	3,458	-	PTT41C2001A	-	-	-	-	QH01P2006A	0.39	(0.01)	32,109	-
PLAN24C2006A	0.36	(0.03)	10,871	-	PTT41C2002A	-	-	-	-	QH11C2006A	0.21	0.01	23,198	-
PLAN28C2002A	0.01	(0.02)	1,650	-	PTT41C2004A	-	-	-	-	QH13C2003A	-	-	-	-
PLAN28C2004A	0.13	(0.03)	6,591	-	PTT41C2005A	-	-	-	-	QH19C2002A	-	-	-	-
PLAN28C2005A	0.25	(0.02)	4,563	-	PTT41C2006A	0.30	-	433	-	QH19C2006A	0.19	-	860	-
PLAN41C2002A	-	-	-	-	PTT41P2001A	-	-	-	-	QH27C2007A	0.19	(0.01)	10,118	-
PLAN41C2004A	-	-	-	-	PTT41P2004A	-	-	-	-	RATC01C2003A	0.34	0.05	94,934	-
PLAN41C2005A	0.22	(0.03)	3	-	PTT41P2005A	-	-	-	-	RATC01C2003B	0.15	0.03	92,490	-
PLAN41C2006A	0.33	(0.02)	4,902	-	PTT42C2003A	-	-	-	-	RATC01C2006A	0.93	0.08	48,534	-
PRM08C2003A	0.05	-	1,702	-	PTTE01C2001A	0.36	0.02	18,532	-	RATC01C2006B	0.70	0.08	67,054	-
PRM13C2003A	0.08	(0.01)	6,000	-	PTTE01C2001B	-	-	-	-	RATC01P2006A	0.56	(0.07)	38,813	-
PRM19C2001A	-	-	-	-	PTTE01C2004A	0.78	(0.01)	57,953	-	RATC06C2006A	0.82	0.15	28,211	-
PRM19C2004A	0.14	(0.01)	27,634	-	PTTE01C2004B	0.52	0.01	100,810	-	RATC06P2006A	0.16	(0.05)	23,724	-
PRM27C2002A	0.02	-	5,000	-	PTTE01C2007A	0.72	(0.01)	39,278	-	RATC13C2001A	0.01	-	9	-
PRM41C2002A	-	-	-	-	PTTE01C2007B	0.47	(0.01)	47,073	-	RATC13C2002A	0.02	0.01	6,246	-
PRM42C2001A	-	-	-	-	PTTE01P2001A	0.59	0.01	17,328	-	RATC13C2004A	0.40	0.06	171,693	-
PRM42C2006A	0.43	(0.01)	14,594	-	PTTE01P2001B	-	-	-	-	RATC16C2001A	0.17	0.07	38,524	-
PSH19C2001A	-	-	-	-	PTTE01P2004A	0.28	0.01	53,283	-	RATC19C2002A	0.04	-	1,336	-
PSH19C2003A	0.06	(0.01)	4,000	-	PTTE01P2004B	0.13	-	46,392	-	RATC19C2005A	0.43	0.07	119,285	-
PSH19C2005A	0.29	-	10,978	-	PTTE01P2007A	0.86	-	19,979	-	RATC24C2001A	0.26	0.09	53	-
PSL06C2002A	-	-	-	-	PTTE01P2007B	0.48	-	108,672	-	RATC24C2006A	0.76	0.10	36,242	-
PSL13C2003A	0.14	(0.03)	17,126	-	PTTE06C2001B	0.26	(0.01)	7,950	-	RATC27C2004A	0.12	0.02	12,594	-
PSL19C2004A	0.10	(0.02)	3,114	-	PTTE06C2006A	0.42	(0.01)	94,233	-	RATC27C2007A	0.78	0.07	16,850	-
PSL19C2006A	0.31	(0.03)	9,382	-	PTTE06P2006A	0.56	(0.02)	31,309	-	RATC41C2001A	0.13	(0.03)	1	-
PSL27C2002A	-	-	-	-	PTTE08C2002A	0.15	-	12,550	-	RATC41C2002A	0.04	0.01	20	-
PTG01C2001A	0.01	-	44,167	-	PTTE08C2005A	0.54	(0.01)	13,276	-	RATC41C2003A	0.09	0.03	10	-
PTG01C2001B	0.01	-	7,922	-	PTTE08P2005A	0.26	-	12,375	-	RATC41C2004A	-	-	-	-
PTG01C2003A	0.07	(0.03)	70,033	-	PTTE11C2006A	0.67	0.02	17,905	-	RATC41C2005A	0.53	0.08	44,945	-
PTG01C2003B	0.04	(0.01)	1,000	-	PTTE13C2004A	0.57	-	1,831	-	RATC41P2004A	0.37	(0.04)	616	-
PTG01C2005A	0.30	(0.06)	109,930	-	PTTE13C2006A	0.50	(0.01)	41,513	-	RATC41P2006A	0.40	(0.04)	1,004	-
PTG01C2005B	0.14	(0.05)	140,992	-	PTTE13P2003A	0.11	(0.01)	31,350	-	RATC42C2003A	-	-	-	-
PTG01P2001A	0.79	0.16	10,833	-	PTTE13P2006A	0.55	(0.01)	25,290	-	RATC42C2006A	0.66	0.07	6,736	-
PTG01P2003A	0.92	0.14	38,661	-	PTTE16C2003A	0.28	-	65,063	-	ROBI08C2001A	0.37	0.04	30	-
PTG01P2005A	0.84	0.10	36,538	-	PTTE19C2001A	0.02	0.01	1,000	-	ROBI11C2003A	-	-	-	-
PTG01P2005B	0.60	0.08	121,626	-	PTTE19C2002A	0.31	(0.01)	410	-	ROBI13C2002A	-	-	-	-
PTG03C2005A	0.02	-	72,087	-	PTTE19C2006A	0.45	-	13,002	-	ROBI19C2004A	-	-	-	-
PTG06C2001A	-	-	-	-	PTTE19P2004A	-	-	-	-	RS06C2004A	0.28	(0.06)	9,460	-
PTG06C2006A	0.21	(0.05)	25,623	-	PTTE19P2006A	0.54	-	1,494	-	RS08C2001A	-	-	-	-
PTG08C2005A	0.13	(0.04)	12,048	-	PTTE24C2003A	0.40	(0.02)	8,935	-	RS08P2003A	0.98	0.06	336	-
PTG11C2003A	0.19	(0.06)	12,150	-	PTTE28C2002A	0.19	(0.03)	6,036	-	RS13C2002A	-	-	-	-
PTG11C2005A	0.08	(0.02)	5,279	-	PTTE28C2005A	0.38	(0.01)	14,501	-	RS13C2004A	0.25	(0.02)	61,391	-
PTG13C2002A	-	-	-	-	PTTE28P2004A	0.11	-	4,258	-	RS16C2001A	-	-	-	-
PTG13C2004A	0.13	(0.04)	143,244	-	PTTE41C2002A	-	-	-	-	RS16C2005A	-	-	-	-
PTG13C2006A	0.32	(0.06)	183,913	-	PTTE41C2003A	-	-	-	-	RS19C2002A	-	-	-	-
PTG13P2001A	0.40	0.11	26,705	-	PTTE41C2005A	0.57	(0.01)	4	-	RS19C2004A	0.10	(0.02)	10,026	-
PTG13P2004A	0.54	0.06	94,799	-	PTTE41C2006A	0.61	0.01	216	-	RS19C2005A	0.26	(0.04)	7,066	-
PTG13P2006A	0.39	0.05	177,927	-	PTTE41P2002A	-	-	-	-	RS24C2004A	0.09	-	200	-
PTG19C2003A	0.07	(0.03)	593	-	PTTE41P2003A	-	-	-	-	RS24C2008A	0.45	(0.04)	17,795	-
PTG19C2004A	0.06	(0.01)	3,100	-	PTTE42C2001A	-	-	-	-	RS41C2002A	-	-	-	-
PTG19C2005A	0.20	(0.04)	35,688	-	PTTE42C2004A	0.28	(0.01)	8,121	-	RS41C2004A	-	-	-	-
PTG19C2006A	0.35	(0.06)	9,637	-	PTTG01C2002A	0.42	(0.04)	63,340	-	RS42C2004A	-	-	-	-
PTG19P2001A	0.37	0.11	11,752	-	PTTG01C2002B	0.18	(0.03)	302,018	-	S10001C2011A	0.61	(0.04)	30	-
PTG19P2006A	0.58	0.06	15,519	-	PTTG01C2005A	0.49	(0.03)	93,779	-	S5001C2001A	0.19	(0.07)	185,803	-
PTG24C2002A	0.02	(0.02)	500	-	PTTG01C2005B	0.28	(0.02)	52,679	-	S5001C2002A	0.55	(0.09)	300,988	-
PTG27C2007A	0.38	(0.07)	55,893	-	PTTG01P2002A	0.36	0.03	99,352	-	S5001C2003F	0.54	(0.10)	2,097,214	-
PTG27P2001A	0.19	0.06	22,114	-	PTTG01P2002B	0.06	0.01	500	-	S5001C2003G	0.36	(0.08)	1,164,865	-
PTG28C2004A	0.06	(0.03)	1,200	-	PTTG01P2005A	0.76	0.04	47,937	-	S5001C2003H	0.74	(0.12)	872,392	-
PTG41C2002A	-	-	-	-	PTTG01P2005B	0.50	0.03	173,225	-	S5001C2004A	0.79	(0.10)	292,128	-
PTG41C2004A	-	-	-	-	PTTG06C2001A	0.04	(0.02)	9,975	-	S5001P2001A	0.60	0.10	50,934	-
PTG41C2005A	-	-	-	-	PTTG06C2006A	0.30	(0.04)	42,681	-	S5001P2002A	0.46	0.07	744,656	-
PTG41C2006A	0.25	(0.05)	23,748	-	PTTG08C2001A	-	-	-	-	S5001P2003F	0.57	0.06	2,093,582	-
PTG41P2005A	0.63	(0.02)	34,034	-	PTTG08C2004A	0.40	(0.03)	21,620	-	S5001P2003G	0.42	0.05	1,287,907	-
PTG42C2001A	-	-	-	-	PTTG08P2004A	0.21	-	11,001	-	S5001P2003H	0.81	0.09	1,100,669	-
PTG42C2004A	0.06	(0.03)	996	-	PTTG11C2004A	0.10	(0.02)	12,622	-	S5001P2004A	0.86	0.07	718,815	-
PTT01C2001A	0.22	0.01	32,765	-	PTTG11C2007A	0.66	(0.04)	21,902	-	S5006C2003A	0.24	(0.06)	187,669	-
PTT01C2001B	0.01	(0.01)	274	-	PTTG13C2002A	0.34	(0.03)	130	-	S5006C2003B	0.33	(0.08)	138,496	-
PTT01C2004A														

Main Board Quotation

Issue Date :
Monday, January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5011C2003A	0.69	(0.09)	160,892	-	SCB28C2004A	0.04	(0.14)	20,570	-	STA19C2005A	0.50	-	7,987	-
S5011P2003A	0.47	0.04	123,897	-	SCB41C2001A	-	-	-	-	STA24C2002A	-	-	-	-
S5013C2003A	0.34	(0.07)	11,111,553	-	SCB41C2002A	0.02	(0.23)	1,401	-	STA42C2001A	-	-	-	-
S5013C2003B	0.64	(0.11)	6,362,903	-	SCB41C2004A	0.10	(0.24)	53,115	-	STEC01C2003A	0.12	(0.03)	49,964	-
S5013C2003C	0.51	(0.09)	5,193,749	-	SCB41C2005A	0.10	(0.16)	9,280	-	STEC01C2003B	0.02	(0.01)	80	-
S5013P2003A	0.82	0.08	2,937,300	-	SCB41P2004A	0.43	0.20	44,084	-	STEC01C2004A	0.26	(0.04)	76,729	-
S5013P2003B	0.46	0.05	10,490,189	-	SCB41P2005A	0.79	0.35	10,484	-	STEC01C2006A	0.54	(0.04)	51,740	-
S5013P2003C	0.69	0.07	5,786,428	-	SCB42C2003A	0.01	(0.03)	70,085	-	STEC01C2006B	0.33	(0.04)	137,765	-
S5016C2003A	0.33	(0.07)	226,458	-	SCB42C2006A	0.14	(0.25)	188,247	-	STEC01P2003A	0.71	0.07	61,105	-
S5016C2003B	0.54	(0.10)	286,312	-	SCC01C2001A	0.01	-	31,166	-	STEC01P2006A	0.55	0.04	128,361	-
S5016C2003C	0.74	(0.07)	106,683	-	SCC01C2001B	0.01	-	151	-	STEC06C2002A	0.01	(0.01)	1,159	-
S5016P2003A	0.46	0.05	201,923	-	SCC01C2004A	0.68	(0.04)	80,045	-	STEC06C2004A	0.43	(0.06)	26,360	-
S5016P2003C	0.68	0.06	118,693	-	SCC01C2004B	0.31	(0.01)	49,967	-	STEC08C2001A	-	-	-	-
S5019C2003A	0.34	(0.08)	452,792	-	SCC01P2001A	0.80	0.04	32,167	-	STEC08C2004A	0.04	(0.01)	500	-
S5019C2003B	0.76	(0.13)	522,281	-	SCC01P2004A	0.82	0.03	102,533	-	STEC08C2005A	0.48	(0.03)	30,000	-
S5019P2003A	0.53	0.06	353,011	-	SCC06C2002A	-	-	-	-	STEC11C2001A	-	-	-	-
S5019P2003B	0.22	0.04	460,348	-	SCC08C2002A	-	-	-	-	STEC11C2007A	0.12	(0.01)	2,216	-
S5019P2003C	0.77	(0.23)	362,054	-	SCC08C2004A	0.29	(0.03)	10,000	-	STEC13C2001A	-	-	-	-
S5024C2003A	0.34	(0.10)	170,300	-	SCC11C2003A	-	-	-	-	STEC13C2003A	0.18	(0.02)	93,934	-
S5024C2003B	0.79	(0.21)	262,445	-	SCC11C2006A	0.07	(0.01)	4	-	STEC13C2004A	0.39	(0.05)	192,955	-
S5024P2003A	0.62	0.08	266,045	-	SCC11C2007A	0.57	(0.04)	27,052	-	STEC16C2003A	-	-	-	-
S5024P2003B	0.23	0.03	48,324	-	SCC13C2002A	0.07	(0.02)	12,724	-	STEC16C2006A	0.15	(0.01)	7,893	-
S5028C2001A	0.03	(0.02)	4,053	-	SCC13C2004A	0.39	(0.02)	25,638	-	STEC19C2002A	-	-	-	-
S5028C2002A	0.19	(0.06)	30,450	-	SCC13P2002A	0.13	0.01	18,417	-	STEC19C2004A	0.15	(0.03)	12,486	-
S5028C2003A	0.09	(0.01)	87,511	-	SCC13P2006A	0.54	0.02	36,653	-	STEC19C2005A	0.43	(0.03)	12,596	-
S5028C2003B	0.25	(0.03)	217,351	-	SCC16C2002A	-	-	-	-	STEC24C2003A	-	-	-	-
S5028C2006A	0.37	(0.02)	137,414	-	SCC16C2005A	0.19	(0.02)	23,833	-	STEC24C2006A	0.51	(0.05)	12,048	-
S5028P2001A	0.10	(0.01)	62,136	-	SCC19C2002A	-	-	-	-	STEC27C2002A	-	-	-	-
S5028P2002A	0.18	0.01	105,811	-	SCC19C2003A	-	-	-	-	STEC27C2002B	-	-	-	-
S5028P2003A	0.20	0.01	91,595	-	SCC19C2003B	0.10	(0.02)	4,059	-	STEC28C2002A	-	-	-	-
S5028P2006A	0.36	0.01	157,255	-	SCC19C2006A	0.43	(0.03)	19,774	-	STEC28C2004A	0.12	0.01	1	-
S5041C2003A	0.21	(0.03)	994,820	-	SCC19P2004A	0.38	0.03	25,942	-	STEC28C2004B	0.24	(0.03)	27,220	-
S5041C2003B	0.33	(0.06)	222,552	-	SCC24C2003A	0.10	(0.02)	4,000	-	STEC28C2005A	0.42	(0.04)	18,191	-
S5041C2003C	0.47	(0.07)	36,567	-	SCC27C2001A	-	-	-	-	STEC41C2001A	-	-	-	-
S5041C2003D	0.47	(0.09)	1,042,974	-	SCC28C2002A	-	-	-	-	STEC41C2003A	-	-	-	-
S5041C2003E	0.64	(0.09)	33,884	-	SCC28C2003A	0.07	(0.01)	1	-	STEC41C2004A	-	-	-	-
S5041P2003A	0.38	0.03	294,159	-	SCC28C2004A	0.32	(0.02)	13,482	-	STEC41C2005A	-	-	-	-
S5041P2003B	0.57	0.05	48,154	-	SCC41C2002A	-	-	-	-	STEC41C2006A	0.52	(0.06)	200	-
S5041P2003C	0.23	0.02	1,278,528	-	SCC41C2003A	-	-	-	-	STEC41P2001A	0.19	0.03	2	-
S5041P2003D	0.71	0.09	1,905,756	-	SCC41C2004A	0.20	(0.04)	11,880	-	STEC41P2003A	0.92	0.08	20	-
S5041P2003E	0.82	0.08	33,356	-	SCC41C2005A	0.32	(0.02)	6,596	-	STEC41P2004A	0.24	0.02	5,045	-
SAWA01C2003A	1.13	-	18,210	1.00	SCC41P2001A	-	-	-	-	STEC41P2005A	0.28	0.04	7	-
SAWA01C2003B	0.68	(0.04)	89,191	-	SCC41P2004A	0.30	-	12,213	-	STEC42C2001A	-	-	-	-
SAWA01C2006A	0.85	(0.01)	23,936	-	SCC41P2005A	0.58	0.02	11,670	-	STEC42C2004A	0.32	(0.06)	11,263	-
SAWA01C2006B	0.54	(0.02)	46,787	-	SCC42C2002A	-	-	-	-	SUPE13C2003A	-	-	-	-
SAWA01P2003A	0.18	(0.01)	28,460	-	SCC42C2003A	0.08	(0.22)	8	-	SUPE19C2002A	-	-	-	-
SAWA01P2006A	0.92	(0.01)	53,355	-	SGP13C2004A	0.36	(0.04)	169,340	-	SUPE19C2004A	-	-	-	-
SAWA06C2002A	0.73	(0.04)	4,166	-	SGP13C2006A	0.11	(0.02)	8,578	-	SUPE42C2004A	0.09	(0.01)	5,000	-
SAWA08C2001A	0.53	(0.04)	13,000	-	SGP19C2001A	-	-	-	-	TASC01C2003A	0.39	0.02	49,891	-
SAWA11C2003A	0.92	(0.03)	24,599	-	SGP19C2002A	0.17	(0.01)	19,197	-	TASC01C2003B	0.14	0.01	69,074	-
SAWA13C2002A	-	-	-	-	SGP19C2006A	0.13	(0.02)	8,780	-	TASC01P2003A	0.32	(0.04)	167,861	-
SAWA13C2005A	0.63	(0.02)	40,762	-	SGP24C2002A	0.19	(0.03)	29,206	-	TASC08C2005A	0.29	0.02	19,787	-
SAWA16C2001A	0.71	(0.05)	18,352	-	SGP42C2001A	-	-	-	-	TASC11C2002A	0.70	0.05	18,034	-
SAWA19C2002A	0.48	(0.02)	28,620	-	SIRI13C2007A	0.18	(0.02)	4,001	-	TASC13C2003A	0.21	0.01	67,978	-
SAWA19C2005A	0.54	(0.03)	10,144	-	SIRI19C2002A	-	-	-	-	TASC13C2006A	0.50	0.02	59,155	-
SAWA24C2004A	0.67	(0.02)	20,850	-	SIRI19C2004A	-	-	-	-	TASC16C2001A	-	-	-	-
SAWA27C2007A	0.61	(0.02)	38,730	-	SIRI19C2007A	-	-	-	-	TASC19C2003A	0.20	-	14,577	-
SAWA28C2002A	-	-	-	-	SPAL01C2004A	0.36	-	58,994	-	TASC19C2006A	0.71	0.03	5,038	-
SAWA28C2004A	0.47	(0.02)	62,593	-	SPAL01C2004B	0.20	-	166,674	-	TASC19P2004A	0.30	(0.04)	24,343	-
SAWA41C2003A	0.78	0.04	175	-	SPAL06P2004A	0.36	(0.01)	40,675	-	TASC24C2001A	-	-	-	-
SAWA41C2004A	0.51	-	26,032	-	SPAL11C2006A	0.36	(0.01)	42,481	-	TASC24C2006A	0.45	0.04	25,914	-
SAWA41C2005A	0.58	0.02	14,780	-	SPAL13C2003A	0.20	-	125,570	-	TASC28C2004A	0.18	0.01	32,462	-
SAWA41P2003A	0.07	(0.01)	100	-	SPAL16C2002A	-	-	-	-	TASC41C2003A	-	-	-	-
SAWA41P2004A	0.38	0.02	8,442	-	SPAL19C2002A	-	-	-	-	TASC41C2004A	-	-	-	-
SAWA41P2005A	0.78	(0.22)	4,000	-	SPAL19C2004A	0.25	-	81,783	-	TASC42C2003A	-	-	-	-
SAWA42C2003A	0.37	(0.04)	5,253	-	SPAL24C2003A	0.04	(0.03)	2,000	-	TASC42C2005A	0.54	(0.46)	4,568	-
SCB01C2002A	0.02	(0.07)	451,896	-	SPAL27C2008A	0.25	(0.75)	32,056	-	TCAP01C2001A	0.21	(0.05)	15,230	-
SCB01C2002B	0.02	-	15,096	-	SPAL41C2001A	0.01	-	100	-	TCAP01C2001B	-	-	-	-
SCB01C2004A	0.22	(0.24)	1,673,566	-	SPAL41C2002A	-	-	-	-	TCAP01P2001A	0.08	0.02	27,078	-
SCB01C2004B	0.08	(0.17)	695,805	-	SPAL41C2004A	0.31	-	2,764	-	TCAP11C2002A	0.10	(0.02)	24,891	-
SCB01P2002A	1.89	0.66	36,918	1.00	SPAL42C2003A	0.10	0.02	1,421	-	TCAP13C2002A	0.24	(0.04)	86,661	-
SCB01P2002B	1.34	0.68	26,390	1.00	SPRC01C2003A	0.28	(0.06)	122,831	-	TCAP19C2001A	-	-	-	-
SCB01P2004A	0.73	0.32	319,210	-	SPRC01C2003B	0.05	(0.01)	6,402	-	TCAP19C2004A	0.33	(0.04)	22,078	-
SCB01P2004B	0.36	0.23	930,897	-	SPRC06P2003A	0.08	0.02	313	-	TCAP24C2001A	-	-	-	-
SCB06C2001A	-	-	-	-	SPRC08C2005A	0.30	(0.04)	63,363	-	TCAP41C2002A	-	-	-	-
SCB08C2002A	-	-	-	-	SPRC11C2005A	0.07	(0.01)	10,750	-	TCAP41C2004A	0.23	(0.04)	8,784	-
SCB08C2005A	0.12	(0.18)	71,728	-	SPRC13C2004A	0.06	(0.02)	38,975	-	THAI11C2003A	-	-	-	-
SCB08P2004A	0.54	0.30	36,286	-	SPRC13C2006A	0.32	(0.06)	189,058	-	THAI13C2004A	0.14	(0.01)	15,688	-
SCB11C2005A	0.04	(0.03)	14,654	-	SPRC19C2001A	-	-	-	-	THAI19C2002A	-	-	-	-
SCB11C2006A	0.06	(0.11)	114,429	-	SPRC19C2002A	0.27	(0.09)	14,347	-	THAI19C2004A	0.16	(0.01)	10,000	-
SCB11P2005A	1.29	0.60	31,564	1.00	SPRC19C2005A	0.31	(0.05)	55,523	-	THAI27C2008A	0.42	(0.58)	8,102	-
SCB13C2003A	0.04	(0.13)	905,800	-	SPRC19C2005B	0.09	(0.01)	14,860	-	THAI42C2003A	0.02	-	8,900	-
SCB13C2006A	0.16	(0.84)	910,949	-	SPRC19P2005A	0.48	0.03	57,464	-	THAI42C2005A	0.13	(0.05)	2,604	-
SCB13P2003A	0.31	0.23	255,838	-	SPRC24C2003A	0.04	(0.01)	190	-	THAN01C2001A	-	-	-	-
SCB13P2006A	0.81	(0.19)	75,382	-	SPRC41C2002A	0.09	(0.06)	9,930	-	THAN01C2001B	0.			

Main Board Quotation

Issue Date :

Monday, January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAN27C2003A	-	-	-	-	THP19C2002A	-	-	-	-	WHA24P2003A	1.07	0.23	1,310	-
THAN41C2002A	-	-	-	-	THP19C2004A	0.41	(0.01)	2,678	-	WHA27C2008A	0.21	(0.79)	75,950	-
THAN41C2005A	-	-	-	-	TRUE01C2002A	0.02	-	23,962	-	WHA28C2003A	-	-	-	-
TISCO01C2001A	1.06	(0.02)	120	1.00	TRUE01C2002B	-	-	-	-	WHA28C2003B	-	-	-	-
TISCO01C2001B	0.19	(0.03)	7,084	-	TRUE01C2004A	0.04	(0.02)	130,708	-	WHA28C2004A	-	-	-	-
TISCO01C2006A	1.06	(0.02)	2,206	1.00	TRUE01C2004B	0.18	(0.03)	187,133	-	WHA28C2005A	0.06	(0.03)	6,000	-
TISCO01C2006B	0.33	(0.01)	28,427	-	TRUE01P2002A	1.41	0.04	33,613	1.00	WHA41C2003A	-	-	-	-
TISCO01P2001A	0.01	-	120	-	TRUE01P2002B	1.20	0.08	58,289	1.00	WHA41C2004A	-	-	-	-
TISCO01P2006A	0.50	0.01	52,199	-	TRUE01P2004A	0.65	0.04	57,983	-	WHA41C2005A	0.07	(0.04)	522	-
TISCO08C2001A	0.08	(0.01)	2,990	-	TRUE01P2004B	0.35	0.04	287,671	-	WHA41C2006A	0.17	(0.10)	58,006	-
TISCO08C2002A	0.09	(0.01)	2,000	-	TRUE06C2004A	0.20	(0.05)	60,138	-	WHA41P2003A	-	-	-	-
TISC11C2005A	0.22	(0.01)	6,400	-	TRUE08C2001A	-	-	-	-	WHA41P2005A	1.06	0.21	26,442	-
TISC11C2007A	0.88	(0.01)	6,000	-	TRUE08C2004A	0.07	(0.03)	1,100	-	WHA42C2005A	0.04	(0.04)	205,130	-
TISC13C2004A	-	-	-	-	TRUE08C2005A	0.27	(0.05)	160,912	-	WHAU27C2002A	0.08	(0.02)	7,784	-
TISC13C2006A	0.32	(0.02)	23,391	-	TRUE08P2005A	0.76	0.06	37,160	-	Preferred/Foreign	-	-	-	-
TISC16C2001A	0.26	(0.05)	2,246	-	TRUE11C2005A	-	-	-	-	BH-Q	-	-	-	-
TISC19C2004A	0.54	(0.03)	2,572	-	TRUE11C2005B	0.05	(0.01)	6,200	-	CSC-Q	-	-	-	-
TISC41C2005A	-	-	-	-	TRUE11P2002A	0.37	0.05	103,598	-	JUTHA-Q	-	-	-	-
TISC41C2006A	0.32	-	2,058	-	TRUE13C2003A	0.02	(0.01)	5,505	-	KTB-Q	-	-	-	-
TISC41P2006A	-	-	-	-	TRUE13C2003B	0.14	(0.04)	168,428	-	SCB-Q	-	-	-	-
TISC42C2003A	0.20	(0.04)	4,824	-	TRUE13P2001A	0.52	0.01	1	-	TCAP-Q	-	-	-	-
TKN01C2003A	0.21	0.01	167,287	-	TRUE16C2002A	-	-	-	-	TISCO-Q	-	-	-	-
TKN01C2003B	0.12	-	89,479	-	TRUE19C2003A	-	-	-	-	U-Q	-	-	-	-
TKN08C2003A	0.26	0.01	26,242	-	TRUE19C2004A	0.08	(0.02)	4,873	-	Warrant	-	-	-	-
TKN13C2004A	0.21	0.01	69,980	-	TRUE19C2006A	0.35	(0.04)	41,537	-	7UP-W4	0.11	(0.01)	41,345	-
TKN16C2001A	0.07	(0.02)	6,077	-	TRUE19P2003A	0.46	0.04	75,487	-	AKR-W1	0.10	-	200	-
TKN19C2001A	-	-	-	-	TRUE19P2005A	0.44	0.05	59,146	-	ALT-W1	0.26	0.01	5,794	-
TKN19C2004A	0.52	0.02	7,833	-	TRUE28C2003A	0.01	(0.01)	4,000	-	APEX-W1	0.02	-	3	-
TKN19C2004B	0.26	0.01	36,382	-	TRUE28C2003B	-	-	-	-	APURE-W2	0.09	0.01	1,683	-
TKN24C2002A	0.23	0.01	11,534	-	TRUE41C2001A	-	-	-	-	AS-W1	0.11	-	900	-
TKN28C2002A	-	-	-	-	TRUE41C2001B	-	-	-	-	AYUD-W1	1.00	(0.12)	3,402	1.00
TKN28C2003A	0.10	0.01	20,224	-	TRUE41C2002A	-	-	-	-	B-W3	-	-	-	-
TKN41C2001A	-	-	-	-	TRUE41C2003A	-	-	-	-	B-W4	0.03	(0.01)	1,764	-
TKN41C2003A	-	-	-	-	TRUE41C2004A	0.19	(0.07)	5,000	-	B-W5	0.04	(0.01)	32,655	-
TKN41C2006A	0.32	-	20,620	-	TRUE41C2005A	-	-	-	-	B52-W2	-	-	-	-
TKN42C2003A	-	-	-	-	TRUE41C2006A	0.33	(0.04)	23,748	-	BKD-W2	0.11	-	219	-
TMB01C2004A	0.33	(0.05)	115,012	-	TRUE41P2001A	-	-	-	-	CGD-W4	0.10	-	2,368	-
TMB01C2004B	0.16	(0.05)	158,630	-	TRUE41P2004A	-	-	-	-	CGH-W3	0.03	0.01	11,005	-
TMB01P2004A	0.35	0.05	186,266	-	TRUE41P2005A	0.72	0.06	85,359	-	CI-W1	0.04	-	12,625	-
TMB13C2002A	0.14	(0.04)	54,213	-	TRUE42C2003A	-	-	-	-	CKP-W1	0.19	(0.03)	189,581	-
TMB19C2001A	0.01	(0.01)	1,507	-	TRUE42C2004A	0.15	(0.05)	14,400	-	CRANE-W1	0.77	0.09	107	-
TMB19C2004A	0.26	(0.05)	25,292	-	TTW27C2009A	0.33	(0.67)	1	-	DCC-W1	0.60	-	11,838	-
TMB19P2004A	0.35	0.07	38,385	-	TU01C2001A	0.01	(0.01)	500	-	ECL-W3	0.22	(0.03)	12,099	-
TMB28C2002A	0.08	(0.06)	32,896	-	TU01C2001B	0.01	-	2,200	-	EIC-W2	-	-	-	-
TMB41C2002A	-	-	-	-	TU01C2004A	0.28	(0.03)	89,605	-	EIC-W3	-	-	-	-
TMB41C2005A	0.22	(0.05)	16,015	-	TU01C2004B	0.25	(0.04)	52,871	-	EMC-W6	0.04	0.01	12,011	-
TMB41P2002A	-	-	-	-	TU01P2001A	0.94	0.06	29,017	-	EPCO-W3	0.49	(0.03)	3,125	-
TMB41P2003A	0.13	0.03	705	-	TU01P2004A	0.21	0.01	87,885	-	GJS-W3	-	-	-	-
TMB41P2006A	0.34	0.03	17,425	-	TU06C2004A	0.13	(0.04)	34,490	-	GLOCON-W4	0.25	0.01	2,996	-
TOA01C2001A	0.07	(0.03)	62,177	-	TU11C2003A	-	-	-	-	J-W1	0.21	-	251	-
TOA01C2001B	-	-	-	-	TU11C2008A	0.43	(0.03)	6,630	-	JAS-W3	1.70	(0.01)	35,906	1.00
TOA01C2006A	0.40	(0.03)	77,957	-	TU13C2003A	0.04	(0.01)	7,000	-	JCK-W5	0.06	-	3,525	-
TOA01C2006B	0.29	(0.03)	114,963	-	TU13C2004A	0.29	(0.03)	37,279	-	JMT-W2	5.10	0.22	17,357	5.00
TOA01P2001A	0.05	0.01	14,222	-	TU19C2001A	-	-	-	-	MACO-W2	0.17	(0.01)	692,353	-
TOA08C2003A	0.08	(0.02)	8,000	-	TU19C2002A	-	-	-	-	MILL-W4	0.03	-	291	-
TOA13C2003A	0.06	(0.01)	7,408	-	TU19C2003A	-	-	-	-	MILL-W5	0.01	-	5	-
TOA16C2001A	0.05	(0.02)	15,586	-	TU19C2005A	0.36	(0.04)	10,139	-	MINT-W6	2.96	(0.10)	7,258	2.00
TOA19C2004A	0.09	(0.02)	10,272	-	TU24C2003A	-	-	-	-	NFC-W1	0.68	(0.01)	30	-
TOA24C2005A	0.09	(0.01)	4,910	-	TU24C2006A	0.33	(0.04)	11,254	-	NOK-W1	0.02	-	2,040	-
TOA41C2004A	0.10	(0.01)	2,500	-	TU27C2004A	-	-	-	-	NUSA-W3	0.01	-	7,510	-
TOP01C2003A	0.32	(0.04)	223,821	-	TU27C2006A	0.22	(0.04)	15,800	-	NVD-W1	0.15	-	2,113	-
TOP01C2003B	0.07	(0.02)	15,769	-	TU41C2002A	-	-	-	-	ORI-W1	0.57	(0.01)	56,617	-
TOP01C2006A	0.61	(0.03)	66,616	-	TU41C2003A	-	-	-	-	PACE-W2	-	-	-	-
TOP01C2006B	0.37	(0.04)	87,869	-	TU41C2004A	0.19	(0.02)	15,972	-	PACE-W3	0.05	0.01	610	-
TOP01P2003A	0.65	0.06	37,259	-	TU41C2005A	0.35	(0.02)	4,161	-	PDI-W1	0.45	(0.01)	569	-
TOP01P2006A	0.75	0.05	96,906	-	TU41P2003A	-	-	-	-	PDJ-W3	-	-	-	-
TOP06C2004A	0.05	(0.02)	29,120	-	TU41P2004A	0.15	-	1,001	-	PDJ-W4	0.44	(0.03)	100	-
TOP06P2005A	0.67	0.07	27,190	-	TV011C2001A	0.01	(0.02)	3,824	-	PERM-W1	0.16	-	3,449	-
TOP08C2003A	0.08	(0.02)	10,784	-	TV013C2007A	0.23	-	4,609	-	PORT-W1	0.83	(0.01)	68,535	-
TOP08P2003A	0.60	0.05	23,200	-	TV019C2004A	0.20	0.03	11,215	-	PPPM-W4	0.19	(0.02)	14,048	-
TOP11C2002A	-	-	-	-	TV019C2007A	0.17	0.01	22,010	-	PRIME-W1	0.03	-	200	-
TOP11C2007A	0.29	(0.03)	26,231	-	VGI01C2005A	0.45	-	59,347	-	PRIME-W2	0.02	-	1,681	-
TOP11P2002A	0.32	0.02	34,420	-	VGI11C2008A	0.39	-	33,607	-	RICHY-W2	0.03	-	314	-
TOP13C2002A	0.01	(0.01)	2,824	-	VGI13C2006A	0.40	(0.01)	127,483	-	RS-W3	1.39	(0.06)	14,201	1.00
TOP13C2004A	0.14	(0.03)	48,041	-	VGI19C2006A	0.35	-	12,996	-	SAMART-W2	0.53	-	12,413	-
TOP13C2006A	0.42	(0.04)	84,517	-	VGI41C2006A	-	-	-	-	SAWAD-W1	23.00	(0.60)	443	23.00
TOP13P2001A	-	-	-	-	WHA01C2002A	0.02	(0.02)	13,618	-	SDC-W1	0.08	(0.01)	1,502	-
TOP13P2005A	0.81	0.01	5	-	WHA01C2002B	0.01	(0.01)	32	-	SINGER-W1	1.85	(0.04)	263	1.00
TOP13P2006A	0.55	0.04	41,001	-	WHA01C2005A	0.21	(0.11)	372,764	-	SINGER-W2	1.43	(0.07)	733	1.00
TOP16C2001A	-	-	-	-	WHA01C2005B	0.08	(0.09)	143,807	-	SMT-W2	0.09	(0.01)	4,724	-
TOP19C2002A	0.06	(0.01)	20,048	-	WHA01P2002A	1.33	0.32	51,469	1.00	SST-W2	0.67	(0.05)	914	-
TOP19C2003A	0.06	(0.02)	18,881	-	WHA01P2005A	0.83	0.22	359,219	-	SUPER-W4	0.01	-	68,670	-
TOP19C2006A	0.41	(0.04)	30,125	-	WHA08C2002A	-	-	-	-	SVI-W3	0.55	(0.06)	3,637	-
TOP19P2002A	0.33	0.03	5,356	-	WHA08C2003A	-	-	-	-	TCC-W3	0.06	0.01	1	-
TOP19P2006A	0.83	0.04	14,866	-	WHA08C2005A	0.05	(0.06)	5,819	-	TCC-W4	-	-	-	-
TOP23C2001A	-	-	-	-	WHA11C2001A	0.01	-	50,000	-	TCC-W5	0.14	-	225	-
TOP24C2007A	0.23	(0.02)	24,109	-	WHA11C2008A	0.21	(0.11)	143,090	-	TCJ-W2	0.17	-	305	-
TOP28C2004A	0.15	(0.02)	13,196	-	WHA13C2001A	-	-	-	-	TFG-W2	0.29	-	72,313	-
TOP41C2002A	-	-	-	-	WHA13C2003A	0.02	(0.02)	86,640	-	TGPRO-W3	-	-	-	-
TOP41C2002B	-	-	-	-	WHA13C2005A	0.10	(0.08)	126,530	-	TH-W2	0.05	(0.01)	9,445	-
TOP41C2003A	-	-	-	-	WHA16C2006A	0.04	(0.03)	32,113	-	THE-W2	-	-	-	-
TOP41C2005A	0.24	(0.03)	5,350	-	WHA19C2002A	-	-	-	-	TNITY-W1	0.21	0.01	1,391	-
TOP41														

