

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	1.00	(0.06)	24,902	1.03
POMPUJ	-	-	-	-	DIF	17.10	0.20	95,115	17.06	MPIC	-	-	-	-
SAFARI	-	-	-	-	DTAC	46.25	(2.50)	134,037	47.45	NMG	-	-	-	-
VI	-	-	-	-	FORTH	6.10	0.05	3,772	6.08	PLANB	7.45	(0.45)	164,309	7.55
WORLD	-	-	-	-	HUMAN	7.85	(0.20)	5,313	8.06	POST	2.40	0.45	10	2.03
WR	-	-	-	-	ILINK	3.62	0.04	577	3.60	PRAKIT	10.40	0.10	10	10.40
Agribusiness	-	-	-	-	INET	2.32	(0.08)	4,236	2.35	SE-ED	1.57	(0.10)	383	1.63
CHOTI	-	-	-	-	INTUCH	59.25	(0.75)	96,744	59.75	SPORT	0.16	(0.01)	406	0.16
EE	0.53	(0.02)	23,760	0.54	JAS	5.00	(0.05)	392,834	5.04	TBSP	-	-	-	-
GFPT	12.50	(0.30)	46,521	12.56	JASIF	9.80	(0.10)	69,940	9.88	TH	0.60	-	1,342	0.60
LEE	2.10	(0.02)	555	2.10	JMART	9.05	(0.25)	42,754	9.24	TKS	6.40	(0.10)	3,953	6.46
NER	2.78	0.02	91,345	2.78	JTS	1.00	-	31	0.99	VGI	9.25	(0.25)	180,987	9.36
PPPM	0.55	0.02	4,432	0.54	MFC	3.40	-	1,381	3.38	WAVE	1.04	(0.02)	77	1.05
STA	10.50	0.30	124,798	10.47	MSC	5.50	-	878	5.40	WORK	13.30	(0.30)	15,866	13.43
TRUBB	0.63	(0.01)	594	0.63	PT	4.32	0.06	383	4.29	Finance & Securities	-	-	-	-
TWPC	4.42	0.02	199	4.38	SAMART	7.60	0.20	62,492	7.68	AEC	0.29	(0.03)	960	0.30
UPOIC	3.64	(0.02)	365	3.69	SAMTEL	7.60	0.10	5,584	7.65	AEONTS	171.50	(0.50)	3,937	172.32
UVAN	5.35	(0.05)	1,612	5.40	SDC	0.18	(0.01)	6,096	0.18	AMANAH	3.48	(0.06)	100,139	3.50
VPO	0.59	0.01	3,461	0.59	SIS	8.20	(0.05)	546	8.15	ASAP	1.97	(0.05)	2,616	1.98
Banking	-	-	-	-	VOVA	1.07	(0.01)	4,008	1.07	ASK	26.50	0.25	694	26.29
BAY	30.00	0.50	5,974	30.11	SYMC	2.86	(0.06)	5	2.89	ASP	1.76	(0.04)	11,800	1.78
BBL	147.50	(2.50)	223,695	148.28	SYNEX	7.00	(0.10)	5,837	7.04	BAM	24.70	(1.80)	2,738,707	25.67
CIMBT	0.52	-	2,648	0.51	THCOM	3.96	0.06	10,955	3.93	BFIT	31.50	(0.25)	2,977	31.30
KBANK	139.00	4.00	196,753	138.57	TRUE	4.04	-	811,079	4.05	CGH	0.83	-	85,009	0.83
KKP	68.50	0.50	38,722	68.61	TWZ	0.07	(0.02)	2,384,101	0.08	CNS	2.48	-	16,337	2.48
KTB	16.10	-	212,193	16.13	Electronic Componen	-	-	-	-	ECL	1.12	(0.03)	22,996	1.13
LHFG	1.34	0.02	48,417	1.33	CEET	1.84	(0.02)	3,419	1.85	FNS	2.04	(0.08)	1,511	2.07
SCB	100.50	(1.50)	412,124	102.09	DELTA	53.50	0.50	7,204	53.28	FSS	1.61	0.04	523	1.58
TCAP	51.75	0.25	34,070	51.99	EIC	0.03	-	5,901	0.04	GBX	0.44	(0.01)	14,336	0.45
TISCO	101.00	(1.00)	24,027	101.64	HANA	35.50	(0.25)	35,092	35.66	GL	4.30	(0.24)	45,957	4.48
TMB	1.53	0.02	2,568,245	1.53	KCE	22.10	0.40	458,355	22.17	IFS	3.20	(0.04)	605	3.20
Construction Materia	-	-	-	-	METCO	-	-	-	-	JMT	21.90	(0.90)	45,398	22.17
CCP	0.30	0.01	50,541	0.29	NEX	3.10	-	13,681	3.10	KCAR	10.10	(0.20)	362	10.05
COTTO	1.40	-	769	1.40	SMT	1.10	(0.01)	4,400	1.10	KGI	4.64	(0.02)	23,453	4.65
DCC	1.88	(0.04)	85,966	1.89	SVI	3.28	-	5,729	3.28	KTC	35.25	0.50	83,256	35.36
DCON	0.34	-	19,926	0.34	TEAM	0.79	(0.02)	894	0.80	MBKET	6.70	-	657	6.66
DRT	6.45	0.05	1,428	6.41	Energy & Utilities	-	-	-	-	MFC	15.40	0.10	80	15.22
EPG	6.05	(0.30)	42,127	6.14	7UP	0.48	(0.01)	39,244	0.48	ML	0.86	-	1,299	0.86
GEL	0.14	(0.01)	5,545	0.14	ABPIF	4.74	-	1,543	4.74	MTC	63.25	(0.25)	30,152	63.24
PPP	2.06	-	302	2.02	ACE	4.22	(0.16)	333,586	4.24	PE	0.06	0.01	2,876	0.06
Q-CON	5.85	0.05	42	5.61	AI	1.07	(0.03)	31,028	1.07	PL	2.62	(0.06)	2,355	2.62
RCI	3.38	-	1	3.38	AKR	0.62	0.02	127,128	0.65	S11	7.20	(0.05)	3,255	7.20
SCC	363.00	(6.00)	26,851	362.69	BAFS	29.50	(0.50)	301	29.66	SAWAD	69.00	(1.25)	31,978	69.31
SCCC	190.00	-	488	190.02	BANPU	11.10	(0.20)	268,447	11.20	THANI	5.60	0.05	81,563	5.66
SCP	6.00	-	1,467	5.95	BCP	27.00	(0.25)	30,196	27.19	TK	9.55	(0.10)	1,018	9.57
SKN	2.02	-	2,866	2.05	BCPG	16.80	(0.30)	25,692	16.93	TNITY	3.80	(0.02)	229	3.81
TASCO	21.60	0.30	64,486	21.54	BGRIM	65.00	0.75	396,415	66.44	UOBKH	2.92	(0.02)	27	2.90
TCMC	1.95	(0.02)	1,853	1.96	BPP	17.00	(0.20)	45,883	17.13	ZMICO	0.75	(0.07)	5,782	0.78
TOA	36.50	-	24,573	36.08	BRRGIF	8.40	-	12	8.36	Food & Beverage	-	-	-	-
TIPLI	1.61	-	106,216	1.60	CKP	4.30	(0.10)	144,493	4.36	APURE	0.71	-	1,283	0.71
UMI	0.70	(0.02)	2,795	0.71	DEMCO	2.72	(0.08)	2,042	2.74	ASIAN	4.04	(0.04)	3,349	4.07
VNG	3.74	(0.02)	1,316	3.77	EA	40.75	-	107,566	41.13	BR	2.50	(0.02)	1,919	2.52
WHIK	1.30	-	8,577	1.31	EASTW	11.60	(0.10)	9,067	11.65	BRR	3.94	(0.02)	485	3.90
Petrochemicals & Che	-	-	-	-	EGATIF	12.70	(0.10)	4,427	12.80	CBG	87.50	1.00	63,815	88.18
BCT	41.00	-	117	41.03	EGCO	340.00	(4.00)	13,713	342.59	CFRESH	1.53	(0.03)	657	1.54
CMAN	1.26	-	6,311	1.27	ESSO	7.25	(0.10)	226,832	7.33	CM	2.74	(0.02)	1,126	2.75
GC	5.75	(0.10)	69	5.73	GPSC	93.75	(0.25)	331,369	94.78	CPF	30.50	-	636,243	30.61
GCC	13.30	(0.30)	26,680	13.34	GULF	197.50	(1.00)	161,567	198.78	CPI	1.64	0.01	2,326	1.64
GIFT	2.32	(0.12)	8,318	2.35	GUNKUL	2.70	(0.04)	148,477	2.71	F&D	-	-	-	-
IVL	29.75	(0.25)	452,107	29.74	IFEC	-	-	-	-	HTC	23.40	(0.10)	1,254	23.46
NFC	2.34	0.20	6	2.41	IRPC	3.20	(0.08)	1,561,082	3.21	ICHI	5.30	(0.25)	12,007	5.38
PATO	11.20	0.10	32	11.14	LANNA	7.70	-	1,676	7.65	KBS	3.82	0.02	759	3.80
PMTA	6.50	(0.70)	84	6.46	MDX	2.80	-	929	2.81	KSL	2.46	0.06	68,828	2.42
PTTGC	50.50	(5.00)	578,334	51.21	PRIME	0.34	(0.03)	24,822	0.36	KTIS	4.14	(0.02)	1,067	4.14
SUTHA	1.91	(0.02)	83	1.89	PTG	14.40	(0.10)	81,548	14.51	LST	5.20	(0.05)	1,505	5.25
TCCC	20.40	-	361	20.52	PTT	46.50	0.25	416,804	46.43	M	70.75	(1.00)	1,463	70.73
TPA	5.45	-	11	5.36	PTTEP	131.50	(0.50)	87,677	131.73	MALEE	7.90	0.50	14,856	7.94
UP	-	-	-	-	RATCH	74.50	(0.50)	98,841	75.33	MINT	33.00	(1.75)	305,852	32.99
VNT	26.00	(1.00)	26,574	26.53	RPC	0.64	(0.01)	3,395	0.64	OISHI	100.00	2.00	50	98.84
WG	-	-	-	-	SCG	3.84	(0.10)	66	3.90	OSP	45.50	-	97,265	45.65
YCI	-	-	-	-	SCI	1.56	(0.01)	12,753	1.58	PB	-	-	-	-
Commerce	-	-	-	-	SCN	1.99	(0.01)	2,978	1.99	PM	7.45	(0.15)	9,587	7.50
BEAUTY	2.62	(0.20)	2,239,368	2.75	SGP	9.05	(0.25)	17,186	9.19	PRG	12.40	-	64	12.13
BIG	0.73	(0.06)	465,918	0.75	SKE	0.70	(0.02)	3,954	0.72	RBF	4.24	(0.08)	88,021	4.29
BJC	43.25	0.25	65,005	43.61	SOLAR	1.51	0.01	3,017	1.52	SAPPE	20.00	(0.60)	1,960	20.23
COL	17.80	(0.20)	2,538	17.84	SPCG	20.70	0.50	32,919	20.71	SAUCE	-	-	-	-
COM7	26.00	(0.25)	23,761	26.23	SPRC	9.05	(0.15)	159,604	9.14	SFP	-	-	-	-
CPALL	75.25	0.25	221,781	75.02	SSP	7.15	(0.20)	6,959	7.23	SNP	14.20	-	10	14.15
CPW	1.68	(0.02)	27,463	1.72	SUPER	0.53	(0.01)	1,855,719	0.53	SORKON	48.75	-	3	48.92
CSS	1.33	(0.02)	4,235	1.34	SUPEREIF	11.00	-	2,267	11.03	SSC	-	-	-	-
DOHOME	8.25	(0.40)	247,560	8.32	SUSCO	2.78	(0.02)	2,660	2.78	SSF	5.95	-	15	5.95
FN	1.17	(0.06)	44,825	1.19	TAE	3.78	0.02	47,825	3.76	SST	3.80	0.02	23	3.80
FTE	1.98	-	10,048	2.00	TCC	0.22	-	3,024	0.22	TC	3.10	(0.04)	14	3.09
GLOBAL	15.60	-	42,494	15.43	TOP	60.75	(0.75)	91,077	61.14	TFG	4.72	(0.24)	111,813	4.85
HMPRO	16.10	-	76,668	16.09	TPIPP	4.44	(0.08)	45,956	4.48	TFMAMA	193.50	0.50	49	193.97
ILM	13.80	(0.20)	7,938	13.90	TSE	3.06	0.10	246,405	3.03	TIPCO	7.50	-	14,302	7.62
IT	2.88	0.02	372	2.90	TTW	13.80	(0.20)	26,372	13.85	TKN	10.40	(0.50)	116,149	10.63
KAMART	4.08	(0.16)	8,816	4.14	WHAUP	5.55	(0.05)	39,631	5.53	TU	14.30	(0.10)	172,835	14.21
LOXLEY	1.33	(0.01)	9,043	1.32	WP	5.10	0.10	4,654	5.08	TVO	27.75	-	19,043	27.59
MAKRO	36.75	(0.25)	5,537	36.53	Media & Publishing	-	-	-	-	ZEN	12.80	(0.10)	11,963	12.94
MC	9.05	(0.15)	18,589	9.03	AMARIN	4.04	(0.04)	182	4.01	Health Care Services	-	-	-	-
MEGA	28.75	-	5,362	28.96	AQUA	0.42	-	56,209	0.42	AHC	17.90	(0.10)	28	17.73

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	8.05	0.05	1,419	8.02	BROCK	1.62	-	1	1.62	HFT	3.00	-	2,729	3.00
PRINC	4.58	(0.02)	1,523	4.59	CGD	0.87	-	11,983	0.87	IHL	3.94	(0.06)	3,169	3.97
RAM	149.50	-	18	149.44	CI	0.80	(0.03)	344	0.81	INGRS	0.51	-	4,908	0.50
RJH	24.50	(0.20)	2,301	24.51	CPN	63.50	0.50	72,168	63.58	IRC	15.60	0.10	6	15.43
RPH	6.45	(0.05)	2,462	6.45	ESTAR	0.34	-	10,694	0.34	PCSGH	5.65	-	22	5.66
SKR	5.15	-	434	5.15	EVER	0.25	-	22,200	0.25	SAT	13.50	(0.50)	12,448	13.60
SVH	448.00	(2.00)	7	448.00	FPT	14.70	(0.10)	298	14.64	SPG	12.30	0.20	12	12.98
THG	26.75	(0.25)	7,853	26.73	GLAND	2.82	(0.04)	3,527	2.80	STANLY	173.00	(1.00)	15	173.60
VIBHA	1.67	-	26,091	1.67	GOLD	8.40	-	1,970	8.41	TKT	0.95	0.01	17	0.95
VIH	6.25	0.05	3,520	6.21	GREEN	0.76	(0.01)	191	0.75	TNPC	0.71	0.02	102	0.67
WPH	1.88	(0.01)	1,191	1.89	J	0.80	-	434	0.79	TRU	4.14	(0.08)	159	4.18
Tourism & Leisure	-	-	-	-	JCK	0.86	0.01	9,499	0.86	TSC	12.70	0.10	387	12.60
ASIA	-	-	-	-	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	22.30	(1.50)	89,514	22.58	KWG	1.53	(0.07)	254	1.53	ALLA	1.26	0.03	8,605	1.28
CSR	-	-	-	-	LALIN	5.15	(0.05)	6,215	5.13	ASEFA	3.50	-	64	3.48
DTC	9.50	(0.10)	105	9.55	LH	9.90	(0.30)	589,936	9.98	CPT	0.77	(0.02)	32,444	0.78
ERW	4.70	(0.50)	678,898	4.76	LPN	4.78	(0.10)	90,219	4.80	CRANE	1.75	-	132	1.76
GRAND	0.69	(0.04)	17,577	0.70	MBK	20.50	(0.40)	13,595	20.71	CTW	5.30	(0.10)	200	5.32
LRH	39.00	(0.50)	13	38.87	MJD	2.94	-	141	2.94	FMT	-	-	-	-
MANRIN	28.75	(1.00)	1	28.75	MK	3.06	-	3,449	3.06	HTECH	3.12	(0.08)	1,244	3.15
OHTL	-	-	-	-	NCH	0.76	-	11	0.76	KKC	0.71	(0.01)	1,399	0.71
ROH	-	-	-	-	NNCL	2.16	(0.04)	17,537	2.18	PK	1.30	(0.04)	811	1.30
SHANG	-	-	-	-	NOBLE	16.80	(0.20)	8,640	17.06	SNC	9.80	(0.05)	5,881	9.83
SHR	2.60	(0.18)	224,506	2.67	NUSA	0.57	(0.01)	302,914	0.58	STARK	2.20	(0.02)	33,144	2.20
VRANDA	7.95	(0.40)	1,119	8.03	NVD	1.86	(0.07)	250	1.88	TCJ	3.50	-	224	3.38
Home & Office Produ	-	-	-	-	ORI	6.95	(0.25)	68,229	7.08	VARO	6.50	-	4	6.50
ACC	0.68	0.02	502	0.64	PACE	0.05	(0.01)	203,143	0.05	Property Fund & REI1	-	-	-	-
AJA	0.19	-	97,317	0.19	PF	0.79	(0.03)	127,737	0.80	AIMCG	8.50	(0.10)	4,000	8.56
DTCI	-	-	-	-	PLAT	4.22	-	6,395	4.21	AIMIRT	13.30	-	5,007	13.19
FANCY	0.52	(0.03)	1,288	0.54	POLAR	-	-	-	-	AMATAR	11.90	-	12	11.90
KYE	-	-	-	-	PRECHA	1.13	0.07	459	1.07	B-WORK	12.40	-	1,531	12.30
L&E	2.00	-	9	2.02	PRIN	1.46	(0.01)	4,597	1.46	BKER	9.50	-	4,463	9.46
MODERN	2.48	(0.02)	776	2.48	PSH	14.80	(0.50)	27,570	15.01	BKCP	13.40	0.10	711	13.37
OGC	-	-	-	-	QH	2.58	(0.04)	284,120	2.60	BOFFICE	17.20	-	1,375	17.24
ROCK	-	-	-	-	RICHY	0.89	(0.01)	452	0.88	CPNCG	12.60	-	2,357	12.60
SIAM	1.60	(0.08)	2,993	1.62	RML	0.95	(0.01)	3,145	0.95	CPNREIT	35.25	-	8,569	35.34
TSR	2.20	-	6,356	2.22	ROJNA	5.30	(0.05)	11,179	5.32	CPTGF	13.00	-	3,879	13.00
Insurance	-	-	-	-	S	2.48	(0.02)	22,366	2.49	CTARAF	5.55	-	1,321	5.57
AYUD	39.00	-	10	39.00	SAMCO	1.60	(0.02)	509	1.61	DREIT	6.50	0.05	9,629	6.47
BKI	292.00	(1.00)	49	292.06	SC	2.30	(0.06)	8,102	2.31	ERWPF	-	-	-	-
BLA	20.00	(0.20)	7,098	20.11	SENA	2.78	(0.02)	4,871	2.76	FTREIT	15.40	-	13,173	15.36
BUI	-	-	-	-	SF	5.60	-	12,428	5.57	FUTUREPF	25.00	-	20	25.00
CHARAN	-	-	-	-	SIRI	1.02	(0.01)	260,555	1.02	GAHREIT	9.20	0.05	946	9.19
INSURE	-	-	-	-	SPALI	17.00	(1.00)	177,717	17.26	GLANDRT	13.20	-	23	13.20
MTI	82.75	0.75	2	82.75	U	1.67	(0.04)	97,300	1.69	GOLDFP	6.90	(0.10)	449	6.90
NKI	53.50	(0.50)	10	53.50	UV	6.45	(0.05)	26,857	6.45	GVREIT	17.10	(0.10)	1,779	17.10
NSI	62.25	2.25	7	62.25	WHA	3.16	(0.16)	2,853,159	3.27	HPF	4.90	(0.04)	595	4.92
SEG	-	-	-	-	WIN	0.42	(0.01)	124	0.42	HREIT	8.65	(0.10)	1,653	8.76
SMK	-	-	-	-	Paper & Printing Mat	-	-	-	-	IMPACT	24.40	(0.30)	27,114	24.55
THRE	0.65	(0.01)	46,363	0.66	UTP	9.75	0.15	35,164	9.75	KNPF	-	-	-	-
THREL	3.64	(0.06)	7,193	3.64	Fashion	-	-	-	-	LHHOTEL	19.50	0.10	1,976	19.44
TIP	24.50	(0.10)	510	24.59	AFC	-	-	-	-	LHPF	8.75	(0.05)	1,073	8.73
TQM	70.50	(1.00)	17,971	71.93	B52	0.19	-	30,834	0.19	LHSC	18.70	-	24	18.74
TSI	0.51	-	73	0.50	BTNC	-	-	-	-	LUXF	8.65	-	201	8.65
TVI	4.06	(0.12)	221	4.10	CPH	3.42	(0.18)	11	3.51	M-II	8.20	(0.10)	171	8.19
Mining	-	-	-	-	CPL	0.96	(0.05)	100	0.96	M-PAT	-	-	-	-
PDI	6.05	-	1,858	6.05	ICC	39.25	0.25	3	39.25	M-STOR	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIPF	-	-	-	-
Packaging	-	-	-	-	PAF	0.54	(0.02)	2,551	0.55	MIT	2.76	(0.02)	276	2.64
AJ	8.20	-	836	8.12	PDJ	1.44	(0.05)	5,822	1.45	MJLF	10.90	-	796	10.90
ALUCON	152.00	-	4	152.00	PG	-	-	-	-	MNIT	-	-	-	-
BGC	13.00	(0.30)	9,166	13.07	SABINA	23.10	(0.90)	7,653	23.56	MNIT2	-	-	-	-
CSC	52.75	-	11	52.55	SAWANG	-	-	-	-	MNRF	2.98	(0.10)	200	3.01
GLOCON	0.75	-	25,820	0.76	SUC	42.75	(0.25)	394	42.77	POPF	13.10	0.10	1,264	13.00
NEP	0.20	0.02	1	0.20	TNL	-	-	-	-	PPF	11.20	-	129	11.20
PTL	14.00	(0.20)	2,556	14.07	TPCORP	10.10	0.10	16	10.00	QHHR	9.40	(0.10)	334	9.42
SFLEX	4.30	0.10	210,838	4.38	TR	27.75	-	21	27.75	QHOP	3.90	(0.02)	11	3.91
SITHAI	0.69	(0.02)	2,031	0.70	TTI	-	-	-	-	QHPF	13.90	(0.10)	4,171	14.00
SLP	0.48	(0.02)	3,321	0.49	TTT	50.50	(0.50)	10	50.63	SBPF	-	-	-	-
SMPC	6.40	0.05	1,796	6.37	UPF	-	-	-	-	SHREIT	5.65	(0.10)	156	5.70
SPACK	1.10	-	30	1.10	UT	14.80	-	10	14.80	SIRIP	-	-	-	-
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPF	23.50	0.50	583	23.33
TFI	0.05	-	5,257	0.04	Transportation & Log	-	-	-	-	SPRIME	14.20	0.10	2,591	14.18
THIP	20.30	(0.20)	67	20.47	AAV	1.97	(0.07)	265,954	1.98	SRIPANWA	11.00	(0.20)	902	11.04
TMD	26.50	-	4	26.50	AOT	72.00	(2.25)	594,972	71.78	SSPF	9.70	(0.10)	112	9.70
TOPP	-	-	-	-	ASIMAR	1.15	(0.02)	2,279	1.15	SSTRT	5.90	-	6	5.90
TPBI	3.98	(0.02)	57	3.99	B	0.22	(0.01)	9,748	0.23	TIF1	9.05	(0.05)	121	9.05
TPP	-	-	-	-	BA	6.35	(0.20)	7,896	6.41	TLGF	21.90	(0.10)	6,732	21.92
Personal Products &	-	-	-	-	BEM	11.20	(0.10)	247,175	11.24	TLHPF	-	-	-	-
APCO	3.18	-	1,513	3.14	BTS	13.40	(0.20)	283,209	13.47	TNPF	-	-	-	-
DDD	24.20	0.20	258	23.94	BTSGIF	9.95	-	14,411	9.95	TPRIME	16.50	0.10	1,050	16.33
JCT	81.50	0.25	2	81.50	III	5.00	-	2,868	5.00	TTLPF	21.80	-	27	21.80
OCC	12.40	(0.20)	1	12.40	JUTHA	0.39	(0.01)	11	0.39	TU-PF	1.73	-	20	1.73
S & J	27.00	1.00	1	27.00	JWD	7.55	(0.15)	3,983	7.57	URBNPF	4.14	(0.20)	30	4.14
STHAI	-	-	-	-	KWC	299.00	-	1	299.00	WHABT	9.70	-	18	9.70
TNR	9.05	0.10	321	8.95	NOK	2.00	-	681	2.00	WHART	16.80	0.30	6,853	16.80
TOG	5.70	(0.05)	25	5.70	NYT	3.86	0.08	16,041	3.88	Steel	-	-	-	-
Professional Service	-	-	-	-	PORT	2.64	0.02	245,373	2.72	AMC	1.81	(0.01)	75	1.81
BWG	0.59	-	74,436	0.58	PRM	6.15	(0.25)	37,323	6.28	BSBM	0.88	(0.01)	501	0.88
GENCO	0.53	(0.02)	1,510	0.54	PSL	6.90	(0.05)	14,939	6.95	CEN	0.60	0.01	721	0.59
PRO	-	-	-	-	RCL	3.28	-	845	3.25	CITY	1.85	(0.02)	1	1.85
SISB	9.75	(0.10)	11,044	9.73	TFFIF	12.10	(0.10)	19,086	12.16	CSP	0.73	(0.02)	14	0.73
TEAMG	2.24	-	12,529	2.22	THAI	6.40	(0.20)	22,610	6.47	GJS	0.13	-	4,742	0.12
Property Developer	-	-	-	-	TSTE	-	-	-	-	GSTEEL	-	-	-	-
A	6.10	(0.05)	70	6.12	TTA	4.08	(0.06)	3,790	4.11	INOX	0.62	-	15	0.60
AMATA	18.40	(0.30)	76,739	18.68	WICE	2.28	(0.08)	15,212	2.32	LHK	2.82	0.08	1,016	2.79
AMATAV	4.76	-	435	4.76	Automotive	-	-	-	-	MAX	0.02	-	46,212	0.01
ANAN	2.40	(0.08)	41,559	2.42	AH	15.40	(0.20)	2,441	15.46</					

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	ABM	0.72	0.01	337	-	AAV19C2001A	-	-	-	-
ABICO	4.12	-	494	4.00	AGE	0.89	-	655	-	AAV19C2003A	-	-	-	-
AU	11.10	(0.60)	37,261	11.00	AIE	0.37	-	93,184	-	AAV19C2004A	0.07	(0.02)	185	-
JCKH	0.23	(0.02)	104	-	PSTC	0.72	-	261,206	-	AAV24C2001A	-	-	-	-
KASET	1.21	(0.01)	818	1.00	QTC	4.54	0.02	6,749	4.00	ADVA01C2003A	0.24	0.01	64,905	-
MM	2.50	0.04	607	2.00	SAAM	0.99	0.05	6,213	-	ADVA01C2003B	0.09	0.01	9,555	-
SUN	2.00	0.16	99,320	1.00	SEOIL	2.70	(0.02)	17,790	2.00	ADVA01C2005A	0.54	0.02	39,372	-
TACC	4.40	(0.06)	11,891	4.00	SR	0.97	(0.02)	88	-	ADVA01C2005B	0.28	0.01	61,248	-
TMILL	2.80	(0.02)	495	2.00	TAKUNI	0.39	-	7,675	-	ADVA01P2003A	0.68	(0.03)	30,480	-
XO	5.65	-	1,446	5.00	TPCH	12.70	0.10	5,657	12.00	ADVA01P2003B	0.40	(0.01)	22,952	-
Consumer Products														
BGT	0.97	(0.03)	96	-	TRT	1.82	(0.04)	160	1.00	ADVA06C2005A	0.19	0.01	63,320	-
BIZ	3.10	(0.06)	2,371	3.00	UMS	-	-	-	-	ADVA08C2001A	-	-	-	-
DOD	7.60	0.15	6,586	7.00	UWC	0.03	(0.01)	23,662	-	ADVA08C2005A	0.29	0.01	4,765	-
ECF	1.26	(0.04)	46,468	1.00	Services (MAI)					ADVA08P2004A	0.26	(0.03)	7,681	-
HPT	0.60	-	165	-	A5	-	-	-	-	ADVA11C2006A	0.09	-	4,971	-
IP	6.70	(0.15)	12,256	6.00	AKP	1.08	(0.02)	6,971	1.00	ADVA11P2005A	0.12	(0.01)	2,404	-
JUBILE	18.60	(0.10)	1,462	18.00	AMA	5.05	(0.15)	703	5.00	ADVA13C2001A	-	-	-	-
MOONG	3.80	0.02	134	3.00	ARIP	0.38	(0.01)	2,890	-	ADVA13C2004A	0.28	0.02	151,835	-
NPK	16.60	-	94	16.00	ATP30	1.36	0.01	670	1.00	ADVA13P2003A	0.25	(0.04)	36,303	-
OCEAN	1.19	-	6,732	1.00	AUCT	6.45	(0.10)	5,509	6.00	ADVA16C2002A	0.04	-	1,073	-
TM	2.40	(0.06)	7,051	2.00	BOL	2.80	-	8,064	2.00	ADVA16C2005A	0.04	0.01	2,428	-
Financials (MAI)														
ACAP	1.54	0.13	58,069	1.00	CHUO	-	-	-	-	ADVA16C2007A	0.24	0.01	33,395	-
AF	0.65	-	1	-	CMO	1.12	(0.03)	727	1.00	ADVA19C2002A	-	-	-	-
AIRA	1.03	0.01	46	1.00	D	3.66	-	283	3.00	ADVA19C2005A	0.26	0.02	19,565	-
ASN	-	-	-	-	DCORP	0.38	(0.01)	12,765	-	ADVA19P2002A	-	-	-	-
BROOK	0.44	-	6,407	-	EFORL	0.05	(0.01)	274,325	-	ADVA19P2006A	0.24	(0.03)	29,300	-
CHAYO	5.60	(0.20)	67,041	5.00	ETE	0.81	(0.01)	2,502	-	ADVA23C2001A	0.79	(0.01)	1,385	-
GCAP	2.04	(0.04)	5,178	2.00	FSMART	6.50	(0.15)	1,876	6.00	ADVA24C2001A	-	-	-	-
LIT	4.62	(0.06)	1,227	4.00	FVC	0.39	-	8,355	-	ADVA24C2006A	0.40	0.02	26,142	-
MITSB	1.41	(0.02)	2,825	1.00	GSC	0.73	(0.03)	2,962	-	ADVA24P2001A	-	-	-	-
SGF	0.74	(0.02)	53,792	-	HARN	2.30	0.02	2,352	2.00	ADVA28C2002A	-	-	-	-
Industrials (MAI)														
2S	1.95	(0.02)	43	1.00	IMH	3.16	(0.06)	7,377	3.00	ADVA28C2004A	-	-	-	-
ACG	0.97	-	760	-	JKN	4.90	(0.06)	38,456	4.00	ADVA28C2005A	0.27	0.03	12,718	-
ADB	0.54	(0.09)	5,284	-	KIAT	0.33	0.02	100,407	-	ADVA28P2004A	0.24	(0.02)	4,056	-
BM	1.89	(0.02)	128	1.00	KOOL	0.98	(0.08)	52,123	1.00	ADVA41C2001A	-	-	-	-
CHO	0.65	(0.01)	6,580	-	LDC	0.98	(0.04)	1,031	1.00	ADVA41C2004A	-	-	-	-
CHOW	1.42	(0.03)	2,359	1.00	MORE	0.36	(0.01)	120,985	-	ADVA41C2005A	-	-	-	-
CIG	0.21	(0.01)	2,259	-	MPG	0.34	(0.02)	3,173	-	ADVA41C2006A	-	-	-	-
COLOR	1.03	(0.01)	1	1.00	MVP	1.70	0.01	503	1.00	ADVA41C2007A	-	-	-	-
CPR	3.36	0.02	338	3.00	NBC	0.48	0.02	1	-	ADVA41P2001A	-	-	-	-
FPI	2.02	0.02	342	2.00	NCL	0.99	(0.07)	2,275	-	ADVA41P2004A	0.41	-	1,004	-
GTB	0.69	-	156	-	NEWS	0.01	-	1,020	-	ADVA41P2005A	-	-	-	-
KCM	0.53	(0.01)	12,791	-	NINE	2.60	0.52	244	2.00	ADVA42C2003A	-	-	-	-
KUMWEL	0.75	-	1,456	-	OTO	3.16	0.04	586	3.00	ADVA42C2005A	0.20	(0.07)	2,248	-
KWM	0.79	0.01	2,303	-	PHOL	1.82	0.05	64,046	1.00	AEON01C2005A	0.14	-	29,024	-
MBAX	3.00	-	5	2.00	PICO	4.08	-	4	4.00	AEON13C2003A	-	-	-	-
MGT	1.68	(0.03)	952	1.00	QLT	5.05	(0.10)	2,590	5.00	AEON19C2003A	-	-	-	-
NDR	1.01	(0.01)	60	1.00	RP	1.44	-	418	1.00	AEON19C2006A	0.59	(0.01)	11,657	-
PDG	2.90	(0.02)	1,792	2.00	SE	1.88	0.08	1	1.00	AMAT01C2001A	0.02	0.01	8,330	-
PIMO	1.23	(0.01)	46,737	1.00	SONIC	0.97	(0.02)	1,713	-	AMAT01C2001B	0.01	-	1,740	-
PJW	1.20	-	40	1.00	SPA	13.80	(0.60)	15,557	13.00	AMAT01C2004A	0.22	(0.03)	65,456	-
PPM	0.81	(0.02)	523	-	THMUI	0.61	(0.01)	940	-	AMAT01C2004B	0.13	(0.02)	42,991	-
RWI	1.46	(0.01)	3,701	1.00	TNDT	3.60	(0.26)	666	3.00	AMAT01P2001A	0.87	0.08	5,966	-
SALEE	0.84	0.01	216	-	TNH	32.75	0.50	10	32.00	AMAT06C2005A	0.18	(0.02)	12,712	-
SANKO	0.99	0.03	9,581	-	TNP	2.06	(0.02)	2,491	2.00	AMAT08C2001A	-	-	-	-
SELIC	2.56	0.06	4,205	2.00	TSF	-	-	-	-	AMAT08C2002A	-	-	-	-
SWC	3.76	0.12	1,886	3.00	TVD	0.84	(0.02)	1,095	-	AMAT08C2005A	0.19	(0.02)	9,010	-
TMC	0.41	-	583	-	TVT	0.60	0.01	269	-	AMAT11C2001A	-	-	-	-
TMI	0.69	(0.01)	10,047	-	VL	1.41	(0.02)	66,718	1.00	AMAT11C2004A	-	-	-	-
TMW	38.25	-	54	37.00	WINNER	2.02	(0.04)	2,155	2.00	AMAT11C2008A	0.40	(0.03)	20,500	-
TPAC	-	-	-	-	YGG	5.00	0.02	24,944	4.00	AMAT13C2004A	0.11	(0.01)	44,825	-
TPLAS	1.10	-	1,042	1.00	Technology (MAI)					AMAT13C2006A	0.31	(0.01)	66,312	-
UAC	2.82	-	629	2.00	APP	2.16	(0.04)	25,912	2.00	AMAT16C2003A	-	-	-	-
UBIS	5.55	(0.05)	313	5.00	COMAN	2.62	(0.04)	1,798	2.00	AMAT16C2006A	0.05	(0.01)	208	-
UEC	0.79	0.01	182	-	ICN	1.46	(0.02)	6,753	1.00	AMAT19C2003A	0.01	(0.01)	490	-
UKEM	0.41	(0.01)	25,388	-	INSET	2.64	(0.02)	38,585	2.00	AMAT19C2005A	0.16	(0.02)	9,568	-
UREKA	1.00	(0.02)	2,313	-	IRCP	0.48	(0.01)	1,337	-	AMAT24C2001A	-	-	-	-
YUASA	12.60	(0.10)	11	12.00	ITEL	2.32	(0.04)	3,565	2.00	AMAT24C2006A	0.19	(0.03)	26,912	-
ZIGA	1.04	(0.01)	1,711	1.00	NETBAY	33.75	0.25	2,457	33.00	AMAT41C2002A	-	-	-	-
Property & Construc														
ALL	3.96	(0.08)	18,387	4.00	PLANET	1.12	(0.03)	23,388	1.00	AMAT41C2003A	-	-	-	-
ARIN	0.66	(0.01)	1,468	-	SIMAT	1.70	(0.01)	5,350	1.00	AMAT41C2004A	-	-	-	-
ARROW	8.60	(0.05)	150	8.00	SKY	14.60	0.10	9,751	14.00	AMAT41C2005A	-	-	-	-
BC	1.62	(0.04)	9,146	1.00	SPVI	3.04	0.04	75,689	3.00	AMAT41C2006A	-	-	-	-
BSM	0.35	-	3,402	-	TPS	1.97	-	2,259	1.00	AMAT42C2003A	-	-	-	-
BTW	0.71	-	605	-	UPA	0.19	-	18,430	-	AMAT42C2005A	-	-	-	-
CAZ	2.44	(0.06)	2,973	2.00	VCOM	2.86	0.02	134	2.00	ANAN13C2007A	0.21	(0.02)	17,724	-
CHEWA	0.46	(0.01)	7,243	-	Unit Trust					ANAN19C2001A	-	-	-	-
CMC	0.85	(0.01)	4,193	-	MGE	-	-	-	-	ANAN19C2004A	-	-	-	-
CRD	0.62	(0.01)	1,274	-	SCBSET	-	-	-	-	ANAN19C2007A	0.25	(0.04)	1,704	-
DIMET	0.37	(0.02)	16,361	-	ETF	-	-	-	-	AOT01C2002A	0.25	(0.09)	426,879	-
FLOYD	1.33	(0.04)	924	1.00	IDIV	10.18	(0.06)	459	10.00	AOT01C2002B	0.06	(0.04)	11,762	-
HYDRO	0.34	(0.01)	12	-	ABFTH	-	-	-	-	AOT01C2004A	0.36	(0.08)	190,727	-
JSP	0.28	(0.01)	9,426	-	BMSCG	7.47	(0.10)	242	7.00	AOT01C2004B	0.12	(0.05)	73,032	-
K	1.17	(

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2005A	0.32	(0.08)	80,491	-	BBL11C2007A	0.19	(0.03)	92,858	-	BEAU01P2001A	0.24	0.07	73,071	-
AOT19P2004A	0.42	0.09	55,564	-	BBL11P2001A	0.71	0.11	750	-	BEAU13C2001A	0.01	-	2,581	-
AOT24C2003A	0.07	(0.04)	12,300	-	BBL13C2003A	0.06	(0.01)	58,368	-	BEAU13C2003A	0.17	(0.06)	289,656	-
AOT27C2008A	0.37	(0.08)	56,676	-	BBL13C2004A	0.33	(0.03)	359,934	-	BEAU13C2003B	0.06	(0.01)	74,746	-
AOT28C2002A	0.01	(0.04)	30	-	BBL13P2003A	0.93	0.12	3,163	-	BEAU19C2002A	0.05	(0.03)	178,041	-
AOT28C2003A	0.03	(0.02)	424	-	BBL13P2004A	0.61	0.03	250,423	-	BEC01C2001A	0.01	-	340	-
AOT28C2006A	0.21	(0.79)	13,038	-	BBL16C2006A	0.16	(0.02)	100,928	-	BEC01C2001B	-	-	-	-
AOT28P2004A	0.39	0.10	32,703	-	BBL19C2001A	-	-	-	-	BEC01C2006A	0.35	(0.03)	115,073	-
AOT41C2002A	-	-	-	-	BBL19C2003A	0.03	-	15,714	-	BEC01C2006B	0.19	(0.03)	167,689	-
AOT41C2003A	-	-	-	-	BBL19C2005A	0.29	(0.04)	96,770	-	BEC01P2001A	1.09	0.05	44,611	1.00
AOT41C2004A	-	-	-	-	BBL19P2002A	0.27	0.04	62,228	-	BEC01P2006A	0.58	0.02	157,904	-
AOT41C2005A	-	-	-	-	BBL24C2001A	-	-	-	-	BEC16C2002A	-	-	-	-
AOT41C2006A	0.36	(0.08)	26,191	-	BBL24C2004A	0.38	(0.03)	148,403	-	BEC19C2003A	0.02	(0.01)	4,400	-
AOT41C2007A	0.32	(0.08)	23,626	-	BBL27C2002A	-	-	-	-	BEC19C2005A	0.20	(0.03)	101,617	-
AOT41P2002A	-	-	-	-	BBL28C2003A	0.01	(0.01)	5,935	-	BEC27C2002A	-	-	-	-
AOT41P2004A	0.64	0.13	12,776	-	BBL28C2005A	0.23	(0.03)	56,104	-	BEC41C2002A	-	-	-	-
AOT41P2005A	0.92	0.14	7,492	-	BBL41C2001A	-	-	-	-	BEC41C2003A	0.03	(0.05)	500	-
AOT41P2006A	0.52	0.09	23,438	-	BBL41C2003A	-	-	-	-	BEC42C2003A	0.01	(0.06)	1,004	-
AOT42C2006A	0.27	(0.08)	19,514	-	BBL41C2004A	0.26	(0.05)	978	-	BEC42C2005A	0.24	(0.03)	5,130	-
AOT42P2003A	-	-	-	-	BBL41C2005A	-	-	-	-	BEM01C2004A	0.28	(0.01)	230,927	-
AP01C2001A	0.08	(0.04)	1	-	BBL41C2006A	0.11	(0.03)	1,000	-	BEM01C2004B	0.15	(0.01)	303,313	-
AP01C2001B	-	-	-	-	BBL41C2007A	0.47	(0.03)	31,416	-	BEM01P2004A	0.18	-	230,072	-
AP11C2001A	-	-	-	-	BBL41P2002A	0.87	0.11	7,208	-	BEM06C2004A	0.13	(0.02)	33,924	-
AP16C2002A	-	-	-	-	BBL41P2004A	0.64	0.09	49,677	-	BEM08C2001A	-	-	-	-
AP19C2002A	0.05	(0.04)	1,230	-	BBL41P2006A	0.74	0.04	20,848	-	BEM08C2005A	0.21	(0.01)	36,000	-
AP28C2004A	0.20	(0.08)	47,919	-	BBL42C2003A	-	-	-	-	BEM11C2001A	0.02	-	51,250	-
AP28C2006A	0.17	(0.83)	6,669	-	BBL42C2005A	0.24	(0.04)	11,296	-	BEM11C2003A	-	-	-	-
AWC01C2003A	0.22	(0.03)	249,912	-	BCH01C2001A	0.18	(0.02)	71,828	-	BEM13C2002A	0.01	(0.02)	1	-
AWC01C2003B	-	-	-	-	BCH01C2001B	-	-	-	-	BEM13C2004A	0.14	(0.01)	285,595	-
AWC01C2004A	0.15	(0.05)	230,079	-	BCH01C2006A	0.33	-	69,511	-	BEM16C2001A	-	-	-	-
AWC01P2003A	0.41	0.07	171,258	-	BCH01C2006B	0.19	(0.01)	242,468	-	BEM16C2006A	0.26	(0.01)	170,946	-
AWC01P2003B	0.09	0.01	65,552	-	BCH01P2001A	0.11	-	84,654	-	BEM19C2001A	-	-	-	-
AWC06C2002A	0.03	(0.01)	2,300	-	BCH01P2006A	0.67	0.01	32,363	-	BEM19C2005A	0.19	(0.02)	23,894	-
AWC06C2004A	0.24	(0.06)	50,485	-	BCH06C2006A	0.25	(0.02)	32,305	-	BEM23C2001A	-	-	-	-
AWC06P2002A	0.26	0.09	33,140	-	BCH06P2006A	0.46	-	15,002	-	BEM24C2003A	-	-	-	-
AWC08C2004A	0.12	(0.02)	13,410	-	BCH08C2004A	0.14	(0.01)	24,400	-	BEM28C2002A	-	-	-	-
AWC13C2002A	0.04	(0.02)	97,141	-	BCH11C2001A	-	-	-	-	BEM28C2006A	-	-	-	-
AWC13C2003A	0.13	(0.05)	122,493	-	BCH13C2004A	0.11	(0.01)	77,230	-	BEM41C2002A	-	-	-	-
AWC13C2006A	0.19	(0.03)	99,147	-	BCH16C2001A	-	-	-	-	BEM41C2004A	-	-	-	-
AWC13P2002A	0.03	0.01	8,001	-	BCH16C2006A	0.23	(0.02)	5,048	-	BEM41C2006A	-	-	-	-
AWC13P2003A	0.03	0.01	2,411	-	BCH19C2001A	-	-	-	-	BEM41P2003A	-	-	-	-
AWC13P2006A	0.35	0.03	188,747	-	BCH19C2005A	0.11	(0.01)	39,510	-	BEM41P2004A	0.16	-	1,000	-
AWC16C2005A	0.06	(0.01)	30,000	-	BCH19C2006A	0.30	(0.01)	34,185	-	BEM42C2001A	-	-	-	-
AWC16C2007A	0.16	(0.04)	130,196	-	BCH24C2003A	0.11	(0.01)	15,691	-	BGR01C2001A	1.88	0.03	44,539	2.00
AWC19C2003A	0.10	(0.05)	16,047	-	BCH27C2003A	0.19	(0.01)	26,040	-	BGR01C2001B	1.82	0.02	48,228	1.00
AWC19C2004A	-	-	-	-	BCH41C2005A	-	-	-	-	BGR01C2003A	1.16	0.04	178,642	1.00
AWC19C2006A	0.19	(0.06)	69,919	-	BCH41C2006A	-	-	-	-	BGR01C2003B	0.84	0.05	185,998	-
AWC24C2007A	0.12	(0.03)	30,609	-	BCH42C2002A	-	-	-	-	BGR01C2006A	0.89	0.03	162,509	-
AWC28C2003A	0.03	(0.01)	2,710	-	BCP01C2001A	0.04	(0.01)	820	-	BGR01C2006B	0.60	0.02	623,660	-
AWC28C2003B	-	-	-	-	BCP01C2001B	-	-	-	-	BGR01P2001A	0.01	-	33,378	-
AWC28C2003C	0.15	(0.03)	27,578	-	BCP01C2005A	0.75	(0.03)	10,746	-	BGR01P2003A	0.06	(0.02)	469,404	-
AWC28P2003A	-	-	-	-	BCP01C2005B	0.16	(0.01)	34,865	-	BGR01P2006A	0.57	(0.03)	647,440	-
AWC41C2003A	-	-	-	-	BCP01P2001A	0.31	0.02	15,430	-	BGR06C2005A	0.86	0.01	122,185	1.00
AWC41C2004A	-	-	-	-	BCP01P2005A	0.19	0.02	55,458	-	BGR08C2003A	-	-	-	-
AWC41C2005A	-	-	-	-	BCP11C2004A	-	-	-	-	BGR08C2005A	0.82	0.03	140,958	-
AWC41C2006A	-	-	-	-	BCP13C2003A	0.09	-	4,600	-	BGR11C2006A	1.49	0.01	36,588	1.00
AWC41C2007A	0.25	(0.02)	500	-	BCP13C2003B	-	-	-	-	BGR13C2001A	-	-	-	-
AWC42C2003A	-	-	-	-	BCP19C2001A	-	-	-	-	BGR13C2002A	1.06	0.06	1,330	1.00
BANP01C2002A	0.14	(0.01)	132,936	-	BCP19C2004A	-	-	-	-	BGR13C2004A	0.69	0.03	87,915	-
BANP01C2002B	-	-	-	-	BCP19C2005A	0.19	(0.01)	19,262	-	BGR13C2006A	0.64	0.02	449,006	-
BANP01C2005A	0.26	(0.02)	323,830	-	BCP24C2004A	-	-	-	-	BGR13P2005A	0.30	(0.03)	354,860	-
BANP01C2005B	0.14	(0.01)	301,215	-	BCPG01C2005A	0.42	(0.02)	14,961	-	BGR16C2001A	-	-	-	-
BANP01P2002A	0.33	0.02	93,983	-	BCPG01C2005B	0.22	(0.03)	18,822	-	BGR16C2005A	0.96	0.04	327,620	1.00
BANP01P2002B	0.27	0.04	260,520	-	BCPG01P2005A	0.30	0.01	23,547	-	BGR19C2004A	1.34	0.19	2,134	1.00
BANP01P2005A	0.38	0.01	63,526	-	BCPG06C2002A	-	-	-	-	BGR19C2005A	0.80	0.04	43,284	-
BANP01P2005B	0.20	0.01	100,606	-	BCPG13C2004A	0.21	(0.02)	67,799	-	BGR14C2004A	1.06	0.02	47,309	1.00
BANP06C2002A	0.01	-	4,500	-	BCPG19C2003A	0.10	(0.01)	5,550	-	BGR17P2006A	0.25	(0.01)	116,601	-
BANP06C2005A	0.14	(0.01)	58,304	-	BCPG19C2005A	0.33	(0.04)	22,067	-	BGR18C2002A	1.89	1.07	4,071	2.00
BANP08C2002A	-	-	-	-	BCPG28C2002A	-	-	-	-	BGR18C2003A	1.46	0.92	2,114	1.00
BANP08C2005A	0.18	(0.01)	21,800	-	BCPG28C2003A	-	-	-	-	BGR18C2003B	0.86	0.09	16,724	-
BANP08P2003A	0.39	0.01	20,500	-	BCPG28C2004A	0.17	(0.01)	8,120	-	BGR14C2002A	-	-	-	-
BANP11C2004A	-	-	-	-	BCPG41C2002A	-	-	-	-	BGR14C2004A	1.11	0.24	14,488	1.00
BANP11C2008A	0.22	(0.01)	71,921	-	BCPG41C2005A	0.30	(0.07)	8,808	-	BGR14C2005A	0.93	0.20	31,768	-
BANP13C2001A	-	-	-	-	BCPG42C2001A	-	-	-	-	BGR14C2006A	0.74	0.04	134,997	-
BANP13C2003A	0.05	-	43,855	-	BCPG42C2004A	-	-	-	-	BGR14P2004A	-	-	-	-
BANP13C2006A	0.15	(0.03)	159,048	-	BDM01C2002A	0.42	(0.11)	368,136	-	BGR14P2005A	0.29	(0.02)	106,405	-
BANP19C2002A	0.02	0.01	101	-	BDM01C2002B	0.05	(0.04)	44,194	-	BGR14C2003A	0.92	0.05	3,220	1.00
BANP19C2004A	-	-	-	-	BDM01P2002A	0.13	0.02	308,945	-	BH01C2001A	0.01	(0.01)	5	-
BANP19C2005A	0.11	(0.01)	13,552	-	BDM06C2003A	0.31	(0.08)	40,066	-	BH01C2001B	-	-	-	-
BANP19P2003A	0.28	0.01	68,530	-	BDM06P2004A	0.17	0.04	140,230	-	BH01C2004A	0.75	(0.06)	25,537	-
BANP24C2003A	-	-	-	-	BDM08C2003A	-	-	-	-	BH01C2004B	0.38	(0.06)	48,649	-
BANP27C2007A	0.18	(0.01)	12,552	-	BDM01C2001A	-	-	-	-	BH01P2001A	1.66	0.11	12,684	1.00
BANP28C2002A	-	-	-	-	BDM01C2007A	0.51	(0.09)	22,226	-	BH01P2004A	0.51	0.03	70,054	-
BANP28C2003A	-	-	-	-	BDM01C2008A	0.15	(0.02)	105,178	-	BH11C2002A	-	-	-	-
BANP28C2004A	0.08	(0.03)	22,056	-	BDM01P2002A	0.08	0.04	7,203	-	BH11C2008A	0.53	(0.05)	27,714	-
BANP41C2002A	-	-	-	-	BDM01P2003A	0.27	(0.17)	413,058	-	BH13C2002A	0.15	(0.06)	69,507	-
BANP41C2003A	-	-	-	-	BDM01P2004A	0.09	(0.02)	129,132	-	BH13C2006A	0.43	(0.57)	44,260	-
BANP41C2005A	-	-	-	-	BDM01P2006A	0.52	(0.07)	53,998	-	BH19C2002A	0.08	(0.03)	9,289	-
BANP41C2006A	-	-	-	-	BDM01P2001A	-	-	-						

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC06C2002A	0.02	-	538	-	CENT19C2005A	0.24	(0.10)	29,055	-	CPAL01C2006B	0.46	0.01	181,348	-
BJC06C2006A	0.37	0.02	21,245	-	CENT24C2003A	-	-	-	-	CPAL01P2002A	1.15	-	5,325	1.00
BJC11C2001A	-	-	-	-	CENT24C2008A	0.10	(0.05)	12,808	-	CPAL01P2002B	0.66	(0.03)	39,010	-
BJC11C2008A	0.41	0.02	28,382	-	CENT27C2008A	0.09	(0.03)	3,664	-	CPAL01P2004A	0.82	(0.02)	60,401	-
BJC13C2001A	-	-	-	-	CENT28C2004A	0.02	-	915	-	CPAL01P2004B	0.39	(0.01)	142,961	-
BJC13C2002A	0.02	-	500	-	CENT28C2005A	0.05	(0.03)	1	-	CPAL06C2006A	0.60	0.01	75,166	-
BJC13C2004A	0.10	-	45,873	-	CENT41C2001A	-	-	-	-	CPAL08C2001A	-	-	-	-
BJC13C2005A	0.28	0.01	93,494	-	CENT41C2003A	-	-	-	-	CPAL08C2004A	0.18	(0.01)	6,116	-
BJC16C2002A	-	-	-	-	CENT41C2004A	-	-	-	-	CPAL08P2002A	0.41	(0.01)	17,000	-
BJC16C2006A	0.21	0.01	45,154	-	CENT41C2005A	-	-	-	-	CPAL11C2006A	0.13	-	65,300	-
BJC19C2003A	-	-	-	-	CENT41P2001A	-	-	-	-	CPAL11C2007A	0.41	-	33,011	-
BJC19C2005A	0.17	0.02	10,542	-	CENT41P2002A	-	-	-	-	CPAL13C2002A	0.06	-	1,510	-
BJC23C2001A	-	-	-	-	CENT41P2003A	0.68	0.14	22,950	-	CPAL13C2004A	0.43	-	192,633	-
BJC24C2003A	-	-	-	-	CENT42C2002A	-	-	-	-	CPAL13P2003A	0.45	(0.02)	86,632	-
BJC24C2006A	0.29	0.02	45,950	-	CENT42C2004A	0.02	(0.01)	1,000	-	CPAL16C2001A	-	-	-	-
BJC27C2009A	0.31	0.01	15,350	-	CENT42C2006A	0.30	(0.12)	10,294	-	CPAL16C2006A	0.30	-	22,686	-
BJC28C2004A	0.12	0.02	10,180	-	CHG01C2001A	0.41	(0.01)	19,647	-	CPAL16C2007A	0.48	0.01	82,355	-
BJC41C2002A	-	-	-	-	CHG01C2001B	0.07	-	25,478	-	CPAL19C2002A	-	-	-	-
BJC41C2004A	-	-	-	-	CHG01C2006A	0.35	(0.01)	38,990	-	CPAL19C2004A	0.20	(0.01)	9,480	-
BJC41C2005A	-	-	-	-	CHG01C2006B	0.21	(0.02)	27,308	-	CPAL19C2005A	0.41	-	6,396	-
BJC41C2006A	-	-	-	-	CHG01P2001A	0.01	-	10	-	CPAL19P2004A	0.25	(0.02)	14,033	-
BJC41C2007A	0.35	(0.65)	6,000	-	CHG01P2006A	0.40	0.01	34,014	-	CPAL24C2005A	0.20	0.01	44,914	-
BJC41P2004A	-	-	-	-	CHG06C2002A	0.07	(0.01)	22,998	-	CPAL28C2003A	-	-	-	-
BJC41P2005A	0.41	(0.02)	390	-	CHG06P2003A	0.09	-	4,290	-	CPAL28C2003B	-	-	-	-
BJC42C2004A	0.11	(0.03)	13,708	-	CHG08C2005A	0.17	(0.01)	13,002	-	CPAL28C2004A	0.19	0.01	8,113	-
BLAN19C2004A	-	-	-	-	CHG13C2003A	0.09	(0.01)	70,306	-	CPAL28C2005A	0.34	0.01	30,420	-
BLAN28C2004A	-	-	-	-	CHG13C2006A	0.28	(0.01)	97,854	-	CPAL41C2002A	-	-	-	-
BPP01C2005A	0.36	(0.02)	267,327	-	CHG16C2002A	0.12	(0.03)	41,248	-	CPAL41C2003A	-	-	-	-
BPP01C2005B	0.19	(0.02)	357,552	-	CHG19C2004A	0.26	-	12,142	-	CPAL41C2004A	-	-	-	-
BPP01P2005A	0.43	-	148,939	-	CHG27C2009A	0.32	(0.02)	19,200	-	CPAL41C2005A	-	-	-	-
BPP13C2004A	0.13	(0.01)	37,872	-	CHG41C2005A	0.17	(0.02)	3,200	-	CPAL41C2006A	0.36	0.01	8,682	-
BPP16C2001A	-	-	-	-	CHG42C2006A	0.23	(0.04)	8,004	-	CPAL41P2003A	-	-	-	-
BPP19C2002A	-	-	-	-	CK01C2001A	0.01	-	25,000	-	CPAL41P2004A	-	-	-	-
BPP19C2005A	0.19	(0.01)	82,542	-	CK01C2001B	-	-	-	-	CPAL41P2005A	-	-	-	-
BPP24C2003A	-	-	-	-	CK01C2005A	0.60	(0.08)	124,542	-	CPAL41P2006A	-	-	-	-
BTS01C2001A	0.31	(0.03)	13,269	-	CK01C2005B	0.37	(0.06)	113,738	-	CPAL42C2003A	-	-	-	-
BTS01C2001B	0.04	-	14	-	CK01P2001A	0.73	0.08	25,578	-	CPAL42C2005A	-	-	-	-
BTS01C2005A	0.32	(0.03)	14,520	-	CK01P2005A	0.26	0.03	158,140	-	CPF01C2001A	0.22	-	73,527	-
BTS01C2005B	0.18	(0.01)	15,392	-	CK06C2002A	-	-	-	-	CPF01C2001B	0.02	-	25,521	-
BTS01P2001A	0.02	0.01	2,400	-	CK06C2004A	0.39	(0.12)	42,738	-	CPF01C2004A	0.36	(0.01)	169,003	-
BTS01P2005A	0.24	0.02	56,287	-	CK11C2007A	0.31	(0.09)	80,432	-	CPF01C2004B	0.28	-	189,276	-
BTS08C2005A	0.13	(0.01)	6,050	-	CK13C2002A	0.02	-	3,320	-	CPF01P2001A	0.10	(0.01)	135,832	-
BTS11C2003A	0.23	(0.01)	550	-	CK13C2003A	0.29	(0.08)	288,425	-	CPF01P2001B	0.01	-	1,700	-
BTS13C2001A	-	-	-	-	CK13C2006A	0.32	(0.06)	230,211	-	CPF01P2004A	0.11	-	441,700	-
BTS13C2003A	0.12	(0.01)	17,730	-	CK16C2003A	0.03	(0.06)	14,395	-	CPF11C2004A	0.12	(0.01)	54,615	-
BTS13C2006A	0.24	(0.01)	9,903	-	CK16C2006A	0.25	(0.06)	136,873	-	CPF11C2007A	0.37	-	54,284	-
BTS16C2001A	-	-	-	-	CK19C2002A	-	-	-	-	CPF13C2003A	0.24	(0.01)	85,210	-
BTS16C2001B	0.29	(0.03)	18,077	-	CK19C2003A	0.04	(0.01)	32,393	-	CPF13C2006A	0.22	-	159,311	-
BTS19C2002A	-	-	-	-	CK19C2004A	0.34	(0.08)	24,307	-	CPF16C2001A	-	-	-	-
BTS19C2005A	0.22	(0.03)	2,140	-	CK24C2003A	0.04	-	3,501	-	CPF16C2007A	0.32	(0.01)	16,562	-
BTS19P2002A	-	-	-	-	CK41C2001A	-	-	-	-	CPF19C2001A	-	-	-	-
BTS24C2001A	-	-	-	-	CK41C2003A	0.28	(0.08)	33,980	-	CPF19C2003A	0.19	-	38,264	-
BTS24C2007A	0.25	(0.02)	29,427	-	CK41C2004A	0.17	(0.05)	1,100	-	CPF19C2005A	0.36	-	3,664	-
BTS24P2001A	-	-	-	-	CK41C2005A	0.24	(0.01)	1,000	-	CPF19P2002A	-	-	-	-
BTS41C2003A	-	-	-	-	CKP01C2004A	0.04	-	3,117	-	CPF24C2007A	0.39	-	19,616	-
BTS41C2004A	-	-	-	-	CKP01C2004B	-	-	-	-	CPF27C2001A	-	-	-	-
BTS41C2006A	0.24	(0.02)	19,354	-	CKP01P2004A	0.72	0.05	167,365	-	CPF28C2004A	0.29	-	20,310	-
BTS41P2001A	-	-	-	-	CKP08C2004A	-	-	-	-	CPF41C2002A	-	-	-	-
BTS41P2004A	0.23	0.01	5	-	CKP11C2006A	0.04	-	2	-	CPF41C2004A	0.29	0.03	8,856	-
BTS42C2003A	0.04	(0.01)	500	-	CKP13C2001A	-	-	-	-	CPF41C2005A	0.27	-	1,857	-
CBG01C2001A	0.48	0.03	158,975	-	CKP13C2003A	-	-	-	-	CPF41P2003A	0.02	(0.01)	2,800	-
CBG01C2001B	0.01	(0.01)	3	-	CKP13C2004A	-	-	-	-	CPF41P2005A	0.14	(0.86)	1	-
CBG01C2004A	0.95	0.04	272,896	-	CKP13C2004B	0.23	(0.04)	69,956	-	CPF42C2001A	-	-	-	-
CBG01C2004B	0.42	0.03	160,150	-	CKP16C2001A	-	-	-	-	CPF42C2003A	0.17	-	8,100	-
CBG01P2001A	0.01	-	9,042	-	CKP16C2005A	0.01	-	2,200	-	CPN01C2001A	0.01	(0.01)	133	-
CBG01P2003A	0.14	(0.02)	128,114	-	CKP16C2007A	0.23	(0.02)	22,897	-	CPN01C2001B	-	-	-	-
CBG01P2004A	0.77	(0.03)	153,915	-	CKP19C2003A	-	-	-	-	CPN01C2005A	0.60	0.02	96,434	-
CBG06C2002A	0.38	0.03	352,666	-	CKP19C2005A	-	-	-	-	CPN01C2005B	0.28	0.01	114,649	-
CBG08C2003A	0.55	-	47,978	-	CKP19C2006A	0.35	(0.02)	9,057	-	CPN01P2001A	1.19	-	26,285	1.00
CBG11C2002A	0.42	0.01	37,644	-	CKP24C2006A	0.17	(0.03)	37,466	-	CPN01P2005A	0.45	(0.03)	165,007	-
CBG13C2004A	0.57	0.02	227,858	-	CKP27C2005A	-	-	-	-	CPN06C2001A	-	-	-	-
CBG13P2001A	-	-	-	-	CKP28C2003A	0.01	-	3,451	-	CPN11C2006A	0.16	0.01	27,124	-
CBG13P2006A	0.98	(0.03)	116,230	-	CKP28C2004A	-	-	-	-	CPN11C2008A	0.55	0.01	36,973	-
CBG16C2001A	0.89	0.06	51,181	-	CKP28C2004B	-	-	-	-	CPN13C2004A	0.23	0.01	116,483	-
CBG19C2004A	0.49	0.02	40,106	-	CKP28C2006A	0.28	(0.72)	29,288	-	CPN16C2001A	-	-	-	-
CBG19C2005A	0.76	0.01	79,711	-	CKP41C2002A	-	-	-	-	CPN16C2005A	0.44	0.01	77,783	-
CBG19P2002A	0.04	(0.01)	6,000	-	CKP41C2004A	-	-	-	-	CPN19C2002A	-	-	-	-
CBG24C2003A	0.41	-	49,513	-	CKP41C2005A	-	-	-	-	CPN19C2004A	0.25	-	24,186	-
CBG41C2002A	-	-	-	-	CKP41C2006A	0.27	(0.05)	4	-	CPN24C2002A	0.01	(0.04)	4,000	-
CBG41C2003A	0.52	0.03	26,968	-	CKP42C2003A	-	-	-	-	CPN24C2007A				

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
DTAC13C2006A	0.21	(0.07)	102,916	-	GLOB01C2003A	0.14	(0.01)	57,327	-	GUNK24C2001A	-	-	-	-
DTAC13P2003A	0.88	0.10	320	-	GLOB01P2003A	0.32	-	44,891	-	GUNK24C2006A	0.16	(0.02)	3,762	-
DTAC13P2006A	0.66	0.11	141,645	-	GLOB06C2002A	-	-	-	-	GUNK28C2002A	-	-	-	-
DTAC16C2001A	-	-	-	-	GLOB06C2006A	0.42	(0.02)	3,296	-	GUNK28C2003A	-	-	-	-
DTAC19C2001A	-	-	-	-	GLOB11C2002A	-	-	-	-	GUNK28C2005A	0.10	(0.01)	1,014	-
DTAC19C2005A	0.15	(0.05)	29,651	-	GLOB13C2002A	-	-	-	-	GUNK41C2002A	-	-	-	-
DTAC19P2002A	0.77	0.17	7,134	-	GLOB16C2001A	-	-	-	-	GUNK41C2003A	-	-	-	-
DTAC24C2004A	-	-	-	-	GLOB19C2002A	-	-	-	-	GUNK41C2005A	-	-	-	-
DTAC27C2002A	0.03	(0.03)	2,000	-	GLOB19C2005A	0.19	(0.01)	10,651	-	GUNK41P2005A	0.51	0.02	1,254	-
DTAC27P2002A	0.13	0.03	16,620	-	GLOB24C2005A	0.18	(0.01)	6,702	-	GUNK42C2003A	-	-	-	-
DTAC41C2002A	-	-	-	-	GLOB41C2004A	0.13	(0.01)	500	-	HANA01C2001A	0.46	(0.11)	46,674	-
DTAC41C2004A	-	-	-	-	GPSC01C2003A	1.08	(0.02)	326,521	1.00	HANA01C2001B	0.10	(0.02)	53,343	-
DTAC41C2005A	-	-	-	-	GPSC01C2003B	0.57	(0.02)	1,080,144	-	HANA01C2006A	0.52	(0.01)	31,368	-
DTAC41C2006A	0.18	(0.06)	43,978	-	GPSC01C2005A	1.31	(0.02)	226,937	1.00	HANA01C2006B	0.30	(0.01)	50,127	-
DTAC41P2001A	-	-	-	-	GPSC01C2005B	0.93	(0.02)	285,848	-	HANA01P2006A	0.32	0.01	67,463	-
DTAC41P2002A	0.88	0.19	22,756	-	GPSC01P2003A	0.29	0.01	246,341	-	HANA13C2002A	0.43	(0.03)	31,088	-
DTAC41P2006A	1.00	0.10	8,033	-	GPSC01P2005A	0.68	-	509,694	-	HANA13C2006A	0.26	(0.01)	81,773	-
DTAC42C2001A	-	-	-	-	GPSC01P2005B	0.42	(0.02)	131,855	-	HANA19C2003A	0.51	(0.02)	1,738	-
DTAC42C2004A	0.07	(0.04)	6,702	-	GPSC08C2001A	2.12	0.02	2,600	2.00	HANA19C2006A	0.33	(0.01)	11,838	-
EA06C2002A	0.01	-	10,009	-	GPSC08C2004B	0.73	(0.01)	102,903	-	HANA27C2001A	-	-	-	-
EA06C2005A	0.23	(0.01)	113,493	-	GPSC11C2006A	1.37	(0.02)	51,332	1.00	HANA27C2007A	0.31	(0.01)	13,200	-
EA08C2001A	-	-	-	-	GPSC13C2001A	1.14	0.04	218	1.00	HANA27P2007A	0.40	-	16,750	-
EA08C2004A	0.08	-	254	-	GPSC13C2002A	0.46	(0.02)	1,081,464	-	HANA41C2002A	-	-	-	-
EA11C2005A	0.19	0.01	36,396	-	GPSC13C2005A	1.13	(0.01)	503,921	1.00	HMPR01C2001A	0.07	-	191	-
EA13C2001A	-	-	-	-	GPSC13P2002A	0.01	-	7,200	-	HMPR01C2001B	-	-	-	-
EA13C2003A	0.14	-	62,897	-	GPSC13P2003A	0.23	(0.01)	315,504	-	HMPR01C2006A	0.39	-	7,626	-
EA13C2005A	0.27	-	182,232	-	GPSC13P2005A	0.87	-	738,080	-	HMPR01C2006B	0.26	(0.01)	3,508	-
EA13P2001A	-	-	-	-	GPSC16C2003A	1.54	(0.02)	136,919	1.00	HMPR01P2001A	-	-	-	-
EA13P2003A	0.26	-	98,520	-	GPSC16C2007A	1.15	(0.02)	179,895	1.00	HMPR01P2006A	0.40	-	15,279	-
EA16C2003A	0.01	-	250	-	GPSC19C2001A	1.37	(0.08)	11,628	1.00	HMPR06C2002A	-	-	-	-
EA16C2006A	0.13	0.01	63,699	-	GPSC19C2004A	0.77	(0.02)	166,360	-	HMPR06C2006A	0.24	(0.02)	2,375	-
EA19C2001A	-	-	-	-	GPSC19P2002A	-	-	-	-	HMPR11C2003A	-	-	-	-
EA19C2002A	0.02	-	11	-	GPSC19P2005A	0.35	-	98,750	-	HMPR13C2003A	-	-	-	-
EA19C2004A	0.20	-	9,669	-	GPSC24C2002A	1.29	(0.02)	53,883	1.00	HMPR13C2006A	0.28	(0.01)	16,192	-
EA19P2002A	0.41	(0.02)	4,794	-	GPSC27C2005A	0.57	(0.03)	192,452	-	HMPR19C2003A	0.07	-	1,000	-
EA24C2003A	-	-	-	-	GPSC41C2002A	-	-	-	-	HMPR19C2005A	0.25	(0.02)	802	-
EA24C2004A	0.24	0.01	60,540	-	GPSC41C2003A	-	-	-	-	HMPR24C2004A	0.10	(0.01)	16,034	-
EA27C2006A	0.25	0.01	38,446	-	GPSC41C2004A	0.66	(0.05)	489,662	-	HMPR27P2001A	-	-	-	-
EA28C2002A	-	-	-	-	GPSC41C2005A	0.99	0.03	26,700	1.00	HMPR28C2003A	-	-	-	-
EA28C2004A	0.10	0.02	19,052	-	GPSC41C2006A	1.11	0.02	20	1.00	HMPR41C2002A	-	-	-	-
EA28C2004B	0.15	0.01	32,420	-	GPSC41P2003A	0.06	(0.04)	2,000	-	HMPR41C2003A	-	-	-	-
EA41C2002A	-	-	-	-	GPSC41P2004A	0.52	0.01	24,384	-	HMPR41C2005A	-	-	-	-
EA41C2004A	-	-	-	-	GPSC41P2005A	0.62	0.01	129,928	-	HMPR41C2006A	-	-	-	-
EA41C2005A	-	-	-	-	GPSC42C2002A	0.77	(0.02)	31,726	-	HMPR41P2003A	0.14	-	1,004	-
EA41C2006A	0.30	0.03	31,648	-	GULF01C2003A	1.40	(0.04)	204,088	1.00	HMPR42C2003A	0.01	(0.10)	30	-
EA41P2003A	-	-	-	-	GULF01C2003B	0.70	(0.02)	965,107	-	HSI28C2001A	-	-	-	-
EA41P2004A	0.53	(0.03)	258	-	GULF01C2005A	1.62	(0.02)	94,246	1.00	HSI28C2001B	0.71	(0.54)	38	-
EA42C2001A	0.01	-	500	-	GULF01C2005B	1.23	(0.02)	122,530	1.00	HSI28C2001C	0.16	(0.28)	9,147	-
EA42C2004A	-	-	-	-	GULF01P2003A	0.07	0.01	344,144	-	HSI28C2002A	-	-	-	-
EGCO01C2001A	0.62	(0.06)	17,324	-	GULF01P2003B	0.08	-	527,685	-	HSI28C2002B	-	-	-	-
EGCO01C2001B	0.05	(0.02)	81,932	-	GULF01P2005A	0.72	-	811,734	-	HSI28C2002C	0.47	(0.32)	67,236	-
EGCO01C2004A	0.39	(0.04)	132,875	-	GULF03C2005A	0.85	(0.03)	66,618	-	HSI28C2003A	0.76	(0.37)	62,692	-
EGCO01C2004B	0.13	(0.02)	99,594	-	GULF06C2004A	1.84	(0.11)	52,035	1.00	HSI28C2003B	0.43	(0.25)	3,320	-
EGCO06C2004A	0.19	(0.04)	50,507	-	GULF08C2003A	1.17	(0.05)	9,330	1.00	HSI28C2003C	0.25	(0.18)	9,873	-
EGCO06P2004A	0.46	0.04	63,139	-	GULF11C2003A	2.60	(0.06)	4,884	2.00	HSI28P2001A	-	-	-	-
EGCO13C2002A	0.08	(0.01)	40,401	-	GULF11C2006A	1.24	(0.06)	36,137	1.00	HSI28P2001B	-	-	-	-
EGCO13C2005A	0.62	(0.05)	248,828	-	GULF13C2001A	0.21	(0.09)	18,153	-	HSI28P2001C	0.02	(0.06)	1,870	-
EGCO16C2001A	0.06	(0.01)	1,047	-	GULF13C2004A	1.10	(0.03)	212,933	1.00	HSI28P2002A	0.22	0.07	135	-
EGCO19C2002A	0.03	-	400	-	GULF13C2006A	0.96	(0.02)	1,399,625	-	HSI28P2002B	-	-	-	-
EGCO19C2005A	0.41	(0.05)	93,486	-	GULF13P2001B	-	-	-	-	HSI28P2002C	-	-	-	-
EGCO41C2001A	-	-	-	-	GULF13P2002A	0.01	-	6,124	-	HSI28P2003A	0.59	0.21	15,649	-
EGCO41C2002A	-	-	-	-	GULF13P2004A	0.27	-	657,085	-	HSI28P2003B	0.92	0.29	62,330	-
EGCO41C2003A	-	-	-	-	GULF13P2005A	0.70	0.02	1,106,498	-	HSI28P2003C	1.37	0.41	107,650	1.00
EGCO41C2004A	-	-	-	-	GULF16C2001A	3.14	(0.08)	23,312	3.00	INTU01C2003A	0.16	(0.01)	85,197	-
EGCO41C2006A	0.65	(0.05)	73,512	-	GULF16C2003A	1.03	(0.04)	153,341	1.00	INTU01C2003B	0.07	(0.01)	20,070	-
EGCO41P2002A	0.10	0.01	164	-	GULF16C2007A	1.52	(0.05)	103,257	1.00	INTU01C2006A	0.56	(0.02)	121,557	-
EGCO41P2004A	0.71	0.02	6,999	-	GULF19C2003A	1.27	(0.06)	19,413	1.00	INTU01C2006B	0.36	(0.02)	160,483	-
EGCO41P2006A	0.48	0.02	10,964	-	GULF19C2004A	0.75	(0.02)	133,552	-	INTU01P2003A	0.92	0.05	30,723	-
EGCO42C2003A	-	-	-	-	GULF19P2001A	-	-	-	-	INTU01P2003B	0.27	0.01	97,972	-
EGCO42C2007A	0.53	(0.10)	22,710	-	GULF19P2003A	0.05	0.01	4,042	-	INTU01P2006A	0.68	0.02	39,835	-
EPG08C2004A	0.09	(0.03)	5,900	-	GULF19P2006A	0.62	0.01	106,883	-	INTU01P2006B	0.37	0.01	181,225	-
EPG13C2004A	0.04	(0.04)	100	-	GULF24C2001A	-	-	-	-	INTU11C2001A	0.07	(0.02)	20,230	-
EPG13C2006A	0.20	(0.06)	43,406	-	GULF24C2002A	0.92	(0.04)	44,466	-	INTU13C2002A	0.03	-	501	-
EPG19C2002A	-	-	-	-	GULF24C2005A	1.29	(0.02)	33,711	1.00	INTU13C2004A	0.26	(0.03)	63,785	-
EPG19C2005A	0.13	(0.04)	12,150	-	GULF24P2001A	-	-	-	-	INTU13P2004A	0.23	0.01	35,802	-
EPG19P2002A	0.25	0.05	49,063	-	GULF27C2004A	1.97	0.09	2,440	2.00	INTU16C2001A	-	-	-	-
ERW06C2006A	0.06	(0.08)	175,948	-	GULF28C2003A	0.49	(0.01)	60,374	-	INTU16C2005A	-	-	-	-
ERW06P2006A	0.51	0.16	101,417	-	GULF28C2003B	0.55	(0.04)	155,124	-	INTU16C2007A	0.27	(0.02)	60,524	-
ERW11C2001A	-	-	-	-	GULF28C2006A	0.20	(0.80)	18,001	-	INTU19C2004A	0.13	(0.02)	23,776	-
ERW13C2005A	0.05	(0.04)	139,237	-	GULF41C2001A	-	-	-	-	INTU19C2005A	0.40	0.01	7,328	-
ERW13C2006A	0.11	(0.07)	281,332	-	GULF41C2001B	-	-	-	-	INTU19P2002A	0.13	0.01	20,260	-
ERW19C2001A	-	-	-	-	GULF41C2002A	-	-	-	-	INTU23C2111A	-	-	-	-
ERW19C2005A	0.02	(0.01)	3,952	-	GULF41C2003A	-	-	-	-	INTU24C2003A	0.06	-	100	-
ERW19C2006A	0.12	(0.08)	143,955	-	GULF41C2004A	0.82	(0.04)	12,274	-	INTU28C2003A	-	-	-	-
ESSO01C2004A	0.28	(0.01)	151,785	-	GULF41C2005A	0.79	(0.06)	366,051	-	INTU41C2003A	-	-	-	-
ESSO01C2004B	0.19	(0.01)	91,341	-	GULF41C2006A	1.42	0.03	1,748	1.00	INTU41C2004A	-	-	-	-
ESSO08C2004A	0.26	(0.01)	59,644	-	GULF41P2001A	-	-	-	-	INTU41C2005A	-	-	-	-

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IRPC06C2001A	-	-	-	-	JAS41P2005A	0.46	(0.01)	3,610	-	KTC01P2001A	0.11	(0.02)	55,577	-
IRPC06C2005A	0.12	(0.03)	119,855	-	JMT13C2006A	0.64	(0.09)	70,564	-	KTC01P2004A	0.54	(0.04)	62,565	-
IRPC06P2004A	0.39	0.05	28,610	-	JMT19C2006A	0.55	(0.08)	7,817	-	KTC06C2002A	0.01	(0.01)	1	-
IRPC11C2001A	-	-	-	-	JMT42C2006A	0.69	(0.11)	8,038	-	KTC08C2004A	0.09	-	850	-
IRPC11C2005A	0.03	-	680	-	KBAN01C2002A	0.02	-	29,042	-	KTC11C2005A	0.12	0.01	15,671	-
IRPC11C2008A	0.15	(0.03)	14,212	-	KBAN01C2002B	0.02	0.01	2,031	-	KTC13C2002A	-	-	-	-
IRPC13C2003A	0.03	(0.02)	71,461	-	KBAN01C2004A	0.29	0.05	405,388	-	KTC13C2004A	0.08	0.01	6,474	-
IRPC13C2006A	0.19	(0.02)	92,931	-	KBAN01C2004B	0.27	0.05	169,051	-	KTC13C2006A	0.24	0.01	113,528	-
IRPC19C2001A	-	-	-	-	KBAN01P2002A	1.83	(0.21)	14,651	1.00	KTC13P2002A	0.39	(0.05)	48,080	-
IRPC19C2003A	0.03	(0.02)	15,683	-	KBAN01P2002B	0.89	(0.21)	21,284	-	KTC13P2006A	0.32	(0.02)	28,960	-
IRPC19C2005A	0.17	(0.03)	40,330	-	KBAN01P2004A	0.99	(0.11)	70,872	1.00	KTC19C2002A	-	-	-	-
IRPC24C2002A	0.01	-	900	-	KBAN01P2004B	0.21	(0.06)	233,280	-	KTC19C2005A	0.15	0.01	44,876	-
IRPC24C2004A	0.10	(0.02)	19,254	-	KBAN06C2001A	-	-	-	-	KTC19C2006A	0.29	0.02	20,811	-
IRPC27C2007A	0.16	(0.04)	12,000	-	KBAN06C2004A	0.20	0.04	63,985	-	KTC19P2001A	-	-	-	-
IRPC28C2003A	-	-	-	-	KBAN08C2001A	-	-	-	-	KTC19P2005A	0.45	(0.03)	2,036	-
IRPC28C2003B	0.06	(0.02)	394	-	KBAN08C2002A	-	-	-	-	KTC24C2001A	-	-	-	-
IRPC41C2001A	-	-	-	-	KBAN08C2005A	0.27	0.04	44,051	-	KTC27C2007A	0.23	0.01	71,068	-
IRPC41C2002A	-	-	-	-	KBAN08P2002A	0.45	(0.13)	27,615	-	KTC28C2002A	-	-	-	-
IRPC41C2002B	-	-	-	-	KBAN08P2004A	0.30	(0.07)	32,200	-	KTC28C2003A	-	-	-	-
IRPC41C2003A	-	-	-	-	KBAN13C2003A	0.07	-	38,686	-	KTC28C2004A	0.06	-	1,710	-
IRPC41C2004A	-	-	-	-	KBAN13C2003B	0.23	0.04	105,584	-	KTC28C2006A	0.21	(0.79)	10,140	-
IRPC41C2005A	-	-	-	-	KBAN13C2006A	0.50	0.07	281,151	-	KTC41C2001A	-	-	-	-
IRPC41P2001A	-	-	-	-	KBAN13P2003A	0.14	(0.05)	172,964	-	KTC41C2004A	0.12	-	500	-
IRPC41P2002A	0.79	0.19	3,000	-	KBAN16C2001A	-	-	-	-	KTC41C2005A	-	-	-	-
IRPC41P2004A	-	-	-	-	KBAN16C2005A	0.09	0.01	50,357	-	KTC41C2006A	0.17	0.02	4	-
IRPC41P2005A	0.47	0.05	17,748	-	KBAN19C2001A	-	-	-	-	KTC41P2001A	-	-	-	-
IRPC41P2006A	0.65	0.06	20,604	-	KBAN19C2003A	0.04	0.01	14,261	-	KTC42C2003A	-	-	-	-
IRPC41P2007A	0.86	0.15	1	-	KBAN19C2004A	0.31	0.04	105,579	-	LH01C2003A	0.11	(0.02)	121,060	-
IRPC42C2002A	-	-	-	-	KBAN19P2004A	0.29	(0.07)	36,336	-	LH01P2003A	0.36	0.02	51,958	-
IRPC42C2003A	0.01	(0.01)	4	-	KBAN24C2001A	-	-	-	-	LH11C2007A	0.38	(0.05)	40,466	-
IVL01C2002A	0.03	-	119,382	-	KBAN24C2005A	0.24	0.04	49,591	-	LH16C2002A	-	-	-	-
IVL01C2002B	0.01	-	11,746	-	KBAN27P2001A	0.08	(0.11)	35,289	-	LH19C2003A	-	-	-	-
IVL01C2004A	0.20	(0.01)	283,414	-	KBAN28C2002A	-	-	-	-	LH19C2003B	0.12	(0.05)	20,211	-
IVL01C2004B	0.23	(0.02)	565,869	-	KBAN28C2002B	-	-	-	-	LH19P2004A	0.14	0.02	17,548	-
IVL01P2002A	1.04	0.03	39,712	1.00	KBAN28C2003A	0.04	0.01	3,238	-	LH41C2002A	-	-	-	-
IVL01P2002B	0.61	0.02	54,984	-	KBAN28C2004A	0.29	0.05	55,771	-	LH41C2004A	-	-	-	-
IVL01P2004A	0.36	-	508,829	-	KBAN28P2003A	0.19	(0.06)	59,180	-	LH41C2005A	0.15	(0.02)	2,500	-
IVL01P2004B	0.15	-	258,334	-	KBAN41C2002A	-	-	-	-	LH41P2003A	0.09	-	12,440	-
IVL06C2001A	-	-	-	-	KBAN41C2003A	-	-	-	-	MAJ006C2001A	-	-	-	-
IVL06C2003A	0.18	(0.02)	124,296	-	KBAN41C2004A	-	-	-	-	MAJ013C2002A	0.13	(0.05)	13,250	-
IVL06P2001A	0.02	-	7,281	-	KBAN41C2005A	0.40	0.06	116,480	-	MAJ019C2002A	0.03	-	300	-
IVL06P2005A	0.60	0.02	45,681	-	KBAN41P2002A	-	-	-	-	MAJ019C2006A	0.38	(0.07)	13,648	-
IVL08C2002A	0.01	-	1,996	-	KBAN41P2004A	0.29	(0.05)	1,000	-	MAJ024C2002A	-	-	-	-
IVL08C2004A	0.24	(0.01)	53,502	-	KBAN41P2005A	-	-	-	-	MBK19C2004A	0.14	(0.03)	40,671	-
IVL08P2003A	0.47	0.01	27,531	-	KBAN41P2006A	0.96	(0.06)	2,201	-	MEGA19C2001A	-	-	-	-
IVL08P2004A	0.27	-	38,030	-	KBAN42C2003A	0.01	-	13,701	-	MEGA19C2005A	0.20	-	6,023	-
IVL11C2005A	0.04	-	20	-	KBAN42C2004A	0.06	(0.02)	40,045	-	MINT01C2003A	0.12	(0.06)	105,891	-
IVL11C2006A	0.29	(0.02)	122,904	-	KCE01C2004A	1.06	0.05	228,324	1.00	MINT01C2003B	0.04	(0.02)	2,070	-
IVL13C2002A	0.01	-	2,205	-	KCE01C2004B	0.72	0.06	361,442	-	MINT01P2003A	0.49	0.10	124,253	-
IVL13C2002B	0.02	(0.01)	3,500	-	KCE01P2004A	0.73	(0.05)	290,117	-	MINT06C2002A	0.02	0.01	100	-
IVL13C2003A	0.13	(0.01)	172,651	-	KCE08C2002A	0.78	0.04	490	-	MINT06C2006A	0.20	(0.07)	179,184	-
IVL13P2004A	0.31	0.01	329,540	-	KCE08C2005A	0.40	0.03	106,275	-	MINT08C2003A	-	-	-	-
IVL16C2001A	-	-	-	-	KCE08C2005B	0.15	0.01	19,956	-	MINT11C2006A	0.12	(0.04)	41,047	-
IVL16C2006A	0.14	(0.01)	112,550	-	KCE11C2004A	0.68	0.03	93,936	-	MINT13C2002A	-	-	-	-
IVL19C2001A	-	-	-	-	KCE13C2003A	1.28	0.05	6	1.00	MINT13C2004A	0.06	(0.03)	61,595	-
IVL19C2002A	0.02	-	23,250	-	KCE13C2004A	0.49	0.03	680,049	-	MINT13C2006A	0.20	(0.06)	93,880	-
IVL19C2003A	0.03	(0.04)	10,662	-	KCE13C2005A	0.12	0.01	180,800	-	MINT16C2001A	-	-	-	-
IVL19C2004A	0.27	(0.01)	88,762	-	KCE16C2001A	0.06	-	638,661	-	MINT19C2001A	-	-	-	-
IVL19C2006A	0.21	(0.01)	138,608	-	KCE16C2007A	0.46	0.03	308,720	-	MINT19C2002A	-	-	-	-
IVL19P2003A	0.18	-	38,071	-	KCE19C2002A	0.59	0.05	43,657	-	MINT19C2004A	0.10	(0.04)	11,298	-
IVL19P2006A	0.47	-	32,709	-	KCE19C2005A	0.55	0.04	253,709	-	MINT19P2004A	0.27	0.06	121,417	-
IVL24C2001A	-	-	-	-	KCE24C2005A	1.06	0.05	172,477	1.00	MINT23C2001A	-	-	-	-
IVL24C2002A	0.03	-	810	-	KCE27C2007A	0.31	0.01	202,941	-	MINT24C2001A	-	-	-	-
IVL24C2003A	0.19	(0.02)	64,276	-	KCE28C2003A	0.69	(0.06)	100	-	MINT24C2006A	0.16	(0.05)	53,000	-
IVL27P2007A	0.41	0.01	71,950	-	KCE28C2003B	1.11	0.01	400	1.00	MINT28C2002A	0.01	-	170	-
IVL28C2002A	-	-	-	-	KCE41C2002A	-	-	-	-	MINT28C2006A	0.14	(0.86)	12,140	-
IVL28C2003A	0.04	(0.01)	2,093	-	KCE41C2003A	-	-	-	-	MINT41C2001A	-	-	-	-
IVL28C2003B	0.08	(0.01)	41,352	-	KCE41C2005A	0.61	0.04	30,837	-	MINT41C2002A	-	-	-	-
IVL28P2003A	-	-	-	-	KCE41C2006A	0.45	(0.01)	576	-	MINT41C2005A	-	-	-	-
IVL41C2002A	-	-	-	-	KCE42C2001A	0.59	0.10	9,103	-	MINT41P2004A	0.37	0.09	37,168	-
IVL41C2002B	-	-	-	-	KKP01C2001A	0.26	-	28,360	-	MINT42C2002A	-	-	-	-
IVL41C2003A	-	-	-	-	KKP01C2001B	-	-	-	-	MINT42C2004A	0.04	(0.02)	31,701	-
IVL41C2004A	0.29	-	3,000	-	KKP01C2006A	0.66	0.02	32,330	-	MTC01C2003A	0.54	(0.01)	101,572	-
IVL41C2005A	-	-	-	-	KKP01C2006B	0.43	-	34,951	-	MTC01C2003B	0.26	(0.02)	46,738	-
IVL41C2006A	-	-	-	-	KKP01P2001A	0.46	(0.02)	7,402	-	MTC01P2003A	0.29	-	48,090	-
IVL41C2007A	-	-	-	-	KKP01P2006A	0.58	(0.03)	32,913	-	MTC03C2005A	0.48	(0.01)	11,780	-
IVL41P2002A	0.14	-	100	-	KKP08C2003A	0.15	-	3,000	-	MTC08C2005A	0.56	(0.01)	22,379	-
IVL41P2003A	-	-	-	-	KKP11C2007A	0.45	0.01	28,898	-	MTC11C2002A	0.79	(0.03)	6,210	-
IVL41P2004A	-	-	-	-	KKP13C2004A	0.22	0.01	89,260	-	MTC11C2008A	0.58	(0.02)	15,690	-
IVL41P2005A	0.63	-	12,842	-	KKP16C2002A	0.33	0.02	32,318	-	MTC13C2003A	0.38	(0.02)	124,245	-
IVL41P2006A	0.52	0.03	25,740	-	KKP19C2003A	0.21	0.01	8,532	-	MTC13P2003A	0.13	-	33,550	-
IVL41P2007A	0.77	0.03	2,716	-	KKP24C2003A	0.21	-	9,000	-	MTC16C2007A	0.39	(0.01)	105,221	-
IVL42C2001A	-	-	-	-	KKP27P2002A	-	-	-	-	MTC19C2002A	0.26	(0.03)	11,265	-
IVL42C2002A	0.01	(0.01)	184,257	-	KKP41C2002A	0.18	0.02	20	-	MTC19C2006A	0.39	(0.01)	20,868	-
IVL42C2005A	0.19	(0.01)	36,200	-	KKP41C2006A	0.45	0.02	11,100	-	MTC19P2004A	0.22	-	33,466	-
JAS06C2002A	0.02	-	701	-	KTB01C2003A	0.18	-	33,629	-	MTC24C2004A	0.46	(0.02)	16,166	-
JAS13C2001A	-	-	-	-	KTB01P2003A	0.35	-	15,424	-	MTC27C2007A	0.54	(0.02)	13,200	-
JAS13C2002A	0.33	(0.04)	31,390	-	KTB11C2004A	-	-	-	-	MTC28C2002A	0.27	(0.03)	15,310	-
JAS														

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
JAS41P2001A	0.19	(0.09)	542	-	KTC01C2004B	0.09	-	59,746	-	ORI41C2004A	-	-	-	-

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP01C2003A	0.39	-	118,111	-	PTT01C2001B	-	-	-	-	PTTG11C2007A	0.43	(0.23)	56,771	-
OSP01C2003B	0.16	-	84,952	-	PTT01C2004A	0.49	0.01	24,328	-	PTTG13C2002A	0.14	(0.20)	18,776	-
OSP01C2006A	0.60	(0.01)	66,479	-	PTT01C2004B	0.28	0.02	150,145	-	PTTG13C2005A	0.19	(0.14)	211,199	-
OSP01C2006B	0.43	-	164,773	-	PTT01C2007A	0.48	0.01	37,088	-	PTTG13P2004A	0.42	0.16	460,207	-
OSP01P2003A	0.24	(0.02)	185,952	-	PTT01C2007B	0.30	-	34,059	-	PTTG16C2001A	-	-	-	-
OSP06C2005A	0.53	(0.01)	22,367	-	PTT01P2001A	0.31	(0.04)	34,779	-	PTTG16C2006A	0.21	(0.16)	72,238	-
OSP06P2003A	0.11	-	41,111	-	PTT01P2001B	0.02	0.01	6	-	PTTG19C2001A	-	-	-	-
OSP08C2001A	0.51	0.01	22,070	-	PTT01P2004A	0.33	-	14,677	-	PTTG19C2002A	0.04	(0.09)	51,453	-
OSP08C2004A	0.27	-	37,844	-	PTT01P2004B	0.15	(0.01)	6,996	-	PTTG19C2006A	0.15	(0.11)	220,365	-
OSP11C2005A	0.49	-	78,667	-	PTT01P2007A	0.62	(0.02)	7,854	-	PTTG19P2003A	0.19	0.10	50,810	-
OSP13C2002A	0.17	(0.01)	116,095	-	PTT01P2007B	0.30	(0.03)	60,101	-	PTTG19P2006A	0.80	0.23	52,977	-
OSP13C2004A	0.43	-	30,358	-	PTT06C2005A	0.40	0.03	16,157	-	PTTG24C2003A	0.20	(0.23)	44,158	-
OSP16C2001A	0.50	0.04	19,222	-	PTT08C2005A	0.38	0.02	15,596	-	PTTG27C2001A	-	-	-	-
OSP19C2004A	0.23	-	26,160	-	PTT08P2005A	0.15	(0.02)	4,055	-	PTTG27P2006A	0.58	0.18	79,108	-
OSP19C2005A	0.47	(0.01)	10,792	-	PTT11C2004A	0.12	-	14,088	-	PTTG28C2002A	0.02	(0.07)	800	-
OSP24C2008A	0.56	-	31,647	-	PTT13C2004A	0.26	0.01	165,127	-	PTTG28C2003A	0.12	(0.17)	10,320	-
OSP28C2003A	0.20	-	30,520	-	PTT13P2001A	-	-	-	-	PTTG28C2006A	0.17	(0.83)	24,606	-
OSP41C2003A	0.44	0.03	2,396	-	PTT13P2004A	0.13	(0.01)	50,082	-	PTTG41C2001A	-	-	-	-
OSP41C2004A	0.26	0.02	5,992	-	PTT13P2006A	0.33	(0.01)	98,937	-	PTTG41C2002A	-	-	-	-
OSP41C2005A	0.40	0.01	37,930	-	PTT16C2001A	-	-	-	-	PTTG41C2003A	0.16	(0.13)	5,000	-
OSP41P2003A	0.07	-	250	-	PTT19C2002A	0.14	0.01	21,591	-	PTTG41C2005A	-	-	-	-
OSP41P2004A	0.24	(0.01)	1,004	-	PTT19C2005A	0.42	0.02	7,622	-	PTTG41C2006A	-	-	-	-
OSP42C2001A	0.45	0.03	6,600	-	PTT19P2003A	-	-	-	-	PTTG41P2001A	-	-	-	-
OSP42C2005A	0.46	0.03	10,275	-	PTT19P2006A	0.29	(0.01)	140	-	PTTG41P2002A	0.33	0.16	30,408	-
PLAN08C2004A	-	-	-	-	PTT24C2003A	0.15	0.01	23,772	-	PTTG41P2003A	-	-	-	-
PLAN13C2004A	0.09	(0.05)	72,810	-	PTT24P2001A	-	-	-	-	PTTG41P2006A	0.78	0.22	25,464	-
PLAN13C2005A	0.26	(0.10)	132,783	-	PTT28C2002A	-	-	-	-	PTTG42C2003A	0.03	(0.09)	109,830	-
PLAN16C2002A	0.17	(0.08)	18,950	-	PTT28C2003A	-	-	-	-	QH01C2001A	0.04	(0.03)	500	-
PLAN19C2001A	-	-	-	-	PTT28C2004A	0.21	0.02	14,196	-	QH01C2001B	-	-	-	-
PLAN19C2005A	0.15	(0.06)	9,187	-	PTT28P2004A	0.12	(0.01)	5,856	-	QH01C2006A	0.31	-	6,863	-
PLAN24C2006A	0.26	(0.10)	22,108	-	PTT41C2001A	-	-	-	-	QH01C2006B	0.21	(0.01)	8,582	-
PLAN28C2002A	-	-	-	-	PTT41C2002A	-	-	-	-	QH01P2001A	0.36	0.04	2,512	-
PLAN28C2004A	0.09	(0.04)	9,633	-	PTT41C2004A	-	-	-	-	QH01P2006A	0.40	0.01	4,924	-
PLAN28C2005A	0.19	(0.06)	22,815	-	PTT41C2005A	-	-	-	-	QH11C2006A	0.20	(0.01)	28	-
PLAN41C2002A	-	-	-	-	PTT41C2006A	0.30	-	463	-	QH13C2003A	-	-	-	-
PLAN41C2004A	-	-	-	-	PTT41P2001A	-	-	-	-	QH19C2002A	-	-	-	-
PLAN41C2005A	-	-	-	-	PTT41P2004A	-	-	-	-	QH19C2006A	-	-	-	-
PLAN41C2006A	0.24	(0.09)	3,846	-	PTT41P2005A	-	-	-	-	QH27C2007A	-	-	-	-
PRM08C2003A	0.04	(0.01)	763	-	PTT42C2003A	0.12	-	26	-	RATC01C2003A	0.33	(0.01)	98,239	-
PRM13C2003A	0.08	-	210	-	PTT42C2004A	0.33	(0.03)	23,847	-	RATC01C2003B	0.14	(0.01)	118,079	-
PRM13C2006A	0.26	(0.74)	45,762	-	PTTE01C2001A	-	-	-	-	RATC01C2006A	0.91	(0.02)	63,850	-
PRM19C2001A	-	-	-	-	PTTE01C2004A	0.77	(0.01)	23,142	-	RATC01C2006B	0.67	(0.03)	50,526	-
PRM19C2004A	0.12	(0.02)	8,769	-	PTTE01C2004B	0.50	(0.02)	63,668	-	RATC01P2006A	0.59	0.03	71,019	-
PRM27C2002A	-	-	-	-	PTTE01C2007A	0.73	0.01	21,076	-	RATC06C2006A	0.75	(0.07)	31,293	-
PRM41C2002A	-	-	-	-	PTTE01C2007B	0.46	(0.01)	29,506	-	RATC06P2006A	0.17	0.01	37,163	-
PRM42C2001A	-	-	-	-	PTTE01P2001A	0.61	0.02	8,732	-	RATC13C2001A	-	-	-	-
PRM42C2006A	0.37	(0.06)	7,600	-	PTTE01P2001B	0.01	(0.01)	1	-	RATC13C2002A	0.01	(0.01)	1,001	-
PSH19C2001A	-	-	-	-	PTTE01P2004A	0.27	(0.01)	34,200	-	RATC13C2004A	0.37	(0.03)	382,166	-
PSH19C2003A	-	-	-	-	PTTE01P2004B	0.13	-	10	-	RATC16C2001A	0.13	(0.04)	40,583	-
PSH19C2005A	0.24	(0.05)	27,102	-	PTTE01P2007A	0.87	0.01	17,313	-	RATC19C2002A	0.04	-	10,817	-
PSL06C2002A	-	-	-	-	PTTE01P2007B	0.48	-	90,524	-	RATC19C2005A	0.40	(0.03)	84,215	-
PSL13C2003A	0.13	(0.01)	18,980	-	PTTE06C2001B	0.27	0.01	11,415	-	RATC24C2001A	0.28	0.02	202	-
PSL19C2004A	0.10	-	1,374	-	PTTE06C2006A	0.42	-	61,232	-	RATC24C2006A	0.73	(0.03)	33,922	-
PSL19C2006A	0.29	(0.02)	10,169	-	PTTE06P2006A	0.57	0.01	27,400	-	RATC27C2004A	0.11	(0.01)	14,548	-
PSL27C2002A	-	-	-	-	PTTE08C2002A	0.15	-	6,000	-	RATC27C2007A	0.76	(0.02)	67,032	-
PTG01C2001A	0.01	-	30,482	-	PTTE08C2005A	0.54	-	14,900	-	RATC41C2001A	-	-	-	-
PTG01C2001B	0.01	-	9,923	-	PTTE08P2005A	0.26	-	11,175	-	RATC41C2002A	0.05	0.01	30	-
PTG01C2003A	0.07	-	64,833	-	PTTE11C2006A	0.65	(0.02)	35,690	-	RATC41C2003A	-	-	-	-
PTG01C2003B	0.04	-	1,000	-	PTTE13C2004A	0.56	(0.01)	5,740	-	RATC41C2004A	-	-	-	-
PTG01C2005A	0.29	(0.01)	111,711	-	PTTE13C2006A	0.49	(0.01)	77,555	-	RATC41C2005A	0.50	(0.03)	56,680	-
PTG01C2005B	0.14	-	42,114	-	PTTE13P2003A	0.11	-	6,066	-	RATC41P2004A	0.36	(0.01)	11,593	-
PTG01P2001A	0.79	-	8,584	-	PTTE13P2006A	0.56	0.01	30,098	-	RATC41P2006A	0.40	-	1,004	-
PTG01P2003A	0.93	0.01	9,748	-	PTTE16C2003A	0.27	(0.01)	26,526	-	RATC42C2003A	0.10	0.01	7,652	-
PTG01P2005A	0.84	-	22,863	-	PTTE19C2001A	-	-	-	-	RATC42C2006A	0.64	(0.02)	6,998	-
PTG01P2005B	0.59	(0.01)	56,665	-	PTTE19C2002A	0.29	(0.02)	2,174	-	ROBI08C2001A	-	-	-	-
PTG03C2005A	0.01	(0.01)	2,260	-	PTTE19C2006A	0.45	-	6,420	-	ROBI11C2003A	-	-	-	-
PTG06C2001A	-	-	-	-	PTTE19P2004A	0.12	-	12,200	-	ROBI13C2002A	-	-	-	-
PTG06C2006A	0.21	-	20,725	-	PTTE19P2006A	0.54	-	298	-	ROBI19C2004A	-	-	-	-
PTG08C2005A	0.13	-	6,100	-	PTTE24C2003A	0.38	(0.02)	23,342	-	RS06C2004A	0.24	(0.04)	16,684	-
PTG11C2003A	0.20	0.01	13,003	-	PTTE28C2002A	0.20	0.01	5,030	-	RS08C2001A	-	-	-	-
PTG11C2005A	0.08	-	500	-	PTTE28C2005A	0.38	-	5,070	-	RS08P2003A	1.06	0.08	281	1.00
PTG13C2002A	-	-	-	-	PTTE28P2004A	0.10	(0.01)	1,350	-	RS13C2002A	-	-	-	-
PTG13C2004A	0.12	(0.01)	54,944	-	PTTE41C2002A	-	-	-	-	RS13C2004A	0.20	(0.05)	98,598	-
PTG13C2006A	0.31	(0.01)	162,772	-	PTTE41C2003A	-	-	-	-	RS16C2001A	-	-	-	-
PTG13P2001A	0.41	0.01	19,915	-	PTTE41C2005A	0.56	(0.01)	4,804	-	RS16C2005A	-	-	-	-
PTG13P2004A	0.55	0.01	56,512	-	PTTE41C2006A	-	-	-	-	RS19C2002A	-	-	-	-
PTG13P2006A	0.39	-	62,827	-	PTTE41P2002A	-	-	-	-	RS19C2004A	0.08	(0.02)	4,000	-
PTG19C2003A	0.06	(0.01)	280	-	PTTE41P2003A	-	-	-	-	RS19C2005A	0.22	(0.04)	4,590	-
PTG19C2004A	0.05	(0.01)	13,000	-	PTTE41P2004A	-	-	-	-	RS24C2004A	-	-	-	-
PTG19C2005A	0.18	(0.02)	61,995	-	PTTE42C2001A	-	-	-	-	RS24C2008A	0.37	(0.08)	29,651	-
PTG19C2006A	0.35	-	30,048	-	PTTE42C2004A	0.26	(0.02)	5,700	-	RS41C2002A	-	-	-	-
PTG19P2001A	0.36	(0.01)	7,532	-	PTTG01C2002A	0.22	(0.20)	133,652	-	RS41C2004A	-	-	-	-
PTG19P2006A	0.59	0.01	2,226	-	PTTG01C2002B	0.07	(0.11)	95,342	-	RS42C2004A	-	-	-	-
PTG24C2002A	-	-	-	-	PTTG01C2005A	0.31	(0.18)	261,976	-	S10001C2011A	0.57	(0.04)	1,208	-
PTG27C2007A	0.38	-	46,674	-	PTTG01C2005B	0.15	(0.13)	207,041	-	S5001C2001A	0.13	(0.06)	362,906	-
PTG27P2001A	0.20	0.01	14,414	-	PTTG01P2002A	0.61	0.25	185,033	-	S5001C2002A	0.44	(0.11)	519,683	-
PTG28C2004A	0.06	-	450	-	PTTG01P2002B	0.15	0.09	156,597	-	S5001C2003F	0.45	(0.09)	2,378,033	-
PTG41C2002A	-	-	-	-	PTTG01P2005A	1.01	0.25	103,780	-	S5001C2003G	0.30	(0.06)	1,205,296	

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG41C2006A	0.24	(0.01)	21,744	-	PTTG06C2006A	0.15	(0.15)	79,065	-	S5001P2001A	0.71	0.11	15,013	-
PTG41P2005A	0.62	(0.01)	1,000	-	PTTG08C2001A	-	-	-	-	S5001P2002A	0.52	0.06	1,230,279	-
PTG42C2001A	-	-	-	-	PTTG08C2004A	0.22	(0.18)	31,260	-	S5001P2003F	0.63	0.06	2,390,725	-
PTG42C2004A	-	-	-	-	PTTG08P2004A	0.35	0.14	20,867	-	S5001P2003G	0.48	0.06	1,753,932	-
PTT01C2001A	0.24	0.02	115,307	-	PTTG11C2004A	0.05	(0.05)	6,012	-	S5001P2003H	0.91	0.10	1,741,310	-

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001P2004A	0.93	0.07	1,152,222	-	SCB13P2006A	0.84	0.03	125,375	-	SPRC41C2002A	0.06	(0.03)	4	-
S5006C2003A	0.18	(0.06)	182,331	-	SCB16C2001A	-	-	-	-	SPRC41C2004A	-	-	-	-
S5006C2003B	0.27	(0.06)	190,544	-	SCB16C2003A	0.02	-	7,552	-	SPRC41C2006A	-	-	-	-
S5006C2003C	0.33	(0.09)	351,198	-	SCB19C2002A	0.01	(0.01)	540	-	STA01C2003A	0.18	0.02	166,667	-
S5006P2003A	0.68	0.09	292,002	-	SCB19C2003A	0.03	(0.01)	26,790	-	STA01C2003B	0.06	0.01	3,200	-
S5006P2003B	0.89	0.10	188,463	-	SCB19P2005A	0.83	0.07	52,379	-	STA01P2003A	0.31	(0.04)	70,888	-
S5006P2003C	0.32	0.05	261,468	-	SCB24C2001A	-	-	-	-	STA11C2005A	0.12	0.01	28,599	-
S5008C2003A	0.40	(0.07)	286,545	-	SCB24C2004A	0.16	(0.03)	181,178	-	STA13C2003A	0.13	0.03	157,789	-
S5008C2003B	0.20	(0.07)	126,354	-	SCB27C2007A	0.12	(0.02)	83,543	-	STA19C2001A	-	-	-	-
S5008P2003A	0.26	0.03	71,490	-	SCB27P2006A	0.73	0.06	52,023	-	STA19C2002A	-	-	-	-
S5008P2003B	0.10	0.01	10,003	-	SCB28C2003A	-	-	-	-	STA19C2004A	0.15	0.02	18,531	-
S5011C2003A	0.60	(0.09)	148,544	-	SCB28C2004A	0.04	-	752	-	STA19C2005A	0.53	0.03	18,880	-
S5011P2003A	0.53	0.06	140,333	-	SCB41C2001A	-	-	-	-	STA24C2002A	-	-	-	-
S5013C2003A	0.28	(0.06)	9,237,768	-	SCB41C2002A	0.02	-	1,083	-	STA42C2001A	-	-	-	-
S5013C2003B	0.56	(0.08)	7,270,358	-	SCB41C2004A	0.09	(0.01)	24,357	-	STEC01C2003A	0.10	(0.02)	89,296	-
S5013C2003C	0.43	(0.08)	6,356,418	-	SCB41C2005A	-	-	-	-	STEC01C2003B	0.03	0.01	6,202	-
S5013P2003A	0.91	0.09	1,101,139	-	SCB41P2004A	0.48	0.05	57,068	-	STEC01C2004A	0.22	(0.04)	157,458	-
S5013P2003B	0.51	0.05	15,708,439	-	SCB41P2005A	0.83	0.04	11,816	-	STEC01C2006A	0.49	(0.05)	87,678	-
S5013P2003C	0.77	0.08	4,577,504	-	SCB42C2003A	-	-	-	-	STEC01C2006B	0.31	(0.02)	143,486	-
S5016C2003A	0.28	(0.05)	326,976	-	SCB42C2006A	0.11	(0.03)	216,409	-	STEC01P2003A	0.78	0.07	41,244	-
S5016C2003B	0.44	(0.10)	271,636	-	SCC01C2001A	0.01	-	38,773	-	STEC01P2006A	0.58	0.03	121,336	-
S5016C2003C	0.67	(0.07)	151,038	-	SCC01C2001B	0.01	-	8,052	-	STEC06C2002A	0.02	0.01	9,827	-
S5016P2003A	0.52	0.06	373,833	-	SCC01C2004A	0.63	(0.05)	193,418	-	STEC06C2004A	0.37	(0.06)	30,030	-
S5016P2003C	0.74	0.06	199,047	-	SCC01C2004B	0.25	(0.06)	77,154	-	STEC08C2001A	0.01	-	4,000	-
S5019C2003A	0.28	(0.06)	900,792	-	SCC01P2001A	0.88	0.08	39,560	-	STEC08C2004A	-	-	-	-
S5019C2003B	0.65	(0.11)	753,591	-	SCC01P2004A	0.87	0.05	171,635	-	STEC08C2005A	0.43	(0.05)	31,940	-
S5019P2003A	0.60	0.07	1,060,479	-	SCC06C2002A	0.02	(0.01)	16,000	-	STEC11C2001A	0.01	-	135	-
S5019P2003B	0.25	0.03	1,034,856	-	SCC08C2002A	-	-	-	-	STEC11C2007A	0.10	(0.02)	6,650	-
S5019P2003C	0.86	0.09	678,489	-	SCC08C2004A	0.25	(0.04)	17,701	-	STEC13C2001A	-	-	-	-
S5024C2003A	0.27	(0.07)	151,495	-	SCC11C2003A	-	-	-	-	STEC13C2003A	0.15	(0.03)	75,530	-
S5024C2003B	0.63	(0.16)	326,451	-	SCC11C2006A	0.07	-	1	-	STEC13C2004A	0.35	(0.04)	209,499	-
S5024P2003A	0.72	0.10	388,877	-	SCC11C2007A	0.53	(0.04)	45,146	-	STEC16C2003A	-	-	-	-
S5024P2003B	0.28	0.05	48,980	-	SCC13C2002A	0.05	(0.02)	11,655	-	STEC16C2006A	0.13	(0.02)	56,057	-
S5028C2001A	-	-	-	-	SCC13C2004A	0.33	(0.06)	60,452	-	STEC19C2002A	-	-	-	-
S5028C2002A	0.15	(0.04)	113,226	-	SCC13P2002A	0.16	0.03	39,356	-	STEC19C2004A	0.14	(0.01)	4,860	-
S5028C2003A	0.07	(0.02)	31,155	-	SCC13P2006A	0.59	0.05	71,782	-	STEC19C2005A	0.40	(0.03)	19,942	-
S5028C2003B	0.22	(0.03)	77,783	-	SCC16C2002A	-	-	-	-	STEC24C2003A	-	-	-	-
S5028C2006A	0.34	(0.03)	131,725	-	SCC16C2005A	0.16	(0.03)	86,340	-	STEC24C2006A	0.46	(0.05)	23,198	-
S5028P2001A	0.13	0.03	33,156	-	SCC19C2002A	-	-	-	-	STEC27C2002A	-	-	-	-
S5028P2002A	0.21	0.03	84,203	-	SCC19C2003A	-	-	-	-	STEC27C2002B	-	-	-	-
S5028P2003A	0.22	0.02	121,167	-	SCC19C2003B	0.08	(0.02)	16,745	-	STEC28C2002A	-	-	-	-
S5028P2006A	0.39	0.03	102,392	-	SCC19C2006A	0.38	(0.05)	32,749	-	STEC28C2004A	0.07	(0.05)	1,090	-
S5041C2003A	0.16	(0.05)	344,162	-	SCC19P2004A	0.41	0.03	33,600	-	STEC28C2004B	0.20	(0.04)	20,458	-
S5041C2003B	0.28	(0.05)	314,772	-	SCC24C2003A	-	-	-	-	STEC28C2005A	0.36	(0.06)	24,515	-
S5041C2003C	0.39	(0.08)	33,781	-	SCC27C2001A	-	-	-	-	STEC41C2001A	-	-	-	-
S5041C2003D	0.40	(0.07)	1,127,472	-	SCC28C2002A	-	-	-	-	STEC41C2003A	-	-	-	-
S5041C2003E	0.55	(0.09)	16,184	-	SCC28C2003A	-	-	-	-	STEC41C2004A	-	-	-	-
S5041P2003A	0.43	0.05	527,943	-	SCC28C2004A	0.27	(0.05)	15,225	-	STEC41C2005A	0.39	(0.09)	12,000	-
S5041P2003B	0.63	0.06	19,748	-	SCC41C2002A	-	-	-	-	STEC41C2006A	0.50	(0.02)	104	-
S5041P2003C	0.27	0.04	422,122	-	SCC41C2003A	-	-	-	-	STEC41P2001A	-	-	-	-
S5041P2003D	0.79	0.08	1,058,441	-	SCC41C2004A	0.17	(0.03)	12,986	-	STEC41P2003A	-	-	-	-
S5041P2003E	0.91	0.09	20,320	-	SCC41C2005A	0.26	(0.06)	13,780	-	STEC41P2004A	0.27	0.03	5,004	-
SAWA01C2003A	1.06	(0.07)	24,332	1.00	SCC41P2001A	-	-	-	-	STEC41P2005A	0.28	-	60	-
SAWA01C2003B	0.63	(0.05)	116,367	-	SCC41P2004A	0.34	0.04	20,390	-	STEC42C2001A	-	-	-	-
SAWA01C2006A	0.80	(0.05)	30,919	-	SCC41P2005A	0.65	0.07	19,806	-	STEC42C2004A	0.28	(0.04)	12,314	-
SAWA01C2006B	0.50	(0.04)	72,122	-	SCC42C2002A	-	-	-	-	SUPE13C2003A	-	-	-	-
SAWA01P2003A	0.19	0.01	76,947	-	SCC42C2003A	-	-	-	-	SUPE19C2002A	-	-	-	-
SAWA01P2006A	0.97	0.05	96,620	-	SGP13C2004A	0.30	(0.06)	47,865	-	SUPE19C2004A	0.07	(0.01)	35,336	-
SAWA06C2002A	0.67	(0.06)	7,188	-	SGP13C2006A	0.10	(0.01)	33,265	-	SUPE42C2004A	0.08	(0.01)	20,000	-
SAWA08C2001A	0.49	(0.04)	17,100	-	SGP19C2001A	-	-	-	-	TASCO1C2003A	0.42	0.03	52,491	-
SAWA11C2003A	0.89	(0.03)	25,600	-	SGP19C2002A	0.12	(0.05)	31,919	-	TASCO1C2003B	0.15	0.01	53,404	-
SAWA13C2002A	-	-	-	-	SGP19C2006A	0.11	(0.02)	10,200	-	TASCO1P2003A	0.29	(0.03)	230,407	-
SAWA13C2005A	0.58	(0.05)	69,385	-	SGP24C2002A	0.14	(0.05)	6,504	-	TASCO8C2005A	0.30	0.01	52,409	-
SAWA16C2001A	0.67	(0.04)	33,263	-	SGP42C2001A	-	-	-	-	TASC11C2002A	0.75	0.05	26,789	-
SAWA19C2002A	0.42	(0.06)	9,348	-	SIRI13C2007A	0.17	(0.01)	17,540	-	TASC13C2003A	0.22	0.01	72,208	-
SAWA19C2005A	0.50	(0.04)	6,108	-	SIRI19C2002A	-	-	-	-	TASC13C2006A	0.52	0.02	96,114	-
SAWA24C2004A	0.61	(0.06)	25,700	-	SIRI19C2004A	0.03	(0.02)	101	-	TASC16C2001A	-	-	-	-
SAWA27C2007A	0.57	(0.04)	38,500	-	SIRI19C2007A	0.15	(0.02)	4,976	-	TASC19C2003A	0.22	0.02	27,768	-
SAWA28C2002A	-	-	-	-	SPAL01C2004A	0.26	(0.10)	76,515	-	TASC19C2006A	0.75	0.04	1,362	-
SAWA28C2004A	0.42	(0.05)	73,202	-	SPAL01C2004B	0.13	(0.07)	88,052	-	TASC19P2004A	0.28	(0.02)	9,643	-
SAWA41C2003A	-	-	-	-	SPAL06P2004A	0.47	0.11	62,294	-	TASC24C2001A	0.05	0.01	10,300	-
SAWA41C2004A	0.46	(0.05)	34,416	-	SPAL11C2006A	0.27	(0.09)	32,205	-	TASC24C2006A	0.48	0.03	49,310	-
SAWA41C2005A	0.55	(0.03)	29,992	-	SPAL13C2003A	0.12	(0.08)	110,204	-	TASC28C2004A	0.19	0.01	19,449	-
SAWA41P2003A	0.08	0.01	10	-	SPAL16C2002A	-	-	-	-	TASC28C2006A	0.32	(0.68)	29,264	-
SAWA41P2004A	0.38	-	14,236	-	SPAL19C2002A	-	-	-	-	TASC41C2003A	0.19	(0.02)	5,020	-
SAWA41P2005A	0.79	0.01	11,960	-	SPAL19C2004A	0.16	(0.09)	29,240	-	TASC41C2004A	-	-	-	-
SAWA42C2003A	0.33	(0.04)	3,550	-	SPAL24C2003A	-	-	-	-	TASC41C2005A	-	-	-	-
SCB01C2002A	0.02	-	53,744	-	SPAL27C2008A	0.19	(0.06)	18,479	-	TASC42C2003A	0.07	0.01	1,003	-
SCB01C2002B	0.02	-	2,501	-	SPAL41C2001A	-	-	-	-	TASC42C2005A	0.62	0.08	1,384	-
SCB01C2004A	0.18	(0.04)	825,676	-	SPAL41C2002A	-	-	-	-	TCAP01C2001A	0.22	0.01	48,546	-
SCB01C2004B	0.06	(0.02)	587,094	-	SPAL41C2004A	0.21	(0.10)	1,000	-	TCAP01C2001B	-	-	-	-
SCB01P2002A	1.98	0.09	32,441	1.00	SPAL42C2003A	-	-	-	-	TCAP01P2001A	0.05	(0.03)	17,188	-
SCB01P2002B	1.49	0.15	29,019	1.00	SPRC01C2003A	0.25	(0.03)	188,720	-	TCAP11C2002A	0.10	-	35,273	-
SCB01P2004A	0.77	0.04	153,949	-	SPRC01C2003B	0.05	-	450	-	TCAP13C2002A	0.25	0.01	104,440	-
SCB01P2004B	0.39	0.03	674,592	-	SPRC06P2003A	0.08	-	6,852	-	TCAP19C2001A	-	-	-	-
SCB06C2001A	-													

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB08P2004A	0.56	0.02	29,770	-	SPRC13C2006A	0.28	(0.04)	220,220	-	TCAP41C2004A	0.27	0.04	12,386	-
SCB11C2005A	0.03	(0.01)	2,144	-	SPRC19C2001A	-	-	-	-	THAI11C2003A	-	-	-	-
SCB11C2006A	0.06	-	5,361	-	SPRC19C2002A	0.23	(0.04)	17,555	-	THAI13C2004A	0.12	(0.02)	3,540	-
SCB11P2005A	1.33	0.04	57,129	1.00	SPRC19C2005A	0.29	(0.02)	48,214	-	THAI19C2002A	-	-	-	-
SCB13C2003A	0.03	(0.01)	234,824	-	SPRC19C2005B	0.09	-	8,330	-	THAI19C2004A	0.13	(0.03)	1,242	-
SCB13C2006A	0.14	(0.02)	372,135	-	SPRC19P2005A	0.49	0.01	68,146	-	THAI27C2008A	0.38	(0.04)	8,056	-
SCB13P2003A	0.33	0.02	471,443	-	SPRC24C2003A	0.03	(0.01)	2,000	-	THAI42C2003A	-	-	-	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAI42C2005A	0.12	(0.01)	2,029	-	TOP19C2006A	0.38	(0.03)	42,592	-	WHA01C2005B	0.05	(0.03)	85,925	-
THAN01C2001A	0.01	(0.01)	2,709	-	TOP19P2002A	0.35	0.02	31,042	-	WHA01P2002A	1.55	0.22	57,733	1.00
THAN01C2001B	0.01	-	270	-	TOP19P2006A	0.86	0.03	4,850	-	WHA01P2005A	0.94	0.11	342,110	-
THAN01C2006A	0.30	-	52,048	-	TOP23C2001A	-	-	-	-	WHA08C2002A	-	-	-	-
THAN01C2006B	0.14	(0.01)	51,627	-	TOP24C2007A	0.20	(0.03)	16,638	-	WHA08C2003A	0.02	-	3,001	-
THAN01P2006A	0.43	-	37,433	-	TOP28C2004A	0.13	(0.02)	28,364	-	WHA08C2005A	0.05	-	3,724	-
THAN06C2003A	-	-	-	-	TOP41C2002A	-	-	-	-	WHA11C2001A	-	-	-	-
THAN06C2005A	0.17	-	52,562	-	TOP41C2002B	-	-	-	-	WHA11C2008A	0.16	(0.05)	162,867	-
THAN06P2003A	0.36	(0.02)	6,000	-	TOP41C2003A	-	-	-	-	WHA13C2001A	-	-	-	-
THAN13C2003A	0.07	(0.01)	1,852	-	TOP41C2004A	0.41	(0.59)	21,920	-	WHA13C2003A	0.01	(0.01)	25,959	-
THAN19C2001A	-	-	-	-	TOP41C2005A	0.22	(0.02)	2,411	-	WHA13C2005A	0.07	(0.03)	159,074	-
THAN19C2004A	0.11	-	7,260	-	TOP41C2006A	-	-	-	-	WHA16C2006A	0.03	(0.01)	26,534	-
THAN24C2001A	-	-	-	-	TOP41P2002A	0.52	0.04	7,594	-	WHA19C2002A	-	-	-	-
THAN27C2003A	-	-	-	-	TOP41P2004A	0.71	0.06	19,748	-	WHA19C2004A	0.02	(0.01)	11,142	-
THAN41C2002A	-	-	-	-	TOP41P2006A	-	-	-	-	WHA19C2005A	0.08	(0.04)	51,701	-
THAN41C2005A	-	-	-	-	TPI19C2002A	-	-	-	-	WHA24C2004A	0.01	(0.02)	2,000	-
TISCO01C2001A	1.01	(0.05)	120	1.00	TPI19C2004A	0.38	(0.03)	8,462	-	WHA24P2003A	1.47	0.40	17,820	1.00
TISCO01C2001B	0.17	(0.02)	6,030	-	TRUE01C2002A	0.02	-	3,019	-	WHA27C2008A	0.16	(0.05)	83,242	-
TISCO01C2006A	1.01	(0.05)	1,429	1.00	TRUE01C2002B	-	-	-	-	WHA28C2003A	-	-	-	-
TISCO01C2006B	0.31	(0.02)	22,744	-	TRUE01C2004A	0.04	-	34,127	-	WHA28C2003B	-	-	-	-
TISCO01P2001A	-	-	-	-	TRUE01C2004B	0.16	(0.02)	126,723	-	WHA28C2004A	0.01	(0.02)	600	-
TISCO01P2006A	0.52	0.02	50,346	-	TRUE01P2002A	1.43	0.02	13,998	1.00	WHA28C2005A	0.03	(0.03)	4,200	-
TISCO08C2001A	0.05	(0.03)	4,010	-	TRUE01P2002B	1.21	0.01	25,162	1.00	WHA41C2003A	-	-	-	-
TISCO08C2002A	-	-	-	-	TRUE01P2004A	0.65	-	39,281	-	WHA41C2004A	-	-	-	-
TISC11C2005A	0.21	(0.01)	3,200	-	TRUE01P2004B	0.36	0.01	254,195	-	WHA41C2005A	0.04	(0.03)	85	-
TISC11C2007A	0.86	(0.02)	6,000	-	TRUE06C2004A	0.19	(0.01)	21,220	-	WHA41C2006A	0.12	(0.05)	45,424	-
TISC13C2004A	-	-	-	-	TRUE08C2001A	-	-	-	-	WHA41P2003A	-	-	-	-
TISC13C2006A	0.31	(0.01)	15,804	-	TRUE08C2004A	-	-	-	-	WHA41P2005A	1.22	0.16	4,012	1.00
TISC16C2001A	0.22	(0.04)	4,464	-	TRUE08C2005A	0.26	(0.01)	24,400	-	WHA42C2005A	0.04	-	10,000	-
TISC19C2004A	0.52	(0.02)	1,864	-	TRUE08P2005A	0.77	0.01	16,550	-	WHAU27C2002A	0.07	(0.01)	1,002	-
TISC41C2005A	-	-	-	-	TRUE11C2005A	0.02	-	1,000	-	Preferred/Foreign	-	-	-	-
TISC41C2006A	0.29	(0.03)	2,870	-	TRUE11C2005B	-	-	-	-	BH-Q	-	-	-	-
TISC41P2006A	0.48	0.02	1,004	-	TRUE11P2002A	0.37	-	78,228	-	CSC-Q	-	-	-	-
TISC42C2003A	0.18	(0.02)	5,404	-	TRUE13C2003A	-	-	-	-	JUTHA-Q	-	-	-	-
TKN01C2003A	0.17	(0.04)	51,146	-	TRUE13C2003B	0.13	(0.01)	99,141	-	KTB-Q	-	-	-	-
TKN01C2003B	0.10	(0.02)	34,080	-	TRUE13C2006A	0.37	(0.63)	82,408	-	SCB-Q	-	-	-	-
TKN08C2003A	0.21	(0.05)	16,502	-	TRUE13P2001A	0.57	0.05	14	-	TCAP-Q	-	-	-	-
TKN13C2004A	0.17	(0.04)	134,078	-	TRUE16C2002A	-	-	-	-	TISCO-Q	-	-	-	-
TKN16C2001A	0.04	(0.03)	38,644	-	TRUE19C2003A	-	-	-	-	U-Q	-	-	-	-
TKN19C2001A	-	-	-	-	TRUE19C2004A	0.08	-	3,894	-	Warrant	-	-	-	-
TKN19C2004A	0.43	(0.09)	6,535	-	TRUE19C2006A	0.34	(0.01)	42,377	-	7UP-W4	0.10	(0.01)	52,536	-
TKN19C2004B	0.21	(0.05)	12,391	-	TRUE19P2003A	0.46	-	6,642	-	AKR-W1	0.10	-	128,770	-
TKN24C2002A	0.18	(0.05)	9,574	-	TRUE19P2005A	0.45	0.01	15,982	-	ALT-W1	0.25	(0.01)	746	-
TKN28C2002A	-	-	-	-	TRUE28C2003A	-	-	-	-	APEX-W1	-	-	-	-
TKN28C2003A	-	-	-	-	TRUE28C2003B	0.03	(0.03)	150	-	APURE-W2	0.09	-	1,151	-
TKN41C2001A	-	-	-	-	TRUE41C2001A	-	-	-	-	AS-W1	0.10	(0.01)	751	-
TKN41C2003A	-	-	-	-	TRUE41C2001B	-	-	-	-	AYUD-W1	0.88	(0.12)	3,925	-
TKN41C2006A	0.27	(0.05)	3,212	-	TRUE41C2002A	-	-	-	-	B-W3	-	-	-	-
TKN42C2003A	0.09	(0.03)	300	-	TRUE41C2003A	-	-	-	-	B-W4	0.03	-	3,187	-
TMB01C2004A	0.35	0.02	129,258	-	TRUE41C2004A	-	-	-	-	B-W5	0.04	-	4,370	-
TMB01C2004B	0.18	0.02	88,723	-	TRUE41C2005A	-	-	-	-	B52-W2	-	-	-	-
TMB01P2004A	0.33	(0.02)	152,173	-	TRUE41C2006A	0.33	-	11,028	-	BKD-W2	0.11	-	6,999	-
TMB13C2002A	0.15	0.01	60,118	-	TRUE41P2001A	-	-	-	-	CGD-W4	0.10	-	2,392	-
TMB19C2001A	0.01	-	3,890	-	TRUE41P2004A	-	-	-	-	CGH-W3	0.02	(0.01)	139,015	-
TMB19C2004A	0.27	0.01	55,428	-	TRUE41P2005A	0.73	0.01	19,128	-	CI-W1	0.04	-	4,564	-
TMB19P2004A	0.32	(0.03)	31,498	-	TRUE42C2003A	-	-	-	-	CKP-W1	0.17	(0.02)	151,146	-
TMB28C2002A	0.10	0.02	34,307	-	TRUE42C2004A	0.14	(0.01)	6,600	-	CRANE-W1	0.68	(0.09)	940	-
TMB41C2002A	-	-	-	-	TTW27C2009A	0.33	-	3,600	-	DCC-W1	0.58	(0.02)	27,934	-
TMB41C2005A	0.24	0.02	19,748	-	TU01C2001A	0.01	-	59,473	-	ECL-W3	0.21	(0.01)	29,142	-
TMB41P2002A	0.01	-	3,001	-	TU01C2001B	-	-	-	-	EIC-W2	-	-	-	-
TMB41P2003A	-	-	-	-	TU01C2004A	0.27	(0.01)	110,019	-	EIC-W3	-	-	-	-
TMB41P2006A	0.32	(0.02)	13,372	-	TU01C2004B	0.24	(0.01)	242,003	-	EMC-W6	0.03	(0.01)	9,086	-
TOAO1C2001A	0.07	-	8,633	-	TU01P2001A	1.01	0.07	34,202	-	EPCO-W3	0.50	0.01	4,522	-
TOAO1C2001B	-	-	-	-	TU01P2004A	0.22	0.01	149,441	-	GJS-W3	-	-	-	-
TOAO1C2006A	0.40	-	54,126	-	TU06C2004A	0.12	(0.01)	91,326	-	GLOCON-W4	0.27	0.02	117,655	-
TOAO1C2006B	0.28	(0.01)	39,190	-	TU11C2003A	-	-	-	-	J-W1	0.21	-	420	-
TOAO1P2001A	0.04	(0.01)	13,372	-	TU11C2008A	0.40	(0.03)	54,932	-	JAS-W3	1.71	0.01	46,528	1.00
TOA08C2003A	0.07	(0.01)	20	-	TU13C2003A	0.04	-	15,702	-	JCK-W5	0.06	-	7,016	-
TOA13C2003A	0.05	(0.01)	30	-	TU13C2004A	0.27	(0.02)	122,641	-	JMT-W2	4.88	(0.22)	3,039	4.00
TOA16C2001A	0.04	(0.01)	9,101	-	TU19C2001A	-	-	-	-	MACO-W2	0.16	(0.01)	70,887	-
TOA19C2004A	0.09	-	13,150	-	TU19C2002A	-	-	-	-	MILL-W4	0.02	(0.01)	4,536	-
TOA24C2005A	0.08	(0.01)	515	-	TU19C2003A	0.05	(0.02)	5,001	-	MILL-W5	0.01	-	10	-
TOA41C2004A	0.09	(0.01)	2,500	-	TU19C2005A	0.35	(0.01)	19,257	-	MINT-W6	2.80	(0.16)	5,813	2.00
TOP01C2003A	0.29	(0.03)	185,096	-	TU24C2003A	0.02	(0.01)	1,000	-	NFC-W1	0.66	(0.02)	167	-
TOP01C2003B	0.07	-	11,625	-	TU24C2006A	0.32	(0.01)	27,350	-	NOK-W1	0.02	-	857	-
TOP01C2006A	0.58	(0.03)	65,160	-	TU27C2004A	-	-	-	-	NUSA-W3	0.01	-	15	-
TOP01C2006B	0.35	(0.02)	34,416	-	TU27C2006A	0.21	(0.01)	20,400	-	NVD-W1	0.15	-	1,155	-
TOP01P2003A	0.68	0.03	53,696	-	TU41C2002A	-	-	-	-	ORI-W1	0.51	(0.06)	39,993	-
TOP01P2006A	0.78	0.03	93,780	-	TU41C2003A	-	-	-	-	PACE-W2	0.01	(0.01)	25	-
TOP06C2004A	0.05	-	13,310	-	TU41C2004A	0.17	(0.02)	10,972	-	PACE-W3	0.05	-	50	-
TOP06P2005A	0.67	-	31	-	TU41C2005A	0.34	(0.01)	1,732	-	PDI-W1	0.43	(0.02)	1,294	-
TOP08C2003A	0.08	-	270	-	TU41P2003A	-	-	-	-	PDJ-W3	-	-	-	-
TOP08P2003A	0.65	0.05	14,674	-	TU41P2004A	0.16	0.01	6,007	-	PDJ-W4	0.43	(0.01)	137	-
TOP11C2002A	-	-	-	-	TVO11C2001A	-	-	-	-	PERM-W1	0.15	(0.01)	5,716	-
TOP11C2007A	0.28	(0.01)	38,260	-	TVO13C2007A	0.24	0.01	15,481	-	PORT-W1	0.83	-	118,378	-
TOP11P2002A	0.34	0.02	50,103	-	TVO19C2004A	0.18	(0.02)	1,096	-	PPPM-W4	0.20	0.01	11,574	-
TOP13C2002A	-	-	-	-	TVO19C2007A	0.17	-	16,311	-	PRIME-W1	0.03	-	3,982	-
TOP13C2004A	0.13	(0.01)	66,522	-	VGI01C2005A	0.39	(0.06)	97,722	-	PRIME-W2	0.03	0.01	-	-

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP13C2006A	0.39	(0.03)	58,725	-	VGI11C2008A	0.34	(0.05)	23,001	-	RICHY-W2	0.03	-	360	-
TOP13P2001A	-	-	-	-	VGI13C2006A	0.35	(0.05)	161,114	-	RS-W3	1.32	(0.07)	7,050	1.00
TOP13P2005A	-	-	-	-	VGI19C2006A	0.31	(0.04)	14,492	-	SAMART-W2	0.45	(0.08)	26,159	-
TOP13P2006A	0.57	0.02	72,277	-	VGI41C2006A	0.27	(0.04)	20	-	SAWAD-W1	22.70	(0.30)	396	22.00
TOP16C2001A	-	-	-	-	WHA01C2002A	0.01	(0.01)	13,844	-	SDC-W1	-	-	-	-
TOP19C2002A	0.04	(0.02)	3,200	-	WHA01C2002B	0.01	-	10	-	SINGER-W1	1.84	(0.01)	204	1.00
TOP19C2003A	0.06	-	5,652	-	WHA01C2005A	0.15	(0.06)	445,176	-	SINGER-W2	1.42	(0.01)	832	1.00

Main Board Quotation

Issue Date :

Monday January 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-