

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	0.96	(0.04)	53,040	0.96
POMPUI	-	-	-	-	DIF	17.10	-	99,369	17.13	MPIC	-	-	-	-
SAFARI	-	-	-	-	DTAC	47.25	1.00	74,402	46.53	NMG	-	-	-	-
VI	-	-	-	-	FORTH	6.00	(0.10)	1,819	6.07	PLANB	7.30	(0.15)	147,182	7.35
WORLD	-	-	-	-	HUMAN	7.95	0.10	514	7.88	POST	1.94	(0.46)	196	1.85
WR	-	-	-	-	ILINK	3.56	(0.06)	560	3.58	PRAKIT	10.10	(0.30)	104	10.19
Agribusiness	-	-	-	-	INET	2.32	-	4,289	2.33	SE-ED	1.60	0.03	81	1.60
CHOTI	72.25	(0.75)	1	72.25	INTUCH	59.75	0.50	88,605	59.59	SPORT	0.16	-	2,596	0.16
EE	0.55	0.02	47,968	0.56	JAS	5.00	-	139,776	5.00	TBSP	-	-	-	-
GFPT	12.60	0.10	39,126	12.56	JASIF	9.85	0.05	56,932	9.84	TH	0.61	0.01	1,502	0.60
LEE	2.10	-	402	2.10	JMART	9.20	0.15	26,744	9.09	TKS	6.35	(0.05)	1,911	6.40
NER	2.80	0.02	105,983	2.78	JTS	0.99	(0.01)	4	1.00	VGI	9.35	0.10	164,346	9.34
PPPM	0.51	(0.04)	1,118	0.53	MFEIC	3.38	(0.02)	431	3.36	WAVE	1.03	(0.01)	18	1.02
STA	11.10	0.60	206,262	10.91	MSC	5.45	(0.05)	195	5.41	WORK	13.30	-	8,424	13.32
TRUBB	0.63	-	2,682	0.64	PT	4.28	(0.04)	189	4.28	Finance & Securities	-	-	-	-
TWPC	4.34	(0.08)	30	4.37	SAMART	7.75	0.15	47,238	7.69	AEC	0.31	0.02	3,250	0.29
UPOIC	3.76	0.12	1	3.76	SAMTEL	7.50	(0.10)	3,982	7.53	AEONTS	171.50	-	4,452	171.54
UVAN	5.35	-	526	5.35	SDC	0.19	0.01	713	0.18	AMANAH	3.44	(0.04)	191,528	3.44
VPO	0.59	-	1,537	0.58	SIS	8.20	-	326	8.11	ASAP	1.96	(0.01)	355	1.97
Banking	-	-	-	-	SVOA	1.08	0.01	18,338	1.08	ASK	26.25	(0.25)	2,164	26.24
BAY	29.75	(0.25)	6,857	29.54	SYMC	2.96	0.10	3	2.96	ASP	1.74	(0.02)	10,348	1.75
BBL	151.00	3.50	166,795	150.92	SYNEX	7.00	-	4,459	7.05	BAM	26.00	1.30	3,054,065	24.77
CIMBT	0.59	0.07	282,444	0.60	THCOM	3.92	(0.04)	3,714	3.94	BFIT	32.00	0.50	29,489	32.86
KBANK	140.00	1.00	74,870	140.45	TRUE	3.88	(0.16)	2,535,923	3.91	CGH	0.84	0.01	196,055	0.83
KKP	69.00	0.50	52,865	68.86	TWZ	0.08	0.01	108,847	0.07	CNS	2.48	-	18,377	2.48
KTB	16.50	0.40	546,684	16.48	Electronic Componen	-	-	-	-	ECL	1.12	-	8,374	1.12
LHFG	1.35	0.01	75,514	1.34	CCET	1.83	(0.01)	6,602	1.83	FNS	2.12	0.08	1,271	2.13
SCB	99.75	(0.75)	298,981	99.97	DELTA	56.00	2.50	13,988	54.93	FSS	1.62	0.01	553	1.64
TCAP	52.75	1.00	77,212	52.78	EIC	0.04	0.01	3,469	0.03	GBX	0.44	-	3,503	0.44
TISCO	103.00	2.00	46,333	102.37	HANA	35.50	-	14,493	35.42	GL	4.26	(0.04)	10,088	4.29
TMB	1.53	-	1,648,928	1.53	KCE	22.00	(0.10)	300,633	22.04	IFS	3.20	-	376	3.18
Construction Materia	-	-	-	-	METCO	175.00	-	1	175.00	JMT	22.30	0.40	51,548	22.22
CCP	0.29	(0.01)	26,209	0.29	NEX	3.06	(0.04)	18,472	3.06	KCAR	10.10	-	259	10.12
COTTO	1.40	-	530	1.39	SMT	1.08	(0.02)	2,424	1.09	KGI	4.62	(0.02)	21,514	4.62
DCC	1.88	-	15,105	1.89	SVI	3.28	-	4,585	3.28	KTC	35.50	0.25	46,452	35.52
DCON	0.34	-	5,186	0.34	TEAM	0.79	-	618	0.79	MBKET	6.70	-	217	6.64
DRT	6.40	(0.05)	1,899	6.43	Energy & Utilities	-	-	-	-	MFC	15.30	(0.10)	154	15.20
EPG	6.00	(0.05)	70,658	5.98	7UP	0.48	-	102,162	0.47	ML	0.86	-	115	0.86
GEL	0.14	-	87,654	0.14	ABPIF	4.74	-	1,150	4.74	MTC	64.75	1.50	89,830	64.93
PPP	2.04	(0.02)	209	2.01	ACE	4.26	0.04	106,901	4.21	PE	0.06	-	610	0.05
Q-CON	5.60	(0.25)	2	5.68	AI	1.06	(0.01)	39,312	1.05	PL	2.66	0.04	109	2.64
RCI	3.40	0.02	20	3.39	AKR	0.63	0.01	24,315	0.63	S11	7.25	0.05	3,405	7.18
SCC	359.00	(4.00)	29,856	359.71	BAFS	29.75	0.25	855	29.39	SAWAD	71.50	2.50	68,575	71.53
SCCC	190.00	-	296	190.02	BANPU	11.10	-	284,235	11.08	THANI	5.60	-	59,152	5.60
SCP	5.90	(0.10)	604	5.94	BCP	26.50	(0.50)	76,335	26.22	TK	9.60	0.05	683	9.56
SKN	2.02	-	2,473	2.06	BCPG	17.00	0.20	16,047	16.91	TNITY	3.90	0.10	501	3.80
TASCO	21.40	(0.20)	33,815	21.45	BGRIM	65.50	0.50	263,214	65.30	UOBKH	2.90	(0.02)	74	2.92
TCMC	1.95	-	2,463	1.95	BPP	16.70	(0.30)	50,767	16.96	ZMICO	0.77	0.02	7,862	0.77
TOA	38.25	1.75	30,384	37.59	BRRGIF	8.40	-	566	8.32	Food & Beverage	-	-	-	-
TIPL	1.58	(0.03)	67,268	1.59	CKP	4.30	-	122,903	4.27	APURE	0.71	-	626	0.71
UMI	0.70	-	975	0.70	DEMCO	2.70	(0.02)	1,682	2.72	ASIAN	4.02	(0.02)	2,469	4.04
VNG	3.74	-	752	3.75	EA	41.00	0.25	51,247	41.05	BR	2.46	(0.04)	3,225	2.48
WIIK	1.30	-	13,101	1.30	EASTW	11.50	(0.10)	4,717	11.57	BRR	3.84	(0.10)	702	3.88
Petrochemicals & Che	-	-	-	-	EGATIF	12.70	-	8,407	12.79	CBG	89.50	2.00	40,876	89.04
BCT	41.25	0.25	321	40.94	EGCO	338.00	(2.00)	10,374	339.82	CFRESH	1.52	(0.01)	517	1.52
CMAN	1.23	(0.03)	4,233	1.24	ESSO	6.95	(0.30)	364,051	7.06	CM	2.72	(0.02)	143	2.73
GC	5.85	0.10	329	5.81	GPSC	96.25	2.50	419,075	96.00	CPF	30.25	(0.25)	515,406	30.12
GGC	13.20	(0.10)	27,431	13.18	GULF	202.00	4.50	106,891	199.36	CPI	1.62	(0.02)	754	1.63
GIFT	2.36	0.04	2,986	2.36	GUNKUL	2.66	(0.04)	287,030	2.67	F&D	-	-	-	-
IVL	29.50	(0.25)	369,245	29.23	IFEC	-	-	-	-	HTC	23.40	-	1,718	23.38
NFC	2.32	(0.02)	4,500	2.34	IRPC	3.02	(0.18)	2,485,989	3.06	ICHI	5.35	0.05	5,679	5.33
PATO	11.20	-	146	11.20	LANNA	7.65	(0.05)	4,379	7.65	KBS	3.84	0.02	197	3.84
PMTA	6.50	-	10	6.46	MDX	2.80	-	755	2.81	KSL	2.46	-	36,701	2.48
PTTGC	50.25	(0.25)	281,930	50.04	PRIME	0.37	0.03	2,608	0.36	KTIS	4.14	-	1,097	4.12
SUTHA	1.90	(0.01)	92	1.86	PTG	14.10	(0.30)	190,615	14.12	LST	5.20	-	2,034	5.17
TCCC	20.10	(0.30)	429	20.24	PTT	46.25	(0.25)	272,320	46.44	M	69.50	(1.25)	6,075	69.14
TPA	5.45	-	231	5.45	PTTEP	131.00	(0.50)	97,145	131.40	MALEE	7.65	(0.25)	2,334	7.73
UP	-	-	-	-	RATCH	74.00	(0.50)	68,963	74.63	MINT	33.00	-	365,866	31.92
VNT	25.75	(0.25)	24,320	25.18	RPC	0.65	0.01	3,883	0.65	OISHI	-	-	-	-
WG	-	-	-	-	SCG	3.90	0.06	3	3.87	OSP	46.50	1.00	113,353	46.28
YCI	-	-	-	-	SCI	1.51	(0.05)	13,691	1.55	PB	69.00	-	9	69.00
Commerce	-	-	-	-	SCN	1.98	(0.01)	5,336	1.99	PM	7.00	(0.45)	17,763	7.03
BEAUTY	2.66	0.04	1,938,407	2.67	SGP	8.55	(0.50)	63,164	8.75	PRG	12.40	-	7	12.33
BIG	0.71	(0.02)	237,459	0.70	SKE	0.71	0.01	1,755	0.71	RBF	4.32	0.08	92,281	4.29
BJC	43.00	(0.25)	21,233	43.40	SOLAR	1.50	(0.01)	1,000	1.51	SAPPE	19.60	(0.40)	1,520	19.64
COL	17.90	0.10	3,297	17.78	SPCG	20.80	0.10	12,493	20.55	SAUCE	-	-	-	-
COM7	26.25	0.25	37,062	25.67	SPRC	8.30	(0.75)	548,634	8.46	SFP	-	-	-	-
CPALL	74.75	(0.50)	191,511	74.97	SSP	7.20	0.05	7,160	7.23	SNP	14.30	0.10	5	14.30
CPW	1.64	(0.04)	20,172	1.65	SUPER	0.53	-	328,234	0.53	SORKON	49.50	0.75	7	49.18
CSS	1.30	(0.03)	7,738	1.31	SUPEREIF	11.00	-	4,123	11.04	SSC	31.50	-	14	31.38
DOHOME	8.40	0.15	69,096	8.32	SUSCO	2.80	0.02	3,022	2.79	SSF	5.80	(0.15)	68	5.57
FN	1.24	0.07	123,167	1.24	TAE	3.72	(0.06)	42,476	3.77	SST	3.78	(0.02)	12	3.76
FTE	2.00	0.02	256	2.00	TCC	0.23	0.01	1,314	0.22	TC	3.10	-	407	3.10
GLOBAL	15.40	(0.20)	118,147	15.20	TOP	58.00	(2.75)	305,521	58.61	TFG	4.80	0.08	50,908	4.78
HMPRO	15.90	(0.20)	276,173	15.81	TPIPP	4.36	(0.08)	46,469	4.42	TFMAMA	194.50	1.00	211	194.47
ILM	13.40	(0.40)	5,504	13.47	TSE	3.10	0.04	343,497	3.11	TIPCO	7.45	(0.05)	5,083	7.51
IT	2.92	0.04	103	2.88	TTW	13.70	(0.10)	65,413	13.76	TKN	10.70	0.30	102,558	10.63
KAMART	4.02	(0.06)	8,556	4.03	WHAUP	5.55	-	16,091	5.52	TU	14.50	0.20	141,485	14.51
LOXLEY	1.31	(0.02)	3,654	1.32	WP	5.35	0.25	14,106	5.31	TVO	27.75	-	7,294	27.67
MAKRO	36.00	(0.75)	2,849	36.41	Media & Publishing	-	-	-	-	ZEN	12.40	(0.40)	21,395	12.33
MC	9.05	-	25,029	9.07	AMARIN	4.02	(0.02)	870	3.97	Health Care Services	-	-	-	-
MEGA	28.50	(0.25)	3,747	28.54	AQUA	0.42	-	120,453	0.42	AHC	17.80	(0.10)	26	17.75
MIDA	0.49	(0.01)	821	0.50	AS	1.								

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	8.05	-	224	8.05	BROCK	1.61	(0.01)	5	1.61	HFT	2.96	(0.04)	4,183	2.97
PRINC	4.58	-	2,949	4.56	CGD	0.87	-	2,451	0.87	IHL	3.88	(0.06)	1,361	3.90
RAM	149.50	-	52	149.25	CI	0.81	0.01	114	0.81	INGRS	0.52	0.01	3,319	0.51
RJH	24.30	(0.20)	9,498	24.17	CPN	63.25	(0.25)	39,864	63.39	IRC	15.10	(0.50)	63	15.28
RPH	6.55	0.10	629	6.50	ESTAR	0.34	-	10,913	0.34	PCSGH	5.75	0.10	11	5.70
SKR	5.15	-	3,569	5.11	EVER	0.26	0.01	135,639	0.25	SAT	13.10	(0.40)	28,232	13.02
SVH	448.00	-	15	444.93	FPT	14.60	(0.10)	434	14.57	SPG	-	-	-	-
THG	26.75	-	5,616	26.65	GLAND	2.84	0.02	3,010	2.81	STANLY	173.00	-	49	172.97
VIBHA	1.66	(0.01)	32,117	1.67	GOLD	8.45	0.05	3,050	8.45	TKT	0.96	0.01	247	0.97
VIH	6.35	0.10	5,084	6.29	GREEN	0.76	-	421	0.76	TNPC	0.70	(0.01)	4	0.70
WPH	1.88	-	2,867	1.88	J	0.83	0.03	157	0.82	TRU	4.20	0.06	225	4.17
Tourism & Leisure					JCK	0.87	0.01	5,100	0.85	TSC	12.70	-	24	12.66
ASIA	5.40	-	3	5.40	KC	-	-	-	-	Industrial Materials				
CENTEL	21.50	(0.80)	89,141	21.61	KWG	1.50	(0.03)	356	1.51	ALLA	1.22	(0.04)	39,454	1.24
CSR	-	-	-	-	LALIN	5.20	0.05	3,677	5.15	ASEFA	3.46	(0.04)	410	3.46
DTC	9.60	0.10	163	9.55	LH	9.90	-	282,223	9.93	CPT	0.76	(0.01)	8,647	0.76
ERW	4.76	0.06	353,937	4.70	LPN	4.76	(0.02)	23,347	4.73	CRANE	1.72	(0.03)	669	1.73
GRAND	0.69	-	8,160	0.69	MBK	20.50	-	9,609	20.46	CTW	5.25	(0.05)	811	5.28
LRH	39.00	-	26	38.51	MJD	2.96	0.02	269	2.93	FMT	23.80	-	12	23.80
MANRIN	30.00	1.25	10	30.00	MK	3.04	(0.02)	1,835	3.05	HTECH	3.14	0.02	4,017	3.09
OHTL	-	-	-	-	NCH	0.75	(0.01)	16	0.76	KKC	0.72	0.01	610	0.71
ROH	-	-	-	-	NNCL	2.18	0.02	14,694	2.18	PK	1.29	(0.01)	530	1.30
SHANG	-	-	-	-	NOBLE	17.00	0.20	2,023	16.89	SNC	9.70	(0.10)	7,959	9.74
SHR	2.54	(0.06)	126,183	2.57	NUSA	0.53	(0.04)	239,168	0.54	STARKE	2.26	0.06	10,330	2.21
VRANDA	7.75	(0.20)	1,811	7.88	NVD	1.89	0.03	305	1.93	TCJ	3.36	(0.14)	65	3.39
Home & Office Produ					ORI	6.85	(0.10)	34,584	6.89	VARO	6.20	(0.30)	22	6.60
ACC	0.62	(0.06)	7,471	0.64	PACE	0.05	-	70,714	0.05	Property Fund & REIT				
AJA	0.20	0.01	172,581	0.21	PF	0.78	(0.01)	138,908	0.78	AIMCG	8.55	0.05	534	8.51
DTCI	-	-	-	-	PLAT	4.18	(0.04)	11,918	4.20	AIMIRT	13.40	0.10	11,029	13.41
FANCY	0.51	(0.01)	2,067	0.52	POLAR	-	-	-	-	AMATAR	11.80	(0.10)	263	11.80
KYE	-	-	-	-	PRECHA	-	-	-	-	B-WORK	12.40	-	4,227	12.30
L&E	2.02	0.02	161	2.04	PRIN	1.47	0.01	3,039	1.46	BKER	9.60	0.10	12,455	9.53
MODERN	2.46	(0.02)	1,160	2.46	PSH	14.60	(0.20)	37,022	14.69	BKCCP	13.50	0.10	78	13.40
OGC	24.30	(0.20)	1	24.30	QH	2.56	(0.02)	575,046	2.57	BOFFICE	17.20	-	3,265	17.20
ROCK	-	-	-	-	RICHY	0.88	(0.01)	956	0.88	CPNCG	12.60	-	1,928	12.60
SIAM	1.67	0.07	4,209	1.67	RML	0.91	(0.04)	19,303	0.92	CPNREIT	35.25	-	18,253	35.31
TSR	2.20	-	2,061	2.20	ROJNA	5.20	(0.10)	9,517	5.23	CPTGF	13.00	-	7,993	13.02
Insurance					S	2.42	(0.06)	13,171	2.45	CTARAF	5.60	0.05	391	5.56
AYUD	39.00	-	18	39.00	SAMCO	1.62	0.02	62	1.61	DREIT	6.60	0.10	2,746	6.54
BKI	292.00	-	46	291.83	SC	2.28	(0.02)	22,222	2.26	ERWPF	5.15	(0.10)	50	5.15
BLA	19.90	(0.10)	6,812	19.86	SENA	2.72	(0.06)	3,427	2.73	FTREIT	15.50	0.10	27,532	15.38
BUI	-	-	-	-	SF	5.50	(0.10)	8,555	5.52	FUTUREPF	25.00	-	812	25.00
CHARAN	-	-	-	-	SIRI	1.02	-	179,599	1.02	GAHREIT	9.15	(0.05)	50	9.15
INSURE	-	-	-	-	SPALI	16.80	(0.20)	144,582	16.83	GLANDRT	13.20	-	201	13.20
MTI	-	-	-	-	U	1.66	(0.01)	46,598	1.66	GOLDPF	7.00	0.10	2	7.00
NKI	53.50	-	30	53.17	UV	6.45	-	20,727	6.45	GVREIT	17.20	0.10	303	17.20
NSI	-	-	-	-	WHA	3.12	(0.04)	1,993,156	3.14	HPF	4.90	-	570	4.90
SEG	-	-	-	-	WIN	0.43	0.01	62	0.42	HREIT	8.70	0.05	4,659	8.68
SMK	30.75	-	6	30.50	Paper & Printing Mat					IMPACT	24.50	0.10	11,349	24.50
THRE	0.66	0.01	38,326	0.66	UTP	9.75	-	3,102	9.74	KNPF	8.10	0.05	25	8.10
THREL	3.62	(0.02)	4,175	3.62	Fashion					LHHOTEL	19.50	-	2,431	19.50
TIP	24.60	0.10	1,157	24.49	AFC	6.35	(0.15)	51	6.17	LHPF	8.70	(0.05)	488	8.70
TQM	71.00	0.50	107,390	67.49	B52	0.19	-	4,030	0.19	LHSC	18.70	-	7,050	18.69
TSI	0.51	-	1,233	0.51	BTNC	-	-	-	-	LUXF	8.65	-	442	8.60
TVI	4.06	-	299	4.01	CPH	3.44	0.02	1	3.44	M-II	8.05	(0.15)	400	8.03
Mining					CPL	0.95	(0.01)	12	0.95	M-PAT	5.40	(0.40)	3	5.50
PDI	6.10	0.05	1,067	6.05	ICC	39.50	0.25	1	39.50	M-STOR	6.70	(0.15)	121	6.70
THL	-	-	-	-	NC	10.40	(0.40)	9	10.44	MIPF	-	-	-	-
Packaging					PAF	0.55	0.01	343	0.55	MIT	2.72	(0.04)	16	2.63
AJ	8.05	(0.15)	2,283	8.08	PDJ	1.38	(0.06)	30,721	1.38	MJLF	10.80	(0.10)	905	10.80
ALUCON	151.50	(0.50)	1	151.50	PG	5.25	0.10	42	5.38	MNIT	-	-	-	-
BGC	12.90	(0.10)	4,221	12.91	SABINA	23.60	0.50	3,020	23.40	MNIT2	-	-	-	-
CSC	53.00	0.25	42	52.76	SAWANG	-	-	-	-	MNRF	2.98	-	656	2.98
GLOCON	0.77	0.02	19,770	0.76	SUC	43.00	0.25	226	42.81	POPF	13.10	-	942	13.09
NEP	0.20	-	1,252	0.17	TNL	-	-	-	-	PPF	11.20	-	51	11.20
PTL	14.00	-	3,632	13.99	TPCORP	-	-	-	-	QHHR	9.35	(0.05)	157	9.35
SFLEX	4.14	(0.16)	119,166	4.33	TR	27.75	-	31	27.62	QHOP	3.94	0.04	52	3.92
SITHAI	0.69	-	1,334	0.69	TTI	-	-	-	-	QHPF	13.90	-	2,594	13.92
SLP	0.48	-	1,611	0.48	TTT	50.25	(0.25)	40	50.28	SBPF	2.58	0.08	5	2.58
SMPC	6.30	(0.10)	2,060	6.33	UPF	-	-	-	-	SHREIT	5.65	-	785	5.64
SPACK	-	-	-	-	UT	-	-	-	-	SIRIP	-	-	-	-
TCOAT	-	-	-	-	WACOAL	47.50	4.00	2	47.63	SPF	23.50	-	2,388	23.49
TFI	0.05	-	3	0.05	Transportation & Log					SPRIME	14.10	(0.10)	38	14.08
THIP	20.30	-	205	20.33	AAV	1.89	(0.08)	302,053	1.90	SRIPANWA	11.10	0.10	9	11.10
TMD	26.75	0.25	61	26.62	AOT	71.00	(1.00)	517,958	71.13	SSPF	9.70	-	185	9.65
TOPP	-	-	-	-	ASIMAR	1.15	-	2,284	1.14	SSTRT	5.85	(0.05)	406	5.87
TPBI	4.02	0.04	5	4.00	B	0.23	0.01	7,474	0.22	TIF1	9.00	(0.05)	12	9.04
TPP	-	-	-	-	BA	6.15	(0.20)	13,712	6.20	TLGF	22.20	0.30	28,379	22.07
Personal Products &					BEM	11.30	0.10	526,429	11.18	TLHPF	-	-	-	-
APCO	3.14	(0.04)	672	3.13	BTS	13.50	0.10	276,742	13.54	TNPF	-	-	-	-
DDD	23.80	(0.40)	44	23.76	BTSIGF	10.00	0.05	8,222	9.98	TPRIME	-	-	-	-
JCT	81.25	(0.25)	8	81.13	III	4.98	(0.02)	2,285	5.00	TTLPF	21.80	-	24	21.46
OCC	-	-	-	-	JUTHA	-	-	-	-	TU-PF	1.72	(0.01)	99	1.73
S & J	-	-	-	-	JWD	7.50	(0.05)	4,187	7.54	URBNPF	-	-	-	-
STHAI	-	-	-	-	KWC	-	-	-	-	WHABT	9.70	-	7	9.70
TNR	9.05	-	357	8.99	NOK	1.99	(0.01)	2,284	2.00	WHART	16.90	0.10	13,049	16.87
TOG	5.70	-	339	5.70	NYT	3.92	0.06	22,255	3.94	Steel	-	-	-	-
Professional Service					PORT	2.46	(0.18)	110,613	2.55	AMC	1.81	-	101	1.80
BWG	0.59	-	74,374	0.58	PRM	6.15	-	33,608	6.16	BSBM	0.87	(0.01)	1,869	0.87
GENCO	0.53	-	2,413	0.53	PSL	6.70	(0.20)	15,146	6.81	CEN	0.60	-	64	0.60
PRO	-	-	-	-	RCL	3.14	(0.14)	2,096	3.18	CITY	1.85	-	4	1.85
SISB	9.75	-	12,867	9.70	TFFIF	12.20	0.10	67,854	12.25	CSP	0.73	-	11	0.72
TEAMG	2.24	-	1,547	2.23	THAI	6.35	(0.05)	36,995	6.32	GJS	0.13	-	111	0.12
Property Developer					TSTE	-	-	-	-	GSTEEL	-	-	-	-
A	6.10	-	60	6.11	TTA	3.96	(0.12)	19,945	3.98	INOX	0.62	-	551	0.60
AMATA	17.00	(1.40)	273,047	17.28	WICE	2.26	(0.02)	8,969	2.28	LHK	2.82	-	270	2.81
AMATAV	4.76	-	833	4.76	Automotive					MAX	0.02	-	57,534	0.01
ANAN	2.28	(0.12)	86,601	2.28	AH	15.50	0.10	3,308	15.36	MCS	9.90	(0.10)	14,434	9.88
AP	7.15	(0.05)	150,137	7.10	APCS	4.08	(0.02)	130						

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price		
MAI																
Agro & Food Industr	-	-	-	-	ABM	0.68	(0.04)	2,137	-	AAV19C2001A	-	-	-	-		
ABICO	4.10	(0.02)	47	4.00	AGE	0.88	(0.01)	2,207	-	AAV19C2003A	0.01	-	1,100	-		
AU	11.50	0.40	32,484	11.00	AIE	0.36	(0.01)	39,094	-	AAV19C2004A	0.05	(0.02)	1,403	-		
JCKH	0.23	-	65	-	PSTC	0.73	0.01	914,082	-	AAV24C2001A	-	-	-	-		
KASET	1.19	(0.02)	426	1.00	QTC	4.66	0.12	9,296	4.00	ADVA01C2003A	0.24	-	129,006	-		
MM	2.48	(0.02)	553	2.00	SAAM	0.92	(0.07)	21,432	1.00	ADVA01C2003B	0.08	(0.01)	102,702	-		
SUN	1.90	(0.10)	87,540	2.00	SEOIL	2.62	(0.08)	6,244	2.00	ADVA01C2005A	0.53	(0.01)	72,448	-		
TACC	4.34	(0.06)	16,030	4.00	SR	0.97	-	425	-	ADVA01C2005B	0.28	-	99,461	-		
TMILL	2.82	0.02	137	2.00	TAKUNI	0.40	0.01	4,216	-	ADVA01P2003A	0.68	-	86,051	-		
XO	5.55	(0.10)	419	5.00	TPCH	12.70	-	3,991	12.00	ADVA01P2003B	0.38	(0.02)	82,823	-		
Consumer Products																
BGT	0.98	0.01	173	-	TRT	1.88	0.06	929	1.00	ADVA06C2005A	0.18	(0.01)	109,606	-		
BIZ	3.10	-	1,066	3.00	UMS	0.32	(0.02)	25	-	ADVA08C2001A	-	-	-	-		
DOD	7.60	-	10,639	7.00	UWC	0.03	-	96,743	-	ADVA08C2005A	0.29	-	33,590	-		
ECF	1.27	0.01	108,587	1.00	Services (MAI)					-	-	ADVA08P2004A	0.26	-	20,799	-
HPT	0.60	-	731	-	A5	-	-	-	-	ADVA11C2006A	0.09	-	1,000	-		
IP	6.65	(0.05)	5,710	6.00	AKP	1.07	(0.01)	1,872	1.00	ADVA11P2005A	0.12	-	28,800	-		
JUBILE	18.70	0.10	905	18.00	AMA	5.00	(0.05)	338	5.00	ADVA13C2001A	-	-	-	-		
MOONG	3.78	(0.02)	494	3.00	ARIP	0.38	-	1,762	-	ADVA13C2004A	0.28	-	391,907	-		
NPK	-	-	-	-	ATP30	1.35	(0.01)	2,602	1.00	ADVA13P2003A	0.24	(0.01)	134,205	-		
OCEAN	1.18	(0.01)	6,872	1.00	AUCT	6.40	(0.05)	5,763	6.00	ADVA16C2002A	0.03	(0.01)	6,730	-		
TM	2.40	-	3,244	2.00	BOL	2.80	-	475	2.00	ADVA16C2005A	0.04	-	174	-		
Financials (MAI)																
ACAP	1.51	(0.03)	7,813	1.00	CHUO	-	-	-	-	ADVA16C2007A	0.24	-	59,759	-		
AF	0.65	-	1	-	CMO	1.14	0.02	2,137	1.00	ADVA19C2002A	-	-	-	-		
AIRA	1.03	-	2,398	1.00	D	3.68	0.02	933	3.00	ADVA19C2005A	0.25	(0.01)	24,996	-		
ASN	6.15	-	12	6.00	DCORP	0.38	-	53,721	-	ADVA19P2002A	0.06	(0.01)	12,064	-		
BROOK	0.44	-	3,437	-	EFORL	1.00	0.05	43,595	-	ADVA19P2006A	0.24	-	56,883	-		
CHAYO	5.55	(0.05)	41,179	5.00	ETE	0.82	0.01	76	-	ADVA23C2001A	0.80	0.01	5	-		
GCAP	2.02	(0.02)	17,694	2.00	FSMART	6.50	-	3,481	6.00	ADVA24C2001A	-	-	-	-		
LIT	4.60	(0.02)	644	4.00	FVC	0.39	-	8,354	-	ADVA24C2006A	0.40	-	29,952	-		
MTSIB	1.40	(0.01)	2,077	1.00	GSC	0.75	0.02	6,545	-	ADVA24P2001A	-	-	-	-		
SGF	0.70	(0.04)	90,118	-	HARN	2.26	(0.04)	4,768	2.00	ADVA28C2002A	-	-	-	-		
Industrials (MAI)																
2S	1.95	-	235	1.00	IMH	3.14	(0.02)	7,998	3.00	ADVA28C2004A	0.09	(0.01)	150	-		
ACG	0.96	(0.01)	269	-	JKN	4.84	(0.06)	36,263	4.00	ADVA28C2005A	0.26	(0.01)	26,253	-		
ADB	0.60	0.06	1,329	-	KIAT	0.34	0.01	26,476	-	ADVA28P2004A	0.23	(0.01)	30,650	-		
BM	1.91	0.02	30	1.00	KOOL	1.01	0.03	34,800	1.00	ADVA41C2001A	-	-	-	-		
CHO	0.65	-	10,400	-	LDC	0.97	(0.01)	2,301	-	ADVA41C2004A	-	-	-	-		
CHOW	1.40	(0.02)	532	1.00	MORE	0.36	-	75,733	-	ADVA41C2005A	-	-	-	-		
CIG	0.22	0.01	7,083	-	MPG	0.36	0.02	873	-	ADVA41C2006A	0.29	0.01	5	-		
COLOR	1.03	-	1	1.00	MVP	1.91	0.21	77,793	1.00	ADVA41C2007A	-	-	-	-		
CPR	3.36	-	281	3.00	NBC	0.46	(0.02)	2,621	-	ADVA41P2001A	-	-	-	-		
FPI	2.02	-	2,946	2.00	NCL	1.02	0.03	209	1.00	ADVA41P2004A	0.39	(0.02)	6,988	-		
GTB	0.68	(0.01)	1,698	-	NEWS	0.01	-	1,029	-	ADVA41P2005A	0.32	(0.02)	19,889	-		
KCM	0.53	-	11,056	-	NINE	1.96	(0.64)	35	1.00	ADVA42C2003A	0.02	(0.01)	1	-		
KUMWEL	0.75	-	572	-	OTO	3.18	0.02	873	3.00	ADVA42C2005A	0.27	0.07	2,238	-		
KWM	0.79	-	2,453	-	PHOL	1.82	-	13,293	1.00	AEON01C2005A	0.14	-	39,275	-		
MBAX	2.96	(0.04)	730	2.00	PICO	3.90	(0.18)	52	3.00	AEON13C2003A	-	-	-	-		
MGT	1.69	0.01	315	1.00	QLT	5.00	(0.05)	734	4.00	AEON19C2003A	-	-	-	-		
NDR	1.00	(0.01)	223	1.00	RP	1.41	(0.03)	1,166	1.00	AEON19C2006A	0.56	(0.03)	30,780	-		
PDG	2.94	0.04	1,880	2.00	SE	1.84	(0.04)	15	1.00	AMAT01C2001A	0.02	-	29,514	-		
PIMO	1.27	0.04	183,491	1.00	SONIC	0.97	-	1,338	-	AMAT01C2001B	-	-	-	-		
PJW	1.20	-	807	1.00	SPA	13.70	(0.10)	8,116	13.00	AMAT01C2004A	0.14	(0.08)	146,794	-		
PPM	0.79	(0.02)	817	-	THMUI	0.61	-	762	-	AMAT01C2004B	0.08	(0.05)	95,383	-		
RWI	1.44	(0.02)	628	1.00	TNDT	3.78	0.18	2	3.00	AMAT01P2001A	1.31	0.44	13,474	1.00		
SALEE	0.85	0.01	1,050	-	TNH	32.25	(0.50)	165	32.00	AMAT06C2005A	0.10	(0.08)	38,314	-		
SANKO	1.00	0.01	5,767	1.00	TNP	2.06	-	1,545	2.00	AMAT08C2001A	-	-	-	-		
SELIC	2.54	(0.02)	540	2.00	TSF	-	-	-	-	AMAT08C2002A	0.01	-	2,000	-		
SWC	3.68	(0.08)	550	3.00	TVD	0.85	0.01	604	-	AMAT08C2005A	0.11	(0.08)	13,051	-		
TMC	0.41	-	836	-	TVT	0.59	(0.01)	546	-	AMAT11C2001A	-	-	-	-		
TMI	0.70	0.01	17,793	-	VL	1.41	-	48,448	1.00	AMAT11C2004A	-	-	-	-		
TMW	38.25	-	39	37.00	WINNER	2.08	0.06	564	2.00	AMAT11C2008A	0.29	(0.11)	64,051	-		
TPAC	-	-	-	-	YGG	4.92	(0.08)	5,116	4.00	AMAT13C2004A	0.08	(0.03)	3,821	-		
TPLAS	1.07	(0.03)	1,286	1.00	Technology (MAI)					AMAT13C2006A	0.20	(0.11)	131,083	-		
UAC	2.82	-	443	2.00	APP	2.16	-	11,802	2.00	AMAT16C2003A	-	-	-	-		
UBIS	5.50	(0.05)	63	5.00	COMAN	2.80	0.18	11,236	2.00	AMAT16C2006A	0.04	(0.01)	1,571	-		
UEC	0.79	-	670	-	ICN	1.42	(0.04)	10,644	1.00	AMAT19C2003A	-	-	-	-		
UKEM	0.41	-	7,474	-	INSET	2.62	(0.02)	15,814	2.00	AMAT19C2005A	0.10	(0.06)	42,919	-		
UREKA	1.02	0.02	177	1.00	IRCP	0.47	(0.01)	1,887	-	AMAT24C2001A	-	-	-	-		
YUASA	12.40	(0.20)	113	12.00	ITEL	2.34	0.02	863	2.00	AMAT24C2006A	0.10	(0.09)	35,742	-		
ZIGA	1.02	(0.02)	2,692	1.00	NETBAY	33.75	-	1,011	33.00	AMAT41C2002A	-	-	-	-		
Property & Construc																
ALL	3.96	-	35,586	3.00	PLANET	1.12	-	1,780	1.00	AMAT41C2003A	-	-	-	-		
ARIN	0.66	-	1,422	-	SIMAT	1.71	0.01	446	1.00	AMAT41C2004A	-	-	-	-		
ARROW	8.55	(0.05)	425	8.00	SKY	14.40	(0.20)	4,801	14.00	AMAT41C2005A	0.05	(0.04)	3	-		
BC	1.62	-	2,620	1.00	SPVI	2.86	(0.18)	97,593	2.00	AMAT41C2006A	-	-	-	-		
BSM	0.35	-	5,769	-	TPS	1.97	-	669	1.00	AMAT42C2003A	-	-	-	-		
BTW	0.71	-	1,212	-	UPA	0.19	-	8,232	-	AMAT42C2005A	0.08	(0.09)	100	-		
CAZ	2.48	0.04	1,769	2.00	VCOM	2.88	0.02	14	2.00	ANAN13C2007A	0.17	(0.04)	48,133	-		
CHEWA	0.45	(0.01)	7,643	-	Unit Trust					ANAN19C2001A	-	-	-	-		
CMC	0.86	0.01	4,325	-	MGE	-	-	-	-	ANAN19C2004A	-	-	-	-		
CRD	0.59	(0.03)	428	-	SCBSET	-	-	-	-	ANAN19C2007A	0.20	(0.05)	84,334	-		
DIMET	0.37	-	11,342	-	ETF	-	-	-	-	AOT01C2002A	0.21	(0.04)	149,643	-		
FLOYD	1.34	0.01	1,044	1.00	1DIV	10.13	(0.05)	792	10.00	AOT01C2002B	0.05	(0.01)	5,839	-		
HYDRO	0.34	-	52	-	ABFTH	-	-	-	-	AOT01C2004A	0.33	(0.03)	120,397	-		
JSP	0.28	-	22,426	-	BMSCG	7.40	(0.07)	41	7.00	AOT01C2004B	0.10	(0.02)	24,863	-		
K	1.19	0.02	450													

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2005A	0.28	(0.04)	63,010	-	BBL11C2007A	0.22	0.03	76,634	-	BEAU01P2001A	0.19	(0.05)	43,021	-
AOT19P2004A	0.46	0.04	55,718	-	BBL11P2001A	0.55	(0.16)	600	-	BEAU13C2001A	0.02	0.01	41	-
AOT24C2003A	-	-	-	-	BBL13C2003A	0.08	0.02	65,246	-	BEAU13C2003A	0.19	0.02	239,392	-
AOT27C2008A	0.35	(0.02)	6,214	-	BBL13C2004A	0.36	0.03	257,351	-	BEAU13C2003B	0.06	-	41,035	-
AOT28C2002A	-	-	-	-	BBL13P2003A	0.77	(0.16)	16	-	BEAU19C2002A	0.05	-	171,071	-
AOT28C2003A	-	-	-	-	BBL13P2004A	0.54	(0.07)	122,129	-	BEC01C2001A	0.01	-	1,333	-
AOT28C2006A	0.19	(0.02)	6,084	-	BBL16C2006A	0.19	0.03	35,679	-	BEC01C2001B	-	-	-	-
AOT28P2004A	0.42	0.03	43,537	-	BBL19C2001A	-	-	-	-	BEC01C2006A	0.34	(0.01)	28,546	-
AOT41C2002A	-	-	-	-	BBL19C2003A	0.03	-	63,155	-	BEC01C2006B	0.19	-	64,988	-
AOT41C2003A	-	-	-	-	BBL19C2005A	0.33	0.04	162,554	-	BEC01P2001A	1.11	0.02	4,517	1.00
AOT41C2004A	-	-	-	-	BBL19P2002A	0.20	(0.07)	45,293	-	BEC01P2006A	0.59	0.01	24,467	-
AOT41C2005A	-	-	-	-	BBL24C2001A	-	-	-	-	BEC16C2002A	-	-	-	-
AOT41C2006A	0.32	(0.04)	4,598	-	BBL24C2004A	0.42	0.04	42,504	-	BEC19C2003A	0.02	-	2,750	-
AOT41C2007A	0.30	(0.02)	3,867	-	BBL27C2002A	-	-	-	-	BEC19C2005A	0.19	(0.01)	37,506	-
AOT41P2002A	-	-	-	-	BBL28C2003A	0.03	0.02	100	-	BEC27C2002A	-	-	-	-
AOT41P2004A	0.67	0.03	22,976	-	BBL28C2005A	0.25	0.02	41,987	-	BEC41C2002A	-	-	-	-
AOT41P2005A	-	-	-	-	BBL41C2001A	-	-	-	-	BEC41C2003A	-	-	-	-
AOT41P2006A	0.57	0.05	14,978	-	BBL41C2003A	-	-	-	-	BEC42C2003A	-	-	-	-
AOT42C2006A	0.23	(0.04)	4,958	-	BBL41C2004A	0.30	0.04	6,866	-	BEC42C2005A	0.23	(0.01)	150	-
AOT42P2003A	-	-	-	-	BBL41C2005A	-	-	-	-	BEM01C2004A	0.28	-	41,865	-
AP01C2001A	-	-	-	-	BBL41C2006A	-	-	-	-	BEM01C2004B	0.15	-	95,927	-
AP01C2001B	-	-	-	-	BBL41C2007A	0.52	0.05	30,928	-	BEM01P2004A	0.17	(0.01)	41,600	-
AP11C2001A	-	-	-	-	BBL41P2002A	-	-	-	-	BEM06C2004A	0.13	-	8,800	-
AP16C2002A	-	-	-	-	BBL41P2004A	0.52	(0.12)	6,024	-	BEM08C2001A	-	-	-	-
AP19C2002A	0.04	(0.01)	4,200	-	BBL41P2006A	0.69	(0.05)	3,012	-	BEM08C2005A	0.20	(0.01)	13,800	-
AP28C2004A	0.20	-	79,981	-	BBL42C2003A	0.03	-	57	-	BEM11C2001A	0.01	(0.01)	5,400	-
AP28C2006A	0.16	(0.01)	31,015	-	BBL42C2005A	0.29	0.05	1,240	-	BEM11C2003A	-	-	-	-
AWC01C2003A	0.23	0.01	283,234	-	BCH01C2001A	0.18	-	1,704	-	BEM13C2002A	-	-	-	-
AWC01C2003B	0.03	(0.03)	4	-	BCH01C2001B	-	-	-	-	BEM13C2004A	0.14	-	107,490	-
AWC01C2004A	0.18	0.03	175,975	-	BCH01C2006A	0.32	(0.01)	120,987	-	BEM16C2001A	0.01	-	1	-
AWC01P2003A	0.37	(0.04)	71,260	-	BCH01C2006B	0.18	(0.01)	233,225	-	BEM16C2006A	0.27	0.01	16,430	-
AWC01P2003B	0.09	-	89,966	-	BCH01P2001A	0.10	(0.01)	60,434	-	BEM19C2001A	-	-	-	-
AWC06C2002A	0.03	-	1,490	-	BCH01P2006A	0.66	(0.01)	39,215	-	BEM19C2005A	0.20	0.01	13,074	-
AWC06C2004A	0.27	0.03	35,680	-	BCH06C2006A	0.25	-	17,546	-	BEM23C2001A	-	-	-	-
AWC06P2002A	0.19	(0.07)	12,350	-	BCH06P2006A	0.46	-	11,503	-	BEM24C2003A	-	-	-	-
AWC08C2004A	0.13	0.01	11,810	-	BCH08C2004A	0.14	-	40,713	-	BEM28C2002A	-	-	-	-
AWC13C2002A	0.04	-	38,029	-	BCH11C2001A	-	-	-	-	BEM28C2006A	0.16	(0.84)	10,140	-
AWC13C2003A	0.15	0.02	85,417	-	BCH13C2004A	0.11	-	85,432	-	BEM41C2002A	-	-	-	-
AWC13C2006A	0.20	0.01	198,927	-	BCH16C2001A	-	-	-	-	BEM41C2004A	-	-	-	-
AWC13P2002A	0.03	-	300	-	BCH16C2006A	0.23	-	25,110	-	BEM41C2006A	-	-	-	-
AWC13P2003A	0.03	-	81	-	BCH19C2001A	-	-	-	-	BEM41P2003A	-	-	-	-
AWC13P2006A	0.35	-	203,513	-	BCH19C2005A	0.11	-	25,419	-	BEM41P2004A	0.14	(0.02)	1,000	-
AWC16C2005A	-	-	-	-	BCH19C2006A	0.29	(0.01)	18,294	-	BEM42C2001A	-	-	-	-
AWC16C2007A	0.18	0.02	110,848	-	BCH24C2003A	0.11	-	16,400	-	BGR101C2001A	1.94	0.06	9,107	1.00
AWC19C2003A	0.12	0.02	19,607	-	BCH27C2003A	0.18	(0.01)	40,602	-	BGR101C2001B	1.89	0.07	7,340	1.00
AWC19C2004A	0.09	(0.01)	7,265	-	BCH41C2005A	-	-	-	-	BGR101C2003A	1.19	0.03	162,352	1.00
AWC19C2006A	0.22	0.03	25,996	-	BCH41C2006A	-	-	-	-	BGR101C2003B	0.87	0.03	127,405	-
AWC24C2007A	0.13	0.01	23,003	-	BCH42C2002A	-	-	-	-	BGR101C2006A	0.92	0.03	446,976	-
AWC28C2003A	0.03	-	2,160	-	BCP01C2001A	0.02	(0.02)	10,000	-	BGR101C2006B	0.62	0.02	519,974	-
AWC28C2003B	-	-	-	-	BCP01C2001B	-	-	-	-	BGR101P2001A	0.01	-	945	-
AWC28C2003C	0.15	-	20,780	-	BCP01C2005A	0.65	(0.10)	19,170	-	BGR101P2003A	0.05	(0.01)	53,547	-
AWC28P2003A	0.03	-	990	-	BCP01C2005B	0.13	(0.03)	67,127	-	BGR101P2006A	0.55	(0.02)	567,269	-
AWC41C2003A	-	-	-	-	BCP01P2001A	0.38	0.07	34,050	-	BGR106C2005A	0.92	0.06	40,123	-
AWC41C2004A	-	-	-	-	BCP01P2005A	0.20	0.01	166,476	-	BGR108C2003A	1.53	0.13	4	1.00
AWC41C2005A	0.25	0.01	1,000	-	BCP11C2004A	-	-	-	-	BGR108C2005A	0.84	0.02	102,419	-
AWC41C2006A	-	-	-	-	BCP13C2003A	0.05	(0.04)	26,900	-	BGR111C2006A	1.56	0.07	30,989	1.00
AWC41C2007A	0.22	(0.03)	300	-	BCP13C2003B	-	-	-	-	BGR113C2001A	1.50	0.22	20	1.00
AWC42C2003A	0.03	-	1,000	-	BCP19C2001A	-	-	-	-	BGR113C2002A	1.14	0.08	724	1.00
BANP01C2002A	0.13	(0.01)	53,539	-	BCP19C2004A	-	-	-	-	BGR113C2004A	0.71	0.02	40,443	-
BANP01C2002B	-	-	-	-	BCP19C2005A	0.16	(0.03)	76,583	-	BGR113C2006A	0.66	0.02	524,503	-
BANP01C2005A	0.26	-	229,877	-	BCP24C2004A	-	-	-	-	BGR113P2005A	0.28	(0.02)	207,665	-
BANP01C2005B	0.13	(0.01)	397,837	-	BCPG01C2005A	0.43	0.01	35,800	-	BGR116C2001A	-	-	-	-
BANP01P2002A	0.33	-	118,599	-	BCPG01C2005B	0.22	-	65,638	-	BGR116C2005A	0.99	0.03	328,290	-
BANP01P2002B	0.26	(0.01)	94,154	-	BCPG01P2005A	0.30	-	18,175	-	BGR119C2004A	1.22	(0.12)	50,514	1.00
BANP01P2005A	0.39	0.01	82,478	-	BCPG06C2002A	0.03	(0.04)	2,400	-	BGR119C2005A	0.82	0.02	89,421	-
BANP01P2005B	0.20	-	119,705	-	BCPG13C2004A	0.21	-	252,670	-	BGR119C2006A	0.57	(0.43)	196,402	-
BANP06C2002A	0.01	-	25,447	-	BCPG19C2003A	0.10	-	15,062	-	BGR124C2004A	1.12	0.06	23,637	1.00
BANP06C2005A	0.12	(0.02)	12,630	-	BANP06C2005A	0.35	0.02	50,312	-	BGR127P2006A	0.24	(0.01)	59,650	-
BANP08C2002A	-	-	-	-	BCPG28C2002A	-	-	-	-	BGR128C2002A	1.92	0.03	11	1.00
BANP08C2005A	0.17	(0.01)	18,800	-	BCPG28C2003A	-	-	-	-	BGR128C2003A	-	-	-	-
BANP08P2003A	0.40	0.01	11,400	-	BCPG28C2004A	0.16	(0.01)	30,113	-	BGR128C2003B	-	-	-	-
BANP11C2004A	-	-	-	-	BCPG41C2002A	-	-	-	-	BGR141C2002A	-	-	-	-
BANP11C2008A	0.20	(0.02)	16,506	-	BCPG41C2005A	0.30	-	291	-	BGR141C2004A	-	-	-	-
BANP13C2001A	-	-	-	-	BCPG42C2001A	-	-	-	-	BGR141C2005A	0.80	(0.13)	1,302	-
BANP13C2003A	0.04	(0.01)	48,705	-	BCPG42C2004A	-	-	-	-	BGR141C2006A	0.76	0.02	106,978	-
BANP13C2006A	0.14	(0.01)	144,407	-	BDMS01C2002A	0.50	0.08	132,703	-	BGR141P2004A	0.10	(0.02)	2,200	-
BANP19C2002A	-	-	-	-	BDMS01C2002B	0.07	0.02	10,102	-	BGR141P2005A	0.29	-	27,153	-
BANP19C2004A	0.05	(0.02)	18,454	-	BDMS01P2002A	0.11	(0.02)	98,844	-	BGR142C2003A	0.96	0.04	8,481	-
BANP19C2005A	0.10	(0.01)	59,617	-	BDMS06C2003A	0.34	0.03	22,559	-	BH01C2001A	0.02	0.01	1,001	-
BANP19P2003A	0.28	-	52,145	-	BDMS06P2004A	0.15	(0.02)	34,361	-	BH01C2001B	0.01	-	555	-
BANP24C2003A	0.04	(0.01)	580	-	BDMS08C2003A	-	-	-	-	BH01C2004A	0.81	0.06	32,061	-
BANP27C2007A	0.17	(0.01)	9,532	-	BDMS11C2001A	-	-	-	-	BH01C2004B	0.43	0.05	44,475	-
BANP28C2002A	0.01	-	260	-	BDMS11C2007A	0.56	0.05	14,851	-	BH01P2001A	1.55	(0.11)	4,928	1.00
BANP28C2003A	-	-	-	-	BDMS11C2008A	0.16	0.01	23,826	-	BH01P2004A	0.46	(0.05)	34,573	-
BANP28C2004A	0.07	(0.01)	21,000	-	BDMS11P2002A	0.06	(0.02)	3,000	-	BH11C2002A	-	-	-	-
BANP41C2002A	-	-	-	-	BDMS13C2003A	0.32	0.05	26,302	-	BH11C2008A	0.59	0.06	26,250	-
BANP41C2003A	-	-	-	-	BDMS13C2004A	0.10	0.01	96,737	-	BH13C2002A	0.19	0.04	89,930	-
BANP41C2005A	-	-	-	-	BDMS16C2006A	0.53	0.01	89,719	-	BH13C2006A	0.48	0.05	37,076	-
BANP41C2006A	-	-	-	-	BDMS19C2001A	-	-	-	-	BH19C2002A	0.11	0.03	59	

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC01P2004A	0.72	0.01	32,941	-	CENT19C2004A	0.03	(0.01)	400	-	CPAL01C2006A	0.66	(0.02)	48,388	-
BJC06C2002A	0.02	-	91	-	CENT19C2005A	0.18	(0.06)	39,910	-	CPAL01C2006B	0.44	(0.02)	159,968	-
BJC06C2006A	0.38	0.01	2,146	-	CENT24C2003A	-	-	-	-	CPAL01P2002A	1.14	(0.01)	14,826	1.00
BJC11C2001A	-	-	-	-	CENT24C2008A	0.07	(0.03)	2,961	-	CPAL01P2002B	0.67	0.01	27,582	-
BJC11C2008A	0.41	-	13,616	-	CENT27C2008A	-	-	-	-	CPAL01P2004A	0.83	0.01	52,364	-
BJC13C2001A	-	-	-	-	CENT28C2004A	0.02	-	200	-	CPAL01P2004B	0.40	0.01	124,400	-
BJC13C2002A	-	-	-	-	CENT28C2005A	0.05	-	3,050	-	CPAL06C2006A	0.58	(0.02)	63,102	-
BJC13C2004A	0.11	0.01	19,081	-	CENT41C2001A	-	-	-	-	CPAL08C2001A	-	-	-	-
BJC13C2005A	0.27	(0.01)	30,212	-	CENT41C2003A	-	-	-	-	CPAL08C2004A	0.18	-	4,020	-
BJC16C2002A	-	-	-	-	CENT41C2004A	-	-	-	-	CPAL08P2002A	0.42	0.01	4,500	-
BJC16C2006A	0.22	0.01	23,436	-	CENT41C2005A	-	-	-	-	CPAL11C2006A	0.13	-	13,450	-
BJC19C2003A	-	-	-	-	CENT41P2001A	-	-	-	-	CPAL11C2007A	0.40	(0.01)	43,267	-
BJC19C2005A	0.16	(0.01)	8,115	-	CENT41P2002A	-	-	-	-	CPAL13C2002A	0.06	-	1,348	-
BJC23C2001A	-	-	-	-	CENT41P2003A	0.77	0.09	28,020	-	CPAL13C2004A	0.41	(0.02)	189,981	-
BJC24C2003A	-	-	-	-	CENT42C2002A	-	-	-	-	CPAL13P2003A	0.47	0.02	74,929	-
BJC24C2006A	0.28	(0.01)	8,118	-	CENT42C2004A	0.01	(0.01)	670	-	CPAL16C2001A	-	-	-	-
BJC27C2009A	0.32	0.01	12,400	-	CENT42C2006A	0.23	(0.07)	60,100	-	CPAL16C2006A	0.28	(0.02)	24,915	-
BJC28C2004A	0.12	-	16,264	-	CHG01C2001A	0.42	0.01	5,551	-	CPAL16C2007A	0.45	(0.03)	47,909	-
BJC41C2002A	-	-	-	-	CHG01C2001B	0.06	(0.01)	5,358	-	CPAL19C2002A	-	-	-	-
BJC41C2004A	-	-	-	-	CHG01C2006A	0.36	0.01	13,102	-	CPAL19C2004A	0.20	-	31,040	-
BJC41C2005A	-	-	-	-	CHG01C2006B	0.22	0.01	14,116	-	CPAL19C2005A	0.42	0.01	3,348	-
BJC41C2006A	-	-	-	-	CHG01P2001A	-	-	-	-	CPAL19P2004A	0.26	0.01	32,166	-
BJC41C2007A	0.35	-	722	-	CHG01P2006A	0.39	(0.01)	17,480	-	CPAL24C2005A	0.18	(0.02)	19,100	-
BJC41P2004A	-	-	-	-	CHG06C2002A	0.08	0.01	3,000	-	CPAL28C2003A	-	-	-	-
BJC41P2005A	0.41	-	2,000	-	CHG06P2003A	0.08	(0.01)	210	-	CPAL28C2003B	-	-	-	-
BJC42C2004A	0.16	0.05	1,630	-	CHG08C2005A	0.18	0.01	9,000	-	CPAL28C2004A	0.17	(0.02)	13,558	-
BLAN19C2004A	0.09	(0.01)	200	-	CHG13C2003A	0.09	-	6,917	-	CPAL28C2005A	0.33	(0.01)	16,310	-
BLAN28C2004A	-	-	-	-	CHG13C2006A	0.30	0.02	51,286	-	CPAL41C2002A	-	-	-	-
BPP01C2005A	0.34	(0.02)	91,610	-	CHG16C2002A	0.14	0.02	11,531	-	CPAL41C2003A	-	-	-	-
BPP01C2005B	0.17	(0.02)	195,005	-	CHG19C2004A	0.27	0.01	1,566	-	CPAL41C2004A	-	-	-	-
BPP01P2005A	0.47	0.04	94,232	-	CHG27C2009A	0.34	0.02	9,600	-	CPAL41C2005A	0.42	-	7,200	-
BPP13C2004A	0.11	(0.02)	11,858	-	CHG41C2005A	0.18	0.01	804	-	CPAL41C2006A	-	-	-	-
BPP16C2001A	-	-	-	-	CHG42C2006A	0.24	0.01	2,280	-	CPAL41P2003A	-	-	-	-
BPP19C2002A	-	-	-	-	CK01C2001A	0.01	-	10,000	-	CPAL41P2004A	0.33	(0.02)	2,819	-
BPP19C2005A	0.17	(0.02)	94,517	-	CK01C2001B	-	-	-	-	CPAL41P2005A	-	-	-	-
BPP24C2003A	0.06	(0.01)	550	-	CK01C2005A	0.45	(0.15)	335,873	-	CPAL41P2006A	-	-	-	-
BTS01C2001A	0.33	0.02	5,182	-	CK01C2005B	0.25	(0.12)	307,012	-	CPAL42C2003A	-	-	-	-
BTS01C2001B	0.03	(0.01)	977	-	CK01P2001A	0.86	0.13	9,296	-	CPAL42C2005A	-	-	-	-
BTS01C2005A	0.34	0.02	40,807	-	CK01P2005A	0.36	0.10	331,984	-	CPF01C2001A	0.20	(0.02)	72,250	-
BTS01C2005B	0.17	(0.01)	112,970	-	CK06C2002A	-	-	-	-	CPF01C2001B	-	-	-	-
BTS01P2001A	-	-	-	-	CK06C2004A	0.24	(0.15)	63,009	-	CPF01C2004A	0.35	(0.01)	27,048	-
BTS01P2005A	0.23	(0.01)	78,254	-	CK11C2007A	0.23	(0.08)	92,798	-	CPF01C2004B	0.25	(0.03)	56,292	-
BTS08C2005A	0.13	-	29,600	-	CK13C2002A	-	-	-	-	CPF01P2001A	0.11	0.01	58,285	-
BTS11C2003A	0.22	(0.01)	36,987	-	CK13C2003A	0.18	(0.11)	355,774	-	CPF01P2001B	0.02	0.01	1	-
BTS13C2001A	-	-	-	-	CK13C2006A	0.22	(0.10)	358,458	-	CPF01P2004A	0.11	-	92,244	-
BTS13C2003A	0.12	-	115,186	-	CK16C2003A	0.02	(0.01)	3,000	-	CPF11C2004A	0.11	(0.01)	10,750	-
BTS13C2006A	0.24	-	20,108	-	CK16C2006A	0.16	(0.09)	271,697	-	CPF11C2007A	0.35	(0.02)	26,350	-
BTS16C2001A	-	-	-	-	CK19C2002A	-	-	-	-	CPF13C2003A	0.23	(0.01)	11,862	-
BTS16C2001B	0.29	-	14,000	-	CK19C2003A	0.02	(0.02)	21,161	-	CPF13C2006A	0.21	(0.01)	62,320	-
BTS19C2002A	-	-	-	-	CK19C2004A	0.22	(0.12)	126,001	-	CPF16C2001A	-	-	-	-
BTS19C2005A	0.23	0.01	12,885	-	CK24C2003A	0.01	(0.03)	3,500	-	CPF16C2007A	0.31	(0.01)	23,602	-
BTS19P2002A	-	-	-	-	CK41C2001A	-	-	-	-	CPF19C2001A	-	-	-	-
BTS24C2001A	0.24	(0.07)	1,000	-	CK41C2003A	0.17	(0.11)	4,000	-	CPF19C2003A	0.17	(0.02)	40,800	-
BTS24C2007A	0.25	-	115,703	-	CK41C2004A	0.10	(0.07)	250	-	CPF19C2005A	0.34	(0.02)	3,225	-
BTS24P2001A	-	-	-	-	CK41C2005A	-	-	-	-	CPF19P2002A	-	-	-	-
BTS41C2003A	-	-	-	-	CKP01C2004A	0.04	-	4,952	-	CPF24C2007A	0.38	(0.01)	9,540	-
BTS41C2004A	-	-	-	-	CKP01C2004B	-	-	-	-	CPF27C2001A	-	-	-	-
BTS41C2006A	0.25	0.01	3,500	-	CKP01P2004A	0.72	-	195,793	-	CPF28C2004A	0.27	(0.02)	10,240	-
BTS41P2001A	-	-	-	-	CKP08C2004A	-	-	-	-	CPF41C2002A	-	-	-	-
BTS41P2004A	0.22	(0.01)	2,000	-	CKP11C2006A	0.03	(0.01)	5,000	-	CPF41C2004A	-	-	-	-
BTS42C2003A	0.04	-	2,000	-	CKP13C2001A	-	-	-	-	CPF41C2005A	-	-	-	-
CBG01C2001A	0.55	0.07	11,118	-	CKP13C2003A	-	-	-	-	CPF41P2003A	-	-	-	-
CBG01C2001B	0.01	-	401	-	CKP13C2004A	-	-	-	-	CPF41P2005A	-	-	-	-
CBG01C2004A	1.03	0.08	45,682	1.00	CKP13C2004B	0.22	(0.01)	80,704	-	CPF42C2001A	-	-	-	-
CBG01C2004B	0.45	0.03	38,707	-	CKP16C2001A	-	-	-	-	CPF42C2003A	0.16	(0.01)	2,100	-
CBG01P2001A	0.02	0.01	765	-	CKP16C2005A	0.01	-	5	-	CPN01C2001A	0.01	-	26,000	-
CBG01P2003A	0.12	(0.02)	76,121	-	CKP16C2007A	0.21	(0.02)	37,550	-	CPN01C2001B	-	-	-	-
CBG01P2004A	0.69	(0.08)	85,474	-	CKP19C2003A	-	-	-	-	CPN01C2005A	0.58	(0.02)	58,408	-
CBG06C2002A	0.45	0.07	9,765	-	CKP19C2005A	-	-	-	-	CPN01C2005B	0.27	(0.01)	87,380	-
CBG08C2003A	0.62	0.07	11,276	-	CKP19C2006A	0.33	(0.02)	11,126	-	CPN01P2001A	1.19	-	13,266	1.00
CBG11C2002A	0.47	0.05	7,250	-	CKP24C2006A	0.17	-	16,212	-	CPN01P2005A	0.44	(0.01)	65,749	-
CBG13C2004A	0.63	0.06	54,260	-	CKP27C2005A	-	-	-	-	CPN06C2001A	0.04	0.01	18,000	-
CBG13P2001A	-	-	-	-	CKP28C2003A	-	-	-	-	CPN11C2006A	0.16	-	20,001	-
CBG13P2006A	0.91	(0.07)	32,297	-	CKP28C2004A	-	-	-	-	CPN11C2008A	0.54	(0.01)	37,800	-
CBG16C2001A	0.99	0.10	16,416	-	CKP28C2004B	-	-	-	-	CPN13C2004A	0.22	(0.01)	88,299	-
CBG19C2004A	0.52	0.03	54,221	-	CKP28C2006A	0.26	(0.02)	29,266	-	CPN16C2001A	-	-	-	-
CBG19C2005A	0.84	0.08	3,480	-	CKP41C2002A	-	-	-	-	CPN16C2005A	0.43	(0.01)	66,247	-
CBG19P2002A	-	-	-	-	CKP41C2004A	-	-	-	-	CPN19C2002A	-	-	-	-
CBG24C2003A	0.46	0.05	6,540	-	CKP41C2005A	-	-	-	-	CPN19C2004A	0.24	(0.01)	17,134	-
CBG41C2002A	-	-	-	-	CKP41C2006A	-	-	-	-	CPN24C2002A	0.01	-	6,000	-
CBG41C2003A	0.54	0.02	4,050	-	CKP42C2003A	-	-	-	-	CPN24C2007A	0.40	(0.01)	14,954	-
CBG41C2004A	0.61	0.03	2,394	-	CKP42C2005A	-	-	-	-	CPN41C2001A	-	-	-	-
CBG41C2005A	1.05	0.03	97	1.00	CKP42C2006A	0.29	(0.05)	4,603	-	CPN41C2002A	-	-	-	-
CBG41C2006A	0.93	0.05	18,261	-	COM708C2002A	0.08	-	1,000	-	CPN41C2003A	-	-	-	-
CBG41P2002A	-	-	-	-	COM711C2004A	0.13	(0.01)	13,953	-	CPN41C2004A	-	-	-	-
CBG41P2003A	0.27	(0.06)	1,400	-	COM713C2004A	0.13	-	65,951	-	CPN41C2006A	0.45	0.01	576	-
CBG41P2004A	0.85	(0.07)	2,339	-	COM716C2001A	0.16	(0.05)	11,414	-	CPN41P2003A	0.13	0.01	1,000	-
CBG41P2006A	0.93	(0.03)	282	-	COM719C2001A	0.01	-	3,000	-	CPN42C2002A	-	-	-	-
CBG42C2003A	0.28	0.03	14,160	-	COM719C2003A	0.40	(0.01)	11,941	-	CPN42C2004A	-	-	-	-
CENT01C2003A	0.02	-	36,674	-	COM719C2005A	0.14	(0.01)	38,734	-	DTACO1C2001A	0.02	(0.02)	200	-
CENT01C2003B														

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
DTAC13C2003A	0.04	-	7,895	-	GFPT42C2004A	0.20	0.02	8,290	-	GUNK19C2003A	-	-	-	-
DTAC13C2006A	0.23	0.02	89,936	-	GLOB01C2003A	0.13	(0.01)	230,879	-	GUNK19C2006A	0.20	(0.02)	56,396	-
DTAC13P2003A	0.96	0.08	11	-	GLOB01P2003A	0.35	0.03	217,935	-	GUNK24C2001A	-	-	-	-
DTAC13P2006A	0.61	(0.05)	81,392	-	GLOB06C2002A	0.04	(0.03)	1,000	-	GUNK24C2006A	0.14	(0.02)	13,180	-
DTAC16C2001A	-	-	-	-	GLOB06C2006A	0.37	(0.05)	13,300	-	GUNK28C2002A	-	-	-	-
DTAC19C2001A	-	-	-	-	GLOB11C2002A	0.05	(0.02)	3,000	-	GUNK28C2003A	-	-	-	-
DTAC19C2005A	0.17	0.02	85,069	-	GLOB13C2002A	-	-	-	-	GUNK28C2005A	0.09	(0.01)	4,056	-
DTAC19P2002A	0.69	(0.08)	31,694	-	GLOB16C2001A	-	-	-	-	GUNK41C2002A	-	-	-	-
DTAC24C2004A	-	-	-	-	GLOB19C2002A	-	-	-	-	GUNK41C2003A	-	-	-	-
DTAC27C2002A	0.03	-	1,000	-	GLOB19C2005A	0.18	(0.01)	46,280	-	GUNK41C2005A	-	-	-	-
DTAC27P2002A	0.11	(0.02)	32,374	-	GLOB24C2005A	0.16	(0.02)	24,120	-	GUNK41P2005A	0.54	0.03	2,001	-
DTAC41C2002A	-	-	-	-	GLOB41C2004A	-	-	-	-	GUNK42C2003A	-	-	-	-
DTAC41C2004A	-	-	-	-	GPSCO1C2003A	1.19	0.11	252,848	1.00	HANA01C2001A	0.47	0.01	68,376	-
DTAC41C2005A	-	-	-	-	GPSCO1C2003B	0.65	0.08	1,139,732	-	HANA01C2001B	-	-	-	-
DTAC41C2006A	0.21	0.03	12,007	-	GPSCO1C2005A	1.43	0.12	185,135	1.00	HANA01C2006A	0.52	-	30,439	-
DTAC41P2001A	-	-	-	-	GPSCO1C2005B	1.04	0.11	285,552	1.00	HANA01C2006B	0.30	-	41,276	-
DTAC41P2002A	0.90	0.02	1,000	-	GPSCO1P2003A	0.22	(0.07)	287,537	-	HANA01P2006A	0.32	-	15,802	-
DTAC41P2006A	1.06	0.06	26	-	GPSCO1P2005A	0.60	(0.08)	473,740	-	HANA13C2002A	0.43	-	17,123	-
DTAC42C2001A	-	-	-	-	GPSCO1P2005B	0.37	(0.05)	150,597	-	HANA13C2006A	0.27	0.01	44,302	-
DTAC42C2004A	-	-	-	-	GPSCO8C2001A	-	-	-	-	HANA19C2003A	0.51	-	3,260	-
EA06C2002A	0.01	-	100	-	GPSCO8C2004B	0.82	0.09	137,661	-	HANA19C2006A	0.33	-	3,381	-
EA06C2005A	0.24	0.01	31,358	-	GPSCI1C2006A	1.49	0.12	51,429	1.00	HANA27C2001A	-	-	-	-
EA08C2001A	0.01	-	671	-	GPSCI3C2001A	1.12	(0.02)	625	1.00	HANA27C2007A	0.31	-	4,800	-
EA08C2004A	0.08	-	31	-	GPSCI3C2002A	0.55	0.09	1,376,976	-	HANA27P2007A	0.41	0.01	18,470	-
EA11C2005A	0.19	-	29,260	-	GPSCI3C2005A	1.24	0.11	798,756	1.00	HANA41C2002A	-	-	-	-
EA13C2001A	-	-	-	-	GPSCI3P2002A	0.01	-	900	-	HMPRO1C2001A	0.05	(0.02)	1,428	-
EA13C2003A	0.13	(0.01)	33,921	-	GPSCI3P2003A	0.18	(0.05)	207,296	-	HMPRO1C2001B	-	-	-	-
EA13C2005A	0.27	-	82,115	-	GPSCI3P2005A	0.77	(0.10)	740,629	-	HMPRO1C2006A	0.36	(0.03)	55,012	-
EA13P2001A	-	-	-	-	GPSCI6C2003A	1.72	0.18	232,364	1.00	HMPRO1C2006B	0.24	(0.02)	25,407	-
EA13P2003A	0.24	(0.02)	62,770	-	GPSCI6C2007A	1.28	0.13	225,611	1.00	HMPRO1P2001A	0.35	0.03	400	-
EA16C2003A	0.01	-	350	-	GPSCI9C2001A	1.62	0.25	28,212	1.00	HMPRO1P2006A	0.41	0.01	35,603	-
EA16C2006A	0.13	-	20,239	-	GPSCI9C2004A	0.87	0.10	352,588	-	HMPRO6C2002A	-	-	-	-
EA19C2001A	-	-	-	-	GPSCI9P2002A	-	-	-	-	HMPRO6C2006A	0.22	(0.02)	18,512	-
EA19C2002A	-	-	-	-	GPSCI9P2005A	0.30	(0.05)	137,910	-	HMPR11C2003A	0.08	-	200	-
EA19C2004A	0.20	-	20,345	-	GPSC24C2002A	1.46	0.17	68,184	1.00	HMPR13C2003A	-	-	-	-
EA19P2002A	0.38	(0.03)	6,374	-	GPSC27C2005A	0.66	0.09	157,924	-	HMPR13C2006A	0.26	(0.02)	97,584	-
EA24C2003A	-	-	-	-	GPSC41C2002A	-	-	-	-	HMPR19C2003A	0.06	(0.01)	6,000	-
EA24C2004A	0.23	(0.01)	14,694	-	GPSC41C2003A	-	-	-	-	HMPR19C2005A	0.23	(0.02)	32,961	-
EA27C2006A	0.25	-	37,564	-	GPSC41C2004A	0.76	0.10	280,001	-	HMPR24C2004A	0.08	(0.02)	3,999	-
EA28C2002A	-	-	-	-	GPSC41C2005A	1.05	0.06	6,060	1.00	HMPR27P2001A	-	-	-	-
EA28C2004A	0.10	-	8,112	-	GPSC41C2006A	-	-	-	-	HMPR28C2003A	-	-	-	-
EA28C2004B	0.15	-	10,140	-	GPSC41P2003A	-	-	-	-	HMPR41C2002A	-	-	-	-
EA41C2002A	-	-	-	-	GPSC41P2004A	0.45	(0.07)	3,055	-	HMPR41C2003A	-	-	-	-
EA41C2004A	-	-	-	-	GPSC41P2005A	0.55	(0.07)	23,052	-	HMPR41C2005A	-	-	-	-
EA41C2005A	-	-	-	-	GPSC42C2002A	0.94	0.17	21,340	-	HMPR41C2006A	0.23	(0.03)	1,000	-
EA41C2006A	0.30	-	2,065	-	GULF01C2003A	1.55	0.15	151,479	1.00	HMPR41P2003A	0.16	0.02	2,003	-
EA41P2003A	-	-	-	-	GULF01C2003B	0.81	0.11	643,305	-	HMPR42C2003A	-	-	-	-
EA41P2004A	0.52	(0.01)	703	-	GULF01C2005A	1.77	0.15	99,391	1.00	HSI28C2001A	-	-	-	-
EA42C2001A	-	-	-	-	GULF01C2005B	1.36	0.13	98,285	1.00	HSI28C2001B	0.69	(0.02)	38	-
EA42C2004A	-	-	-	-	GULF01P2003A	0.06	(0.01)	132,863	-	HSI28C2001C	0.22	0.06	5,002	-
EGCO01C2001A	0.62	-	4,786	-	GULF01P2003B	0.07	(0.01)	170,475	-	HSI28C2002A	-	-	-	-
EGCO01C2001B	0.03	(0.02)	245	-	GULF01P2005A	0.65	(0.07)	539,230	-	HSI28C2002B	1.01	(0.55)	30,290	1.00
EGCO01C2004A	0.38	(0.01)	88,190	-	GULF03C2005A	0.93	0.08	33,666	-	HSI28C2002C	0.56	0.09	107,676	-
EGCO01C2004B	0.13	-	98,148	-	GULF06C2004A	2.10	0.26	21,531	1.00	HSI28C2003A	0.88	0.12	151,611	-
EGCO06C2004A	0.19	-	32,581	-	GULF08C2003A	1.29	0.12	1,265	1.00	HSI28C2003B	0.51	0.08	113,146	-
EGCO06P2004A	0.46	-	23,531	-	GULF11C2003A	2.78	0.18	5,498	2.00	HSI28C2003C	0.31	0.06	12,287	-
EGCO13C2002A	0.07	(0.01)	201	-	GULF11C2006A	1.37	0.13	22,933	1.00	HSI28P2001A	-	-	-	-
EGCO13C2005A	0.60	(0.02)	149,250	-	GULF13C2001A	0.37	0.16	31,838	-	HSI28P2001B	-	-	-	-
EGCO16C2001A	-	-	-	-	GULF13C2004A	1.21	0.11	320,945	1.00	HSI28P2001C	0.01	(0.01)	20	-
EGCO19C2002A	0.02	(0.01)	1,000	-	GULF13C2006A	1.05	0.09	1,249,586	-	HSI28P2002A	0.21	(0.01)	241	-
EGCO19C2005A	0.40	(0.01)	33,756	-	GULF13C2006B	0.42	(0.58)	197,985	-	HSI28P2002B	-	-	-	-
EGCO41C2001A	-	-	-	-	GULF13P2001B	-	-	-	-	HSI28P2002C	-	-	-	-
EGCO41C2002A	-	-	-	-	GULF13P2002A	0.01	-	14,561	-	HSI28P2003A	0.51	(0.08)	5,201	-
EGCO41C2003A	-	-	-	-	GULF13P2004A	0.23	(0.04)	419,060	-	HSI28P2003B	0.77	(0.15)	127,645	-
EGCO41C2004A	0.19	(0.03)	2,000	-	GULF13P2005A	0.61	(0.09)	1,362,257	-	HSI28P2003C	1.15	(0.22)	132,705	1.00
EGCO41C2006A	0.64	(0.01)	15,192	-	GULF16C2001A	3.36	0.22	27,984	3.00	INTU01C2003A	0.17	0.01	50,974	-
EGCO41P2002A	-	-	-	-	GULF16C2003A	1.18	0.15	125,618	1.00	INTU01C2003B	0.08	0.01	20,140	-
EGCO41P2004A	0.71	-	4,060	-	GULF16C2007A	1.64	0.12	135,160	1.00	INTU01C2006A	0.59	0.03	29,308	-
EGCO41P2006A	0.48	-	1,100	-	GULF19C2003A	1.40	0.13	18,843	1.00	INTU01C2006B	0.38	0.02	105,302	-
EGCO42C2003A	-	-	-	-	GULF19C2004A	0.83	0.08	112,151	-	INTU01P2003A	0.89	(0.03)	16,618	-
EGCO42C2007A	0.56	0.03	13,727	-	GULF19P2001A	-	-	-	-	INTU01P2003B	0.24	(0.03)	57,165	-
EPG08C2004A	0.08	(0.01)	3,200	-	GULF19P2003A	0.04	(0.01)	26,808	-	INTU01P2006A	0.66	(0.02)	23,468	-
EPG13C2004A	0.04	-	4,000	-	GULF19P2006A	0.55	(0.07)	118,936	-	INTU01P2006B	0.35	(0.02)	94,226	-
EPG13C2006A	0.19	(0.01)	17,623	-	GULF24C2001A	-	-	-	-	INTU11C2001A	0.08	0.01	13,400	-
EPG19C2002A	-	-	-	-	GULF24C2002A	1.08	0.16	22,382	-	INTU13C2002A	0.03	-	1,000	-
EPG19C2005A	0.13	-	62,081	-	GULF24C2005A	1.39	0.10	29,394	1.00	INTU13C2004A	0.28	0.02	79,000	-
EPG19P2002A	0.26	0.01	23,678	-	GULF24P2001A	-	-	-	-	INTU13P2004A	0.21	(0.02)	36,302	-
ERW06C2006A	0.07	0.01	48,289	-	GULF27C2004A	2.14	0.17	410	2.00	INTU16C2001A	-	-	-	-
ERW06P2006A	0.49	(0.02)	44,037	-	GULF28C2003A	0.55	0.06	60,364	-	INTU16C2005A	-	-	-	-
ERW11C2001A	-	-	-	-	GULF28C2003B	0.65	0.10	183,010	-	INTU16C2007A	0.29	0.02	46,316	-
ERW13C2005A	0.05	-	42,899	-	GULF28C2006A	0.21	0.01	31,034	-	INTU19C2004A	0.14	0.01	21,040	-
ERW13C2006A	0.12	0.01	149,755	-	GULF41C2001A	-	-	-	-	INTU19C2005A	0.40	-	53,501	-
ERW19C2001A	-	-	-	-	GULF41C2001B	-	-	-	-	INTU19P2002A	0.12	(0.01)	18,680	-
ERW19C2005A	0.02	-	200	-	GULF41C2002A	-	-	-	-	INTU23C2111A	-	-	-	-
ERW19C2006A	0.13	0.01	73,263	-	GULF41C2003A	-	-	-	-	INTU24C2003A	0.06	-	100	-
ESSO01C2004A	0.22	(0.06)	184,162	-	GULF41C2004A	0.91	0.09	10,000	-	INTU28C2003A	-	-	-	-
ESSO01C2004B	0.14	(0.05)	143,584	-	GULF41C2005A	0.88	0.09	211,693	-	INTU41C2003A	-	-	-	-
ESSO08C2004A	0.20	(0.06)	75,520	-	GULF41C2006A	-	-	-	-	INTU4				

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IRPC01P2005A	1.19	0.14	34,508	1.00	JAS41C2006A	-	-	-	-	KTC01C2004A	0.18	0.01	125,798	-
IRPC01P2005B	0.77	0.14	289,232	-	JAS41P2001A	-	-	-	-	KTC01C2004B	0.10	0.01	23,881	-
IRPC06C2001A	0.01	-	42,487	-	JAS41P2005A	0.46	-	552	-	KTC01P2001A	0.08	(0.03)	51,194	-
IRPC06C2005A	0.08	(0.04)	180,429	-	JMT13C2006A	0.67	0.03	96,518	-	KTC01P2004A	0.52	(0.02)	56,780	-
IRPC06P2004A	0.53	0.14	35,669	-	JMT19C2006A	0.58	0.03	19,476	-	KTC06C2002A	0.01	-	90	-
IRPC11C2001A	-	-	-	-	JMT42C2006A	0.74	0.05	8,940	-	KTC08C2004A	-	-	-	-
IRPC11C2005A	0.03	-	7,479	-	KBAN01C2002A	0.02	-	11,441	-	KTC11C2005A	0.13	0.01	11	-
IRPC11C2008A	0.11	(0.04)	19,451	-	KBAN01C2002B	0.01	(0.01)	201	-	KTC13C2002A	-	-	-	-
IRPC13C2003A	0.03	-	45,884	-	KBAN01C2004A	0.30	0.01	198,839	-	KTC13C2004A	0.08	-	4,464	-
IRPC13C2006A	0.13	(0.06)	354,976	-	KBAN01C2004B	0.29	0.02	97,706	-	KTC13C2006A	0.25	0.01	98,412	-
IRPC19C2001A	-	-	-	-	KBAN01P2002A	1.77	(0.06)	5,203	1.00	KTC13P2002A	0.37	(0.02)	25,772	-
IRPC19C2003A	0.02	(0.01)	560	-	KBAN01P2002B	0.82	(0.07)	6,666	-	KTC13P2006A	0.31	(0.01)	71,497	-
IRPC19C2005A	0.13	(0.04)	53,583	-	KBAN01P2004A	0.96	(0.03)	33,309	-	KTC19C2002A	-	-	-	-
IRPC24C2002A	-	-	-	-	KBAN01P2004B	0.20	(0.01)	166,622	-	KTC19C2005A	0.15	-	241	-
IRPC24C2004A	0.06	(0.04)	8,925	-	KBAN06C2001A	-	-	-	-	KTC19C2006A	0.30	0.01	3,198	-
IRPC27C2007A	0.12	(0.04)	19,205	-	KBAN06C2004A	0.21	0.01	22,149	-	KTC19P2001A	-	-	-	-
IRPC28C2003A	-	-	-	-	KBAN08C2001A	-	-	-	-	KTC19P2005A	0.45	-	12,814	-
IRPC28C2003B	-	-	-	-	KBAN08C2002A	-	-	-	-	KTC24C2001A	-	-	-	-
IRPC41C2001A	-	-	-	-	KBAN08C2005A	0.28	0.01	13,273	-	KTC27C2007A	0.24	0.01	1,207	-
IRPC41C2002A	-	-	-	-	KBAN08P2002A	0.41	(0.04)	11,132	-	KTC28C2002A	-	-	-	-
IRPC41C2002B	-	-	-	-	KBAN08P2004A	0.28	(0.02)	10,600	-	KTC28C2003A	-	-	-	-
IRPC41C2003A	-	-	-	-	KBAN13C2003A	0.09	0.02	17,013	-	KTC28C2004A	-	-	-	-
IRPC41C2004A	-	-	-	-	KBAN13C2003B	0.24	0.01	52,967	-	KTC28C2006A	0.21	-	18,224	-
IRPC41C2005A	-	-	-	-	KBAN13C2006A	0.52	0.02	160,309	-	KTC41C2001A	-	-	-	-
IRPC41P2001A	-	-	-	-	KBAN13P2003A	0.13	(0.01)	57,168	-	KTC41C2004A	-	-	-	-
IRPC41P2002A	1.07	0.28	1,000	1.00	KBAN16C2001A	-	-	-	-	KTC41C2005A	-	-	-	-
IRPC41P2004A	-	-	-	-	KBAN16C2005A	0.10	0.01	44,222	-	KTC41C2006A	0.17	-	7	-
IRPC41P2005A	0.53	0.06	11,977	-	KBAN19C2001A	-	-	-	-	KTC41P2001A	-	-	-	-
IRPC41P2006A	0.76	0.11	10,362	-	KBAN19C2003A	0.04	-	11	-	KTC42C2003A	-	-	-	-
IRPC41P2007A	-	-	-	-	KBAN19C2004A	0.33	0.02	35,943	-	LH01C2003A	0.10	(0.01)	45,016	-
IRPC42C2002A	-	-	-	-	KBAN19P2004A	0.29	-	16,526	-	LH01P2003A	0.36	-	9,816	-
IRPC42C2003A	0.01	-	2,000	-	KBAN24C2001A	0.01	-	730	-	LH11C2007A	0.37	(0.01)	17,842	-
IVL01C2002A	0.02	(0.01)	11,366	-	KBAN24C2005A	0.25	0.01	22,030	-	LH16C2002A	-	-	-	-
IVL01C2002B	0.01	-	6,600	-	KBAN27P2001A	0.05	(0.03)	19,600	-	LH19C2003A	-	-	-	-
IVL01C2004A	0.19	(0.01)	467,103	-	KBAN28C2002A	-	-	-	-	LH19C2003B	0.12	-	19,836	-
IVL01C2004B	0.23	-	481,433	-	KBAN28C2002B	-	-	-	-	LH19P2004A	0.14	-	7,216	-
IVL01P2002A	1.07	0.03	46,185	1.00	KBAN28C2003A	0.04	-	40	-	LH41C2002A	-	-	-	-
IVL01P2002B	0.64	0.03	68,226	-	KBAN28C2004A	0.30	0.01	31,423	-	LH41C2004A	-	-	-	-
IVL01P2004A	0.37	0.01	503,765	-	KBAN28P2003A	0.18	(0.01)	20,302	-	LH41C2005A	-	-	-	-
IVL01P2004B	0.15	-	380,771	-	KBAN41C2002A	-	-	-	-	LH41P2003A	-	-	-	-
IVL06C2001A	0.01	-	202	-	KBAN41C2003A	-	-	-	-	MAJO06C2001A	-	-	-	-
IVL06C2003A	0.17	(0.01)	48,604	-	KBAN41C2004A	0.15	0.03	3,000	-	MAJO13C2002A	0.15	0.02	20,628	-
IVL06P2001A	0.02	-	4,391	-	KBAN41C2005A	0.41	0.01	83,404	-	MAJO19C2002A	-	-	-	-
IVL06P2005A	0.61	0.01	27,732	-	KBAN41P2002A	0.33	(0.21)	1,060	-	MAJO19C2006A	0.41	0.03	39,911	-
IVL08C2002A	-	-	-	-	KBAN41P2004A	-	-	-	-	MAJO24C2002A	-	-	-	-
IVL08C2004A	0.23	(0.01)	56,392	-	KBAN41P2005A	0.63	(0.11)	350	-	MBK19C2004A	0.14	-	132,430	-
IVL08P2003A	0.48	0.01	36,617	-	KBAN41P2006A	-	-	-	-	MEGA19C2001A	-	-	-	-
IVL08P2004A	0.26	(0.01)	58,585	-	KBAN42C2003A	-	-	-	-	MEGA19C2005A	0.19	(0.01)	9,436	-
IVL11C2005A	0.04	-	12,401	-	KBAN42C2004A	0.06	-	1,929	-	MINT01C2003A	0.13	0.01	193,641	-
IVL11C2006A	0.28	(0.01)	99,262	-	KCE01C2004A	1.03	(0.03)	226,284	1.00	MINT01C2003B	0.03	(0.01)	9,980	-
IVL13C2002A	-	-	-	-	KCE01C2004B	0.69	(0.03)	278,763	-	MINT01P2003A	0.49	-	117,961	-
IVL13C2002B	0.02	-	16,570	-	KCE01P2004A	0.73	-	238,199	-	MINT06C2002A	-	-	-	-
IVL13C2003A	0.12	(0.01)	473,572	-	KCE08C2002A	0.75	(0.03)	80	-	MINT06C2006A	0.19	(0.01)	93,339	-
IVL13P2004A	0.32	0.01	209,857	-	KCE08C2005A	0.37	(0.03)	62,530	-	MINT08C2003A	-	-	-	-
IVL16C2001A	-	-	-	-	KCE08C2005B	0.14	(0.01)	16,759	-	MINT11C2006A	0.11	(0.01)	5,941	-
IVL16C2006A	0.14	-	140,844	-	KCE11C2004A	0.66	(0.02)	66,805	-	MINT13C2002A	-	-	-	-
IVL19C2001A	-	-	-	-	KCE13C2003A	1.34	0.06	220	1.00	MINT13C2004A	0.06	-	9,038	-
IVL19C2002A	-	-	-	-	KCE13C2004A	0.48	(0.01)	530,912	-	MINT13C2006A	0.19	(0.01)	246,770	-
IVL19C2003A	0.03	-	51	-	KCE13C2005A	0.13	0.01	133,709	-	MINT16C2001A	-	-	-	-
IVL19C2004A	0.26	(0.01)	121,798	-	KCE16C2001A	0.05	(0.01)	460,164	-	MINT19C2001A	-	-	-	-
IVL19C2006A	0.21	-	269,870	-	KCE16C2007A	0.45	(0.01)	256,900	-	MINT19C2002A	-	-	-	-
IVL19P2003A	0.19	0.01	95,845	-	KCE19C2002A	0.57	(0.02)	47,962	-	MINT19C2004A	0.09	(0.01)	40,922	-
IVL19P2006A	0.49	0.02	76,572	-	KCE19C2005A	0.53	(0.02)	184,956	-	MINT19P2004A	0.27	-	147,927	-
IVL24C2001A	-	-	-	-	KCE24C2005A	1.04	(0.02)	39,979	1.00	MINT23C2001A	-	-	-	-
IVL24C2002A	0.02	(0.01)	2,000	-	KCE27C2007A	0.30	(0.01)	49,567	-	MINT24C2001A	-	-	-	-
IVL24C2003A	0.18	(0.01)	57,010	-	KCE28C2003A	0.69	-	200	-	MINT24C2006A	0.14	(0.02)	31,005	-
IVL27P2007A	0.41	-	54,889	-	KCE28C2003B	-	-	-	-	MINT28C2002A	0.01	-	1,050	-
IVL28C2002A	-	-	-	-	KCE41C2002A	-	-	-	-	MINT28C2006A	0.14	-	46,440	-
IVL28C2003A	0.04	-	7,690	-	KCE41C2003A	-	-	-	-	MINT41C2001A	-	-	-	-
IVL28C2003B	0.08	-	12,150	-	KCE41C2005A	0.60	(0.01)	121,905	-	MINT41C2002A	-	-	-	-
IVL28P2003A	-	-	-	-	KCE41C2006A	0.43	(0.02)	618	-	MINT41C2005A	-	-	-	-
IVL41C2002A	-	-	-	-	KCE42C2001A	0.52	(0.07)	31,693	-	MINT41P2004A	0.34	(0.03)	12,138	-
IVL41C2002B	-	-	-	-	KKP01C2001A	0.28	0.02	14,000	-	MINT42C2002A	0.01	(0.03)	10	-
IVL41C2003A	-	-	-	-	KKP01C2001B	-	-	-	-	MINT42C2004A	0.04	-	10,000	-
IVL41C2004A	0.26	(0.03)	3,000	-	KKP01C2006A	0.68	0.02	30,612	-	MTC01C2003A	0.60	0.06	256,849	-
IVL41C2005A	-	-	-	-	KKP01C2006B	0.45	0.02	37,604	-	MTC01C2003B	0.30	0.04	127,199	-
IVL41C2006A	-	-	-	-	KKP01P2001A	0.42	(0.04)	5,154	-	MTC01P2003A	0.25	(0.04)	171,780	-
IVL41C2007A	-	-	-	-	KKP01P2006A	0.57	(0.01)	24,865	-	MTC03C2005A	0.53	0.05	7,030	-
IVL41P2002A	0.13	(0.01)	201	-	KKP08C2003A	0.16	0.01	10,640	-	MTC08C2005A	0.60	0.04	63,498	-
IVL41P2003A	0.22	0.07	4,420	-	KKP11C2007A	0.46	0.01	9,346	-	MTC11C2002A	0.88	0.09	34,310	-
IVL41P2004A	-	-	-	-	KKP13C2004A	0.24	0.02	70,416	-	MTC11C2008A	0.63	0.05	49,664	-
IVL41P2005A	-	-	-	-	KKP16C2002A	0.34	0.01	18,252	-	MTC13C2003A	0.43	0.05	343,104	-
IVL41P2006A	0.52	-	10,942	-	KKP19C2003A	0.22	0.01	27,362	-	MTC13P2003A	0.11	(0.02)	38,216	-
IVL41P2007A	0.85	0.08	652	-	KKP24C2003A	0.22	0.01	5,200	-	MTC16C2007A	0.44	0.05	195,122	-
IVL42C2001A	-	-	-	-	KKP27P2002A	-	-	-	-	MTC19C2002A	0.31	0.05	64,429	-
IVL42C2002A	0.01	-	1,382	-	KKP41C2002A	-	-	-	-	MTC19C2006A	0.43	0.04	83,859	-
IVL42C2005A	0.18	(0.01)	8,806	-	KKP41C2006A	0.46	0.01	19,470	-	MTC19P2004A	0.19	(0.03)	130,436	-
JAS06C2002A	0.02	-	301	-	KTB01C2003A	0.22	0.04	252,409	-	MTC24C2004A	0.52	0.06	19,590	-
JAS13C2001A	-	-	-	-	KTB01P2003A	0.30	(0.05)	90,550	-	MTC27C2007A	0.59	0.05	42,600	-
JAS13C2002A	0.31	(0.02)	26,727	-	KTB1									

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
JAS41C2005A	-	-	-	-	KTC01C2001B	0.01	-	1,700	-	ORI28C2004A	0.17	(0.02)	24,377	-

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ORI41C2002A	-	-	-	-	PTG42C2004A	-	-	-	-	PTTG08P2004A	0.36	0.01	17,677	-
ORI41C2004A	-	-	-	-	PTT01C2001A	0.23	(0.01)	4,175	-	PTTG11C2004A	0.05	-	100	-
OSP01C2003A	0.43	0.04	134,036	-	PTT01C2001B	0.01	-	16,152	-	PTTG11C2007A	0.43	-	57,992	-
OSP01C2003B	0.18	0.02	29,924	-	PTT01C2004A	0.48	(0.01)	18,750	-	PTTG13C2002A	0.13	(0.01)	1,100	-
OSP01C2006A	0.64	0.04	51,501	-	PTT01C2004B	0.28	-	80,601	-	PTTG13C2005A	0.19	-	96,791	-
OSP01C2006B	0.48	0.05	100,701	-	PTT01C2007A	0.48	-	33,353	-	PTTG13P2004A	0.42	-	304,610	-
OSP01P2003A	0.21	(0.03)	132,183	-	PTT01C2007B	0.29	(0.01)	49,966	-	PTTG16C2001A	-	-	-	-
OSP06C2005A	0.60	0.07	19,912	-	PTT01P2001A	0.32	0.01	14,404	-	PTTG16C2006A	0.21	-	57,846	-
OSP06P2003A	0.08	(0.03)	8,295	-	PTT01P2001B	-	-	-	-	PTTG19C2001A	-	-	-	-
OSP08C2001A	0.58	0.07	10	-	PTT01P2004A	0.33	-	33,938	-	PTTG19C2002A	0.03	(0.01)	65,805	-
OSP08C2004A	0.30	0.03	31,401	-	PTT01P2004B	0.14	(0.01)	27,220	-	PTTG19C2006A	0.15	-	86,720	-
OSP11C2005A	0.53	0.04	55,653	-	PTT01P2007A	0.62	-	16,440	-	PTTG19P2003A	0.18	(0.01)	32,257	-
OSP13C2002A	0.21	0.04	138,764	-	PTT01P2007B	0.31	0.01	58,753	-	PTTG19P2006A	0.81	0.01	14,752	-
OSP13C2004A	0.48	0.05	30,048	-	PTT06C2005A	0.38	(0.02)	7,104	-	PTTG24C2003A	0.19	(0.01)	27,182	-
OSP16C2001A	0.55	0.05	8,409	-	PTT08C2005A	0.38	-	6,900	-	PTTG27C2001A	-	-	-	-
OSP19C2004A	0.26	0.03	42,150	-	PTT08P2005A	0.16	0.01	4,642	-	PTTG27P2006A	0.58	-	52,326	-
OSP19C2005A	0.52	0.05	9,037	-	PTT11C2004A	0.12	-	17,800	-	PTTG28C2002A	-	-	-	-
OSP24C2008A	0.59	0.03	16,640	-	PTT13C2004A	0.25	(0.01)	168,932	-	PTTG28C2003A	0.11	(0.01)	6,430	-
OSP28C2003A	0.23	0.03	31,320	-	PTT13P2001A	-	-	-	-	PTTG28C2006A	0.17	-	20,296	-
OSP41C2003A	-	-	-	-	PTT13P2004A	0.13	-	33,761	-	PTTG41C2001A	-	-	-	-
OSP41C2004A	0.28	0.02	962	-	PTT13P2006A	0.33	-	108,252	-	PTTG41C2002A	-	-	-	-
OSP41C2005A	0.42	0.02	20,000	-	PTT16C2001A	-	-	-	-	PTTG41C2003A	-	-	-	-
OSP41P2003A	0.06	(0.01)	100	-	PTT19C2002A	0.12	(0.02)	15,678	-	PTTG41C2005A	-	-	-	-
OSP41P2004A	0.21	(0.03)	1,000	-	PTT19C2005A	0.41	(0.01)	18,983	-	PTTG41C2006A	0.22	(0.17)	50	-
OSP42C2001A	0.57	0.12	8,484	-	PTT19P2003A	0.07	(0.01)	100	-	PTTG41P2001A	-	-	-	-
OSP42C2005A	0.52	0.06	480	-	PTT19P2006A	0.30	0.01	44,912	-	PTTG41P2002A	0.33	-	5,988	-
PLAN08C2004A	0.06	(0.03)	200	-	PTT24C2003A	0.14	(0.01)	3,878	-	PTTG41P2003A	-	-	-	-
PLAN13C2004A	0.09	-	5,131	-	PTT24P2001A	-	-	-	-	PTTG41P2006A	0.79	0.01	23,320	-
PLAN13C2005A	0.24	(0.02)	72,780	-	PTT28C2002A	-	-	-	-	PTTG42C2003A	0.03	-	4,870	-
PLAN16C2002A	0.13	(0.04)	37,678	-	PTT28C2003A	-	-	-	-	QH01C2001A	-	-	-	-
PLAN19C2001A	-	-	-	-	PTT28C2004A	0.20	(0.01)	10,126	-	QH01C2001B	-	-	-	-
PLAN19C2005A	0.14	(0.01)	3,614	-	PTT28P2004A	0.11	(0.01)	5,070	-	QH01C2006A	0.29	(0.02)	66,064	-
PLAN24C2006A	0.25	(0.01)	9,805	-	PTT41C2001A	-	-	-	-	QH01C2006B	0.19	(0.02)	36,938	-
PLAN28C2002A	0.01	-	1,330	-	PTT41C2002A	-	-	-	-	QH01P2001A	0.38	0.02	20,306	-
PLAN28C2004A	0.08	(0.01)	3,014	-	PTT41C2004A	0.25	(0.03)	8,889	-	QH01P2006A	0.42	0.02	58,995	-
PLAN28C2005A	0.18	(0.01)	6,084	-	PTT41C2005A	-	-	-	-	QH11C2006A	0.18	(0.02)	57,700	-
PLAN41C2002A	-	-	-	-	PTT41C2006A	-	-	-	-	QH13C2003A	-	-	-	-
PLAN41C2004A	-	-	-	-	PTT41P2001A	-	-	-	-	QH19C2002A	-	-	-	-
PLAN41C2005A	-	-	-	-	PTT41P2004A	-	-	-	-	QH19C2006A	0.17	(0.02)	12,972	-
PLAN41C2006A	0.24	-	1,000	-	PTT41P2005A	-	-	-	-	QH27C2007A	0.17	(0.02)	46,362	-
PRM08C2003A	0.04	-	446	-	PTT42C2003A	0.11	(0.01)	1	-	RATC01C2003A	0.32	(0.01)	47,484	-
PRM13C2003A	0.07	(0.01)	301	-	PTTE01C2001A	0.31	(0.02)	39,650	-	RATC01C2003B	0.13	(0.01)	100,982	-
PRM13C2006A	0.25	(0.01)	17,556	-	PTTE01C2001B	0.02	-	5,101	-	RATC01C2006A	0.89	(0.02)	36,620	-
PRM19C2001A	-	-	-	-	PTTE01C2004A	0.75	(0.02)	40,661	-	RATC01C2006B	0.67	-	41,386	-
PRM19C2004A	0.11	(0.01)	21,390	-	PTTE01C2004B	0.50	-	121,321	-	RATC01P2006A	0.59	-	49,011	-
PRM27C2002A	-	-	-	-	PTTE01C2007A	0.72	(0.01)	36,478	-	RATC06C2006A	0.75	-	14,730	-
PRM41C2002A	-	-	-	-	PTTE01C2007B	0.45	(0.01)	12,526	-	RATC06P2006A	0.19	0.02	14,560	-
PRM42C2001A	-	-	-	-	PTTE01P2001A	0.61	-	19,110	-	RATC13C2001A	0.01	-	5	-
PRM42C2006A	0.37	-	9,400	-	PTTE01P2001B	-	-	-	-	RATC13C2002A	-	-	-	-
PSH19C2001A	-	-	-	-	PTTE01P2004A	0.26	(0.01)	27,188	-	RATC13C2004A	0.36	(0.01)	659,011	-
PSH19C2003A	0.04	(0.02)	1	-	PTTE01P2004B	0.13	-	340	-	RATC16C2001A	0.11	(0.02)	45,206	-
PSH19C2005A	0.23	(0.01)	17,048	-	PTTE01P2007A	0.87	-	17,971	-	RATC19C2002A	0.04	-	200	-
PSL06C2002A	-	-	-	-	PTTE01P2007B	0.47	(0.01)	79,208	-	RATC19C2005A	0.40	-	26,574	-
PSL13C2003A	0.11	(0.02)	9,980	-	PTTE06C2001B	-	-	-	-	RATC24C2001A	0.25	(0.03)	1	-
PSL19C2004A	0.10	-	1,038	-	PTTE06C2006A	0.40	(0.02)	49,920	-	RATC24C2006A	0.70	(0.03)	21,064	-
PSL19C2006A	0.26	(0.03)	29,384	-	PTTE06P2006A	0.58	0.01	17,257	-	RATC27C2004A	0.11	-	9,534	-
PSL27C2002A	-	-	-	-	PTTE08C2002A	0.14	(0.01)	13,000	-	RATC27C2007A	0.76	-	34,620	-
PTG01C2001A	0.01	-	27,747	-	PTTE08C2005A	0.53	(0.01)	23,380	-	RATC41C2001A	-	-	-	-
PTG01C2001B	0.01	-	1,200	-	PTTE08P2005A	0.26	-	12,000	-	RATC41C2002A	-	-	-	-
PTG01C2003A	0.05	(0.02)	45,460	-	PTTE11C2006A	0.64	(0.01)	40,322	-	RATC41C2003A	-	-	-	-
PTG01C2003B	-	-	-	-	PTTE13C2004A	0.55	(0.01)	4,900	-	RATC41C2004A	-	-	-	-
PTG01C2005A	0.26	(0.03)	237,783	-	PTTE13C2006A	0.48	(0.01)	121,002	-	RATC41C2005A	0.48	(0.02)	33,230	-
PTG01C2005B	0.12	(0.02)	231,610	-	PTTE13P2003A	0.11	-	6,066	-	RATC41P2004A	0.36	-	4,864	-
PTG01P2001A	0.92	0.13	2,278	-	PTTE13P2006A	0.55	(0.01)	34,300	-	RATC41P2006A	0.39	(0.01)	1,684	-
PTG01P2003A	1.00	0.07	19,610	-	PTTE16C2003A	0.26	(0.01)	34,808	-	RATC42C2003A	0.11	0.01	500	-
PTG01P2005A	0.88	0.04	55,445	-	PTTE19C2001A	-	-	-	-	RATC42C2006A	0.66	0.02	1,260	-
PTG01P2005B	0.64	0.05	116,569	-	PTTE19C2002A	0.27	(0.02)	50,460	-	ROBI08C2001A	-	-	-	-
PTG03C2005A	0.02	0.01	34,732	-	PTTE19C2006A	0.43	(0.02)	94,355	-	ROBI11C2003A	-	-	-	-
PTG06C2001A	0.01	-	353	-	PTTE19P2004A	0.11	(0.01)	20,000	-	ROBI13C2002A	-	-	-	-
PTG06C2006A	0.17	(0.04)	3,430	-	PTTE19P2006A	0.54	-	8,284	-	ROBI19C2004A	-	-	-	-
PTG08C2005A	0.11	(0.02)	4,760	-	PTTE24C2003A	0.37	(0.01)	7,699	-	RS06C2004A	0.26	0.02	6,000	-
PTG11C2003A	0.16	(0.04)	35,500	-	PTTE28C2002A	0.18	(0.02)	10,060	-	RS08C2001A	-	-	-	-
PTG11C2005A	0.07	(0.01)	500	-	PTTE28C2005A	0.37	(0.01)	21,750	-	RS08P2003A	1.00	(0.06)	120	1.00
PTG13C2002A	-	-	-	-	PTTE28P2004A	-	-	-	-	RS13C2002A	-	-	-	-
PTG13C2004A	0.10	(0.02)	173,142	-	PTTE41C2002A	-	-	-	-	RS13C2004A	0.21	0.01	42,847	-
PTG13C2006A	0.28	(0.03)	244,054	-	PTTE41C2003A	-	-	-	-	RS16C2001A	-	-	-	-
PTG13P2001A	0.48	0.07	26,733	-	PTTE41C2005A	-	-	-	-	RS16C2005A	-	-	-	-
PTG13P2004A	0.59	0.04	109,607	-	PTTE41C2006A	-	-	-	-	RS19C2002A	-	-	-	-
PTG13P2006A	0.42	0.03	191,424	-	PTTE41P2002A	-	-	-	-	RS19C2004A	0.09	0.01	5,428	-
PTG19C2003A	0.05	(0.01)	436	-	PTTE41P2003A	-	-	-	-	RS19C2005A	0.24	0.02	10,805	-
PTG19C2004A	0.04	(0.01)	4,308	-	PTTE41P2004A	-	-	-	-	RS24C2004A	-	-	-	-
PTG19C2005A	0.16	(0.02)	59,016	-	PTTE42C2001A	-	-	-	-	RS24C2008A	0.40	0.03	19,292	-
PTG19C2006A	0.31	(0.04)	86,130	-	PTTE42C2004A	0.25	(0.01)	3,910	-	RS41C2002A	-	-	-	-
PTG19P2001A	0.49	0.13	21,994	-	PTTG01C2002A	0.21	(0.01)	113,674	-	RS41C2004A	-	-	-	-
PTG19P2006A	0.62	0.03	23,149	-	PTTG01C2002B	0.06	(0.01)	157,741	-	RS42C2004A	-	-	-	-
PTG24C2002A	-	-	-	-	PTTG01C2005A	0.30	(0.01)	184,096	-	S10001C2011A	0.56	(0.01)	660	-
PTG27C2007A	0.34	(0.04)	65,687	-	PTTG01C2005B	0.15	-	142,934	-	S5001C2001A	0.12	(0.01)	114,176	-
PTG27P2001A	0.25	0.05	23,975	-	PTTG01P2002A	0.61	-	32,704	-	S5001C2002A	0.47	0.03	358,236	-
PTG28C2004A	0.05	(0.01)	200	-	PTTG01P2002B									

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG41C2004A	-	-	-	-	PTTG01P2005B	0.75	-	167,264	-	S5001C2003H	0.63	(0.02)	829,828	-
PTG41C2005A	-	-	-	-	PTTG06C2001A	-	-	-	-	S5001C2004A	0.73	-	203,268	-
PTG41C2006A	0.21	(0.03)	5,000	-	PTTG06C2006A	0.15	-	34,546	-	S5001P2001A	0.68	(0.03)	7,718	-
PTG41P2005A	0.66	0.04	6,388	-	PTTG08C2001A	-	-	-	-	S5001P2002A	0.50	(0.02)	736,622	-
PTG42C2001A	-	-	-	-	PTTG08C2004A	0.22	-	23,800	-	S5001P2003F	0.62	(0.01)	2,219,680	-

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001P2003G	0.46	(0.02)	1,788,914	-	SCB13C2006A	0.13	(0.01)	303,187	-	SPRC19C2005B	0.05	(0.04)	120	-
S5001P2003H	0.89	(0.02)	1,628,564	-	SCB13P2003A	0.35	0.02	99,648	-	SPRC19P2005A	0.58	0.09	75,064	-
S5001P2004A	0.92	(0.01)	530,045	-	SCB13P2006A	0.88	0.04	44,146	-	SPRC24C2003A	0.02	(0.01)	53,000	-
S5006C2003A	0.18	-	47,688	-	SCB16C2001A	-	-	-	-	SPRC41C2002A	-	-	-	-
S5006C2003B	0.27	-	29,792	-	SCB16C2003A	0.02	-	8,500	-	SPRC41C2004A	-	-	-	-
S5006C2003C	0.32	(0.01)	118,624	-	SCB19C2002A	-	-	-	-	SPRC41C2006A	0.07	(0.07)	2,500	-
S5006P2003A	0.67	(0.01)	130,763	-	SCB19C2003A	0.03	-	34,241	-	STA01C2003A	0.24	0.06	138,824	-
S5006P2003B	0.87	(0.02)	93,562	-	SCB19C2006A	0.29	(0.71)	113,850	-	STA01C2003B	0.09	0.03	3,400	-
S5006P2003C	0.30	(0.02)	130,966	-	SCB19P2005A	0.83	-	25,323	-	STA01P2003A	0.25	(0.06)	121,616	-
S5008C2003A	0.38	(0.02)	229,575	-	SCB24C2001A	-	-	-	-	STA11C2005A	0.15	0.03	34,609	-
S5008C2003B	0.20	-	42,780	-	SCB24C2004A	0.16	-	48,484	-	STA13C2003A	0.18	0.05	218,143	-
S5008P2003A	0.25	(0.01)	153,106	-	SCB27C2007A	0.12	-	5,174	-	STA19C2001A	-	-	-	-
S5008P2003B	0.10	-	5,913	-	SCB27P2006A	0.75	0.02	28,548	-	STA19C2002A	-	-	-	-
S5011C2003A	0.59	(0.01)	148,923	-	SCB28C2003A	-	-	-	-	STA19C2004A	0.20	0.05	56,916	-
S5011P2003A	0.52	(0.01)	155,647	-	SCB28C2004A	0.03	(0.01)	4,064	-	STA19C2005A	0.66	0.13	37,666	-
S5013C2003A	0.28	-	5,796,649	-	SCB41C2001A	-	-	-	-	STA24C2002A	-	-	-	-
S5013C2003B	0.55	(0.01)	8,682,415	-	SCB41C2002A	-	-	-	-	STA42C2001A	-	-	-	-
S5013C2003C	0.43	-	6,950,643	-	SCB41C2004A	0.09	-	90	-	STEC01C2003A	0.07	(0.03)	80,640	-
S5013P2003A	0.90	(0.01)	4,364,730	-	SCB41C2005A	-	-	-	-	STEC01C2003B	-	-	-	-
S5013P2003B	0.51	-	17,613,340	-	SCB41P2004A	0.49	0.01	4,640	-	STEC01C2004A	0.17	(0.05)	95,276	-
S5013P2003C	0.75	(0.02)	8,165,881	-	SCB41P2005A	0.85	0.02	20	-	STEC01C2006A	0.43	(0.06)	79,887	-
S5016C2003A	0.26	(0.02)	165,183	-	SCB42C2003A	-	-	-	-	STEC01C2006B	0.24	(0.07)	271,410	-
S5016C2003B	0.44	-	142,143	-	SCB42C2006A	0.11	-	201,600	-	STEC01P2003A	0.92	0.14	37,110	-
S5016C2003C	0.66	(0.01)	122,762	-	SCC01C2001A	0.01	-	14,549	-	STEC01P2006A	0.65	0.07	129,119	-
S5016P2003A	0.50	(0.02)	178,368	-	SCC01C2001B	0.01	-	700	-	STEC06C2002A	0.02	-	5,335	-
S5016P2003C	0.74	-	97,775	-	SCC01C2004A	0.59	(0.04)	158,271	-	STEC06C2004A	0.29	(0.08)	22,337	-
S5019C2003A	0.27	(0.01)	431,223	-	SCC01C2004B	0.23	(0.02)	69,740	-	STEC08C2001A	-	-	-	-
S5019C2003B	0.65	-	888,110	-	SCC01P2001A	0.94	0.06	18,984	-	STEC08C2004A	-	-	-	-
S5019P2003A	0.59	(0.01)	716,135	-	SCC01P2004A	0.91	0.04	137,798	-	STEC08C2005A	0.37	(0.06)	39,500	-
S5019P2003B	0.24	(0.01)	388,710	-	SCC06C2002A	-	-	-	-	STEC11C2001A	0.01	-	2,265	-
S5019P2003C	0.84	(0.02)	567,093	-	SCC08C2002A	-	-	-	-	STEC11C2007A	0.09	(0.01)	500	-
S5024C2003A	0.26	(0.01)	165,291	-	SCC08C2004A	0.23	(0.02)	25,000	-	STEC13C2001A	-	-	-	-
S5024C2003B	0.62	(0.01)	260,800	-	SCC11C2003A	-	-	-	-	STEC13C2003A	0.11	(0.04)	80,019	-
S5024P2003A	0.71	(0.01)	313,742	-	SCC11C2006A	0.06	(0.01)	1	-	STEC13C2004A	0.28	(0.07)	244,584	-
S5024P2003B	0.27	(0.01)	26,266	-	SCC11C2007A	0.49	(0.04)	55,052	-	STEC16C2003A	-	-	-	-
S5028C2001A	0.03	-	206	-	SCC13C2002A	0.05	-	731	-	STEC16C2006A	0.10	(0.03)	50,381	-
S5028C2002A	0.14	(0.01)	127,140	-	SCC13C2004A	0.30	(0.03)	42,984	-	STEC19C2002A	-	-	-	-
S5028C2003A	0.08	0.01	1,440	-	SCC13P2002A	0.17	0.01	27,729	-	STEC19C2004A	0.10	(0.04)	21,017	-
S5028C2003B	0.22	-	119,120	-	SCC13P2006A	0.63	0.04	72,796	-	STEC19C2005A	0.33	(0.07)	56,257	-
S5028C2006A	0.33	(0.01)	110,787	-	SCC16C2002A	-	-	-	-	STEC24C2003A	-	-	-	-
S5028P2001A	0.13	-	100	-	SCC16C2005A	0.14	(0.02)	30,306	-	STEC24C2006A	0.39	(0.07)	26,502	-
S5028P2002A	0.21	-	133,198	-	SCC19C2002A	-	-	-	-	STEC27C2002A	-	-	-	-
S5028P2003A	0.22	-	114,661	-	SCC19C2003A	-	-	-	-	STEC27C2002B	-	-	-	-
S5028P2006A	0.39	-	62,124	-	SCC19C2003B	0.07	(0.01)	36,504	-	STEC28C2002A	0.01	-	126	-
S5041C2003A	0.16	-	233,361	-	SCC19C2006A	0.35	(0.03)	26,204	-	STEC28C2004A	0.06	(0.01)	1,110	-
S5041C2003B	0.27	(0.01)	124,885	-	SCC19P2004A	0.43	0.02	22,371	-	STEC28C2004B	0.14	(0.06)	23,474	-
S5041C2003C	0.38	(0.01)	4,452	-	SCC24C2003A	-	-	-	-	STEC28C2005A	0.31	(0.05)	21,312	-
S5041C2003D	0.39	(0.01)	1,468,413	-	SCC27C2001A	-	-	-	-	STEC41C2001A	0.01	-	593	-
S5041C2003E	0.54	(0.01)	17,088	-	SCC28C2002A	-	-	-	-	STEC41C2003A	-	-	-	-
S5041P2003A	0.41	(0.02)	217,713	-	SCC28C2003A	-	-	-	-	STEC41C2004A	-	-	-	-
S5041P2003B	0.62	(0.01)	105,737	-	SCC28C2004A	0.24	(0.03)	10,510	-	STEC41C2005A	0.33	(0.06)	20,742	-
S5041P2003C	0.26	(0.01)	1,302,857	-	SCC41C2002A	-	-	-	-	STEC41C2006A	0.42	(0.08)	618	-
S5041P2003D	0.78	(0.01)	584,287	-	SCC41C2003A	-	-	-	-	STEC41P2001A	-	-	-	-
S5041P2003E	0.90	(0.01)	44,806	-	SCC41C2004A	-	-	-	-	STEC41P2003A	-	-	-	-
SAWA01C2003A	1.20	0.14	49,857	1.00	SCC41C2005A	0.24	(0.02)	963	-	STEC41P2004A	0.31	0.04	13,148	-
SAWA01C2003B	0.74	0.11	77,738	-	SCC41P2001A	-	-	-	-	STEC41P2005A	0.34	0.06	5,570	-
SAWA01C2006A	0.90	0.10	70,698	-	SCC41P2004A	0.35	0.01	1,000	-	STEC42C2001A	-	-	-	-
SAWA01C2006B	0.59	0.09	206,727	-	SCC41P2005A	0.67	0.02	14,993	-	STEC42C2004A	0.23	(0.05)	3,600	-
SAWA01P2003A	0.15	(0.04)	167,141	-	SCC42C2002A	-	-	-	-	SUPE13C2003A	-	-	-	-
SAWA01P2006A	0.84	(0.13)	140,594	-	SCC42C2003A	0.06	(0.02)	1,430	-	SUPE19C2002A	0.01	-	1	-
SAWA06C2002A	0.84	0.17	19,550	-	SGP13C2004A	0.22	(0.08)	113,459	-	SUPE19C2004A	-	-	-	-
SAWA08C2001A	0.67	0.18	20,290	-	SGP13C2006A	0.09	(0.01)	2,611	-	SUPE42C2004A	0.08	-	5,000	-
SAWA11C2003A	1.01	0.12	93,190	-	SGP19C2001A	-	-	-	-	TASC01C2003A	0.39	(0.03)	40,661	-
SAWA13C2002A	-	-	-	-	SGP19C2002A	0.08	(0.04)	9,866	-	TASC01C2003B	0.15	-	31,772	-
SAWA13C2005A	0.69	0.11	197,228	-	SGP19C2006A	0.09	(0.02)	17,414	-	TASC01P2003A	0.30	0.01	38,103	-
SAWA16C2001A	0.84	0.17	76,252	-	SGP24C2002A	0.09	(0.05)	20,254	-	TASC08C2005A	0.30	-	16,361	-
SAWA19C2002A	0.54	0.12	20,008	-	SGP42C2001A	-	-	-	-	TASC11C2002A	0.71	(0.04)	24,400	-
SAWA19C2005A	0.59	0.09	109,441	-	SIRI13C2007A	0.17	-	57,666	-	TASC13C2003A	0.20	(0.02)	74,790	-
SAWA24C2004A	0.73	0.12	43,490	-	SIRI19C2002A	-	-	-	-	TASC13C2006A	0.51	(0.01)	94,370	-
SAWA27C2007A	0.66	0.09	83,979	-	SIRI19C2004A	0.03	-	500	-	TASC16C2001A	-	-	-	-
SAWA28C2002A	-	-	-	-	SIRI19C2007A	-	-	-	-	TASC19C2003A	0.22	-	19,312	-
SAWA28C2004A	0.52	0.10	236,701	-	SPAL01C2004A	0.25	(0.01)	108,414	-	SPAL01C2006A	0.73	(0.02)	8,660	-
SAWA41C2003A	-	-	-	-	SPAL01C2004B	0.12	(0.01)	31,167	-	TASC19P2004A	0.29	0.01	35,674	-
SAWA41C2004A	0.55	0.09	50,028	-	SPAL06P2004A	0.49	0.02	12,856	-	TASC24C2001A	-	-	-	-
SAWA41C2005A	0.65	0.10	5,904	-	SPAL11C2006A	0.25	(0.02)	32,326	-	TASC24C2006A	0.46	(0.02)	10,231	-
SAWA41P2003A	0.05	(0.03)	310	-	SPAL13C2003A	0.10	(0.02)	73,044	-	TASC28C2004A	0.18	(0.01)	17,796	-
SAWA41P2004A	0.32	(0.06)	1,600	-	SPAL16C2002A	-	-	-	-	TASC28C2006A	0.31	(0.01)	27,136	-
SAWA41P2005A	0.70	(0.09)	7,360	-	SPAL19C2002A	-	-	-	-	TASC41C2003A	0.17	(0.02)	228	-
SAWA42C2003A	0.41	0.08	4,500	-	SPAL19C2004A	0.15	(0.01)	11,000	-	TASC41C2004A	-	-	-	-
SCB01C2002A	0.01	(0.01)	14,913	-	SPAL24C2003A	-	-	-	-	TASC41C2005A	0.52	(0.48)	12,000	-
SCB01C2002B	0.02	-	203	-	SPAL27C2008A	0.18	(0.01)	13,000	-	TASC42C2003A	-	-	-	-
SCB01C2004A	0.17	(0.01)	414,136	-	SPAL41C2001A	-	-	-	-	TASC42C2005A	0.50	(0.12)	978	-
SCB01C2004B	0.05	(0.01)	318,955	-	SPAL41C2002A	-	-	-	-	TCAP01C2001A	0.27	0.05	59,343	-
SCB01P2002A	2.00	0.02	40,925	1.00	SPAL41C2004A	0.18	(0.03)	1,000	-	TCAP01C2001B	-	-	-	-
SCB01P2002B	1.53	0.04	17,712	1.00	SPAL42C2003A	0.03	(0.07)	1	-	TCAP01P2001A	0.03	(0.02)	15,000	-
SCB01P2004A	0.78	0.01	102,217	-	SPRC01C2003A	0.15	(0.10)	434,391	-	TCAP11C2002A	0.12	0.02	20,486	-
SCB01P2004B	0.40													

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB08C2002A	-	-	-	-	SPRC08C2005A	0.17	(0.10)	79,170	-	TCAP19C2004A	0.37	0.03	13,312	-
SCB08C2005A	0.11	-	7,111	-	SPRC11C2005A	0.05	(0.01)	120	-	TCAP24C2001A	-	-	-	-
SCB08P2004A	0.59	0.03	2,439	-	SPRC13C2004A	0.03	(0.02)	22,416	-	TCAP41C2002A	-	-	-	-
SCB11C2005A	0.01	(0.02)	24	-	SPRC13C2006A	0.18	(0.10)	327,815	-	TCAP41C2004A	0.27	-	13,000	-
SCB11C2006A	0.05	(0.01)	28,112	-	SPRC19C2001A	-	-	-	-	THAI11C2003A	-	-	-	-
SCB11P2005A	1.38	0.05	28,601	1.00	SPRC19C2002A	0.10	(0.13)	192,153	-	THAI13C2004A	0.10	(0.02)	15,587	-
SCB13C2003A	0.03	-	38,835	-	SPRC19C2005A	0.18	(0.11)	82,840	-	THAI19C2002A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAI19C2004A	0.12	(0.01)	12,730	-	TOP16C2001A	-	-	-	-	WHA01C2002A	0.01	-	1,648	-
THAI27C2008A	0.36	(0.02)	16,570	-	TOP19C2002A	0.02	(0.02)	5,810	-	WHA01C2002B	0.01	-	2,000	-
THAI42C2003A	-	-	-	-	TOP19C2003A	0.03	(0.03)	2,500	-	WHA01C2005A	0.14	(0.01)	594,044	-
THAI42C2005A	0.09	(0.03)	14,000	-	TOP19C2006A	0.29	(0.09)	140,684	-	WHA01C2005B	0.05	-	23,771	-
THAN01C2001A	0.02	0.01	33,181	-	TOP19P2002A	0.49	0.14	65,105	-	WHA01P2002A	1.57	0.02	29,004	1.00
THAN01C2001B	0.01	-	20	-	TOP19P2006A	1.01	0.15	74,938	-	WHA01P2005A	1.01	0.07	170,282	-
THAN01C2006A	0.30	-	30,785	-	TOP23C2001A	-	-	-	-	WHA08C2002A	-	-	-	-
THAN01C2006B	0.14	-	41,298	-	TOP24C2007A	0.15	(0.05)	53,187	-	WHA08C2003A	-	-	-	-
THAN01P2006A	0.42	(0.01)	28,994	-	TOP28C2004A	0.09	(0.04)	22,741	-	WHA08C2005A	0.04	(0.01)	1,534	-
THAN06C2003A	-	-	-	-	TOP41C2002A	-	-	-	-	WHA11C2001A	-	-	-	-
THAN06C2005A	0.17	-	10,202	-	TOP41C2002B	-	-	-	-	WHA11C2008A	0.15	(0.01)	98,078	-
THAN06P2003A	0.35	(0.01)	4,400	-	TOP41C2003A	-	-	-	-	WHA13C2001A	-	-	-	-
THAN13C2003A	-	-	-	-	TOP41C2004A	0.30	(0.11)	46,900	-	WHA13C2003A	0.02	0.01	2,420	-
THAN19C2001A	-	-	-	-	TOP41C2005A	0.16	(0.06)	5,900	-	WHA13C2005A	0.06	(0.01)	80,396	-
THAN19C2004A	0.11	-	11,103	-	TOP41C2006A	0.15	(0.08)	100	-	WHA16C2006A	0.02	(0.01)	30,426	-
THAN24C2001A	-	-	-	-	TOP41P2002A	0.71	0.19	7,800	-	WHA19C2002A	-	-	-	-
THAN27C2003A	-	-	-	-	TOP41P2004A	0.87	0.16	8,000	-	WHA19C2004A	-	-	-	-
THAN41C2002A	-	-	-	-	TOP41P2006A	0.70	(0.30)	18,978	-	WHA19C2005A	0.07	(0.01)	69,241	-
THAN41C2005A	-	-	-	-	TP19C2002A	-	-	-	-	WHA24C2004A	-	-	-	-
TISCO1C2001A	1.08	0.07	390	1.00	TP19C2004A	0.34	(0.04)	1,927	-	WHA24P2003A	1.64	0.17	5,650	1.00
TISCO1C2001B	0.17	-	29,750	-	TRUE01C2002A	0.02	-	72,193	-	WHA27C2008A	0.15	(0.01)	40,292	-
TISCO1C2006A	1.09	0.08	12,278	1.00	TRUE01C2002B	0.02	-	56,446	-	WHA28C2003A	-	-	-	-
TISCO1C2006B	0.34	0.03	153,661	-	TRUE01C2004A	0.03	(0.01)	111,837	-	WHA28C2003B	-	-	-	-
TISCO1P2001A	-	-	-	-	TRUE01C2004B	0.12	(0.04)	35,987	-	WHA28C2004A	-	-	-	-
TISCO1P2006A	0.48	(0.04)	33,106	-	TRUE01P2002A	1.50	0.07	26,150	1.00	WHA28C2005A	-	-	-	-
TISCO8C2001A	-	-	-	-	TRUE01P2002B	1.37	0.16	40,134	1.00	WHA41C2003A	-	-	-	-
TISCO8C2002A	0.08	(0.01)	2,000	-	TRUE01P2004A	0.71	0.06	85,988	-	WHA41C2004A	-	-	-	-
TISC11C2005A	0.22	0.01	52,400	-	TRUE01P2004B	0.41	0.05	249,764	-	WHA41C2005A	0.04	-	4	-
TISC11C2007A	0.88	0.02	21,600	-	TRUE06C2004A	0.13	(0.06)	26,333	-	WHA41C2006A	0.11	(0.01)	5,000	-
TISC13C2004A	0.61	-	980	-	TRUE08C2001A	-	-	-	-	WHA41P2003A	-	-	-	-
TISC13C2006A	0.34	0.03	75,460	-	TRUE08C2004A	0.06	(0.01)	60,000	-	WHA41P2005A	1.33	0.11	4,000	1.00
TISC16C2001A	0.24	0.02	25,214	-	TRUE08C2005A	0.21	(0.05)	40,380	-	WHA42C2005A	0.03	(0.01)	10,000	-
TISC19C2004A	0.57	0.05	14,720	-	TRUE08P2005A	0.85	0.08	36,038	-	WHAU27C2002A	-	-	-	-
TISC41C2005A	-	-	-	-	TRUE11C2005A	-	-	-	-	Preferred/Foreign	-	-	-	-
TISC41C2006A	-	-	-	-	TRUE11C2005B	0.04	(0.01)	1,195	-	BH-Q	-	-	-	-
TISC41P2006A	0.44	(0.04)	2,000	-	TRUE11P2002A	0.46	0.09	99,205	-	CSC-Q	-	-	-	-
TISC42C2003A	0.21	0.03	7,720	-	TRUE13C2003A	0.02	-	10,000	-	JUTHA-Q	-	-	-	-
TKN01C2003A	0.18	0.01	90,443	-	TRUE13C2003B	0.09	(0.04)	201,035	-	KTB-Q	-	-	-	-
TKN01C2003B	0.10	-	33,650	-	TRUE13C2006A	0.32	(0.05)	182,249	-	SCB-Q	-	-	-	-
TKN08C2003A	0.22	0.01	22,020	-	TRUE13P2001A	0.68	0.11	37	-	TCAP-Q	-	-	-	-
TKN13C2004A	0.18	0.01	120,370	-	TRUE16C2002A	-	-	-	-	TISCO-Q	-	-	-	-
TKN16C2001A	0.05	0.01	52,045	-	TRUE19C2003A	-	-	-	-	U-Q	-	-	-	-
TKN19C2001A	-	-	-	-	TRUE19C2004A	0.06	(0.02)	7,631	-	Warrant	-	-	-	-
TKN19C2004A	0.46	0.03	34,489	-	TRUE19C2006A	0.26	(0.08)	96,757	-	7UP-W4	0.11	0.01	33,895	-
TKN19C2004B	0.23	0.02	24,759	-	TRUE19P2003A	0.55	0.09	123,918	-	AKR-W1	0.10	-	42,348	-
TKN24C2002A	0.21	0.03	10,900	-	TRUE19P2005A	0.52	0.07	151,705	-	ALT-W1	0.25	-	2,564	-
TKN28C2002A	-	-	-	-	TRUE28C2003A	-	-	-	-	APEX-W1	-	-	-	-
TKN28C2003A	-	-	-	-	TRUE28C2003B	-	-	-	-	APURE-W2	0.07	(0.02)	2,720	-
TKN41C2001A	-	-	-	-	TRUE41C2001A	-	-	-	-	AS-W1	0.09	(0.01)	1,202	-
TKN41C2003A	-	-	-	-	TRUE41C2001B	-	-	-	-	AYUD-W1	0.82	(0.06)	6,489	-
TKN41C2006A	0.29	0.02	1,400	-	TRUE41C2002A	-	-	-	-	B-W3	-	-	-	-
TKN42C2003A	0.08	(0.01)	100	-	TRUE41C2003A	-	-	-	-	B-W4	0.04	0.01	43	-
TMB01C2004A	0.34	(0.01)	155,681	-	TRUE41C2004A	-	-	-	-	B-W5	0.04	-	2,077	-
TMB01C2004B	0.17	(0.01)	71,014	-	TRUE41C2005A	-	-	-	-	B52-W2	-	-	-	-
TMB01P2004A	0.32	(0.01)	68,640	-	TRUE41C2006A	0.26	(0.07)	5,756	-	BKD-W2	0.11	-	1,013	-
TMB13C2002A	0.15	-	61,301	-	TRUE41P2001A	-	-	-	-	CGD-W4	0.10	-	2,281	-
TMB19C2001A	0.02	0.01	1	-	TRUE41P2004A	0.53	0.10	20,000	-	CGH-W3	0.02	-	3,292	-
TMB19C2004A	0.27	-	28,918	-	TRUE41P2005A	0.83	0.10	2,346	-	CI-W1	0.03	(0.01)	146	-
TMB19P2004A	0.32	-	10,738	-	TRUE42C2003A	-	-	-	-	CKP-W1	0.15	(0.02)	137,390	-
TMB28C2002A	0.10	-	9,148	-	TRUE42C2004A	0.11	(0.03)	600	-	CRANE-W1	0.60	(0.08)	435	-
TMB41C2002A	-	-	-	-	TTW27C2009A	0.32	(0.01)	6,000	-	DCC-W1	0.58	-	17,456	-
TMB41C2005A	0.24	-	3,000	-	TU01C2001A	0.01	-	23,560	-	ECL-W3	0.17	(0.04)	46,955	-
TMB41P2002A	0.01	-	152	-	TU01C2001B	-	-	-	-	EIC-W2	-	-	-	-
TMB41P2003A	-	-	-	-	TU01C2004A	0.28	0.01	84,769	-	EIC-W3	-	-	-	-
TMB41P2006A	0.33	0.01	7,106	-	TU01C2004B	0.26	0.02	87,953	-	EMC-W6	0.03	-	16,904	-
TOA01C2001A	0.13	0.06	8,957	-	TU01P2001A	0.92	(0.09)	6,013	-	EPCO-W3	0.48	(0.02)	1,060	-
TOA01C2001B	-	-	-	-	TU01P2004A	0.20	(0.02)	68,082	-	GJS-W3	-	-	-	-
TOA01C2006A	0.47	0.07	71,120	-	TU06C2004A	0.13	0.01	25,512	-	GLOCON-W4	0.28	0.01	45,618	-
TOA01C2006B	0.35	0.07	84,314	-	TU11C2003A	-	-	-	-	J-W1	0.21	-	30	-
TOA01P2001A	0.04	-	3,335	-	TU11C2008A	0.44	0.04	32,000	-	JAS-W3	1.69	(0.02)	18,311	1.00
TOA08C2003A	-	-	-	-	TU13C2003A	0.04	-	15,702	-	JCK-W5	0.07	0.01	5,173	-
TOA13C2003A	0.08	0.03	5,185	-	TU13C2004A	0.29	0.02	40,322	-	JMT-W2	5.10	0.22	1,090	4.00
TOA16C2001A	0.08	0.04	23,953	-	TU19C2001A	-	-	-	-	MACO-W2	0.15	(0.01)	594,855	-
TOA19C2004A	0.11	0.02	18,445	-	TU19C2002A	-	-	-	-	MILL-W5	0.03	0.01	4,863	-
TOA24C2005A	0.11	0.03	11,665	-	TU19C2003A	-	-	-	-	MILL-W4	-	-	-	-
TOA41C2004A	-	-	-	-	TU19C2005A	0.38	0.03	20,551	-	MINT-W6	2.74	(0.06)	33,515	2.00
TOP01C2003A	0.22	(0.07)	244,278	-	TU24C2003A	-	-	-	-	NFC-W1	0.60	(0.06)	150	-
TOP01C2003B	0.03	(0.04)	28,295	-	TU24C2006A	0.34	0.02	17,270	-	NOK-W1	0.02	-	1,800	-
TOP01C2006A	0.48	(0.10)	123,369	-	TU27C2004A	-	-	-	-	NUSA-W3	0.01	-	15	-
TOP01C2006B	0.27	(0.08)	204,512	-	TU27C2006A	0.24	0.03	25,801	-	NVD-W1	0.13	(0.02)	4,673	-
TOP01P2003A	0.81	0.13	73,617	-	TU41C2002A	-	-	-	-	ORI-W1	0.48	(0.03)	47,535	-
TOP01P2006A	0.91	0.13	178,564	-	TU41C2003A	-	-	-	-	PACE-W2	0.01	-	1,155	-
TOP06C2004A	0.03	(0.02)	8,510	-	TU41C2004A	0.20	0.03	3,000	-	PACE-W3	-	-	-	-
TOP06P2005A	0.88	0.21	2,002	-	TU41C2005A	0.34	-	786	-	PDI-W1	0.41	(0.02)	910	-
TOP08C2003A	-	-	-	-	TU41P2003A	-	-	-	-	PDJ-W3	-	-	-	-
TOP08P2003A	0.79	0.14	43,021	-	TU41P2004A	0.14	(0.02)	2,000	-	PDJ-W4	0.40	(0.03)	1,848	-
TOP11C2002A	0.01	(0.01)	357	-	TV01C2001A	0.01	-	3,767	-	PERM-W1	0.15	-	6,370	-
TOP11C2007A	0.20	(0.08)	57,077	-	TVO13C2007A	0.24	-	2,501	-	PORT-W1	0.75	(0.08)	52,173	-

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP11P2002A	0.46	0.12	93,483	-	TVO19C2004A	0.19	0.01	897	-	PPPM-W4	0.18	(0.02)	10,245	-
TOP13C2002A	-	-	-	-	TVO19C2007A	0.17	-	2,000	-	PRIME-W1	-	-	-	-
TOP13C2004A	0.09	(0.04)	94,723	-	VGI01C2005A	0.41	0.02	82,927	-	PRIME-W2	-	-	-	-
TOP13C2006A	0.31	(0.08)	137,333	-	VGI11C2008A	0.36	0.02	45,300	-	RICHY-W2	-	-	-	-
TOP13P2001A	0.34	0.22	13	-	VGI13C2006A	0.37	0.02	155,878	-	RS-W3	1.34	0.02	9,298	1.00
TOP13P2005A	-	-	-	-	VGI19C2006A	0.31	-	20,289	-	SAMART-W2	0.56	0.11	32,424	-
TOP13P2006A	0.68	0.11	160,437	-	VGI41C2006A	-	-	-	-	SAWAD-W1	25.00	2.30	4,504	24.00

Main Board Quotation

Issue Date :

Tuesday January 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-