

## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	0.81	(0.09)	56,833	0.83
POMPUI	-	-	-	-	DIF	17.30	0.20	132,950	17.20	MPIC	-	-	-	-
SAFARI	-	-	-	-	DTAC	44.50	(0.25)	28,798	44.54	NMG	-	-	-	-
VI	-	-	-	-	FORTH	6.20	0.10	352	6.19	PLANB	5.95	(0.65)	1,660,322	5.90
WORLD	-	-	-	-	HUMAN	7.85	-	262	7.85	POST	1.94	-	10	1.94
WR	-	-	-	-	ILINK	3.50	0.02	249	3.48	PRAKIT	10.10	-	20	10.11
Agribusiness	-	-	-	-	INET	2.22	0.04	1,457	2.19	SE-ED	1.59	(0.01)	3	1.55
CHOTI	71.00	(0.50)	5	70.95	INTUCH	55.75	(2.50)	367,564	55.55	SPORT	0.16	-	3,287	0.16
EE	0.56	-	4,200	0.55	JAS	5.10	0.10	256,497	5.05	TBSP	-	-	-	-
GFPT	12.50	0.60	82,933	12.38	JASIF	9.85	0.05	103,939	9.82	TH	0.59	-	3,502	0.59
LEE	2.04	(0.02)	2,083	2.03	JMART	9.00	0.25	21,421	8.91	TKS	6.30	-	632	6.26
NER	2.68	-	172,142	2.63	JTS	0.99	-	22	0.99	VGI	8.80	(0.30)	615,936	8.58
PPPM	0.47	(0.02)	588	0.47	MFEC	3.26	-	731	3.26	WAVE	1.05	-	24	1.05
STA	12.60	0.40	157,918	12.54	MSC	5.45	0.05	261	5.37	WORK	12.50	(0.20)	30,200	12.68
TRUBB	0.62	-	1,243	0.61	PT	4.30	0.08	1,552	4.31	Finance & Securities	-	-	-	-
TWPC	4.06	0.04	2,371	4.00	SAMART	7.40	(0.15)	65,075	7.37	AEC	0.29	0.01	92	0.30
UPOIC	3.32	-	27	3.36	SAMTEL	7.15	-	99	7.10	AEONTS	164.00	(0.50)	836	164.67
UVAN	5.25	-	329	5.26	SDC	0.18	-	435	0.18	AMANAH	3.10	0.02	78,059	3.11
VPO	0.57	-	2,788	0.57	SIS	8.00	(0.15)	1,067	7.99	ASAP	1.80	(0.04)	1,358	1.80
Banking	-	-	-	-	SVOA	1.07	(0.02)	1,867	1.07	ASK	25.50	-	464	25.50
BAY	28.25	-	5,316	28.26	SYMC	2.74	(0.08)	213	2.72	ASP	1.70	(0.01)	8,382	1.70
BBL	143.00	2.00	124,756	142.13	SYNEX	6.60	(0.05)	3,422	6.58	BAM	27.00	0.75	684,647	26.38
CIMBT	0.66	(0.01)	84,091	0.68	THCOM	3.72	0.04	3,345	3.67	BFIT	30.00	-	2,334	29.99
KBANK	141.50	8.00	246,602	137.48	TRUE	3.82	(0.06)	482,202	3.84	CGH	0.83	0.02	37,830	0.81
KKP	68.00	(0.25)	23,447	67.60	TWZ	0.08	-	304,465	0.08	CNS	2.48	-	2,603	2.48
KTB	16.10	(0.10)	281,448	16.10	Electronic Componer	-	-	-	-	ECL	1.11	-	3,759	1.11
LHFG	1.37	-	10,667	1.36	CCET	1.74	-	1,543	1.74	FNS	2.12	0.10	272	2.10
SCB	99.25	(0.25)	131,644	98.50	DELTA	52.00	-	9,562	51.59	FSS	1.60	-	1	1.60
TCAP	51.50	0.50	53,103	51.59	EIC	0.04	-	1,805	0.04	GBX	0.44	0.01	184	0.44
TISCO	101.00	(0.50)	17,564	101.40	HANA	35.25	0.25	12,562	34.78	GL	4.10	-	2,727	4.10
TMB	1.43	-	1,068,707	1.43	KCE	18.70	(0.90)	554,544	18.91	IFS	3.18	-	3,760	3.12
Construction Materia	-	-	-	-	METCO	175.00	0.50	19	174.95	JMT	21.70	0.30	16,709	21.68
CCP	0.28	-	4,444	0.28	NEX	2.98	(0.02)	18,859	2.96	KCAR	10.10	-	483	10.06
COTTO	1.34	0.01	614	1.36	SMT	1.04	0.01	1,850	1.03	KGI	4.62	0.02	9,913	4.62
DCC	1.82	0.01	5,112	1.81	SVI	3.22	(0.02)	5,842	3.23	KTC	34.75	(0.25)	45,591	34.88
DCON	0.34	0.01	3,231	0.34	TEAM	0.73	-	354	0.74	MBKET	6.70	-	281	6.70
DRT	6.30	(0.05)	1,613	6.31	Energy & Utilities	-	-	-	-	MFC	15.30	0.10	275	15.03
EPG	5.75	-	49,328	5.72	7UP	0.47	0.02	111,577	0.45	ML	0.88	0.03	2,000	0.86
GEL	0.13	(0.01)	39,541	0.13	ABPIF	4.76	0.02	386	4.75	MTC	65.50	0.50	46,328	65.85
PPP	2.02	(0.02)	575	1.99	ACE	3.00	(0.04)	297,101	3.01	PE	0.05	(0.01)	17	0.05
Q-CON	5.25	(0.05)	150	5.36	AI	1.06	0.01	8,785	1.06	PL	2.62	(0.02)	334	2.62
RCI	-	-	-	-	AKR	0.63	-	2,620	0.62	S11	7.15	(0.05)	1,566	7.11
SCC	356.00	1.00	17,865	354.52	BAFS	28.75	-	1,182	28.52	SAWAD	76.25	3.00	58,156	75.13
SCCC	187.50	(1.00)	167	187.27	BANPU	10.20	-	255,272	10.06	THANI	5.50	-	12,854	5.52
SCP	5.75	(0.05)	451	5.76	BCP	25.00	(0.25)	51,826	24.96	TK	9.35	(0.10)	546	9.42
SKN	2.08	0.06	6,605	2.06	BCPG	15.80	(0.20)	32,430	15.89	TNITY	3.80	-	15	3.80
TASCO	20.90	0.30	43,599	20.77	BGRIM	64.25	-	142,681	64.03	UOBKH	2.88	(0.04)	55	2.88
TCMC	1.91	0.06	617	1.89	BPP	15.00	(0.10)	41,925	15.13	ZMICO	0.68	(0.02)	5,993	0.69
TOA	36.50	(0.75)	15,969	36.53	BRRGIF	8.35	0.05	206	8.28	Food & Beverage	-	-	-	-
TPIPL	1.56	0.05	22,781	1.54	CKP	4.10	0.04	121,382	4.08	APURE	0.72	-	558	0.73
UMI	0.66	(0.01)	1,301	0.66	DEMCO	2.60	-	936	2.60	ASIAN	4.00	0.08	15,485	4.00
VNG	3.74	-	423	3.74	EA	43.25	0.25	61,273	43.07	BR	2.30	(0.02)	6,242	2.31
WIHK	1.30	-	7,778	1.30	EASTW	11.70	(0.10)	6,607	11.70	BRR	3.72	0.02	150	3.69
Petrochemicals & Ch	-	-	-	-	EGATIF	12.90	0.10	33,590	12.83	CBG	89.50	(0.25)	16,301	89.45
BCT	41.00	-	362	41.00	EGCO	317.00	(3.00)	6,946	317.95	CFRESH	1.45	0.01	1,041	1.45
CMAN	1.15	(0.03)	3,713	1.16	ESSO	6.70	(0.05)	175,686	6.65	CM	2.76	0.04	967	2.76
GC	5.85	(0.10)	612	5.74	GPSC	88.50	(0.50)	124,964	88.27	CPF	30.25	0.50	544,931	30.05
GGC	11.20	(0.10)	25,832	11.25	GULF	195.50	(2.50)	59,659	195.48	CPI	1.58	0.01	1,180	1.57
GIFT	2.30	0.02	3,416	2.28	GUNKUL	2.68	0.02	268,485	2.68	F&D	-	-	-	-
IVL	28.50	0.25	137,036	28.44	IFEC	-	-	-	-	HTC	22.70	(0.10)	459	22.62
NFC	2.20	0.10	6	2.20	IRPC	2.92	-	659,352	2.90	ICHI	5.10	(0.05)	3,997	5.15
PATO	11.20	0.10	174	11.15	LANNA	7.45	0.05	1,603	7.40	KBS	3.76	0.08	761	3.73
PMTA	-	-	-	-	MDX	2.74	0.04	133	2.74	KSL	2.42	0.02	11,990	2.40
PTTGC	49.50	0.25	139,571	48.94	PRIME	0.36	0.02	7,062	0.34	KTIS	4.04	0.06	1,631	4.06
SUTHA	1.87	0.08	607	1.88	PTG	14.20	0.30	138,144	14.21	LST	4.80	-	1,659	4.78
TCCC	20.30	-	103	20.23	PTT	43.50	-	157,860	43.50	M	69.50	(0.25)	986	69.49
TPA	5.65	0.05	6	5.61	PITTEP	126.00	(0.50)	65,488	125.63	MALEE	7.00	-	309	6.92
UP	14.30	0.30	2	14.20	RATCH	70.75	(0.50)	48,533	70.54	MINT	31.00	(0.75)	197,589	30.88
VNT	24.60	0.60	15,765	24.38	RPC	0.62	-	1,460	0.62	OISHI	95.75	0.25	7	95.54
WG	158.00	(2.00)	8	155.00	SCG	3.90	0.02	10	3.90	OSP	45.00	(0.50)	41,192	45.01
YCI	-	-	-	-	SCI	1.67	0.07	259,444	1.66	PB	68.00	0.50	5	66.80
Commerce	-	-	-	-	SCN	1.74	0.02	17,251	1.70	PM	6.35	0.05	2,614	6.36
BEAUTY	2.24	(0.02)	1,036,655	2.23	SGP	8.40	0.20	50,582	8.33	PRG	12.20	-	1	12.20
BIG	0.66	0.02	194,567	0.66	SKE	0.70	-	870	0.71	RBF	4.46	0.06	152,253	4.46
BJC	41.25	0.50	47,732	41.15	SOLAR	1.44	(0.03)	1,291	1.45	SAPPE	20.30	0.50	1,587	20.02
COL	16.80	-	1,401	16.77	SPCG	20.20	0.30	6,123	20.05	SAUCE	22.20	-	113	22.17
COM7	27.00	-	45,671	26.99	SPRC	8.35	0.05	171,161	8.30	SFP	-	-	-	-
CPALL	71.75	(0.25)	153,024	72.05	SSP	7.15	-	3,109	7.16	SNP	13.90	(0.10)	11	13.91
CPW	1.54	(0.01)	12,740	1.53	SUPER	0.51	(0.01)	226,421	0.51	SORKON	-	-	-	-
CSS	1.24	(0.01)	8,161	1.25	SUPEREIF	11.30	0.20	7,551	11.12	SSC	31.00	-	220	31.01
DOHOME	8.95	0.25	96,877	8.93	SUSCO	2.72	-	2,459	2.71	SSF	5.85	0.15	31	5.80
FN	1.08	(0.02)	10,692	1.09	TAE	3.66	(0.02)	22,402	3.63	SST	3.50	(0.06)	100	3.50
FTE	1.98	-	166	1.98	TCC	0.21	-	2,159	0.21	TC	-	-	-	-
GLOBAL	14.30	-	57,940	14.38	TOP	52.25	(1.00)	121,660	52.21	TFG	4.52	0.14	38,801	4.48
HMPRO	15.00	(0.10)	88,338	15.06	TPIPP	4.32	-	24,340	4.33	TFMAMA	195.00	3.00	41	193.65
ILM	12.80	-	5,717	12.89	TSE	3.30	0.08	221,717	3.27	TIPCO	6.90	(0.05)	3,380	6.90
IT	2.80	(0.02)	62	2.81	TTW	13.80	-	45,058	13.76	TKN	9.30	(0.20)	112,065	9.38
KAMART	3.70	-	2,992	3.71	WHAUP	5.25	(0.10)	31,042	5.28	TU	14.70	0.70	258,504	14.54
LOXLEY	1.25	(0.01)	6,362	1.24	WP	5.10	0.12	3,483	5.08	TVO	28.75	1.25	40,956	28.19
MAKRO	33.75	0.25	5,986	33.62	Media & Publishing	-	-	-	-	ZEN	11.80	-	1,319	11.80
MC	9.65	0.85	128,882	9.37	AMARIN	3.94	(0.02)	122	3.86	Health Care Services	-	-	-	-
MEGA	27.75	0.50	20,584	27.63	AQUA	0.41	0.01	24,266	0.41	AHC	-	-	-	-
MIDA	0.48	-	2,502	0.48	AS	1.40	0.12	64	1.29	BCH	15.60	-	49,545	15.72
ROBINS														

## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	8.00	-	621	7.99	BROCK	1.61	-	5	1.61	HFT	3.00	-	3,254	2.99
PRINC	4.62	0.02	1,743	4.60	CGD	0.89	-	24,799	0.88	IHL	3.68	(0.02)	4,013	3.66
RAM	149.50	0.50	24	149.23	CI	0.82	0.01	15	0.81	INGRS	0.51	0.01	2,241	0.50
RJH	25.00	-	122	24.95	CPN	60.00	1.00	86,659	60.08	IRC	15.00	-	90	15.02
RPH	6.55	(0.05)	2,600	6.50	ESTAR	0.34	-	3,108	0.33	PCSGH	5.95	(0.05)	1,024	5.51
SKR	5.10	(0.05)	2,243	5.10	EVER	0.24	-	52,137	0.24	SAT	12.80	(0.10)	9,659	12.82
SVH	448.00	-	8	448.00	FPT	14.10	-	1,623	14.01	SPG	-	-	-	-
THG	27.00	0.50	6,371	27.17	GLAND	2.78	-	2,737	2.78	STANLY	172.00	1.50	18	171.11
VIBHA	1.67	0.01	48,208	1.68	GOLD	7.95	0.05	489	7.94	TKT	0.96	0.01	113	0.95
VIH	6.50	0.05	7,753	6.39	GREEN	0.74	-	399	0.74	TNPC	0.68	0.01	3	0.68
WPH	1.82	-	856	1.82	J	0.83	0.03	419	0.80	TRU	4.16	(0.02)	209	4.16
Tourism & Leisure					JCK	0.85	0.01	6,465	0.84	TSC	11.10	-	107	11.03
ASIA	4.98	0.04	25	4.98	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	21.70	0.30	32,558	21.54	KWG	-	-	-	-	ALLA	1.20	0.01	6,521	1.20
CSR	-	-	-	-	LALIN	5.10	0.05	407	5.10	ASEFA	3.42	0.02	295	3.38
DTC	9.25	(0.10)	179	9.27	LH	9.60	(0.05)	190,815	9.64	CPT	0.75	(0.01)	2,071	0.76
ERW	4.28	(0.08)	209,290	4.30	LPN	4.86	(0.04)	29,680	4.90	CRANE	1.71	-	6	1.71
GRAND	0.70	0.01	1,472	0.69	MBK	19.80	(0.30)	26,705	19.96	CTW	5.00	(0.05)	125	5.00
LRH	37.00	(1.25)	51	37.23	MJD	2.82	(0.06)	1,338	2.77	FMT	-	-	-	-
MANRIN	-	-	-	-	MK	3.06	-	15,606	3.07	HTECH	2.96	(0.04)	1,127	2.98
OHTL	-	-	-	-	NCH	0.73	(0.01)	80	0.73	KKC	0.70	(0.02)	661	0.70
ROH	-	-	-	-	NNCL	2.16	(0.02)	12,392	2.16	PK	1.18	0.01	352	1.18
SHANG	-	-	-	-	NOBLE	16.40	-	650	16.33	SNC	9.20	(0.25)	6,215	9.27
SHR	2.10	(0.04)	133,256	2.11	NUSA	0.53	(0.01)	52,245	0.53	STARK	2.18	-	15,737	2.19
VRANDA	6.55	(0.10)	7,668	6.43	NVD	1.87	0.07	115	1.80	TCJ	3.20	(0.04)	245	3.16
Home & Office Prod.					ORI	6.70	(0.05)	45,654	6.78	VARO	-	-	-	-
ACC	0.65	0.05	3,613	0.63	PACE	0.06	-	30,795	0.06	Property Fund & REI	-	-	-	-
AJA	0.22	0.01	74,839	0.21	PF	0.80	-	50,549	0.79	AIMCG	8.30	-	1,659	8.28
DTCI	-	-	-	-	PLAT	3.96	(0.04)	5,533	3.96	AIMIRT	13.20	0.10	2,186	13.20
FANCY	0.48	-	1,125	0.49	POLAR	-	-	-	-	AMATAR	11.70	0.30	121	11.70
KYE	255.00	(1.00)	1	255.00	PRECHA	0.99	-	233	0.99	B-WORK	12.30	(0.10)	501	12.30
L&E	-	-	-	-	PRIN	1.48	-	250	1.48	BKER	9.15	0.05	765	9.12
MODERN	2.32	(0.02)	683	2.34	PSH	14.00	0.20	33,521	13.90	BKKPC	13.30	-	380	13.30
OGC	-	-	-	-	QH	2.48	-	73,192	2.48	BOFFICE	17.20	-	382	17.20
ROCK	-	-	-	-	RICHY	0.85	0.02	564	0.83	CPNCG	12.30	-	1,180	12.29
SIAM	1.69	0.02	485	1.66	RML	0.87	(0.01)	1,690	0.86	CPNREIT	36.00	0.25	37,552	36.10
TSR	2.20	(0.02)	3,354	2.21	ROJNA	5.15	0.10	5,380	5.09	CPTGF	13.00	-	95	12.98
Insurance					S	2.26	0.02	13,337	2.24	CTARAF	5.60	-	436	5.55
AYUD	-	-	-	-	SAMCO	1.57	(0.01)	775	1.58	DREIT	6.45	-	215	6.45
BKI	291.00	-	14	290.64	SC	2.20	(0.02)	3,635	2.21	ERWPF	5.15	(0.05)	520	5.10
BLA	19.00	-	5,401	18.82	SENA	2.64	0.04	9,506	2.58	FTREIT	15.40	(0.20)	4,140	15.33
BUI	-	-	-	-	SF	5.40	0.05	1,964	5.39	FUTUREPF	24.80	(0.10)	87	24.80
CHARAN	-	-	-	-	SIRI	1.00	-	58,677	1.00	GAHREIT	-	-	-	-
INSURE	-	-	-	-	SPALI	16.40	0.30	106,323	16.56	GLANDRT	13.20	-	15	13.20
MTI	-	-	-	-	U	1.52	(0.02)	38,584	1.54	GOLDFP	7.45	0.45	1	7.45
NKI	54.00	-	1	54.00	UV	4.94	(1.21)	118,457	4.97	GVREIT	17.10	0.10	1,443	17.07
NSI	-	-	-	-	WHA	3.22	-	724,581	3.23	HPF	4.92	-	253	4.90
SEG	35.00	(0.75)	13	35.17	WIN	0.40	0.01	41	0.40	HREIT	8.60	(0.15)	1,778	8.60
SMK	29.50	(0.25)	25	29.53	Paper & Printing Mat	-	-	-	-	IMPACT	24.10	0.30	1,870	23.90
THRE	0.61	-	12,309	0.60	UTP	9.55	(0.05)	1,630	9.59	KPNPF	-	-	-	-
THREL	3.56	-	272	3.56	Fashion	-	-	-	-	LHHOTEL	-	-	-	-
TIP	24.40	-	360	24.36	AFC	6.50	-	20	6.50	LHPF	8.95	-	1	8.95
TQM	75.50	-	6,194	75.86	B52	0.19	-	3,264	0.19	LHSC	19.00	0.40	3,507	18.63
TSI	0.48	0.01	249	0.48	BTNC	-	-	-	-	LUXF	8.25	(0.05)	429	8.25
TVI	4.00	0.04	35	3.94	CPH	-	-	-	-	M-II	7.80	(0.10)	501	7.80
Mining					CPL	1.00	0.05	328	0.92	M-PAT	5.05	-	39	5.05
PDI	5.50	0.10	949	5.53	ICC	-	-	-	-	M-STOR	6.60	-	30	6.52
THL	-	-	-	-	NC	-	-	-	-	MIPF	-	-	-	-
Packaging					PAF	0.54	-	957	0.51	MIT	-	-	-	-
AJ	8.25	0.05	434	8.23	PDJ	1.37	0.01	13,917	1.32	MJLF	10.60	-	3,220	10.60
ALUCON	150.00	(2.00)	8	150.75	PG	-	-	-	-	MNIT	-	-	-	-
BGC	12.80	(0.20)	2,666	12.83	SABINA	23.10	(0.20)	4,962	23.11	MNIT2	-	-	-	-
CSC	51.75	(1.00)	20	52.60	SAWANG	-	-	-	-	MNRF	2.98	(0.12)	117	2.99
GLOCON	0.72	(0.02)	25,959	0.72	SUC	42.50	-	115	42.28	POPF	12.90	-	2,602	12.90
NEP	0.17	(0.02)	6,036	0.16	TNL	-	-	-	-	PPF	11.10	(0.10)	356	11.19
PTL	13.40	(0.20)	5,604	13.46	TPCORP	12.10	1.60	134	12.30	QHHR	9.20	0.05	180	9.20
SFLEX	4.98	0.42	107,672	4.84	TR	26.75	(0.25)	28	26.84	QHOP	-	-	-	-
SITHAI	0.64	(0.01)	3,772	0.65	TTI	-	-	-	-	QHPF	13.70	-	3,226	13.70
SLP	0.46	-	1,197	0.46	TTT	50.75	0.25	5	50.75	SBPF	-	-	-	-
SMPC	5.85	0.20	1,000	5.82	UPF	37.00	(9.00)	5	36.60	SHREIT	-	-	-	-
SPACK	1.18	0.08	5	1.18	UT	-	-	-	-	SIRIP	-	-	-	-
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPF	22.80	-	1,269	22.80
TFI	0.05	-	13	0.05	Transportation & Log	-	-	-	-	SPRIME	14.30	0.10	2,076	14.16
THIP	19.80	0.20	153	19.74	AAV	1.74	(0.02)	240,259	1.75	SRIANWA	11.10	-	3,465	11.10
TMD	-	-	-	-	AOT	69.50	-	325,929	69.30	SSPF	9.60	-	25	9.60
TOPP	-	-	-	-	ASIMAR	1.11	0.01	603	1.12	SSTRT	5.90	-	11	5.90
TPBI	3.96	0.02	15	3.95	B	0.21	-	28,641	0.20	TIF1	9.05	-	1	9.05
TPP	-	-	-	-	BA	5.80	0.05	9,121	5.71	TLGF	21.70	-	7,212	21.67
Personal Products &					BEM	11.00	0.20	450,298	11.00	TLHPF	10.80	-	838	10.80
APCO	3.14	-	668	3.10	BTS	12.70	0.10	854,453	12.67	TNPF	2.84	0.02	45	2.84
DDD	22.80	0.10	276	22.64	BTSGIF	10.20	0.20	47,979	10.11	TPRIME	16.70	0.10	1,250	16.70
JCT	80.00	(0.50)	36	80.02	III	4.84	0.10	3,038	4.80	TTLPF	-	-	-	-
OCC	-	-	-	-	JUTHA	0.33	(0.06)	149	0.33	TU-PF	-	-	-	-
S & J	-	-	-	-	JWD	7.35	0.05	1,569	7.33	URBNPF	-	-	-	-
STHAI	-	-	-	-	KWC	290.00	(9.00)	7	290.00	WHABT	9.70	-	17	9.70
TNR	8.55	-	226	8.45	NOK	1.93	(0.01)	252	1.91	WHART	16.80	(0.10)	6,319	16.80
TOG	5.35	0.05	72	5.31	NYT	3.70	-	8,166	3.68	Steel	-	-	-	-
Professional Service					PORT	2.18	-	17,685	2.18	AMC	1.79	-	206	1.76
BWG	0.57	(0.01)	230,193	0.57	PRM	5.65	(0.15)	46,319	5.68	BSBM	0.88	0.02	1,089	0.86
GENCO	0.51	-	248	0.50	PSL	6.10	(0.30)	43,076	6.23	CEN	0.58	0.01	681	0.57
PRO	-	-	-	-	RCL	2.80	(0.02)	2,104	2.81	CITY	1.78	0.01	17	1.77
SISB	9.75	0.05	7,329	9.75	TFFIF	12.70	0.30	91,488	12.56	CSP	0.72	(0.01)	57	0.71
TEAMG	2.28	-	4,061	2.28	THAI	5.80	(0.10)	19,944	5.84	GJS	0.12	-	4,538	0.12
Property Developme					TSTE	7.20	0.95	1	7.20	GSTEEL	-	-	-	-
A	6.10	(0.05)	70	6.11	TTA	3.66	-	4,700	3.66	INOX	0.60	-	166	0.60
AMATA	16.80	0.10	46,443	16.74	WICE	2.04	0.02	16,493	2.04	LHK	2.66	(0.02)	1,715	2.64
AMATAV	4.70	-	3,656	4.64	Automotive	-	-	-	-	MAX	0.01	-	86,574	0.01
ANAN	2.12	0.08	64,181	2.06	AH	13.90	-	320	13.81	MCS	9.80	0.10	7,816	9.75
AP	7.10	-	70,842	7.16	APCS	4.08	0.08	572	3.99	MILL	0.54	(0.01)	1,220	0.53
APEX	0.15	-	5,820	0.15	BAT-3K	-	-	-	-	PAP	2.24	0.04	488	2.16
A														

## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	ABM	0.66	0.01	266	-	AAV19C2001A	-	-	-	-
ABICO	4.00	-	350	4.00	AGE	0.88	0.01	12	-	AAV19C2003A	0.01	(0.01)	17,973	-
AU	10.50	0.10	26,564	10.00	AIE	0.35	(0.01)	25,110	-	AAV19C2004A	0.03	-	15,001	-
JCKH	0.23	0.01	156	-	PSTC	0.73	-	48,366	-	AAV24C2001A	-	-	-	-
KASET	1.16	0.01	264	1.00	QTC	4.76	(0.10)	967	4.00	ADVA01C2003A	0.12	(0.07)	255,513	-
MM	2.30	-	798	2.00	SAAM	0.92	(0.02)	631	-	ADVA01C2003B	0.03	(0.02)	46,060	-
SUN	1.74	0.07	10,935	1.00	SEAOL	2.26	(0.06)	4,972	2.00	ADVA01C2005A	0.36	(0.11)	188,508	-
TACC	4.18	0.04	2,951	4.00	SR	0.94	0.05	761	1.00	ADVA01C2005B	0.14	(0.09)	219,418	-
TMILL	2.78	0.02	440	2.00	TAKUNI	0.39	-	1,444	-	ADVA01P2003A	0.92	0.18	84,616	-
XO	5.65	0.05	407	5.00	TPCH	12.00	-	3,829	12.00	ADVA01P2003B	0.58	0.16	260,243	-
Consumer Products	-	-	-	-	TRT	1.80	(0.01)	771	1.00	ADVA06C2005A	0.06	(0.07)	136,678	-
BGT	0.94	-	20	-	UMS	0.26	-	65	-	ADVA08C2001A	0.01	-	3,010	-
BIZ	3.00	-	1,251	2.00	UWC	0.03	0.01	16,073	-	ADVA08C2005A	0.15	(0.08)	36,515	-
DOD	7.70	-	4,548	7.00	Services (MAI)	-	-	-	-	ADVA08P2004A	0.41	0.13	80,398	-
ECF	1.21	0.01	93,461	1.00	A5	-	-	-	-	ADVA11C2006A	0.05	(0.02)	21,395	-
HPT	0.61	0.01	253	-	AKP	1.09	0.03	6,814	1.00	ADVA11P2005A	0.18	0.05	53,009	-
IP	6.35	(0.10)	1,918	6.00	AMA	4.90	0.08	442	4.00	ADVA13C2001A	-	-	-	-
JUBILE	17.70	0.10	354	17.00	ARIP	0.38	-	477	-	ADVA13C2004A	0.13	(0.08)	398,279	-
MOONG	3.64	0.02	239	3.00	ATP30	1.35	(0.01)	3,004	1.00	ADVA13P2003A	0.42	0.15	350,773	-
NPK	-	-	-	-	AUCT	6.40	-	5,891	6.00	ADVA16C2002A	0.01	(0.02)	46,071	-
OCEAN	1.19	0.02	2,461	1.00	BOL	2.82	(0.02)	1,740	2.00	ADVA16C2005A	0.02	(0.01)	10,659	-
TM	2.50	0.04	8,070	2.00	CHUO	-	-	-	-	ADVA16C2007A	0.12	(0.06)	352,109	-
Financials (MAI)	-	-	-	-	CMO	1.13	0.01	150	1.00	ADVA19C2002A	0.02	0.01	1,000	-
ACAP	1.36	-	5,405	1.00	D	3.84	(0.02)	660	3.00	ADVA19C2005A	0.14	(0.06)	88,215	-
AF	0.64	(0.02)	215	-	DCORP	0.37	-	7,821	-	ADVA19P2002A	0.10	0.05	106,482	-
AIRA	1.10	(0.05)	80	1.00	EFORL	0.06	0.01	234,084	-	ADVA19P2006A	0.37	0.10	233,188	-
ASN	6.15	-	142	6.00	ETE	0.75	0.01	70	-	ADVA23C2001A	-	-	-	-
BROOK	0.43	0.01	2,516	-	FSMART	6.50	0.05	5,103	6.00	ADVA24C2001A	-	-	-	-
CHAYO	5.80	0.10	38,615	5.00	FVC	0.39	0.01	2,493	-	ADVA24C2006A	0.26	(0.08)	84,574	-
GCAP	1.93	-	4,334	1.00	GSC	0.69	(0.01)	863	-	ADVA24P2001A	-	-	-	-
LIT	4.54	-	1,155	4.00	HARN	2.28	-	1	2.00	ADVA28C2002A	-	-	-	-
MITSIB	1.33	(0.01)	21,311	1.00	IMH	3.00	0.04	1,511	2.00	ADVA28C2004A	0.04	(0.02)	608	-
SGF	0.65	(0.01)	14,083	-	JKN	4.78	0.02	14,702	4.00	ADVA28C2005A	0.13	(0.08)	40,027	-
Industrials (MAI)	-	-	-	-	KIAT	0.30	-	7,484	-	ADVA28P2004A	0.39	0.13	59,504	-
2S	1.96	0.01	53	1.00	KOOL	0.91	0.02	6,034	-	ADVA41C2004A	-	-	-	-
ACG	0.95	0.01	1,036	-	LDC	0.98	0.01	715	-	ADVA41C2005A	-	-	-	-
ADB	0.52	0.01	495	-	MORE	0.35	-	19,651	-	ADVA41C2006A	-	-	-	-
BM	1.90	-	811	1.00	MPG	0.35	(0.03)	1,575	-	ADVA41C2007A	0.25	(0.09)	61,942	-
CHO	0.62	-	8,759	-	MVP	1.59	0.04	249	1.00	ADVA41P2004A	0.57	0.12	24,829	-
CHOW	1.40	-	29	1.00	NBC	0.43	(0.04)	2,356	-	ADVA41P2005A	0.43	0.11	23,765	-
CIG	0.21	-	7,375	-	NCL	1.02	0.01	2	1.00	ADVA42C2003A	-	-	-	-
COLOR	1.04	-	76	1.00	NEWS	0.01	-	617	-	ADVA42C2005A	-	-	-	-
CPR	3.28	0.02	12	3.00	NINE	2.00	0.01	62	2.00	AEON01C2005A	0.09	(0.01)	23,636	-
FPI	2.08	-	1,576	2.00	OTO	3.26	0.12	677	3.00	AEON13C2003A	-	-	-	-
GTB	-	-	-	-	PHOL	2.02	0.10	110,460	1.00	AEON19C2003A	-	-	-	-
KCM	0.50	-	12,139	-	PICO	4.00	(0.02)	64	4.00	AEON19C2006A	0.45	(0.01)	13,354	-
KUMWEL	0.72	0.02	2,056	-	QLT	4.88	(0.12)	134	4.00	AMAT01C2001A	0.01	-	129,390	-
KWM	0.79	(0.01)	2,530	-	RP	1.39	0.03	393	1.00	AMAT01C2001B	0.01	-	200	-
MBAX	2.96	-	102	2.00	SE	-	-	-	-	AMAT01C2004A	0.12	0.01	44,617	-
MGT	1.68	-	57	1.00	SONIC	0.97	-	672	-	AMAT01C2004B	-	-	-	-
NDR	1.02	0.01	19	1.00	SPA	12.10	(0.20)	13,582	12.00	AMAT01P2001A	1.38	(0.03)	7,185	1.00
PDG	2.88	0.02	320	2.00	THMUJ	0.55	-	1,250	-	AMAT06C2005A	0.08	0.01	14,968	-
PIMO	1.19	-	15,153	1.00	TNDT	-	-	-	-	AMAT08C2001A	0.01	-	6	-
PJW	1.12	(0.03)	146	1.00	TNH	32.00	-	325	32.00	AMAT08C2002A	-	-	-	-
PPM	0.64	-	782	-	TNP	2.00	-	2,885	2.00	AMAT08C2005A	0.09	0.01	10	-
RWI	-	-	-	-	TSF	-	-	-	-	AMAT11C2001A	-	-	-	-
SALEE	0.82	-	7	-	TVD	0.83	-	386	-	AMAT11C2004A	-	-	-	-
SANKO	0.92	-	518	-	TVT	0.53	(0.01)	826	-	AMAT11C2008A	0.27	0.03	37,460	-
SELIC	2.54	0.08	967	2.00	VL	1.26	(0.02)	21,680	1.00	AMAT13C2004A	0.04	(0.02)	452	-
SWC	3.64	-	166	3.00	WINNER	2.04	-	694	2.00	AMAT13C2006A	0.17	-	124,718	-
TMC	0.38	(0.01)	1,164	-	YGG	4.96	0.14	16,345	4.00	AMAT16C2003A	-	-	-	-
TMI	0.71	-	7,602	-	Technology (MAI)	-	-	-	-	AMAT16C2006A	0.03	-	4,050	-
TMW	37.00	0.50	19	36.00	APP	2.02	(0.04)	3,548	2.00	AMAT19C2003A	-	-	-	-
TPAC	9.25	(0.05)	3	9.00	COMAN	2.58	-	42	2.00	AMAT19C2005A	0.08	0.01	1,000	-
TPLAS	1.04	0.04	827	1.00	ICN	1.36	-	1,506	1.00	AMAT19C2006A	0.29	0.01	53,250	-
UAC	2.72	-	77	2.00	INSET	2.54	-	13,338	2.00	AMAT24C2001A	-	-	-	-
UBIS	5.45	-	7	5.00	IRCP	0.48	-	2,050	-	AMAT24C2006A	0.10	0.01	18,476	-
UEC	0.74	-	30	-	ITEL	2.12	-	1,833	2.00	AMAT41C2002A	-	-	-	-
UKEM	0.40	-	6,107	-	NETBAY	33.50	-	1,365	33.00	AMAT41C2003A	-	-	-	-
UREKA	0.99	(0.01)	364	-	PLANET	1.04	-	2	1.00	AMAT41C2004A	-	-	-	-
YUASA	12.00	-	18	12.00	SIMAT	1.75	-	8,156	1.00	AMAT41C2005A	-	-	-	-
ZIGA	1.02	0.01	224	1.00	SKY	15.00	(0.20)	4,303	15.00	AMAT41C2006A	-	-	-	-
Property & Construc	-	-	-	-	SPVI	2.82	(0.02)	20,426	2.00	AMAT42C2003A	-	-	-	-
ALL	3.36	-	3,962	3.00	TPS	1.94	0.03	3,444	1.00	AMAT42C2005A	-	-	-	-
ARIN	0.65	0.01	2,002	-	UPA	0.20	0.02	10,218	-	ANAN13C2007A	0.10	0.01	1,200	-
ARROW	8.15	(0.05)	494	8.00	VCOM	2.88	-	11	2.00	ANAN19C2001A	-	-	-	-
BC	1.56	(0.02)	2,229	1.00	Unit Trust	-	-	-	-	ANAN19C2004A	-	-	-	-
BSM	0.32	-	1,559	-	MGE	-	-	-	-	ANAN19C2007A	0.14	0.01	5,090	-
BTW	0.65	(0.03)	2,992	-	SCBSET	-	-	-	-	AOT01C2002A	0.15	(0.01)	490,039	-
CAZ	2.38	(0.04)	2,274	2.00	ETF	-	-	-	-	AOT01C2002B	0.02	-	35	-
CHEWA	0.43	0.01	18,735	-	1DIV	9.69	(0.06)	1,147	9.00	AOT01C2004A	0.27	-	202,569	-
CMC	0.83	-	3,028	-	ABFTH	-	-	-	-	AOT01C2004B	0.07	-	2,760	-
CRD	0.56	-	683	-	BMSCG	7.15	(0.05)	191	7.00	AOT01P2002A	0.60	(0.01)	219,340	-
DIMET	0.33	-	16,022	-	BMSCITH	11.13	(0.02)	2,240	11.00	AOT01P2002B	0.23	(0.01)	114,566	-
FLOYD	1.30	0.01	263											

## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT16C2007A	0.18	-	93,242	-	BBL08C2002A	0.01	-	10	-	BDMS41C2004A	0.26	(0.14)	75	-
AOT19C2002A	-	-	-	-	BBL08C2005A	0.25	0.03	65,041	-	BDMS41C2005A	-	-	-	-
AOT19C2005A	0.23	-	67,890	-	BBL08P2002A	0.80	0.13	1	-	BDMS41C2006A	-	-	-	-
AOT19P2004A	0.51	0.01	36,611	-	BBL11C2001A	0.01	-	4	-	BDMS41P2002A	-	-	-	-
AOT24C2003A	0.03	-	3,531	-	BBL11C2005A	0.05	0.01	50,503	-	BDMS41P2004A	-	-	-	-
AOT27C2008A	0.29	-	62,861	-	BBL11C2007A	0.13	-	75,409	-	BDMS41P2006A	-	-	-	-
AOT28C2002A	-	-	-	-	BBL11P2001A	0.86	(0.11)	290	-	BDMS42C2003A	-	-	-	-
AOT28C2003A	-	-	-	-	BBL11P2008A	0.60	(0.05)	70,991	-	BEAU01C2001A	0.01	-	39,816	-
AOT28C2006A	0.14	-	31,492	-	BBL13C2003A	0.03	-	37,278	-	BEAU01P2001A	0.53	0.01	8,808	-
AOT28C2006B	0.27	-	124,518	-	BBL13C2004A	0.23	0.03	106,995	-	BEAU13C2001A	-	-	-	-
AOT28P2004A	0.44	(0.02)	12,754	-	BBL13P2003A	1.07	0.02	4,202	1.00	BEAU13C2003A	0.07	-	37,758	-
AOT41C2002A	-	-	-	-	BBL13P2004A	0.69	(0.04)	66,567	-	BEAU13C2003B	0.03	-	5,905	-
AOT41C2003A	-	-	-	-	BBL16C2006A	0.12	0.02	32,180	-	BEAU19C2002A	0.02	-	20	-
AOT41C2004A	-	-	-	-	BBL19C2001A	-	-	-	-	BEC01C2001A	0.01	-	30	-
AOT41C2005A	-	-	-	-	BBL19C2003A	0.01	-	2,599	-	BEC01C2001B	0.01	-	5,000	-
AOT41C2006A	-	-	-	-	BBL19C2005A	0.21	0.02	63,533	-	BEC01C2006A	0.33	0.01	15,019	-
AOT41C2007A	0.25	-	6,011	-	BBL19P2002A	0.30	(0.08)	17,860	-	BEC01C2006B	0.17	0.01	23,011	-
AOT41P2002A	-	-	-	-	BBL24C2001A	-	-	-	-	BEC01P2001A	1.14	0.02	51,256	1.00
AOT41P2004A	-	-	-	-	BBL24C2004A	0.28	0.02	56,718	-	BEC01P2006A	0.59	0.01	77,244	-
AOT41P2005A	-	-	-	-	BBL27C2002A	-	-	-	-	BEC16C2002A	-	-	-	-
AOT41P2006A	0.61	-	38,482	-	BBL28C2003A	0.02	0.01	1,000	-	BEC19C2003A	0.01	-	2	-
AOT42C2006A	0.18	0.01	5,239	-	BBL28C2005A	0.16	0.02	33,264	-	BEC19C2005A	0.18	0.01	5,751	-
AOT42P2003A	0.02	-	501	-	BBL28C2007A	0.35	0.03	37,983	-	BEC27C2002A	-	-	-	-
AP01C2001A	0.01	-	553	-	BBL41C2001A	-	-	-	-	BEC41C2002A	-	-	-	-
AP01C2001B	0.01	-	4	-	BBL41C2003A	-	-	-	-	BEC41C2003A	-	-	-	-
AP11C2001A	-	-	-	-	BBL41C2004A	-	-	-	-	BEC42C2003A	-	-	-	-
AP16C2002A	-	-	-	-	BBL41C2005A	0.03	-	2,002	-	BEC42C2005A	0.21	0.01	5,702	-
AP19C2002A	-	-	-	-	BBL41C2006A	0.05	(0.01)	2	-	BEM01C2004A	0.27	0.04	47,776	-
AP28C2004A	0.18	-	11,162	-	BBL41C2007A	0.38	0.03	67,380	-	BEM01C2004B	0.13	0.02	58,427	-
AP28C2006A	0.15	-	14,196	-	BBL41P2002A	-	-	-	-	BEM01P2004A	0.17	(0.02)	41,118	-
AWC01C2003A	0.12	(0.02)	116,123	-	BBL41P2004A	0.70	(0.09)	10,142	-	BEM06C2004A	0.11	0.02	33,204	-
AWC01C2003B	-	-	-	-	BBL41P2006A	0.83	(0.06)	24,274	-	BEM08C2001A	-	-	-	-
AWC01C2004A	0.08	(0.01)	34,433	-	BBL42C2003A	-	-	-	-	BEM08C2005A	0.17	0.01	13,850	-
AWC01P2003A	0.51	0.03	85,987	-	BBL42C2005A	0.17	0.02	3,414	-	BEM11C2001A	-	-	-	-
AWC01P2003B	0.14	0.02	82,811	-	BCH01C2001A	0.13	-	137,672	-	BEM11C2003A	-	-	-	-
AWC01P2007A	0.49	0.03	47,397	-	BCH01C2001B	0.01	-	4	-	BEM13C2002A	-	-	-	-
AWC06C2002A	-	-	-	-	BCH01C2006A	0.30	-	120,799	-	BEM13C2004A	0.11	0.02	11,179	-
AWC06C2004A	0.12	(0.03)	31,729	-	BCH01C2006B	0.17	0.01	16,030	-	BEM16C2001A	-	-	-	-
AWC06P2002A	0.44	0.09	9,537	-	BCH01P2001A	-	-	-	-	BEM16C2006A	0.24	0.01	17,316	-
AWC08C2004A	0.06	(0.01)	10,620	-	BCH01P2006A	0.66	-	18,540	-	BEM19C2001A	-	-	-	-
AWC13C2002A	0.01	(0.01)	120,734	-	BCH06C2006A	0.23	0.01	7,980	-	BEM19C2005A	0.17	0.02	16,944	-
AWC13C2003A	0.05	(0.04)	18,690	-	BCH06P2006A	0.47	0.01	6,156	-	BEM23C2001A	-	-	-	-
AWC13C2006A	0.12	(0.01)	24,451	-	BCH08C2004A	0.13	-	7,358	-	BEM24C2003A	-	-	-	-
AWC13P2002A	0.02	(0.01)	18,550	-	BCH11C2001A	-	-	-	-	BEM28C2002A	-	-	-	-
AWC13P2003A	0.03	-	79	-	BCH11C2008A	0.31	0.02	14,064	-	BEM28C2006A	0.14	0.02	11,154	-
AWC13P2006A	0.46	0.04	83,658	-	BCH13C2004A	0.10	0.01	24,804	-	BEM41C2002A	-	-	-	-
AWC16C2005A	0.03	-	700	-	BCH16C2001A	-	-	-	-	BEM41C2004A	-	-	-	-
AWC16C2007A	0.09	(0.01)	59,546	-	BCH16C2006A	0.22	-	36,454	-	BEM41C2006A	-	-	-	-
AWC19C2003A	0.05	(0.02)	1,001	-	BCH19C2001A	-	-	-	-	BEM41P2003A	-	-	-	-
AWC19C2004A	0.03	(0.03)	970	-	BCH19C2005A	0.09	-	11,299	-	BEM41P2004A	-	-	-	-
AWC19C2006A	0.12	(0.02)	16,689	-	BCH19C2006A	0.27	-	9,028	-	BGR101C2001A	1.85	0.08	4,814	1.00
AWC24C2007A	0.07	(0.02)	28,011	-	BCH24C2003A	0.10	0.01	2,000	-	BGR101C2001B	1.79	0.03	4,360	1.00
AWC28C2003A	-	-	-	-	BCH27C2003A	0.16	-	4,800	-	BGR101C2002A	1.11	-	48,544	1.00
AWC28C2003B	0.01	(0.01)	2	-	BCH41C2005A	-	-	-	-	BGR101C2003B	0.74	(0.01)	76,112	-
AWC28C2003C	-	-	-	-	BCH41C2006A	-	-	-	-	BGR101C2006A	0.83	(0.01)	86,038	-
AWC28C2006A	0.11	(0.03)	15,320	-	BCH42C2002A	-	-	-	-	BGR101C2006B	0.52	(0.01)	306,422	-
AWC28P2003A	-	-	-	-	BCP01C2001A	0.01	-	15,000	-	BGR101P2001A	0.01	-	73,012	-
AWC41C2003A	-	-	-	-	BCP01C2001B	-	-	-	-	BGR101P2001B	0.05	(0.01)	26,898	-
AWC41C2004A	-	-	-	-	BCP01C2005A	0.47	(0.03)	272,575	-	BGR101P2006A	0.55	-	252,209	-
AWC41C2005A	-	-	-	-	BCP01C2005B	0.08	(0.01)	35,754	-	BGR106C2005A	0.79	(0.03)	56,196	-
AWC41C2006A	-	-	-	-	BCP01P2001A	0.52	0.01	13,634	-	BGR108C2003A	1.42	-	124	1.00
AWC41C2007A	-	-	-	-	BCP01P2005A	0.25	-	30,884	-	BGR108C2005A	0.75	(0.01)	89,481	-
AWC42C2003A	0.01	(0.01)	170	-	BCP11C2004A	-	-	-	-	BGR111C2006A	1.44	0.02	16,771	1.00
BANP01C2002A	0.04	(0.01)	48,160	-	BCP13C2003A	-	-	-	-	BGR111C2008A	0.67	(0.01)	111,403	-
BANP01C2002B	0.01	-	100	-	BCP13C2003B	-	-	-	-	BGR13C2002A	-	-	-	-
BANP01C2005A	0.16	(0.02)	91,349	-	BCP19C2001A	-	-	-	-	BGR13C2004A	0.61	(0.01)	9,390	-
BANP01C2005B	0.07	(0.01)	1,001	-	BCP19C2004A	0.36	(0.03)	7,216	-	BGR13C2006A	0.58	-	210,251	-
BANP01P2002A	0.46	(0.01)	68,424	-	BCP19C2005A	0.10	(0.01)	12,044	-	BGR113P2005A	0.27	(0.01)	104,362	-
BANP01P2002B	0.41	0.02	82,552	-	BGP24C2004A	-	-	-	-	BGR16C2001A	-	-	-	-
BANP01P2005A	0.50	0.01	61,836	-	BPCG01C2005A	0.32	-	72,880	-	BGR16C2005A	0.87	(0.01)	189,609	-
BANP01P2005B	0.29	0.01	65,110	-	BPCG01C2005B	0.13	(0.01)	79,623	-	BGR19C2004A	-	-	-	-
BANP06C2002A	0.01	-	2,000	-	BPCG01P2005A	0.38	0.02	85,627	-	BGR19C2005A	0.73	0.02	9,735	-
BANP06C2005A	0.05	(0.01)	16,763	-	BPCG06C2002A	-	-	-	-	BGR19C2006A	0.49	-	50,852	-
BANP08C2002A	-	-	-	-	BPCG13C2004A	0.13	-	101,987	-	BGR124C2004A	1.03	-	20,473	1.00
BANP08C2005A	0.10	-	3,000	-	BPCG19C2003A	-	-	-	-	BGR127P2006A	0.25	-	26,162	-
BANP08P2003A	0.53	-	15,110	-	BPCG19C2005A	0.23	(0.02)	109,948	-	BGR128C2002A	-	-	-	-
BANP11C2004A	-	-	-	-	BPCG28C2002A	-	-	-	-	BGR128C2003A	-	-	-	-
BANP11C2008A	0.13	-	9,600	-	BPCG28C2003A	-	-	-	-	BGR128C2003B	-	-	-	-
BANP13C2001A	-	-	-	-	BPCG28C2004A	0.09	-	40,508	-	BGR141C2002A	-	-	-	-
BANP13C2003A	-	-	-	-	BPCG41C2002A	-	-	-	-	BGR141C2004A	-	-	-	-
BANP13C2006A	0.08	-	1,000	-	BPCG41C2005A	-	-	-	-	BGR141C2005A	0.68	(0.03)	5,129	-
BANP19C2002A	-	-	-	-	BPCG42C2004A	-	-	-	-	BGR141C2006A	0.66	(0.01)	110,584	-
BANP19C2004A	-	-	-	-	BDMS01C2002A	0.51	0.03	9,612	-	BGR141P2004A	-	-	-	-
BANP19C2005A	0.05	-	1,686	-	BDMS01C2002B	0.06	-	12,440	-	BGR141P2005A	0.29	0.01	53,648	-
BANP19C2007A	0.19	(0.01)	5,503	-	BDMS01P2002A	0.09	-	60,025	-	BGR142C2003A	0.80	(0.01)	23,938	-
BANP19P2003A	0.38	-	30,163	-	BDMS06C2003A	0.32	-	6,150	-	BH01C2001A	0.01	(0.01)	2,012	-
BANP24C2003A	-	-	-	-	BDMS06P2004A	0.13	-	5,706	-	BH01C2001B	-	-	-	-
BANP27C2007A	0.10	(0.01)	7,200	-	BDMS08C2003A	-	-	-	-	BH01C2004A	0.61	(0.02)	33,937	-
BANP28C2002A	-	-	-	-	BDMS08C2006A	0.11	-	1,111	-	BH01C2004B	0.26	(0.02)	69,453	-
BANP28C2003A	-	-	-	-	BDMS11C2001A	-	-	-	-	BH01P2001A	1.93	0.05	4,974	1.00
BANP28C2004A	-	-	-	-	BDMS11C2007A	0.57	0.03	1,204	-	BH01P2004A	0.58	0.03	43,232	-
BANP41C2002A	-	-	-	-	BDMS11C2008A	0.16	-	11,46						

## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BH41C2004A	0.31	(0.22)	3,194	-	CENT06C2006A	0.25	0.02	16,154	-	COM741C2001A	-	-	-	-
BH41C2005A	0.32	(0.04)	10,774	-	CENT06P2007A	0.50	(0.50)	24,700	-	COM741C2002A	-	-	-	-
BH41C2006A	0.29	(0.04)	9,038	-	CENT08C2004A	-	-	-	-	COM741C2004A	-	-	-	-
BH41P2004A	-	-	-	-	CENT11C2004A	-	-	-	-	COM741C2006A	-	-	-	-
BH41P2006A	0.70	0.01	20,319	-	CENT11C2007A	-	-	-	-	COM742C2002A	0.11	0.01	14,372	-
BH42C2003A	0.12	(0.02)	2,460	-	CENT13C2003A	0.01	-	108	-	COM742C2004A	-	-	-	-
BJC01C2004A	0.13	0.01	136,162	-	CENT13C2005A	0.05	-	8,020	-	CPAL01C2002A	0.03	-	869	-
BJC01C2004B	0.03	0.01	10,001	-	CENT13C2006A	0.29	0.02	435,694	-	CPAL01C2002B	0.02	-	9,943	-
BJC01P2004A	0.81	(0.04)	36,634	-	CENT16C2001A	-	-	-	-	CPAL01C2004A	0.25	(0.02)	109,210	-
BJC06C2002A	-	-	-	-	CENT19C2001A	-	-	-	-	CPAL01C2004B	0.13	(0.01)	104,338	-
BJC06C2006A	0.25	0.02	27,221	-	CENT19C2004A	0.02	(0.01)	7,659	-	CPAL01C2006A	0.54	-	77,127	-
BJC11C2001A	-	-	-	-	CENT19C2005A	0.17	0.01	38,100	-	CPAL01C2006B	0.32	(0.02)	192,265	-
BJC11C2008A	0.31	0.02	33,735	-	CENT24C2003A	0.01	-	90	-	CPAL01P2002A	1.41	0.05	7,759	1.00
BJC13C2002A	-	-	-	-	CENT24C2008A	-	-	-	-	CPAL01P2002B	0.87	0.04	12,402	-
BJC13C2004A	0.06	0.01	2,040	-	CENT27C2008A	-	-	-	-	CPAL01P2004A	0.97	0.03	31,602	-
BJC13C2005A	0.19	0.02	62,331	-	CENT28C2004A	0.02	-	50	-	CPAL01P2004B	0.48	0.02	149,391	-
BJC16C2002A	-	-	-	-	CENT28C2005A	-	-	-	-	CPAL06C2006A	0.40	(0.03)	25,444	-
BJC16C2006A	0.15	0.01	21,340	-	CENT28C2006A	0.21	-	74,825	-	CPAL08C2001A	0.01	-	3,644	-
BJC19C2003A	-	-	-	-	CENT41C2003A	-	-	-	-	CPAL08C2004A	0.10	(0.01)	18,809	-
BJC19C2005A	0.11	0.02	43,162	-	CENT41C2004A	-	-	-	-	CPAL08C2006A	0.28	(0.02)	35,801	-
BJC23C2001A	-	-	-	-	CENT41C2005A	-	-	-	-	CPAL08P2002A	0.49	(0.14)	9,000	-
BJC24C2003A	-	-	-	-	CENT41C2006A	0.36	-	105,526	-	CPAL08P2006A	0.55	0.01	39,770	-
BJC24C2006A	0.20	0.02	19,368	-	CENT41P2002A	-	-	-	-	CPAL11C2006A	0.08	-	13,556	-
BJC27C2009A	0.24	0.02	23,402	-	CENT41P2003A	-	-	-	-	CPAL11C2007A	0.29	(0.02)	46,960	-
BJC28C2004A	-	-	-	-	CENT42C2002A	-	-	-	-	CPAL13C2002A	0.02	-	2,000	-
BJC41C2002A	-	-	-	-	CENT42C2004A	-	-	-	-	CPAL13C2004A	0.29	-	149,519	-
BJC41C2004A	-	-	-	-	CENT42C2006A	0.22	0.03	46,004	-	CPAL13P2003A	0.57	-	99,779	-
BJC41C2005A	-	-	-	-	CHG01C2001A	0.51	0.04	10,870	-	CPAL16C2001A	-	-	-	-
BJC41C2006A	-	-	-	-	CHG01C2001B	0.03	(0.01)	32,297	-	CPAL16C2006A	0.20	(0.01)	40,526	-
BJC41C2007A	0.26	0.04	23,090	-	CHG01C2006A	0.43	0.05	95,813	-	CPAL16C2007A	0.33	(0.02)	69,275	-
BJC41P2004A	-	-	-	-	CHG01C2006B	0.25	0.01	77,361	-	CPAL19C2002A	-	-	-	-
BJC41P2005A	0.46	(0.02)	14,427	-	CHG01P2001A	0.01	-	60	-	CPAL19C2004A	0.12	(0.01)	14,000	-
BJC42C2004A	-	-	-	-	CHG01P2006A	0.32	(0.03)	51,324	-	CPAL19C2005A	0.27	(0.02)	59,800	-
BLAN19C2004A	0.03	-	2,022	-	CHG06C2002A	0.10	0.03	44,917	-	CPAL19P2004A	0.32	-	20,981	-
BLAN28C2004A	-	-	-	-	CHG06P2003A	0.05	-	30	-	CPAL24C2005A	0.11	-	24,002	-
BPP01C2005A	0.18	(0.01)	137,993	-	CHG08C2005A	0.22	0.02	34,949	-	CPAL28C2003A	-	-	-	-
BPP01C2005B	0.08	(0.01)	31,620	-	CHG13C2003A	0.12	0.02	73,280	-	CPAL28C2003B	-	-	-	-
BPP01P2005A	0.68	0.02	70,269	-	CHG13C2006A	0.35	0.03	59,888	-	CPAL28C2004A	0.09	0.01	4,906	-
BPP13C2004A	-	-	-	-	CHG16C2002A	0.18	0.03	52,616	-	CPAL28C2005A	0.22	(0.02)	30,420	-
BPP16C2001A	-	-	-	-	CHG19C2004A	0.31	0.02	16,792	-	CPAL41C2002A	-	-	-	-
BPP19C2002A	-	-	-	-	CHG27C2009A	0.37	-	9,600	-	CPAL41C2003A	0.01	(0.01)	988	-
BPP19C2005A	0.08	(0.01)	19,255	-	CHG41C2005A	0.21	0.01	23,960	-	CPAL41C2004A	-	-	-	-
BPP24C2003A	-	-	-	-	CHG42C2006A	0.31	0.02	8,992	-	CPAL41C2005A	0.29	-	28,777	-
BTS01C2001A	0.23	0.02	58,430	-	CK01C2001A	0.01	-	14,992	-	CPAL41C2006A	-	-	-	-
BTS01C2001B	0.01	-	867	-	CK01C2001B	-	-	-	-	CPAL41P2003A	-	-	-	-
BTS01C2005A	0.25	0.01	208,275	-	CK01C2005A	0.53	0.10	247,017	-	CPAL41P2004A	0.39	0.01	40,396	-
BTS01C2005B	0.11	0.01	282,673	-	CK01C2005B	0.29	0.08	327,262	-	CPAL41P2005A	-	-	-	-
BTS01P2001A	0.01	(0.01)	11,817	-	CK01P2001A	0.78	(0.09)	22,274	-	CPAL41P2006A	0.55	(0.06)	29,274	-
BTS01P2005A	0.27	(0.01)	180,350	-	CK01P2005A	0.26	(0.08)	435,268	-	CPAL42C2003A	-	-	-	-
BTS08C2005A	0.08	-	3,335	-	CK06C2002A	0.02	0.01	51	-	CPAL42C2005A	-	-	-	-
BTS11C2003A	0.13	(0.01)	81,783	-	CK06C2004A	0.31	0.10	165,960	-	CPF01C2001A	0.17	-	20,501	-
BTS13C2001A	-	-	-	-	CK11C2007A	0.27	0.06	98,258	-	CPF01C2001B	0.01	-	8,532	-
BTS13C2003A	-	-	-	-	CK13C2002A	0.01	(0.01)	13	-	CPF01C2004A	0.33	0.01	58,802	-
BTS13C2006A	0.17	0.01	158,022	-	CK13C2003A	0.22	0.07	194,766	-	CPF01C2004B	0.22	-	98,016	-
BTS16C2001A	0.01	(0.05)	100	-	CK13C2006A	0.27	0.06	234,811	-	CPF01P2001A	0.08	(0.02)	26,679	-
BTS16C2001B	0.17	(0.02)	16,338	-	CK16C2003A	-	-	-	-	CPF01P2001B	0.01	-	1,824	-
BTS19C2002A	-	-	-	-	CK16C2006A	0.21	0.06	189,640	-	CPF01P2004A	0.10	(0.01)	46,350	-
BTS19C2005A	0.16	-	32,410	-	CK19C2002A	-	-	-	-	CPF08C2006A	0.17	0.04	49,488	-
BTS19P2002A	0.03	(0.02)	2,351	-	CK19C2003A	0.02	-	100	-	CPF11C2004A	0.10	0.03	31,836	-
BTS24C2001A	0.06	(0.10)	10	-	CK19C2004A	0.28	0.08	153,664	-	CPF11C2007A	0.33	0.01	12,100	-
BTS24C2007A	0.19	-	137,180	-	CK24C2003A	-	-	-	-	CPF13C2003A	0.20	0.02	3,000	-
BTS24P2001A	-	-	-	-	CK27C2008A	0.45	(0.55)	62,447	-	CPF13C2006A	0.20	0.02	96,258	-
BTS41C2003A	-	-	-	-	CK41C2003A	0.23	0.07	42,996	-	CPF16C2001A	-	-	-	-
BTS41C2004A	-	-	-	-	CK41C2004A	0.12	0.05	150	-	CPF16C2007A	0.28	0.01	76,160	-
BTS41C2006A	0.18	0.02	6,100	-	CK41C2005A	-	-	-	-	CPF19C2001A	-	-	-	-
BTS41P2004A	0.27	(0.02)	6,706	-	CKP01C2004A	0.03	-	2,270	-	CPF19C2003A	0.16	0.02	30,485	-
BTS42C2003A	-	-	-	-	CKP01C2004B	0.02	-	10,000	-	CPF19C2005A	0.32	0.01	1,958	-
CBG01C2001A	0.42	(0.02)	10,400	-	CKP01P2004A	0.81	(0.01)	34,766	-	CPF19C2006A	0.19	0.02	46,012	-
CBG01C2001B	0.01	-	369	-	CKP08C2004A	-	-	-	-	CPF19P2002A	-	-	-	-
CBG01C2004A	0.98	(0.01)	34,637	-	CKP11C2006A	-	-	-	-	CPF24C2007A	0.37	0.04	12,281	-
CBG01C2004B	0.39	(0.01)	69,881	-	CKP13C2001A	-	-	-	-	CPF27C2001A	-	-	-	-
CBG01P2001A	0.01	-	472	-	CKP13C2003A	0.01	-	-	-	CPF28C2004A	0.25	0.01	10,144	-
CBG01P2003A	0.08	(0.01)	11,295	-	CKP13C2004A	-	-	-	-	CPF41C2002A	-	-	-	-
CBG01P2004A	0.61	(0.02)	38,136	-	CKP13C2004B	0.14	-	35,718	-	CPF41C2004A	-	-	-	-
CBG06C2002A	0.26	(0.05)	39,535	-	CKP16C2001A	-	-	-	-	CPF41C2005A	-	-	-	-
CBG06C2005A	0.77	(0.23)	16,400	-	CKP16C2005A	0.01	-	96	-	CPF41P2003A	-	-	-	-
CBG08C2003A	0.56	(0.01)	18,480	-	CKP16C2007A	0.15	0.01	72,144	-	CPF41P2005A	-	-	-	-
CBG11C2002A	0.40	(0.01)	3,100	-	CKP19C2003A	-	-	-	-	CPF42C2003A	0.14	0.02	11,682	-
CBG11C2008A	1.14	(0.01)	19,085	1.00	CKP19C2005A	-	-	-	-	CPN01C2001A	0.01	(0.01)	10,301	-
CBG13C2004A	0.57	(0.02)	75,578	-	CKP19C2006A	0.24	0.01	30,387	-	CPN01C2001B	0.01	-	11,169	-
CBG13P2006A	0.86	(0.02)	40,454	-	CKP24C2006A	0.12	0.01	33,536	-	CPN01C2005A	0.45	0.05	124,013	-
CBG16C2001A	0.99	-	11,174	-	CKP27C2005A	-	-	-	-	CPN01C2005B	0.16	0.01	183,832	-
CBG19C2004A	0.49	(0.02)	27,523	-	CKP28C2003A	-	-	-	-	CPN01P2001A	1.45	(0.04)	9,376	1.00
CBG19C2005A	0.80	(0.02)	10,731	-	CKP28C2004A	-	-	-	-	CPN01P2005A	0.56	(0.07)	229,921	-
CBG19P2002A	0.01	(0.02)	500	-	CKP28C2004B	-	-	-	-	CPN06C2001A	-	-	-	-
CBG19P2006A	0.94	(0.01)	31,571	-	CKP28C2006A	0.19	0.01	46,113	-	CPN06C2006A	0.30	0.02	86,949	-
CBG24C2003A	0.42	-	13,344	-	CKP41C2002A	-	-	-	-	CPN11C2006A	0.10	0.01	17,001	-
CBG41C2002A	-	-	-	-	CKP41C2004A	-	-	-	-	CPN11C2008A	0.40	0.01	65,877	-
CBG41C2003A	0.50	0.03	520	-	CKP41C2005A	-	-	-	-	CPN13C2004A	0.12	0.01	42,814	-
CBG41C2004A	0.57	(0.04)	30,652	-	CKP41C2006A	-	-	-	-	CP				



## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPN42C2004A	-	-	-	-	ESSO13C2003A	0.05	-	2,576	-	GULF41P2003A	-	-	-	-
DTACO1C2001A	0.01	-	8,227	-	ESSO13C2006A	0.20	(0.02)	42,541	-	GULF41P2004A	0.38	0.01	97,407	-
DTACO1C2001B	0.01	-	4,930	-	ESSO19C2001A	-	-	-	-	GULF41P2005A	0.30	(0.01)	4,136	-
DTACO1C2004A	0.20	(0.01)	72,011	-	ESSO19C2004A	0.10	(0.01)	280	-	GULF41P2006A	0.35	-	4,010	-
DTACO1C2004B	0.06	(0.01)	14,769	-	ESSO19C2007A	0.39	(0.03)	37,351	-	GULF42C2002A	-	-	-	-
DTACO1P2001A	-	-	-	-	ESSO24C2003A	-	-	-	-	GULF42C2003A	0.46	(0.05)	9,937	-
DTACO1P2001B	0.05	(0.04)	340	-	ESSO41C2002A	-	-	-	-	GUNK01C2005A	0.19	0.02	205,388	-
DTACO1P2004A	1.24	0.02	19,964	1.00	ESSO41C2003A	-	-	-	-	GUNK01C2005B	0.07	-	2,462	-
DTACO1P2004B	0.91	0.01	25,656	-	ESSO41C2004A	0.13	(0.01)	11,888	-	GUNK01P2005A	0.43	(0.04)	62,284	-
DTAC06C2001A	-	-	-	-	ESSO41C2005A	0.14	(0.01)	18,908	-	GUNK11C2007A	0.10	-	32,752	-
DTAC06C2006A	0.13	(0.02)	18,433	-	ESSO42C2003A	-	-	-	-	GUNK13C2003A	-	-	-	-
DTAC08C2005A	0.08	-	5	-	GFPT13C2003A	0.12	0.02	57,056	-	GUNK13C2006A	0.17	-	77,826	-
DTAC08C2005B	0.16	(0.01)	21,000	-	GFPT19C2004A	0.12	0.03	120,287	-	GUNK16C2002A	-	-	-	-
DTAC08P2002A	0.96	0.03	801	-	GFPT19C2006A	0.33	0.05	95,674	-	GUNK19C2003A	0.03	(0.03)	6,950	-
DTAC11C2002A	-	-	-	-	GFPT42C2004A	0.15	0.02	12,200	-	GUNK19C2006A	0.19	-	13,554	-
DTAC13C2003A	0.03	-	3	-	GLOB01C2003A	0.06	(0.01)	42,625	-	GUNK24C2001A	-	-	-	-
DTAC13C2006A	0.15	(0.01)	35,141	-	GLOB01P2003A	0.45	(0.01)	60,729	-	GUNK24C2006A	0.13	(0.01)	11,921	-
DTAC13P2003A	-	-	-	-	GLOB06C2002A	-	-	-	-	GUNK28C2002A	-	-	-	-
DTAC13P2006A	0.72	0.02	45,669	-	GLOB06C2006A	0.22	0.01	39,556	-	GUNK28C2003A	-	-	-	-
DTAC16C2001A	-	-	-	-	GLOB11C2002A	-	-	-	-	GUNK28C2005A	0.08	0.01	12	-
DTAC19C2001A	-	-	-	-	GLOB13C2002A	-	-	-	-	GUNK41C2002A	-	-	-	-
DTAC19C2005A	0.11	-	12,269	-	GLOB16C2001A	-	-	-	-	GUNK41C2003A	-	-	-	-
DTAC19C2006A	0.26	-	31,817	-	GLOB19C2002A	-	-	-	-	GUNK41C2005A	-	-	-	-
DTAC19P2002A	0.86	0.04	1,124	-	GLOB19C2005A	0.10	-	25,432	-	GUNK41P2005A	0.51	(0.01)	15,348	-
DTAC24C2004A	0.01	(0.01)	5,948	-	GLOB24C2005A	0.09	-	13,006	-	GUNK42C2003A	-	-	-	-
DTAC27C2002A	-	-	-	-	GLOB41C2004A	-	-	-	-	HANA01C2001A	0.40	(0.03)	5,992	-
DTAC27C2008A	0.48	(0.52)	34,620	-	GPSC01C2003A	0.80	(0.02)	159,568	-	HANA01C2001B	0.01	(0.01)	1,064	-
DTAC27P2002A	0.14	0.01	14,400	-	GPSC01C2003B	0.34	(0.02)	356,086	-	HANA01C2006A	0.47	-	13,130	-
DTAC41C2002A	-	-	-	-	GPSC01C2005A	1.03	(0.01)	133,515	1.00	HANA01C2006B	0.27	0.02	37,408	-
DTAC41C2004A	-	-	-	-	GPSC01C2005B	0.62	(0.03)	206,366	-	HANA01P2006A	0.32	0.01	20,011	-
DTAC41C2005A	-	-	-	-	GPSC01P2003A	0.32	-	174,491	-	HANA11C2008A	0.35	-	15,000	-
DTAC41C2006A	0.16	-	1	-	GPSC01P2005A	0.77	-	352,117	-	HANA13C2002A	0.36	(0.01)	22,500	-
DTAC41C2007A	0.35	-	22,186	-	GPSC01P2005B	0.49	-	136,321	-	HANA13C2006A	0.24	0.01	40,379	-
DTAC41P2002A	-	-	-	-	GPSC06C2006A	0.46	(0.02)	75,674	-	HANA19C2003A	0.47	0.02	1,814	-
DTAC41P2006A	1.10	0.03	2,006	1.00	GPSC08C2001A	-	-	-	-	HANA19C2006A	0.28	(0.02)	2,119	-
DTAC42C2004A	-	-	-	-	GPSC08C2004B	0.50	(0.02)	56,758	-	HANA27C2001A	-	-	-	-
EA06C2002A	0.01	-	3,420	-	GPSC11C2006A	1.09	(0.02)	29,305	1.00	HANA27C2007A	0.29	0.01	10,800	-
EA06C2005A	0.30	-	53,816	-	GPSC13C2002A	0.22	(0.02)	412,456	-	HANA27P2007A	0.41	-	14,599	-
EA08C2001A	0.01	-	3,500	-	GPSC13C2005A	0.85	(0.03)	315,852	-	HANA41C2002A	0.27	(0.01)	303	-
EA08C2004A	0.09	-	8	-	GPSC13P2002A	-	-	-	-	HANA41C2006A	-	-	-	-
EA08C2006A	0.47	0.01	39,709	-	GPSC13P2003A	0.26	(0.01)	180,638	-	HMPR01C2001A	0.01	(0.04)	1	-
EA11C2005A	0.22	(0.01)	16,100	-	GPSC13P2005A	1.01	0.02	391,016	1.00	HMPR01C2001B	-	-	-	-
EA13C2003A	0.17	0.01	44,328	-	GPSC16C2003A	1.18	(0.04)	119,799	1.00	HMPR01C2006A	0.27	(0.01)	16,121	-
EA13C2005A	0.33	0.01	96,931	-	GPSC16C2007A	0.85	(0.04)	143,465	-	HMPR01C2006B	0.17	-	13,964	-
EA13P2003A	0.15	(0.03)	14,243	-	GPSC19C2001A	-	-	-	-	HMPR01P2001A	-	-	-	-
EA16C2003A	-	-	-	-	GPSC19C2004A	0.53	(0.03)	109,778	-	HMPR01P2006A	0.51	0.01	14,871	-
EA16C2006A	0.16	-	59,438	-	GPSC19P2002A	-	-	-	-	HMPR06C2002A	-	-	-	-
EA19C2001A	-	-	-	-	GPSC19P2005A	0.42	0.01	26,454	-	HMPR06C2006A	0.12	(0.01)	700	-
EA19C2002A	-	-	-	-	GPSC24C2002A	0.89	(0.04)	21,297	-	HMPR11C2003A	-	-	-	-
EA19C2004A	0.26	0.02	37,223	-	GPSC27C2005A	0.37	(0.02)	40,743	-	HMPR13C2003A	0.05	-	221	-
EA19P2002A	0.22	(0.02)	7,103	-	GPSC41C2002A	0.62	(0.05)	200	-	HMPR13C2006A	0.17	(0.02)	16,485	-
EA24C2003A	-	-	-	-	GPSC41C2003A	-	-	-	-	HMPR19C2003A	-	-	-	-
EA24C2004A	0.30	0.01	32,498	-	GPSC41C2004A	0.43	(0.04)	63,007	-	HMPR19C2005A	0.14	(0.01)	6,292	-
EA27C2006A	0.29	-	18,000	-	GPSC41C2005A	0.68	(0.03)	191,909	-	HMPR24C2004A	-	-	-	-
EA28C2002A	-	-	-	-	GPSC41C2006A	0.77	(0.01)	7	-	HMPR27P2001A	-	-	-	-
EA28C2004A	0.12	-	12,168	-	GPSC41P2003A	0.07	0.01	4	-	HMPR28C2003A	-	-	-	-
EA28C2004B	0.18	0.01	31,460	-	GPSC41P2004A	0.61	0.02	22,252	-	HMPR41C2002A	-	-	-	-
EA28C2006A	0.29	-	30,714	-	GPSC41P2005A	0.71	0.01	16,316	-	HMPR41C2003A	-	-	-	-
EA41C2002A	-	-	-	-	GPSC42C2002A	0.37	(0.02)	16,314	-	HMPR41C2005A	-	-	-	-
EA41C2004A	-	-	-	-	GULF01C2003A	1.33	(0.08)	101,114	1.00	HMPR41C2006A	-	-	-	-
EA41C2005A	-	-	-	-	GULF01C2003B	0.58	(0.08)	350,229	-	HMPR41P2003A	0.22	(0.02)	4,564	-
EA41C2006A	0.35	-	1,122	-	GULF01C2005A	1.52	(0.09)	58,682	1.00	HMPR42C2003A	-	-	-	-
EA41P2003A	-	-	-	-	GULF01C2005B	1.11	(0.08)	63,489	1.00	HSI28C2001A	-	-	-	-
EA41P2004A	0.42	(0.01)	570	-	GULF01C2007A	0.46	(0.03)	259,798	-	HSI28C2001B	-	-	-	-
EA42C2004A	-	-	-	-	GULF01P2003A	0.06	-	12,578	-	HSI28C2001C	0.01	(0.12)	3	-
EGCO01C2001A	0.29	(0.04)	18,418	-	GULF01P2003B	0.06	-	38,482	-	HSI28C2002A	0.58	(0.34)	37,082	-
EGCO01C2001B	0.01	-	702	-	GULF01P2005A	0.68	0.04	490,567	-	HSI28C2002B	0.23	(0.19)	13,132	-
EGCO01C2004A	0.22	(0.02)	69,141	-	GULF03C2005A	0.78	(0.04)	48,223	-	HSI28C2002C	0.08	(0.10)	16,155	-
EGCO01C2004B	0.05	-	19,193	-	GULF06C2004A	1.71	(0.13)	22,531	1.00	HSI28C2003A	0.29	(0.17)	24,147	-
EGCO06C2004A	0.07	(0.01)	15,681	-	GULF08C2003A	-	-	-	-	HSI28C2003B	0.15	(0.10)	149,586	-
EGCO06P2004A	0.72	0.04	25,067	-	GULF11C2003A	2.56	(0.08)	4,474	2.00	HSI28C2003C	0.08	(0.06)	29,883	-
EGCO13C2002A	-	-	-	-	GULF11C2006A	1.16	(0.07)	48,256	1.00	HSI28P2001A	-	-	-	-
EGCO13C2005A	0.36	(0.03)	33,795	-	GULF13C2004A	0.99	(0.07)	161,935	1.00	HSI28P2001B	-	-	-	-
EGCO16C2001A	-	-	-	-	GULF13C2006A	0.87	(0.05)	481,844	-	HSI28P2001C	-	-	-	-
EGCO19C2002A	-	-	-	-	GULF13C2006B	0.35	(0.02)	174,742	-	HSI28P2002A	0.68	0.25	273,841	-
EGCO19C2005A	0.23	(0.02)	33,117	-	GULF13P2002A	-	-	-	-	HSI28P2002B	0.38	0.18	4,044	-
EGCO41C2002A	0.01	(0.05)	3,501	-	GULF13P2004A	0.24	0.01	312,709	-	HSI28P2002C	0.17	0.07	10	-
EGCO41C2003A	-	-	-	-	GULF13P2005A	0.65	0.03	376,353	-	HSI28P2003A	1.18	0.30	276,168	1.00
EGCO41C2004A	-	-	-	-	GULF16C2001A	-	-	-	-	HSI28P2003B	1.60	0.30	435,704	1.00
EGCO41C2006A	0.40	(0.02)	47,396	-	GULF16C2003A	0.87	(0.10)	114,056	-	HSI28P2003C	2.38	0.46	22,575	2.00
EGCO41P2002A	-	-	-	-	GULF16C2007A	1.38	(0.10)	105,597	1.00	INTU01C2003A	0.08	(0.04)	62,677	-
EGCO41P2004A	0.91	0.01	38,326	-	GULF19C2003A	1.14	(0.10)	6,652	1.00	INTU01C2003B	0.02	(0.03)	17,901	-
EGCO41P2006A	0.62	0.01	8,389	-	GULF19C2004A	0.67	(0.05)	33,007	-	INTU01C2006A	0.42	(0.09)	121,977	-
EGCO42C2003A	0.01	-	70,000	-	GULF19C2006A	0.31	(0.02)	20,976	-	INTU01C2006B	0.23	(0.07)	386,150	-
EGCO42C2007A	0.32	(0.01)	26,323	-	GULF19P2001A	-	-	-	-	INTU01P2003A	1.12	0.17	36,906	1.00
EPG08C2004A	0.05	(0.03)	200	-	GULF19P2003A	0.04	0.01	22	-	INTU01P2003B	0.38	0.12	213,633	-
EPG13C2004A	0.02	-	3,500	-	GULF19P2006A	0.59	0.02	65,753	-	INTU01P2006A	0.81	0.09	98,430	-
EPG13C2006A	0.15	-	25,218	-	GULF24C2001A	-	-	-	-	INTU01P2006B	0.48	0.09	443,752	-
EPG19C2002A	-	-	-	-	GULF24C2002A									

## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
INTU41C2005A	-	-	-	-	IVL42C2005A	0.13	(0.01)	2,010	-	KKP41C2006A	0.38	0.01	1,360	-
INTU41C2006A	0.22	(0.08)	76,158	-	JAS06C2002A	0.01	(0.01)	11,698	-	KTB01C2003A	0.17	(0.02)	85,447	-
INTU41C2007A	-	-	-	-	JAS13C2001A	-	-	-	-	KTB01P2003A	0.32	0.01	55,011	-
INTU41P2001A	-	-	-	-	JAS13C2002A	0.21	-	32,890	-	KTB11C2004A	-	-	-	-
INTU41P2003A	-	-	-	-	JAS13C2002B	0.04	-	15,000	-	KTB11C2006A	0.08	-	25,208	-
INTU41P2004A	-	-	-	-	JAS13C2006A	0.22	0.01	84,479	-	KTB13C2002A	-	-	-	-
INTU41P2005A	0.55	0.08	30,396	-	JAS16C2002A	0.02	-	7,050	-	KTB13C2006A	0.20	(0.01)	1,842	-
INTU41P2006A	0.56	0.07	21,064	-	JAS16C2002B	-	-	-	-	KTB19C2002A	-	-	-	-
INTU42C2003A	-	-	-	-	JAS19C2002A	-	-	-	-	KTB19C2005A	0.17	(0.01)	13,128	-
INTU42C2005A	0.17	(0.03)	4,802	-	JAS19C2004A	0.23	-	29,272	-	KTB24C2004A	-	-	-	-
IRPC01C2002A	0.02	-	516	-	JAS19P2001A	-	-	-	-	KTB41C2002A	-	-	-	-
IRPC01C2002B	0.02	-	100	-	JAS28C2002A	-	-	-	-	KTB41C2003A	-	-	-	-
IRPC01C2005A	0.10	-	80,272	-	JAS28C2002B	-	-	-	-	KTB41C2004A	-	-	-	-
IRPC01C2005B	0.03	(0.01)	15,128	-	JAS28C2003A	0.02	(0.02)	35	-	KTB41C2006A	-	-	-	-
IRPC01P2002A	0.95	-	18,939	-	JAS41C2004A	-	-	-	-	KTB41P2004A	-	-	-	-
IRPC01P2005A	1.27	-	12,545	1.00	JAS41C2005A	-	-	-	-	KTC01C2001A	0.01	-	2,788	-
IRPC01P2005B	0.83	-	145,196	-	JAS41C2006A	-	-	-	-	KTC01C2001B	0.01	-	5,880	-
IRPC06C2001A	-	-	-	-	JAS41P2005A	0.43	(0.02)	100	-	KTC01C2004A	0.14	(0.01)	71,453	-
IRPC06C2005A	0.05	-	57,262	-	JMT13C2006A	0.59	0.03	6,411	-	KTC01C2004B	0.08	0.01	100	-
IRPC06C2007A	0.24	(0.76)	40,128	-	JMT19C2006A	0.51	0.03	49,330	-	KTC01C2007A	0.42	(0.01)	39,482	-
IRPC06P2004A	0.58	0.02	8,636	-	JMT42C2006A	0.64	0.05	9,756	-	KTC01C2007B	0.26	(0.01)	151,412	-
IRPC11C2001A	-	-	-	-	KBAN01C2002A	0.02	0.01	19,303	-	KTC01P2001A	0.01	(0.01)	8	-
IRPC11C2005A	-	-	-	-	KBAN01C2002B	0.01	-	20	-	KTC01P2004A	0.53	0.01	22,984	-
IRPC11C2008A	0.08	(0.01)	18,222	-	KBAN01C2004A	0.30	0.09	399,579	-	KTC01P2007A	0.49	0.01	83,384	-
IRPC13C2003A	0.01	-	1,218	-	KBAN01C2004B	0.28	0.10	267,256	-	KTC06C2002A	-	-	-	-
IRPC13C2006A	0.10	(0.01)	45,560	-	KBAN01C2007A	0.81	0.15	140,888	-	KTC06C2006A	0.23	(0.01)	34,060	-
IRPC19C2001A	-	-	-	-	KBAN01C2007B	0.53	0.14	566,077	-	KTC08C2004A	0.08	-	100	-
IRPC19C2003A	-	-	-	-	KBAN01P2002A	1.64	(0.46)	17,656	1.00	KTC08C2006A	0.34	(0.02)	41,231	-
IRPC19C2005A	0.09	-	4,460	-	KBAN01P2002B	0.64	(0.42)	17,926	-	KTC11C2005A	0.10	-	24,148	-
IRPC19C2007A	0.36	(0.01)	102,358	-	KBAN01P2004A	0.90	(0.23)	134,262	-	KTC13C2002A	-	-	-	-
IRPC24C2002A	-	-	-	-	KBAN01P2004B	0.15	(0.11)	256,948	-	KTC13C2004A	0.07	-	4	-
IRPC24C2004A	0.04	(0.01)	20	-	KBAN01P2007A	0.83	(0.21)	78,912	-	KTC13C2006A	0.21	(0.01)	142,024	-
IRPC27C2007A	0.09	-	13,252	-	KBAN01P2007B	0.58	(0.19)	291,757	-	KTC13P2002A	0.37	(0.03)	38,261	-
IRPC28C2003A	0.01	-	60	-	KBAN06C2004A	0.21	0.10	149,176	-	KTC13P2006A	0.32	0.01	106,916	-
IRPC28C2003B	-	-	-	-	KBAN08C2001A	0.01	-	425	-	KTC19C2002A	-	-	-	-
IRPC41C2002A	-	-	-	-	KBAN08C2002A	-	-	-	-	KTC19C2005A	0.12	(0.01)	9,054	-
IRPC41C2002B	-	-	-	-	KBAN08C2005A	0.27	0.08	36,154	-	KTC19C2006A	0.26	-	13,232	-
IRPC41C2003A	-	-	-	-	KBAN08P2002A	0.31	(0.19)	10,203	-	KTC19P2001A	-	-	-	-
IRPC41C2004A	-	-	-	-	KBAN08P2004A	0.23	(0.12)	45,344	-	KTC19P2005A	0.45	-	11,897	-
IRPC41C2005A	0.06	(0.04)	27	-	KBAN13C2003A	0.08	0.03	30,154	-	KTC24C2001A	-	-	-	-
IRPC41C2006A	0.23	-	340	-	KBAN13C2003B	0.22	0.10	430,739	-	KTC27C2007A	0.20	-	25,994	-
IRPC41P2002A	-	-	-	-	KBAN13C2006A	0.53	0.15	613,337	-	KTC28C2002A	-	-	-	-
IRPC41P2004A	0.33	(0.02)	4,126	-	KBAN13P2003A	0.09	(0.09)	211,297	-	KTC28C2003A	-	-	-	-
IRPC41P2005A	-	-	-	-	KBAN16C2001A	-	-	-	-	KTC28C2004A	-	-	-	-
IRPC41P2006A	-	-	-	-	KBAN16C2005A	0.09	0.04	43,443	-	KTC28C2006A	0.18	-	18,252	-
IRPC41P2007A	-	-	-	-	KBAN19C2001A	-	-	-	-	KTC41C2004A	-	-	-	-
IRPC42C2002A	-	-	-	-	KBAN19C2003A	0.04	0.01	11,100	-	KTC41C2005A	-	-	-	-
IRPC42C2003A	-	-	-	-	KBAN19C2004A	0.33	0.12	191,028	-	KTC41C2006A	-	-	-	-
IVL01C2002A	0.01	(0.01)	1,740	-	KBAN19P2004A	0.24	(0.11)	181,276	-	KTC42C2003A	-	-	-	-
IVL01C2002B	-	-	-	-	KBAN24C2001A	-	-	-	-	LH01C2003A	0.08	-	21	-
IVL01C2004A	0.15	-	232,250	-	KBAN24C2005A	0.25	0.09	88,943	-	LH01P2003A	0.40	-	19,064	-
IVL01C2004B	0.16	(0.01)	169,439	-	KBAN27P2001A	-	-	-	-	LH11C2007A	0.31	-	13,626	-
IVL01P2002A	1.18	-	9,682	1.00	KBAN28C2002A	-	-	-	-	LH16C2002A	-	-	-	-
IVL01P2002B	0.73	(0.01)	15,308	-	KBAN28C2002B	-	-	-	-	LH19C2003A	-	-	-	-
IVL01P2004A	0.39	(0.02)	147,443	-	KBAN28C2003A	0.03	0.01	43	-	LH19C2003B	0.08	(0.01)	10,002	-
IVL01P2004B	0.16	-	92,008	-	KBAN28C2004A	0.30	0.11	116,009	-	LH19P2004A	0.15	(0.01)	4,000	-
IVL06C2001A	-	-	-	-	KBAN28P2003A	0.13	(0.09)	79,235	-	LH41C2002A	-	-	-	-
IVL06C2003A	0.10	-	95,543	-	KBAN41C2002A	-	-	-	-	LH41C2004A	-	-	-	-
IVL06P2001A	-	-	-	-	KBAN41C2003A	-	-	-	-	LH41C2005A	0.11	-	2	-
IVL06P2005A	0.67	(0.01)	19,132	-	KBAN41C2004A	0.13	0.02	2	-	LH41P2003A	-	-	-	-
IVL08C2002A	0.01	-	20	-	KBAN41C2005A	0.42	0.13	100,130	-	MAJ06C2001A	-	-	-	-
IVL08C2004A	0.18	-	39,830	-	KBAN41P2002A	0.21	(0.12)	700	-	MAJ013C2002A	0.04	-	12,380	-
IVL08P2003A	0.51	-	18,000	-	KBAN41P2004A	0.27	(0.05)	24,720	-	MAJ019C2002A	-	-	-	-
IVL08P2004A	0.28	(0.01)	21,840	-	KBAN41P2005A	0.57	(0.18)	24,558	-	MAJ019C2006A	0.24	-	61,214	-
IVL11C2005A	0.04	-	310	-	KBAN41P2006A	0.89	(0.07)	2,680	1.00	MAJ024C2002A	-	-	-	-
IVL11C2006A	0.23	-	30,050	-	KBAN42C2003A	0.02	-	1	-	MBK19C2004A	0.09	(0.02)	17,750	-
IVL13C2002A	-	-	-	-	KBAN42C2004A	-	-	-	-	MEGA19C2001A	-	-	-	-
IVL13C2002B	-	-	-	-	KCE01C2004A	0.63	(0.10)	700,092	-	MEGA19C2005A	0.15	0.01	13,768	-
IVL13C2003A	0.07	-	34,223	-	KCE01C2004B	0.32	(0.08)	799,120	-	MINT01C2003A	0.07	(0.01)	60,697	-
IVL13C2006A	0.24	-	139,150	-	KCE01P2004A	1.12	0.12	280,473	1.00	MINT01C2003B	-	-	-	-
IVL13P2004A	0.33	(0.02)	85,392	-	KCE08C2002A	0.29	(0.12)	4,496	-	MINT01P2003A	0.62	0.07	105,802	-
IVL16C2001A	-	-	-	-	KCE08C2005A	0.17	(0.04)	62,787	-	MINT06C2002A	-	-	-	-
IVL16C2006A	0.10	(0.01)	78,743	-	KCE08C2005B	0.07	(0.01)	1,655	-	MINT06C2006A	0.11	(0.02)	76,063	-
IVL19C2001A	-	-	-	-	KCE11C2004A	0.35	(0.08)	97,554	-	MINT08C2003A	-	-	-	-
IVL19C2002A	-	-	-	-	KCE13C2003A	-	-	-	-	MINT11C2006A	0.07	(0.02)	10,875	-
IVL19C2003A	-	-	-	-	KCE13C2004A	0.20	(0.06)	919,168	-	MINT13C2002A	-	-	-	-
IVL19C2004A	0.21	0.01	35,559	-	KCE13C2005A	0.06	-	134,817	-	MINT13C2004A	-	-	-	-
IVL19C2006A	0.17	-	17,240	-	KCE16C2001A	-	-	-	-	MINT13C2006A	0.13	(0.02)	84,770	-
IVL19P2003A	0.19	(0.01)	60,439	-	KCE16C2007A	0.21	(0.06)	278,844	-	MINT16C2001A	-	-	-	-
IVL19P2006A	0.51	(0.01)	38,686	-	KCE19C2002A	0.16	(0.08)	241,938	-	MINT19C2001A	-	-	-	-
IVL24C2001A	-	-	-	-	KCE19C2005A	0.26	(0.06)	196,804	-	MINT19C2002A	-	-	-	-
IVL24C2002A	-	-	-	-	KCE24C2005A	0.55	(0.12)	77,601	-	MINT19C2004A	0.05	(0.01)	5,526	-
IVL24C2003A	0.14	-	8,228	-	KCE27C2007A	0.12	(0.04)	128,527	-	MINT19C2006A	0.17	(0.02)	43,492	-
IVL27P2007A	0.44	-	21,400	-	KCE28C2003A	0.28	(0.11)	58,977	-	MINT19P2004A	0.35	0.03	35,674	-
IVL28C2002A	-	-	-	-	KCE28C2003B	-	-	-	-	MINT23C2001A	-	-	-	-
IVL28C2003A	0.03	0.01	600	-	KCE41C2002A	0.11	(0.09)	4,154	-	MINT24C2001A	-	-	-	-
IVL28C2003B	0.04	(0.01)	2	-	KCE41C2003A	0.50	(0.02)	1	-	MINT24C2006A	0.08	(0.03)	10,524	-
IVL28C2007A	0.20	-	28,392	-	KCE41C2005A	0.29	(0.08)	115,266	-	MINT28C2002A	-	-	-	-
IVL28P2003A	0.06	-	10,000	-	KCE41C2006A	0.25	(0.24)	1,000	-	MINT28C2006A	0.08	(0.03)	17,454	-
IVL41C2002A	-	-	-	-	KKP01C2001A	0.16	(0.03)	21,248	-	MINT41C2002A	-	-	-	-
IVL41C2002B	-	-	-	-	KKP01C2001B	-	-	-	-	MINT41C2005A	-	-	-	-
IVL41C2003A	-	-	-	-										

## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MTC16C2007A	0.45	0.02	108,374	-	PTG13C2002A	-	-	-	-	PTTE41C2002A	-	-	-	-
MTC19C2002A	0.31	0.04	3,910	-	PTG13C2004A	0.10	0.01	32,699	-	PTTE41C2003A	-	-	-	-
MTC19C2006A	0.45	0.02	79,728	-	PTG13C2006A	0.27	0.02	125,573	-	PTTE41C2005A	0.40	(0.16)	7,756	-
MTC19P2004A	0.15	(0.01)	23,206	-	PTG13P2001A	-	-	-	-	PTTE41C2006A	-	-	-	-
MTC24C2004A	0.53	0.03	13,101	-	PTG13P2004A	0.56	(0.04)	60,720	-	PTTE41P2002A	-	-	-	-
MTC27C2007A	0.61	0.02	18,098	-	PTG13P2006A	0.38	(0.04)	90,754	-	PTTE41P2003A	-	-	-	-
MTC28C2002A	0.32	0.02	4,058	-	PTG19C2003A	0.04	0.01	650	-	PTTE41P2004A	0.62	0.02	7,078	-
MTC28C2006A	0.44	0.02	29,364	-	PTG19C2004A	-	-	-	-	PTTE42C2004A	0.13	(0.02)	3,037	-
MTC41C2003A	0.38	0.03	15,998	-	PTG19C2005A	0.15	0.01	58,228	-	PTTG01C2002A	0.15	-	89,287	-
MTC41C2004A	0.44	0.02	5,010	-	PTG19C2006A	0.32	0.03	77,748	-	PTTG01C2002B	0.04	-	1,001	-
MTC41P2003A	-	-	-	-	PTG19P2001A	-	-	-	-	PTTG01C2005A	0.26	0.01	288,705	-
MTC41P2004A	0.31	(0.02)	2,038	-	PTG19P2006A	0.58	(0.02)	8,404	-	PTTG01C2005B	0.11	-	43,235	-
MTC42C2003A	0.23	0.01	8,507	-	PTG24C2002A	-	-	-	-	PTTG01P2002A	0.64	(0.03)	15,986	-
ORI08C2001A	0.01	-	1,000	-	PTG27C2007A	0.35	0.02	30,007	-	PTTG01P2002B	0.12	(0.02)	172,433	-
ORI13C2004A	0.17	0.01	11,108	-	PTG27P2001A	-	-	-	-	PTTG01P2005A	1.05	(0.02)	15,414	1.00
ORI19C2001A	-	-	-	-	PTG28C2004A	-	-	-	-	PTTG01P2005B	0.76	(0.03)	54,994	-
ORI19C2003A	0.05	-	7	-	PTG41C2002A	-	-	-	-	PTTG06C2001A	-	-	-	-
ORI19C2005A	0.25	-	16,262	-	PTG41C2004A	-	-	-	-	PTTG06C2006A	0.11	-	36,794	-
ORI24C2001A	-	-	-	-	PTG41C2005A	-	-	-	-	PTTG08C2001A	0.01	-	5,000	-
ORI28C2004A	0.14	-	20,280	-	PTG41C2006A	0.21	0.01	19,796	-	PTTG08C2004A	0.17	-	15,725	-
ORI41C2002A	-	-	-	-	PTG41P2005A	-	-	-	-	PTTG08P2004A	0.36	(0.02)	12,000	-
ORI41C2004A	-	-	-	-	PTG42C2004A	-	-	-	-	PTTG11C2004A	-	-	-	-
OSP01C2003A	0.35	(0.02)	70,422	-	PTT01C2001A	0.03	(0.02)	89,398	-	PTTG11C2007A	0.39	0.02	108,411	-
OSP01C2003B	0.12	(0.01)	30,652	-	PTT01C2001B	0.01	-	32,578	-	PTTG13C2002A	-	-	-	-
OSP01C2006A	0.58	(0.01)	24,074	-	PTT01C2004A	0.35	(0.01)	24,907	-	PTTG13C2005A	0.15	0.01	41,350	-
OSP01C2006B	0.39	(0.02)	30,784	-	PTT01C2004B	0.14	(0.01)	105,916	-	PTTG13P2004A	0.42	(0.02)	145,136	-
OSP01P2003A	0.22	0.01	28,779	-	PTT01C2007A	0.35	-	39,411	-	PTTG16C2001A	-	-	-	-
OSP01P2006A	0.51	0.02	94,612	-	PTT01C2007B	0.19	-	63,133	-	PTTG16C2006A	0.18	0.01	47,196	-
OSP06C2005A	0.45	(0.05)	9,488	-	PTT01P2001A	0.55	0.03	5,594	-	PTTG19C2001A	-	-	-	-
OSP06P2003A	0.09	-	14,950	-	PTT01P2001B	0.01	-	1,000	-	PTTG19C2002A	0.01	(0.01)	1,000	-
OSP08C2001A	-	-	-	-	PTT01P2004A	0.42	-	4,319	-	PTTG19C2006A	0.12	-	14,717	-
OSP08C2004A	0.23	(0.02)	13,410	-	PTT01P2004B	0.20	-	6,100	-	PTTG19C2006B	0.31	0.02	20,274	-
OSP11C2005A	0.45	(0.01)	33,500	-	PTT01P2007A	0.74	-	3,917	-	PTTG19P2003A	0.18	(0.01)	53,572	-
OSP13C2002A	0.12	(0.02)	52,974	-	PTT01P2007B	0.40	-	29,829	-	PTTG19P2006A	0.86	0.02	17,544	-
OSP13C2004A	0.40	(0.01)	4,116	-	PTT06C2005A	0.20	(0.02)	38,138	-	PTTG24C2003A	0.15	0.01	17,558	-
OSP16C2001A	0.38	(0.03)	8,012	-	PTT08C2005A	0.22	(0.01)	7,600	-	PTTG27C2001A	-	-	-	-
OSP19C2004A	0.19	(0.02)	8,176	-	PTT08P2005A	0.23	-	1,600	-	PTTG27P2006A	0.60	(0.02)	11,182	-
OSP19C2005A	0.41	(0.03)	3,723	-	PTT11C2004A	0.06	-	20	-	PTTG28C2002A	-	-	-	-
OSP24C2008A	0.52	(0.03)	18,031	-	PTT11C2008A	0.28	-	37,800	-	PTTG28C2003A	-	-	-	-
OSP28C2003A	0.15	(0.02)	23,308	-	PTT13C2004A	0.12	(0.01)	94,326	-	PTTG28C2006A	0.14	0.01	10,140	-
OSP41C2003A	0.40	(0.04)	1,186	-	PTT13P2004A	0.19	-	24,616	-	PTTG41C2001A	-	-	-	-
OSP41C2004A	-	-	-	-	PTT13P2006A	0.44	(0.01)	27,030	-	PTTG41C2002A	-	-	-	-
OSP41C2005A	0.35	(0.02)	20,628	-	PTT16C2001A	-	-	-	-	PTTG41C2003A	-	-	-	-
OSP41P2003A	-	-	-	-	PTT19C2002A	-	-	-	-	PTTG41C2005A	-	-	-	-
OSP41P2004A	0.24	-	10,918	-	PTT19C2005A	0.28	(0.01)	22,783	-	PTTG41C2006A	-	-	-	-
OSP42C2005A	0.41	(0.02)	8,113	-	PTT19P2003A	-	-	-	-	PTTG41P2001A	-	-	-	-
PLAN08C2004A	0.02	(0.01)	20,200	-	PTT19P2006A	-	-	-	-	PTTG41P2002A	-	-	-	-
PLAN13C2004A	0.02	(0.01)	26,401	-	PTT24C2003A	-	-	-	-	PTTG41P2003A	-	-	-	-
PLAN13C2005A	0.06	(0.06)	508,248	-	PTT24P2001A	-	-	-	-	PTTG41P2006A	0.87	0.05	8,460	-
PLAN16C2002A	0.01	(0.03)	19,638	-	PTT28C2002A	-	-	-	-	PTTG42C2003A	0.01	(0.01)	1,500	-
PLAN19C2001A	-	-	-	-	PTT28C2003A	-	-	-	-	QH01C2001A	-	-	-	-
PLAN19C2005A	0.03	(0.03)	228,978	-	PTT28C2004A	0.10	-	8,112	-	QH01C2001B	-	-	-	-
PLAN24C2006A	0.06	(0.06)	323,219	-	PTT28P2004A	0.17	-	6,084	-	QH01C2006A	-	-	-	-
PLAN27C2008A	0.13	(0.87)	93,679	-	PTT41C2002A	-	-	-	-	QH01C2006B	-	-	-	-
PLAN28C2002A	-	-	-	-	PTT41C2004A	-	-	-	-	QH01P2001A	-	-	-	-
PLAN28C2004A	-	-	-	-	PTT41C2005A	-	-	-	-	QH01P2006A	-	-	-	-
PLAN28C2005A	0.04	(0.04)	23,938	-	PTT41C2006A	-	-	-	-	QH11C2006A	0.14	-	5	-
PLAN41C2002A	-	-	-	-	PTT41P2004A	-	-	-	-	QH13C2003A	-	-	-	-
PLAN41C2004A	-	-	-	-	PTT41P2005A	-	-	-	-	QH19C2002A	-	-	-	-
PLAN41C2005A	0.03	(0.03)	23,001	-	PTT41P2006A	-	-	-	-	QH19C2006A	0.13	-	6	-
PLAN41C2006A	0.07	(0.04)	50,020	-	PTT42C2003A	0.04	0.01	32	-	QH27C2007A	-	-	-	-
PRM08C2003A	0.03	-	1	-	PTTE01C2001A	0.14	(0.02)	29,752	-	RATC01C2003A	0.19	(0.03)	62,587	-
PRM13C2003A	0.03	(0.01)	3,200	-	PTTE01C2001B	-	-	-	-	RATC01C2003B	0.07	-	29,286	-
PRM13C2006A	0.18	(0.01)	37,101	-	PTTE01C2004A	0.61	(0.02)	81,766	-	RATC01C2006A	0.73	(0.03)	37,010	-
PRM19C2001A	-	-	-	-	PTTE01C2004B	0.36	(0.01)	175,480	-	RATC01C2006B	0.50	(0.03)	51,854	-
PRM19C2004A	0.06	(0.01)	6,009	-	PTTE01C2007A	0.58	(0.03)	12,824	-	RATC01P2006A	0.67	-	48,236	-
PRM19C2006A	0.21	(0.02)	38,164	-	PTTE01C2007B	0.33	(0.02)	20,758	-	RATC06C2006A	0.48	(0.02)	16,324	-
PRM27C2002A	-	-	-	-	PTTE01P2001A	0.81	0.04	10,068	-	RATC06P2006A	0.23	0.01	78,773	-
PRM41C2002A	-	-	-	-	PTTE01P2001B	0.01	-	1	-	RATC13C2002A	-	-	-	-
PRM42C2006A	0.25	(0.03)	5,257	-	PTTE01P2004A	0.32	0.01	62,432	-	RATC13C2004A	0.22	(0.03)	66,335	-
PSH19C2001A	-	-	-	-	PTTE01P2004B	0.14	-	50,802	-	RATC16C2001A	-	-	-	-
PSH19C2003A	-	-	-	-	PTTE01P2007A	0.97	0.01	31,294	-	RATC19C2002A	-	-	-	-
PSH19C2005A	0.16	-	3,762	-	PTTE01P2007B	0.54	-	167,613	-	RATC19C2005A	0.28	(0.01)	60,150	-
PSL06C2002A	0.01	-	2,500	-	PTTE06C2001B	-	-	-	-	RATC24C2001A	-	-	-	-
PSL06C2006A	0.25	(0.04)	25,483	-	PTTE06C2006A	0.27	(0.03)	132,916	-	RATC24C2006A	0.52	(0.02)	24,972	-
PSL13C2003A	0.05	(0.02)	17,522	-	PTTE06P2006A	0.68	0.01	32,144	-	RATC27C2004A	0.05	(0.01)	63	-
PSL19C2004A	-	-	-	-	PTTE08C2002A	0.06	(0.01)	10	-	RATC27C2007A	0.59	(0.02)	20,498	-
PSL19C2006A	0.16	(0.05)	39,322	-	PTTE08C2005A	0.39	(0.02)	22,010	-	RATC41C2001A	0.01	(0.12)	1,484	-
PSL27C2002A	-	-	-	-	PTTE08P2005A	0.30	-	8,210	-	RATC41C2002A	-	-	-	-
PTG01C2001A	0.01	-	17,095	-	PTTE08P2006A	0.67	-	23,200	-	RATC41C2003A	-	-	-	-
PTG01C2001B	0.01	-	5,736	-	PTTE11C2006A	0.49	(0.03)	42,561	-	RATC41C2004A	-	-	-	-
PTG01C2003A	0.04	-	12,913	-	PTTE13C2004A	0.40	(0.01)	151,981	-	RATC41C2005A	0.34	(0.02)	34,972	-
PTG01C2003B	0.03	-	5,000	-	PTTE13C2006A	0.37	(0.01)	59,079	-	RATC41P2004A	0.43	(0.01)	28,608	-
PTG01C2005A	0.26	0.02	177,799	-	PTTE13P2003A	0.12	(0.01)	30,132	-	RATC41P2006A	0.46	0.03	12,039	-
PTG01C2005B	0.11	0.01	99,699	-	PTTE13P2006A	0.63	0.01	59,666	-	RATC42C2003A	0.02	(0.09)	85,000	-
PTG01P2001A	0.86	(0.03)	3,658	-	PTTE16C2003A	0.15	(0.02)	28,956	-	RATC42C2006A	0.38	(0.05)	7,372	-
PTG01P2003A	0.89	(0.04)	19,295	-	PTTE19C2001A	-	-	-	-	ROBI08C2001A	-	-	-	-
PTG01P2005A	0.82	(0.07)	27,054	-	PTTE19C2002A	0.14	(0.02)	17,492	-	ROBI11C2003A	-	-	-	-
PTG01P2005B	0.58	(0.06)	50,916	-	PTTE19C2006A	0.33	(0.02)	32,276	-	ROBI13C2002A	-	-	-	-
PTG03C2005A	0.02	-	6,090	-	PTTE19P2004A	0.13	-	19,038	-</					



## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RS13C2004A	0.11	(0.02)	109,998	-	SAWA11C2003A	1.19	0.15	55,756	1.00	SCC28C2004A	0.18	(0.01)	22,280	-
RS16C2001A	-	-	-	-	SAWA13C2002A	1.01	0.23	4	1.00	SCC41C2002A	-	-	-	-
RS16C2005A	-	-	-	-	SAWA13C2005A	0.85	0.13	158,048	-	SCC41C2003A	-	-	-	-
RS19C2002A	-	-	-	-	SAWA16C2001A	-	-	-	-	SCC41C2004A	-	-	-	-
RS19C2004A	-	-	-	-	SAWA19C2002A	0.73	0.18	12,682	-	SCC41C2005A	0.19	-	3,000	-
RS19C2005A	0.13	(0.03)	42,829	-	SAWA19C2005A	0.74	0.10	21,704	-	SCC41P2004A	0.32	0.02	1,504	-
RS24C2004A	-	-	-	-	SAWA24C2004A	0.90	0.13	10,433	-	SCC41P2005A	0.67	(0.01)	8,463	-
RS24C2008A	0.24	(0.04)	41,365	-	SAWA27C2007A	0.79	0.10	48,881	-	SCC42C2002A	-	-	-	-
RS41C2002A	-	-	-	-	SAWA28C2002A	-	-	-	-	SCC42C2003A	-	-	-	-
RS41C2004A	0.15	(0.03)	20	-	SAWA28C2004A	0.66	0.12	85,622	-	SGP13C2004A	0.16	0.03	69,985	-
RS42C2004A	-	-	-	-	SAWA41C2003A	-	-	-	-	SGP13C2006A	0.10	0.06	10	-
S10001C2011A	0.41	0.01	147	-	SAWA41C2004A	0.71	0.12	56,366	-	SGP19C2001A	-	-	-	-
S5001C2001A	0.01	-	70,931	-	SAWA41C2005A	0.76	0.11	17,354	-	SGP19C2002A	-	-	-	-
S5001C2002A	0.19	(0.01)	375,894	-	SAWA41P2003A	0.02	(0.01)	1,000	-	SGP19C2006A	0.06	(0.02)	600	-
S5001C2003F	0.15	(0.02)	1,573,753	-	SAWA41P2004A	0.20	(0.07)	3,096	-	SGP19C2006B	0.28	0.03	71,475	-
S5001C2003G	0.08	(0.01)	353,048	-	SAWA41P2005A	0.55	(0.09)	17,670	-	SGP24C2002A	0.05	(0.01)	8,810	-
S5001C2003H	0.26	(0.03)	859,223	-	SAWA42C2003A	0.58	0.13	21,953	-	SIR113C2007A	0.15	-	100,001	-
S5001C2003I	0.47	(0.03)	1,477,422	-	SCB01C2002A	0.02	0.01	1,754	-	SIR119C2002A	-	-	-	-
S5001C2004A	0.44	(0.03)	1,103,242	-	SCB01C2002B	-	-	-	-	SIR119C2004A	-	-	-	-
S5001P2001A	1.31	0.02	641	1.00	SCB01C2004A	0.16	-	233,852	-	SIR119C2007A	-	-	-	-
S5001P2002A	0.90	0.05	1,850,589	-	SCB01C2004B	0.05	-	48,565	-	SPAL01C2004A	0.21	0.02	752,500	-
S5001P2003F	1.05	0.04	3,271,803	1.00	SCB01C2007A	0.43	-	240,921	-	SPAL01C2004B	0.09	0.01	79,712	-
S5001P2003G	0.83	0.03	3,373,888	-	SCB01C2007B	0.30	0.01	122,081	-	SPAL06P2004A	0.53	(0.04)	53,903	-
S5001P2003H	1.51	0.05	1,561,717	1.00	SCB01P2002A	1.99	(0.03)	7,981	2.00	SPAL11C2006A	0.21	0.02	74,462	-
S5001P2003I	1.48	0.03	1,627,156	1.00	SCB01P2002B	1.50	(0.06)	37,658	1.00	SPAL13C2003A	0.09	0.02	9,257	-
S5001P2004A	1.28	0.03	761,982	1.00	SCB01P2004A	0.77	(0.02)	33,741	-	SPAL16C2002A	-	-	-	-
S5006C2003A	0.03	(0.01)	77,960	-	SCB01P2004B	0.37	(0.01)	141,316	-	SPAL19C2002A	-	-	-	-
S5006C2003B	0.08	-	99,375	-	SCB01P2007A	0.67	(0.02)	62,352	-	SPAL19C2004A	0.11	0.01	47,285	-
S5006C2003C	0.07	(0.01)	26,784	-	SCB01P2007B	0.57	(0.02)	68,810	-	SPAL24C2003A	-	-	-	-
S5006P2003A	1.30	0.06	288,612	1.00	SCB06C2001A	-	-	-	-	SPAL27C2008A	0.14	0.01	15,450	-
S5006P2003B	1.49	0.05	292,672	1.00	SCB06C2007A	0.67	(0.33)	52,211	-	SPAL41C2002A	-	-	-	-
S5006P2003C	0.64	0.03	306,353	-	SCB08C2002A	-	-	-	-	SPAL41C2004A	-	-	-	-
S5008C2003A	0.11	(0.01)	137,659	-	SCB08C2005A	0.08	-	51	-	SPAL42C2003A	-	-	-	-
S5008C2003B	0.04	(0.01)	2,506	-	SCB08P2004A	0.57	(0.01)	24,700	-	SPRC01C2003A	0.14	0.01	111,438	-
S5008P2003A	0.48	0.01	360,757	-	SCB11C2005A	0.02	-	2	-	SPRC01C2003B	0.02	(0.01)	47	-
S5008P2003B	0.20	0.01	343,364	-	SCB11C2006A	0.05	-	4,000	-	SPRC01C2007A	0.35	-	57,994	-
S5008P2003C	-	-	-	-	SCB11C2008A	0.45	(0.55)	100,000	-	SPRC06C2007A	0.37	(0.63)	25,641	-
S5011C2003A	0.26	(0.02)	156,521	-	SCB11P2005A	1.34	(0.05)	67,988	1.00	SPRC06P2003A	0.14	(0.01)	52,960	-
S5011P2003A	0.88	-	138,081	-	SCB13C2003A	0.01	-	27,067	-	SPRC08C2005A	0.16	-	24,629	-
S5013C2003A	0.09	(0.01)	2,524,772	-	SCB13C2006A	0.12	-	84,603	-	SPRC08C2006A	-	-	-	-
S5013C2003B	0.23	(0.02)	2,049,740	-	SCB13C2006B	0.32	0.01	91,646	-	SPRC11C2005A	0.03	(0.02)	1	-
S5013C2003C	0.16	(0.01)	2,429,190	-	SCB13C2007A	0.90	0.02	278,378	-	SPRC11C2008A	0.52	-	39,001	-
S5013C2003D	0.34	(0.03)	3,399,483	-	SCB13P2003A	0.30	(0.03)	73,260	-	SPRC13C2004A	0.02	(0.02)	1,354	-
S5013C2003E	0.58	(0.04)	11,605,292	-	SCB13P2006A	0.85	(0.02)	64,934	-	SPRC13C2006A	0.17	-	94,754	-
S5013P2003A	1.45	0.05	207,411	1.00	SCB16C2001A	-	-	-	-	SPRC19C2001A	-	-	-	-
S5013P2003B	0.86	0.03	3,751,825	-	SCB16C2003A	0.01	-	2,000	-	SPRC19C2002A	0.08	-	11,054	-
S5013P2003C	1.25	0.05	139,945	1.00	SCB19C2002A	-	-	-	-	SPRC19C2005A	0.18	0.01	32,395	-
S5013P2003D	1.34	0.04	495	1.00	SCB19C2003A	0.02	-	3,162	-	SPRC19C2005B	0.04	(0.01)	11	-
S5013P2003E	0.59	0.02	3,971,418	-	SCB19C2006A	0.28	0.01	60,129	-	SPRC19C2007A	0.51	(0.01)	27,710	-
S5016C2003A	0.07	(0.02)	4,716	-	SCB19P2005A	0.82	(0.02)	28,295	-	SPRC19P2005A	0.56	(0.01)	3,081	-
S5016C2003B	0.14	(0.02)	239,242	-	SCB24C2001A	-	-	-	-	SPRC24C2003A	-	-	-	-
S5016C2003C	0.37	(0.02)	300,918	-	SCB24C2004A	0.15	0.02	31,313	-	SPRC41C2002A	-	-	-	-
S5016P2003A	0.89	0.02	460,142	-	SCB27C2007A	0.10	-	15,523	-	SPRC41C2004A	-	-	-	-
S5016P2003C	1.04	0.01	273,835	1.00	SCB27P2006A	0.73	(0.02)	26,400	-	SPRC41C2005A	-	-	-	-
S5019C2003A	0.07	(0.01)	226,854	-	SCB28C2003A	-	-	-	-	SPRC41C2006A	-	-	-	-
S5019C2003B	0.25	(0.03)	600,306	-	SCB28C2004A	-	-	-	-	STA01C2003A	0.40	0.05	109,930	-
S5019C2003C	0.16	(0.02)	492,670	-	SCB28C2006A	0.22	0.01	11,156	-	STA01C2003B	0.16	0.02	35,934	-
S5019C2003D	0.52	(0.48)	366,143	-	SCB28C2006B	0.69	0.03	63,134	-	STA01P2003A	0.10	(0.02)	107,925	-
S5019P2003A	1.04	0.04	228,786	1.00	SCB41C2002A	-	-	-	-	STA11C2005A	0.24	0.04	34,324	-
S5019P2003B	0.48	0.02	1,530,422	-	SCB41C2004A	-	-	-	-	STA13C2003A	0.34	0.06	225,455	-
S5019P2003C	1.37	0.05	157,633	1.00	SCB41C2005A	-	-	-	-	STA19C2001A	-	-	-	-
S5019P2003D	0.38	(0.62)	816,568	-	SCB41C2006A	-	-	-	-	STA19C2002A	-	-	-	-
S5024C2003A	0.06	(0.01)	22,505	-	SCB41P2004A	0.46	(0.03)	26,662	-	STA19C2004A	0.35	0.05	36,840	-
S5024C2003B	0.16	(0.03)	134,245	-	SCB41P2005A	-	-	-	-	STA19C2005A	1.05	0.13	3,470	1.00
S5024C2003C	0.63	(0.37)	406,250	-	SCB42C2003A	-	-	-	-	STA24C2002A	0.15	0.04	35,132	-
S5024P2003A	1.40	0.06	418,846	1.00	SCB42C2006A	-	-	-	-	STEC01C2003A	0.07	0.01	72,627	-
S5024P2003B	0.58	0.02	325,244	-	SCC01C2001A	0.01	-	20,251	-	STEC01C2003B	-	-	-	-
S5028C2001A	-	-	-	-	SCC01C2001B	0.01	-	14,420	-	STEC01C2004A	0.15	0.01	170,158	-
S5028C2002A	0.03	-	83	-	SCC01C2004A	0.52	-	184,391	-	STEC01C2006A	0.41	0.01	230,702	-
S5028C2003A	0.04	(0.01)	885	-	SCC01C2004B	0.18	-	113,872	-	STEC01C2006B	0.22	0.01	318,730	-
S5028C2003B	-	-	-	-	SCC01P2001A	0.99	(0.01)	18,351	1.00	STEC01P2003A	0.89	(0.03)	26,835	-
S5028C2006A	0.20	(0.01)	421,570	-	SCC01P2004A	0.92	(0.01)	103,416	-	STEC01P2006A	0.63	(0.02)	137,887	-
S5028P2001A	-	-	-	-	SCC06C2002A	-	-	-	-	STEC06C2002A	0.01	-	50	-
S5028P2002A	0.40	0.01	434,987	-	SCC08C2002A	0.02	-	40	-	STEC06C2004A	0.27	-	103,845	-
S5028P2003A	0.34	0.01	452,366	-	SCC08C2004A	0.18	-	17,801	-	STEC08C2001A	0.01	-	7,545	-
S5028P2006A	0.51	0.01	501,374	-	SCC08P2006A	0.65	(0.03)	22,365	-	STEC08C2004A	-	-	-	-
S5041C2003A	0.04	(0.01)	1,272	-	SCC11C2003A	-	-	-	-	STEC08C2005A	0.35	0.02	50,950	-
S5041C2003B	-	-	-	-	SCC11C2006A	0.05	-	71	-	STEC11C2001A	-	-	-	-
S5041C2003C	0.12	(0.02)	306,156	-	SCC11C2007A	0.43	(0.01)	71,968	-	STEC11C2007A	0.07	-	2,550	-
S5041C2003D	0.12	(0.01)	812,990	-	SCC13C2002A	0.02	-	2,800	-	STEC13C2003A	0.10	0.01	76,963	-
S5041C2003E	0.20	(0.01)	762,287	-	SCC13C2004A	0.25	0.01	42,838	-	STEC13C2004A	0.26	0.01	328,038	-
S5041P2003A	0.71	0.01	38,595	-	SCC13P2002A	0.14	(0.01)	57,843	-	STEC16C2003A	-	-	-	-
S5041P2003B	1.01	-	4,918	1.00	SCC13P2006A	0.63	(0.01)	63,743	-	STEC16C2006A	0.09	-	1,910	-
S5041P2003C	0.47	(0.01)	1,021,358	-	SCC16C2002A	-	-	-	-	STEC19C2002A	-	-	-	-
S5041P2003D	-	-	-	-	SCC16C2005A	0.10	-	58,414	-	STEC19C2004A	0.09	-	14,197	-
S5041P2003E	1.53	0.01	200	1.00	SCC19C2002A	-	-	-	-					

## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STEC41C2003A	-	-	-	-	TKN28C2003A	0.02	(0.02)	641	-	TRUE19P2005A	0.52	0.03	32,734	-
STEC41C2004A	-	-	-	-	TKN41C2001A	-	-	-	-	TRUE28C2003A	-	-	-	-
STEC41C2005A	0.29	-	10,860	-	TKN41C2003A	-	-	-	-	TRUE28C2003B	-	-	-	-
STEC41C2006A	0.39	0.02	703	-	TKN41C2006A	-	-	-	-	TRUE28C2006A	0.23	(0.01)	12,140	-
STEC41P2001A	-	-	-	-	TKN42C2003A	-	-	-	-	TRUE41C2002A	-	-	-	-
STEC41P2003A	-	-	-	-	TMB01C2004A	0.23	(0.01)	95,265	-	TRUE41C2003A	-	-	-	-
STEC41P2004A	0.29	(0.02)	25,546	-	TMB01C2004B	0.10	(0.01)	141,311	-	TRUE41C2004A	-	-	-	-
STEC41P2005A	0.30	(0.03)	4,298	-	TMB01P2004A	0.40	-	20,614	-	TRUE41C2005A	-	-	-	-
STEC42C2004A	0.20	0.03	7,006	-	TMB13C2002A	0.05	(0.01)	20,765	-	TRUE41C2006A	0.23	(0.01)	1,002	-
SUPE13C2003A	-	-	-	-	TMB19C2001A	-	-	-	-	TRUE41P2004A	0.52	-	10,000	-
SUPE19C2002A	-	-	-	-	TMB19C2004A	0.17	-	19,892	-	TRUE41P2005A	0.82	0.03	16,148	-
SUPE19C2004A	-	-	-	-	TMB19P2004A	0.42	0.01	2,048	-	TRUE42C2003A	-	-	-	-
SUPE42C2004A	-	-	-	-	TMB28C2002A	-	-	-	-	TRUE42C2004A	0.08	0.01	4,409	-
TASCO1C2003A	0.32	0.01	50,690	-	TMB41C2002A	-	-	-	-	TTW27C2009A	0.31	(0.01)	2,913	-
TASCO1C2003B	0.09	0.01	2,652	-	TMB41C2005A	-	-	-	-	TU01C2001A	0.01	-	13,293	-
TASCO1P2003A	0.30	(0.03)	89,529	-	TMB41P2002A	0.01	(0.01)	700	-	TU01C2001B	0.01	-	20,042	-
TASCO8C2005A	0.24	0.02	24,330	-	TMB41P2003A	-	-	-	-	TU01C2004A	0.29	0.07	207,539	-
TASCO8C2006A	0.42	0.01	28,201	-	TMB41P2006A	0.39	(0.01)	14,964	-	TU01C2004B	0.26	0.06	197,535	-
TASC11C2002A	0.58	0.01	43,107	-	TOA01C2001A	0.01	(0.03)	20,912	-	TU01P2001A	0.88	(0.15)	20,968	-
TASC13C2003A	0.13	-	42,238	-	TOA01C2001B	0.01	-	1,420	-	TU01P2004A	0.18	(0.05)	287,400	-
TASC13C2006A	0.43	0.01	11,844	-	TOA01C2006A	0.40	(0.02)	53,511	-	TU06C2004A	0.13	0.05	174,087	-
TASC16C2001A	-	-	-	-	TOA01C2006B	0.27	(0.03)	41,648	-	TU11C2003A	-	-	-	-
TASC19C2003A	0.14	-	31,388	-	TOA01P2001A	0.01	-	3,360	-	TU11C2008A	0.44	0.06	76,592	-
TASC19C2006A	0.62	0.01	21,841	-	TOA08C2003A	-	-	-	-	TU13C2003A	0.03	-	2,000	-
TASC19P2004A	0.29	(0.03)	26,236	-	TOA13C2003A	0.04	(0.01)	250	-	TU13C2004A	0.29	0.07	102,540	-
TASC24C2001A	-	-	-	-	TOA16C2001A	0.01	(0.02)	16,600	-	TU19C2001A	-	-	-	-
TASC24C2006A	0.39	0.03	49,330	-	TOA19C2004A	0.08	(0.01)	14,994	-	TU19C2002A	0.01	-	35	-
TASC28C2004A	0.12	-	14,196	-	TOA24C2005A	0.08	(0.01)	4,468	-	TU19C2003A	0.04	0.01	15,507	-
TASC28C2006A	0.24	0.01	57,512	-	TOA41C2004A	-	-	-	-	TU19C2005A	0.38	0.07	26,454	-
TASC41C2003A	-	-	-	-	TOP01C2003A	0.09	(0.01)	87,973	-	TU24C2003A	0.02	-	2,000	-
TASC41C2004A	-	-	-	-	TOP01C2003B	-	-	-	-	TU24C2006A	0.35	0.06	6,061	-
TASC41C2005A	0.42	0.02	18,834	-	TOP01C2006A	0.29	(0.03)	196,642	-	TU27C2004A	-	-	-	-
TASC42C2003A	-	-	-	-	TOP01C2006B	0.14	(0.01)	86,601	-	TU27C2006A	0.25	0.05	60,680	-
TASC42C2005A	-	-	-	-	TOP01P2003A	1.16	0.05	23,869	1.00	TU41C2002A	-	-	-	-
TCAP01C2001A	0.18	0.04	11,657	-	TOP01P2006A	1.23	0.05	78,839	1.00	TU41C2003A	-	-	-	-
TCAP01C2001B	0.01	-	32	-	TOP06C2004A	-	-	-	-	TU41C2004A	0.19	0.04	17,820	-
TCAP01P2001A	0.01	(0.06)	9	-	TOP06P2005A	1.35	0.09	29,710	1.00	TU41C2005A	0.35	0.01	21,154	-
TCAP11C2002A	0.06	0.01	15,202	-	TOP08C2003A	-	-	-	-	TU41P2003A	-	-	-	-
TCAP13C2002A	0.20	0.02	126,274	-	TOP08P2003A	-	-	-	-	TU41P2004A	0.12	(0.03)	1,004	-
TCAP19C2001A	-	-	-	-	TOP11C2002A	0.01	-	20	-	TU011C2001A	-	-	-	-
TCAP19C2004A	0.31	0.02	68,091	-	TOP11C2007A	0.11	(0.02)	9,561	-	TU013C2007A	0.27	0.04	16,988	-
TCAP24C2001A	-	-	-	-	TOP11P2002A	0.77	0.07	52,834	-	TU019C2004A	0.20	0.01	5,958	-
TCAP41C2002A	-	-	-	-	TOP13C2002A	-	-	-	-	TU019C2007A	0.20	0.05	29,297	-
TCAP41C2004A	-	-	-	-	TOP13C2004A	0.02	(0.02)	2,354	-	VGI01C2005A	0.29	(0.06)	353,250	-
THAI11C2003A	-	-	-	-	TOP13C2006A	0.15	(0.03)	82,874	-	VGI08C2006A	0.21	(0.02)	76,601	-
THAI13C2004A	0.04	(0.02)	71	-	TOP13P2001A	-	-	-	-	VGI11C2008A	0.22	(0.07)	100,450	-
THAI19C2002A	-	-	-	-	TOP13P2005A	1.49	0.04	10	1.00	VGI13C2006A	0.26	(0.06)	480,200	-
THAI19C2004A	-	-	-	-	TOP13P2006A	0.94	0.05	94,493	-	VGI19C2006A	0.21	(0.03)	102,952	-
THAI27C2008A	0.26	(0.03)	9,400	-	TOP16C2001A	-	-	-	-	VGI41C2006A	0.19	(0.04)	780	-
THAI42C2003A	-	-	-	-	TOP19C2002A	-	-	-	-	WHA01C2002A	0.01	-	3,010	-
THAI42C2005A	0.07	(0.01)	7,500	-	TOP19C2003A	0.01	(0.01)	5,000	-	WHA01C2002B	-	-	-	-
THAN01C2001A	0.01	-	12,708	-	TOP19C2006A	0.14	(0.03)	183,761	-	WHA01C2005A	0.16	-	439,252	-
THAN01C2001B	0.01	-	100	-	TOP19P2002A	0.85	0.04	11,777	-	WHA01C2005B	0.05	(0.01)	2,196	-
THAN01C2006A	0.28	0.01	2,084	-	TOP19P2006A	1.34	0.07	15,291	1.00	WHA01P2002A	1.45	-	5,554	1.00
THAN01C2006B	0.12	-	4,320	-	TOP23C2001A	-	-	-	-	WHA01P2005A	0.88	-	60,346	-
THAN01P2006A	0.43	-	1,361	-	TOP24C2007A	0.07	(0.01)	636	-	WHA06C2007A	0.33	(0.67)	27,351	-
THAN06C2003A	-	-	-	-	TOP28C2004A	-	-	-	-	WHA08C2002A	-	-	-	-
THAN06C2005A	0.15	0.01	1,600	-	TOP41C2002A	-	-	-	-	WHA08C2003A	-	-	-	-
THAN06P2003A	0.36	-	200	-	TOP41C2002B	-	-	-	-	WHA08C2005A	0.04	-	1,130	-
THAN13C2003A	-	-	-	-	TOP41C2003A	-	-	-	-	WHA08C2006A	0.17	0.01	20,166	-
THAN19C2001A	-	-	-	-	TOP41C2004A	0.12	(0.02)	35,418	-	WHA08P2006A	0.61	-	33,210	-
THAN19C2004A	0.08	(0.01)	3,478	-	TOP41C2005A	-	-	-	-	WHA11C2001A	-	-	-	-
THAN24C2001A	-	-	-	-	TOP41C2006A	-	-	-	-	WHA11C2008A	0.16	(0.01)	46,312	-
THAN27C2003A	-	-	-	-	TOP41P2002A	-	-	-	-	WHA13C2003A	0.01	-	24,182	-
THAN41C2002A	-	-	-	-	TOP41P2004A	-	-	-	-	WHA13C2005A	0.07	(0.01)	29,692	-
THAN41C2005A	-	-	-	-	TOP41P2006A	0.95	-	9,770	-	WHA13C2006A	0.29	-	207,025	-
THSC01C2001A	1.01	-	151	1.00	TP19C2002A	-	-	-	-	WHA16C2006A	0.02	-	551	-
THSC01C2001B	-	-	-	-	TP19C2004A	0.30	-	5,634	-	WHA19C2002A	-	-	-	-
THSC01C2006A	1.01	-	3,276	1.00	TRUE01C2002A	0.02	-	6,144	-	WHA19C2004A	0.02	-	3,000	-
THSC01C2006B	0.28	(0.02)	32,102	-	TRUE01C2002B	0.02	-	6,201	-	WHA19C2005A	0.08	-	1,750	-
THSC01P2001A	0.01	-	17	-	TRUE01C2004A	0.02	-	21,293	-	WHA19C2006A	0.26	-	138,766	-
THSC01P2006A	0.49	-	26,167	-	TRUE01C2004B	0.08	(0.02)	16,511	-	WHA24C2004A	-	-	-	-
TISC08C2001A	-	-	-	-	TRUE01C2007A	0.55	(0.01)	44,156	-	WHA24P2003A	1.29	(0.01)	4,334	1.00
TISC08C2002A	-	-	-	-	TRUE01C2007B	0.32	(0.02)	65,493	-	WHA27C2008A	0.17	0.01	29,870	-
TISC11C2005A	0.19	-	11,190	-	TRUE01P2002A	1.51	0.02	22,866	1.00	WHA28C2003A	-	-	-	-
TISC11C2007A	0.81	0.01	4,954	-	TRUE01P2002B	1.36	0.02	19,624	1.00	WHA28C2003B	-	-	-	-
TISC13C2004A	-	-	-	-	TRUE01P2004A	0.72	0.03	51,016	-	WHA28C2004A	-	-	-	-
TISC13C2006A	-	-	-	-	TRUE01P2004B	0.40	0.02	158,575	-	WHA28C2005A	-	-	-	-
TISC16C2001A	0.04	(0.02)	2,248	-	TRUE06C2004A	0.11	(0.01)	19,250	-	WHA28C2006A	0.20	-	38,532	-
TISC19C2004A	0.48	0.02	400	-	TRUE08C2001A	-	-	-	-	WHA41C2003A	-	-	-	-
TISC19C2006A	0.24	(0.01)	16,341	-	TRUE08C2004A	0.05	-	20,000	-	WHA41C2004A	-	-	-	-
TISC41C2005A	-	-	-	-	TRUE08C2005A	0.18	(0.02)	13,745	-	WHA41C2005A	-	-	-	-
TISC41C2006A	0.28	0.01	19,250	-	TRUE08P2005A	0.86	0.03	18,000	-	WHA41C2006A	0.16	0.01	26,114	-
TISC41P2006A	-	-	-	-	TRUE11C2005A	-	-	-	-	WHA41C2007A	0.36	(0.64)	4,000	-
TISC42C2003A	0.14	0.03	2,202	-	TRUE11C2005B	-	-	-	-	WHA41P2003A	-	-	-	-
TKN01C2003A	0.09	-	15,852	-	TRUE11P2002A	0.45	0.03	52,726	-	WHA41P2005A	-	-	-	-
TKN01C2003B	0.04	-	500	-	TRUE13C2003A	0.01	-	4,809	-	WHA42C2005A	-	-	-	-
TKN08C2003A	0.11	(0.02)	10,200	-	TRUE13C2003B	0.07	(0.01)	32,201	-	WHAU27C2002A	-	-	-	-
TKN13C2004A	0.08	(0.01)	4,346	-	TRUE13C2006A	0.28	(0.02)	98,316	-	Preferred/Foreign	-	-	-	-
TKN16C2001A	-	-	-	-	TRUE13P2001A	-	-	-	-	BH-Q	-	-	-	-
TKN19C2001A	-	-	-	-	TRUE16C2002A	-	-	-	-	CSC-Q	-	-	-	-
TKN19C2004A	0.23	(0.03)	29,801	-	TRUE19C2003A	-	-	-	-	JUTHA-Q	-	-	-	-

## Main Board Quotation

Issue Date :

Thursday January 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISCO-Q	-	-	-	-	DOD-W1	0.50	-	25,600	-					
U-Q	-	-	-	-	ECF-W3	0.37	0.02	7	-					
Warrant					EFORL-W3	-	-	-	-					
7UP-W4	0.11	0.01	32,550	-	EFORL-W4	-	-	-	-					
AKR-W1	0.10	0.01	1,391	-	FVC-W2	0.02	-	353	-					
ALT-W1	0.19	-	204	-	HPT-W1	0.20	0.01	1	-					
APEX-W1	-	-	-	-	ITEL-W1	0.24	-	360	-					
APURE-W2	-	-	-	-	JKN-W1	0.32	0.01	30,561	-					
AS-W1	0.10	-	1,515	-	LIT-W1	0.77	0.01	1	-					
AYUD-W1	0.62	(0.05)	33,390	-	META-W4	0.06	-	69	-					
B-W3	-	-	-	-	NEWS-W6	-	-	-	-					
B-W4	-	-	-	-	OCEAN-W3	0.46	-	1,080	-					
B-W5	0.04	-	101,043	-	PROUD-W2	0.20	(0.03)	1,389	-					
B52-W2	-	-	-	-	RWI-W2	0.10	(0.01)	43,010	-					
BKD-W2	0.11	-	151	-	SANKO-W1	0.09	(0.01)	1,018	-					
CGD-W4	0.10	-	5,186	-	SIMAT-W2	0.05	-	51	-					
CGH-W3	0.02	-	166	-	SIMAT-W3	-	-	-	-					
CI-W1	0.02	-	1,504	-	SIMAT-W4	0.74	0.06	4,105	-					
CKP-W1	0.09	0.01	267,371	-	SMART-W2	-	-	-	-					
CRANE-W1	0.73	0.15	9	-	STAR-W3	-	-	-	-					
DCC-W1	0.56	(0.01)	22,053	-	SWC-W1	2.58	-	8	2.00					
ECL-W3	0.13	-	6,381	-	TAKUNI-W	0.04	0.01	3,805	-					
EIC-W2	-	-	-	-	TVD-W2	0.15	-	5,170	-					
EIC-W3	-	-	-	-	UAC-W2	0.17	(0.02)	118	-					
EMC-W6	0.04	-	1,100	-	UKEM-W2	0.02	(0.01)	417	-					
EPCO-W3	0.37	-	894	-	Preferred Shares									
GJS-W3	-	-	-	-	SGF-P1	-	-	-	-					
GLOCON-W4	0.27	0.01	4,535	-		-	-	-	-					
J-W1	0.19	-	50	-		-	-	-	-					
JAS-W3	2.06	0.20	118,048	1.00		-	-	-	-					
JCK-W5	0.06	(0.01)	881	-		-	-	-	-					
JMT-W2	4.50	0.16	3,959	4.00		-	-	-	-					
MACO-W2	0.13	(0.02)	456,160	-		-	-	-	-					
MILL-W4	0.03	0.01	1,001	-		-	-	-	-					
MILL-W5	0.01	-	10	-		-	-	-	-					
MINT-W6	2.20	-	3,032	2.00		-	-	-	-					
NFC-W1	0.50	(0.01)	281	-		-	-	-	-					
NOK-W1	0.01	(0.01)	206	-		-	-	-	-					
NUSA-W3	-	-	-	-		-	-	-	-					
NVD-W1	0.12	(0.01)	827	-		-	-	-	-					
ORI-W1	0.33	(0.01)	21,108	-		-	-	-	-					
PACE-W2	0.02	-	335	-		-	-	-	-					
PACE-W3	0.04	-	300	-		-	-	-	-					
PDI-W1	0.37	0.02	244	-		-	-	-	-					
PDJ-W3	-	-	-	-		-	-	-	-					
PDJ-W4	0.35	(0.01)	21	-		-	-	-	-					
PERM-W1	0.13	(0.01)	548	-		-	-	-	-					
PORT-W1	0.66	0.01	11,400	-		-	-	-	-					
PPPM-W4	0.16	-	570	-		-	-	-	-					
PRIME-W1	-	-	-	-		-	-	-	-					
PRIME-W2	0.02	0.01	1	-		-	-	-	-					
RICHY-W2	0.02	-	808	-		-	-	-	-					
RS-W3	0.91	(0.02)	16,333	-		-	-	-	-					
SAMART-W2	0.47	(0.02)	21,225	-		-	-	-	-					
SAWAD-W1	30.25	2.50	2,340	29.00		-	-	-	-					
SDC-W1	-	-	-	-		-	-	-	-					
SINGER-W1	1.55	(0.05)	10	1.00		-	-	-	-					
SINGER-W2	1.41	(0.03)	375	1.00		-	-	-	-					
SMT-W2	0.06	(0.01)	1,779	-		-	-	-	-					
SST-W2	0.70	0.01	178	-		-	-	-	-					
SUPER-W4	0.01	-	260	-		-	-	-	-					
SVI-W3	0.31	-	11,197	-		-	-	-	-					
TCC-W3	0.04	(0.01)	4,108	-		-	-	-	-					
TCC-W4	0.04	-	1,001	-		-	-	-	-					
TCC-W5	0.13	-	79	-		-	-	-	-					
TCJ-W2	-	-	-	-		-	-	-	-					
TFG-W2	0.06	-	16,890	-		-	-	-	-					
TGPRO-W3	-	-	-	-		-	-	-	-					
TH-W2	0.02	-	1	-		-	-	-	-					
THE-W2	-	-	-	-		-	-	-	-					
TNITY-W1	0.17	(0.03)	1,300	-		-	-	-	-					
TRITN-W3	0.10	-	625	-		-	-	-	-					
TTCL-W1	0.38	(0.02)	2,631	-		-	-	-	-					
TWZ-W5	-	-	-	-		-	-	-	-					
U-W4	-	-	-	-		-	-	-	-					
VGI-W2	0.97	-	453,902	-		-	-	-	-					
VIBHA-W2	0.69	(0.01)	110	-		-	-	-	-					
VIBHA-W3	0.17	0.01	89,650	-		-	-	-	-					
WAVE-W1	0.03	0.01	1,625	-		-	-	-	-					
WHA-W1	0.32	0.09	393,748	-		-	-	-	-					
WIJK-W2	0.14	-	1,541	-		-	-	-	-					
ZMICO-W4	0.06	-	28,895	-		-	-	-	-					
Preferred Shares														
BH-P	-	-	-	-										
CSC-P	-	-	-	-										
JUTHA-P	-	-	-	-										
KTB-P	-	-	-	-										
SCB-P	-	-	-	-										
TCAP-P	-	-	-	-										
TISCO-P	-	-	-	-										
U-P	2.64	(0.02)	82	2.00										
Warrant (MAI)	-	-	-	-										
BM-W1	-	-	-	-										
BROOK-W5	0.15	0.01	9,322	-										
CHO-W2	0.05	(0.01)	13,372	-										