















**Main Board Quotation**

**Issue Date :**

*Wednesday February 05, 2020*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN16C2005A	0.07	0.01	10,613	-	KTC42C2003A	-	-	-	-	PLAN08C2004A	-	-	-	-



## Main Board Quotation

Issue Date :

Wednesday February 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PLAN13C2004A	0.01	(0.01)	4,100	-	PTT28P2004A	0.16	(0.03)	42,589	-	RATC01C2003A	0.10	-	133,789	-
PLAN13C2005A	0.07	0.01	131,098	-	PTT41C2002A	-	-	-	-	RATC01C2003B	0.02	-	1,003	-
PLAN16C2002A	0.02	0.01	1	-	PTT41C2004A	-	-	-	-	RATC01C2006A	0.55	-	97,317	-
PLAN19C2001A	-	-	-	-	PTT41C2005A	-	-	-	-	RATC01C2006B	0.34	-	140,689	-
PLAN19C2005A	0.03	-	93,400	-	PTT41C2006A	-	-	-	-	RATC01P2006A	0.82	(0.03)	65,228	-
PLAN19C2007A	0.30	0.03	82,844	-	PTT41P2004A	-	-	-	-	RATC06C2006A	0.24	-	127,060	-
PLAN24C2006A	0.07	-	21,912	-	PTT41P2005A	-	-	-	-	RATC06P2006A	0.36	(0.01)	46,405	-
PLAN27C2008A	0.14	0.01	27,030	-	PTT41P2006A	-	-	-	-	RATC13C2002A	-	-	-	-
PLAN28C2002A	-	-	-	-	PTT42C2003A	0.03	0.01	5	-	RATC13C2004A	0.12	-	62,157	-
PLAN28C2004A	-	-	-	-	PTT42C2007A	0.15	-	4,000	-	RATC13C2007A	0.43	0.01	235,864	-
PLAN28C2005A	0.05	-	7,204	-	PTTE01C2004A	0.57	0.01	58,409	-	RATC16C2001A	-	-	-	-
PLAN41C2002A	-	-	-	-	PTTE01C2004B	0.31	(0.01)	192,433	-	RATC16C2008A	0.23	0.02	41,620	-
PLAN41C2004A	-	-	-	-	PTTE01C2007A	0.56	-	77,804	-	RATC19C2002A	-	-	-	-
PLAN41C2005A	-	-	-	-	PTTE01C2007B	0.30	(0.01)	79,925	-	RATC19C2005A	0.16	-	32,038	-
PLAN41C2006A	0.07	0.02	5	-	PTTE01P2004A	0.31	(0.01)	52,511	-	RATC24C2001A	-	-	-	-
PRM08C2003A	0.03	0.01	4	-	PTTE01P2004B	0.14	-	56,389	-	RATC24C2006A	0.34	-	42,544	-
PRM13C2003A	-	-	-	-	PTTE01P2007A	0.98	-	39,690	1.00	RATC27C2004A	-	-	-	-
PRM13C2006A	0.18	0.03	47,215	-	PTTE01P2007B	0.56	0.01	232,151	-	RATC27C2007A	0.41	(0.01)	45,150	-
PRM19C2001A	-	-	-	-	PTTE06C2006A	0.25	-	153,716	-	RATC41C2002A	-	-	-	-
PRM19C2004A	0.06	0.01	12	-	PTTE06P2006A	0.70	(0.01)	36,330	-	RATC41C2003A	-	-	-	-
PRM19C2006A	0.22	0.03	23,830	-	PTTE08C2002A	-	-	-	-	RATC41C2004A	0.22	(0.17)	5,001	-
PRM27C2002A	0.01	-	27,500	-	PTTE08C2005A	0.36	0.01	30,056	-	RATC41C2005A	0.24	0.04	300	-
PRM41C2002A	-	-	-	-	PTTE08P2005A	0.31	-	13,000	-	RATC41P2004A	0.61	0.08	8,956	-
PRM42C2006A	0.28	0.04	6,000	-	PTTE08P2006A	0.71	0.01	10,000	-	RATC41P2006A	0.60	0.01	12,810	-
PSH19C2001A	-	-	-	-	PTTE11C2006A	0.46	0.01	69,352	-	RATC42C2003A	0.01	-	2,000	-
PSH19C2003A	0.03	0.01	3	-	PTTE13C2004A	0.36	0.01	98,646	-	RATC42C2006A	0.25	0.02	22,657	-
PSH19C2005A	0.20	0.03	30,018	-	PTTE13C2006A	0.33	(0.01)	67,344	-	RS06C2004A	0.08	0.01	9,900	-
PSL06C2002A	0.01	-	3,572	-	PTTE13P2003A	0.12	(0.01)	32,567	-	RS08P2003A	-	-	-	-
PSL06C2006A	0.13	(0.03)	12,687	-	PTTE13P2006A	0.65	-	42,007	-	RS08P2006A	0.77	(0.05)	18,011	-
PSL13C2003A	0.02	(0.01)	5,000	-	PTTE16C2003A	0.13	0.01	34,782	-	RS13C2002A	-	-	-	-
PSL19C2004A	-	-	-	-	PTTE19C2001A	-	-	-	-	RS13C2004A	0.07	0.01	6,000	-
PSL19C2006A	0.09	(0.01)	20,494	-	PTTE19C2002A	0.10	-	29,505	-	RS16C2001A	-	-	-	-
PSL27C2002A	-	-	-	-	PTTE19C2006A	0.30	-	15,089	-	RS16C2005A	-	-	-	-
PTG01C2003A	0.05	0.01	4,111	-	PTTE19P2004A	-	-	-	-	RS19C2002A	-	-	-	-
PTG01C2003B	0.03	-	11,000	-	PTTE19P2006A	0.61	(0.03)	50,006	-	RS19C2004A	-	-	-	-
PTG01C2005A	0.27	0.02	152,251	-	PTTE24C2003A	0.18	-	30,866	-	RS19C2005A	0.10	0.01	25,878	-
PTG01C2005B	0.11	0.01	135,398	-	PTTE28C2002A	-	-	-	-	RS24C2004A	-	-	-	-
PTG01C2007B	0.46	0.02	113,978	-	PTTE28C2005A	0.22	(0.01)	19,266	-	RS24C2008A	0.19	0.02	17,491	-
PTG01P2003A	0.75	(0.08)	15,749	-	PTTE28P2004A	0.12	(0.01)	6,084	-	RS41C2002A	-	-	-	-
PTG01P2005A	0.77	(0.04)	32,659	-	PTTE41C2002A	-	-	-	-	RS41C2004A	-	-	-	-
PTG01P2005B	0.52	(0.04)	85,709	-	PTTE41C2003A	-	-	-	-	RS42C2004A	-	-	-	-
PTG03C2005A	0.02	-	210	-	PTTE41C2005A	-	-	-	-	S10001C2011A	0.44	0.03	1,854	-
PTG06C2006A	0.18	0.01	18,549	-	PTTE41C2006A	0.38	(0.01)	10,000	-	S5001C2002A	0.19	0.04	567,568	-
PTG08C2005A	0.11	0.01	13,500	-	PTTE41P2002A	-	-	-	-	S5001C2003F	0.15	0.02	1,747,188	-
PTG11C2003A	0.16	0.01	13,000	-	PTTE41P2003A	-	-	-	-	S5001C2003G	0.08	0.02	273,522	-
PTG11C2005A	-	-	-	-	PTTE41P2004A	0.66	0.04	8,274	-	S5001C2003H	0.27	0.04	782,822	-
PTG13C2002A	-	-	-	-	PTTE42C2004A	0.10	-	3,004	-	S5001C2003I	0.49	0.05	1,740,751	-
PTG13C2004A	0.10	0.01	13,575	-	PTTG01C2002A	0.24	0.03	160,780	-	S5001C2003J	1.01	0.11	2,219,888	-
PTG13C2006A	0.30	0.03	196,743	-	PTTG01C2002B	0.06	0.01	2,295	-	S5001C2004A	0.47	0.04	1,280,533	-
PTG13P2004A	0.46	(0.06)	59,366	-	PTTG01C2005A	0.35	0.02	327,288	-	S5001P2002A	0.73	(0.15)	1,373,421	-
PTG13P2006A	0.33	(0.03)	121,532	-	PTTG01C2005B	0.16	0.01	77,535	-	S5001P2003F	0.87	(0.15)	2,331,053	1.00
PTG19C2003A	0.04	-	215	-	PTTG01P2002A	0.42	(0.11)	47,529	-	S5001P2003G	0.65	(0.14)	1,966,215	-
PTG19C2004A	-	-	-	-	PTTG01P2002B	0.04	(0.02)	24,513	-	S5001P2003H	1.29	(0.21)	1,460,584	1.00
PTG19C2005A	0.17	0.02	45,136	-	PTTG01P2005A	0.85	(0.06)	26,686	-	S5001P2003I	1.34	(0.15)	894,382	1.00
PTG19C2006A	0.33	0.02	25,746	-	PTTG01P2005B	0.56	(0.06)	125,993	-	S5001P2003J	0.53	(0.09)	1,038,881	-
PTG19P2001A	-	-	-	-	PTTG06C2006A	0.17	0.02	64,352	-	S5001P2004A	1.17	(0.11)	1,588,036	1.00
PTG19P2006A	0.53	(0.04)	4,072	-	PTTG08C2004A	0.25	0.02	27,420	-	S5006C2003A	0.03	-	51,061	-
PTG24C2002A	-	-	-	-	PTTG08P2004A	0.22	(0.04)	14,900	-	S5006C2003B	0.07	0.01	4,749	-
PTG27C2007A	0.36	0.02	29,052	-	PTTG11C2004A	0.06	0.01	1	-	S5006C2003C	0.07	0.02	12,593	-
PTG28C2004A	0.04	0.01	1,000	-	PTTG11C2007A	0.49	0.03	100,450	-	S5006C2006A	0.77	(0.25)	345,024	-
PTG41C2002A	-	-	-	-	PTTG13C2002A	0.12	0.01	3,202	-	S5006P2003A	1.03	(0.23)	480,937	1.00
PTG41C2004A	-	-	-	-	PTTG13C2005A	0.21	0.01	108,481	-	S5006P2003B	1.30	(0.19)	312,495	1.00
PTG41C2005A	-	-	-	-	PTTG13C2007A	0.52	(0.48)	208,391	-	S5006P2003C	0.49	(0.12)	263,217	-
PTG41C2006A	0.22	0.02	8,224	-	PTTG13P2004A	0.28	(0.03)	170,124	-	S5006P2006A	0.63	(0.38)	200,303	-
PTG41P2005A	0.60	(0.02)	10,900	-	PTTG16C2001A	-	-	-	-	S5008C2003A	0.10	0.02	32,969	-
PTG42C2004A	-	-	-	-	PTTG16C2006A	0.25	0.02	67,230	-	S5008C2003B	0.03	(0.01)	8,833	-
PTG42C2006A	0.38	(0.62)	12,600	-	PTTG19C2001A	-	-	-	-	S5008P2003A	0.36	(0.08)	300,950	-
PTT01C2004A	0.33	0.01	130,147	-	PTTG19C2002A	0.03	0.02	1	-	S5008P2003B	0.12	(0.05)	403,659	-
PTT01C2004B	0.14	0.02	177,637	-	PTTG19C2006A	0.17	0.02	53,154	-	S5008P2003C	1.12	(0.24)	28,048	1.00
PTT01C2007A	0.33	0.01	183,505	-	PTTG19C2006B	0.41	0.03	75,912	-	S5011C2003A	0.27	0.04	115,052	-
PTT01C2007B	0.17	0.01	175,783	-	PTTG19P2003A	0.09	(0.02)	8,856	-	S5011P2003A	0.78	(0.09)	156,203	-
PTT01P2004A	0.42	(0.04)	65,861	-	PTTG19P2006A	0.66	(0.02)	11,568	-	S5013C2003A	0.08	0.01	2,812,083	-
PTT01P2004B	0.19	(0.02)	112,138	-	PTTG24C2003A	0.25	0.03	37,616	-	S5013C2003B	0.24	0.04	4,632,944	-
PTT01P2007A	0.75	(0.01)	41,910	-	PTTG27P2006A	0.45	(0.03)	9,078	-	S5013C2003C	0.17	0.04	2,604,914	-
PTT01P2007B	0.40	(0.02)	185,531	-	PTTG28C2002A	-	-	-	-	S5013C2003D	0.36	0.05	5,430,571	-
PTT06C2005A	0.19	0.02	109,099	-	PTTG28C2003A	0.14	0.01	35,062	-	S5013C2003E	0.61	0.07	20,900,621	-
PTT08C2005A	0.21	0.01	19,908	-	PTTG28C2006A	0.21	0.02	24,561	-	S5016P2003A	1.26	(0.18)	131,481	1.00
PTT08P2005A	0.24	(0.01)	16,200	-	PTTG41C2002A	-	-	-	-	S5016P2003B	0.71	(0.13)	2,513,809	-
PTT11C2004A	0.05	-	3,605	-	PTTG41C2003A	-	-	-	-	S5016P2003C	1.06	(0.16)	59,513	1.00
PTT11C2008A	0.26	0.01	71,510	-	PTTG41C2004A	0.47	0.07	34,920	-	S5016P2003D	1.23	(0.10)	3,348	1.00
PTT13C2004A	0.11	0.01	122,363	-	PTTG41C2005A	-	-	-	-	S5016P2003E	0.47	(0.08)	6,632,545	-
PTT13C2006A	0.25	0.01	311,401	-	PTTG41C2006A	0.23	0.02	1,154	-	S5016C2003A	0.07	0.01	10,397	-
PTT13P2004A	0.19	(0.02)	166,914	-	PTTG41P2002A	-	-	-	-	S5016C2003B	0.14	0.02	229,633	-
PTT13P2006A	0.44	(0.02)	136,019	-	PTTG41P2003A	-	-	-	-	S5016C2003C	0.40	0.06	290,515	-
PTT16C2001A	-	-	-	-	PTTG41P2006A	0.70	(0.02)	12,262	-	S5016C2003D	0.82	0.09	353,522	-
PTT16C2008A	0.20	-	60,292	-	PTTG42C2003A	0.03	0.01</							

**Main Board Quotation**

**Issue Date :**

*Wednesday February 05, 2020*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT24C2003A	0.04	(0.02)	500	-	QH11C2006A	0.16	0.01	34,400	-	S5019C2003B	0.28	0.05	544,268	-
PTT24P2001A	-	-	-	-	QH13C2003A	-	-	-	-	S5019C2003C	0.17	0.03	358,966	-
PTT28C2002A	-	-	-	-	QH19C2002A	-	-	-	-	S5019C2003D	0.56	0.07	988,920	-
PTT28C2003A	-	-	-	-	QH19C2006A	0.14	0.01	8,608	-	S5019P2003A	0.87	(0.16)	177,450	1.00
PTT28C2004A	0.08	(0.01)	5,000	-	QH27C2007A	0.15	-	9,600	-	S5019P2003B	0.37	(0.10)	2,561,498	-

## Main Board Quotation

Issue Date :

Wednesday February 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5019P2003C	1.19	(0.16)	115,500	1.00	SCB41C2006A	0.33	-	11,910	-	STA11C2005A	0.20	0.04	51,760	-
S5019P2003D	0.27	(0.07)	936,426	-	SCB41P2004A	0.47	(0.01)	40,448	-	STA13C2003A	0.28	0.08	88,959	-
S5024C2003A	0.05	0.01	36,258	-	SCB41P2005A	-	-	-	-	STA13C2006A	0.24	0.06	256,353	-
S5024C2003B	0.16	0.03	53,446	-	SCB42C2003A	-	-	-	-	STA19C2001A	-	-	-	-
S5024C2003C	0.68	0.11	408,910	-	SCB42C2006A	0.08	(0.01)	1	-	STA19C2002A	0.04	0.02	20,470	-
S5024P2003A	1.15	(0.25)	193,407	1.00	SCB42C2007A	-	-	-	-	STA19C2004A	0.30	0.08	37,627	-
S5024P2003B	0.43	(0.12)	238,662	-	SCC01C2004A	0.56	(0.03)	229,202	-	STA19C2005A	0.93	0.15	10,438	-
S5028C2002A	0.01	(0.02)	10	-	SCC01C2004B	0.20	(0.01)	74,578	-	STA24C2002A	0.10	0.04	1	-
S5028C2003A	0.04	-	1,902	-	SCC01P2004A	0.83	0.01	163,261	-	STEC01C2003A	0.07	-	19,090	-
S5028C2003B	0.10	0.02	20	-	SCC06C2002A	-	-	-	-	STEC01C2003B	0.03	0.01	1	-
S5028C2006A	0.21	0.02	291,671	-	SCC08C2002A	-	-	-	-	STEC01C2004A	0.17	0.01	83,378	-
S5028P2002A	0.27	(0.08)	436,973	-	SCC08C2004A	0.20	(0.01)	25,366	-	STEC01C2006A	0.45	0.01	90,395	-
S5028P2003A	0.29	(0.04)	399,845	-	SCC08P2006A	0.56	-	56,496	-	STEC01C2006B	0.25	0.02	86,886	-
S5028P2006A	0.47	(0.04)	407,132	-	SCC11C2003A	-	-	-	-	STEC01P2003A	0.74	(0.07)	14,033	-
S5041C2003A	0.04	-	113	-	SCC11C2006A	0.05	(0.01)	1,001	-	STEC01P2006A	0.55	(0.02)	89,596	-
S5041C2003B	-	-	-	-	SCC11C2007A	0.48	(0.02)	96,630	-	STEC06C2002A	0.01	-	10,543	-
S5041C2003C	0.14	0.06	215,658	-	SCC13C2002A	-	-	-	-	STEC06C2004A	0.32	0.02	32,900	-
S5041C2003D	0.13	0.03	480,420	-	SCC13C2004A	0.26	(0.03)	135,426	-	STEC08C2004A	-	-	-	-
S5041C2003E	0.22	0.05	1,400,270	-	SCC13P2002A	0.08	0.02	5,386	-	STEC08C2005A	0.38	-	20,236	-
S5041P2003A	0.61	(0.06)	113,460	-	SCC13P2006A	0.54	0.02	61,349	-	STEC11C2001A	-	-	-	-
S5041P2003B	0.85	(0.37)	18,140	-	SCC16C2002A	-	-	-	-	STEC11C2007A	0.08	0.01	7,800	-
S5041P2003C	0.37	(0.09)	1,598,502	-	SCC16C2005A	0.11	(0.01)	128,647	-	STEC13C2003A	0.10	-	36,705	-
S5041P2003D	1.33	(0.22)	4,000	1.00	SCC19C2002A	-	-	-	-	STEC13C2004A	0.30	0.02	153,777	-
S5041P2003E	1.51	(0.20)	8,000	1.00	SCC19C2003A	-	-	-	-	STEC16C2003A	-	-	-	-
SAWA01C2003A	1.36	(0.03)	44,974	1.00	SCC19C2003B	-	-	-	-	STEC16C2006A	0.09	-	2,872	-
SAWA01C2003B	0.86	(0.02)	57,315	-	SCC19C2006A	0.34	(0.02)	57,650	-	STEC19C2002A	-	-	-	-
SAWA01C2006A	1.01	(0.04)	62,713	1.00	SCC19P2004A	0.34	0.01	47,450	-	STEC19C2004A	0.10	0.01	940	-
SAWA01C2006B	0.64	(0.03)	217,904	-	SCC24C2003A	-	-	-	-	STEC19C2005A	0.35	0.02	22,242	-
SAWA01P2003A	0.07	-	7,549	-	SCC24C2006A	0.48	(0.52)	59,249	-	STEC24C2003A	-	-	-	-
SAWA01P2006A	0.64	(0.01)	225,693	-	SCC27P2008A	0.27	(0.02)	15,710	-	STEC24C2006A	0.42	0.03	13,900	-
SAWA06C2002A	1.03	(0.01)	17,450	1.00	SCC28C2002A	-	-	-	-	STEC27C2002A	-	-	-	-
SAWA08C2006A	0.73	(0.03)	54,337	-	SCC28C2003A	0.03	0.01	10	-	STEC27C2002B	-	-	-	-
SAWA11C2003A	1.14	(0.01)	70,400	1.00	SCC28C2004A	0.21	(0.02)	12,168	-	STEC28C2002A	-	-	-	-
SAWA13C2002A	-	-	-	-	SCC41C2002A	-	-	-	-	STEC28C2004A	0.05	-	222	-
SAWA13C2005A	0.77	(0.03)	184,203	-	SCC41C2003A	-	-	-	-	STEC28C2004B	0.14	0.01	5,040	-
SAWA16C2001A	-	-	-	-	SCC41C2004A	-	-	-	-	STEC28C2005A	0.32	0.03	16,682	-
SAWA16C2008A	0.62	(0.03)	244,692	-	SCC41C2005A	-	-	-	-	STEC41C2003A	-	-	-	-
SAWA19C2002A	0.64	(0.05)	2,722	-	SCC41P2004A	0.27	0.01	14,454	-	STEC41C2004A	-	-	-	-
SAWA19C2005A	0.69	(0.03)	31,868	-	SCC41P2005A	0.59	0.02	23,609	-	STEC41C2005A	0.33	0.01	20,112	-
SAWA24C2004A	0.86	-	6,611	-	SCC42C2002A	-	-	-	-	STEC41C2006A	-	-	-	-
SAWA27C2007A	0.75	-	56,418	-	SCC42C2003A	-	-	-	-	STEC41P2003A	-	-	-	-
SAWA28C2002A	-	-	-	-	SCC42C2008A	-	-	-	-	STEC41P2004A	0.25	0.02	2	-
SAWA28C2004A	0.58	(0.03)	142,474	-	SGP13C2004A	0.13	0.02	20,885	-	STEC41P2005A	0.26	(0.04)	2,000	-
SAWA41C2003A	-	-	-	-	SGP13C2006A	-	-	-	-	STEC42C2004A	0.22	0.01	3,055	-
SAWA41C2004A	0.66	-	13,856	-	SGP13C2007A	0.30	0.03	170,565	-	SUPE13C2003A	-	-	-	-
SAWA41C2005A	0.74	(0.04)	100,757	-	SGP19C2001A	-	-	-	-	SUPE19C2002A	-	-	-	-
SAWA41P2003A	-	-	-	-	SGP19C2002A	0.01	(0.05)	200	-	SUPE19C2004A	-	-	-	-
SAWA41P2004A	0.19	-	11,981	-	SGP19C2006A	-	-	-	-	SUPE42C2004A	0.05	0.01	26,701	-
SAWA41P2005A	0.54	-	46,376	-	SGP19C2006B	0.26	0.02	46,592	-	TASC01C2003A	0.35	0.02	13,593	-
SAWA42C2003A	0.46	0.01	24,159	-	SGP24C2002A	-	-	-	-	TASC01C2003B	0.09	-	8,952	-
SCB01C2002A	0.02	-	7,297	-	SGP42C2007A	0.32	0.03	250	-	TASC01P2003A	0.24	(0.02)	31,799	-
SCB01C2002B	-	-	-	-	SIRI13C2007A	0.15	0.01	10,575	-	TASC08C2005A	0.25	-	9,965	-
SCB01C2004A	0.14	(0.01)	117,861	-	SIRI19C2002A	-	-	-	-	TASC08C2006A	0.46	0.01	10,609	-
SCB01C2004B	0.04	-	6,947	-	SIRI19C2004A	-	-	-	-	TASC11C2002A	0.67	0.01	22,260	-
SCB01C2007A	0.40	(0.02)	253,572	-	SIRI19C2007A	0.12	-	2,071	-	TASC13C2003A	0.15	-	11,634	-
SCB01C2007B	0.28	(0.01)	160,556	-	SPAL01C2004A	0.25	0.02	83,904	-	TASC13C2006A	0.48	0.03	50	-
SCB01P2002A	2.04	0.02	7,661	2.00	SPAL01C2004B	0.11	0.01	49,497	-	TASC16C2001A	-	-	-	-
SCB01P2002B	1.59	0.04	18,031	1.00	SPAL06P2004A	0.45	(0.03)	24,167	-	TASC16C2008A	0.39	0.01	22,782	-
SCB01P2004A	0.78	-	42,286	-	SPAL11C2006A	0.24	-	62,447	-	TASC19C2003A	0.16	0.01	6,459	-
SCB01P2004B	0.36	0.01	149,330	-	SPAL13C2003A	0.07	(0.02)	190	-	TASC19C2006A	0.68	0.01	4,629	-
SCB01P2007A	0.67	(0.01)	80,222	-	SPAL13C2006A	0.34	0.04	95,725	-	TASC19P2004A	0.24	(0.02)	17,694	-
SCB01P2007B	0.56	(0.01)	105,055	-	SPAL16C2002A	-	-	-	-	TASC24C2001A	-	-	-	-
SCB06C2007A	0.59	(0.05)	94,998	-	SPAL19C2002A	-	-	-	-	TASC24C2006A	0.42	0.01	17,575	-
SCB08C2002A	-	-	-	-	SPAL19C2004A	0.14	0.01	7,222	-	TASC28C2004A	0.13	(0.01)	6,094	-
SCB08C2005A	0.08	-	3,431	-	SPAL24C2003A	-	-	-	-	TASC28C2006A	0.26	(0.01)	14,196	-
SCB08P2004A	0.56	0.01	53,970	-	SPAL27C2008A	0.16	0.01	18,602	-	TASC41C2003A	-	-	-	-
SCB11C2005A	-	-	-	-	SPAL41C2002A	-	-	-	-	TASC41C2004A	-	-	-	-
SCB11C2006A	0.05	(0.01)	70	-	SPAL41C2004A	-	-	-	-	TASC41C2005A	0.46	0.06	4,004	-
SCB11C2008A	0.42	-	60,000	-	SPAL42C2003A	-	-	-	-	TASC42C2003A	-	-	-	-
SCB11P2005A	1.38	0.01	61,323	1.00	SPRC01C2003A	0.17	(0.02)	156,339	-	TASC42C2005A	0.48	0.03	3,984	-
SCB13C2003A	0.01	(0.01)	162,687	-	SPRC01C2003B	-	-	-	-	TCAP11C2002A	0.11	0.04	41,160	-
SCB13C2006A	0.11	-	43,529	-	SPRC01C2007A	0.41	(0.02)	224,126	-	TCAP13C2002A	0.28	0.08	329,078	-
SCB13C2006B	0.29	(0.02)	60,202	-	SPRC06C2007A	0.47	(0.02)	44,997	-	TCAP19C2001A	-	-	-	-
SCB13C2007A	0.82	(0.05)	196,356	-	SPRC06P2003A	0.07	0.01	42,572	-	TCAP19C2004A	0.41	0.09	54,167	-
SCB13P2003A	0.31	0.03	68,683	-	SPRC08C2005A	0.20	-	34,522	-	TCAP24C2001A	-	-	-	-
SCB13P2006A	0.87	0.01	78,771	-	SPRC08C2006A	0.11	(0.01)	9,201	-	TCAP41C2002A	-	-	-	-
SCB16C2001A	-	-	-	-	SPRC11C2005A	-	-	-	-	TCAP41C2004A	0.27	0.08	19,084	-
SCB16C2003A	-	-	-	-	SPRC11C2008A	0.61	(0.03)	69,990	-	THAI11C2003A	-	-	-	-
SCB16C2008A	0.54	(0.02)	84,321	-	SPRC13C2004A	0.03	(0.01)	3,000	-	THAI13C2004A	-	-	-	-
SCB19C2002A	-	-	-	-	SPRC13C2006A	0.22	(0.01)	168,597	-	THAI19C2002A	-	-	-	-
SCB19C2003A	0.01	-	27,259	-	SPRC19C2001A	-	-	-	-	THAI19C2004A	0.06	-	310	-
SCB19C2006A	0.25	(0.02)	26,028	-	SPRC19C2002A	0.11	(0.02)	51,878	-	THAI27C2008A	0.26	-	29,190	-
SCB19C2007A	0.80	(0.02)	53,569	-	SPRC19C2005A	0.23	-	79,697	-	THAI42C2003A	-	-	-	-
SCB19P2005A	0.82	-	15,263	-	SPRC19C2005B	-	-	-	-	THAI42C2005A	-	-	-	-
SCB24C2001A	-	-	-	-	SPRC19C2007A	0.61	(0.02)	24,917	-	THAN01C2006A	0.29	0.03	77,410	-
SCB24C2004A	0.12	-	18,671	-	SPRC19P2005A	0.49	-	53,006	-	THAN01C2006B	0.12	0.02	79,526	-
SCB27C2007A	0.09	-	562	-	SPRC24C2003A	0.01	(0.01)	2,000	-	THAN01P2006A	0.40	(0.03)	79,285	-
SCB27P2006A	0.74	-	18,033	-	SPRC41C2002A	-	-	-	-	THAN06C2003A</				

## Main Board Quotation

Issue Date :

Wednesday February 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB28C2003A	-	-	-	-	SPRC41C2004A	-	-	-	-	THAN06C2005A	0.15	0.02	55,151	-
SCB28C2004A	-	-	-	-	SPRC41C2005A	0.31	(0.02)	21,748	-	THAN06P2003A	0.29	(0.09)	8,001	-
SCB28C2006A	0.20	-	13,647	-	SPRC41C2006A	0.08	-	500	-	THAN13C2003A	0.04	-	8,000	-
SCB28C2006B	0.62	(0.03)	61,844	-	SPRC42C2006A	0.41	(0.59)	2,000	-	THAN19C2001A	-	-	-	-
SCB41C2002A	-	-	-	-	STA01C2003A	0.35	0.08	159,605	-	THAN19C2004A	0.09	0.02	42,794	-
SCB41C2004A	-	-	-	-	STA01C2003B	0.13	0.04	164,668	-	THAN24C2001A	-	-	-	-
SCB41C2005A	0.04	(0.04)	700	-	STA01P2003A	0.11	(0.04)	141,259	-	THAN27C2003A	-	-	-	-

## Main Board Quotation

Issue Date :

Wednesday February 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAN41C2002A	-	-	-	-	TOP41P2006A	0.81	(0.04)	25,288	-	WHA19C2002A	-	-	-	-
THAN41C2005A	0.11	(0.03)	4,440	-	TOP42C2007A	0.55	0.06	11,500	-	WHA19C2004A	0.02	-	5,940	-
TISCO1C2006A	0.97	-	15,678	1.00	TP119C2002A	-	-	-	-	WHA19C2005A	0.12	0.04	49,199	-
TISCO1C2006B	0.27	(0.01)	80,349	-	TP119C2004A	0.31	0.03	8,358	-	WHA19C2006A	0.34	0.09	152,768	-
TISCO1P2006A	0.51	0.01	58,387	-	TRUE01C2002A	0.02	-	2,001	-	WHA24C2004A	0.01	-	1,000	-
TISCO8C2002A	-	-	-	-	TRUE01C2002B	0.02	-	5,244	-	WHA24P2003A	1.00	(0.30)	3,111	1.00
TISC11C2005A	0.17	(0.01)	26,400	-	TRUE01C2004A	0.03	0.01	6,275	-	WHA27C2008A	0.22	0.06	32,408	-
TISC11C2007A	0.77	(0.03)	13,818	-	TRUE01C2004B	0.08	0.01	16,760	-	WHA28C2003A	-	-	-	-
TISC13C2004A	0.42	(0.19)	200	-	TRUE01C2007A	0.54	0.02	159,422	-	WHA28C2003B	-	-	-	-
TISC13C2006A	0.27	(0.01)	74,538	-	TRUE01C2007B	0.32	0.02	134,378	-	WHA28C2004A	-	-	-	-
TISC16C2001A	-	-	-	-	TRUE01P2002A	1.50	(0.02)	13,032	1.00	WHA28C2005A	-	-	-	-
TISC19C2004A	0.43	(0.04)	16,129	-	TRUE01P2002B	1.34	(0.07)	16,618	1.00	WHA28C2006A	0.27	0.08	92,983	-
TISC19C2006A	0.23	(0.01)	51,180	-	TRUE01P2004A	0.69	(0.03)	6,732	-	WHA41C2003A	-	-	-	-
TISC41C2005A	-	-	-	-	TRUE01P2004B	0.36	(0.03)	123,595	-	WHA41C2004A	-	-	-	-
TISC41C2006A	0.25	(0.02)	17,924	-	TRUE06C2004A	0.10	-	62,750	-	WHA41C2005A	0.05	0.01	100	-
TISC41P2006A	-	-	-	-	TRUE08C2004A	-	-	-	-	WHA41C2006A	0.20	0.06	3,066	-
TISC42C2003A	0.09	(0.03)	6,693	-	TRUE08C2005A	0.18	0.02	20,040	-	WHA41C2007A	0.43	0.08	5,212	-
TKN01C2003A	0.09	0.02	23,252	-	TRUE08P2005A	0.80	(0.05)	19,030	-	WHA41P2003A	-	-	-	-
TKN01C2003B	0.03	-	6,000	-	TRUE11C2005A	-	-	-	-	WHA41P2005A	0.98	(0.20)	6,056	1.00
TKN08C2003A	0.12	0.02	10,000	-	TRUE11C2005B	-	-	-	-	WHA42C2005A	0.04	0.02	10,001	-
TKN13C2004A	0.09	0.02	21,898	-	TRUE11P2002A	0.38	(0.06)	44,834	-	WHA42C2006A	0.33	0.08	15,600	-
TKN13C2006A	0.66	0.09	243,330	-	TRUE13C2003A	0.01	-	1,109	-	WHAU27C2002A	-	-	-	-
TKN16C2001A	-	-	-	-	TRUE13C2003B	0.07	0.01	391	-	Preferred/Foreign	-	-	-	-
TKN16C2008A	0.43	0.07	85,098	-	TRUE13C2006A	0.28	0.02	139,036	-	BH-Q	-	-	-	-
TKN19C2001A	-	-	-	-	TRUE16C2002A	-	-	-	-	CSC-Q	-	-	-	-
TKN19C2004A	0.27	0.05	23,536	-	TRUE19C2003A	-	-	-	-	JUTHA-Q	-	-	-	-
TKN19C2004B	0.13	0.02	11,538	-	TRUE19C2004A	0.04	-	370	-	KTB-Q	-	-	-	-
TKN24C2002A	0.09	(0.01)	6,628	-	TRUE19C2006A	0.24	0.01	86,063	-	SCB-Q	-	-	-	-
TKN28C2002A	-	-	-	-	TRUE19P2003A	0.51	(0.05)	4,072	-	TCAP-Q	-	-	-	-
TKN28C2003A	0.02	-	1,200	-	TRUE19P2005A	0.45	(0.05)	3,180	-	TISCO-Q	-	-	-	-
TKN41C2003A	-	-	-	-	TRUE28C2003A	-	-	-	-	U-Q	-	-	-	-
TKN41C2005A	-	-	-	-	TRUE28C2003B	-	-	-	-	Warrant	-	-	-	-
TKN41C2006A	0.18	0.03	500	-	TRUE28C2006A	0.22	0.02	43,678	-	7UP-W4	0.12	0.01	14,418	-
TKN42C2003A	-	-	-	-	TRUE41C2002A	-	-	-	-	AKR-W1	0.08	(0.02)	50,921	-
TKN42C2006A	0.53	(0.47)	4,620	-	TRUE41C2003A	-	-	-	-	ALT-W1	0.20	-	2,310	-
TMB01C2004A	0.21	0.01	125,369	-	TRUE41C2004A	-	-	-	-	APEX-W1	0.02	-	66	-
TMB01C2004B	0.08	-	44,546	-	TRUE41C2005A	-	-	-	-	APURE-W2	-	-	-	-
TMB01P2004A	0.40	(0.02)	26,101	-	TRUE41C2006A	0.22	0.01	45,560	-	AS-W1	0.11	-	1,526	-
TMB13C2002A	0.05	-	1,492	-	TRUE41P2004A	0.50	(0.04)	6,612	-	AYUD-W1	0.53	(0.02)	44,745	-
TMB19C2001A	-	-	-	-	TRUE41P2005A	0.76	(0.03)	8,544	-	B-W3	-	-	-	-
TMB19C2004A	0.14	(0.01)	17,328	-	TRUE42C2003A	-	-	-	-	B-W4	0.03	-	42,761	-
TMB19P2004A	0.41	(0.02)	3,408	-	TRUE42C2004A	0.07	-	26	-	B-W5	0.03	(0.01)	13,836	-
TMB28C2002A	-	-	-	-	TTW27C2009A	0.33	0.01	4,700	-	B52-W2	-	-	-	-
TMB41C2002A	-	-	-	-	TU01C2004A	0.33	0.03	98,456	-	BKD-W2	0.11	-	1,227	-
TMB41C2005A	-	-	-	-	TU01C2004B	0.30	0.03	140,056	-	CGD-W4	-	-	-	-
TMB41P2002A	-	-	-	-	TU01P2004A	0.13	(0.01)	62,612	-	CGH-W3	0.02	-	1,526	-
TMB41P2003A	-	-	-	-	TU06C2004A	0.16	0.02	111,084	-	CI-W1	0.01	(0.01)	69,439	-
TMB41P2006A	0.41	(0.01)	21,814	-	TU11C2003A	-	-	-	-	CKP-W1	0.09	0.01	170,023	-
TOA01C2006A	0.34	0.01	120,957	-	TU11C2008A	0.49	0.02	50,604	-	CRANE-W1	0.56	(0.04)	14	-
TOA01C2006B	0.21	-	110,201	-	TU13C2003A	0.04	0.01	101,751	-	DCC-W1	0.55	(0.01)	3,316	-
TOA08C2003A	-	-	-	-	TU13C2004A	0.33	0.02	62,383	-	ECL-W3	0.16	0.03	146,268	-
TOA13C2003A	-	-	-	-	TU19C2001A	-	-	-	-	EIC-W2	-	-	-	-
TOA16C2001A	-	-	-	-	TU19C2002A	-	-	-	-	EIC-W3	-	-	-	-
TOA19C2004A	0.05	-	10,438	-	TU19C2003A	0.03	(0.02)	20,000	-	EMC-W6	0.03	(0.01)	70,066	-
TOA24C2005A	0.05	-	6	-	TU19C2005A	0.42	0.02	7,907	-	EPCO-W3	0.36	0.01	3,200	-
TOA41C2004A	-	-	-	-	TU19C2007A	0.33	(0.67)	4,836	-	GJS-W3	-	-	-	-
TOP01C2003A	0.12	0.02	418,875	-	TU24C2003A	-	-	-	-	GLOCON-W4	0.26	-	8	-
TOP01C2003B	0.01	(0.01)	13,767	-	TU24C2006A	0.40	0.03	16,590	-	J-W1	-	-	-	-
TOP01C2006A	0.36	0.03	656,728	-	TU27C2004A	-	-	-	-	JAS-W3	2.40	(0.26)	375,676	2.00
TOP01C2006B	0.17	0.02	253,964	-	TU27C2006A	0.28	0.02	24,230	-	JCK-W5	0.05	(0.01)	1,964	-
TOP01P2003A	0.93	(0.11)	41,989	1.00	TU41C2002A	-	-	-	-	JMT-W2	4.76	0.24	8,516	4.00
TOP01P2006A	1.01	(0.08)	133,354	1.00	TU41C2003A	0.07	-	1,771	-	MACO-W2	0.13	-	25,439	-
TOP06C2004A	-	-	-	-	TU41C2004A	0.24	0.03	11,812	-	MILL-W4	0.03	(0.01)	1,494	-
TOP06C2007A	0.64	(0.37)	74,814	-	TU41C2005A	0.40	0.03	3,180	-	MILL-W5	0.01	-	12	-
TOP06P2005A	1.10	(0.10)	34,449	1.00	TU41P2003A	-	-	-	-	MINT-W6	2.70	-	25,580	2.00
TOP08C2003A	-	-	-	-	TU41P2004A	0.08	(0.01)	356	-	NFC-W1	0.46	-	30	-
TOP08P2003A	1.15	(0.06)	18,000	1.00	TVO11C2001A	-	-	-	-	NOK-W1	0.02	(0.02)	1,457	-
TOP11C2002A	-	-	-	-	TVO13C2007A	0.26	0.01	601	-	NUSA-W3	-	-	-	-
TOP11C2007A	0.15	0.03	53,578	-	TVO19C2004A	0.23	0.01	100	-	NVD-W1	-	-	-	-
TOP11P2002A	0.51	(0.11)	86,028	-	TVO19C2007A	-	-	-	-	ORI-W1	0.26	0.03	128,109	-
TOP13C2002A	-	-	-	-	VGI01C2005A	0.27	(0.01)	78,803	-	PACE-W2	0.02	0.01	218,603	-
TOP13C2004A	0.03	-	8,690	-	VGI08C2006A	0.19	-	41,496	-	PACE-W3	0.04	-	4	-
TOP13C2006A	0.20	0.02	200,069	-	VGI11C2008A	0.24	0.01	41,500	-	PDI-W1	0.31	(0.02)	2,352	-
TOP13P2005A	-	-	-	-	VGI13C2006A	0.23	(0.01)	114,267	-	PDJ-W3	-	-	-	-
TOP13P2006A	0.76	(0.08)	74,059	-	VGI19C2006A	0.19	-	18,540	-	PDJ-W4	0.32	(0.05)	206	-
TOP16C2001A	-	-	-	-	VGI41C2006A	-	-	-	-	PERM-W1	0.12	-	1,183	-
TOP16C2008A	0.65	0.07	256,496	-	WHA01C2002A	0.02	-	3,001	-	PORT-W1	0.68	0.03	32,240	-
TOP19C2002A	0.01	-	200	-	WHA01C2002B	-	-	-	-	PPPM-W4	0.17	0.02	12,187	-
TOP19C2003A	0.01	-	5,360	-	WHA01C2005A	0.21	0.06	248,245	-	PRIME-W1	0.03	-	3,080	-
TOP19C2006A	0.20	0.03	66,793	-	WHA01C2005B	0.09	0.03	121,642	-	PRIME-W2	-	-	-	-
TOP19P2002A	0.56	(0.11)	23,502	-	WHA01P2002A	1.22	(0.23)	20,500	1.00	RICHY-W2	0.03	0.01	22,699	-
TOP19P2006A	1.15	(0.08)	31,138	1.00	WHA01P2005A	0.70	(0.16)	140,993	-	RS-W3	0.93	(0.07)	128,658	-
TOP23C2001A	-	-	-	-	WHA06C2007A	0.46	0.15	105,697	-	SAMART-W2	0.60	0.12	38,671	-
TOP24C2007A	0.10	0.03	8,097	-	WHA08C2002A	-	-	-	-	SAWAD-W1	30.00	-	1,406	29.00
TOP28C2004A	-	-	-	-	WHA08C2003A	-	-	-	-	SDC-W1	0.09	0.01	1,051	-
TOP41C2002A	-	-	-	-	WHA08C2005A	0.05	0.02	670	-	SINGER-W1	1.60	0.25	101	1.00
TOP41C2002B	-	-	-	-	WHA08C2006A	0.21	0.06	44,550	-	SINGER-W2	1.36	0.03	165	1.00
TOP41C2003A	-	-	-	-	WHA08P2006A	0.48	(0.13)	51,190	-	SMT-W2	0.05	0.01	172	-

**Main Board Quotation**

**Issue Date :**

*Wednesday February 05, 2020*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP41C2004A	0.17	0.03	36,926	-	WHA11C2001A	-	-	-	-	SST-W2	0.67	(0.03)	21	-
TOP41C2005A	-	-	-	-	WHA11C2008A	0.21	0.05	112,174	-	SUPER-W4	0.01	-	286,298	-
TOP41C2006A	-	-	-	-	WHA13C2003A	0.02	0.01	19,372	-	SVI-W3	0.29	0.01	13,293	-
TOP41C2007A	0.49	-	77,616	-	WHA13C2005A	0.09	0.02	75,772	-	TCC-W3	0.05	0.01	1	-
TOP41P2002A	-	-	-	-	WHA13C2006A	0.37	0.08	253,610	-	TCC-W4	0.04	0.01	59	-
TOP41P2004A	-	-	-	-	WHA16C2006A	0.04	0.02	35,436	-	TCC-W5	0.14	0.01	20	-
TOP41P2005A	0.26	(0.01)	21,684	-	WHA16C2008A	0.39	0.09	152,374	-	TCJ-W2	0.09	(0.01)	5,006	-



**Main Board Quotation**

**Issue Date :**

Wednesday February 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-										
-	-	-	-	-										
-	-	-	-	-										
-	-	-	-	-										
-	-	-	-	-										
-	-	-	-	-										