

## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	0.77	(0.02)	20,931	0.79
POMPUI	-	-	-	-	DIF	17.40	(0.10)	76,250	17.48	MPIC	-	-	-	-
SAFARI	-	-	-	-	DTAC	44.50	(0.75)	66,499	44.59	NMG	-	-	-	-
VI	-	-	-	-	FORTH	6.25	(0.05)	17,871	6.26	PLANB	6.10	(0.10)	246,087	6.13
WORLD	-	-	-	-	HUMAN	7.75	(0.05)	150	7.77	POST	1.77	(0.09)	60	1.78
WR	-	-	-	-	ILINK	3.58	0.04	1,573	3.51	PRAKIT	10.20	0.10	310	10.20
Agribusiness	-	-	-	-	INET	2.40	0.06	3,086	2.41	SE-ED	1.53	(0.04)	553	1.53
CHOTI	-	-	-	-	INTUCH	55.50	(1.00)	164,191	55.61	SPORT	0.17	0.01	602	0.17
EE	0.55	-	8,884	0.54	JAS	5.30	(0.30)	1,604,605	5.42	TBSP	-	-	-	-
GFPT	11.80	(0.30)	36,306	11.95	JASIF	9.95	0.10	143,132	9.98	TH	0.60	0.01	401	0.59
LEE	2.06	(0.02)	1,383	2.07	JMART	9.35	0.15	95,484	9.37	TKS	6.30	0.05	1,580	6.25
NER	2.64	0.02	147,622	2.64	JTS	1.00	-	3	0.99	VGI	8.75	0.10	230,671	8.79
PPPM	0.50	-	5,873	0.50	MFEC	3.32	0.04	1,306	3.28	WAVE	1.05	0.02	192	1.03
STA	12.20	(0.10)	38,796	12.21	MSC	5.45	0.05	411	5.41	WORK	12.20	(0.10)	13,538	12.29
TRUBB	0.64	0.01	1,374	0.63	PT	4.36	(0.02)	388	4.36	Finance & Securities	-	-	-	-
TWPC	4.00	0.02	3,110	4.00	SAMART	8.25	-	39,894	8.26	AEC	0.29	-	2,079	0.29
UPOIC	3.14	-	80	3.14	SAMTEL	7.40	(0.05)	2,126	7.45	AEONTS	163.00	2.50	5,074	162.52
UVAN	5.40	(0.05)	912	5.40	SDC	0.17	-	6,936	0.17	AMANAH	3.32	(0.04)	123,251	3.33
VPO	0.59	-	7,460	0.59	SIS	8.05	0.10	69	8.00	ASAP	1.81	-	172	1.82
Banking	-	-	-	-	SVOA	1.02	(0.01)	10,047	1.02	ASK	25.75	0.50	1,825	25.74
BAY	28.75	0.50	4,620	28.72	SYMC	2.56	(0.02)	146	2.52	ASP	1.73	0.01	4,592	1.73
BBL	147.00	3.50	127,520	145.65	SYNEX	6.60	-	2,053	6.59	BAM	28.50	-	788,992	28.19
CIMBT	0.58	0.01	22,596	0.58	THCOM	3.80	0.10	12,940	3.78	BFIT	31.00	0.50	6,950	31.18
KBANK	143.00	3.50	118,656	141.84	TRUE	3.88	0.02	603,368	3.88	CGH	0.81	-	78,536	0.81
KKP	70.25	1.25	56,785	69.66	TWZ	0.08	-	142,296	0.07	CNS	2.48	-	425	2.48
KTB	16.10	-	441,274	16.04	Electronic Componer	-	-	-	-	ECL	1.18	0.01	74,830	1.18
LHFG	1.36	(0.01)	21,396	1.35	CCET	1.82	0.05	11,172	1.81	FNS	2.02	(0.04)	1,044	2.03
SCB	100.50	2.50	196,262	99.30	DELTA	56.50	0.75	14,945	56.61	FSS	1.60	-	203	1.57
TCAP	54.25	-	109,865	54.09	EIC	0.03	-	2,547	0.03	GBX	0.43	(0.01)	3,900	0.44
TISCO	102.00	1.50	43,465	102.05	HANA	36.75	0.75	56,057	36.96	GL	4.06	-	10,663	4.07
TMB	1.44	0.03	1,996,101	1.44	KCE	21.30	0.30	454,912	21.28	IFS	3.18	0.04	433	3.15
Construction Materia	-	-	-	-	METCO	176.00	0.50	6	176.25	JMT	22.70	-	104,555	22.61
CCP	0.28	0.01	2,030	0.27	NEX	3.00	-	6,551	2.99	KCAR	10.30	(0.10)	911	10.37
COTTO	1.34	-	917	1.34	SMT	1.06	-	4,832	1.05	KGI	4.62	-	8,132	4.62
DCC	1.83	(0.01)	24,742	1.82	SVI	3.06	0.04	19,618	3.05	KTC	36.25	0.25	141,738	36.80
DCON	0.33	(0.01)	16,938	0.34	TEAM	0.73	0.02	353	0.71	MBKET	6.60	-	969	6.61
DRT	6.35	(0.05)	1,229	6.40	Energy & Utilities	-	-	-	-	MFC	15.20	-	330	15.11
EPG	5.85	0.05	26,972	5.84	7UP	0.44	(0.01)	117,360	0.45	ML	0.93	0.01	1,103	0.90
GEL	0.13	(0.02)	98,335	0.14	ABPIF	4.76	-	3,521	4.76	MTC	67.75	0.25	77,406	68.41
PPP	2.04	-	137	2.02	ACE	3.10	0.06	639,590	3.11	PE	0.05	-	54	0.05
Q-CON	-	-	-	-	AI	1.06	0.01	11,392	1.05	PL	2.68	0.04	125	2.68
RCI	3.40	-	201	3.40	AKR	0.61	-	10,047	0.60	S11	7.15	-	1,276	7.13
SCC	365.00	4.00	32,904	364.32	BAFS	28.75	0.25	1,808	28.39	SAWAD	76.50	1.50	113,246	77.11
SCCC	187.00	0.50	220	187.29	BANPU	10.40	0.10	200,271	10.28	THANI	5.65	0.05	137,314	5.67
SCP	5.80	(0.05)	837	5.78	BCP	27.00	1.00	56,460	26.53	TK	9.40	-	280	9.40
SKN	2.00	-	666	2.02	BCPG	15.50	0.10	38,560	15.49	TNITY	3.76	-	300	3.76
TASCO	21.60	0.20	57,287	21.61	BGRIM	57.00	(4.75)	452,744	58.10	UOBKH	2.74	(0.10)	365	2.76
TCMC	1.86	0.01	1,508	1.85	BPP	15.40	0.10	19,110	15.37	ZMICO	0.70	-	516	0.70
TOA	34.50	(0.75)	44,365	34.14	BRRGIF	8.35	0.10	196	8.29	Food & Beverage	-	-	-	-
TPIPL	1.55	0.01	25,319	1.54	CKP	4.10	(0.02)	178,853	4.15	APURE	0.70	-	1,383	0.70
UMI	0.63	(0.01)	650	0.64	DEMCO	2.56	-	3,368	2.57	ASIAN	4.08	0.02	10,063	4.10
VNG	3.70	-	917	3.71	EA	46.25	(0.25)	114,048	46.41	BR	2.26	(0.02)	4,643	2.28
WIIK	1.30	-	348	1.29	EASTW	11.60	-	11,374	11.55	BRR	3.64	-	492	3.63
Petrochemicals & Ch	-	-	-	-	EGATIF	12.90	-	16,720	12.89	CBG	88.25	(1.50)	19,516	88.97
BCT	41.25	0.25	438	41.00	EGCO	304.00	(8.00)	18,806	305.65	CFRESH	1.55	0.01	422	1.55
CMAN	1.17	0.01	2,746	1.17	ESSO	7.10	0.20	462,194	7.11	CM	2.88	0.04	693	2.85
GC	5.70	(0.05)	111	5.73	GPSC	76.50	(2.50)	530,682	78.15	CPF	28.75	(0.50)	446,651	29.03
GGC	11.70	0.40	47,342	11.63	GULF	187.00	(10.00)	235,448	190.04	CPI	1.59	0.02	481	1.58
GIFT	2.38	0.04	3,989	2.36	GUNKUL	2.66	0.04	160,076	2.65	F&D	-	-	-	-
IVL	31.50	0.50	269,321	31.43	IFEC	-	-	-	-	HTC	22.20	-	456	22.10
NFC	-	-	-	-	IRPC	3.10	0.10	2,677,557	3.10	ICHI	5.05	(0.10)	8,359	5.17
PATO	11.20	0.10	137	11.20	LANNA	7.40	(0.05)	1,051	7.45	KBS	3.82	(0.02)	59	3.82
PMTA	6.50	0.10	85	6.41	MDX	2.74	0.04	695	2.70	KSL	2.38	(0.02)	29,049	2.41
PTTGC	54.00	1.25	212,040	53.52	PRIME	0.35	0.01	2,267	0.35	KTIS	3.92	(0.16)	1,221	3.91
SUTHA	1.91	0.03	197	1.87	PTG	15.00	0.40	198,311	14.79	LST	5.00	0.02	295	4.98
TCOC	20.20	(0.10)	31	20.21	PTT	43.75	0.50	578,220	43.87	M	69.75	0.25	2,810	69.52
TPA	5.55	-	8	5.58	PITTEP	125.50	1.00	150,847	126.14	MALEE	7.00	-	284	6.99
UP	14.10	0.20	2	14.15	RATCH	65.00	(1.50)	72,922	65.53	MINT	33.50	0.25	216,983	33.60
VNT	24.80	-	3,149	24.92	RPC	0.59	(0.02)	14,727	0.60	OISHI	50.00	1.37	95	49.22
WG	-	-	-	-	SCG	3.80	-	125	3.80	OSP	44.25	(0.50)	52,229	44.40
YCI	-	-	-	-	SCI	1.54	0.02	1,564	1.53	PB	68.00	-	12	67.94
Commerce	-	-	-	-	SCN	1.88	0.07	10,784	1.86	PM	6.45	0.20	4,229	6.38
BEAUTY	2.70	0.06	3,672,620	2.67	SGP	8.25	(0.05)	36,823	8.35	PRG	12.80	0.60	52	12.23
BIG	0.75	(0.02)	389,432	0.76	SKE	0.71	0.01	1,144	0.71	RBF	4.36	(0.04)	31,768	4.37
BJC	40.25	(0.50)	52,295	40.68	SOLAR	1.51	(0.03)	2,197	1.52	SAPPE	19.40	0.20	1,148	19.38
COL	17.00	0.10	1,213	16.89	SPCG	20.30	(0.10)	1,626	20.30	SAUCE	22.70	0.10	1	22.70
COM7	26.25	(0.25)	16,024	26.53	SPRC	9.10	0.30	347,616	9.02	SFP	-	-	-	-
CPALL	71.00	0.25	283,722	70.93	SSP	7.20	0.05	5,768	7.18	SNP	12.80	(0.20)	35	12.43
CPW	1.49	(0.01)	17,492	1.51	SUPER	0.51	-	455,396	0.51	SORKON	49.50	(0.25)	57	49.50
CSS	1.26	0.10	45,091	1.23	SUPEREIF	11.40	0.10	6,590	11.40	SSC	-	-	-	-
DOHOME	9.25	(0.10)	39,629	9.29	SUSCO	2.76	(0.02)	3,465	2.77	SSF	-	-	-	-
FN	1.08	(0.04)	18,702	1.11	TAE	3.52	(0.04)	46,230	3.53	SST	3.58	0.02	120	3.58
FTE	2.00	0.01	328	2.00	TCC	0.22	-	3,671	0.22	TC	3.02	-	211	3.02
GLOBAL	14.70	(0.10)	54,492	14.73	TOP	55.75	0.50	171,043	55.62	TFG	4.18	(0.12)	88,402	4.25
HMPRO	15.10	0.10	244,640	15.10	TPIPP	4.50	0.12	128,920	4.49	TFMAMA	194.00	0.50	15	193.53
ILM	13.00	0.20	22,050	12.96	TSE	3.08	(0.30)	525,933	3.18	TIPCO	7.00	0.05	4,998	6.98
IT	2.84	-	5	2.84	TTW	13.90	(0.10)	30,902	13.92	TKN	9.95	0.20	197,133	9.87
KAMART	3.72	0.04	9,094	3.71	WHAUP	5.05	-	57,588	5.04	TU	15.30	0.20	151,855	15.30
LOXLEY	1.29	0.03	21,889	1.28	WP	4.78	(0.04)	2,554	4.79	TVO	28.50	(0.25)	8,254	28.54
MAKRO	35.75	1.25	13,983	35.41	Media & Publishing	-	-	-	-	ZEN	11.40	-	21,317	11.49
MC	10.70	0.20	75,376	10.74	AMARIN	3.74	(0.02)	170	3.74	Health Care Services	-	-	-	-
MEGA	27.25	0.50	44,845	27.15	AQUA	0.42	-	81,176	0.42	AHC	17.80	(0.10)	71	17.80
MIDA	0.48	-	936	0.47	AS	1.46								

## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	8.00	0.10	1,139	7.95	BROCK	-	-	-	-	HFT	2.98	-	909	2.98
PRINC	4.48	(0.04)	1,528	4.47	CGD	0.87	(0.02)	3,442	0.88	IHL	3.78	0.04	3,149	3.74
RAM	149.50	(0.50)	30	149.38	CI	0.80	-	1,948	0.80	INGRS	0.51	-	5,001	0.50
RJH	24.90	(0.10)	609	24.93	CPN	62.50	1.00	90,438	62.32	IRC	14.60	(0.50)	1,467	14.62
RPH	6.60	(0.05)	2,716	6.62	ESTAR	0.35	0.02	49,147	0.34	PCSGH	5.55	-	11	5.55
SKR	5.15	-	1,042	5.13	EVER	0.24	0.01	160,412	0.24	SAT	13.40	-	2,606	13.38
SVH	450.00	(2.00)	8	448.50	FPT	13.60	(0.50)	4,711	13.70	SPG	-	-	-	-
THG	25.50	-	4,844	25.66	GLAND	2.78	0.02	1,990	2.75	STANLY	160.00	(2.00)	288	160.31
VIBHA	1.62	(0.01)	32,221	1.62	GOLD	7.90	(0.05)	787	7.90	TKT	-	-	-	-
VIH	6.90	0.05	5,297	6.81	GREEN	0.75	0.01	1,806	0.75	TNPC	-	-	-	-
WPH	1.79	-	3,997	1.78	J	0.83	-	1,393	0.79	TRU	4.18	0.04	12	4.18
Tourism & Leisure					JCK	0.83	-	6,074	0.83	TSC	10.50	-	67	10.46
ASIA	5.10	(0.05)	6	5.14	KC	-	-	-	-	Industrial Materials				
CENTEL	22.90	(0.10)	59,570	22.91	KWG	1.40	0.04	49	1.38	ALLA	1.31	0.01	3,909	1.30
CSR	-	-	-	-	LALIN	5.15	0.05	2,100	5.11	ASEFA	3.36	0.02	125	3.36
DTC	9.20	0.10	182	9.16	LH	9.55	-	676,328	9.56	CPT	0.74	-	1,535	0.75
ERW	4.82	(0.06)	210,367	4.81	LPN	5.00	0.10	148,499	5.01	CRANE	1.77	0.01	124	1.74
GRAND	0.68	0.01	1,466	0.67	MBK	20.60	0.30	5,691	20.60	CTW	5.20	-	46	5.20
LRH	38.75	(0.75)	3	38.50	MJD	2.88	0.04	113	2.86	FMT	23.80	(0.10)	1	23.80
MANRIN	-	-	-	-	MK	3.06	0.02	2,850	3.05	HTECH	2.96	0.02	5,804	2.89
OHTL	384.00	2.00	3	383.00	NCH	0.74	0.01	990	0.74	KKC	0.66	0.02	197	0.65
ROH	-	-	-	-	NNCL	2.20	0.04	23,546	2.19	PK	1.14	-	33	1.14
SHANG	70.00	0.25	3	69.08	NOBLE	16.10	-	754	16.11	SNC	10.00	0.55	7,363	9.77
SHR	2.28	0.16	592,840	2.23	NUSA	0.56	-	247,249	0.56	STARK	2.20	0.06	16,598	2.18
VRANDA	6.45	(0.10)	2,206	6.52	NVD	1.81	(0.02)	648	1.74	TCJ	3.22	(0.02)	175	3.14
Home & Office Prod.					ORI	6.35	(0.10)	89,170	6.40	VARO	-	-	-	-
ACC	0.67	0.01	63	0.67	PACE	0.07	0.01	154,927	0.07	Property Fund & REI				
AJA	0.28	0.04	447,798	0.27	PF	0.81	0.02	99,877	0.81	AIMCG	8.15	(0.05)	1,570	8.16
DTCI	-	-	-	-	PLAT	4.10	0.12	3,473	4.06	AIMIRT	13.40	0.10	4,280	13.40
FANCY	0.48	-	567	0.48	POLAR	-	-	-	-	AMATAR	11.60	-	6,665	11.60
KYE	260.00	(1.00)	13	260.31	PRECHA	0.98	-	266	0.94	B-WORK	12.50	0.10	662	12.39
L&E	1.99	-	55	2.01	PRIN	1.46	(0.03)	100	1.46	BKER	9.40	0.10	3,315	9.32
MODERN	2.34	-	558	2.34	PSH	14.80	0.20	26,446	14.80	BKKCP	13.50	0.10	1	13.50
OGC	-	-	-	-	OH	2.56	0.02	252,448	2.57	BOFFICE	17.30	-	211	17.30
ROCK	-	-	-	-	RICHY	0.85	-	5,236	0.84	CPNCG	12.60	0.30	5,281	12.44
SIAM	1.67	(0.03)	888	1.67	RML	0.88	0.01	1,892	0.87	CPNREIT	36.00	(0.25)	30,275	36.13
TSR	2.14	0.02	145	2.15	ROJNA	5.15	0.05	5,558	5.11	CPTGF	12.90	-	4,415	12.90
Insurance					S	2.28	0.06	48,736	2.29	CTARAF	5.65	-	34	5.60
AYUD	39.75	0.25	138	39.08	SAMCO	1.59	(0.01)	180	1.58	DREIT	6.35	-	1,263	6.34
BKI	288.00	-	59	288.41	SC	2.30	0.02	21,263	2.30	ERWPF	5.25	0.05	1,263	5.20
BLA	19.40	0.20	4,102	19.25	SENA	2.64	0.02	5,331	2.64	FTREIT	16.00	0.30	8,991	15.81
BUI	-	-	-	-	SF	5.55	0.05	1,374	5.50	FUTUREPF	25.00	(0.25)	14	25.00
CHARAN	-	-	-	-	SIRI	1.04	0.03	613,320	1.04	GAHREIT	9.15	-	360	9.15
INSURE	-	-	-	-	SPALI	16.80	(0.20)	56,893	16.87	GLANDRT	-	-	-	-
MTI	80.00	-	48	79.92	U	1.58	0.01	145,587	1.58	GOLDFP	7.05	0.05	109	7.02
NKI	-	-	-	-	UV	4.24	(0.04)	31,742	4.26	GVREIT	17.40	0.10	1,372	17.31
NSI	58.25	-	4	58.25	WHA	3.44	0.04	1,517,037	3.43	HPF	4.92	-	107	4.92
SEG	35.50	0.25	14	35.05	WIN	0.40	(0.01)	129	0.40	HREIT	8.70	(0.05)	443	8.66
SMK	30.00	-	34	30.01	Paper & Printing Mat					IMPACT	24.10	(0.10)	4,730	24.06
THRE	0.60	-	38,730	0.60	UTP	9.55	(0.05)	4,723	9.57	KPNPF	-	-	-	-
THREL	3.56	0.02	3,662	3.55	Fashion	-	-	-	-	LHHOTEL	18.40	(0.10)	274	18.45
TIP	24.50	0.20	558	24.41	AFC	-	-	-	-	LHPF	-	-	-	-
TOM	82.25	0.25	16,548	82.71	B52	0.18	(0.01)	8,452	0.19	LHSC	18.80	0.20	997	18.76
TSI	0.44	(0.01)	5,605	0.41	BTNC	-	-	-	-	LUXF	8.40	0.10	2	8.38
TVI	4.06	0.04	1	4.06	CPH	3.56	(0.02)	16	3.55	M-II	7.90	(0.10)	100	7.90
Mining					CPL	0.91	(0.04)	100	0.91	M-PAT	5.40	-	1	5.40
PDI	5.20	0.10	576	5.20	ICC	39.00	0.25	3	39.00	M-STOR	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIPF	-	-	-	-
Packaging					PAF	0.51	0.01	929	0.50	MIT	2.70	-	100	2.70
AJ	8.30	-	257	8.25	PDJ	1.30	(0.01)	4,042	1.30	MJLF	10.70	-	440	10.66
ALUCON	150.00	(1.50)	2	150.00	PG	-	-	-	-	MNIT	-	-	-	-
BGC	12.80	-	5,371	12.82	SABINA	23.20	0.20	8,294	23.13	MNIT2	-	-	-	-
CSC	53.25	0.25	175	53.23	SAWANG	-	-	-	-	MNRF	2.98	-	70	2.96
GLOCON	0.72	(0.01)	11,016	0.73	SUC	42.25	(0.75)	407	42.36	POPF	13.20	0.20	2,354	13.10
NEP	0.14	(0.02)	10	0.14	TNL	-	-	-	-	PPF	11.40	-	14	11.40
PTL	14.00	0.30	1,232	13.91	TPCORP	12.30	-	216	11.59	QHHR	9.15	-	1,207	9.11
SFLEX	4.86	(0.06)	22,341	4.95	TR	26.25	0.25	15	26.23	QHOP	3.86	-	7	3.86
SITHAI	0.64	-	6,267	0.65	TTI	-	-	-	-	QHPF	13.60	-	4,348	13.61
SLP	0.46	-	6	0.46	TTT	50.00	-	1	50.00	SBPF	-	-	-	-
SMPC	5.80	-	826	5.77	UPF	-	-	-	-	SHREIT	5.45	(0.10)	720	5.44
SPACK	1.12	(0.03)	115	1.12	UT	17.50	2.50	20	17.00	SIRIP	10.80	-	3	10.80
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPF	22.20	(0.20)	3,027	22.20
TFI	0.05	-	1	0.05	Transportation & Log					SPRIME	14.50	0.10	390	14.38
THIP	20.70	0.30	205	20.45	AAV	1.99	-	717,720	2.00	SRIPANWA	11.10	-	9	11.10
TMD	-	-	-	-	AOT	73.00	-	279,481	73.13	SSPF	9.60	-	382	9.63
TOPP	167.50	2.50	1	167.50	ASIMAR	1.11	(0.01)	1,189	1.10	SSTRT	5.95	0.05	46	5.94
TPBI	3.90	(0.02)	197	3.88	B	0.21	(0.01)	1,111	0.21	TIF1	9.10	0.05	12	9.05
TPP	-	-	-	-	BA	5.95	(0.05)	14,786	5.98	TLGF	21.40	0.10	708	21.38
Personal Products &					BEM	10.90	-	277,788	10.91	TLHPF	10.80	0.10	22	10.78
APCO	3.12	0.02	9,481	3.12	BTS	12.80	-	221,627	12.87	TNPF	2.76	(0.06)	50	2.76
DDD	22.30	-	443	22.47	BTSGIF	9.90	-	31,134	9.90	TPRIME	16.80	0.10	570	16.86
JCT	78.50	(0.75)	88	78.65	III	4.82	0.04	933	4.80	TTLPF	21.70	0.20	1	21.70
OCC	-	-	-	-	JUTHA	-	-	-	-	TU-PF	1.75	-	30	1.75
S & J	-	-	-	-	JWD	7.55	0.10	12,841	7.56	URBNPF	-	-	-	-
STHAI	-	-	-	-	KWC	-	-	-	-	WHABT	9.75	-	445	9.71
TNR	8.40	-	23	8.40	NOK	1.92	-	1,469	1.91	WHART	17.00	0.10	3,345	16.83
TOG	5.35	(0.15)	703	5.43	NYT	3.66	-	10,244	3.63	Steel	-	-	-	-
Professional Service					PORT	2.22	(0.04)	20,827	2.24	AMC	1.80	0.01	104	1.79
BWG	0.49	-	80,052	0.50	PRM	5.80	-	35,557	5.77	BSBM	0.88	(0.01)	1,051	0.88
GENCO	0.51	-	2,332	0.50	PSL	5.45	-	85,281	5.53	CEN	0.54	(0.01)	707	0.54
PRO	-	-	-	-	RCL	2.88	-	623	2.87	CITY	1.78	0.04	203	1.83
SISB	10.70	(0.10)	28,687	10.73	TFFIF	12.50	-	57,039	12.56	CSP	0.71	(0.01)	478	0.69
TEAMG	2.24	-	7,494	2.24	THAI	5.80	-	23,726	5.84	GJS	0.12	-	940	0.12
Property Developme					TSTE	-	-	-	-	GSTEEL	-	-	-	-
A	6.15	-	80	6.11	TTA	3.76	0.02	6,452	3.77	INOX	0.59	(0.01)	356	0.59
AMATA	17.20	-	129,575	17.24	WICE	2.02	0.02	6,608	2.03	LHK	2.66	(0.06)	1,404	2.68
AMATAV	4.68	0.02	449	4.66	Automotive					MAX	0.01	-	50,667	0.01
ANAN	2.24	-	37,238	2.27	AH	13.70	(0.20)	426	13.83	MCS	10.00	(0.10)	5,902	10.03
AP	7.15	(0.05)	60,986	7.15	APCS	4.06	0.06	1	4.06	MILL	0.51	(0.01)	2,454	0.51

## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	ABM	0.65	-	1,008	-	AAV19C2007A	0.64	-	54,501	-
ABICO	4.02	0.06	8	4.00	AGE	0.86	-	4,609	-	ADVA01C2003A	0.10	(0.04)	328,831	-
AU	10.30	(0.30)	45,796	10.00	AIE	0.33	-	12,964	-	ADVA01C2003B	0.02	(0.01)	1,035	-
JCKH	0.23	-	101	-	PSTC	0.72	-	445,144	-	ADVA01C2005A	0.36	(0.06)	146,580	-
KASET	1.18	0.03	7	1.00	QTC	4.76	0.06	417	4.00	ADVA01C2005B	0.14	(0.04)	297,067	-
MM	2.40	0.04	100	2.00	SAAM	0.88	0.01	333	-	ADVA01P2003A	0.90	0.11	114,405	-
SUN	1.83	-	15,497	1.00	SEADIL	2.18	-	20,972	2.00	ADVA01P2003B	0.54	0.09	121,768	-
TACC	3.80	(0.22)	64,190	3.00	SR	0.95	(0.02)	171	-	ADVA06C2005A	0.07	(0.01)	4,788	-
TMILL	2.84	0.02	675	2.00	TAKUNI	0.39	(0.01)	4,336	-	ADVA08C2005A	0.15	(0.03)	25,360	-
XO	5.65	0.05	2,678	5.00	TPCH	12.10	-	3,479	12.00	ADVA08P2004A	0.37	0.06	29,056	-
Consumer Products	-	-	-	-	TRT	1.85	0.03	1,084	1.00	ADVA11C2006A	0.05	-	6,985	-
BGT	0.89	-	24	-	UMS	0.23	0.01	1	-	ADVA11P2005A	0.16	0.03	40,900	-
BIZ	3.16	-	2,582	3.00	UWC	0.03	-	35,596	-	ADVA13C2004A	0.12	(0.04)	275,184	-
DOD	8.90	1.25	61,647	8.00	Services (MAI)	-	-	-	-	ADVA13P2003A	0.38	0.09	81,714	-
ECF	1.23	0.01	4,292	1.00	A5	-	-	-	-	ADVA16C2002A	-	-	-	-
HPT	0.57	(0.03)	457	-	AKP	1.11	(0.01)	3,087	1.00	ADVA16C2005A	0.01	(0.01)	3,060	-
IP	6.25	(0.30)	3,620	6.00	AMA	5.00	0.08	1,331	4.00	ADVA16C2007A	0.11	(0.03)	92,480	-
JUBILE	18.00	0.20	1,968	17.00	ARIP	0.39	-	404	-	ADVA19C2002A	-	-	-	-
MOONG	3.70	(0.04)	1,395	3.00	ATP30	1.35	(0.01)	1,144	1.00	ADVA19C2005A	0.14	(0.03)	9,819	-
NPK	-	-	-	-	AUCT	6.70	-	9,778	6.00	ADVA19P2002A	0.07	0.02	71,076	-
OCEAN	1.18	-	4,076	1.00	BOL	2.86	-	823	2.00	ADVA19P2006A	0.33	0.05	18,087	-
TM	2.62	0.04	20,259	2.00	CHUO	-	-	-	-	ADVA24C2006A	0.26	(0.05)	27,807	-
Financials (MAI)	-	-	-	-	CMO	1.15	0.01	762	1.00	ADVA28C2002A	-	-	-	-
ACAP	1.33	(0.05)	12,671	1.00	D	3.86	(0.04)	224	3.00	ADVA28C2004A	-	-	-	-
AF	0.62	-	20	-	DCORP	0.37	(0.01)	3,867	-	ADVA28C2005A	0.13	(0.03)	23,922	-
AIRA	1.18	(0.01)	229	1.00	EFORL	0.05	-	136,781	-	ADVA28P2004A	0.36	0.06	43,101	-
ASN	6.05	0.05	20	6.00	ETE	0.79	0.04	37,082	-	ADVA41C2004A	-	-	-	-
BROOK	0.42	0.01	5,563	-	FSMART	6.65	0.15	4,968	6.00	ADVA41C2005A	-	-	-	-
CHAYO	6.45	(0.05)	102,185	6.00	FVC	0.39	0.01	2,466	-	ADVA41C2006A	-	-	-	-
GCAP	1.90	0.02	15,814	1.00	GSC	0.72	0.01	742	-	ADVA41C2007A	0.25	(0.03)	20,646	-
LIT	4.54	0.02	859	4.00	HARN	2.28	-	972	2.00	ADVA41P2004A	0.52	0.06	6,146	-
MITSI	1.33	0.01	7,067	1.00	IMH	3.02	0.02	7,665	3.00	ADVA41P2005A	0.39	0.03	57,336	-
SGF	0.69	0.03	267,224	-	JKN	4.72	0.02	9,666	4.00	ADVA42C2003A	-	-	-	-
Industrials (MAI)	-	-	-	-	KIAT	0.31	-	6,478	-	ADVA42C2005A	0.13	(0.03)	2,350	-
2S	1.98	-	201	1.00	KOOL	0.95	0.03	7,312	-	AEON01C2005A	0.09	0.02	28,818	-
ACG	0.95	0.02	2,691	-	LDC	1.02	-	2,269	1.00	AEON13C2003A	0.02	0.01	40	-
ADB	0.53	-	174	-	MORE	0.39	0.01	187,185	-	AEON19C2003A	0.01	(0.01)	1	-
BM	1.90	-	9	1.00	MPG	0.32	(0.01)	4,910	-	AEON19C2006A	0.41	0.03	47,129	-
CHO	0.57	(0.01)	13,548	-	MVP	1.56	-	1,077	1.00	AMAT01C2004A	0.13	(0.01)	59,680	-
CHOW	1.45	(0.03)	589	1.00	NBC	0.50	0.01	2,356	-	AMAT01C2004B	0.06	-	3,623	-
CIG	0.20	-	1,100	-	NCL	1.02	0.01	171	-	AMAT06C2005A	0.10	0.02	8,754	-
COLOR	1.03	-	50	1.00	NEWS	0.01	-	4,005	-	AMAT08C2002A	0.01	-	200	-
CPR	3.34	0.02	425	3.00	NINE	2.00	(0.04)	20	2.00	AMAT08C2005A	0.10	-	5,000	-
FPI	2.46	0.06	256	2.00	OTO	3.20	-	994	3.00	AMAT11C2004A	-	-	-	-
GTB	0.67	(0.01)	1,095	-	PHOL	1.96	(0.04)	54,915	1.00	AMAT11C2008A	0.28	-	47,939	-
KCM	0.49	-	2,232	-	PICO	4.06	0.02	13	4.00	AMAT13C2004A	-	-	-	-
KUMWEL	0.72	0.01	201	-	QLT	4.76	(0.18)	104	4.00	AMAT13C2006A	0.18	(0.01)	155,403	-
KWM	0.83	0.03	3,985	-	RP	1.38	0.03	462	1.00	AMAT16C2003A	-	-	-	-
MBAX	2.96	(0.02)	95	2.00	SE	1.79	0.01	1	1.00	AMAT16C2006A	0.04	0.01	17	-
MGT	1.69	0.01	2,003	1.00	SONIC	0.96	-	367	-	AMAT16C2008A	0.42	0.01	91,272	-
NDR	1.05	0.03	68	1.00	SPA	13.20	(0.10)	6,837	13.00	AMAT19C2003A	-	-	-	-
PDG	2.96	0.02	249	2.00	THMUI	0.53	-	623	-	AMAT19C2005A	0.08	-	1,000	-
PIMO	1.21	(0.01)	13,440	1.00	TNDT	3.72	(0.04)	41	3.00	AMAT19C2006A	0.31	-	115,194	-
PJW	1.18	0.01	641	1.00	TNH	33.50	1.00	1,087	33.00	AMAT24C2006A	0.12	0.01	13,088	-
PPM	0.65	0.01	916	-	TNP	2.06	0.02	1,872	2.00	AMAT41C2002A	-	-	-	-
RWI	1.35	(0.04)	171	1.00	TSF	-	-	-	-	AMAT41C2003A	-	-	-	-
SALEE	0.80	(0.02)	406	-	TVD	0.94	0.06	8,360	-	AMAT41C2004A	-	-	-	-
SANKO	0.95	0.01	974	-	TVT	0.58	-	902	-	AMAT41C2005A	-	-	-	-
SELIC	2.52	(0.02)	59	2.00	VL	1.23	0.02	2,434	1.00	AMAT41C2006A	-	-	-	-
SWC	3.54	0.06	130	3.00	WINNER	2.04	(0.02)	325	2.00	AMAT42C2003A	-	-	-	-
TMC	0.40	0.01	123	-	YGG	4.98	(0.07)	6,465	5.00	AMAT42C2005A	-	-	-	-
TMI	0.72	-	4,673	-	Technology (MAI)	-	-	-	-	AMAT42C2007A	0.39	0.02	8,839	-
TMW	37.25	-	50	37.00	APP	1.99	(0.01)	5,700	1.00	ANAN13C2007A	0.13	(0.04)	3,513	-
TPAC	-	-	-	-	COMAN	2.70	0.06	932	2.00	ANAN19C2004A	-	-	-	-
TPLAS	1.03	(0.01)	4,330	1.00	ICN	1.38	0.01	216	1.00	ANAN19C2007A	0.17	-	17,880	-
UAC	2.70	-	692	2.00	INSET	2.66	0.10	69,559	2.00	AOT01C2002A	0.23	-	135,069	-
UBIS	5.55	-	18	5.00	IRCP	0.48	0.01	799	-	AOT01C2002B	0.02	-	14,748	-
UEC	-	-	-	-	ITEL	2.12	-	3,868	2.00	AOT01C2004A	0.36	-	194,797	-
UKEM	0.40	-	1,138	-	NETBAY	32.50	(0.50)	1,635	32.00	AOT01C2004B	0.10	-	73,223	-
UREKA	1.01	0.02	44	1.00	PLANET	1.05	0.02	1,699	1.00	AOT01C2006B	0.50	-	133,148	-
YUASA	11.90	-	143	11.00	SIMAT	1.70	(0.04)	2,656	1.00	AOT01C2007A	0.80	-	86,882	-
ZIGA	1.04	0.01	3,380	1.00	SKY	15.00	(0.10)	1,793	14.00	AOT01P2002A	0.37	(0.01)	260,251	-
Property & Construc	-	-	-	-	SPVI	2.78	(0.06)	11,737	2.00	AOT01P2002B	0.07	(0.01)	67,957	-
ALL	3.46	0.08	47,358	3.00	TPS	2.00	0.01	12,836	2.00	AOT01P2004A	0.89	(0.01)	38,590	-
ARIN	0.63	(0.01)	1,648	-	UPA	0.18	-	17,408	-	AOT01P2004B	0.52	-	236,824	-
ARROW	8.00	(0.10)	2,503	7.00	VCOM	2.78	(0.04)	36	2.00	AOT01P2006B	0.38	(0.01)	211,537	-
BC	1.57	0.03	2,441	1.00	Unit Trust	-	-	-	-	AOT01P2007A	0.62	-	111,501	-
BSM	0.31	-	1,226	-	MGE	-	-	-	-	AOT06C2003A	-	-	-	-
BTW	0.63	(0.03)	157	-	SCBSET	-	-	-	-	AOT06C2007A	0.67	0.01	72,723	-
CAZ	2.46	-	2,100	2.00	ETF	-	-	-	-	AOT06P2003A	0.07	(0.01)	16,376	-
CHEWA	0.42	-	14,517	-	1DIV	9.89	0.11	469	9.00	AOT08C2005A	0.10	(0.02)	39,430	-
CMC	0.84	0.02	6,339	-	ABFTH	-	-	-	-	AOT08C2006A	0.29	-	54,089	-
CRD	0.64	0.04	7,830	-	BMSCG	7.33	0.14	2,217	7.00	AOT08P2004A	0.26	(0.02)	23,362	

## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C2006A	0.20	-	26,431	-	BBL16C2006A	0.14	0.03	50,278	-	BEM06C2004A	0.08	-	13,200	-
AOT28C2006B	0.36	-	44,963	-	BBL19C2003A	0.01	-	1,250	-	BEM08C2005A	0.16	0.01	12,000	-
AOT28P2004A	0.28	0.01	45,945	-	BBL19C2005A	0.23	0.03	66,991	-	BEM11C2003A	0.05	0.01	3,230	-
AOT41C2002A	-	-	-	-	BBL19P2002A	0.18	(0.10)	7,648	-	BEM13C2002A	-	-	-	-
AOT41C2003A	0.05	0.03	50	-	BBL24C2004A	0.32	0.05	63,040	-	BEM13C2004A	0.09	-	40,109	-
AOT41C2004A	-	-	-	-	BBL27C2002A	-	-	-	-	BEM16C2006A	-	-	-	-
AOT41C2005A	-	-	-	-	BBL28C2003A	-	-	-	-	BEM19C2005A	-	-	-	-
AOT41C2006A	0.40	0.01	70,600	-	BBL28C2005A	0.18	0.04	56,732	-	BEM24C2003A	-	-	-	-
AOT41C2007A	0.33	-	31,577	-	BBL28C2007A	0.39	0.05	53,672	-	BEM28C2002A	-	-	-	-
AOT41P2002A	-	-	-	-	BBL41C2003A	-	-	-	-	BEM28C2006A	0.12	-	4,056	-
AOT41P2004A	-	-	-	-	BBL41C2004A	-	-	-	-	BEM41C2002A	-	-	-	-
AOT41P2005A	0.82	(0.10)	10,936	-	BBL41C2005A	-	-	-	-	BEM41C2004A	-	-	-	-
AOT41P2006A	0.48	-	12,060	-	BBL41C2006A	-	-	-	-	BEM41C2006A	-	-	-	-
AOT42C2006A	0.25	-	5,041	-	BBL41C2007A	0.42	0.06	11,359	-	BEM41P2003A	-	-	-	-
AOT42P2003A	-	-	-	-	BBL41P2002A	-	-	-	-	BEM41P2004A	-	-	-	-
AP16C2002A	-	-	-	-	BBL41P2004A	0.54	(0.15)	15,800	-	BGR101C2003A	0.70	(0.25)	122,675	-
AP19C2002A	-	-	-	-	BBL41P2006A	0.70	(0.12)	11,372	-	BGR101C2003B	0.32	(0.24)	294,847	-
AP28C2004A	0.17	(0.01)	25,453	-	BBL42C2003A	-	-	-	-	BGR101C2006A	0.53	(0.19)	298,914	-
AP28C2006A	0.14	-	19,352	-	BBL42C2005A	0.18	0.05	5,401	-	BGR101C2006B	0.25	(0.15)	901,740	-
AWC01C2003A	0.14	-	159,284	-	BCH01C2006A	0.28	(0.01)	99,120	-	BGR101P2003A	0.11	0.05	269,414	-
AWC01C2003B	0.02	-	269	-	BCH01C2006B	0.15	0.01	24,384	-	BGR101P2006A	0.77	0.16	1,049,304	-
AWC01C2004A	0.08	(0.01)	149,067	-	BCH01P2006A	0.66	0.01	23,503	-	BGR106C2005A	0.37	(0.26)	155,953	-
AWC01P2003A	0.44	0.02	71,110	-	BCH06C2006A	0.19	(0.02)	9,410	-	BGR108C2003A	0.89	(0.35)	1,001	-
AWC01P2003B	0.09	-	10,000	-	BCH06P2006A	0.47	0.02	8,665	-	BGR108C2005A	0.44	(0.20)	148,313	-
AWC01P2007A	0.43	0.01	40,706	-	BCH08C2004A	0.11	-	3,270	-	BGR111C2006A	0.96	(0.31)	30,754	1.00
AWC06C2002A	-	-	-	-	BCH11C2008A	0.28	0.01	16,000	-	BGR111C2008A	0.42	(0.16)	250,841	-
AWC06C2004A	0.14	(0.01)	89,022	-	BCH13C2004A	0.08	-	15,652	-	BGR13C2002A	0.41	(0.38)	3,873	-
AWC06P2002A	0.26	0.02	16,795	-	BCH13C2007A	0.32	-	31,394	-	BGR13C2004A	0.27	(0.20)	254,545	-
AWC08C2004A	0.07	-	3,602	-	BCH16C2006A	0.21	0.01	13,866	-	BGR13C2006A	0.30	(0.16)	466,518	-
AWC13C2002A	0.02	0.01	13,081	-	BCH19C2005A	0.09	-	3,952	-	BGR113P2005A	0.47	0.17	497,694	-
AWC13C2003A	0.08	0.02	16	-	BCH19C2006A	0.24	(0.01)	38,327	-	BGR16C2005A	0.44	(0.25)	215,699	-
AWC13C2006A	0.13	-	114,103	-	BCH24C2003A	0.08	-	1,000	-	BGR19C2006A	0.68	(0.30)	16,372	-
AWC13P2002A	-	-	-	-	BCH27C2003A	0.14	-	9,600	-	BGR19C2005A	0.40	(0.19)	90,550	-
AWC13P2003A	-	-	-	-	BCH41C2005A	-	-	-	-	BGR19C2006A	0.26	(0.14)	71,952	-
AWC13P2006A	0.41	0.01	76,544	-	BCH41C2006A	0.20	-	14	-	BGR124C2004A	0.64	(0.26)	60,933	-
AWC16C2005A	0.03	-	100	-	BCH42C2002A	-	-	-	-	BGR127P2006A	0.36	0.11	126,024	-
AWC16C2007A	0.10	-	66,042	-	BCP01C2005A	0.67	0.11	163,567	-	BGR128C2002A	-	-	-	-
AWC19C2003A	0.05	-	2,250	-	BCP01C2005B	0.13	0.03	445,309	-	BGR128C2003A	-	-	-	-
AWC19C2004A	0.05	-	100	-	BCP01P2005A	0.17	(0.04)	120,950	-	BGR128C2003B	0.32	(0.27)	311	-
AWC19C2006A	0.14	-	530	-	BCP11C2004A	-	-	-	-	BGR141C2002A	-	-	-	-
AWC24C2007A	0.08	-	32,032	-	BCP13C2003A	0.06	0.04	18,654	-	BGR141C2004A	0.49	(0.62)	560	-
AWC28C2003A	0.01	-	46,150	-	BCP13C2003B	-	-	-	-	BGR141C2005A	0.38	(0.18)	19,517	-
AWC28C2003B	-	-	-	-	BCP13C2007A	0.23	(0.77)	231,323	-	BGR141C2006A	0.39	(0.16)	270,220	-
AWC28C2003C	0.07	(0.01)	14,306	-	BCP19C2004A	0.55	0.15	816	-	BGR141P2004A	0.13	0.04	200	-
AWC28C2006A	0.13	-	21,742	-	BCP19C2005A	0.16	0.03	70,423	-	BGR141P2005A	0.41	0.11	90,174	-
AWC28P2003A	-	-	-	-	BCEP24C2004A	-	-	-	-	BGR141P2006A	0.86	(0.14)	80,084	-
AWC41C2003A	-	-	-	-	BCEP01C2005A	0.27	0.01	87,026	-	BGR142C2003A	0.30	(0.28)	171,424	-
AWC41C2004A	-	-	-	-	BCEP01C2005B	0.10	-	17,762	-	BGR142C2006A	0.25	(0.14)	15,222	-
AWC41C2005A	0.19	-	3,370	-	BCEP01P2005A	0.39	(0.02)	52,810	-	BH01C2004A	0.53	(0.01)	65,572	-
AWC41C2006A	-	-	-	-	BCEP06C2002A	-	-	-	-	BH01C2004B	0.19	(0.02)	36,796	-
AWC41C2007A	0.16	-	800	-	BCEP13C2004A	0.08	(0.01)	2,000	-	BH01P2004A	0.60	0.01	45,265	-
AWC42C2003A	-	-	-	-	BCEP13C2007A	0.29	0.02	64,413	-	BH11C2002A	-	-	-	-
BANP01C2002A	0.05	-	520	-	BCEP19C2003A	-	-	-	-	BH11C2008A	0.36	-	26,635	-
BANP01C2002B	-	-	-	-	BCEP19C2005A	0.20	0.01	6,389	-	BH13C2002A	-	-	-	-
BANP01C2005A	0.17	-	57,364	-	BCEP28C2002A	-	-	-	-	BH13C2006A	0.26	(0.01)	32,793	-
BANP01C2005B	0.07	-	33,346	-	BCEP28C2003A	-	-	-	-	BH19C2002A	-	-	-	-
BANP01P2002A	0.41	(0.01)	8,951	-	BCEP28C2004A	0.06	-	18,762	-	BH19C2003A	0.18	(0.02)	34,853	-
BANP01P2002B	0.34	-	11,078	-	BCEP41C2002A	-	-	-	-	BH19C2006A	0.29	(0.02)	18,916	-
BANP01P2005A	0.46	-	10,741	-	BCEP41C2005A	0.17	0.01	200	-	BH24C2003A	0.17	(0.02)	9,714	-
BANP01P2005B	0.24	0.01	59,456	-	BCEP42C2004A	-	-	-	-	BH27C2007A	0.36	(0.01)	26,980	-
BANP06C2002A	0.01	-	51,447	-	BCEP42C2007A	0.24	-	14,299	-	BH41C2002A	-	-	-	-
BANP06C2005A	0.05	(0.01)	500	-	BDM501C2002A	0.47	(0.03)	2	-	BH41C2003A	-	-	-	-
BANP08C2002A	-	-	-	-	BDM501C2002B	0.04	(0.02)	44	-	BH41C2004A	-	-	-	-
BANP08C2005A	0.10	-	3,800	-	BDM501P2002A	0.05	(0.01)	50,286	-	BH41C2005A	0.25	(0.02)	3,001	-
BANP08P2003A	0.48	0.02	4,000	-	BDM506C2003A	0.29	(0.04)	6,452	-	BH41C2006A	0.23	(0.01)	8,140	-
BANP11C2004A	-	-	-	-	BDM506P2004A	0.11	0.01	72,650	-	BH41P2004A	0.23	-	16,092	-
BANP11C2008A	0.14	-	16,600	-	BDM508C2003A	-	-	-	-	BH41P2006A	0.74	0.01	18,314	-
BANP13C2003A	0.01	-	5,504	-	BDM508C2006A	0.10	(0.01)	5,300	-	BH42C2003A	0.06	(0.03)	6,100	-
BANP13C2006A	0.09	0.01	28,000	-	BDM51C2007A	0.55	-	602	-	BJC01C2004A	0.11	-	130,787	-
BANP19C2002A	-	-	-	-	BDM51C2008A	0.16	-	10,000	-	BJC01C2004B	0.02	-	500	-
BANP19C2004A	-	-	-	-	BDM51P2002A	-	-	-	-	BJC01P2004A	0.85	0.02	45,218	-
BANP19C2005A	0.05	-	585	-	BDM513C2003A	-	-	-	-	BJC06C2002A	-	-	-	-
BANP19C2007A	0.20	(0.01)	19,245	-	BDM513C2004A	0.09	-	10,987	-	BJC06C2006A	0.19	(0.01)	190,232	-
BANP19P2003A	0.33	(0.01)	1,164	-	BDM516C2006A	0.51	(0.03)	7,306	-	BJC11C2008A	0.28	(0.01)	35,706	-
BANP24C2003A	-	-	-	-	BDM519C2005A	0.41	(0.03)	300	-	BJC13C2002A	-	-	-	-
BANP27C2007A	0.11	-	4,400	-	BDM519C2005B	0.10	(0.01)	4,000	-	BJC13C2004A	0.04	-	4,110	-
BANP28C2002A	-	-	-	-	BDM524C2006A	0.14	-	3,317	-	BJC13C2005A	0.15	(0.01)	94,539	-
BANP28C2003A	-	-	-	-	BDM527C2002A	-	-	-	-	BJC16C2002A	-	-	-	-
BANP28C2004A	-	-	-	-	BDM541C2002A	-	-	-	-	BJC16C2006A	0.13	(0.01)	37,393	-
BANP41C2002A	-	-	-	-	BDM541C2004A	0.25	(0.01)	1,026	-	BJC19C2003A	-	-	-	-
BANP41C2003A	-	-	-	-	BDM541C2005A	-	-	-	-	BJC19C2005A	0.09	-	44,436	-
BANP41C2004A	0.16	-	8,880	-	BDM541C2006A	-	-	-	-	BJC19C2007A	0.30	(0.01)	14,920	-
BANP41C2005A	-	-	-	-	BDM541P2002A	-	-	-	-	BJC24C2003A	-	-	-	-
BANP41C2006A	-	-	-	-	BDM541P2004A	-	-	-	-	BJC24C2006A	0.23	(0.02)	50,910	-
BANP41P2002A	-	-	-	-	BDM541P2006A	-	-	-	-	BJC27C2009A	0.22	-	20,800	-
BANP41P2005A	0.37	0.01	5,946	-	BDM542C2003A	-	-	-	-	BJC28C2004A	-	-	-	-
BANP41P2007A	0.48	(0.06)	2,972	-	BEAU13C2003A	0.12	0.01	471,013	-	BJC41C2002A	-	-	-	-
BANP42C2004A	0.03	0.01	120	-	BEAU13C2003B	0.04	-	62,258	-	BJC41C2004A	-	-	-	-
BANP42C2006A	-	-	-	-	BEAU19C2002A	0.02	-	101,551	-	BJC41C2005A	-	-	-	-
BANP42P2005A	0.25	-	6,732	-	BEC01C2006A	0.29	0.02	11,800	-	BJC41C2006A	-	-	-	-
BBL06C2002A	-	-	-	-	BEC01C2006B	0.12	(0.01)	5,905	-	BJC				

## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BPP19C2007A	0.33	(0.67)	13,346	-	CK19C2004A	0.42	0.12	85,211	-	CPF28C2004A	0.18	(0.02)	12,145	-
BPP24C2003A	-	-	-	-	CK24C2003A	-	-	-	-	CPF41C2002A	-	-	-	-
BTS01C2005A	0.25	(0.01)	159,691	-	CK27C2008A	0.60	0.11	64,800	-	CPF41C2004A	-	-	-	-
BTS01C2005B	0.10	(0.02)	161,830	-	CK41C2003A	0.36	0.11	60,580	-	CPF41C2005A	0.19	-	5	-
BTS01P2005A	0.24	(0.01)	93,245	-	CK41C2004A	0.20	0.08	1	-	CPF41P2003A	-	-	-	-
BTS08C2005A	0.09	0.01	240	-	CK41C2005A	0.23	(0.01)	21,400	-	CPF41P2005A	0.17	-	255	-
BTS11C2003A	0.14	-	31,930	-	CKP01C2004A	0.03	0.01	3,841	-	CPF42C2003A	0.07	(0.01)	10,700	-
BTS13C2003A	-	-	-	-	CKP01C2004B	-	-	-	-	CPN01C2005A	0.52	0.04	158,203	-
BTS13C2006A	0.17	-	62,035	-	CKP01P2004A	0.79	(0.01)	70,582	-	CPN01C2005B	0.20	0.03	221,062	-
BTS16C2008A	0.13	-	52,868	-	CKP08C2004A	-	-	-	-	CPN01P2005A	0.43	(0.06)	159,894	-
BTS19C2002A	-	-	-	-	CKP11C2006A	0.04	-	1,201	-	CPN06C2006A	0.37	0.04	54,350	-
BTS19C2005A	0.17	0.01	11,790	-	CKP13C2003A	-	-	-	-	CPN11C2006A	0.12	0.01	37,140	-
BTS19P2002A	-	-	-	-	CKP13C2004A	-	-	-	-	CPN11C2008A	0.48	0.05	83,012	-
BTS24C2007A	0.20	0.01	29,000	-	CKP13C2004B	0.14	-	31,244	-	CPN13C2004A	0.15	0.02	121,868	-
BTS41C2003A	-	-	-	-	CKP13C2007A	0.50	0.03	101,844	-	CPN16C2005A	0.38	0.05	69,660	-
BTS41C2004A	-	-	-	-	CKP16C2005A	-	-	-	-	CPN19C2002A	-	-	-	-
BTS41C2006A	-	-	-	-	CKP16C2007A	0.14	-	43,400	-	CPN19C2004A	0.18	0.02	30,754	-
BTS41P2004A	-	-	-	-	CKP19C2003A	-	-	-	-	CPN24C2002A	-	-	-	-
BTS42C2003A	-	-	-	-	CKP19C2005A	0.03	-	38,194	-	CPN24C2007A	0.59	0.04	34,186	-
CBG01C2004A	0.89	(0.07)	75,485	-	CKP19C2006A	0.23	(0.01)	23,747	-	CPN41C2002A	-	-	-	-
CBG01C2004B	0.33	(0.03)	47,858	-	CKP24C2006A	0.11	-	13,206	-	CPN41C2003A	-	-	-	-
CBG01P2003A	0.07	-	12,621	-	CKP27C2005A	-	-	-	-	CPN41C2004A	-	-	-	-
CBG01P2004A	0.57	0.02	87,812	-	CKP28C2003A	0.01	-	1,320	-	CPN41C2006A	0.37	0.04	82,232	-
CBG06C2002A	-	-	-	-	CKP28C2004A	-	-	-	-	CPN41P2003A	-	-	-	-
CBG06C2005A	0.68	(0.06)	28,167	-	CKP28C2004B	-	-	-	-	CPN41P2005A	0.43	(0.06)	20,141	-
CBG08C2003A	0.48	(0.04)	24,750	-	CKP28C2006A	0.19	0.01	34,754	-	CPN41P2006A	-	-	-	-
CBG11C2002A	0.30	(0.04)	4,400	-	CKP41C2002A	-	-	-	-	CPN42C2002A	-	-	-	-
CBG11C2008A	1.07	(0.04)	20,563	1.00	CKP41C2004A	-	-	-	-	CPN42C2004A	0.08	(0.07)	2,000	-
CBG13C2004A	0.48	(0.04)	108,500	-	CKP41C2005A	-	-	-	-	CPN42C2006A	-	-	-	-
CBG13P2006A	0.85	0.02	63,939	-	CKP41C2006A	-	-	-	-	DTAC01C2004A	0.18	(0.02)	62,563	-
CBG16C2008A	0.78	(0.07)	65,899	-	CKP41C2007A	-	-	-	-	DTAC01C2004B	0.05	(0.01)	6,485	-
CBG19C2004A	0.42	(0.04)	40,756	-	CKP42C2003A	-	-	-	-	DTAC01P2004A	1.22	0.03	24,531	1.00
CBG19C2005A	0.75	(0.03)	22,119	-	CKP42C2005A	-	-	-	-	DTAC01P2004B	0.85	0.03	30,640	-
CBG19P2002A	-	-	-	-	CKP42C2006A	0.21	0.03	10,400	-	DTAC06C2006A	0.12	(0.01)	21,800	-
CBG19P2006A	0.92	0.02	44,676	-	COM708C2002A	0.06	0.01	1,000	-	DTAC08C2005A	0.07	(0.01)	100	-
CBG24C2003A	0.34	(0.04)	6,456	-	COM711C2004A	0.13	-	12,332	-	DTAC08C2005B	0.15	(0.02)	13,600	-
CBG41C2002A	-	-	-	-	COM713C2004A	0.11	-	71,669	-	DTAC08P2002A	-	-	-	-
CBG41C2003A	-	-	-	-	COM716C2008A	0.16	-	11,004	-	DTAC11C2002A	-	-	-	-
CBG41C2004A	0.49	(0.03)	16,894	-	COM719C2003A	0.35	(0.01)	50	-	DTAC13C2003A	0.02	-	248	-
CBG41C2005A	-	-	-	-	COM719C2005A	0.15	-	2,600	-	DTAC13C2006A	0.14	(0.01)	55,060	-
CBG41C2006A	0.83	(0.07)	50,173	-	COM719P2004A	0.14	(0.01)	7,367	-	DTAC13P2003A	-	-	-	-
CBG41P2002A	-	-	-	-	COM724C2007A	0.23	-	26,038	-	DTAC13P2006A	0.69	0.05	41,329	-
CBG41P2003A	0.18	-	1,588	-	COM741C2002A	-	-	-	-	DTAC19C2005A	0.10	(0.02)	3,162	-
CBG41P2004A	0.78	0.04	35,816	-	COM741C2004A	-	-	-	-	DTAC19C2006A	0.24	(0.03)	20,718	-
CBG41P2006A	0.86	-	14,591	-	COM741C2006A	-	-	-	-	DTAC19P2002A	0.82	0.06	9,399	-
CBG42C2003A	0.15	(0.03)	11,800	-	COM742C2002A	0.03	0.01	7,100	-	DTAC24C2004A	-	-	-	-
CENT01C2003A	0.01	-	2,535	-	COM742C2004A	-	-	-	-	DTAC27C2002A	-	-	-	-
CENT01C2003B	-	-	-	-	CPAL01C2002A	0.02	0.01	539	-	DTAC27C2008A	0.47	(0.03)	19,982	-
CENT01C2006A	0.36	(0.02)	524,666	-	CPAL01C2002B	0.02	-	1,001	-	DTAC27P2002A	0.10	0.02	19,200	-
CENT01C2006B	0.07	-	2,885	-	CPAL01C2004A	0.22	0.01	70,317	-	DTAC41C2002A	-	-	-	-
CENT01P2003A	0.68	-	138,863	-	CPAL01C2004B	0.10	(0.01)	128,525	-	DTAC41C2004A	-	-	-	-
CENT06C2003A	-	-	-	-	CPAL01C2006A	0.49	-	111,332	-	DTAC41C2005A	-	-	-	-
CENT06C2006A	0.34	(0.01)	121,312	-	CPAL01C2006B	0.28	-	166,746	-	DTAC41C2006A	0.14	(0.02)	2,001	-
CENT06P2007A	0.35	0.01	90,952	-	CPAL01P2002A	1.46	(0.03)	6,028	1.00	DTAC41C2007A	0.33	(0.03)	56,070	-
CENT08C2004A	-	-	-	-	CPAL01P2002B	0.88	(0.04)	9,363	-	DTAC41P2002A	-	-	-	-
CENT11C2004A	-	-	-	-	CPAL01P2004A	0.98	(0.02)	48,379	-	DTAC41P2005A	0.38	(0.62)	53,524	-
CENT11C2007A	0.06	-	1,000	-	CPAL01P2004B	0.47	(0.02)	143,082	-	DTAC41P2006A	1.08	0.06	5,666	1.00
CENT13C2003A	0.01	-	7,249	-	CPAL06C2006A	0.34	-	36,933	-	DTAC42C2004A	0.03	(0.01)	365	-
CENT13C2005A	0.09	0.03	200	-	CPAL08C2004A	0.09	-	200	-	DTAC42C2006A	0.34	(0.04)	11,544	-
CENT13C2006A	0.36	(0.01)	284,857	-	CPAL08C2006A	0.24	0.01	41,131	-	EA06C2002A	0.01	-	2,360	-
CENT19C2004A	0.24	-	-	-	CPAL08P2002A	0.56	(0.08)	1,000	-	EA06C2005A	0.43	(0.02)	12,929	-
CENT19C2005A	0.24	(0.01)	17,031	-	CPAL08P2006A	0.57	(0.01)	28,634	-	EA08C2004A	0.13	-	12,271	-
CENT24C2003A	-	-	-	-	CPAL11C2006A	0.07	0.01	10,249	-	EA08C2006A	0.62	(0.02)	23,010	-
CENT24C2008A	0.10	-	12,700	-	CPAL11C2007A	0.26	-	78,769	-	EA11C2005A	0.30	(0.01)	34,874	-
CENT27C2008A	0.08	-	10	-	CPAL13C2002A	0.01	-	40	-	EA13C2003A	0.23	(0.02)	56,717	-
CENT28C2004A	-	-	-	-	CPAL13C2004A	0.24	(0.01)	161,521	-	EA13C2005A	0.43	(0.01)	137,003	-
CENT28C2005A	0.04	0.02	3,056	-	CPAL13P2003A	0.59	(0.02)	1,077	-	EA13P2003A	0.08	-	6,372	-
CENT28C2006A	0.29	(0.02)	132,287	-	CPAL16C2006A	0.17	-	27,417	-	EA16C2003A	-	-	-	-
CENT41C2003A	-	-	-	-	CPAL16C2007A	0.28	-	88,445	-	EA16C2006A	0.23	(0.01)	36,373	-
CENT41C2004A	-	-	-	-	CPAL19C2002A	-	-	-	-	EA16C2008A	0.38	(0.01)	56,051	-
CENT41C2005A	-	-	-	-	CPAL19C2004A	-	-	-	-	EA19C2002A	0.03	-	600	-
CENT41C2006A	0.45	-	112,482	-	CPAL19C2005A	0.23	-	11,981	-	EA19C2004A	0.34	-	57,332	-
CENT41P2002A	-	-	-	-	CPAL19P2004A	0.32	(0.03)	16,880	-	EA19P2002A	0.09	-	24,000	-
CENT41P2003A	0.59	(0.01)	51,748	-	CPAL24C2005A	0.09	-	22,000	-	EA24C2003A	-	-	-	-
CENT42C2002A	-	-	-	-	CPAL28C2003A	-	-	-	-	EA24C2004A	0.41	(0.01)	6,940	-
CENT42C2004A	-	-	-	-	CPAL28C2003B	-	-	-	-	EA27C2006A	0.39	-	12,060	-
CENT42C2006A	0.29	(0.01)	12,182	-	CPAL28C2004A	-	-	-	-	EA28C2002A	-	-	-	-
CHG01C2006A	0.34	(0.01)	23,006	-	CPAL28C2005A	0.19	0.01	35,636	-	EA28C2004A	0.17	-	8,212	-
CHG01C2006B	-	-	-	-	CPAL41C2002A	-	-	-	-	EA28C2004B	0.25	-	16,444	-
CHG01P2006A	0.37	-	18,579	-	CPAL41C2003A	-	-	-	-	EA28C2006A	0.39	(0.01)	20,127	-
CHG06C2002A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA41C2002A	-	-	-	-
CHG06P2003A	-	-	-	-	CPAL41C2005A	0.24	-	31,940	-	EA41C2004A	0.31	0.02	1,612	-
CHG08C2005A	0.16	-	9,500	-	CPAL41C2006A	-	-	-	-	EA41C2005A	0.30	-	1,068	-
CHG13C2003A	0.06	-	2,000	-	CPAL41P2003A	-	-	-	-	EA41C2006A	0.46	(0.01)	25,312	-
CHG13C2006A	0.27	(0.01)	74,673	-	CPAL41P2004A	0.38	(0.02)	45,267	-	EA41P2003A	0.43	(0.44)	20	-
CHG16C2002A	0.09	-	300	-	CPAL41P2005A	-	-	-	-	EA41P2004A	0.30	-	35,384	-
CHG19C2004A	0.25	-	13,026	-	CPAL41P2006A	0.56	(0.01)	24,202	-	EA42C2004A	0.25	-	7,510	-
CHG27C2009A	0.32	-	12,970	-	CPAL42C2003A	-	-	-	-	EGCO01C2004A	0.14	(0.04)	292,718	-
CHG41C2005A	-	-	-	-	CPAL42C2005A	0.10	(0.02)	30	-	EGCO01C2004B	0.03	(0.01)	1	-
CHG42C2006A	0.24	(0.02)	4,900	-	CPF01C2004A	0.26	(0.03)	96,961	-	EGCO06C2004A	0.03	(0.01)	5,500	-
CK01C200														



## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EGCO42C2003A	-	-	-	-	GULF19C2004A	0.49	(0.18)	185,397	-	INTU41C2003A	-	-	-	-
EGCO42C2007A	0.22	(0.04)	18,797	-	GULF19C2006A	0.23	(0.08)	36,057	-	INTU41C2004A	-	-	-	-
EPG08C2004A	-	-	-	-	GULF19P2003A	0.04	0.01	2,502	-	INTU41C2005A	-	-	-	-
EPG13C2004A	-	-	-	-	GULF19P2006A	0.67	0.12	185,844	-	INTU41C2006A	0.21	(0.03)	21,808	-
EPG13C2006A	0.15	0.01	19,639	-	GULF24C2002A	0.45	(0.30)	22,998	-	INTU41C2007A	-	-	-	-
EPG19C2002A	-	-	-	-	GULF24C2005A	1.04	(0.23)	42,211	1.00	INTU41P2003A	-	-	-	-
EPG19C2005A	0.09	-	21,014	-	GULF27C2004A	-	-	-	-	INTU41P2004A	-	-	-	-
EPG19P2002A	0.21	(0.01)	3,560	-	GULF28C2003A	0.29	(0.13)	81,975	-	INTU41P2005A	0.54	0.03	39,680	-
EPG24C2008A	0.36	-	18,791	-	GULF28C2003B	0.24	(0.18)	264,081	-	INTU41P2006A	0.55	0.04	12,876	-
ERW06C2006A	0.06	(0.01)	34,246	-	GULF28C2006A	0.13	(0.04)	89,207	-	INTU42C2003A	-	-	-	-
ERW06C2007A	0.73	(0.07)	25,743	-	GULF41C2002A	-	-	-	-	INTU42C2005A	0.14	(0.02)	3,500	-
ERW06P2006A	0.44	0.02	130,702	-	GULF41C2003A	-	-	-	-	IRPC01C2002A	0.02	-	8,709	-
ERW13C2005A	0.04	(0.01)	10,773	-	GULF41C2004A	0.55	(0.16)	36,494	-	IRPC01C2002B	0.02	-	2,088	-
ERW13C2006A	0.12	-	106,234	-	GULF41C2005A	0.52	(0.19)	422,213	-	IRPC01C2005A	0.12	0.02	398,179	-
ERW13C2007A	0.58	(0.42)	50,518	-	GULF41C2006A	1.13	(0.17)	24,288	1.00	IRPC01C2005B	0.06	0.02	36,207	-
ERW19C2005A	0.02	-	201	-	GULF41P2002A	-	-	-	-	IRPC01C2007B	0.47	0.05	353,547	-
ERW19C2006A	0.13	(0.01)	234,128	-	GULF41P2003A	0.18	0.03	4,978	-	IRPC01P2002A	0.73	(0.12)	29,762	-
ERW24C2006A	0.67	0.01	30,828	-	GULF41P2004A	0.44	0.09	54,698	-	IRPC01P2005A	1.09	(0.11)	33,030	1.00
ESS001C2004A	0.22	0.03	197,721	-	GULF41P2005A	0.33	0.05	27,672	-	IRPC01P2005B	0.64	(0.09)	105,446	-
ESS001C2004B	0.12	0.01	103,945	-	GULF41P2006A	0.38	0.06	47,423	-	IRPC06C2005A	0.08	0.03	190,180	-
ESS008C2004A	0.20	0.03	45,004	-	GULF41P2007A	1.05	0.17	85,688	-	IRPC06C2007A	0.33	0.06	327,509	-
ESS011C2002A	-	-	-	-	GULF42C2002A	-	-	-	-	IRPC06P2004A	0.40	(0.10)	41,718	-
ESS013C2003A	0.05	0.01	3,781	-	GULF42C2003A	0.25	(0.18)	33,326	-	IRPC11C2005A	0.02	(0.01)	112	-
ESS013C2006A	0.25	0.03	202,149	-	GUNK01C2005A	0.17	0.01	75,029	-	IRPC11C2008A	0.12	0.03	51,612	-
ESS019C2004A	0.12	0.02	1,600	-	GUNK01C2005B	0.06	0.01	1	-	IRPC13C2003A	0.02	0.01	24,032	-
ESS019C2007A	0.48	0.04	65,205	-	GUNK01P2005A	0.43	(0.03)	20,536	-	IRPC13C2006A	0.13	0.02	192,795	-
ESSO24C2003A	0.05	0.02	27,530	-	GUNK11C2007A	0.09	0.01	40,670	-	IRPC13C2007A	0.36	0.05	352,393	-
ESSO24C2007A	0.42	0.05	44,460	-	GUNK13C2003A	-	-	-	-	IRPC19C2003A	-	-	-	-
ESSO41C2002A	-	-	-	-	GUNK13C2006A	0.16	0.01	46,599	-	IRPC19C2005A	0.13	0.03	14,401	-
ESSO41C2003A	-	-	-	-	GUNK16C2002A	-	-	-	-	IRPC19C2007A	0.44	0.05	66,757	-
ESSO41C2004A	0.18	0.04	300	-	GUNK19C2003A	-	-	-	-	IRPC24C2002A	-	-	-	-
ESSO41C2005A	0.18	0.03	2,150	-	GUNK19C2006A	0.18	0.02	23,290	-	IRPC24C2004A	0.06	0.02	125	-
ESSO41C2006A	0.45	0.05	43,049	-	GUNK24C2006A	0.13	0.01	14,627	-	IRPC27C2007A	0.13	0.03	29,980	-
ESSO42C2003A	0.03	0.01	1,314	-	GUNK28C2002A	-	-	-	-	IRPC28C2003A	-	-	-	-
ESSO42C2007A	0.48	0.09	14,265	-	GUNK28C2003A	-	-	-	-	IRPC28C2003B	0.03	0.01	1,270	-
GFPT13C2003A	0.08	(0.01)	520	-	GUNK28C2005A	-	-	-	-	IRPC41C2002A	-	-	-	-
GFPT19C2004A	0.08	(0.01)	3,802	-	GUNK41C2002A	-	-	-	-	IRPC41C2002B	-	-	-	-
GFPT19C2006A	0.25	(0.03)	15,105	-	GUNK41C2003A	-	-	-	-	IRPC41C2003A	-	-	-	-
GFPT42C2004A	0.11	(0.01)	3,300	-	GUNK41C2005A	-	-	-	-	IRPC41C2004A	-	-	-	-
GLOB01C2003A	0.06	(0.01)	11,787	-	GUNK41P2005A	-	-	-	-	IRPC41C2005A	-	-	-	-
GLOB01P2003A	0.36	0.01	34,246	-	GUNK42C2003A	-	-	-	-	IRPC41C2006A	0.32	0.08	46,482	-
GLOB06C2002A	-	-	-	-	HANA01C2006A	0.56	0.04	57,912	-	IRPC41P2002A	-	-	-	-
GLOB06C2006A	0.24	(0.02)	18,992	-	HANA01C2006B	0.31	0.03	73,954	-	IRPC41P2004A	-	-	-	-
GLOB11C2002A	-	-	-	-	HANA01P2006A	0.24	(0.03)	41,528	-	IRPC41P2005A	0.47	(0.11)	29,824	-
GLOB13C2002A	-	-	-	-	HANA11C2008A	0.42	0.04	49,300	-	IRPC41P2006A	0.68	(0.18)	1,934	-
GLOB19C2002A	-	-	-	-	HANA13C2002A	0.53	0.09	39,652	-	IRPC41P2007A	0.87	(0.13)	13,048	-
GLOB19C2005A	0.11	(0.01)	34,362	-	HANA13C2006A	0.28	0.03	123,508	-	IRPC42C2002A	-	-	-	-
GLOB24C2005A	0.10	(0.01)	8,110	-	HANA19C2003A	0.55	0.10	3,300	-	IRPC42C2003A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA19C2006A	0.35	0.03	9,695	-	IRPC42C2006A	0.32	0.08	97,574	-
GPSCO1C2003A	0.33	(0.09)	526,794	-	HANA27C2007A	0.35	0.04	36,400	-	IVL01C2002A	0.01	-	10,602	-
GPSCO1C2003B	0.09	(0.04)	606,929	-	HANA27P2007A	0.33	(0.06)	8,401	-	IVL01C2002B	0.02	-	2,101	-
GPSCO1C2005A	0.53	(0.09)	418,380	-	HANA41C2002A	0.34	0.07	10	-	IVL01C2004A	0.23	0.03	156,848	-
GPSCO1C2005B	0.23	(0.06)	511,005	-	HANA41C2006A	-	-	-	-	IVL01C2004B	0.25	0.01	260,858	-
GPSCO1P2003A	0.67	0.10	394,506	-	HMPR01C2006A	0.27	0.01	19,670	-	IVL01C2006B	0.39	0.02	323,881	-
GPSCO1P2005A	1.19	0.10	704,211	1.00	HMPR01C2006B	0.16	-	117,924	-	IVL01P2002A	0.85	(0.03)	23,191	-
GPSCO1P2005B	0.88	0.14	436,696	-	HMPR01P2006A	0.49	(0.01)	92,137	-	IVL01P2002B	0.31	(0.09)	47,694	-
GPSCO6C2006A	0.16	(0.03)	119,956	-	HMPR06C2002A	-	-	-	-	IVL01P2004A	0.26	(0.03)	211,565	-
GPSCO8C2004B	0.20	(0.04)	73,393	-	HMPR06C2006A	0.12	0.01	84,240	-	IVL01P2004B	0.08	(0.01)	54,522	-
GPSC11C2006A	0.60	(0.09)	47,657	-	HMPR11C2003A	-	-	-	-	IVL06C2003A	0.22	0.04	90,503	-
GPSC13C2002A	0.03	(0.01)	216,614	-	HMPR13C2003A	-	-	-	-	IVL06P2005A	0.39	(0.08)	28,377	-
GPSC13C2005A	0.41	(0.07)	771,560	-	HMPR13C2006A	0.18	0.01	135,441	-	IVL08C2002A	-	-	-	-
GPSC13P2002A	0.05	0.03	2,584	-	HMPR19C2003A	0.02	-	4,000	-	IVL08C2004A	0.27	0.03	34,817	-
GPSC13P2003A	0.59	0.10	773,072	-	HMPR19C2005A	-	-	-	-	IVL08P2003A	0.31	(0.03)	26,039	-
GPSC13P2005A	1.59	0.15	348,935	1.00	HMPR24C2004A	0.04	0.01	2,000	-	IVL08P2004A	0.17	(0.02)	15,200	-
GPSC16C2003A	0.49	(0.13)	343,059	-	HMPR28C2003A	-	-	-	-	IVL11C2005A	0.05	-	289	-
GPSC16C2007A	0.40	(0.08)	169,478	-	HMPR41C2002A	-	-	-	-	IVL11C2006A	0.34	0.02	54,916	-
GPSC19C2004A	0.19	(0.06)	87,798	-	HMPR41C2003A	-	-	-	-	IVL13C2002A	-	-	-	-
GPSC19P2002A	-	-	-	-	HMPR41C2005A	-	-	-	-	IVL13C2002B	0.01	-	1,640	-
GPSC19P2005A	0.72	0.08	395,471	-	HMPR41C2006A	-	-	-	-	IVL13C2003A	0.14	0.01	92,471	-
GPSC24C2002A	0.25	(0.10)	1,224	-	HMPR41P2003A	0.19	(0.07)	12,258	-	IVL13C2006A	0.35	0.02	145,253	-
GPSC24C2007A	0.32	(0.07)	106,746	-	HMPR42C2003A	-	-	-	-	IVL13P2004A	0.18	(0.02)	58,861	-
GPSC27C2005A	0.12	(0.05)	42,461	-	HSI28C2002A	0.98	0.10	214,950	-	IVL16C2006A	0.17	0.02	73,468	-
GPSC41C2002A	-	-	-	-	HSI28C2002B	0.45	0.06	232,819	-	IVL19C2002A	-	-	-	-
GPSC41C2003A	-	-	-	-	HSI28C2002C	0.16	0.06	24,450	-	IVL19C2003A	-	-	-	-
GPSC41C2004A	0.14	(0.05)	13,504	-	HSI28C2003A	0.49	0.04	1,136,348	-	IVL19C2004A	0.31	0.02	7,110	-
GPSC41C2005A	0.33	(0.07)	77,345	-	HSI28C2003B	0.24	0.03	57,728	-	IVL19C2006A	0.25	0.01	58,660	-
GPSC41C2006A	0.37	(0.07)	325,356	-	HSI28C2003C	0.13	0.02	26,966	-	IVL19P2003A	0.09	(0.02)	13,899	-
GPSC41P2003A	0.17	0.02	61	-	HSI28P2002A	0.27	(0.09)	569,837	-	IVL19P2006A	0.37	(0.03)	42,396	-
GPSC41P2004A	1.02	0.13	28,792	-	HSI28P2002B	0.14	(0.03)	15,140	-	IVL24C2002A	-	-	-	-
GPSC41P2005A	1.11	0.12	131,843	1.00	HSI28P2002C	-	-	-	-	IVL24C2003A	0.24	0.04	14,674	-
GPSC42C2002A	0.04	(0.02)	72,295	-	HSI28P2003A	0.71	(0.09)	212,550	-	IVL27P2007A	0.33	(0.02)	17,800	-
GULF01C2003A	1.12	(0.25)	193,480	1.00	HSI28P2003B	1.13	(0.09)	125,683	1.00	IVL28C2002A	-	-	-	-
GULF01C2003B	0.38	(0.20)	867,867	-	HSI28P2003C	1.57	(0.57)	286	1.00	IVL28C2003A	0.07	-	250	-
GULF01C2005A	1.27	(0.27)	91,399	1.00	INTU01C2003A	0.06	(0.01)	144,656	-	IVL28C2003B	0.09	0.02	22,294	-
GULF01C2005B	0.85	(0.26)	191,410	-	INTU01C2006A	0.02	(0.01)	2,100	-	IVL28C2007A	0.29	0.03	23,090	-
GULF01C2007A	0.38	(0.09)	367,339	-	INTU01C2006B	0.39	(0.04)	117,074	-	IVL28P2003A	-	-	-	-
GULF0														

## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
JAS13C2002B	0.02	(0.05)	160,431	-	KTBA1C2002A	-	-	-	-	ORI41C2004A	-	-	-	-
JAS13C2006A	0.25	(0.05)	341,381	-	KTBA1C2003A	-	-	-	-	OSP01C2003A	0.30	(0.03)	126,082	-
JAS16C2002A	0.02	(0.02)	35,522	-	KTBA1C2004A	-	-	-	-	OSP01C2003B	0.09	(0.01)	22,409	-
JAS16C2002B	-	-	-	-	KTBA1C2006A	-	-	-	-	OSP01C2006A	0.54	(0.01)	38,786	-
JAS19C2002A	-	-	-	-	KTBA1P2004A	-	-	-	-	OSP01C2006B	0.34	(0.02)	45,045	-
JAS19C2004A	0.26	(0.07)	54,925	-	KTC01C2004A	0.16	-	256,832	-	OSP01P2003A	0.21	0.01	57,899	-
JAS28C2002A	-	-	-	-	KTC01C2004B	0.08	-	18,515	-	OSP01P2006A	0.50	-	107,403	-
JAS28C2002B	-	-	-	-	KTC01C2007A	0.48	(0.01)	98,363	-	OSP06C2005A	0.41	(0.02)	16,127	-
JAS28C2003A	-	-	-	-	KTC01C2007B	0.30	-	344,859	-	OSP06P2003A	0.08	-	28,050	-
JAS41C2004A	0.62	(0.13)	12	-	KTC01P2004A	0.41	(0.03)	82,773	-	OSP08C2004A	0.19	(0.01)	13,583	-
JAS41C2005A	-	-	-	-	KTC01P2007A	0.40	(0.02)	161,136	-	OSP11C2005A	0.41	(0.01)	56,500	-
JAS41C2006A	0.38	(0.08)	11,517	-	KTC06C2002A	-	-	-	-	OSP13C2002A	0.07	(0.02)	23,380	-
JAS41P2005A	0.36	0.02	58,719	-	KTC06C2006A	0.28	-	132,671	-	OSP13C2004A	0.33	(0.02)	285	-
JMT13C2006A	0.66	(0.01)	128,673	-	KTC08C2004A	0.09	-	13,122	-	OSP13C2006A	0.28	(0.03)	71,416	-
JMT19C2006A	0.58	-	42,620	-	KTC08C2006A	0.39	(0.02)	90,937	-	OSP16C2008A	0.24	(0.02)	141,539	-
JMT42C2006A	0.69	(0.02)	14,926	-	KTC11C2005A	0.11	-	45,982	-	OSP19C2004A	0.16	(0.01)	8,713	-
KBAN01C2002A	0.01	-	13,207	-	KTC13C2002A	-	-	-	-	OSP19C2005A	0.38	(0.03)	6,254	-
KBAN01C2002B	0.02	-	193	-	KTC13C2004A	0.09	0.02	10,023	-	OSP24C2008A	0.47	(0.02)	25,390	-
KBAN01C2004A	0.30	0.04	221,028	-	KTC13C2006A	0.25	-	337,095	-	OSP28C2003A	0.11	(0.02)	55,088	-
KBAN01C2004B	0.27	0.04	139,740	-	KTC13P2002A	0.22	(0.03)	68,230	-	OSP41C2003A	-	-	-	-
KBAN01C2007A	0.83	0.07	57,543	-	KTC13P2006A	0.27	-	198,639	-	OSP41C2004A	-	-	-	-
KBAN01C2007B	0.53	0.06	375,887	-	KTC19C2002A	-	-	-	-	OSP41C2005A	0.32	(0.01)	19,708	-
KBAN01P2002A	1.53	(0.27)	7,452	1.00	KTC19C2005A	0.15	0.01	58,727	-	OSP41P2003A	0.05	-	200	-
KBAN01P2002B	0.46	(0.21)	29,076	-	KTC19C2006A	0.30	-	85,285	-	OSP41P2004A	0.23	(0.01)	34,792	-
KBAN01P2004A	0.85	(0.08)	19,221	-	KTC19P2005A	0.38	(0.01)	47,375	-	OSP42C2005A	0.32	(0.03)	18,922	-
KBAN01P2004B	0.12	(0.03)	81,820	-	KTC27C2007A	0.23	0.01	48,600	-	PLAN08C2004A	-	-	-	-
KBAN01P2007A	0.81	(0.07)	33,807	-	KTC28C2002A	-	-	-	-	PLAN13C2004A	0.01	-	600	-
KBAN01P2007B	0.52	(0.07)	166,575	-	KTC28C2003A	-	-	-	-	PLAN13C2005A	0.06	(0.01)	121,684	-
KBAN06C2004A	0.21	0.05	67,080	-	KTC28C2004A	-	-	-	-	PLAN13C2007A	0.25	(0.75)	133,492	-
KBAN08C2002A	0.01	-	4,000	-	KTC28C2006A	0.21	-	63,812	-	PLAN16C2002A	0.01	(0.01)	1,450	-
KBAN08C2005A	0.27	0.04	28,584	-	KTC41C2004A	-	-	-	-	PLAN19C2005A	0.03	-	121	-
KBAN08P2002A	0.20	(0.12)	16,066	-	KTC41C2005A	-	-	-	-	PLAN19C2007A	0.28	(0.02)	47,950	-
KBAN08P2004A	0.19	(0.06)	14,214	-	KTC41C2006A	0.17	0.01	15,326	-	PLAN24C2006A	0.06	(0.01)	6,755	-
KBAN13C2003A	0.06	0.01	12,289	-	KTC42C2003A	-	-	-	-	PLAN27C2008A	0.13	(0.01)	15,032	-
KBAN13C2003B	0.21	0.04	93,994	-	KTC42C2006A	0.29	-	12,427	-	PLAN28C2002A	-	-	-	-
KBAN13C2006A	0.53	0.06	334,443	-	LH01C2003A	0.06	-	3,040	-	PLAN28C2004A	-	-	-	-
KBAN13P2003A	0.06	(0.03)	22,229	-	LH01P2003A	0.40	(0.02)	111,967	-	PLAN28C2005A	0.04	(0.01)	393	-
KBAN13P2006A	0.36	(0.06)	95,027	-	LH11C2007A	0.29	0.01	92,464	-	PLAN41C2002A	-	-	-	-
KBAN16C2005A	0.09	0.02	69,563	-	LH16C2002A	0.02	(0.01)	10	-	PLAN41C2004A	-	-	-	-
KBAN16C2008A	0.49	0.09	108,761	-	LH19C2003A	-	-	-	-	PLAN41C2005A	-	-	-	-
KBAN19C2003A	-	-	-	-	LH19C2003B	0.07	0.01	5,000	-	PLAN41C2006A	-	-	-	-
KBAN19C2004A	0.33	0.05	33,328	-	LH19P2004A	0.15	(0.01)	1,445	-	PRM08C2003A	0.02	(0.01)	900	-
KBAN19P2004A	0.20	(0.03)	6,659	-	LH41C2002A	-	-	-	-	PRM13C2003A	-	-	-	-
KBAN24C2005A	0.26	0.05	32,286	-	LH41C2004A	-	-	-	-	PRM13C2006A	0.18	-	20,477	-
KBAN28C2002A	-	-	-	-	LH41C2005A	0.10	0.03	500	-	PRM19C2004A	-	-	-	-
KBAN28C2002B	-	-	-	-	LH41C2006A	-	-	-	-	PRM19C2006A	0.22	-	6,742	-
KBAN28C2003A	0.02	-	250	-	LH41P2003A	-	-	-	-	PRM27C2002A	-	-	-	-
KBAN28C2004A	0.30	0.06	82,149	-	MAJ013C2002A	-	-	-	-	PRM41C2002A	-	-	-	-
KBAN28P2003A	0.11	(0.01)	34,083	-	MAJO19C2002A	-	-	-	-	PRM42C2006A	0.26	(0.02)	12,214	-
KBAN41C2002A	-	-	-	-	MAJO19C2006A	0.27	0.03	17,644	-	PSH19C2003A	0.03	-	18	-
KBAN41C2003A	-	-	-	-	MAJO24C2002A	-	-	-	-	PSH19C2005A	0.22	0.02	23,379	-
KBAN41C2004A	-	-	-	-	MBK19C2004A	0.12	0.01	2,518	-	PSL06C2002A	-	-	-	-
KBAN41C2005A	0.42	0.07	36,088	-	MEGA19C2005A	0.13	0.01	67,511	-	PSL06C2006A	0.14	0.01	132,384	-
KBAN41P2002A	-	-	-	-	MINT01C2003A	0.11	-	169,641	-	PSL13C2003A	-	-	-	-
KBAN41P2004A	-	-	-	-	MINT01C2003B	0.02	-	50	-	PSL19C2004A	-	-	-	-
KBAN41P2005A	0.53	(0.04)	23,760	-	MINT01P2003A	0.42	(0.02)	166,878	-	PSL19C2006A	0.09	-	81,191	-
KBAN41P2006A	-	-	-	-	MINT06C2002A	-	-	-	-	PSL27C2002A	-	-	-	-
KBAN42C2003A	-	-	-	-	MINT06C2006A	0.18	0.01	100,006	-	PTG01C2003A	0.06	0.01	10,217	-
KBAN42C2004A	-	-	-	-	MINT08C2003A	0.02	0.01	2,000	-	PTG01C2003B	0.03	-	1,000	-
KCE01C2004A	0.91	0.02	294,110	-	MINT11C2006A	0.10	(0.01)	26,980	-	PTG01C2005A	0.30	0.03	126,573	-
KCE01C2004B	0.54	0.03	360,553	-	MINT13C2002A	-	-	-	-	PTG01C2005B	0.13	0.02	88,490	-
KCE01P2004A	0.69	(0.04)	479,351	-	MINT13C2004A	-	-	-	-	PTG01C2007B	0.51	0.05	104,626	-
KCE08C2002A	0.53	0.01	56,880	-	MINT13C2006A	0.19	0.01	158,545	-	PTG01P2003A	0.66	(0.09)	9,927	-
KCE08C2005A	0.27	-	58,148	-	MINT19C2002A	-	-	-	-	PTG01P2005A	0.70	(0.07)	14,220	-
KCE08C2005B	0.10	-	8,285	-	MINT19C2004A	-	-	-	-	PTG01P2005B	0.46	(0.06)	120,011	-
KCE11C2004A	0.55	0.03	73,603	-	MINT19C2006A	0.24	0.01	24,336	-	PTG03C2005A	0.02	-	28,701	-
KCE13C2003A	1.08	0.20	1	1.00	MINT19P2004A	0.20	(0.02)	21,866	-	PTG06C2006A	0.21	0.03	29,582	-
KCE13C2004A	0.36	0.02	281,589	-	MINT24C2006A	0.16	0.02	12,940	-	PTG08C2005A	0.12	0.01	14,000	-
KCE13C2005A	0.08	-	51,319	-	MINT28C2002A	-	-	-	-	PTG11C2003A	0.19	0.03	13,000	-
KCE13C2006A	0.67	0.03	165,156	-	MINT28C2006A	0.14	0.01	60,458	-	PTG11C2005A	0.07	0.01	1,270	-
KCE16C2007A	0.35	0.02	198,476	-	MINT41C2002A	-	-	-	-	PTG13C2002A	-	-	-	-
KCE19C2002A	0.38	0.03	62,813	-	MINT41C2004A	-	-	-	-	PTG13C2004A	0.13	0.03	30,325	-
KCE19C2005A	0.43	0.02	81,982	-	MINT41C2005A	-	-	-	-	PTG13C2006A	0.33	0.03	130,772	-
KCE24C2005A	0.91	0.11	26,161	-	MINT41P2004A	0.28	(0.03)	12,761	-	PTG13P2004A	0.40	(0.06)	64,194	-
KCE27C2007A	0.22	0.02	57,202	-	MINT42C2002A	-	-	-	-	PTG13P2006A	0.29	(0.04)	127,889	-
KCE28C2003A	0.56	0.14	49,721	-	MINT42C2004A	-	-	-	-	PTG19C2003A	0.04	-	200	-
KCE28C2003B	-	-	-	-	MTC01C2003A	0.69	0.01	113,783	-	PTG19C2004A	0.04	0.01	300	-
KCE41C2002A	-	-	-	-	MTC01C2003B	0.31	-	111,488	-	PTG19C2005A	0.19	0.02	39,041	-
KCE41C2003A	-	-	-	-	MTC01P2003A	0.13	(0.01)	148,518	-	PTG19C2006A	0.37	0.04	39,061	-
KCE41C2005A	0.48	0.02	59,722	-	MTC03C2005A	0.63	0.10	8,508	-	PTG19P2006A	0.48	(0.05)	7,517	-
KCE41C2006A	0.36	0.03	46,156	-	MTC08C2005A	0.68	0.01	55,560	-	PTG24C2002A	-	-	-	-
KKP01C2006A	0.71	0.05	42,190	-	MTC11C2002A	1.08	0.05	40,000	1.00	PTG27C2007A	0.40	0.04	29,882	-
KKP01C2006B	0.46	0.04	58,715	-	MTC11C2008A	0.71	-	52,385	-	PTG28C2004A	0.05	0.01	2,750	-
KKP01P2006A	0.49	(0.05)	34,502	-	MTC13C2003A	0.51	0.01	256,321	-	PTG41C2002A	-	-	-	-
KKP08C2003A	0.14	0.02	13,854	-	MTC13P2003A	0.03	(0.01)	1	-	PTG41C2004A	-	-	-	-
KKP11C2007A	0.47	0.05	41,614	-	MTC16C2007A	0.52	-	187,280	-	PTG41C2005A	0.06	(0.01)	1	-
KKP13C2004A	0.22	0.03	91,681	-	MTC19C2002A	0.33	-	25,377	-	PTG41C2006A	0.25	0.03	17,020	-
KKP13C2007A	0.51	0.04	115,837	-	MTC19C2006A	0.50	-	32,298	-	PTG41P2005A	0.53	(0.07)	100	-
KKP16C2002A	0.34	0.05	59,478	-	MTC19P2004A	0								

## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT13C2004A	0.12	0.01	167,967	-	PTTG42C2003A	-	-	-	-	S5016P2003A	0.73	0.03	421,972	-
PTT13C2006A	0.26	0.01	184,012	-	PTTG42C2007A	0.61	0.11	3,000	-	S5016P2003C	0.99	0.03	133,223	-
PTT13P2004A	0.17	(0.02)	104,930	-	QH01C2006A	0.29	0.02	47,384	-	S5016P2003D	0.74	0.02	140,570	-
PTT13P2006A	0.40	(0.04)	92,613	-	QH01C2006B	0.17	0.01	27,976	-	S5019C2003A	0.07	-	100,094	-
PTT16C2008A	0.24	0.04	36,292	-	QH01P2006A	0.40	(0.02)	17,709	-	S5019C2003B	0.25	(0.03)	788,473	-
PTT19C2002A	-	-	-	-	QH11C2006A	0.17	0.01	23,800	-	S5019C2003C	0.16	(0.01)	557,115	-
PTT19C2005A	0.28	0.01	40,316	-	QH13C2003A	-	-	-	-	S5019C2003D	0.52	(0.04)	1,196,742	-
PTT19P2003A	0.08	(0.03)	30	-	QH19C2002A	-	-	-	-	S5019P2003A	0.90	0.03	184,918	-
PTT19P2006A	0.35	(0.06)	3,404	-	QH19C2006A	0.15	0.01	7,032	-	S5019P2003B	0.38	0.01	915,099	-
PTT24C2003A	0.05	0.01	500	-	QH27C2007A	0.17	0.02	18,308	-	S5019P2003C	1.24	0.05	103,801	1.00
PTT28C2002A	-	-	-	-	RATC01C2003A	0.07	(0.03)	65,318	-	S5019P2003D	0.28	0.01	690,131	-
PTT28C2003A	-	-	-	-	RATC01C2003B	0.01	(0.01)	783	-	S5024C2003A	0.06	0.01	23,400	-
PTT28C2004A	0.10	0.02	20,188	-	RATC01C2006A	0.50	(0.05)	52,374	-	S5024C2003B	0.15	(0.01)	118,258	-
PTT28P2004A	0.14	(0.02)	16,224	-	RATC01C2006B	0.29	(0.05)	87,864	-	S5024C2003C	0.62	(0.06)	200,709	-
PTT41C2002A	-	-	-	-	RATC01P2006A	0.91	0.09	55,159	-	S5024P2003A	1.20	0.05	280,521	1.00
PTT41C2004A	-	-	-	-	RATC06C2006A	0.18	(0.06)	111,922	-	S5024P2003B	0.45	0.02	201,408	-
PTT41C2005A	0.25	(0.15)	21,813	-	RATC06P2006A	0.42	0.06	59,950	-	S5028C2002A	0.03	0.02	701	-
PTT41C2006A	0.20	(0.10)	2,376	-	RATC13C2002A	-	-	-	-	S5028C2003A	0.03	(0.01)	1,333	-
PTT41P2004A	-	-	-	-	RATC13C2004A	0.09	(0.03)	21,270	-	S5028C2003B	0.10	-	46,441	-
PTT41P2005A	-	-	-	-	RATC13C2007A	0.37	(0.06)	146,786	-	S5028C2006A	0.20	(0.01)	89,622	-
PTT41P2006A	0.39	(0.61)	5,580	-	RATC16C2008A	0.19	(0.04)	36,920	-	S5028P2002A	0.27	-	222,945	-
PTT42C2003A	-	-	-	-	RATC19C2002A	-	-	-	-	S5028P2003A	0.30	0.01	420,961	-
PTT42C2007A	0.20	0.05	4,050	-	RATC19C2005A	0.13	(0.03)	12,555	-	S5028P2006A	0.49	0.02	193,853	-
PTTE01C2004A	0.59	0.02	86,513	-	RATC19C2007A	0.45	(0.55)	3,042	-	S5041C2003A	0.04	-	51	-
PTTE01C2004B	0.33	0.02	154,160	-	RATC24C2006A	0.29	(0.05)	38,342	-	S5041C2003B	0.09	0.03	73,662	-
PTTE01C2007A	0.57	0.01	133,233	-	RATC27C2004A	-	-	-	-	S5041C2003C	0.13	(0.01)	153,342	-
PTTE01C2007B	0.32	0.02	70,350	-	RATC27C2007A	0.37	(0.04)	22,900	-	S5041C2003D	0.12	(0.01)	440,521	-
PTTE01P2004A	0.29	(0.02)	22,186	-	RATC41C2002A	0.01	-	135	-	S5041C2003E	0.21	(0.01)	433,470	-
PTTE01P2004B	0.12	(0.02)	41,592	-	RATC41C2003A	-	-	-	-	S5041P2003A	0.57	(0.04)	788,014	-
PTTE01P2007A	0.94	(0.04)	27,625	-	RATC41C2004A	0.20	(0.02)	1	-	S5041P2003B	-	-	-	-
PTTE01P2007B	0.50	(0.06)	139,187	-	RATC41C2005A	0.19	(0.05)	12,280	-	S5041P2003C	0.37	-	920,975	-
PTTE06C2006A	0.27	0.02	124,141	-	RATC41P2004A	0.64	0.03	15,060	-	S5041P2003D	1.26	(0.07)	4	1.00
PTTE06P2006A	0.65	(0.05)	27,190	-	RATC41P2006A	-	-	-	-	S5041P2003E	1.33	(0.18)	4	1.00
PTTE08C2002A	0.04	(0.02)	5,030	-	RATC42C2003A	-	-	-	-	SAWA01C2003A	1.43	0.07	42,611	1.00
PTTE08C2005A	0.38	0.02	33,000	-	RATC42C2006A	0.19	(0.06)	2,196	-	SAWA01C2003B	0.92	0.06	54,266	-
PTTE08P2005A	-	-	-	-	RS06C2004A	0.08	-	10,350	-	SAWA01C2006A	1.08	0.07	89,324	1.00
PTTE08P2006A	0.64	(0.07)	200	-	RS08P2003A	-	-	-	-	SAWA01C2006B	0.71	0.07	339,140	-
PTTE11C2006A	0.49	0.03	81,973	-	RS08P2006A	0.78	0.01	12,200	-	SAWA01P2003A	0.06	(0.01)	33,254	-
PTTE13C2004A	0.36	-	170,753	-	RS13C2002A	-	-	-	-	SAWA01P2006A	0.60	(0.04)	279,342	-
PTTE13C2006A	0.34	0.01	32,972	-	RS13C2004A	0.07	-	34,098	-	SAWA06C2002A	1.10	0.07	33,198	1.00
PTTE13P2003A	0.09	(0.03)	500	-	RS13C2006A	0.25	(0.75)	29,578	-	SAWA08C2006A	0.78	0.05	58,089	-
PTTE13P2006A	0.60	(0.05)	33,209	-	RS16C2005A	-	-	-	-	SAWA11C2003A	1.19	0.05	106,086	1.00
PTTE16C2003A	0.14	0.01	31,244	-	RS19C2002A	-	-	-	-	SAWA13C2002A	1.12	0.11	20	1.00
PTTE19C2002A	0.10	-	602	-	RS19C2004A	-	-	-	-	SAWA13C2005A	0.83	0.06	346,374	-
PTTE19C2006A	0.32	0.02	57,547	-	RS19C2005A	0.09	(0.01)	29,186	-	SAWA16C2008A	0.68	0.06	192,030	-
PTTE19P2004A	-	-	-	-	RS24C2004A	-	-	-	-	SAWA19C2002A	0.68	0.04	5,940	-
PTTE19P2006A	0.59	(0.02)	6,893	-	RS24C2008A	0.18	(0.01)	15,266	-	SAWA19C2005A	0.73	0.04	53,081	-
PTTE24C2003A	0.21	0.03	83,182	-	RS41C2002A	-	-	-	-	SAWA24C2004A	0.92	0.06	24,130	-
PTTE28C2002A	-	-	-	-	RS41C2004A	-	-	-	-	SAWA27C2007A	0.78	0.03	75,387	-
PTTE28C2005A	0.25	0.03	26,379	-	RS42C2004A	-	-	-	-	SAWA28C2002A	-	-	-	-
PTTE28P2004A	0.10	(0.02)	4,056	-	S10001C2011A	0.45	0.01	2,655	-	SAWA28C2004A	0.65	0.07	223,720	-
PTTE41C2002A	-	-	-	-	S5001C2002A	0.17	(0.02)	477,243	-	SAWA41C2003A	-	-	-	-
PTTE41C2003A	-	-	-	-	S5001C2003F	0.13	(0.02)	1,319,758	-	SAWA41C2004A	0.73	0.07	32,474	-
PTTE41C2005A	-	-	-	-	S5001C2003G	0.06	(0.02)	172,056	-	SAWA41C2005A	0.79	0.05	45,912	-
PTTE41C2006A	0.43	0.05	65,750	-	S5001C2003H	0.24	(0.03)	769,757	-	SAWA41P2003A	0.03	0.01	1	-
PTTE41P2002A	-	-	-	-	S5001C2003I	0.46	(0.03)	1,522,160	-	SAWA41P2004A	0.15	(0.04)	2,190	-
PTTE41P2003A	-	-	-	-	S5001C2003J	0.97	(0.04)	2,197,124	1.00	SAWA41P2005A	0.50	(0.04)	40,086	-
PTTE41P2004A	0.57	(0.09)	18,499	-	S5001C2004A	0.47	-	1,332,450	-	SAWA42C2003A	0.52	0.06	30,850	-
PTTE42C2004A	0.12	0.02	1,876	-	S5001P2002A	0.73	-	792,469	-	SCB01C2002A	0.02	-	54,269	-
PTTG01C2002A	0.29	0.05	101,829	-	S5001P2003F	0.89	0.02	1,609,606	-	SCB01C2002B	0.01	-	300	-
PTTG01C2002B	0.07	0.01	4,822	-	S5001P2003G	0.68	0.03	1,384,047	-	SCB01C2004A	0.17	0.03	191,816	-
PTTG01C2005A	0.39	0.04	323,980	-	S5001P2003H	1.34	0.05	1,106,880	1.00	SCB01C2004B	0.05	0.01	27,322	-
PTTG01C2005B	0.19	0.03	70,272	-	S5001P2003I	1.38	0.04	916,166	1.00	SCB01C2007A	0.45	0.05	228,634	-
PTTG01P2002A	0.34	(0.08)	62,264	-	S5001P2003J	0.54	0.01	1,104,849	-	SCB01C2007B	0.31	0.03	124,555	-
PTTG01P2002B	0.03	(0.01)	1	-	S5001P2004A	1.18	0.01	1,854,404	1.00	SCB01P2002A	1.96	(0.08)	10,767	2.00
PTTG01P2005A	0.78	(0.07)	35,172	-	S5006C2003A	0.03	-	21,461	-	SCB01P2002B	1.47	(0.12)	17,352	1.00
PTTG01P2005B	0.50	(0.06)	173,119	-	S5006C2003B	0.07	-	107,431	-	SCB01P2004A	0.72	(0.06)	47,497	-
PTTG06C2006A	0.20	0.03	75,025	-	S5006C2003C	0.06	(0.01)	7,657	-	SCB01P2004B	0.30	(0.06)	101,797	-
PTTG08C2004A	0.28	0.03	28,000	-	S5006C2006A	0.72	(0.05)	378,846	-	SCB01P2007A	0.63	(0.04)	68,184	-
PTTG08P2004A	0.20	(0.02)	16,710	-	S5006P2003A	1.08	0.05	359,535	1.00	SCB01P2007B	0.52	(0.04)	113,170	-
PTTG11C2004A	0.06	-	699	-	S5006P2003B	1.34	0.04	292,358	1.00	SCB06C2007A	0.69	0.10	177,556	-
PTTG11C2007A	0.53	0.04	72,187	-	S5006P2003C	0.50	0.01	299,100	-	SCB08C2002A	-	-	-	-
PTTG13C2002A	0.15	0.03	158	-	S5006P2006A	0.64	0.01	185,316	-	SCB08C2005A	0.09	0.01	1,851	-
PTTG13C2005A	0.24	0.03	106,750	-	S5008C2003A	0.09	(0.01)	81,107	-	SCB08P2004A	0.49	(0.07)	21,161	-
PTTG13C2007A	0.58	0.06	221,013	-	S5008C2003B	0.04	0.01	7,805	-	SCB11C2005A	-	-	-	-
PTTG13P2004A	0.25	(0.03)	164,173	-	S5008P2003A	0.37	0.01	274,136	-	SCB11C2006A	0.03	(0.02)	68,497	-
PTTG16C2006A	0.27	0.02	73,834	-	S5008P2003B	0.12	-	263,548	-	SCB11C2008A	0.46	0.04	85,332	-
PTTG19C2002A	-	-	-	-	S5008P2003C	1.10	(0.02)	205	1.00	SCB11P2005A	1.25	(0.13)	66,170	1.00
PTTG19C2006A	0.19	0.02	54,684	-	S5011C2003A	0.25	(0.02)	187,268	-	SCB13C2003A	0.01	-	66,232	-
PTTG19C2006B	0.45	0.04	15,806	-	S5011P2003A	0.78	-	139,861	-	SCB13C2006A	0.12	0.01	87,656	-
PTTG19P2003A	0.08	(0.01)	5,928	-	S5013C2003A	0.07	(0.01)	1,900,073	-	SCB13C2006B	0.33	0.04	183,262	-
PTTG19P2006A	0.59	(0.07)	11,531	-	S5013C2003B	0.21	(0.03)	2,825,596	-	SCB13C2007A	0.92	0.10	293,460	-
PTTG24C2003A	0.30	0.05	36,615	-	S5013C2003C	0.14	(0.03)	6,133,471	-	SCB13P2003A	0.27	(0.04)	75,147	-



## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB28C2004A	-	-	-	-	SPRC42C2006A	0.48	0.07	16,200	-	TISCO1C2006B	0.29	0.02	112,502	-
SCB28C2006A	0.22	0.02	20,745	-	STA01C2003A	0.34	(0.01)	20,646	-	TISCO1P2006A	0.46	(0.05)	90,574	-
SCB28C2006B	0.71	0.09	75,658	-	STA01C2003B	0.12	(0.01)	397,777	-	TISCO8C2002A	-	-	-	-
SCB41C2002A	-	-	-	-	STA01P2003A	0.10	(0.01)	34,878	-	TISC11C2005A	0.19	0.02	46,550	-
SCB41C2004A	-	-	-	-	STA11C2005A	0.19	(0.01)	24,000	-	TISC11C2007A	0.83	0.06	15,264	-
SCB41C2005A	-	-	-	-	STA13C2003A	0.26	(0.02)	97,929	-	TISC13C2004A	-	-	-	-
SCB41C2006A	0.36	0.03	26,694	-	STA13C2006A	0.23	(0.01)	81,886	-	TISC13C2006A	0.29	0.02	64,126	-
SCB41P2004A	0.40	(0.07)	3,400	-	STA19C2002A	0.02	(0.02)	34,182	-	TISC19C2004A	0.47	0.04	25,183	-
SCB41P2005A	-	-	-	-	STA19C2004A	0.29	(0.01)	10,973	-	TISC19C2006A	0.26	0.03	36,192	-
SCB42C2003A	-	-	-	-	STA19C2005A	0.90	(0.03)	2,860	-	TISC41C2005A	-	-	-	-
SCB42C2006A	0.09	0.01	704	-	STA24C2002A	-	-	-	-	TISC41C2006A	0.28	0.03	5,650	-
SCB42C2007A	0.64	0.06	8,400	-	STEC01C2003A	0.11	0.04	156,440	-	TISC41P2006A	-	-	-	-
SCC01C2004A	0.59	0.03	209,323	-	STEC01C2003B	0.02	(0.01)	7,160	-	TISC42C2003A	0.12	0.03	5,381	-
SCC01C2004B	0.20	-	166,093	-	STEC01C2004A	0.22	0.05	205,134	-	TKN01C2003A	0.10	0.01	31,392	-
SCC01P2004A	0.80	(0.03)	129,005	-	STEC01C2006A	0.52	0.07	242,421	-	TKN01C2003B	0.04	0.01	1,690	-
SCC06C2002A	0.01	-	20	-	STEC01C2006B	0.31	0.06	436,351	-	TKN08C2003A	0.13	0.01	22,460	-
SCC08C2002A	-	-	-	-	STEC01P2003A	0.58	(0.16)	48,053	-	TKN13C2004A	0.10	0.01	28,151	-
SCC08C2004A	0.21	0.01	71,631	-	STEC01P2006A	0.46	(0.09)	282,935	-	TKN13C2006A	0.71	0.05	105,049	-
SCC08P2006A	0.53	(0.03)	47,584	-	STEC06C2002A	0.01	-	3,080	-	TKN16C2008A	0.46	0.03	90,371	-
SCC11C2003A	-	-	-	-	STEC06C2004A	0.42	0.10	97,120	-	TKN19C2004A	0.30	0.03	33,842	-
SCC11C2006A	0.06	0.01	1	-	STEC08C2004A	-	-	-	-	TKN19C2004B	0.15	0.02	11,120	-
SCC11C2007A	0.49	0.01	149,231	-	STEC08C2005A	0.46	0.08	96,997	-	TKN24C2002A	0.11	0.02	11,465	-
SCC13C2002A	-	-	-	-	STEC11C2007A	0.11	0.03	14,736	-	TKN28C2002A	-	-	-	-
SCC13C2004A	0.28	0.02	110,844	-	STEC13C2003A	0.14	0.04	329,673	-	TKN28C2003A	0.03	0.01	4,564	-
SCC13P2002A	0.05	(0.03)	3,420	-	STEC13C2004A	0.38	0.08	521,488	-	TKN41C2003A	-	-	-	-
SCC13P2006A	0.50	(0.04)	47,745	-	STEC16C2003A	0.01	(0.01)	790	-	TKN41C2005A	0.58	(0.42)	16,334	-
SCC16C2002A	-	-	-	-	STEC16C2006A	0.13	0.04	46,212	-	TKN41C2006A	-	-	-	-
SCC16C2005A	0.12	0.01	108,508	-	STEC19C2002A	0.01	-	10	-	TKN42C2003A	-	-	-	-
SCC19C2002A	-	-	-	-	STEC19C2004A	0.14	0.04	11,926	-	TKN42C2006A	-	-	-	-
SCC19C2003A	-	-	-	-	STEC19C2005A	0.43	0.08	99,433	-	TMB01C2004A	0.22	0.01	263,964	-
SCC19C2003B	-	-	-	-	STEC24C2003A	0.02	-	800	-	TMB01C2004B	0.09	0.01	83,002	-
SCC19C2006A	0.36	0.02	85,972	-	STEC24C2006A	0.51	0.09	29,077	-	TMB01P2004A	0.37	(0.03)	39,731	-
SCC19P2004A	0.31	(0.03)	4,994	-	STEC27C2002A	-	-	-	-	TMB13C2002A	0.04	(0.01)	579	-
SCC24C2003A	-	-	-	-	STEC27C2002B	-	-	-	-	TMB19C2004A	0.16	0.02	54,449	-
SCC24C2006A	0.51	0.03	67,570	-	STEC28C2002A	-	-	-	-	TMB19P2004A	0.38	(0.03)	5,378	-
SCC27P2008A	0.26	(0.01)	12,385	-	STEC28C2004A	0.08	0.03	12,050	-	TMB28C2002A	-	-	-	-
SCC28C2002A	-	-	-	-	STEC28C2004B	0.21	0.07	11,760	-	TMB41C2002A	-	-	-	-
SCC28C2003A	-	-	-	-	STEC28C2005A	0.41	0.09	28,913	-	TMB41C2005A	0.13	-	4	-
SCC28C2004A	0.22	0.01	51,762	-	STEC41C2003A	-	-	-	-	TMB41P2002A	-	-	-	-
SCC41C2002A	-	-	-	-	STEC41C2004A	0.19	0.06	3,574	-	TMB41P2003A	-	-	-	-
SCC41C2003A	-	-	-	-	STEC41C2005A	0.42	0.09	54,046	-	TMB41P2006A	0.38	(0.03)	16,660	-
SCC41C2004A	-	-	-	-	STEC41C2006A	0.52	0.10	29,410	-	TOA01C2006A	0.30	(0.04)	301,520	-
SCC41C2005A	0.23	-	26,480	-	STEC41P2003A	-	-	-	-	TOA01C2006B	0.18	(0.03)	251,208	-
SCC41P2004A	0.23	(0.04)	80	-	STEC41P2004A	0.18	(0.07)	1,000	-	TOA08C2003A	-	-	-	-
SCC41P2005A	0.55	(0.04)	6,838	-	STEC41P2005A	0.22	(0.04)	100	-	TOA13C2003A	0.01	(0.04)	650	-
SCC42C2002A	-	-	-	-	STEC42C2004A	0.29	0.07	8,898	-	TOA19C2004A	0.04	(0.01)	41,572	-
SCC42C2003A	-	-	-	-	SUPE13C2003A	-	-	-	-	TOA24C2005A	0.04	(0.01)	2,200	-
SCC42C2008A	-	-	-	-	SUPE19C2002A	-	-	-	-	TOA41C2004A	-	-	-	-
SGP13C2004A	0.14	0.01	20,803	-	SUPE19C2004A	0.05	(0.01)	30,088	-	TOP01C2003A	0.13	0.01	383,959	-
SGP13C2006A	-	-	-	-	SUPE42C2004A	0.06	0.01	83,200	-	TOP01C2003B	0.01	-	1,001	-
SGP13C2007A	0.29	(0.01)	408,645	-	TASC01C2003A	0.36	0.01	35,320	-	TOP01C2006A	0.38	0.02	428,951	-
SGP19C2002A	0.02	0.01	200	-	TASC01C2003B	0.10	0.01	14,990	-	TOP01C2006B	0.18	0.01	218,448	-
SGP19C2006A	-	-	-	-	TASC01P2003A	0.22	(0.02)	40,683	-	TOP01P2003A	0.89	(0.04)	33,759	-
SGP19C2006B	0.25	(0.01)	60,191	-	TASC08C2005A	0.27	0.02	8,744	-	TOP01P2006A	0.97	(0.04)	107,367	-
SGP24C2002A	-	-	-	-	TASC08C2006A	0.48	0.02	14,000	-	TOP06C2004A	0.02	-	26,501	-
SGP42C2007A	0.32	-	3,550	-	TASC11C2002A	0.72	0.05	19,890	-	TOP06C2007A	0.66	0.02	59,496	-
SIRI13C2007A	0.17	0.02	100,499	-	TASC13C2003A	0.16	0.01	13,978	-	TOP06P2005A	0.98	(0.12)	31,744	1.00
SIRI19C2002A	-	-	-	-	TASC13C2006A	0.50	0.02	100	-	TOP08C2003A	-	-	-	-
SIRI19C2004A	-	-	-	-	TASC16C2008A	0.41	0.02	46,060	-	TOP08P2003A	-	-	-	-
SIRI19C2007A	0.14	0.02	2,193	-	TASC19C2003A	0.18	0.02	30,836	-	TOP11C2002A	-	-	-	-
SPAL01C2004A	0.22	(0.03)	297,936	-	TASC19C2006A	0.72	0.04	8,729	-	TOP11C2007A	0.15	-	38,257	-
SPAL01C2004B	0.09	(0.02)	59,035	-	TASC19P2004A	0.22	(0.02)	15,850	-	TOP11P2002A	0.43	(0.08)	62,773	-
SPAL06P2004A	0.46	0.01	35,136	-	TASC24C2006A	0.45	0.03	28,407	-	TOP13C2002A	-	-	-	-
SPAL11C2006A	0.23	(0.01)	53,463	-	TASC28C2004A	0.15	0.02	8,084	-	TOP13C2004A	0.04	0.01	21,951	-
SPAL13C2003A	-	-	-	-	TASC28C2006A	0.28	0.02	29,378	-	TOP13C2006A	0.21	0.01	176,348	-
SPAL13C2006A	0.31	(0.03)	140,334	-	TASC41C2003A	-	-	-	-	TOP13P2005A	-	-	-	-
SPAL16C2002A	-	-	-	-	TASC41C2004A	-	-	-	-	TOP13P2006A	0.71	(0.05)	75,738	-
SPAL19C2002A	-	-	-	-	TASC41C2005A	0.49	0.03	14,600	-	TOP16C2008A	0.67	0.02	201,987	-
SPAL19C2004A	0.12	(0.02)	19,887	-	TASC42C2003A	-	-	-	-	TOP19C2002A	-	-	-	-
SPAL24C2003A	-	-	-	-	TASC42C2005A	0.53	0.05	900	-	TOP19C2003A	0.01	-	1,380	-
SPAL27C2008A	0.15	(0.01)	15,000	-	TCAP11C2002A	0.09	(0.02)	61,542	-	TOP19C2006A	0.21	0.01	64,486	-
SPAL41C2002A	-	-	-	-	TCAP13C2002A	0.28	-	208,033	-	TOP19P2002A	0.48	(0.08)	2,767	-
SPAL41C2004A	-	-	-	-	TCAP19C2004A	0.40	(0.01)	42,496	-	TOP19P2006A	1.05	(0.10)	5,420	1.00
SPAL42C2003A	-	-	-	-	TCAP41C2002A	0.11	(0.10)	9,430	-	TOP24C2007A	0.10	-	28,003	-
SPRC01C2003A	0.22	0.05	492,320	-	TCAP41C2004A	0.28	0.01	13,694	-	TOP28C2004A	-	-	-	-
SPRC01C2003B	0.05	0.01	2,001	-	THAI11C2003A	-	-	-	-	TOP41C2002A	-	-	-	-
SPRC01C2007A	0.46	0.05	211,090	-	THAI13C2004A	-	-	-	-	TOP41C2002B	-	-	-	-
SPRC06C2007A	0.57	0.10	45,138	-	THAI19C2002A	-	-	-	-	TOP41C2003A	-	-	-	-
SPRC06P2003A	0.04	(0.03)	47,271	-	THAI19C2004A	0.07	0.01	1,001	-	TOP41C2004A	0.19	0.02	14,497	-
SPRC08C2005A	0.24	0.04	79,678	-	THAI27C2008A	0.26	-	8,060	-	TOP41C2005A	-	-	-	-
SPRC08C2006A	0.13	0.02	16,000	-	THAI42C2003A	-	-	-	-	TOP41C2006A	-	-	-	-
SPRC11C2005A	-	-	-	-	THAI42C2005A	-	-	-	-	TOP41C2007A	0.59	0.10	73,296	-
SPRC11C2008A	0.69	0.08	83,948	-	THAN01C2006A	0.30	0.01	41,304	-	TOP41P2002A	-	-	-	-
SPRC13C2004A	-	-	-	-	THAN01C2006B	0.12	-	64,143	-	TOP41P2004A	-	-	-	-
SPRC13C2006A	0.26	0.04	235,226	-	THAN01P2006A	0.38	(0.02)	31,160	-	TOP41P2005A	0.21	(0.05)	4,001	-
SPRC19C2002A	0.16	0.05	38,176	-	THAN06C2003A	-	-	-	-	TOP41P2006A	0.73	(0.08)	10,594	-
SPRC19C2005A	0.26	0.03	128,506	-	THAN06C2005A	0.15	-	39,068	-	TOP42C2007A	0.58	0.03	15,052	-
SPRC19C2005B	-	-	-	-	THAN06P2003A	0.25	(0.04)	5,194	-	TP119C2002A	-	-	-	-
SPRC19C2007A	0.68	0.07	37,836	-	THAN13C2003A</									

## Main Board Quotation

Issue Date :

Thursday February 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE01P2002A	1.49	(0.01)	15,000	1.00	WHA41C2004A	-	-	-	-	WIK-W2	0.13	-	3,197	-
TRUE01P2002B	1.32	(0.02)	12,043	1.00	WHA41C2005A	-	-	-	-	ZMICO-W4	0.05	-	24,671	-
TRUE01P2004A	0.69	-	45,065	-	WHA41C2006A	0.21	0.01	28,500	-	Preferred Shares	-	-	-	-
TRUE01P2004B	0.34	(0.02)	59,874	-	WHA41C2007A	0.45	0.02	42,663	-	BH-P	-	-	-	-
TRUE06C2004A	0.11	0.01	7,750	-	WHA41P2003A	-	-	-	-	CSC-P	-	-	-	-
TRUE08C2004A	-	-	-	-	WHA41P2005A	0.92	(0.06)	2,100	-	JUTHA-P	-	-	-	-
TRUE08C2005A	0.18	-	39,175	-	WHA42C2005A	0.03	(0.01)	101	-	KTB-P	-	-	-	-
TRUE08P2005A	0.79	(0.01)	23,187	-	WHA42C2006A	0.37	0.04	36,100	-	SCB-P	-	-	-	-
TRUE11C2005A	-	-	-	-	WHAU27C2002A	-	-	-	-	TCAP-P	-	-	-	-
TRUE11C2005B	-	-	-	-	Preferred/Foreign	-	-	-	-	TISCO-P	-	-	-	-
TRUE11P2002A	0.35	(0.03)	50,083	-	BH-Q	-	-	-	-	U-P	2.52	(0.04)	2,155	2.00
TRUE13C2003A	-	-	-	-	CSC-Q	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE13C2003B	0.06	(0.01)	1	-	JUTHA-Q	-	-	-	-	BM-W1	0.05	(0.01)	6	-
TRUE13C2006A	0.28	-	219,468	-	KTB-Q	-	-	-	-	BROOK-W5	0.13	(0.01)	221,045	-
TRUE16C2002A	-	-	-	-	KTB-Q	-	-	-	-	CHO-W2	0.05	-	12,941	-
TRUE19C2003A	-	-	-	-	SCB-Q	-	-	-	-	DOD-W1	0.62	0.11	311,846	-
TRUE19C2004A	-	-	-	-	TCAP-Q	-	-	-	-	ECF-W3	0.35	(0.01)	4,003	-
TRUE19C2006A	0.25	0.01	42,170	-	TISCO-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE19P2003A	0.51	-	6,666	-	U-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE19P2005A	0.46	0.01	4,170	-	Warrant	-	-	-	-	FVC-W2	0.02	0.01	2,748	-
TRUE28C2003A	-	-	-	-	7UP-W4	0.11	(0.01)	30,199	-	HPT-W1	0.18	0.02	42	-
TRUE28C2003B	-	-	-	-	AKR-W1	0.08	-	85,016	-	ITEL-W1	0.23	-	1,309	-
TRUE28C2006A	0.22	-	3,042	-	ALT-W1	0.22	0.02	17,892	-	JKN-W1	0.25	(0.04)	24,821	-
TRUE41C2002A	-	-	-	-	APEX-W1	-	-	-	-	LIT-W1	0.68	-	1,649	-
TRUE41C2003A	-	-	-	-	APURE-W2	0.08	-	384	-	META-W4	0.07	-	2,259	-
TRUE41C2004A	0.12	(0.07)	8,000	-	AS-W1	0.13	0.02	6,502	-	NEWS-W6	-	-	-	-
TRUE41C2005A	-	-	-	-	AYUD-W1	0.55	0.02	87,970	-	OCEAN-W3	0.46	0.02	1,397	-
TRUE41C2006A	0.23	0.01	2,111	-	B-W3	-	-	-	-	PROUD-W2	0.20	0.01	5	-
TRUE41P2004A	0.49	(0.01)	3,000	-	B-W4	0.03	-	23	-	RWI-W2	0.11	-	6,723	-
TRUE41P2005A	0.76	-	31,760	-	B-W5	0.04	0.01	102	-	SANKO-W1	0.08	0.01	40	-
TRUE42C2003A	-	-	-	-	B52-W2	-	-	-	-	SIMAT-W2	0.04	-	1,487	-
TRUE42C2004A	-	-	-	-	BKD-W2	0.11	-	3,155	-	SIMAT-W3	-	-	-	-
TTW27C2009A	0.32	(0.01)	4,202	-	CGD-W4	0.10	(0.01)	11,900	-	SIMAT-W4	0.60	(0.05)	280	-
TU01C2004A	0.34	0.01	81,809	-	CGH-W3	0.01	(0.01)	105	-	SMART-W2	0.14	-	99	-
TU01C2004B	0.31	0.01	70,903	-	CI-W1	0.01	-	700	-	STAR-W3	-	-	-	-
TU01P2004A	0.11	(0.02)	29,228	-	CKP-W1	0.10	0.01	320,149	-	SWC-W1	2.52	0.04	70	2.00
TU06C2004A	0.18	0.02	43,705	-	CRANE-W1	0.65	0.09	611	-	TAKUNI-W	0.04	0.01	560	-
TU11C2003A	-	-	-	-	DCC-W1	0.56	0.01	16,219	-	TVD-W2	0.17	-	1,889	-
TU11C2008A	0.52	0.03	37,389	-	ECL-W3	0.17	0.01	249,377	-	UAC-W2	0.15	(0.01)	3,895	-
TU13C2003A	0.05	0.01	17,221	-	EIC-W2	-	-	-	-	UKEM-W2	0.01	(0.01)	643	-
TU13C2004A	0.35	0.02	46,524	-	EIC-W3	-	-	-	-	Preferred Shares	-	-	-	-
TU19C2002A	-	-	-	-	EMC-W6	0.03	-	57,752	-	SGF-P1	-	-	-	-
TU19C2003A	0.05	0.02	8,408	-	EPCO-W3	0.42	0.06	8,809	-	-	-	-	-	-
TU19C2005A	0.45	0.03	4,303	-	GJS-W3	-	-	-	-	-	-	-	-	-
TU19C2007A	0.35	0.02	1,550	-	GLOCON-W4	0.27	0.01	2,670	-	-	-	-	-	-
TU24C2003A	0.03	0.01	5,000	-	J-W1	0.18	(0.01)	30	-	-	-	-	-	-
TU24C2006A	0.42	0.02	13,555	-	JAS-W3	2.08	(0.32)	550,929	2.00	-	-	-	-	-
TU27C2004A	0.04	0.01	1	-	JCK-W5	0.05	-	8,676	-	-	-	-	-	-
TU27C2006A	0.29	0.01	22,336	-	JMT-W2	4.72	(0.04)	4,495	4.00	-	-	-	-	-
TU41C2002A	-	-	-	-	MACO-W2	0.13	-	22,624	-	-	-	-	-	-
TU41C2003A	-	-	-	-	MILL-W4	0.04	0.01	1,115	-	-	-	-	-	-
TU41C2004A	0.26	0.02	25,334	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU41C2005A	0.42	0.02	3,290	-	MINT-W6	2.72	0.02	20,855	2.00	-	-	-	-	-
TU41P2003A	0.10	(0.04)	200	-	NFC-W1	0.51	0.05	115	-	-	-	-	-	-
TU41P2004A	0.08	-	100	-	NOK-W1	0.03	0.01	274	-	-	-	-	-	-
TVO13C2007A	0.25	(0.01)	4,950	-	NUSA-W3	-	-	-	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	NVD-W1	0.12	-	125	-	-	-	-	-	-
TVO19C2007A	0.18	-	4,728	-	ORI-W1	0.27	0.01	39,902	-	-	-	-	-	-
VGI01C2005A	0.28	0.01	123,497	-	PACE-W2	0.02	-	15,003	-	-	-	-	-	-
VGI08C2006A	0.20	0.01	31,600	-	PACE-W3	0.04	-	400	-	-	-	-	-	-
VGI11C2008A	0.24	-	36,000	-	PDI-W1	0.32	0.01	7,352	-	-	-	-	-	-
VGI13C2006A	0.24	0.01	151,657	-	PDJ-W3	-	-	-	-	-	-	-	-	-
VGI19C2006A	0.20	0.01	24,860	-	PDJ-W4	0.32	-	50	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	PERM-W1	0.13	0.01	2,157	-	-	-	-	-	-
WHA01C2002A	0.02	-	2	-	PORT-W1	0.64	(0.04)	16,704	-	-	-	-	-	-
WHA01C2002B	-	-	-	-	PPPM-W4	0.17	-	12,031	-	-	-	-	-	-
WHA01C2005A	0.23	0.02	219,683	-	PRIME-W1	-	-	-	-	-	-	-	-	-
WHA01C2005B	0.09	-	14,363	-	PRIME-W2	0.02	-	4,610	-	-	-	-	-	-
WHA01P2002A	1.17	(0.05)	12,340	1.00	RICHY-W2	0.03	-	101	-	-	-	-	-	-
WHA01P2005A	0.66	(0.04)	100,023	-	RS-W3	0.88	(0.05)	69,696	-	-	-	-	-	-
WHA06C2007A	0.48	0.02	115,029	-	SAMART-W2	0.57	(0.03)	19,341	-	-	-	-	-	-
WHA08C2002A	-	-	-	-	SAWAD-W1	31.00	1.00	3,262	31.00	-	-	-	-	-
WHA08C2003A	-	-	-	-	SDC-W1	-	-	-	-	-	-	-	-	-
WHA08C2005A	0.05	-	400	-	SINGER-W1	1.50	(0.10)	170	1.00	-	-	-	-	-
WHA08C2006A	0.22	0.01	80,550	-	SINGER-W2	1.38	0.02	748	1.00	-	-	-	-	-
WHA08P2006A	0.46	(0.02)	56,011	-	SMT-W2	0.04	(0.01)	4,301	-	-	-	-	-	-
WHA11C2008A	0.23	0.02	82,233	-	SST-W2	-	-	-	-	-	-	-	-	-
WHA13C2003A	0.02	-	32,915	-	SUPER-W4	0.01	-	50,216	-	-	-	-	-	-
WHA13C2005A	0.11	0.02	97,989	-	SVI-W3	0.33	0.04	27,572	-	-	-	-	-	-
WHA13C2006A	0.38	0.01	295,609	-	TCC-W3	-	-	-	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	TCC-W4	-	-	-	-	-	-	-	-	-
WHA16C2008A	0.42	0.03	164,370	-	TCC-W5	0.14	-	75	-	-	-	-	-	-
WHA19C2002A	-	-	-	-	TCJ-W2	0.09	-	8	-	-	-	-	-	-
WHA19C2004A	0.03	0.01	13,241	-	TFG-W2	0.06	0.01	35,639	-	-	-	-	-	-
WHA19C2005A	0.12	-	8,784	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA19C2006A	0.36	0.02	174,325	-	TH-W2	0.02	0.01	9,521	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA24P2003A	0.94	(0.06)	1,061	-	TNITY-W1	0.16	(0.02)	1,798	-	-	-	-	-	-
WHA27C2008A	0.23	0.01	17,888	-	TRITN-W3	0.10	-	50,355	-	-	-	-	-	-
WHA28C2003A	-	-	-	-	TTCL-W1	0.40	0.07	197,111	-	-	-	-	-	-
WHA28C2003B	-	-	-	-	U-W4	-	-	-	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	VGI-W2	1.07	0.05	428,764	1.00	-	-	-	-	-
WHA28C2005A	-	-	-	-	VIBHA-W2	0.62	-	500	-	-	-	-	-	-
WHA28C2006A	0.27	-	45,588	-	VIBHA-W3	0.16	-	10,150	-	-	-	-	-	-
WHA41C2003A	-	-	-	-	WAVE-W1	0.02	-	10,400	-	-	-	-	-	-
					WHA-W1	0.05	(0.24)	804,797	-	-	-	-	-	-

