

## Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	BLISS	-	-	-	-	MONO	0.79	(0.01)	17,797	0.79
POMPUI	-	-	-	-	DIF	16.90	(0.20)	153,828	16.99	MPIC	1.50	-	1	1.50
SAFARI	-	-	-	-	DTAC	41.75	1.50	135,338	41.55	NMG	-	-	-	-
VI	-	-	-	-	FORTH	6.50	0.05	37,689	6.45	PLANB	7.00	0.05	393,665	6.93
WORLD	-	-	-	-	HUMAN	7.30	(0.25)	5,622	7.45	POST	1.85	0.06	1	1.85
WR	-	-	-	-	ILINK	3.94	0.04	4,585	3.94	PRAKIT	10.60	0.30	51	10.52
Agribusiness	-	-	-	-	INET	2.42	(0.02)	449	2.42	SE-ED	1.55	(0.04)	75	1.55
CHOTI	-	-	-	-	INTUCH	54.25	(0.25)	86,328	54.40	SPORT	0.16	-	21,507	0.16
EE	0.57	0.02	39,412	0.56	JAS	5.55	-	372,716	5.53	TBSP	-	-	-	-
GFPT	11.30	0.20	45,544	11.26	JASIF	9.90	-	103,151	9.90	TH	0.60	-	231	0.59
LEE	2.04	(0.04)	8,150	2.04	JMART	9.95	0.10	101,717	9.96	TKS	6.15	-	1,942	6.15
NER	2.68	(0.02)	59,586	2.68	JTS	-	-	-	-	VGI	8.95	(0.05)	254,179	8.98
PPPM	0.49	-	1,346	0.50	MFEC	3.30	0.04	2,229	3.28	WAVE	1.07	(0.02)	12	1.08
STA	11.70	(0.30)	50,669	11.82	MSC	5.55	-	470	5.48	WORK	12.30	0.10	34,689	12.43
TRUBB	0.62	-	441	0.61	PT	4.88	0.28	7,220	4.89	Finance & Securities	-	-	-	-
TWPC	3.98	(0.02)	1,307	3.98	SAMART	8.15	(0.20)	38,083	8.21	AEC	0.29	0.02	15,474	0.28
UPOIC	3.14	-	100	3.14	SAMTEL	7.25	(0.10)	584	7.32	AEONTS	157.00	(4.50)	3,783	158.25
UVAN	5.40	-	1,716	5.40	SDC	0.17	-	5,422	0.18	AMANAH	4.00	0.28	768,862	3.88
VPO	0.58	-	1,604	0.58	SIS	8.00	(0.05)	764	7.98	ASAP	1.89	0.07	3,921	1.92
Banking	-	-	-	-	SVOA	1.03	0.01	460	1.02	ASK	25.50	-	1,686	25.40
BAY	28.25	-	1,106	28.34	SYMC	2.50	(0.04)	329	2.52	ASP	1.75	0.02	10,009	1.74
BBL	148.00	-	52,226	147.60	SYNEX	6.20	(0.05)	3,747	6.21	BAM	32.50	1.25	819,814	32.37
CIMBT	0.58	(0.01)	9,378	0.58	THCOM	3.82	-	3,692	3.83	BFIT	35.75	0.25	22,770	35.51
KBANK	143.00	0.50	61,928	142.30	TRUE	3.88	(0.02)	479,787	3.90	CGH	0.79	(0.01)	32,665	0.80
KKP	70.00	0.25	8,076	69.82	TWZ	0.08	0.01	47,230	0.08	CNS	2.48	-	3,370	2.48
KTB	16.10	-	129,180	16.12	Electronic Componder	-	-	-	-	ECL	1.14	(0.02)	22,273	1.15
LHFG	1.33	(0.01)	9,545	1.34	CCET	1.87	0.03	8,821	1.85	FNS	2.08	0.04	3,063	2.10
SCB	100.00	(1.00)	120,236	100.14	DELTA	59.00	1.00	12,298	58.37	FSS	1.30	(0.02)	563	1.32
TCAP	55.00	-	56,024	55.14	EIC	0.03	-	9,940	0.03	GBX	0.43	(0.01)	463	0.43
TISCO	101.50	(1.00)	20,611	101.95	HANA	35.00	(1.25)	65,350	35.40	GL	4.54	(0.10)	270,295	4.64
TMB	1.42	(0.03)	1,415,825	1.43	KCE	24.70	2.30	1,195,749	22.92	IFS	3.22	0.02	4,638	3.17
Construction Materia	-	-	-	-	METCO	162.50	(17.50)	115	162.94	JMT	25.00	0.30	72,260	24.92
CCP	0.27	(0.01)	4,860	0.28	NEX	2.98	(0.06)	15,101	2.99	KCAR	10.30	0.10	132	10.20
COTTO	1.36	0.01	650	1.35	SMT	1.04	(0.01)	641	1.05	KGI	4.64	-	13,181	4.64
DCC	1.81	(0.01)	15,772	1.82	SVI	3.20	0.20	61,232	3.12	KTC	41.50	1.75	150,869	40.77
DCON	0.34	-	1,896	0.34	TEAM	0.80	0.01	2,798	0.79	MBKET	6.65	-	719	6.65
DRT	6.35	(0.05)	1,717	6.37	Energy & Utilities	-	-	-	-	MFC	15.20	(0.10)	1,694	15.05
EPG	5.00	(0.20)	191,549	5.04	7UP	0.44	(0.01)	66,180	0.44	ML	0.88	(0.01)	305	0.88
GEL	0.14	-	14,104	0.14	ABPIF	4.70	(0.04)	550	4.72	MTC	68.00	0.25	34,893	67.82
PPP	2.02	(0.02)	462	2.01	ACE	3.08	(0.02)	81,400	3.10	PE	-	-	-	-
Q-CON	5.30	0.05	62	5.30	AI	1.05	-	2,932	1.05	PL	2.66	(0.02)	722	2.64
RCI	3.34	(0.02)	50	3.34	AKR	0.61	0.01	1,202	0.60	S11	7.35	(0.05)	1,624	7.30
SCC	365.00	(3.00)	27,939	367.73	BAFS	28.25	(0.25)	836	28.40	SAWAD	77.75	(0.75)	30,729	77.66
SCCC	188.00	(0.50)	70	187.95	BANPU	10.10	-	158,287	10.09	THANI	6.05	-	76,189	5.99
SCP	6.00	0.05	642	5.95	BCP	26.25	(0.75)	17,122	26.33	TK	9.50	-	357	9.44
SKN	2.02	-	106	2.02	BCPG	16.10	(0.20)	36,086	16.22	TNITY	3.88	-	75	3.88
TASCO	22.60	0.40	111,908	22.52	BGRIM	57.75	(1.75)	126,017	58.01	UOBKH	2.52	(0.02)	351	2.53
TCMC	1.79	(0.01)	573	1.80	BPP	15.70	0.10	12,459	15.61	ZMICO	0.70	0.01	3,418	0.69
TOA	33.50	(0.25)	9,661	33.65	BRRGIF	8.30	(0.05)	156	8.33	Food & Beverage	-	-	-	-
TPIPL	1.52	-	19,070	1.52	CKP	4.28	0.04	181,497	4.30	APURE	0.70	-	1,481	0.70
UMI	0.66	0.01	875	0.65	DEMCO	2.56	-	1,334	2.55	ASIAN	4.00	-	14,831	4.04
VNG	3.64	0.02	764	3.64	EA	49.00	(0.25)	112,377	48.99	BR	2.26	0.04	16,094	2.27
WIHK	1.29	-	1,146	1.29	EASTW	11.70	(0.30)	13,923	11.78	BRR	3.64	-	998	3.63
Petrochemicals & Ch	-	-	-	-	EGATIF	12.90	-	3,321	12.93	CBG	90.00	0.75	27,671	89.85
BCT	41.50	0.25	527	41.25	EGCO	305.00	(5.00)	7,934	304.89	CFRESH	1.53	0.01	171	1.54
CMAN	1.24	(0.01)	1,555	1.24	ESSO	7.30	(0.10)	121,651	7.37	CM	2.84	-	46	2.88
GC	5.65	(0.05)	1,043	5.65	GPSC	77.00	(1.50)	284,224	77.01	CPF	29.50	(0.25)	198,720	29.50
GGC	11.30	(0.30)	13,367	11.47	GULF	192.00	(1.50)	40,706	192.20	CPI	1.60	-	2,328	1.60
GIFT	2.50	0.12	9,607	2.45	GUNKUL	2.72	(0.02)	157,828	2.74	F&D	-	-	-	-
IVL	31.25	(0.50)	129,612	31.33	IFEC	-	-	-	-	HTC	22.10	(0.40)	1,541	22.16
NFC	2.04	0.02	2	2.06	IRPC	2.98	(0.02)	827,313	3.00	ICHI	5.35	0.10	32,271	5.41
PATO	11.10	-	115	11.10	LANNA	7.45	(0.10)	1,124	7.44	KBS	3.94	0.02	2,059	3.93
PMTA	6.85	0.05	14	6.85	MDX	2.72	0.06	739	2.67	KSL	2.82	0.04	77,398	2.80
PTTGC	52.75	(1.25)	75,720	53.25	PRIME	0.36	-	5,929	0.35	KTIS	4.06	(0.02)	7,092	4.09
SUTHA	1.88	(0.03)	529	1.83	PTG	15.30	0.60	287,121	15.16	LST	5.00	(0.10)	731	5.03
TCCC	20.30	(0.20)	15	20.30	PTT	43.00	(0.25)	308,051	43.25	M	69.00	0.25	1,962	68.67
TPA	5.55	(0.05)	20	5.50	PITTEP	124.00	(3.50)	92,311	124.88	MALEE	6.95	-	1,045	6.99
UP	-	-	-	-	RATCH	64.75	-	21,706	64.84	MINT	32.50	(0.75)	120,260	32.63
VNT	24.80	0.30	1,533	24.73	RPC	0.56	(0.02)	6,744	0.57	OISHI	48.50	-	86	48.31
WG	-	-	-	-	SCG	3.80	-	84	3.80	OSP	47.00	2.75	204,442	46.04
YCI	-	-	-	-	SCI	1.51	(0.03)	1,488	1.52	PB	68.00	0.25	87	67.03
Commerce	-	-	-	-	SCN	2.04	0.02	10,221	2.00	PM	6.95	(0.05)	10,033	6.92
BEAUTY	2.62	(0.04)	1,206,423	2.62	SGP	8.25	(0.10)	22,898	8.31	PRG	12.30	-	33	12.30
BIG	0.69	(0.02)	154,440	0.70	SKE	0.74	0.02	917	0.74	RBF	5.10	0.46	874,731	4.90
BJC	40.00	(0.25)	12,440	40.16	SOLAR	1.49	(0.01)	1,683	1.50	SAPPE	19.20	(0.20)	843	19.30
COL	17.90	(0.10)	440	17.95	SPCG	19.80	-	4,484	19.73	SAUCE	22.50	(0.60)	18	22.36
COM7	25.25	-	42,903	25.18	SPRC	9.05	(0.10)	103,048	9.14	SFP	-	-	-	-
CPALL	71.50	(0.50)	103,926	71.53	SSP	7.30	(0.05)	2,540	7.30	SNP	13.10	0.30	35	12.99
CPW	1.50	(0.01)	14,440	1.50	SUPER	0.51	-	139,937	0.51	SORKON	49.00	(0.50)	2	49.13
CSS	1.29	0.03	38,606	1.29	SUPEREIF	11.30	0.20	1,101	11.22	SSC	34.00	2.50	148	33.46
DOHOME	9.25	(0.10)	60,443	9.22	SUSCO	2.78	(0.02)	236	2.79	SSF	-	-	-	-
FN	1.10	(0.02)	17,058	1.10	TAE	3.32	(0.08)	27,562	3.34	SST	3.66	0.04	784	3.62
FTE	1.97	(0.01)	6,492	1.98	TCC	0.21	(0.01)	3,233	0.21	TC	3.06	0.04	232	3.03
GLOBAL	14.40	(0.20)	63,975	14.59	TOP	54.25	-	91,691	54.45	TFG	4.06	-	143,108	4.13
HMPRO	14.40	(0.30)	240,177	14.49	TPIPP	4.58	0.02	57,643	4.60	TFMAMA	194.00	-	38	194.32
ILM	13.80	(0.50)	8,955	14.02	TSE	3.14	(0.04)	73,277	3.14	TIPCO	7.00	(0.10)	17,358	6.98
IT	2.84	(0.04)	529	2.80	TTW	14.00	-	12,249	14.02	TKN	9.70	(0.20)	123,005	9.73
KAMART	3.88	0.08	13,421	3.88	WHAUP	5.00	-	52,420	5.00	TU	15.00	(0.20)	97,100	15.07
LOXLEY	1.31	0.01	11,181	1.30	WP	4.72	(0.04)	5,750	4.71	TVO	29.50	-	21,864	29.73
MAKRO	36.50	0.25	6,826	36.22	Media & Publishing	-	-	-	-	ZEN	11.80	1.00	27,734	11.38
MC	11.60	(0.40)	48,130	11.76	AMARIN	3.46	(0.04)	393	3.46	Health Care Services	-	-	-	-
MEGA	27.75	0.75	47,645	27.63	AQUA	0.42	-	64,031	0.42	AHC	17.60	(0.20)	224	17.64
MIDA	0.46	-	823	0.46	AS	1.41	0.01	52</						

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	7.85	(0.15)	3,834	7.91	BROCK	-	-	-	-	HFT	3.26	-	4,923	3.24
PRINC	4.40	(0.06)	338	4.39	CGD	0.88	-	15,674	0.87	IHL	3.92	0.04	2,830	3.90
RAM	148.00	(1.50)	125	148.45	CI	0.83	-	13,000	0.83	INGRS	0.51	0.01	1,591	0.50
RJH	24.80	(0.10)	884	24.90	CPN	62.75	-	47,832	63.17	IRC	14.80	(0.20)	5	14.80
RPH	6.60	-	1,975	6.56	ESTAR	0.34	-	1,858	0.34	PCSGH	5.90	0.30	1	5.90
SKR	5.15	-	2,211	5.15	EVER	0.24	-	19,979	0.24	SAT	13.20	-	10,331	13.06
SVH	446.00	(2.00)	14	447.43	FPT	14.00	0.10	789	13.88	SPG	12.50	0.30	3	12.50
THG	24.80	(0.10)	6,529	24.67	GLAND	2.78	0.02	281	2.76	STANLY	161.50	(1.50)	196	160.81
VIBHA	1.64	(0.01)	12,540	1.64	GOLD	8.00	0.05	803	7.98	TKT	0.89	(0.01)	174	0.89
VIH	6.75	-	4,102	6.72	GREEN	0.78	-	10,387	0.79	TNPC	0.69	-	5	0.69
WPH	1.77	(0.01)	3,012	1.78	J	0.84	0.01	53	0.83	TRU	4.30	0.06	154	4.28
Tourism & Leisure					JCK	0.86	-	1,669	0.86	TSC	10.60	-	76	10.64
ASIA	5.15	(0.10)	70	5.23	KC	-	-	-	-	Industrial Materials				
CENTEL	22.40	(0.10)	21,896	22.53	KWG	1.45	0.03	156	1.46	ALLA	1.31	-	3,470	1.29
CSR	-	-	-	-	LALIN	5.15	-	3,081	5.11	ASEFA	3.40	(0.02)	176	3.40
DTC	9.15	-	161	9.15	LH	9.55	(0.10)	139,147	9.57	CPT	0.74	(0.01)	5,699	0.75
ERW	4.58	(0.08)	56,954	4.61	LPN	5.25	0.25	274,272	5.16	CRANE	1.73	-	45	1.71
GRAND	0.73	0.03	12,317	0.71	MBK	20.30	0.10	8,000	20.33	CTW	5.25	(0.05)	102	5.20
LRH	39.00	-	2	39.00	MJD	2.90	0.02	224	2.87	FMT	24.10	(0.10)	1	24.10
MANRIN	-	-	-	-	MK	3.06	0.04	3,490	3.05	HTECH	2.80	(0.02)	6,991	2.81
OHTL	386.00	-	1	386.00	NCH	0.72	(0.02)	1,588	0.71	KKC	0.63	(0.04)	2,846	0.65
ROH	33.50	(0.25)	78	34.01	NNCL	2.20	-	1,226	2.19	PK	1.03	-	1,796	1.04
SHANG	69.50	(0.50)	4	69.50	NOBLE	15.90	0.20	7,346	16.10	SNC	9.90	-	782	9.82
SHR	2.34	0.02	161,318	2.31	NUSA	0.53	(0.01)	50,140	0.54	STARK	2.26	-	25,601	2.25
VRANDA	6.15	(0.15)	3,944	6.21	NVD	1.88	-	13	1.86	TCJ	3.24	(0.06)	967	3.14
Home & Office Prod.					ORI	6.40	0.05	33,152	6.41	VARO	-	-	-	-
ACC	0.68	(0.01)	4,514	0.69	PACE	0.08	0.01	39,717	0.07	Property Fund & REI				
AJA	0.29	0.01	177,888	0.29	PF	0.81	0.01	83,398	0.81	AIMCG	8.05	-	4,974	8.08
DTCI	-	-	-	-	PLAT	4.04	(0.08)	1,647	4.05	AIMIRT	13.30	-	5,272	13.38
FANCY	0.46	(0.01)	2,743	0.46	POLAR	-	-	-	-	AMATAR	11.60	(0.10)	288	11.60
KYE	290.00	25.00	36	286.17	PRECHA	0.97	0.03	502	0.95	B-WORK	12.50	-	1,787	12.37
L&E	2.02	0.02	49	2.02	PRIN	1.51	0.01	535	1.51	BKER	9.45	-	4,862	9.40
MODERN	2.36	-	187	2.35	PSH	14.70	0.10	10,982	14.68	BKKCP	13.40	(0.10)	5	13.40
OGC	-	-	-	-	OH	2.56	0.06	290,639	2.55	BOFFICE	17.20	0.10	589	17.20
ROCK	-	-	-	-	RICHY	0.87	0.02	2,310	0.85	CPNCG	12.30	-	2,360	12.29
SIAM	1.61	(0.02)	923	1.61	RML	0.84	(0.01)	6,218	0.84	CPNREIT	35.75	0.25	18,601	35.66
TSR	2.18	(0.04)	1,058	2.20	ROJNA	5.25	(0.05)	11,457	5.27	CPTGF	12.90	-	17,820	12.90
Insurance					S	2.28	-	8,201	2.27	CTARAF	5.65	0.05	637	5.62
AYUD	-	-	-	-	SAMCO	1.59	-	89	1.58	DREIT	6.25	(0.05)	623	6.25
BKI	281.00	(1.00)	196	280.83	SC	2.36	0.04	32,714	2.36	ERWPF	-	-	-	-
BLA	19.60	(0.10)	3,673	19.55	SENA	2.64	0.02	6,847	2.63	FTREIT	16.20	-	4,150	15.98
BUI	-	-	-	-	SF	5.65	0.10	39,479	5.68	FUTUREPF	24.90	-	502	24.77
CHARAN	18.00	(0.20)	30	18.01	SIRI	1.03	0.02	111,775	1.02	GAHREIT	-	-	-	-
INSURE	-	-	-	-	SPALI	17.00	0.20	39,658	16.94	GLANDRT	13.20	-	2,412	13.20
MTI	-	-	-	-	U	1.54	(0.03)	57,130	1.55	GOLDFP	7.00	(0.35)	100	7.00
NKI	-	-	-	-	UV	4.24	0.10	74,462	4.25	GVREIT	17.50	(0.20)	1,805	17.55
NSI	60.00	-	30	60.00	WHA	3.40	(0.02)	609,400	3.42	HPF	4.90	(0.02)	437	4.90
SEG	35.75	0.75	15	35.50	WIN	0.40	0.01	29	0.40	HREIT	8.85	0.05	2,418	8.79
SMK	30.00	0.50	28	29.84	Paper & Printing Mat					IMPACT	23.00	(0.20)	6,199	22.79
THRE	0.60	(0.01)	9,384	0.61	UTP	9.55	(0.05)	7,513	9.62	KPNPF	7.90	-	4	7.86
THREL	3.60	-	4,787	3.59	Fashion	-	-	-	-	LHHOTEL	18.30	(0.10)	1,349	18.25
TIP	24.40	(0.10)	555	24.39	AFC	-	-	-	-	LHPF	8.80	-	7	8.80
TOM	85.00	2.25	21,884	84.79	B52	0.18	-	331	0.18	LHSC	18.60	(0.10)	220	18.60
TSI	0.45	0.02	267	0.42	BTNC	22.00	2.40	1	22.00	LUXF	8.20	(0.05)	455	8.20
TVI	3.96	(0.04)	247	3.94	CPH	3.40	-	1	3.40	M-II	-	-	-	-
Mining					CPL	0.82	(0.12)	59	0.86	M-PAT	-	-	-	-
PDI	5.75	0.05	1,213	5.68	ICC	39.00	-	2,201	39.00	M-STOR	-	-	-	-
THL	-	-	-	-	NC	11.40	0.40	1	11.40	MIPF	-	-	-	-
Packaging					PAF	0.50	(0.01)	713	0.50	MIT	2.66	(0.02)	164	2.66
AJ	8.95	0.25	1,616	8.83	PDJ	1.30	(0.01)	6,704	1.30	MJLF	10.20	(0.20)	2,076	10.25
ALUCON	147.50	(2.00)	23	148.80	PG	5.60	0.30	188	5.53	MNIT	1.50	(0.10)	151	1.52
BGC	13.10	0.30	16,107	12.86	SABINA	24.30	0.40	6,785	24.33	MINIT2	4.90	0.10	4	4.90
CSC	52.50	(1.00)	120	52.94	SAWANG	-	-	-	-	MNRF	-	-	-	-
GLOCON	0.74	0.02	12,957	0.73	SUC	42.50	0.50	26	42.08	POPF	12.80	(0.10)	329	12.82
NEP	0.13	(0.01)	5,913	0.13	TNL	17.00	-	7	17.07	PPF	-	-	-	-
PTL	13.40	0.10	4,212	13.45	TPCORP	12.80	0.40	33	12.46	QHHR	9.10	0.05	79	9.14
SFLEX	4.94	-	18,270	4.97	TR	26.25	-	14	26.13	QHOP	3.88	0.02	20	3.83
SITHAI	0.64	(0.02)	4,484	0.64	TTI	16.10	(1.60)	2	16.15	QHPF	13.70	0.10	1,017	13.60
SLP	0.47	0.01	452	0.46	TTT	50.00	-	32	49.59	SBPF	-	-	-	-
SMPC	5.80	0.05	3,685	5.82	UPF	38.00	(2.00)	1	38.00	SHREIT	5.40	(0.05)	429	5.40
SPACK	1.15	(0.02)	20	1.16	UT	14.60	(1.70)	22	14.61	SIRIP	-	-	-	-
TCOAT	-	-	-	-	WACOAL	47.50	1.75	1	47.50	SPF	21.20	(0.40)	3,366	21.29
TFI	0.04	(0.01)	302	0.04	Transportation & Log					SPRIME	14.00	(0.50)	1,662	14.24
THIP	21.00	0.20	235	20.96	AAV	1.81	(0.01)	136,074	1.81	SRIPANWA	11.10	-	15	11.10
TMD	26.25	0.50	294	25.34	AOT	70.50	(0.25)	181,132	70.67	SSPF	9.50	(0.15)	699	9.51
TOPP	-	-	-	-	ASIMAR	1.12	-	3,969	1.11	SSTRT	5.95	0.05	20	5.95
TPBI	3.98	-	2	3.91	B	0.21	(0.01)	15,329	0.21	TIF1	9.15	-	61	9.07
TPP	17.00	0.50	1	17.00	BA	5.95	(0.05)	5,054	5.92	TLGF	21.00	(0.10)	23,779	20.99
Personal Products &					BEM	11.00	(0.30)	923,786	11.02	TLHPF	-	-	-	-
APCO	3.10	-	16,585	3.10	BTS	12.80	(0.20)	290,162	12.85	TNPF	2.84	-	2	2.84
DDD	22.10	(0.10)	531	22.23	BTSXIF	9.85	(0.05)	3,271	9.88	TPRIME	16.50	-	293	16.53
JCT	-	-	-	-	III	4.62	(0.10)	3,804	4.61	TTLPF	-	-	-	-
OCC	14.00	2.00	1	14.00	JUTHA	0.32	(0.03)	1	0.32	TU-PF	-	-	-	-
S & J	27.00	(0.50)	21	27.00	JWD	7.45	0.10	7,697	7.47	URBNPF	-	-	-	-
STHAI	-	-	-	-	KWC	-	-	-	-	WHABT	9.65	-	5	9.65
TNR	8.50	-	126	8.41	NOK	1.90	-	1,104	1.90	WHART				

## Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	ABM	0.66	-	372	-	AAV19C2007A	0.45	(0.01)	3,429	-
ABICO	4.08	(0.02)	8,232	4.00	AGE	0.87	-	417	-	ADVA01C2003A	0.07	(0.01)	16,391	-
AU	9.90	(0.10)	25,897	9.00	AIE	0.30	(0.02)	98,233	-	ADVA01C2003B	0.01	(0.01)	5,871	-
JCKH	0.20	(0.02)	695	-	PSTC	0.70	(0.02)	317,452	-	ADVA01C2005A	0.30	(0.02)	179,139	-
KASET	1.21	0.02	139	1.00	QTC	4.78	-	4,497	4.00	ADVA01C2005B	0.09	(0.01)	70,393	-
MM	2.38	0.12	372	2.00	SAAM	0.89	(0.01)	135	-	ADVA01P2003A	0.97	0.03	84,619	-
SUN	1.81	-	1,819	1.00	SEAOIL	3.44	0.12	102,634	3.00	ADVA01P2003B	0.60	0.01	104,256	-
TACC	3.86	(0.04)	11,359	3.00	SR	0.92	(0.03)	166	-	ADVA06C2005A	0.04	-	3,030	-
TMILL	2.84	(0.02)	158	2.00	TAKUNI	0.40	-	3,119	-	ADVA08C2005A	0.11	-	4,800	-
XO	5.60	(0.05)	5,028	5.00	TPCH	12.30	-	1,295	12.00	ADVA08P2004A	0.43	0.03	13,881	-
Consumer Products	-	-	-	-	TRT	1.83	0.01	1	1.00	ADVA11C2006A	0.04	-	278	-
BGT	0.93	0.03	754	-	UMS	0.22	(0.02)	68	-	ADVA11P2005A	0.19	0.01	12,294	-
BIZ	3.26	0.10	8,468	3.00	UWC	0.03	-	20,585	-	ADVA13C2004A	0.07	(0.02)	21,120	-
DOD	9.50	(0.30)	124,452	9.00	Services (MAI)	-	-	-	-	ADVA13C2006A	0.67	(0.33)	60,469	-
ECF	1.21	(0.01)	1,774	1.00	A5	-	-	-	-	ADVA13C2007A	0.27	(0.02)	88,927	-
HPT	0.59	0.02	18	-	AKP	1.14	-	1,008	1.00	ADVA13P2003A	0.45	0.03	60,589	-
IP	6.10	(0.10)	8,246	6.00	AMA	5.35	0.49	12,840	5.00	ADVA16C2002A	-	-	-	-
JUBILE	18.20	(0.10)	1,026	18.00	ARIP	0.39	-	685	-	ADVA16C2005A	0.01	-	57	-
MOONG	3.90	0.16	7,497	3.00	ATP30	1.34	-	2,822	1.00	ADVA16C2007A	0.08	(0.01)	1,532	-
NPK	-	-	-	-	AUCT	7.30	(0.15)	15,886	7.00	ADVA19C2002A	-	-	-	-
OCEAN	1.24	0.06	154,119	1.00	BOL	2.92	0.02	2,990	2.00	ADVA19C2005A	0.10	-	20,622	-
TM	2.50	(0.06)	6,568	2.00	CHUO	-	-	-	-	ADVA19C2007A	0.77	(0.04)	12,426	-
Financials (MAI)	-	-	-	-	CMO	1.08	(0.09)	6,854	1.00	ADVA19P2002A	0.07	-	76,850	-
ACAP	1.34	(0.01)	17,988	1.00	D	3.84	-	2,257	3.00	ADVA19P2006A	0.38	0.02	9,367	-
AF	0.62	0.01	42	-	DCORP	0.40	-	22,502	-	ADVA24C2006A	0.21	(0.01)	11,130	-
AIRA	1.11	(0.06)	4	1.00	EFORL	0.05	-	38,952	-	ADVA28C2002A	-	-	-	-
ASN	6.20	0.05	500	6.00	ETE	0.77	(0.02)	700	-	ADVA28C2004A	-	-	-	-
BROOK	0.41	-	10,503	-	FSMART	7.00	(0.05)	4,041	6.00	ADVA28C2005A	-	-	-	-
CHAYO	7.65	(0.20)	220,748	7.00	FVC	0.40	-	906	-	ADVA28P2004A	0.40	0.02	27,210	-
GCAP	2.02	(0.02)	38,100	2.00	GSC	0.73	-	752	-	ADVA41C2004A	-	-	-	-
LIT	4.60	(0.04)	3,686	4.00	HARN	2.32	0.04	24,921	2.00	ADVA41C2005A	-	-	-	-
MITSIB	1.26	(0.08)	21,404	1.00	IMH	2.94	-	3,649	2.00	ADVA41C2006A	-	-	-	-
SGF	0.67	(0.01)	19,600	-	JKN	5.10	0.34	117,900	4.00	ADVA41C2007A	0.20	(0.01)	6,000	-
Industrials (MAI)	-	-	-	-	KIAT	0.31	0.01	6,218	-	ADVA41P2004A	-	-	-	-
2S	1.94	(0.02)	1,460	1.00	KOOL	0.96	(0.02)	6,302	-	ADVA41P2005A	0.45	0.03	30,591	-
ACG	0.93	-	233	-	LDC	1.01	-	3,010	1.00	ADVA42C2003A	-	-	-	-
ADB	0.53	-	98	-	MORE	0.37	-	31,753	-	ADVA42C2005A	0.08	0.01	1,080	-
BM	1.91	(0.01)	154	1.00	MPG	0.31	(0.01)	858	-	AEON01C2005A	0.07	-	11,926	-
CHO	0.55	-	17,442	-	MVP	1.57	(0.03)	220	1.00	AEON13C2003A	-	-	-	-
CHOW	1.50	0.01	1,500	1.00	NBC	0.49	(0.01)	3,655	-	AEON19C2003A	-	-	-	-
CIG	0.20	(0.01)	7,366	-	NCL	0.95	-	83	-	AEON19C2006A	0.32	(0.05)	17,895	-
COLOR	1.05	-	1,016	1.00	NEWS	0.01	-	101,570	-	AMAT01C2004A	0.12	(0.01)	1,440	-
CPR	3.30	(0.02)	361	3.00	NINE	-	-	-	-	AMAT01C2004B	0.06	-	1	-
FPI	2.52	0.02	565	2.00	OTO	3.14	(0.74)	350,318	3.00	AMAT06C2005A	0.08	(0.01)	50	-
GTB	0.67	-	744	-	PHOL	1.88	(0.03)	15,652	1.00	AMAT08C2002A	-	-	-	-
KCM	0.50	0.01	81	-	PICO	4.12	(0.04)	124	4.00	AMAT08C2005A	0.09	-	1	-
KUMWEL	0.72	-	2,455	-	QLT	4.80	(0.06)	153	4.00	AMAT11C2004A	-	-	-	-
KWM	0.81	(0.02)	1,924	-	RP	1.39	0.03	22	1.00	AMAT11C2008A	0.26	(0.03)	18,658	-
MBAX	2.94	(0.02)	56	2.00	SE	1.79	0.01	124	1.00	AMAT13C2004A	-	-	-	-
MGT	1.69	-	1,224	1.00	SONIC	0.96	(0.01)	511	-	AMAT13C2006A	0.17	(0.02)	92,832	-
NDR	1.00	(0.01)	593	1.00	SPA	12.60	(0.20)	2,503	12.00	AMAT16C2003A	-	-	-	-
PDG	2.98	0.02	272	2.00	THMUI	0.53	(0.01)	509	-	AMAT16C2006A	0.04	0.01	616	-
PIMO	1.19	0.01	5,934	1.00	TNDT	3.64	(0.02)	1,392	3.00	AMAT16C2008A	0.39	(0.04)	32,888	-
PJW	1.16	(0.03)	143	1.00	TNH	33.75	(0.25)	228	33.00	AMAT19C2003A	-	-	-	-
PPM	0.67	-	1,047	-	TNP	2.04	-	6,512	2.00	AMAT19C2005A	-	-	-	-
RWI	1.31	(0.06)	422	1.00	TSF	-	-	-	-	AMAT19C2006A	0.29	(0.04)	45,506	-
SALEE	0.81	-	7	-	TVD	1.13	0.03	63,196	1.00	AMAT24C2006A	0.10	(0.01)	10,618	-
SANKO	0.90	(0.03)	3,400	-	TVT	0.59	0.01	1,291	-	AMAT41C2002A	-	-	-	-
SELIC	2.52	(0.02)	784	2.00	VL	1.24	(0.01)	8,823	1.00	AMAT41C2003A	-	-	-	-
SWC	3.50	-	805	3.00	WINNER	2.04	(0.02)	158	2.00	AMAT41C2004A	-	-	-	-
TMC	0.40	-	259	-	YGG	4.94	-	11,107	4.00	AMAT41C2005A	-	-	-	-
TMI	0.72	(0.01)	17,303	-	Technology (MAI)	-	-	-	-	AMAT41C2006A	-	-	-	-
TMW	36.75	0.25	21	36.00	APP	1.99	(0.01)	3,279	1.00	AMAT42C2003A	-	-	-	-
TPAC	9.00	-	121	9.00	COMAN	2.72	0.08	9,337	2.00	AMAT42C2005A	-	-	-	-
TPLAS	1.06	0.01	1,028	1.00	ICN	1.38	-	461	1.00	AMAT42C2007A	0.35	(0.04)	5,780	-
UAC	2.64	0.02	91	2.00	INSET	2.78	0.06	181,741	2.00	ANAN13C2007A	0.10	(0.01)	26	-
UBIS	5.60	0.05	43	5.00	IRCP	0.47	(0.01)	1,844	-	ANAN19C2004A	0.02	(0.01)	870	-
UEC	0.75	(0.04)	14	-	ITEL	2.26	0.04	12,484	2.00	ANAN19C2007A	0.13	(0.01)	11,451	-
UKEM	0.40	(0.01)	36,854	-	NETBAY	32.75	(0.25)	634	32.00	AOT01C2002A	0.12	(0.02)	83,033	-
UREKA	1.01	0.01	45	1.00	PLANET	1.06	(0.01)	1,713	1.00	AOT01C2002B	0.01	-	5,570	-
YUASA	12.30	0.40	1,889	12.00	SIMAT	1.70	0.03	1,334	1.00	AOT01C2004A	0.27	(0.01)	121,234	-
ZIGA	1.06	0.01	601	1.00	SKY	14.80	0.10	798	14.00	AOT01C2004B	0.05	(0.02)	20,870	-
Property & Construc	-	-	-	-	SPVI	2.78	(0.02)	17,847	2.00	AOT01C2006B	0.38	(0.02)	94,233	-
ALL	3.42	-	24,739	3.00	TPS	2.04	0.02	8,615	2.00	AOT01C2007A	0.68	(0.02)	76,604	-
ARIN	0.61	-	270	-	UPA	0.19	-	1,767	-	AOT01P2002A	0.49	0.03	60,961	-
ARROW	8.00	(0.05)	735	8.00	VCOM	2.82	0.04	956	2.00	AOT01P2002B	0.10	(0.01)	40,003	-
BC	1.55	(0.01)	6,941	1.00	Unit Trust	-	-	-	-	AOT01P2004A	1.02	0.03	36,008	1.00
BSM	0.29	(0.02)	6,392	-	MGE	-	-	-	-	AOT01P2004B	0.61	0.03	17,601	-
BTW	0.68	0.04	8,843	-	SCBSET	-	-	-	-	AOT01P2006B	0.46	0.01	64,763	-
CAZ	2.58	(0.26)	26,713	2.00	ETF	-	-	-	-	AOT01P2007A	0.70	0.01	50,945	-
CHEWA	0.42	-	21,158	-	1DIV	9.88	-	911	9.00	AOT06C2003A	-	-	-	-
CMC	0.86	(0.01)	3,072	-	ABFTH	-	-	-	-	AOT06C2007A	0.49	(0.03)	31,660	-
CRD	0.61	0.01	544	-	BMSCG	7.42	0.08	82	7.00	AOT06P2003A	0.10	(0.01)	118,455	-
DIMET	0.49	-	211,557	-	BMSCITH	11.15	(0.08)	1,924	11.00	AOT08C2005A	0.07	(0.01)	15,391	-
FLOYD	1.31	0.01	583	1.00	BSET100	9.85	(0.05)	1,022	9.00	AOT08C2006A	0.20	(0.03)	28,650	-
HYDRO	0.31	-	362	-	CHINA	5.60	(0.08)	185	5.00	AOT08P2004A	0.32	0.01	11,440	-
JSP	0.25	(0.01)	5,996	-	EBANK	-	-	-	-	AOT11C2004A	0.24	(0.02)	24,205	-
K	1.23	0.04	3,360	1.00	ECOMM	7.82	0.18	1	7.00	AOT11P2004A	-	-	-	-
KUN	0.94	(0.02)	16,051	-	EFOOD	5.76	0.06	10	5.00	AOT11P2007A	0.71	0.02	14,690	-
META	1.30	-	6,621	1.00	EICT	4.59	(0.02)	2	4.00	AOT13C2002A	-	-	-	-
PPS	0.40	(0.01)	4,699	-	ENGY	6.23	(0.02)	20	6.00	AOT13C2004A	0.18	(0.02)	36,988	-
PROUD	1.28	(0.03)	40	1.00	ENVY	-	-	-	-	AOT13C2006A	0.39	(0.02)	72,003	-
SMART	0.99	-	60,210	1.00	ESET50	-	-	-	-	AOT13P2002A	-	-	-	-
STAR	3.00	(0.18)	1,234	3.00	GLD	2.05	0.02	755	2.00					

## Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT27C2008A	0.29	(0.02)	13,346	-	BBL13C2004A	0.24	(0.01)	32,054	-	BEC41C2003A	-	-	-	-
AOT28C2002A	-	-	-	-	BBL13C2006A	0.50	(0.01)	65,075	-	BEC42C2003A	-	-	-	-
AOT28C2003A	-	-	-	-	BBL13P2003A	-	-	-	-	BEC42C2005A	0.17	0.02	3,220	-
AOT28C2006A	0.13	(0.02)	7,098	-	BBL13P2004A	0.49	(0.01)	45,989	-	BEM01C2004A	0.24	(0.03)	58,653	-
AOT28C2006B	0.26	(0.02)	29,794	-	BBL16C2006A	0.13	(0.01)	55,182	-	BEM01C2004B	0.11	(0.02)	51,111	-
AOT28P2004A	0.33	0.02	24,680	-	BBL19C2003A	-	-	-	-	BEM01P2004A	0.16	0.03	104,921	-
AOT41C2002A	-	-	-	-	BBL19C2005A	0.22	(0.01)	36,351	-	BEM06C2004A	0.08	(0.02)	9,026	-
AOT41C2003A	0.02	(0.03)	4	-	BBL19P2002A	0.12	-	11,328	-	BEM08C2005A	0.15	(0.04)	16,500	-
AOT41C2004A	-	-	-	-	BBL19P2007A	0.45	(0.55)	7,454	-	BEM11C2003A	0.05	(0.01)	560	-
AOT41C2005A	-	-	-	-	BBL24C2004A	0.31	(0.01)	19,824	-	BEM13C2004A	0.08	(0.03)	72,244	-
AOT41C2006A	-	-	-	-	BBL27C2002A	-	-	-	-	BEM13C2007A	0.20	(0.03)	88,346	-
AOT41C2007A	0.25	(0.01)	100	-	BBL28C2003A	-	-	-	-	BEM16C2006A	0.22	(0.04)	7,372	-
AOT41P2002A	-	-	-	-	BBL28C2005A	0.16	(0.01)	14,306	-	BEM19C2005A	0.15	(0.02)	10,993	-
AOT41P2004A	-	-	-	-	BBL28C2007A	0.39	(0.01)	36,197	-	BEM24C2003A	0.03	-	10	-
AOT41P2005A	0.93	0.03	8,084	-	BBL41C2003A	-	-	-	-	BEM28C2002A	-	-	-	-
AOT41P2006A	0.54	0.01	24,950	-	BBL41C2004A	-	-	-	-	BEM28C2006A	0.12	(0.01)	5,047	-
AOT42C2006A	0.17	0.02	1,221	-	BBL41C2005A	-	-	-	-	BEM41C2002A	-	-	-	-
AOT42P2003A	-	-	-	-	BBL41C2006A	-	-	-	-	BEM41C2004A	-	-	-	-
AP16C2002A	-	-	-	-	BBL41C2007A	0.41	-	28,211	-	BEM41C2006A	-	-	-	-
AP19C2002A	-	-	-	-	BBL41P2002A	-	-	-	-	BEM41P2003A	-	-	-	-
AP28C2004A	0.17	(0.01)	15,905	-	BBL41P2004A	0.49	0.01	14,884	-	BEM41P2004A	-	-	-	-
AP28C2006A	0.15	(0.01)	3,021	-	BBL41P2006A	0.66	-	29,860	-	BGR101C2003A	0.71	(0.11)	46,911	-
AWC01C2003A	0.15	(0.01)	90,135	-	BBL42C2003A	-	-	-	-	BGR101C2003B	0.33	(0.09)	84,525	-
AWC01C2003B	-	-	-	-	BBL42C2005A	0.16	0.01	5,280	-	BGR101C2006A	0.54	(0.07)	114,580	-
AWC01C2004A	0.09	-	46,066	-	BCH01C2006A	0.28	(0.01)	42,297	-	BGR101C2006B	0.25	(0.06)	136,238	-
AWC01P2003A	0.37	(0.01)	33,557	-	BCH01C2006B	0.14	(0.01)	28,583	-	BGR101P2003A	0.08	0.01	13,697	-
AWC01P2003B	0.06	-	10	-	BCH01P2006A	0.64	0.01	9,521	-	BGR101P2006A	0.72	0.06	306,481	-
AWC01P2007A	0.37	(0.02)	10,922	-	BCH06C2006A	0.19	-	6,080	-	BGR106C2005A	0.38	(0.09)	41,346	-
AWC06C2002A	0.01	-	3,500	-	BCH06P2006A	0.44	0.02	3,900	-	BGR108C2003A	-	-	-	-
AWC06C2004A	0.18	-	31,126	-	BCH08C2004A	0.10	-	8,800	-	BGR108C2005A	0.46	(0.06)	54,305	-
AWC06P2002A	0.14	0.01	3,825	-	BCH11C2008A	0.27	(0.01)	12,800	-	BGR111C2006A	0.99	(0.10)	10,512	1.00
AWC08C2004A	0.08	-	1,600	-	BCH13C2004A	0.07	-	3,000	-	BGR111C2008A	0.44	(0.04)	52,921	-
AWC13C2002A	0.01	-	10,588	-	BCH13C2007A	0.31	(0.01)	29,117	-	BGR13C2002A	0.38	(0.15)	5,613	-
AWC13C2003A	0.06	-	4,290	-	BCH16C2006A	-	-	-	-	BGR13C2004A	0.27	(0.07)	293,553	-
AWC13C2006A	0.14	(0.01)	13,164	-	BCH19C2005A	-	-	-	-	BGR13C2006A	0.31	(0.06)	117,530	-
AWC13P2003A	-	-	-	-	BCH19C2006A	0.25	(0.01)	4,932	-	BGR113P2005A	0.39	0.06	274,124	-
AWC13P2006A	0.34	(0.01)	39,958	-	BCH24C2003A	0.06	(0.01)	20	-	BGR16C2005A	0.45	(0.10)	66,002	-
AWC16C2005A	-	-	-	-	BCH27C2003A	0.13	(0.01)	7,800	-	BGR19C2004A	0.71	(0.09)	4,845	-
AWC16C2007A	0.11	(0.01)	18,682	-	BCH41C2005A	-	-	-	-	BGR19C2005A	0.41	(0.07)	5,271	-
AWC19C2003A	0.06	-	210	-	BCH41C2006A	0.18	(0.01)	7,984	-	BGR19C2006A	0.28	(0.03)	9,670	-
AWC19C2004A	0.05	-	2	-	BCH42C2002A	-	-	-	-	BGR124C2004A	0.67	(0.08)	39,089	-
AWC19C2006A	0.15	-	13,250	-	BCH42C2006A	-	-	-	-	BGR127P2006A	0.32	0.03	18,630	-
AWC24C2007A	0.09	-	1	-	BCH9C2005A	0.58	(0.10)	39,642	-	BGR128C2002A	-	-	-	-
AWC28C2003A	-	-	-	-	BCH9C2006A	0.10	(0.03)	15,688	-	BGR128C2003A	-	-	-	-
AWC28C2003B	-	-	-	-	BCP01P2005A	0.19	0.03	58,166	-	BGR128C2003B	-	-	-	-
AWC28C2003C	0.08	(0.01)	3,029	-	BCP11C2004A	-	-	-	-	BGR141C2002A	-	-	-	-
AWC28C2006A	0.15	-	4,056	-	BCP13C2003A	-	-	-	-	BGR141C2004A	-	-	-	-
AWC28P2003A	-	-	-	-	BCP13C2007A	0.19	(0.03)	30,378	-	BGR141C2005A	0.39	(0.07)	45,380	-
AWC41C2003A	-	-	-	-	BCP19C2004A	-	-	-	-	BGR141C2006A	0.39	(0.05)	12,429	-
AWC41C2004A	-	-	-	-	BCP19C2005A	0.13	(0.03)	42,073	-	BGR141P2004A	0.11	-	100	-
AWC41C2005A	0.21	(0.01)	9,601	-	BCE24C2004A	-	-	-	-	BGR141P2005A	0.37	0.04	200	-
AWC41C2006A	-	-	-	-	BCEP01C2005A	0.32	(0.01)	133,576	-	BGR141P2006A	0.82	0.04	15,796	-
AWC41C2007A	0.20	0.01	70	-	BCEP01C2005B	0.12	(0.01)	44,295	-	BGR142C2006A	0.29	(0.08)	17,268	-
AWC42C2003A	-	-	-	-	BCEP01P2005A	0.32	0.02	74,011	-	BGR142C2006A	0.25	(0.04)	7,003	-
BANP01C2002A	0.04	-	1,220	-	BCEP06C2002A	-	-	-	-	BH01C2004A	0.52	(0.09)	55,878	-
BANP01C2002B	0.01	-	100	-	BCEP13C2004A	0.10	-	247,781	-	BH01C2004B	0.17	(0.06)	78,241	-
BANP01C2005A	0.15	(0.01)	112,072	-	BCEP13C2007A	0.34	(0.01)	595,925	-	BH01P2004A	0.56	0.07	48,151	-
BANP01C2005B	-	-	-	-	BCEP19C2003A	-	-	-	-	BH11C2002A	-	-	-	-
BANP01P2002A	0.44	-	4,845	-	BCEP19C2005A	0.23	(0.02)	77,420	-	BH11C2008A	0.33	(0.09)	27,651	-
BANP01P2002B	0.36	(0.01)	10,694	-	BCEP28C2002A	-	-	-	-	BH13C2002A	-	-	-	-
BANP01P2005A	0.48	-	5,087	-	BCEP28C2003A	-	-	-	-	BH13C2006A	0.25	(0.06)	77,500	-
BANP01P2005B	0.25	-	48,333	-	BCEP28C2004A	0.07	(0.01)	61,686	-	BH19C2002A	-	-	-	-
BANP06C2002A	-	-	-	-	BCEP28C2005A	-	-	-	-	BH19C2003A	0.16	(0.08)	61,721	-
BANP06C2005A	-	-	-	-	BCEP41C2002A	-	-	-	-	BH19C2006A	0.29	(0.06)	9,930	-
BANP08C2002A	-	-	-	-	BCEP41C2005A	0.21	(0.01)	8,384	-	BH24C2003A	0.16	(0.08)	13,773	-
BANP08C2005A	-	-	-	-	BCEP42C2004A	-	-	-	-	BH27C2007A	0.34	(0.09)	28,990	-
BANP08C2007A	-	-	-	-	BCEP42C2007A	0.28	(0.03)	19,788	-	BH41C2003A	-	-	-	-
BANP08P2003A	0.49	(0.01)	500	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH41C2004A	-	-	-	-
BANP11C2004A	-	-	-	-	BCEP42C2007A	0.28	(0.03)	19,788	-	BH41C2005A	0.25	(0.08)	9,985	-
BANP11C2008A	0.12	-	11,808	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH41C2006A	0.22	(0.06)	14,480	-
BANP13C2003A	-	-	-	-	BCEP42C2007A	0.28	(0.03)	19,788	-	BH41P2004A	0.20	0.04	6	-
BANP13C2006A	0.07	-	1,000	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH41P2006A	0.72	0.10	4,500	-
BANP19C2002A	-	-	-	-	BCEP42C2007A	0.28	(0.03)	19,788	-	BH42C2003A	0.03	(0.05)	19,100	-
BANP19C2004A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP19C2005A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP19C2007A	0.18	-	2,254	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP19P2003A	0.34	(0.01)	2,632	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP24C2003A	0.01	-	100	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP27C2007A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP28C2002A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP28C2003A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP28C2004A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP41C2003A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP41C2004A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP41C2005A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP41C2006A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP41P2005A	0.38	0.01	3,200	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP41P2007A	0.50	0.01	2,827	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP42C2004A	-	-	-	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09	(0.01)	6,595	-
BANP42C2006A	0.15	-	753	-	BCEP42C2007A	0.40	(0.06)	6,515	-	BH42C2006A	0.09			

## Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BPP01P2005A	0.54	(0.02)	20,494	-	CK16C2006A	0.30	(0.02)	104,780	-	CPF16C2007A	0.25	0.01	12,168	-
BPP13C2004A	-	-	-	-	CK19C2002A	-	-	-	-	CPF19C2003A	0.10	(0.02)	8,115	-
BPP13C2007A	0.33	0.01	86,837	-	CK19C2003A	0.03	-	1,537	-	CPF19C2005A	0.28	-	2,089	-
BPP19C2002A	-	-	-	-	CK19C2004A	0.40	(0.03)	37,807	-	CPF19C2006A	0.15	(0.01)	12,770	-
BPP19C2005A	-	-	-	-	CK24C2003A	-	-	-	-	CPF19P2002A	-	-	-	-
BPP19C2007A	0.35	0.01	18,553	-	CK27C2008A	0.57	(0.04)	23,930	-	CPF24C2007A	0.33	-	14,210	-
BPP24C2003A	-	-	-	-	CK41C2003A	0.34	(0.04)	5,586	-	CPF28C2004A	0.21	(0.01)	19,636	-
BTS01C2005A	0.26	-	108,713	-	CK41C2004A	0.18	(0.03)	1,102	-	CPF41C2002A	-	-	-	-
BTS01C2005B	0.09	(0.02)	94,091	-	CK41C2005A	-	-	-	-	CPF41C2004A	-	-	-	-
BTS01P2005A	0.23	0.01	48,284	-	CKP01C2004A	0.03	-	1,772	-	CPF41C2005A	-	-	-	-
BTS08C2005A	0.08	(0.01)	3,625	-	CKP01C2004B	-	-	-	-	CPF41P2003A	-	-	-	-
BTS11C2003A	0.14	-	22,014	-	CKP01P2004A	0.68	(0.03)	46,524	-	CPF41P2005A	-	-	-	-
BTS13C2003A	0.07	(0.01)	1	-	CKP08C2004A	0.01	(0.01)	11,979	-	CPF42C2003A	0.07	-	15,245	-
BTS13C2006A	0.17	(0.01)	18,839	-	CKP11C2006A	-	-	-	-	CPN01C2005A	0.52	(0.01)	80,171	-
BTS16C2008A	0.13	(0.01)	19,405	-	CKP13C2003A	-	-	-	-	CPN01C2005B	0.18	(0.02)	103,515	-
BTS19C2002A	-	-	-	-	CKP13C2004A	0.03	-	2,000	-	CPN01P2005A	0.40	(0.01)	115,533	-
BTS19C2005A	0.15	(0.02)	2,050	-	CKP13C2004B	0.16	0.01	42,397	-	CPN06C2006A	0.35	(0.02)	25,534	-
BTS19P2002A	-	-	-	-	CKP13C2007A	0.57	0.02	99,283	-	CPN11C2006A	0.11	(0.01)	13,000	-
BTS24C2007A	0.19	(0.01)	15,210	-	CKP16C2005A	-	-	-	-	CPN11C2008A	0.47	(0.02)	47,209	-
BTS41C2003A	-	-	-	-	CKP16C2007A	0.17	0.01	64,993	-	CPN13C2004A	0.14	-	11,099	-
BTS41C2004A	-	-	-	-	CKP19C2003A	-	-	-	-	CPN13C2007A	0.49	(0.01)	136,293	-
BTS41C2006A	-	-	-	-	CKP19C2005A	-	-	-	-	CPN16C2005A	0.39	-	39,286	-
BTS41P2004A	0.23	0.02	14,076	-	CKP19C2006A	0.27	0.01	13,464	-	CPN19C2002A	-	-	-	-
BTS42C2003A	-	-	-	-	CKP24C2006A	0.13	-	14,017	-	CPN19C2004A	0.17	(0.01)	15,300	-
CBG01C2004A	0.93	0.02	65,753	-	CKP27C2005A	-	-	-	-	CPN24C2002A	-	-	-	-
CBG01C2004B	0.32	0.01	88,514	-	CKP28C2003A	-	-	-	-	CPN24C2007A	0.64	0.03	20,076	-
CBG01P2003A	0.04	(0.02)	1,670	-	CKP28C2004A	-	-	-	-	CPN41C2003A	-	-	-	-
CBG01P2004A	0.48	(0.03)	44,647	-	CKP28C2006A	-	-	-	-	CPN41C2004A	-	-	-	-
CBG06C2005A	0.70	0.02	34,180	-	CKP28C2006A	0.21	0.01	24,903	-	CPN41C2006A	0.36	(0.01)	45,336	-
CBG08C2003A	0.48	0.02	32,814	-	CKP41C2002A	-	-	-	-	CPN41P2003A	0.05	(0.01)	998	-
CBG11C2002A	0.28	0.01	3,600	-	CKP41C2004A	-	-	-	-	CPN41P2005A	0.40	0.01	8,063	-
CBG11C2008A	1.10	0.03	28,064	1.00	CKP41C2005A	-	-	-	-	CPN41P2006A	-	-	-	-
CBG13C2004A	0.47	0.01	98,985	-	CKP41C2006A	-	-	-	-	CPN42C2002A	-	-	-	-
CBG13P2006A	0.76	(0.03)	71,284	-	CKP41C2007A	0.51	0.03	16,250	-	CPN42C2004A	-	-	-	-
CBG16C2008A	0.83	0.03	62,770	-	CKP42C2003A	-	-	-	-	CPN42C2006A	0.39	(0.03)	8,237	-
CBG19C2004A	0.42	0.01	61,968	-	CKP42C2005A	0.04	(0.96)	400	-	DTAC01C2004A	0.15	0.03	305,343	-
CBG19C2005A	0.75	0.03	32,949	-	CKP42C2006A	0.24	-	13,480	-	DTAC01C2004B	0.03	-	680	-
CBG19P2002A	-	-	-	-	COM708C2002A	-	-	-	-	DTAC01C2007B	0.30	(0.70)	164,840	-
CBG19P2006A	0.83	(0.04)	22,374	-	COM708C2007A	0.20	-	46,723	-	DTAC01C2008A	0.50	(0.50)	121,675	-
CBG24C2003A	0.33	0.02	15,755	-	COM711C2004A	-	-	-	-	DTAC01P2004A	1.31	(0.16)	19,459	1.00
CBG41C2002A	-	-	-	-	COM713C2004A	0.08	-	2,000	-	DTAC01P2004B	0.93	(0.15)	37,120	-
CBG41C2003A	0.42	0.02	22,758	-	COM713C2007A	0.18	-	24,504	-	DTAC01P2007B	0.54	(0.46)	76,609	-
CBG41C2004A	0.51	0.02	47,928	-	COM716C2008A	0.11	(0.01)	6,948	-	DTAC01P2008A	0.63	(0.37)	99,180	-
CBG41C2005A	1.01	0.03	1,225	1.00	COM719C2003A	0.21	(0.02)	2,567	-	DTAC06C2006A	0.09	0.02	14,955	-
CBG41C2006A	0.88	0.02	129,675	-	COM719C2005A	0.10	-	19,901	-	DTAC08C2005A	-	-	-	-
CBG41P2003A	0.11	(0.02)	10,933	-	COM719P2004A	0.18	0.01	12,516	-	DTAC08C2005B	0.12	0.02	20,400	-
CBG41P2004A	0.67	(0.04)	8,589	-	COM724C2007A	0.18	-	6,831	-	DTAC08C2007A	0.30	0.05	33,701	-
CBG41P2006A	0.79	(0.04)	20,067	-	COM741C2002A	-	-	-	-	DTAC08P2002A	1.09	(0.11)	1	1.00
CBG42C2003A	0.12	-	5,120	-	COM741C2004A	-	-	-	-	DTAC11C2002A	-	-	-	-
CENT01C2003A	-	-	-	-	COM741C2006A	-	-	-	-	DTAC13C2003A	-	-	-	-
CENT01C2003B	-	-	-	-	COM742C2002A	-	-	-	-	DTAC13C2006A	0.11	0.02	69,249	-
CENT01C2006A	0.32	-	167,088	-	COM742C2004A	-	-	-	-	DTAC13C2007A	0.26	0.05	121,665	-
CENT01C2006B	0.05	(0.01)	280	-	CPAL01C2002A	0.01	-	5,051	-	DTAC13P2003A	-	-	-	-
CENT01P2003A	0.71	-	75,333	-	CPAL01C2002B	-	-	-	-	DTAC13P2006A	0.70	(0.14)	4,137	-
CENT06C2003A	-	-	-	-	CPAL01C2004A	0.22	(0.01)	73,196	-	DTAC13P2007A	0.19	(0.02)	10,186	-
CENT06C2006A	0.27	(0.02)	74,881	-	CPAL01C2004B	0.10	(0.01)	65,396	-	DTAC13P2008A	0.55	(0.08)	83,530	-
CENT06P2007A	0.38	0.02	52,972	-	CPAL01C2006A	0.50	(0.02)	97,110	-	DTAC19C2005A	0.08	0.03	4,440	-
CENT08C2004A	-	-	-	-	CPAL01C2006B	0.28	(0.02)	139,634	-	DTAC19C2006A	0.20	0.03	68,819	-
CENT11C2004A	0.01	-	100	-	CPAL01P2002A	1.39	0.07	6,076	1.00	DTAC19P2002A	0.89	(0.15)	14,439	-
CENT11C2007A	-	-	-	-	CPAL01P2002B	0.77	0.06	13,638	-	DTAC19P2007A	0.42	(0.58)	17,790	-
CENT13C2003A	-	-	-	-	CPAL01P2004A	0.93	0.01	32,902	-	DTAC24C2004A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL01P2004B	0.42	0.02	138,107	-	DTAC27C2002A	-	-	-	-
CENT13C2006A	0.32	-	38,958	-	CPAL06C2006A	0.35	(0.03)	15,019	-	DTAC27C2008A	0.42	0.05	53,166	-
CENT19C2004A	0.02	(0.01)	3	-	CPAL08C2004A	0.08	(0.01)	50	-	DTAC27P2002A	0.08	(0.05)	71,112	-
CENT19C2005A	0.20	-	4	-	CPAL08C2006A	0.24	(0.02)	15,000	-	DTAC41C2002A	-	-	-	-
CENT24C2003A	-	-	-	-	CPAL08P2002A	0.45	(0.03)	1,500	-	DTAC41C2004A	-	-	-	-
CENT24C2008A	-	-	-	-	CPAL08P2006A	0.52	0.02	14,000	-	DTAC41C2005A	-	-	-	-
CENT27C2008A	-	-	-	-	CPAL11C2006A	-	-	-	-	DTAC41C2006A	0.12	0.04	315	-
CENT28C2004A	0.02	0.01	250	-	CPAL11C2007A	0.27	(0.01)	52,592	-	DTAC41C2007A	0.28	0.04	49,113	-
CENT28C2005A	-	-	-	-	CPAL13C2002A	-	-	-	-	DTAC41P2002A	-	-	-	-
CENT28C2006A	0.24	(0.01)	24,741	-	CPAL13C2004A	0.23	(0.02)	21,216	-	DTAC41P2005A	0.39	(0.07)	38,156	-
CENT41C2003A	-	-	-	-	CPAL13C2007A	0.48	(0.52)	35,077	-	DTAC41P2006A	-	-	-	-
CENT41C2004A	-	-	-	-	CPAL13P2003A	0.51	0.04	39,916	-	DTAC42C2004A	0.02	(0.01)	800	-
CENT41C2005A	-	-	-	-	CPAL16C2006A	0.17	(0.02)	10,296	-	DTAC42C2006A	0.28	0.04	37,005	-
CENT41C2006A	0.39	(0.01)	37,818	-	CPAL16C2007A	0.29	(0.02)	54,073	-	EA06C2002A	-	-	-	-
CENT41P2002A	-	-	-	-	CPAL19C2002A	-	-	-	-	EA06C2005A	0.57	(0.02)	19,084	-
CENT41P2003A	0.63	0.01	847	-	CPAL19C2004A	-	-	-	-	EA08C2004A	0.18	-	28,281	-
CENT42C2002A	-	-	-	-	CPAL19C2005A	0.23	(0.02)	11,086	-	EA08C2006A	0.80	-	31,011	-
CENT42C2004A	-	-	-	-	CPAL19P2004A	0.28	0.02	13,609	-	EA11C2005A	0.40	-	53,245	-
CENT42C2006A	0.23	(0.01)	3,380	-	CPAL24C2005A	-	-	-	-	EA13C2003A	0.31	(0.02)	97,802	-
CHG01C2006A	0.35	-	33,422	-	CPAL28C2003A	-	-	-	-	EA13C2005A	0.54	(0.01)	151,874	-
CHG01C2006B	0.19	-	21,316	-	CPAL28C2003B	-	-	-	-	EA13P2003A	0.04	-	3,650	-
CHG01P2006A	0.35	-	14,080	-	CPAL28C2004A	-	-	-	-	EA13P2006A	0.48	-	52,103	-
CHG06C2002A	-	-	-	-	CPAL28C2005A	0.18	(0.02)	6,084	-	EA16C2003A	0.02	-	190	-
CHG06P2003A	-	-	-	-	CPAL41C2002A	-	-	-	-	EA16C2006A	0.31	(0.01)	84,295	-
CHG08C2005A	0.16	(0.01)	5,420	-	CPAL41C2003A	-	-	-	-	EA16C2008A	0.51	(0.02)	116,593	-
CHG13C2003A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA19C2002A	0.03	(0.01)	4,370	-
CHG13C2006A	0.27	(0.01)	55,916	-	CPAL41C2005A	0.24	(0.02)	38,040	-	EA19C2004A	0.41	(0.02)	19,682	-
CHG16C2002A	0.07	(0.01)	2,208	-	CPAL41C2006A	-	-	-	-	EA19P2002A	0.02	(0.01)	300	-
CHG19C2004A	0.24	(0.01)	8,599	-	CPAL41P2003A	-	-	-	-	EA19P2007A	0.47	(0.53)	14,973	

Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA42C2004A	0.35	0.01	5,610	-	GPSC41C2005A	0.31	(0.03)	34,119	-	HSI28C2002C	0.15	(0.03)	2,000	-
EGCO01C2004A	0.13	(0.03)	22,579	-	GPSC41C2006A	0.33	(0.04)	109,740	-	HSI28C2003A	0.54	(0.05)	228,899	-
EGCO01C2004B	0.02	-	30,301	-	GPSC41P2003A	-	-	-	-	HSI28C2003B	0.25	(0.05)	3,180	-
EGCO06C2004A	0.02	(0.02)	111	-	GPSC41P2004A	0.97	0.08	25,928	-	HSI28C2003C	0.12	(0.03)	5,562	-
EGCO06C2007A	0.33	(0.05)	30,421	-	GPSC41P2005A	1.04	0.06	53,399	1.00	HSI28C2004A	2.00	(0.14)	10,462	2.00
EGCO06P2004A	0.85	0.09	29,269	-	GPSC42C2002A	0.01	(0.02)	1,000	-	HSI28C2004B	1.39	(0.10)	30,435	1.00
EGCO13C2002A	-	-	-	-	GPSC42P2006A	0.69	0.05	20,466	-	HSI28C2004C	0.91	(0.05)	213,092	-
EGCO13C2005A	0.24	(0.03)	73,064	-	GULF01C2003A	1.22	(0.04)	55,564	1.00	HSI28P2002A	0.12	0.01	10,252	-
EGCO19C2002A	-	-	-	-	GULF01C2003B	0.43	(0.04)	201,628	-	HSI28P2002B	0.05	0.01	1	-
EGCO19C2005A	0.14	(0.03)	5,057	-	GULF01C2005A	1.39	(0.04)	43,639	1.00	HSI28P2002C	-	-	-	-
EGCO41C2002A	0.01	-	776	-	GULF01C2005B	0.93	(0.05)	52,554	-	HSI28P2003A	0.55	0.03	88,761	-
EGCO41C2003A	0.01	(0.02)	100	-	GULF01C2007A	0.41	(0.02)	69,177	-	HSI28P2003B	0.91	0.06	80,774	-
EGCO41C2004A	-	-	-	-	GULF01P2003A	0.05	-	74,703	-	HSI28P2003C	1.34	(0.07)	2	1.00
EGCO41C2006A	0.28	(0.04)	27,302	-	GULF01P2003B	0.04	-	115	-	HSI28P2004A	0.30	0.02	2,972	-
EGCO41P2002A	0.09	-	400	-	GULF01P2005A	0.62	-	605,225	-	HSI28P2004B	0.45	0.01	1,571	-
EGCO41P2004A	1.02	0.08	14,872	1.00	GULF03C2005A	0.68	(0.02)	15,460	-	HSI28P2004C	0.68	0.04	65,376	-
EGCO41P2006A	0.67	0.03	18,798	-	GULF06C2004A	1.44	(0.08)	14,310	1.00	INTU01C2003A	0.04	-	1,001	-
EGCO42C2003A	-	-	-	-	GULF08C2003A	0.91	0.02	1,800	-	INTU01C2003B	0.02	-	200	-
EGCO42C2007A	0.20	(0.03)	4,627	-	GULF11C2003A	2.44	(0.02)	3,000	2.00	INTU01C2006A	0.34	(0.01)	43,207	-
EPG08C2004A	0.03	-	400	-	GULF11C2006A	1.03	(0.03)	52,154	1.00	INTU01C2006B	0.16	(0.01)	35,672	-
EPG13C2004A	-	-	-	-	GULF13C2004A	0.82	(0.04)	92,375	-	INTU01P2003A	1.23	0.03	9,364	1.00
EPG13C2006A	0.06	(0.02)	48,698	-	GULF13C2006A	0.73	(0.03)	420,828	-	INTU01P2003B	0.38	-	40,271	-
EPG19C2002A	-	-	-	-	GULF13C2006B	0.29	(0.01)	55,766	-	INTU01P2006A	0.87	-	37,743	-
EPG19C2005A	0.04	(0.01)	5,655	-	GULF13P2002A	-	-	-	-	INTU01P2006B	0.51	0.01	93,768	-
EPG19C2007A	0.13	(0.02)	22,205	-	GULF13P2004A	0.20	-	204,994	-	INTU13C2002A	-	-	-	-
EPG19P2002A	0.45	0.08	24,040	-	GULF13P2005A	0.60	0.01	951,789	-	INTU13C2004A	0.07	(0.01)	1,000	-
EPG24C2008A	0.21	(0.03)	23,465	-	GULF16C2003A	0.66	(0.04)	48,556	-	INTU13C2006A	0.27	(0.01)	50,696	-
ERW06C2006A	0.03	(0.02)	38,961	-	GULF16C2007A	1.19	(0.05)	3,156	1.00	INTU13P2004A	0.34	0.01	25,975	-
ERW06C2007A	0.54	(0.06)	9,244	-	GULF19C2003A	1.00	(0.02)	4,740	-	INTU16C2005A	-	-	-	-
ERW06P2006A	0.52	0.03	20,662	-	GULF19C2004A	0.54	(0.03)	39,977	-	INTU16C2007A	0.10	-	4,772	-
ERW13C2005A	0.03	-	170	-	GULF19C2006A	0.26	(0.01)	12,450	-	INTU19C2004A	-	-	-	-
ERW13C2006A	0.08	(0.01)	28,651	-	GULF19P2003A	0.02	(0.01)	502	-	INTU19C2005A	0.16	(0.01)	18,982	-
ERW13C2007A	0.45	(0.04)	23,017	-	GULF19P2006A	0.57	0.02	60,727	-	INTU19P2002A	0.18	-	9,140	-
ERW19C2005A	-	-	-	-	GULF24C2002A	-	-	-	-	INTU19P2007A	0.30	(0.70)	16,891	-
ERW19C2006A	0.09	(0.01)	12,381	-	GULF24C2005A	1.14	(0.04)	33,231	1.00	INTU23C2111A	-	-	-	-
ERW19C2007A	0.45	(0.03)	14,255	-	GULF27C2004A	-	-	-	-	INTU24C2003A	-	-	-	-
ERW24C2006A	0.60	(0.03)	4,000	-	GULF28C2003A	0.33	(0.02)	32,920	-	INTU28C2003A	-	-	-	-
ESS001C2004A	0.24	(0.01)	71,934	-	GULF28C2003B	0.25	(0.03)	63,234	-	INTU41C2003A	-	-	-	-
ESS001C2004B	0.13	(0.01)	46,056	-	GULF28C2006A	0.14	-	18,572	-	INTU41C2004A	-	-	-	-
ESS008C2004A	0.21	(0.02)	20,950	-	GULF41C2002A	-	-	-	-	INTU41C2005A	-	-	-	-
ESS011C2002A	-	-	-	-	GULF41C2003A	-	-	-	-	INTU41C2006A	0.17	(0.02)	15,970	-
ESS013C2003A	0.05	-	535	-	GULF41C2004A	0.56	(0.04)	5,988	-	INTU41C2007A	-	-	-	-
ESS013C2006A	0.28	(0.01)	52,027	-	GULF41C2005A	0.59	(0.02)	209,328	-	INTU41P2003A	-	-	-	-
ESS019C2004A	0.13	(0.01)	12,945	-	GULF41C2006A	-	-	-	-	INTU41P2004A	-	-	-	-
ESS019C2007A	0.51	(0.02)	14,161	-	GULF41P2002A	-	-	-	-	INTU41P2005A	0.57	0.01	8,982	-
ESS024C2003A	0.05	0.01	6,145	-	GULF41P2003A	-	-	-	-	INTU41P2006A	0.58	0.01	2,000	-
ESS024C2007A	0.45	(0.02)	10,500	-	GULF41P2004A	0.35	(0.02)	5,092	-	INTU42C2003A	-	-	-	-
ESS041C2002A	-	-	-	-	GULF41P2005A	0.27	(0.01)	500	-	INTU42C2005A	0.11	0.01	100	-
ESS041C2003A	-	-	-	-	GULF41P2006A	-	-	-	-	IRPC01C2002A	0.01	-	64,957	-
ESS041C2004A	0.19	(0.01)	10,320	-	GULF41P2007A	0.93	0.01	36,401	-	IRPC01C2002B	0.02	-	81,661	-
ESS041C2005A	0.20	-	2,200	-	GULF42C2002A	-	-	-	-	IRPC01C2005A	0.09	-	21,058	-
ESS041C2006A	-	-	-	-	GULF42C2003A	0.28	(0.01)	13,098	-	IRPC01C2005B	0.03	(0.01)	1,000	-
ESS042C2003A	-	-	-	-	GUNK01C2005A	0.20	-	29,903	-	IRPC01C2007B	0.41	-	90,226	-
ESS042C2007A	0.50	(0.02)	1,963	-	GUNK01C2005B	0.07	-	201	-	IRPC01P2002A	0.86	0.02	13,483	-
GFPT13C2003A	0.04	-	965	-	GUNK01P2005A	0.37	-	31,907	-	IRPC01P2005A	1.20	0.01	16,320	1.00
GFPT19C2004A	0.04	(0.01)	9,610	-	GUNK11C2007A	0.11	-	15,000	-	IRPC01P2005B	0.72	0.01	50,347	-
GFPT19C2006A	0.20	0.01	44,274	-	GUNK13C2003A	-	-	-	-	IRPC06C2005A	0.05	-	16,272	-
GFPT24C2007A	0.20	-	20,671	-	GUNK13C2006A	0.17	(0.02)	40,121	-	IRPC06C2007A	0.25	(0.01)	119,843	-
GFPT42C2004A	0.06	(0.01)	1,800	-	GUNK16C2002A	-	-	-	-	IRPC06P2004A	0.48	0.01	16,334	-
GLOB01C2003A	0.05	(0.01)	1,137	-	GUNK19C2003A	0.02	(0.01)	10,000	-	IRPC11C2005A	-	-	-	-
GLOB01C2007B	0.24	(0.76)	581,431	-	GUNK19C2006A	0.20	-	15,523	-	IRPC11C2008A	0.09	-	1,102	-
GLOB01C2008A	0.38	(0.62)	425,614	-	GUNK24C2006A	0.15	-	25,811	-	IRPC13C2003A	0.01	-	1,000	-
GLOB01P2003A	0.38	0.02	214,824	-	GUNK28C2002A	-	-	-	-	IRPC13C2006A	0.09	(0.01)	64,645	-
GLOB06C2002A	-	-	-	-	GUNK28C2003A	-	-	-	-	IRPC13C2007A	0.29	(0.01)	261,494	-
GLOB06C2006A	0.20	(0.03)	35,347	-	GUNK28C2005A	0.08	(0.01)	210	-	IRPC19C2003A	-	-	-	-
GLOB11C2002A	-	-	-	-	GUNK41C2002A	-	-	-	-	IRPC19C2005A	0.09	-	1,801	-
GLOB13C2002A	-	-	-	-	GUNK41C2003A	-	-	-	-	IRPC19C2007A	0.38	-	6,448	-
GLOB13C2007A	0.24	(0.01)	158,739	-	GUNK41C2005A	0.12	(0.04)	8,880	-	IRPC24C2002A	-	-	-	-
GLOB19C2002A	-	-	-	-	GUNK41P2005A	-	-	-	-	IRPC24C2004A	0.04	-	2,000	-
GLOB19C2005A	0.08	(0.03)	83,395	-	GUNK42C2003A	-	-	-	-	IRPC27C2007A	0.09	(0.01)	4,400	-
GLOB24C2005A	0.08	(0.01)	18,502	-	HANA01C2006A	0.48	(0.05)	168,246	-	IRPC28C2003A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA01C2006B	0.21	(0.06)	423,811	-	IRPC28C2003B	-	-	-	-
GPSC01C2003A	0.32	(0.05)	377,267	-	HANA01P2006A	0.28	0.02	92,552	-	IRPC41C2003A	0.01	-	1	-
GPSC01C2003B	0.08	(0.01)	102,590	-	HANA11C2008A	0.33	(0.06)	45,075	-	IRPC41C2004A	-	-	-	-
GPSC01C2005A	0.53	(0.04)	376,928	-	HANA13C2002A	-	-	-	-	IRPC41C2005A	-	-	-	-
GPSC01C2005B	0.21	(0.04)	287,529	-	HANA13C2006A	0.21	(0.05)	168,941	-	IRPC41C2006A	0.24	(0.01)	10,160	-
GPSC01P2003A	0.59	0.05	249,895	-	HANA19C2003A	0.43	(0.08)	4,666	-	IRPC41P2004A	0.26	(0.02)	8,000	-
GPSC01P2005A														

## Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL13P2004A	0.16	0.01	69,164	-	KCE24C2005A	1.48	0.42	35,287	1.00	MINT41C2005A	-	-	-	-
IVL16C2006A	0.15	(0.01)	41,086	-	KCE27C2007A	0.42	0.16	112,875	-	MINT41P2004A	0.31	0.03	2,100	-
IVL19C2002A	-	-	-	-	KCE28C2003A	1.12	0.48	20,011	-	MINT42C2002A	-	-	-	-
IVL19C2003A	-	-	-	-	KCE28C2003B	-	-	-	-	MINT42C2004A	0.02	(0.01)	400	-
IVL19C2004A	0.29	(0.02)	33,455	-	KCE41C2002A	-	-	-	-	MTC01C2003A	0.68	0.01	53,642	-
IVL19C2006A	0.23	(0.03)	26,210	-	KCE41C2003A	-	-	-	-	MTC01C2003B	0.27	(0.01)	69,825	-
IVL19P2003A	-	-	-	-	KCE41C2005A	0.83	0.25	69,837	-	MTC01C2007B	0.51	(0.49)	58,740	-
IVL19P2006A	0.39	0.03	8,603	-	KCE41C2006A	0.45	0.06	155	-	MTC01C2008A	0.91	(0.09)	38,154	-
IVL24C2002A	0.01	-	1,500	-	KKP01C2006A	0.69	0.01	8,702	-	MTC01P2003A	0.11	(0.01)	14,309	-
IVL24C2003A	0.19	(0.03)	7,096	-	KKP01C2006B	0.44	0.01	5,656	-	MTC03C2005A	0.59	0.02	11	-
IVL27P2007A	0.34	0.02	11,800	-	KKP01P2006A	0.50	(0.01)	7,735	-	MTC08C2005A	0.68	0.02	37,581	-
IVL28C2002A	-	-	-	-	KKP08C2003A	0.11	-	3,000	-	MTC11C2002A	1.04	-	20,000	1.00
IVL28C2003A	-	-	-	-	KKP11C2007A	0.45	-	5,059	-	MTC11C2008A	0.70	0.01	23,552	-
IVL28C2003B	-	-	-	-	KKP13C2004A	0.19	0.01	19,358	-	MTC13C2003A	0.49	-	138,911	-
IVL28C2007A	0.26	(0.02)	12,368	-	KKP13C2007A	0.47	(0.01)	200	-	MTC13P2003A	-	-	-	-
IVL28P2003A	0.01	-	5,922	-	KKP16C2002A	0.31	0.01	13,084	-	MTC16C2007A	0.52	0.01	66,006	-
IVL41C2003A	-	-	-	-	KKP19C2003A	-	-	-	-	MTC19C2002A	0.28	0.03	3,856	-
IVL41C2004A	0.32	-	6,000	-	KKP24C2003A	0.16	-	1,800	-	MTC19C2006A	0.50	0.02	22,797	-
IVL41C2005A	-	-	-	-	KKP27P2002A	-	-	-	-	MTC19P2004A	0.10	-	61	-
IVL41C2006A	-	-	-	-	KKP41C2002A	-	-	-	-	MTC24C2004A	0.62	0.03	9,078	-
IVL41C2007A	0.15	(0.01)	70	-	KKP41C2006A	-	-	-	-	MTC27C2007A	0.66	0.01	31,156	-
IVL41P2003A	-	-	-	-	KTB01C2003A	0.15	(0.01)	200	-	MTC28C2002A	-	-	-	-
IVL41P2004A	-	-	-	-	KTB01P2003A	-	-	-	-	MTC28C2006A	0.46	(0.01)	33,960	-
IVL41P2005A	0.52	0.03	2,596	-	KTB11C2004A	-	-	-	-	MTC41C2003A	-	-	-	-
IVL41P2006A	0.41	(0.04)	8,115	-	KTB11C2006A	0.07	-	200	-	MTC41C2004A	-	-	-	-
IVL41P2007A	0.70	0.05	3,196	-	KTB13C2002A	-	-	-	-	MTC41P2003A	-	-	-	-
IVL42C2002A	0.01	-	680	-	KTB13C2006A	-	-	-	-	MTC41P2004A	0.22	-	2,150	-
IVL42C2005A	0.18	(0.04)	4,880	-	KTB19C2002A	-	-	-	-	MTC42C2003A	0.22	0.01	2,330	-
JAS13C2002B	-	-	-	-	KTB19C2005A	-	-	-	-	ORI13C2004A	0.10	-	6,084	-
JAS13C2006A	0.28	(0.01)	131,479	-	KTB24C2004A	0.01	-	1	-	ORI19C2003A	-	-	-	-
JAS16C2002A	0.02	-	9,162	-	KTBA1C2003A	-	-	-	-	ORI19C2005A	0.17	-	19,486	-
JAS16C2002B	-	-	-	-	KTBA1C2004A	-	-	-	-	ORI28C2004A	0.08	-	1	-
JAS19C2002A	-	-	-	-	KTBA1C2006A	-	-	-	-	ORI41C2002A	-	-	-	-
JAS19C2004A	0.30	-	26,211	-	KTBA1P2004A	-	-	-	-	ORI41C2004A	-	-	-	-
JAS28C2002A	-	-	-	-	KTC01C2004A	0.31	0.06	139,804	-	OSP01C2003A	0.41	0.11	401,347	-
JAS28C2002B	-	-	-	-	KTC01C2004B	0.17	0.03	164,138	-	OSP01C2003B	0.13	0.05	122,778	-
JAS28C2003A	0.05	-	3	-	KTC01C2007A	0.71	0.10	75,642	-	OSP01C2006A	0.65	0.13	109,036	-
JAS41C2004A	-	-	-	-	KTC01C2007B	0.52	0.09	266,544	-	OSP01C2006B	0.45	0.11	178,388	-
JAS41C2005A	-	-	-	-	KTC01P2004A	0.20	(0.06)	176,067	-	OSP01P2003A	0.13	(0.06)	119,508	-
JAS41C2006A	0.43	-	4	-	KTC01P2007A	0.24	(0.05)	252,211	-	OSP01P2006A	0.40	(0.10)	312,000	-
JAS41P2005A	0.31	(0.02)	2,431	-	KTC06C2002A	-	-	-	-	OSP06C2005A	0.56	0.18	81,943	-
JMT13C2006A	0.89	0.03	104,295	-	KTC06C2006A	0.56	0.12	114,579	-	OSP06P2003A	0.02	(0.05)	25,226	-
JMT19C2006A	0.79	0.03	51,833	-	KTC08C2004A	0.17	0.04	25,308	-	OSP08C2004A	0.27	0.09	64,677	-
JMT42C2006A	0.99	0.03	12,488	-	KTC08C2006A	0.65	0.08	89,170	-	OSP11C2005A	0.52	0.13	164,040	-
KBAN01C2002A	0.01	-	1,760	-	KTC11C2005A	0.23	0.05	84,946	-	OSP13C2002A	0.12	0.07	131,051	-
KBAN01C2002B	-	-	-	-	KTC13C2004A	0.18	0.04	181,142	-	OSP13C2004A	0.43	0.10	10,383	-
KBAN01C2004A	0.30	-	104,045	-	KTC13C2006A	0.45	0.08	929,562	-	OSP13C2006A	0.36	0.08	238,229	-
KBAN01C2004B	0.25	-	31,443	-	KTC13P2002A	0.02	(0.03)	78,340	-	OSP16C2008A	0.34	0.10	180,015	-
KBAN01C2007A	0.82	-	42,990	-	KTC13P2006A	0.12	(0.04)	319,785	-	OSP19C2004A	0.22	0.07	55,310	-
KBAN01C2007B	0.52	-	162,074	-	KTC19C2002A	-	-	-	-	OSP19C2005A	0.50	0.14	28,662	-
KBAN01P2002A	1.53	0.02	4,176	1.00	KTC19C2005A	0.29	0.06	79,649	-	OSP24C2008A	0.60	0.13	55,030	-
KBAN01P2002B	0.39	0.02	38,921	-	KTC19C2006A	0.51	0.08	39,183	-	OSP28C2003A	0.16	0.06	83,912	-
KBAN01P2004A	0.83	-	25,354	-	KTC19P2005A	0.21	(0.05)	77,971	-	OSP41C2003A	-	-	-	-
KBAN01P2004B	0.10	(0.01)	76,417	-	KTC27C2007A	0.39	0.06	17,696	-	OSP41C2004A	0.24	-	2,000	-
KBAN01P2007A	0.80	-	42,506	-	KTC28C2002A	-	-	-	-	OSP41C2005A	0.39	0.09	67,430	-
KBAN01P2007B	0.50	-	148,147	-	KTC28C2003A	-	-	-	-	OSP41P2003A	0.03	(0.02)	400	-
KBAN06C2004A	0.19	-	51,471	-	KTC28C2004A	0.12	0.02	14,196	-	OSP41P2004A	0.15	(0.07)	68,142	-
KBAN08C2002A	-	-	-	-	KTC28C2006A	0.38	0.07	80,503	-	OSP42C2005A	0.42	0.10	16,800	-
KBAN08C2005A	0.25	(0.01)	18,100	-	KTC41C2004A	-	-	-	-	PLAN08C2004A	-	-	-	-
KBAN08C2007A	0.56	(0.01)	30,000	-	KTC41C2005A	0.24	0.04	3,100	-	PLAN13C2004A	0.03	-	10,512	-
KBAN08P2002A	0.16	(0.01)	15,000	-	KTC41C2006A	0.29	0.06	2,100	-	PLAN13C2005A	0.15	-	76,074	-
KBAN08P2004A	0.18	0.01	9,717	-	KTC42C2003A	-	-	-	-	PLAN13C2007A	0.43	0.01	145,353	-
KBAN13C2003A	0.03	(0.02)	9	-	KTC42C2006A	0.59	0.10	10,382	-	PLAN16C2002A	0.05	0.01	1,020	-
KBAN13C2003B	0.18	-	43,917	-	LH01C2003A	-	-	-	-	PLAN19C2005A	-	-	-	-
KBAN13C2006A	0.51	-	109,118	-	LH01P2003A	0.41	0.02	11,811	-	PLAN19C2007A	0.45	0.01	27,163	-
KBAN13P2003A	0.04	(0.01)	6,550	-	LH11C2007A	0.28	(0.02)	10,755	-	PLAN24C2006A	0.16	0.01	73,975	-
KBAN13P2006A	0.34	(0.01)	68,790	-	LH16C2002A	-	-	-	-	PLAN27C2008A	0.23	-	26,800	-
KBAN16C2005A	0.07	(0.01)	7,000	-	LH19C2003A	-	-	-	-	PLAN28C2002A	-	-	-	-
KBAN16C2008A	0.46	-	44,323	-	LH19C2003B	0.05	-	200	-	PLAN28C2004A	-	-	-	-
KBAN19C2003A	-	-	-	-	LH19P2004A	0.14	0.01	7,619	-	PLAN28C2005A	0.11	0.01	100	-
KBAN19C2004A	0.29	(0.02)	585	-	LH41C2002A	-	-	-	-	PLAN41C2002A	-	-	-	-
KBAN19P2004A	0.17	-	6,820	-	LH41C2004A	-	-	-	-	PLAN41C2004A	0.01	-	43	-
KBAN19P2007A	0.55	(0.45)	36,030	-	LH41C2005A	-	-	-	-	PLAN41C2005A	0.07	-	15,071	-
KBAN24C2005A	0.22	(0.02)	21,943	-	LH41C2006A	-	-	-	-	PLAN41C2006A	0.14	0.04	100	-
KBAN28C2002A	-	-	-	-	LH41P2003A	-	-	-	-	PRM08C2003A	-	-	-	-
KBAN28C2002B	-	-	-	-	MAJO13C2002A	-	-	-	-	PRM13C2003A	-	-	-	-
KBAN28C2003A	-	-	-	-	MAJO19C2002A	-	-	-	-	PRM13C2006A	0.17	(0.01)	33,686	-
KBAN28C2004A	0.27	-	31,044	-	MAJO19C2006A	0.29	0.01	119,913	-	PRM19C2004A	0.06	-	10	-
KBAN28P2003A	-	-	-	-	MAJO24C2002A	0.01	-	1	-	PRM19C2006A	0.21	(0.01)	12,594	-
KBAN41C2002A	-	-	-	-	MBK19C2004A	0.10	-	18,710	-	PRM27C2002A	-	-	-	-
KBAN41C2003A	-	-	-	-	MEGA19C2005A	0.14	0.02	18,597	-	PRM42C2006A	0.26	0.01	19,858	-
KBAN41C2004A	-	-	-	-	MINT01C2003A	0.09	(0.02)	96,559	-	PSH19C2003A	-	-	-	-
KBAN41C2005A	0.38	(0.02)	34,800	-	MINT01C2003B	-	-	-	-	PSH19C2005A	0.20	0.01	6,161	-
KBAN41P2002A	-	-	-	-	MINT01C2007B	0.23	(0.77)	86,766	-	PSL06C2002A	-	-	-	-
KBAN41P2004A	-	-	-	-	MINT01C2008A	0.36	(0.64)	59,777	-	PSL06C2006A	0.10	0.01	35,212	-
KBAN41P2005A	-	-	-	-	MINT01P2003A	0.47	0.05	91,931	-	PSL13C2003A	-	-	-	-
KBAN41P2006A	0.79	(0.03)	1,038	-	MINT01P2008A	0.41	(0.59)	50,507	-	PSL19C2004A	-	-	-	-
KBAN42C2003A	-	-	-	-	MINT06C2002A	-	-	-	-	PSL19C2006A	0.06	-	20,459	-
KBAN42C2004A	-	-	-	-	MINT06C2006A	0.14	(0.03)	83,061	-	PSL19C2007A	1.04	0.04	1,982	1.00
KCE01C2004A	1.37	0.31	472,754	1.00	MINT08C2003A	-	-	-	-	PSL27C2002A	-	-	-	-
KCE01C2004B	0.93	0.28	782,416	-	MINT11C2006A	0.08								

## Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG11C2005A	0.07	0.01	1,000	-	PTTG01C2005B	0.17	(0.01)	11,392	-	S5001P2002A	0.75	0.09	97,459	-
PTG13C2004A	0.12	0.02	31,762	-	PTTG01C2007B	0.40	(0.60)	26,806	-	S5001P2003F	0.84	0.06	2,024,310	-
PTG13C2006A	0.34	0.05	191,443	-	PTTG01C2008A	0.64	(0.36)	12,139	-	S5001P2003G	0.62	0.05	2,030,882	-
PTG13P2004A	0.35	(0.09)	66,146	-	PTTG01P2002A	0.36	0.04	44,860	-	S5001P2003H	1.28	0.07	1,069,043	1.00
PTG13P2006A	0.26	(0.05)	92,873	-	PTTG01P2002B	-	-	-	-	S5001P2003I	1.37	0.08	913,515	1.00
PTG19C2003A	-	-	-	-	PTTG01P2005A	0.83	0.06	31,407	-	S5001P2003J	0.52	0.04	1,011,989	-
PTG19C2004A	0.04	-	50	-	PTTG01P2005B	0.52	0.04	90,448	-	S5001P2004A	1.22	0.08	2,046,573	1.00
PTG19C2005A	0.20	0.04	57,835	-	PTTG06C2006A	0.16	(0.03)	14,650	-	S5001P2005A	0.86	(0.14)	432,174	-
PTG19C2006A	0.39	0.07	134,066	-	PTTG08C2004A	0.25	(0.03)	6,800	-	S5006C2003A	0.02	(0.01)	20,984	-
PTG19P2006A	0.44	(0.07)	2,096	-	PTTG08P2004A	0.21	0.03	18,960	-	S5006C2003B	0.05	(0.01)	21	-
PTG24C2002A	-	-	-	-	PTTG11C2004A	0.05	(0.01)	10	-	S5006C2003C	0.04	(0.01)	7,070	-
PTG27C2007A	0.41	0.05	30,300	-	PTTG11C2007A	0.49	(0.06)	18,132	-	S5006C2006A	0.67	(0.07)	268,135	-
PTG28C2004A	0.04	-	2,950	-	PTTG13C2002A	-	-	-	-	S5006P2003A	1.01	0.09	428,286	-
PTG41C2002A	-	-	-	-	PTTG13C2005A	0.20	(0.03)	29,103	-	S5006P2003B	1.31	0.11	301,616	1.00
PTG41C2004A	-	-	-	-	PTTG13C2007A	0.50	(0.07)	28,885	-	S5006P2003C	0.45	0.04	363,703	-
PTG41C2005A	-	-	-	-	PTTG13P2004A	0.25	0.03	75,314	-	S5006P2006A	0.63	0.04	237,968	-
PTG41C2006A	0.26	0.05	32,430	-	PTTG16C2006A	0.25	(0.03)	15,650	-	S5008C2003A	0.06	(0.02)	7,312	-
PTG41P2005A	-	-	-	-	PTTG19C2002A	0.01	(0.01)	400	-	S5008C2003B	0.03	-	1	-
PTG42C2004A	-	-	-	-	PTTG19C2006A	0.16	(0.02)	33,670	-	S5008P2003A	0.32	0.03	420,691	-
PTG42C2006A	0.43	0.07	11,564	-	PTTG19C2006B	0.40	(0.04)	200	-	S5008P2003B	0.09	0.01	193,943	-
PTT01C2004A	0.32	(0.01)	34,715	-	PTTG19P2003A	-	-	-	-	S5008P2003C	1.06	(0.04)	100	1.00
PTT01C2004B	0.12	-	200,440	-	PTTG19P2006A	0.61	0.06	961	-	S5011C2003A	0.21	(0.04)	95,188	-
PTT01C2007A	0.32	(0.01)	75,766	-	PTTG24C2003A	0.24	(0.04)	10,478	-	S5011P2003A	0.75	0.07	162,461	-
PTT01C2007B	0.17	-	12,823	-	PTTG27P2006A	0.43	0.04	11,400	-	S5013C2003A	0.05	(0.01)	1,120,765	-
PTT01P2004A	0.42	0.01	18,515	-	PTTG28C2002A	-	-	-	-	S5013C2003B	0.17	(0.03)	3,370,343	-
PTT01P2004B	0.18	-	5,528	-	PTTG28C2003A	0.13	(0.03)	10,612	-	S5013C2003C	0.11	(0.03)	4,206,006	-
PTT01P2007A	0.74	-	12,493	-	PTTG28C2006A	0.19	(0.03)	8,112	-	S5013C2003D	0.28	(0.05)	4,819,674	-
PTT01P2007B	0.38	-	86,044	-	PTTG41C2002A	-	-	-	-	S5013C2003E	0.51	(0.07)	15,297,698	-
PTT06C2005A	0.18	-	49,405	-	PTTG41C2003A	-	-	-	-	S5013P2003A	1.28	0.09	143,984	1.00
PTT08C2005A	0.20	-	10,100	-	PTTG41C2004A	-	-	-	-	S5013P2003B	0.69	0.05	4,351,168	-
PTT08P2005A	0.21	-	10,600	-	PTTG41C2005A	-	-	-	-	S5013P2003C	1.05	0.07	58,738	1.00
PTT11C2004A	0.04	(0.01)	702	-	PTTG41C2006A	-	-	-	-	S5013P2003D	1.24	0.08	21,119	1.00
PTT11C2008A	0.24	(0.01)	31,591	-	PTTG41P2002A	-	-	-	-	S5013P2003E	0.44	0.04	6,075,027	-
PTT13C2004A	0.09	(0.01)	38,085	-	PTTG41P2003A	-	-	-	-	S5016C2003A	0.05	(0.01)	44,816	-
PTT13C2006A	0.22	(0.02)	173,050	-	PTTG41P2006A	0.60	0.03	17,365	-	S5016C2003B	0.09	(0.02)	79,420	-
PTT13P2004A	0.17	-	98,144	-	PTTG42C2003A	-	-	-	-	S5016C2003C	0.34	(0.05)	160,018	-
PTT13P2006A	0.42	(0.01)	99,503	-	PTTG42C2007A	0.52	(0.07)	2,700	-	S5016C2003D	0.75	(0.06)	118,867	-
PTT16C2008A	0.20	-	23,428	-	QH01C2006A	0.28	0.03	23,663	-	S5016C2003E	0.56	(0.07)	208,078	-
PTT19C2002A	-	-	-	-	QH01C2006B	0.16	0.01	14,543	-	S5016P2003A	0.66	0.05	302,385	-
PTT19C2005A	0.26	-	5,668	-	QH01P2006A	0.39	(0.04)	456	-	S5016P2003C	0.99	0.05	101,309	-
PTT19P2003A	-	-	-	-	QH11C2006A	0.16	0.01	5,240	-	S5016P2003D	0.73	0.04	132,071	-
PTT19P2006A	-	-	-	-	QH13C2003A	-	-	-	-	S5019C2003A	0.05	(0.01)	67,919	-
PTT24C2003A	-	-	-	-	QH19C2002A	-	-	-	-	S5019C2003B	0.21	(0.03)	980,153	-
PTT28C2002A	-	-	-	-	QH19C2006A	0.14	0.01	5,400	-	S5019C2003C	0.12	(0.03)	650,910	-
PTT28C2003A	-	-	-	-	QH27C2007A	0.15	0.02	7,116	-	S5019C2003D	0.45	(0.08)	1,133,437	-
PTT28C2004A	0.07	-	6,084	-	RATC01C2003A	0.07	0.01	7,664	-	S5019P2003A	0.86	0.06	163,047	-
PTT28P2004A	0.14	-	12,168	-	RATC01C2003B	0.01	(0.01)	3,489	-	S5019P2003B	0.34	0.03	1,045,520	-
PTT41C2002A	-	-	-	-	RATC01C2006A	0.46	(0.02)	73,989	-	S5019P2003C	1.19	0.07	102,687	1.00
PTT41C2004A	-	-	-	-	RATC01C2006B	0.26	(0.02)	51,117	-	S5019P2003D	0.23	0.02	823,051	-
PTT41C2005A	-	-	-	-	RATC01P2006A	0.90	0.01	21,559	-	S5024C2003A	0.03	(0.01)	393	-
PTT41C2006A	-	-	-	-	RATC06C2006A	0.16	-	71,118	-	S5024C2003B	0.09	(0.03)	28,595	-
PTT41P2004A	-	-	-	-	RATC06P2006A	0.41	(0.01)	22,906	-	S5024C2003C	0.55	(0.06)	248,981	-
PTT41P2005A	-	-	-	-	RATC13C2004A	0.08	-	88	-	S5024P2003A	1.11	0.10	226,895	1.00
PTT41P2006A	0.41	0.02	4,048	-	RATC13C2007A	0.34	(0.01)	92,285	-	S5024P2003B	0.39	0.04	178,879	-
PTT42C2003A	0.02	-	50	-	RATC16C2008A	0.17	(0.01)	15,055	-	S5028C2002A	0.01	-	530	-
PTT42C2007A	0.16	-	1,367	-	RATC19C2002A	-	-	-	-	S5028C2003A	0.02	-	4,281	-
PTTE01C2004A	0.64	0.02	74,792	-	RATC19C2005A	0.11	(0.01)	5,180	-	S5028C2003B	-	-	-	-
PTTE01C2004B	0.34	(0.01)	150,007	-	RATC19C2007A	0.41	(0.01)	16,590	-	S5028C2006A	0.19	(0.02)	68,798	-
PTTE01C2007A	0.59	(0.02)	74,564	-	RATC24C2006A	0.26	-	57,832	-	S5028P2002A	0.19	(0.02)	360	-
PTTE01C2007B	0.35	0.02	96,454	-	RATC27C2004A	0.01	(0.01)	500	-	S5028P2003A	0.28	0.02	208,564	-
PTTE01P2004A	0.25	(0.01)	43,178	-	RATC27C2007A	0.35	-	10,210	-	S5028P2006A	0.47	0.02	379,899	-
PTTE01P2004B	0.09	(0.01)	1,110	-	RATC41C2002A	-	-	-	-	S5041C2003A	-	-	-	-
PTTE01P2007A	0.88	(0.01)	34,567	-	RATC41C2003A	0.01	-	1,040	-	S5041C2003B	-	-	-	-
PTTE01P2007B	0.45	(0.02)	169,310	-	RATC41C2004A	0.17	-	1	-	S5041C2003C	0.09	(0.04)	183,287	-
PTTE06C2006A	0.30	0.01	45,274	-	RATC41C2005A	-	-	-	-	S5041C2003D	0.09	(0.04)	398,452	-
PTTE06P2006A	0.54	(0.04)	28,252	-	RATC41C2006A	0.31	0.02	10	-	S5041C2003E	0.17	(0.05)	754,130	-
PTTE08C2002A	-	-	-	-	RATC41P2004A	0.62	(0.01)	2,446	-	S5041C2006A	0.53	(0.08)	1,067,935	-
PTTE08C2005A	0.40	-	19,812	-	RATC41P2006A	0.62	-	6,568	-	S5041P2003A	0.54	0.06	905,272	-
PTTE08P2005A	0.22	(0.09)	12,000	-	RATC42C2003A	-	-	-	-	S5041P2003B	-	-	-	-
PTTE08P2006A	0.57	(0.07)	20,500	-	RATC42C2006A	0.17	-	600	-	S5041P2003C	0.34	0.05	612,598	-
PTTE11C2006A	0.51	0.01	38,820	-	RS06C2004A	0.05	(0.02)	17,550	-	S5041P2003D	-	-	-	-
PTTE13C2004A	0.42	0.03	8,483	-	RS08P2003A	-	-	-	-	S5041P2003E	1.39	0.13	16,763	1.00
PTTE13C2006A	0.36	(0.01)	60,661	-	RS08P2006A	0.76	0.02	13,000	-	S5041P2006A	0.46	0.04	21,252	-
PTTE13P2003A	0.05	(0.01)	2,820	-	RS13C2002A	-	-	-	-	SAWA01C2003A	1.48	(0.07)	12,297	1.00
PTTE13P2006A	0.54	-	42,206	-	RS13C2004A	0.06	-	56,449	-	SAWA01C2003B	0.94	(0.09)	14,712	-
PTTE16C2003A	0.16	0.01	46,300	-	RS13C2006A	0.24	(0.02)	84,031	-	SAWA01C2006A	1.12	(0.03)	17,189	1.00
PTTE19C2002A	0.10	(0.01)	16,505	-	RS16C2005A	-	-	-	-	SAWA01C2006B	0.72	(0.04)	151,054	-
PTTE19C2006A	0.34	0.01	12,369	-	RS19C2002A	-	-	-	-	SAWA01P2003A	0.04	-	9,529	-
PTTE19P2004A	0.09	(0.01)	1,000	-	RS19C2004A	-	-	-	-	SAWA01P2006A	0.53	0.02	75,453	-
PTTE19P2006A	0.53	(0.01)	4,125	-	RS19C2005A	0.08	(0.01)	500	-	SAWA06C2002A	1.16	(0.12)	4,780	1.00
PTTE24C2003A	0.22	0.01	22,811	-	RS19C2007A	0.25	(0.01)	4,910	-	SAWA08C2006A	0.80	(0.05)	36,491	-
PTTE28C2002A	-	-	-	-	RS24C2004A	-	-	-	-	SAWA11C2003A	1.22	(0.07)	22,400	1.00
PTTE28C2005A	0.27	0.01	29,406	-	RS24C2008A	0.17	(0.03)	24,721	-	SAWA13C2002A	-	-	-	-
PTTE28P2004A	0.06	(0.01)	9,190	-	RS41C2002A	-	-	-	-	SAWA13C2005A	0.87	(0.04)	2,155	-
PTTE41C2002A	-	-	-	-	RS41C2004A	-	-	-	-	SAWA13C2007A	0.75	(0.02)	51,679	



## Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA41P2003A	-	-	-	-	SGP13C2007A	0.29	(0.01)	41,345	-	TASC01C2003A	0.44	0.03	45,073	-
SAWA41P2004A	0.12	-	14,534	-	SGP19C2002A	-	-	-	-	TASC01C2003B	0.12	0.01	109,700	-
SAWA41P2005A	0.46	0.02	15,684	-	SGP19C2006A	0.06	-	200	-	TASC01P2003A	0.14	(0.02)	4,902	-
SAWA42C2003A	0.49	(0.08)	8,420	-	SGP19C2006B	0.25	(0.01)	13,167	-	TASC08C2005A	0.33	0.02	25,841	-
SCB01C2002A	0.02	0.01	2,903	-	SGP24C2002A	-	-	-	-	TASC08C2006A	0.56	0.03	28,613	-
SCB01C2002B	-	-	-	-	SGP42C2007A	0.30	(0.01)	1,612	-	TASC11C2002A	0.88	0.04	21,002	-
SCB01C2004A	0.15	(0.02)	387,142	-	SIRI13C2007A	0.16	0.02	61,121	-	TASC13C2003A	0.20	0.02	44,788	-
SCB01C2004B	0.04	(0.01)	3,602	-	SIRI19C2002A	-	-	-	-	TASC13C2006A	0.58	0.04	80,198	-
SCB01C2007A	0.43	(0.03)	485,894	-	SIRI19C2004A	-	-	-	-	TASC16C2008A	0.50	0.03	59,396	-
SCB01C2007B	0.29	(0.03)	165,272	-	SIRI19C2007A	-	-	-	-	TASC19C2003A	0.22	0.02	14,152	-
SCB01P2002A	1.96	0.06	13,557	1.00	SPAL01C2004A	0.23	0.01	36,054	-	TASC19C2006A	0.82	0.05	11,907	-
SCB01P2002B	1.45	0.12	14,776	1.00	SPAL01C2004B	0.09	-	120	-	TASC19P2004A	0.16	(0.01)	23,119	-
SCB01P2004A	0.72	0.01	45,646	-	SPAL06P2004A	0.45	(0.02)	8,136	-	TASC24C2006A	0.53	0.03	27,010	-
SCB01P2004B	0.28	0.01	293,681	-	SPAL11C2006A	0.23	-	18,974	-	TASC28C2004A	0.18	0.02	31,804	-
SCB01P2007A	0.63	0.03	61,733	-	SPAL13C2003A	0.07	-	590	-	TASC28C2006A	0.34	0.03	37,281	-
SCB01P2007B	0.50	0.01	32,415	-	SPAL13C2006A	0.32	0.02	43,202	-	TASC41C2003A	-	-	-	-
SCB06C2007A	0.64	(0.05)	52,674	-	SPAL16C2002A	-	-	-	-	TASC41C2004A	-	-	-	-
SCB08C2002A	-	-	-	-	SPAL19C2002A	-	-	-	-	TASC41C2005A	0.58	0.05	20,968	-
SCB08C2005A	0.08	(0.01)	100	-	SPAL19C2004A	-	-	-	-	TASC42C2003A	-	-	-	-
SCB08C2007A	0.94	(0.08)	94	-	SPAL24C2003A	-	-	-	-	TASC42C2005A	0.62	0.04	1,724	-
SCB08P2004A	0.48	0.05	34,030	-	SPAL27C2008A	0.15	-	2,400	-	TCAP01C2007B	0.39	(0.61)	47,860	-
SCB11C2005A	-	-	-	-	SPAL41C2002A	-	-	-	-	TCAP01C2008A	0.64	(0.36)	19,442	-
SCB11C2006A	0.04	-	4,715	-	SPAL41C2004A	-	-	-	-	TCAP01P2008A	0.67	(0.33)	22,967	-
SCB11C2008A	0.44	(0.05)	81,012	-	SPAL42C2003A	-	-	-	-	TCAP11C2002A	0.13	0.03	22,160	-
SCB11P2005A	1.26	0.05	60,287	1.00	SPRC01C2003A	0.19	(0.02)	59,318	-	TCAP13C2002A	0.30	0.01	18,294	-
SCB13C2003A	0.01	-	2,999	-	SPRC01C2003B	0.04	-	23	-	TCAP13C2007A	0.35	0.01	169,547	-
SCB13C2006A	0.12	-	53,173	-	SPRC01C2007A	0.46	(0.01)	54,346	-	TCAP19C2004A	0.41	(0.01)	11,732	-
SCB13C2006B	0.31	(0.03)	260,859	-	SPRC06C2007A	0.54	(0.03)	22,400	-	TCAP41C2002A	-	-	-	-
SCB13C2007A	0.87	(0.05)	214,854	-	SPRC06P2003A	0.03	-	17,647	-	TCAP41C2004A	0.30	0.02	7,540	-
SCB13P2003A	0.20	0.02	99,434	-	SPRC08C2005A	0.23	(0.01)	20,245	-	THAI11C2003A	-	-	-	-
SCB13P2006A	0.78	0.02	78,677	-	SPRC08C2006A	0.13	-	8,400	-	THAI13C2004A	-	-	-	-
SCB16C2003A	-	-	-	-	SPRC11C2005A	0.05	0.01	50	-	THAI19C2002A	-	-	-	-
SCB16C2008A	0.57	(0.08)	136,425	-	SPRC11C2008A	0.68	(0.01)	34,000	-	THAI19C2004A	-	-	-	-
SCB19C2002A	-	-	-	-	SPRC13C2004A	-	-	-	-	THAI27C2008A	0.20	(0.02)	52,800	-
SCB19C2003A	0.01	-	100	-	SPRC13C2006A	0.24	(0.02)	74,024	-	THAI42C2003A	-	-	-	-
SCB19C2006A	0.27	(0.03)	36,923	-	SPRC19C2002A	0.11	(0.03)	22,334	-	THAI42C2005A	-	-	-	-
SCB19C2007A	0.83	(0.10)	5,114	-	SPRC19C2005A	0.24	(0.03)	53,824	-	THAN01C2006A	0.37	0.01	45,282	-
SCB19P2005A	0.75	0.02	4,192	-	SPRC19C2005B	0.06	(0.01)	100	-	THAN01C2006B	0.17	-	64,903	-
SCB24C2004A	0.12	(0.03)	65,544	-	SPRC19C2007A	0.67	(0.02)	1,088	-	THAN01P2006A	0.29	(0.01)	52,124	-
SCB27C2007A	0.09	(0.01)	33,531	-	SPRC19P2005A	0.44	0.01	21,276	-	THAN06C2003A	-	-	-	-
SCB27P2006A	0.68	0.05	19,572	-	SPRC24C2003A	-	-	-	-	THAN06C2005A	0.23	-	18,344	-
SCB28C2003A	-	-	-	-	SPRC41C2002A	-	-	-	-	THAN06P2003A	0.14	-	14,111	-
SCB28C2004A	-	-	-	-	SPRC41C2004A	-	-	-	-	THAN13C2003A	-	-	-	-
SCB28C2006A	0.20	(0.04)	2,508	-	SPRC41C2005A	-	-	-	-	THAN13C2007A	0.27	-	57,714	-
SCB28C2006B	0.65	(0.11)	16	-	SPRC41C2006A	0.09	(0.02)	60	-	THAN19C2004A	0.14	-	1,330	-
SCB41C2002A	0.01	(0.02)	1,105	-	SPRC42C2006A	0.44	(0.04)	3,790	-	THAN19C2007A	0.35	0.02	4,149	-
SCB41C2004A	-	-	-	-	STA01C2003A	0.27	(0.04)	195,626	-	THAN27C2003A	-	-	-	-
SCB41C2005A	-	-	-	-	STA01C2003B	0.08	(0.02)	21,722	-	THAN41C2002A	-	-	-	-
SCB41C2006A	0.35	(0.02)	33,182	-	STA01P2003A	0.12	0.02	85,343	-	THAN41C2005A	0.17	-	150	-
SCB41P2004A	-	-	-	-	STA11C2005A	0.16	(0.01)	10,000	-	TISCO01C2006A	0.99	(0.03)	21,553	-
SCB41P2005A	-	-	-	-	STA13C2003A	0.19	(0.04)	99,451	-	TISCO01C2006B	0.28	(0.01)	81,371	-
SCB42C2003A	-	-	-	-	STA13C2006A	0.18	(0.02)	89,078	-	TISCO01P2006A	0.46	0.01	76,692	-
SCB42C2006A	0.08	(0.02)	1,001	-	STA19C2002A	0.01	(0.01)	10,001	-	TISCO08C2002A	-	-	-	-
SCB42C2007A	0.61	(0.10)	16,845	-	STA19C2004A	0.22	(0.03)	31,508	-	TISC11C2005A	0.18	-	4,800	-
SCC01C2004A	0.58	(0.02)	769,482	-	STA19C2005A	0.78	(0.03)	200	-	TISC11C2007A	0.77	(0.04)	19,332	-
SCC01C2004B	0.19	(0.02)	280,264	-	STA24C2002A	-	-	-	-	TISC13C2004A	-	-	-	-
SCC01P2004A	0.78	0.02	191,960	-	STEC01C2003A	0.13	-	100,950	-	TISC13C2006A	0.28	(0.01)	82,587	-
SCC06C2002A	-	-	-	-	STEC01C2003B	0.02	0.01	10,002	-	TISC19C2004A	0.42	(0.03)	17,431	-
SCC06C2007A	0.59	(0.41)	39,400	-	STEC01C2004A	0.23	(0.01)	140,535	-	TISC19C2006A	0.23	(0.02)	4,390	-
SCC08C2002A	0.01	-	20	-	STEC01C2006A	0.59	-	100,626	-	TISC41C2005A	-	-	-	-
SCC08C2004A	0.19	(0.02)	9,500	-	STEC01C2006B	0.35	0.01	179,827	-	TISC41C2006A	0.26	(0.01)	4,100	-
SCC08P2006A	0.50	0.02	45,822	-	STEC01P2003A	0.45	(0.02)	41,419	-	TISC41P2006A	-	-	-	-
SCC11C2003A	-	-	-	-	STEC01P2006A	0.40	-	189,365	-	TISC42C2003A	0.08	-	8,690	-
SCC11C2006A	0.06	-	1,901	-	STEC06C2002A	-	-	-	-	TKNO1C2003A	0.08	-	290	-
SCC11C2007A	0.49	(0.02)	77,396	-	STEC06C2004A	0.48	0.01	43,960	-	TKNO1C2003B	-	-	-	-
SCC13C2002A	-	-	-	-	STEC08C2004A	-	-	-	-	TKNO1C2007B	0.27	(0.73)	96,592	-
SCC13C2004A	0.26	(0.02)	329,612	-	STEC08C2005A	0.49	-	47,134	-	TKNO1C2008A	0.71	(0.29)	56,920	-
SCC13P2002A	0.02	-	1,050	-	STEC11C2007A	0.12	-	8,940	-	TKNO8C2003A	0.11	(0.02)	24,800	-
SCC13P2006A	0.47	0.02	138,863	-	STEC13C2003A	0.16	0.01	104,353	-	TKNO8C2007A	0.62	(0.03)	63,170	-
SCC16C2002A	-	-	-	-	STEC13C2004A	0.43	0.01	124,325	-	TKN13C2004A	0.08	(0.02)	14,195	-
SCC16C2005A	0.10	(0.02)	34,924	-	STEC16C2003A	-	-	-	-	TKN13C2006A	0.62	(0.04)	100,297	-
SCC19C2002A	-	-	-	-	STEC16C2006A	0.15	0.01	28,663	-	TKN16C2008A	0.40	(0.03)	54,630	-
SCC19C2003A	-	-	-	-	STEC19C2002A	-	-	-	-	TKN19C2004A	0.24	(0.03)	39,147	-
SCC19C2003B	0.04	-	100	-	STEC19C2004A	0.15	-	26,113	-	TKN19C2004B	0.13	(0.01)	4,700	-
SCC19C2006A	0.34	(0.03)	40,312	-	STEC19C2005A	0.47	0.01	17,826	-	TKN24C2002A	0.08	(0.01)	16,478	-
SCC19P2004A	0.27	-	3,841	-	STEC24C2003A	-	-	-	-	TKN28C2002A	-	-	-	-
SCC24C2003A	-	-	-	-	STEC24C2006A	0.57	0.01	21,897	-	TKN28C2003A	-	-	-	-
SCC24C2006A	0.49	(0.03)	51,577	-	STEC27C2002A	-	-	-	-	TKN41C2003A	-	-	-	-
SCC27P2008A	0.23	-	7,146	-	STEC27C2002B	-	-	-	-	TKN41C2005A	0.49	(0.07)	1,601	-
SCC28C2002A	-	-	-	-	STEC28C2002A	-	-	-	-	TKN41C2006A	-	-	-	-
SCC28C2003A	-	-	-	-	STEC28C2004A	0.09	0.01	9	-	TKN42C2003A	-	-	-	-
SCC28C2004A	0.20	(0.02)	32,427	-	STEC28C2004B	0.24	0.01	148,834	-	TKN42C2006A	0.55	(0.06)	11,478	-
SCC41C2002A	-	-	-	-	STEC28C2005A	0.44	-	23,342	-	TMB01C2004A	0.21	(0.01)	309,215	-
SCC41C2003A	-	-	-	-	STEC41C2003A	-	-	-	-	TMB01C2004B	0.07	(0.01)	34,663	-
SCC41C2004A	-	-	-	-	STEC41C2004A	-	-	-	-	TMB01P2004A	0.37	0.02	56,250	-
SCC41C2005A	0.24	(0.01)	24,852	-	STEC41C2005A	0.43	(0.02)	39,281	-	TMB13C2002A	0.02	(0.02)	5,957	-
SCC41C2006A	-	-	-	-	STEC41C2006A	-	-	-	-	TMB19C2004A	0.13	(0.03)	3,589	-
SCC41P2004A	0.20	0.01	798	-	STEC41P2003A	0.64	-	50	-	TMB19P2004A	0.39	0.04	2,756	-
SCC41P2005A	0.49	-	60	-</										

## Main Board Quotation

Issue Date :

Thursday February 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOA08C2003A	-	-	-	-	TU11C2008A	0.48	(0.02)	11,455	-	ECL-W3	0.15	(0.01)	64,681	-
TOA13C2003A	-	-	-	-	TU13C2003A	0.03	(0.01)	4,930	-	EIC-W2	-	-	-	-
TOA13C2007A	0.24	(0.01)	51,197	-	TU13C2004A	0.30	(0.03)	25,526	-	EIC-W3	-	-	-	-
TOA19C2004A	0.03	-	12,628	-	TU19C2002A	-	-	-	-	EMC-W6	0.03	(0.01)	99,214	-
TOA19C2007A	0.26	0.01	2,935	-	TU19C2003A	0.04	-	8,552	-	EPCO-W3	0.42	-	410	-
TOA24C2005A	0.04	-	500	-	TU19C2005A	-	-	-	-	GLOCON-W4	0.28	0.02	33,480	-
TOA41C2004A	-	-	-	-	TU19C2007A	0.32	(0.01)	2,742	-	J-W1	0.20	-	10	-
TOP01C2003A	0.09	-	217,149	-	TU24C2003A	-	-	-	-	JAS-W3	2.34	(0.02)	138,313	2.00
TOP01C2003B	-	-	-	-	TU24C2006A	0.37	(0.03)	39,700	-	JCK-W5	0.06	0.01	2,437	-
TOP01C2006A	0.32	-	135,310	-	TU27C2004A	-	-	-	-	JMT-W2	6.65	0.25	30,271	6.00
TOP01C2006B	0.14	-	55,994	-	TU27C2006A	0.28	-	6,050	-	MACO-W2	0.10	(0.01)	744,803	-
TOP01P2003A	0.99	(0.01)	28,156	-	TU41C2002A	-	-	-	-	MILL-W4	0.03	-	5,373	-
TOP01P2006A	1.06	0.01	79,600	1.00	TU41C2003A	-	-	-	-	MILL-W5	-	-	-	-
TOP06C2004A	0.02	-	241	-	TU41C2004A	-	-	-	-	MINT-W6	2.52	(0.04)	9,207	2.00
TOP06C2007A	0.54	(0.02)	34,499	-	TU41C2005A	0.37	(0.03)	1,000	-	NFC-W1	0.60	(0.02)	64	-
TOP06P2005A	1.13	0.02	22,990	1.00	TU41P2003A	-	-	-	-	NOK-W1	0.03	-	195	-
TOP08C2003A	-	-	-	-	TU41P2004A	-	-	-	-	NUSA-W3	-	-	-	-
TOP08C2007A	0.47	(0.01)	53,820	-	TVO13C2007A	0.29	0.01	19,757	-	NVD-W1	0.14	-	1,926	-
TOP08P2003A	-	-	-	-	TVO19C2004A	0.26	0.01	448	-	ORI-W1	0.21	-	55,098	-
TOP08P2007A	0.71	-	46,191	-	TVO19C2007A	0.22	0.01	1,330	-	PACE-W2	0.02	-	13,011	-
TOP11C2002A	-	-	-	-	VGI01C2005A	0.31	(0.01)	72,509	-	PACE-W3	-	-	-	-
TOP11C2007A	0.12	0.01	8,856	-	VGI08C2006A	0.22	(0.01)	80,713	-	PDJ-W1	0.37	(0.03)	3,163	-
TOP11P2002A	0.51	-	47,054	-	VGI11C2008A	0.27	(0.01)	34,721	-	PDJ-W4	-	-	-	-
TOP13C2002A	-	-	-	-	VGI13C2006A	0.26	(0.01)	186,411	-	PERM-W1	0.14	-	3,323	-
TOP13C2004A	0.03	-	596	-	VGI19C2006A	0.22	(0.01)	9,900	-	PORT-W1	0.69	(0.04)	33,406	-
TOP13C2006A	0.17	-	59,048	-	VGI41C2006A	-	-	-	-	PPPM-W4	0.16	-	1,625	-
TOP13P2005A	-	-	-	-	WHA01C2002A	0.02	-	777	-	PRIME-W1	-	-	-	-
TOP13P2006A	0.80	0.01	88,442	-	WHA01C2002B	-	-	-	-	PRIME-W2	0.01	(0.01)	791	-
TOP16C2008A	0.54	(0.03)	105,978	-	WHA01C2005A	0.20	(0.01)	198,650	-	RICHY-W2	-	-	-	-
TOP19C2002A	-	-	-	-	WHA01C2005B	0.07	-	1,169	-	RS-W3	0.81	-	47,846	-
TOP19C2003A	-	-	-	-	WHA01P2002A	1.19	-	11,078	1.00	SAMART-W2	0.60	(0.01)	12,587	-
TOP19C2006A	0.16	-	22,552	-	WHA01P2005A	0.67	-	68,585	-	SAWAD-W1	32.75	(1.25)	778	33.00
TOP19P2002A	0.59	0.01	10,129	-	WHA06C2007A	0.45	-	36,497	-	SDC-W1	0.08	(0.01)	8,212	-
TOP19P2006A	1.16	0.01	4,990	1.00	WHA08C2002A	-	-	-	-	SINGER-W1	1.93	-	1,298	1.00
TOP24C2007A	0.07	(0.01)	3,001	-	WHA08C2003A	-	-	-	-	SINGER-W2	1.68	0.08	16,564	1.00
TOP28C2004A	-	-	-	-	WHA08C2005A	-	-	-	-	SMT-W2	0.05	-	13,408	-
TOP41C2003A	-	-	-	-	WHA08C2006A	0.21	-	27,535	-	SST-W2	0.66	(0.03)	1,836	-
TOP41C2004A	-	-	-	-	WHA08P2006A	0.45	-	52,850	-	SUPER-W4	0.01	-	24,155	-
TOP41C2005A	-	-	-	-	WHA11C2008A	0.22	0.01	10,000	-	SVI-W3	0.38	0.19	269,720	-
TOP41C2006A	0.10	0.01	210	-	WHA13C2003A	-	-	-	-	TCC-W3	-	-	-	-
TOP41C2007A	0.49	(0.01)	317	-	WHA13C2005A	0.08	(0.02)	23,153	-	TCC-W4	0.04	0.01	1	-
TOP41P2002A	-	-	-	-	WHA13C2006A	0.35	(0.01)	141,377	-	TCC-W5	0.11	(0.01)	2,060	-
TOP41P2004A	-	-	-	-	WHA16C2006A	-	-	-	-	TCJ-W2	0.10	0.01	5,030	-
TOP41P2005A	-	-	-	-	WHA16C2008A	0.39	(0.01)	39,182	-	TFG-W2	0.08	0.02	205,964	-
TOP41P2006A	0.81	0.01	2,394	-	WHA19C2002A	-	-	-	-	TGPRO-W3	-	-	-	-
TOP42C2007A	0.45	(0.03)	12,230	-	WHA19C2004A	-	-	-	-	TH-W2	0.01	-	16,239	-
TPI19C2002A	-	-	-	-	WHA19C2005A	0.11	-	3,250	-	THE-W2	-	-	-	-
TPI19C2004A	0.39	0.02	8,772	-	WHA19C2006A	0.33	(0.01)	16,338	-	TNITY-W1	0.19	0.01	224	-
TRUE01C2002A	0.01	(0.01)	10,201	-	WHA24C2004A	-	-	-	-	TRITN-W3	0.10	-	9,929	-
TRUE01C2002B	-	-	-	-	WHA24C2007A	0.31	0.01	16,300	-	TTCL-W1	0.37	-	5,470	-
TRUE01C2004A	0.02	-	1,337	-	WHA24P2003A	-	-	-	-	U-W4	-	-	-	-
TRUE01C2004B	0.07	-	26,280	-	WHA27C2008A	0.22	0.01	6,000	-	VGI-W2	1.27	(0.01)	327,782	1.00
TRUE01C2007A	0.53	(0.02)	62,271	-	WHA28C2003A	-	-	-	-	VIBHA-W2	0.63	-	3,204	-
TRUE01C2007B	0.30	(0.01)	76,319	-	WHA28C2003B	-	-	-	-	VIBHA-W3	0.16	(0.01)	36,244	-
TRUE01P2002A	1.50	0.01	16,592	1.00	WHA28C2004A	-	-	-	-	WAVE-W1	0.03	0.01	156,881	-
TRUE01P2002B	1.34	0.02	18,531	1.00	WHA28C2005A	-	-	-	-	WHA-W1	-	-	-	-
TRUE01P2004A	0.69	0.01	34,398	-	WHA28C2006A	0.26	-	33,805	-	WIJK-W2	0.14	-	1,230	-
TRUE01P2004B	0.32	-	103,198	-	WHA41C2003A	-	-	-	-	ZMICO-W4	0.07	0.01	12,754	-
TRUE06C2004A	0.09	(0.01)	12,997	-	WHA41C2004A	-	-	-	-	Preferred Shares	-	-	-	-
TRUE06C2007A	0.49	(0.51)	12,580	-	WHA41C2005A	-	-	-	-	BH-P	-	-	-	-
TRUE08C2004A	-	-	-	-	WHA41C2006A	0.20	0.01	100	-	CSC-P	-	-	-	-
TRUE08C2005A	0.17	-	19,000	-	WHA41C2007A	0.43	-	24,156	-	JUTHA-P	-	-	-	-
TRUE08C2007A	0.49	-	28,203	-	WHA41P2003A	-	-	-	-	KTB-P	-	-	-	-
TRUE08P2005A	0.77	0.01	20,000	-	WHA41P2005A	-	-	-	-	SCB-P	-	-	-	-
TRUE11C2005A	-	-	-	-	WHA42C2005A	0.04	0.01	1	-	TCAP-P	-	-	-	-
TRUE11C2005B	-	-	-	-	WHA42C2006A	0.33	(0.02)	3,040	-	TISCO-P	-	-	-	-
TRUE11P2002A	0.30	-	53,042	-	WHAU27C2002A	-	-	-	-	U-P	2.52	-	860	2.00
TRUE13C2003A	-	-	-	-	Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE13C2003B	0.05	(0.01)	200	-	BH-Q	-	-	-	-	BM-W1	0.07	-	31	-
TRUE13C2006A	0.27	(0.01)	61,296	-	CSC-Q	-	-	-	-	BROOK-W5	0.13	-	34,682	-
TRUE16C2002A	-	-	-	-	JUTHA-Q	-	-	-	-	CHO-W2	0.07	0.01	23,356	-
TRUE19C2003A	-	-	-	-	KTB-Q	-	-	-	-	DOD-W1	0.75	(0.10)	720,195	-
TRUE19C2004A	0.03	-	200	-	SCB-Q	-	-	-	-	ECF-W3	0.32	(0.01)	1,700	-
TRUE19C2006A	0.23	(0.02)	15,791	-	TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE19P2003A	0.49	-	9,443	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE19P2005A	0.44	-	15,471	-	U-Q	-	-	-	-	FVC-W2	0.01	-	12,503	-
TRUE28C2003A	-	-	-	-	Warrant	-	-	-	-	HPT-W1	0.23	0.03	5,994	-
TRUE28C2003B	-	-	-	-	7UP-W4	0.11	-	7,751	-	ITEL-W1	0.31	0.02	45,727	-
TRUE28C2006A	0.21	-	40,982	-	AKR-W1	0.08	-	2,037	-	JKN-W1	0.42	0.16	481,313	-
TRUE41C2002A	-	-	-	-	ALT-W1	0.40	0.11	377,593	-	LIT-W1	0.72	(0.03)	929	-
TRUE41C2003A	-	-	-	-	APEX-W1	-	-	-	-	META-W4	0.07	-	415	-
TRUE41C2004A	-	-	-	-	APURE-W2	0.08	-	12,664	-	NEWS-W6	-	-	-	-
TRUE41C2005A	-	-	-	-	AS-W1	0.11	(0.01)	166	-	OCEAN-W3	0.48	0.02	311,736	-
TRUE41C2006A	0.22	-	155	-	AYUD-W1	0.49	(0.04)	13,604	-	PROUD-W2	0.19	(0.02)	1	-
TRUE41P2004A	0.48	(0.03)	14,220	-	B-W3	-	-	-	-	RWI-W2	0.10	(0.01)	6,584	-
TRUE41P2005A	0.72	(0.05)	16,548	-	B-W4	0.03	-	5,873	-	SANKO-W1	0.09	-	1	-
TRUE42C2003A	-	-	-	-	B-W5	0.04	0.01	15,126	-	SIMAT-W2	0.03	-	65,022	-
TRUE42C2004A	-	-	-	-	B52-W2	-	-	-	-	SIMAT-W3	0.24	0.02	1,485	-
TTW27C2009A	0.32	(0.01)	10,314	-	BKD-W2	0.09	-	6,021	-	SIMAT-W4	0.60	0.01	244	-
TU01C2004A	0.29	(0.04)	48,733	-	CGD-W4	0.11	0.01	5,701	-	SMART-W2	0.24	0.03	67,096	-
TU01C2004B	0.26	(0.03)	22,568	-	CGH-W3	0.02	0.01	431	-	STAR-W3	-	-	-	-
TU01P2004A	0.12	-	19,107	-	CI-W1	0.01	-	600	-	SWC-W1	-	-	-	-
TU06C2004A	0.13	(0.02)	26,651	-	CKP-W1	0.11	-	207,042	-	TAKUNI-W	0.04	-	10,123	-
TU06P2007A	0.28	(0.72)	48,263	-	CRANE-W1	0.69	(0.01)	315	-	TVD-W2	0.26	-	69,258	-
TU11C2003A	-	-	-	-	DCC-W1	0.55	(0.01)	20,342	-	UAC-W2	0.13	-	8,083	-

