

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	2.74	0.02	30,027	2.76	MCOT	8.30	(0.10)	1,916	8.32
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	1.03	0.08	121,296	1.00
SAFARI	-	-	-	-	DIF	16.90	(0.20)	86,169	16.95	MPIC	1.48	0.01	8	1.44
VI	-	-	-	-	DTAC	39.00	(0.25)	59,146	39.14	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	6.40	(0.05)	645	6.35	PLANB	6.00	(0.15)	326,423	6.04
WR	-	-	-	-	HUMAN	7.05	(0.10)	2,358	7.09	POST	1.75	-	15	1.69
Agribusiness	-	-	-	-	ILINK	3.82	0.02	3,019	3.79	PRAKIT	10.60	(0.10)	41	10.60
CHOTI	69.75	-	4	69.81	INET	2.28	(0.04)	2,369	2.29	SE-ED	-	-	-	-
EE	0.54	(0.01)	22,570	0.53	INTUCH	57.50	-	131,675	57.55	SPORT	0.10	-	530	0.10
GFPT	11.10	(0.20)	10,453	11.15	JAS	5.40	-	413,910	5.38	TBSP	13.80	-	1	13.80
LEE	2.10	0.02	2,037	2.09	JASIF	9.60	-	89,549	9.60	TH	0.59	-	2,452	0.57
NER	2.62	(0.02)	47,745	2.62	JMART	9.30	0.05	33,214	9.19	TKS	6.25	0.15	16,840	6.20
PPPM	0.42	(0.01)	4,132	0.42	JTS	1.02	0.02	12	1.02	VGI	8.30	(0.15)	74,350	8.38
STA	12.30	(0.30)	107,364	12.42	MFEC	3.46	(0.04)	1,953	3.47	WAVE	1.07	-	839	1.07
TRUBB	0.59	(0.01)	2,468	0.59	MSC	5.50	-	448	5.41	WORK	11.60	(0.20)	10,769	11.66
TWPC	3.90	0.06	536	3.88	PT	5.20	-	1,382	5.22	Finance & Securities	-	-	-	-
UPOIC	3.26	-	3	3.26	SAMART	7.90	(0.45)	74,676	7.94	AEC	0.28	-	5,408	0.28
UVAN	5.35	-	207	5.35	SAMTEL	7.45	(0.20)	2,877	7.50	AEONTS	161.50	(3.50)	2,252	161.13
VPO	0.57	-	104	0.57	SDC	0.16	-	12,731	0.16	AMANAH	3.98	0.04	350,809	3.98
Banking	-	-	-	-	SIS	8.15	(0.05)	2,171	8.17	ASAP	1.77	(0.01)	227	1.78
BAY	28.25	-	773	28.17	SVOA	0.95	(0.07)	52,285	0.97	ASK	25.50	-	333	25.29
BBL	140.00	(0.50)	77,504	140.52	SYMC	2.50	(0.10)	40	2.52	ASP	1.73	(0.03)	11,773	1.74
CIMBT	0.56	(0.01)	4,772	0.56	SYNEX	6.35	0.05	7,713	6.31	BAM	27.50	-	1,260,241	27.50
KBANK	134.00	(5.00)	187,078	135.53	THCOM	3.80	0.02	7,804	3.80	BFIT	39.25	1.75	26,209	37.57
KKP	68.50	(0.50)	31,231	68.59	TRUE	3.74	(0.04)	559,580	3.76	CGH	0.80	-	122,358	0.80
KTB	15.90	(0.10)	233,441	15.91	TWZ	0.08	-	35,194	0.08	CNS	2.48	-	4,169	2.48
LHFG	1.34	0.01	29,744	1.33	Electronic Componer	-	-	-	-	ECL	1.05	(0.03)	24,492	1.06
SCB	97.75	(4.75)	372,122	98.05	CCET	1.84	(0.02)	5,172	1.85	FNS	2.10	(0.02)	4,816	2.08
TCAP	55.75	0.75	41,927	55.40	DELTA	56.75	0.50	4,854	56.72	FSS	1.20	(0.05)	8,250	1.21
TISCO	102.50	(0.50)	22,906	102.91	EIC	0.03	-	3,052	0.03	GBX	0.42	-	487	0.42
TMB	1.34	(0.05)	4,304,803	1.34	HANA	34.00	0.25	24,688	33.99	GL	4.04	(0.04)	21,680	4.06
Construction Materia	-	-	-	-	KCE	24.70	0.50	402,537	24.35	IFS	3.32	-	3,852	3.33
CCP	0.29	(0.01)	29,034	0.30	METCO	161.00	-	19	161.16	JMT	21.90	(0.20)	82,876	21.81
COTTO	1.32	-	906	1.32	NEX	2.80	(0.04)	9,273	2.80	KCAR	10.30	-	142	10.19
DCC	1.82	(0.01)	31,160	1.82	SMT	1.02	(0.02)	3,107	1.03	KGI	4.56	(0.04)	70,396	4.57
DCON	0.34	-	5,370	0.33	SVI	2.98	(0.04)	10,919	2.98	KTC	41.75	0.50	50,592	41.35
DRT	6.30	(0.05)	5,312	6.27	TEAM	0.76	(0.02)	25,082	0.80	MBKET	6.55	(0.10)	374	6.58
EPG	4.90	(0.10)	110,120	4.92	Energy & Utilities	-	-	-	-	MFC	15.00	0.10	458	14.92
GEL	0.13	-	41,046	0.13	7UP	0.44	-	63,399	0.43	ML	0.87	-	494	0.86
PPP	2.18	-	11,513	2.19	ABPIF	4.64	(0.04)	1,696	4.66	MTC	60.50	(1.00)	177,567	60.26
Q-CON	5.20	(0.15)	340	5.25	ACE	3.16	(0.12)	213,421	3.18	PE	-	-	-	-
RCI	3.32	-	100	3.32	AI	1.03	-	9,502	1.03	PL	2.66	-	2,080	2.66
SCC	356.00	(6.00)	22,540	358.77	AKR	0.60	(0.01)	16,827	0.60	S11	7.40	-	1,301	7.43
SCCC	175.50	(3.00)	983	176.48	BAFS	26.50	(0.75)	5,352	26.67	SAWAD	69.75	(1.50)	112,538	70.05
SCP	6.05	0.20	2,564	5.93	BANPU	9.85	(0.10)	125,318	9.89	THANI	5.60	(0.05)	44,821	5.59
SKN	1.99	(0.01)	3,499	2.00	BCP	26.75	0.25	30,033	26.49	TK	9.30	(0.10)	1,046	9.27
TASCO	21.90	0.10	248,085	22.08	BCPG	16.50	(0.20)	26,144	16.49	TNITY	3.84	(0.02)	108	3.85
TCMC	1.77	(0.03)	356	1.78	BGRIM	52.00	-	211,640	51.05	UOBKH	2.48	-	40	2.48
TOA	33.00	(0.25)	39,334	32.50	BPP	14.60	(0.20)	48,222	14.74	ZMICO	0.67	(0.02)	5,174	0.67
TPIPL	1.57	(0.01)	34,674	1.57	BRRGIF	8.30	(0.05)	405	8.28	Food & Beverage	-	-	-	-
UMI	0.66	(0.01)	1,025	0.65	CKP	4.10	0.02	89,143	4.07	APURE	0.70	-	3,974	0.69
VNG	3.64	0.02	421	3.64	DEMCO	2.50	(0.10)	9,088	2.53	ASIAN	3.96	(0.02)	3,853	3.97
WIHK	1.34	(0.02)	13,709	1.35	EA	46.00	0.50	108,630	45.88	BR	2.18	-	4,239	2.18
Petrochemicals & Ch	-	-	-	-	EASTW	11.50	0.10	10,809	11.47	BRR	3.70	0.06	51	3.69
BCT	42.00	-	547	41.71	EGATIF	12.90	(0.10)	32,030	13.00	CBG	87.50	(1.75)	36,140	88.50
CMAN	1.22	(0.01)	3,838	1.22	EGCO	293.00	(4.00)	14,129	293.25	CFRESH	1.48	(0.05)	690	1.48
GC	5.65	-	2,308	5.71	ESSO	7.00	-	133,688	7.02	CM	2.78	(0.08)	2,157	2.82
GGC	11.70	-	18,870	11.59	GPSC	73.00	1.25	255,195	72.04	CPF	28.75	(0.25)	256,572	28.68
GIFT	2.68	0.34	100,708	2.68	GULF	178.50	(0.50)	77,471	178.15	CPI	1.52	(0.04)	2,665	1.54
IVL	30.00	(0.75)	207,453	30.09	GUNKUL	2.60	(0.04)	220,239	2.60	F&D	-	-	-	-
NFC	-	-	-	-	IFEC	-	-	-	-	HTC	21.90	(0.60)	2,162	22.05
PATO	11.20	-	153	11.18	IRPC	2.82	(0.02)	1,507,643	2.85	ICIH	5.10	(0.10)	23,784	5.09
PMTA	-	-	-	-	LANNA	7.35	(0.10)	419	7.36	KBS	3.78	(0.02)	1,427	3.82
PTTGC	49.75	(0.25)	132,113	49.79	MDX	2.64	(0.02)	699	2.64	KSL	2.68	(0.04)	56,111	2.70
SUTHA	1.94	0.05	112	1.90	PRIME	0.36	0.02	104,087	0.36	KTIS	3.96	(0.04)	217	3.96
TCCC	20.10	(0.10)	72	20.13	PTG	16.00	0.30	137,905	15.78	LST	4.94	(0.02)	977	4.87
TPA	5.85	-	110	5.85	PIT	44.75	0.75	591,813	44.35	M	67.00	(1.00)	2,427	67.24
UAC	2.74	(0.10)	3,369	2.77	PTTEP	126.00	1.00	103,299	126.10	MALEE	6.60	-	3,262	6.43
UP	15.00	(3.20)	1	15.00	RATCH	63.25	0.25	64,211	62.75	MINT	31.50	(1.25)	77,163	31.84
VNT	24.20	(0.50)	5,014	24.29	RPC	0.61	0.04	134,999	0.64	OISHI	48.00	(0.25)	69	48.06
WG	-	-	-	-	SCG	3.76	0.02	53	3.80	OSP	43.00	(0.75)	106,091	42.59
YCI	-	-	-	-	SCI	1.52	0.02	2,420	1.50	PB	68.00	-	2	68.00
Commerce	-	-	-	-	SCN	1.85	(0.03)	14,613	1.85	PM	6.90	(0.10)	14,258	6.92
BEAUTY	2.48	(0.12)	1,856,744	2.54	SGP	8.70	0.05	23,200	8.66	PRG	11.80	(0.30)	293	11.90
BIG	0.63	(0.02)	74,781	0.63	SKE	0.71	-	1,466	0.71	RBF	4.92	0.28	407,039	4.80
BJC	38.50	0.25	45,370	38.35	SOLAR	1.48	0.01	414	1.47	SAPPE	17.00	(0.20)	8,600	17.02
COL	16.90	(0.30)	3,638	17.10	SPCG	19.60	(0.20)	8,497	19.63	SAUCE	-	-	-	-
COM7	24.80	(0.10)	100,198	24.71	SPR	9.00	0.30	177,015	8.87	SFP	-	-	-	-
CPALL	70.50	(1.00)	401,136	70.64	SSP	7.25	-	3,130	7.25	SNP	12.60	(0.10)	26	12.70
CPW	1.58	(0.03)	30,177	1.59	SUPER	0.50	-	753,027	0.50	SORKON	46.75	(2.50)	13	47.19
CRC	41.75	(0.25)	1,798,728	41.97	SUPEREIF	11.30	-	2,918	11.28	SSC	-	-	-	-
CSS	1.33	0.02	29,058	1.32	SUSCO	2.76	(0.02)	14,701	2.79	SSF	5.65	0.15	11	5.60
DOHOME	9.05	0.25	78,079	8.76	TAE	3.04	(0.44)	228,842	3.06	SST	3.72	(0.04)	302	3.71
FN	1.03	(0.02)	10,321	1.04	TCC	0.22	-	391	0.21	TC	3.08	0.04	693	3.04
FTE	1.96	(0.03)	1,880	1.97	TOP	51.75	(0.50)	139,759	52.54	TFG	3.96	0.18	84,489	3.88
GLOBAL	13.80	(0.20)	49,885	13.89	TPIPP	4.60	0.02	90,126	4.55	TFMAMA	192.50	1.50	24	192.52
HMPRO	13.90	(0.20)	167,435	13.95	TSE	3.10	(0.04)	64,243	3.12	TIPCO	6.65	(0.15)	19,000	6.69
ILM	13.40	(0.20)	11,806	13.54	TTW	14.40	0.10	23,447	14.32	TKN	9.25	(0.05)	96,468	9.24
IT	2.74	(0.08)	448	2.73	WHAUP	4.88	-	19,405	4.87	TU	15.70	0.10	150,211	15.77
KAMART	3.86	(0.04)	3,741	3.89	WP	4.68	(0.06)	7,481	4.68	TVO	29.50	-	8,420	29.32
LOXLEY	1.27	(0.01)	7,038	1.27	Media & Publishing	-	-	-	-	ZEN	10.70	(0.30)	7,555	10.73
MAKRO	34.50	(0.50)	2,848	34.41	AMARIN	3.48	(0.10)	207	3.46	Health Care Services	-	-	-	-
MC	10.80	(0.												

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NTV	49.00	0.25	186	49.06	BLAND	1.23	(0.02)	66,577	1.24	GYT	-	-	-	-
PR9	7.85	(0.05)	2,944	7.86	BROCK	1.63	0.01	10	1.63	HFT	3.10	(0.08)	8,959	3.08
PRINC	4.10	(0.14)	4,198	4.13	CGD	0.88	-	54,940	0.88	IHL	3.78	(0.08)	1,632	3.77
RAM	147.00	(1.00)	42	146.67	CI	0.83	-	6,849	0.83	INGRS	0.49	(0.01)	7,670	0.49
RJH	24.60	(0.10)	2,365	24.63	CPN	59.75	(0.50)	64,472	59.97	IRC	14.70	(0.70)	59	14.85
RPH	6.25	-	6,779	6.18	ESTAR	0.35	-	37,646	0.35	PCSGH	5.65	(0.35)	15	5.63
SKR	5.15	-	1,532	5.15	EVER	0.22	(0.01)	66,906	0.22	SAT	13.40	(0.10)	7,186	13.42
SVH	446.00	-	14	444.57	FPT	13.00	(0.20)	1,101	13.13	SPG	12.50	(0.10)	1	12.50
THG	23.50	(0.30)	6,322	23.51	GLAND	2.64	(0.08)	291	2.64	STANLY	159.00	(1.00)	96	159.14
VIBHA	1.60	-	61,617	1.59	GOLD	7.95	-	309	7.95	TKT	0.83	(0.03)	974	0.84
VIH	6.25	(0.05)	4,260	6.24	GREEN	0.75	(0.01)	114	0.75	TNPC	0.68	-	1,021	0.67
WPH	1.78	-	1,900	1.76	J	0.78	-	129	0.78	TRU	4.42	0.02	241	4.40
Tourism & Leisure					JCK	0.86	-	8,142	0.84	TSC	10.30	-	13	10.27
ASIA	5.15	0.15	224	5.12	KC	-	-	-	-	Industrial Materials				
CENTEL	21.20	0.30	41,488	21.04	KWG	1.44	(0.04)	284	1.42	ALLA	1.27	(0.03)	3,809	1.27
CSR	-	-	-	-	LALIN	5.10	-	4,119	5.03	ASEFA	3.34	(0.04)	976	3.34
DTC	9.05	(0.05)	7	9.01	LH	9.35	(0.05)	175,163	9.36	CPT	0.72	(0.01)	6,980	0.72
ERW	4.34	-	86,231	4.36	LPN	5.30	0.05	62,624	5.27	CRANE	1.64	(0.05)	687	1.64
GRAND	0.66	(0.01)	2,400	0.66	MBK	20.10	(0.20)	6,504	20.22	CTW	5.05	-	193	5.01
LRH	-	-	-	-	MJD	2.82	-	160	2.81	FMT	-	-	-	-
MANRIN	-	-	-	-	MK	3.06	-	3,860	3.06	HTECH	2.44	(0.08)	9,901	2.50
OHTL	385.00	(2.00)	9	387.56	NCH	0.71	(0.03)	1,025	0.71	KKC	0.64	-	474	0.63
ROH	-	-	-	-	NNCL	2.16	(0.02)	20,266	2.17	PK	1.00	(0.01)	1,666	1.00
SHANG	67.50	(2.25)	17	67.56	NOBLE	16.20	0.50	3,446	15.96	SNC	9.40	(0.30)	4,465	9.47
SHR	2.36	-	105,937	2.37	NUSA	0.50	-	29,236	0.50	STARK	2.18	(0.02)	4,705	2.17
VRANDA	6.55	-	3,618	6.48	NVD	1.70	-	225	1.70	TCJ	3.18	0.06	5	3.18
Home & Office Prod.					ORI	6.00	(0.30)	93,539	6.09	VARO	-	-	-	-
ACC	0.68	(0.01)	10,029	0.68	PACE	0.07	0.01	12,272	0.07	Property Fund & REI				
AJA	0.25	(0.01)	28,051	0.26	PF	0.79	(0.01)	108,383	0.79	AIMCG	8.00	-	3,339	7.98
DTCI	-	-	-	-	PLAT	3.78	(0.12)	6,285	3.82	AIMIRT	13.80	0.20	4,997	13.68
FANCY	0.44	(0.02)	2,809	0.44	POLAR	-	-	-	-	AMATAR	11.70	-	308	11.70
KYE	-	-	-	-	PRECHA	1.02	0.01	91	1.00	B-WORK	12.50	0.10	3,226	12.40
L&E	2.04	(0.02)	134	2.05	PRIN	1.51	-	33,291	1.50	BKER	9.40	-	5,599	9.34
MODERN	2.38	0.02	1,077	2.36	PSH	14.80	-	17,054	14.73	BKKCP	13.50	0.10	90	13.50
OGC	24.50	-	44	24.51	QH	2.50	(0.06)	235,803	2.52	BOFFICE	16.80	(0.20)	87	16.94
ROCK	-	-	-	-	RICHY	0.85	-	5,785	0.84	CPNCG	12.10	-	2,467	12.10
SIAM	1.61	(0.01)	683	1.59	RML	0.81	-	2,374	0.81	CPNREIT	35.00	-	38,098	34.62
TSR	2.18	(0.06)	4,377	2.17	ROJNA	5.05	-	8,780	5.06	CPTGF	13.20	0.10	2,299	13.11
Insurance					S	2.32	0.02	14,164	2.30	CTARAF	5.55	(0.05)	2,250	5.56
AYUD	-	-	-	-	SAMCO	1.54	(0.03)	1,356	1.55	DREIT	6.25	0.05	3,042	6.07
BKI	267.00	(4.00)	140	269.10	SC	2.44	0.06	138,747	2.44	ERWPF	5.00	(0.15)	6,668	5.00
BLA	18.30	(0.40)	6,503	18.48	SENA	2.62	0.02	9,343	2.58	FTREIT	16.20	(0.20)	2,127	16.16
BUI	-	-	-	-	SF	5.40	(0.05)	5,924	5.39	FUTUREPF	24.80	0.10	400	24.80
CHARAN	18.00	0.10	7	18.16	SIRI	1.00	-	144,488	1.00	GAHREIT	9.15	-	93	9.11
INSURE	-	-	-	-	SPALI	17.00	(0.10)	25,132	17.06	GLANDRT	13.20	0.10	45,496	13.19
MTI	80.00	-	13	79.00	U	1.61	(0.02)	78,983	1.62	GOLDPF	7.00	-	6	6.92
NKI	-	-	-	-	UV	3.74	(0.12)	40,887	3.78	GVREIT	17.90	(0.10)	3	17.90
NSI	60.00	(1.25)	8	60.00	WHA	3.32	(0.02)	717,561	3.36	HPF	4.88	(0.04)	2,457	4.88
SEG	-	-	-	-	WIN	0.40	-	50	0.40	HREIT	9.05	-	2,556	9.05
SMK	29.75	0.25	25	29.75	Paper & Printing Mat					IMPACT	23.20	-	3,064	23.11
THRE	0.59	(0.01)	39,863	0.58	UTP	9.55	0.05	3,734	9.51	KPNPF	-	-	-	-
THREL	3.40	0.02	6,533	3.36	Fashion	-	-	-	-	LHHOTEL	18.20	(0.20)	746	18.35
TIP	24.20	(0.20)	1,579	24.19	AFC	-	-	-	-	LHPF	8.65	-	138	8.56
TQM	77.00	(1.00)	27,366	77.94	B52	0.22	0.01	276	0.22	LHSC	18.60	-	1,856	18.41
TSI	0.44	(0.01)	1,282	0.41	BTNC	-	-	-	-	LUXF	8.20	-	72	8.20
TVI	4.04	(0.02)	103	3.88	CPH	3.20	-	45	3.22	M-II	7.90	-	32	7.90
Mining					CPL	-	-	-	-	M-PAT	5.00	(0.15)	140	5.00
PDI	5.50	(0.10)	363	5.51	ICC	39.00	-	10	39.00	M-STOR	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIPF	-	-	-	-
Packaging					PAF	0.51	-	986	0.50	MIT	2.62	(0.04)	5	2.63
AJ	9.90	(0.30)	3,889	10.05	PDJ	1.32	(0.01)	2,215	1.30	MJLF	10.30	0.10	955	10.22
ALUCON	146.50	(0.50)	25	146.20	PG	-	-	-	-	MNIT	1.53	0.02	201	1.50
BGC	12.50	(0.20)	9,775	12.56	SABINA	22.50	(0.50)	7,315	22.59	MNIT2	-	-	-	-
CSC	52.75	(0.25)	32	52.80	SAWANG	-	-	-	-	MNRF	2.94	-	85	2.94
GLOCON	0.70	-	6,297	0.70	SUC	42.75	-	239	42.51	POPF	12.50	(0.10)	1,487	12.53
NEP	0.14	(0.01)	2,989	0.15	TNL	-	-	-	-	PPF	11.20	-	53	11.20
PTL	13.20	(0.20)	3,917	13.24	TPCORP	10.90	(0.40)	36	10.91	QHHR	9.30	-	381	9.26
SFLEX	5.05	-	9,159	5.03	TR	26.00	-	232	25.96	QHOP	3.80	0.02	20	3.81
SITHAI	0.63	(0.01)	1,335	0.63	TTI	-	-	-	-	QHPF	13.80	(0.20)	422	13.86
SLP	0.46	(0.01)	1,476	0.46	TTT	49.50	-	249	49.50	SBPF	2.68	0.04	1	2.68
SMPC	5.65	(0.10)	2,382	5.64	UPF	-	-	-	-	SHREIT	5.40	-	128	5.40
SPACK	1.09	(0.01)	180	1.10	UT	-	-	-	-	SIRIP	10.70	(0.10)	75	10.70
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPF	17.80	(1.00)	18,052	17.99
TFI	0.05	-	6,041	0.04	Transportation & Log					SPRIME	14.50	(0.50)	285	14.46
THIP	23.70	(0.20)	539	23.87	AAV	1.67	0.01	290,289	1.67	SRIPANWA	11.00	(0.10)	959	11.12
TMD	26.25	1.00	39	25.04	AOT	64.50	(3.25)	1,846,146	63.87	SSPF	-	-	-	-
TOPP	-	-	-	-	ASIMAR	1.03	(0.03)	6,452	1.03	SSTRT	5.90	-	639	5.81
TPBI	3.80	(0.12)	227	3.80	B	0.20	-	3,476	0.20	TIF1	9.15	0.05	41	9.13
TPP	16.00	(1.60)	15	16.01	BA	5.55	(0.05)	10,532	5.48	TLGF	21.40	-	324	21.40
Personal Products &					BEM	10.70	(0.30)	891,479	10.76	TLHPF	10.80	-	219	10.88
APCO	3.10	-	105	3.07	BTS	12.60	(0.30)	411,207	12.77	TNPF	2.84	0.02	1	2.84
DDD	18.60	(1.10)	1,302	18.85	BTSGIF	9.90	0.05	8,260	9.86	TPRIME	16.50	-	354	16.42
JCT	-	-	-	-	III	4.50	(0.04)	1,843	4.49	TTLPF	22.00	0.30	51	21.85
OCC	-	-	-	-	JUTHA	0.29	(0.04)	70	0.29	TU-PF	1.75	-	6	1.75
S & J	27.00	-	6	27.00	JWD	7.10	(0.10)	3,339	7.13	URBNPF	4.46	(0.02)	18	4.39
STHAI	-	-	-	-	KWC	280.00	-	1	280.00	WHABT	9.65	-	17	9.64
TNR	7.50	(0.40)	469	7.63	NOK	1.68	(0.07)	2,431	1.64	WHART	16.90	(0.10)	1,137	16.84
TOG	4.70	(0.02)	493	4.62	NYT	3.66	(0.16)	125,001	3.70	Steel	-	-	-	-
Professional Service					PORT	2.10	(0.06)	25,403	2.10	AMC	1.83	-	1,726	1.82
BWG	0.47	-	40,760	0.47	PRM	5.70	0.20	74,266	5.61	BSBM	0.89	-	2,165	0.88
GENCO	0.50	-	11,479	0.49	PSL	5.75	0.25	81,979	5.65	CEN	0.54	(0.01)	2,469	0.54
PRO	-	-	-	-	RCL	2.78	(0.02)	1,717	2.77	CITY	1.83	0.01	15	1.79
SISB	10.10	(0.30)	19,372	10.19	TFFIF	12.80	(0.10)	120,969	12.83	CSP	0.67	(0.01)	25	0.67
TEAMG	2.26	(0.06)	47,702	2.26	THAI	5.10	(0.20)	41,826	5.19	GJS	0.12	-	3,141	0.12
Property Developme					TSTE	-	-	-	-	GSTEEL	-	-	-	-
A	6.00	-	50	6.03	TTA	3.52	(0.04)	6,792	3.54	INOX	0.55	(0.01)	1,655	0.54
AMATA	16.20	(0.40)	105,487	16.31	WICE	2.00	-	12,654	1.99	LHK	2.50	-	1,794	2.48
AMATAV	4.76	0.02	2,400	4.68	Automotive					MAX	0.01	(0.01)	95,976	0.01
ANAN														

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.87	0.03	11,037	-	ADVA01C2003B	0.02	-	2,781	-
ABICO	4.06	0.06	91	4.00	AIE	0.30	-	45,843	-	ADVA01C2005A	0.41	(0.03)	243,358	-
AU	9.00	0.10	22,282	8.00	PSTC	0.69	(0.01)	617,146	-	ADVA01C2005B	0.14	(0.03)	203,688	-
JCKH	0.22	0.01	85	-	QTC	4.80	(0.16)	5,768	4.00	ADVA01C2007B	0.36	(0.05)	96,095	-
KASET	1.28	(0.01)	87	1.00	SAAM	0.83	(0.02)	695	-	ADVA01C2008A	1.19	(0.10)	10,746	1.00
MM	2.40	-	7,851	2.00	SEA0IL	3.40	(0.06)	52,793	3.00	ADVA01P2003A	0.76	0.07	66,411	-
SUN	1.79	(0.01)	1,247	1.00	SR	0.92	-	1,004	-	ADVA01P2003B	0.40	0.06	144,029	-
TACC	3.78	(0.06)	10,889	3.00	TAKUNI	0.38	(0.01)	9,850	-	ADVA01P2007B	0.36	0.03	138,057	-
TMILL	2.86	0.02	271	2.00	TPCH	11.60	(0.40)	21,187	11.00	ADVA06C2005A	0.06	(0.01)	600	-
XO	5.50	-	2,811	5.00	TRT	1.79	-	501	1.00	ADVA08C2005A	0.16	(0.02)	13,400	-
Consumer Products														
BGT	0.86	(0.05)	328	-	UMS	0.21	(0.01)	118	-	ADVA08P2004A	0.26	0.04	53,800	-
BIZ	3.26	0.12	5,213	3.00	UWC	0.02	-	8,256	-	ADVA11C2006A	0.04	(0.01)	7,120	-
DOD	7.45	(0.10)	8,368	7.00	Services (MAI)	-	-	-	-	ADVA11P2005A	0.11	0.02	24,712	-
ECF	1.23	0.03	285,244	1.00	A5	-	-	-	-	ADVA13C2004A	0.12	(0.04)	156,200	-
HPT	0.55	-	20	-	AKP	1.09	(0.02)	11,670	1.00	ADVA13C2006A	-	-	-	-
IP	4.94	(0.41)	41,606	4.00	AMA	4.98	(0.12)	1,147	5.00	ADVA13C2007A	0.37	(0.05)	176,760	-
JUBILE	17.80	(0.20)	1,281	17.00	ARIP	0.38	-	767	-	ADVA13P2003A	0.24	0.05	129,811	-
MOONG	3.92	(0.02)	607	3.00	ATP30	1.31	(0.03)	3,878	1.00	ADVA16C2002A	-	-	-	-
NPK	-	-	-	-	AUCT	6.95	-	8,362	6.00	ADVA16C2005A	0.01	-	13,716	-
OCEAN	1.19	(0.01)	7,647	1.00	BOL	2.92	0.02	1,602	2.00	ADVA16C2007A	0.12	(0.02)	55,598	-
TM	2.50	-	4,553	2.00	CHUO	-	-	-	-	ADVA16C2009A	0.34	(0.05)	80,954	-
Financials (MAI)														
ACAP	1.11	(0.01)	4,116	1.00	CMO	1.07	0.02	504	1.00	ADVA19C2002A	-	-	-	-
AF	0.64	0.02	419	-	D	3.74	(0.06)	760	3.00	ADVA19C2005A	0.14	(0.03)	4,792	-
AIRA	1.21	-	1,665	1.00	DCORP	0.35	(0.02)	9,927	-	ADVA19C2007A	1.00	(0.11)	2,330	-
ASN	6.40	0.20	1,977	6.00	EFORL	0.05	0.01	17,647	-	ADVA19P2002A	-	-	-	-
BROOK	0.40	-	2,914	-	ETE	0.77	-	1,002	-	ADVA19P2006A	0.26	0.04	54,411	-
CHAYO	6.60	(0.15)	53,822	6.00	FSMART	6.80	(0.05)	12,563	6.00	ADVA24C2006A	0.28	(0.04)	24,500	-
GCAP	1.89	0.01	8,033	1.00	FVC	0.38	-	5,140	-	ADVA28C2004A	-	-	-	-
LIT	4.62	-	926	4.00	GSC	0.72	0.01	459	-	ADVA28C2005A	0.13	(0.03)	18,264	-
MITSI	1.31	0.02	5,006	1.00	HARN	2.28	(0.02)	3,927	2.00	ADVA28C2007A	0.26	(0.07)	38,805	-
SGF	0.63	(0.02)	22,423	-	IMH	2.76	(0.06)	3,465	2.00	ADVA28P2004A	0.23	0.05	54,101	-
Industrials (MAI)														
2S	1.97	(0.01)	2,843	1.00	JKN	4.66	(0.08)	23,956	4.00	ADVA41C2004A	-	-	-	-
ACG	0.93	-	738	-	KIAT	0.30	(0.01)	12,859	-	ADVA41C2005A	-	-	-	-
ADB	0.47	(0.01)	2,163	-	KOOL	0.89	(0.02)	8,327	-	ADVA41C2006A	0.17	(0.03)	18,408	-
BM	1.89	(0.02)	182	1.00	LDC	0.99	(0.01)	633	-	ADVA41C2007A	0.26	(0.04)	31,230	-
CHO	0.52	(0.01)	23,916	-	MORE	0.38	0.01	47,254	-	ADVA41P2004A	0.43	0.08	11,808	-
CHOW	1.50	(0.02)	787	1.00	MPG	0.30	-	479	-	ADVA41P2005A	0.31	0.04	61,603	-
CIG	0.20	-	2,051	-	MVP	1.68	0.05	3	1.00	ADVA42C2003A	-	-	-	-
COLOR	1.05	-	180	1.00	NBC	0.50	0.02	6,036	-	ADVA42C2005A	0.12	(0.03)	23,650	-
CPR	3.20	(0.02)	705	3.00	NCL	0.99	-	56	-	ADVA42P2007A	0.44	(0.56)	11,330	-
FPI	2.34	(0.12)	832	2.00	NEWS	0.01	-	1,926	-	AEON01C2005A	0.07	(0.01)	1,367	-
GTB	0.68	(0.01)	7,663	-	NINE	1.97	(0.07)	21	1.00	AEON13C2003A	-	-	-	-
KCM	0.47	(0.01)	5,276	-	OTO	3.08	(0.02)	2,858	3.00	AEON13C2007A	0.56	(0.44)	9,487	-
KUMWEL	0.71	(0.02)	360	-	PHOL	1.84	(0.02)	5,103	1.00	AEON19C2003A	-	-	-	-
KWM	0.80	(0.02)	3,659	-	PICO	4.02	0.02	55	4.00	AEON19C2006A	0.35	(0.05)	33,942	-
MBAX	-	-	-	-	QLT	4.96	0.04	31	4.00	AMAT01C2004A	0.07	(0.01)	20,113	-
MGT	1.68	0.01	1,460	1.00	RP	1.36	(0.01)	631	1.00	AMAT01C2004B	-	-	-	-
NDR	1.05	-	5	1.00	SE	1.76	-	18	1.00	AMAT01C2007B	0.21	(0.03)	50,440	-
PDG	2.90	(0.08)	3,448	2.00	SONIC	0.95	(0.01)	486	-	AMAT01C2008A	0.45	(0.02)	40,231	-
PIMO	1.16	-	5,465	1.00	SPA	12.20	(0.10)	4,552	12.00	AMAT01P2008A	0.71	0.04	56,301	-
PJW	1.18	-	1,012	1.00	THMUI	0.52	-	296	-	AMAT06C2005A	0.04	(0.01)	3,000	-
PPM	0.63	(0.02)	460	-	TNDT	3.66	-	22	3.00	AMAT08C2002A	0.01	-	480	-
RWI	1.23	(0.01)	1,961	1.00	TNH	-	-	-	-	AMAT08C2005A	0.06	(0.02)	500	-
SALEE	-	-	-	-	TNP	2.16	(0.02)	19,933	2.00	AMAT11C2004A	-	-	-	-
SANKO	0.92	0.02	530	-	TSF	-	-	-	-	AMAT11C2008A	0.20	(0.01)	37,372	-
SELIC	2.52	(0.06)	4,725	2.00	TVD	1.12	-	7,274	1.00	AMAT13C2004A	-	-	-	-
SWC	3.46	(0.04)	137	3.00	TVT	0.56	-	2,972	-	AMAT13C2006A	0.12	(0.01)	34,498	-
TMC	0.38	(0.02)	10,498	-	VL	1.30	0.01	121,508	1.00	AMAT16C2003A	-	-	-	-
TMI	0.73	-	5,917	-	WINNER	2.04	(0.04)	2,665	2.00	AMAT16C2006A	0.02	-	2,884	-
TMW	40.00	-	300	39.00	YGG	4.64	(0.10)	12,686	4.00	AMAT16C2008A	0.28	(0.04)	60,544	-
TPAC	9.00	(0.15)	20	9.00	Technology (MAI)									
TPLAS	1.06	(0.01)	2,377	1.00	APP	1.93	(0.04)	5,857	1.00	AMAT19C2003A	-	-	-	-
UBIS	5.35	0.05	536	5.00	COMAN	2.84	0.02	6,373	2.00	AMAT19C2005A	0.05	-	1,000	-
UEC	0.74	-	1,585	-	ICN	1.67	0.17	67,476	1.00	AMAT19C2006A	0.21	(0.03)	55,365	-
UKEM	0.41	0.01	52,926	-	INSET	2.62	(0.02)	24,532	2.00	AMAT24C2006A	-	-	-	-
UREKA	1.01	0.04	1,181	1.00	JRCP	0.47	0.01	696	-	AMAT41C2003A	-	-	-	-
YUASA	12.90	0.10	1,972	13.00	ITEL	2.48	0.06	33,295	2.00	AMAT41C2004A	0.01	-	1,000	-
ZIGA	1.04	-	1,435	1.00	NETBAY	31.25	(0.25)	568	31.00	AMAT41C2005A	-	-	-	-
Property & Construc														
ALL	3.20	(0.14)	29,531	3.00	PLANET	1.03	(0.01)	1,123	1.00	AMAT42C2003A	-	-	-	-
ARIN	0.58	-	1,585	-	SIMAT	1.95	0.04	39,653	1.00	AMAT42C2005A	-	-	-	-
ARROW	8.25	(0.05)	174	8.00	SKY	14.60	-	5,831	14.00	AMAT42C2007A	0.25	(0.04)	6,382	-
BC	1.50	(0.03)	3,433	1.00	SPVI	3.16	(0.06)	66,409	3.00	ANAN13C2007A	-	-	-	-
BSM	0.29	(0.02)	4,291	-	TPS	2.08	0.02	3,489	2.00	ANAN19C2004A	-	-	-	-
BTW	0.60	-	199	-	UPA	0.18	-	8,221	-	ANAN19C2007A	0.11	(0.02)	172	-
CAZ	2.40	(0.08)	9,798	2.00	VCOM	2.80	0.06	433	2.00	AOT01C2002A	0.01	(0.02)	59,371	-
CHEWA	0.40	(0.01)	8,533	-	Unit Trust	-	-	-	-	AOT01C2002B	0.01	-	22,301	-
CMC	0.82	(0.04)	10,951	-	MGE	-	-	-	-	AOT01C2004A	0.12	(0.07)	482,911	-
CRD	0.64	-	652	-	SCBSET	-	-	-	-	AOT01C2004B	0.02	(0.01)	72,699	-
DIMET	-	-	-	-	ETF	-	-	-	-	AOT01C2006B	0.20	(0.08)	626,439	-
FLOYD	1.31	(0.02)	1,146	1.00	1DIV	9.55	(0.02)	191	9.00	AOT01C2007A	0.45	(0.12)	1,053,522	-
HYDRO	0.29	0.01	273	-	ABFTH	-	-	-	-	AOT01P2002A	0.91	0.26	50,724	-
JSP	0.25	-	11,187	-	BMSCG	7.25	(0.09)	149	7.00	AOT01P2002B	0.31	0.18	143,507	-
K	1.25	-	2	1.00	BMSCITH	10.92	(

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT16C2007A	0.07	(0.04)	31,591	-	BBL08P2002A	-	-	-	-	BEC01C2006B	0.09	(0.02)	13,231	-
AOT16C2009A	0.37	(0.10)	333,780	-	BBL08P2007A	0.60	0.01	42,370	-	BEC01P2006A	0.59	0.01	69,044	-
AOT19C2002A	-	-	-	-	BBL11C2005A	0.03	-	3,235	-	BEC16C2002A	-	-	-	-
AOT19C2005A	0.10	(0.06)	67,124	-	BBL11C2007A	0.09	(0.01)	18,601	-	BEC19C2003A	-	-	-	-
AOT19P2004A	0.73	0.22	94,566	-	BBL11P2008A	0.61	0.01	75,440	-	BEC19C2005A	0.10	(0.02)	1,635	-
AOT24C2003A	-	-	-	-	BBL13C2003A	-	-	-	-	BEC27C2002A	-	-	-	-
AOT24C2006A	0.17	(0.10)	87,027	-	BBL13C2004A	0.14	-	42,207	-	BEC41C2003A	-	-	-	-
AOT27C2008A	0.16	(0.07)	102,766	-	BBL13C2006A	0.34	(0.01)	70,640	-	BEC42C2003A	-	-	-	-
AOT28C2003A	0.01	-	213	-	BBL13P2003A	-	-	-	-	BEC42C2005A	0.12	(0.02)	10,214	-
AOT28C2006A	0.05	(0.04)	20,500	-	BBL13P2004A	0.65	0.01	64,217	-	BEM01C2004A	0.20	(0.02)	151,302	-
AOT28C2006B	0.11	(0.09)	77,999	-	BBL16C2006A	0.08	(0.01)	13,590	-	BEM01C2004B	0.08	(0.01)	127,738	-
AOT28P2004A	0.63	0.18	27,544	-	BBL19C2003A	-	-	-	-	BEM01P2004A	0.16	0.02	176,421	-
AOT41C2002A	-	-	-	-	BBL19C2005A	0.13	-	12,830	-	BEM06C2004A	0.05	(0.01)	4,550	-
AOT41C2003A	-	-	-	-	BBL19C2007A	0.38	(0.62)	10,879	-	BEM08C2005A	0.13	(0.02)	10,038	-
AOT41C2004A	0.02	(0.02)	2	-	BBL19P2002A	0.23	-	2,231	-	BEM11C2003A	0.03	(0.01)	1,300	-
AOT41C2005A	0.02	(0.04)	1,000	-	BBL19P2007A	0.57	0.01	13,939	-	BEM13C2004A	0.06	(0.01)	3,510	-
AOT41C2006A	0.14	(0.11)	54,572	-	BBL24C2004A	0.18	(0.02)	49,298	-	BEM13C2007A	0.17	(0.03)	153,641	-
AOT41C2007A	0.11	(0.07)	753	-	BBL27C2002A	-	-	-	-	BEM16C2006A	0.20	(0.02)	3,833	-
AOT41P2002A	0.13	0.10	14,426	-	BBL28C2003A	-	-	-	-	BEM19C2005A	0.12	(0.02)	31,385	-
AOT41P2004A	1.15	0.38	778	1.00	BBL28C2005A	-	-	-	-	BEM24C2003A	-	-	-	-
AOT41P2005A	1.37	0.38	4,606	1.00	BBL28C2007A	0.26	(0.01)	38,369	-	BEM28C2006A	0.11	-	2,028	-
AOT41P2006A	0.81	0.17	42,938	-	BBL41C2003A	-	-	-	-	BEM28C2007A	0.11	(0.02)	32,220	-
AOT42C2006A	0.05	(0.05)	1,990	-	BBL41C2004A	-	-	-	-	BEM41C2002A	-	-	-	-
AOT42P2003A	0.02	-	150	-	BBL41C2005A	0.01	(0.02)	4	-	BEM41C2004A	-	-	-	-
AOT42P2009A	0.70	(0.30)	14,787	-	BBL41C2006A	-	-	-	-	BEM41C2006A	0.13	(0.06)	480	-
AP16C2002A	-	-	-	-	BBL41C2007A	0.29	-	12,666	-	BEM41P2003A	-	-	-	-
AP19C2002A	-	-	-	-	BBL41P2002A	-	-	-	-	BEM41P2004A	0.15	0.02	3,766	-
AP19C2007A	0.25	-	2,886	-	BBL41P2004A	0.72	0.03	22,200	-	BGR101C2003A	0.40	(0.01)	284,006	-
AP28C2004A	0.09	(0.01)	12,169	-	BBL41P2006A	0.82	-	23,610	-	BGR101C2003B	0.11	(0.01)	281,667	-
AP28C2006A	0.09	-	8,112	-	BBL42C2003A	-	-	-	-	BGR101C2006A	0.34	-	444,205	-
AWC01C2003A	0.12	-	65,922	-	BBL42C2005A	0.09	-	4,000	-	BGR101C2006B	0.11	(0.01)	405,012	-
AWC01C2003B	-	-	-	-	BBL42C2007A	0.34	(0.66)	10,960	-	BGR101P2003A	0.15	-	347,754	-
AWC01C2004A	0.06	(0.01)	2,400	-	BCH01C2006A	0.23	-	35,990	-	BGR101P2006A	0.97	(0.01)	157,023	1.00
AWC01P2003A	0.36	(0.03)	29,190	-	BCH01C2006B	0.10	-	55,409	-	BGR106C2005A	0.16	-	98,909	-
AWC01P2003B	-	-	-	-	BCH01P2006A	0.70	(0.01)	32,262	-	BGR108C2003A	0.47	(0.04)	14,620	-
AWC01P2007A	0.38	-	60,945	-	BCH06C2006A	0.12	(0.01)	14,064	-	BGR108C2005A	0.25	(0.01)	94,278	-
AWC06C2002A	0.02	-	1,501	-	BCH06P2006A	0.53	-	5,109	-	BGR111C2006A	0.60	(0.04)	71,312	-
AWC06C2004A	0.13	(0.01)	9,798	-	BCH08C2004A	-	-	-	-	BGR111C2008A	0.27	0.01	163,538	-
AWC06P2002A	0.11	(0.02)	10,400	-	BCH11C2008A	0.22	-	23,050	-	BGR113C2002A	0.04	(0.03)	150	-
AWC08C2004A	0.05	(0.03)	126	-	BCH13C2004A	0.04	-	5,499	-	BGR113C2004A	0.10	-	53,196	-
AWC13C2002A	0.01	-	300	-	BCH13C2007A	0.24	-	54,155	-	BGR113C2006A	0.16	-	153,079	-
AWC13C2003A	0.02	(0.01)	18,500	-	BCH16C2006A	0.15	(0.02)	5,133	-	BGR113P2005A	0.62	(0.01)	231,064	-
AWC13C2006A	0.11	(0.02)	25,796	-	BCH19C2005A	-	-	-	-	BGR116C2005A	0.21	-	222,464	-
AWC13P2003A	-	-	-	-	BCH19C2006A	0.19	-	9,010	-	BGR119C2004A	0.41	0.01	43,888	-
AWC13P2006A	0.37	0.01	62,679	-	BCH24C2003A	-	-	-	-	BGR119C2005A	0.19	(0.02)	71,302	-
AWC16C2005A	-	-	-	-	BCH27C2003A	0.08	-	12,000	-	BGR119C2006A	0.14	-	29,730	-
AWC16C2007A	0.10	-	10	-	BCH41C2005A	-	-	-	-	BGR119P2007A	0.78	(0.22)	19,047	-
AWC19C2003A	0.03	(0.02)	1	-	BCH41C2006A	0.13	(0.03)	2,022	-	BGR124C2004A	0.40	-	62,792	-
AWC19C2004A	0.03	-	85	-	BCH42C2002A	-	-	-	-	BGR127P2006A	0.46	0.01	85,978	-
AWC19C2006A	-	-	-	-	BCP01C2005A	0.63	0.03	68,986	-	BGR128C2003A	-	-	-	-
AWC24C2007A	0.07	(0.01)	1	-	BCP01C2005B	0.11	0.01	507,374	-	BGR128C2003B	-	-	-	-
AWC28C2003A	-	-	-	-	BCP01P2005A	0.16	(0.01)	51,917	-	BGR141C2004A	0.20	(0.36)	42,045	-
AWC28C2003B	-	-	-	-	BCP11C2004A	-	-	-	-	BGR141C2005A	0.17	(0.02)	110,662	-
AWC28C2003C	-	-	-	-	BCP13C2003A	-	-	-	-	BGR141C2006A	0.19	(0.02)	882	-
AWC28C2006A	0.12	0.01	34,346	-	BCP13C2003B	-	-	-	-	BGR141P2004A	0.22	0.08	30	-
AWC28P2003A	-	-	-	-	BCP13C2007A	0.20	-	65,889	-	BGR141P2005A	0.53	-	13,256	-
AWC41C2003A	-	-	-	-	BCP19C2004A	-	-	-	-	BGR141P2006A	1.06	-	39,597	1.00
AWC41C2004A	-	-	-	-	BCP19C2005A	0.14	0.01	51,727	-	BGR142C2003A	0.07	(0.01)	11,688	-
AWC41C2005A	-	-	-	-	BGP24C2004A	-	-	-	-	BGR142C2006A	0.10	(0.01)	3,429	-
AWC41C2006A	-	-	-	-	BCPG01C2005A	0.33	(0.01)	32,556	-	BH01C2004A	0.47	0.02	35,358	-
AWC41C2007A	0.16	-	5,889	-	BCPG01C2005B	0.12	(0.01)	9,567	-	BH01C2004B	0.12	(0.01)	44,907	-
AWC42C2003A	-	-	-	-	BCPG01P2005A	0.25	-	112,266	-	BH01P2004A	0.56	(0.02)	53,033	-
AWC42C2008A	-	-	-	-	BCPG06C2002A	-	-	-	-	BH11C2002A	-	-	-	-
BANP01C2002A	0.01	-	3,530	-	BCPG13C2004A	0.10	(0.01)	6,856	-	BH11C2008A	0.30	-	29,030	-
BANP01C2002B	-	-	-	-	BCPG13C2007A	0.35	(0.01)	63,623	-	BH13C2006A	0.21	-	29,033	-
BANP01C2005A	0.12	(0.01)	92,483	-	BCPG19C2003A	0.04	-	250	-	BH19C2002A	-	-	-	-
BANP01C2005B	0.05	-	500	-	BCPG19C2005A	0.25	(0.01)	958	-	BH19C2003A	0.11	(0.01)	23,784	-
BANP01P2002A	0.47	0.03	6,528	-	BCPG28C2003A	-	-	-	-	BH19C2006A	0.24	(0.01)	6,685	-
BANP01P2002B	0.37	0.02	22,169	-	BCPG28C2004A	0.08	(0.01)	1,605	-	BH24C2003A	0.10	(0.01)	7,920	-
BANP01P2005A	0.49	0.01	19,816	-	BCPG41C2002A	-	-	-	-	BH27C2007A	0.31	-	19,200	-
BANP01P2005B	0.26	0.01	51,960	-	BCPG41C2005A	0.23	(0.01)	1,600	-	BH41C2003A	0.14	(0.40)	4,474	-
BANP06C2005A	-	-	-	-	BCPG42C2004A	-	-	-	-	BH41C2004A	0.16	(0.15)	42,144	-
BANP08C2002A	-	-	-	-	BCPG42C2007A	0.31	(0.03)	3,640	-	BH41C2005A	0.20	-	5,517	-
BANP08C2005A	-	-	-	-	BDMS01C2002A	0.40	0.03	418	-	BH41C2006A	0.18	(0.01)	8,862	-
BANP08C2007A	0.49	(0.03)	4,181	-	BDMS01C2002B	0.01	(0.01)	1	-	BH41P2004A	0.20	(0.01)	20,498	-
BANP08P2003A	0.51	0.01	5,020	-	BDMS01C2007B	0.15	(0.01)	83,319	-	BH41P2006A	0.74	-	17,766	-
BANP11C2004A	0.01	-	300	-	BDMS01P2002A	-	-	-	-	BH42C2003A	0.02	-	100	-
BANP11C2008A	0.10	(0.01)	15,082	-	BDMS01P2008A	0.34	0.01	37,785	-	BH42C2008A	0.44	(0.56)	10,662	-
BANP13C2003A	-	-	-	-	BDMS06C2003A	0.17	(0.01)	27,500	-	BJC01C2004A	0.06	-	13,932	-
BANP13C2006A	-	-	-	-	BDMS06P2004A	0.10	-	38,270	-	BJC01C2004B	-	-	-	-
BANP19C2002A	-	-	-	-	BDMS08C2003A	0.11	-	4,300	-	BJC06C2002A	0.95	(0.03)	22,965	-
BANP19C2004A	-	-	-	-	BDMS08C2006A	0.08	-	10	-	BJC06C2006A	-	-	-	-
BANP19C2005A	-	-	-	-	BDMS11C2007A	0.42	(0.02)	7,654	-	BJC11C2008A	0.21	0.01	17,674	-
BANP19C2007A	0.16	(0.01)	1,019	-	BDMS11C2008A	0.13	-	43,400	-	BJC13C2002A	-	-	-	-
BANP19P2003A	-	-	-	-	BDMS11P2002A	-	-	-	-	BJC13C2004A	-	-	-	-
BANP24C2003A	-	-	-	-	BDMS13C2003A	0.14	(0.03)	14,544	-	BJC13C2005A	0.08	-	7,054	-
BANP27C2007A	0.08	(0.01)	500	-	BDMS13C2004A	0.06	-	300	-	BJC16C2002A	-	-	-	-
BANP28C2003A	-	-	-	-	BDMS16C2006A	0.44	(0.02)	58,924	-	BJC16C2006A	0.09	0.01	9,696	-
BANP28C2004A	-	-	-	-	BDMS19C2005A	0.30	(0.02)	7,087	-	BJC19C2003A	-	-	-	-
BANP41C2003A	-	-	-	-	BDMS19C2005B	-	-	-	-	BJC19C2005A	-	-	-	-
BANP														

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC41P2005A	0.54	(0.04)	23,091	-	CK06C2004A	0.33	(0.02)	30,679	-	CPAL42C2005A	-	-	-	-
BJC42C2004A	-	-	-	-	CK11C2007A	0.30	(0.01)	45,871	-	CPAL42C2007A	0.27	(0.04)	18,420	-
BLAN19C2004A	0.03	(0.01)	200	-	CK13C2002A	-	-	-	-	CPF01C2004A	0.24	(0.02)	124,681	-
BLAN28C2004A	-	-	-	-	CK13C2003A	0.24	0.01	76,430	-	CPF01C2004B	0.13	(0.02)	175,062	-
BPP01C2005A	0.13	(0.02)	169,458	-	CK13C2006A	0.29	(0.02)	105,375	-	CPF01P2004A	0.11	0.01	156,695	-
BPP01C2005B	0.05	(0.01)	60	-	CK16C2003A	0.01	(0.01)	100	-	CPF08C2006A	0.10	(0.01)	104,799	-
BPP01P2005A	0.70	0.05	64,943	-	CK16C2006A	0.23	(0.02)	133,622	-	CPF11C2004A	0.05	(0.01)	550	-
BPP13C2004A	-	-	-	-	CK19C2002A	-	-	-	-	CPF11C2007A	0.26	(0.02)	28,500	-
BPP13C2007A	0.21	(0.03)	256,281	-	CK19C2003A	0.01	(0.01)	7,580	-	CPF13C2003A	-	-	-	-
BPP19C2002A	-	-	-	-	CK19C2004A	0.29	(0.02)	17,652	-	CPF13C2006A	0.13	(0.01)	138,049	-
BPP19C2005A	-	-	-	-	CK19C2007A	0.30	(0.01)	2,150	-	CPF16C2007A	0.19	(0.01)	7,350	-
BPP19C2007A	0.24	(0.02)	58,426	-	CK24C2003A	-	-	-	-	CPF19C2003A	0.07	(0.01)	21,200	-
BPP24C2003A	-	-	-	-	CK27C2008A	0.49	(0.01)	46,926	-	CPF19C2005A	0.23	(0.02)	39,191	-
BTS01C2005A	0.23	(0.02)	190,358	-	CK41C2003A	0.24	-	20,488	-	CPF19C2006A	0.12	(0.01)	58,458	-
BTS01C2005B	0.08	(0.01)	90,958	-	CK41C2004A	0.12	(0.01)	17,710	-	CPF19P2002A	-	-	-	-
BTS01P2005A	0.23	0.02	224,301	-	CK41C2005A	0.16	(0.01)	2,486	-	CPF24C2007A	0.26	(0.03)	36,472	-
BTS08C2005A	0.07	(0.01)	270	-	CK42C2006A	0.33	(0.67)	7,396	-	CPF28C2004A	0.15	(0.02)	18,252	-
BTS11C2003A	0.10	(0.04)	43,860	-	CKP01C2004A	0.02	-	430	-	CPF28C2007A	0.13	(0.02)	24,015	-
BTS13C2003A	0.04	(0.03)	7,881	-	CKP01C2004B	-	-	-	-	CPF41C2002A	-	-	-	-
BTS13C2006A	0.15	(0.01)	127,259	-	CKP01P2004A	0.78	-	262,487	-	CPF41C2004A	0.14	(0.05)	582	-
BTS16C2008A	0.10	(0.02)	80,834	-	CKP08C2004A	-	-	-	-	CPF41C2005A	0.15	(0.02)	14,516	-
BTS19C2002A	-	-	-	-	CKP11C2006A	-	-	-	-	CPF41P2003A	-	-	-	-
BTS19C2005A	0.13	(0.02)	1,788	-	CKP13C2003A	-	-	-	-	CPF41P2005A	0.16	(0.01)	257	-
BTS19P2002A	-	-	-	-	CKP13C2004A	0.02	-	809	-	CPF42C2003A	0.04	(0.01)	1,200	-
BTS24C2007A	0.18	(0.01)	54,939	-	CKP13C2004B	0.09	(0.01)	2,134	-	CPN01C2005A	0.39	(0.02)	84,434	-
BTS41C2003A	-	-	-	-	CKP13C2007A	0.45	0.01	428,370	-	CPN01C2005B	0.11	(0.01)	154,267	-
BTS41C2004A	-	-	-	-	CKP16C2005A	-	-	-	-	CPN01P2005A	0.50	0.02	87,975	-
BTS41C2006A	0.16	(0.02)	1,240	-	CKP16C2007A	0.12	-	5,680	-	CPN06C2006A	0.22	(0.02)	50,265	-
BTS41P2004A	0.23	0.02	17,856	-	CKP19C2003A	-	-	-	-	CPN11C2006A	0.07	(0.01)	24,000	-
BTS42C2003A	-	-	-	-	CKP19C2005A	-	-	-	-	CPN11C2008A	0.36	(0.01)	41,065	-
BTS42C2008A	0.18	(0.82)	11,122	-	CKP19C2006A	0.20	-	92,103	-	CPN13C2004A	0.07	(0.01)	38,156	-
CBG01C2004A	0.79	(0.08)	264,787	-	CKP24C2006A	0.09	-	13,284	-	CPN13C2007A	0.36	(0.01)	190,203	-
CBG01C2004B	0.23	(0.04)	189,602	-	CKP27C2005A	-	-	-	-	CPN16C2005A	0.27	-	61,448	-
CBG01P2003A	0.03	(0.01)	4,000	-	CKP28C2003A	-	-	-	-	CPN19C2002A	-	-	-	-
CBG01P2004A	0.47	0.02	207,026	-	CKP28C2004A	-	-	-	-	CPN19C2004A	-	-	-	-
CBG06C2005A	0.56	(0.06)	100,359	-	CKP28C2004B	-	-	-	-	CPN24C2002A	-	-	-	-
CBG08C2003A	0.36	(0.03)	59,100	-	CKP28C2006A	0.15	-	36,420	-	CPN24C2007A	0.47	(0.03)	43,747	-
CBG11C2002A	-	-	-	-	CKP41C2002A	-	-	-	-	CPN41C2003A	-	-	-	-
CBG11C2008A	0.99	(0.03)	71,957	1.00	CKP41C2004A	-	-	-	-	CPN41C2004A	-	-	-	-
CBG13C2004A	0.34	(0.06)	121,812	-	CKP41C2005A	-	-	-	-	CPN41C2006A	0.26	(0.02)	52,332	-
CBG13P2006A	0.77	0.03	153,109	-	CKP41C2006A	0.13	(0.14)	31,028	-	CPN41P2003A	0.09	-	10,748	-
CBG16C2008A	0.71	(0.04)	111,765	-	CKP41C2007A	0.39	(0.01)	58,986	-	CPN41P2005A	0.52	-	2,400	-
CBG19C2004A	0.33	(0.03)	46,686	-	CKP42C2003A	-	-	-	-	CPN41P2006A	0.26	(0.01)	44,122	-
CBG19C2005A	0.64	(0.06)	42,941	-	CKP42C2005A	-	-	-	-	CPN42C2002A	-	-	-	-
CBG19P2002A	-	-	-	-	CKP42C2006A	0.18	0.01	8,400	-	CPN42C2004A	-	-	-	-
CBG19P2006A	0.86	-	20,794	-	COM708C2002A	0.01	(0.01)	1,500	-	CPN42C2006A	0.24	(0.02)	9,994	-
CBG24C2003A	0.22	(0.03)	26,032	-	COM708C2007A	0.18	-	59,543	-	DTAC01C2004A	0.09	-	78,760	-
CBG41C2002A	-	-	-	-	COM711C2004A	0.07	0.01	9,360	-	DTAC01C2004B	0.02	-	4	-
CBG41C2003A	0.29	(0.04)	54,052	-	COM713C2004A	0.06	(0.01)	15,940	-	DTAC01C2007B	0.21	(0.01)	123,425	-
CBG41C2004A	0.40	(0.06)	23,195	-	COM713C2007A	0.16	(0.01)	43,488	-	DTAC01C2008A	0.40	(0.02)	47,881	-
CBG41C2005A	0.89	(0.26)	29,678	-	COM716C2008A	0.10	(0.01)	15,560	-	DTAC01P2004A	1.50	0.02	13,218	1.00
CBG41C2006A	0.77	(0.06)	161,308	-	COM719C2003A	0.17	-	86,706	-	DTAC01P2004B	1.13	0.02	10,384	1.00
CBG41P2003A	0.06	(0.01)	400	-	COM719C2005A	0.08	(0.01)	2,010	-	DTAC01P2007B	0.63	0.01	105,892	-
CBG41P2004A	0.70	0.03	44,822	-	COM719P2004A	0.17	-	47,779	-	DTAC01P2008A	0.73	0.01	41,860	-
CBG41P2006A	0.80	-	48,740	-	COM724C2007A	0.16	(0.01)	20,518	-	DTAC06C2006A	0.05	0.01	13,470	-
CBG42C2003A	0.06	(0.02)	11,380	-	COM741C2002A	-	-	-	-	DTAC08C2005A	-	-	-	-
CBG42C2006A	0.52	(0.48)	25,282	-	COM741C2004A	-	-	-	-	DTAC08C2005B	-	-	-	-
CENT01C2003A	0.02	0.01	7,507	-	COM741C2006A	0.11	(0.02)	446	-	DTAC08C2007A	0.21	(0.01)	20,226	-
CENT01C2003B	-	-	-	-	COM742C2002A	-	-	-	-	DTAC08P2002A	-	-	-	-
CENT01C2006A	0.23	0.02	47,877	-	COM742C2004A	-	-	-	-	DTAC11C2002A	-	-	-	-
CENT01C2006B	0.03	-	2,020	-	CPAL01C2002A	0.01	-	12,213	-	DTAC13C2003A	-	-	-	-
CENT01P2003A	0.86	0.01	59,818	-	CPAL01C2002B	-	-	-	-	DTAC13C2006A	0.07	-	17,615	-
CENT06C2003A	-	-	-	-	CPAL01C2004A	0.17	(0.03)	280,082	-	DTAC13C2007A	0.17	(0.01)	54,436	-
CENT06C2006A	0.15	-	23,766	-	CPAL01C2004B	0.06	(0.02)	30	-	DTAC13P2003A	-	-	-	-
CENT06P2007A	0.49	(0.03)	56,109	-	CPAL01C2006A	0.45	(0.05)	131,676	-	DTAC13P2006A	0.90	0.04	151	-
CENT08C2004A	-	-	-	-	CPAL01C2006B	0.24	(0.03)	229,558	-	DTAC13P2007A	0.21	-	20,274	-
CENT11C2004A	-	-	-	-	CPAL01P2002A	1.54	0.17	12,642	1.00	DTAC13P2008A	0.65	-	66,518	-
CENT11C2007A	-	-	-	-	CPAL01P2002B	0.82	0.15	14,514	-	DTAC19C2005A	0.05	-	155	-
CENT13C2003A	-	-	-	-	CPAL01P2004A	0.96	0.07	39,267	-	DTAC19C2006A	0.13	(0.01)	8,778	-
CENT13C2005A	-	-	-	-	CPAL01P2004B	0.42	0.05	316,733	-	DTAC19P2002A	1.16	0.03	5,356	1.00
CENT13C2006A	0.21	0.02	89,609	-	CPAL06C2006A	0.29	(0.05)	140,533	-	DTAC19P2007A	0.50	(0.01)	13,665	-
CENT19C2004A	-	-	-	-	CPAL08C2004A	-	-	-	-	DTAC24C2004A	-	-	-	-
CENT19C2005A	0.10	(0.01)	6,041	-	CPAL08C2006A	0.21	(0.01)	63,945	-	DTAC24C2007A	0.28	(0.01)	25,200	-
CENT24C2003A	-	-	-	-	CPAL08P2002A	0.38	(0.05)	6,000	-	DTAC27C2002A	-	-	-	-
CENT24C2008A	-	-	-	-	CPAL08P2006A	0.54	0.04	76,569	-	DTAC27C2008A	0.32	-	25,200	-
CENT27C2008A	-	-	-	-	CPAL11C2006A	0.05	(0.01)	748	-	DTAC27P2002A	0.11	0.01	17,220	-
CENT28C2004A	0.01	-	19,607	-	CPAL11C2007A	0.22	(0.03)	139,270	-	DTAC41C2004A	-	-	-	-
CENT28C2005A	-	-	-	-	CPAL13C2002A	-	-	-	-	DTAC41C2005A	-	-	-	-
CENT28C2006A	0.15	0.01	31,912	-	CPAL13C2004A	0.19	(0.03)	47,500	-	DTAC41C2006A	0.08	0.01	1	-
CENT41C2003A	-	-	-	-	CPAL13C2007A	0.42	(0.04)	317,809	-	DTAC41C2007A	0.19	(0.02)	3,525	-
CENT41C2004A	-	-	-	-	CPAL13P2003A	0.52	0.06	53,821	-	DTAC41P2005A	0.49	0.01	31,806	-
CENT41C2005A	-	-	-	-	CPAL16C2006A	0.14	(0.03)	37,027	-	DTAC41P2006A	1.33	0.02	2,756	1.00
CENT41C2006A	0.28	-	47,042	-	CPAL16C2007A	0.25	(0.03)	194,416	-	DTAC42C2004A	-	-	-	-
CENT41P2002A	-	-	-	-	CPAL19C2002A	-	-	-	-	DTAC42C2006A	0.18	(0.01)	7,172	-
CENT41P2003A	0.82	0.01	13,568	-	CPAL19C2004A	0.06	(0.02)	50	-	EA06C2005A	0.37	0.02	27,353	-
CENT42C2002A	-	-	-	-	CPAL19C2005A	0.19	(0.03)	44,590	-	EA08C2004A	0.10	0.01	17,040	-
CENT42C2004A	-	-	-	-	CPAL19P2004A	0.28	0.03	42,824	-	EA08C2006A	0.57	0.01	32,507	-
CENT42C2006A	0.14	0.01	4,437	-	CPAL24C2005A	0.07	(0.01)	100	-	EA11C2005A	0.27	0.03	55,880	-
CHG01C2006A	0.33	(0.01)	57,978	-	CPAL28C2003A									

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA28C2004A	0.13	0.02	15,210	-	GPSC13P2005A	1.80	(0.05)	5,593	1.00	HMPR19C2005A	0.07	-	1,000	-
EA28C2004B	0.19	0.02	38,532	-	GPSC13P2007A	1.18	(0.02)	589,108	1.00	HMPR19C2007A	0.20	(0.01)	11,880	-
EA28C2006A	0.35	0.03	51,646	-	GPSC16C2003A	0.29	0.04	163,492	-	HMPR24C2004A	-	-	-	-
EA41C2004A	0.25	0.03	34,500	-	GPSC16C2007A	0.27	0.02	141,227	-	HMPR28C2003A	-	-	-	-
EA41C2005A	0.26	(0.04)	15,050	-	GPSC19C2004A	0.10	-	42,162	-	HMPR41C2002A	-	-	-	-
EA41C2006A	0.42	(0.08)	15,764	-	GPSC19C2007A	0.51	0.01	158,169	-	HMPR41C2003A	-	-	-	-
EA41P2003A	0.33	(0.05)	16,104	-	GPSC19P2002A	-	-	-	-	HMPR41C2005A	-	-	-	-
EA41P2004A	0.25	(0.03)	7,851	-	GPSC19P2005A	0.78	(0.06)	110,451	-	HMPR41C2006A	-	-	-	-
EA42C2004A	0.19	0.02	5,500	-	GPSC24C2002A	0.06	0.02	2,309	-	HMPR41C2007A	0.12	(0.88)	1,664	-
EGCO01C2004A	0.08	(0.01)	41,859	-	GPSC24C2007A	0.21	0.02	53,934	-	HMPR41P2003A	0.33	-	13,963	-
EGCO01C2004B	-	-	-	-	GPSC27C2005A	0.06	0.01	15,485	-	HMPR42C2003A	-	-	-	-
EGCO06C2004A	0.02	-	3,010	-	GPSC41C2003A	-	-	-	-	HSI28C2002A	-	-	-	-
EGCO06C2007A	0.22	(0.04)	74,567	-	GPSC41C2004A	0.05	(0.02)	10	-	HSI28C2002B	0.27	(0.04)	4,026	-
EGCO06P2004A	1.10	0.09	39,557	1.00	GPSC41C2005A	0.18	(0.01)	25,100	-	HSI28C2002C	0.07	-	1,903	-
EGCO13C2002A	-	-	-	-	GPSC41C2005B	0.34	(0.01)	146,008	-	HSI28C2003A	0.40	(0.06)	274,622	-
EGCO13C2005A	0.14	(0.03)	66,373	-	GPSC41C2006A	0.21	0.01	127,620	-	HSI28C2003B	0.18	(0.03)	1,485	-
EGCO19C2002A	-	-	-	-	GPSC41P2003A	0.15	(0.05)	2,721	-	HSI28C2003C	0.07	(0.03)	2,417	-
EGCO19C2005A	0.09	(0.01)	6,854	-	GPSC41P2004A	1.18	(0.06)	10,207	1.00	HSI28C2004A	1.79	(0.37)	6	1.00
EGCO19C2007A	0.32	(0.03)	14,632	-	GPSC41P2005A	1.25	(0.03)	13,944	1.00	HSI28C2004B	1.28	(0.04)	55,357	1.00
EGCO41C2002A	-	-	-	-	GPSC41P2006A	0.76	(0.05)	48,520	-	HSI28C2004C	0.75	(0.07)	419,028	-
EGCO41C2003A	-	-	-	-	GPSC42C2002A	-	-	-	-	HSI28P2002A	0.07	0.01	80	-
EGCO41C2004A	-	-	-	-	GPSC42C2006A	0.50	(0.50)	23,397	-	HSI28P2002B	0.02	(0.01)	143	-
EGCO41C2006A	0.19	(0.02)	14,970	-	GPSC42P2006A	0.80	(0.07)	14,701	-	HSI28P2002C	-	-	-	-
EGCO41P2002A	-	-	-	-	GULF01C2003A	0.86	(0.02)	168,251	-	HSI28P2003A	0.54	0.04	141,372	-
EGCO41P2004A	1.17	0.09	12,294	1.00	GULF01C2003B	0.19	(0.01)	305,179	-	HSI28P2003B	0.89	0.03	224,640	-
EGCO41P2006A	0.75	0.03	26,784	-	GULF01C2005A	1.00	(0.02)	246,929	1.00	HSI28P2003C	1.55	0.15	215	1.00
EGCO42C2003A	-	-	-	-	GULF01C2005B	0.58	(0.03)	163,230	-	HSI28P2004A	0.28	-	3,089	-
EGCO42C2007A	0.12	(0.02)	3,081	-	GULF01P2007A	0.29	(0.02)	342,915	-	HSI28P2004B	0.44	(0.03)	10,488	-
EPG08C2004A	0.02	-	100	-	GULF01P2003A	0.05	0.01	67,686	-	HSI28P2004C	0.68	0.04	369,180	-
EPG13C2004A	-	-	-	-	GULF01P2003B	0.05	-	79,904	-	INTU01C2003A	0.07	-	2,600	-
EPG13C2006A	0.05	(0.01)	109,903	-	GULF01P2005A	0.83	0.01	815,805	-	INTU01C2003B	0.01	-	7,060	-
EPG19C2002A	-	-	-	-	GULF03C2005A	0.38	(0.02)	56,283	-	INTU01C2006A	0.45	0.01	28,925	-
EPG19C2005A	0.03	0.01	1,555	-	GULF06C2004A	0.85	(0.04)	49,274	-	INTU01C2006B	0.23	0.01	134,760	-
EPG19C2007A	0.11	(0.01)	36,592	-	GULF08C2003A	0.50	(0.04)	89,320	-	INTU01P2003A	0.97	(0.03)	9,766	-
EPG19P2002A	0.47	0.07	11,147	-	GULF11C2003A	1.93	(0.02)	8,220	1.00	INTU01P2003B	0.17	(0.02)	51,530	-
EPG24C2008A	0.19	(0.02)	15,801	-	GULF11C2006A	0.69	(0.01)	59,817	-	INTU01P2006A	0.70	(0.01)	28,136	-
ERW06C2006A	0.01	(0.01)	17,634	-	GULF13C2004A	0.48	(0.02)	212,478	-	INTU01P2006B	0.35	(0.02)	80,638	-
ERW06C2007A	0.38	-	170,240	-	GULF13C2006A	0.47	(0.02)	549,452	-	INTU13C2002A	-	-	-	-
ERW06P2006A	0.63	-	49,412	-	GULF13C2006B	0.19	(0.01)	188,782	-	INTU13C2004A	0.13	0.02	23,671	-
ERW13C2005A	-	-	-	-	GULF13P2004A	0.29	-	478,162	-	INTU13C2006A	0.37	-	132,657	-
ERW13C2006A	0.06	-	2,000	-	GULF13P2005A	0.80	-	875,723	-	INTU13P2004A	0.19	(0.01)	32,383	-
ERW13C2007A	-	-	-	-	GULF16C2003A	0.26	(0.03)	136,156	-	INTU16C2005A	-	-	-	-
ERW19C2005A	0.01	-	350	-	GULF16C2007A	0.74	(0.02)	130,882	-	INTU16C2007A	0.16	0.01	52,886	-
ERW19C2006A	0.06	(0.02)	110	-	GULF19C2003A	0.56	(0.03)	17,873	-	INTU19C2004A	-	-	-	-
ERW19C2007A	0.34	(0.01)	70,802	-	GULF19C2004A	0.32	(0.01)	23,064	-	INTU19C2005A	0.26	0.02	240	-
ERW24C2006A	0.46	(0.02)	13,000	-	GULF19C2006A	0.16	-	10,249	-	INTU19P2002A	0.02	(0.01)	170	-
ESSO01C2004A	0.18	-	65,981	-	GULF19P2003A	0.03	-	2,643	-	INTU19P2007A	0.20	-	2,377	-
ESSO01C2004B	0.08	(0.01)	39,011	-	GULF19P2006A	0.73	-	41,595	-	INTU23C2111A	-	-	-	-
ESSO08C2004A	0.16	-	17,000	-	GULF24C2002A	0.17	(0.14)	260	-	INTU24C2003A	-	-	-	-
ESSO11C2002A	-	-	-	-	GULF24C2005A	0.83	(0.03)	35,353	-	INTU28C2003A	-	-	-	-
ESSO13C2003A	0.05	-	623	-	GULF27C2004A	-	-	-	-	INTU41C2003A	-	-	-	-
ESSO13C2006A	0.21	(0.01)	67,222	-	GULF28C2003A	0.13	(0.01)	159,024	-	INTU41C2004A	-	-	-	-
ESSO19C2004A	0.08	(0.01)	4,000	-	GULF28C2003B	0.06	(0.01)	59,229	-	INTU41C2005A	-	-	-	-
ESSO19C2007A	0.44	-	21,701	-	GULF28C2006A	0.08	(0.01)	8,050	-	INTU41C2006A	0.24	(0.01)	33,340	-
ESSO24C2003A	0.02	(0.02)	128	-	GULF41C2003A	-	-	-	-	INTU41C2007A	0.26	0.02	17,940	-
ESSO24C2007A	0.38	-	44,683	-	GULF41C2004A	0.29	(0.27)	23,526	-	INTU41P2003A	-	-	-	-
ESSO41C2003A	-	-	-	-	GULF41C2005A	0.33	(0.02)	299,151	-	INTU41P2004A	0.58	(0.02)	6,032	-
ESSO41C2004A	0.14	(0.01)	872	-	GULF41C2006A	-	-	-	-	INTU41P2005A	0.42	-	5,936	-
ESSO41C2005A	0.15	-	1,936	-	GULF41P2003A	-	-	-	-	INTU41P2006A	0.43	0.01	20	-
ESSO41C2006A	0.40	(0.09)	5,548	-	GULF41P2004A	0.49	-	128,250	-	INTU42C2003A	-	-	-	-
ESSO42C2003A	-	-	-	-	GULF41P2005A	0.38	0.02	16,800	-	INTU42C2005A	0.15	0.01	2,300	-
ESSO42C2007A	0.42	-	7,320	-	GULF41P2006A	0.43	0.01	32,016	-	IRPC01C2002A	0.01	-	630	-
GFPT13C2003A	-	-	-	-	GULF41P2007A	1.14	-	151,619	1.00	IRPC01C2002B	0.01	-	2,464	-
GFPT19C2004A	0.04	(0.01)	3,601	-	GULF42C2002A	-	-	-	-	IRPC01C2005A	0.06	(0.01)	36,493	-
GFPT19C2006A	0.18	(0.02)	3,625	-	GULF42C2003A	0.08	(0.01)	18,037	-	IRPC01C2005B	0.02	-	899	-
GFPT24C2007A	0.19	(0.01)	10,650	-	GUNK01C2005A	0.14	(0.02)	71,493	-	IRPC01C2007B	0.32	-	190,972	-
GFPT42C2004A	0.05	-	1,000	-	GUNK01C2005B	0.04	(0.01)	2,281	-	IRPC01P2002A	1.03	0.03	3,200	1.00
GFPT42C2008A	0.22	(0.78)	2,384	-	GUNK01P2005A	0.44	0.04	43,679	-	IRPC01P2005A	1.32	0.01	16,890	1.00
GLOB01C2003A	0.02	(0.01)	9,947	-	GUNK11C2007A	0.08	(0.01)	4,200	-	IRPC01P2005B	0.83	0.02	40,126	-
GLOB01C2007B	0.19	(0.01)	111,278	-	GUNK13C2003A	-	-	-	-	IRPC01P2007B	0.50	-	100,114	-
GLOB01C2008A	0.32	(0.01)	241,884	-	GUNK13C2006A	0.13	(0.01)	34,837	-	IRPC06C2005A	0.02	(0.01)	21,317	-
GLOB01P2003A	0.43	0.02	66,804	-	GUNK16C2002A	-	-	-	-	IRPC06C2007A	0.16	(0.02)	173,097	-
GLOB06C2002A	0.01	-	4	-	GUNK19C2003A	-	-	-	-	IRPC06P2004A	0.62	0.02	24,086	-
GLOB06C2006A	0.13	(0.01)	105,612	-	GUNK19C2006A	0.14	(0.03)	10,398	-	IRPC11C2005A	-	-	-	-
GLOB11C2002A	-	-	-	-	GUNK24C2006A	0.10	(0.01)	13,040	-	IRPC11C2008A	0.07	-	5,800	-
GLOB13C2002A	-	-	-	-	GUNK28C2003A	-	-	-	-	IRPC13C2003A	-	-	-	-
GLOB13C2007A	0.17	(0.01)	321,529	-	GUNK28C2005A	-	-	-	-	IRPC13C2006A	0.06	-	2,771	-
GLOB19C2002A	-	-	-	-	GUNK41C2003A	-	-	-	-	IRPC13C2007A	0.21	(0.02)	166,580	-
GLOB19C2005A	0.06	-	1,000	-	GUNK41C2005A	-	-	-	-	IRPC16C2008A	0.26	(0.02)	125,991	-
GLOB24C2005A	-	-	-	-	GUNK41P2005A	0.53	0.04	3,614	-	IRPC19C2003A	-	-	-	-
GLOB41C2004A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC19C2005A	0.06	-	50	-
GLOB42C2009A	0.19	(0.81)	13,480	-	HANA01C2006A	0.42	-	72,165	-	IRPC19C2007A	0.28	(0.01)	25,343	-
GPSC01C2003A	0.19	0.01	547,733	-	HANA01C2006B	0.17	0.01	101,474	-	IRPC24C2002A	-	-	-	-
GPSC01C2003B	0.03	-	119,094	-	HANA01P2006A	0.29	(0.01)	27,276	-	IRPC24C2004A	0.02	-	520	-
GPSC01C2005A	0.38	0.03	336,707	-	HANA11C2008A	0.30	0.01	34,010	-	IRPC27C2007A	0.06	-	3,000	-
GPSC01C2005B	0.12	0.01	621,532	-	HANA13C2002A	-	-	-	-	IRPC28C2003A	0.01	(0.01)	1	-
GPSC01C2007B	0.54	0.04	460,867	-	HANA13C2006A	0.17	0.01							

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL01C2006B	0.29	(0.02)	609,823	-	KCE01P2004A	0.31	(0.04)	463,219	-	MINT13C2002A	-	-	-	-
IVL01P2002A	1.00	0.06	8,352	-	KCE08C2002A	0.92	(0.28)	2,400	-	MINT13C2004A	-	-	-	-
IVL01P2002B	0.36	0.08	30,984	-	KCE08C2005A	0.49	0.04	135,578	-	MINT13C2006A	0.13	(0.02)	20,730	-
IVL01P2004A	0.29	0.04	315,112	-	KCE08C2005B	0.18	0.02	47,276	-	MINT19C2002A	-	-	-	-
IVL01P2004B	0.08	0.01	16,641	-	KCE11C2004A	0.84	0.03	81,998	-	MINT19C2004A	-	-	-	-
IVL01P2006B	0.40	0.04	165,651	-	KCE13C2003A	-	-	-	-	MINT19C2006A	0.16	(0.03)	28	-
IVL06C2003A	0.09	(0.03)	176,408	-	KCE13C2004A	0.62	0.04	425,781	-	MINT19P2004A	0.26	0.06	14,182	-
IVL06P2005A	0.49	0.05	58,656	-	KCE13C2005A	0.15	0.02	127,491	-	MINT24C2006A	0.09	(0.03)	7,971	-
IVL08C2002A	-	-	-	-	KCE13C2006A	1.02	0.06	96,899	-	MINT28C2006A	0.09	(0.01)	7,070	-
IVL08C2004A	0.18	(0.04)	81,008	-	KCE16C2007A	0.59	0.04	322,218	-	MINT41C2002A	-	-	-	-
IVL08P2003A	0.33	0.03	43,619	-	KCE19C2002A	0.86	0.08	29,924	-	MINT41C2004A	0.16	(0.03)	598	-
IVL08P2004A	0.18	0.02	40,187	-	KCE19C2005A	0.71	0.04	84,207	-	MINT41C2005A	-	-	-	-
IVL11C2005A	0.03	(0.01)	2,450	-	KCE19C2007A	0.79	(0.21)	25,884	-	MINT41P2004A	0.35	0.03	1,810	-
IVL11C2006A	0.26	(0.02)	83,528	-	KCE24C2005A	1.46	0.09	23,440	1.00	MINT42C2002A	-	-	-	-
IVL13C2003A	0.05	(0.02)	17,587	-	KCE27C2007A	0.39	0.04	131,168	-	MINT42C2004A	-	-	-	-
IVL13C2006A	0.26	(0.02)	137,234	-	KCE28C2003A	-	-	-	-	MTC01C2003A	0.34	(0.04)	179,098	-
IVL13P2004A	0.18	0.03	192,360	-	KCE28C2003B	-	-	-	-	MTC01C2003B	0.07	(0.01)	80,443	-
IVL16C2006A	0.11	(0.02)	26,511	-	KCE41C2003A	-	-	-	-	MTC01C2007B	0.28	(0.02)	353,632	-
IVL19C2002A	-	-	-	-	KCE41C2005A	0.81	0.05	8,790	-	MTC01C2008A	0.61	(0.04)	145,435	-
IVL19C2003A	0.01	-	20	-	KCE41C2006A	0.56	0.03	65,883	-	MTC01P2003A	0.21	0.03	134,052	-
IVL19C2004A	0.22	(0.04)	12,972	-	KKP01C2006A	0.62	(0.02)	24,400	-	MTC03C2005A	0.30	(0.04)	20,107	-
IVL19C2006A	0.19	(0.02)	33,803	-	KKP01C2006B	0.36	(0.03)	41,284	-	MTC08C2005A	0.38	(0.01)	200	-
IVL19P2003A	-	-	-	-	KKP01P2006A	0.52	0.02	50,898	-	MTC11C2002A	0.52	(0.07)	92,500	-
IVL19P2006A	0.41	0.03	15,728	-	KKP08C2003A	-	-	-	-	MTC11C2008A	0.43	(0.04)	89,336	-
IVL24C2002A	-	-	-	-	KKP11C2007A	0.39	(0.02)	44,440	-	MTC13C2003A	0.15	(0.04)	180,128	-
IVL24C2003A	0.14	(0.01)	8,050	-	KKP13C2004A	0.12	(0.02)	57,177	-	MTC13C2007A	0.30	(0.02)	295,137	-
IVL27P2007A	0.37	0.02	48,700	-	KKP13C2007A	0.41	(0.02)	128,109	-	MTC13P2003A	0.06	0.01	1,599	-
IVL28C2003A	-	-	-	-	KKP16C2002A	0.21	(0.03)	56,741	-	MTC16C2007A	0.21	(0.04)	250,899	-
IVL28C2003B	-	-	-	-	KKP19C2003A	0.12	-	3,102	-	MTC19C2002A	0.02	(0.01)	6,890	-
IVL28C2007A	0.22	(0.02)	65,793	-	KKP24C2003A	-	-	-	-	MTC19C2006A	0.25	(0.02)	39,436	-
IVL28P2003A	0.02	0.01	1,000	-	KKP27P2002A	-	-	-	-	MTC19P2004A	0.16	0.01	50,013	-
IVL41C2003A	-	-	-	-	KKP41C2002A	0.02	(0.09)	88	-	MTC24C2004A	0.30	(0.03)	77,083	-
IVL41C2004A	0.21	(0.04)	29,824	-	KKP41C2006A	0.37	(0.02)	12,212	-	MTC27C2007A	0.36	(0.03)	62,722	-
IVL41C2005A	0.15	(0.04)	526	-	KTBO1C2003A	-	-	-	-	MTC28C2006A	0.22	(0.02)	137,052	-
IVL41C2006A	0.14	(0.15)	3,500	-	KTBO1P2003A	0.30	0.01	36,318	-	MTC41C2003A	-	-	-	-
IVL41C2007A	0.12	(0.01)	2,768	-	KTB11C2004A	-	-	-	-	MTC41C2004A	0.21	(0.03)	78,588	-
IVL41P2003A	0.09	(0.04)	2,660	-	KTB11C2006A	-	-	-	-	MTC41P2003A	-	-	-	-
IVL41P2004A	-	-	-	-	KTB13C2002A	-	-	-	-	MTC41P2004A	0.36	0.02	91,188	-
IVL41P2005A	0.57	0.04	47,024	-	KTB13C2006A	0.16	-	26,182	-	MTC42C2003A	0.05	(0.01)	14,620	-
IVL41P2006A	0.43	0.03	18,051	-	KTB19C2002A	-	-	-	-	ORI13C2004A	0.06	(0.01)	3,974	-
IVL41P2007A	0.73	0.02	4,400	-	KTB19C2005A	0.12	(0.05)	4,260	-	ORI19C2003A	-	-	-	-
IVL42C2002A	-	-	-	-	KTB24C2004A	-	-	-	-	ORI19C2005A	0.11	(0.04)	21,087	-
IVL42C2005A	0.13	(0.02)	10,198	-	KTBA1C2003A	-	-	-	-	ORI28C2004A	0.03	(0.03)	20,005	-
JAS13C2006A	0.25	-	46,007	-	KTBA1C2004A	-	-	-	-	ORI28C2007A	0.16	(0.04)	47,501	-
JAS16C2002A	-	-	-	-	KTBA1C2006A	-	-	-	-	ORI41C2002A	-	-	-	-
JAS16C2002B	-	-	-	-	KTBA1P2004A	0.17	-	524	-	ORI41C2004A	-	-	-	-
JAS19C2002A	-	-	-	-	KTC01C2004A	0.29	0.01	31,853	-	OSP01C2003A	0.22	(0.04)	84,090	-
JAS19C2004A	0.25	-	48,046	-	KTC01C2004B	0.15	-	81,876	-	OSP01C2003B	0.03	(0.02)	370	-
JAS28C2003A	-	-	-	-	KTC01C2007A	0.68	-	45,581	-	OSP01C2006A	0.45	(0.04)	67,814	-
JAS41C2004A	0.52	(0.04)	3	-	KTC01C2007B	0.51	0.03	159,566	-	OSP01C2006B	0.26	(0.04)	222,999	-
JAS41C2005A	-	-	-	-	KTC01P2004A	0.17	(0.02)	96,443	-	OSP01P2003A	0.20	0.03	150,982	-
JAS41C2006A	-	-	-	-	KTC01P2007A	0.23	-	224,709	-	OSP01P2006A	0.51	0.01	248,801	-
JAS41P2005A	0.32	-	3,720	-	KTC06C2006A	0.55	0.01	28,833	-	OSP06C2005A	0.27	(0.06)	43,310	-
JMT13C2006A	0.53	(0.03)	28,171	-	KTC08C2004A	0.16	0.01	30,973	-	OSP06P2003A	0.07	0.01	75,723	-
JMT19C2006A	0.47	(0.02)	81,252	-	KTC08C2006A	0.65	0.03	38,360	-	OSP08C2004A	0.12	(0.03)	42,713	-
JMT42C2006A	0.57	(0.03)	15,433	-	KTC11C2005A	0.22	0.01	72,593	-	OSP11C2005A	0.31	(0.05)	88,083	-
KBAN01C2002A	0.01	-	9,680	-	KTC13C2004A	0.16	0.01	178,780	-	OSP13C2002A	0.01	-	13,907	-
KBAN01C2002B	-	-	-	-	KTC13C2006A	0.44	0.02	214,900	-	OSP13C2004A	0.22	(0.04)	73,147	-
KBAN01C2004A	0.16	(0.07)	102,200	-	KTC13P2002A	0.01	(0.01)	5,000	-	OSP13C2006A	0.20	(0.04)	55,488	-
KBAN01C2004B	0.13	(0.04)	38,413	-	KTC13P2006A	0.11	(0.01)	38,342	-	OSP16C2008A	0.18	(0.02)	69,567	-
KBAN01C2007A	0.64	(0.08)	39,246	-	KTC13P2007A	0.42	(0.01)	262,413	-	OSP19C2004A	0.10	(0.02)	6,250	-
KBAN01C2007B	0.35	(0.08)	126,331	-	KTC19C2002A	-	-	-	-	OSP19C2005A	0.28	(0.04)	12,656	-
KBAN01P2002A	2.06	0.31	9,319	1.00	KTC19C2005A	0.29	0.02	47,753	-	OSP24C2008A	0.39	(0.03)	31,302	-
KBAN01P2002B	0.66	0.21	22,144	-	KTC19C2006A	0.51	0.03	4,868	-	OSP28C2003A	0.04	(0.03)	23,189	-
KBAN01P2004A	1.03	0.12	46,393	-	KTC19P2005A	0.19	(0.01)	59,895	-	OSP41C2003A	0.19	(0.05)	16,673	-
KBAN01P2004B	0.15	0.04	86,488	-	KTC27C2007A	0.38	0.01	35,641	-	OSP41C2004A	-	-	-	-
KBAN01P2007A	0.95	0.09	62,854	-	KTC28C2003A	-	-	-	-	OSP41C2005A	0.23	(0.04)	28,278	-
KBAN01P2007B	0.65	0.10	299,780	-	KTC28C2004A	0.10	(0.01)	14,196	-	OSP41P2003A	0.03	-	960	-
KBAN06C2004A	0.06	(0.06)	139,329	-	KTC28C2006A	0.37	0.01	57,790	-	OSP41P2004A	0.25	0.03	57,420	-
KBAN08C2002A	-	-	-	-	KTC41C2004A	-	-	-	-	OSP42C2005A	0.24	(0.04)	10,580	-
KBAN08C2005A	0.14	(0.05)	8,328	-	KTC41C2005A	0.24	-	31,283	-	PLAN08C2004A	-	-	-	-
KBAN08C2007A	0.38	(0.08)	37,182	-	KTC41C2006A	0.27	0.01	63,736	-	PLAN13C2004A	0.02	-	2,001	-
KBAN08P2002A	0.28	0.12	24,800	-	KTC42C2003A	-	-	-	-	PLAN13C2005A	0.04	(0.02)	85,654	-
KBAN08P2004A	0.26	0.07	37,114	-	KTC42C2006A	0.57	(0.01)	2,798	-	PLAN13C2007A	0.22	(0.02)	81,324	-
KBAN13C2003A	0.01	(0.01)	4,876	-	LH01C2003A	0.04	(0.01)	3,592	-	PLAN16C2002A	-	-	-	-
KBAN13C2003B	0.06	(0.04)	27,503	-	LH01P2003A	0.43	0.01	14,868	-	PLAN19C2005A	0.02	(0.01)	317,700	-
KBAN13C2006A	0.33	(0.09)	320,989	-	LH11C2007A	0.23	(0.01)	5,800	-	PLAN19C2007A	0.24	(0.02)	6,677	-
KBAN13P2003A	0.07	0.03	28,247	-	LH16C2002A	-	-	-	-	PLAN24C2006A	0.05	(0.01)	17,900	-
KBAN13P2006A	0.46	0.09	341,904	-	LH19C2003A	-	-	-	-	PLAN27C2008A	0.11	(0.01)	3,600	-
KBAN16C2005A	0.04	(0.01)	5,350	-	LH19C2003B	-	-	-	-	PLAN28C2004A	0.01	(0.01)	80	-
KBAN16C2008A	0.27	(0.10)	127,022	-	LH19C2007A	0.31	(0.01)	2,000	-	PLAN28C2005A	0.04	(0.07)	7,200	-
KBAN19C2003A	-	-	-	-	LH19P2004A	0.14	-	3,188	-	PLAN41C2002A	-	-	-	-
KBAN19C2004A	0.16	(0.06)	27,056	-	LH41C2002A	-	-	-	-	PLAN41C2004A	-	-	-	-
KBAN19P2004A	0.25	0.05	30,772	-	LH41C2004A	-	-	-	-	PLAN41C2005A	-	-	-	-
KBAN19P2007A	0.69	0.08	53,046	-	LH41C2005A	-	-	-	-	PLAN41C2006A	-	-	-	-
KBAN24C2005A	0.11	(0.05)	24,869	-	LH41C2006A	0.24	(0.05)	596	-	PLAN42C2007A	0.22	(0.78)	11,628	-
KBAN28C2003A	0.01	(0.01)	340	-	LH41P2003A	-	-	-	-	PRM08C2003A	-	-	-	-
KBAN28C200														

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG01C2005A	0.37	0.03	144,474	-	PTTE41C2003A	-	-	-	-	RS42C2004A	-	-	-	-
PTG01C2005B	0.15	0.02	64,686	-	PTTE41C2005A	0.43	0.02	1,816	-	RS42C2008A	0.21	(0.79)	2,926	-
PTG01C2007B	0.60	0.04	68,356	-	PTTE41C2006A	0.45	-	24,345	-	S10001C2011A	0.34	(0.02)	723	-
PTG01P2003A	0.38	(0.04)	51,656	-	PTTE41P2002A	-	-	-	-	S5001C2002A	0.01	(0.02)	94,114	-
PTG01P2005A	0.54	(0.04)	158,130	-	PTTE41P2003A	-	-	-	-	S5001C2003F	0.03	(0.02)	593,929	-
PTG01P2005B	0.31	(0.03)	106,248	-	PTTE41P2004A	0.43	(0.07)	22,986	-	S5001C2003G	0.02	-	52,411	-
PTG03C2005A	0.02	-	14,417	-	PTTE42C2004A	0.09	(0.01)	7,500	-	S5001C2003H	0.07	(0.04)	347,213	-
PTG06C2006A	0.27	0.04	39,339	-	PTTG01C2002A	0.08	(0.02)	28,397	-	S5001C2003I	0.19	(0.08)	1,062,224	-
PTG08C2005A	0.14	0.01	10,000	-	PTTG01C2002B	0.02	-	1,000	-	S5001C2003J	0.55	(0.16)	3,494,656	-
PTG08C2007A	0.58	0.04	39,542	-	PTTG01C2005A	0.23	(0.01)	137,992	-	S5001C2004A	0.24	(0.06)	1,373,000	-
PTG11C2003A	0.23	0.02	17,446	-	PTTG01C2005B	0.08	(0.01)	10,853	-	S5001C2005A	0.60	(0.09)	1,148,649	-
PTG11C2005A	0.08	(0.01)	360	-	PTTG01C2007B	0.25	(0.02)	82,288	-	S5001C2006F	0.59	(0.13)	1,320,647	-
PTG13C2004A	0.15	0.01	11,030	-	PTTG01C2008A	0.50	-	44,366	-	S5001P2002A	1.22	0.26	87,230	1.00
PTG13C2006A	0.40	0.03	187,063	-	PTTG01P2002A	0.56	0.04	11,382	-	S5001P2003F	1.20	0.22	2,282,713	1.00
PTG13P2004A	0.26	(0.04)	168,647	-	PTTG01P2002B	0.03	-	1,001	-	S5001P2003G	0.93	0.20	1,673,830	-
PTG13P2006A	0.20	(0.02)	136,669	-	PTTG01P2005A	0.98	0.02	22,361	-	S5001P2003H	1.85	0.33	1,758,668	1.00
PTG19C2003A	-	-	-	-	PTTG01P2005B	0.65	0.01	106,244	-	S5001P2003I	1.82	0.24	1,244,347	1.00
PTG19C2004A	0.05	-	2,050	-	PTTG01P2007B	0.41	(0.59)	58,870	-	S5001P2003J	0.75	0.15	1,057,715	-
PTG19C2005A	0.24	0.02	56,287	-	PTTG01P2008A	0.65	(0.35)	41,374	-	S5001P2004A	1.52	0.14	1,268,159	1.00
PTG19C2006A	0.45	0.03	8,099	-	PTTG06C2006A	-	-	-	-	S5001P2005A	1.06	0.10	1,123,181	1.00
PTG19P2006A	0.37	(0.03)	50,620	-	PTTG08C2004A	0.13	(0.02)	9,350	-	S5001P2006F	1.23	0.16	1,377,927	1.00
PTG24C2002A	-	-	-	-	PTTG08P2004A	0.27	-	25,052	-	S5006C2003A	0.02	0.01	7,691	-
PTG27C2007A	0.46	0.03	18,160	-	PTTG11C2004A	-	-	-	-	S5006C2003B	-	-	-	-
PTG28C2004A	-	-	-	-	PTTG11C2007A	0.35	(0.02)	45,381	-	S5006C2003C	0.02	-	180	-
PTG41C2002A	-	-	-	-	PTTG13C2002A	-	-	-	-	S5006C2006A	0.37	(0.11)	428,793	-
PTG41C2004A	-	-	-	-	PTTG13C2005A	0.11	(0.01)	16,808	-	S5006P2003A	1.60	0.37	657,620	1.00
PTG41C2005A	-	-	-	-	PTTG13C2007A	0.37	(0.01)	91,664	-	S5006P2003B	1.86	0.28	453,900	1.00
PTG41C2006A	0.29	0.02	46,904	-	PTTG13P2004A	0.33	0.01	212,499	-	S5006P2003C	0.75	0.20	423,072	-
PTG41P2005A	0.41	(0.02)	9,682	-	PTTG16C2006A	0.15	(0.01)	28,335	-	S5006P2006A	0.90	0.16	398,802	-
PTG42C2004A	-	-	-	-	PTTG19C2002A	-	-	-	-	S5008C2003A	0.02	(0.01)	8,020	-
PTG42C2006A	0.49	0.04	7,680	-	PTTG19C2006A	0.10	(0.01)	13,100	-	S5008C2003B	-	-	-	-
PTT01C2004A	0.38	0.02	41,923	-	PTTG19C2006B	0.27	(0.01)	30,632	-	S5008P2003A	0.49	0.12	587,826	-
PTT01C2004B	0.14	0.01	180,741	-	PTTG19P2003A	0.10	(0.01)	2,494	-	S5008P2003B	0.14	0.04	312,154	-
PTT01C2007A	0.39	0.03	58,247	-	PTTG19P2006A	0.74	0.01	3,811	-	S5008P2003C	-	-	-	-
PTT01C2007B	0.19	0.01	30,428	-	PTTG24C2003A	0.10	(0.02)	16,461	-	S5011C2003A	0.08	(0.05)	83,656	-
PTT01P2004A	0.33	(0.04)	44,004	-	PTTG27P2006A	0.55	0.02	10,008	-	S5011P2003A	1.08	0.18	105,598	1.00
PTT01P2004B	0.13	(0.01)	29,729	-	PTTG28C2003A	-	-	-	-	S5013C2003A	0.02	-	1,537,933	-
PTT01P2007A	0.66	(0.03)	17,619	-	PTTG28C2006A	0.11	(0.01)	18,196	-	S5013C2003B	0.06	(0.04)	978,855	-
PTT01P2007B	0.30	(0.02)	86,314	-	PTTG41C2002A	-	-	-	-	S5013C2003C	0.04	(0.02)	258,747	-
PTT06C2005A	0.22	0.03	71,064	-	PTTG41C2003A	-	-	-	-	S5013C2003D	0.12	(0.06)	4,462,031	-
PTT08C2005A	0.25	0.04	42,041	-	PTTG41C2004A	0.29	-	42,506	-	S5013C2003E	0.26	(0.09)	5,771,477	-
PTT08P2005A	0.16	-	12,060	-	PTTG41C2005A	-	-	-	-	S5013C2006A	0.56	(0.44)	1,575,571	-
PTT11C2004A	0.04	-	101	-	PTTG41C2006A	0.15	(0.14)	1,778	-	S5013P2003A	1.76	0.30	57,383	1.00
PTT11C2008A	0.29	0.02	53,229	-	PTTG41P2002A	-	-	-	-	S5013P2003B	1.00	0.20	2,115,465	1.00
PTT13C2004A	0.13	0.03	73,235	-	PTTG41P2003A	-	-	-	-	S5013P2003C	1.48	0.26	42,666	1.00
PTT13C2006A	0.27	0.02	106,061	-	PTTG41P2006A	0.74	0.01	19,136	-	S5013P2003D	1.60	0.22	2,289	1.00
PTT13P2004A	0.11	(0.02)	104,858	-	PTTG42C2003A	-	-	-	-	S5013P2003E	0.62	0.13	3,044,250	-
PTT13P2006A	0.33	(0.04)	106,124	-	PTTG42C2007A	0.35	(0.01)	4,598	-	S5013P2006A	1.05	0.05	265,159	1.00
PTT16C2008A	0.24	0.03	36,524	-	QH01C2006A	0.25	(0.02)	14,431	-	S5016C2003A	0.01	(0.02)	79,911	-
PTT19C2002A	-	-	-	-	QH01C2006B	0.13	(0.01)	1,441	-	S5016C2003B	0.03	(0.02)	182,433	-
PTT19C2005A	0.31	0.03	31,864	-	QH01P2006A	0.40	0.01	13,762	-	S5016C2003C	0.19	(0.06)	103,575	-
PTT19P2003A	0.03	(0.05)	110	-	QH11C2006A	0.14	(0.01)	12,200	-	S5016C2003D	0.46	(0.14)	284,020	-
PTT19P2006A	0.31	(0.02)	170	-	QH13C2003A	-	-	-	-	S5016C2003E	0.26	(0.12)	421,443	-
PTT24C2003A	0.04	0.01	1,000	-	QH19C2002A	-	-	-	-	S5016P2003A	0.99	0.22	534,154	-
PTT28C2003A	-	-	-	-	QH19C2006A	-	-	-	-	S5016P2003C	1.24	0.13	109,269	1.00
PTT28C2004A	0.09	0.02	6,088	-	QH27C2007A	0.13	(0.01)	600	-	S5016P2003D	0.98	0.14	215,195	-
PTT28C2007A	0.21	0.03	27,378	-	RAT01C2003A	0.03	(0.01)	11,952	-	S5019C2003A	0.02	-	13,840	-
PTT28P2004A	0.10	-	5,246	-	RAT01C2003B	0.01	-	100	-	S5019C2003B	0.07	(0.05)	422,560	-
PTT41C2002A	-	-	-	-	RAT01C2006A	0.40	-	81,918	-	S5019C2003C	0.04	(0.02)	7,555	-
PTT41C2004A	0.15	(0.01)	468	-	RAT01C2006B	0.23	0.01	73,013	-	S5019C2003D	0.19	(0.10)	1,576,015	-
PTT41C2005A	0.26	0.03	2,178	-	RAT01P2006A	0.96	(0.03)	39,915	1.00	S5019P2003A	1.26	0.23	311,155	1.00
PTT41C2006A	0.19	(0.01)	492	-	RAT06C2006A	0.11	0.01	140,108	-	S5019P2003B	0.55	0.13	1,312,265	-
PTT41P2004A	0.15	(0.08)	500	-	RAT06P2006A	0.46	(0.04)	61,834	-	S5019P2003C	1.68	0.28	138,646	1.00
PTT41P2005A	0.17	(0.05)	538	-	RAT13C2004A	0.05	-	912	-	S5019P2003D	0.37	0.10	526,577	-
PTT41P2006A	0.36	-	1,166	-	RAT13C2007A	0.28	-	186,162	-	S5024C2003A	0.01	-	93	-
PTT42C2003A	0.01	-	143	-	RAT16C2008A	0.13	-	18,245	-	S5024C2003B	0.02	(0.02)	53,860	-
PTT42C2007A	0.20	0.03	2,340	-	RAT19C2002A	-	-	-	-	S5024C2003C	0.25	(0.11)	202,005	-
PTTE01C2004A	0.66	0.02	73,157	-	RAT19C2005A	0.08	-	984	-	S5024C2006A	0.62	(0.38)	404,560	-
PTTE01C2004B	0.36	0.03	214,636	-	RAT19C2007A	0.34	-	27,588	-	S5024P2003A	1.75	0.42	171,236	1.00
PTTE01C2007A	0.63	0.02	54,983	-	RAT24C2006A	0.21	0.02	30,380	-	S5024P2003B	0.66	0.19	269,546	-
PTTE01C2007B	0.34	0.01	118,528	-	RAT27C2004A	0.01	-	1,000	-	S5028C2002A	0.01	(0.01)	10,107	-
PTTE01P2004A	0.20	(0.02)	34,797	-	RAT27C2007A	0.29	0.01	41,400	-	S5028C2003A	0.01	(0.02)	4,796	-
PTTE01P2004B	0.07	-	100	-	RAT41C2003A	-	-	-	-	S5028C2003B	0.03	(0.01)	40	-
PTTE01P2007A	0.81	(0.03)	31,000	-	RAT41C2004A	0.13	0.02	3,656	-	S5028C2006A	0.13	(0.02)	151,704	-
PTTE01P2007B	0.38	(0.02)	135,880	-	RAT41C2005A	0.11	(0.06)	241	-	S5028P2002A	0.32	0.09	277	-
PTTE06C2006A	0.30	0.01	94,485	-	RAT41C2006A	0.24	0.01	23,962	-	S5028P2003A	0.38	0.06	498,452	-
PTTE06P2006A	0.47	(0.04)	30,986	-	RAT41P2004A	0.68	(0.06)	7,148	-	S5028P2006A	0.58	0.06	479,318	-
PTTE08C2002A	-	-	-	-	RAT41P2006A	0.65	(0.04)	21,554	-	S5041C2003A	0.01	(0.01)	1,001	-
PTTE08C2005A	0.41	0.01	32,285	-	RAT42C2003A	-	-	-	-	S5041C2003B	-	-	-	-
PTTE08P2005A	0.19	(0.02)	13,000	-	RAT42C2006A	0.12	0.01	6,812	-	S5041C2003C	0.03	(0.02)	31	-
PTTE08P2006A	0.52	(0.03)	19,500	-	RS06C2004A	-	-	-	-	S5041C2003D	0.03	(0.03)	1,540	-
PTTE11C2006A	0.53	0.02	63,138	-	RS08P2003A	-	-	-	-	S5041C2003E	0.05	(0.04)	835,743	-
PTTE13C2004A	0.40	0.02	5,170	-	RS08P2006A	0.82	(0.03)	10,862	-	S5041C2006A	0.30	(0.08)	1,440,396	-
PTTE13C														

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA06C2002A	0.48	(0.11)	13,350	-	SCC28C2004A	0.13	(0.03)	11,661	-	STEC28C2004B	0.15	(0.01)	13,969	-
SAWA08C2006A	0.48	(0.04)	56,331	-	SCC41C2002A	-	-	-	-	STEC28C2005A	0.37	(0.04)	70	-
SAWA11C2003A	0.80	(0.05)	76,884	-	SCC41C2003A	-	-	-	-	STEC41C2003A	-	-	-	-
SAWA13C2002A	-	-	-	-	SCC41C2004A	-	-	-	-	STEC41C2004A	0.14	(0.05)	255	-
SAWA13C2005A	0.48	(0.01)	89,584	-	SCC41C2005A	0.17	(0.04)	8,424	-	STEC41C2005A	0.36	(0.03)	33,760	-
SAWA13C2007A	0.44	(0.05)	153,341	-	SCC41C2006A	0.28	(0.04)	28,800	-	STEC41C2006A	0.47	(0.02)	5,961	-
SAWA16C2008A	0.39	(0.05)	112,854	-	SCC41P2004A	0.22	0.03	5,934	-	STEC41P2003A	-	-	-	-
SAWA19C2002A	0.16	(0.07)	25,795	-	SCC41P2005A	0.58	0.06	31,938	-	STEC41P2004A	0.16	-	5,100	-
SAWA19C2005A	0.43	(0.05)	46,240	-	SCC41P2006A	0.49	0.04	27,514	-	STEC41P2005A	0.19	(0.01)	783	-
SAWA24C2004A	0.57	(0.04)	40,765	-	SCC42C2002A	-	-	-	-	STEC42C2004A	0.22	(0.01)	4,710	-
SAWA27C2007A	0.50	(0.04)	28,824	-	SCC42C2003A	-	-	-	-	SUPE13C2003A	-	-	-	-
SAWA28C2004A	0.31	(0.04)	109,566	-	SCC42C2008A	0.47	(0.06)	6,612	-	SUPE19C2002A	-	-	-	-
SAWA28C2007A	0.29	(0.03)	52,256	-	SGP13C2004A	0.15	0.01	29,251	-	SUPE19C2004A	0.03	(0.01)	1,000	-
SAWA41C2003A	-	-	-	-	SGP13C2006A	-	-	-	-	SUPE42C2004A	-	-	-	-
SAWA41C2004A	0.35	(0.06)	11,648	-	SGP13C2007A	0.34	-	65,717	-	TASC01C2003A	0.35	0.01	120,210	-
SAWA41C2005A	0.45	(0.05)	35,141	-	SGP19C2002A	-	-	-	-	TASC01C2003B	0.07	-	89,081	-
SAWA41P2003A	-	-	-	-	SGP19C2006A	-	-	-	-	TASC01P2003A	0.14	(0.01)	182,496	-
SAWA41P2004A	0.22	0.01	16,487	-	SGP19C2006B	0.30	-	35,889	-	TASC08C2005A	0.27	-	39,423	-
SAWA41P2005A	0.65	0.03	54,563	-	SGP24C2002A	0.01	(0.02)	18,356	-	TASC08C2006A	0.48	0.02	53,755	-
SAWA42C2003A	0.16	(0.04)	21,156	-	SGP42C2007A	0.35	(0.02)	5,205	-	TASC11C2002A	0.75	(0.05)	41,700	-
SCB01C2002A	0.01	(0.01)	71,973	-	SIRI13C2007A	0.13	-	8,047	-	TASC13C2003A	0.12	-	89,593	-
SCB01C2002B	-	-	-	-	SIRI19C2002A	-	-	-	-	TASC13C2006A	0.48	-	216,013	-
SCB01C2004A	0.11	(0.06)	650,710	-	SIRI19C2004A	-	-	-	-	TASC16C2008A	0.41	0.01	103,055	-
SCB01C2004B	0.03	(0.01)	2,540	-	SIRI19C2007A	0.11	(0.03)	539	-	TASC19C2003A	0.16	0.01	31,862	-
SCB01C2007A	0.39	(0.08)	557,073	-	SPAL01C2004A	0.22	-	33,490	-	TASC19C2006A	0.71	0.01	11,160	-
SCB01C2007B	0.24	(0.06)	231,184	-	SPAL01C2004B	0.08	(0.01)	21,026	-	TASC19C2007A	0.37	(0.63)	7,355	-
SCB01P2002A	2.04	0.12	12,803	2.00	SPAL06P2004A	0.41	(0.01)	19,440	-	TASC19P2004A	0.16	(0.01)	104,524	-
SCB01P2002B	1.60	0.31	13,920	1.00	SPAL11C2006A	0.23	-	20,562	-	TASC24C2006A	0.44	-	23,622	-
SCB01P2004A	0.77	0.13	40,921	-	SPAL13C2003A	-	-	-	-	TASC28C2004A	0.12	-	30,184	-
SCB01P2004B	0.30	0.09	228,668	-	SPAL13C2006A	0.31	(0.01)	149,303	-	TASC28C2006A	0.27	0.01	79,614	-
SCB01P2007A	0.66	0.08	31,353	-	SPAL16C2002A	-	-	-	-	TASC41C2003A	-	-	-	-
SCB01P2007B	0.53	0.10	80,809	-	SPAL19C2002A	-	-	-	-	TASC41C2004A	0.20	-	17,988	-
SCB06C2007A	0.51	(0.22)	71,754	-	SPAL19C2004A	0.11	(0.01)	6,000	-	TASC41C2005A	-	-	-	-
SCB08C2002A	-	-	-	-	SPAL24C2003A	-	-	-	-	TASC42C2003A	-	-	-	-
SCB08C2005A	0.06	(0.02)	5,063	-	SPAL27C2008A	0.15	-	4,800	-	TASC42C2005A	0.49	0.01	7,849	-
SCB08C2007A	0.78	(0.21)	104,215	-	SPAL41C2002A	-	-	-	-	TCAP01C2007B	0.39	0.02	84,611	-
SCB08P2004A	0.52	0.12	65,794	-	SPAL41C2004A	0.14	-	9,320	-	TCAP01C2008A	0.63	-	24,554	-
SCB11C2005A	-	-	-	-	SPAL42C2003A	-	-	-	-	TCAP01P2008A	0.64	(0.02)	23,327	-
SCB11C2006A	0.04	-	98	-	SPRC01C2003A	0.16	0.03	106,506	-	TCAP11C2002A	0.09	0.01	26,760	-
SCB11C2008A	0.39	(0.09)	82,604	-	SPRC01C2003B	-	-	-	-	TCAP13C2002A	0.27	0.01	6,140	-
SCB11P2005A	1.35	0.19	119,366	1.00	SPRC01C2007A	0.43	0.05	61,484	-	TCAP13C2007A	0.35	0.01	98,323	-
SCB13C2003A	-	-	-	-	SPRC06C2007A	0.50	0.08	69,953	-	TCAP19C2004A	0.43	0.03	6,775	-
SCB13C2006A	0.10	(0.03)	116,001	-	SPRC06P2003A	0.03	(0.01)	39,568	-	TCAP41C2002A	-	-	-	-
SCB13C2006B	0.26	(0.09)	96,308	-	SPRC08C2005A	0.18	0.02	32,100	-	TCAP41C2004A	-	-	-	-
SCB13C2007A	0.75	(0.20)	490,627	-	SPRC08C2006A	0.11	0.01	19,400	-	THAI11C2003A	-	-	-	-
SCB13P2003A	0.21	0.08	159,854	-	SPRC11C2005A	0.03	-	2,980	-	THAI13C2004A	-	-	-	-
SCB13P2006A	0.84	0.14	136,716	-	SPRC11C2008A	0.60	0.02	67,850	-	THAI19C2002A	-	-	-	-
SCB16C2003A	-	-	-	-	SPRC13C2004A	-	-	-	-	THAI19C2004A	0.02	(0.01)	200	-
SCB16C2008A	0.48	(0.13)	236,632	-	SPRC13C2006A	0.21	0.04	185,024	-	THAI27C2008A	0.15	(0.02)	9,919	-
SCB19C2002A	-	-	-	-	SPRC19C2002A	0.06	0.03	17,617	-	THAI42C2003A	-	-	-	-
SCB19C2003A	0.01	(0.01)	100	-	SPRC19C2005A	0.22	0.03	16,256	-	THAI42C2005A	0.02	(0.01)	2,000	-
SCB19C2006A	0.22	(0.08)	53,609	-	SPRC19C2005B	-	-	-	-	THAN01C2006A	0.27	(0.02)	13,723	-
SCB19C2007A	0.73	(0.17)	37,340	-	SPRC19C2007A	0.64	0.07	6,476	-	THAN01C2006B	0.10	(0.01)	25,386	-
SCB19P2005A	0.81	0.15	10,148	-	SPRC19P2005A	0.44	(0.03)	47,066	-	THAN01P2006A	0.37	0.02	24,863	-
SCB24C2004A	0.09	(0.05)	23,402	-	SPRC24C2003A	-	-	-	-	THAN06C2003A	-	-	-	-
SCB27C2007A	0.07	(0.03)	46,343	-	SPRC41C2004A	0.12	(0.34)	3,440	-	THAN06C2005A	0.12	(0.02)	8,255	-
SCB27P2006A	0.73	0.08	59,400	-	SPRC41C2005A	0.30	0.03	10,876	-	THAN06P2003A	0.22	0.01	13,700	-
SCB28C2003A	-	-	-	-	SPRC41C2006A	-	-	-	-	THAN13C2003A	-	-	-	-
SCB28C2004A	0.01	(0.01)	9,106	-	SPRC42C2006A	0.36	0.02	9,383	-	THAN13C2007A	0.17	(0.02)	4,654	-
SCB28C2006A	0.17	(0.04)	53,855	-	STA01C2003A	0.34	(0.04)	398,332	-	THAN19C2004A	0.08	(0.01)	100	-
SCB28C2006B	0.54	(0.15)	74,130	-	STA01C2003B	0.10	(0.02)	222,458	-	THAN19C2007A	0.25	(0.02)	5,146	-
SCB41C2002A	-	-	-	-	STA01P2003A	0.07	0.02	31,306	-	THAN27C2003A	-	-	-	-
SCB41C2004A	-	-	-	-	STA11C2005A	0.19	(0.01)	63,480	-	THAN41C2005A	-	-	-	-
SCB41C2005A	-	-	-	-	STA13C2003A	0.24	(0.05)	140,947	-	TISCO01C2006A	1.02	-	9,991	1.00
SCB41C2006A	0.30	(0.08)	2,408	-	STA13C2006A	0.22	(0.02)	240,793	-	TISCO01C2006B	0.28	-	79,460	-
SCB41P2004A	0.42	0.08	20,372	-	STA19C2002A	-	-	-	-	TISCO1P2006A	0.43	0.01	38,783	-
SCB41P2005A	0.82	0.04	784	-	STA19C2004A	0.27	(0.05)	46,403	-	TISCO08C2002A	-	-	-	-
SCB42C2003A	-	-	-	-	STA19C2005A	0.95	(0.03)	17,022	-	TISC11C2005A	0.17	-	22,000	-
SCB42C2006A	0.06	(0.02)	1,001	-	STA19C2007A	0.23	(0.77)	10,905	-	TISC11C2007A	0.80	(0.03)	5,815	-
SCB42C2007A	0.48	(0.19)	20,247	-	STA24C2002A	-	-	-	-	TISC13C2004A	-	-	-	-
SCC01C2004A	0.47	(0.06)	174,989	-	STA42C2007A	0.26	(0.74)	14,535	-	TISC13C2006A	0.27	(0.01)	40,373	-
SCC01C2004B	0.13	(0.02)	60,152	-	STEC01C2003A	0.08	-	32,832	-	TISC19C2004A	0.42	(0.05)	1,674	-
SCC01P2004A	0.84	0.06	117,074	-	STEC01C2003B	0.02	0.01	15	-	TISC19C2006A	0.24	-	15,526	-
SCC06C2007A	0.45	(0.08)	30,700	-	STEC01C2004A	0.16	(0.01)	93,931	-	TISC41C2005A	-	-	-	-
SCC08C2002A	0.01	-	1	-	STEC01C2006A	0.51	-	35,218	-	TISC41C2006A	0.26	(0.01)	11,734	-
SCC08C2004A	0.14	(0.02)	8,000	-	STEC01C2006B	0.27	(0.01)	59,006	-	TISC41P2006A	0.41	0.01	16,112	-
SCC08P2006A	0.56	0.05	39,929	-	STEC01P2003A	0.54	0.02	38,173	-	TISC42C2003A	-	-	-	-
SCC11C2003A	0.01	-	78	-	STEC01P2006A	0.42	-	183,024	-	TKN01C2003A	0.05	-	3,503	-
SCC11C2006A	0.04	(0.01)	1,001	-	STEC06C2004A	0.36	(0.02)	32,100	-	TKN01C2003B	-	-	-	-
SCC11C2007A	0.41	(0.04)	29,480	-	STEC08C2004A	-	-	-	-	TKN01C2007B	0.22	(0.02)	89,102	-
SCC13C2002A	-	-	-	-	STEC08C2005A	0.41	(0.01)	24,000	-	TKN01C2008A	0.61	(0.02)	324,464	-
SCC13C2004A	0.18	(0.03)	14,650	-	STEC11C2007A	0.09	(0.01)	15,380	-	TKN08C2003A	-	-	-	-
SCC13P2002A	-	-	-	-	STEC13C2003A	0.09	(0.01)	37,164	-	TKN08C2007A	0.51	(0.04)	65,600	-
SCC13P2006A	0.53	0.05	77,978	-	STEC13C2004A	0.32	(0.01)	78,691	-	TKN13C2004A	0.05	(0.01)	1,000	-
SCC16C2002A	-	-	-	-	STEC16C2003A	-	-	-	-	TKN13C2006A	0.50	(0.04)	195,004	-
SCC16C2005A	0.06	(0.02)	14,929	-	STEC16C2006A	0.10	(0.02)	14,936	-	TKN16C2008A	0.33	(0.01)	81,636	-
SCC19C2002A	-	-	-	-	STEC16C2009A	0.38	(0.02)	64,670	-	TKN				

Main Board Quotation

Issue Date :

Thursday February 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN42C2003A	-	-	-	-	TRUE41C2003A	-	-	-	-	AKR-W1	0.07	-	666	-
TKN42C2006A	0.43	(0.04)	15,438	-	TRUE41C2004A	-	-	-	-	ALT-W1	0.38	-	49,305	-
TMB01C2004A	0.13	(0.03)	214,644	-	TRUE41C2005A	-	-	-	-	APEX-W1	-	-	-	-
TMB01C2004B	0.03	(0.03)	13,998	-	TRUE41C2006A	0.16	(0.03)	3,148	-	APURE-W2	0.08	-	592	-
TMB01P2004A	0.47	0.07	153,866	-	TRUE41P2004A	0.53	-	25,839	-	AS-W1	0.10	-	195	-
TMB13C2002A	-	-	-	-	TRUE41P2005A	0.80	0.01	19,042	-	AYUD-W1	0.38	(0.03)	8,536	-
TMB19C2004A	0.08	(0.03)	33,052	-	TRUE42C2003A	-	-	-	-	B-W3	-	-	-	-
TMB19P2004A	0.49	0.07	9,977	-	TRUE42C2004A	-	-	-	-	B-W4	0.01	(0.01)	2,147	-
TMB41C2004A	0.13	(0.04)	3,844	-	TRUE42C2007A	0.33	(0.03)	16,542	-	B-W5	0.04	0.01	1,893	-
TMB41C2005A	0.08	(0.03)	7,146	-	TTW27C2009A	0.33	(0.01)	510	-	B52-W2	-	-	-	-
TMB41P2003A	0.17	-	1,659	-	TU01C2004A	0.36	0.01	42,788	-	BKD-W2	0.09	-	2,460	-
TMB41P2006A	0.46	0.03	33,333	-	TU01C2004B	0.32	0.01	71,682	-	CGD-W4	0.09	-	6,000	-
TOA01C2006A	0.24	(0.01)	94,888	-	TU01P2004A	0.07	(0.02)	47,509	-	CGH-W3	0.02	-	15	-
TOA01C2006B	0.13	(0.01)	92,579	-	TU06C2004A	0.19	-	81,793	-	CI-W1	0.01	-	600	-
TOA08C2003A	-	-	-	-	TU06P2007A	0.20	(0.01)	103,951	-	CKP-W1	0.09	0.01	29,549	-
TOA13C2003A	-	-	-	-	TU11C2003A	-	-	-	-	CRANE-W1	0.61	(0.01)	257	-
TOA13C2007A	0.20	(0.01)	147,092	-	TU11C2008A	0.56	0.02	38,000	-	DCC-W1	0.56	-	7,994	-
TOA19C2004A	0.02	(0.01)	1,794	-	TU13C2003A	0.05	0.01	3,280	-	ECL-W3	0.13	-	3,094	-
TOA19C2007A	0.23	(0.01)	6,008	-	TU13C2004A	0.37	0.01	35,149	-	EIC-W2	-	-	-	-
TOA24C2005A	0.02	-	3,300	-	TU19C2002A	-	-	-	-	EIC-W3	-	-	-	-
TOA41C2004A	-	-	-	-	TU19C2003A	0.05	-	2,410	-	EMC-W6	0.03	-	186	-
TOP01C2003A	0.05	-	55,998	-	TU19C2005A	0.49	0.01	663	-	EPCO-W3	0.41	(0.01)	2,814	-
TOP01C2003B	0.01	-	1,200	-	TU19C2007A	0.37	0.01	19,323	-	GLOCON-W4	0.24	-	5,855	-
TOP01C2006A	0.25	(0.01)	214,962	-	TU24C2003A	0.02	-	3,140	-	J-W1	0.19	(0.01)	850	-
TOP01C2006B	0.09	(0.01)	42,832	-	TU24C2006A	0.47	0.03	14,112	-	JAS-W3	2.04	(0.02)	40,162	2.00
TOP01P2003A	1.12	0.01	22,648	1.00	TU27C2004A	-	-	-	-	JCK-W5	0.05	-	751	-
TOP01P2006A	1.19	0.03	73,822	1.00	TU27C2006A	0.32	0.01	7,670	-	JMT-W2	5.35	0.20	9,114	5.00
TOP06C2004A	0.02	-	1	-	TU41C2002A	-	-	-	-	MACO-W2	0.08	-	15,051	-
TOP06C2007A	0.40	(0.03)	152,390	-	TU41C2003A	-	-	-	-	MILL-W4	-	-	-	-
TOP06P2005A	1.30	0.01	40,126	1.00	TU41C2004A	0.29	0.02	11,231	-	MILL-W5	-	-	-	-
TOP08C2003A	-	-	-	-	TU41C2005A	0.48	0.11	760	-	MINT-W6	2.24	(0.10)	3,947	2.00
TOP08C2007A	0.39	(0.01)	97,075	-	TU41P2003A	-	-	-	-	NFC-W1	-	-	-	-
TOP08P2003A	-	-	-	-	TU41P2004A	-	-	-	-	NOK-W1	0.02	-	11	-
TOP08P2007A	0.77	0.01	51,286	-	TU42C2007A	0.34	(0.66)	5,850	-	NVD-W1	0.11	(0.01)	182	-
TOP11C2002A	-	-	-	-	TVO13C2007A	0.26	(0.01)	7,071	-	ORI-W1	0.16	(0.02)	80,653	-
TOP11C2007A	0.09	-	2,431	-	TVO19C2004A	0.25	-	4,808	-	PACE-W2	-	-	-	-
TOP11P2002A	0.60	0.01	41,000	-	TVO19C2007A	-	-	-	-	PACE-W3	-	-	-	-
TOP13C2004A	0.02	-	1,369	-	VGI01C2005A	0.19	(0.03)	29,371	-	PDI-W1	0.33	(0.01)	2,628	-
TOP13C2006A	0.12	-	61,858	-	VGI08C2006A	0.12	(0.02)	31,234	-	PDJ-W4	0.33	(0.03)	4	-
TOP13P2005A	-	-	-	-	VGI11C2008A	0.17	(0.02)	32,031	-	PERM-W1	0.13	-	226	-
TOP13P2006A	0.89	0.03	59,492	-	VGI13C2006A	0.16	(0.02)	125,394	-	PORT-W1	0.64	-	8,636	-
TOP16C2008A	0.42	(0.03)	185,407	-	VGI19C2006A	0.12	(0.03)	533	-	PPPM-W4	0.14	-	4,004	-
TOP19C2002A	-	-	-	-	VGI41C2006A	0.11	(0.08)	217	-	PRIME-W1	0.02	-	56,296	-
TOP19C2003A	-	-	-	-	WHA01C2002A	0.02	-	231	-	PRIME-W2	0.02	-	3,956	-
TOP19C2006A	0.11	(0.01)	10,244	-	WHA01C2002B	0.01	-	10	-	RICHY-W2	0.03	-	45	-
TOP19P2002A	-	-	-	-	WHA01C2005A	0.17	(0.02)	224,112	-	RS-W3	0.73	(0.02)	8,169	-
TOP19P2006A	1.27	0.01	5,602	1.00	WHA01C2005B	0.05	(0.01)	39,237	-	SAMART-W2	0.60	(0.03)	18,063	-
TOP24C2007A	0.05	-	4,100	-	WHA01P2002A	1.29	(0.03)	2,838	1.00	SAWAD-W1	22.50	(1.90)	3,355	23.00
TOP28C2004A	-	-	-	-	WHA01P2005A	0.70	-	51,381	-	SDC-W1	0.07	(0.01)	177	-
TOP41C2003A	-	-	-	-	WHA06C2007A	0.36	(0.02)	113,800	-	SINGER-W1	1.63	-	925	1.00
TOP41C2004A	0.09	(0.02)	400	-	WHA08C2002A	-	-	-	-	SINGER-W2	1.58	-	259	1.00
TOP41C2005A	-	-	-	-	WHA08C2003A	-	-	-	-	SMT-W2	0.05	0.01	932	-
TOP41C2006A	-	-	-	-	WHA08C2005A	0.03	(0.01)	1	-	SST-W2	0.63	(0.08)	134	-
TOP41C2007A	0.39	(0.03)	123,640	-	WHA08C2006A	0.16	(0.01)	24,495	-	SUPER-W4	0.01	-	597	-
TOP41P2002A	-	-	-	-	WHA08P2006A	0.47	(0.01)	33,159	-	SVI-W3	0.17	(0.06)	12,175	-
TOP41P2004A	-	-	-	-	WHA11C2008A	0.17	(0.01)	46,134	-	TCC-W3	0.04	-	1,294	-
TOP41P2005A	0.26	0.01	34,090	-	WHA13C2003A	-	-	-	-	TCC-W4	-	-	-	-
TOP41P2006A	0.91	0.01	7,076	-	WHA13C2005A	0.07	-	7,351	-	TCC-W5	0.12	-	102	-
TOP42C2007A	0.36	(0.01)	16,437	-	WHA13C2006A	0.30	(0.01)	104,639	-	TCJ-W2	0.12	(0.01)	73	-
TPI19C2002A	-	-	-	-	WHA16C2006A	0.03	(0.01)	10,000	-	TFG-W2	0.08	0.03	127,898	-
TPI19C2004A	0.33	(0.03)	7,624	-	WHA16C2008A	0.32	-	70,323	-	TGPRO-W3	-	-	-	-
TRUE01C2002A	0.01	(0.01)	34,411	-	WHA19C2002A	-	-	-	-	TH-W2	0.01	(0.01)	8,038	-
TRUE01C2002B	0.01	(0.01)	866	-	WHA19C2004A	-	-	-	-	THE-W2	-	-	-	-
TRUE01C2004A	0.02	-	30,360	-	WHA19C2005A	0.09	0.01	1,600	-	TNITY-W1	0.17	(0.01)	2,895	-
TRUE01C2004B	0.03	(0.01)	7,254	-	WHA19C2006A	0.27	(0.02)	15,728	-	TRITN-W3	0.09	-	3,594	-
TRUE01C2007A	0.47	(0.01)	79,231	-	WHA24C2004A	-	-	-	-	TTCL-W1	0.31	(0.03)	13,782	-
TRUE01C2007B	0.24	(0.02)	138,828	-	WHA24C2007A	0.25	-	21,135	-	U-W4	0.01	-	500	-
TRUE01P2002A	1.56	0.03	14,954	1.00	WHA24P2003A	-	-	-	-	UAC-W2	0.23	-	30,415	-
TRUE01P2002B	1.46	0.04	6,624	1.00	WHA27C2008A	0.18	-	8,430	-	VGI-W2	0.96	(0.03)	206,942	-
TRUE01P2004A	0.74	0.01	27,026	-	WHA28C2003A	-	-	-	-	VIBHA-W2	0.65	0.04	16	-
TRUE01P2004B	0.35	0.02	118,971	-	WHA28C2003B	-	-	-	-	VIBHA-W3	0.16	-	40,483	-
TRUE01P2007B	0.48	(0.52)	55,947	-	WHA28C2004A	-	-	-	-	WAVE-W1	0.03	-	3,622	-
TRUE06C2004A	0.06	-	1,000	-	WHA28C2005A	-	-	-	-	WHA-W1	-	-	-	-
TRUE06C2007A	0.38	(0.03)	18,735	-	WHA28C2006A	0.21	-	41,604	-	WIJK-W2	0.14	(0.01)	14,805	-
TRUE08C2004A	-	-	-	-	WHA41C2003A	-	-	-	-	ZMICO-W4	0.06	(0.01)	3,437	-
TRUE08C2005A	0.12	(0.01)	20,030	-	WHA41C2004A	-	-	-	-	Preferred Shares	-	-	-	-
TRUE08C2007A	0.40	(0.02)	21,046	-	WHA41C2005A	-	-	-	-	BH-P	-	-	-	-
TRUE08P2005A	0.84	0.02	29,900	-	WHA41C2006A	0.16	(0.04)	793	-	CSC-P	-	-	-	-
TRUE11C2005A	-	-	-	-	WHA41C2007A	0.40	0.02	31,261	-	JUTHA-P	-	-	-	-
TRUE11C2005B	-	-	-	-	WHA41P2003A	1.38	(0.03)	10,000	1.00	KTB-P	-	-	-	-
TRUE11P2002A	0.33	0.02	53,824	-	WHA41P2005A	-	-	-	-	SCB-P	-	-	-	-
TRUE13C2003A	-	-	-	-	WHA42C2005A	0.02	(0.02)	800	-	TCAP-P	-	-	-	-
TRUE13C2003B	0.03	-	570	-	WHA42C2006A	0.28	-	6,291	-	TISCO-P	-	-	-	-
TRUE13C2006A	0.21	(0.01)	97,551	-	WHAU27C2002A	0.01	-	1,000	-	U-P	2.68	(0.02)	17,020	2.00
TRUE13C2007A	0.34	(0.02)	44,950	-	Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE16C2002A	-	-	-	-	BH-Q	-	-	-	-	BM-W1	0.06	-	4	-
TRUE19C2003A	-	-	-	-	CSC-Q	-	-	-	-	BROOK-W5	0.13	-	27,540	-
TRUE19C2004A	0.02	-	9,900	-	JUTHA-Q	-	-	-	-	CHO-W2	0.06	-	23,545	-
TRUE19C2006A	0.18	(0.01)	32,238	-	KTB-Q	-	-	-	-	DOD-W1	0.56	(0.02)	46,077	-
TRUE19P2003A	0.56	0.01	18,122	-	SCB-Q	-	-	-	-	ECF-W3	0.30	-	1,922	-
TRUE19P2005A	0.50	0.02	5,493	-	TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE28C2003A	-	-	-	-	TISCO-Q	-	-	-	-	EFORL-W4	0.01	-	85	-
TRUE28C2003B	-	-	-	-	U-Q	-	-	-	-	FVC-W2	0.02	-	30	-
TRUE28C2006A	0.16	(0.01)	26,715	-	Warrant	-	-	-	-	HPT-W1	0.20	0.01	2,892	-
TRUE41C2002A	-	-	-	-	7UP-W4	0.10	-	53,802	-	ITEL-W1	0.31	0.02	59,639	-

