

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	2.18	(0.40)	35,254	2.27	MCOT	8.10	(0.05)	2,152	8.17
POMPIU	-	-	-	-	BLISS	-	-	-	-	MONO	0.99	(0.05)	72,200	1.01
SAFARI	-	-	-	-	DIF	16.70	(0.30)	132,038	16.76	MPIC	1.48	-	26	1.41
VI	-	-	-	-	DTAC	37.00	(2.25)	48,062	37.82	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.90	(0.30)	1,425	6.01	PLANB	5.45	(0.45)	188,919	5.57
WR	-	-	-	-	HUMAN	6.70	(0.35)	3,886	6.85	POST	-	-	-	-
Agribusiness					ILINK	3.50	(0.22)	3,823	3.55	PRAKIT	10.50	(0.20)	46	10.54
CHOTI	67.25	(2.00)	15	67.23	INET	2.20	(0.06)	2,005	2.21	SE-ED	1.58	-	1,901	1.58
EE	0.49	(0.04)	38,883	0.51	INTUCH	58.00	(1.25)	173,388	58.05	SPORT	0.06	(0.02)	3,555	0.06
GFPT	10.90	(0.40)	33,069	10.97	JAS	5.25	(0.20)	368,519	5.32	TBSP	-	-	-	-
LEE	2.02	(0.06)	2,697	2.04	JASIF	9.40	(0.15)	212,992	9.47	TH	0.58	-	1,564	0.57
NER	2.40	(0.24)	464,750	2.53	JMART	9.00	(0.50)	51,239	9.13	TKS	6.15	(0.10)	4,926	6.16
PPPM	0.38	(0.04)	4,866	0.40	JTS	0.97	(0.05)	107	0.97	VGI	7.25	(0.90)	299,095	7.62
STA	12.30	(0.40)	156,109	12.50	MFEC	3.34	(0.14)	5,134	3.34	WAVE	1.07	-	780	1.07
TRUBB	0.54	(0.05)	7,490	0.56	MSC	5.45	-	606	5.33	WORK	10.30	(1.00)	16,552	10.62
TWPC	3.62	(0.20)	4,067	3.61	PT	5.20	(0.10)	3,018	5.22	Finance & Securities	-	-	-	-
UPOIC	3.04	(0.22)	74	3.07	SAMART	7.45	(0.50)	30,089	7.61	AEC	0.27	(0.02)	13,472	0.28
UVAN	5.30	(0.05)	1,704	5.28	SAMTEL	6.80	(0.65)	8,394	7.01	AEONTS	155.00	(7.00)	1,988	156.50
VPO	0.55	(0.02)	1,129	0.55	SDC	0.16	(0.01)	15,868	0.15	AMANAH	3.68	(0.30)	203,642	3.82
Banking					SIS	7.85	(0.30)	3,385	7.94	ASAP	1.69	(0.08)	849	1.70
BAY	27.00	(1.25)	4,807	27.31	SVOA	0.92	(0.04)	9,503	0.92	ASK	24.50	(1.00)	16,271	24.39
BBL	138.00	(4.00)	102,926	139.06	SYMC	2.38	(0.12)	130	2.41	ASP	1.67	(0.05)	21,054	1.68
CIMBT	0.52	(0.03)	14,851	0.53	SYNEX	6.30	(0.15)	4,668	6.35	BAM	27.50	(1.75)	934,600	27.99
KBANK	129.50	(5.00)	148,707	131.49	THCOM	3.74	(0.10)	14,692	3.71	BFIT	41.25	(0.50)	85,990	42.67
KKP	67.00	(1.75)	41,996	67.40	TRUE	3.60	(0.10)	867,589	3.62	CGH	0.78	(0.02)	176,191	0.79
KTB	15.30	(0.50)	481,383	15.50	TWZ	0.07	-	232,454	0.07	CNS	2.48	-	6,571	2.48
LHFG	1.33	(0.01)	103,637	1.33	Electronic Componer	-	-	-	-	ECL	0.97	(0.05)	23,671	0.99
SCB	93.25	(4.25)	198,061	94.81	CCET	1.75	(0.08)	3,329	1.79	FNS	2.02	(0.04)	180	2.02
TCAP	54.25	(1.25)	110,077	54.80	DELTA	53.75	(3.50)	9,487	55.42	FSS	1.21	0.01	278	1.18
TISCO	100.00	(2.50)	52,141	100.73	EIC	0.03	(0.01)	3,827	0.03	GBX	0.40	(0.02)	4,540	0.40
TMB	1.24	(0.09)	3,698,351	1.28	HANA	33.50	(0.50)	22,449	33.62	GL	3.82	(0.24)	30,707	3.94
Construction Materia					KCE	24.50	(0.30)	448,094	24.45	IFS	3.22	(0.08)	6,394	3.24
CCP	0.29	(0.02)	50,753	0.30	METCO	154.00	(7.50)	22	158.91	JMT	21.00	(1.50)	106,750	21.33
COTTO	1.24	(0.06)	2,053	1.26	NEX	2.70	(0.06)	99,822	2.70	KCAR	10.20	(0.10)	232	10.08
DCC	1.78	(0.04)	20,531	1.79	SMT	0.92	(0.08)	15,990	0.93	KGI	4.42	(0.10)	67,827	4.44
DCON	0.32	(0.02)	62,568	0.32	SVI	2.78	(0.18)	30,722	2.83	KTC	39.75	(2.25)	87,101	40.45
DRT	6.15	(0.15)	8,774	6.19	TEAM	0.71	(0.05)	2,194	0.73	MBKET	6.45	(0.10)	540	6.46
EPG	4.70	(0.30)	100,458	4.77	Energy & Utilities	-	-	-	-	MFC	14.90	(0.10)	39	14.84
GEL	0.12	(0.01)	93,188	0.12	7UP	0.42	(0.02)	94,553	0.42	ML	0.85	(0.02)	1,192	0.75
PPP	2.18	(0.04)	8,062	2.17	ABPIF	4.48	(0.10)	2,148	4.53	MTC	59.25	(2.25)	54,671	60.08
Q-CON	5.05	(0.05)	599	5.06	ACE	3.16	(0.04)	181,087	3.10	PE	-	-	-	-
RCI	-	-	-	-	AI	1.04	(0.01)	35,016	1.05	PL	2.64	(0.02)	1,034	2.64
SCC	335.00	(15.00)	32,649	340.30	AKR	0.60	(0.01)	8,163	0.60	S11	7.30	(0.10)	8,883	7.21
SCCC	172.50	(3.50)	494	173.20	BAFS	25.25	(1.25)	6,762	25.49	SAWAD	71.00	(2.50)	69,583	71.68
SCP	5.80	(0.15)	1,597	5.78	BANPU	8.30	(0.80)	459,387	8.56	THANI	5.50	(0.20)	63,526	5.55
SKN	1.90	(0.10)	3,197	1.95	BCP	25.00	(1.50)	112,793	24.88	TK	9.10	(0.20)	246	9.08
TASCO	21.60	(0.50)	86,506	21.80	BCPG	16.00	(0.40)	40,265	16.17	TNITY	3.66	(0.18)	20	3.66
TCMC	1.72	(0.08)	2,280	1.75	BGRIM	50.00	(2.75)	205,848	51.99	UOBKH	2.52	0.04	60	2.48
TOA	30.50	(2.50)	28,626	31.24	BPP	12.30	(1.60)	196,060	12.55	ZMICO	0.66	(0.03)	28,660	0.63
TPIPL	1.47	(0.06)	102,247	1.48	BRRGIF	8.20	(0.10)	480	8.23	Food & Beverage	-	-	-	-
UMI	0.59	(0.03)	5,327	0.59	CKP	3.98	(0.14)	151,867	4.03	APURE	0.70	-	4,468	0.70
VNG	3.54	(0.10)	2,316	3.57	DEMCO	2.24	(0.24)	11,490	2.32	ASIAN	3.78	(0.22)	6,349	3.84
WIJK	1.32	0.01	4,017	1.31	EA	45.75	(1.25)	100,537	46.53	BR	1.95	(0.15)	20,561	1.99
Petrochemicals & Ch					EASTW	11.20	(0.20)	22,454	11.30	BRR	3.62	(0.04)	373	3.56
BCT	42.00	-	1,450	41.62	EGATIF	12.90	(0.10)	40,560	12.90	CBG	75.25	(7.75)	81,037	78.66
CMAN	1.23	-	1,362	1.21	EGCO	285.00	(4.00)	16,838	289.41	CFRESH	1.46	(0.03)	2,189	1.47
GC	5.50	(0.15)	1,090	5.52	ESSO	6.40	(0.55)	249,967	6.51	CM	2.66	(0.14)	2,101	2.71
GGC	11.20	(0.50)	14,948	11.32	GPSC	72.00	(2.75)	222,670	73.68	CPF	28.50	(1.25)	455,431	29.00
GIFT	2.58	(0.08)	19,018	2.60	GULF	185.50	3.50	223,750	188.32	CPI	1.52	(0.01)	921	1.50
IVL	28.00	(1.75)	338,592	28.10	GUNKUL	2.48	(0.12)	187,337	2.54	F&D	-	-	-	-
NFC	1.98	-	15	1.99	IFEC	-	-	-	-	HTC	21.70	(0.50)	1,127	21.55
PATO	11.00	(0.20)	337	11.06	IRPC	2.54	(0.14)	1,359,109	2.58	ICHI	4.86	(0.24)	18,073	4.97
PMTA	6.85	(0.05)	10	6.85	LANNA	6.70	(0.55)	2,255	6.81	KBS	3.60	(0.20)	1,190	3.70
PTTGC	46.75	(3.25)	225,542	47.89	MDX	2.60	(0.02)	2,858	2.53	KSL	2.52	(0.12)	31,610	2.54
SUTHA	1.80	(0.05)	274	1.82	PRIME	0.35	(0.01)	95,356	0.36	KTIS	3.84	(0.12)	171	3.89
TCSS	20.00	(0.10)	91	19.97	PTG	14.60	(1.40)	196,263	15.02	LST	5.00	-	3,653	5.06
TPA	5.65	(0.15)	55	5.81	PTT	42.75	(1.75)	797,225	43.21	M	64.50	(2.50)	4,081	64.27
UAC	2.64	(0.22)	5,130	2.70	PTTEP	120.00	(5.50)	146,716	121.42	MALEE	6.25	(0.30)	803	6.29
UP	13.10	(2.10)	6	13.10	RATCH	63.75	0.50	95,634	64.47	MINT	28.75	(3.25)	354,514	29.12
VNT	24.30	(0.10)	11,022	24.40	RPC	0.54	(0.03)	27,142	0.56	OISHI	44.00	(3.75)	233	44.38
WG	-	-	-	-	SCG	3.80	(0.06)	44	3.80	OSP	41.50	(2.25)	60,179	42.30
YCI	-	-	-	-	SCI	1.44	(0.07)	2,629	1.44	PB	67.50	(0.25)	14	67.27
Commerce					SCN	1.71	(0.14)	23,403	1.75	PM	6.80	(0.25)	9,170	6.88
BEAUTY	2.14	(0.22)	1,263,135	2.24	SGP	8.25	(0.50)	38,728	8.48	PRG	11.60	(0.10)	186	11.53
BIG	0.53	(0.05)	76,446	0.54	SKE	0.70	(0.02)	1,786	0.71	RBF	4.68	(0.24)	198,665	4.70
BJC	36.25	(2.25)	67,028	37.04	SOLAR	1.45	(0.01)	1,382	1.44	SAPPE	17.20	(0.20)	4,096	17.13
COL	16.30	(0.70)	1,731	16.45	SPCG	18.80	(0.60)	14,411	18.87	SAUCE	22.30	(0.20)	15	22.35
COM7	23.70	(1.10)	118,481	24.09	SPRC	7.90	(0.95)	445,733	7.99	SFP	-	-	-	-
CPALL	68.25	(2.50)	408,837	68.81	SSP	7.20	(0.10)	6,384	7.17	SNP	12.50	-	23	12.48
CPW	1.50	(0.14)	31,758	1.55	SUPER	0.48	(0.02)	1,159,630	0.48	SORKON	45.00	(1.75)	21	46.24
CRC	36.50	(4.75)	1,537,076	37.08	SUPEREIF	11.20	(0.20)	12,467	11.27	SSC	33.00	-	60	33.00
CSS	1.21	(0.12)	32,110	1.25	SUSCO	2.72	(0.08)	13,059	2.69	SSF	5.55	(0.15)	22	5.62
DOHOME	8.10	(0.75)	117,035	8.38	TAE	2.80	(0.26)	75,831	2.89	SST	3.50	(0.20)	803	3.45
FN	0.99	(0.03)	18,255	0.99	TCC	0.21	(0.01)	14,006	0.21	TC	3.14	0.04	195	3.06
FTE	1.92	(0.04)	3,086	1.94	TOP	47.00	(4.50)	318,553	47.91	TFG	3.76	(0.22)	51,528	3.85
GLOBAL	12.50	(0.80)	75,311	12.88	TPIPP	4.42	(0.14)	67,242	4.46	TFMAMA	194.00	1.00	43	192.72
HMPRO	12.90	(0.70)	291,524	13.06	TSE	2.72	(0.40)	380,802	2.98	TIPCO	6.40	(0.30)	7,955	6.49
ILM	13.10	(0.40)	14,376	13.03	TTW	13.90	(0.20)	37,183	14.03	TKN	8.50	(0.75)	143,486	8.77
IT	2.48	(0.16)	297	2.53	WHAUP	4.68	(0.24)	81,309	4.75	TU	15.50	(0.40)	162,751	15.62
KAMART	3.66	(0.18)	6,251	3.69	WP	4.56	(0.02)	7,050	4.54	TVO	28.50	(1.00)	13,184	28.52
LOXLEY	1.21	(0.04)	8,1											

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NTV	48.50	(1.00)	536	48.85	BLAND	1.20	(0.03)	154,978	1.20	GYT	-	-	-	-
PR9	7.70	(0.20)	6,570	7.74	BROCK	1.63	0.02	772	1.60	HFT	3.04	(0.06)	5,110	3.08
PRINC	3.80	(0.24)	11,224	3.85	CGD	0.86	(0.02)	133,374	0.86	IHL	3.60	(0.16)	1,710	3.65
RAM	144.50	(2.00)	60	144.26	CI	0.80	(0.02)	9,739	0.81	INGRS	0.47	(0.02)	14,321	0.48
RJH	24.20	(0.40)	2,735	24.45	CPN	55.75	(4.25)	125,117	57.20	IRC	14.70	(0.10)	719	14.70
RPH	6.30	0.05	12,096	6.33	ESTAR	0.33	(0.02)	14,687	0.34	PCSGH	5.55	(0.05)	946	5.55
SKR	5.10	(0.10)	3,724	5.13	EVER	0.20	(0.02)	19,528	0.20	SAT	14.10	0.10	10,642	13.99
SVH	442.00	-	21	440.76	FPT	11.90	(1.00)	1,273	12.28	SPG	-	-	-	-
THG	22.60	(0.60)	10,959	22.68	GLAND	2.60	(0.08)	892	2.60	STANLY	153.00	(5.00)	191	153.49
VIBHA	1.53	(0.04)	63,933	1.53	GOLD	7.90	(0.05)	7,066	7.95	TKT	0.84	0.01	12	0.84
VIH	6.00	(0.20)	7,537	6.02	GREEN	0.70	(0.04)	584	0.71	TNPC	0.66	(0.01)	700	0.66
WPH	1.69	(0.09)	6,590	1.73	J	-	-	-	-	TRU	4.42	(0.02)	269	4.36
Tourism & Leisure					JCK	0.81	(0.03)	6,854	0.80	TSC	10.30	-	24	10.28
ASIA	4.96	(0.19)	926	4.96	KC	-	-	-	-	Industrial Materials				
CENTEL	19.80	(1.10)	41,860	19.93	KWG	1.37	(0.05)	130	1.38	ALLA	1.28	0.01	7,153	1.25
CSR	-	-	-	-	LALIN	5.00	(0.10)	5,673	5.00	ASEFA	3.24	(0.10)	2,290	3.27
DTC	8.75	(0.20)	139	8.73	LH	8.75	(0.50)	622,837	8.92	CPT	0.69	(0.02)	11,230	0.69
ERW	3.98	(0.34)	388,501	4.05	LPN	5.15	(0.15)	130,258	5.14	CRANE	1.60	(0.04)	4,737	1.53
GRAND	0.61	(0.06)	50,450	0.60	MBK	19.80	(0.30)	8,430	19.97	CTW	4.94	(0.11)	157	5.00
LRH	38.00	(0.50)	119	34.53	MJD	2.72	(0.08)	1,002	2.73	FMT	-	-	-	-
MANRIN	28.00	(3.00)	48	28.52	MK	2.98	(0.08)	5,926	3.02	HTECH	2.16	(0.18)	15,879	2.20
OHTL	370.00	(15.00)	2	385.00	NCH	0.69	(0.01)	318	0.69	KKC	0.57	(0.07)	453	0.59
ROH	-	-	-	-	NNCL	2.06	(0.10)	33,719	2.09	PK	0.96	(0.01)	3,507	0.97
SHANG	67.00	(2.50)	49	67.35	NOBLE	15.10	(0.90)	2,214	15.58	SNC	9.15	(0.30)	4,873	9.28
SHR	2.12	(0.24)	370,283	2.16	NUSA	0.48	(0.02)	122,938	0.49	STARK	2.14	(0.06)	26,956	2.13
VRANDA	6.50	(0.05)	1,021	6.43	NVD	1.66	(0.02)	886	1.69	TCJ	3.18	(0.04)	17	3.10
Home & Office Prod.					ORI	5.80	(0.25)	74,749	5.82	VARO	-	-	-	-
ACC	0.67	(0.01)	3,730	0.67	PACE	0.06	(0.01)	5,469	0.06	Property Fund & REI				
AJA	0.23	(0.01)	22,267	0.23	PF	0.78	(0.01)	76,740	0.78	AIMCG	7.45	(0.40)	9,844	7.66
DTCI	-	-	-	-	PLAT	3.66	(0.16)	5,256	3.71	AIMIRT	13.30	(0.50)	5,158	13.46
FANCY	0.42	(0.05)	6,118	0.43	POLAR	-	-	-	-	AMATAR	11.70	(0.20)	1,341	11.64
KYE	281.00	(17.00)	3	281.00	PRECHA	0.96	(0.06)	30	0.96	B-WORK	12.50	(0.10)	3,924	12.38
L&E	1.96	(0.08)	855	1.99	PRIN	1.51	0.01	60,773	1.51	BKER	9.10	(0.25)	5,201	9.21
MODERN	2.36	-	5,456	2.36	PSH	14.70	(0.30)	19,270	14.85	BKCCP	13.50	0.10	1,116	13.50
OGC	-	-	-	-	QH	2.46	(0.06)	419,935	2.48	BOFFICE	16.30	-	68	16.36
ROCK	15.00	(0.60)	1	15.00	RICHY	0.81	(0.04)	2,346	0.83	CPNCG	11.90	(0.30)	6,041	11.98
SIAM	1.53	(0.06)	1,245	1.54	RML	0.73	(0.07)	14,604	0.76	CPNREIT	34.50	-	67,320	34.67
TSR	2.12	(0.08)	7,592	2.12	ROJNA	4.84	(0.16)	33,302	4.89	CPTGF	12.90	(0.20)	859	12.96
Insurance					S	2.18	(0.14)	75,390	2.18	CTARAF	5.50	(0.10)	2,023	5.50
AYUD	38.25	(0.75)	692	38.91	SAMCO	1.51	(0.04)	1,927	1.51	DREIT	5.95	(0.20)	803	5.98
BKI	252.00	(10.00)	78	256.38	SC	2.34	(0.08)	44,852	2.37	ERWPF	5.00	-	2	5.00
BLA	17.70	(0.60)	10,537	17.76	SENA	2.46	(0.14)	16,387	2.49	FTREIT	16.40	-	53,557	16.40
BUI	-	-	-	-	SF	5.25	(0.15)	42,860	5.24	FUTUREPF	24.40	(0.30)	2,915	24.45
CHARAN	17.80	(1.10)	46	17.92	SIRI	0.96	(0.04)	285,940	0.98	GAHREIT	9.40	0.20	10	9.31
INSURE	-	-	-	-	SPALI	16.40	(0.70)	86,475	16.43	GLANDRT	13.00	(0.20)	62,502	13.03
MTI	79.00	-	58	77.44	U	1.51	(0.07)	76,724	1.51	GOLDPF	6.95	(0.05)	53	6.91
NKI	-	-	-	-	UV	3.42	(0.28)	40,191	3.51	GVREIT	17.20	0.20	601	17.19
NSI	60.00	-	25	59.91	WHA	3.08	(0.26)	1,017,650	3.17	HPF	4.88	-	3,775	4.86
SEG	34.50	(0.25)	11	34.48	WIN	0.40	-	743	0.39	HREIT	8.70	(0.30)	5,659	8.88
SMK	29.00	(1.00)	30	28.93	Paper & Printing Mat	-	-	-	-	IMPACT	21.30	(1.70)	29,723	21.70
THRE	0.55	(0.02)	58,203	0.54	UTP	9.60	(0.15)	12,345	9.65	KPNPF	7.80	(0.15)	36	7.81
THREL	3.22	(0.16)	5,398	3.26	Fashion	-	-	-	-	LHHOTEL	17.50	(0.60)	1,669	17.70
TIP	23.70	(0.60)	4,550	23.86	AFC	-	-	-	-	LHPF	8.55	(0.20)	127	8.58
TQM	77.00	(3.00)	14,758	78.21	B52	0.19	(0.02)	42,859	0.19	LHSC	18.20	(0.30)	6,199	18.09
TSI	0.43	(0.01)	135	0.42	BTNC	-	-	-	-	LUXF	8.05	(0.20)	333	8.11
TVI	3.88	(0.02)	86	3.83	CPH	3.72	0.52	9	3.31	M-II	-	-	-	-
Mining					CPL	-	-	-	-	M-PAT	5.00	(0.05)	39	4.93
PDI	5.25	(0.30)	1,734	5.27	ICC	-	-	-	-	M-STOR	6.60	(0.05)	66	6.50
THL	-	-	-	-	NC	-	-	-	-	MPPF	-	-	-	-
Packaging					PAF	0.47	(0.03)	1,775	0.48	MIT	2.66	0.02	1,000	2.66
AJ	9.40	(0.40)	836	9.54	PDJ	1.28	(0.02)	4,841	1.29	MJLF	10.30	-	4,517	10.30
ALUCON	140.50	(6.00)	57	141.21	PG	5.15	(0.10)	41	5.20	MNIT	1.50	(0.03)	5	1.50
BGC	11.90	(0.80)	10,770	12.31	SABINA	20.30	(1.60)	20,659	20.94	MNIT2	-	-	-	-
CSC	51.75	(1.50)	65	52.08	SAWANG	-	-	-	-	MNRF	2.90	(0.04)	215	2.89
GLOCON	0.69	(0.02)	38,651	0.70	SUC	41.50	(0.50)	152	41.69	POPF	12.00	(0.50)	6,622	12.11
NEP	0.14	-	35,973	0.14	TNL	-	-	-	-	PPF	11.30	(0.10)	680	11.33
PTL	12.80	(0.50)	11,076	12.82	TPCORP	10.10	(0.10)	58	10.08	QHHR	9.25	(0.05)	356	9.28
SFLEX	4.98	(0.07)	34,144	4.95	TR	25.25	(0.75)	65	25.67	QHOP	3.76	(0.02)	227	3.75
SITHAI	0.58	(0.04)	4,132	0.60	TTI	20.00	0.30	18	20.00	QHPF	13.50	(0.20)	12,786	13.53
SLP	0.46	(0.01)	1,386	0.46	TTT	49.25	(0.25)	7	49.46	SBPF	-	-	-	-
SMPC	5.35	(0.30)	6,960	5.38	UPF	-	-	-	-	SHREIT	5.30	(0.10)	872	5.29
SPACK	1.05	-	20	1.05	UT	-	-	-	-	SIRIP	10.60	(0.20)	50	10.60
TCOAT	22.80	(0.70)	1	22.80	WACOAL	-	-	-	-	SPF	17.50	(0.40)	8,074	17.48
TFI	0.05	-	162	0.05	Transportation & Log	-	-	-	-	SPRIME	13.60	(0.70)	3,401	13.81
THIP	22.60	(0.90)	282	22.77	AAV	1.47	(0.14)	436,967	1.51	SRIPANWA	10.90	(0.20)	1,551	10.92
TMD	25.25	(0.75)	72	25.22	AOT	63.25	(2.00)	575,045	63.65	SSPF	9.45	(0.15)	22	9.45
TOPP	184.00	17.00	2	184.00	ASIMAR	0.98	(0.05)	2,481	1.00	SSTRT	5.80	(0.10)	373	5.82
TPBI	3.72	(0.08)	34	3.73	B	0.18	(0.01)	22,843	0.18	TIFI	9.15	-	551	9.12
TPP	15.00	(1.90)	27	15.07	BA	5.45	(0.20)	25,819	5.37	TLGF	21.00	(0.30)	4,238	20.80
Personal Products &					BEM	10.40	(0.40)	994,635	10.51	TLHPF	10.80	-	1	10.80
APCO	3.08	-	2,291	3.08	BTS	12.20	(0.70)	522,127	12.38	TNPF	2.80	(0.10)	746	2.80
DDD	18.00	(0.50)	390	17.97	BTSIGIF	9.80	(0.10)	33,605	9.83	TPRIME	16.40	-	1,108	16.40
JCT	79.50	-	8	79.84	III	4.20	(0.24)	1,798	4.28	TTLPF	-	-	-	-
OCC	11.50	(0.90)	13	11.75	JUTHA	0.29	(0.01)	367	0.29	TU-PF	-	-	-	-
S & J	-	-	-	-	JWD	7.00	(0.25)	17,627	7.09	URBNPF	4.50	-	49	4.20
STHAI	-	-	-	-	KWC	280.00	(2.00)	1	280.00	WHABT	9.60	(0.05)	434	9.60
TNR	7.30	(0.15)	164	7.25	NOK	1.50	(0.18)	1,139	1.56	WHART	16.50	(0.40)	8,021	16.49
TOG	4.70	-	611	4.60	NYT	3.54	(0.12)	35,765	3.59	Steel	-	-	-	-
Professional Service					PORT	1.92	(0.18)	25,612	1.97	AMC	1.80	(0.03)	2,538	1.79
BWG	0.43	(0.03)	111,989	0.44	PRM	5.20	(0.45)	66,515	5.27	BSBM	0.88	(0.01)	1,008	0.88
GENCO	0.48	(0.02)	5,559	0.48	PSL	5.05	(0.55)	74,252	5.17	CEN	0.51	(0.03)	3,946	0.52
PRO	-	-	-	-										

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.89	(0.01)	29,775	-	ADVA01C2003B	0.02	-	2,500	-
ABICO	4.00	0.08	205	4.00	AIE	0.30	(0.01)	59,722	-	ADVA01C2005A	0.39	(0.06)	287,873	-
AU	8.00	(0.70)	111,375	8.00	PSTC	0.62	(0.07)	1,871,386	-	ADVA01C2005B	0.14	(0.03)	530,662	-
JCHK	0.20	(0.03)	1,752	-	QTC	4.86	0.02	5,736	4.00	ADVA01C2007B	0.36	(0.06)	138,774	-
KASET	1.20	-	363	1.00	SAAM	0.77	(0.03)	1,816	-	ADVA01C2008A	1.26	(0.02)	18,137	1.00
MM	2.30	(0.10)	34	2.00	SEAOIL	2.82	(0.44)	46,866	3.00	ADVA01P2003A	0.75	0.06	63,273	-
SUN	1.63	(0.12)	6,710	1.00	SR	0.90	(0.02)	389	-	ADVA01P2003B	0.37	0.05	233,301	-
TACC	3.80	(0.12)	24,904	3.00	TAKUNI	0.36	(0.03)	18,984	-	ADVA01P2007B	0.34	0.02	270,715	-
TMILL	2.78	(0.06)	1,877	2.00	TPCH	10.70	(0.70)	24,052	10.00	ADVA06C2005A	0.06	(0.01)	2,140	-
XO	5.25	(0.20)	3,384	5.00	TRT	1.77	(0.02)	3,090	1.00	ADVA08C2005A	0.17	(0.02)	42,940	-
Consumer Products														
BGT	0.77	(0.06)	479	-	UMS	-	-	-	-	ADVA08P2004A	0.25	0.04	42,958	-
BIZ	3.24	(0.06)	3,756	3.00	UWC	0.02	-	16,205	-	ADVA11C2006A	0.04	(0.02)	2,212	-
DOD	7.15	(0.60)	16,816	7.00	Services (MAI)	-	-	-	-	ADVA11P2005A	0.10	-	19,705	-
ECF	1.21	-	123,475	1.00	A5	-	-	-	-	ADVA13C2004A	0.11	(0.04)	103,899	-
HPT	0.55	-	1,648	-	AKP	1.05	(0.03)	19,344	1.00	ADVA13C2006A	0.96	(0.08)	2	-
IP	4.68	(0.22)	11,829	4.00	AMA	4.96	(0.19)	3,546	5.00	ADVA13C2007A	0.38	(0.04)	245,250	-
JUBILE	18.10	(0.60)	10,336	18.00	ARIP	0.37	-	2,647	-	ADVA13P2003A	0.21	0.04	115,403	-
MOONG	3.70	(0.10)	873	3.00	ATP30	1.31	(0.01)	1,122	1.00	ADVA16C2002A	-	-	-	-
NPK	16.10	-	185	16.00	AUCT	6.50	(0.55)	17,932	6.00	ADVA16C2005A	0.01	(0.01)	12,228	-
OCEAN	1.15	(0.04)	12,277	1.00	BOL	2.82	(0.04)	3,409	2.00	ADVA16C2007A	0.11	(0.03)	97,460	-
TM	2.52	-	19,336	2.00	CHUO	-	-	-	-	ADVA16C2009A	0.34	(0.06)	205,955	-
Financials (MAI)														
ACAP	0.93	(0.11)	12,754	-	CMO	1.04	(0.02)	348	1.00	ADVA19C2002A	-	-	-	-
AF	0.63	(0.02)	315	-	D	3.64	(0.10)	2,748	3.00	ADVA19C2005A	0.15	(0.02)	21,447	-
AIRA	1.19	(0.02)	1,075	1.00	DCORP	0.34	(0.02)	7,528	-	ADVA19C2007A	1.02	0.02	1,200	1.00
ASN	6.05	(0.25)	383	6.00	EFORL	0.05	-	118,356	-	ADVA19P2002A	-	-	-	-
BROOK	0.37	(0.02)	20,252	-	ETE	0.69	(0.06)	3,887	-	ADVA19P2006A	0.25	0.03	57,642	-
CHAYO	6.65	(0.45)	25,730	6.00	FSMART	6.90	(0.15)	8,878	6.00	ADVA24C2006A	0.29	(0.04)	31,773	-
GCAP	1.84	(0.07)	15,393	1.00	FVC	0.36	(0.02)	15,202	-	ADVA28C2004A	-	-	-	-
LIT	4.40	(0.22)	5,447	4.00	GSC	0.74	0.01	1,676	-	ADVA28C2005A	0.14	(0.01)	64,346	-
MITTSIB	1.32	(0.03)	11,073	1.00	HARN	2.16	(0.04)	4,098	2.00	ADVA28C2007A	0.28	(0.03)	3	-
SGF	0.58	(0.06)	65,654	-	IMH	2.54	(0.16)	1,919	2.00	ADVA28P2004A	0.20	0.02	79,240	-
Industrials (MAI)														
ZS	1.94	(0.02)	2,164	1.00	JKN	4.56	(0.14)	19,178	4.00	ADVA41C2004A	-	-	-	-
ACG	0.85	(0.05)	1,113	-	KIAT	0.31	0.01	188,793	-	ADVA41C2005A	-	-	-	-
ADB	0.43	(0.05)	570	-	KOOL	0.87	(0.02)	6,267	-	ADVA41C2006A	0.19	(0.01)	18,136	-
BM	1.84	(0.04)	243	1.00	LDC	0.95	(0.04)	2,622	-	ADVA41C2007A	0.27	(0.03)	73,122	-
CHO	0.47	(0.03)	18,277	-	MORE	0.37	-	255,950	-	ADVA41P2004A	0.37	-	8,888	-
CHOW	1.48	(0.02)	792	1.00	MPG	0.28	(0.02)	4,006	-	ADVA41P2005A	0.29	(0.01)	59,770	-
CIG	0.20	-	1,850	-	MVP	1.62	(0.03)	4,588	1.00	ADVA42C2003A	-	-	-	-
COLOR	1.04	-	140	1.00	NBC	0.50	-	3,823	-	ADVA42C2005A	0.12	(0.03)	1,350	-
CPR	3.06	(0.14)	2,668	3.00	NCL	0.92	(0.07)	351	-	ADVA42P2007A	0.39	0.01	3,126	-
FPI	2.08	(0.18)	1,741	2.00	NEWS	0.01	-	1,453	-	AEON01C2005A	0.04	(0.03)	17,016	-
GTB	0.66	(0.02)	3,720	-	NINE	1.97	-	7	1.00	AEON13C2003A	-	-	-	-
KCM	0.44	(0.03)	2,844	-	OTO	3.02	(0.10)	5,698	3.00	AEON13C2007A	0.44	(0.12)	1,124	-
KUMWEL	0.68	(0.02)	902	-	PHOL	1.96	0.03	69,407	1.00	AEON19C2003A	-	-	-	-
KWM	0.80	-	699	-	PICO	4.04	(0.02)	149	4.00	AEON19C2006A	0.26	(0.09)	16,028	-
MBAX	2.94	-	254	2.00	QLT	4.82	(0.16)	519	4.00	AMAT01C2004A	0.05	(0.03)	13,008	-
MGT	1.61	(0.06)	500	1.00	RP	1.31	(0.03)	352	1.00	AMAT01C2004B	0.02	(0.01)	1,700	-
NDR	1.05	-	172	-	SE	1.75	(0.02)	419	1.00	AMAT01C2007B	0.17	(0.06)	52,898	-
PDG	2.82	(0.06)	939	2.00	SONIC	0.94	(0.01)	6,298	-	AMAT01C2008A	0.37	(0.10)	39,112	-
PIMO	1.08	(0.07)	7,995	1.00	SPA	11.20	(0.80)	10,000	11.00	AMAT01P2008A	0.78	0.12	40,383	-
PJW	1.15	0.02	2,108	1.00	THMUJ	0.48	(0.03)	1,030	-	AMAT06C2005A	0.02	(0.02)	2,055	-
PPM	0.65	0.05	390	-	TNDT	3.66	(0.04)	312	3.00	AMAT08C2002A	-	-	-	-
RWI	1.25	-	737	1.00	TNH	31.75	(1.75)	167	31.00	AMAT08C2005A	-	-	-	-
SALEE	0.82	(0.01)	2	-	TNP	2.18	(0.02)	16,100	2.00	AMAT11C2004A	-	-	-	-
SANKO	0.90	(0.01)	2,086	-	TSF	-	-	-	-	AMAT11C2008A	0.16	(0.05)	10,891	-
SELIC	2.34	(0.18)	4,573	2.00	TVD	1.01	(0.06)	12,011	1.00	AMAT13C2004A	-	-	-	-
SWC	3.40	(0.10)	3,699	3.00	TVT	0.51	(0.04)	609	-	AMAT13C2006A	0.09	(0.03)	18,419	-
TMC	0.34	(0.02)	3,183	-	VL	1.25	(0.04)	153,540	1.00	AMAT16C2003A	-	-	-	-
TMI	0.71	(0.02)	3,981	-	WINNER	2.02	(0.04)	3,591	2.00	AMAT16C2006A	0.02	-	500	-
TMW	39.75	(0.25)	48	39.00	YGG	4.52	(0.18)	5,513	4.00	AMAT16C2008A	0.22	(0.09)	76,613	-
TPAC	9.20	0.05	140	9.00	Technology (MAI)									
TPLAS	1.03	(0.03)	2,186	1.00	APP	1.84	(0.09)	4,062	1.00	AMAT19C2005A	-	-	-	-
UBIS	-	-	-	-	COMAN	2.70	(0.14)	2,518	2.00	AMAT19C2006A	0.16	(0.07)	30,801	-
UEC	0.74	-	154	-	ICN	1.74	0.12	20,840	1.00	AMAT24C2006A	-	-	-	-
UKEM	0.40	-	14,566	-	INSET	2.60	(0.02)	52,802	2.00	AMAT41C2003A	-	-	-	-
UREKA	0.96	(0.03)	3,073	-	IRCP	0.43	(0.03)	6,905	-	AMAT41C2004A	-	-	-	-
YUASA	12.10	(0.70)	246	12.00	ITEL	2.32	(0.24)	19,611	2.00	AMAT41C2005A	-	-	-	-
ZIGA	1.00	(0.04)	1,587	1.00	NETBAY	29.50	(2.00)	2,504	30.00	AMAT41C2006A	-	-	-	-
Property & Construc														
ALL	3.00	(0.10)	64,412	3.00	PLANET	0.98	(0.06)	2,732	-	AMAT42C2003A	-	-	-	-
ARIN	0.56	(0.03)	4,572	-	SIMAT	1.86	(0.01)	25,664	1.00	AMAT42C2005A	-	-	-	-
ARROW	7.90	(0.25)	836	7.00	SKY	14.30	(0.30)	7,363	14.00	AMAT42C2007A	0.19	(0.04)	9,364	-
BC	1.31	(0.17)	6,199	1.00	SPVI	2.80	(0.24)	124,482	2.00	ANAN13C2007A	-	-	-	-
BSM	0.27	(0.02)	12,123	-	TPS	2.06	(0.02)	4,096	2.00	ANAN19C2004A	-	-	-	-
BTW	0.60	-	871	-	UPA	0.17	(0.01)	35,959	-	ANAN19C2007A	0.08	(0.03)	5	-
CAZ	2.40	(0.12)	891	2.00	VCOM	-	-	-	-	AOT01C2002A	0.02	-	13,887	-
CHEWA	0.39	(0.02)	54,839	-	Unit Trust	-	-	-	-	AOT01C2002B	0.01	-	868	-
CMC	0.80	(0.03)	6,606	-	MGE	-	-	-	-	AOT01C2004A	0.09	(0.03)	73,118	-
CRD	0.61	(0.03)	3,330	-	SCBSET	-	-	-	-	AOT01C2004B	0.01	(0.01)	11,007	-
DIMET	-	-	-	-	ETF	-	-	-	-	AOT01C2006B	0.15	(0.05)	90,792	-
FLOYD	1.27	(0.06)	1,547	1.00	1DIV	9.19	(0.29)	1,585	9.00	AOT01C2007A	0.40	(0.07)	255,377	-
HYDRO	0.29	(0.01)	1,808	-	ABFTH	-	-	-	-	AOT01P2002A	1.02	0.17	26,079	-
JSP	0.24	(0.01)	22,569	-	BMSCG	7.00	(0.25)	325	7.00	AOT01P2002B	0.39			

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT16C2002A	-	-	-	-	BBL08C2007A	0.35	(0.08)	29,870	-	BEC01C2006A	0.14	(0.08)	55,302	-
AOT16C2007A	0.06	(0.01)	24,734	-	BBL08P2002A	-	-	-	-	BEC01C2006B	0.05	(0.04)	2,239	-
AOT16C2009A	0.32	(0.07)	238,450	-	BBL08P2007A	0.63	0.08	31,805	-	BEC01P2006A	0.84	0.24	252,883	-
AOT19C2002A	0.01	(0.01)	300	-	BBL11C2005A	0.03	-	19,710	-	BEC16C2002A	-	-	-	-
AOT19C2005A	0.08	(0.02)	5,025	-	BBL11C2007A	0.08	(0.02)	30,581	-	BEC19C2003A	-	-	-	-
AOT19C2007A	0.36	(0.64)	20,914	-	BBL11P2008A	0.64	0.07	60,130	-	BEC19C2005A	0.06	(0.03)	1,470	-
AOT19P2004A	0.82	0.15	41,875	-	BBL13C2003A	-	-	-	-	BEC27C2002A	-	-	-	-
AOT24C2003A	-	-	-	-	BBL13C2004A	0.11	(0.04)	25,292	-	BEC41C2003A	-	-	-	-
AOT24C2006A	0.15	(0.03)	45,055	-	BBL13C2006A	0.29	(0.08)	51,939	-	BEC42C2003A	-	-	-	-
AOT27C2008A	0.14	(0.02)	33,500	-	BBL13P2003A	-	-	-	-	BEC42C2005A	-	-	-	-
AOT28C2003A	-	-	-	-	BBL13P2004A	0.68	0.09	72,141	-	BEM01C2004A	0.17	(0.04)	115,895	-
AOT28C2006A	0.04	(0.01)	100	-	BBL16C2006A	0.08	(0.01)	12,020	-	BEM01C2004B	0.07	(0.01)	22,050	-
AOT28C2006B	0.10	(0.04)	49,305	-	BBL19C2003A	-	-	-	-	BEM01P2004A	0.18	0.02	105,062	-
AOT28P2004A	0.69	0.01	260	-	BBL19C2005A	0.11	(0.03)	8,964	-	BEM06C2004A	0.03	(0.02)	700	-
AOT41C2003A	-	-	-	-	BBL19C2007A	0.35	(0.07)	819	-	BEM08C2005A	0.10	(0.03)	8,700	-
AOT41C2004A	-	-	-	-	BBL19P2002A	0.21	0.06	121	-	BEM11C2003A	-	-	-	-
AOT41C2005A	0.03	0.01	2	-	BBL19P2007A	0.60	0.07	61,128	-	BEM13C2004A	0.04	(0.02)	11,700	-
AOT41C2006A	0.12	(0.01)	19,664	-	BBL24C2004A	0.16	(0.04)	22,370	-	BEM13C2007A	0.15	(0.03)	34,403	-
AOT41C2007A	0.10	(0.01)	219	-	BBL27C2002A	-	-	-	-	BEM16C2006A	0.17	(0.03)	46,224	-
AOT41P2002A	-	-	-	-	BBL28C2003A	-	-	-	-	BEM19C2005A	0.10	(0.02)	24,750	-
AOT41P2004A	-	-	-	-	BBL28C2005A	-	-	-	-	BEM24C2003A	-	-	-	-
AOT41P2005A	1.35	(0.02)	30	1.00	BBL28C2007A	0.25	(0.03)	14,196	-	BEM28C2006A	0.08	(0.03)	4,056	-
AOT41P2006A	0.86	0.04	7,114	-	BBL41C2003A	-	-	-	-	BEM28C2007A	0.09	(0.02)	3,542	-
AOT42C2006A	0.05	(0.01)	600	-	BBL41C2004A	-	-	-	-	BEM41C2002A	-	-	-	-
AOT42P2003A	0.02	0.01	1,500	-	BBL41C2005A	-	-	-	-	BEM41C2004A	-	-	-	-
AOT42P2009A	0.72	0.02	6,252	-	BBL41C2006A	-	-	-	-	BEM41C2006A	0.11	(0.02)	438	-
AP16C2002A	-	-	-	-	BBL41C2007A	0.25	(0.06)	7,427	-	BEM41P2003A	-	-	-	-
AP19C2002A	-	-	-	-	BBL41P2002A	-	-	-	-	BEM41P2004A	0.18	0.04	1,408	-
AP19C2007A	0.23	(0.03)	9,559	-	BBL41P2004A	0.78	0.11	14,000	-	BGR101C2003A	0.31	(0.12)	368,677	-
AP28C2004A	0.08	(0.02)	39,412	-	BBL41P2006A	0.89	0.10	23,852	-	BGR101C2003B	0.06	(0.07)	342,540	-
AP28C2006A	0.08	(0.02)	20,657	-	BBL42C2003A	-	-	-	-	BGR101C2006A	0.28	(0.07)	409,349	-
AWC01C2003A	0.06	(0.07)	97,203	-	BBL42C2005A	0.08	(0.01)	5,000	-	BGR101C2006B	0.09	(0.03)	331,781	-
AWC01C2003B	-	-	-	-	BBL42C2007A	0.30	(0.07)	2,700	-	BGR101P2003A	0.18	0.06	222,795	-
AWC01C2004A	0.04	(0.03)	7,310	-	BCH01C2006A	0.20	(0.02)	67,146	-	BGR101P2006A	1.10	0.18	77,428	-
AWC01P2003A	0.52	0.14	83,265	-	BCH01C2006B	0.08	(0.01)	33,405	-	BGR106C2005A	0.12	(0.06)	81,329	-
AWC01P2003B	0.07	0.01	28,053	-	BCH01P2006A	0.73	0.03	42,884	-	BGR108C2003A	0.41	(0.15)	8,186	-
AWC01P2007A	0.49	0.13	73,371	-	BCH06C2006A	0.09	(0.03)	32,964	-	BGR108C2005A	0.22	(0.05)	75,620	-
AWC06C2002A	0.02	-	10,105	-	BCH06P2006A	0.58	0.06	11,493	-	BGR111C2006A	0.55	(0.13)	52,217	-
AWC06C2004A	0.07	(0.08)	9,604	-	BCH08C2004A	-	-	-	-	BGR111C2008A	0.24	(0.05)	114,111	-
AWC06P2002A	0.41	0.33	58,169	-	BCH11C2008A	0.19	(0.03)	44,060	-	BGR113C2002A	0.01	(0.05)	200	-
AWC08C2004A	-	-	-	-	BCH13C2004A	-	-	-	-	BGR113C2004A	0.07	(0.04)	75,929	-
AWC13C2002A	0.01	-	49	-	BCH13C2007A	0.21	(0.03)	121,661	-	BGR113C2006A	0.12	(0.05)	115,887	-
AWC13C2003A	0.01	(0.02)	500	-	BCH16C2006A	0.14	(0.01)	34,264	-	BGR113C2007A	0.38	(0.62)	168,979	-
AWC13C2006A	0.10	(0.03)	34,584	-	BCH19C2005A	-	-	-	-	BGR113P2005A	0.73	0.17	180,568	-
AWC13P2003A	-	-	-	-	BCH19C2006A	0.16	(0.02)	23,187	-	BGR116C2005A	0.16	(0.08)	288,810	-
AWC13P2006A	0.48	0.13	98,055	-	BCH24C2003A	-	-	-	-	BGR119C2004A	0.32	(0.12)	67,527	-
AWC16C2005A	-	-	-	-	BCH27C2003A	0.06	(0.02)	14,400	-	BGR119C2005A	0.16	(0.07)	54,083	-
AWC16C2007A	0.07	(0.04)	36,301	-	BCH41C2005A	0.07	(0.01)	1,000	-	BGR119C2006A	0.11	(0.04)	16,641	-
AWC19C2003A	0.02	(0.02)	1,399	-	BCH41C2006A	0.12	(0.02)	2,640	-	BGR119P2007A	0.84	0.12	50,226	-
AWC19C2004A	-	-	-	-	BCH42C2002A	-	-	-	-	BGR124C2004A	0.32	(0.12)	48,903	-
AWC19C2006A	0.08	(0.05)	27,361	-	BCP01C2005A	0.42	(0.17)	249,053	-	BGR127P2006A	0.50	0.09	51,196	-
AWC24C2007A	0.04	(0.03)	91,801	-	BCP01C2005B	0.05	(0.05)	115,312	-	BGR128C2003A	-	-	-	-
AWC28C2003A	-	-	-	-	BCP01P2005A	0.22	0.06	209,154	-	BGR128C2003B	-	-	-	-
AWC28C2003B	-	-	-	-	BCP11C2004A	-	-	-	-	BGR141C2004A	0.18	(0.07)	18,724	-
AWC28C2003C	0.01	(0.04)	600	-	BCP13C2003A	-	-	-	-	BGR141C2005A	0.15	(0.05)	43,210	-
AWC28C2006A	0.07	(0.05)	8,059	-	BCP13C2003B	0.24	(0.05)	2,326	-	BGR141C2006A	0.21	-	696	-
AWC28P2003A	-	-	-	-	BCP13C2007A	0.13	(0.06)	209,196	-	BGR141P2004A	-	-	-	-
AWC41C2003A	-	-	-	-	BCP19C2004A	0.29	(0.24)	31,966	-	BGR141P2005A	0.58	0.07	72,999	-
AWC41C2004A	-	-	-	-	BCP19C2005A	0.08	(0.05)	30,982	-	BGR141P2006A	1.11	0.09	27,524	1.00
AWC41C2005A	-	-	-	-	BGP24C2004A	-	-	-	-	BGR142C2003A	0.05	(0.02)	2,117	-
AWC41C2006A	-	-	-	-	BGP01C2005A	0.29	(0.03)	35,934	-	BGR142C2006A	0.09	(0.03)	920	-
AWC41C2007A	0.13	(0.03)	4,342	-	BPG01C2005B	0.10	(0.01)	41,860	-	BH01C2004A	0.29	(0.11)	58,205	-
AWC42C2003A	-	-	-	-	BPG01P2005A	0.29	0.03	96,855	-	BH01C2004B	0.06	(0.04)	23,427	-
AWC42C2008A	0.15	(0.06)	2,100	-	BPG06C2002A	-	-	-	-	BH01P2004A	0.77	0.16	43,260	-
BANP01C2002A	0.02	-	14,610	-	BPG13C2004A	0.09	(0.01)	472,000	-	BH11C2002A	-	-	-	-
BANP01C2002B	-	-	-	-	BPG13C2007A	0.31	(0.03)	142,311	-	BH11C2008A	0.18	(0.08)	41,431	-
BANP01C2005A	0.04	(0.04)	108,169	-	BPG19C2003A	0.02	(0.01)	1,000	-	BH13C2006A	0.12	(0.06)	50,382	-
BANP01C2005B	-	-	-	-	BPG19C2005A	0.21	(0.03)	2,306	-	BH19C2002A	-	-	-	-
BANP01P2002A	0.79	0.16	33,038	-	BPG28C2003A	-	-	-	-	BH19C2003A	0.03	(0.06)	29,601	-
BANP01P2002B	0.84	0.17	28,577	-	BPG28C2004A	0.06	(0.02)	1,240	-	BH19C2006A	0.15	(0.06)	34,156	-
BANP01P2005A	0.77	0.15	68,189	-	BPG41C2002A	-	-	-	-	BH24C2003A	0.03	(0.03)	5,700	-
BANP01P2005B	0.51	0.16	233,701	-	BPG41C2005A	0.18	(0.03)	8,130	-	BH27C2007A	0.19	(0.08)	19,804	-
BANP06C2005A	-	-	-	-	BPG42C2004A	-	-	-	-	BH41C2003A	-	-	-	-
BANP08C2002A	-	-	-	-	BPG42C2007A	0.24	(0.06)	7,196	-	BH41C2004A	-	-	-	-
BANP08C2005A	-	-	-	-	BDMS01C2002A	0.32	(0.08)	1	-	BH41C2005A	0.12	(0.03)	9,678	-
BANP08C2007A	0.21	(0.13)	34,898	-	BDMS01C2002B	0.01	-	3	-	BH41C2006A	0.11	(0.03)	8,572	-
BANP08P2003A	0.86	0.18	59,409	-	BDMS01C2007B	0.11	(0.03)	55,137	-	BH41P2004A	0.31	0.07	21,102	-
BANP11C2004A	-	-	-	-	BDMS01P2002A	0.02	(0.02)	3,000	-	BH41P2006A	0.93	0.14	33,131	-
BANP11C2008A	0.05	(0.02)	10,156	-	BDMS01P2008A	0.38	0.03	40,961	-	BH42C2003A	0.01	-	100	-
BANP13C2003A	-	-	-	-	BDMS06C2003A	0.07	(0.07)	49,701	-	BH42C2008A	0.27	(0.11)	11,292	-
BANP13C2006A	0.02	(0.01)	37,239	-	BDMS06P2004A	0.16	0.06	60,465	-	BJC01C2004A	0.04	(0.02)	15,916	-
BANP19C2002A	-	-	-	-	BDMS08C2003A	-	-	-	-	BJC01C2004B	-	-	-	-
BANP19C2004A	-	-	-	-	BDMS08C2006A	-	-	-	-	BJC01P2004A	1.13	0.17	35,805	1.00
BANP19C2005A	0.02	-	3,150	-	BDMS11C2007A	0.34	(0.07)	5,167	-	BJC06C2002A	-	-	-	-
BANP19C2007A	0.06	(0.04)	21,998	-	BDMS11C2008A	0.10	(0.02)	17,865	-	BJC06C2006A	0.06	(0.05)	65,294	-
BANP19P2003A	0.76	0.24	47,786	-	BDMS11P2002A	-	-	-	-	BJC11C2008A	0.14	(0.07)	15,583	-
BANP24C2003A	-	-	-	-	BDMS13C2003A	-	-	-	-	BJC13C2002A	-	-	-	-
BANP27C2007A	0.03	(0.02)	2	-	BDMS13C2004A	-	-	-	-	BJC13C2004A	-	-	-	-
BANP28C2003A	-	-	-	-	BDMS16C2006A	0.34	(0.06)	43,170	-	BJC13C200				

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC41P2004A	0.98	0.19	8,160	-	CK06C2004A	0.26	(0.15)	27,675	-	CPF01C2004B	0.13	(0.05)	316,320	-
BJC41P2005A	0.66	0.11	29,928	-	CK11C2007A	0.26	(0.08)	20,294	-	CPF01P2004A	0.10	0.02	138,301	-
BJC42C2004A	-	-	-	-	CK13C2002A	-	-	-	-	CPF08C2006A	0.10	(0.03)	80,151	-
BLAN19C2004A	0.01	(0.02)	400	-	CK13C2003A	0.16	(0.11)	249,976	-	CPF11C2004A	0.05	(0.01)	500	-
BLAN28C2004A	-	-	-	-	CK13C2006A	0.24	(0.09)	187,734	-	CPF11C2007A	0.25	(0.04)	25,400	-
BPP01C2005A	0.04	(0.06)	25,623	-	CK16C2003A	-	-	-	-	CPF13C2003A	0.07	(0.03)	2,001	-
BPP01C2005B	0.02	(0.03)	80	-	CK16C2006A	0.19	(0.09)	61,778	-	CPF13C2006A	0.12	(0.04)	122,865	-
BPP01P2005A	1.23	0.42	47,964	1.00	CK19C2002A	-	-	-	-	CPF16C2007A	0.19	(0.04)	43,819	-
BPP13C2004A	-	-	-	-	CK19C2003A	-	-	-	-	CPF19C2003A	0.06	(0.04)	64,972	-
BPP13C2007A	0.10	(0.06)	72,467	-	CK19C2004A	0.24	(0.11)	18,764	-	CPF19C2005A	0.25	(0.02)	11,003	-
BPP19C2002A	-	-	-	-	CK19C2007A	0.26	(0.08)	101,386	-	CPF19C2006A	0.12	(0.03)	9,802	-
BPP19C2005A	0.02	(0.01)	793	-	CK24C2003A	-	-	-	-	CPF19P2002A	-	-	-	-
BPP19C2007A	0.09	(0.10)	19,072	-	CK27C2008A	0.43	(0.09)	20,326	-	CPF24C2007A	0.26	(0.06)	19,394	-
BPP24C2003A	-	-	-	-	CK41C2003A	0.21	(0.05)	16,810	-	CPF28C2004A	0.15	(0.05)	22,738	-
BTS01C2005A	0.19	(0.06)	67,920	-	CK41C2004A	0.10	(0.04)	1	-	CPF28C2007A	0.13	(0.02)	107,499	-
BTS01C2005B	0.05	(0.04)	4,579	-	CK41C2005A	0.13	(0.05)	7,876	-	CPF41C2004A	0.15	(0.03)	9,542	-
BTS01P2005A	0.27	0.06	207,961	-	CK42C2006A	-	-	-	-	CPF41C2005A	0.16	(0.02)	1,577	-
BTS08C2005A	-	-	-	-	CKP01C2004A	0.02	-	4	-	CPF41P2003A	0.01	-	100	-
BTS11C2003A	0.07	(0.04)	19,770	-	CKP01C2004B	0.01	-	21,180	-	CPF41P2005A	0.15	0.02	937	-
BTS13C2003A	0.03	(0.01)	21,802	-	CKP01P2004A	0.82	0.08	222,035	-	CPF42C2003A	0.04	(0.02)	29,924	-
BTS13C2006A	0.11	(0.05)	67,799	-	CKP08C2004A	0.02	-	500	-	CPN01C2005A	0.27	(0.12)	145,411	-
BTS16C2008A	0.08	(0.04)	3,635	-	CKP11C2006A	-	-	-	-	CPN01C2005B	0.06	(0.05)	41,567	-
BTS19C2002A	-	-	-	-	CKP13C2003A	-	-	-	-	CPN01P2005A	0.71	0.23	355,662	-
BTS19C2005A	0.12	(0.02)	615	-	CKP13C2004A	0.01	(0.01)	1	-	CPN06C2006A	0.11	(0.10)	56,073	-
BTS19P2002A	-	-	-	-	CKP13C2004B	0.09	-	23,566	-	CPN11C2006A	0.04	(0.03)	2,003	-
BTS24C2007A	0.14	(0.04)	24,524	-	CKP13C2007A	0.39	(0.06)	419,304	-	CPN11C2008A	0.26	(0.09)	75,217	-
BTS41C2003A	-	-	-	-	CKP16C2005A	-	-	-	-	CPN13C2004A	0.05	(0.01)	10	-
BTS41C2004A	-	-	-	-	CKP16C2007A	0.10	(0.02)	31,035	-	CPN13C2007A	0.25	(0.12)	134,154	-
BTS41C2006A	-	-	-	-	CKP19C2003A	-	-	-	-	CPN16C2005A	0.16	(0.10)	58,054	-
BTS41P2004A	0.28	0.05	10,012	-	CKP19C2005A	-	-	-	-	CPN19C2002A	-	-	-	-
BTS42C2003A	-	-	-	-	CKP19C2006A	0.17	(0.03)	76,980	-	CPN19C2004A	0.05	(0.04)	10	-
BTS42C2008A	0.13	(0.06)	500	-	CKP24C2006A	0.07	(0.02)	1,782	-	CPN19C2007A	0.32	(0.68)	30,894	-
CBG01C2004A	0.37	(0.24)	369,398	-	CKP27C2005A	-	-	-	-	CPN24C2002A	-	-	-	-
CBG01C2004B	0.07	(0.08)	200,970	-	CKP28C2003A	-	-	-	-	CPN24C2007A	0.33	(0.15)	36,470	-
CBG01P2003A	0.10	0.05	28,566	-	CKP28C2004A	-	-	-	-	CPN41C2003A	-	-	-	-
CBG01P2004A	0.88	0.29	246,882	-	CKP28C2004B	-	-	-	-	CPN41C2004A	-	-	-	-
CBG06C2005A	0.18	(0.19)	66,618	-	CKP28C2006A	0.12	(0.02)	67,356	-	CPN41C2006A	0.16	(0.09)	33,937	-
CBG08C2003A	0.11	(0.12)	52,910	-	CKP41C2004A	-	-	-	-	CPN41P2003A	-	-	-	-
CBG11C2002A	-	-	-	-	CKP41C2005A	-	-	-	-	CPN41P2005A	0.63	0.09	6,962	-
CBG11C2008A	0.58	(0.22)	111,479	-	CKP41C2006A	0.12	(0.01)	75,862	-	CPN41P2006A	0.37	0.09	55,054	-
CBG13C2004A	0.09	(0.13)	97,028	-	CKP41C2007A	0.36	(0.05)	63,268	-	CPN42C2002A	-	-	-	-
CBG13P2006A	1.21	0.29	165,957	1.00	CKP42C2003A	-	-	-	-	CPN42C2004A	-	-	-	-
CBG16C2008A	0.33	(0.21)	168,005	-	CKP42C2005A	-	-	-	-	CPN42C2006A	0.13	(0.12)	5,030	-
CBG19C2004A	0.14	(0.09)	39,326	-	CKP42C2006A	0.14	(0.01)	11,400	-	DTAC01C2004A	0.06	(0.03)	96,842	-
CBG19C2005A	0.28	(0.20)	173,081	-	COM708C2002A	0.01	-	160	-	DTAC01C2004B	0.01	(0.01)	4,200	-
CBG19P2002A	0.02	0.01	1	-	COM708C2007A	0.15	(0.03)	51,006	-	DTAC01C2007B	0.16	(0.05)	23,562	-
CBG19P2006A	1.33	0.30	77,637	1.00	COM711C2004A	0.04	(0.03)	35,914	-	DTAC01C2008A	0.34	(0.07)	63,729	-
CBG24C2003A	0.04	(0.07)	9,216	-	COM713C2004A	0.04	(0.02)	22,204	-	DTAC01P2004A	1.68	0.18	9,652	1.00
CBG41C2003A	0.05	(0.24)	3,608	-	COM713C2007A	0.14	(0.03)	78,904	-	DTAC01P2004B	1.33	0.21	14,517	1.00
CBG41C2004A	0.17	(0.10)	16,588	-	COM716C2008A	0.08	(0.01)	2,460	-	DTAC01P2007B	0.72	0.10	67,606	-
CBG41C2005A	0.46	(0.22)	1,250	-	COM719C2003A	0.11	(0.05)	198,558	-	DTAC01P2008A	0.81	0.09	43,426	-
CBG41C2006A	0.39	(0.22)	170,898	-	COM719C2005A	0.07	(0.01)	5,560	-	DTAC06C2006A	0.03	(0.01)	500	-
CBG41P2003A	0.34	0.20	18,967	-	COM719P2004A	0.20	0.04	108,858	-	DTAC08C2005A	-	-	-	-
CBG41P2004A	1.13	0.25	105,677	-	COM724C2007A	0.12	(0.04)	79,015	-	DTAC08C2005B	0.06	(0.02)	200	-
CBG41P2006A	1.19	0.23	27,251	1.00	COM741C2004A	-	-	-	-	DTAC08C2007A	0.15	(0.06)	13,228	-
CBG42C2003A	0.01	(0.02)	1,240	-	COM741C2006A	0.10	(0.01)	876	-	DTAC08P2002A	-	-	-	-
CBG42C2006A	0.18	(0.18)	28,797	-	COM742C2002A	-	-	-	-	DTAC11C2002A	-	-	-	-
CENT01C2003A	0.01	-	6,660	-	COM742C2004A	-	-	-	-	DTAC13C2003A	-	-	-	-
CENT01C2003B	0.02	-	8,901	-	CPAL01C2002A	0.01	(0.01)	18,334	-	DTAC13C2006A	0.04	(0.03)	41,273	-
CENT01C2006A	0.14	(0.05)	23,708	-	CPAL01C2002B	0.01	(0.01)	4,352	-	DTAC13C2007A	0.12	(0.06)	20,331	-
CENT01C2006B	0.02	(0.01)	16,350	-	CPAL01C2004A	0.12	(0.06)	189,158	-	DTAC13P2003A	-	-	-	-
CENT01P2003A	0.97	0.10	57,636	-	CPAL01C2004B	0.05	(0.01)	30	-	DTAC13P2006A	1.03	0.12	200	1.00
CENT06C2003A	0.01	-	24,170	-	CPAL01C2006A	0.38	(0.07)	142,273	-	DTAC13P2007A	0.24	0.03	46,227	-
CENT06C2006A	0.09	(0.05)	4,350	-	CPAL01C2006B	0.19	(0.05)	365,800	-	DTAC13P2008A	0.74	0.09	77,097	-
CENT06P2007A	0.67	0.17	54,832	-	CPAL01P2002A	1.76	0.28	8,916	1.00	DTAC19C2005A	-	-	-	-
CENT08C2004A	-	-	-	-	CPAL01P2002B	1.09	0.30	7,204	-	DTAC19C2006A	0.09	(0.04)	48,085	-
CENT11C2004A	-	-	-	-	CPAL01P2004A	1.08	0.14	44,291	1.00	DTAC19C2007A	0.23	(0.05)	58,192	-
CENT11C2007A	0.02	(0.02)	115	-	CPAL01P2004B	0.50	0.10	273,695	-	DTAC19P2002A	-	-	-	-
CENT13C2003A	-	-	-	-	CPAL06C2006A	0.20	(0.10)	118,566	-	DTAC19P2007A	0.58	0.08	13,212	-
CENT13C2005A	0.02	(0.04)	160	-	CPAL08C2004A	-	-	-	-	DTAC24C2004A	-	-	-	-
CENT13C2006A	0.14	(0.05)	26,376	-	CPAL08C2006A	0.14	(0.06)	46,680	-	DTAC24C2007A	0.21	(0.07)	17,520	-
CENT19C2004A	-	-	-	-	CPAL08P2002A	-	-	-	-	DTAC27C2002A	-	-	-	-
CENT19C2005A	0.06	(0.04)	300	-	CPAL08P2006A	0.64	0.11	126,014	-	DTAC27C2008A	0.26	(0.06)	13,100	-
CENT24C2003A	-	-	-	-	CPAL11C2006A	0.03	(0.02)	1,076	-	DTAC27P2002A	0.11	0.02	6,164	-
CENT24C2008A	-	-	-	-	CPAL11C2007A	0.18	(0.05)	93,901	-	DTAC41C2004A	-	-	-	-
CENT27C2008A	0.04	(0.04)	150	-	CPAL13C2002A	-	-	-	-	DTAC41C2005A	-	-	-	-
CENT28C2004A	0.01	-	3,778	-	CPAL13C2004A	0.12	(0.08)	25,029	-	DTAC41C2006A	0.05	(0.04)	134	-
CENT28C2005A	-	-	-	-	CPAL13C2007A	0.35	(0.08)	239,821	-	DTAC41C2007A	0.17	(0.02)	2,512	-
CENT28C2006A	0.09	(0.04)	23,211	-	CPAL13P2003A	0.62	0.09	8,630	-	DTAC41P2005A	0.60	0.09	11,212	-
CENT41C2003A	-	-	-	-	CPAL16C2006A	0.11	(0.04)	69,829	-	DTAC41P2006A	1.50	0.16	1,580	1.00
CENT41C2004A	-	-	-	-	CPAL16C2007A	0.19	(0.06)	122,701	-	DTAC42C2004A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL19C2002A	0.01	(0.01)	1	-	DTAC42C2006A	0.12	(0.06)	5,100	-
CENT41C2006A	0.20	(0.06)	3,007	-	CPAL19C2004A	-	-	-	-	EA06C2005A	0.35	(0.07)	29,315	-
CENT41P2002A	-	-	-	-	CPAL19C2005A	0.14	(0.05)	21,729	-	EA08C2004A	0.10	(0.01)	16,947	-
CENT41P2003A	0.95	0.14	13,010	-	CPAL19P2004A	0.36	0.09	76,146	-	EA08C2006A	0.56	(0.07)	34,257	-
CENT42C2002A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA11C2005A	0.27	(0.03)	78,723	-
CENT42C2004A	-	-	-	-	CPAL28C2003A	-	-	-	-	EA13C2003A	0.15	(0.04)	82,783	-
CENT42C2006A	0.09	(0.03)	1,250	-	CPAL2									

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA28C2006A	0.36	(0.03)	60,498	-	GPSC16C2007A	0.24	(0.07)	143,189	-	HMPR28C2003A	-	-	-	-
EA41C2004A	0.24	(0.04)	29,732	-	GPSC19C2004A	0.08	(0.04)	57,056	-	HMPR41C2003A	-	-	-	-
EA41C2005A	0.28	(0.01)	11,770	-	GPSC19C2007A	0.49	(0.10)	182,807	-	HMPR41C2005A	-	-	-	-
EA41C2006A	0.44	(0.02)	9,170	-	GPSC19P2002A	-	-	-	-	HMPR41C2006A	-	-	-	-
EA41P2003A	0.31	0.01	8,612	-	GPSC19P2005A	0.81	0.12	71,263	-	HMPR41C2007A	-	-	-	-
EA41P2004A	0.25	0.02	27,166	-	GPSC24C2002A	0.06	-	1,776	-	HMPR41P2003A	0.56	0.11	14,500	-
EA42C2004A	0.20	(0.03)	5,360	-	GPSC24C2007A	0.19	(0.05)	29,300	-	HMPR42C2003A	-	-	-	-
EGCO01C2004A	0.06	(0.01)	12,470	-	GPSC27C2005A	0.06	(0.02)	3,001	-	HSI28C2002A	0.13	(0.49)	8,561	-
EGCO01C2004B	-	-	-	-	GPSC41C2003A	-	-	-	-	HSI28C2002B	0.02	(0.12)	7	-
EGCO06C2004A	-	-	-	-	GPSC41C2004A	0.07	0.01	140	-	HSI28C2002C	0.01	(0.01)	5,923	-
EGCO06C2007A	0.18	(0.02)	65,560	-	GPSC41C2005A	0.20	(0.04)	24,500	-	HSI28C2003A	0.15	(0.19)	4,420	-
EGCO06P2004A	1.25	0.08	20,178	1.00	GPSC41C2005B	0.36	(0.05)	196,824	-	HSI28C2003B	0.05	(0.08)	1,780	-
EGCO13C2002A	0.01	-	2	-	GPSC41C2006A	0.19	(0.07)	71,263	-	HSI28C2003C	0.03	(0.02)	16,954	-
EGCO13C2005A	0.11	(0.01)	33,428	-	GPSC41P2003A	0.10	(0.02)	1	-	HSI28C2004A	1.40	(0.39)	13	1.00
EGCO19C2002A	-	-	-	-	GPSC41P2004A	1.05	(0.04)	2,808	1.00	HSI28C2004B	0.75	(0.36)	148,694	-
EGCO19C2005A	0.08	-	15	-	GPSC41P2005A	1.15	0.01	5,199	1.00	HSI28C2004C	0.41	(0.27)	257,206	-
EGCO19C2007A	0.27	(0.02)	30,545	-	GPSC41P2006A	0.69	(0.02)	28,030	-	HSI28P2002A	0.09	0.02	180	-
EGCO41C2003A	-	-	-	-	GPSC42C2002A	-	-	-	-	HSI28P2002B	0.02	-	70	-
EGCO41C2004A	0.02	(0.01)	10	-	GPSC42C2006A	0.47	(0.09)	21,039	-	HSI28P2002C	-	-	-	-
EGCO41C2006A	0.14	(0.04)	23,843	-	GPSC42P2006A	0.78	0.07	7,220	-	HSI28P2003A	0.90	0.29	214,770	-
EGCO41P2004A	1.24	0.01	14,504	1.00	GULF01C2003A	1.02	0.08	371,277	1.00	HSI28P2003B	1.48	0.45	49,560	1.00
EGCO41P2006A	0.81	(0.02)	45,750	-	GULF01C2003B	0.25	0.04	966,652	-	HSI28P2003C	2.00	0.40	2,038	2.00
EGCO42C2003A	-	-	-	-	GULF01C2005A	1.17	0.10	200,533	1.00	HSI28P2004A	0.43	0.11	53,439	-
EGCO42C2007A	0.09	(0.02)	9,458	-	GULF01C2005B	0.72	0.09	333,232	-	HSI28P2004B	0.67	0.17	652	-
EPG08C2004A	0.02	-	1,000	-	GULF01C2007A	0.34	0.03	843,982	-	HSI28P2004C	1.01	0.27	391,727	-
EPG13C2004A	-	-	-	-	GULF01P2003A	0.02	(0.02)	83,931	-	INTU01C2003A	0.07	(0.02)	22,700	-
EPG13C2006A	0.05	(0.01)	2,439	-	GULF01P2003B	0.02	(0.02)	123,633	-	INTU01C2003B	0.01	-	3,500	-
EPG19C2002A	-	-	-	-	GULF01P2005A	0.65	(0.10)	1,872,570	-	INTU01C2006A	0.47	(0.04)	95,143	-
EPG19C2005A	0.02	-	540	-	GULF03C2005A	0.52	0.06	74,845	-	INTU01C2006B	0.24	(0.03)	444,147	-
EPG19C2007A	0.09	(0.03)	14,649	-	GULF06C2004A	1.07	0.13	62,379	1.00	INTU01P2003A	0.93	(0.02)	33,023	-
EPG19P2002A	0.54	0.16	21,168	-	GULF08C2003A	0.74	0.17	63,737	-	INTU01P2003B	0.14	0.02	220,100	-
EPG24C2008A	0.17	(0.02)	13,130	-	GULF11C2003A	2.24	0.18	13,300	2.00	INTU01P2006A	0.67	-	55,661	-
ERW06C2006A	0.02	(0.01)	5,532	-	GULF11C2006A	0.82	0.07	151,227	-	INTU01P2006B	0.32	0.03	257,184	-
ERW06C2007A	0.21	(0.16)	465,844	-	GULF13C2004A	0.60	0.05	498,414	-	INTU13C2002A	-	-	-	-
ERW06P2006A	0.82	0.19	233,257	-	GULF13C2006A	0.56	0.05	2,274,415	-	INTU13C2004A	0.13	(0.03)	61,554	-
ERW13C2005A	0.01	(0.01)	4,941	-	GULF13C2006B	0.22	0.01	535,636	-	INTU13C2006A	0.38	(0.06)	306,012	-
ERW13C2006A	0.05	(0.01)	2,371	-	GULF13P2004A	0.20	(0.06)	905,381	-	INTU13P2004A	0.16	0.02	43,029	-
ERW13C2007A	0.21	(0.11)	103	-	GULF13P2005A	0.62	(0.09)	2,096,525	-	INTU16C2005A	-	-	-	-
ERW19C2005A	-	-	-	-	GULF16C2003A	0.38	0.05	258,080	-	INTU16C2007A	0.15	(0.03)	91,697	-
ERW19C2006A	-	-	-	-	GULF16C2007A	0.91	0.09	224,053	1.00	INTU19C2004A	0.05	(0.01)	153	-
ERW19C2007A	0.22	(0.11)	64,323	-	GULF19C2003A	0.76	0.13	24,571	-	INTU19C2005A	0.27	-	21,680	-
ERW24C2006A	0.33	(0.13)	62,426	-	GULF19C2004A	0.39	0.03	323,382	-	INTU19P2002A	-	-	-	-
ESSO01C2004A	0.10	(0.07)	210,604	-	GULF19C2006A	0.19	0.01	86,130	-	INTU19P2007A	0.18	0.01	12,138	-
ESSO01C2004B	0.04	(0.04)	10,723	-	GULF19P2003A	0.02	-	100	-	INTU23C2111A	-	-	-	-
ESSO08C2004A	0.10	(0.04)	58,102	-	GULF19P2006A	0.60	(0.06)	224,253	-	INTU24C2003A	-	-	-	-
ESSO11C2002A	0.01	-	303	-	GULF24C2002A	0.18	0.10	10	-	INTU28C2003A	-	-	-	-
ESSO13C2003A	-	-	-	-	GULF24C2005A	0.98	0.08	49,726	1.00	INTU41C2003A	-	-	-	-
ESSO13C2006A	0.14	(0.07)	128,404	-	GULF27C2004A	-	-	-	-	INTU41C2004A	-	-	-	-
ESSO19C2004A	0.06	(0.02)	3,000	-	GULF28C2003A	0.19	0.03	288,970	-	INTU41C2005A	-	-	-	-
ESSO19C2007A	0.33	(0.09)	21,033	-	GULF28C2003B	0.08	0.01	95,107	-	INTU41C2006A	0.25	(0.02)	39,758	-
ESSO24C2003A	0.01	-	3,000	-	GULF28C2006A	0.10	0.01	116,109	-	INTU41C2007A	0.28	(0.01)	626	-
ESSO24C2007A	0.27	(0.10)	61,816	-	GULF41C2003A	-	-	-	-	INTU41P2003A	-	-	-	-
ESSO41C2003A	-	-	-	-	GULF41C2004A	0.40	0.07	29,280	-	INTU41P2004A	-	-	-	-
ESSO41C2004A	-	-	-	-	GULF41C2005A	0.47	0.10	287,399	-	INTU41P2005A	0.40	-	19,090	-
ESSO41C2005A	0.10	(0.05)	2,000	-	GULF41C2006A	0.96	0.13	67	1.00	INTU41P2006A	0.40	(0.03)	2,000	-
ESSO41C2006A	-	-	-	-	GULF41P2003A	-	-	-	-	INTU42C2003A	-	-	-	-
ESSO42C2003A	-	-	-	-	GULF41P2004A	0.37	(0.06)	55,790	-	INTU42C2005A	0.16	(0.01)	12,806	-
ESSO42C2007A	0.29	(0.12)	15,002	-	GULF41P2005A	0.29	(0.08)	5,624	-	IRPC01C2002A	0.01	-	2,612	-
GFPT13C2003A	-	-	-	-	GULF41P2006A	0.32	(0.10)	8,695	-	IRPC01C2002B	0.01	-	36,828	-
GFPT19C2004A	0.04	-	5,512	-	GULF41P2007A	0.99	(0.08)	178,188	-	IRPC01C2005A	0.02	(0.02)	23,531	-
GFPT19C2006A	0.16	(0.03)	1,230	-	GULF42C2002A	-	-	-	-	IRPC01C2005B	0.01	(0.01)	28	-
GFPT24C2007A	0.17	(0.02)	3,040	-	GULF42C2003A	0.10	-	34,250	-	IRPC01C2007B	0.20	(0.05)	166,962	-
GFPT42C2004A	-	-	-	-	GUNK01C2005A	0.11	(0.03)	238,143	-	IRPC01P2002A	1.33	0.05	2,604	1.00
GFPT42C2008A	0.21	(0.02)	200	-	GUNK01C2005B	0.02	(0.02)	19,012	-	IRPC01P2005A	1.61	0.11	18,490	1.00
GLOB01C2003A	0.02	0.01	190	-	GUNK01P2005A	0.51	0.07	43,433	-	IRPC01P2005B	1.17	0.20	23,730	1.00
GLOB01C2007B	0.12	(0.03)	87,920	-	GUNK11C2007A	0.07	(0.01)	70	-	IRPC01P2007B	0.67	0.06	117,145	-
GLOB01C2008A	0.23	(0.05)	212,012	-	GUNK13C2003A	-	-	-	-	IRPC06C2005A	0.01	(0.01)	42,500	-
GLOB01P2003A	0.68	0.15	20,744	-	GUNK13C2006A	0.09	(0.04)	24,429	-	IRPC06C2007A	0.06	(0.05)	94,061	-
GLOB06C2002A	-	-	-	-	GUNK16C2002A	-	-	-	-	IRPC06P2004A	0.93	0.13	15,995	-
GLOB06C2006A	0.06	(0.04)	9,760	-	GUNK19C2003A	-	-	-	-	IRPC11C2005A	0.01	-	6,804	-
GLOB11C2002A	-	-	-	-	GUNK19C2006A	0.11	(0.04)	4,717	-	IRPC11C2008A	0.04	(0.01)	2,861	-
GLOB13C2002A	-	-	-	-	GUNK24C2006A	0.07	(0.03)	10,110	-	IRPC13C2003A	0.01	-	1	-
GLOB13C2007A	0.11	(0.03)	111,494	-	GUNK28C2003A	0.01	(0.01)	1,300	-	IRPC13C2006A	0.03	(0.02)	13,058	-
GLOB19C2002A	-	-	-	-	GUNK28C2005A	-	-	-	-	IRPC13C2007A	0.12	(0.04)	48,151	-
GLOB19C2005A	-	-	-	-	GUNK41C2003A	0.01	(0.14)	425	-	IRPC16C2008A	0.17	(0.03)	62,953	-
GLOB19C2007A	0.15	(0.04)	27,209	-	GUNK41C2005A	-	-	-	-	IRPC19C2003A	-	-	-	-
GLOB24C2005A	0.04	-	10	-	GUNK41P2005A	0.60	0.06	1,190	-	IRPC19C2005A	0.03	-	1,000	-
GLOB41C2004A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC19C2007A	0.18	(0.04)	7,270	-
GLOB42C2009A	0.11	(0.05)	4,600	-	HANA01C2006A	0.40	(0.01)	162,541	-	IRPC24C2002A	-	-	-	-
GPSC01C2003A	0.16	(0.07)	584,871	-	HANA01C2006B	0.15	(0.02)	220,203	-	IRPC24C2004A	0.01	(0.01)	2,000	-
GPSC01C2003B	0.02	(0.02)	60,188	-	HANA01P2006A	0.31	0.02	51,069	-	IRPC27C2007A	0.03	(0.01)	4,300	-
GPSC01C2005A	0.34	(0.08)	533,887	-	HANA11C2008A	0.28	(0.02)	47,050	-	IRPC28C2003A	0.01	-	760	-
GPSC01C2005B	0.11	(0.03)	387,873	-	HANA13C2002A	-	-	-	-	IRPC28C2003B	-	-	-	-
GPSC01C2007B	0.50	(0.09)	371,109	-	HANA13C2006A	0.15	(0.02)	183,338	-	IRPC28C2006A	0.05	(0.01)	12,000	-
GPSC01C2008A	0.75	(0.11)	290,228	-	HANA16C2008A	0.21	(0.02)	148,346	-	IRPC41C2003A	-	-	-	-
GPSC01P2003A	0.72	0.13	127,383	-	HANA19C2003A	0.34	0.02	2,343	-					

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL01P2004B	0.12	0.04	115,640	-	KCE08C2005B	0.16	(0.02)	71,145	-	MINT19C2004A	-	-	-	-
IVL01P2006B	0.45	0.07	124,283	-	KCE11C2004A	0.83	(0.02)	99,398	-	MINT19C2006A	0.09	(0.07)	10,232	-
IVL06C2003A	0.02	(0.05)	12,328	-	KCE13C2003A	1.71	0.01	7	1.00	MINT19P2004A	0.43	0.20	44,262	-
IVL06P2005A	0.64	0.15	74,643	-	KCE13C2004A	0.59	(0.05)	380,029	-	MINT24C2006A	0.03	(0.07)	5,929	-
IVL08C2002A	-	-	-	-	KCE13C2005A	0.14	(0.01)	134,103	-	MINT28C2006A	0.04	(0.05)	15,000	-
IVL08C2004A	0.13	(0.04)	88,204	-	KCE13C2006A	0.98	(0.05)	122,057	-	MINT41C2004A	-	-	-	-
IVL08P2003A	0.44	0.10	48,060	-	KCE16C2007A	0.56	(0.04)	279,287	-	MINT41C2005A	-	-	-	-
IVL08P2004A	0.23	0.05	46,160	-	KCE19C2002A	0.80	(0.08)	14,570	-	MINT41P2004A	0.51	0.17	27,800	-
IVL11C2005A	0.02	-	1,001	-	KCE19C2005A	0.68	(0.04)	116,693	-	MINT42C2002A	-	-	-	-
IVL11C2006A	0.19	(0.06)	56,210	-	KCE19C2007A	0.78	(0.03)	57,556	-	MINT42C2004A	-	-	-	-
IVL13C2003A	0.04	(0.01)	1,672	-	KCE24C2005A	1.40	(0.05)	23,544	1.00	MT01C2003A	0.28	(0.09)	63,362	-
IVL13C2006A	0.19	(0.06)	151,422	-	KCE27C2007A	0.35	(0.04)	120,799	-	MT01C2003B	0.05	(0.02)	12,000	-
IVL13P2004A	0.23	0.06	260,771	-	KCE28C2003A	-	-	-	-	MT01C2007B	0.23	(0.07)	93,972	-
IVL16C2006A	0.07	(0.03)	31,394	-	KCE28C2003B	-	-	-	-	MT01C2008A	0.55	(0.08)	32,348	-
IVL19C2002A	-	-	-	-	KCE41C2003A	-	-	-	-	MT01P2003A	0.21	0.03	31,130	-
IVL19C2003A	-	-	-	-	KCE41C2005A	0.83	-	5,150	-	MT03C2005A	0.27	(0.06)	310	-
IVL19C2004A	0.14	(0.07)	5,341	-	KCE41C2006A	0.55	(0.01)	100,160	-	MTC08C2005A	0.31	(0.06)	19,966	-
IVL19C2006A	0.13	(0.05)	49,016	-	KKP01C2006A	0.55	(0.08)	18,865	-	MTC11C2002A	0.48	(0.07)	19,550	-
IVL19P2003A	0.13	0.05	48,161	-	KKP01C2006B	0.31	(0.06)	36,770	-	MTC11C2008A	0.40	(0.04)	21,720	-
IVL19P2006A	0.48	0.08	78,547	-	KKP01P2006A	0.58	0.07	60,124	-	MTC13C2003A	0.11	(0.06)	17,790	-
IVL24C2002A	-	-	-	-	KKP08C2003A	-	-	-	-	MTC13C2007A	0.25	(0.06)	42,129	-
IVL24C2003A	0.08	(0.04)	12,500	-	KKP11C2007A	0.33	(0.05)	24,392	-	MTC13P2003A	0.05	0.01	3,020	-
IVL27P2007A	0.42	0.05	50,121	-	KKP13C2004A	0.10	(0.02)	4,436	-	MTC16C2007A	0.18	(0.06)	130,388	-
IVL28C2003A	0.03	(0.01)	50	-	KKP13C2007A	0.35	(0.06)	109,461	-	MTC19C2002A	-	-	-	-
IVL28C2003B	-	-	-	-	KKP16C2002A	0.13	(0.08)	50,399	-	MTC19C2006A	0.21	(0.06)	22,486	-
IVL28C2007A	0.16	(0.04)	54,771	-	KKP19C2003A	-	-	-	-	MTC19P2004A	0.18	0.04	26,629	-
IVL28P2003A	-	-	-	-	KKP24C2003A	-	-	-	-	MTC24C2004A	0.25	(0.07)	18,509	-
IVL41C2003A	-	-	-	-	KKP27P2002A	-	-	-	-	MTC27C2007A	0.33	(0.04)	22,468	-
IVL41C2004A	0.14	(0.06)	12,658	-	KKP41C2002A	0.01	(0.01)	1	-	MTC28C2006A	0.21	(0.02)	43,838	-
IVL41C2005A	0.10	(0.05)	100	-	KKP41C2006A	0.31	(0.07)	10,991	-	MTC41C2003A	-	-	-	-
IVL41C2006A	0.10	(0.03)	412	-	KT01C2003A	0.10	(0.03)	1,140	-	MTC41C2004A	0.20	(0.03)	66,134	-
IVL41C2007A	0.11	(0.01)	246	-	KT01P2003A	0.40	0.08	45,344	-	MTC41P2003A	-	-	-	-
IVL41P2003A	0.16	0.07	9,386	-	KT11C2004A	-	-	-	-	MTC41P2004A	0.39	0.04	31,568	-
IVL41P2004A	-	-	-	-	KT11C2006A	0.05	(0.02)	1,000	-	MTC42C2003A	0.03	(0.02)	6,000	-
IVL41P2005A	0.71	0.13	18,856	-	KT13C2002A	-	-	-	-	ORI13C2004A	0.05	-	2,501	-
IVL41P2006A	0.56	0.12	31,972	-	KT13C2006A	0.13	(0.02)	23,884	-	ORI19C2003A	-	-	-	-
IVL41P2007A	0.86	0.11	12,628	-	KT19C2002A	-	-	-	-	ORI19C2005A	0.09	(0.03)	9,370	-
IVL42C2002A	-	-	-	-	KT19C2005A	0.09	(0.03)	432	-	ORI28C2004A	0.02	(0.01)	1,900	-
IVL42C2005A	0.09	(0.03)	1,100	-	KT24C2004A	-	-	-	-	ORI28C2007A	0.13	(0.03)	31,431	-
JAS13C2006A	0.21	(0.04)	97,727	-	KT41C2003A	-	-	-	-	ORI41C2004A	0.04	(0.06)	205	-
JAS16C2002A	-	-	-	-	KT41C2004A	-	-	-	-	OSP01C2003A	0.17	(0.08)	58,982	-
JAS16C2002B	-	-	-	-	KT41C2006A	0.12	-	1,219	-	OSP01C2003B	-	-	-	-
JAS19C2002A	-	-	-	-	KT41P2004A	0.22	0.05	1,416	-	OSP01C2006A	0.40	(0.08)	33,716	-
JAS19C2004A	0.22	(0.03)	19,262	-	KTC01C2004A	0.22	(0.08)	82,162	-	OSP01C2006B	0.21	(0.07)	62,585	-
JAS28C2003A	-	-	-	-	KTC01C2004B	0.11	(0.03)	77,924	-	OSP01P2003A	0.20	0.04	137,899	-
JAS41C2004A	-	-	-	-	KTC01C2007A	0.62	(0.09)	31,747	-	OSP01P2006A	0.57	0.09	77,791	-
JAS41C2005A	-	-	-	-	KTC01C2007B	0.41	(0.10)	176,956	-	OSP06C2005A	0.23	(0.09)	22,105	-
JAS41C2006A	-	-	-	-	KTC01P2004A	0.20	0.04	151,679	-	OSP06P2003A	0.11	0.06	40,210	-
JAS41P2005A	0.33	0.02	15,428	-	KTC01P2007A	0.26	0.05	593,927	-	OSP08C2004A	0.10	(0.03)	16,200	-
JMT13C2006A	0.45	(0.15)	120,716	-	KTC06C2006A	0.43	(0.14)	59,264	-	OSP11C2005A	0.28	(0.05)	36,346	-
JMT19C2006A	0.39	(0.13)	68,614	-	KTC08C2004A	0.11	(0.05)	20,150	-	OSP13C2002A	-	-	-	-
JMT42C2006A	0.47	(0.16)	18,660	-	KTC08C2006A	0.53	(0.11)	43,766	-	OSP13C2004A	0.19	(0.05)	51,732	-
KBAN01C2002A	0.01	-	35,293	-	KTC11C2005A	0.16	(0.05)	54,588	-	OSP13C2006A	0.17	(0.05)	46,664	-
KBAN01C2002B	0.02	-	453	-	KTC13C2004A	0.10	(0.07)	154,080	-	OSP16C2008A	0.14	(0.06)	46,872	-
KBAN01C2004A	0.13	(0.04)	96,136	-	KTC13C2006A	0.34	(0.11)	263,886	-	OSP19C2004A	0.08	(0.02)	2,086	-
KBAN01C2004B	0.08	(0.04)	22,050	-	KTC13P2002A	-	-	-	-	OSP19C2005A	0.25	(0.07)	10,906	-
KBAN01C2007A	0.54	(0.09)	56,434	-	KTC13P2006A	0.13	0.03	60,112	-	OSP24C2008A	0.33	(0.09)	15,401	-
KBAN01C2007B	0.28	(0.07)	297,439	-	KTC13P2007A	0.48	0.08	643,374	-	OSP28C2003A	0.02	(0.03)	1,686	-
KBAN01P2002A	2.36	0.24	4,900	2.00	KTC19C2002A	-	-	-	-	OSP41C2003A	0.16	(0.05)	15,452	-
KBAN01P2002B	0.97	0.28	10,370	-	KTC19C2005A	0.22	(0.07)	3,134	-	OSP41C2004A	0.10	(0.02)	432	-
KBAN01P2004A	1.18	0.16	44,015	1.00	KTC19C2006A	0.41	(0.08)	7,048	-	OSP41C2005A	0.21	(0.03)	16,220	-
KBAN01P2004B	1.19	0.04	191,889	-	KTC19P2005A	0.24	0.06	18,805	-	OSP41P2003A	-	-	-	-
KBAN01P2007A	0.05	0.11	47,830	1.00	KTC27C2007A	0.31	(0.08)	21,706	-	OSP41P2004A	0.25	0.02	25,080	-
KBAN01P2007B	0.73	0.10	230,275	-	KTC28C2003A	-	-	-	-	OSP42C2005A	0.21	(0.04)	4,961	-
KBAN06C2004A	0.03	(0.03)	111,175	-	KTC28C2004A	0.08	(0.03)	11,148	-	PLAN08C2004A	0.01	(0.01)	165,300	-
KBAN08C2002A	-	-	-	-	KTC28C2006A	0.29	(0.09)	66,896	-	PLAN13C2004A	-	-	-	-
KBAN08C2005A	0.12	(0.02)	16,076	-	KTC41C2004A	-	-	-	-	PLAN13C2005A	0.03	(0.01)	39,397	-
KBAN08C2007A	0.31	(0.06)	38,943	-	KTC41C2005A	0.20	(0.04)	18,872	-	PLAN13C2007A	0.13	(0.08)	92,662	-
KBAN08P2002A	-	-	-	-	KTC41C2006A	0.22	(0.05)	50,010	-	PLAN16C2002A	-	-	-	-
KBAN08P2004A	0.32	0.08	30,780	-	KTC42C2003A	-	-	-	-	PLAN19C2005A	0.02	-	1,000	-
KBAN13C2003A	0.01	(0.01)	1,260	-	KTC42C2006A	0.41	(0.17)	580	-	PLAN19C2007A	0.17	(0.06)	12,001	-
KBAN13C2003B	0.04	(0.01)	20	-	LH01C2003A	0.01	(0.03)	300	-	PLAN24C2006A	0.02	(0.02)	5,150	-
KBAN13C2006A	0.26	(0.07)	174,498	-	LH01P2003A	0.55	0.08	133,145	-	PLAN27C2008A	0.08	(0.02)	1,260	-
KBAN13P2003A	0.09	0.03	8,680	-	LH11C2007A	0.15	(0.07)	59,412	-	PLAN28C2004A	-	-	-	-
KBAN13P2006A	0.53	0.08	292,259	-	LH16C2002A	0.02	-	8,832	-	PLAN28C2005A	0.03	-	6,001	-
KBAN16C2005A	0.03	-	1,421	-	LH19C2003A	-	-	-	-	PLAN41C2002A	-	-	-	-
KBAN16C2008A	0.20	(0.08)	63,097	-	LH19C2003B	-	-	-	-	PLAN41C2004A	-	-	-	-
KBAN19C2003A	-	-	-	-	LH19C2007A	0.21	(0.08)	27,763	-	PLAN41C2005A	-	-	-	-
KBAN19C2004A	0.11	(0.04)	9,788	-	LH19P2004A	0.26	0.10	52,408	-	PLAN41C2006A	-	-	-	-
KBAN19C2007A	0.39	(0.61)	23,392	-	LH41C2004A	-	-	-	-	PLAN42C2007A	-	-	-	-
KBAN19P2004A	0.30	0.07	79,364	-	LH41C2005A	0.04	(0.06)	100	-	PRM08C2003A	0.01	(0.01)	25,000	-
KBAN19P2007A	0.79	0.12	47,776	-	LH41C2006A	-	-	-	-	PRM13C2003A	-	-	-	-
KBAN24C2005A	0.08	(0.03)	19,386	-	LH41P2003A	-	-	-	-	PRM13C2006A	0.09	(0.05)	64,136	-
KBAN28C2003A	-	-	-	-	MAJO13C2002A	-	-	-	-	PRM19C2004A	-	-	-	-
KBAN28C2004A	0.08	(0.04)	13,070	-	MAJO13C2007A	0.28	(0.09)	23,432	-	PRM19C2006A	0.12	(0.06)	25,869	-
KBAN28P2003A	0.11	-	16,216	-	MAJO19C2002A	-	-	-	-	PRM27C2002A	0.01	-	400	-
KBAN41C2003A	0.01	(0.02)	8	-	MAJO19C2006A	0.17	(0.06)	20,243	-	PRM42C2006A	0.17	(0.04)	4,635	-
KBAN41C2004A														

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG03C2005A	0.02	-	1,000	-	PTTG01C2005A	0.15	(0.08)	233,674	-	S5001C2004A	0.12	(0.14)	712,266	-
PTG06C2006A	0.15	(0.11)	49,324	-	PTTG01C2005B	0.05	(0.04)	20,583	-	S5001C2005A	0.39	(0.22)	1,333,097	-
PTG08C2005A	0.10	(0.04)	10,200	-	PTTG01C2007B	0.19	(0.06)	136,726	-	S5001C2006F	0.32	(0.29)	1,259,315	-
PTG08C2007A	0.41	(0.16)	80,360	-	PTTG01C2008A	0.39	(0.11)	57,459	-	S5001P2002A	1.99	0.87	54,592	1.00
PTG11C2003A	0.12	(0.11)	37,100	-	PTTG01P2002A	0.82	0.26	16,367	-	S5001P2003F	2.14	1.02	1,675,536	1.00
PTG11C2005A	-	-	-	-	PTTG01P2002B	0.04	0.01	201	-	S5001P2003G	1.81	0.95	1,720,437	1.00
PTG13C2004A	0.08	(0.07)	4,655	-	PTTG01P2005A	1.16	0.20	41,470	1.00	S5001P2003H	3.00	1.25	793,857	2.00
PTG13C2006A	0.26	(0.13)	347,038	-	PTTG01P2005B	0.83	0.16	160,964	-	S5001P2003I	2.64	0.88	527,936	2.00
PTG13P2004A	0.39	0.14	177,152	-	PTTG01P2007B	0.50	0.09	189,136	-	S5001P2003J	1.32	0.63	1,408,620	1.00
PTG13P2006A	0.28	0.08	219,170	-	PTTG01P2008A	0.76	0.11	124,948	-	S5001P2004A	2.06	0.57	1,063,609	1.00
PTG19C2003A	-	-	-	-	PTTG06C2006A	0.05	(0.04)	1,000	-	S5001P2005A	1.45	0.42	1,102,088	1.00
PTG19C2004A	0.02	(0.03)	6,008	-	PTTG08C2004A	0.10	(0.03)	4,200	-	S5001P2006F	1.89	0.70	1,172,086	1.00
PTG19C2005A	0.14	(0.10)	59,487	-	PTTG08P2004A	0.36	0.10	41,344	-	S5006C2003A	0.02	-	189,482	-
PTG19C2006A	0.30	(0.14)	16,143	-	PTTG11C2004A	-	-	-	-	S5006C2003B	0.01	-	4,896	-
PTG19P2006A	0.50	0.13	6,492	-	PTTG11C2007A	0.26	(0.08)	46,223	-	S5006C2003C	0.01	(0.02)	3,422	-
PTG24C2002A	-	-	-	-	PTTG13C2002A	-	-	-	-	S5006C2006A	0.14	(0.24)	435,575	-
PTG27C2007A	0.34	(0.14)	33,314	-	PTTG13C2005A	0.07	(0.05)	24,012	-	S5006P2003A	3.08	1.62	325,674	2.00
PTG28C2004A	-	-	-	-	PTTG13C2007A	0.27	(0.11)	140,546	-	S5006P2003B	2.86	1.06	256,936	2.00
PTG41C2004A	-	-	-	-	PTTG13P2004A	0.47	0.15	346,609	-	S5006P2003C	1.67	1.00	504,285	1.00
PTG41C2005A	-	-	-	-	PTTG16C2006A	0.12	(0.03)	21,738	-	S5006P2006A	1.57	0.72	609,990	1.00
PTG41C2006A	0.19	(0.11)	42,810	-	PTTG19C2002A	-	-	-	-	S5008C2003A	0.01	-	27,345	-
PTG41P2005A	0.52	0.11	11,246	-	PTTG19C2006A	0.07	(0.02)	40,000	-	S5008C2003B	0.01	-	50	-
PTG42C2004A	-	-	-	-	PTTG19C2006B	0.20	(0.07)	10,678	-	S5008P2003A	1.12	0.69	580,262	-
PTG42C2006A	0.31	(0.20)	15,862	-	PTTG19P2003A	0.15	0.05	40,098	-	S5008P2003B	0.43	0.32	774,590	-
PTT01C2004A	0.29	(0.07)	107,853	-	PTTG19P2006A	0.88	0.13	8,759	-	S5008P2003C	2.06	0.39	600	2.00
PTT01C2004B	0.09	(0.04)	80,725	-	PTTG24C2003A	0.06	(0.05)	14,095	-	S5011C2003A	0.03	(0.06)	103,450	-
PTT01C2007A	0.31	(0.05)	38,122	-	PTTG27P2006A	0.65	0.09	24,202	-	S5011P2003A	1.84	0.80	34,736	1.00
PTT01C2007B	0.15	(0.03)	69,296	-	PTTG28C2003A	-	-	-	-	S5013C2003A	0.01	(0.01)	450,008	-
PTT01P2004A	0.40	0.06	56,795	-	PTTG28C2006A	0.08	(0.03)	4,000	-	S5013C2003B	0.02	(0.04)	794,153	-
PTT01P2004B	0.15	0.03	75,492	-	PTTG41C2002A	-	-	-	-	S5013C2003C	0.01	(0.03)	123,687	-
PTT01P2007A	0.74	0.06	52,077	-	PTTG41C2003A	-	-	-	-	S5013C2003D	0.03	(0.10)	566,605	-
PTT01P2007B	0.36	0.05	187,401	-	PTTG41C2004A	0.18	(0.09)	35,605	-	S5013C2003E	0.08	(0.19)	8,690,063	-
PTT06C2005A	0.15	(0.05)	63,887	-	PTTG41C2005A	-	-	-	-	S5013C2006A	0.28	(0.29)	5,112,736	-
PTT08C2005A	0.17	(0.04)	6,848	-	PTTG41C2006A	0.14	(0.01)	218	-	S5013P2003A	2.68	0.98	22,450	2.00
PTT08P2005A	0.19	0.03	20,401	-	PTTG41P2002A	-	-	-	-	S5013P2003B	1.79	0.86	441,554	1.00
PTT11C2004A	-	-	-	-	PTTG41P2003A	-	-	-	-	S5013P2003C	2.14	0.74	1,500	1.00
PTT11C2008A	0.23	(0.05)	43,489	-	PTTG41P2006A	0.89	0.16	27,438	-	S5013P2003D	2.02	0.49	425	1.00
PTT13C2004A	0.07	(0.04)	1,525	-	PTTG42C2003A	-	-	-	-	S5013P2003E	1.15	0.58	5,624,163	-
PTT13C2006A	0.21	(0.04)	120,639	-	PTTG42C2007A	0.23	(0.10)	11,216	-	S5013P2006A	1.51	0.51	2,121,756	1.00
PTT13P2004A	0.16	0.04	156,675	-	QH01C2006A	-	-	-	-	S5016C2003A	0.01	-	2,977	-
PTT13P2006A	0.42	0.08	203,934	-	QH01C2006B	0.12	(0.01)	7,756	-	S5016C2003B	0.01	(0.02)	1,966	-
PTT16C2008A	0.17	(0.05)	33,560	-	QH01P2006A	0.43	0.03	12,711	-	S5016C2003C	0.06	(0.13)	62,957	-
PTT19C2002A	-	-	-	-	QH11C2006A	0.12	(0.01)	5,200	-	S5016C2003D	0.20	(0.28)	796,071	-
PTT19C2005A	0.23	(0.05)	1,679	-	QH13C2003A	-	-	-	-	S5016C2003E	0.08	(0.20)	279,640	-
PTT19P2003A	0.05	0.01	4,000	-	QH19C2002A	-	-	-	-	S5016P2003A	1.95	1.05	579,439	1.00
PTT19P2006A	0.36	0.04	2,710	-	QH19C2006A	-	-	-	-	S5016P2003C	1.65	0.44	386,685	1.00
PTT24C2003A	-	-	-	-	QH27C2007A	0.12	(0.01)	1,200	-	S5016P2003D	1.42	0.48	289,047	1.00
PTT28C2003A	0.01	(0.03)	300	-	RAT01C2003A	0.04	-	5,977	-	S5019C2003A	0.01	(0.01)	14,013	-
PTT28C2004A	-	-	-	-	RAT01C2003B	-	-	-	-	S5019C2003B	0.02	(0.05)	133,562	-
PTT28C2007A	0.16	(0.03)	24,336	-	RAT01C2006A	0.42	0.01	145,210	-	S5019C2003C	0.01	(0.03)	42,351	-
PTT28P2004A	0.11	0.01	14,196	-	RAT01C2006B	0.23	-	108,568	-	S5019C2003D	0.04	(0.16)	935,067	-
PTT41C2004A	0.12	(0.03)	109	-	RAT01P2006A	0.91	(0.04)	38,289	-	S5019P2003A	2.14	0.95	251,077	1.00
PTT41C2005A	0.20	(0.03)	14,960	-	RAT06C2006A	0.11	-	303,049	-	S5019P2003B	1.18	0.69	1,101,160	-
PTT41C2006A	0.16	(0.03)	593	-	RAT06P2006A	0.44	0.01	92,658	-	S5019P2003C	2.42	0.86	83,022	2.00
PTT41P2004A	-	-	-	-	RAT13C2004A	0.05	-	800	-	S5019P2003D	0.87	0.54	2,291,420	-
PTT41P2005A	-	-	-	-	RAT13C2007A	0.29	-	299,449	-	S5024C2003A	0.01	-	50	-
PTT41P2006A	0.40	0.04	10,142	-	RAT16C2008A	0.13	-	65,122	-	S5024C2003B	0.01	(0.01)	24,987	-
PTT42C2003A	-	-	-	-	RAT19C2002A	-	-	-	-	S5024C2003C	0.08	(0.18)	82,380	-
PTT42C2007A	0.13	(0.05)	4,410	-	RAT19C2005A	0.08	-	19,643	-	S5024C2006A	0.26	(0.40)	410,360	-
PTTE01C2004A	0.50	(0.14)	39,030	-	RAT19C2007A	0.36	0.01	52,889	-	S5024P2003A	3.42	1.82	115,610	2.00
PTTE01C2004B	0.24	(0.10)	166,921	-	RAT24C2006A	0.21	-	51,258	-	S5024P2003B	1.54	0.95	269,876	-
PTTE01C2007A	0.51	(0.12)	45,798	-	RAT27C2004A	-	-	-	-	S5028C2002A	-	-	-	-
PTTE01C2007B	0.25	(0.08)	43,562	-	RAT27C2007A	0.30	0.01	46,661	-	S5028C2003A	0.02	0.01	1,787	-
PTTE01P2004A	0.27	0.07	76,416	-	RAT41C2003A	-	-	-	-	S5028C2003B	0.02	-	160	-
PTTE01P2004B	0.08	0.01	1,900	-	RAT41C2004A	0.12	0.01	498	-	S5028C2004A	0.12	(0.17)	331,124	-
PTTE01P2007A	0.95	0.13	27,275	-	RAT41C2005A	0.15	0.04	1,396	-	S5028C2006A	0.07	(0.07)	51,246	-
PTTE01P2007B	0.48	0.10	227,432	-	RAT41C2006A	0.24	0.01	24,651	-	S5028P2002A	0.86	0.60	774	-
PTTE06C2006A	0.22	(0.07)	90,178	-	RAT41P2004A	0.61	(0.07)	11,352	-	S5028P2003A	0.62	0.26	517,808	-
PTTE06P2006A	0.64	0.15	50,911	-	RAT41P2006A	0.63	(0.05)	42,268	-	S5028P2004A	1.05	0.44	671,740	-
PTTE08C2002A	-	-	-	-	RAT42C2003A	-	-	-	-	S5028P2006A	0.75	0.20	588,432	-
PTTE08C2005A	0.30	(0.09)	18,005	-	RAT42C2006A	0.11	-	6,400	-	S5041C2003A	-	-	-	-
PTTE08P2005A	0.25	0.06	22,020	-	RS06C2004A	-	-	-	-	S5041C2003B	-	-	-	-
PTTE08P2006A	0.66	0.13	35,213	-	RS08P2003A	1.53	0.02	190	1.00	S5041C2003C	-	-	-	-
PTTE11C2006A	0.40	(0.12)	42,564	-	RS08P2006A	0.82	0.02	847	-	S5041C2003D	0.01	(0.02)	5,200	-
PTTE13C2004A	0.27	(0.13)	6,847	-	RS13C2002A	-	-	-	-	S5041C2003E	0.01	(0.04)	21,816	-
PTTE13C2006A	0.27	(0.10)	31,299	-	RS13C2004A	-	-	-	-	S5041C2006A	0.14	(0.17)	1,455,033	-
PTTE13P2003A	0.03	0.01	5	-	RS13C2006A	0.19	(0.02)	28,236	-	S5041P2003A	1.26	0.43	18,070	1.00
PTTE13P2006A	0.59	0.12	105,954	-	RS16C2005A	-	-	-	-	S5041P2003B	1.81	0.99	1	1.00
PTTE16C2003A	0.09	(0.05)	17,436	-	RS19C2002A	-	-	-	-	S5041P2003C	1.00	0.51	133,186	-
PTTE16C2009A	0.28	(0.09)	97,103	-	RS19C2004A	-	-	-	-	S5041P2003D	-	-	-	-
PTTE19C2002A	0.02	(0.04)	2	-	RS19C2005A	0.06	-	392	-	S5041P2003E	-	-	-	-
PTTE19C2006A	0.25	(0.09)	15,471	-	RS19C2007A	-	(0.09)	-	-	S5041P2006A	1.05	0.44	822,688	-
PTTE19P2004A	0.10	0.03	2	-	RS24C2004A	-	-	-	-	SAWA01C2003A	1.10	(0.14)	113,392	1.00
PTTE19P2006A	0.58	0.11	1,912	-	RS24C2008A	0.12	(0.03)	63,						

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE41P2004A	0.52	0.08	30,051	-	S5001C2003G	0.01	(0.01)	30,238	-	SAWA13C2002A	-	-	-	-
PTTE42C2004A	0.05	(0.05)	2,400	-	S5001C2003H	0.02	(0.06)	229,245	-	SAWA13C2005A	0.50	(0.16)	117,233	-
PTTG01C2002A	0.03	(0.05)	12,600	-	S5001C2003I	0.06	(0.14)	805,631	-	SAWA13C2007A	0.46	(0.10)	112,879	-
PTTG01C2002B	0.02	-	51	-	S5001C2003J	0.23	(0.34)	3,458,614	-	SAWA16C2008A	0.42	(0.09)	93,552	-

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA19C2002A	0.16	(0.14)	47,647	-	SCC41P2006A	0.69	0.13	20,614	-	STEC42C2004A	0.18	(0.06)	5,500	-
SAWA19C2005A	0.46	(0.10)	59,897	-	SCC42C2002A	-	-	-	-	SUPE13C2003A	-	-	-	-
SAWA24C2004A	0.59	(0.10)	12,176	-	SCC42C2003A	-	-	-	-	SUPE19C2002A	-	-	-	-
SAWA27C2007A	0.52	(0.07)	29,530	-	SCC42C2008A	0.33	(0.07)	4,062	-	SUPE19C2004A	0.02	(0.01)	1,299	-
SAWA28C2004A	0.33	(0.11)	129,744	-	SGP13C2004A	0.10	(0.05)	17,545	-	SUPE42C2004A	0.03	(0.02)	16,700	-
SAWA28C2007A	0.30	(0.06)	58,812	-	SGP13C2006A	0.05	(0.01)	300	-	TASC01C2003A	0.30	(0.06)	37,522	-
SAWA41C2003A	-	-	-	-	SGP13C2007A	0.27	(0.08)	281,075	-	TASC01C2003B	0.05	(0.03)	10,761	-
SAWA41C2004A	-	-	-	-	SGP19C2002A	-	-	-	-	TASC01P2003A	0.14	0.02	80,681	-
SAWA41C2005A	0.47	(0.10)	84,495	-	SGP19C2006A	-	-	-	-	TASC08C2005A	0.24	(0.04)	19,450	-
SAWA41P2003A	-	-	-	-	SGP19C2006B	0.23	(0.08)	19,476	-	TASC08C2006A	0.45	(0.05)	25,733	-
SAWA41P2004A	0.19	0.04	20,994	-	SGP24C2002A	-	-	-	-	TASC11C2002A	0.74	(0.01)	15,900	-
SAWA41P2005A	0.61	0.09	47,556	-	SGP42C2007A	0.25	(0.12)	10,233	-	TASC13C2003A	0.09	(0.04)	30,100	-
SAWA42C2003A	0.16	(0.06)	11,391	-	SIRI13C2007A	0.11	(0.02)	113,396	-	TASC13C2006A	0.44	(0.06)	79,845	-
SCB01C2002A	0.01	-	56,451	-	SIRI19C2002A	-	-	-	-	TASC16C2008A	0.36	(0.08)	69,355	-
SCB01C2002B	0.01	-	35,240	-	SIRI19C2004A	-	-	-	-	TASC19C2003A	0.13	(0.04)	13,869	-
SCB01C2004A	0.07	(0.04)	124,691	-	SIRI19C2007A	0.10	(0.01)	3,747	-	TASC19C2006A	0.67	(0.06)	2,052	-
SCB01C2004B	0.01	-	20,365	-	SPAL01C2004A	0.17	(0.06)	348,869	-	TASC19C2007A	0.35	(0.04)	68,975	-
SCB01C2007A	0.32	(0.05)	32,617	-	SPAL01C2004B	0.05	(0.03)	41,064	-	TASC19P2004A	0.17	0.02	5,100	-
SCB01C2007B	0.19	(0.04)	46,429	-	SPAL06P2004A	0.51	0.09	74,087	-	TASC24C2006A	0.42	(0.05)	21,452	-
SCB01P2002A	2.22	0.10	5,398	2.00	SPAL11C2006A	0.18	(0.06)	73,263	-	TASC28C2004A	0.10	(0.03)	19,546	-
SCB01P2002B	1.83	0.19	5,188	1.00	SPAL13C2003A	-	-	-	-	TASC28C2006A	0.23	(0.06)	14,707	-
SCB01P2004A	0.91	0.13	54,522	-	SPAL13C2006A	0.25	(0.06)	422,124	-	TASC41C2003A	-	-	-	-
SCB01P2004B	0.39	0.09	159,273	-	SPAL16C2002A	-	-	-	-	TASC41C2004A	0.18	(0.03)	876	-
SCB01P2007A	0.76	0.09	68,933	-	SPAL19C2002A	-	-	-	-	TASC41C2005A	-	-	-	-
SCB01P2007B	0.64	0.11	53,867	-	SPAL19C2004A	0.08	(0.03)	13,136	-	TASC42C2003A	-	-	-	-
SCB06C2007A	0.34	(0.15)	20,800	-	SPAL24C2003A	-	-	-	-	TASC42C2005A	0.42	(0.09)	6,607	-
SCB08C2002A	-	-	-	-	SPAL27C2008A	0.12	(0.03)	19,800	-	TCAP01C2007B	0.35	(0.03)	160,010	-
SCB08C2005A	0.04	(0.02)	4,003	-	SPAL41C2004A	0.09	(0.05)	6,666	-	TCAP01C2008A	0.60	(0.03)	132,196	-
SCB08C2007A	0.62	(0.15)	26,170	-	SPAL42C2003A	-	-	-	-	TCAP01P2008A	0.68	0.04	165,627	-
SCB08P2004A	0.65	0.13	38,928	-	SPRC01C2003A	0.04	(0.10)	170,222	-	TCAP11C2002A	0.03	(0.04)	49,102	-
SCB11C2005A	0.01	(0.01)	2,735	-	SPRC01C2003B	0.03	-	1,679	-	TCAP13C2002A	0.19	(0.07)	20,726	-
SCB11C2006A	0.02	(0.02)	7,421	-	SPRC01C2007A	0.25	(0.16)	110,374	-	TCAP13C2007A	0.31	(0.03)	397,053	-
SCB11C2008A	0.31	(0.07)	38,574	-	SPRC06C2007A	0.23	(0.24)	98,745	-	TCAP19C2004A	0.37	(0.04)	49,637	-
SCB11P2005A	1.58	0.22	70,685	1.00	SPRC06P2003A	0.11	0.08	347,369	-	TCAP41C2002A	-	-	-	-
SCB13C2003A	0.01	-	10,000	-	SPRC08C2005A	0.09	(0.08)	29,970	-	TCAP41C2004A	0.25	(0.02)	37,044	-
SCB13C2006A	0.07	(0.02)	43,737	-	SPRC08C2006A	0.07	(0.04)	1,000	-	THAI11C2003A	-	-	-	-
SCB13C2006B	0.19	(0.06)	43,547	-	SPRC11C2005A	0.01	(0.02)	3	-	THAI13C2004A	-	-	-	-
SCB13C2007A	0.57	(0.16)	125,387	-	SPRC11C2008A	0.40	(0.22)	84,302	-	THAI19C2002A	-	-	-	-
SCB13P2003A	0.34	0.13	166,609	-	SPRC13C2004A	-	-	-	-	THAI19C2004A	0.02	0.01	1	-
SCB13P2006A	1.00	0.15	118,252	-	SPRC13C2006A	0.09	(0.11)	145,243	-	THAI27C2008A	0.10	(0.04)	16,672	-
SCB16C2003A	-	-	-	-	SPRC19C2002A	0.02	(0.01)	165	-	THAI42C2003A	-	-	-	-
SCB16C2008A	0.37	(0.09)	81,993	-	SPRC19C2005A	0.10	(0.11)	61,182	-	THAI42C2005A	0.01	(0.01)	2,500	-
SCB19C2002A	-	-	-	-	SPRC19C2005B	-	-	-	-	THAN01C2006A	0.26	(0.02)	31,218	-
SCB19C2003A	-	-	-	-	SPRC19C2007A	0.40	(0.20)	20,148	-	THAN01C2006B	0.09	(0.01)	23,882	-
SCB19C2006A	0.16	(0.06)	15,076	-	SPRC19P2005A	0.58	0.13	153,852	-	THAN01P2006A	0.37	0.04	35,527	-
SCB19C2007A	0.60	(0.12)	2,732	-	SPRC24C2003A	-	-	-	-	THAN06C2003A	-	-	-	-
SCB19P2005A	0.95	0.14	40,153	-	SPRC41C2004A	-	-	-	-	THAN06C2005A	0.11	(0.03)	13,215	-
SCB24C2004A	0.05	(0.03)	521	-	SPRC41C2005A	0.16	(0.14)	528	-	THAN06P2003A	0.22	0.05	6,250	-
SCB27C2007A	0.05	(0.02)	12,604	-	SPRC41C2006A	-	-	-	-	THAN13C2003A	-	-	-	-
SCB27P2006A	0.84	0.11	24,600	-	SPRC42C2006A	0.18	(0.18)	5,801	-	THAN13C2007A	0.16	(0.02)	20,748	-
SCB28C2003A	-	-	-	-	STAO1C2003A	0.33	(0.04)	245,755	-	THAN19C2004A	0.07	-	18	-
SCB28C2004A	-	-	-	-	STAO1C2003B	0.09	(0.02)	129,188	-	THAN19C2007A	0.24	(0.02)	11,974	-
SCB28C2006A	0.11	(0.04)	10,201	-	STAO1P2003A	0.06	0.01	5,855	-	THAN27C2003A	-	-	-	-
SCB28C2006B	0.40	(0.12)	14,196	-	STA11C2005A	0.18	(0.02)	57,000	-	THAN41C2005A	-	-	-	-
SCB41C2002A	-	-	-	-	STA13C2003A	0.23	(0.06)	141,239	-	TISCO1C2006A	0.90	(0.09)	8,829	-
SCB41C2004A	-	-	-	-	STA13C2006A	0.21	(0.04)	356,933	-	TISCO1C2006B	0.22	(0.04)	92,823	-
SCB41C2005A	-	-	-	-	STA19C2002A	-	-	-	-	TISCO1P2006A	0.47	0.03	94,907	-
SCB41C2006A	0.25	(0.05)	878	-	STA19C2004A	0.27	(0.05)	42,137	-	TISCO8C2002A	-	-	-	-
SCB41P2004A	0.54	0.11	28,186	-	STA19C2005A	0.89	(0.14)	12,099	-	TISC11C2005A	0.13	(0.04)	42,750	-
SCB41P2005A	-	-	-	-	STA19C2007A	0.23	(0.03)	68,876	-	TISC11C2007A	0.68	(0.10)	19,200	-
SCB42C2003A	-	-	-	-	STA24C2002A	0.05	0.01	5,840	-	TISC13C2004A	-	-	-	-
SCB42C2006A	0.04	(0.02)	511	-	STA42C2007A	0.26	(0.02)	3,500	-	TISC13C2006A	0.22	(0.05)	59,631	-
SCB42C2007A	0.33	(0.14)	5,203	-	STEC01C2003A	0.06	(0.03)	30,327	-	TISC19C2004A	0.34	(0.06)	39,299	-
SCC01C2004A	0.30	(0.10)	128,727	-	STEC01C2003B	0.02	-	4,999	-	TISC19C2006A	0.20	(0.03)	17,469	-
SCC01C2004B	0.06	(0.04)	984	-	STEC01C2004A	0.12	(0.07)	144,188	-	TISC41C2005A	-	-	-	-
SCC01P2004A	1.10	0.18	99,005	1.00	STEC01C2006A	0.46	(0.10)	109,237	-	TISC41C2006A	-	-	-	-
SCC06C2007A	0.25	(0.12)	27,100	-	STEC01C2006B	0.22	(0.07)	181,997	-	TISC41P2006A	0.44	0.04	1,563	-
SCC08C2002A	-	-	-	-	STEC01P2003A	0.58	0.14	64,066	-	TISC42C2003A	-	-	-	-
SCC08C2004A	-	-	-	-	STEC01P2006A	0.46	0.07	248,929	-	TKN01C2003A	0.03	(0.02)	7,150	-
SCC08P2006A	0.74	0.12	35,358	-	STEC06C2004A	0.29	(0.12)	93,926	-	TKN01C2003B	0.01	-	220	-
SCC11C2003A	-	-	-	-	STEC08C2004A	-	-	-	-	TKN01C2007B	0.16	(0.06)	56,987	-
SCC11C2006A	0.03	-	1	-	STEC08C2005A	0.37	(0.07)	72,980	-	TKN01C2008A	0.49	(0.12)	208,387	-
SCC11C2007A	0.27	(0.07)	22,329	-	STEC11C2007A	0.08	(0.02)	2,001	-	TKN08C2003A	0.06	(0.01)	20	-
SCC13C2002A	-	-	-	-	STEC13C2003A	0.06	(0.05)	68,193	-	TKN08C2007A	0.40	(0.11)	75,875	-
SCC13C2004A	0.09	(0.05)	27,442	-	STEC13C2004A	0.26	(0.10)	192,299	-	TKN13C2004A	0.03	(0.02)	13,057	-
SCC13P2002A	-	-	-	-	STEC16C2003A	-	-	-	-	TKN13C2006A	0.36	(0.15)	198,106	-
SCC13P2006A	0.76	0.18	73,335	-	STEC16C2006A	0.09	(0.02)	47,283	-	TKN16C2008A	0.22	(0.11)	67,712	-
SCC16C2002A	-	-	-	-	STEC16C2009A	0.34	(0.08)	141,980	-	TKN19C2004A	0.11	(0.06)	12,115	-
SCC16C2005A	0.03	(0.02)	100	-	STEC19C2002A	-	-	-	-	TKN19C2004B	0.06	-	1,000	-
SCC19C2002A	-	-	-	-	STEC19C2004A	0.09	(0.03)	2,304	-	TKN19C2007A	0.39	(0.14)	66,185	-
SCC19C2003A	-	-	-	-	STEC19C2005A	0.34	(0.08)	46,589	-	TKN24C2002A	0.01	(0.07)	450	-
SCC19C2003B	-	-	-	-	STEC24C2003A	-	-	-	-	TKN28C2003A	-	-	-	-
SCC19C2006A	0.16	(0.05)	20,540	-	STEC24C2006A	0.41	(0.11)	23,428	-	TKN28C2007A	0.12	(0.05)	25,381	-
SCC19P2004A	0.52	0.16	9,857	-	STEC27C2002A	-	-	-	-	TKN41C2003A	-	-	-	-
SCC24C2003A	-	-	-	-	STEC27C2002B	-	-	-	-	TKN41C2005A	0.28	(0.11)	14,514	-
SCC24C2006A	0.25	(0.09)	7,480	-	STEC28C2004A	0.03	(0.03)	599	-	TKN41C2006A	0.10	(0.04)	9,124	-
SCC27P2008A	0.35	0.07	20,016	-	STEC28C2004B	0.11								

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC41C2003A	-	-	-	-	STEC41C2004A	0.12	(0.03)	6,788	-	TMB01C2004B	0.01	(0.02)	21,642	-
SCC41C2004A	-	-	-	-	STEC41C2005A	0.33	(0.05)	11,590	-	TMB01P2004A	0.63	0.14	81,199	-
SCC41C2005A	0.08	(0.05)	8,530	-	STEC41C2006A	0.42	(0.04)	1,533	-	TMB13C2002A	-	-	-	-
SCC41C2006A	0.20	(0.03)	218	-	STEC41P2003A	-	-	-	-	TMB19C2004A	0.04	(0.03)	2,532	-
SCC41P2004A	0.36	0.08	10,795	-	STEC41P2004A	0.16	-	432	-	TMB19C2007A	0.20	(0.80)	14,930	-
SCC41P2005A	0.79	0.07	29,706	-	STEC41P2005A	0.20	-	40	-	TMB19P2004A	0.65	0.15	3,035	-

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB41C2004A	0.08	(0.04)	170	-	TTW27C2009A	0.31	(0.01)	13,286	-	BKD-W2	0.08	-	2,466	-
TMB41C2005A	0.05	(0.02)	1,301	-	TU01C2004A	0.34	(0.04)	105,474	-	CGD-W4	0.09	(0.01)	4,560	-
TMB41P2003A	0.31	0.12	16,470	-	TU01C2004B	0.31	(0.01)	63,616	-	CGH-W3	0.01	-	5,079	-
TMB41P2006A	0.59	0.11	29,666	-	TU01P2004A	0.09	0.02	71,938	-	CI-W1	0.01	-	542	-
TOA01C2006A	0.17	(0.07)	66,648	-	TU06C2004A	0.15	(0.06)	176,558	-	CKP-W1	0.07	(0.01)	19,119	-
TOA01C2006B	0.09	(0.04)	33,598	-	TU06P2007A	0.21	0.03	127,070	-	CRANE-W1	0.55	(0.07)	681	-
TOA08C2003A	-	-	-	-	TU11C2003A	-	-	-	-	DCC-W3	0.53	(0.02)	33,054	-
TOA13C2003A	-	-	-	-	TU11C2008A	0.55	-	44,938	-	ECL-W1	0.11	(0.01)	43,933	-
TOA13C2007A	0.13	(0.05)	29,587	-	TU13C2003A	0.03	(0.02)	501	-	EIC-W2	-	-	-	-
TOA19C2004A	-	-	-	-	TU13C2004A	0.36	(0.04)	68,303	-	EIC-W3	-	-	-	-
TOA19C2007A	0.15	(0.07)	11,568	-	TU19C2002A	-	-	-	-	EMC-W6	0.03	-	331	-
TOA24C2005A	0.01	(0.01)	8	-	TU19C2003A	0.04	(0.01)	2,997	-	EPCO-W3	0.34	(0.08)	1,010	-
TOA41C2004A	-	-	-	-	TU19C2005A	0.47	(0.03)	1,864	-	GLOCON-W4	0.22	(0.03)	15,221	-
TOP01C2003A	0.02	(0.03)	92,636	-	TU19C2007A	0.36	(0.03)	48,248	-	J-W1	-	-	-	-
TOP01C2003B	0.01	-	17,092	-	TU24C2003A	-	-	-	-	JAS-W3	1.95	(0.13)	52,956	1.00
TOP01C2006A	0.13	(0.10)	560,098	-	TU24C2006A	0.45	(0.02)	20,783	-	JCK-W5	0.05	-	112	-
TOP01C2006B	0.05	(0.04)	46,903	-	TU27C2004A	0.02	(0.02)	1	-	JMT-W2	5.00	(0.60)	4,670	5.00
TOP01P2003A	1.53	0.39	27,503	1.00	TU27C2006A	0.30	(0.02)	19,756	-	MACO-W2	0.08	(0.01)	85,310	-
TOP01P2006A	1.57	0.41	106,092	1.00	TU41C2003A	-	-	-	-	MILL-W4	0.02	(0.01)	35,001	-
TOP06C2004A	0.02	-	401	-	TU41C2004A	0.27	-	17,604	-	MILL-W5	-	-	-	-
TOP06C2007A	0.21	(0.19)	172,478	-	TU41C2005A	0.45	(0.03)	13,806	-	MINT-W6	2.00	(0.32)	17,718	2.00
TOP06P2005A	1.95	0.59	73,129	1.00	TU41P2003A	-	-	-	-	NFC-W1	0.57	0.01	10	-
TOP08C2003A	-	-	-	-	TU41P2004A	0.05	(0.03)	301	-	NOK-W1	0.01	(0.01)	830	-
TOP08C2007A	0.24	(0.13)	117,379	-	TU42C2007A	-	-	-	-	NVD-W1	0.10	(0.01)	1,837	-
TOP08P2003A	1.53	0.32	4,442	1.00	TVO13C2007A	0.23	(0.03)	8,900	-	ORI-W1	0.15	(0.02)	36,849	-
TOP08P2007A	0.99	0.23	115,735	-	TVO19C2004A	-	-	-	-	PACE-W2	0.02	-	10,937	-
TOP11C2002A	0.01	-	10,000	-	TVO19C2007A	0.16	(0.04)	4,704	-	PACE-W3	0.02	(0.01)	661	-
TOP11C2007A	0.04	(0.04)	11,662	-	VGI01C2005A	0.08	(0.10)	162,678	-	PDI-W1	0.30	-	133	-
TOP11P2002A	1.18	0.57	16,140	1.00	VGI08C2006A	0.06	(0.06)	27,801	-	PDJ-W4	-	-	-	-
TOP13C2004A	0.01	(0.01)	1,210	-	VGI11C2008A	0.09	(0.08)	37,662	-	PERM-W1	0.11	(0.02)	5,864	-
TOP13C2006A	0.05	(0.06)	186,630	-	VGI13C2006A	0.09	(0.06)	91,591	-	PORT-W1	0.59	(0.05)	17,624	-
TOP13P2005A	-	-	-	-	VGI19C2006A	0.09	(0.03)	100	-	PPPM-W4	0.13	(0.01)	9,371	-
TOP13P2006A	1.22	0.32	166,306	1.00	VGI41C2006A	-	-	-	-	PRIME-W1	0.02	(0.01)	20,006	-
TOP16C2008A	0.24	(0.18)	152,324	-	WHA01C2002A	0.02	-	42,707	-	PRIME-W2	-	-	-	-
TOP19C2002A	-	-	-	-	WHA01C2002B	-	-	-	-	RICHY-W2	0.02	(0.01)	1,015	-
TOP19C2003A	-	-	-	-	WHA01C2005A	0.10	(0.07)	186,719	-	RS-W3	0.51	(0.09)	12,210	-
TOP19C2006A	0.05	(0.05)	10,540	-	WHA01C2005B	0.03	(0.03)	817	-	SAMART-W2	0.58	(0.04)	3,718	-
TOP19C2007A	0.21	(0.15)	28,247	-	WHA01P2002A	1.60	0.23	6,567	1.00	SAWAD-W1	24.30	(2.45)	1,592	25.00
TOP19P2002A	1.33	0.65	22,172	1.00	WHA01P2005A	0.92	0.25	124,050	-	SDC-W1	0.08	0.01	5,279	-
TOP19P2006A	1.68	0.37	10,740	1.00	WHA06C2007A	0.21	(0.16)	88,815	-	SINGER-W1	1.55	(0.29)	2,293	1.00
TOP24C2007A	0.02	(0.03)	5,350	-	WHA08C2002A	-	-	-	-	SINGER-W2	1.60	(0.28)	563	1.00
TOP28C2004A	0.01	(0.01)	2,000	-	WHA08C2003A	-	-	-	-	SMT-W2	0.04	-	4,637	-
TOP41C2003A	-	-	-	-	WHA08C2005A	-	-	-	-	SST-W2	0.50	(0.15)	269	-
TOP41C2004A	-	-	-	-	WHA08C2006A	0.12	(0.04)	16,021	-	SUPER-W4	0.01	-	10	-
TOP41C2005A	-	-	-	-	WHA08P2006A	0.62	0.15	68,361	-	SVI-W3	0.11	-	109,225	-
TOP41C2006A	-	-	-	-	WHA11C2008A	0.12	(0.06)	40,995	-	TCC-W3	0.04	-	111	-
TOP41C2007A	0.23	(0.14)	70,444	-	WHA13C2003A	-	-	-	-	TCC-W4	-	-	-	-
TOP41P2004A	-	-	-	-	WHA13C2005A	0.03	(0.04)	2,821	-	TCC-W5	0.11	(0.01)	235	-
TOP41P2005A	0.45	0.18	83,796	-	WHA13C2006A	0.20	(0.12)	122,433	-	TCJ-W2	0.07	(0.01)	1,618	-
TOP41P2006A	1.23	0.31	11,048	1.00	WHA16C2006A	0.01	(0.01)	516	-	TFG-W2	0.07	(0.01)	18,109	-
TOP42C2007A	0.19	(0.15)	18,499	-	WHA16C2008A	0.21	(0.13)	91,297	-	TGPRO-W3	-	-	-	-
TP19C2002A	-	-	-	-	WHA19C2002A	-	-	-	-	TH-W2	0.02	-	5,782	-
TP19C2004A	0.27	(0.07)	5,042	-	WHA19C2004A	-	-	-	-	THE-W2	-	-	-	-
TRUE01C2002A	0.01	-	49,626	-	WHA19C2005A	0.04	(0.05)	1,000	-	TRINITY-W1	-	-	-	-
TRUE01C2002B	0.01	(0.01)	6,350	-	WHA19C2006A	0.18	(0.10)	24,447	-	TRITN-W3	0.09	-	38,198	-
TRUE01C2004A	0.02	0.01	29,998	-	WHA24C2004A	-	-	-	-	TTCL-W1	0.26	(0.05)	8,016	-
TRUE01C2004B	0.02	(0.01)	2,983	-	WHA24C2007A	0.16	(0.09)	24,011	-	U-W4	-	-	-	-
TRUE01C2007A	0.40	(0.05)	39,254	-	WHA24P2003A	-	-	-	-	UAC-W2	0.16	(0.05)	22,100	-
TRUE01C2007B	0.20	(0.03)	65,404	-	WHA27C2008A	0.12	(0.06)	17,000	-	VGI-W2	0.86	(0.15)	204,482	-
TRUE01P2002A	1.61	0.02	6,750	1.00	WHA28C2003A	-	-	-	-	VIBHA-W2	0.55	(0.03)	100	-
TRUE01P2002B	1.55	0.08	7,606	1.00	WHA28C2003B	-	-	-	-	VIBHA-W3	0.15	(0.01)	31,084	-
TRUE01P2004A	0.80	0.05	31,965	-	WHA28C2004A	-	-	-	-	WAVE-W1	0.02	(0.01)	25,426	-
TRUE01P2004B	0.40	0.05	121,050	-	WHA28C2005A	-	-	-	-	WHA-W1	-	-	-	-
TRUE01P2007B	0.53	0.05	72,271	-	WHA28C2006A	0.12	(0.08)	50,520	-	WIJK-W2	0.12	(0.02)	7,808	-
TRUE06C2004A	-	-	-	-	WHA41C2003A	-	-	-	-	ZMICO-W4	0.05	(0.02)	15,504	-
TRUE06C2007A	0.30	(0.05)	33,700	-	WHA41C2004A	-	-	-	-	Preferred Shares	-	-	-	-
TRUE08C2004A	-	-	-	-	WHA41C2005A	-	-	-	-	BH-P	-	-	-	-
TRUE08C2005A	0.10	(0.02)	16,900	-	WHA41C2006A	0.11	(0.03)	676	-	CSC-P	-	-	-	-
TRUE08C2007A	0.33	(0.04)	31,424	-	WHA41C2007A	0.26	(0.09)	24,069	-	JUTHA-P	-	-	-	-
TRUE08P2005A	0.93	0.06	18,276	-	WHA41P2003A	1.46	-	2,000	1.00	KTB-P	-	-	-	-
TRUE11C2005A	-	-	-	-	WHA41P2005A	1.16	0.18	1,000	1.00	SCB-P	-	-	-	-
TRUE11C2005B	-	-	-	-	WHA42C2005A	-	-	-	-	TCAP-P	-	-	-	-
TRUE11P2002A	0.43	0.10	33,090	-	WHA42C2006A	0.15	(0.12)	34,280	-	TISCO-P	-	-	-	-
TRUE13C2003A	-	-	-	-	WHAU27C2002A	0.01	-	1,000	-	U-P	2.56	(0.08)	1,155	2.00
TRUE13C2003B	0.01	(0.01)	1,010	-	Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE13C2006A	0.16	(0.03)	29,035	-	BH-Q	-	-	-	-	BM-W1	0.04	(0.01)	6,093	-
TRUE13C2007A	0.27	(0.06)	230	-	CSC-Q	-	-	-	-	BROOK-W5	0.12	(0.02)	34,171	-
TRUE16C2002A	-	-	-	-	JUTHA-Q	-	-	-	-	CHO-W2	0.05	-	28,760	-
TRUE19C2003A	-	-	-	-	KTB-Q	-	-	-	-	DOD-W1	0.50	(0.10)	85,751	-
TRUE19C2004A	-	-	-	-	SCB-Q	-	-	-	-	ECF-W3	0.28	(0.01)	10,285	-
TRUE19C2006A	0.14	(0.03)	30,408	-	TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE19P2003A	0.63	0.06	8,498	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE19P2005A	0.57	0.06	8,936	-	U-Q	-	-	-	-	FVC-W2	0.01	(0.01)	7,271	-
TRUE28C2003A	-	-	-	-	Warrant	-	-	-	-	HPT-W1	0.20	-	747	-
TRUE28C2003B	-	-	-	-	7UP-W4	0.08	(0.02)	267,885	-	HYDRO-W1	0.08	(0.02)	14,869	-
TRUE28C2006A	0.12	(0.02)	8,112	-	AKR-W1	0.07	-	31,655	-	ITEL-W1	0.30	(0.02)	17,175	-
TRUE41C2003A	-	-	-	-	ALT-W1	0.29	(0.05)	29,344	-	JKN-W1	0.21	(0.04)	16,341	-
TRUE41C2004A	-	-	-	-	APEX-W1	0.02	-	2,040	-	LIT-W1	0.66	(0.02)	302	-
TRUE41C2005A	-	-	-	-	APURE-W2	-	-	-	-	META-W4	0.04	(0.01)	-	-

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE41C2006A	0.13	(0.01)	11,380	-	AS-W1	0.05	(0.05)	14,175	-	NEWS-W6	-	-	-	-
TRUE41P2004A	0.59	0.04	3,876	-	AYUD-W1	0.29	(0.07)	12,233	-	OCEAN-W3	0.43	(0.01)	5,311	-
TRUE41P2005A	0.88	0.04	9,186	-	B-W3	-	-	-	-	PROUD-W2	0.09	0.03	171	-
TRUE42C2003A	-	-	-	-	B-W4	0.02	-	102	-	RWI-W2	0.10	(0.01)	31,314	-
TRUE42C2004A	-	-	-	-	B-W5	0.03	-	2,769	-	SANKO-W1	0.09	-	702	-
TRUE42C2007A	0.27	(0.04)	1,144	-	B52-W2	-	-	-	-	SIMAT-W2	0.07	(0.02)	26,667	-

Main Board Quotation

Issue Date :

Monday February 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------