

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	2.02	0.05	11,200	2.08	MCOT	7.20	0.25	3,467	7.23
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	1.28	0.25	349,460	1.22
SAFARI	-	-	-	-	DIF	16.80	0.30	217,168	16.75	MPIC	-	-	-	-
VI	-	-	-	-	DTAC	39.75	1.25	145,916	39.58	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	6.25	(0.05)	2,263	6.21	PLANB	5.10	0.24	647,295	5.12
WR	-	-	-	-	HUMAN	6.90	-	6,391	6.98	POST	-	-	-	-
Agribusiness					ILINK	3.28	-	2,341	3.27	PRAKIT	10.70	0.20	5	10.70
CHOTI	53.00	-	5	53.00	INET	2.16	0.04	12,124	2.16	SE-ED	1.70	0.10	26	1.60
EE	0.43	(0.01)	34,370	0.43	INTUCH	54.25	-	112,566	54.65	TBSP	14.60	1.10	1	14.60
GFPT	10.90	(0.20)	29,404	11.15	JAS	4.90	0.02	733,467	4.95	TH	0.57	0.01	13,846	0.51
LEE	2.12	0.02	1,405	2.10	JASIF	9.20	0.20	174,337	9.16	TKS	5.70	0.05	5,459	5.72
NER	2.26	0.06	328,602	2.30	JMART	7.45	0.25	71,874	7.56	VGI	7.70	0.45	339,346	7.78
PPPM	-	-	-	-	JTS	0.88	0.06	29	0.86	WAVE	1.07	0.02	755	1.05
STA	13.60	0.90	562,919	13.42	MFEC	3.50	0.08	6,010	3.48	WORK	9.35	-	34,145	9.57
TRUBB	0.44	-	14,734	0.45	MSC	5.45	0.10	4,059	5.41	Finance & Securities	-	-	-	-
TWPC	3.48	0.06	509	3.49	PT	4.44	0.04	640	4.44	AEC	0.27	0.01	806	0.28
UPOIC	2.82	(0.18)	25	2.95	SAMART	6.50	-	34,230	6.53	AEONTS	143.50	(0.50)	3,614	145.28
UVAN	4.60	0.10	1,973	4.73	SAMTEL	6.85	0.10	3,149	6.89	AMANAH	3.52	0.08	232,466	3.60
VPO	0.52	(0.01)	2,272	0.53	SDC	0.14	0.01	2,528	0.14	ASAP	1.37	0.04	1,333	1.41
Banking					SIS	7.10	-	4,071	7.09	ASK	20.90	(1.90)	16,743	21.11
BAY	24.70	0.10	2,011	24.87	SVOA	0.82	0.02	5,744	0.82	ASP	1.60	0.03	30,980	1.61
BBL	130.00	(4.50)	179,147	132.16	SYMC	2.28	-	19	2.29	BAM	25.50	0.50	1,372,215	25.86
CIMBT	0.53	0.03	15,723	0.52	SYNEX	6.25	0.40	13,264	6.15	BFIT	47.50	2.75	97,541	47.02
KBANK	122.50	-	97,269	123.51	THCOM	3.14	0.06	6,987	3.15	CGH	0.77	(0.01)	165,379	0.77
KKP	61.25	(0.50)	30,496	62.12	TRUE	3.34	-	985,880	3.39	CNS	1.86	(0.34)	682	1.85
KTB	14.30	0.10	288,346	14.33	TWZ	0.06	(0.01)	51,021	0.07	ECL	0.90	0.05	158,418	0.92
LHFG	1.30	0.01	61,222	1.29	Electronic Componer	-	-	-	-	FNS	2.04	0.02	2,855	2.05
SCB	86.00	(0.75)	131,763	86.85	CCET	1.65	(0.01)	2,034	1.66	FSS	1.02	0.02	3,172	1.02
TCAP	52.50	0.25	64,786	52.78	DELTA	50.00	0.25	7,485	49.92	GBX	0.40	-	1,402	0.40
TISCO	101.00	0.50	27,501	101.26	EIC	0.03	-	1,539	0.03	GL	3.78	0.54	99,656	3.65
TMB	1.13	(0.01)	1,994,395	1.15	HANA	32.25	0.50	38,247	32.28	IFS	2.64	-	43,322	2.67
Construction Materia					KCE	22.00	0.70	464,969	21.94	JMT	20.00	0.20	154,370	20.40
CCP	0.27	-	45,423	0.27	METCO	143.50	0.50	9	143.61	KCAR	9.75	-	122	9.76
COTTO	1.03	(0.01)	21,443	1.02	NEX	2.76	-	29,747	2.79	KGI	4.36	0.08	31,622	4.37
DCC	1.69	-	9,473	1.69	SMT	0.93	-	1,751	0.91	KTC	37.00	(0.50)	140,925	37.63
DCON	0.30	0.02	22,490	0.30	SVI	2.40	0.02	7,637	2.42	MBKET	5.55	0.05	1,815	5.58
DRT	6.05	0.05	1,454	6.06	TEAM	0.63	0.01	1,073	0.64	MFC	14.90	0.10	99	14.88
EPG	4.24	0.08	128,963	4.32	Energy & Utilities	-	-	-	-	ML	0.76	0.02	544	0.75
GEL	0.12	0.01	1,324	0.11	7UP	0.37	0.02	105,121	0.36	MTC	61.00	0.75	72,909	60.89
PPP	1.78	(0.02)	1,781	1.80	ABPIF	4.40	-	1,355	4.40	PE	-	-	-	-
Q-CON	4.78	(0.12)	20	4.84	ACE	2.90	0.10	280,829	2.90	PL	2.56	-	136	2.56
RCI	-	-	-	-	AI	1.04	-	36,404	1.04	S11	6.60	0.05	5,432	6.69
SCC	324.00	5.00	41,806	325.15	AKR	0.50	(0.01)	18,723	0.50	SAWAD	69.25	1.00	97,831	69.21
SCCC	154.00	(1.50)	643	154.83	BAFS	25.00	0.30	8,035	25.19	THANI	5.25	0.10	57,626	5.31
SCP	5.75	0.10	5,020	5.83	BANPU	7.45	0.05	225,998	7.52	TK	8.80	0.05	2,972	8.82
SKN	1.74	(0.02)	1,470	1.75	BCP	23.70	-	43,898	23.87	TNITY	4.12	0.06	679	4.10
TASCO	19.60	0.60	139,268	19.65	BCPG	15.40	0.80	121,294	15.23	UOBKH	2.22	0.08	6	2.22
TCMC	1.30	(0.01)	8,711	1.30	BGRIM	49.25	3.25	417,650	48.76	ZMICO	0.64	0.06	5,232	0.59
TOA	35.00	1.50	44,596	34.97	BPP	12.70	0.20	73,823	12.92	Food & Beverage	-	-	-	-
TPIPL	1.32	0.04	124,380	1.31	BRRGIF	8.10	-	1,892	8.04	APURE	0.67	-	14,857	0.68
UMI	0.52	(0.01)	1,891	0.53	CKP	3.90	0.08	183,350	3.90	ASIAN	3.74	0.08	1,596	3.73
VNG	3.34	-	921	3.35	DEMCO	1.90	0.02	4,933	1.91	BR	1.37	-	24,239	1.38
WIHK	1.33	0.05	12,584	1.43	EA	41.75	0.75	167,616	42.32	BRR	3.28	(0.08)	1,550	3.24
Petrochemicals & Ch					EASTW	11.00	0.10	10,511	10.97	CBG	78.25	5.25	99,300	76.81
BCT	41.75	-	290	41.75	EGATIF	12.40	0.20	24,373	12.43	CFRESH	1.20	0.01	727	1.20
CMAN	1.11	0.01	6,051	1.10	EGCO	278.00	(2.00)	20,216	279.81	CM	2.34	0.06	728	2.31
GC	5.50	0.05	660	5.51	ESSO	6.25	0.15	281,589	6.39	CPF	28.25	0.75	447,284	28.44
GGC	9.60	0.45	48,859	9.48	GPSC	67.75	3.75	317,543	67.01	CPI	1.36	0.01	1,184	1.34
GIFT	2.32	0.02	11,991	2.33	GULF	173.50	1.50	118,146	173.92	F&D	-	-	-	-
IVL	27.25	(0.75)	240,305	27.95	GUNKUL	2.54	0.04	186,594	2.56	HTC	19.70	0.60	1,147	19.47
NFC	1.55	0.13	105	1.57	IFEC	-	-	-	-	ICHI	5.25	(0.05)	22,449	5.35
PATO	10.30	0.10	663	10.24	IRPC	2.40	0.04	1,262,862	2.43	KBS	3.12	-	1,059	3.12
PMTA	7.65	(0.10)	8	7.65	LANNA	6.30	0.15	2,864	6.29	KSL	2.04	0.04	22,493	2.04
PTTGC	43.75	0.50	171,492	43.93	MDX	1.96	(0.02)	4,318	1.95	KTIS	3.52	0.04	191	3.51
SUTHA	1.75	0.05	333	1.78	PRIME	0.33	0.01	4,242	0.33	LST	4.88	0.04	1,407	4.91
TCCC	20.30	0.40	95	20.17	PTG	15.50	-	129,615	15.71	M	62.00	2.50	2,986	61.79
TPA	5.65	0.05	228	5.56	PTT	39.00	(0.50)	527,756	39.49	MALEE	5.10	0.10	1,420	5.22
UAC	2.92	0.06	3,498	2.92	PTTEP	109.50	(0.50)	97,696	110.29	MINT	29.25	0.25	240,616	29.05
UP	13.50	1.00	1	13.50	RATCH	61.00	0.75	88,426	61.22	OISHI	44.25	-	130	44.47
VNT	23.20	0.30	8,897	23.56	RPC	0.49	-	14,566	0.50	OSP	43.25	0.25	92,149	43.45
WG	-	-	-	-	SCG	3.88	0.12	2,262	3.81	PB	68.00	-	1,002	67.75
YCI	-	-	-	-	SCI	1.55	0.05	207,793	1.58	PM	6.25	0.10	2,327	6.34
Commerce					SCN	1.62	-	7,815	1.62	PRG	-	-	-	-
BEAUTY	2.04	(0.04)	1,349,767	2.12	SGP	7.85	0.05	49,697	7.89	RBF	4.54	0.12	240,717	4.61
BIG	0.53	0.04	123,147	0.53	SKE	0.62	-	1,654	0.63	SAPPE	16.90	-	5,803	17.14
BJC	37.75	1.00	66,642	37.96	SOLAR	1.03	-	5,112	1.05	SAUCE	22.90	0.80	1	22.90
COL	15.70	0.20	479	15.70	SPCG	18.20	0.20	7,630	18.17	SFP	-	-	-	-
COM7	23.60	1.10	156,472	23.37	SPRC	7.40	0.10	304,206	7.46	SNP	11.80	0.10	31	11.92
CPALL	69.75	0.75	312,463	69.95	SSP	7.10	0.20	13,481	7.02	SORKON	47.00	(2.50)	48	47.76
CPW	1.43	0.04	25,413	1.43	SUPER	0.41	0.01	656,966	0.41	SSC	30.00	(7.00)	87	30.39
CRC	36.75	(0.50)	363,643	37.01	SUPEREIF	11.40	0.30	28,255	11.30	SSF	5.60	(0.40)	42	5.60
CSS	1.06	0.02	23,646	1.07	SUSCO	2.48	0.06	10,601	2.50	SST	3.56	0.04	325	3.54
DOHOME	8.85	0.15	152,283	8.99	TAE	2.64	0.08	17,744	2.66	TC	2.82	-	3,758	2.80
FN	0.89	0.02	34,691	0.91	TCC	0.18	-	1,465	0.18	TFG	3.26	0.02	137,798	3.31
FTE	1.79	0.07	2,543	1.79	TOP	44.75	(0.50)	183,727	45.40	TFMAMA	189.00	3.00	121	187.23
GLOBAL	14.30	0.30	120,605	14.38	TRIPP	4.10	-	137,110	4.17	TIPCO	5.90	0.15	1,835	5.95
HMPRO	14.40	0.40	345,882	14.48	TSE	2.50	0.02	172,872	2.53	TKN	7.70	0.15	164,241	7.88
ILM	10.60	-	36,461	10.83	TTW	14.10	(0.20)	29,106	14.19	TU	15.20	0.40	180,954	15.31
IT	2.06	0.06	637	2.02	WHAUP	4.52	0.20	94,521	4.45	TVO	27.75	0.25	8,632	27.75
KAMART	3.50	0.08	10,023	3.50	WP	4.50	0.10	1,009	4.46	ZEN	9.50	0.10	3,484	9.62
LOXLEY	1.05	0.03	12,148	1.05	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
MAKRO	34.75	1.50	8,583	34.51	AMARIN	3.26	-	141						

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	7.65	0.05	1,149	7.66	BROCK	1.68	(0.02)	3,000	1.68	HFT	2.84	0.06	3,497	2.83
PRINC	3.70	(0.04)	1,313	3.70	CGD	0.81	-	4,262	0.81	IHL	2.98	(0.08)	3,963	3.08
RAM	144.00	1.00	8	143.88	CI	0.84	0.01	412	0.83	INGRS	0.39	-	7,230	0.39
RJH	23.70	0.20	7,360	23.81	CPN	57.75	1.75	144,372	58.31	IRC	14.70	-	11,765	14.70
RPH	5.85	0.05	11,188	5.84	ESTAR	0.30	0.02	8,758	0.29	PCSGH	5.50	(0.10)	148	5.44
SKR	5.15	0.05	1,085	5.10	EVER	0.16	(0.01)	308,878	0.16	SAT	12.20	(0.20)	5,610	12.45
SVH	434.00	(6.00)	15	433.20	FPT	12.40	-	339	12.48	SPG	-	-	-	-
THG	23.20	0.20	4,264	23.27	GLAND	2.68	0.02	1,148	2.66	STANLY	142.00	-	204	143.19
VIBHA	1.63	0.01	51,136	1.64	GOLD	7.95	0.05	534	7.92	TKT	0.80	0.01	1,037	0.79
VIH	6.05	0.05	5,553	6.00	GREEN	0.71	(0.01)	1,444	0.71	TNPC	0.61	-	1,790	0.61
WPH	1.72	0.02	486	1.73	J	0.79	(0.01)	56	0.78	TRU	4.40	-	12	4.37
Tourism & Leisure					JCK	0.82	(0.01)	1,074	0.82	TSC	10.40	0.30	14	10.51
ASIA	4.40	-	241	4.40	KC	-	-	-	-	Industrial Materials				
CENTEL	21.10	0.80	66,961	20.94	KWG	1.21	(0.02)	2,270	1.19	ALLA	1.22	0.01	10,495	1.22
CSR	-	-	-	-	LALIN	5.00	-	6,279	4.99	ASEFA	3.02	-	1,608	2.99
DTC	8.15	0.10	1,353	8.16	LH	8.85	0.20	527,621	8.84	CPT	0.63	(0.01)	22,329	0.64
ERW	4.00	-	334,066	4.09	LPN	4.52	0.06	58,975	4.55	CRANE	1.70	0.02	1,154	1.70
GRAND	0.47	(0.07)	105,634	0.49	MBK	17.80	-	12,384	17.91	CTW	4.98	(0.02)	110	5.00
LRH	35.50	-	17	35.00	MJD	2.60	(0.08)	1,544	2.59	FMT	24.00	0.40	13	24.41
MANRIN	25.50	-	13	26.31	MK	2.94	0.04	2,902	2.91	HTECH	2.02	0.02	5,336	2.07
OHTL	-	-	-	-	NCH	0.59	(0.01)	606	0.59	KKC	0.31	(0.13)	7,751	0.32
ROH	34.00	(1.00)	2	34.00	NNCL	1.81	0.04	1,985	1.79	PK	0.83	0.03	2,119	0.85
SHANG	-	-	-	-	NOBLE	15.40	-	6,212	15.47	SNC	8.15	0.10	2,271	8.13
SHR	2.20	0.06	396,032	2.19	NUSA	0.37	-	64,237	0.39	STARK	2.02	-	12,203	2.04
VRANDA	5.95	-	1,393	5.95	NVD	1.68	-	105	1.66	TCJ	2.80	-	59	2.80
Home & Office Prod.					ORI	5.25	0.05	75,348	5.34	VARO	-	-	-	-
ACC	0.67	-	273	0.68	PACE	-	-	-	-	Property Fund & REI				
AJA	-	-	-	-	PF	0.65	0.01	322,243	0.64	AIMCG	6.80	0.20	15,159	6.81
DTCI	-	-	-	-	PLAT	3.16	0.16	5,860	3.16	AIMIRT	12.80	0.10	1,617	12.77
FANCY	0.38	-	7,476	0.38	POLAR	-	-	-	-	AMATAR	11.60	0.10	103	11.60
KYE	263.00	(4.00)	2	263.50	PRECHA	0.83	-	384	0.83	B-WORK	12.50	-	7,817	12.50
L&E	1.95	0.01	177	1.98	PRIN	1.51	(0.01)	60,055	1.51	BKER	8.90	0.10	2,779	8.83
MODERN	2.22	0.02	1,748	2.24	PSH	15.00	0.10	27,980	15.08	BKCCP	12.80	0.10	284	12.79
OGC	-	-	-	-	OH	2.42	-	317,114	2.45	BOFFICE	15.90	(1.30)	3,943	16.35
ROCK	-	-	-	-	RICHY	0.75	-	31,743	0.74	CPNCG	11.30	0.30	4,946	11.25
SIAM	1.50	-	351	1.49	RML	0.69	0.02	2,486	0.70	CPNREIT	33.50	0.25	40,189	33.12
TSR	1.91	0.07	1,261	1.89	ROJNA	4.68	0.06	20,426	4.72	CPTGF	12.90	-	1,044	12.90
Insurance					S	2.10	0.02	20,508	2.11	CTARAF	5.45	0.05	55	5.45
AYUD	38.75	1.50	253	37.50	SAMCO	1.42	(0.01)	313	1.42	DREIT	5.10	(0.20)	4,757	5.19
BKI	270.00	20.00	353	250.92	SC	2.40	0.08	36,736	2.38	ERWPF	4.92	0.02	378	4.92
BLA	16.20	-	7,741	16.36	SENA	2.52	0.02	7,364	2.51	FTREIT	17.00	0.50	29,757	16.82
BUI	11.00	11.00	1,188	12.10	SF	5.20	0.05	18,148	5.25	FUTUREPF	22.50	0.40	367	22.46
CHARAN	19.00	-	3	19.13	SIRI	0.87	0.04	515,814	0.88	GAHREIT	8.75	0.15	100	8.75
INSURE	-	-	-	-	SPALI	16.90	0.30	133,472	16.99	GOLDPF	6.90	(0.10)	3	6.90
MTI	72.50	(0.50)	23	73.03	U	1.28	0.04	168,473	1.29	GVREIT	17.00	(0.30)	1,881	17.00
NKI	-	-	-	-	UV	3.32	0.04	20,507	3.33	HPF	4.66	(0.04)	514	4.68
NSI	62.75	0.25	20	62.49	WHA	2.94	0.06	1,097,676	2.95	HREIT	8.70	0.10	6,382	8.73
SEG	28.50	-	30	28.50	WIN	0.39	-	200	0.38	IMPACT	19.50	(0.10)	7,022	19.68
SMK	28.75	-	228	28.83	Paper & Printing Mat					KPNPF	7.80	(0.05)	1	7.80
THRE	0.49	0.01	68,501	0.49	UTP	9.65	-	21,589	9.65	LHHOTEL	16.00	-	2,097	16.02
THREL	3.08	-	2,417	3.08	Fashion	-	-	-	-	LHPF	7.75	0.05	301	7.70
TIP	23.90	0.30	5,095	23.82	AFC	6.70	0.20	10	6.70	LHSC	17.10	0.10	28	17.10
TQM	67.00	1.00	25,273	68.41	B52	0.19	-	6,131	0.19	LUXF	7.50	0.10	206	7.45
TSI	0.44	-	10	0.44	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.70	(0.06)	573	3.70	CPH	-	-	-	-	M-PAT	-	-	-	-
Mining					CPL	0.89	-	40	0.87	M-STOR	6.60	-	102	6.54
PDI	4.86	0.06	903	4.85	ICC	-	-	-	-	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.50	0.02	7	2.49
Packaging					PAF	0.44	(0.02)	223	0.45	MJLF	9.50	(0.10)	331	9.35
AJ	9.30	(0.20)	706	9.27	PDJ	1.35	(0.01)	3,412	1.35	MNIT	1.36	(0.08)	50	1.36
ALUCON	144.00	(1.00)	2	144.00	PG	5.45	0.15	1	5.45	MNIT2	-	-	-	-
BGC	11.20	-	9,870	11.49	SABINA	20.50	1.90	29,930	20.20	MNRF	2.78	(0.10)	183	2.78
CSC	51.00	0.75	209	50.39	SAWANG	7.70	0.05	2	7.70	POPF	11.70	0.50	1,741	11.74
GLOCON	0.60	-	6,664	0.61	SUC	39.50	0.25	297	39.49	PPF	11.30	-	10	11.30
NEP	0.12	0.01	39,162	0.11	TNL	-	-	-	-	QHHR	8.00	(0.05)	1,873	8.05
PTL	11.90	0.20	1,963	11.95	TPCORP	11.00	0.30	44	10.64	QHOP	3.48	(0.02)	15	3.45
SFLEX	5.05	0.05	15,542	5.08	TR	24.50	(0.50)	83	24.79	QHPF	12.90	0.20	6,186	12.77
SITHAI	0.52	0.01	3,474	0.52	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.44	0.02	322	0.41	TTT	48.00	-	240	48.08	SHREIT	4.18	(0.02)	674	4.17
SMPC	5.75	0.15	2,456	5.74	UPF	-	-	-	-	SIRIP	-	-	-	-
SPACK	1.02	-	18	1.00	UT	-	-	-	-	SPF	16.40	0.10	3,130	16.38
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPRIME	13.70	0.30	4,145	13.60
TFI	0.04	(0.01)	337	0.04	Transportation & Log					SRIPANWA	9.35	0.35	205	9.15
THIP	22.50	(0.10)	48	22.53	AAV	1.54	0.04	1,059,463	1.61	SSPF	9.35	(0.05)	85	9.32
TMD	24.50	0.20	823	24.00	AOT	64.25	1.00	471,742	64.47	SSTRT	5.80	0.15	3	5.75
TOPP	-	-	-	-	ASIMAR	0.99	0.04	256	1.00	TIF1	8.95	-	29	8.90
TPBI	3.34	-	248	3.32	B	0.19	-	73,065	0.20	TLGF	20.00	0.10	8,427	20.15
TPP	-	-	-	-	BA	5.35	0.15	25,586	5.41	TLHPF	10.80	0.20	11	10.62
Personal Products &					BEM	9.55	-	666,594	9.65	TNPF	2.42	0.02	1	2.42
APCO	4.72	(0.26)	72,705	5.00	BTS	11.60	0.10	631,284	11.85	TPRIME	-	-	-	-
DDD	16.30	-	1,046	16.32	BTSgif	8.65	0.10	184,536	8.60	TTLPF	21.70	-	10	21.38
JCT	82.50	(0.50)	70	83.21	III	3.90	0.08	3,598	3.88	TU-PF	-	-	-	-
OCC	11.80	(0.40)	3	11.90	JUTHA	0.26	0.03	417	0.27	URBNPF	3.92	0.06	22	3.76
S & J	24.00	(2.75)	1,152	23.52	JWD	7.00	-	11,083	7.15	WHABT	9.40	-	19	9.40
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	16.70	-	8,176	16.83
TNR	6.00	0.10	446	6.02	NOK	1.35	0.04	2,188	1.45	Steel	-	-	-	-
TOG	4.60	0.06	343	4.60	NYT	3.52	0.06	8,853	3.52	AMC	1.37	(0.02)	6,968	1.32
Professional Service					PORT	1.52	0.06	42,232	1.54	BSBM	0.86	-	771	0.86
BWG	0.34	0.01	188,368	0.34	PRM	4.54	0.10	170,892	4.56	CEN	0.43	-	746	0.44
GENCO	0.45	0.01	4,158	0.44	PSL	4.68	0.18	52,060	4.68	CITY	1.67	0.06	219	1.67
PRO	-	-	-	-	RCL	2.28	(0.02)	5,953	2.29	CSP	0.67	-	50	0.65
SISB	9.15	0.10	57,642	9.32	TFFIF	12.30	0.30	117,523	12.31	GJS	0.10	-	14,516	0.10
TEAMG	2.08	(0.02)	12,314	2.10	THAI	4.88	0.42	126,521	4.88	GSTEEL	-	-	-	-
Property Developme					TSTE	-	-	-	-	INOX	0.41	-	6,119	0.40
A	6.05	-	100	6.03	TTA	3.06	0.12	19,614	3.03	LHK	2.28	0.12	2,637	2.25
AMATA	15.10	(0.20)	174,535	15.26	WICE	1.73	0.02	7,176	1.74	MAX	0.01	-	83,509	0.01
AMATAV	4.02	0.02	564	3.99	Automotive					MCS	9.20	0.25	26,864	9.15
ANAN	1.77	0.10												

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.88	0.01	11,631	-	ADVA01C2003A	0.05	-	6,965	-
ABICO	3.88	0.04	215	3.00	AIE	0.27	-	75,189	-	ADVA01C2003B	0.02	0.01	50	-
AU	7.30	0.05	159,107	7.00	PSTC	0.45	0.04	7,648,633	-	ADVA01C2005A	0.30	(0.01)	274,816	-
JCKH	0.20	0.01	834	-	QTC	4.46	(0.22)	5,202	4.00	ADVA01C2005B	0.08	-	790	-
KASET	1.06	0.01	684	1.00	SAAM	0.76	0.01	261	-	ADVA01C2007B	0.27	-	108,766	-
MM	2.26	0.04	9	2.00	SEA0IL	2.68	0.02	33,563	2.00	ADVA01C2008A	1.01	(0.01)	49,906	1.00
SUN	1.48	0.04	1,334	1.00	SR	0.89	0.10	259	-	ADVA01P2003A	0.87	0.01	21,302	-
TACC	3.42	0.08	28,769	3.00	TAKUNI	0.35	(0.01)	18,944	-	ADVA01P2003B	0.42	(0.01)	40,763	-
TMILL	2.74	0.02	692	2.00	TPCH	10.30	-	3,874	10.00	ADVA01P2007B	0.39	0.01	61,357	-
XO	4.10	0.04	9,821	4.00	TRT	1.86	0.06	5,567	1.00	ADVA06C2005A	0.02	-	2,700	-
Consumer Products														
BGT	0.74	-	36	-	UMS	0.20	0.03	2	-	ADVA08C2005A	0.10	-	20,000	-
BIZ	3.12	(0.24)	7,867	3.00	UWC	0.02	-	480,555	-	ADVA08P2004A	0.27	(0.01)	21,150	-
DOD	6.70	0.15	35,997	6.00	Services (MAI)	-	-	-	-	ADVA11C2006A	0.04	-	500	-
ECF	1.20	0.02	68,067	1.00	A5	-	-	-	-	ADVA11P2005A	0.11	(0.01)	30,998	-
HPT	0.45	0.02	460	-	AKP	0.98	0.06	12,594	-	ADVA13C2004A	0.06	-	1,800	-
IP	4.70	0.24	5,522	4.00	AMA	4.58	0.12	3,659	4.00	ADVA13C2006A	0.71	0.01	15,540	-
JUBILE	17.80	0.50	4,187	17.00	ARIP	0.35	0.01	4,760	-	ADVA13C2007A	0.28	(0.01)	163,368	-
MOONG	3.64	0.12	1,322	3.00	ATP30	0.94	0.04	5,777	-	ADVA13P2003A	0.22	(0.03)	2,641	-
NPK	14.80	1.60	5	14.00	AUCT	5.90	0.05	16,254	6.00	ADVA16C2005A	0.01	-	12,182	-
OCEAN	1.04	-	11,314	1.00	BOL	2.70	0.10	648	2.00	ADVA16C2007A	0.07	-	465	-
TM	2.66	0.02	7,749	2.00	CHUO	-	-	-	-	ADVA16C2009A	0.25	-	45,590	-
Financials (MAI)														
ACAP	0.76	0.02	4,582	-	CMO	1.02	0.01	5,002	1.00	ADVA19C2005A	0.09	-	1,473	-
AF	0.61	-	2,022	-	D	3.20	0.04	602	3.00	ADVA19C2007A	0.84	0.03	10	-
AIRA	1.06	0.01	487	1.00	DCORP	0.35	0.02	2,147	-	ADVA19C2007B	0.25	(0.01)	8,589	-
ASN	6.00	(0.10)	78	5.00	EFORL	0.04	-	344,255	-	ADVA19P2006A	0.27	-	13,435	-
BROOK	0.40	-	13,705	-	ETE	0.56	0.03	3,169	-	ADVA24C2006A	0.22	-	5,048	-
CHAYO	6.10	-	95,612	6.00	FSMART	6.65	(0.25)	14,584	6.00	ADVA28C2004A	-	-	-	-
GCAP	1.56	0.02	12,211	1.00	FVC	0.30	-	5,441	-	ADVA28C2005A	-	-	-	-
LIT	3.28	0.14	4,086	3.00	GSC	0.71	0.01	3,581	-	ADVA28C2007A	0.19	0.01	4,034	-
MITSI	1.01	(0.06)	14,231	1.00	HARN	2.10	0.02	6,104	2.00	ADVA28P2004A	0.23	(0.01)	29,388	-
SGF	0.42	0.03	44,580	-	IMH	2.36	0.06	1,034	2.00	ADVA41C2004A	-	-	-	-
Industrials (MAI)														
2S	1.89	0.07	581	1.00	JKN	4.40	0.14	56,491	4.00	ADVA41C2005A	-	-	-	-
ACG	0.88	(0.01)	827	-	KIAT	0.33	-	75,876	-	ADVA41C2006A	-	-	-	-
ADB	0.38	0.01	2,517	-	KOOL	0.80	-	7,762	-	ADVA41C2007A	0.21	-	27,382	-
BM	1.68	0.05	39	1.00	LDC	0.73	(0.01)	1,918	-	ADVA41P2004A	0.46	(0.01)	9,632	-
CHO	0.46	-	17,394	-	MORE	0.37	-	154,446	-	ADVA41P2005A	0.33	(0.01)	11,656	-
CHOW	0.97	0.02	6,886	-	MPG	0.23	0.01	414	-	ADVA42C2003A	-	-	-	-
CIG	0.17	-	15,166	-	MVP	1.50	-	505	1.00	ADVA42C2005A	-	-	-	-
COLOR	1.01	-	318	1.00	NBC	0.49	-	727	-	ADVA42P2007A	0.44	(0.01)	7,438	-
CPR	2.84	0.16	81	2.00	NCL	0.89	0.03	648	-	AEON01C2005A	0.02	-	32,353	-
FPI	2.22	(0.02)	594	2.00	NEWS	0.01	-	500	-	AEON13C2003A	-	-	-	-
GTB	0.61	-	3,609	-	NINE	1.99	-	2	1.00	AEON13C2007A	0.27	(0.02)	1,902	-
KCM	0.35	0.01	3,895	-	OTO	2.98	0.02	5,673	2.00	AEON19C2003A	-	-	-	-
KUMWEL	0.70	0.04	3,398	-	PHOL	1.84	(0.08)	19,321	1.00	AEON19C2006A	0.14	(0.01)	12,118	-
KWM	0.77	-	985	-	PICO	3.52	(0.02)	36	3.00	AMAT01C2004A	0.03	-	2,000	-
MBAX	2.98	0.02	24	2.00	QLT	5.00	0.08	364	4.00	AMAT01C2004B	0.02	-	11	-
MGT	1.38	0.04	2,054	1.00	RP	1.22	0.02	200	1.00	AMAT01C2007B	0.13	-	11,746	-
NDR	-	-	-	-	SE	1.53	-	447	1.00	AMAT01C2008A	0.33	(0.02)	76,802	-
PDG	2.84	(0.04)	1,291	2.00	SONIC	0.93	0.01	126	-	AMAT01P2008A	0.80	0.01	34,015	-
PIMO	0.98	0.01	5,215	1.00	SPA	11.10	0.20	8,557	11.00	AMAT06C2005A	-	-	-	-
PJW	1.05	0.01	2,041	1.00	THMIJ	0.42	0.01	566	-	AMAT08C2005A	-	-	-	-
PPM	0.59	0.03	205	-	TNDT	3.50	0.10	2,974	3.00	AMAT11C2004A	-	-	-	-
RWI	1.14	0.01	67	1.00	TNH	32.00	1.25	83	33.00	AMAT11C2008A	0.13	(0.01)	15,200	-
SALEE	0.79	-	209	-	TNP	2.08	(0.02)	5,203	2.00	AMAT13C2004A	-	-	-	-
SANKO	0.88	(0.02)	1,741	-	TSF	-	-	-	-	AMAT13C2006A	-	-	-	-
SELIC	2.06	-	840	2.00	TVD	0.59	0.01	29,572	-	AMAT16C2003A	-	-	-	-
SWC	4.18	0.10	3,714	4.00	TVT	0.46	0.01	771	-	AMAT16C2006A	0.02	0.01	2	-
TMC	0.30	0.02	3,025	-	VL	1.14	0.02	124,512	1.00	AMAT16C2008A	0.17	(0.01)	17,384	-
TMI	0.71	-	2,020	-	WINNER	2.14	0.08	9,948	2.00	AMAT19C2003A	-	-	-	-
TMW	37.75	1.50	43	37.00	YGG	4.70	(0.08)	2,255	4.00	AMAT19C2005A	0.02	(0.03)	2,500	-
TPAC	8.80	-	133	8.00	Technology (MAI)	-	-	-	-	AMAT19C2006A	-	-	-	-
TPLAS	1.06	0.02	858	1.00	APP	1.63	0.04	6,585	1.00	AMAT19C2008A	0.34	(0.02)	37,420	-
UBIS	5.10	0.10	78	5.00	COMAN	2.40	-	66	2.00	AMAT24C2006A	-	-	-	-
UEC	0.74	-	534	-	ICN	1.57	-	826	1.00	AMAT41C2003A	-	-	-	-
UKEM	0.40	-	11,059	-	INSET	2.58	-	18,375	2.00	AMAT41C2004A	-	-	-	-
UREKA	0.91	0.01	1,800	-	JRCP	0.41	-	4,271	-	AMAT41C2005A	-	-	-	-
YUASA	11.90	0.30	222	11.00	ITEL	2.10	0.04	8,044	2.00	AMAT41C2006A	-	-	-	-
ZIGA	0.94	(0.02)	936	-	NETBAY	31.00	1.25	11,533	30.00	AMAT42C2003A	-	-	-	-
Property & Construc														
ALL	2.80	0.08	57,200	2.00	PLANET	0.95	0.06	7,509	-	AMAT42C2005A	-	-	-	-
ARIN	0.65	0.02	8,597	-	SIMAT	2.00	0.08	34,975	1.00	AMAT42C2007A	0.14	(0.01)	4,710	-
ARROW	7.40	-	1,003	7.00	SKY	13.90	0.30	5,865	13.00	ANAN13C2007A	0.04	0.01	101	-
BC	1.15	-	3,180	1.00	SPVI	2.26	(0.02)	48,678	2.00	ANAN19C2004A	0.02	0.01	1	-
BSM	0.27	-	9,857	-	TPS	2.02	0.02	4,078	2.00	ANAN19C2007A	0.04	0.01	3,700	-
BTW	0.47	(0.01)	602	-	UPA	0.14	-	16,736	-	AOT01C2004A	0.09	0.02	95,169	-
CAZ	1.85	0.04	4,158	1.00	VCOM	2.36	0.02	2,924	2.00	AOT01C2004B	0.02	-	9,015	-
CHEWA	0.36	-	14,199	-	Unit Trust	-	-	-	-	AOT01C2006B	0.15	0.02	159,378	-
CMC	0.77	0.02	5,788	-	MGE	-	-	-	-	AOT01C2007A	0.41	0.03	266,030	-
CRD	0.56	0.01	446	-	SCBSET	-	-	-	-	AOT01P2004A	1.42	(0.06)	28,206	1.00
DIMET	-	-	-	-	ETF	-	-	-	-	AOT01P2004B	0.88	(0.13)	24,266	-
FLOYD	1.25	-	47	1.00	1DIV	8.74	0.04	2,212	9.00	AOT01P2006B	0.67	(0.07)	137,883	-
HYDRO	-	-	-	-	ABFTH	-	-	-	-	AOT01P2007A	0.92	(0.07)	124,932	-
JSP	0.23	-	27,919	-	BMSCG	6.72	0.15	428	6.00	AOT06C2003A	0.02	-	1	-
K	0.87	0.02	10,073	-	BMSCITH	10.27	0.08	6,113	10.00	AOT06C20				

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT24C2006A	0.15	0.03	8,986	-	BBL28C2003A	-	-	-	-	BEM41P2003A	-	-	-	-
AOT27C2008A	0.14	0.02	6,502	-	BBL28C2005A	0.03	(0.03)	2,020	-	BEM41P2004A	0.25	(0.02)	1,621	-
AOT28C2003A	0.01	(0.01)	2	-	BBL28C2007A	0.14	(0.04)	53,368	-	BGR101C2003A	0.23	0.10	461,840	-
AOT28C2006A	0.03	0.01	1,673	-	BBL41C2003A	-	-	-	-	BGR101C2003B	0.03	0.01	68,644	-
AOT28C2006B	0.10	0.01	20,331	-	BBL41C2004A	-	-	-	-	BGR101C2006A	0.23	0.07	810,318	-
AOT28C2008A	0.47	(0.53)	63,873	-	BBL41C2005A	-	-	-	-	BGR101C2006B	0.06	0.02	318,081	-
AOT28P2004A	0.57	(0.15)	89	-	BBL41C2006A	-	-	-	-	BGR101P2003A	0.16	(0.14)	59,850	-
AOT41C2003A	-	-	-	-	BBL41C2007A	0.15	(0.05)	84,514	-	BGR101P2006A	1.08	(0.24)	28,391	1.00
AOT41C2004A	-	-	-	-	BBL41C2007B	0.27	(0.10)	82,024	-	BGR106C2005A	0.08	0.03	56,576	-
AOT41C2005A	-	-	-	-	BBL41P2004A	-	-	-	-	BGR108C2003A	0.28	0.12	177,412	-
AOT41C2006A	0.12	0.02	63,451	-	BBL41P2006A	0.98	0.08	1,956	-	BGR108C2005A	0.15	0.05	97,724	-
AOT41C2007A	-	-	-	-	BBL42C2003A	-	-	-	-	BGR111C2006A	0.47	0.14	133,174	-
AOT41C2007B	0.43	0.06	140,411	-	BBL42C2005A	-	-	-	-	BGR111C2008A	0.19	0.06	113,806	-
AOT41P2004A	-	-	-	-	BBL42C2007A	0.15	(0.06)	16,657	-	BGR113C2004A	0.04	0.02	19,156	-
AOT41P2005A	-	-	-	-	BCH01C2006A	0.15	0.02	142,388	-	BGR113C2006A	0.09	0.03	159,273	-
AOT41P2006A	0.74	(0.12)	3,916	-	BCH01C2006B	0.05	0.01	18,332	-	BGR113C2007A	0.31	0.09	863,087	-
AOT42C2006A	0.04	0.02	50	-	BCH01P2006A	0.80	(0.07)	41,096	-	BGR113C2008A	0.55	0.12	533,082	-
AOT42P2003A	0.01	-	150	-	BCH06C2006A	0.07	0.03	4,150	-	BGR113P2005A	0.66	(0.32)	430,685	-
AOT42P2009A	0.61	(0.12)	11,223	-	BCH06P2006A	-	-	-	-	BGR116C2005A	0.11	0.05	265,765	-
AP19C2007A	0.15	(0.02)	30,531	-	BCH08C2004A	-	-	-	-	BGR119C2004A	0.26	0.10	82,645	-
AP28C2004A	0.03	-	1	-	BCH11C2008A	0.14	0.01	52,400	-	BGR119C2005A	0.11	0.05	28,272	-
AP28C2006A	-	-	-	-	BCH13C2004A	0.04	0.02	5,000	-	BGR119C2006A	0.08	0.03	8,700	-
AWC01C2003A	0.05	-	1,279	-	BCH13C2007A	0.15	0.01	106,180	-	BGR119C2008A	0.57	(0.43)	78,148	-
AWC01C2003B	-	-	-	-	BCH16C2006A	0.11	0.03	9,792	-	BGR119P2007A	0.85	(0.15)	61,566	-
AWC01C2004A	0.02	-	50	-	BCH19C2005A	0.02	-	4,000	-	BGR124C2004A	0.26	0.09	28,240	-
AWC01P2003A	0.45	(0.03)	47,032	-	BCH19C2006A	0.11	0.01	48,866	-	BGR127P2006A	0.50	(0.12)	60,150	-
AWC01P2003B	0.06	0.01	80,089	-	BCH19C2008A	0.34	0.04	21,445	-	BGR128C2003A	-	-	-	-
AWC01P2007A	0.43	(0.02)	127,844	-	BCH24C2003A	0.01	(0.03)	180	-	BGR128C2003B	-	-	-	-
AWC06C2004A	0.06	-	25,792	-	BCH27C2003A	-	-	-	-	BGR141C2004A	0.11	0.06	7,773	-
AWC08C2004A	-	-	-	-	BCH41C2005A	-	-	-	-	BGR141C2005A	0.12	0.07	139,231	-
AWC13C2003A	-	-	-	-	BCH41C2006A	0.09	(0.01)	3,886	-	BGR141C2006A	0.13	0.05	269,932	-
AWC13C2006A	0.09	(0.01)	5,493	-	BCP01C2005A	0.29	-	236,025	-	BGR141P2004A	0.19	(0.12)	89,301	-
AWC13P2003A	-	-	-	-	BCP01C2005B	-	-	-	-	BGR141P2005A	0.55	(0.24)	35,980	-
AWC13P2006A	0.42	(0.01)	124,197	-	BCP01P2005A	0.28	0.01	410	-	BGR141P2006A	-	-	-	-
AWC16C2005A	0.01	(0.01)	200	-	BCP11C2004A	-	-	-	-	BGR142C2003A	0.02	0.01	3,000	-
AWC16C2007A	0.06	-	8,380	-	BCP13C2003A	-	-	-	-	BGR142C2006A	0.06	0.03	2,250	-
AWC19C2003A	-	-	-	-	BCP13C2003B	0.11	(0.01)	27,876	-	BH01C2004A	0.44	(0.03)	25,427	-
AWC19C2004A	-	-	-	-	BCP13C2007A	0.11	-	74,876	-	BH01C2004B	0.09	-	440	-
AWC19C2006A	0.08	-	12,630	-	BCP19C2004A	0.19	-	116,631	-	BH01P2004A	0.46	0.01	87,966	-
AWC24C2007A	0.04	0.01	1	-	BCP19C2005A	-	-	-	-	BH08C2007A	0.43	(0.03)	19,710	-
AWC28C2003A	-	-	-	-	BCE24C2004A	-	-	-	-	BH11C2008A	0.30	-	4,000	-
AWC28C2003B	-	-	-	-	BCEP01C2005A	0.23	0.06	196,152	-	BH13C2006A	0.18	(0.02)	60,464	-
AWC28C2003C	-	-	-	-	BCEP01C2005B	0.05	0.02	250	-	BH19C2003A	0.07	(0.01)	2,250	-
AWC28C2006A	0.08	0.01	8,600	-	BCEP01P2005A	0.34	(0.15)	5,512	-	BH19C2006A	0.22	(0.01)	12,165	-
AWC28C2008A	0.69	(0.31)	6,079	-	BCEP13C2004A	0.05	-	1,200	-	BH24C2003A	-	-	-	-
AWC28P2003A	-	-	-	-	BCEP13C2007A	0.24	0.06	231,299	-	BH27C2007A	0.30	(0.01)	3,830	-
AWC41C2003A	-	-	-	-	BCEP16C2009A	0.24	0.07	45,202	-	BH41C2003A	-	-	-	-
AWC41C2004A	-	-	-	-	BCEP19C2003A	-	-	-	-	BH41C2004A	0.13	(0.01)	36,292	-
AWC41C2005A	0.11	0.01	121,682	-	BCEPG19C2005A	0.15	0.04	1,507	-	BH41C2005A	0.18	(0.01)	6,320	-
AWC41C2006A	0.11	0.01	89,364	-	BCEPG28C2003A	0.01	-	350	-	BH41C2006A	-	-	-	-
AWC41C2007A	0.10	0.01	15,520	-	BCEPG28C2004A	-	-	-	-	BH41P2004A	0.12	(0.01)	489	-
AWC42C2003A	-	-	-	-	BCEPG28C2008A	0.34	(0.66)	83,287	-	BH41P2006A	0.67	0.02	21,264	-
AWC42C2008A	0.14	0.01	84,577	-	BCEPG41C2005A	0.13	0.03	30,446	-	BH42C2003A	-	-	-	-
BANP01C2005A	0.01	(0.01)	15,390	-	BCEPG42C2004A	-	-	-	-	BH42C2008A	0.42	(0.01)	10,530	-
BANP01C2005B	0.02	0.01	7	-	BCEPG42C2007A	0.19	0.07	12,049	-	BJC01C2004A	0.04	0.01	8,706	-
BANP01P2005A	0.95	(0.01)	17,678	-	BDM01C2007B	0.09	-	138,204	-	BJC01C2004B	-	-	-	-
BANP01P2005B	0.71	(0.04)	32,909	-	BDM01P2008A	0.40	(0.02)	58,721	-	BJC01P2004A	1.00	(0.07)	27,600	-
BANP06C2005A	-	-	-	-	BDM06C2003A	0.02	-	100	-	BJC06C2006A	0.08	0.03	16,752	-
BANP08C2005A	-	-	-	-	BDM06C2008A	0.54	(0.46)	30,169	-	BJC11C2008A	0.16	0.03	29,106	-
BANP08C2007A	0.10	-	24,247	-	BDM06P2004A	0.14	(0.04)	68,410	-	BJC13C2004A	-	-	-	-
BANP08P2003A	1.07	(0.03)	8,200	1.00	BDM08C2003A	-	-	-	-	BJC13C2005A	0.05	0.01	903	-
BANP11C2004A	-	-	-	-	BDM08C2006A	0.04	-	400	-	BJC16C2006A	0.07	0.02	12,100	-
BANP11C2008A	-	-	-	-	BDM11C2007A	0.27	0.02	61,213	-	BJC19C2003A	-	-	-	-
BANP13C2003A	-	-	-	-	BDM11C2008A	0.08	-	1,663	-	BJC19C2005A	-	-	-	-
BANP13C2006A	-	-	-	-	BDM13C2003A	-	-	-	-	BJC19C2007A	0.18	0.02	11,735	-
BANP19C2004A	-	-	-	-	BDM13C2004A	0.02	-	10,100	-	BJC24C2003A	-	-	-	-
BANP19C2005A	-	-	-	-	BDM13C2008A	0.35	(0.65)	243,018	-	BJC24C2006A	0.12	0.02	5,510	-
BANP19C2007A	0.03	0.01	25,929	-	BDM16C2006A	0.28	0.02	93,963	-	BJC27C2009A	0.12	0.02	7,096	-
BANP19C2007B	0.13	0.01	25,107	-	BDM19C2005A	0.15	0.01	29,029	-	BJC28C2004A	-	-	-	-
BANP19P2003A	-	-	-	-	BDM19C2005B	-	-	-	-	BJC28C2007A	0.11	0.03	24,336	-
BANP24C2003A	-	-	-	-	BDM24C2006A	0.06	-	360	-	BJC41C2004A	-	-	-	-
BANP27C2007A	0.03	0.02	1,501	-	BDM24C2004A	-	-	-	-	BJC41C2005A	-	-	-	-
BANP28C2003A	-	-	-	-	BDM24C2005A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP28C2004A	-	-	-	-	BDM24C2006A	-	-	-	-	BJC41C2007A	0.13	0.02	109,358	-
BANP28C2008A	0.31	(0.69)	34,527	-	BDM24P2004A	0.27	(0.04)	26,668	-	BJC41P2004A	-	-	-	-
BANP41C2003A	0.01	-	1,482	-	BDM24P2006A	-	-	-	-	BJC41P2005A	0.53	(0.09)	14,673	-
BANP41C2004A	-	-	-	-	BDM24C2003A	-	-	-	-	BJC42C2004A	-	-	-	-
BANP41C2005A	-	-	-	-	BEAU13C2003A	0.01	-	176	-	BLAN19C2004A	-	-	-	-
BANP41C2006A	-	-	-	-	BEAU13C2003B	-	-	-	-	BLAN28C2004A	-	-	-	-
BANP41P2005A	0.78	(0.14)	3,834	-	BEC01C2006A	0.15	0.01	25,165	-	BPP01C2005A	0.05	0.01	10,500	-
BANP41P2007A	-	-	-	-	BEC01C2006B	0.05	0.01	2,816	-	BPP01C2005B	-	-	-	-
BANP42C2004A	-	-	-	-	BEC01P2006A	0.71	(0.03)	200	-	BPP01P2005A	1.05	(0.05)	21,685	1.00
BANP42C2006A	-	-	-	-	BEC19C2003A	-	-	-	-	BPP13C2004A	-	-	-	-
BANP42P2005A	1.02	(0.02)	7,302	-	BEC19C2005A	0.06	0.02	10	-	BPP13C2007A	0.09	0.02	11,060	-
BBL06C2007A	0.18	(0.07)	155,036	-	BEC41C2003A	-	-	-	-	BPP19C2005A	0.01	-	27,690	-
BBL06P2004A	1.81	0.03	1,476	1.00	BEC42C2003A	-	-	-	-	BPP19C2007A	0.11	0.01	32,404	-
BBL08C2005A	0.06	(0.03)	5,549	-	BEC42C2005A	-	-	-	-	BPP24C2003A	-	-	-	-
BBL08C2007A	0.20	(0.07)	103,689	-	BEM01C2004A	0.08	-	74,105	-	BTS01C2005A	0.13	0.02	652,524	-
BBL08P2007A	0.77	0.10	153,909	-	BEM01C2004B	0.02	-	305	-	BTS01C2005B	0.02	-	1,051	-
BBL11C2005A	0.02	(0.01)	10,110	-	BEM01P2004A	0.26	-	50,517	-	BTS01P2005A	0.33	-	278,062	-
BBL11C2007A	0.04	(0.03)	3,											

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS42C2008A	0.09	0.01	3	-	CKP24C2006A	-	-	-	-	CPN41P2005A	0.55	(0.32)	897	-
CBG01C2004A	0.40	0.13	647,837	-	CKP27C2005A	-	-	-	-	CPN41P2006A	0.28	(0.07)	3,612	-
CBG01C2004B	0.06	0.02	112,110	-	CKP28C2003A	-	-	-	-	CPN42C2004A	-	-	-	-
CBG01C2007B	0.60	0.15	603,578	-	CKP28C2004A	0.02	0.01	1,200	-	CPN42C2006A	0.14	0.04	7,493	-
CBG01P2003A	0.03	(0.05)	38,511	-	CKP28C2004B	-	-	-	-	CRC01C2007A	0.34	(0.01)	194,843	-
CBG01P2004A	0.63	(0.26)	33,623	-	CKP28C2006A	0.09	0.03	810	-	CRC08C2007A	0.50	(0.02)	16,944	-
CBG01P2007B	1.10	(0.23)	3,062	1.00	CKP41C2004A	-	-	-	-	CRC13C2008A	0.29	(0.02)	176,973	-
CBG06C2005A	0.18	0.08	124,146	-	CKP41C2005A	-	-	-	-	CRC19C2008A	0.45	(0.03)	49,120	-
CBG08C2003A	0.09	0.04	885	-	CKP41C2006A	-	-	-	-	CRC28C2007A	0.34	(0.02)	88,732	-
CBG08C2007A	0.96	0.20	95,087	-	CKP41C2007A	-	-	-	-	CRC28C2007B	0.22	(0.02)	71,619	-
CBG11C2008A	0.62	0.14	46,794	-	CKP42C2003A	-	-	-	-	CRC41C2007A	0.32	(0.01)	19,817	-
CBG13C2004A	0.07	0.03	18,118	-	CKP42C2005A	-	-	-	-	DTAC01C2004A	0.07	0.02	27,217	-
CBG13C2008A	0.89	0.19	162,071	-	CKP42C2006A	0.09	(0.02)	8,780	-	DTAC01C2004B	0.02	-	1,500	-
CBG13P2006A	1.00	(0.25)	9,781	1.00	COM708C2007A	0.12	0.02	62,261	-	DTAC01C2007B	0.20	0.03	336,764	-
CBG16C2008A	0.37	0.11	130,386	-	COM711C2004A	0.04	0.01	1,138	-	DTAC01C2008A	0.41	0.04	148,228	-
CBG19C2004A	0.10	0.03	19,148	-	COM713C2004A	0.02	-	2,010	-	DTAC01P2004A	1.43	(0.14)	16,769	1.00
CBG19C2005A	0.31	0.11	189,517	-	COM713C2007A	0.11	0.01	30,242	-	DTAC01P2004B	0.99	(0.14)	22,049	1.00
CBG19C2008A	1.01	0.01	141,177	-	COM716C2008A	0.06	0.01	600	-	DTAC01P2007B	0.53	(0.07)	150,995	-
CBG19P2006A	1.12	(0.25)	37,275	1.00	COM719C2003A	0.04	-	600	-	DTAC01P2008A	0.67	(0.06)	38,330	-
CBG24C2003A	0.03	0.01	4	-	COM719C2005A	0.05	-	3,021	-	DTAC06C2006A	0.04	0.02	28,317	-
CBG41C2003A	-	-	-	-	COM719C2008A	0.61	0.11	46,714	-	DTAC08C2005A	-	-	-	-
CBG41C2004A	-	-	-	-	COM719P2004A	0.17	(0.06)	21,473	-	DTAC08C2005B	-	-	-	-
CBG41C2005A	0.46	0.13	81,486	-	COM724C2007A	0.10	0.01	10,000	-	DTAC08C2007A	0.20	0.03	32,760	-
CBG41C2006A	0.44	0.10	10,438	-	COM741C2004A	-	-	-	-	DTAC13C2003A	-	-	-	-
CBG41P2003A	-	-	-	-	COM741C2006A	-	-	-	-	DTAC13C2006A	0.05	0.01	82,032	-
CBG41P2004A	0.97	(0.25)	11,416	-	COM742C2004A	-	-	-	-	DTAC13C2007A	0.16	0.02	109,725	-
CBG41P2006A	1.07	(0.25)	88,125	1.00	CPAL01C2004A	0.13	0.02	149,203	-	DTAC13P2003A	-	-	-	-
CBG42C2003A	-	-	-	-	CPAL01C2004B	0.03	-	340	-	DTAC13P2006A	-	-	-	-
CBG42C2006A	0.18	0.07	27,610	-	CPAL01C2006A	0.40	0.03	154,576	-	DTAC13P2007A	0.19	(0.02)	18,512	-
CENT01C2003A	0.01	-	25	-	CPAL01C2006B	0.18	0.01	149,248	-	DTAC13P2008A	0.56	(0.09)	74,414	-
CENT01C2003B	-	-	-	-	CPAL01C2008B	0.48	0.02	105,043	-	DTAC16C2009A	0.38	0.05	92,184	-
CENT01C2006A	0.19	0.05	147,369	-	CPAL01P2004A	0.94	(0.06)	26,314	-	DTAC19C2005A	0.04	0.01	2,284	-
CENT01C2006B	0.02	0.01	2,800	-	CPAL01P2004B	0.36	(0.06)	180,264	-	DTAC19C2006A	0.12	0.03	29,757	-
CENT01P2003A	0.84	(0.09)	27,588	-	CPAL01P2008B	0.49	(0.03)	51,233	-	DTAC19C2007A	0.31	0.05	27,521	-
CENT06C2003A	0.01	-	200	-	CPAL06C2006A	0.22	0.02	151,715	-	DTAC19P2007A	0.45	(0.06)	13,244	-
CENT06C2006A	0.12	0.03	69,392	-	CPAL08C2004A	-	-	-	-	DTAC24C2004A	-	-	-	-
CENT06P2007A	0.46	(0.11)	112,574	-	CPAL08C2006A	0.15	0.01	71,970	-	DTAC24C2007A	0.28	0.04	3,058	-
CENT08C2004A	-	-	-	-	CPAL08P2006A	0.52	(0.05)	61,412	-	DTAC27C2008A	0.32	0.03	23,073	-
CENT11C2004A	-	-	-	-	CPAL11C2006A	0.05	0.01	91	-	DTAC41C2004A	-	-	-	-
CENT11C2007A	0.04	-	791	-	CPAL11C2007A	0.18	0.01	74,040	-	DTAC41C2005A	-	-	-	-
CENT13C2003A	-	-	-	-	CPAL13C2004A	-	-	-	-	DTAC41C2006A	0.06	0.02	11	-
CENT13C2005A	-	-	-	-	CPAL13C2007A	0.37	0.01	191,911	-	DTAC41C2007A	0.19	0.04	104,922	-
CENT13C2006A	0.17	0.04	144,147	-	CPAL13P2003A	-	-	-	-	DTAC41C2007B	0.40	0.05	167,600	-
CENT19C2004A	-	-	-	-	CPAL16C2006A	0.11	-	26,812	-	DTAC41P2005A	0.41	(0.17)	40	-
CENT19C2005A	0.10	0.03	6,434	-	CPAL16C2007A	0.20	0.02	50,608	-	DTAC41P2006A	-	-	-	-
CENT19C2008A	0.57	0.09	115,104	-	CPAL19C2004A	0.03	-	1,800	-	DTAC42C2004A	-	-	-	-
CENT24C2003A	-	-	-	-	CPAL19C2005A	0.14	-	13,067	-	DTAC42C2006A	0.17	0.03	5,112	-
CENT24C2008A	-	-	-	-	CPAL19C2008A	0.55	0.03	35,198	-	EA06C2005A	0.16	0.02	139,338	-
CENT27C2008A	0.04	0.01	2,605	-	CPAL19P2004A	0.24	(0.04)	27,032	-	EA08C2004A	0.04	0.02	1,600	-
CENT28C2004A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA08C2006A	0.32	0.03	84,053	-
CENT28C2005A	-	-	-	-	CPAL28C2003A	-	-	-	-	EA11C2005A	0.13	0.02	60,528	-
CENT28C2006A	0.11	0.02	77,664	-	CPAL28C2003B	-	-	-	-	EA13C2003A	0.04	0.03	13,328	-
CENT41C2003A	-	-	-	-	CPAL28C2004A	0.01	(0.06)	28	-	EA13C2005A	0.20	0.02	89,839	-
CENT41C2004A	-	-	-	-	CPAL28C2005A	0.10	(0.01)	30,430	-	EA13C2006A	0.16	0.02	78,751	-
CENT41C2005A	-	-	-	-	CPAL28C2007A	0.22	0.01	44,790	-	EA13C2008A	0.39	(0.61)	100,503	-
CENT41C2006A	0.24	0.04	79,524	-	CPAL41C2003A	0.01	-	988	-	EA13P2003A	0.02	(0.01)	3,001	-
CENT41P2003A	0.85	(0.05)	2	-	CPAL41C2004A	-	-	-	-	EA13P2006A	0.70	(0.05)	108,992	-
CENT42C2004A	-	-	-	-	CPAL41C2005A	0.15	0.02	19,708	-	EA16C2003A	-	-	-	-
CENT42C2006A	0.10	0.07	7,134	-	CPAL41C2006A	-	-	-	-	EA16C2006A	0.08	0.02	7,836	-
CHG01C2006A	0.27	(0.02)	37,473	-	CPAL41C2007A	0.34	0.02	60,080	-	EA16C2008A	0.15	0.02	191,239	-
CHG01C2006B	0.12	(0.01)	32,707	-	CPAL41P2003A	-	-	-	-	EA19C2004A	0.13	0.02	26,912	-
CHG01P2006A	0.37	0.02	27,787	-	CPAL41P2004A	0.26	(0.05)	28,549	-	EA19C2008A	0.54	0.04	19,039	-
CHG06P2003A	-	-	-	-	CPAL41P2005A	-	-	-	-	EA19P2007A	0.69	(0.03)	14,582	-
CHG08C2005A	0.10	0.01	6,010	-	CPAL41P2006A	-	-	-	-	EA24C2003A	-	-	-	-
CHG13C2003A	-	-	-	-	CPAL42C2003A	-	-	-	-	EA24C2004A	0.16	0.02	10,802	-
CHG13C2006A	0.19	(0.01)	88,197	-	CPAL42C2005A	-	-	-	-	EA27C2006A	0.21	0.03	19,056	-
CHG16C2009A	0.20	(0.01)	19,240	-	CPAL42C2007A	0.20	0.02	15,602	-	EA28C2004A	0.04	0.02	120	-
CHG19C2004A	0.15	(0.01)	17,790	-	CPF01C2004A	0.21	0.03	298,572	-	EA28C2004B	-	-	-	-
CHG27C2009A	0.26	0.01	4,272	-	CPF01C2004B	0.11	0.03	414,113	-	EA28C2006A	0.18	0.03	64,718	-
CHG41C2005A	-	-	-	-	CPF01P2004A	0.09	(0.03)	127,853	-	EA41C2004A	0.10	-	23,316	-
CHG42C2006A	0.15	(0.02)	6,092	-	CPF08C2006A	0.09	0.02	4,788	-	EA41C2005A	-	-	-	-
CK01C2005A	0.42	(0.02)	191,295	-	CPF11C2004A	-	-	-	-	EA41C2006A	0.24	0.03	85,980	-
CK01C2005B	0.16	(0.01)	161,345	-	CPF11C2007A	0.22	0.03	35,583	-	EA41P2003A	-	-	-	-
CK01P2005A	0.18	0.01	122,084	-	CPF13C2003A	0.02	0.01	6,100	-	EA41P2004A	0.33	(0.05)	62,498	-
CK06C2004A	0.15	(0.01)	74,873	-	CPF13C2006A	0.11	0.03	107,298	-	EA42C2004A	-	-	-	-
CK11C2007A	0.20	-	40,293	-	CPF16C2007A	0.16	0.03	59,060	-	EGCO01C2004A	0.02	(0.01)	4,150	-
CK13C2003A	0.09	0.01	4,014	-	CPF19C2003A	0.04	0.02	27,852	-	EGCO01C2004B	0.02	0.01	2,501	-
CK13C2006A	0.17	(0.01)	248,208	-	CPF19C2005A	0.19	0.03	14,282	-	EGCO01C2007B	0.30	(0.02)	205,886	-
CK16C2003A	-	-	-	-	CPF19C2006A	0.10	0.02	19,500	-	EGCO06C2004A	-	-	-	-
CK16C2006A	0.14	(0.01)	47,576	-	CPF24C2007A	0.24	0.03	7,985	-	EGCO06C2007A	0.12	-	76,029	-
CK19C2003A	-	-	-	-	CPF28C2004A	0.12	0.03	19,115	-	EGCO06P2004A	-	-	-	-
CK19C2004A	0.15	(0.01)	19,194	-	CPF28C2007A	0.11	0.03	35,705	-	EGCO13C2005A	0.07	-	400	-
CK19C2007A	0.19	(0.02)	20,420	-	CPF41C2004A	0.12	0.03	11,658	-	EGCO19C2005A	0.04	(0.01)	41	-
CK24C2003A	-	-	-	-	CPF41C2005A	0.12	0.03	14,380	-	EGCO19C2007A	0.19	(0.02)	107,182	-
CK27C2008A	0.35	(0.02)	37,642	-	CPF41P2003A	0.01	(0.01)	1,500	-	EGCO41C2003A	-	-	-	-
CK41C2003A	0.10	-	48,680	-	CPF41P2005A	0.14	(0.03)	2,000	-	EGCO41C2004A	0.03	-	1	-
CK41C2004A	-	-	-	-	CPF42C2003A	-	-	-	-	EGCO41C2006A	0.11	0.01	7,197	-
CK41C2005A	0.10	-	38,860	-	CPN01C2005A									

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ERW13C2007A	0.19	(0.01)	215	-	GULF19C2006A	0.12	0.01	49,424	-	INTU41P2003A	-	-	-	-
ERW19C2005A	-	-	-	-	GULF19P2003A	0.03	-	17,736	-	INTU41P2004A	-	-	-	-
ERW19C2006A	0.04	0.02	800	-	GULF19P2006A	0.72	(0.07)	27,324	-	INTU41P2005A	-	-	-	-
ERW19C2007A	0.21	-	58,554	-	GULF24C2005A	0.74	0.06	12,138	-	INTU41P2006A	0.46	(0.01)	9,250	-
ERW24C2006A	0.31	-	8,873	-	GULF27C2004A	-	-	-	-	INTU42C2003A	-	-	-	-
ESSO01C2004A	0.07	0.01	70,798	-	GULF28C2003A	0.01	-	3,557	-	INTU42C2005A	-	-	-	-
ESSO01C2004B	0.02	-	5,322	-	GULF28C2003B	-	-	-	-	IRPC01C2005A	0.03	-	4,649	-
ESSO08C2004A	0.08	0.03	4,561	-	GULF28C2006A	0.06	0.01	32	-	IRPC01C2005B	0.02	0.01	10	-
ESSO13C2003A	0.01	(0.04)	120	-	GULF28C2008A	0.41	(0.59)	117,043	-	IRPC01C2007B	0.16	0.01	397,452	-
ESSO13C2006A	0.10	-	151,974	-	GULF41C2003A	-	-	-	-	IRPC01P2005A	1.69	(0.05)	17,001	1.00
ESSO19C2004A	0.03	0.01	686	-	GULF41C2004A	-	-	-	-	IRPC01P2005B	1.16	(0.13)	22,021	1.00
ESSO19C2007A	0.27	0.02	82,887	-	GULF41C2005A	0.23	0.01	35,190	-	IRPC01P2007B	0.70	(0.03)	119,134	-
ESSO24C2003A	-	-	-	-	GULF41C2006A	0.67	0.07	275,209	-	IRPC06C2005A	0.02	-	129	-
ESSO24C2007A	0.23	0.02	26,852	-	GULF41P2003A	0.14	(0.03)	283	-	IRPC06C2007A	0.05	0.01	48,885	-
ESSO41C2003A	-	-	-	-	GULF41P2004A	0.44	(0.08)	114,398	-	IRPC06P2004A	-	-	-	-
ESSO41C2004A	-	-	-	-	GULF41P2005A	-	-	-	-	IRPC11C2005A	0.03	0.01	40	-
ESSO41C2005A	0.07	0.02	1,000	-	GULF41P2006A	0.39	(0.06)	106,446	-	IRPC11C2008A	0.04	0.01	130	-
ESSO41C2006A	0.24	0.03	89,244	-	GULF41P2007A	1.16	(0.08)	13,653	1.00	IRPC13C2003A	-	-	-	-
ESSO42C2003A	-	-	-	-	GULF42C2003A	-	-	-	-	IRPC13C2006A	-	-	-	-
ESSO42C2007A	0.25	0.03	43,404	-	GUNK01C2005A	0.10	-	28,684	-	IRPC13C2007A	0.10	0.01	107,409	-
GFPT13C2003A	-	-	-	-	GUNK01C2005B	0.02	-	10,991	-	IRPC13C2008A	0.27	(0.73)	323,038	-
GFPT19C2004A	-	-	-	-	GUNK01P2005A	0.43	(0.06)	18,021	-	IRPC16C2008A	0.14	0.01	68,746	-
GFPT19C2006A	0.15	(0.02)	2,632	-	GUNK11C2007A	0.05	-	62	-	IRPC19C2003A	-	-	-	-
GFPT24C2007A	0.19	0.02	1,142	-	GUNK13C2003A	-	-	-	-	IRPC19C2005A	0.02	-	1,100	-
GFPT42C2004A	-	-	-	-	GUNK13C2006A	0.09	0.01	28,128	-	IRPC19C2007A	0.15	0.02	82,419	-
GFPT42C2008A	0.19	(0.01)	15,740	-	GUNK19C2003A	-	-	-	-	IRPC24C2004A	0.01	-	15,000	-
GLOB01C2003A	-	-	-	-	GUNK19C2006A	0.10	-	28,404	-	IRPC24C2007A	0.22	0.02	12,696	-
GLOB01C2007B	0.20	0.01	60,220	-	GUNK24C2006A	0.10	0.01	6,852	-	IRPC27C2007A	0.03	0.01	1	-
GLOB01C2008A	0.35	0.02	63,473	-	GUNK28C2003A	-	-	-	-	IRPC28C2003A	-	-	-	-
GLOB01P2003A	0.29	(0.06)	57,552	-	GUNK28C2005A	0.04	0.02	1	-	IRPC28C2003B	-	-	-	-
GLOB06C2006A	0.14	0.01	37,685	-	GUNK41C2003A	-	-	-	-	IRPC28C2006A	-	-	-	-
GLOB13C2007A	0.19	0.02	49,170	-	GUNK41C2005A	-	-	-	-	IRPC28C2008A	0.26	(0.74)	85,092	-
GLOB19C2005A	0.06	0.01	50	-	GUNK41P2005A	0.53	(0.05)	1,752	-	IRPC41C2003A	-	-	-	-
GLOB19C2007A	0.27	0.03	16,867	-	GUNK42C2003A	-	-	-	-	IRPC41C2004A	-	-	-	-
GLOB24C2005A	-	-	-	-	HANA01C2006A	0.34	0.03	160,208	-	IRPC41C2005A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA01C2006B	0.10	0.01	12,454	-	IRPC41C2006A	-	-	-	-
GLOB42C2009A	0.21	0.02	6,200	-	HANA01P2006A	0.31	(0.03)	29,713	-	IRPC41C2007A	0.22	0.03	68,503	-
GPSCO1C2003A	0.05	0.02	65,579	-	HANA11C2008A	0.23	0.02	22,577	-	IRPC41P2004A	-	-	-	-
GPSCO1C2003B	0.02	0.01	20,955	-	HANA13C2006A	0.12	0.02	1,060	-	IRPC41P2005A	-	-	-	-
GPSCO1C2005A	0.22	0.06	617,356	-	HANA16C2008A	0.17	0.02	28,703	-	IRPC41P2006A	-	-	-	-
GPSCO1C2005B	0.04	0.01	233,170	-	HANA19C2003A	0.22	0.02	26,486	-	IRPC41P2007A	1.43	(0.11)	3,564	1.00
GPSCO1C2007B	0.35	0.09	661,557	-	HANA19C2006A	0.17	0.03	2,040	-	IRPC42C2003A	-	-	-	-
GPSCO1C2008A	0.60	0.12	876,115	-	HANA27C2007A	0.17	0.02	6,741	-	IRPC42C2006A	0.05	0.01	4,550	-
GPSCO1P2003A	0.84	(0.31)	53,134	-	HANA27P2007A	0.44	(0.03)	950	-	IVL01C2004A	0.07	(0.02)	244,480	-
GPSCO1P2005A	1.46	(0.29)	145,872	1.00	HANA41C2006A	0.14	0.02	10,584	-	IVL01C2004B	0.07	(0.02)	1,101	-
GPSCO1P2005B	0.98	(0.28)	40,349	1.00	HMPR01C2006A	0.19	0.03	77,968	-	IVL01C2006B	0.16	(0.03)	416,161	-
GPSCO1P2007B	1.02	(0.18)	130,904	1.00	HMPR01C2006B	0.09	0.01	43,287	-	IVL01P2004A	0.35	0.02	245,114	-
GPSCO1P2008A	1.57	(0.21)	53,349	1.00	HMPR01P2006A	0.55	(0.06)	31,856	-	IVL01P2004B	0.10	0.03	88,932	-
GPSC06C2006A	0.03	0.01	106,835	-	HMPR06C2006A	0.04	-	34,419	-	IVL01P2006B	0.48	0.04	198,140	-
GPSC06C2008A	0.81	(0.19)	102,480	-	HMPR06P2007A	0.29	(0.04)	91,072	-	IVL06C2003A	0.01	(0.01)	3,699	-
GPSC08C2004B	0.04	0.02	6,060	-	HMPR11C2003A	-	-	-	-	IVL06C2008A	0.32	(0.68)	39,621	-
GPSC08C2007A	0.33	0.09	106,139	-	HMPR13C2003A	-	-	-	-	IVL06P2005A	-	-	-	-
GPSC08P2006A	1.14	(0.33)	67,120	1.00	HMPR13C2006A	0.10	0.02	16,595	-	IVL08C2004A	0.09	(0.02)	22,422	-
GPSC11C2006A	0.30	0.08	52,020	-	HMPR13C2007A	0.19	0.03	82,431	-	IVL08P2003A	0.38	0.01	2,400	-
GPSC13C2005A	0.14	0.05	134,721	-	HMPR19C2003A	-	-	-	-	IVL08P2004A	0.22	0.03	50,265	-
GPSC13C2007A	0.40	0.08	477,881	-	HMPR19C2005A	-	-	-	-	IVL11C2005A	-	-	-	-
GPSC13C2008A	0.70	(0.30)	832,908	-	HMPR19C2007A	0.23	0.04	14,127	-	IVL11C2006A	0.16	(0.02)	36,514	-
GPSC13P2003A	0.62	(0.40)	6,534	-	HMPR24C2004A	-	-	-	-	IVL13C2003A	-	-	-	-
GPSC13P2005A	2.02	(0.34)	2,342	2.00	HMPR28C2003A	-	-	-	-	IVL13C2006A	0.15	(0.02)	152,840	-
GPSC13P2007A	1.28	(0.19)	505,454	1.00	HMPR41C2003A	-	-	-	-	IVL13P2004A	0.22	0.03	254,910	-
GPSC16C2003A	0.10	0.06	41,902	-	HMPR41C2005A	-	-	-	-	IVL16C2006A	0.06	-	205	-
GPSC16C2007A	0.16	0.05	94,745	-	HMPR41C2006A	-	-	-	-	IVL16C2009A	0.23	(0.03)	47,811	-
GPSC19C2004A	0.04	0.02	133,370	-	HMPR41C2007A	0.19	0.04	23,316	-	IVL19C2003A	0.02	0.01	1	-
GPSC19C2007A	0.36	0.08	172,212	-	HMPR41C2007B	0.34	0.05	28,126	-	IVL19C2004A	0.11	(0.02)	17,896	-
GPSC19C2008A	0.90	0.15	318,279	-	HMPR41P2003A	-	-	-	-	IVL19C2006A	0.10	(0.02)	27,749	-
GPSC19P2005A	0.91	(0.22)	44,668	-	HMPR42C2003A	-	-	-	-	IVL19P2003A	0.11	0.02	8,693	-
GPSC24C2007A	0.11	0.03	14,288	-	HSI28C2003A	0.14	0.04	1,888	-	IVL19P2006A	0.49	0.03	21,950	-
GPSC27C2005A	0.04	0.02	2,380	-	HSI28C2003B	0.03	0.01	3,103	-	IVL24C2003A	-	-	-	-
GPSC28C2008A	0.42	(0.58)	117,804	-	HSI28C2003C	0.04	0.03	101	-	IVL27P2007A	0.43	0.02	16,790	-
GPSC41C2003A	-	-	-	-	HSI28C2004A	1.48	0.23	96,004	1.00	IVL28C2003A	-	-	-	-
GPSC41C2004A	-	-	-	-	HSI28C2004B	0.87	0.12	342,874	-	IVL28C2003B	-	-	-	-
GPSC41C2005A	-	-	-	-	HSI28C2004C	0.50	0.09	12,678	-	IVL28C2007A	0.13	(0.01)	18,216	-
GPSC41C2005B	0.27	0.07	156,646	-	HSI28P2003A	0.87	(0.24)	140,186	-	IVL28P2003A	-	-	-	-
GPSC41C2006A	-	-	-	-	HSI28P2003B	1.36	(0.34)	73,008	1.00	IVL41C2003A	-	-	-	-
GPSC41P2003A	-	-	-	-	HSI28P2003C	-	-	-	-	IVL41C2004A	0.10	(0.01)	43,094	-
GPSC41P2004A	-	-	-	-	HSI28P2004A	0.48	(0.11)	1,778	-	IVL41C2005A	-	-	-	-
GPSC41P2005A	-	-	-	-	HSI28P2004B	0.74	(0.13)	870,621	-	IVL41C2006A	-	-	-	-
GPSC41P2006A	0.90	(0.21)	67,161	-	HSI28P2004C	1.08	(0.21)	366,166	1.00	IVL41C2007A	-	-	-	-
GPSC42C2006A	0.29	0.08	23,049	-	INTU01C2003A	-	-	-	-	IVL41P2003A	-	-	-	-
GPSC42P2006A	0.90	(0.25)	26,112	-	INTU01C2003B	-	-	-	-	IVL41P2004A	-	-	-	-
GULF01C2003A	0.72	0.07	349,053	-	INTU01C2006A	0.35	-	232,168	-	IVL41P2005A	-	-	-	-
GULF01C2003B	0.07	0.01	78,330	-	INTU01C2006B	0.15	-	69,822	-	IVL41P2006A	-	-	-	-
GULF01C2005A	0.85	0.06	366,096	-	INTU01P2003A	1.09	-	15,060	1.00	IVL41P2007A	-	-	-	-
GULF01C2005B	0.43	0.04	463,762	-	INTU01P2003B	0.15	(0.01)	129,538	-	IVL42C2005A	-	-	-	-
GULF01C2007A	0.24	0.01	319,348	-	INTU01P2006A	0.76	(0.01)	48,813	-	JAS13C2006A	0.14	(0.01)	93,571	-
GULF01P2003A	0.05	-	22,010	-	INTU01P2006B	0.38	-	51,186	-	JAS19C2004A	0.12	(0.01)	107,184	-
GULF01P2003B	0.04	(0.02)	5,531	-	INTU13C2004A	0.05	-	200	-	JAS28C2003A	-	-	-	-
GULF01P2005A	0.77	(0.10)	541,677	-	INTU13C2006A	0.26	(0.01)	204,829	-					

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN06C2008A	0.59	(0.41)	42,290	-	LH11C2007A	0.14	0.02	30,244	-	PRM13C2003A	-	-	-	-
KBAN08C2005A	-	-	-	-	LH19C2003A	-	-	-	-	PRM13C2006A	0.04	-	12,900	-
KBAN08C2007A	0.18	(0.01)	17,100	-	LH19C2003B	-	-	-	-	PRM19C2004A	-	-	-	-
KBAN08P2004A	0.41	-	48,388	-	LH19C2007A	0.21	0.02	80,362	-	PRM19C2006A	0.06	0.01	14,070	-
KBAN13C2003A	-	-	-	-	LH19P2004A	0.20	(0.04)	8,933	-	PRM42C2006A	0.08	0.01	8,220	-
KBAN13C2003B	-	-	-	-	LH41C2004A	-	-	-	-	PSH19C2003A	-	-	-	-
KBAN13C2006A	0.14	(0.01)	93,612	-	LH41C2005A	-	-	-	-	PSH19C2005A	0.17	-	17,393	-
KBAN13P2003A	0.11	(0.01)	259,194	-	LH41C2006A	0.15	0.01	10,020	-	PSL06C2006A	0.03	-	2,819	-
KBAN13P2006A	0.67	0.01	207,989	-	LH41P2003A	-	-	-	-	PSL13C2003A	-	-	-	-
KBAN16C2005A	0.01	-	10	-	MAJ013C2007A	0.18	(0.02)	14,140	-	PSL19C2004A	-	-	-	-
KBAN16C2008A	0.11	-	36,963	-	MAJ019C2006A	0.09	(0.01)	3,232	-	PSL19C2006A	0.03	0.01	4	-
KBAN19C2003A	-	-	-	-	MBK19C2004A	-	-	-	-	PSL19C2007A	0.70	0.08	53,185	-
KBAN19C2004A	-	-	-	-	MEGA16C2009A	0.19	0.01	28,572	-	PTG01C2003A	0.03	0.01	71,092	-
KBAN19C2007A	0.24	(0.01)	12,145	-	MEGA19C2005A	-	-	-	-	PTG01C2003B	0.01	-	190	-
KBAN19P2004A	0.41	-	69,787	-	MINT01C2003A	0.01	-	8	-	PTG01C2005A	0.29	-	119,843	-
KBAN19P2007A	0.93	0.01	59,984	-	MINT01C2003B	-	-	-	-	PTG01C2005B	0.09	(0.01)	56,050	-
KBAN24C2005A	0.04	0.01	2,000	-	MINT01C2007B	0.11	-	238,201	-	PTG01C2007B	0.50	-	76,383	-
KBAN28C2003A	-	-	-	-	MINT01C2008A	0.22	(0.01)	239,240	-	PTG01P2003A	0.29	(0.03)	122,287	-
KBAN28C2004A	-	-	-	-	MINT01P2003A	0.71	0.02	29,157	-	PTG01P2005A	0.55	(0.01)	66,087	-
KBAN28C2008A	0.39	(0.61)	34,476	-	MINT01P2008A	0.51	-	94,961	-	PTG01P2005B	0.29	(0.01)	109,909	-
KBAN28P2003A	0.13	(0.22)	2,001	-	MINT06C2006A	0.03	-	1,700	-	PTG03C2005A	0.02	-	1	-
KBAN41C2003A	-	-	-	-	MINT06P2007A	0.50	0.01	27,482	-	PTG06C2006A	0.19	-	45,387	-
KBAN41C2004A	-	-	-	-	MINT08C2003A	-	-	-	-	PTG08C2005A	0.11	0.01	8,050	-
KBAN41C2005A	0.09	0.01	12,010	-	MINT11C2006A	0.04	-	6	-	PTG08C2007A	0.48	-	44,611	-
KBAN41C2007A	0.36	0.03	17,283	-	MINT13C2004A	-	-	-	-	PTG11C2003A	0.14	-	14,100	-
KBAN41P2004A	0.34	(0.01)	15,797	-	MINT13C2006A	0.06	-	3,741	-	PTG11C2005A	-	-	-	-
KBAN41P2005A	-	-	-	-	MINT13C2008A	0.20	(0.80)	92,058	-	PTG13C2004A	0.10	0.02	1,890	-
KBAN41P2006A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG13C2006A	0.31	0.01	303,949	-
KBAN42C2003A	-	-	-	-	MINT19C2006A	-	-	-	-	PTG13P2004A	0.24	(0.01)	123,263	-
KBAN42C2004A	-	-	-	-	MINT19P2004A	0.36	(0.01)	11,400	-	PTG13P2006A	0.19	-	120,085	-
KBAN42C2007A	0.10	-	7,902	-	MINT24C2006A	-	-	-	-	PTG16C2009A	0.39	-	78,769	-
KBAN42P2008A	0.97	-	16,389	-	MINT28C2006A	0.04	0.02	1,014	-	PTG19C2003A	-	-	-	-
KCE01C2004A	0.96	0.09	158,745	-	MINT41C2004A	-	-	-	-	PTG19C2004A	0.03	0.01	1,236	-
KCE01C2004B	0.48	0.06	604,118	-	MINT41C2005A	-	-	-	-	PTG19C2005A	0.18	-	81,345	-
KCE01C2007B	0.11	0.01	242,968	-	MINT41P2004A	0.48	0.01	300	-	PTG19C2006A	0.37	-	36,413	-
KCE01C2008A	0.51	0.06	205,685	-	MINT42C2004A	-	-	-	-	PTG19P2006A	0.38	-	29,999	-
KCE01P2004A	0.40	(0.09)	399,081	-	MTC01C2003A	0.30	0.02	57,523	-	PTG27C2007A	0.40	0.02	28,066	-
KCE08C2005A	0.24	0.03	95,672	-	MTC01C2003B	0.03	0.01	1,800	-	PTG28C2004A	0.02	(0.03)	700	-
KCE08C2005B	0.09	0.01	560	-	MTC01C2007B	0.24	0.01	159,699	-	PTG41C2004A	-	-	-	-
KCE11C2004A	0.51	0.07	78,881	-	MTC01C2008A	0.59	0.02	84,012	-	PTG41C2005A	-	-	-	-
KCE13C2003A	-	-	-	-	MTC01P2003A	0.10	(0.03)	41,797	-	PTG41C2006A	0.24	0.01	25,812	-
KCE13C2004A	0.29	0.05	224,562	-	MTC03C2005A	0.26	0.04	301	-	PTG41P2005A	-	-	-	-
KCE13C2005A	0.07	0.01	31,576	-	MTC06C2007A	0.53	0.03	99,875	-	PTG42C2004A	-	-	-	-
KCE13C2006A	0.65	0.07	112,347	-	MTC08C2005A	0.32	0.02	36,285	-	PTG42C2006A	0.39	0.01	35,810	-
KCE16C2007A	0.32	0.04	149,182	-	MTC11C2008A	0.41	0.02	32,310	-	PTT01C2004A	0.18	(0.01)	90,722	-
KCE19C2005A	0.40	0.05	128,748	-	MTC13C2003A	0.09	0.02	3,000	-	PTT01C2004B	0.02	(0.02)	1,100	-
KCE19C2007A	0.52	0.04	76,887	-	MTC13C2007A	0.27	0.02	63,538	-	PTT01C2007A	0.20	(0.02)	200,356	-
KCE24C2005A	1.06	0.03	95	1.00	MTC13P2003A	-	-	-	-	PTT01C2007B	0.08	(0.01)	4,317	-
KCE27C2007A	0.17	0.03	49,693	-	MTC16C2007A	0.19	0.01	84,667	-	PTT01P2004A	0.51	-	22,950	-
KCE28C2003A	-	-	-	-	MTC19C2006A	0.23	0.02	45,052	-	PTT01P2004B	0.22	-	30,882	-
KCE28C2003B	-	-	-	-	MTC19P2004A	0.11	(0.01)	73,378	-	PTT01P2007A	0.87	0.03	10,656	-
KCE41C2003A	-	-	-	-	MTC24C2004A	0.28	0.03	2,006	-	PTT01P2007B	0.47	(0.01)	13,451	-
KCE41C2005A	0.53	0.10	9,727	-	MTC27C2007A	0.33	0.02	22,595	-	PTT06C2005A	-	-	-	-
KCE41C2006A	0.33	0.04	54,706	-	MTC28C2006A	0.19	0.01	44,088	-	PTT08C2005A	-	-	-	-
KKP01C2006A	0.33	(0.01)	81,000	-	MTC41C2003A	-	-	-	-	PTT08P2005A	0.26	-	21,648	-
KKP01C2006B	0.14	(0.01)	64,554	-	MTC41C2004A	0.17	0.01	61,688	-	PTT11C2004A	-	-	-	-
KKP01P2006A	0.85	0.03	23,430	-	MTC41P2003A	-	-	-	-	PTT11C2008A	0.14	(0.01)	66,997	-
KKP08C2003A	-	-	-	-	MTC41P2004A	0.28	(0.04)	1,690	-	PTT13C2004A	-	-	-	-
KKP11C2007A	0.17	-	18,120	-	MTC42C2003A	-	-	-	-	PTT13C2006A	0.11	(0.01)	29,135	-
KKP13C2004A	0.03	-	500	-	MTC42C2004A	-	-	-	-	PTT13P2004A	0.24	0.01	49,779	-
KKP13C2007A	0.18	-	46,152	-	ORI13C2004A	-	-	-	-	PTT13P2006A	0.56	0.03	3,208	-
KKP19C2003A	-	-	-	-	ORI19C2003A	-	-	-	-	PTT16C2008A	0.09	-	2,440	-
KKP24C2003A	-	-	-	-	ORI19C2005A	0.04	-	18,001	-	PTT19C2005A	0.13	(0.01)	68,208	-
KKP41C2006A	0.15	-	24,090	-	ORI28C2004A	-	-	-	-	PTT19C2006A	0.09	0.01	39,952	-
KTB01C2003A	0.02	-	1,170	-	ORI28C2007A	0.07	-	1,600	-	PTT19P2003A	0.45	(0.01)	10,116	-
KTB01P2003A	0.56	(0.05)	24,425	-	ORI41C2004A	-	-	-	-	PTT24C2003A	-	-	-	-
KTB11C2004A	-	-	-	-	OSP01C2003A	0.19	(0.01)	103,301	-	PTT28C2003A	-	-	-	-
KTB11C2006A	-	-	-	-	OSP01C2003B	-	-	-	-	PTT28C2004A	-	-	-	-
KTB13C2006A	-	-	-	-	OSP01C2006A	0.45	-	90,305	-	PTT28C2007A	-	-	-	-
KTB19C2005A	-	-	-	-	OSP01C2006B	0.23	(0.01)	229,727	-	PTT28P2004A	-	-	-	-
KTB24C2004A	-	-	-	-	OSP01P2003A	0.10	(0.03)	127,612	-	PTT41C2004A	-	-	-	-
KTB41C2003A	-	-	-	-	OSP01P2006A	0.45	(0.02)	100,945	-	PTT41C2005A	0.10	0.01	13,725	-
KTB41C2004A	-	-	-	-	OSP06C2005A	0.25	0.01	56,095	-	PTT41C2006A	-	-	-	-
KTB41C2006A	0.03	(0.06)	391	-	OSP06P2003A	0.02	-	3,522	-	PTT41P2004A	-	-	-	-
KTB41P2004A	0.30	(0.02)	760	-	OSP08C2004A	0.10	(0.01)	12,300	-	PTT41P2005A	0.26	-	16,548	-
KTC01C2004A	0.12	(0.01)	190,387	-	OSP11C2005A	0.30	-	44,190	-	PTT41P2006A	-	-	-	-
KTC01C2004B	0.04	-	2,943	-	OSP13C2004A	0.20	-	62,595	-	PTT42C2003A	-	-	-	-
KTC01C2007A	0.48	(0.02)	76,578	-	OSP13C2006A	0.19	-	112,117	-	PTT42C2007A	0.06	0.02	10	-
KTC01C2007B	0.28	(0.02)	92,384	-	OSP16C2008A	0.17	0.02	54,964	-	PTTE01C2004A	0.26	(0.01)	122,783	-
KTC01P2004A	0.26	0.02	168,902	-	OSP19C2004A	-	-	-	-	PTTE01C2004B	0.09	-	64,300	-
KTC01P2007A	0.32	0.02	63,479	-	OSP19C2005A	0.28	(0.01)	24,458	-	PTTE01C2007A	0.32	(0.01)	113,319	-
KTC06C2006A	0.26	(0.03)	72,230	-	OSP24C2008A	0.38	0.02	20,840	-	PTTE01C2007B	0.12	-	51,940	-
KTC08C2004A	0.06	(0.01)	1,530	-	OSP28C2003A	0.01	-	2,906	-	PTTE01P2004A	0.42	0.01	55,693	-
KTC08C2006A	0.39	-	52,890	-	OSP41C2003A	-	-	-	-	PTTE01P2004B	0.13	-	55,674	-
KTC11C2005A	0.09	-	22,560	-	OSP41C2004A	-	-	-	-	PTTE01P2007A	1.21	0.01	15,505	1.00
KTC13C2004A	0.05	-	1,001	-	OSP41C2005A	0.22	-	53,842	-	PTTE01P2007B	0.68	(0.01)	280,097	-
KTC13C2006A	0.22	(0.02)	261,010	-	OSP41P2003A	-	-	-	-	PTTE06C2006A	0.08	-	10,550	-
KTC13P2006A	0.17	(0.01)	75,528	-	OSP41P2004A	0.16	(0.03)	501	-	PTTE06P2006A	-	-	-	-
KTC13P2007A	0.58	0.01	299,823	-	OSP42C2005A	0.22	0.01	12,304	-	PTTE08C2005A	0.13	-	2,445	-
KTC19C2005A	0.12	(0.02)	28,841	-	PLAN13C2004A	-								

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE24C2003A	-	-	-	-	S5001C2005A	0.21	0.02	715,486	-	S5028P2006B	0.51	(0.02)	906,070	-
PTTE28C2005A	-	-	-	-	S5001C2006F	0.16	0.02	1,237,275	-	S5041C2003A	0.01	-	129	-
PTTE28P2004A	0.11	(0.01)	19,024	-	S5001C2006G	0.45	0.04	2,902,408	-	S5041C2003B	-	-	-	-
PTTE41C2003A	-	-	-	-	S5001C2006H	1.33	0.07	2,118,626	1.00	S5041C2003C	-	-	-	-
PTTE41C2005A	-	-	-	-	S5001P2003F	2.90	(0.22)	92,532	2.00	S5041C2003D	-	-	-	-
PTTE41C2006A	0.17	-	7,598	-	S5001P2003G	2.52	(0.26)	102,078	2.00	S5041C2003E	0.01	-	50,004	-
PTTE41P2003A	-	-	-	-	S5001P2003H	4.12	(0.26)	2,461	3.00	S5041C2006A	0.13	0.01	398,373	-
PTTE41P2004A	-	-	-	-	S5001P2003I	3.22	(0.20)	968	3.00	S5041C2006B	0.62	0.04	3,220,561	-
PTTE42C2004A	-	-	-	-	S5001P2003J	1.77	(0.16)	55,119	1.00	S5041P2003A	1.78	(0.60)	10	1.00
PTTG01C2005A	0.10	0.01	159,979	-	S5001P2004A	2.50	(0.10)	40,180	2.00	S5041P2003B	-	-	-	-
PTTG01C2005B	0.02	(0.01)	4,636	-	S5001P2005A	1.76	(0.10)	1,604,934	1.00	S5041P2003C	-	-	-	-
PTTG01C2007B	0.12	0.01	203,023	-	S5001P2006F	2.42	(0.14)	952,279	2.00	S5041P2003D	-	-	-	-
PTTG01C2008A	0.30	0.01	456,848	-	S5001P2006G	1.47	(0.12)	3,269,456	1.00	S5041P2003E	-	-	-	-
PTTG01P2005A	1.30	(0.05)	20,993	1.00	S5001P2006H	0.52	(0.04)	1,249,716	-	S5041P2006A	1.58	(0.11)	91,983	1.00
PTTG01P2005B	0.93	(0.08)	60,297	-	S5006C2003A	-	-	-	-	S5041P2006B	1.01	(0.09)	1,320,809	-
PTTG01P2007B	0.57	(0.03)	59,875	-	S5006C2003B	0.01	-	22	-	SAWA01C2003A	0.99	0.06	73,944	-
PTTG01P2008A	0.85	(0.03)	46,225	-	S5006C2003C	0.02	-	40,002	-	SAWA01C2003B	0.34	0.03	781,396	-
PTTG06C2006A	0.02	-	8,900	-	S5006C2006A	0.06	0.01	192,338	-	SAWA01C2006A	0.71	0.04	102,394	-
PTTG08C2004A	-	-	-	-	S5006C2006B	0.65	(0.35)	238,633	-	SAWA01C2006B	0.33	0.02	147,897	-
PTTG08P2004A	0.45	(0.07)	2,000	-	S5006P2003A	-	-	-	-	SAWA01P2003A	0.04	-	752	-
PTTG11C2004A	-	-	-	-	S5006P2003B	-	-	-	-	SAWA01P2006A	0.70	(0.05)	147,741	-
PTTG11C2007A	0.18	0.01	91,279	-	S5006P2003C	-	-	-	-	SAWA06C2007A	0.59	0.03	120,921	-
PTTG13C2005A	0.04	0.01	383	-	S5006P2006A	2.14	(0.86)	3,258	2.00	SAWA08C2006A	0.41	0.02	63,610	-
PTTG13C2007A	0.19	0.01	165,290	-	S5006P2006B	0.66	(0.34)	180,151	-	SAWA11C2003A	0.72	0.05	19,922	-
PTTG13P2004A	0.51	(0.06)	581	-	S5008C2003A	-	-	-	-	SAWA13C2005A	0.40	0.03	228,219	-
PTTG13P2008A	0.31	(0.69)	145,996	-	S5008C2003B	-	-	-	-	SAWA13C2007A	0.38	0.02	152,313	-
PTTG16C2006A	0.06	0.01	100	-	S5008C2006A	0.99	0.06	1,067,165	1.00	SAWA16C2008A	0.34	0.03	197,228	-
PTTG19C2006A	-	-	-	-	S5008P2003A	1.56	(0.34)	3,520	1.00	SAWA19C2005A	0.37	0.04	80,473	-
PTTG19C2006B	0.12	0.01	18,038	-	S5008P2003B	0.57	(0.24)	414,702	-	SAWA24C2004A	0.49	0.04	25,012	-
PTTG19C2008A	0.32	0.01	152,327	-	S5008P2003C	-	-	-	-	SAWA27C2007A	0.45	0.04	53,300	-
PTTG19P2003A	0.18	(0.06)	73,064	-	S5011C2003A	0.01	-	100	-	SAWA28C2004A	0.22	0.03	144,214	-
PTTG19P2006A	0.99	(0.06)	8,975	1.00	S5011P2003A	2.18	(0.56)	400	2.00	SAWA28C2007A	0.24	0.02	69,784	-
PTTG24C2003A	-	-	-	-	S5013C2003A	0.01	-	452	-	SAWA41C2003A	-	-	-	-
PTTG27P2006A	-	-	-	-	S5013C2003B	0.01	-	340,635	-	SAWA41C2004A	0.27	0.03	35,090	-
PTTG28C2003A	-	-	-	-	S5013C2003C	0.01	-	18	-	SAWA41C2005A	0.36	0.01	49,628	-
PTTG28C2006A	-	-	-	-	S5013C2003D	0.01	-	121,415	-	SAWA41P2003A	0.01	-	30	-
PTTG41C2003A	-	-	-	-	S5013C2003E	0.01	-	1,303,107	-	SAWA41P2004A	0.14	(0.04)	8,177	-
PTTG41C2004A	0.10	(0.02)	23,690	-	S5013C2006A	0.17	0.01	2,972,879	-	SAWA41P2005A	0.59	(0.05)	10,546	-
PTTG41C2005A	-	-	-	-	S5013C2006B	0.25	0.02	3,753,542	-	SAWA42C2003A	0.06	-	11,000	-
PTTG41C2006A	-	-	-	-	S5013C2006C	0.36	0.02	4,738,945	-	SCB01C2004A	0.03	-	13,518	-
PTTG41P2003A	-	-	-	-	S5013C2006D	0.60	0.03	10,254,241	-	SCB01C2004B	0.02	-	17	-
PTTG41P2006A	-	-	-	-	S5013P2003A	3.38	(0.16)	2,460	3.00	SCB01C2007A	0.20	-	255,573	-
PTTG42C2003A	-	-	-	-	S5013P2003B	2.42	(0.32)	6,622	2.00	SCB01C2007B	0.10	(0.01)	95,791	-
PTTG42C2007A	0.16	0.01	11,764	-	S5013P2003C	2.84	(0.46)	30	2.00	SCB01P2004A	1.18	0.01	47,769	1.00
QH01C2006A	0.20	0.02	32,869	-	S5013P2003D	-	-	-	-	SCB01P2004B	0.62	-	114,736	-
QH01C2006B	0.10	-	55,960	-	S5013P2003E	1.59	(0.11)	78,274	1.00	SCB01P2007A	0.94	0.01	34,651	-
QH01P2006A	0.43	(0.02)	20,169	-	S5013P2006A	1.84	(0.12)	341,832	1.00	SCB01P2007B	0.84	0.02	170,392	-
QH11C2006A	0.10	0.03	8,200	-	S5013P2006B	1.23	(0.07)	683,432	1.00	SCB06C2007A	0.15	-	51,545	-
QH13C2003A	-	-	-	-	S5013P2006C	0.82	(0.06)	4,282,798	-	SCB08C2005A	0.03	-	1	-
QH19C2006A	-	-	-	-	S5013P2006D	0.28	(0.03)	7,548,328	-	SCB08C2007A	0.36	(0.01)	26,001	-
QH27C2007A	0.11	0.04	2,218	-	S5016C2003A	0.01	-	5	-	SCB08P2004A	0.95	-	56,840	-
RATC01C2003A	0.01	(0.01)	6,000	-	S5016C2003B	-	-	-	-	SCB11C2005A	-	-	-	-
RATC01C2003B	0.01	(0.01)	1	-	S5016C2003C	0.02	0.01	12,100	-	SCB11C2006A	0.01	-	998	-
RATC01C2006A	0.34	0.02	332,825	-	S5016C2003D	0.06	0.01	110,968	-	SCB11C2008A	0.19	(0.01)	56,637	-
RATC01C2006B	0.17	0.01	214,505	-	S5016C2003E	0.02	0.01	29,765	-	SCB11P2005A	2.06	0.02	48,787	2.00
RATC01P2006A	0.97	(0.06)	31,991	-	S5016C2006A	0.27	0.02	732,166	-	SCB13C2003A	-	-	-	-
RATC06C2006A	0.06	0.01	25,527	-	S5016C2006B	1.02	0.02	288,948	1.00	SCB13C2006A	0.02	(0.01)	6,856	-
RATC06P2006A	0.46	(0.04)	47,449	-	S5016P2003A	2.72	(0.28)	930	2.00	SCB13C2006B	0.10	-	51,214	-
RATC13C2004A	0.03	-	968	-	S5016P2003C	1.93	(0.11)	28,911	1.00	SCB13C2007A	0.33	(0.01)	272,743	-
RATC13C2007A	0.22	-	212,935	-	S5016P2003D	1.75	(0.09)	72,727	1.00	SCB13P2003A	-	-	-	-
RATC16C2008A	0.10	-	19,066	-	S5016P2006A	1.11	(0.09)	464,464	1.00	SCB13P2006A	1.31	0.02	76,965	1.00
RATC19C2005A	0.07	0.01	25	-	S5016P2006B	0.54	(0.46)	329,798	-	SCB16C2003A	-	-	-	-
RATC19C2007A	0.29	0.02	59,663	-	S5019C2003A	-	-	-	-	SCB16C2008A	0.19	-	51,442	-
RATC24C2006A	0.15	0.01	6,528	-	S5019C2003B	0.01	-	103	-	SCB19C2003A	-	-	-	-
RATC27C2004A	-	-	-	-	S5019C2003C	-	-	-	-	SCB19C2006A	-	-	-	-
RATC27C2007A	0.24	0.02	18,224	-	S5019C2003D	0.01	-	24,555	-	SCB19C2007A	0.34	-	41,646	-
RATC41C2003A	-	-	-	-	S5019C2006A	0.25	0.01	757,997	-	SCB19P2005A	1.27	0.01	12,542	1.00
RATC41C2004A	0.08	0.02	4	-	S5019C2006B	0.75	0.05	703,797	-	SCB24C2004A	-	-	-	-
RATC41C2005A	-	-	-	-	S5019P2003A	2.72	(0.32)	1,328	2.00	SCB27C2007A	0.03	0.01	1,003	-
RATC41C2006A	0.19	-	24,942	-	S5019P2003B	1.61	(0.45)	122	1.00	SCB27P2006A	1.08	0.01	88,476	1.00
RATC41P2004A	0.70	(0.02)	1,500	-	S5019P2003C	-	-	-	-	SCB28C2003A	-	-	-	-
RATC41P2006A	0.64	(0.04)	10,744	-	S5019P2003D	1.28	(0.27)	24,077	1.00	SCB28C2004A	-	-	-	-
RATC42C2003A	-	-	-	-	S5019P2006A	1.80	(0.06)	7,000	1.00	SCB28C2006A	-	-	-	-
RATC42C2006A	0.08	0.03	2,003	-	S5019P2006B	1.10	(0.07)	212,155	1.00	SCB28C2006B	0.18	(0.01)	19,853	-
RS06C2004A	0.05	-	500	-	S5019P2006C	0.73	(0.05)	475,559	-	SCB41C2004A	-	-	-	-
RS08P2003A	1.30	(0.06)	20	1.00	S5024C2003A	-	-	-	-	SCB41C2005A	-	-	-	-
RS08P2006A	0.68	(0.10)	708	-	S5024C2003B	0.01	-	500	-	SCB41C2006A	0.17	-	23,826	-
RS13C2004A	-	-	-	-	S5024C2003C	0.02	0.01	3,090	-	SCB41C2006B	0.37	-	20,990	-
RS13C2006A	0.22	-	30,987	-	S5024C2006A	0.12	0.02	38,165	-	SCB41P2004A	0.78	(0.03)	10,312	-
RS16C2005A	-	-	-	-	S5024C2006B	0.80	0.07	638,827	-	SCB41P2005A	1.27	-	6,886	1.00
RS19C2004A	-	-	-	-	S5024P2003A	5.40	(0.50)	2,653	4.00	SCB42C2003A	-	-	-	-
RS19C2005A	0.06	(0.01)	3,500	-	S5024P2003B	2.50	(0.34)	25,916	2.00	SCB42C2006A	-	-	-	-
RS19C2007A	0.23	(0.01)	7,094	-	S5024P2006A	2.40	(0.24)	3,231	2.00	SCB42C2007A	0.14	(0.01)	9,056	-
RS24C2004A	-	-	-	-	S5024P2006B	1.41	(0.12)	200,091	1.00	SCC01C2004A	0.18	0.03	388,931	-
RS24C2008A	0.16	0.01	550	-	S5024P2006C	0.66	(0.06)	79,101	-	SCC01C2004B	0.02	0.01	1,620	-
RS41C2004A	-	-	-	-	S5028C2003A	0.01	(0.01)	1,						

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC16C2005A	-	-	-	-	STEC28C2004B	0.09	-	28,606	-	TMB01P2004A	0.87	0.02	19,984	-
SCC19C2003A	-	-	-	-	STEC28C2005A	0.29	0.02	54,686	-	TMB19C2004A	0.01	-	30	-
SCC19C2003B	-	-	-	-	STEC41C2003A	-	-	-	-	TMB19C2007A	0.11	-	19,093	-
SCC19C2006A	0.08	0.01	4,738	-	STEC41C2004A	-	-	-	-	TMB19P2004A	0.91	0.02	2,701	-
SCC19C2008A	0.54	0.05	34,216	-	STEC41C2005A	0.31	0.02	24,299	-	TMB41C2004A	-	-	-	-
SCC19P2004A	0.58	(0.10)	11,966	-	STEC41C2006A	0.42	0.03	26,274	-	TMB41C2005A	-	-	-	-
SCC24C2003A	-	-	-	-	STEC41P2003A	-	-	-	-	TMB41P2003A	-	-	-	-
SCC24C2006A	0.16	0.04	18,300	-	STEC41P2004A	0.14	(0.02)	11	-	TMB41P2006A	0.75	-	582	-
SCC27P2008A	0.40	(0.03)	40,665	-	STEC41P2005A	-	-	-	-	TOA01C2006A	0.30	0.05	211,623	-
SCC28C2003A	-	-	-	-	STEC42C2004A	0.14	(0.01)	2,831	-	TOA01C2006B	0.17	0.04	229,828	-
SCC28C2004A	-	-	-	-	SUPE13C2003A	-	-	-	-	TOA08C2003A	-	-	-	-
SCC41C2003A	-	-	-	-	SUPE19C2004A	-	-	-	-	TOA13C2003A	-	-	-	-
SCC41C2004A	-	-	-	-	SUPE19C2007A	0.07	0.01	2,902	-	TOA13C2007A	0.25	0.04	247,761	-
SCC41C2005A	-	-	-	-	SUPE42C2004A	-	-	-	-	TOA19C2004A	0.02	0.01	1,160	-
SCC41C2006A	0.09	0.01	7,086	-	TASC01C2003A	0.17	0.04	124,498	-	TOA19C2007A	0.28	0.05	16,812	-
SCC41C2006B	0.31	0.04	104,046	-	TASC01C2003B	-	-	-	-	TOA24C2005A	0.04	0.02	2	-
SCC41P2004A	-	-	-	-	TASC01C2007B	0.34	0.06	84,787	-	TOA41C2004A	0.04	(0.05)	200	-
SCC41P2005A	-	-	-	-	TASC01C2008A	0.57	0.07	44,214	-	TOP01C2003A	0.01	-	11,240	-
SCC41P2006A	-	-	-	-	TASC01P2003A	0.13	(0.06)	153,371	-	TOP01C2003B	-	-	-	-
SCC42C2003A	-	-	-	-	TASC01P2008A	0.78	(0.09)	18,242	-	TOP01C2006A	0.10	(0.01)	596,735	-
SCC42C2008A	0.19	0.03	5,678	-	TASC08C2005A	0.15	0.03	22,246	-	TOP01C2006B	0.03	-	17,880	-
SGP13C2004A	-	-	-	-	TASC08C2006A	0.34	0.07	40,107	-	TOP01P2003A	1.72	0.05	15,392	1.00
SGP13C2006A	-	-	-	-	TASC13C2003A	0.02	0.01	600	-	TOP01P2006A	1.70	0.08	39,978	1.00
SGP13C2007A	0.22	0.01	37,565	-	TASC13C2006A	0.34	0.05	97,156	-	TOP06C2004A	-	-	-	-
SGP19C2006A	-	-	-	-	TASC16C2008A	0.26	0.06	62,624	-	TOP06C2007A	0.13	(0.02)	473,337	-
SGP19C2006B	0.19	0.01	5,019	-	TASC19C2003A	0.05	0.01	9,750	-	TOP06P2005A	2.18	0.08	29,600	2.00
SGP42C2007A	0.22	0.01	7,052	-	TASC19C2006A	0.54	0.06	13,563	-	TOP08C2003A	-	-	-	-
SIRI13C2007A	0.05	0.01	90	-	TASC19C2007A	0.27	0.05	10,130	-	TOP08C2007A	0.18	(0.01)	63,900	-
SIRI19C2004A	-	-	-	-	TASC19P2004A	0.18	(0.05)	8,306	-	TOP08P2003A	-	-	-	-
SIRI19C2007A	0.04	0.01	4,266	-	TASC24C2006A	0.30	0.04	12,615	-	TOP08P2007A	1.05	0.02	36,984	1.00
SPAL01C2004A	0.19	0.02	341,582	-	TASC28C2004A	0.04	0.01	20,000	-	TOP11C2007A	0.04	-	2,501	-
SPAL01C2004B	-	-	-	-	TASC28C2006A	0.15	0.02	53,634	-	TOP13C2004A	0.01	-	1,000	-
SPAL06P2004A	0.41	(0.06)	30,536	-	TASC41C2003A	-	-	-	-	TOP13C2006A	0.04	-	6,310	-
SPAL11C2006A	0.21	0.04	66,550	-	TASC41C2004A	0.11	(0.02)	11,658	-	TOP13C2008A	0.34	(0.03)	249,795	-
SPAL13C2003A	-	-	-	-	TASC41C2005A	0.33	0.06	25,010	-	TOP13P2005A	-	-	-	-
SPAL13C2006A	0.27	0.03	221,241	-	TASC42C2003A	-	-	-	-	TOP13P2006A	1.33	0.04	52,582	1.00
SPAL19C2004A	0.08	0.01	120,010	-	TASC42C2005A	0.27	0.06	15,171	-	TOP16C2008A	0.17	(0.01)	91,899	-
SPAL24C2003A	-	-	-	-	TCAP01C2007B	0.27	0.01	51,045	-	TOP19C2003A	-	-	-	-
SPAL27C2008A	0.13	0.02	6,176	-	TCAP01C2008A	0.51	0.02	33,154	-	TOP19C2006A	0.03	-	626	-
SPAL41C2004A	0.10	0.01	4,964	-	TCAP01P2008A	0.72	(0.01)	25,973	-	TOP19C2007A	0.16	(0.01)	63,653	-
SPAL42C2003A	-	-	-	-	TCAP13C2007A	0.23	0.01	112,046	-	TOP19P2006A	1.80	0.05	4,169	1.00
SPRC01C2003A	-	-	-	-	TCAP19C2004A	0.25	0.01	1,121	-	TOP24C2007A	0.02	-	1,000	-
SPRC01C2003B	0.01	(0.01)	3,357	-	TCAP41C2004A	0.15	0.01	3,218	-	TOP28C2004A	-	-	-	-
SPRC01C2007A	0.18	0.02	134,931	-	THAI11C2003A	0.03	-	1	-	TOP41C2003A	-	-	-	-
SPRC06C2007A	0.14	0.02	103,585	-	THAI13C2004A	-	-	-	-	TOP41C2004A	-	-	-	-
SPRC06P2003A	0.12	(0.07)	100,925	-	THAI19C2004A	0.01	(0.01)	773	-	TOP41C2005A	-	-	-	-
SPRC06P2007A	0.86	(0.13)	36,836	-	THAI27C2008A	0.12	0.04	28,162	-	TOP41C2006A	0.01	(0.06)	10	-
SPRC08C2005A	0.05	-	3,300	-	THAI42C2003A	-	-	-	-	TOP41C2007A	0.16	(0.01)	115,414	-
SPRC08C2006A	-	-	-	-	THAI42P2005A	0.01	-	3,975	-	TOP41P2004A	-	-	-	-
SPRC11C2005A	-	-	-	-	THAN01C2006A	0.23	0.02	161,434	-	TOP41P2005A	-	-	-	-
SPRC11C2008A	0.29	0.01	77,198	-	THAN01C2006B	0.07	0.01	1,000	-	TOP41P2006A	-	-	-	-
SPRC13C2004A	-	-	-	-	THAN01P2006A	0.39	(0.01)	100	-	TOP42C2007A	0.13	(0.01)	7,811	-
SPRC13C2006A	0.05	(0.01)	104	-	THAN06C2003A	-	-	-	-	TPI19C2004A	0.13	-	22,525	-
SPRC13C2008A	0.32	(0.68)	204,178	-	THAN06C2005A	0.07	0.01	500	-	TRUE01C2004A	0.02	-	5,065	-
SPRC19C2005A	0.06	0.01	47,450	-	THAN06P2003A	-	-	-	-	TRUE01C2004B	0.02	-	150	-
SPRC19C2005B	-	-	-	-	THAN13C2003A	-	-	-	-	TRUE01C2007A	0.29	0.01	139,986	-
SPRC19C2007A	0.30	0.02	180,800	-	THAN13C2007A	0.13	0.01	28,352	-	TRUE01C2007B	0.11	-	264,451	-
SPRC19P2005A	0.61	(0.05)	29,008	-	THAN19C2004A	0.04	0.01	100	-	TRUE01P2004A	0.93	(0.01)	35,755	-
SPRC24C2003A	-	-	-	-	THAN19C2007A	0.20	0.01	66,014	-	TRUE01P2004B	0.52	(0.03)	127,256	-
SPRC28C2008A	0.25	(0.75)	58,259	-	THAN27C2003A	-	-	-	-	TRUE01P2007B	0.65	(0.01)	129,998	-
SPRC41C2004A	-	-	-	-	THAN41C2005A	-	-	-	-	TRUE06C2004A	-	-	-	-
SPRC41C2005A	0.10	-	2,417	-	TISC01C2006A	0.89	0.03	27,627	-	TRUE06C2007A	0.15	-	78,500	-
SPRC41C2006A	-	-	-	-	TISC01C2006B	0.21	0.01	152,065	-	TRUE08C2004A	-	-	-	-
SPRC42C2006A	0.10	0.01	23,459	-	TISC01P2006A	0.43	(0.03)	82,273	-	TRUE08C2005A	0.05	-	55	-
STA01C2003A	0.49	0.11	364,870	-	TISC11C2005A	0.12	-	34,600	-	TRUE08C2007A	0.22	0.01	90,200	-
STA01C2003B	0.16	0.07	230,547	-	TISC11C2007A	0.68	0.03	24,545	-	TRUE08P2005A	-	-	-	-
STA01P2003A	0.02	(0.01)	6,164	-	TISC13C2004A	0.22	0.02	21,541	-	TRUE11C2005A	-	-	-	-
STA11C2005A	0.26	0.07	93,104	-	TISC13C2006A	0.22	0.01	99,567	-	TRUE11C2005B	-	-	-	-
STA13C2003A	0.40	0.14	213,771	-	TISC19C2004A	0.31	0.01	13,838	-	TRUE13C2003A	-	-	-	-
STA13C2006A	0.31	0.08	690,122	-	TISC19C2006A	0.18	0.01	11,160	-	TRUE13C2003B	-	-	-	-
STA19C2004A	0.42	0.13	54,752	-	TISC41C2005A	-	-	-	-	TRUE13C2006A	0.10	0.01	72,324	-
STA19C2005A	1.24	0.24	19,411	1.00	TISC41C2006A	0.20	0.01	20,756	-	TRUE13C2007A	0.18	0.01	91,088	-
STA19C2007A	0.32	0.08	181,979	-	TISC41P2006A	0.41	(0.02)	10,148	-	TRUE19C2003A	-	-	-	-
STA42C2007A	0.35	0.08	24,966	-	TISC42C2003A	-	-	-	-	TRUE19C2004A	-	-	-	-
STEC01C2003A	0.05	0.01	12,336	-	TKN01C2003A	0.01	-	1,501	-	TRUE19C2006A	0.08	-	51	-
STEC01C2003B	0.02	0.01	1	-	TKN01C2003B	-	-	-	-	TRUE19C2007A	0.26	0.01	39,634	-
STEC01C2004A	0.10	0.01	78,958	-	TKN01C2007B	0.10	0.01	27,534	-	TRUE19P2003A	0.79	(0.01)	10,534	-
STEC01C2006A	0.47	0.01	110,516	-	TKN01C2008A	0.33	0.02	205,274	-	TRUE19P2005A	0.70	(0.03)	50	-
STEC01C2006B	0.21	-	169,240	-	TKN08C2003A	-	-	-	-	TRUE28C2003A	-	-	-	-
STEC01P2003A	0.50	(0.03)	46,187	-	TKN08C2007A	0.24	0.02	68,484	-	TRUE28C2003B	-	-	-	-
STEC01P2006A	0.40	(0.01)	237,187	-	TKN13C2004A	-	-	-	-	TRUE28C2006A	-	-	-	-
STEC06C2004A	0.27	(0.01)	63,134	-	TKN13C2006A	0.21	0.02	66,572	-	TRUE41C2003A	-	-	-	-
STEC08C2004A	-	-	-	-	TKN16C2008A	0.14	0.02	56,968	-	TRUE41C2004A	-	-	-	-
STEC08C2005A	0.35	-	49,239	-	TKN19C2004A	0.04	0.02	5,000	-	TRUE41C2005A	-	-	-	-
STEC11C2007A	0.08	0.01	2,185	-	TKN19C2004B	0.02	0.01	200	-	TRUE41C2006A	0.06	-	70	-
STEC13C2003A	0.05	0.01	9,000	-	TKN19C2007A	0.25	0.02	42,962	-	TRUE41C2007A	0.20	0.02	74,794	-
STEC13C2004A	0.25	-	249,302	-	TKN28C2003A	-	-	-	-	TRUE41P2004A	-	-	-	-
STEC16C2003A	-	-	-	-	TKN28C2007A	0.08	0.01	100	-	TRUE41P2005A	-	-	-	-
STEC16C2006A	0.09	0.02	1,300	-	TKN41C2003A	-	-	-	-	TRUE42C2003A	-	-	-	-
STEC16C2009A	0.34	0.01	74,787	-	TKN41C2005A	0.12	0.02							

Main Board Quotation

Issue Date :

Thursday March 05, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU06C2004A	0.10	0.04	194,144	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU06P2007A	0.19	(0.05)	96,362	-	EIC-W3	0.01	-	150	-	-	-	-	-	-
TU11C2003A	-	-	-	-	EMC-W6	0.03	0.01	102	-	-	-	-	-	-
TU11C2008A	0.51	0.06	97,340	-	EPCO-W3	0.29	(0.03)	2,833	-	-	-	-	-	-
TU13C2003A	0.01	-	1,813	-	GLOCON-W4	0.21	-	2,621	-	-	-	-	-	-
TU13C2004A	0.31	0.06	122,546	-	J-W1	0.15	0.01	356	-	-	-	-	-	-
TU19C2003A	-	-	-	-	JAS-W3	1.45	0.03	265,177	1.00	-	-	-	-	-
TU19C2005A	0.44	0.07	3,762	-	JCK-W5	0.03	(0.01)	2,715	-	-	-	-	-	-
TU19C2007A	0.33	0.04	47,738	-	JMT-W2	4.34	0.34	8,807	4.00	-	-	-	-	-
TU24C2003A	-	-	-	-	MACO-W2	0.05	-	748,857	-	-	-	-	-	-
TU24C2006A	0.42	0.08	9,470	-	MILL-W4	0.03	-	10	-	-	-	-	-	-
TU27C2004A	-	-	-	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU27C2006A	0.28	0.04	47,870	-	MINT-W6	1.71	-	13,617	1.00	-	-	-	-	-
TU41C2003A	-	-	-	-	NFC-W1	0.41	(0.02)	37	-	-	-	-	-	-
TU41C2004A	0.21	0.04	40,667	-	NOK-W1	0.01	-	1,730	-	-	-	-	-	-
TU41C2005A	0.40	-	7,772	-	NVD-W1	0.07	(0.01)	382	-	-	-	-	-	-
TU41P2003A	-	-	-	-	ORI-W1	0.13	(0.01)	113,812	-	-	-	-	-	-
TU41P2004A	0.02	(0.03)	8	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU42C2007A	0.29	0.05	12,880	-	PACE-W3	-	-	-	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	PDI-W1	0.21	0.01	747	-	-	-	-	-	-
TVO19C2004A	0.14	-	1,000	-	PDJ-W4	0.33	0.01	792	-	-	-	-	-	-
TVO19C2007A	0.13	-	9,549	-	PERM-W1	0.10	-	1,324	-	-	-	-	-	-
VGI01C2005A	0.12	0.05	143,984	-	PORT-W1	0.39	0.02	55,923	-	-	-	-	-	-
VGI06C2007A	0.28	0.09	153,315	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VGI08C2006A	0.08	0.03	4,802	-	PRIME-W1	-	-	-	-	-	-	-	-	-
VGI11C2008A	0.11	0.02	25,148	-	PRIME-W2	0.02	-	1	-	-	-	-	-	-
VGI13C2006A	0.08	-	529	-	RICHY-W2	0.02	-	10	-	-	-	-	-	-
VGI19C2006A	0.07	0.02	13,115	-	RS-W3	0.25	(0.04)	29,713	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SAMART-W2	0.46	0.03	3,654	-	-	-	-	-	-
VGI41C2007A	0.21	0.05	70,426	-	SAWAD-W1	21.50	0.50	3,401	22.00	-	-	-	-	-
WHA01C2005A	0.05	-	89,277	-	SDC-W1	-	-	-	-	-	-	-	-	-
WHA01C2005B	0.02	-	11,610	-	SINGER-W1	1.42	0.04	745	1.00	-	-	-	-	-
WHA01P2005A	1.06	(0.08)	36,348	1.00	SINGER-W2	1.59	0.09	357	1.00	-	-	-	-	-
WHA06C2007A	0.13	0.02	74,923	-	SMT-W2	0.03	-	6,939	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	SST-W2	0.44	0.09	411	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	SUPER-W4	-	-	-	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	SVI-W3	-	-	-	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	TCC-W3	-	-	-	-	-	-	-	-	-
WHA11C2008A	0.08	0.01	11,326	-	TCC-W4	0.03	-	63	-	-	-	-	-	-
WHA13C2003A	-	-	-	-	TCC-W5	0.11	-	385	-	-	-	-	-	-
WHA13C2005A	0.05	-	211	-	TCJ-W2	0.04	-	1,244	-	-	-	-	-	-
WHA13C2006A	0.14	0.02	178,434	-	TFG-W2	0.04	0.01	119,468	-	-	-	-	-	-
WHA16C2006A	0.01	-	1	-	TGPRO-W3	0.01	-	2,004	-	-	-	-	-	-
WHA16C2008A	0.14	0.02	66,840	-	TH-W2	0.02	0.01	413	-	-	-	-	-	-
WHA19C2004A	-	-	-	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	TNITY-W1	0.15	(0.01)	2,531	-	-	-	-	-	-
WHA19C2006A	0.11	0.02	12,318	-	TRITN-W3	0.07	-	4,502	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	TTCL-W1	0.21	0.01	5,081	-	-	-	-	-	-
WHA24C2007A	0.16	0.02	10,802	-	U-W4	0.01	-	10	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	UAC-W2	0.07	0.01	25,499	-	-	-	-	-	-
WHA27C2008A	0.08	0.04	6,001	-	VGI-W2	0.84	0.02	579,481	-	-	-	-	-	-
WHA28C2003A	-	-	-	-	VIBHA-W2	0.61	0.02	1,691	-	-	-	-	-	-
WHA28C2003B	-	-	-	-	VIBHA-W3	0.14	0.01	13,966	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	WAVE-W1	0.02	-	1,660	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	WIIK-W2	0.13	-	18,294	-	-	-	-	-	-
WHA28C2006A	0.07	0.01	760	-	ZMICO-W4	0.06	-	2,090	-	-	-	-	-	-
WHA41C2003A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2007A	0.19	0.02	29,475	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41P2003A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
WHA41P2005A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	0.01	-	2	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	U-P	2.22	-	4,339	2.00	-	-	-	-	-
Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	BM-W1	0.03	-	3,697	-	-	-	-	-	-
CSC-Q	-	-	-	-	BROOK-W5	0.13	-	14,256	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	CHO-W2	0.04	(0.01)	17,140	-	-	-	-	-	-
KTB-Q	-	-	-	-	DOD-W1	0.43	0.03	100,674	-	-	-	-	-	-
SCB-Q	-	-	-	-	ECF-W3	0.22	-	1,531	-	-	-	-	-	-
TCAP-Q	-	-	-	-	EFORL-W3	0.01	-	5	-	-	-	-	-	-
TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	FVC-W2	0.01	-	52	-	-	-	-	-	-
Warrant	-	-	-	-	HPT-W1	0.18	-	237	-	-	-	-	-	-
7UP-W4	0.08	0.01	110,633	-	HYDRO-W1	-	-	-	-	-	-	-	-	-
AKR-W1	0.06	-	2,689	-	ITEL-W1	0.22	0.02	12,376	-	-	-	-	-	-
ALT-W1	0.21	0.02	30,394	-	JKN-W1	0.23	0.02	50,540	-	-	-	-	-	-
APEX-W1	0.02	-	200	-	LIT-W1	0.30	(0.09)	20,089	-	-	-	-	-	-
APURE-W2	0.07	0.01	2,579	-	META-W4	0.03	(0.01)	3,444	-	-	-	-	-	-
AS-W1	0.04	0.01	1,046	-	NEWS-W6	-	-	-	-	-	-	-	-	-
AYUD-W1	0.20	(0.03)	10,116	-	OCEAN-W3	0.29	(0.03)	16,180	-	-	-	-	-	-
B-W3	-	-	-	-	PROUD-W2	0.03	-	360	-	-	-	-	-	-
B-W4	0.02	0.01	3,600	-	RW1-W2	0.08	-	3,026	-	-	-	-	-	-
B-W5	0.03	-	10,283	-	SANKO-W1	0.07	-	212	-	-	-	-	-	-
B52-W2	-	-	-	-	SIMAT-W2	0.06	-	15,409	-	-	-	-	-	-
BKD-W2	0.06	0.01	23,894	-	SIMAT-W3	0.24	0.01	845	-	-	-	-	-	-
BTS-W5	0.90	-	4,417,179	-	SIMAT-W4	0.84	0.05	803	-	-	-	-	-	-
CGD-W4	0.08	(0.01)	5,121	-	SMART-W2	0.20	-	10	-	-	-	-	-	-
CGH-W3	0.01	(0.01)	97,090	-	SWC-W1	2.90	0.08	728	2.00	-	-	-	-	-
CI-W1	0.01	-	205	-	TAKUNI-W	0.03	-	45	-	-	-	-	-	-
CKP-W1	0.06	-	140,221	-	TVD-W2	0.10	0.02	18,552	-	-	-	-	-	-
CRANE-W1	0.68	-	218	-	UKEM-W2	-	-	-	-	-	-	-	-	-
DCC-W1	0.47	-	9,441	-	Preferred Shares	-	-	-	-	-	-	-	-	-
ECL-W3	0.10	0.01	210,022	-	SGF-P1	-	-	-	-	-	-	-	-	-

