

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.49	(0.44)	10,223	1.62	MCOT	6.60	(0.20)	4,537	6.63
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	1.45	(0.09)	171,761	1.40
SAFARI	-	-	-	-	DIF	15.00	(1.10)	504,525	15.26	MPIC	1.44	(0.01)	61	1.45
VI	-	-	-	-	DTAC	30.00	(4.25)	134,876	29.96	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.35	(0.55)	1,881	5.50	PLANB	3.68	(0.48)	652,824	3.55
WR	-	-	-	-	HUMAN	6.40	(0.50)	8,035	6.40	POST	1.72	-	2	1.72
Agribusiness	-	-	-	-	ILINK	2.70	(0.28)	8,448	2.65	PRAKIT	10.00	(0.50)	266	10.00
CHOTI	50.00	(1.00)	26	49.69	INET	1.93	(0.09)	5,698	1.92	SE-ED	1.48	(0.11)	2,313	1.53
EE	0.31	(0.04)	110,575	0.33	INTUCH	45.50	(5.00)	310,491	46.11	TBSP	-	-	-	-
GFPT	9.00	(0.75)	38,903	9.06	JAS	4.16	(0.34)	1,050,786	4.16	TH	0.48	(0.03)	2,426	0.48
LEE	1.98	(0.06)	1,955	1.99	JASIF	7.95	(0.75)	528,246	8.13	TKS	4.54	(0.71)	23,837	4.73
NER	1.99	(0.19)	221,670	2.01	JMART	5.85	(1.00)	73,348	6.19	VGI	6.10	(0.60)	369,352	6.22
PPPM	-	-	-	-	JTS	0.67	(0.06)	9,315	0.55	WAVE	1.04	(0.01)	607	1.05
STA	10.90	(1.80)	318,272	11.43	MFEC	4.48	-	62,606	4.42	WORK	6.75	(1.15)	36,893	6.90
TRUBB	0.39	(0.07)	12,690	0.39	MSC	4.38	(0.36)	3,414	4.45	Finance & Securities	-	-	-	-
TWPC	3.02	(0.22)	3,401	3.07	PT	4.16	(0.24)	3,850	4.23	AEC	0.21	(0.02)	8,604	0.21
UPOIC	-	-	-	-	SAMART	5.90	0.05	83,278	5.50	AEONTS	109.00	(20.00)	6,706	112.82
UVAN	3.92	(0.54)	2,465	4.01	SAMTEL	6.00	(0.40)	5,302	6.02	AMANAH	2.46	(0.64)	506,974	2.66
VPO	0.41	(0.05)	1,750	0.40	SDC	0.10	-	60,052	0.10	ASAP	1.21	(0.03)	8,239	1.01
Banking	-	-	-	-	SIS	6.10	(0.55)	4,561	6.18	ASK	17.20	(2.40)	6,005	17.91
BAY	21.50	(1.50)	7,335	21.73	SVOA	0.68	(0.07)	13,270	0.69	ASP	1.40	(0.20)	102,786	1.46
BBL	106.50	(12.00)	136,507	108.09	SYMC	2.02	(0.28)	107	2.08	BAM	20.30	(3.20)	3,059,415	20.79
CIMBT	0.44	(0.05)	16,717	0.45	SYNEX	4.56	(0.74)	10,223	4.80	BFIT	34.50	(7.50)	59,207	34.86
KBANK	95.50	(10.00)	229,625	96.57	THCOM	2.68	(0.32)	12,557	2.72	CGH	0.74	(0.03)	166,014	0.75
KKP	41.25	(10.25)	118,613	43.48	TRUE	2.72	(0.36)	1,821,274	2.71	CNS	1.75	(0.04)	6	1.75
KTB	10.40	(1.60)	817,651	10.64	TWZ	0.05	(0.01)	157,670	0.05	ECL	0.52	(0.18)	57,548	0.58
LHFG	1.13	(0.10)	159,244	1.18	Electronic Componer	-	-	-	-	FNS	1.85	(0.10)	191	1.86
SCB	66.25	(7.50)	378,058	68.28	CCET	1.48	(0.10)	16,507	1.50	FSS	0.89	(0.10)	3,305	0.92
TCAP	40.75	(7.50)	170,859	43.68	DELTA	36.00	(7.25)	12,685	37.89	GBX	0.36	(0.04)	11,660	0.37
TISCO	78.00	(10.25)	112,787	80.20	EIC	0.04	0.01	93,032	0.03	GL	2.72	(0.48)	40,016	2.90
TMB	0.84	(0.18)	5,510,963	0.89	HANA	25.25	(3.75)	39,297	25.68	IFS	2.00	(0.32)	12,659	2.07
Construction Materia	-	-	-	-	KCE	15.70	(3.00)	251,661	16.31	JMT	16.80	(2.40)	132,802	17.38
CCP	0.20	(0.05)	159,897	0.21	METCO	135.00	(6.00)	34	138.57	KCAR	9.25	(0.30)	1,974	9.17
COTTO	0.83	(0.15)	8,088	0.86	NEX	2.64	-	90,314	2.58	KGI	3.72	(0.34)	160,793	3.79
DCC	1.45	(0.13)	31,640	1.48	SMT	0.83	-	13,010	0.80	KTC	28.00	(6.25)	361,592	27.60
DCON	0.28	-	301,621	0.28	SVI	2.08	(0.20)	22,443	2.05	MBKET	4.70	(0.26)	2,139	4.78
DRT	4.62	(0.63)	12,043	4.73	TEAM	0.40	(0.10)	2,188	0.45	MFC	13.00	(1.00)	492	13.19
EPG	3.90	(0.60)	109,919	4.07	Energy & Utilities	-	-	-	-	ML	0.53	(0.22)	17,399	0.55
GEL	0.09	(0.02)	335,748	0.10	7UP	0.29	(0.05)	96,919	0.29	MTC	51.25	(5.50)	138,070	51.39
PPP	1.56	(0.12)	2,414	1.53	ABPIF	3.24	(1.12)	6,310	3.28	PE	-	-	-	-
Q-CON	4.60	0.04	684	4.16	ACE	2.32	(0.44)	341,277	2.58	PL	2.06	(0.40)	4,335	2.13
RCI	2.82	(0.24)	82	2.88	AI	0.91	(0.09)	70,145	0.92	S11	5.35	(0.90)	11,332	5.53
SCC	279.00	(33.00)	77,088	287.30	AKR	0.40	(0.07)	50,210	0.38	SAWAD	52.75	(9.25)	144,588	54.41
SCCC	113.00	(16.50)	1,333	117.29	BAFS	21.00	(2.40)	8,519	21.80	THANI	4.36	(0.62)	184,073	4.72
SCP	4.80	(0.80)	5,800	4.90	BANPU	5.15	(0.80)	614,793	5.27	TK	8.10	(0.65)	4,713	8.00
SKN	1.51	(0.15)	4,854	1.51	BCP	18.00	(2.20)	33,367	18.40	TNITY	4.12	-	6,778	4.54
TASCO	17.80	(2.20)	181,769	18.26	BCPG	12.00	(2.50)	136,483	12.99	UOBKH	2.14	(0.14)	152	2.14
TCMC	1.04	(0.20)	7,312	1.08	BGRIM	33.50	(4.00)	292,798	34.01	ZMICO	0.52	(0.07)	7,644	0.53
TOA	31.75	(3.75)	44,882	32.01	BPP	12.00	(1.10)	67,489	12.12	Food & Beverage	-	-	-	-
TPIPL	1.14	(0.11)	186,087	1.13	BRRGIF	6.70	(0.40)	631	6.61	APURE	0.60	(0.04)	5,620	0.58
UMI	0.43	(0.09)	6,462	0.45	CKP	3.02	(0.62)	394,288	3.25	ASIAN	2.88	(0.44)	8,821	2.92
VNG	2.90	(0.24)	3,877	2.97	DEMCO	1.57	(0.29)	13,562	1.65	BR	1.30	(0.15)	8,535	1.32
WIHK	1.16	(0.12)	3,198	1.12	EA	32.25	(4.00)	211,102	32.39	BRR	2.90	(0.10)	2,142	2.76
Petrochemicals & Ch	-	-	-	-	EASTW	10.00	(0.70)	41,439	10.25	CBG	59.00	(12.75)	77,987	63.09
BCT	40.50	(1.50)	5,287	41.47	EGATIF	11.50	(0.50)	62,183	11.66	CFRESH	0.88	(0.12)	3,899	0.91
CMAN	0.98	(0.06)	14,450	0.99	EGCO	200.00	(34.00)	28,152	204.27	CM	1.96	(0.18)	3,662	2.02
GC	4.98	(0.22)	7,718	5.00	ESSO	4.66	(0.59)	201,803	4.83	CPF	21.80	(2.90)	735,137	22.43
GGC	6.65	(1.75)	49,105	6.92	GPSC	50.25	(7.00)	272,867	51.36	CPI	1.20	(0.11)	2,902	1.20
GIFT	2.12	(0.18)	14,033	2.16	GULF	131.00	(20.50)	349,221	129.62	F&D	17.00	(1.80)	56	17.00
IVL	19.40	(4.20)	452,944	20.70	GUNKUL	2.20	(0.24)	430,197	2.22	HTC	16.30	(1.80)	1,859	16.46
NFC	1.20	(0.19)	16	1.35	IFEC	-	-	-	-	ICHI	4.38	(0.62)	56,048	4.60
PATO	9.70	(0.40)	1,296	9.76	IRPC	2.04	(0.10)	1,843,228	2.02	KBS	2.66	(0.22)	1,257	2.65
PMTA	7.75	0.40	94	6.50	LANNA	5.60	(0.40)	3,499	5.64	KSL	1.57	(0.19)	37,619	1.58
PTTGC	26.00	(3.75)	498,623	26.75	MDX	1.74	(0.11)	3,860	1.74	KTIS	3.04	(0.20)	1,689	3.12
SUTHA	1.40	(0.20)	1,251	1.36	PRIME	0.27	(0.01)	37,592	0.27	LST	4.40	(0.26)	3,678	4.42
TCCC	17.20	(1.20)	112	17.75	PTG	12.40	(2.20)	235,770	12.79	M	50.00	(7.00)	13,437	51.24
TPA	5.65	(0.15)	241	5.09	PTT	26.50	(2.75)	2,528,996	27.17	MALEE	4.38	(0.50)	3,931	4.70
UAC	2.44	(0.34)	4,603	2.51	PTTEP	60.00	(12.25)	524,688	63.86	MINT	22.50	(4.25)	507,858	23.18
UP	-	-	-	-	RATCH	48.50	(8.75)	104,772	50.06	OISHI	38.75	(3.50)	228	38.89
VNT	17.70	(4.10)	15,718	18.90	RPC	0.40	(0.05)	16,476	0.42	OSP	34.00	(6.00)	270,533	35.75
WG	135.00	-	10	135.00	SCG	3.70	(0.28)	53	3.87	PB	68.00	-	517	67.46
YCI	-	-	-	-	SCI	1.27	(0.16)	4,185	1.32	PM	5.35	(0.55)	14,426	5.43
Commerce	-	-	-	-	SCN	1.45	(0.10)	6,524	1.44	PRG	11.50	(0.50)	6	11.70
BEAUTY	1.64	(0.30)	1,077,743	1.77	SGP	5.65	(1.00)	35,299	5.98	RBF	3.80	(0.38)	104,066	3.88
BIG	0.38	(0.07)	86,138	0.40	SKE	0.58	(0.03)	6,308	0.53	SAPPE	16.00	(0.80)	3,751	16.08
BJC	31.50	(6.25)	124,927	32.42	SOLAR	0.75	(0.09)	3,532	0.77	SAUCE	22.00	(0.90)	89	22.47
COL	13.80	(1.30)	7,778	14.18	SPCG	16.10	(1.70)	29,440	16.57	SFP	124.00	(21.00)	10	138.50
COM7	20.40	(2.10)	157,348	19.94	SPRC	5.50	(0.75)	341,871	5.48	SNP	10.50	(0.70)	558	10.69
CPALL	61.75	(4.25)	1,097,753	62.22	SSP	6.40	(0.35)	15,241	6.44	SORKON	45.25	(1.50)	11	43.80
CPW	1.15	(0.18)	29,917	1.20	SUPER	0.36	(0.04)	2,663,947	0.37	SSC	27.50	(0.50)	1	27.50
CRC	30.00	(5.25)	482,704	31.10	SUPEREIF	9.95	(1.05)	22,742	10.10	SSF	5.50	(0.15)	526	5.50
CSS	0.77	(0.18)	50,429	0.84	SUSCO	1.98	(0.30)	24,319	2.01	SST	3.06	(0.18)	146	3.19
DOHOME	6.00	(1.15)	246,287	6.12	TAE	2.42	(0.18)	23,534	2.45	TC	2.50	(0.20)	3,372	2.28
FN	0.77	(0.06)	10,652	0.77	TCC	0.16	(0.02)	32,808	0.16	TFG	2.64	(0.40)	80,116	2.77
FTE	1.53	(0.22)	4,983	1.55	TOP	32.75	(4.00)	317,432	33.53	TFMAMA	179.00	(4.00)	642	177.69
GLOBAL	11.30	(3.00)	159,884	11.85	TRIPP	3.44	(0.64)	219,646	3.54	TIPCO	4.86	(0.64)	9,091	5.04
HMPRO	11.80	(2.10)	629,338	12.27	TSE	1.81	(0.35)	131,065	1.91	TKN	6.30	(0.90)	99,379	6.48
ILM	8.60	(1.40)	5,878	9.15	TTW	13.00	(0.80)	196,881	13.08	TU	12.30	(1.80)	296,789	12.66
IT	1.89	(0.01)	586	1.79	WHAUP	3.78	(0.42)	74,942	3.83	TVO	25.75	(1.00)	26,203	25.89
KAMART	3.06	(0.04)	23,											

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	6.70	(0.60)	14,527	7.06	BROCK	1.50	(0.04)	1,499	1.52	HFT	2.50	(0.20)	14,165	2.58
PRINC	3.08	(0.28)	2,916	3.10	CGD	0.70	(0.06)	60,129	0.71	IHL	2.54	(0.32)	9,647	2.57
RAM	140.00	(1.00)	277	138.68	CI	0.73	(0.05)	2,851	0.75	INGRS	0.32	(0.03)	7,609	0.32
RJH	22.00	(1.50)	7,156	22.37	CPN	47.50	(6.50)	177,870	48.34	IRC	12.00	(1.80)	342	12.86
RPH	5.45	(0.35)	14,811	5.51	ESTAR	0.22	(0.05)	45,462	0.24	PCSGH	5.00	(0.10)	2,317	5.00
SKR	4.70	(0.30)	5,701	4.85	EVER	0.12	(0.03)	145,334	0.13	SAT	9.25	(0.85)	12,638	9.37
SVH	414.00	(14.00)	34	419.12	FPT	9.20	(2.00)	2,990	9.79	SPG	13.50	0.60	441	12.52
THG	19.50	(2.30)	16,084	20.40	GLAND	2.40	(0.18)	743	2.39	STANLY	136.50	(3.00)	222	132.87
VIBHA	1.42	(0.13)	96,850	1.42	GOLD	7.80	(0.05)	16,080	7.83	TKT	0.66	(0.08)	95	0.65
VIH	5.45	(0.35)	6,778	5.46	GREEN	0.60	(0.06)	6,793	0.59	TNPC	0.54	(0.02)	6,412	0.55
WPH	1.49	(0.16)	4,923	1.55	J	0.67	(0.08)	2,755	0.58	TRU	4.00	(0.34)	403	4.05
Tourism & Leisure					JCK	0.67	(0.08)	5,792	0.68	TSC	9.10	(1.00)	1,156	9.00
ASIA	3.50	(0.36)	330	3.64	KC	-	-	-	-	Industrial Materials				
CENTEL	18.00	(2.00)	61,117	18.38	KWG	1.01	(0.14)	1,281	0.99	ALLA	1.19	0.01	6,360	1.17
CSR	-	-	-	-	LALIN	4.40	(0.48)	12,716	4.70	ASEFA	2.70	(0.22)	5,329	2.73
DTC	7.30	(0.80)	778	7.29	LH	7.05	(1.10)	1,025,396	7.16	CPT	0.57	(0.06)	24,624	0.59
ERW	3.24	(0.46)	138,134	3.30	LPN	3.72	(0.42)	111,100	3.87	CRANE	1.43	(0.19)	3,637	1.46
GRAND	0.37	(0.06)	78,771	0.36	MBK	15.90	(0.90)	20,293	16.10	CTW	4.20	(0.44)	1,564	4.22
LRH	29.00	(1.50)	51	29.34	MJD	2.24	(0.14)	1,194	2.23	FMT	21.90	(1.10)	16	21.93
MANRIN	25.25	1.25	11	22.89	MK	2.40	(0.30)	4,059	2.55	HTECH	1.64	(0.22)	13,538	1.70
OHTL	-	-	-	-	NCH	0.46	(0.09)	1,605	0.45	KKC	0.29	(0.01)	3,135	0.25
ROH	35.00	(3.00)	1	35.00	NNCL	1.66	(0.07)	21,203	1.68	PK	0.80	(0.05)	751	0.79
SHANG	-	-	-	-	NOBLE	12.60	(1.80)	9,201	13.25	SNC	7.15	(0.55)	9,756	7.30
SHR	1.80	(0.16)	378,661	1.81	NUSA	0.31	(0.03)	157,025	0.32	STARK	1.95	(0.04)	9,249	1.94
VRANDA	5.35	(0.55)	3,199	5.46	NVD	1.65	(0.04)	144	1.55	TCJ	2.72	0.06	450	2.31
Home & Office Prod.					ORI	3.90	(0.90)	206,004	4.04	VARO	-	-	-	-
ACC	0.66	-	6,177	0.62	PACE	-	-	-	-	Property Fund & REI				
AJA	0.18	(0.02)	67,525	0.19	PF	0.48	(0.12)	392,635	0.53	AIMCG	5.60	(0.95)	6,434	5.89
DTCI	-	-	-	-	PLAT	2.90	(0.04)	15,162	2.79	AIMIRT	11.10	(1.40)	15,071	11.47
FANCY	0.27	(0.10)	56,028	0.29	POLAR	-	-	-	-	AMATAR	10.80	(0.50)	328	10.35
KYE	248.00	(13.00)	67	250.76	PRECHA	0.64	(0.22)	1,182	0.64	B-WORK	11.00	(1.30)	5,749	11.78
L&E	1.70	(0.11)	521	1.70	PRIN	1.32	(0.02)	4,941	1.32	BKER	7.00	(1.00)	8,251	6.94
MODERN	1.95	(0.17)	17,077	2.00	PSH	11.00	(1.90)	76,592	11.27	BKCCP	11.60	(1.00)	1,529	11.95
OGC	24.50	-	170	24.49	QH	2.10	(0.18)	681,936	2.12	BOFFICE	13.70	(0.90)	4,023	13.86
ROCK	-	-	-	-	RICHY	0.57	(0.14)	10,798	0.63	CPNCG	10.10	(0.50)	16,729	10.12
SIAM	1.38	(0.09)	1,853	1.37	RML	0.55	(0.07)	11,664	0.57	CPNREIT	30.00	(1.75)	224,833	30.72
TSR	1.61	(0.10)	5,278	1.64	ROJNA	3.88	(0.52)	26,366	4.02	CPTGF	12.00	(0.70)	4,748	11.76
Insurance					S	1.70	(0.16)	67,851	1.67	CTARAF	4.98	(0.37)	7,236	5.07
AYUD	30.50	(3.50)	741	31.85	SAMCO	1.25	(0.09)	1,678	1.27	DREIT	4.00	(0.76)	5,174	4.30
BKI	241.00	(15.00)	616	236.31	SC	2.06	(0.20)	56,495	2.11	ERWPF	4.60	(0.22)	924	4.64
BLA	12.40	(1.80)	12,774	13.04	SENA	2.14	(0.24)	10,656	2.18	FTREIT	16.20	(0.20)	52,789	15.60
BUI	-	-	-	-	SF	4.30	(0.50)	49,929	4.31	FUTUREPF	20.80	(0.90)	3,650	20.99
CHARAN	17.00	(1.60)	30	17.08	SIRI	0.74	(0.06)	1,281,867	0.74	GAHREIT	8.00	(0.65)	1,520	7.98
INSURE	-	-	-	-	SPALI	15.00	(1.60)	230,507	15.72	GOLDPF	-	-	-	-
MTI	68.50	(4.00)	129	68.27	U	1.02	(0.18)	163,216	1.08	GVREIT	15.60	(1.20)	6,825	15.76
NKI	53.50	(3.50)	9	53.78	UV	2.66	(0.30)	33,275	2.72	HPF	4.26	(0.10)	732	4.25
NSI	56.25	(1.75)	12	56.52	WHA	2.16	(0.52)	1,911,319	2.28	HREIT	8.00	(0.45)	3,808	8.05
SEG	26.00	-	4	26.00	WIN	0.31	(0.03)	2,690	0.32	IMPACT	15.00	(3.60)	20,183	15.49
SMK	25.25	(1.75)	159	25.64	Paper & Printing Mat					KPNPF	7.10	(0.60)	72	7.00
THRE	0.43	(0.04)	79,257	0.43	UTP	6.75	(1.25)	17,408	7.03	LHHOTEL	12.00	(1.60)	25,793	12.03
THREL	2.50	(0.34)	9,798	2.59	Fashion	-	-	-	-	LHPF	6.90	(0.50)	1,237	6.44
TIP	22.30	(1.10)	31,479	22.35	AFC	-	-	-	-	LHSC	13.50	(2.50)	5,647	13.72
TQM	53.25	(7.00)	23,964	54.47	B52	0.18	-	2,628	0.17	LUXF	7.00	(0.80)	383	7.21
TSI	0.40	(0.03)	13,836	0.38	BTNC	19.90	-	1	19.90	M-II	7.00	(0.65)	39	7.50
TVI	3.48	(0.06)	162	3.46	CPH	2.90	(0.18)	1	2.90	M-PAT	4.40	(0.30)	74	4.41
Mining					CPL	0.66	(0.23)	18	0.78	M-STOR	6.55	(0.05)	9	6.38
PDI	4.18	(0.44)	2,209	4.30	ICC	38.00	(1.50)	6	36.83	MIPF	-	-	-	-
THL	-	-	-	-	NC	11.00	(0.50)	9	9.53	MIT	-	-	-	-
Packaging					PAF	0.39	(0.03)	1,704	0.35	MJLF	8.15	(1.00)	961	8.52
AJ	8.30	(0.60)	1,562	8.11	PDJ	1.07	(0.14)	8,953	1.07	MNIT	-	-	-	-
ALUCON	130.00	(8.00)	111	130.83	PG	-	-	-	-	MNIT2	-	-	-	-
BGC	10.00	(1.00)	6,498	10.15	SABINA	17.20	(1.50)	29,079	17.14	MNRF	2.64	(0.06)	628	2.59
CSC	41.00	(4.50)	109	42.32	SAWANG	7.00	(0.10)	2	7.03	POPF	10.40	(0.60)	12,529	10.23
GLOCON	0.45	(0.04)	52,633	0.41	SUC	36.00	(1.25)	198	35.73	PPF	11.20	(0.10)	606	11.18
NEP	0.12	(0.01)	10,001	0.12	TNL	17.00	-	1	17.00	QHHR	7.35	(0.45)	2,815	7.37
PTL	10.00	(1.20)	13,839	10.14	TPCORP	9.90	(0.70)	209	9.98	QHOP	3.32	(0.08)	410	2.98
SFLEX	5.25	(0.10)	41,601	5.22	TR	23.30	(0.10)	26	23.23	QHPF	10.80	(1.40)	19,679	11.35
SITHAI	0.49	(0.02)	27,948	0.50	TTI	-	-	-	-	SBPF	2.48	(0.02)	138	2.32
SLP	0.39	(0.02)	11,101	0.39	TTT	45.00	(0.25)	78	43.28	SHREIT	3.90	(0.02)	778	3.70
SMPC	4.84	(0.81)	12,762	5.01	UPF	-	-	-	-	SIRIP	9.70	(0.70)	158	10.05
SPACK	0.94	(0.10)	223	0.96	UT	13.00	(1.00)	17	13.00	SPF	16.00	0.10	31,947	15.35
TCOAT	-	-	-	-	WACOAL	44.00	-	1	44.00	SPRIME	12.00	(0.50)	3,542	12.20
TFI	0.03	(0.01)	13,861	0.03	Transportation & Log					SRIPANWA	8.10	(0.50)	6,380	8.17
THIP	19.60	(1.40)	471	19.63	AAV	1.29	(0.12)	328,339	1.30	SSPF	8.55	(0.70)	3,052	8.70
TMD	20.00	(1.40)	228	20.07	AOT	52.75	(7.75)	1,330,084	53.15	SSTRT	5.30	(0.20)	69	5.40
TOPP	165.00	-	163	164.99	ASIMAR	0.77	(0.13)	2,433	0.77	TIF1	8.25	(0.55)	1,178	8.25
TPBI	2.90	(0.28)	526	2.83	B	0.17	(0.02)	47,481	0.17	TLGF	19.50	(0.20)	39,645	18.49
TPP	16.50	0.50	1	16.50	BA	4.44	(0.52)	26,410	4.56	TLHPF	9.95	(0.55)	368	9.73
Personal Products &					BEM	7.60	(1.10)	1,562,522	7.75	TNPF	2.50	(0.18)	106	2.53
APCO	3.30	(0.48)	9,318	3.41	BTS	9.70	(1.20)	1,676,547	9.79	TPRIME	13.70	(2.10)	140	13.70
DDD	11.30	(2.80)	2,209	12.21	BTSIGIF	7.25	(0.65)	60,449	7.31	TTLPF	21.00	(0.30)	19	20.25
JCT	69.00	(4.25)	118	69.71	III	3.60	(0.32)	3,371	3.69	TU-PF	-	-	-	-
OCC	10.10	(1.40)	1	10.10	JUTHA	0.21	(0.03)	350	0.21	URBNPF	-	-	-	-
S & J	22.30	(1.20)	36	22.30	JWD	6.00	(0.80)	18,857	6.00	WHABT	9.10	(0.25)	579	9.02
STHAI	-	-	-	-	KWC	260.00	(20.00)	7	268.14	WHART	15.90	(0.70)	4,804	15.54
TNR	4.78	(0.27)	841	4.85	NOK	1.09	(0.04)	1,789	1.07	Steel	-	-	-	-
TOG	4.30	(0.22)	331	4.39	NYT	3.16	(0.22)	20,151	3.24	AMC	1.20	(0.14)	2,544	1.22
Professional Service					PORT	1.27	(0.16)	21,594	1.31	BSBM	0.80	(0.02)	595	0.78
BWG	0.25	(0.05)	325,340	0.26	PRM	3.86	(0.62)	389,035	4.04	CEN	0.32	(0.07)	3,435	0.34
GENCO	0.38	(0.02)	21,991	0.34	PSL	4.12	(0.48)	69,690	4.24	CITY	1.44	(0.23)	765	1.50
PRO	-	-	-	-	RCL	2.22	(0.16)	3,919	2.20	CSP	0.60	(0.03)	1,204	0.56
SISB	7.35	(1.30)	99,495	7.67	TFFIF	10.80	(0.90)	277,444	11.07	GJS	0.07	(0.02)	219,164	0.07
TEAMG	1.89	(0.13)	24,938	1.91	THAI	3.80	(0.56)	75,042	3.92	GSTEEL	-	-	-	-
Property														

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.79	(0.06)	33,176	-	ADVA01C2003A	0.01	-	17,699	-
ABICO	3.24	(0.14)	400	3.00	AIE	0.17	(0.05)	153,567	-	ADVA01C2003B	0.01	-	23,742	-
AU	6.70	(0.60)	152,699	6.00	PSTC	0.35	(0.04)	2,187,474	-	ADVA01C2005A	0.10	(0.07)	99,075	-
JCKH	0.15	(0.02)	1,113	-	QTC	3.20	(0.84)	8,856	3.00	ADVA01C2005B	0.02	(0.01)	5,990	-
KASET	0.86	(0.06)	2,017	-	SAAM	0.70	(0.04)	2,148	-	ADVA01C2007B	0.09	(0.06)	132,755	-
MM	2.06	(0.08)	2,565	2.00	SEAOIL	1.98	(0.32)	10,070	2.00	ADVA01C2008A	0.50	(0.19)	128,142	-
SUN	1.22	(0.16)	2,356	1.00	SR	0.60	(0.07)	161	-	ADVA01P2003A	1.39	0.23	55,896	1.00
TACC	2.90	(0.26)	19,321	2.00	TAKUNI	0.36	-	16,409	-	ADVA01P2003B	1.16	0.43	83,374	-
TMILL	2.56	(0.14)	3,020	2.00	TPCH	9.15	(0.85)	22,224	9.00	ADVA01P2007B	0.69	0.15	281,240	-
XO	3.48	(0.32)	10,150	3.00	TRT	1.75	(0.10)	4,038	1.00	ADVA06C2005A	0.01	-	49	-
Consumer Products														
BGT	0.51	(0.04)	5,612	-	UMS	0.17	0.02	5	-	ADVA08C2005A	-	-	-	-
BIZ	2.76	(0.10)	6,349	2.00	UWC	0.01	(0.01)	88,711	-	ADVA08P2004A	0.73	0.24	27,507	-
DOD	5.55	(1.10)	45,375	5.00	Services (MAI)	-	-	-	-	ADVA11C2006A	-	-	-	-
ECF	1.10	(0.08)	34,881	1.00	A5	-	-	-	-	ADVA11P2005A	0.34	0.15	50,145	-
HPT	0.43	-	977	-	AKP	0.80	(0.10)	6,414	-	ADVA13C2004A	0.01	-	13,000	-
IP	4.30	(0.44)	4,688	4.00	AMA	3.72	(0.58)	4,538	3.00	ADVA13C2006A	0.24	(0.15)	21,383	-
JUBILE	16.30	(0.90)	1,226	16.00	ARIP	0.30	(0.03)	2,480	-	ADVA13C2007A	0.10	(0.06)	22,661	-
MOONG	3.38	(0.06)	1,331	3.00	ATP30	0.74	(0.11)	10,628	-	ADVA13P2003A	1.04	0.50	5,664	-
NPK	-	-	-	-	AUCT	5.60	0.05	24,678	5.00	ADVA16C2005A	-	-	-	-
OCEAN	0.93	(0.07)	28,244	-	BOL	2.54	(0.14)	2,782	2.00	ADVA16C2007A	0.03	-	900	-
TM	2.36	(0.14)	13,852	2.00	CHUO	-	-	-	-	ADVA16C2009A	0.09	(0.03)	6,762	-
Financials (MAI)														
ACAP	0.47	(0.09)	15,179	-	CMO	0.71	(0.26)	62,742	-	ADVA19C2005A	0.01	(0.02)	1,590	-
AF	0.60	(0.04)	802	-	D	2.76	(0.26)	2,740	2.00	ADVA19C2007A	0.33	(0.17)	164,074	-
AIRA	1.00	(0.02)	1,610	1.00	DCORP	0.30	-	13,602	-	ADVA19C2007B	0.09	(0.05)	5,910	-
ASN	4.90	(0.20)	6	4.00	EFORL	0.04	-	253,060	-	ADVA19P2006A	0.61	0.18	95,752	-
BROOK	0.37	(0.03)	53,648	-	ETE	0.50	0.02	21,301	-	ADVA24C2006A	-	-	-	-
CHAYO	4.76	(0.79)	82,735	4.00	FSMART	5.80	(0.55)	16,746	5.00	ADVA28C2004A	-	-	-	-
GCAP	1.16	(0.28)	27,555	1.00	FVC	0.25	(0.03)	20,127	-	ADVA28C2005A	-	-	-	-
LIT	2.46	(0.38)	7,946	2.00	GSC	0.55	(0.06)	2,731	-	ADVA28C2007A	0.04	(0.05)	11,022	-
MITSI	1.03	(0.03)	5,964	1.00	HARN	1.78	(0.34)	8,062	1.00	ADVA28P2004A	0.91	0.44	1,598	-
SGF	0.31	(0.08)	115,883	-	IMH	1.75	(0.37)	4,834	1.00	ADVA41C2004A	-	-	-	-
Industrials (MAI)														
2S	1.74	(0.15)	4,676	1.00	JKN	3.62	(0.40)	20,284	3.00	ADVA41C2005A	-	-	-	-
ACG	0.69	(0.12)	3,677	-	KIAT	0.27	(0.02)	85,742	-	ADVA41C2006A	-	-	-	-
ADB	0.35	(0.01)	4,738	-	KOOL	0.59	(0.13)	18,996	-	ADVA41C2007A	0.09	(0.05)	2,480	-
BM	1.45	(0.07)	1,169	1.00	LDC	0.52	(0.04)	10,638	-	ADVA41P2004A	1.00	0.29	4,420	1.00
CHO	0.43	(0.03)	56,532	-	MORE	0.36	(0.04)	479,641	-	ADVA41P2005A	0.88	0.25	16,864	-
CHOW	0.92	(0.03)	1,557	-	MPG	0.19	(0.02)	1,922	-	ADVA42C2003A	-	-	-	-
CIG	0.13	(0.05)	28,627	-	MVP	1.44	(0.05)	1,403	1.00	ADVA42C2005A	0.02	(0.08)	8	-
COLOR	0.90	(0.10)	5,740	-	NBC	0.41	(0.03)	8,302	-	ADVA42P2007A	1.06	0.39	41,447	-
CPR	2.50	(0.20)	710	2.00	NCL	0.80	(0.08)	219	-	AEON01C2005A	0.02	-	5	-
FPI	2.10	(0.06)	10,874	2.00	NEWS	0.01	-	1,700	-	AEON13C2003A	-	-	-	-
GTB	0.49	(0.06)	7,031	-	NINE	-	-	-	-	AEON13C2007A	0.05	(0.08)	1,890	-
KCM	0.31	(0.02)	6,234	-	OTO	2.60	(0.24)	3,034	2.00	AEON19C2003A	-	-	-	-
KUMWEL	0.64	(0.02)	15,685	-	PHOL	1.50	(0.27)	18,203	1.00	AEON19C2006A	0.02	(0.04)	8,055	-
KWM	0.70	(0.04)	5,567	-	PICO	3.30	(0.08)	160	3.00	AMAT01C2004A	0.01	-	28,261	-
MBAX	2.78	(0.10)	607	2.00	QLT	4.24	(0.12)	352	4.00	AMAT01C2004B	0.01	-	12,000	-
MGT	1.12	(0.11)	8,014	1.00	RP	1.07	(0.04)	148	1.00	AMAT01C2007B	0.01	(0.04)	16,439	-
NDR	1.00	-	106	1.00	SE	1.34	(0.07)	436	1.00	AMAT01C2008A	0.11	(0.07)	17,487	-
PDG	2.68	(0.12)	1,276	2.00	SONIC	0.84	(0.06)	3,685	-	AMAT01P2008A	1.76	0.61	26,195	1.00
PIMO	0.85	(0.07)	7,923	-	SPA	9.40	(1.00)	22,628	9.00	AMAT06C2005A	0.01	-	1,520	-
PJW	0.97	(0.05)	2,192	-	THMIJ	0.34	(0.05)	1,619	-	AMAT08C2005A	-	-	-	-
PPM	0.51	(0.05)	2,231	-	TNDT	3.34	(0.16)	4,761	3.00	AMAT11C2004A	-	-	-	-
RWI	0.96	(0.06)	332	-	TNH	28.00	(2.50)	3,052	27.00	AMAT11C2008A	-	-	-	-
SALEE	0.73	(0.05)	2,548	-	TNP	1.81	(0.17)	10,545	1.00	AMAT13C2004A	-	-	-	-
SANKO	0.85	-	6,856	-	TSF	-	-	-	-	AMAT13C2006A	-	-	-	-
SELIC	1.80	(0.15)	2,432	1.00	TVD	0.46	(0.07)	6,800	-	AMAT16C2003A	-	-	-	-
SWC	3.54	(0.46)	3,868	3.00	TVT	0.36	(0.03)	2,095	-	AMAT16C2006A	-	-	-	-
TMC	0.27	(0.02)	8,885	-	VL	0.99	(0.19)	108,153	1.00	AMAT16C2008A	0.06	(0.01)	50	-
TMI	0.68	(0.02)	16,380	-	WINNER	1.96	(0.10)	4,934	1.00	AMAT19C2003A	-	-	-	-
TMW	33.75	(2.25)	205	33.00	YGG	3.76	(0.88)	3,302	4.00	AMAT19C2005A	-	-	-	-
TPAC	7.80	(0.80)	1,524	7.00	Technology (MAI)									
TPLAS	0.98	(0.04)	2,918	-	APP	1.36	(0.12)	4,040	1.00	AMAT19C2006A	-	-	-	-
UBIS	-	-	-	-	COMAN	1.81	(0.17)	859	1.00	AMAT19C2008A	0.05	(0.12)	33,200	-
UEC	0.55	(0.10)	3,993	-	ICN	1.38	(0.10)	9,299	1.00	AMAT24C2006A	-	-	-	-
UKEM	0.37	(0.03)	39,635	-	INSET	2.40	(0.10)	56,470	2.00	AMAT41C2004A	-	-	-	-
UREKA	0.75	(0.13)	6,981	-	JRCP	0.33	(0.06)	5,482	-	AMAT41C2005A	-	-	-	-
YUASA	10.60	(0.80)	842	10.00	ITEL	1.81	(0.27)	15,018	1.00	AMAT41C2006A	-	-	-	-
ZIGA	0.86	(0.05)	2,881	-	NETBAY	28.50	(1.75)	5,012	28.00	AMAT42C2003A	-	-	-	-
Property & Construc														
ALL	2.50	(0.12)	33,556	2.00	PLANET	0.85	(0.06)	561	-	AMAT42C2007A	0.01	(0.03)	10	-
ARIN	0.51	(0.06)	6,924	-	SIMAT	1.81	(0.10)	63,422	1.00	ANAN13C2007A	-	-	-	-
ARROW	6.35	(0.60)	2,805	6.00	SKY	13.10	(0.80)	16,708	13.00	ANAN19C2004A	-	-	-	-
BC	1.03	(0.08)	21,512	1.00	SPVI	1.95	(0.13)	36,888	1.00	ANAN19C2007A	-	-	-	-
BSM	0.24	(0.01)	50,036	-	TPS	1.84	(0.07)	4,869	1.00	AOT01C2004A	0.03	(0.01)	18,845	-
BTW	0.42	(0.01)	1,865	-	UPA	0.11	(0.01)	50,587	-	AOT01C2004B	0.02	0.01	2,131	-
CAZ	1.75	(0.04)	8,056	1.00	VCOM	2.04	(0.20)	174	2.00	AOT01C2006B	0.02	(0.06)	268,854	-
CHEWA	0.29	(0.03)	31,789	-	Unit Trust	-	-	-	-	AOT01C2007A	0.12	(0.17)	736,479	-
CMC	0.59	(0.09)	3,611	-	MGE	-	-	-	-	AOT01P2004A	2.36	0.64	44,384	2.00
CRD	0.45	(0.08)	2,006	-	SCBSET	-	-	-	-	AOT01P2004B	2.16	0.94	11,966	1.00
DIMET	-	-	-	-	ETF	-	-	-	-	AOT01P2006B	1.68	0.76	148,142	1.00
FLOYD	1.13	(0.05)	2,154	1.00	1DIV	6.58	(0.83)	1,957	6.00	AOT01P2007A	1.69	0.54	403,562	1.00
HYDRO	-	-	-	-	ABFTH	-	-	-	-	AOT06C2003A	0.01	-	5,000	-
JSP	0.19	(0.03)	145,040	-	BMSCG	5.42	(0.73)	570	5.00	AOT06C2007A	0.02	(0.08)	27,058	-
K	0.75	(0.07												

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT27C2008A	0.05	(0.04)	51,450	-	BBL41C2006A	-	-	-	-	BGR101C2006A	0.02	(0.02)	294,012	-
AOT28C2006A	-	-	-	-	BBL41C2007A	-	-	-	-	BGR101C2006B	0.01	(0.01)	54,260	-
AOT28C2006B	0.02	(0.03)	1,000	-	BBL41C2007B	0.10	(0.04)	6,798	-	BGR101C2008B	0.10	(0.06)	133,598	-
AOT28C2008A	0.12	(0.18)	177,920	-	BBL41P2004A	-	-	-	-	BGR101C2009A	0.23	(0.09)	303,725	-
AOT28P2004A	1.88	0.90	1	1.00	BBL41P2006A	-	-	-	-	BGR101P2003A	1.44	0.54	116,054	1.00
AOT41C2003A	-	-	-	-	BBL42C2003A	-	-	-	-	BGR101P2006A	2.98	0.76	5,051	2.00
AOT41C2004A	-	-	-	-	BBL42C2005A	-	-	-	-	BGR106C2005A	0.01	(0.04)	278	-
AOT41C2005A	-	-	-	-	BBL42C2007A	0.02	(0.05)	107	-	BGR108C2003A	0.01	(0.01)	5,620	-
AOT41C2006A	0.06	(0.09)	20,669	-	BCH01C2006A	0.04	(0.05)	19,052	-	BGR108C2005A	-	-	-	-
AOT41C2007A	0.06	(0.10)	360	-	BCH01C2006B	0.04	0.01	502	-	BGR111C2006A	0.05	(0.04)	63,513	-
AOT41C2007B	0.22	(0.18)	42,463	-	BCH01P2006A	1.40	0.40	26,702	1.00	BGR111C2008A	0.04	(0.01)	2,640	-
AOT41P2004A	-	-	-	-	BCH06C2006A	-	-	-	-	BGR113C2004A	0.01	-	6,213	-
AOT41P2005A	-	-	-	-	BCH06P2006A	-	-	-	-	BGR113C2006A	0.01	(0.02)	11,524	-
AOT41P2006A	1.88	0.79	2,600	1.00	BCH08C2004A	-	-	-	-	BGR113C2007A	0.04	(0.04)	92,495	-
AOT42C2006A	0.01	(0.01)	20,400	-	BCH11C2008A	0.03	(0.06)	17,490	-	BGR113C2008A	0.10	(0.06)	27,085	-
AOT42P2003A	0.41	0.40	32,793	-	BCH13C2004A	-	-	-	-	BGR113P2005A	3.24	0.96	18,126	3.00
AOT42P2009A	1.76	0.89	39,271	1.00	BCH13C2007A	0.03	(0.06)	1,010	-	BGR116C2005A	0.01	(0.02)	8	-
AP19C2007A	0.03	(0.06)	350	-	BCH16C2006A	0.02	(0.09)	2,000	-	BGR119C2004A	0.01	(0.01)	500	-
AP28C2004A	-	-	-	-	BCH19C2005A	-	-	-	-	BGR119C2005A	-	-	-	-
AP28C2006A	0.02	(0.01)	10	-	BCH19C2006A	0.01	(0.05)	8,060	-	BGR119C2006A	-	-	-	-
AWC01C2003A	0.01	-	4,762	-	BCH19C2008A	0.10	(0.12)	38,138	-	BGR119C2008A	0.11	(0.07)	73,144	-
AWC01C2003B	0.01	-	18,102	-	BCH24C2003A	-	-	-	-	BGR119P2007A	1.83	0.29	7,590	1.00
AWC01C2004A	0.01	-	500	-	BCH27C2003A	-	-	-	-	BGR124C2004A	0.02	(0.01)	700	-
AWC01C2009A	0.10	(0.12)	62,049	-	BCH41C2005A	-	-	-	-	BGR127P2006A	1.28	0.25	95,437	1.00
AWC01P2003A	1.38	0.62	6,030	1.00	BCH41C2006A	-	-	-	-	BGR141C2004A	-	-	-	-
AWC01P2003B	0.75	0.59	4,552	-	BCP01C2005A	0.03	(0.03)	34,308	-	BGR141C2005A	0.01	-	198	-
AWC01P2007A	1.17	0.53	34,707	-	BCP01C2005B	-	-	-	-	BGR141C2006A	-	-	-	-
AWC06C2004A	0.01	(0.01)	4,310	-	BCP01P2005A	0.75	0.22	36,137	-	BGR141C2007A	0.10	(0.06)	40,978	-
AWC08C2004A	-	-	-	-	BCP11C2004A	0.03	(0.06)	874	-	BGR141P2004A	1.28	0.48	4,148	1.00
AWC13C2006A	0.01	(0.05)	230	-	BCP13C2003A	-	-	-	-	BGR141P2005A	1.67	0.43	26	1.00
AWC13P2006A	1.31	0.68	25,898	1.00	BCP13C2003B	-	-	-	-	BGR141P2006A	-	-	-	-
AWC16C2005A	-	-	-	-	BCP13C2007A	-	-	-	-	BGR142C2003A	-	-	-	-
AWC16C2007A	-	-	-	-	BCP19C2004A	-	-	-	-	BGR142C2006A	0.01	-	5,100	-
AWC19C2003A	-	-	-	-	BCP19C2005A	-	-	-	-	BH01C2004A	0.27	(0.13)	49,702	-
AWC19C2004A	-	-	-	-	BGP24C2004A	-	-	-	-	BH01C2004B	0.03	(0.03)	87,822	-
AWC19C2006A	0.02	(0.02)	2,500	-	BCPG01C2005A	0.05	(0.10)	129,508	-	BH01P2004A	0.60	0.15	170,713	-
AWC24C2007A	0.02	-	11	-	BCPG01C2005B	-	-	-	-	BH08C2007A	0.27	(0.12)	85,599	-
AWC28C2006A	-	-	-	-	BCPG01C2008B	0.11	(0.16)	260,400	-	BH11C2008A	0.20	(0.06)	62,940	-
AWC28C2008A	0.12	(0.27)	142,505	-	BCPG01C2009A	0.31	(0.15)	274,916	-	BH13C2006A	0.10	(0.06)	60,788	-
AWC41C2003A	-	-	-	-	BCPG01P2005A	0.83	0.43	162,359	-	BH19C2003A	0.02	(0.02)	2,100	-
AWC41C2004A	-	-	-	-	BCPG01P2009A	0.74	0.28	231,159	-	BH19C2006A	0.13	(0.07)	43,966	-
AWC41C2005A	-	-	-	-	BCPG13C2004A	-	-	-	-	BH24C2003A	-	-	-	-
AWC41C2006A	0.03	(0.08)	500	-	BCPG13C2007A	0.10	(0.07)	188,765	-	BH27C2007A	0.20	(0.07)	47,424	-
AWC41C2007A	-	-	-	-	BCPG16C2009A	0.10	(0.05)	530	-	BH41C2003A	-	-	-	-
AWC42C2003A	-	-	-	-	BCPG19C2003A	-	-	-	-	BH41C2004A	0.10	(0.10)	39,214	-
AWC42C2008A	0.01	(0.05)	1,010	-	BCPG19C2005A	0.02	(0.09)	16,050	-	BH41C2005A	0.17	(0.09)	38,423	-
BANP01C2005A	0.02	0.01	33,338	-	BCPG28C2004A	0.01	-	605	-	BH41C2006A	-	-	-	-
BANP01C2005B	-	-	-	-	BCPG28C2008A	0.12	(0.13)	166,511	-	BH41P2004A	0.16	0.03	8,388	-
BANP01P2005A	1.58	0.22	126,456	1.00	BCPG41C2005A	0.09	(0.03)	274	-	BH41P2006A	0.83	0.15	23,997	-
BANP01P2005B	1.78	0.44	19,479	1.00	BCPG42C2004A	-	-	-	-	BH42C2003A	-	-	-	-
BANP06C2005A	0.02	(0.01)	1,001	-	BCPG42C2007A	0.03	(0.08)	10	-	BH42C2008A	0.27	(0.12)	20,768	-
BANP08C2005A	-	-	-	-	BDM501C2007B	0.04	(0.02)	27,410	-	BJC01C2004A	0.01	(0.02)	53	-
BANP08C2007A	0.02	-	46,600	-	BDM501P2008A	0.59	0.12	6,280	-	BJC01C2004B	-	-	-	-
BANP08P2003A	1.58	0.13	400	1.00	BDM506C2003A	0.01	(0.01)	400	-	BJC01C2008B	0.13	(0.17)	139,824	-
BANP11C2004A	0.01	-	1,400	-	BDM506C2008A	0.15	(0.17)	108,611	-	BJC01C2009A	0.24	(0.23)	148,855	-
BANP11C2008A	0.01	-	112,270	-	BDM506P2004A	0.76	0.51	190,257	-	BJC01P2004A	1.57	0.57	15,668	1.00
BANP13C2003A	-	-	-	-	BDM508C2003A	-	-	-	-	BJC01P2009A	0.65	0.25	98,732	-
BANP13C2006A	-	-	-	-	BDM508C2006A	-	-	-	-	BJC06C2006A	0.03	(0.03)	2,670	-
BANP13C2008A	0.11	(0.09)	3,000	-	BDM511C2007A	0.08	(0.08)	24,843	-	BJC11C2008A	0.04	(0.12)	4,338	-
BANP19C2004A	-	-	-	-	BDM511C2008A	0.03	(0.02)	1,102	-	BJC13C2004A	-	-	-	-
BANP19C2005A	-	-	-	-	BDM513C2003A	-	-	-	-	BJC13C2005A	0.01	(0.04)	38	-
BANP19C2007A	0.01	-	2,400	-	BDM513C2004A	-	-	-	-	BJC16C2006A	-	-	-	-
BANP19C2007B	0.02	-	19,857	-	BDM513C2008A	0.14	(0.10)	3,366	-	BJC19C2003A	-	-	-	-
BANP19P2003A	2.00	0.30	5,480	1.00	BDM516C2006A	0.10	(0.07)	3,116	-	BJC19C2005A	-	-	-	-
BANP24C2003A	-	-	-	-	BDM519C2005A	0.02	(0.06)	5,274	-	BJC19C2007A	0.05	(0.13)	10,410	-
BANP27C2007A	0.01	(0.03)	1	-	BDM519C2005B	-	-	-	-	BJC24C2003A	-	-	-	-
BANP28C2004A	-	-	-	-	BDM524C2006A	0.03	-	6,400	-	BJC24C2006A	0.02	(0.08)	10	-
BANP28C2008A	0.05	(0.05)	4,700	-	BDM541C2004A	-	-	-	-	BJC27C2009A	0.03	(0.08)	1,010	-
BANP41C2004A	-	-	-	-	BDM541C2005A	-	-	-	-	BJC28C2004A	-	-	-	-
BANP41C2005A	-	-	-	-	BDM541C2006A	-	-	-	-	BJC28C2007A	0.02	(0.08)	44,544	-
BANP41C2006A	-	-	-	-	BDM541P2004A	0.70	0.29	42,566	-	BJC41C2004A	-	-	-	-
BANP41C2007A	0.10	(0.10)	228	-	BDM541P2006A	0.54	0.21	36,776	-	BJC41C2005A	-	-	-	-
BANP41P2005A	1.42	0.22	13,460	1.00	BDM542C2003A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP41P2007A	1.37	0.11	2	1.00	BEAU13C2003A	0.01	-	200	-	BJC41C2007A	-	-	-	-
BANP42C2004A	-	-	-	-	BEAU13C2003B	0.01	-	1	-	BJC41C2008A	0.11	(0.21)	3,135	-
BANP42C2006A	-	-	-	-	BEC01C2006A	0.05	(0.05)	16,830	-	BJC41P2004A	1.36	0.32	7,080	1.00
BANP42P2005A	1.98	0.36	4,950	1.00	BEC01C2006B	-	-	-	-	BJC41P2005A	0.98	0.45	59,816	-
BBL06C2007A	0.04	(0.03)	26,825	-	BEC01P2006A	1.20	0.36	6,359	1.00	BJC42C2004A	-	-	-	-
BBL06P2004A	-	-	-	-	BEC19C2003A	-	-	-	-	BLAN19C2004A	-	-	-	-
BBL08C2005A	0.02	(0.01)	2,038	-	BEC19C2005A	-	-	-	-	BLAN28C2004A	-	-	-	-
BBL08C2007A	0.04	(0.06)	121	-	BEC41C2003A	-	-	-	-	BPP01C2005A	0.03	(0.01)	16,001	-
BBL08P2007A	1.52	0.45	20,212	1.00	BEC42C2003A	-	-	-	-	BPP01C2005B	-	-	-	-
BBL11C2005A	0.02	-	51,105	-	BEC42C2005A	-	-	-	-	BPP01P2005A	1.25	0.29	9,639	1.00
BBL11C2007A	0.02	-	16,392	-	BEM01C2004A	0.02	(0.01)	2,020	-	BPP13C2004A	-	-	-	-
BBL11P2008A	1.59	0.49	7,059	1.00	BEM01C2004B	0.02	0.01	1,000	-	BPP13C2007A	-	-	-	-
BBL13C2003A	-	-	-	-	BEM01P2004A	0.65	0.24	63,664	-	BPP19C2005A	-	-	-	-
BBL13C2004A	-	-	-	-	BEM06C2004A	-	-	-	-	BPP19C2007A	0.06	(0.06)	16,687	-
BBL13C2006A	0.07	0.01	7,469	-	BEM08C2005A	0.01	(0.02)	49,030	-	BPP24C2003A	-	-	-	-
BBL13C2008A	0.27	(0.73)	35,439	-	BEM11C2003A	-	-	-	-	BTS01C2005A	0.03	(0.04)	126,326	-
BBL13P2003A	-	-	-	-	BEM13C2004A	0.01	(0.01)	300	-	BTS01C2005B	0.01	-	700	-
BBL13P2004A	2.12	0.75	8,893	2.00	BEM13C2007A	0.05	-	2,155	-	BTS01P2005A	0.70	0.		

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS41P2004A	0.74	0.24	2,608	-	CKP13C2004A	-	-	-	-	CPN24C2007A	-	-	-	-
BTS42C2003A	-	-	-	-	CKP13C2004B	-	-	-	-	CPN41C2004A	-	-	-	-
BTS42C2008A	0.01	(0.03)	2	-	CKP13C2007A	0.07	(0.16)	2,420	-	CPN41C2006A	0.09	(0.08)	298	-
CBG01C2004A	0.06	(0.16)	117,555	-	CKP16C2005A	-	-	-	-	CPN41P2005A	1.45	0.56	8,544	1.00
CBG01C2004B	0.01	(0.02)	3,152	-	CKP16C2007A	0.02	(0.02)	1,200	-	CPN41P2006A	0.89	0.38	36,639	-
CBG01C2007B	0.16	(0.26)	108,972	-	CKP19C2003A	-	-	-	-	CPN42C2004A	-	-	-	-
CBG01P2003A	0.30	0.27	102,017	-	CKP19C2005A	-	-	-	-	CPN42C2006A	-	-	-	-
CBG01P2004A	1.81	1.03	140,298	1.00	CKP19C2006A	0.02	(0.05)	18,829	-	CRC01C2007A	0.13	(0.14)	167,696	-
CBG01P2007B	2.14	0.88	28,645	1.00	CKP24C2006A	-	-	-	-	CRC08C2007A	0.21	(0.21)	54,730	-
CBG06C2005A	0.04	(0.04)	29,517	-	CKP27C2005A	-	-	-	-	CRC13C2008A	0.12	(0.12)	413,603	-
CBG08C2003A	-	-	-	-	CKP28C2004A	-	-	-	-	CRC19C2008A	0.20	(0.18)	78,089	-
CBG08C2007A	0.32	(0.40)	74,450	-	CKP28C2004B	-	-	-	-	CRC19C2008B	0.14	(0.14)	52,549	-
CBG11C2008A	0.19	(0.28)	47,200	-	CKP28C2006A	-	-	-	-	CRC28C2007A	0.11	(0.17)	95,276	-
CBG13C2004A	0.01	(0.03)	555	-	CKP41C2004A	-	-	-	-	CRC28C2007B	0.06	(0.12)	22,881	-
CBG13C2008A	0.32	(0.36)	15,251	-	CKP41C2005A	-	-	-	-	CRC41C2007A	0.25	(0.18)	132,362	-
CBG13P2006A	2.06	0.88	12,274	1.00	CKP41C2006A	-	-	-	-	DTAC01C2004A	-	-	-	-
CBG16C2008A	0.19	(0.05)	241	-	CKP41C2007A	0.10	(0.14)	150	-	DTAC01C2004B	0.02	-	1,001	-
CBG19C2004A	-	-	-	-	CKP42C2003A	-	-	-	-	DTAC01C2007B	0.04	(0.04)	18,907	-
CBG19C2005A	0.04	(0.14)	21,562	-	CKP42C2005A	-	-	-	-	DTAC01C2008A	0.12	(0.12)	60,350	-
CBG19C2008A	0.39	(0.42)	161,204	-	CKP42C2006A	-	-	-	-	DTAC01P2004A	2.36	0.45	14,473	2.00
CBG19P2006A	2.14	0.81	1,327	1.00	COM708C2007A	0.04	(0.04)	330	-	DTAC01P2004B	2.46	0.87	11,557	2.00
CBG24C2003A	-	-	-	-	COM711C2004A	0.01	(0.01)	1,502	-	DTAC01P2007B	1.31	0.44	30,276	1.00
CBG24C2008A	0.33	(0.16)	260	-	COM713C2004A	0.01	(0.01)	1,995	-	DTAC01P2008A	1.35	0.41	18,526	1.00
CBG41C2003A	-	-	-	-	COM713C2007A	0.04	(0.05)	4,005	-	DTAC06C2006A	0.01	-	100	-
CBG41C2004A	-	-	-	-	COM713C2008A	0.22	(0.78)	4,305	-	DTAC08C2005A	-	-	-	-
CBG41C2005A	0.11	(0.28)	103,065	-	COM716C2008A	-	-	-	-	DTAC08C2005B	-	-	-	-
CBG41C2006A	0.09	(0.17)	13,006	-	COM719C2003A	-	-	-	-	DTAC08C2007A	0.04	(0.05)	3,045	-
CBG41P2004A	2.12	0.97	15,913	1.00	COM719C2005A	-	-	-	-	DTAC13C2003A	-	-	-	-
CBG41P2006A	2.08	0.81	145,388	1.00	COM719C2008A	0.33	(0.17)	217,700	-	DTAC13C2006A	0.02	-	7	-
CBG42C2003A	-	-	-	-	COM719P2004A	0.33	0.13	132,246	-	DTAC13C2007A	-	-	-	-
CBG42C2006A	0.02	(0.07)	620	-	COM724C2007A	0.06	(0.02)	200	-	DTAC13P2003A	-	-	-	-
CBG42C2008A	0.34	(0.45)	51,060	-	COM741C2004A	-	-	-	-	DTAC13P2006A	1.71	0.66	580	1.00
CENT01C2003A	0.01	-	5,131	-	COM741C2006A	-	-	-	-	DTAC13P2007A	0.36	0.10	10,780	-
CENT01C2003B	-	-	-	-	COM742C2004A	-	-	-	-	DTAC13P2008A	1.26	0.36	687	1.00
CENT01C2006A	0.06	(0.06)	10,774	-	CPAL01C2004A	0.04	(0.02)	46,050	-	DTAC16C2009A	0.16	(0.04)	20,876	-
CENT01C2006B	0.01	(0.01)	1,000	-	CPAL01C2004B	0.01	(0.01)	450	-	DTAC19C2005A	-	-	-	-
CENT01C2009A	0.36	(0.19)	170,989	-	CPAL01C2006A	0.18	(0.09)	82,208	-	DTAC19C2006A	0.02	(0.03)	210	-
CENT01P2003A	1.18	0.24	17,610	1.00	CPAL01C2006B	0.06	(0.04)	7,906	-	DTAC19C2007A	0.06	(0.09)	51,188	-
CENT01P2009A	0.81	0.21	250,886	-	CPAL01C2008B	0.24	(0.11)	118,233	-	DTAC19P2007A	0.99	0.31	41,079	-
CENT06C2003A	0.01	-	19,039	-	CPAL01P2004A	1.58	0.37	28,261	1.00	DTAC24C2004A	-	-	-	-
CENT06C2006A	-	-	-	-	CPAL01P2004B	0.85	0.33	76,457	-	DTAC24C2007A	0.06	(0.08)	1,000	-
CENT06P2007A	0.94	0.37	59,311	-	CPAL01P2008B	0.80	0.20	68,595	-	DTAC27C2008A	0.09	(0.08)	19,500	-
CENT08C2004A	0.01	-	360	-	CPAL06C2006A	0.04	(0.07)	159,678	-	DTAC41C2004A	-	-	-	-
CENT11C2004A	0.01	-	205	-	CPAL08C2004A	-	-	-	-	DTAC41C2005A	-	-	-	-
CENT11C2007A	0.01	(0.03)	402	-	CPAL08C2006A	0.05	(0.03)	2,022	-	DTAC41C2006A	0.01	(0.01)	5	-
CENT13C2003A	-	-	-	-	CPAL08P2006A	0.96	0.27	4,757	-	DTAC41C2007A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL11C2006A	-	-	-	-	DTAC41C2007B	0.10	(0.09)	896	-
CENT13C2006A	0.06	(0.06)	1,550	-	CPAL11C2007A	0.08	(0.03)	15,010	-	DTAC41P2005A	1.24	0.52	8,740	1.00
CENT19C2004A	-	-	-	-	CPAL13C2004A	-	-	-	-	DTAC41P2006A	-	-	-	-
CENT19C2005A	-	-	-	-	CPAL13C2007A	0.18	(0.07)	73,476	-	DTAC42C2004A	-	-	-	-
CENT19C2008A	0.27	(0.19)	77,971	-	CPAL13P2003A	1.28	0.44	93	1.00	DTAC42C2006A	0.02	(0.06)	200	-
CENT24C2003A	-	-	-	-	CPAL16C2006A	-	-	-	-	EA06C2005A	0.02	(0.01)	1,081	-
CENT24C2008A	-	-	-	-	CPAL16C2007A	-	-	-	-	EA08C2004A	-	-	-	-
CENT27C2008A	-	-	-	-	CPAL19C2004A	-	-	-	-	EA08C2006A	0.06	(0.07)	3,719	-
CENT28C2004A	-	-	-	-	CPAL19C2005A	0.03	(0.05)	14,000	-	EA11C2005A	0.03	(0.02)	3,000	-
CENT28C2005A	-	-	-	-	CPAL19C2008A	0.27	(0.13)	52,957	-	EA13C2003A	-	-	-	-
CENT28C2006A	0.04	(0.03)	600	-	CPAL19P2004A	0.64	0.26	112,734	-	EA13C2005A	0.03	(0.04)	6,523	-
CENT28C2008A	0.21	(0.15)	136,300	-	CPAL24C2005A	-	-	-	-	EA13C2006A	0.03	(0.03)	6,363	-
CENT41C2003A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA13C2008A	0.13	(0.08)	11,811	-
CENT41C2004A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA13P2003A	0.35	0.27	6,944	-
CENT41C2005A	-	-	-	-	CPAL28C2007A	0.07	(0.05)	3,185	-	EA13P2006A	1.41	0.36	1,974	1.00
CENT41C2006A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA16C2003A	0.04	(0.01)	10	-
CENT41P2003A	-	-	-	-	CPAL41C2005A	-	-	-	-	EA16C2006A	-	-	-	-
CENT42C2004A	-	-	-	-	CPAL41C2006A	-	-	-	-	EA16C2008A	0.04	(0.02)	8,345	-
CENT42C2006A	-	-	-	-	CPAL41C2007A	0.19	(0.04)	38,417	-	EA19C2004A	-	-	-	-
CHG01C2006A	0.16	(0.10)	34,611	-	CPAL41P2004A	0.76	0.35	9,827	-	EA19C2008A	0.19	(0.12)	34,705	-
CHG01C2006B	0.04	(0.06)	17,867	-	CPAL41P2005A	-	-	-	-	EA19P2007A	1.21	0.26	13,013	1.00
CHG01P2006A	0.53	0.16	113,718	-	CPAL41P2006A	1.00	0.33	14,832	-	EA24C2003A	-	-	-	-
CHG06P2003A	0.15	0.13	71,335	-	CPAL42C2003A	-	-	-	-	EA24C2004A	-	-	-	-
CHG08C2005A	0.05	(0.03)	1,312	-	CPAL42C2005A	-	-	-	-	EA27C2006A	0.04	(0.05)	13,584	-
CHG13C2006A	0.10	(0.08)	147,362	-	CPAL42C2007A	0.06	(0.04)	1,059	-	EA28C2004A	-	-	-	-
CHG16C2009A	0.17	(0.01)	32,232	-	CPF01C2004A	0.03	(0.05)	84,633	-	EA28C2004B	-	-	-	-
CHG19C2004A	0.06	(0.07)	7,000	-	CPF01C2004B	0.02	-	19,994	-	EA28C2006A	0.02	(0.03)	3,000	-
CHG27C2009A	0.16	(0.07)	36,684	-	CPF01P2004A	0.46	0.23	198,505	-	EA41C2004A	-	-	-	-
CHG41C2005A	0.05	(0.04)	100	-	CPF08C2006A	0.02	(0.01)	3,600	-	EA41C2005A	-	-	-	-
CHG42C2006A	0.05	(0.09)	11,410	-	CPF11C2004A	0.01	(0.01)	2,635	-	EA41C2006A	-	-	-	-
CK01C2005A	0.06	(0.19)	123,045	-	CPF11C2007A	0.05	(0.06)	2,015	-	EA41P2003A	-	-	-	-
CK01C2005B	0.02	(0.05)	43,957	-	CPF13C2003A	-	-	-	-	EA41P2004A	0.82	0.26	76,849	-
CK01P2005A	0.84	0.54	113,467	-	CPF13C2006A	0.04	(0.01)	676	-	EA42C2004A	-	-	-	-
CK06C2004A	0.01	(0.03)	170	-	CPF13C2008A	0.11	(0.89)	43,756	-	EGCO01C2004A	0.01	-	2,712	-
CK11C2007A	0.02	(0.09)	2,832	-	CPF16C2007A	0.05	(0.02)	390	-	EGCO01C2004B	0.01	-	3,917	-
CK13C2003A	0.01	(0.01)	350	-	CPF19C2003A	-	-	-	-	EGCO01C2007B	0.03	(0.05)	77,788	-
CK13C2006A	0.07	(0.02)	710	-	CPF19C2005A	0.03	(0.04)	18,915	-	EGCO06C2004A	0.01	-	3,316	-
CK16C2003A	-	-	-	-	CPF19C2006A	0.02	(0.01)	6,170	-	EGCO06C2007A	-	-	-	-
CK16C2006A	0.04	(0.03)	1,500	-	CPF24C2007A	0.06	(0.05)	11,806	-	EGCO06P2004A	4.70	1.62	15	4.00
CK19C2003A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO13C2005A	-	-	-	-
CK19C2004A	-	-	-	-	CPF28C2007A	0.02	(0.02)	2,010	-	EGCO19C2005A	-	-	-	-
CK19C2007A	0.02	(0.09)	4,055	-	CPF41C2004A	-	-	-	-	EGCO19C2007A	0.01	(0.03)	4,530	-
CK24C2003A	-	-	-	-	CPF41C2005A	-	-	-	-	EGCO41C2003A	-	-	-	-
CK27C2008A	0.08	(0.15)	10,670	-	CPF41P2003A	0.04	0.03	1	-	EGCO41C2004A	-	-	-	-
CK41C2003A	-	-	-	-	CPF41P2005A									

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ERW06C2007A	0.03	(0.09)	17,527	-	GULF13P2005A	2.54	1.14	71,188	2.00	INTU41P2005A	1.02	0.29	42,862	-
ERW06P2006A	-	-	-	-	GULF16C2003A	-	-	-	-	INTU41P2006A	0.97	0.27	15,174	-
ERW13C2005A	-	-	-	-	GULF16C2007A	0.18	(0.04)	7,341	-	INTU42C2003A	-	-	-	-
ERW13C2006A	-	-	-	-	GULF19C2003A	0.02	(0.04)	85,988	-	INTU42C2005A	-	-	-	-
ERW13C2007A	-	-	-	-	GULF19C2004A	0.01	(0.05)	1,522	-	IRPC01C2005A	0.01	-	20,204	-
ERW19C2005A	-	-	-	-	GULF19C2006A	0.02	(0.03)	33,758	-	IRPC01C2005B	0.02	-	3	-
ERW19C2006A	-	-	-	-	GULF19P2003A	0.26	0.22	243,784	-	IRPC01C2007B	0.06	(0.02)	68,543	-
ERW19C2007A	0.05	(0.09)	10,768	-	GULF19P2006A	1.90	0.72	63,630	2.00	IRPC01P2005A	2.16	0.16	8,110	2.00
ERW24C2006A	0.18	(0.06)	120	-	GULF24C2005A	0.11	(0.21)	11,112	-	IRPC01P2005B	1.86	0.24	1,950	1.00
ESS001C2004A	0.01	(0.01)	120	-	GULF27C2004A	0.14	(0.36)	125,899	-	IRPC01P2007B	1.03	0.11	27,900	1.00
ESS001C2004B	0.01	(0.01)	4,810	-	GULF28C2006A	0.03	(0.01)	27	-	IRPC06C2005A	0.01	-	8,900	-
ESS001C2008B	0.11	(0.05)	22,518	-	GULF28C2008A	0.11	(0.10)	43,209	-	IRPC06C2007A	0.02	-	110	-
ESS001C2009A	0.20	(0.07)	22,613	-	GULF41C2004A	-	-	-	-	IRPC06P2004A	-	-	-	-
ESS001P2009A	0.90	0.15	38,378	-	GULF41C2005A	0.02	(0.05)	4,096	-	IRPC11C2005A	0.01	(0.02)	3	-
ESS008C2004A	0.01	(0.01)	1,003	-	GULF41C2006A	0.11	(0.15)	200,771	-	IRPC11C2008A	-	-	-	-
ESS013C2003A	-	-	-	-	GULF41P2003A	1.44	1.03	4,261	1.00	IRPC13C2006A	-	-	-	-
ESS013C2006A	0.05	-	200	-	GULF41P2004A	1.93	1.00	5,074	1.00	IRPC13C2007A	0.04	(0.03)	130	-
ESS019C2004A	-	-	-	-	GULF41P2005A	1.64	1.18	211	1.00	IRPC13C2008A	0.12	(0.03)	40,600	-
ESS019C2007A	0.07	(0.06)	7,065	-	GULF41P2006A	1.41	0.68	89,187	1.00	IRPC16C2008A	-	-	-	-
ESS024C2003A	-	-	-	-	GULF41P2007A	2.76	1.00	3,442	2.00	IRPC19C2003A	-	-	-	-
ESS024C2007A	-	-	-	-	GULF42C2003A	0.01	-	100	-	IRPC19C2005A	-	-	-	-
ESS041C2003A	-	-	-	-	GUNK01C2005A	0.04	(0.03)	10,575	-	IRPC19C2007A	0.05	(0.03)	100	-
ESS041C2004A	-	-	-	-	GUNK01C2005B	0.02	-	3,100	-	IRPC24C2004A	-	-	-	-
ESS041C2005A	0.02	(0.01)	80	-	GUNK01P2005A	0.85	0.31	11,027	-	IRPC24C2007A	0.09	(0.04)	1,350	-
ESS041C2006A	0.12	(0.04)	219	-	GUNK11C2007A	-	-	-	-	IRPC27C2007A	-	-	-	-
ESS042C2003A	-	-	-	-	GUNK13C2006A	0.02	(0.03)	8,005	-	IRPC28C2006A	0.01	-	2	-
ESS042C2007A	0.07	(0.04)	1,000	-	GUNK19C2003A	-	-	-	-	IRPC28C2008A	0.12	(0.04)	45,658	-
GFPT13C2003A	-	-	-	-	GUNK19C2006A	0.02	(0.05)	10,200	-	IRPC41C2004A	-	-	-	-
GFPT19C2004A	-	-	-	-	GUNK24C2006A	-	-	-	-	IRPC41C2005A	-	-	-	-
GFPT19C2006A	0.06	(0.05)	5,170	-	GUNK28C2005A	-	-	-	-	IRPC41C2006A	0.07	0.05	2,512	-
GFPT24C2007A	0.09	(0.01)	1	-	GUNK41C2003A	0.01	-	425	-	IRPC41C2007A	0.17	(0.04)	318	-
GFPT42C2004A	-	-	-	-	GUNK41C2005A	-	-	-	-	IRPC41P2004A	0.99	0.34	40	-
GFPT42C2008A	0.06	(0.03)	5,136	-	GUNK41P2005A	0.82	0.21	8,999	-	IRPC41P2005A	-	-	-	-
GLOB01C2003A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC41P2006A	-	-	-	-
GLOB01C2007B	0.09	(0.11)	60,847	-	HANA01C2006A	0.12	(0.12)	165,490	-	IRPC41P2007A	-	-	-	-
GLOB01C2008A	0.20	(0.16)	79,766	-	HANA01C2006B	0.02	(0.03)	141	-	IRPC42C2003A	-	-	-	-
GLOB01P2003A	0.84	0.59	7,239	-	HANA01P2006A	0.68	0.26	1,762	-	IRPC42C2006A	0.01	-	2,500	-
GLOB06C2006A	0.02	(0.11)	23,414	-	HANA11C2008A	0.08	(0.08)	6,110	-	IVL01C2004A	0.02	-	27,200	-
GLOB13C2007A	0.08	(0.10)	4,291	-	HANA13C2006A	0.03	(0.07)	1,930	-	IVL01C2004B	0.02	(0.01)	10	-
GLOB19C2005A	-	-	-	-	HANA13C2008A	0.08	(0.10)	91,752	-	IVL01C2006B	0.03	(0.03)	26,446	-
GLOB19C2007A	0.10	(0.16)	48,317	-	HANA16C2008A	0.18	0.04	31,713	-	IVL01P2004A	0.96	0.39	65,160	-
GLOB24C2005A	-	-	-	-	HANA19C2003A	0.02	(0.07)	4,300	-	IVL01P2004B	0.48	0.29	74,127	-
GLOB41C2004A	-	-	-	-	HANA19C2006A	-	-	-	-	IVL01P2006B	1.02	0.35	63,785	-
GLOB42C2009A	0.08	(0.13)	14,024	-	HANA27C2007A	-	-	-	-	IVL06C2003A	0.01	(0.01)	9,945	-
GPSCO1C2003A	0.21	-	22,931	-	HANA27P2007A	0.79	0.25	101,064	-	IVL06C2008A	0.06	(0.10)	115,795	-
GPSCO1C2003B	0.01	-	54,281	-	HANA41C2006A	-	-	-	-	IVL06P2005A	-	-	-	-
GPSCO1C2005A	0.02	(0.03)	72,681	-	HMPR01C2006A	0.07	(0.08)	30,583	-	IVL08C2004A	0.02	(0.02)	2,000	-
GPSCO1C2005B	0.01	-	94,293	-	HMPR01C2006B	0.03	(0.03)	1	-	IVL08P2003A	1.31	0.93	13,201	1.00
GPSCO1C2007B	0.06	(0.07)	62,661	-	HMPR01P2006A	1.01	0.39	81,718	-	IVL08P2004A	0.74	0.37	34,822	-
GPSCO1C2008A	0.17	(0.12)	179,761	-	HMPR06C2006A	0.01	(0.01)	500	-	IVL11C2005A	-	-	-	-
GPSCO1P2003A	2.96	1.04	25,884	2.00	HMPR06P2007A	0.69	0.34	116,426	-	IVL11C2006A	0.03	(0.05)	631	-
GPSCO1P2005A	3.08	0.76	83,554	2.00	HMPR11C2003A	-	-	-	-	IVL13C2003A	-	-	-	-
GPSCO1P2005B	2.74	0.88	24,451	2.00	HMPR13C2003A	-	-	-	-	IVL13C2006A	0.07	-	2,612	-
GPSCO1P2007B	2.26	0.59	44,155	2.00	HMPR13C2006A	0.05	(0.02)	3,000	-	IVL13C2008A	0.24	(0.76)	18,005	-
GPSCO1P2008A	2.70	0.50	34,723	2.00	HMPR13C2007A	0.07	(0.07)	6,375	-	IVL13P2004A	1.11	0.63	31,377	-
GPSCO6C2006A	0.02	-	17,021	-	HMPR19C2003A	-	-	-	-	IVL16C2006A	0.01	(0.01)	17	-
GPSCO6C2008A	0.15	(0.18)	127,001	-	HMPR19C2005A	-	-	-	-	IVL16C2009A	-	-	-	-
GPSCO8C2004B	0.01	(0.01)	101	-	HMPR19C2007A	0.06	(0.11)	23,419	-	IVL19C2003A	-	-	-	-
GPSCO8C2007A	0.06	(0.06)	5,056	-	HMPR24C2004A	-	-	-	-	IVL19C2004A	-	-	-	-
GPSCO8P2006A	2.32	0.50	20,027	2.00	HMPR41C2005A	-	-	-	-	IVL19C2006A	0.01	(0.03)	29,300	-
GPSC11C2006A	0.05	(0.05)	5,048	-	HMPR41C2006A	-	-	-	-	IVL19C2008A	0.29	(0.71)	32,148	-
GPSC13C2005A	0.03	(0.02)	1,126	-	HMPR41C2007A	0.05	(0.08)	19,600	-	IVL19P2003A	-	-	-	-
GPSC13C2007A	0.09	(0.07)	22,484	-	HMPR41C2007B	0.11	(0.16)	61,187	-	IVL19P2006A	1.00	0.33	97,941	-
GPSC13C2008A	0.21	(0.15)	37,391	-	HMPR42C2003A	-	-	-	-	IVL24C2003A	-	-	-	-
GPSC13P2003A	-	-	-	-	HSI28C2003A	0.01	-	264	-	IVL27P2007A	0.83	0.25	124,712	-
GPSC13P2005A	-	-	-	-	HSI28C2003B	-	-	-	-	IVL28C2007A	0.03	(0.03)	17,700	-
GPSC13P2007A	2.44	0.56	44,425	2.00	HSI28C2003C	0.01	(0.02)	10	-	IVL41C2004A	-	-	-	-
GPSC16C2003A	-	-	-	-	HSI28C2004A	0.44	(0.31)	483,280	-	IVL41C2005A	-	-	-	-
GPSC16C2007A	0.04	(0.01)	6,867	-	HSI28C2004B	0.20	(0.17)	3,551	-	IVL41C2006A	-	-	-	-
GPSC19C2004A	0.01	(0.01)	335	-	HSI28C2004C	0.09	(0.09)	20,914	-	IVL41C2007A	-	-	-	-
GPSC19C2007A	0.07	(0.08)	270,452	-	HSI28P2003A	-	-	-	-	IVL41P2004A	0.37	0.20	12,710	-
GPSC19C2008A	0.30	(0.19)	231,184	-	HSI28P2003B	-	-	-	-	IVL41P2005A	1.33	0.31	30	1.00
GPSC19P2005A	2.18	0.62	2,002	2.00	HSI28P2003C	-	-	-	-	IVL41P2006A	-	-	-	-
GPSC24C2007A	-	-	-	-	HSI28P2004A	1.71	0.82	512,179	1.00	IVL41P2007A	-	-	-	-
GPSC27C2005A	0.01	-	4,186	-	HSI28P2004B	2.08	0.78	171,590	1.00	IVL42C2005A	-	-	-	-
GPSC28C2008A	0.12	(0.09)	87,204	-	HSI28P2004C	2.90	1.08	94,127	2.00	IVL42C2008A	0.43	(0.39)	40,364	-
GPSC41C2004A	-	-	-	-	INTU01C2003A	0.02	0.01	7,952	-	JAS13C2006A	0.06	(0.04)	45,458	-
GPSC41C2005A	-	-	-	-	INTU01C2003B	0.01	-	30,458	-	JAS19C2004A	0.04	(0.03)	33,927	-
GPSC41C2005B	-	-	-	-	INTU01C2006A	0.11	(0.11)	48,848	-	JAS41C2004A	0.05	(0.07)	23,600	-
GPSC41C2006A	0.05	(0.05)	34	-	INTU01C2006B	0.03	(0.04)	43,106	-	JAS41C2005A	0.07	(0.08)	15,212	-
GPSC41P2004A	-	-	-	-	INTU01P2003A	1.73	0.28	15,250	1.00	JAS41C2006A	0.10	(0.05)	8,854	-
GPSC41P2005A	-	-	-	-	INTU01P2003B	0.81	0.45	15,277	-	JAS41P2005A	0.53	0.10	166,965	-
GPSC41P2006A	2.18	0.68	28,589	1.00	INTU01P2006A	1.27	0.28	33,240	1.00	JMT13C2006A	0.15	(0.13)	6,410	-
GPSC42C2006A	0.03	(0.06)	2,520	-	INTU01P2006B	0.91	0.33	39,480	-	JMT19C2006A	0.11	(0.13)	121,394	-
GPSC42P2006A	2.74	1.46	1,801	2.00	INTU13C2004A	-	-	-	-	JMT42C2006A	0.13	(0.13)	25,416	-
GULF01C2003A	0.04	(0.20)	360,933	-	INTU13C2006A	0.07	(0.08)	2,906	-	KBAN01C2004A	0.01	(0.01)	32,601	-
GULF01C2003B	0.02	-	18,752	-	INTU13P2004A	0.77	0.39	133,146	-	KBAN01C2004B	0.01	(0.01)	14,331	-
GULF01C2005A	0.14	(0.24)	1,102,425	-	INTU16C2005A	-	-	-	-	KBAN01C2007A	0.11	(0.07)	79,810	-
GULF01C2005B	0.04													

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN13P2006A	1.85	0.54	5,293	1.00	MAJO19C2006A	-	-	-	-	PSL19C2006A	0.02	-	350	-
KBAN13P2008A	1.01	0.27	51,173	-	MBK19C2004A	-	-	-	-	PSL19C2007A	0.43	(0.21)	81,283	-
KBAN16C2005A	-	-	-	-	MEGA16C2009A	0.07	(0.06)	6,039	-	PTG01C2003A	-	-	-	-
KBAN16C2008A	0.04	(0.01)	1,002	-	MEGA19C2005A	0.02	(0.03)	5,268	-	PTG01C2003B	0.02	0.01	13,435	-
KBAN19C2003A	-	-	-	-	MINT01C2003A	0.01	-	43,471	-	PTG01C2005A	0.13	(0.12)	66,635	-
KBAN19C2004A	-	-	-	-	MINT01C2003B	0.01	-	4,198	-	PTG01C2005B	0.03	(0.04)	1,550	-
KBAN19C2007A	0.03	(0.04)	28,582	-	MINT01C2007B	0.02	(0.04)	98,100	-	PTG01C2007B	0.24	(0.20)	30,970	-
KBAN19P2004A	1.62	0.60	6,890	1.00	MINT01C2008A	0.06	(0.10)	35,895	-	PTG01P2003A	0.79	0.50	9,966	-
KBAN19P2007A	1.88	0.42	7,158	1.00	MINT01P2003A	1.39	0.48	52,546	1.00	PTG01P2005A	0.91	0.31	44,016	-
KBAN24C2005A	-	-	-	-	MINT01P2008A	0.91	0.27	161,655	-	PTG01P2005B	0.65	0.34	9,164	-
KBAN28C2004A	-	-	-	-	MINT06C2006A	0.02	-	11,300	-	PTG03C2005A	0.01	(0.01)	81,456	-
KBAN28C2008A	0.09	(0.07)	13,518	-	MINT06P2007A	0.99	0.34	407	-	PTG06C2006A	0.04	(0.10)	42,466	-
KBAN41C2003A	-	-	-	-	MINT08C2003A	0.01	(0.01)	100	-	PTG08C2005A	-	-	-	-
KBAN41C2004A	-	-	-	-	MINT11C2006A	0.01	(0.01)	5	-	PTG08C2007A	0.22	(0.20)	106,474	-
KBAN41C2005A	-	-	-	-	MINT13C2004A	-	-	-	-	PTG11C2003A	-	-	-	-
KBAN41C2007A	-	-	-	-	MINT13C2006A	-	-	-	-	PTG11C2005A	-	-	-	-
KBAN41P2004A	-	-	-	-	MINT13C2008A	0.06	(0.06)	4,450	-	PTG13C2004A	0.01	(0.05)	200	-
KBAN41P2005A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG13C2006A	0.12	(0.14)	37,004	-
KBAN41P2006A	-	-	-	-	MINT19C2006A	0.02	(0.03)	2,000	-	PTG13P2004A	0.64	0.38	44,831	-
KBAN42C2003A	-	-	-	-	MINT19P2004A	1.17	0.61	5,189	1.00	PTG13P2006A	0.40	0.20	114,912	-
KBAN42C2004A	-	-	-	-	MINT24C2006A	-	-	-	-	PTG16C2009A	0.25	(0.11)	36,010	-
KBAN42C2007A	-	-	-	-	MINT28C2006A	-	-	-	-	PTG19C2003A	-	-	-	-
KBAN42P2008A	2.70	0.82	41,648	2.00	MINT28C2008A	0.04	(0.07)	50,563	-	PTG19C2004A	-	-	-	-
KCE01C2004A	0.25	(0.27)	145,112	-	MINT41C2004A	-	-	-	-	PTG19C2005A	0.03	(0.11)	14,000	-
KCE01C2004B	0.05	(0.12)	87,127	-	MINT41C2005A	-	-	-	-	PTG19C2006A	0.14	(0.19)	41,215	-
KCE01C2007B	0.03	(0.02)	59,016	-	MINT41P2004A	1.16	0.50	143	1.00	PTG19P2006A	0.62	0.23	20,096	-
KCE01C2008A	0.13	(0.14)	102,087	-	MINT42C2004A	-	-	-	-	PTG27C2007A	0.17	(0.17)	40,771	-
KCE01P2004A	1.42	0.65	149,116	1.00	MTC01C2003A	0.02	(0.12)	68,386	-	PTG28C2004A	-	-	-	-
KCE08C2005A	0.04	(0.04)	6,575	-	MTC01C2003B	0.01	-	3,480	-	PTG41C2004A	-	-	-	-
KCE08C2005B	0.03	-	50	-	MTC01C2007B	0.10	(0.05)	75,673	-	PTG41C2005A	-	-	-	-
KCE11C2004A	0.12	(0.10)	17,000	-	MTC01C2008A	0.30	(0.14)	79,611	-	PTG41C2006A	0.06	(0.13)	533	-
KCE13C2003A	-	-	-	-	MTC01P2003A	0.39	0.23	85,193	-	PTG41P2005A	0.74	0.33	34,904	-
KCE13C2004A	0.02	(0.05)	18,882	-	MTC03C2005A	-	-	-	-	PTG42C2004A	-	-	-	-
KCE13C2005A	0.02	-	4,973	-	MTC06C2007A	0.20	(0.15)	109,442	-	PTG42C2006A	0.14	(0.18)	30,981	-
KCE13C2006A	0.15	(0.18)	40,346	-	MTC08C2005A	0.08	(0.12)	56,748	-	PTT01C2004A	0.01	(0.01)	126,872	-
KCE16C2007A	0.07	(0.08)	5,225	-	MTC11C2008A	0.17	(0.12)	60,512	-	PTT01C2004B	0.02	0.01	2,580	-
KCE19C2005A	0.05	(0.12)	22,708	-	MTC13C2003A	0.02	0.01	200	-	PTT01C2007A	0.07	(0.01)	359,157	-
KCE19C2007A	0.13	(0.15)	36,185	-	MTC13C2007A	0.08	(0.09)	32,059	-	PTT01C2007B	0.03	-	84,803	-
KCE24C2005A	0.32	(0.26)	1,201	-	MTC13P2003A	0.08	0.07	12,141	-	PTT01P2004A	1.52	0.28	37,832	1.00
KCE27C2007A	0.03	(0.03)	2,603	-	MTC16C2007A	0.08	(0.03)	5,160	-	PTT01P2004B	1.45	0.37	20,932	1.00
KCE41C2003A	-	-	-	-	MTC19C2006A	0.06	(0.08)	86,837	-	PTT01P2007A	1.80	0.20	53,961	1.00
KCE41C2005A	0.15	(0.17)	280	-	MTC19P2004A	0.32	0.16	156,335	-	PTT01P2007B	1.97	0.46	8,789	1.00
KCE41C2006A	-	-	-	-	MTC24C2004A	0.03	(0.12)	147	-	PTT06C2005A	-	-	-	-
KKP01C2006A	0.03	(0.06)	15,707	-	MTC27C2007A	0.08	(0.13)	14,714	-	PTT08C2005A	0.02	0.01	535	-
KKP01C2006B	0.01	(0.02)	3,500	-	MTC28C2006A	0.04	(0.06)	10,582	-	PTT08P2005A	1.64	0.34	33,560	1.00
KKP01P2006A	2.50	0.97	21,612	2.00	MTC28C2008A	0.18	(0.14)	171,650	-	PTT11C2004A	-	-	-	-
KKP08C2003A	-	-	-	-	MTC41C2004A	-	-	-	-	PTT11C2008A	0.03	-	15,925	-
KKP11C2007A	0.01	(0.06)	2,000	-	MTC41C2007A	0.26	(0.19)	70,541	-	PTT13C2004A	-	-	-	-
KKP13C2004A	-	-	-	-	MTC41P2004A	0.70	0.28	14,501	-	PTT13C2006A	0.04	-	5,717	-
KKP13C2007A	0.06	(0.01)	220	-	MTC42C2003A	-	-	-	-	PTT13C2008A	0.04	(0.01)	98,432	-
KKP19C2003A	-	-	-	-	ORI13C2004A	-	-	-	-	PTT13C2008B	0.16	(0.07)	258,624	-
KKP24C2003A	-	-	-	-	ORI19C2003A	-	-	-	-	PTT13P2004A	1.69	0.29	1,293	1.00
KKP41C2006A	-	-	-	-	ORI19C2005A	-	-	-	-	PTT13P2006A	2.18	0.48	6,128	1.00
KTB01C2003A	0.01	-	4,500	-	ORI28C2004A	-	-	-	-	PTT13P2008A	0.30	0.09	143,840	-
KTB01C2008B	0.04	(0.05)	44,720	-	ORI28C2007A	0.02	(0.04)	2,150	-	PTT16C2008A	0.01	(0.01)	2,234	-
KTB01C2009A	0.09	(0.08)	152,637	-	ORI41C2004A	-	-	-	-	PTT19C2005A	0.01	-	17,860	-
KTB01P2003A	1.61	0.44	10,615	1.00	OSP01C2003A	0.03	(0.05)	25,516	-	PTT19C2008A	0.20	(0.80)	20,227	-
KTB01P2009A	0.90	0.30	53,484	-	OSP01C2003B	-	-	-	-	PTT19P2003A	1.49	0.43	140	1.00
KTB11C2004A	-	-	-	-	OSP01C2006A	0.12	(0.19)	122,375	-	PTT19P2006A	1.73	0.35	4,100	1.00
KTB11C2006A	-	-	-	-	OSP01C2006B	0.04	(0.10)	22,769	-	PTT24C2003A	-	-	-	-
KTB13C2006A	-	-	-	-	OSP01P2003A	0.55	0.38	269,701	-	PTT24C2008A	0.04	(0.01)	7,481	-
KTB19C2005A	-	-	-	-	OSP01P2006A	0.98	0.39	245,630	-	PTT28C2004A	-	-	-	-
KTB24C2004A	-	-	-	-	OSP06C2005A	0.02	(0.09)	30,710	-	PTT28C2007A	0.01	(0.01)	5,001	-
KTB41C2003A	-	-	-	-	OSP06P2003A	0.91	0.87	23,869	-	PTT28C2008A	0.08	(0.03)	5,910	-
KTB41C2004A	-	-	-	-	OSP08C2004A	0.02	(0.03)	600	-	PTT28P2004A	1.47	0.27	208	1.00
KTB41C2006A	-	-	-	-	OSP11C2005A	0.06	(0.12)	25,270	-	PTT41C2004A	-	-	-	-
KTB41P2004A	-	-	-	-	OSP13C2004A	0.06	(0.03)	505	-	PTT41C2005A	-	-	-	-
KTC01C2004A	0.02	(0.04)	4,011	-	OSP13C2006A	0.07	(0.04)	4,230	-	PTT41C2006A	-	-	-	-
KTC01C2004B	0.01	(0.01)	1,600	-	OSP16C2008A	0.09	(0.03)	1,228	-	PTT41P2004A	-	-	-	-
KTC01C2007A	0.17	(0.19)	150,158	-	OSP19C2004A	0.02	(0.02)	2,200	-	PTT41P2005A	1.44	0.25	1	1.00
KTC01C2007B	0.09	(0.09)	76,720	-	OSP19C2005A	0.04	(0.11)	15,500	-	PTT41P2006A	-	-	-	-
KTC01P2004A	1.00	0.65	133,252	-	OSP24C2008A	0.15	(0.09)	100	-	PTT42C2003A	-	-	-	-
KTC01P2007A	0.74	0.35	93,481	-	OSP41C2003A	-	-	-	-	PTT42C2007A	-	-	-	-
KT06C2006A	0.03	(0.12)	110,290	-	OSP41C2004A	-	-	-	-	PTTE01C2004A	0.02	-	68,671	-
KT08C2004A	-	-	-	-	OSP41C2005A	0.04	(0.07)	6,199	-	PTTE01C2004B	0.01	-	14,020	-
KT08C2006A	0.10	(0.17)	105,263	-	OSP41P2003A	0.14	0.12	1,402	-	PTTE01C2007A	0.04	(0.01)	244,682	-
KTC11C2005A	-	-	-	-	OSP41P2004A	0.64	0.38	75,913	-	PTTE01C2007B	0.02	-	124,436	-
KTC13C2004A	0.04	0.02	3,200	-	OSP42C2005A	0.02	(0.06)	4,290	-	PTTE01P2004A	2.56	0.63	32,594	2.00
KTC13C2006A	0.08	(0.05)	53,792	-	PLAN08C2004A	-	-	-	-	PTTE01P2004B	2.76	1.04	9,787	2.00
KTC13P2006A	0.60	0.36	260,629	-	PLAN13C2004A	-	-	-	-	PTTE01P2007A	3.56	0.72	25,600	3.00
KTC13P2007A	1.26	0.53	16,767	1.00	PLAN13C2005A	-	-	-	-	PTTE01P2007B	4.92	1.74	88,811	4.00
KTC19C2005A	0.02	(0.04)	9,289	-	PLAN13C2007A	0.01	(0.02)	259,818	-	PTTE06C2006A	0.01	-	5,022	-
KTC19C2006A	0.06	(0.12)	366,528	-	PLAN19C2005A	-	-	-	-	PTTE06P2006A	-	-	-	-
KTC19P2005A	0.95	0.59	23,099	-	PLAN19C2007A	0.02	(0.02)	21,001	-	PTTE08C2005A	0.01	-	1,033	-
KTC27C2007A	0.03	(0.11)	1,416	-	PLAN24C2006A	-	-	-	-	PTTE08P2005A	2.84	0.82	7,040	2.00
KTC28C2004A	-	-	-	-	PLAN27C2008A	-	-	-	-	PTTE08P2006A	-	-	-	-
KTC28C2006A	0.03	(0.07)	5,220	-	PLAN28C2004A	-	-	-	-	PTTE11C2006A	0.04	0.01	1,101	-
KTC41C2004A	-	-	-	-	PLAN28C2005A	-	-	-	-	PTTE13C2004A	0.01	-	111	-
KTC41C2005A	-	-	-	-	PLAN41C2004A	-	-	-	-	PTTE13C2006A	0.02	(0.01)		

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE28C2005A	-	-	-	-	S5001C2003J	0.02	0.01	155,190	-	S5028C2003B	-	-	-	-
PTTE28C2008A	0.04	(0.05)	13,838	-	S5001C2004A	0.02	-	92,145	-	S5028C2004A	0.02	-	8,521	-
PTTE28P2004A	2.86	0.90	367	2.00	S5001C2005A	0.03	-	287,692	-	S5028C2004B	0.02	(0.02)	2,520	-
PTTE41C2005A	-	-	-	-	S5001C2006F	0.03	-	257,981	-	S5028C2006A	0.03	-	13,600	-
PTTE41C2006A	0.09	0.01	5,730	-	S5001C2006G	0.03	(0.01)	311,797	-	S5028C2006B	0.04	(0.03)	46,134	-
PTTE41P2004A	-	-	-	-	S5001C2006H	0.11	(0.17)	2,385,633	-	S5028P2003A	2.60	0.88	316	2.00
PTTE42C2004A	-	-	-	-	S5001C2007A	0.18	(0.11)	1,788,884	-	S5028P2004A	7.95	3.63	3,416	7.00
PTTE42P2008A	1.63	0.62	21,477	1.00	S5001P2003F	12.20	4.45	9,283	10.00	S5028P2004B	5.20	2.48	937	4.00
PTTG01C2005A	0.01	(0.01)	35,270	-	S5001P2003G	13.10	5.10	13,781	12.00	S5028P2006A	2.34	0.73	44,875	2.00
PTTG01C2005B	0.01	(0.02)	1,547	-	S5001P2003H	13.70	4.75	4,449	12.00	S5028P2006B	1.85	0.76	578,877	1.00
PTTG01C2007B	0.02	-	1,051	-	S5001P2003I	7.95	2.25	4,472	7.00	S5041C2003A	-	-	-	-
PTTG01C2008A	0.02	(0.03)	126,164	-	S5001P2003J	7.20	2.58	7,681	6.00	S5041C2003B	-	-	-	-
PTTG01P2005A	3.04	0.36	10,058	2.00	S5001P2004A	5.80	1.54	13,672	5.00	S5041C2003C	-	-	-	-
PTTG01P2005B	3.40	0.58	13,544	3.00	S5001P2005A	4.92	1.46	49,972	4.00	S5041C2003D	-	-	-	-
PTTG01P2007B	2.42	0.50	22,194	2.00	S5001P2006F	13.50	7.30	21,802	9.00	S5041C2003E	-	-	-	-
PTTG01P2008A	2.26	0.38	9,227	2.00	S5001P2006G	9.25	4.69	33,571	8.00	S5041C2006A	0.04	(0.01)	18,396	-
PTTG06C2006A	-	-	-	-	S5001P2006H	4.40	2.51	347,045	3.00	S5041C2006B	0.09	(0.02)	8,951	-
PTTG08C2004A	0.01	(0.03)	20	-	S5001P2007A	3.74	1.74	619,726	3.00	S5041P2003A	6.90	4.70	2	6.00
PTTG08P2004A	2.26	0.48	3,510	2.00	S5006C2003A	0.02	-	9,682	-	S5041P2003B	-	-	-	-
PTTG11C2004A	-	-	-	-	S5006C2003B	0.02	-	1,021	-	S5041P2003C	-	-	-	-
PTTG11C2007A	-	-	-	-	S5006C2003C	0.02	-	21,002	-	S5041P2003D	-	-	-	-
PTTG13C2005A	-	-	-	-	S5006C2006A	0.02	(0.03)	33,617	-	S5041P2003E	-	-	-	-
PTTG13C2007A	0.02	(0.01)	6,300	-	S5006C2006B	0.04	(0.03)	7,161	-	S5041P2006A	7.45	2.91	10,237	6.00
PTTG13C2008A	0.11	(0.07)	65,163	-	S5006P2003A	-	-	-	-	S5041P2006B	5.85	2.57	362,684	4.00
PTTG13P2004A	2.50	0.38	26	2.00	S5006P2003B	-	-	-	-	SAWA01C2003A	0.20	(0.39)	54,833	-
PTTG13P2008A	1.37	0.37	796	1.00	S5006P2003C	-	-	-	-	SAWA01C2003B	0.02	(0.06)	12,395	-
PTTG16C2006A	-	-	-	-	S5006P2006A	10.00	2.85	1,051	10.00	SAWA01C2006A	0.20	(0.23)	142,447	-
PTTG19C2006A	-	-	-	-	S5006P2006B	4.74	2.32	348	4.00	SAWA01C2006B	0.06	(0.10)	82,181	-
PTTG19C2006B	-	-	-	-	S5008C2003A	0.01	-	1,742	-	SAWA01P2003A	0.35	0.27	188,708	-
PTTG19C2008A	0.02	(0.02)	35,012	-	S5008C2003B	-	-	-	-	SAWA01P2006A	1.78	0.75	52,945	1.00
PTTG19P2003A	2.12	0.73	30	2.00	S5008C2006A	0.05	(0.10)	496,078	-	SAWA06C2007A	0.14	(0.19)	47,231	-
PTTG19P2006A	2.70	0.48	80	2.00	S5008P2003A	-	-	-	-	SAWA08C2006A	0.11	(0.11)	15,821	-
PTTG24C2003A	-	-	-	-	S5008P2003B	18.50	10.85	11,856	15.00	SAWA11C2003A	0.14	(0.22)	1,470	-
PTTG24C2008A	0.05	(0.03)	5,003	-	S5008P2003C	-	-	-	-	SAWA13C2005A	0.08	(0.10)	5,861	-
PTTG27P2006A	-	-	-	-	S5011C2003A	0.01	-	29	-	SAWA13C2007A	0.09	(0.11)	57,454	-
PTTG28C2006A	-	-	-	-	S5011P2003A	-	-	-	-	SAWA16C2008A	0.07	(0.13)	6,394	-
PTTG28C2008A	0.04	(0.05)	66,628	-	S5013C2003A	0.01	-	21,002	-	SAWA19C2005A	0.04	(0.12)	2,215	-
PTTG41C2003A	-	-	-	-	S5013C2003B	0.01	-	2,250	-	SAWA24C2004A	0.07	(0.16)	1,210	-
PTTG41C2004A	-	-	-	-	S5013C2003C	-	-	-	-	SAWA27C2007A	0.11	(0.15)	50,060	-
PTTG41C2005A	-	-	-	-	S5013C2003D	0.01	-	120	-	SAWA28C2004A	0.02	(0.03)	1,170	-
PTTG41C2006A	-	-	-	-	S5013C2003E	0.01	-	13,501	-	SAWA28C2007A	0.03	(0.08)	810	-
PTTG41C2007A	0.13	(0.08)	2,923	-	S5013C2006A	0.02	(0.01)	1,726,241	-	SAWA28C2008A	0.15	(0.17)	97,356	-
PTTG41P2003A	-	-	-	-	S5013C2006B	0.01	(0.02)	3,895,512	-	SAWA41C2004A	-	-	-	-
PTTG41P2006A	-	-	-	-	S5013C2006C	0.02	(0.03)	312,203	-	SAWA41C2005A	-	-	-	-
PTTG42C2003A	-	-	-	-	S5013C2006D	0.03	(0.06)	5,390,207	-	SAWA41P2004A	0.91	0.63	1,076	-
PTTG42C2007A	0.01	(0.01)	450	-	S5013C2006E	0.13	(0.87)	6,001,796	-	SAWA41P2005A	1.43	0.55	6,300	1.00
QH01C2006A	0.11	(0.02)	20,823	-	S5013P2003A	9.30	2.80	247	9.00	SAWA42C2003A	-	-	-	-
QH01C2006B	-	-	-	-	S5013P2003B	9.50	3.35	271	8.00	SCB01C2004A	0.01	(0.01)	58,759	-
QH01P2006A	0.70	0.17	28,760	-	S5013P2003C	9.30	2.10	3	9.00	SCB01C2004B	0.01	(0.01)	134,380	-
QH11C2006A	-	-	-	-	S5013P2003D	6.75	1.79	1	6.00	SCB01C2007A	0.05	(0.03)	101,408	-
QH13C2003A	-	-	-	-	S5013P2003E	7.75	2.97	4,207	7.00	SCB01C2007B	0.02	(0.01)	80,409	-
QH19C2006A	0.02	(0.05)	4,000	-	S5013P2006A	7.45	3.01	29,553	6.00	SCB01C2008B	0.13	(0.11)	186,843	-
QH27C2007A	-	-	-	-	S5013P2006B	5.50	2.38	58,317	4.00	SCB01C2009A	0.33	(0.18)	115,026	-
RATC01C2003A	0.01	-	5,349	-	S5013P2006C	4.82	2.42	317,126	4.00	SCB01P2004A	2.06	0.32	28,628	1.00
RATC01C2003B	0.01	-	11	-	S5013P2006D	3.46	2.11	3,853,759	3.00	SCB01P2004B	2.36	0.91	17,667	1.00
RATC01C2006A	0.07	(0.15)	83,703	-	S5013P2006E	2.00	1.00	6,878,131	1.00	SCB01P2007A	1.69	0.32	31,000	1.00
RATC01C2006B	0.03	(0.06)	5,500	-	S5016C2003A	-	-	-	-	SCB01P2007B	1.98	0.54	53,977	1.00
RATC01P2006A	1.85	0.64	22,578	1.00	S5016C2003B	-	-	-	-	SCB06C2007A	0.02	-	4,400	-
RATC06C2006A	0.01	(0.01)	977	-	S5016C2003C	-	-	-	-	SCB08C2005A	0.02	-	6,442	-
RATC06P2006A	1.14	0.36	3,180	1.00	S5016C2003D	-	-	-	-	SCB08C2007A	0.12	-	2,631	-
RATC13C2004A	-	-	-	-	S5016C2003E	-	-	-	-	SCB08P2004A	2.10	0.45	14,600	2.00
RATC13C2007A	0.05	(0.09)	1,253	-	S5016C2006A	0.05	0.01	63,456	-	SCB11C2005A	-	-	-	-
RATC16C2008A	-	-	-	-	S5016C2006B	0.06	(0.09)	47,994	-	SCB11C2006A	0.01	-	3,061	-
RATC19C2005A	-	-	-	-	S5016P2003A	14.50	6.85	23	12.00	SCB11C2008A	0.04	(0.04)	3,656	-
RATC19C2007A	0.05	(0.13)	10,118	-	S5016P2003C	-	-	-	-	SCB11P2005A	3.50	0.42	5	3.00
RATC24C2006A	0.02	(0.06)	1,268	-	S5016P2003D	-	-	-	-	SCB13C2003A	-	-	-	-
RATC27C2004A	0.01	-	400	-	S5016P2006A	7.30	3.50	3,613	6.00	SCB13C2006A	0.01	-	26,224	-
RATC27C2007A	0.04	(0.10)	22,928	-	S5016P2006B	5.65	3.57	13,879	4.00	SCB13C2006B	0.01	(0.02)	5,600	-
RATC41C2003A	-	-	-	-	S5019C2003A	-	-	-	-	SCB13C2007A	0.06	(0.04)	18,311	-
RATC41C2004A	-	-	-	-	S5019C2003B	-	-	-	-	SCB13C2008A	0.37	(0.63)	596,814	-
RATC41C2005A	-	-	-	-	S5019C2003C	-	-	-	-	SCB13P2003A	-	-	-	-
RATC41C2006A	0.05	(0.13)	12,656	-	S5019C2003D	-	-	-	-	SCB13P2006A	2.52	0.46	19,027	2.00
RATC41P2004A	1.84	0.80	23,702	1.00	S5019C2006A	0.02	-	62,879	-	SCB13P2008A	1.05	0.05	61,435	-
RATC41P2006A	1.52	0.61	51,796	1.00	S5019C2006B	0.06	(0.04)	84,164	-	SCB16C2003A	-	-	-	-
RATC42C2003A	-	-	-	-	S5019C2006C	0.15	(0.85)	385,070	-	SCB16C2008A	0.04	(0.02)	1,960	-
RATC42C2006A	0.01	(0.02)	144	-	S5019P2003A	9.40	3.25	8	8.00	SCB19C2003A	-	-	-	-
RS06C2004A	-	-	-	-	S5019P2003B	8.35	2.75	10	8.00	SCB19C2006A	-	-	-	-
RS08P2003A	-	-	-	-	S5019P2003C	-	-	-	-	SCB19C2007A	0.04	(0.06)	27,491	-
RS08P2006A	0.83	0.07	2,964	-	S5019P2003D	9.85	4.30	1,268	9.00	SCB19P2005A	2.40	0.46	201	2.00
RS13C2004A	-	-	-	-	S5019P2006A	5.85	2.13	807	5.00	SCB24C2004A	-	-	-	-
RS13C2006A	0.15	(0.04)	4,100	-	S5019P2006B	4.88	2.16	6,522	4.00	SCB24C2008A	0.24	(0.07)	100	-
RS16C2005A	-	-	-	-	S5019P2006C	4.56	2.30	59,438	4.00	SCB27C2007A	0.02	-	2,008	-
RS19C2004A	-	-	-	-	S5024C2003A	-	-	-	-	SCB27P2006A	1.80	0.19	1	1.00
RS19C2005A	-	-	-	-	S5024C2003B	-	-	-	-	SCB28C2004A	-	-	-	-
RS19C2007A	0.15	(0.05)	920	-	S5024C2003C	-	-	-	-	SCB28C2006A	-	-	-	-
RS24C2004A	-	-	-	-	S5024C2006A	0.03	(0.01)	5,016	-	SCB28C2006B	0.02	(0.01)	3,000	-
RS24C2008A	-	-	-	-	S5024C2006B	0.04	(0.04)	30,096	-	SCB28C2008A	0.11			

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB42C2007A	0.01	(0.01)	40	-	STEC01P2006A	1.07	0.46	142,355	-	TKN19C2004A	-	-	-	-
SCC01C2004A	0.04	(0.06)	161,310	-	STEC06C2004A	0.03	(0.06)	220	-	TKN19C2004B	-	-	-	-
SCC01C2004B	-	-	-	-	STEC08C2004A	-	-	-	-	TKN19C2007A	0.12	(0.09)	6,217	-
SCC01P2004A	2.04	0.61	44,797	1.00	STEC08C2005A	0.05	(0.13)	18,000	-	TKN28C2007A	-	-	-	-
SCC06C2007A	0.03	(0.06)	17,808	-	STEC11C2007A	0.03	-	3,144	-	TKN41C2003A	-	-	-	-
SCC08C2004A	-	-	-	-	STEC13C2003A	-	-	-	-	TKN41C2005A	-	-	-	-
SCC08P2006A	1.71	0.59	2,230	1.00	STEC13C2004A	0.02	(0.07)	9,900	-	TKN41C2006A	-	-	-	-
SCC11C2003A	-	-	-	-	STEC16C2003A	-	-	-	-	TKN42C2003A	-	-	-	-
SCC11C2006A	0.01	(0.01)	1,208	-	STEC16C2006A	-	-	-	-	TKN42C2006A	-	-	-	-
SCC11C2007A	0.05	(0.06)	5,673	-	STEC16C2009A	0.12	(0.07)	186	-	TMB01C2004A	0.02	-	15,799	-
SCC13C2004A	-	-	-	-	STEC19C2004A	-	-	-	-	TMB01C2004B	0.01	(0.01)	3,410	-
SCC13C2008A	0.26	(0.18)	19,211	-	STEC19C2005A	0.05	(0.11)	120	-	TMB01P2004A	1.68	0.50	13,715	1.00
SCC13P2006A	1.82	0.78	7,189	1.00	STEC24C2003A	-	-	-	-	TMB19C2004A	-	-	-	-
SCC16C2005A	-	-	-	-	STEC24C2006A	0.08	(0.13)	1,910	-	TMB19C2007A	0.02	(0.03)	12,175	-
SCC19C2003A	-	-	-	-	STEC28C2004A	-	-	-	-	TMB19P2004A	1.83	0.61	9,160	1.00
SCC19C2003B	-	-	-	-	STEC28C2004B	0.01	(0.01)	3,000	-	TMB41C2004A	-	-	-	-
SCC19C2006A	0.02	(0.03)	800	-	STEC28C2005A	0.04	(0.08)	20,327	-	TMB41C2005A	-	-	-	-
SCC19C2008A	0.19	(0.22)	65,415	-	STEC41C2004A	-	-	-	-	TMB41P2006A	1.17	0.23	1	1.00
SCC19P2004A	1.58	0.82	23,721	1.00	STEC41C2005A	-	-	-	-	TOA01C2006A	0.18	(0.12)	60,168	-
SCC24C2003A	-	-	-	-	STEC41C2006A	0.07	(0.14)	11,298	-	TOA01C2006B	0.08	(0.06)	58,373	-
SCC24C2006A	0.06	(0.04)	3	-	STEC41P2004A	0.60	0.33	134,865	-	TOA08C2003A	-	-	-	-
SCC27P2008A	0.87	0.41	121,597	-	STEC41P2005A	0.59	0.31	79,831	-	TOA13C2003A	-	-	-	-
SCC28C2004A	-	-	-	-	STEC42C2004A	-	-	-	-	TOA13C2007A	0.14	(0.12)	191,430	-
SCC28C2008A	0.15	(0.20)	140,902	-	SUPE13C2003A	-	-	-	-	TOA19C2004A	-	-	-	-
SCC41C2004A	-	-	-	-	SUPE19C2004A	-	-	-	-	TOA19C2007A	0.16	(0.12)	43,977	-
SCC41C2005A	-	-	-	-	SUPE19C2007A	0.04	(0.01)	30	-	TOA24C2005A	-	-	-	-
SCC41C2006A	-	-	-	-	SUPE42C2004A	-	-	-	-	TOA41C2004A	-	-	-	-
SCC41C2006B	0.07	(0.16)	1,924	-	TASC01C2003A	0.04	(0.14)	81,474	-	TOP01C2003A	0.01	-	5,871	-
SCC41P2004A	-	-	-	-	TASC01C2003B	0.01	(0.01)	1,410	-	TOP01C2003B	0.01	-	20,382	-
SCC41P2005A	-	-	-	-	TASC01C2007B	0.19	(0.16)	78,907	-	TOP01C2006A	0.02	-	62,925	-
SCC41P2006A	1.71	0.67	20	1.00	TASC01C2008A	0.41	(0.19)	58,575	-	TOP01C2006B	0.02	-	13	-
SCC42C2003A	-	-	-	-	TASC01P2003A	0.24	0.16	158,895	-	TOP01C2008B	0.12	(0.04)	132,660	-
SCC42C2008A	-	-	-	-	TASC01P2008A	1.00	0.28	89,572	-	TOP01C2009A	0.20	(0.12)	215,561	-
SGP13C2004A	-	-	-	-	TASC08C2005A	0.08	(0.08)	123,605	-	TOP01P2003A	-	-	-	-
SGP13C2006A	0.01	(0.01)	2,000	-	TASC08C2006A	0.20	(0.15)	60,223	-	TOP01P2006A	3.22	0.58	18,904	3.00
SGP13C2007A	0.04	(0.06)	6,527	-	TASC13C2003A	-	-	-	-	TOP01P2009A	1.20	0.26	75,746	1.00
SGP19C2006A	-	-	-	-	TASC13C2006A	0.18	(0.17)	41,684	-	TOP06C2004A	-	-	-	-
SGP19C2006B	0.01	(0.05)	2,560	-	TASC16C2008A	0.13	(0.14)	2,931	-	TOP06C2007A	0.01	(0.02)	88,519	-
SGP42C2007A	0.02	(0.04)	10,075	-	TASC19C2003A	0.02	(0.02)	14,150	-	TOP06P2005A	-	-	-	-
SIRI13C2007A	-	-	-	-	TASC19C2006A	0.33	(0.24)	46,608	-	TOP08C2003A	-	-	-	-
SIRI19C2004A	-	-	-	-	TASC19C2007A	0.14	(0.14)	59,958	-	TOP08C2007A	0.05	(0.01)	100	-
SIRI19C2007A	0.03	-	200	-	TASC19P2004A	0.30	0.17	57,274	-	TOP08P2003A	-	-	-	-
SPAL01C2004A	0.10	(0.06)	120,369	-	TASC24C2006A	0.14	(0.18)	71	-	TOP08P2007A	1.96	0.36	4,778	1.00
SPAL01C2004B	-	-	-	-	TASC28C2004A	0.01	(0.04)	1,003	-	TOP11C2007A	0.02	-	3,001	-
SPAL06P2004A	0.70	0.24	71,367	-	TASC28C2006A	0.07	(0.09)	27,168	-	TOP13C2004A	-	-	-	-
SPAL11C2006A	0.10	(0.08)	3,703	-	TASC41C2004A	-	-	-	-	TOP13C2006A	0.02	(0.01)	20	-
SPAL13C2003A	-	-	-	-	TASC41C2005A	-	-	-	-	TOP13C2008A	0.08	(0.04)	4,005	-
SPAL13C2006A	0.16	(0.07)	60	-	TASC42C2003A	-	-	-	-	TOP13C2008B	0.21	(0.12)	15,669	-
SPAL19C2004A	-	-	-	-	TASC42C2005A	0.10	(0.18)	67,309	-	TOP13P2005A	-	-	-	-
SPAL24C2003A	-	-	-	-	TCAP01C2007B	0.07	(0.08)	35,683	-	TOP13P2006A	2.82	0.52	4,839	2.00
SPAL27C2008A	-	-	-	-	TCAP01C2008A	0.16	(0.18)	85,244	-	TOP16C2008A	0.02	(0.02)	300	-
SPAL41C2004A	-	-	-	-	TCAP01P2008A	1.43	0.52	67,035	1.00	TOP19C2003A	-	-	-	-
SPAL42C2003A	-	-	-	-	TCAP13C2007A	0.07	(0.05)	6,068	-	TOP19C2006A	-	-	-	-
SPRC01C2003A	-	-	-	-	TCAP19C2004A	0.01	(0.09)	4,338	-	TOP19C2007A	0.03	(0.01)	105,265	-
SPRC01C2003B	0.01	-	50,085	-	TCAP41C2004A	-	-	-	-	TOP19C2008A	0.08	(0.07)	14,362	-
SPRC01C2007A	0.04	(0.03)	133,786	-	THAI11C2003A	0.01	(0.02)	6	-	TOP19P2006A	3.06	0.18	816	3.00
SPRC06C2007A	0.02	(0.02)	36,226	-	THAI13C2004A	-	-	-	-	TOP24C2007A	-	-	-	-
SPRC06P2003A	1.44	(0.25)	255	1.00	THAI19C2004A	-	-	-	-	TOP24C2008A	0.10	(0.02)	30	-
SPRC06P2007A	1.92	0.51	23	1.00	THAI27C2008A	0.04	(0.03)	1,010	-	TOP28C2004A	-	-	-	-
SPRC08C2005A	-	-	-	-	THAI42C2003A	-	-	-	-	TOP41C2004A	-	-	-	-
SPRC08C2006A	0.01	(0.01)	6,250	-	THAI42C2005A	-	-	-	-	TOP41C2005A	-	-	-	-
SPRC11C2005A	-	-	-	-	THAN01C2006A	0.09	(0.10)	41,568	-	TOP41C2006A	-	-	-	-
SPRC11C2008A	0.08	(0.06)	35,043	-	THAN01C2006B	-	-	-	-	TOP41C2007A	0.14	(0.08)	32,232	-
SPRC13C2004A	-	-	-	-	THAN01P2006A	0.65	0.21	3,618	-	TOP41C2008A	0.33	(0.14)	101,747	-
SPRC13C2006A	0.02	-	103	-	THAN06C2003A	0.01	-	51	-	TOP41P2004A	-	-	-	-
SPRC13C2008A	0.09	(0.06)	7,769	-	THAN06C2005A	0.04	-	432	-	TOP41P2005A	-	-	-	-
SPRC19C2005A	-	-	-	-	THAN06P2003A	-	-	-	-	TOP41P2006A	-	-	-	-
SPRC19C2005B	-	-	-	-	THAN13C2003A	-	-	-	-	TOP42C2007A	0.02	(0.01)	3,224	-
SPRC19C2007A	0.08	(0.05)	17,439	-	THAN13C2007A	0.08	(0.01)	979	-	TPI19C2004A	0.03	(0.07)	46	-
SPRC19P2005A	1.02	0.17	22,095	1.00	THAN19C2004A	-	-	-	-	TRUE01C2004A	0.01	(0.01)	163,495	-
SPRC24C2003A	-	-	-	-	THAN19C2007A	0.08	(0.08)	10,226	-	TRUE01C2004B	0.01	-	8,203	-
SPRC28C2008A	0.05	(0.06)	36,351	-	THAN27C2003A	-	-	-	-	TRUE01C2007A	0.11	(0.08)	79,131	-
SPRC41C2004A	-	-	-	-	THAN41C2005A	-	-	-	-	TRUE01C2007B	0.03	(0.03)	14,700	-
SPRC41C2005A	-	-	-	-	TISC01C2006A	0.19	(0.22)	58,674	-	TRUE01P2004A	1.28	0.20	26,882	1.00
SPRC41C2006A	-	-	-	-	TISC01C2006B	0.05	(0.01)	21,454	-	TRUE01P2004B	1.28	0.54	40,954	1.00
SPRC42C2006A	0.01	(0.01)	30,710	-	TISC01P2006A	1.08	0.33	68,722	-	TRUE01P2007B	1.25	0.40	17,758	1.00
STA01C2003A	0.13	(0.24)	68,518	-	TISC11C2005A	-	-	-	-	TRUE06C2004A	0.01	-	700	-
STA01C2003B	0.02	(0.05)	176,118	-	TISC11C2007A	0.13	(0.16)	48,301	-	TRUE06C2007A	-	-	-	-
STA01C2008B	0.11	(0.15)	68,882	-	TISC13C2004A	-	-	-	-	TRUE08C2004A	-	-	-	-
STA01C2009A	0.25	(0.15)	77,749	-	TISC13C2006A	0.03	(0.06)	4,670	-	TRUE08C2005A	0.01	(0.01)	820	-
STA01P2003A	0.08	0.06	22,008	-	TISC19C2004A	-	-	-	-	TRUE08C2007A	0.07	(0.06)	3,140	-
STA01P2009A	0.60	0.21	88,662	-	TISC19C2006A	0.02	(0.03)	5,800	-	TRUE08P2005A	-	-	-	-
STA11C2005A	0.09	(0.11)	56,662	-	TISC41C2005A	0.03	(0.08)	1,537	-	TRUE11C2005A	-	-	-	-
STA13C2003A	0.04	(0.21)	228,656	-	TISC41C2006A	-	-	-	-	TRUE11C2005B	-	-	-	-
STA13C2006A	0.10	(0.12)	517,294	-	TISC41P2006A	1.05	0.36	37,804	1.00	TRUE13C2003A	0.01	-	10	-
STA19C2004A	0.09	(0.18)	148,715	-	TISC42C2003A	-	-	-	-	TRUE13C2003B	-	-	-	-
STA19C2005A	0.50	(0.45)	38,316	-	TKN01C2003A	0.01	-	14,490	-	TRUE13C2006A	-	-	-	-
STA19C2007A	0.11	(0.13)	110,982	-	TKN01C2003B	-	-	-	-	TRUE13C2007A	0.06	(0.04)	1,130	-
STA42C2007A	0.10	(0.15)	22,206	-	TKN01C2007B	0.05	(0.03)	8,500	-	TRUE19C2003A	-	-	-	-
STEC01C2003A	0.01	-	25,600	-	TKN01C2008A	0.19	(0.08)	22,845	-	TRUE19C2004A	-	-	-	-
STEC01C2003B	0.01	-	36,388	-	TKN08C2003A	-	-	-	-	TRUE19C2006A	-	-	-	-
STEC01C2004A	0.03	-	200	-	TKN08C2007A									

Main Board Quotation

Issue Date :

Thursday March 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE41C2004A	-	-	-	-	B-W4	-	-	-	-	RWI-W2	0.06	(0.02)	18,225	-
TRUE41C2005A	-	-	-	-	B-W5	0.03	-	26,277	-	SANKO-W1	0.06	(0.01)	400	-
TRUE41C2006A	-	-	-	-	B52-W2	0.01	-	1	-	SIMAT-W2	0.05	0.01	5,685	-
TRUE41C2007A	0.06	(0.05)	247	-	BKD-W2	0.05	-	2,336	-	SIMAT-W3	0.21	(0.03)	530	-
TRUE41P2004A	1.09	0.31	2	1.00	BTS-W5	0.65	(0.10)	697,491	-	SIMAT-W4	0.72	(0.04)	2,292	-
TRUE41P2005A	1.94	0.57	33,668	1.00	CGD-W4	0.05	(0.02)	78,004	-	SMART-W2	0.10	(0.05)	282	-
TRUE42C2003A	-	-	-	-	CGH-W3	-	-	-	-	SWC-W1	2.24	(0.50)	759	2.00
TRUE42C2004A	-	-	-	-	CI-W1	0.01	-	5	-	TAKUNI-W	0.02	-	9,738	-
TRUE42C2007A	0.03	(0.06)	938	-	CKP-W1	0.02	(0.02)	334,799	-	TVD-W2	0.06	(0.03)	4,070	-
TTW27C2009A	0.24	(0.06)	40,254	-	CRANE-W1	0.51	(0.09)	2,693	-	UKEM-W2	-	-	-	-
TU01C2004A	0.07	(0.09)	350,229	-	DCC-W1	0.27	(0.10)	21,678	-	Preferred Shares	-	-	-	-
TU01C2004B	0.04	(0.08)	19,738	-	ECL-W3	0.06	(0.02)	39,911	-	SGF-P1	-	-	-	-
TU01P2004A	0.26	0.16	138,651	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU06C2004A	0.01	(0.01)	31,451	-	EIC-W3	0.02	0.01	1	-	-	-	-	-	-
TU06P2007A	0.59	0.29	19,470	-	EMC-W6	0.02	(0.01)	80,498	-	-	-	-	-	-
TU11C2003A	-	-	-	-	EPCO-W3	0.11	(0.06)	3,366	-	-	-	-	-	-
TU11C2008A	0.20	(0.16)	101,363	-	GLOCON-W4	0.12	(0.03)	19,105	-	-	-	-	-	-
TU13C2003A	-	-	-	-	J-W1	0.10	(0.04)	2,397	-	-	-	-	-	-
TU13C2004A	0.10	(0.05)	2,301	-	JAS-W3	0.62	(0.42)	206,326	-	-	-	-	-	-
TU19C2003A	-	-	-	-	JCK-W5	0.03	(0.01)	5,616	-	-	-	-	-	-
TU19C2005A	0.13	(0.15)	22,750	-	JMT-W2	3.48	(0.48)	2,828	3.00	-	-	-	-	-
TU19C2007A	0.10	(0.12)	94,113	-	MACO-W2	0.04	(0.01)	934,298	-	-	-	-	-	-
TU24C2003A	-	-	-	-	MILL-W4	0.03	-	1	-	-	-	-	-	-
TU24C2006A	0.12	(0.13)	5,290	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU27C2004A	-	-	-	-	MINT-W6	1.30	(0.13)	17,809	1.00	-	-	-	-	-
TU27C2006A	0.07	(0.11)	22,692	-	NFC-W1	0.32	(0.07)	1	-	-	-	-	-	-
TU41C2003A	-	-	-	-	NOK-W1	0.01	-	200	-	-	-	-	-	-
TU41C2004A	0.02	(0.08)	30	-	NVD-W1	0.05	(0.01)	133	-	-	-	-	-	-
TU41C2005A	-	-	-	-	ORI-W1	0.07	(0.02)	76,030	-	-	-	-	-	-
TU41P2004A	0.12	0.07	2,505	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU42C2007A	0.08	(0.08)	11,592	-	PACE-W3	-	-	-	-	-	-	-	-	-
TVO13C2007A	0.13	(0.02)	1,200	-	PDI-W1	0.12	(0.08)	5,877	-	-	-	-	-	-
TVO19C2004A	0.06	(0.03)	56,281	-	PDJ-W4	0.20	(0.07)	1,017	-	-	-	-	-	-
TVO19C2007A	0.07	(0.03)	3,692	-	PERM-W1	0.08	(0.02)	21,649	-	-	-	-	-	-
VGI01C2005A	0.03	-	18,087	-	PORT-W1	0.27	(0.11)	9,387	-	-	-	-	-	-
VGI06C2007A	0.06	(0.06)	32,465	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VGI08C2006A	0.02	(0.06)	16	-	PRIME-W1	-	-	-	-	-	-	-	-	-
VGI11C2008A	0.03	(0.02)	43,496	-	PRIME-W2	-	-	-	-	-	-	-	-	-
VGI13C2006A	0.02	(0.03)	6,003	-	RICHY-W2	0.01	-	13,502	-	-	-	-	-	-
VGI19C2006A	-	-	-	-	RS-W3	0.13	(0.05)	3,956	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SAMART-W2	0.36	(0.05)	7,555	-	-	-	-	-	-
VGI41C2007A	-	-	-	-	SAWAD-W1	6.10	(9.20)	14,413	7.00	-	-	-	-	-
WHA01C2005A	0.01	(0.01)	750	-	SDC-W1	0.04	(0.03)	2,813	-	-	-	-	-	-
WHA01C2005B	0.02	-	16,780	-	SINGER-W1	1.13	(0.22)	42	1.00	-	-	-	-	-
WHA01C2008B	0.08	(0.16)	114,497	-	SINGER-W2	1.10	(0.18)	1,777	1.00	-	-	-	-	-
WHA01C2009A	0.21	(0.20)	134,768	-	SMT-W2	0.01	-	2,552	-	-	-	-	-	-
WHA01P2005A	2.48	1.10	19,245	1.00	SST-W2	0.28	(0.12)	435	-	-	-	-	-	-
WHA01P2009A	0.98	0.43	52,155	-	SUPER-W4	-	-	-	-	-	-	-	-	-
WHA06C2007A	0.02	(0.03)	209	-	SVI-W3	-	-	-	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCC-W3	0.03	-	757	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	TCC-W4	0.03	-	2,227	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TCC-W5	0.06	(0.03)	356	-	-	-	-	-	-
WHA08P2006A	1.36	0.47	6,400	1.00	TCJ-W2	0.03	-	4,074	-	-	-	-	-	-
WHA11C2008A	0.04	(0.01)	15,456	-	TFG-W2	0.03	-	5,603	-	-	-	-	-	-
WHA13C2003A	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA13C2005A	-	-	-	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA13C2006A	0.02	(0.05)	3,905	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA16C2006A	0.01	(0.01)	11	-	TNITY-W1	0.07	(0.02)	8,945	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	TRITN-W3	0.04	(0.01)	118,278	-	-	-	-	-	-
WHA19C2004A	-	-	-	-	TTCL-W1	0.17	-	20,431	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	U-W4	-	-	-	-	-	-	-	-	-
WHA19C2006A	0.02	(0.04)	7,742	-	UAC-W2	0.04	(0.02)	3,312	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VGI-W2	0.59	(0.09)	325,916	-	-	-	-	-	-
WHA24C2007A	-	-	-	-	VIBHA-W2	0.45	(0.15)	1,488	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	VIBHA-W3	0.10	(0.01)	79,727	-	-	-	-	-	-
WHA27C2008A	-	-	-	-	WAVE-W1	0.02	0.01	1,388	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	WIJK-W2	0.11	-	18,642	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	ZMICO-W4	0.05	-	3,282	-	-	-	-	-	-
WHA28C2006A	0.01	(0.03)	230	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2007A	0.03	(0.08)	2,186	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41P2003A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
WHA41P2005A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA42C2006A	0.01	(0.03)	52,555	-	U-P	1.85	(0.14)	2,308	1.00	-	-	-	-	-
Preferred/Foreign	-	-	-	-	Warrant (MA1)	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	BM-W1	0.02	(0.01)	756	-	-	-	-	-	-
CSC-Q	-	-	-	-	BROOK-W5	0.11	(0.01)	59,970	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	CHO-W2	0.02	(0.01)	18,387	-	-	-	-	-	-
KTB-Q	-	-	-	-	DOD-W1	0.32	(0.10)	123,465	-	-	-	-	-	-
SCB-Q	-	-	-	-	ECF-W3	0.17	(0.03)	6,945	-	-	-	-	-	-
TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	FVC-W2	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	HPT-W1	0.19	0.01	175	-	-	-	-	-	-
7UP-W4	0.05	(0.01)	133,108	-	HYDRO-W1	-	-	-	-	-	-	-	-	-
AKR-W1	0.04	-	55,073	-	ITEL-W1	0.16	(0.03)	9,283	-	-	-	-	-	-
ALT-W1	0.06	(0.07)	103,524	-	JKN-W1	0.12	(0.03)	15,432	-	-	-	-	-	-
APEX-W1	-	-	-	-	LIT-W1	0.21	(0.04)	7,617	-	-	-	-	-	-
APURE-W2	0.04	(0.02)	10,572	-	META-W4	0.02	(0.02)	5,200	-	-	-	-	-	-
AS-W1	0.01	(0.01)	9,704	-	NEWS-W6	-	-	-	-	-	-	-	-	-
AYUD-W1	0.10	(0.05)	14,788	-	OCEAN-W3	0.27	(0.01)	34,323	-	-	-	-	-	-
B-W3	-	-	-	-	PROUD-W2	0.02	(0.01)	3,546	-	-	-	-	-	-

