

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.31	(0.18)	13,257	1.27	MCOT	6.95	0.35	2,678	6.13
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	1.50	0.05	420,676	1.50
SAFARI	-	-	-	-	DIF	14.00	(1.00)	620,357	13.65	MPIC	1.34	(0.10)	2	1.34
VI	-	-	-	-	DTAC	31.00	1.00	101,630	30.83	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.35	-	3,627	5.25	PLANB	3.66	(0.02)	393,413	3.51
WR	-	-	-	-	HUMAN	6.10	(0.30)	8,269	5.98	POST	-	-	-	-
Agribusiness					ILINK	2.40	(0.30)	18,934	2.32	PRAKIT	9.90	(0.10)	47	9.85
CHOTI	49.00	(1.00)	10	48.60	INET	1.78	(0.15)	8,038	1.78	SE-ED	1.47	(0.01)	3,774	1.46
EE	0.33	0.02	120,499	0.32	INTUCH	45.75	0.25	385,704	44.42	TBSP	13.30	(0.50)	5	13.30
GFPT	8.85	(0.15)	40,962	8.61	JAS	4.12	(0.04)	1,056,519	4.02	TH	0.49	0.01	10,235	0.47
LEE	2.00	0.02	2,162	1.98	JASIF	7.50	(0.45)	600,869	7.33	TKS	4.22	(0.32)	26,013	4.12
NER	1.98	(0.01)	163,858	1.90	JMART	5.50	(0.35)	105,297	5.28	VGI	6.25	0.15	365,698	5.96
PPPM	-	-	-	-	JTS	0.56	(0.11)	345	0.61	WAVE	1.06	0.02	2,129	1.01
STA	10.50	(0.40)	366,930	10.30	MFEC	4.28	(0.20)	19,877	4.26	WORK	6.40	(0.35)	30,399	6.23
TRUBB	0.41	0.02	19,278	0.34	MSC	4.22	(0.16)	2,739	4.11	Finance & Securities	-	-	-	-
TWPC	2.96	(0.06)	2,810	2.95	PT	4.16	-	2,093	4.09	AEC	0.20	(0.01)	13,003	0.20
UPOIC	2.50	(0.10)	61	2.43	SAMART	5.70	(0.20)	56,116	5.52	AEONTS	115.50	6.50	9,971	102.70
UVAN	4.00	0.08	1,799	3.43	SAMTEL	5.70	(0.30)	2,774	5.29	AMANAH	2.42	(0.04)	664,041	2.39
VPO	0.36	(0.05)	4,267	0.37	SDC	0.10	-	48,047	0.08	ASAP	1.00	(0.21)	6,880	1.00
Banking					SIS	5.80	(0.30)	5,528	5.79	ASK	16.80	(0.40)	5,128	16.22
BAY	21.50	-	6,624	20.00	SVOA	0.63	(0.05)	21,694	0.60	ASP	1.38	(0.02)	58,093	1.24
BBL	102.00	(4.50)	301,208	100.19	SYMC	1.88	(0.14)	298	1.70	BAM	18.10	(2.20)	7,751,975	19.43
CIMBT	0.46	0.02	18,189	0.43	SYNEX	4.34	(0.22)	16,362	4.14	BFIT	34.25	(0.25)	76,944	34.24
KBANK	95.50	-	279,669	91.64	THCOM	2.62	(0.06)	26,860	2.45	CGH	0.75	0.01	114,478	0.73
KKP	41.25	-	134,397	39.83	TRUE	2.70	(0.02)	2,584,530	2.47	CNS	1.80	0.05	3	1.78
KTB	11.10	0.70	1,203,892	10.04	TWZ	0.06	0.01	276,566	0.06	ECL	0.51	(0.01)	87,247	0.50
LHFG	1.05	(0.08)	68,487	1.04	Electronic Componer	-	-	-	-	FNS	1.74	(0.11)	3,557	1.69
SCB	66.50	0.25	376,964	63.69	CCET	1.47	(0.01)	42,233	1.45	FSS	0.85	(0.04)	2,071	0.83
TCAP	41.00	0.25	146,063	38.49	DELTA	34.75	(1.25)	12,287	32.60	GBX	0.37	0.01	6,724	0.34
TISCO	80.25	2.25	160,761	75.30	EIC	0.04	-	55,492	0.03	GL	2.62	(0.10)	24,586	2.51
TMB	0.83	(0.01)	7,890,951	0.76	HANA	25.25	-	54,080	26.17	IFS	2.00	-	9,806	1.93
Construction Materia					KCE	15.80	0.10	299,993	15.47	JMT	16.50	(0.30)	156,592	15.79
CCP	0.19	(0.01)	60,059	0.19	METCO	120.50	(14.50)	9	120.50	KCAR	8.75	(0.50)	1,449	8.78
COTTO	0.81	(0.02)	8,697	0.72	NEX	2.64	-	19,370	2.58	KGI	3.62	(0.10)	134,874	3.54
DCC	1.40	(0.05)	62,196	1.32	SMT	0.83	-	5,672	0.81	KTC	29.75	1.75	372,182	28.44
DCON	0.26	(0.02)	56,179	0.25	SVI	2.06	(0.02)	15,405	1.99	MBKET	4.52	(0.18)	3,025	4.39
DRT	4.70	0.08	10,710	4.49	TEAM	0.40	-	4,661	0.39	MFC	15.00	2.00	836	11.39
EPG	3.68	(0.22)	120,890	3.70	Energy & Utilities	-	-	-	-	ML	0.55	0.02	5,091	0.50
GEL	0.09	-	372,763	0.08	7UP	0.34	0.05	182,280	0.30	MTC	54.25	3.00	199,563	51.38
PPP	1.52	(0.04)	1,018	1.49	ABPIF	3.18	(0.06)	6,491	3.18	PE	-	-	-	-
Q-CON	5.05	0.45	62	4.23	ACE	2.34	0.02	132,096	2.20	PL	2.10	0.04	3,728	1.81
RCI	2.82	-	93	2.82	AI	0.82	(0.09)	86,939	0.80	S11	5.50	0.15	10,388	5.28
SCC	284.00	5.00	99,957	269.26	AKR	0.39	(0.01)	16,927	0.37	SAWAD	56.75	4.00	190,400	54.46
SCCC	110.50	(2.50)	2,835	104.01	BAFS	20.60	(0.40)	10,748	19.55	THANI	4.34	(0.02)	60,634	4.16
SCP	4.30	(0.50)	13,302	4.14	BANPU	5.15	-	703,291	4.83	TK	7.95	(0.15)	1,830	7.47
SKN	1.42	(0.09)	4,917	1.29	BCP	18.00	-	40,713	17.32	TNITY	3.38	(0.74)	1,909	3.44
TASCO	17.20	(0.60)	172,707	17.02	BCPG	11.70	(0.30)	135,746	11.18	UOBKH	2.00	(0.14)	150	2.00
TCMC	0.96	(0.08)	22,613	0.94	BGRIM	36.25	2.75	464,620	34.41	ZMICO	0.52	-	34,327	0.50
TOA	31.50	(0.25)	71,737	29.88	BPP	11.70	(0.30)	74,458	11.29	Food & Beverage	-	-	-	-
TPIPL	1.07	(0.07)	138,124	1.03	BRRGIF	6.45	(0.25)	346	5.93	APURE	0.56	(0.04)	9,874	0.53
UMI	0.42	(0.01)	7,049	0.41	CKP	2.96	(0.06)	326,885	2.78	ASIAN	2.96	0.08	3,855	2.78
VNG	2.90	-	3,036	2.54	DEMCO	1.52	(0.05)	14,654	1.29	BR	1.20	(0.10)	11,610	1.18
WIJK	1.13	(0.03)	4,064	1.00	EA	32.75	0.50	223,383	30.94	BRR	2.88	(0.02)	3,562	2.33
Petrochemicals & Ch					EASTW	9.65	(0.35)	30,167	9.34	CBG	59.25	0.25	192,760	55.11
BCT	38.00	(2.50)	1,784	39.95	EGATIF	11.10	(0.40)	47,027	10.88	CFRESH	0.77	(0.11)	2,731	0.73
CMAN	0.95	(0.03)	4,747	0.92	EGCO	210.00	10.00	42,830	190.47	CM	1.88	(0.08)	6,365	1.75
GC	4.90	(0.08)	2,569	4.61	ESSO	4.90	0.24	301,617	4.70	CPF	22.00	0.20	1,089,268	20.83
GGC	6.30	(0.35)	102,245	5.52	GPSC	51.75	1.50	390,047	50.08	CPI	1.16	(0.04)	1,840	1.04
GIFT	2.08	(0.04)	12,658	2.00	GULF	135.50	4.50	399,619	132.52	F&D	17.70	0.70	1	17.70
IVL	19.80	0.40	624,064	18.96	GUNKUL	2.04	(0.16)	752,232	2.05	HTC	15.90	(0.40)	1,651	15.31
NFC	1.40	0.20	21	1.21	IFEC	-	-	-	-	ICHI	4.28	(0.10)	43,810	3.93
PATO	9.65	(0.05)	483	9.43	IRPC	2.04	-	2,584,970	1.96	KBS	2.74	0.08	2,491	2.56
PMITA	7.50	(0.25)	8	6.84	LANNA	5.55	(0.05)	6,024	5.25	KSL	1.56	(0.01)	23,896	1.48
PTTGC	27.00	1.00	866,386	24.77	MDX	1.51	(0.23)	5,276	1.37	KTIS	3.04	-	1,124	3.00
SUTHA	1.26	(0.14)	1,289	1.21	PRIME	0.27	-	33,211	0.25	LST	4.26	(0.14)	2,225	4.21
TCCC	16.30	(0.90)	5,511	16.02	PTG	12.30	(0.10)	189,807	12.11	M	48.25	(1.75)	14,621	47.68
TPA	5.40	(0.25)	33	5.28	PTT	28.00	1.50	3,908,308	26.42	MALEE	4.16	(0.22)	6,049	3.90
UAC	2.34	(0.10)	1,969	2.28	PTTEP	66.25	6.25	540,743	60.92	MINT	22.40	(0.10)	573,466	21.34
UP	-	-	-	-	RATCH	50.00	1.50	137,017	46.15	OISHI	38.50	(0.25)	222	36.70
VNT	16.80	(0.90)	45,249	16.15	RPC	0.39	(0.01)	30,234	0.34	OSP	35.50	1.50	323,927	32.97
WG	-	-	-	-	SCG	3.98	0.28	210	3.88	PB	68.00	-	806	67.32
YCI	-	-	-	-	SCI	1.27	-	5,601	1.24	PM	5.30	(0.05)	9,729	5.02
Commerce					SCN	1.30	(0.15)	4,756	1.26	PRG	11.30	(0.20)	20	11.30
BEAUTY	1.56	(0.08)	1,478,923	1.54	SGP	5.85	0.20	19,988	5.46	RBF	3.94	0.14	94,423	3.76
BIG	0.35	(0.03)	70,410	0.35	SKE	0.53	(0.05)	3,034	0.51	SAPPE	15.20	(0.80)	2,031	14.34
BJC	33.00	1.50	138,597	29.99	SOLAR	0.70	(0.05)	3,277	0.65	SAUCE	21.20	(0.80)	161	21.23
COL	13.50	(0.30)	3,320	13.40	SPCG	16.10	-	43,106	14.96	SFP	-	-	-	-
COM7	19.70	(0.70)	152,865	19.18	SPRC	5.70	0.20	213,803	5.35	SNP	10.50	-	173	9.91
CPALL	61.75	-	1,026,672	61.32	SSP	6.40	-	29,177	6.18	SORKON	44.00	(1.25)	10	36.83
CPW	1.11	(0.04)	15,562	1.06	SUPER	0.36	-	2,527,990	0.32	SSC	34.00	6.50	42	31.17
CRC	31.00	1.00	449,374	29.33	SUPEREIF	9.75	(0.20)	20,105	9.25	SSF	5.00	(0.50)	400	5.00
CSS	0.71	(0.06)	24,588	0.69	SUSCO	1.88	(0.10)	16,325	1.74	SST	3.00	(0.06)	523	2.98
DOHOME	6.10	0.10	153,588	5.78	TAE	2.40	(0.02)	28,886	2.32	TC	2.18	(0.32)	2,444	2.18
FN	0.69	(0.08)	20,973	0.60	TCC	0.16	-	23,376	0.14	TFG	2.90	0.26	74,975	2.63
FTE	1.49	(0.04)	5,302	1.48	TOP	35.25	2.50	376,809	33.04	TFMAMA	179.00	-	526	174.69
GLOBAL	11.80	0.50	126,045	11.12	TPIPP	3.24	(0.20)	195,405	3.13	TIPCO	4.58	(0.28)	6,183	4.44
HMPRO	12.10	0.30	866,091	11.68	TSE	1.81	-	82,625	1.72	TKN	5.75	(0.55)	235,602	5.72
ILM	8.40	(0.20)	23,346	8.10	TTW	12.60	(0.40)	146,720	12.26	TU	13.00	0.70	403,910	12.21
IT	1.83	(0.06)	567	1.70	WHAUP	3.70	(0.08)	73,740	3.51	TVO	25.00	(0.75)	20,238	23.63
KAMART	2.88	(0.18)	8,869	2.77	WP	3.70	(0.20)	2,853	3.44	ZEN	6.65	(0.75)	7,455	6.45
LOXLEY	0.87	(0.02)	27,038</											

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	6.35	(0.35)	15,721	6.15	BROCK	1.42	(0.08)	4,508	1.41	HFT	2.40	(0.10)	16,404	2.09
PRINC	3.06	(0.02)	5,826	3.01	CGD	0.72	0.02	34,951	0.68	IHL	2.38	(0.16)	3,890	2.20
RAM	140.00	-	322	135.49	CI	0.68	(0.05)	1,212	0.68	INGRS	0.31	(0.01)	11,477	0.28
RJH	20.90	(1.10)	8,091	20.21	CPN	48.50	1.00	227,594	46.90	IRC	12.00	-	92	11.91
RPH	5.35	(0.10)	8,130	5.14	ESTAR	0.23	0.01	29,427	0.22	PCSGH	4.88	(0.12)	2,403	4.86
SKR	4.70	-	5,143	4.52	EVER	0.12	-	386,248	0.10	SAT	9.25	-	12,162	8.95
SVH	406.00	(8.00)	44	398.07	FPT	8.95	(0.25)	1,619	8.29	SPG	12.90	(0.60)	6	12.50
THG	19.20	(0.30)	9,917	18.16	GLAND	2.36	(0.04)	2,680	2.12	STANLY	133.00	(3.50)	404	131.02
VIBHA	1.39	(0.03)	95,489	1.35	GOLD	7.75	(0.05)	1,543	7.73	TKT	0.61	(0.05)	315	0.73
VIH	5.40	(0.05)	8,793	5.21	GREEN	0.61	0.01	1,916	0.58	TNPC	0.54	-	1,950	0.54
WPH	1.48	(0.01)	2,712	1.46	J	0.66	(0.01)	2,479	0.55	TRU	4.00	-	567	3.90
Tourism & Leisure	-	-	-	-	JCK	0.68	0.01	12,641	0.62	TSC	8.90	(0.20)	39	8.88
ASIA	3.44	(0.06)	66	3.35	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	17.90	(0.10)	56,940	17.43	KWG	1.00	(0.01)	697	0.93	ALLA	1.04	(0.15)	69,773	1.01
CSR	71.00	(0.75)	1	71.00	LALIN	4.28	(0.12)	12,479	4.04	ASEFA	2.58	(0.12)	4,369	2.54
DTC	7.35	0.05	2,684	7.08	LH	7.25	0.20	1,157,002	6.68	CPT	0.60	0.03	12,491	0.55
ERW	3.00	(0.24)	315,649	3.00	LPN	3.54	(0.18)	144,924	3.45	CRANE	1.46	0.03	1,333	1.48
GRAND	0.39	0.02	14,866	0.33	MBK	15.70	(0.20)	23,601	14.56	CTW	4.00	(0.20)	752	3.90
LRH	29.00	-	11	29.05	MJD	2.24	-	1,983	2.17	FMT	21.00	(0.90)	5	21.00
MANRIN	26.75	1.50	1	26.75	MK	2.14	(0.26)	3,717	2.15	HTECH	1.51	(0.13)	12,876	1.51
OHTL	-	-	-	-	NCH	0.43	(0.03)	1,787	0.43	KKC	0.29	-	1,187	0.24
ROH	-	-	-	-	NNCL	1.60	(0.06)	39,853	1.56	PK	0.77	(0.03)	1,979	0.73
SHANG	66.50	(1.50)	3	66.50	NOBLE	11.90	(0.70)	17,101	11.63	SNC	6.80	(0.35)	6,792	6.76
SHR	1.82	0.02	217,097	1.77	NUSA	0.32	0.01	88,588	0.30	STARK	1.94	(0.01)	15,147	1.90
VRANDA	5.30	(0.05)	4,440	5.15	NVD	1.26	(0.39)	5,736	1.33	TCJ	2.30	(0.42)	1,017	2.09
Home & Office Prod.	-	-	-	-	ORI	3.50	(0.40)	372,455	3.42	VARO	-	-	-	-
ACC	0.66	-	15,900	0.66	PACE	-	-	-	-	Property Fund & REI	-	-	-	-
AJA	0.19	0.01	143,243	0.19	PF	0.44	(0.04)	231,240	0.42	AIMCG	5.35	(0.25)	5,937	5.22
DTCI	-	-	-	-	PLAT	2.94	0.04	23,008	2.78	AIMIRT	10.50	(0.60)	3,673	10.13
FANCY	0.25	(0.02)	77,082	0.23	POLAR	-	-	-	-	AMATAR	10.80	-	2,041	10.01
KYE	248.00	-	38	244.45	PRECHA	0.51	(0.13)	3,170	0.51	B-WORK	10.90	(0.10)	10,635	10.69
L&E	1.67	(0.03)	4,015	1.55	PRIN	1.28	(0.04)	81,104	1.25	BKER	7.00	-	9,020	6.71
MODERN	1.93	(0.02)	6,428	1.82	PSH	11.00	-	77,883	10.18	BKKCP	11.50	(0.10)	441	10.35
OGC	25.00	0.50	85	23.70	QH	2.10	-	680,607	2.00	BOFFICE	13.90	0.20	6,427	13.53
ROCK	-	-	-	-	RICHY	0.71	0.14	14,163	0.52	CPNCG	9.80	(0.30)	11,484	9.75
SIAM	1.38	-	807	1.33	RML	0.54	(0.01)	16,710	0.49	CPNREIT	27.50	(2.50)	133,479	24.91
TSR	1.53	(0.08)	9,822	1.51	ROJNA	3.90	0.02	22,629	3.69	CPTGF	11.20	(0.80)	3,257	10.60
Insurance	-	-	-	-	S	1.49	(0.21)	54,376	1.43	CTARAF	4.88	(0.10)	4,184	4.79
AYUD	30.50	-	135	29.52	SAMCO	1.19	(0.06)	1,525	1.17	DREIT	4.60	0.60	2,964	3.73
BKI	228.00	(13.00)	1,519	189.31	SC	1.99	(0.07)	86,362	1.92	ERWPF	4.68	0.08	29	4.62
BLA	12.00	(0.40)	14,734	11.46	SENA	2.22	0.08	17,875	2.07	FTREIT	14.70	(1.50)	55,139	14.17
BUI	7.00	(1.60)	55	7.00	SF	4.12	(0.18)	51,043	4.04	FUTUREPF	19.50	(1.30)	1,545	18.90
CHARAN	17.00	-	11	17.09	SIRI	0.65	(0.09)	1,207,270	0.62	GAHREIT	7.90	(0.10)	11	7.99
INSURE	-	-	-	-	SPALI	14.30	(0.70)	214,812	13.99	GOLDPF	-	-	-	-
MTI	69.00	0.50	53	65.72	U	0.93	(0.09)	166,558	0.94	GVREIT	15.60	-	2,943	14.99
NKI	-	-	-	-	UV	2.48	(0.18)	23,543	2.33	HPF	4.36	0.10	820	4.03
NSI	53.00	(3.25)	48	54.77	WHA	2.24	0.08	1,600,013	2.06	HREIT	7.30	(0.70)	7,118	6.63
SEG	-	-	-	-	WIN	0.31	-	2,150	0.30	IMPACT	13.80	(1.20)	37,129	12.77
SMK	24.40	(0.85)	307	24.65	Paper & Printing Mat	-	-	-	-	KPNPF	6.95	(0.15)	37	6.94
THRE	0.41	(0.02)	43,248	0.39	UTP	6.80	0.05	15,101	6.07	LHHOTEL	11.40	(0.60)	7,001	11.48
THREL	2.38	(0.12)	6,022	2.31	Fashion	-	-	-	-	LHPF	6.60	(0.30)	602	6.52
TIP	21.30	(1.00)	16,373	20.33	AFC	-	-	-	-	LHSC	12.90	(0.60)	10,901	12.59
TQM	52.50	(0.75)	30,407	52.25	B52	0.18	-	23,454	0.17	LUXF	5.95	(1.05)	694	5.90
TSI	0.40	-	1,055	0.37	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.42	(0.06)	572	3.26	CPH	2.12	(0.78)	794	2.32	M-PAT	4.40	-	8	4.45
Mining	-	-	-	-	CPL	0.85	0.19	15	0.85	M-STOR	6.60	0.05	52	6.54
PDI	4.02	(0.16)	2,345	4.01	ICC	38.75	0.75	2	38.75	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
Packaging	-	-	-	-	PAF	0.39	-	2,409	0.33	MJLF	7.35	(0.80)	668	7.04
AJ	8.30	-	1,981	7.30	PDJ	1.02	(0.05)	7,887	0.86	MINIT	1.04	(0.24)	3,114	0.95
ALUCON	115.00	(15.00)	98	99.31	PG	-	-	-	-	MINIT2	4.94	(0.06)	72	4.31
BGC	9.45	(0.55)	8,587	9.46	SABINA	16.80	(0.40)	29,547	16.07	MNRF	2.58	(0.06)	331	2.59
CSC	40.75	(0.25)	152	40.66	SAWANG	5.00	(2.00)	138	4.95	POPF	9.80	(0.60)	5,226	9.42
GLOCON	0.50	0.05	25,728	0.41	SUC	36.00	-	115	35.04	PPF	11.30	0.10	1,163	11.16
NEP	0.12	-	41,581	0.12	TNL	17.00	-	1	17.00	QHHR	7.20	(0.15)	1,282	7.19
PTL	9.30	(0.70)	27,338	9.23	TPCORP	9.95	0.05	1,727	9.86	QHOP	3.30	(0.02)	13	3.14
SFLEX	5.15	(0.10)	24,367	5.05	TR	23.60	0.30	13	22.41	QHPF	10.20	(0.60)	15,650	10.02
SITTHAI	0.49	-	23,439	0.47	TTI	-	-	-	-	SBPF	2.42	(0.06)	74	2.42
SLP	0.39	-	6,719	0.36	TTT	41.00	(4.00)	428	40.59	SHREIT	3.50	(0.40)	1,791	3.53
SMPC	4.82	(0.02)	3,462	4.56	UPF	36.00	(0.50)	2	36.38	SIRIP	9.70	-	103	9.70
SPACK	0.97	0.03	176	0.83	UT	-	-	-	-	SPF	15.00	(1.00)	19,491	15.13
TCOAT	21.70	(0.50)	33	21.55	WACOAL	46.00	2.00	121	45.13	SPRIME	11.50	(0.50)	5,365	11.45
TFI	0.04	0.01	305	0.03	Transportation & Log	-	-	-	-	SRIPANWA	7.95	(0.15)	878	6.64
THIP	19.00	(0.60)	500	17.85	AAV	1.27	(0.02)	312,169	1.20	SSPF	8.25	(0.30)	4,484	7.89
TMD	19.60	(0.40)	282	18.66	AOT	56.50	3.75	1,342,027	53.80	SSTRT	5.20	(0.10)	207	5.20
TOPP	-	-	-	-	ASIMAR	0.73	(0.04)	6,173	0.70	TIF1	8.15	(0.10)	910	8.05
TPBI	2.90	-	1,405	2.72	B	0.17	-	28,418	0.16	TLGF	18.70	(0.80)	25,473	17.88
TPP	-	-	-	-	BA	4.30	(0.14)	34,039	4.07	TLHPF	9.95	-	160	9.81
Personal Products &	-	-	-	-	BEM	7.70	0.10	2,248,025	7.28	TNPF	2.20	(0.30)	956	2.21
APCO	3.14	(0.16)	13,576	3.16	BTS	9.85	0.15	1,910,785	9.33	TPRIME	14.50	0.80	1,769	13.32
DDD	11.00	(0.30)	1,188	10.33	BTSGIF	7.30	0.05	51,205	6.91	TTLPF	20.70	(0.30)	73	20.48
JCT	70.50	1.50	23	67.28	III	3.62	0.02	9,751	3.54	TU-PF	1.01	(0.39)	969	1.01
OCC	-	-	-	-	JUTHA	0.22	0.01	488	0.22	URBNPF	3.50	(0.40)	5	3.50
S & J	23.50	1.20	40	24.63	JWD	5.45	(0.55)	11,253	5.45	WHABT	9.15	0.05	261	8.70
STHAI	-	-	-	-	KWC	270.00	10.00	5	266.00	WHART	15.90	-	19,806	14.33
TNR	5.00	0.22	872	4.59	NOK	1.00	(0.09)	1,102	0.94	Steel	-	-	-	-
TOG	3.98	(0.32)	981	3.84	NYT	3.04	(0.12)	19,132	2.96	AMC	1.19	(0.01)	149	1.05
Professional Service	-	-	-	-	PORT	1.23	(0.04)	22,445	1.21	BSBM	0.75	(0.05)	2,385	0.69
BWG	0.24	(0.01)	137,787	0.24	PRM	3.80	(0.06)	327,888	3.63	CEN	0.39	0.07	6,918	0.32
GENCO	0.36	(0.02)	17,388	0.32	PSL	4.16	0.04	47,582	3.92	CITY	1.49	0.05	29	1.46
PRO	-	-	-	-	RCL	2.00	(0.22)	14,308	1.89	CSP	0.59	(0.01)	321	0.56
SISB	7.10	(0.25)	143,349	6.74	TFFIF	10.40	(0.40)	457,252	9.60	GJS	0.07	-	82,646	0.07
TEAMG	1.88	(0.01)	9,236	1.79	THAI	4.00	0.20	76,290	3.91	GSTEEL	-	-	-	-
Property Developme	-	-	-	-	TSTE	6.10	0.10	31	6.07	INOX	0.38	-	1,342	0.38
A	5.0													

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AGE	0.83	0.04	19,562	-	ADVA01C2003A	0.02	0.01	13,915	-
ABICO	3.08	(0.16)	988	3.00	AIE	0.15	(0.02)	86,747	-	ADVA01C2003B	-	-	-	-
AU	6.50	(0.20)	230,842	6.00	PSTC	0.32	(0.03)	1,529,096	-	ADVA01C2005A	0.12	0.02	60,244	-
JCKH	0.15	-	1,063	-	QTC	3.20	-	5,860	3.00	ADVA01C2005B	0.03	0.01	38,591	-
KASET	0.89	0.03	783	-	SAAM	0.71	0.01	1,351	-	ADVA01C2007B	0.10	0.01	8,943	-
MM	1.95	(0.11)	2,038	1.00	SEAOIL	1.97	(0.01)	10,559	1.00	ADVA01C2008A	0.55	0.05	131,645	-
SUN	1.20	(0.02)	3,978	1.00	SR	0.52	(0.08)	4,165	-	ADVA01P2003A	1.67	0.28	147	1.00
TACC	2.68	(0.22)	49,933	2.00	TAKUNI	0.31	(0.05)	15,632	-	ADVA01P2003B	1.14	(0.02)	5,050	1.00
TMILL	2.56	-	2,798	2.00	TPCH	8.70	(0.45)	26,861	8.00	ADVA01P2007B	0.64	(0.05)	120,329	-
XO	3.42	(0.06)	9,510	3.00	TRT	1.70	(0.05)	392	1.00	ADVA06C2005A	-	-	-	-
<b>Consumer Products</b>					UMS	0.12	(0.05)	2,062	-	ADVA08C2005A	0.02	(0.01)	675	-
BGT	0.51	-	3,521	-	UWC	0.01	-	26,089	-	ADVA08P2004A	0.67	(0.06)	973	-
BIZ	2.76	-	6,230	2.00	<b>Services (MAI)</b>					ADVA11C2006A	0.02	(0.01)	8,460	-
DOD	5.05	(0.50)	27,106	4.00	A5	-	-	-	-	ADVA11P2005A	0.27	(0.07)	13,073	-
ECF	1.05	(0.05)	243,198	1.00	AKP	0.71	(0.09)	7,137	-	ADVA13C2004A	0.01	-	12,732	-
HPT	0.38	(0.05)	5,351	-	AMA	3.40	(0.32)	3,375	3.00	ADVA13C2006A	0.33	0.09	7,325	-
IP	4.52	0.22	4,028	4.00	ARIP	0.29	(0.01)	857	-	ADVA13C2007A	0.11	0.01	28,618	-
JUBILE	15.20	(1.10)	5,047	15.00	ATP30	0.73	(0.01)	5,483	-	ADVA13P2003A	0.90	(0.14)	949	-
MOONG	3.24	(0.14)	2,817	3.00	AUCT	5.40	(0.20)	21,900	5.00	ADVA16C2005A	0.01	-	1	-
NPK	13.40	-	23	13.00	BOL	2.52	(0.02)	948	2.00	ADVA16C2007A	0.07	0.04	1,634	-
OCEAN	0.92	(0.01)	20,239	-	CHUO	-	-	-	-	ADVA16C2009A	0.24	0.15	1,465	-
TM	2.24	(0.12)	11,755	2.00	CMO	0.69	(0.02)	8,168	-	ADVA19C2005A	0.05	0.04	6,005	-
<b>Financials (MAI)</b>					D	2.72	(0.04)	3,707	2.00	ADVA19C2007A	0.36	0.03	273,757	-
ACAP	0.48	0.01	6,402	-	DCORP	0.30	-	18,248	-	ADVA19C2007B	0.08	(0.01)	19,278	-
AF	0.66	0.06	972	-	EFORL	0.04	-	688,459	-	ADVA19P2006A	0.57	(0.04)	20,835	-
AIRA	1.00	-	6,824	-	ETE	0.50	-	12,669	-	ADVA24C2006A	-	-	-	-
ASN	4.90	-	1	4.00	FSMART	5.70	(0.10)	20,164	5.00	ADVA28C2004A	-	-	-	-
BROOK	0.38	0.01	38,956	-	FVC	0.23	(0.02)	16,225	-	ADVA28C2005A	-	-	-	-
CHAYO	4.74	(0.02)	55,934	4.00	GSC	0.54	(0.01)	1,072	-	ADVA28C2007A	0.05	0.01	8,750	-
GCAP	1.16	-	17,721	1.00	HARN	1.65	(0.13)	2,076	1.00	ADVA28P2004A	0.76	(0.15)	176	-
LIT	2.28	(0.18)	9,121	2.00	IMH	1.75	-	4,452	1.00	ADVA41C2004A	-	-	-	-
MITTSIB	1.03	-	10,862	-	JKN	3.64	0.02	27,334	3.00	ADVA41C2005A	-	-	-	-
SGF	0.30	(0.01)	71,926	-	KIAT	0.27	-	44,957	-	ADVA41C2006A	-	-	-	-
<b>Industrials (MAI)</b>					KOOL	0.55	(0.04)	8,181	-	ADVA41C2007A	0.10	0.01	5	-
2S	1.67	(0.07)	1,363	1.00	LDC	0.50	(0.02)	7,028	-	ADVA41P2004A	0.98	(0.02)	400	1.00
ACG	0.78	0.09	7,934	-	MORE	0.36	-	785,735	-	ADVA41P2005A	0.76	(0.12)	2,910	-
ADB	0.34	(0.01)	1,280	-	MPG	0.19	-	162	-	ADVA42C2003A	-	-	-	-
BM	1.64	0.19	4,340	1.00	MVP	1.44	-	1,168	1.00	ADVA42C2005A	0.02	-	1,501	-
CHO	0.43	-	42,756	-	NBC	0.40	(0.01)	3,945	-	ADVA42P2007A	1.10	0.04	15,610	-
CHOW	0.89	(0.03)	972	-	NCL	0.79	(0.01)	227	-	AEON01C2005A	0.02	-	5,796	-
CIG	0.16	0.03	26,352	-	NEWS	0.01	-	21,240	-	AEON13C2003A	-	-	-	-
COLOR	0.88	(0.02)	1,350	-	NINE	2.00	0.10	67	1.00	AEON13C2007A	0.07	0.02	800	-
CPR	2.30	(0.20)	687	2.00	OTO	2.62	0.02	2,039	2.00	AEON19C2003A	-	-	-	-
FPI	2.04	(0.06)	1,815	2.00	PHOL	1.52	0.02	16,221	1.00	AEON19C2006A	0.02	-	1,500	-
GTB	0.51	0.02	3,774	-	PICO	3.30	-	292	3.00	AMAT01C2004A	-	-	-	-
KCM	0.28	(0.03)	5,213	-	QLT	4.20	(0.04)	403	3.00	AMAT01C2004B	-	-	-	-
KUMWEL	0.64	-	3,556	-	RP	0.94	(0.13)	3,398	-	AMAT01C2007B	0.02	0.01	900	-
KWM	0.67	(0.03)	2,277	-	SE	1.33	(0.01)	432	1.00	AMAT01C2008A	0.05	(0.06)	1,002	-
MBAX	2.74	(0.04)	916	2.00	SONIC	0.84	-	4,261	-	AMAT01P2008A	1.79	0.03	1,899	1.00
MGT	1.13	0.01	3,009	1.00	SPA	9.15	(0.25)	7,419	8.00	AMAT06C2005A	-	-	-	-
NDR	1.00	-	230	-	THMUJ	0.30	(0.04)	4,499	-	AMAT08C2005A	-	-	-	-
PDG	2.48	(0.20)	908	2.00	TNDT	3.28	(0.06)	6,130	3.00	AMAT11C2004A	-	-	-	-
PIMO	0.79	(0.06)	7,565	-	TNH	26.00	(2.00)	2,598	26.00	AMAT11C2008A	0.04	(0.02)	1	-
PJW	0.96	(0.01)	2,247	-	TNP	1.76	(0.05)	13,369	1.00	AMAT13C2004A	-	-	-	-
PPM	0.44	(0.07)	2,582	-	TSF	-	-	-	-	AMAT13C2006A	-	-	-	-
RWI	0.87	(0.09)	1,124	-	TVD	0.51	0.05	3,799	-	AMAT16C2003A	-	-	-	-
SALEE	0.74	0.01	6,205	-	TVT	0.36	-	2,139	-	AMAT16C2006A	-	-	-	-
SANKO	0.84	(0.01)	6,199	-	VL	0.98	(0.01)	415,019	-	AMAT16C2008A	-	-	-	-
SELIC	1.85	0.05	1,885	1.00	WINNER	1.95	(0.01)	1,578	1.00	AMAT19C2003A	-	-	-	-
SWC	3.80	0.26	1,614	3.00	YGG	3.80	0.04	1,742	3.00	AMAT19C2005A	-	-	-	-
TMC	0.27	-	9,185	-	<b>Technology (MAI)</b>					AMAT19C2006A	-	-	-	-
TMI	0.68	-	2,050	-	APP	1.40	0.04	4,874	1.00	AMAT19C2008A	0.06	0.01	6,819	-
TMW	32.25	(1.50)	193	31.00	COMAN	1.63	(0.18)	1,268	1.00	AMAT24C2006A	-	-	-	-
TPAC	7.80	-	50	6.00	ICN	1.42	0.04	2,623	1.00	AMAT41C2004A	-	-	-	-
TPLAS	0.98	-	2,409	-	INSET	2.24	(0.16)	30,920	2.00	AMAT41C2005A	-	-	-	-
UBIS	5.00	(0.10)	116	4.00	IRCP	0.32	(0.01)	4,253	-	AMAT41C2006A	-	-	-	-
UEC	0.52	(0.03)	2,541	-	ITEL	1.70	(0.11)	10,953	1.00	AMAT42C2003A	-	-	-	-
UKEM	0.36	(0.01)	67,951	-	NETBAY	28.00	(0.50)	6,002	27.00	AMAT42C2005A	-	-	-	-
UREKA	0.77	0.02	6,469	-	PLANET	0.90	0.05	897	-	AMAT42C2007A	0.01	-	490	-
YUASA	9.95	(0.65)	826	10.00	SIMAT	2.00	0.19	131,078	1.00	ANAN13C2007A	-	-	-	-
ZIGA	0.83	(0.03)	1,850	-	SKY	13.40	0.30	13,178	12.00	ANAN19C2004A	-	-	-	-
<b>Property &amp; Construc</b>					SPVI	1.88	(0.07)	42,556	1.00	ANAN19C2007A	-	-	-	-
ALL	2.34	(0.16)	45,027	2.00	TPS	1.80	(0.04)	3,587	1.00	AOT01C2004A	0.03	-	89,247	-
ARIN	0.47	(0.04)	10,452	-	UPA	0.12	0.01	69,525	-	AOT01C2004B	0.01	(0.01)	50,789	-
ARROW	6.30	(0.05)	3,358	5.00	VCOM	2.58	0.54	4,769	2.00	AOT01C2006B	0.05	0.03	150,341	-
BC	1.00	(0.03)	1,119	-	<b>Unit Trust</b>					AOT01C2007A	0.18	0.06	748,996	-
BSM	0.24	-	14,289	-	MGE	-	-	-	-	AOT01P2004A	2.06	(0.30)	9,134	2.00
BTW	0.39	(0.03)	2,085	-	SCBSET	-	-	-	-	AOT01P2004B	1.70	(0.46)	1,093	2.00
CAZ	1.69	(0.06)	2,620	1.00	ETF	-	-	-	-	AOT01P2006B	1.31	(0.37)	53,684	1.00
CHEWA	0.28	(0.01)	27,040	-	1DIV	6.66	0.08	1,123	6.00	AOT01P2007A	1.41	(0.28)	137,055	1.00
CMC	0.58	(0.01)	9,133	-	ABFTH	-	-	-	-	AOT06C2003A	0.01	-	20,200	-
CRD	0.40	(0.05)	4,379	-	BMSCG	5.35	(0.07)	779	4.00	AOT06C2007A	0.06	0.04	20,400	-
DIMET	-	-	-	-	BMSCITH	8.35	0.22	21,620	7.00	AOT06P2003A	3.70	0.06	1	3.00
FLOYD	1.07	(0.06)	668	1.00	BSET100	7.26	0.16	3,950	6.00	AOT08C2005A	0.02	0.01	3,020	-
HYDRO	-	-	-	-										

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT27C2008A	0.06	0.01	20,000	-	BBL41C2006A	-	-	-	-	BGR101C2006A	0.04	0.02	403,896	-
AOT28C2006A	0.01	-	150	-	BBL41C2007A	-	-	-	-	BGR101C2006B	0.01	-	55,593	-
AOT28C2006B	-	-	-	-	BBL41C2007B	0.12	0.02	10,206	-	BGR101C2008B	0.13	0.03	25,952	-
AOT28C2008A	0.19	0.07	54,116	-	BBL41P2004A	-	-	-	-	BGR101C2009A	0.30	0.07	169,058	-
AOT28P2004A	1.50	(0.38)	14,677	1.00	BBL41P2006A	-	-	-	-	BGR101P2003A	1.00	(0.44)	260	1.00
AOT41C2003A	-	-	-	-	BBL42C2003A	-	-	-	-	BGR101P2006A	2.34	(0.64)	1,531	2.00
AOT41C2004A	-	-	-	-	BBL42C2005A	-	-	-	-	BGR106C2005A	0.02	0.01	50,602	-
AOT41C2005A	-	-	-	-	BBL42C2007A	-	-	-	-	BGR108C2003A	0.02	0.01	18,000	-
AOT41C2006A	0.07	0.01	19,669	-	BCH01C2006A	-	-	-	-	BGR108C2005A	-	-	-	-
AOT41C2007A	0.15	0.09	564	-	BCH01C2006B	0.06	0.02	2	-	BGR111C2006A	0.08	0.03	16,228	-
AOT41C2007B	0.32	0.10	93,364	-	BCH01P2006A	1.31	(0.09)	751	1.00	BGR113P2005A	0.06	0.02	500	-
AOT41P2004A	-	-	-	-	BCH06C2006A	-	-	-	-	BGR113C2004A	-	-	-	-
AOT41P2005A	-	-	-	-	BCH06P2006A	-	-	-	-	BGR113C2006A	0.03	0.02	6,561	-
AOT41P2006A	2.00	0.12	100	2.00	BCH08C2004A	-	-	-	-	BGR113C2007A	0.07	0.03	166,691	-
AOT42C2006A	0.01	-	9,644	-	BCH11C2008A	0.06	0.03	10	-	BGR113C2008A	0.16	0.06	87,174	-
AOT42P2003A	0.35	(0.06)	35,312	1.00	BCH13C2004A	-	-	-	-	BGR113P2005A	2.62	(0.62)	9,979	3.00
AOT42P2009A	1.57	(0.19)	7,118	1.00	BCH13C2007A	-	-	-	-	BGR116C2005A	-	-	-	-
AP19C2007A	0.04	0.01	150	-	BCH16C2006A	-	-	-	-	BGR119C2004A	0.02	0.01	28,923	-
AP28C2004A	0.02	(0.01)	32	-	BCH19C2005A	-	-	-	-	BGR119C2005A	0.02	(0.01)	2,000	-
AP28C2006A	-	-	-	-	BCH19C2006A	-	-	-	-	BGR119C2006A	0.01	-	1,430	-
AWC01C2003A	0.01	-	40	-	BCH19C2008A	0.13	0.03	10,270	-	BGR119C2008A	0.16	0.05	60,590	-
AWC01C2003B	-	-	-	-	BCH24C2003A	-	-	-	-	BGR119P2007A	1.61	(0.22)	6,850	1.00
AWC01C2004A	0.01	-	500	-	BCH27C2003A	-	-	-	-	BGR124C2004A	0.06	0.04	500	-
AWC01C2009A	0.11	0.01	18,313	-	BCH41C2005A	-	-	-	-	BGR127P2006A	1.09	(0.19)	19,607	1.00
AWC01P2003A	1.33	(0.05)	6,593	1.00	BCH41C2006A	-	-	-	-	BGR141C2004A	-	-	-	-
AWC01P2003B	1.38	0.63	754	1.00	BCP01C2005A	0.03	-	10,011	-	BGR141C2005A	0.02	0.01	200	-
AWC01P2007A	1.10	(0.07)	175,295	1.00	BCP01C2005B	-	-	-	-	BGR141C2006A	0.05	(0.01)	50	-
AWC06C2004A	-	-	-	-	BCP01P2005A	0.77	0.02	561	-	BGR141C2007A	0.22	0.12	7,820	-
AWC08C2004A	-	-	-	-	BCP11C2004A	-	-	-	-	BGR141P2004A	1.00	(0.28)	2,198	1.00
AWC13C2006A	0.05	0.04	438	-	BCP13C2003A	-	-	-	-	BGR141P2005A	1.49	(0.18)	600	1.00
AWC13P2006A	1.44	0.13	903	1.00	BCP13C2003B	-	-	-	-	BGR141P2006A	-	-	-	-
AWC16C2005A	0.04	0.03	1,003	-	BCP13C2007A	0.02	(0.01)	75	-	BGR142C2003A	-	-	-	-
AWC16C2007A	-	-	-	-	BCP19C2004A	-	-	-	-	BGR142C2006A	0.01	-	1,000	-
AWC19C2003A	-	-	-	-	BCP19C2005A	-	-	-	-	BH01C2004A	0.28	0.01	1,000	-
AWC19C2004A	-	-	-	-	BCP24C2004A	-	-	-	-	BH01C2004B	0.02	(0.01)	200	-
AWC19C2006A	0.02	-	900	-	BCPG01C2005A	0.06	0.01	60,037	-	BH01P2004A	0.60	-	86,139	-
AWC24C2007A	-	-	-	-	BCPG01C2005B	-	-	-	-	BH08C2007A	0.28	0.01	48,475	-
AWC28C2006A	-	-	-	-	BCPG01C2008B	-	-	-	-	BH11C2008A	0.19	(0.01)	12,313	-
AWC28C2008A	0.14	0.02	73,644	-	BCPG01C2009A	0.27	(0.04)	450	-	BH13C2006A	0.10	-	2,061	-
AWC41C2003A	-	-	-	-	BCPG01P2005A	0.88	0.05	2,757	1.00	BH19C2003A	-	-	-	-
AWC41C2004A	-	-	-	-	BCPG01P2009A	0.72	(0.02)	10,022	-	BH19C2006A	0.14	0.01	36,134	-
AWC41C2005A	-	-	-	-	BCPG13C2004A	-	-	-	-	BH24C2003A	-	-	-	-
AWC41C2006A	-	-	-	-	BCPG13C2007A	-	-	-	-	BH27C2007A	0.19	(0.01)	103,937	-
AWC41C2007A	-	-	-	-	BCPG16C2009A	0.10	-	150	-	BH41C2003A	-	-	-	-
AWC42C2003A	-	-	-	-	BCPG19C2003A	-	-	-	-	BH41C2004A	-	-	-	-
AWC42C2008A	0.01	-	24,400	-	BCPG19C2005A	-	-	-	-	BH41C2005A	0.20	0.03	21,749	-
BANP01C2005A	0.02	-	2,721	-	BCPG28C2004A	-	-	-	-	BH41C2006A	-	-	-	-
BANP01C2005B	0.02	0.01	544	-	BCPG28C2008A	0.09	(0.03)	6,857	-	BH41P2004A	0.20	0.04	6,527	-
BANP01P2005A	1.61	0.03	21,896	1.00	BCPG41C2005A	-	-	-	-	BH41P2006A	0.82	(0.01)	4,964	1.00
BANP01P2005B	1.84	0.06	23	2.00	BCPG42C2004A	-	-	-	-	BH42C2003A	-	-	-	-
BANP06C2005A	0.02	-	1,000	-	BCPG42C2007A	-	-	-	-	BH42C2008A	0.26	(0.01)	28,791	-
BANP08C2005A	-	-	-	-	BDMS01C2007B	0.05	0.01	15,965	-	BJC01C2004A	0.01	-	12,000	-
BANP08C2007A	-	-	-	-	BDMS01P2008A	0.54	(0.05)	7,090	-	BJC01C2004B	-	-	-	-
BANP08P2003A	-	-	-	-	BDMS06C2003A	-	-	-	-	BJC01C2008B	0.16	0.03	17,571	-
BANP11C2004A	0.01	-	3,860	-	BDMS06C2008A	0.20	0.05	13,874	-	BJC01C2009A	0.27	0.03	8,721	-
BANP11C2008A	0.02	0.01	6,650	-	BDMS06P2004A	0.85	0.09	415	1.00	BJC01P2004A	1.48	(0.09)	184	1.00
BANP13C2003A	-	-	-	-	BDMS08C2003A	-	-	-	-	BJC01P2009A	0.66	0.01	7,620	-
BANP13C2006A	-	-	-	-	BDMS08C2006A	-	-	-	-	BJC06C2006A	0.02	(0.01)	4,290	-
BANP13C2008A	-	-	-	-	BDMS11C2007A	0.12	0.04	21,523	-	BJC11C2008A	0.08	0.04	2,000	-
BANP19C2004A	-	-	-	-	BDMS11C2008A	0.06	0.03	2,000	-	BJC13C2004A	-	-	-	-
BANP19C2005A	-	-	-	-	BDMS13C2003A	-	-	-	-	BJC13C2005A	0.03	0.02	800	-
BANP19C2007A	-	-	-	-	BDMS13C2004A	0.01	-	200	-	BJC16C2006A	-	-	-	-
BANP19C2007B	0.02	-	1,625	-	BDMS13C2008A	0.16	0.02	1,418	-	BJC19C2003A	-	-	-	-
BANP19P2003A	2.06	0.06	4,004	2.00	BDMS16C2006A	-	-	-	-	BJC19C2005A	-	-	-	-
BANP24C2003A	-	-	-	-	BDMS19C2005A	-	-	-	-	BJC19C2007A	0.08	0.03	559	-
BANP27C2007A	-	-	-	-	BDMS19C2005B	-	-	-	-	BJC24C2003A	-	-	-	-
BANP28C2004A	-	-	-	-	BDMS24C2006A	-	-	-	-	BJC24C2006A	-	-	-	-
BANP28C2008A	0.05	-	21,949	-	BDMS41C2004A	-	-	-	-	BJC27C2009A	-	-	-	-
BANP41C2004A	-	-	-	-	BDMS41C2005A	-	-	-	-	BJC28C2004A	-	-	-	-
BANP41C2005A	-	-	-	-	BDMS41C2006A	-	-	-	-	BJC28C2007A	-	-	-	-
BANP41C2006A	-	-	-	-	BDMS41P2004A	0.60	(0.10)	3,951	-	BJC41C2004A	-	-	-	-
BANP41C2007A	-	-	-	-	BDMS41P2006A	0.44	(0.10)	12,062	-	BJC41C2005A	-	-	-	-
BANP41P2005A	1.39	(0.03)	4,000	1.00	BDMS42C2003A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP41P2007A	1.45	0.08	1,201	1.00	BEAU13C2003A	-	-	-	-	BJC41C2007A	-	-	-	-
BANP42C2004A	-	-	-	-	BEAU13C2003B	-	-	-	-	BJC41C2008A	0.14	0.03	18,285	-
BANP42C2006A	-	-	-	-	BEC01C2006A	0.05	-	200	-	BJC41P2004A	-	-	-	-
BANP42P2005A	1.94	(0.04)	870	2.00	BEC01C2006B	-	-	-	-	BJC41P2005A	1.51	0.53	1,000	1.00
BBL06C2007A	0.04	-	1,589	-	BEC01P2006A	1.26	0.06	1,180	1.00	BJC42C2004A	-	-	-	-
BBL06P2004A	-	-	-	-	BEC19C2003A	-	-	-	-	BLAN19C2004A	-	-	-	-
BBL08C2005A	0.02	-	12	-	BEC19C2005A	0.02	-	4,000	-	BLAN28C2004A	-	-	-	-
BBL08C2007A	0.04	-	757	-	BEC41C2003A	-	-	-	-	BPP01C2005A	-	-	-	-
BBL08P2007A	1.67	0.15	1,470	1.00	BEC42C2003A	-	-	-	-	BPP01C2005B	-	-	-	-
BBL11C2005A	0.02	-	18,058	-	BEC42C2005A	-	-	-	-	BPP01P2005A	1.34	0.09	4,746	1.00
BBL11C2007A	0.02	-	2,482	-	BEM01C2004A	0.02	-	9,220	-	BPP13C2004A	-	-	-	-
BBL11P2008A	1.80	0.21	7,473	1.00	BEM01C2004B	-	-	-	-	BPP13C2007A	0.04	(0.05)	1,420	-
BBL13C2003A	-	-	-	-	BEM01P2004A	0.64	(0.01)	3,025	-	BPP19C2005A	-	-	-	-
BBL13C2004A	0.01	(0.03)	10	-	BEM06C2004A	0.01	(0.01)	180	-	BPP19C2007A	0.05	(0.01)	14,994	-
BBL13C2006A	-	-	-	-	BEM08C2005A	0.02	0.01	6,500	-	BPP24C2003A	-	-	-	-
BBL13C2008A	0.23	(0.04)	59,732	-	BEM11C2003A	0.01	-	2,500	-	BPP24C2005A	0.04	0.01	19,837	-
BBL13P2003A	-	-	-	-	BEM13C2004A	-	-	-	-	BPP24C2007A	0.02	0.01	1	-
BBL13P2004A	2.50	0.38	2,835	2.00	BEM13C2007A	0.02	(0.03)	1,061	-	BPP24C2009A	0.61	(0.09)	48,416	-
BBL13P2008A	1.00	0.17	7,677	1.00	BEM16C2006A	-	-	-	-	BPP24C2010A	0.01	-	4,052	-
BBL16C2006A	-	-	-	-	BEM19C2005A	-	-	-	-	BPP24C2012A	-	-	-	-
BBL19C2003A	-	-	-	-	BEM24C2003A	-	-	-	-	BPP24C2014A	-	-	-	-
BBL19C2005A	0.01	(0.01)	3											

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS41P2004A	0.74	-	523	-	KXP13C2004A	-	-	-	-	CPN24C2007A	-	-	-	-
BTS42C2003A	-	-	-	-	KXP13C2004B	-	-	-	-	CPN41C2004A	-	-	-	-
BTS42C2008A	0.01	-	30	-	KXP13C2007A	0.09	0.02	3,850	-	CPN41C2006A	-	-	-	-
CBG01C2004A	0.06	-	21,502	-	KXP16C2005A	-	-	-	-	CPN41P2005A	1.79	0.34	2	1.00
CBG01C2004B	0.02	0.01	12,638	-	KXP16C2007A	-	-	-	-	CPN41P2006A	0.82	(0.07)	669	1.00
CBG01C2007B	0.16	-	167,543	-	KXP19C2003A	-	-	-	-	CPN42C2004A	-	-	-	-
CBG01P2003A	0.29	(0.01)	18,449	-	KXP19C2005A	-	-	-	-	CPN42C2006A	-	-	-	-
CBG01P2004A	1.70	(0.11)	17,213	2.00	KXP19C2006A	-	-	-	-	CRC01C2007A	0.13	-	30,840	-
CBG01P2007B	2.22	0.08	4,300	2.00	KXP24C2006A	-	-	-	-	CRC08C2007A	0.24	0.03	50,470	-
CBG06C2005A	-	-	-	-	KXP27C2005A	-	-	-	-	CRC13C2008A	0.12	-	255,809	-
CBG08C2003A	-	-	-	-	KXP28C2004A	-	-	-	-	CRC19C2008A	0.21	0.01	601,340	-
CBG08C2007A	0.30	(0.02)	50,042	-	KXP28C2004B	-	-	-	-	CRC19C2008B	0.15	0.01	127,198	-
CBG11C2008A	0.20	0.01	36,008	-	KXP28C2006A	-	-	-	-	CRC28C2007A	0.13	0.02	103,529	-
CBG13C2004A	0.01	-	950	-	KXP41C2004A	-	-	-	-	CRC28C2007B	0.08	0.02	25,157	-
CBG13C2008A	0.32	-	15,963	-	KXP41C2005A	-	-	-	-	CRC41C2007A	0.26	0.01	100,054	-
CBG13P2006A	2.22	0.16	3,997	2.00	KXP41C2006A	-	-	-	-	DTAC01C2004A	-	-	-	-
CBG16C2008A	0.09	(0.10)	141	-	KXP41C2007A	-	-	-	-	DTAC01C2004B	0.01	(0.01)	3,420	-
CBG19C2004A	0.02	(0.03)	430	-	KXP42C2003A	-	-	-	-	DTAC01C2007B	0.05	0.01	2,305	-
CBG19C2005A	0.03	(0.01)	50,955	-	KXP42C2005A	-	-	-	-	DTAC01C2008A	0.19	0.07	1,957	-
CBG19C2008A	0.39	-	380,848	-	KXP42C2006A	-	-	-	-	DTAC01P2004A	2.28	(0.08)	2,384	2.00
CBG19P2006A	2.20	0.06	11,340	2.00	COM708C2007A	-	-	-	-	DTAC01P2004B	-	-	-	-
CBG24C2003A	-	-	-	-	COM711C2004A	0.01	-	1	-	DTAC01P2007B	1.72	0.41	1,601	1.00
CBG24C2008A	-	-	-	-	COM713C2004A	-	-	-	-	DTAC01P2008A	1.14	(0.21)	210	1.00
CBG41C2003A	-	-	-	-	COM713C2007A	0.04	-	12	-	DTAC06C2006A	0.01	-	1,500	-
CBG41C2004A	-	-	-	-	COM713C2008A	0.11	(0.11)	1	-	DTAC08C2005A	-	-	-	-
CBG41C2005A	0.10	(0.01)	220	-	COM716C2008A	-	-	-	-	DTAC08C2005B	-	-	-	-
CBG41C2006A	0.10	0.01	15,902	-	COM719C2003A	-	-	-	-	DTAC08C2007A	0.06	0.02	10,001	-
CBG41P2004A	2.82	0.70	5	2.00	COM719C2005A	-	-	-	-	DTAC13C2003A	-	-	-	-
CBG41P2006A	2.26	0.18	1,322	2.00	COM719C2008A	0.27	(0.06)	292,866	-	DTAC13C2006A	0.03	0.01	18,009	-
CBG42C2003A	-	-	-	-	COM719P2004A	0.36	0.03	42,936	-	DTAC13C2007A	0.05	(0.02)	1,500	-
CBG42C2006A	0.01	(0.01)	2,000	-	COM724C2007A	0.01	(0.05)	100	-	DTAC13P2003A	-	-	-	-
CBG42C2008A	0.31	(0.03)	41,240	-	COM741C2004A	-	-	-	-	DTAC13P2006A	1.99	0.28	580	1.00
CENT01C2003A	0.01	-	10,623	-	COM741C2006A	-	-	-	-	DTAC13P2007A	0.32	(0.04)	1,394	-
CENT01C2003B	0.01	(0.01)	1,494	-	COM742C2004A	-	-	-	-	DTAC13P2008A	1.29	0.03	195	1.00
CENT01C2006A	0.06	-	600	-	CPAL01C2004A	0.03	(0.01)	19,305	-	DTAC16C2009A	0.20	0.04	2,010	-
CENT01C2006B	-	-	-	-	CPAL01C2004B	0.02	0.01	10,027	-	DTAC19C2005A	-	-	-	-
CENT01C2009A	0.39	0.03	240	-	CPAL01C2006A	0.18	-	17,186	-	DTAC19C2006A	-	-	-	-
CENT01P2003A	1.15	(0.03)	5,082	1.00	CPAL01C2006B	0.10	0.04	3,311	-	DTAC19C2007A	0.08	0.02	76,958	-
CENT01P2009A	0.85	0.04	45,400	-	CPAL01C2008B	0.23	(0.01)	106,080	-	DTAC19P2007A	0.88	(0.11)	4,048	1.00
CENT06C2003A	-	-	-	-	CPAL01P2004A	1.56	(0.02)	2,833	1.00	DTAC24C2004A	-	-	-	-
CENT06C2006A	0.02	(0.06)	100	-	CPAL01P2004B	0.85	-	6,319	1.00	DTAC24C2007A	-	-	-	-
CENT06P2007A	1.03	0.09	1,324	1.00	CPAL01P2008B	0.80	-	45,570	-	DTAC27C2008A	-	-	-	-
CENT08C2004A	-	-	-	-	CPAL06C2006A	0.05	0.01	15,256	-	DTAC41C2004A	-	-	-	-
CENT11C2004A	-	-	-	-	CPAL08C2004A	-	-	-	-	DTAC41C2005A	-	-	-	-
CENT11C2007A	-	-	-	-	CPAL08C2006A	0.04	(0.01)	200	-	DTAC41C2006A	0.01	-	1	-
CENT13C2003A	-	-	-	-	CPAL08P2006A	1.00	0.04	320	1.00	DTAC41C2007A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL11C2006A	-	-	-	-	DTAC41C2007B	0.13	0.03	15,154	-
CENT13C2006A	0.05	(0.01)	447	-	CPAL11C2007A	0.09	0.01	400	-	DTAC41P2005A	1.04	(0.20)	5,144	1.00
CENT19C2004A	-	-	-	-	CPAL13C2004A	0.04	(0.02)	20	-	DTAC41P2006A	-	-	-	-
CENT19C2005A	-	-	-	-	CPAL13C2007A	0.16	(0.02)	46,967	-	DTAC42C2004A	-	-	-	-
CENT19C2008A	0.26	(0.01)	53,656	-	CPAL13P2003A	-	-	-	-	DTAC42C2006A	0.03	0.01	24,060	-
CENT24C2003A	-	-	-	-	CPAL16C2006A	0.15	0.09	4,500	-	EA06C2005A	0.02	-	4,418	-
CENT24C2008A	-	-	-	-	CPAL16C2007A	-	-	-	-	EA08C2004A	0.01	(0.01)	5,401	-
CENT27C2008A	-	-	-	-	CPAL19C2004A	-	-	-	-	EA08C2006A	0.06	-	8,501	-
CENT28C2004A	-	-	-	-	CPAL19C2005A	0.04	0.01	5,500	-	EA11C2005A	-	-	-	-
CENT28C2005A	-	-	-	-	CPAL19C2008A	0.27	-	208,772	-	EA13C2003A	-	-	-	-
CENT28C2006A	0.03	(0.01)	2,021	-	CPAL19P2004A	0.64	-	96,206	-	EA13C2005A	0.05	0.02	4,546	-
CENT28C2008A	0.20	(0.01)	26,478	-	CPAL24C2005A	-	-	-	-	EA13C2006A	0.03	-	4,561	-
CENT41C2003A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA13C2008A	0.17	0.04	3,521	-
CENT41C2004A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA13P2003A	0.38	0.03	12,571	-
CENT41C2005A	-	-	-	-	CPAL28C2007A	-	-	-	-	EA13P2006A	1.36	(0.05)	1,175	1.00
CENT41C2006A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA16C2003A	-	-	-	-
CENT41P2003A	-	-	-	-	CPAL41C2005A	-	-	-	-	EA16C2006A	-	-	-	-
CENT42C2004A	-	-	-	-	CPAL41C2006A	-	-	-	-	EA16C2008A	0.07	0.03	6,499	-
CENT42C2006A	0.02	(0.07)	30	-	CPAL41C2007A	0.19	-	2,209	-	EA19C2004A	-	-	-	-
CHG01C2006A	-	-	-	-	CPAL41P2004A	0.81	0.05	160	-	EA19C2008A	0.20	0.01	6,660	-
CHG01C2006B	0.05	0.01	756	-	CPAL41P2005A	-	-	-	-	EA19P2007A	1.25	0.04	16,042	1.00
CHG01P2006A	0.50	(0.03)	17,557	-	CPAL41P2006A	1.04	0.04	9,346	1.00	EA24C2003A	-	-	-	-
CHG06P2003A	0.11	(0.04)	1,026	-	CPAL42C2003A	-	-	-	-	EA24C2004A	-	-	-	-
CHG08C2005A	0.04	(0.01)	5	-	CPAL42C2005A	-	-	-	-	EA27C2006A	-	-	-	-
CHG13C2006A	-	-	-	-	CPAL42C2007A	0.05	(0.01)	20,100	-	EA28C2004A	-	-	-	-
CHG16C2009A	0.21	0.04	170	-	CPF01C2004A	0.03	-	15,735	-	EA28C2004B	-	-	-	-
CHG19C2004A	0.06	-	2,500	-	CPF01C2004B	0.02	-	252	-	EA28C2006A	0.02	-	580	-
CHG27C2009A	0.16	-	36,434	-	CPF01P2004A	0.46	-	22,861	-	EA41C2004A	-	-	-	-
CHG41C2005A	0.04	(0.01)	200	-	CPF08C2006A	0.02	-	2,760	-	EA41C2005A	-	-	-	-
CHG42C2006A	0.08	0.03	42,250	-	CPF11C2004A	-	-	-	-	EA41C2006A	-	-	-	-
CK01C2005A	0.07	0.01	3,475	-	CPF11C2007A	0.06	0.01	560	-	EA41P2003A	-	-	-	-
CK01C2005B	0.01	(0.01)	11,803	-	CPF13C2003A	-	-	-	-	EA41P2004A	0.89	0.07	31,316	-
CK01P2005A	0.83	(0.01)	16,876	1.00	CPF13C2006A	0.03	(0.01)	6,992	-	EA42C2004A	-	-	-	-
CK06C2004A	0.04	0.03	50	-	CPF13C2008A	0.11	-	25,832	-	EGCO01C2004A	0.02	0.01	8,346	-
CK11C2007A	-	-	-	-	CPF16C2007A	0.07	0.02	606	-	EGCO01C2004B	-	-	-	-
CK13C2003A	-	-	-	-	CPF19C2003A	-	-	-	-	EGCO01C2007B	0.04	0.01	19,917	-
CK13C2006A	0.08	0.01	4	-	CPF19C2005A	0.02	(0.01)	4,503	-	EGCO06C2004A	-	-	-	-
CK16C2003A	-	-	-	-	CPF19C2006A	-	-	-	-	EGCO06C2007A	-	-	-	-
CK16C2006A	0.01	(0.03)	700	-	CPF24C2007A	0.05	(0.01)	1,202	-	EGCO06P2004A	-	-	-	-
CK19C2003A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO13C2005A	-	-	-	-
CK19C2004A	-	-	-	-	CPF28C2007A	0.02	-	5,350	-	EGCO19C2005A	0.04	0.02	6	-
CK19C2007A	0.02	-	6,833	-	CPF41C2004A	-	-	-	-	EGCO19C2007A	0.02	0.01	1,915	-
CK24C2003A	-	-	-	-	CPF41C2005A	-	-	-	-	EGCO41C2003A	-	-	-	-
CK27C2008A	-	-	-	-	CPF41P2003A	-	-	-	-	EGCO41C2004A	0.03	-	2	-
CK41C2003A	-	-	-	-	CPF41P2005A	0.67	0.10	342	-	EGCO41C2006A	0.05	0.02	325	-
CK41C2004A	-	-	-	-	CPF42C2003A	-	-	-	-	EGCO41P2004A	3.06	1.52	18	2.00
CK41C2005A	-	-	-	-	CPNO1C2005A	0.08	0.02	12,477	-	EGCO41P2006A	2.14	(0.18)	771	3.00
CK42C2006A	-	-	-	-	CPNO1C2005B	-	-	-	-	EGCO42C2003A	-	-	-	-
CKP01C2004A	0.01	-	1,198											

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ERW06C2007A	-	-	-	-	GULF13P2005A	2.26	(0.28)	44,051	2.00	INTU41P2004A	1.53	0.10	586	1.00
ERW06P2006A	1.40	0.43	1,571	1.00	GULF16C2003A	-	-	-	-	INTU41P2005A	1.12	0.10	18,864	1.00
ERW13C2005A	-	-	-	-	GULF16C2007A	0.21	0.03	6,011	-	INTU41P2006A	1.13	0.16	12,074	1.00
ERW13C2006A	-	-	-	-	GULF19C2003A	0.02	-	16,133	-	INTU42C2003A	-	-	-	-
ERW13C2007A	0.06	(0.09)	183	-	GULF19C2004A	0.02	0.01	8,115	-	INTU42C2005A	-	-	-	-
ERW19C2005A	-	-	-	-	GULF19C2006A	0.02	-	45,474	-	IRPC01C2005A	0.02	0.01	2,007	-
ERW19C2006A	-	-	-	-	GULF19C2008A	0.55	(0.45)	511,057	-	IRPC01C2005B	0.02	-	20,853	-
ERW19C2007A	0.06	0.01	9,302	-	GULF19P2003A	0.18	(0.08)	119,077	-	IRPC01C2007B	0.07	0.01	3,600	-
ERW24C2006A	-	-	-	-	GULF19P2006A	1.70	(0.20)	34,842	2.00	IRPC01P2005A	2.26	0.10	58	2.00
ESS001C2004A	0.01	-	10	-	GULF24C2005A	0.13	0.02	3,649	-	IRPC01P2005B	1.85	(0.01)	3,755	2.00
ESS001C2004B	0.01	-	2,230	-	GULF27C2004A	0.18	0.04	55,519	-	IRPC01P2007B	0.98	(0.05)	15,253	1.00
ESS001C2008B	0.12	0.01	220	-	GULF28C2006A	-	-	-	-	IRPC06C2005A	0.01	-	13,919	-
ESS001C2009A	0.24	0.04	4,381	-	GULF28C2008A	0.10	(0.01)	3,557	-	IRPC06C2007A	0.02	-	760	-
ESS001P2009A	0.84	(0.06)	169,541	-	GULF41C2004A	0.04	(0.03)	300	-	IRPC06P2004A	-	-	-	-
ESS008C2004A	-	-	-	-	GULF41C2005A	0.12	0.10	8,310	-	IRPC11C2005A	0.01	-	5,593	-
ESS013C2003A	-	-	-	-	GULF41C2006A	0.37	0.26	10,378	-	IRPC11C2008A	-	-	-	-
ESS013C2006A	0.05	-	2,841	-	GULF41P2003A	1.01	(0.43)	10,425	1.00	IRPC13C2006A	-	-	-	-
ESS019C2004A	-	-	-	-	GULF41P2004A	-	-	-	-	IRPC13C2007A	0.09	0.05	12	-
ESS019C2007A	0.09	0.02	8,983	-	GULF41P2005A	1.13	(0.51)	313	1.00	IRPC13C2008A	0.13	0.01	4,529	-
ESS024C2003A	-	-	-	-	GULF41P2006A	1.20	(0.21)	2,839	1.00	IRPC16C2008A	-	-	-	-
ESS024C2007A	-	-	-	-	GULF41P2007A	2.34	(0.42)	29	2.00	IRPC19C2003A	-	-	-	-
ESS041C2003A	-	-	-	-	GULF42C2003A	0.01	-	30	-	IRPC19C2005A	-	-	-	-
ESS041C2004A	-	-	-	-	GUNK01C2005A	-	-	-	-	IRPC19C2007A	0.07	0.02	784	-
ESS041C2005A	-	-	-	-	GUNK01C2005B	0.02	-	60	-	IRPC19C2008A	0.23	(0.77)	20,750	-
ESS041C2006A	0.12	-	5,117	-	GUNK01P2005A	0.90	0.05	27	-	IRPC24C2004A	-	-	-	-
ESS042C2003A	-	-	-	-	GUNK11C2007A	-	-	-	-	IRPC24C2007A	0.06	(0.03)	2	-
ESS042C2007A	0.09	0.02	1,020	-	GUNK13C2006A	-	-	-	-	IRPC27C2007A	-	-	-	-
GFPT13C2003A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC28C2006A	-	-	-	-
GFPT19C2004A	-	-	-	-	GUNK19C2006A	0.02	-	2,550	-	IRPC28C2008A	0.12	-	128,687	-
GFPT19C2006A	0.06	-	500	-	GUNK24C2006A	-	-	-	-	IRPC41C2004A	-	-	-	-
GFPT24C2007A	0.06	(0.03)	12	-	GUNK28C2005A	-	-	-	-	IRPC41C2005A	-	-	-	-
GFPT42C2004A	-	-	-	-	GUNK41C2003A	-	-	-	-	IRPC41C2006A	0.06	(0.01)	21	-
GFPT42C2008A	0.03	(0.03)	550	-	GUNK41C2005A	-	-	-	-	IRPC41C2007A	0.17	-	33,288	-
GLOB01C2003A	-	-	-	-	GUNK41P2005A	1.00	0.18	20,015	-	IRPC41P2004A	0.81	(0.18)	400	-
GLOB01C2007A	0.08	(0.01)	200	-	GUNK42C2003A	-	-	-	-	IRPC41P2005A	-	-	-	-
GLOB01C2008A	0.25	0.05	106	-	HANA01C2006A	0.18	0.06	1,455	-	IRPC41P2006A	-	-	-	-
GLOB01P2003A	0.65	(0.19)	10,279	1.00	HANA01C2006B	-	-	-	-	IRPC41P2007A	-	-	-	-
GLOB06C2006A	0.05	0.03	10,508	-	HANA01P2006A	0.63	(0.05)	2,042	-	IRPC42C2003A	-	-	-	-
GLOB13C2007A	0.10	0.02	6,000	-	HANA11C2008A	0.11	0.03	2,000	-	IRPC42C2006A	-	-	-	-
GLOB19C2005A	-	-	-	-	HANA13C2006A	-	-	-	-	IVL01C2004A	0.01	(0.01)	6,517	-
GLOB19C2007A	0.16	0.06	6,016	-	HANA13C2008A	0.11	0.03	2,064	-	IVL01C2004B	0.01	(0.01)	5,484	-
GLOB24C2005A	-	-	-	-	HANA16C2008A	0.21	0.03	254	-	IVL01C2006B	0.03	-	16,351	-
GLOB41C2004A	-	-	-	-	HANA19C2003A	0.02	-	1,000	-	IVL01P2004A	1.29	0.33	606	1.00
GLOB42C2009A	0.08	-	10,000	-	HANA19C2006A	0.06	(0.04)	5,150	-	IVL01P2004B	0.44	(0.04)	466	-
GPSC01C2003A	0.01	-	25,030	-	HANA27C2007A	-	-	-	-	IVL01P2006B	1.03	0.01	9,189	1.00
GPSC01C2003B	0.01	-	23,466	-	HANA27P2007A	0.75	(0.04)	1,403	-	IVL06C2003A	0.01	-	4,104	-
GPSC01C2005A	0.03	0.01	64,171	-	HANA41C2006A	0.16	0.04	3,678	-	IVL06C2008A	0.07	0.01	5,068	-
GPSC01C2005B	0.02	0.01	85,993	-	HMPR01C2006A	0.08	0.01	2,602	-	IVL06P2005A	-	-	-	-
GPSC01C2007B	0.07	0.01	73,081	-	HMPR01C2006B	0.09	0.06	1	-	IVL08C2004A	0.02	-	1	-
GPSC01C2008A	0.17	-	151,963	-	HMPR01P2006A	0.92	(0.09)	27,808	1.00	IVL08P2003A	-	-	-	-
GPSC01P2003A	3.44	0.48	154	3.00	HMPR06C2006A	-	-	-	-	IVL08P2004A	1.00	0.26	210	1.00
GPSC01P2005A	2.92	(0.16)	264	3.00	HMPR06P2007A	0.52	(0.17)	623	-	IVL11C2005A	-	-	-	-
GPSC01P2005B	2.40	(0.34)	511	2.00	HMPR11C2003A	-	-	-	-	IVL11C2006A	-	-	-	-
GPSC01P2007B	2.10	(0.16)	2,945	2.00	HMPR13C2003A	-	-	-	-	IVL13C2003A	-	-	-	-
GPSC01P2008A	2.58	(0.12)	1,849	3.00	HMPR13C2006A	0.06	0.01	37	-	IVL13C2006A	0.07	-	2	-
GPSC06C2006A	0.02	-	1,000	-	HMPR13C2007A	0.07	-	7,716	-	IVL13C2008A	0.26	0.02	14,792	-
GPSC06C2008A	0.17	0.02	11,330	-	HMPR19C2003A	-	-	-	-	IVL13P2004A	1.08	(0.03)	4,888	1.00
GPSC08C2004B	0.01	-	3	-	HMPR19C2005A	-	-	-	-	IVL16C2006A	-	-	-	-
GPSC08C2007A	0.06	-	80,143	-	HMPR19C2007A	0.10	0.04	12,404	-	IVL16C2009A	-	-	-	-
GPSC08P2006A	-	-	-	-	HMPR24C2004A	-	-	-	-	IVL19C2003A	-	-	-	-
GPSC11C2006A	0.10	0.05	2,770	-	HMPR41C2005A	-	-	-	-	IVL19C2004A	-	-	-	-
GPSC13C2005A	0.05	0.02	3,971	-	HMPR41C2006A	-	-	-	-	IVL19C2006A	0.02	0.01	21,650	-
GPSC13C2007A	0.11	0.02	7,834	-	HMPR41C2007A	0.15	0.10	5,600	-	IVL19C2008A	0.24	(0.05)	13	-
GPSC13C2008A	0.23	0.02	42,830	-	HMPR41C2007B	0.19	0.08	21,201	-	IVL19P2003A	0.67	0.32	2,016	-
GPSC13P2003A	-	-	-	-	HMPR42C2003A	-	-	-	-	IVL19P2006A	1.00	-	7,911	1.00
GPSC13P2005A	-	-	-	-	HSI28C2003A	-	-	-	-	IVL24C2003A	-	-	-	-
GPSC13P2007A	2.30	(0.14)	4,285	2.00	HSI28C2003B	-	-	-	-	IVL27P2007A	0.83	-	3,646	-
GPSC16C2003A	0.04	0.02	95	-	HSI28C2003C	0.03	0.02	1	-	IVL28C2007A	0.05	0.02	1	-
GPSC16C2007A	0.07	0.03	10,031	-	HSI28C2004A	0.73	0.29	704,728	-	IVL41C2004A	-	-	-	-
GPSC19C2004A	0.01	-	1,200	-	HSI28C2004B	0.47	0.27	104,524	-	IVL41C2005A	-	-	-	-
GPSC19C2007A	0.09	0.02	109,742	-	HSI28C2004C	0.24	0.15	21,186	-	IVL41C2006A	0.03	(0.07)	910	-
GPSC19C2008A	0.32	0.02	290,780	-	HSI28P2003A	-	-	-	-	IVL41C2007A	-	-	-	-
GPSC19P2005A	2.14	(0.04)	1,978	2.00	HSI28P2003B	-	-	-	-	IVL41P2004A	-	-	-	-
GPSC24C2007A	-	-	-	-	HSI28P2003C	4.96	1.64	30	4.00	IVL41P2005A	1.34	0.01	586	1.00
GPSC27C2005A	-	-	-	-	HSI28P2004A	1.92	0.21	501,556	1.00	IVL41P2006A	-	-	-	-
GPSC28C2008A	0.14	0.02	25,296	-	HSI28P2004B	2.50	0.42	116,975	2.00	IVL41P2007A	-	-	-	-
GPSC41C2004A	-	-	-	-	HSI28P2004C	3.20	0.30	144,915	3.00	IVL42C2005A	-	-	-	-
GPSC41C2005A	0.03	(0.04)	300	-	INTU01C2003A	0.01	(0.01)	3	-	IVL42C2008A	0.46	0.03	41,220	-
GPSC41C2005B	0.07	(0.01)	15,492	-	INTU01C2003B	-	-	-	-	JAS13C2006A	0.07	0.01	20,635	-
GPSC41C2006A	0.05	-	110	-	INTU01C2006A	0.14	0.03	13,770	-	JAS19C2004A	0.03	(0.01)	14,001	-
GPSC41P2004A	-	-	-	-	INTU01C2006B	0.05	0.02	2,838	-	JAS41C2004A	0.05	-	16,000	-
GPSC41P2005A	-	-	-	-	INTU01P2003A	-	-	-	-	JAS41C2005A	-	-	-	-
GPSC41P2006A	2.12	(0.06)	13,510	2.00	INTU01P2003B	0.96	0.15	4,838	1.00	JAS41C2006A	0.13	0.03	1	-
GPSC42C2006A	0.05	0.02	1,650	-	INTU01P2006A	1.67	0.40	1,222	1.00	JAS41P2005A	0.51	(0.02)	35,613	-
GPSC42P2006A	3.30	0.56	243	3.00	INTU01P2006B	0.86	(0.05)	3,941	1.00	JMT13C2006A	0.14	(0.01)	10,595	-
GULF01C2003A	0.06	0.02	202,973	-	INTU13C2004A	-	-	-	-	JMT19C2006A	0.09	(0.02)	55,767	-
GULF01C2003B	0.01	(0.01)	92,169	-	INTU13C2006A	0.07	-	1,305	-	JMT42C2006A	0.11	(0.02)	35,513	-
GULF01C2005A	0.18	0.04	1,413,331	-	INTU13P2004A	0.61	-	700	-	KBAN01C2004A	0.02	0.01	8,705	-
GULF01C2005B	0.05	0.01	352,035	-	INTU16C2005A	-	-	-	-	KBAN01C2004B	0.01	-	4,356	-
GULF01C2007A	0.10	0.03	1,394,406	-	INTU16C2007A	-	-	-	-	KBAN01C2007A	0.10	(0.01)	57,532	-
GULF01P20														

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN13C2008A	0.11	-	50,901	-	LH41C2006A	0.06	0.04	2,000	-	PSL13C2003A	-	-	-	-
KBAN13P2003A	1.80	0.36	213	2.00	MAJO13C2007A	-	-	-	-	PSL19C2004A	-	-	-	-
KBAN13P2006A	1.82	(0.03)	11,275	2.00	MAJO19C2006A	0.03	(0.04)	2,415	-	PSL19C2006A	-	-	-	-
KBAN13P2008A	1.04	0.03	13,585	1.00	MBK19C2004A	-	-	-	-	PSL19C2007A	0.43	-	17,326	-
KBAN16C2005A	-	-	-	-	MEGA16C2009A	0.04	(0.03)	1	-	PTG01C2003A	0.01	(0.01)	2,560	-
KBAN16C2008A	0.06	0.02	2	-	MEGA19C2005A	0.01	(0.01)	4,708	-	PTG01C2003B	-	-	-	-
KBAN19C2003A	-	-	-	-	MINT01C2003A	0.02	0.01	25	-	PTG01C2005A	0.10	(0.03)	11,673	-
KBAN19C2004A	-	-	-	-	MINT01C2003B	-	-	-	-	PTG01C2005B	0.02	(0.01)	10,733	-
KBAN19C2007A	0.03	-	5,625	-	MINT01C2007B	0.03	0.01	6,000	-	PTG01C2007B	0.23	(0.01)	2,047	-
KBAN19P2004A	1.58	(0.04)	5,034	1.00	MINT01C2008A	0.07	0.01	22,627	-	PTG01P2003A	0.97	0.18	2,082	-
KBAN19P2007A	1.87	(0.01)	275	1.00	MINT01P2003A	1.41	0.02	2,621	1.00	PTG01P2005A	0.97	0.06	10,671	1.00
KBAN24C2005A	-	-	-	-	MINT01P2008A	0.97	0.06	24,256	1.00	PTG01P2005B	0.66	0.01	1,775	-
KBAN28C2004A	-	-	-	-	MINT06C2006A	-	-	-	-	PTG03C2005A	0.01	-	30,500	-
KBAN28C2008A	0.11	0.02	4,402	-	MINT06P2007A	-	-	-	-	PTG06C2006A	0.05	0.01	1,203	-
KBAN41C2003A	-	-	-	-	MINT08C2003A	0.01	-	120	-	PTG08C2005A	-	-	-	-
KBAN41C2004A	-	-	-	-	MINT11C2006A	-	-	-	-	PTG08C2007A	0.21	(0.01)	23,261	-
KBAN41C2005A	-	-	-	-	MINT13C2004A	-	-	-	-	PTG11C2003A	-	-	-	-
KBAN41C2007A	0.10	(0.07)	2,385	-	MINT13C2006A	-	-	-	-	PTG11C2005A	-	-	-	-
KBAN41P2004A	1.86	0.96	310	1.00	MINT13C2008A	0.05	(0.01)	1,687	-	PTG13C2004A	-	-	-	-
KBAN41P2005A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG13C2006A	0.11	(0.01)	22,310	-
KBAN41P2006A	-	-	-	-	MINT19C2006A	-	-	-	-	PTG13P2004A	0.68	0.04	10,151	-
KBAN42C2003A	-	-	-	-	MINT19P2004A	1.12	(0.05)	3,481	1.00	PTG13P2006A	0.43	0.03	14,647	-
KBAN42C2004A	-	-	-	-	MINT24C2006A	-	-	-	-	PTG16C2009A	-	-	-	-
KBAN42C2007A	0.01	(0.02)	4,250	-	MINT28C2006A	-	-	-	-	PTG19C2003A	-	-	-	-
KBAN42P2008A	2.74	0.04	2,971	2.00	MINT28C2008A	0.08	0.04	8,516	-	PTG19C2004A	-	-	-	-
KCE01C2004A	0.22	(0.03)	71,979	-	MINT41C2004A	-	-	-	-	PTG19C2005A	0.04	0.01	12,900	-
KCE01C2004B	0.08	0.03	10,345	-	MINT41C2005A	-	-	-	-	PTG19C2006A	0.12	(0.02)	4,221	-
KCE01C2007B	0.04	0.01	44,153	-	MINT41P2004A	1.33	0.17	1,848	1.00	PTG19P2006A	0.66	0.04	9,419	-
KCE01C2008A	0.16	0.03	33,472	-	MINT42C2004A	-	-	-	-	PTG27C2007A	0.17	-	62,112	-
KCE01P2004A	1.39	(0.03)	49,773	1.00	MTC01C2003A	0.07	0.05	33,163	-	PTG28C2004A	-	-	-	-
KCE08C2005A	0.04	-	1,149	-	MTC01C2003B	0.01	-	3,060	-	PTG41C2004A	-	-	-	-
KCE08C2005B	-	-	-	-	MTC01C2007B	0.16	0.06	6,811	-	PTG41C2005A	-	-	-	-
KCE11C2004A	0.10	(0.02)	200	-	MTC01C2008A	0.35	0.05	34,013	-	PTG41C2006A	0.12	0.06	35,822	-
KCE13C2003A	0.20	(0.86)	141	-	MTC01P2003A	0.22	(0.17)	14,817	-	PTG41P2005A	0.64	(0.10)	586	-
KCE13C2004A	0.05	0.03	34,182	-	MTC03C2005A	-	-	-	-	PTG42C2004A	-	-	-	-
KCE13C2005A	0.02	-	1,508	-	MTC06C2007A	0.26	0.06	820	-	PTG42C2006A	0.13	(0.01)	24,048	-
KCE13C2006A	0.16	0.01	12,311	-	MTC08C2005A	0.23	0.15	12,540	-	PTT01C2004A	0.02	0.01	162,131	-
KCE16C2007A	0.10	0.03	5,386	-	MTC11C2008A	0.22	0.05	20,901	-	PTT01C2004B	0.02	-	12,559	-
KCE19C2005A	0.07	0.02	11,820	-	MTC13C2003A	-	-	-	-	PTT01C2007A	0.08	0.01	453,383	-
KCE19C2007A	0.13	-	86,236	-	MTC13C2007A	0.12	0.04	88,992	-	PTT01C2007B	0.04	0.01	179,279	-
KCE24C2005A	0.33	0.01	4,300	-	MTC13P2003A	0.48	0.40	5,768	-	PTT01P2004A	1.38	(0.14)	4,569	1.00
KCE27C2007A	0.04	0.01	35	-	MTC16C2007A	0.16	0.08	17,254	-	PTT01P2004B	1.61	0.16	3,357	1.00
KCE41C2003A	-	-	-	-	MTC19C2006A	0.12	0.06	39,257	-	PTT01P2007A	1.72	(0.08)	17,534	1.00
KCE41C2005A	0.15	-	11,912	-	MTC19P2004A	0.21	(0.11)	132,294	-	PTT01P2007B	1.77	(0.20)	2,556	2.00
KCE41C2006A	-	-	-	-	MTC24C2004A	0.17	0.14	657	-	PTT06C2005A	0.02	(0.03)	190	-
KKP01C2006A	0.04	0.01	6,000	-	MTC27C2007A	0.19	0.11	200	-	PTT08C2005A	0.01	(0.01)	1	-
KKP01C2006B	0.02	0.01	160	-	MTC28C2006A	0.07	0.03	54,306	-	PTT08P2005A	-	-	-	-
KKP01P2006A	2.46	(0.04)	1,858	2.00	MTC28C2008A	0.24	0.06	77,906	-	PTT11C2004A	0.01	(0.02)	500	-
KKP08C2003A	-	-	-	-	MTC41C2004A	-	-	-	-	PTT11C2008A	0.04	0.01	13,048	-
KKP11C2007A	-	-	-	-	MTC41C2007A	0.33	0.07	95,966	-	PTT13C2004A	-	-	-	-
KKP13C2004A	0.03	-	460	-	MTC41P2004A	0.56	(0.14)	8,955	-	PTT13C2006A	0.04	-	11,781	-
KKP13C2007A	0.08	0.02	10	-	MTC42C2003A	-	-	-	-	PTT13C2008A	0.04	-	97,673	-
KKP19C2003A	-	-	-	-	ORI13C2004A	-	-	-	-	PTT13C2008B	0.19	0.03	96,192	-
KKP24C2003A	-	-	-	-	ORI19C2003A	-	-	-	-	PTT13P2003A	1.65	(0.04)	902	2.00
KKP41C2006A	0.11	0.07	70	-	ORI19C2005A	-	-	-	-	PTT13P2006A	2.26	0.08	2,482	2.00
KTB01C2003A	0.01	-	40	-	ORI28C2004A	-	-	-	-	PTT13P2008A	0.29	(0.01)	132,107	-
KTB01C2008B	0.05	0.01	2,062	-	ORI28C2007A	0.02	-	1,000	-	PTT16C2008A	0.01	-	112	-
KTB01C2009A	0.10	0.01	93,243	-	ORI41C2004A	-	-	-	-	PTT19C2005A	0.01	-	18,871	-
KTB01P2003A	-	-	-	-	OSP01C2003A	0.02	(0.01)	515	-	PTT19C2008A	0.23	0.03	117,865	-
KTB01P2009A	0.77	(0.13)	4,039	1.00	OSP01C2003B	0.01	-	185	-	PTT19P2003A	1.40	(0.09)	42,732	1.00
KTB11C2004A	-	-	-	-	OSP01C2006A	0.17	0.05	39,829	-	PTT19P2006A	1.60	(0.13)	15,196	1.00
KTB11C2006A	-	-	-	-	OSP01C2006B	0.10	0.06	554	-	PTT24C2003A	-	-	-	-
KTB13C2006A	0.05	0.03	1	-	OSP01P2003A	0.43	(0.12)	8,548	-	PTT24C2008A	0.05	0.01	4,386	-
KTB19C2005A	-	-	-	-	OSP01P2006A	0.87	(0.11)	46,062	1.00	PTT28C2004A	-	-	-	-
KTB24C2004A	-	-	-	-	OSP06C2005A	0.03	0.01	13,344	-	PTT28C2007A	-	-	-	-
KTB41C2003A	-	-	-	-	OSP06P2003A	1.51	0.60	1,315	1.00	PTT28C2008A	0.09	0.01	311	-
KTB41C2004A	-	-	-	-	OSP08C2004A	-	-	-	-	PTT28P2004A	1.57	0.10	5	1.00
KTB41C2006A	-	-	-	-	OSP11C2005A	-	-	-	-	PTT41C2004A	0.03	(0.06)	305	-
KTB41P2004A	-	-	-	-	OSP13C2004A	-	-	-	-	PTT41C2005A	-	-	-	-
KT01C2004A	0.02	-	368	-	OSP13C2006A	0.06	(0.01)	12,482	-	PTT41C2006A	0.09	(0.01)	1,000	-
KT01C2004B	0.02	0.01	87	-	OSP16C2008A	0.10	0.01	96	-	PTT41P2004A	-	-	-	-
KT01C2007A	0.21	0.04	81,175	-	OSP19C2004A	0.01	(0.01)	2,000	-	PTT41P2005A	1.50	0.06	1	1.00
KT01C2007B	0.10	0.01	4,311	-	OSP19C2005A	0.05	0.01	57,711	-	PTT41P2006A	-	-	-	-
KT01P2004A	0.70	(0.30)	2,327	-	OSP24C2008A	-	-	-	-	PTT42C2003A	-	-	-	-
KT01P2007A	0.63	(0.11)	31,825	-	OSP41C2003A	-	-	-	-	PTT42C2007A	0.01	-	7,133	-
KT06C2006A	0.04	0.01	3,300	-	OSP41C2004A	-	-	-	-	PTTE01C2004A	0.02	-	29,912	-
KT08C2004A	-	-	-	-	OSP41C2005A	-	-	-	-	PTTE01C2004B	0.02	0.01	4,271	-
KT08C2006A	0.12	0.02	72,309	-	OSP41P2003A	-	-	-	-	PTTE01C2007A	0.05	0.01	249,810	-
KTC11C2005A	0.01	(0.06)	100	-	OSP41P2004A	0.52	(0.12)	6,616	-	PTTE01C2007B	0.02	-	255,532	-
KTC13C2004A	-	-	-	-	OSP42C2005A	-	-	-	-	PTTE01P2004A	2.26	(0.30)	1,705	2.00
KTC13C2006A	0.07	(0.01)	25,201	-	PLAN08C2004A	-	-	-	-	PTTE01P2004B	2.86	0.10	1,040	3.00
KTC13P2006A	0.46	(0.14)	31,073	-	PLAN13C2004A	0.01	(0.01)	10	-	PTTE01P2007A	3.30	(0.26)	3,317	3.00
KTC13P2007A	1.06	(0.20)	1,290	1.00	PLAN13C2005A	-	-	-	-	PTTE01P2007B	3.98	(0.94)	56,470	6.00
KTC19C2005A	0.02	-	22,269	-	PLAN13C2007A	0.02	0.01	11,080	-	PTTE06C2006A	0.01	-	127	-
KTC19C2006A	0.07	0.01	243,433	-	PLAN19C2005A	-	-	-	-	PTTE06P2006A	-	-	-	-
KTC19P2005A	0.65	(0.30)	22,809	-	PLAN19C2007A	0.02	-	40,000	-	PTTE08C2005A	0.01	-	2,101	-
KTC27C2007A	0.08	0.05	732	-	PLAN24C2006A	-	-	-	-	PTTE08P2005A	2.80	(0.04)	22	2.00
KTC28C2004A	-	-	-	-	PLAN27C2008A	-	-	-	-	PTTE08P2006A	-	-	-	-
KTC28C2006A	0.06	0.03	201	-	PLAN28C2004A	0.01	-	561	-	PTTE11C2006A	0.01	(0.03)	3,305	-
KTC41C2004A	-	-	-	-	PLAN28C2005A	0.04	0.01	100	-	PTTE13C2004A	0.01	-	1,200	-
KTC41C2005A	-	-	-											

**Main Board Quotation**

**Issue Date :**

*Friday March 13, 2020*

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------



## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE24C2003A	-	-	-	-	S5001C2003G	0.02	-	5,984	-	S5024P2006B	12.30	2.20	67	11.00
PTTE24C2008A	0.03	0.01	79	-	S5001C2003H	0.02	-	2,751	-	S5024P2006C	3.96	(0.38)	7,231	6.00
PTTE28C2005A	0.01	(0.01)	1,000	-	S5001C2003I	0.02	-	2,031	-	S5028C2003A	0.01	-	1	-
PTTE28C2008A	0.06	0.02	10,113	-	S5001C2003J	0.02	-	16,334	-	S5028C2003B	-	-	-	-
PTTE28P2004A	-	-	-	-	S5001C2004A	0.03	0.01	156,230	-	S5028C2004A	0.02	-	10,767	-
PTTE41C2005A	-	-	-	-	S5001C2005A	0.03	-	337,752	-	S5028C2004B	0.02	-	5,181	-
PTTE41C2006A	-	-	-	-	S5001C2006F	0.05	0.02	974,386	-	S5028C2006A	0.03	-	131,719	-
PTTE41P2004A	-	-	-	-	S5001C2006G	0.05	0.02	750,295	-	S5028C2006B	0.04	-	11,742	-
PTTE42C2004A	0.01	-	600	-	S5001C2006H	0.16	0.05	5,467,680	-	S5028P2003A	2.48	(0.12)	533	2.00
PTTE42P2008A	1.41	(0.22)	12,199	1.00	S5001C2007A	0.30	0.12	7,154,547	-	S5028P2004A	7.65	(0.30)	1,106	8.00
PTTG01C2005A	0.02	0.01	17,249	-	S5001P2003F	17.20	5.00	434	15.00	S5028P2004B	4.76	(0.44)	1,251	6.00
PTTG01C2005B	0.01	-	2,450	-	S5001P2003G	14.70	1.60	3,620	15.00	S5028P2006A	2.28	(0.06)	18,676	2.00
PTTG01C2007B	0.02	-	25,441	-	S5001P2003H	15.00	1.30	2	15.00	S5028P2006B	1.73	(0.12)	260,942	2.00
PTTG01C2008A	0.03	0.01	144,042	-	S5001P2003I	7.55	(0.40)	42	8.00	S5041C2003A	-	-	-	-
PTTG01P2005A	3.24	0.20	71	3.00	S5001P2003J	6.75	(0.45)	119	8.00	S5041C2003B	-	-	-	-
PTTG01P2005B	3.70	0.30	100	3.00	S5001P2004A	5.55	(0.25)	8,581	6.00	S5041C2003C	-	-	-	-
PTTG01P2007B	2.42	-	35	2.00	S5001P2005A	4.86	(0.06)	31,458	5.00	S5041C2003D	0.06	0.05	62	-
PTTG01P2008A	2.18	(0.08)	1,068	2.00	S5001P2006F	10.00	(3.50)	4,221	11.00	S5041C2003E	0.11	0.09	149	-
PTTG06C2006A	-	-	-	-	S5001P2006G	9.05	(0.20)	9,881	11.00	S5041C2006A	0.52	0.48	244,342	-
PTTG08C2004A	-	-	-	-	S5001P2006H	4.22	(0.18)	103,764	5.00	S5041C2006B	0.69	0.60	54,591	-
PTTG08P2004A	-	-	-	-	S5001P2007A	3.96	0.22	412,305	4.00	S5041C2006C	2.04	1.04	119,351	1.00
PTTG11C2004A	0.01	-	4,001	-	S5006C2003A	-	-	-	-	S5041P2003A	-	-	-	-
PTTG11C2007A	-	-	-	-	S5006C2003B	-	-	-	-	S5041P2003B	-	-	-	-
PTTG13C2005A	-	-	-	-	S5006C2003C	-	-	-	-	S5041P2003C	-	-	-	-
PTTG13C2007A	0.02	-	600	-	S5006C2006A	0.03	0.01	7,726	-	S5041P2003D	-	-	-	-
PTTG13C2008A	0.11	-	91,778	-	S5006C2006B	0.03	(0.01)	6,792	-	S5041P2003E	-	-	-	-
PTTG13P2004A	2.58	0.08	40	2.00	S5006P2003A	-	-	-	-	S5041P2006A	8.70	1.25	805	10.00
PTTG13P2008A	1.52	0.15	3,015	1.00	S5006P2003B	-	-	-	-	S5041P2006B	7.95	2.10	534	8.00
PTTG16C2006A	-	-	-	-	S5006P2003C	-	-	-	-	S5041P2006C	4.10	2.88	93,631	4.00
PTTG19C2006A	-	-	-	-	S5006P2006A	12.00	2.00	531	12.00	SAWA01C2003A	0.45	0.25	9,038	-
PTTG19C2006B	-	-	-	-	S5006P2006B	5.25	0.51	560	5.00	SAWA01C2003B	0.01	(0.01)	1,074	-
PTTG19C2008A	0.02	-	182,723	-	S5008C2003A	0.01	-	20	-	SAWA01C2006A	0.28	0.08	39,633	-
PTTG19C2008B	0.25	(0.75)	70,969	-	S5008C2003B	-	-	-	-	SAWA01C2006B	0.07	0.01	44,123	-
PTTG19P2003A	2.08	(0.04)	1	2.00	S5008C2006A	0.04	(0.01)	264,092	-	SAWA01P2003A	0.18	(0.17)	15,466	-
PTTG19P2006A	-	-	-	-	S5008P2003A	11.60	4.40	1	11.00	SAWA01P2006A	1.40	(0.38)	9,187	1.00
PTTG24C2003A	-	-	-	-	S5008P2003B	16.70	(1.80)	1,505	25.00	SAWA06C2007A	0.16	0.02	1,010	-
PTTG24C2008A	0.04	(0.01)	4	-	S5008P2003C	-	-	-	-	SAWA08C2006A	0.11	-	28,660	-
PTTG27P2006A	3.16	1.02	2,016	3.00	S5011C2003A	-	-	-	-	SAWA11C2003A	0.30	0.16	28	-
PTTG28C2006A	-	-	-	-	S5011P2003A	-	-	-	-	SAWA13C2005A	0.10	0.02	1,983	-
PTTG28C2008A	0.05	0.01	72,032	-	S5013C2003A	0.01	-	1,505	-	SAWA13C2007A	0.11	0.02	34,353	-
PTTG41C2003A	-	-	-	-	S5013C2003B	0.01	-	7,380	-	SAWA16C2008A	0.18	0.11	4,791	-
PTTG41C2004A	-	-	-	-	S5013C2003C	0.01	-	134	-	SAWA19C2005A	0.11	0.07	2,007	-
PTTG41C2005A	-	-	-	-	S5013C2003D	0.01	-	2,000	-	SAWA24C2004A	0.07	-	300	-
PTTG41C2006A	-	-	-	-	S5013C2003E	0.01	-	4,181	-	SAWA27C2007A	0.14	0.03	7,000	-
PTTG41C2007A	0.14	0.01	26,189	-	S5013C2006A	0.03	0.01	4,007,587	-	SAWA28C2004A	0.01	(0.01)	51	-
PTTG41P2003A	-	-	-	-	S5013C2006B	0.02	0.01	1,253,175	-	SAWA28C2007A	0.08	0.05	4,801	-
PTTG41P2006A	-	-	-	-	S5013C2006C	0.03	0.01	1,014,391	-	SAWA28C2008A	0.19	0.04	42,103	-
PTTG42C2003A	-	-	-	-	S5013C2006D	0.03	-	6,969,792	-	SAWA41C2004A	0.05	(0.04)	11,326	-
PTTG42C2007A	0.01	-	3,630	-	S5013C2006E	0.22	0.09	21,194,630	-	SAWA41C2005A	0.10	(0.08)	11,752	-
QH01C2006A	0.06	(0.05)	5,554	-	S5013P2003A	9.45	0.15	139	10.00	SAWA41P2004A	0.57	(0.34)	3,248	-
QH01C2006B	-	-	-	-	S5013P2003B	9.50	-	154	12.00	SAWA41P2005A	1.15	(0.28)	26,495	1.00
QH01P2006A	0.70	-	8,670	-	S5013P2003C	14.00	4.70	24	13.00	SAWA42C2003A	-	-	-	-
QH11C2006A	-	-	-	-	S5013P2003D	8.20	1.45	43	8.00	SCB01C2004A	0.02	0.01	57,505	-
QH13C2003A	-	-	-	-	S5013P2003E	7.70	(0.05)	122	9.00	SCB01C2004B	0.01	-	12,318	-
QH19C2006A	-	-	-	-	S5013P2006A	7.10	(0.35)	8,782	8.00	SCB01C2007A	0.05	-	62,826	-
QH27C2007A	0.03	(0.08)	4	-	S5013P2006B	5.40	(0.10)	6,463	6.00	SCB01C2007B	0.02	-	11,605	-
RATC01C2003A	-	-	-	-	S5013P2006C	4.82	-	36,125	6.00	SCB01C2008B	0.13	-	27,316	-
RATC01C2003B	-	-	-	-	S5013P2006D	2.58	(0.88)	982,526	4.00	SCB01C2009A	0.32	(0.01)	68,992	-
RATC01C2006A	0.09	0.02	5,695	-	S5013P2006E	2.60	0.60	3,460,890	3.00	SCB01P2004A	2.10	0.04	790	2.00
RATC01C2006B	0.05	0.02	400	-	S5016C2003A	-	-	-	-	SCB01P2004B	2.16	(0.20)	7,966	2.00
RATC01P2006A	1.79	(0.06)	1,006	2.00	S5016C2003B	-	-	-	-	SCB01P2007A	1.71	0.02	904	1.00
RATC06C2006A	0.02	0.01	5,200	-	S5016C2003C	-	-	-	-	SCB01P2007B	2.00	0.02	485	2.00
RATC06P2006A	-	-	-	-	S5016C2003D	0.01	-	7	-	SCB06C2007A	0.02	-	2,855	-
RATC13C2004A	-	-	-	-	S5016C2003E	-	-	-	-	SCB08C2005A	0.02	-	2,054	-
RATC13C2007A	0.08	0.03	210	-	S5016C2006A	0.03	(0.02)	40,267	-	SCB08C2007A	0.07	(0.05)	64	-
RATC16C2008A	-	-	-	-	S5016C2006B	0.05	(0.01)	39,400	-	SCB08P2004A	-	-	-	-
RATC19C2005A	-	-	-	-	S5016P2003A	-	-	-	-	SCB11C2005A	-	-	-	-
RATC19C2007A	0.06	0.01	8,171	-	S5016P2003C	-	-	-	-	SCB11C2006A	-	-	-	-
RATC24C2006A	-	-	-	-	S5016P2003D	4.02	0.72	1	4.00	SCB11C2008A	0.03	(0.01)	30	-
RATC27C2004A	0.01	-	720	-	S5016P2006A	-	-	-	-	SCB11P2005A	-	-	-	-
RATC27C2007A	-	-	-	-	S5016P2006B	7.80	2.15	1,527	8.00	SCB13C2003A	-	-	-	-
RATC41C2003A	-	-	-	-	S5019C2003A	0.01	-	59	-	SCB13C2006A	0.01	-	4,260	-
RATC41C2004A	-	-	-	-	S5019C2003B	0.01	-	1	-	SCB13C2006B	-	-	-	-
RATC41C2005A	-	-	-	-	S5019C2003C	-	-	-	-	SCB13C2007A	0.05	(0.01)	16,402	-
RATC41C2006A	0.01	(0.04)	10,000	-	S5019C2003D	0.01	-	1	-	SCB13C2008A	0.37	-	9,153	-
RATC41P2004A	1.83	(0.01)	8,386	1.00	S5019C2006A	0.02	-	58,029	-	SCB13P2003A	-	-	-	-
RATC41P2006A	1.61	0.09	30,948	1.00	S5019C2006B	0.03	(0.03)	148,237	-	SCB13P2006A	2.72	0.20	252	2.00
RATC42C2003A	-	-	-	-	S5019C2006C	0.18	0.03	336,249	-	SCB13P2008A	1.04	(0.01)	391	1.00
RATC42C2006A	0.01	-	1,600	-	S5019P2003A	9.15	(0.25)	11	9.00	SCB16C2003A	-	-	-	-
RS06C2004A	-	-	-	-	S5019P2003B	-	-	-	-	SCB16C2008A	0.01	(0.03)	760	-
RS08P2003A	-	-	-	-	S5019P2003C	-	-	-	-	SCB19C2003A	-	-	-	-
RS08P2006A	0.82	(0.01)	64	-	S5019P2003D	9.40	(0.45)	357	12.00	SCB19C2006A	0.02	-	80	-
RS13C2004A	0.03	-	100	-	S5019P2006A	5.50	(0.35)	196	5.00	SCB19C2007A	0.05	0.01	16,877	-
RS13C2006A	-	-	-	-	S5019P2006B	4.34	(0.54)	6,743	4.00	SCB19P2005A	2.72	0.32	200	2.00
RS16C2005A	-	-	-	-	S5019P2006C	4.00	(0.56)	16,518	4.00	SCB24C2004A	0.01	-	43	-
RS19C2004A	-	-	-	-	S5024C2003A	-	-	-	-	SCB24C2008A	0.15	(0.09)	200	-
RS19C2005A	0.04	(0.01)	25,000	-	S5024C2003B	-	-	-	-	SCB27C2007A	0.01	(0.01)	3,190	-
RS19C2007A	0.15	-	17,925	-	S5024C2003C	0.01	(0.02)	505	-	SCB27P2006A	2.06	0.26	2	2.00
RS24C2004A	-	-	-</											

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RS42C2004A	-	-	-	-	S5024C2009B	0.75	0.12	134,059	-	SCB28C2008A	0.10	(0.01)	111,560	-
RS42C2008A	0.15	-	10,850	-	S5024P2003A	-	-	-	-	SCB41C2004A	-	-	-	-
S10001C2011A	0.03	(0.01)	60,750	-	S5024P2003B	-	-	-	-	SCB41C2005A	-	-	-	-
S5001C2003F	0.02	0.01	72,863	-	S5024P2006A	18.00	2.80	1	18.00	SCB41C2006A	0.01	(0.05)	3,400	-

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB41C2006B	-	-	-	-	STEC01C2003B	-	-	-	-	TKN08C2003A	-	-	-	-
SCB41P2004A	1.93	0.30	800	1.00	STEC01C2004A	-	-	-	-	TKN08C2007A	0.08	(0.05)	10,000	-
SCB41P2005A	-	-	-	-	STEC01C2006A	0.11	-	37,563	-	TKN13C2004A	-	-	-	-
SCB42C2003A	-	-	-	-	STEC01C2006B	0.05	0.02	602	-	TKN13C2006A	0.07	-	501	-
SCB42C2006A	-	-	-	-	STEC01P2003A	-	-	-	-	TKN16C2008A	-	-	-	-
SCB42C2007A	0.01	-	2,705	-	STEC01P2006A	1.06	(0.01)	10,998	1.00	TKN19C2004A	-	-	-	-
SCC01C2004A	0.03	(0.01)	2,378	-	STEC06C2004A	-	-	-	-	TKN19C2004B	-	-	-	-
SCC01C2004B	0.01	(0.01)	1,230	-	STEC08C2004A	-	-	-	-	TKN19C2007A	0.07	(0.05)	30,235	-
SCC01P2004A	1.97	(0.07)	1,989	2.00	STEC08C2005A	0.06	0.01	5,930	-	TKN28C2007A	-	-	-	-
SCC06C2007A	0.03	-	9,317	-	STEC11C2007A	-	-	-	-	TKN41C2003A	-	-	-	-
SCC08C2004A	0.01	(0.01)	3	-	STEC13C2003A	-	-	-	-	TKN41C2005A	0.03	(0.07)	8	-
SCC08P2006A	2.96	1.25	10	2.00	STEC13C2004A	0.02	-	6,238	-	TKN41C2006A	-	-	-	-
SCC11C2003A	-	-	-	-	STEC16C2003A	-	-	-	-	TKN42C2003A	-	-	-	-
SCC11C2006A	0.05	0.04	1	-	STEC16C2006A	-	-	-	-	TKN42C2006A	-	-	-	-
SCC11C2007A	0.07	0.02	4,901	-	STEC16C2009A	0.06	(0.06)	5,020	-	TMB01C2004A	0.01	(0.01)	300	-
SCC13C2004A	-	-	-	-	STEC19C2004A	-	-	-	-	TMB01C2004B	-	-	-	-
SCC13C2008A	0.26	-	6,564	-	STEC19C2005A	0.05	-	500	-	TMB01P2004A	1.71	0.03	5,357	1.00
SCC13P2006A	2.04	0.22	1,443	2.00	STEC24C2003A	-	-	-	-	TMB19C2004A	-	-	-	-
SCC16C2005A	-	-	-	-	STEC24C2006A	-	-	-	-	TMB19C2007A	0.02	-	28,581	-
SCC19C2003A	0.01	(0.01)	1,000	-	STEC28C2004A	-	-	-	-	TMB19P2004A	1.83	-	12,152	1.00
SCC19C2003B	-	-	-	-	STEC28C2004B	0.02	0.01	5,000	-	TMB41C2004A	-	-	-	-
SCC19C2006A	0.02	-	430	-	STEC28C2005A	0.03	(0.01)	7,080	-	TMB41C2005A	0.01	(0.01)	4,900	-
SCC19C2008A	0.22	0.03	93,232	-	STEC41C2004A	-	-	-	-	TMB41P2006A	-	-	-	-
SCC19P2004A	1.51	(0.07)	4,971	1.00	STEC41C2005A	-	-	-	-	TOA01C2006A	0.20	0.02	2,806	-
SCC24C2003A	-	-	-	-	STEC41C2006A	0.10	0.03	8,150	-	TOA01C2006B	0.08	-	1,000	-
SCC24C2006A	0.04	(0.02)	399	-	STEC41P2004A	0.72	0.12	913	-	TOA08C2003A	-	-	-	-
SCC27P2008A	0.82	(0.05)	11,749	-	STEC41P2005A	0.63	0.04	3,963	-	TOA13C2003A	-	-	-	-
SCC28C2004A	-	-	-	-	STEC42C2004A	-	-	-	-	TOA13C2007A	0.15	0.01	2,446	-
SCC28C2008A	0.17	0.02	48,298	-	SUPE13C2003A	-	-	-	-	TOA19C2004A	-	-	-	-
SCC41C2004A	-	-	-	-	SUPE19C2004A	-	-	-	-	TOA19C2007A	0.16	-	58,763	-
SCC41C2005A	-	-	-	-	SUPE19C2007A	0.03	(0.01)	60,810	-	TOA24C2005A	-	-	-	-
SCC41C2006A	0.10	0.02	6,130	-	SUPE42C2004A	-	-	-	-	TOA41C2004A	0.02	(0.02)	3,282	-
SCC41C2006B	0.21	0.14	34,264	-	TASC01C2003A	0.02	(0.02)	1,587	-	TOP01C2003A	0.01	-	24,130	-
SCC41P2004A	-	-	-	-	TASC01C2003B	0.01	-	8,878	-	TOP01C2003B	-	-	-	-
SCC41P2005A	1.76	0.58	1,496	1.00	TASC01C2007B	0.16	(0.03)	7,143	-	TOP01C2006A	0.02	-	62,045	-
SCC41P2006A	1.98	0.27	6,200	1.00	TASC01C2008A	0.35	(0.06)	28,175	-	TOP01C2006B	0.03	0.01	4,426	-
SCC42C2003A	-	-	-	-	TASC01P2003A	0.32	0.08	3,874	-	TOP01C2008B	0.15	0.03	59,828	-
SCC42C2008A	0.04	(0.09)	2,330	-	TASC01P2008A	1.09	0.09	3,497	1.00	TOP01C2009A	0.28	0.08	21,647	-
SGP13C2004A	-	-	-	-	TASC08C2005A	0.05	(0.03)	59,160	-	TOP01P2003A	-	-	-	-
SGP13C2006A	-	-	-	-	TASC08C2006A	0.15	(0.05)	49,640	-	TOP01P2006A	3.02	(0.20)	1,539	3.00
SGP13C2007A	-	-	-	-	TASC13C2003A	-	-	-	-	TOP01P2009A	1.02	(0.18)	28,895	1.00
SGP19C2006A	-	-	-	-	TASC13C2006A	0.18	-	5,892	-	TOP06C2004A	-	-	-	-
SGP19C2006B	-	-	-	-	TASC16C2008A	0.20	0.07	1,990	-	TOP06C2007A	0.02	0.01	36,201	-
SGP42C2007A	0.02	-	10,550	-	TASC19C2003A	-	-	-	-	TOP06P2005A	-	-	-	-
SIRI13C2007A	-	-	-	-	TASC19C2006A	0.30	(0.03)	123,568	-	TOP08C2003A	-	-	-	-
SIRI19C2004A	-	-	-	-	TASC19C2007A	0.13	(0.01)	80,206	-	TOP08C2007A	0.04	(0.01)	1,200	-
SIRI19C2007A	-	-	-	-	TASC19P2004A	0.36	0.06	48,769	-	TOP08P2003A	-	-	-	-
SPAL01C2004A	0.03	(0.07)	10,000	-	TASC24C2006A	0.04	(0.10)	200	-	TOP08P2007A	1.96	-	150	1.00
SPAL01C2004B	-	-	-	-	TASC28C2004A	-	-	-	-	TOP11C2007A	0.02	-	1	-
SPAL06P2004A	0.81	0.11	5,723	-	TASC28C2006A	0.06	(0.01)	29,000	-	TOP13C2004A	-	-	-	-
SPAL11C2006A	0.07	(0.03)	1	-	TASC41C2004A	-	-	-	-	TOP13C2006A	0.02	-	1,020	-
SPAL13C2003A	-	-	-	-	TASC41C2005A	0.23	(0.20)	1,000	-	TOP13C2008A	0.09	0.01	17,611	-
SPAL13C2006A	-	-	-	-	TASC42C2003A	-	-	-	-	TOP13C2008B	0.27	0.06	6,742	-
SPAL19C2004A	-	-	-	-	TASC42C2005A	0.07	(0.03)	68,573	-	TOP13P2005A	-	-	-	-
SPAL24C2003A	-	-	-	-	TCAP01C2007B	0.07	-	500	-	TOP13P2006A	-	-	-	-
SPAL27C2008A	-	-	-	-	TCAP01C2008A	0.14	(0.02)	11,668	-	TOP16C2008A	0.06	0.04	4,210	-
SPAL41C2004A	-	-	-	-	TCAP01P2008A	1.49	0.06	3,240	1.00	TOP19C2003A	-	-	-	-
SPAL42C2003A	-	-	-	-	TCAP13C2007A	0.10	0.03	2,500	-	TOP19C2006A	-	-	-	-
SPRC01C2003A	0.01	(0.01)	120	-	TCAP19C2004A	-	-	-	-	TOP19C2007A	0.04	0.01	40,000	-
SPRC01C2003B	0.02	0.01	100	-	TCAP41C2004A	-	-	-	-	TOP19C2008A	0.13	0.05	3,681	-
SPRC01C2007A	0.04	-	22,037	-	THAI11C2003A	-	-	-	-	TOP19P2006A	2.96	(0.10)	2,862	2.00
SPRC06C2007A	0.02	-	982	-	THAI13C2004A	-	-	-	-	TOP24C2007A	-	-	-	-
SPRC06P2003A	1.44	-	20	1.00	THAI19C2004A	-	-	-	-	TOP24C2008A	-	-	-	-
SPRC06P2007A	-	-	-	-	THAI27C2008A	-	-	-	-	TOP28C2004A	-	-	-	-
SPRC08C2005A	0.01	-	2	-	THAI42C2003A	-	-	-	-	TOP41C2004A	-	-	-	-
SPRC08C2006A	-	-	-	-	THAI42C2005A	0.01	-	2	-	TOP41C2005A	-	-	-	-
SPRC11C2005A	-	-	-	-	THAN01C2006A	0.08	(0.01)	5,453	-	TOP41C2006A	-	-	-	-
SPRC11C2008A	0.09	0.01	11,954	-	THAN01C2006B	-	-	-	-	TOP41C2007A	0.14	-	10,001	-
SPRC13C2004A	-	-	-	-	THAN01P2006A	0.70	0.05	640	-	TOP41C2008A	0.35	0.02	61,686	-
SPRC13C2006A	-	-	-	-	THAN06C2003A	-	-	-	-	TOP41P2004A	-	-	-	-
SPRC13C2008A	0.10	0.01	2,601	-	THAN06C2005A	0.05	0.01	2	-	TOP41P2005A	-	-	-	-
SPRC19C2005A	-	-	-	-	THAN06P2003A	-	-	-	-	TOP41P2006A	-	-	-	-
SPRC19C2005B	-	-	-	-	THAN13C2003A	-	-	-	-	TOP42C2007A	0.02	-	16,750	-
SPRC19C2007A	0.08	-	20,624	-	THAN13C2007A	-	-	-	-	TPI19C2004A	-	-	-	-
SPRC19P2005A	0.99	(0.03)	7,338	1.00	THAN19C2004A	-	-	-	-	TRUE01C2004A	0.02	0.01	10,869	-
SPRC24C2003A	-	-	-	-	THAN19C2007A	0.08	-	2,000	-	TRUE01C2004B	0.02	0.01	1,531	-
SPRC28C2008A	0.07	0.02	12,369	-	THAN27C2003A	-	-	-	-	TRUE01C2007A	0.12	0.01	39,343	-
SPRC41C2004A	-	-	-	-	THAN41C2005A	-	-	-	-	TRUE01C2007B	0.03	-	500	-
SPRC41C2005A	-	-	-	-	TISCO1C2006A	0.20	0.01	39,914	-	TRUE01P2004A	1.27	(0.01)	1,052	1.00
SPRC41C2006A	-	-	-	-	TISCO1C2006B	0.05	-	280	-	TRUE01P2004B	1.24	(0.04)	1,692	1.00
SPRC42C2006A	0.02	0.01	14,205	-	TISCO1P2006A	1.01	(0.07)	24,875	1.00	TRUE01P2007B	1.19	(0.06)	894	1.00
STA01C2003A	0.10	(0.03)	7,855	-	TISCO1C2005A	-	-	-	-	TRUE06C2004A	0.01	-	1	-
STA01C2003B	0.01	(0.01)	10,490	-	TISCO11C2007A	0.14	0.01	1,119	-	TRUE06C2007A	-	-	-	-
STA01C2008B	0.09	(0.02)	9,782	-	TISCO13C2004A	-	-	-	-	TRUE08C2004A	-	-	-	-
STA01C2009A	0.22	(0.03)	22,095	-	TISCO13C2006A	0.04	0.01	2,225	-	TRUE08C2005A	-	-	-	-
STA01P2003A	0.10	0.02	141,186	-	TISCO19C2004A	-	-	-	-	TRUE08C2007A	-	-	-	-
STA01P2009A	0.68	0.08	21,321	-	TISCO19C2006A	0.02	-	23,130	-	TRUE08P2005A	-	-	-	-
STA11C2005A	0.09	-	270	-	TISCO41C2005A	0.04	0.01	1,704	-	TRUE11C2005A	-	-	-	-
STA13C2003A	0.05	0.01	12,605	-	TISCO41C2006A	-	-	-	-	TRUE11C2005B	-	-	-	-

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STA13C2006A	0.09	(0.01)	48,409	-	TISC41P2006A	1.02	(0.03)	4,326	1.00	TRUE13C2003A	-	-	-	-
STA19C2004A	0.08	(0.01)	37,442	-	TISC42C2003A	-	-	-	-	TRUE13C2003B	-	-	-	-
STA19C2005A	0.38	(0.12)	64,325	-	TKN01C2003A	-	-	-	-	TRUE13C2006A	-	-	-	-
STA19C2007A	0.08	(0.03)	210,841	-	TKN01C2003B	0.01	-	820	-	TRUE13C2007A	0.05	(0.01)	3,657	-
STA42C2007A	0.09	(0.01)	10,151	-	TKN01C2007B	-	-	-	-	TRUE19C2003A	-	-	-	-
STEC01C2003A	0.01	-	22	-	TKN01C2008A	0.14	(0.05)	236	-	TRUE19C2004A	-	-	-	-

Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE19C2006A	-	-	-	-	APEX-W1	-	-	-	-	LIT-W1	0.20	(0.01)	4,764	-
TRUE19C2007A	0.08	-	23,990	-	APURE-W2	0.05	0.01	1,662	-	META-W4	0.03	0.01	6,777	-
TRUE19P2003A	1.19	0.02	8,062	1.00	AS-W1	-	-	-	-	NEWS-W6	-	-	-	-
TRUE19P2005A	1.30	(0.15)	1,406	1.00	AYUD-W1	0.07	(0.03)	6,715	-	OCEAN-W3	0.26	(0.01)	19,261	-
TRUE28C2006A	-	-	-	-	B-W3	-	-	-	-	PROUD-W2	0.04	0.02	1,273	-
TRUE41C2004A	-	-	-	-	B-W4	0.02	-	2	-	RWI-W2	0.05	(0.01)	24,588	-
TRUE41C2005A	-	-	-	-	B-W5	0.03	-	2,180	-	SANKO-W1	0.06	-	60	-
TRUE41C2006A	-	-	-	-	B52-W2	-	-	-	-	SIMAT-W2	0.05	-	9,382	-
TRUE41C2007A	-	-	-	-	BKD-W2	0.05	-	3,877	-	SIMAT-W3	0.24	0.03	2,279	-
TRUE41P2004A	1.28	0.19	586	1.00	BTS-W5	0.65	-	1,243,434	-	SIMAT-W4	0.93	0.21	5,588	-
TRUE41P2005A	1.81	(0.13)	2,396	1.00	CGD-W4	0.06	0.01	11,235	-	SMART-W2	0.13	0.03	465	-
TRUE42C2003A	-	-	-	-	CGH-W3	0.01	-	10	-	SWC-W1	2.30	0.06	870	2.00
TRUE42C2004A	-	-	-	-	CI-W1	0.01	-	5	-	TAKUNI-W	0.02	-	10,406	-
TRUE42C2007A	0.04	0.01	300	-	CKP-W1	0.02	-	48,484	-	TVD-W2	0.06	-	1,420	-
TTW27C2009A	0.21	(0.03)	36,202	-	CRANE-W1	0.58	0.07	39	-	UKEM-W2	-	-	-	-
TU01C2004A	0.10	0.03	21,326	-	DCC-W1	0.23	(0.04)	27,784	-	Preferred Shares	-	-	-	-
TU01C2004B	0.07	0.03	2,100	-	ECL-W3	0.06	-	32,637	-	SGF-P1	-	-	-	-
TU01P2004A	0.20	(0.06)	22,132	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU06C2004A	0.01	-	289,277	-	EIC-W3	-	-	-	-	-	-	-	-	-
TU06P2007A	0.65	0.06	10,208	-	EMC-W6	0.02	-	262	-	-	-	-	-	-
TU11C2003A	-	-	-	-	EPCO-W3	0.12	0.01	380	-	-	-	-	-	-
TU11C2008A	0.24	0.04	29,599	-	GLOCON-W4	0.12	-	54,141	-	-	-	-	-	-
TU13C2003A	-	-	-	-	J-W1	0.08	(0.02)	1,265	-	-	-	-	-	-
TU13C2004A	0.10	-	8,458	-	JAS-W3	0.57	(0.05)	509,329	-	-	-	-	-	-
TU19C2003A	-	-	-	-	JCK-W5	0.02	(0.01)	1,020	-	-	-	-	-	-
TU19C2005A	0.17	0.04	76,759	-	JMT-W2	3.48	-	3,239	3.00	-	-	-	-	-
TU19C2007A	0.14	0.04	8,530	-	MACO-W2	0.04	-	290,870	-	-	-	-	-	-
TU24C2003A	-	-	-	-	MILL-W4	0.03	-	13	-	-	-	-	-	-
TU24C2006A	0.13	0.01	4,260	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU27C2004A	0.01	-	6	-	MINT-W6	1.29	(0.01)	8,813	1.00	-	-	-	-	-
TU27C2006A	0.12	0.05	2,296	-	NFC-W1	0.23	(0.09)	9	-	-	-	-	-	-
TU41C2003A	-	-	-	-	NOK-W1	0.01	-	2	-	-	-	-	-	-
TU41C2004A	-	-	-	-	NVD-W1	0.06	0.01	961	-	-	-	-	-	-
TU41C2005A	0.25	(0.12)	37,784	-	ORI-W1	0.07	-	46,004	-	-	-	-	-	-
TU41P2004A	0.22	0.10	20,524	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU42C2007A	0.10	0.02	5,482	-	PACE-W3	-	-	-	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	PDI-W1	0.16	0.04	1	-	-	-	-	-	-
TVO19C2004A	0.05	(0.01)	2,500	-	PDJ-W4	0.22	0.02	2,735	-	-	-	-	-	-
TVO19C2007A	0.07	-	500	-	PERM-W1	0.08	-	3,751	-	-	-	-	-	-
VGI01C2005A	0.04	0.01	4,992	-	PORT-W1	0.24	(0.03)	7,943	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VGI08C2006A	-	-	-	-	PRIME-W1	-	-	-	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	PRIME-W2	-	-	-	-	-	-	-	-	-
VGI13C2006A	-	-	-	-	RICHY-W2	-	-	-	-	-	-	-	-	-
VGI19C2006A	0.02	(0.01)	15,000	-	RS-W3	0.14	0.01	3,225	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SAMART-W2	0.37	0.01	19,131	-	-	-	-	-	-
VGI41C2007A	0.09	(0.02)	13,632	-	SAWAD-W1	8.50	2.40	26,394	6.00	-	-	-	-	-
WHA01C2005A	0.02	0.01	28,976	-	SDC-W1	0.05	0.01	602	-	-	-	-	-	-
WHA01C2005B	-	-	-	-	SINGER-W1	1.15	0.02	310	1.00	-	-	-	-	-
WHA01C2008B	0.08	-	165	-	SINGER-W2	1.10	-	1,154	1.00	-	-	-	-	-
WHA01C2009A	0.22	0.01	4,464	-	SMT-W2	0.01	-	10	-	-	-	-	-	-
WHA01P2005A	2.52	0.04	4,090	2.00	SST-W2	0.31	0.03	140	-	-	-	-	-	-
WHA01P2009A	0.88	(0.10)	2,961	1.00	SUPER-W4	0.01	-	60	-	-	-	-	-	-
WHA06C2007A	0.04	0.02	10,674	-	SVI-W3	-	-	-	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCC-W3	0.03	-	30,021	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	TCC-W4	0.03	-	2,441	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TCC-W5	0.08	0.02	67	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	TCJ-W2	0.04	0.01	9,457	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	TFG-W2	0.02	(0.01)	39,139	-	-	-	-	-	-
WHA13C2003A	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA13C2005A	-	-	-	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA13C2006A	0.02	-	2,525	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	TNITY-W1	0.05	(0.02)	5,326	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	TRITN-W3	0.04	-	170,896	-	-	-	-	-	-
WHA19C2004A	-	-	-	-	TTCL-W1	0.18	0.01	6,329	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	U-W4	0.01	-	1,560	-	-	-	-	-	-
WHA19C2006A	0.01	(0.01)	1,981	-	UAC-W2	0.05	0.01	2,754	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VGI-W2	0.63	0.04	501,278	-	-	-	-	-	-
WHA24C2007A	-	-	-	-	VIBHA-W2	0.45	-	100	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	VIBHA-W3	0.09	(0.01)	39,044	-	-	-	-	-	-
WHA27C2008A	0.04	(0.01)	200	-	WAVE-W1	0.01	(0.01)	502	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	WAIK-W2	0.10	(0.01)	3,646	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	ZMICO-W4	0.05	-	6,945	-	-	-	-	-	-
WHA28C2006A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	0.01	(0.02)	500	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2007A	0.10	0.07	1,090	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41P2003A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
WHA41P2005A	2.42	0.63	1	2.00	TCAP-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	U-P	1.77	(0.08)	2,024	1.00	-	-	-	-	-
Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	BM-W1	0.03	0.01	3,051	-	-	-	-	-	-
CSC-Q	-	-	-	-	BROOK-W5	0.10	(0.01)	34,757	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	CHO-W2	0.03	0.01	76,718	-	-	-	-	-	-
KTB-Q	-	-	-	-	DOD-W1	0.32	-	77,287	-	-	-	-	-	-
SCB-Q	-	-	-	-	ECF-W3	0.15	(0.02)	2,545	-	-	-	-	-	-
TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-	-	-	-	-	-

## Main Board Quotation

Issue Date :

Friday March 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	FVC-W2	0.01	-	66	-	-	-	-	-	-
Warrant	-	-	-	-	HPT-W1	0.11	(0.08)	767	-	-	-	-	-	-
7UP-W4	0.06	0.01	57,412	-	HYDRO-W1	-	-	-	-	-	-	-	-	-
AKR-W1	0.04	-	16,352	-	ITEL-W1	0.17	0.01	10,468	-	-	-	-	-	-
ALT-W1	0.06	-	31,325	-	JKN-W1	0.10	(0.02)	8,833	-	-	-	-	-	-



**Main Board Quotation**

**Issue Date :**

*Friday March 13, 2020*

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-