

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.30	0.10	4,053	1.30	MCOT	6.70	-	1,536	6.60
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	1.43	(0.10)	148,377	1.43
SAFARI	-	-	-	-	DIF	12.50	-	340,038	12.53	MPIC	1.35	0.14	1,548	1.28
VI	-	-	-	-	DTAC	29.50	(0.25)	62,099	30.27	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.20	-	1,464	5.10	PLANB	3.00	(0.22)	360,962	3.08
WR	-	-	-	-	HUMAN	5.20	(0.35)	6,432	5.41	POST	1.72	-	3	1.51
Agribusiness	-	-	-	-	ILINK	2.18	(0.08)	4,173	2.12	PRAKIT	9.50	(0.40)	114	9.64
CHOTI	49.00	2.00	8	49.00	INET	1.67	0.02	2,867	1.68	SE-ED	1.46	-	1,567	1.47
EE	0.31	-	23,656	0.32	INTUCH	43.00	-	163,563	43.47	TBSP	13.70	1.40	13	13.73
GFPT	8.10	(0.30)	39,475	8.25	JAS	3.86	-	433,109	3.90	TH	0.51	(0.01)	725	0.46
LEE	1.95	(0.04)	3,742	1.95	JASIF	6.60	(0.30)	439,164	6.67	TKS	4.14	0.06	7,509	4.05
NER	1.70	(0.10)	192,905	1.78	JMART	4.44	(0.48)	81,566	4.74	VGI	5.65	(0.10)	131,683	5.82
PPPM	-	-	-	-	JTS	0.68	-	409	0.62	WAVE	0.98	(0.02)	70	0.94
STA	10.20	(0.20)	183,797	10.54	MFEF	4.02	(0.18)	18,124	4.12	WORK	5.30	(0.55)	27,762	5.59
TRUBB	0.39	(0.01)	7,191	0.40	MSC	4.06	-	2,965	3.98	Finance & Securities	-	-	-	-
TWPC	2.90	0.02	1,120	2.89	PT	3.94	(0.06)	1,233	3.98	AEC	0.22	0.02	16,601	0.22
UPOIC	2.60	0.10	1	2.60	SAMART	4.38	(0.46)	250,154	4.19	AEONTS	106.00	(2.00)	1,841	107.12
UVAN	4.04	0.14	630	3.73	SAMTEL	5.40	0.15	5,548	5.34	AMANAH	1.91	(0.17)	303,366	2.05
VPO	0.33	(0.02)	1,469	0.34	SDC	0.08	-	31,133	0.09	ASAP	0.99	-	2,218	1.00
Banking	-	-	-	-	SIS	5.35	(0.10)	1,920	5.35	ASK	15.30	(0.60)	2,007	15.52
BAY	18.80	(0.70)	5,717	18.99	SVOA	0.63	-	325	0.64	ASP	1.21	(0.01)	36,363	1.23
BBL	91.75	(4.00)	146,068	93.59	SYMC	1.87	(0.01)	5	1.88	BAM	16.00	0.40	3,650,874	16.42
CIMBT	0.43	0.01	8,994	0.42	SYNEX	3.98	(0.16)	4,013	4.03	BFIT	29.75	(3.25)	29,085	31.93
KBANK	86.00	(1.75)	161,937	87.26	THCOM	2.28	(0.12)	10,655	2.33	CGH	0.73	-	24,473	0.72
KKP	36.25	(3.50)	103,370	37.35	TRUE	2.46	0.02	1,925,618	2.50	CNS	1.49	(0.05)	67	1.46
KTB	9.85	(0.15)	621,530	10.08	TWZ	0.06	-	75,777	0.05	ECL	0.51	0.01	20,380	0.51
LHFG	0.94	(0.02)	64,171	0.93	Electronic Componen	-	-	-	-	FNS	1.70	-	113	1.57
SCB	62.00	(0.25)	154,546	62.70	CCEET	1.42	(0.03)	7,319	1.44	FSS	0.69	(0.08)	925	0.71
TCAP	32.75	(4.00)	184,175	34.76	DELTA	30.00	(1.25)	8,990	31.03	GBX	0.35	-	6,930	0.35
TISCO	70.00	(5.75)	181,933	71.01	EIC	0.04	0.01	2,856	0.03	GL	2.32	(0.04)	9,779	2.37
TMB	0.72	0.03	3,040,108	0.73	HANA	21.60	(2.60)	43,045	22.75	IFS	1.90	(0.07)	7,310	1.93
Construction Materia	-	-	-	-	KCE	14.00	(0.10)	182,796	14.11	JMT	13.60	(0.60)	134,633	14.16
CCP	0.19	-	25,128	0.18	METCO	123.00	(2.00)	10	123.85	KCAR	8.55	-	593	8.47
COTTO	0.79	0.05	11,220	0.80	NEX	2.88	0.20	13,334	2.78	KGI	3.42	-	47,517	3.42
DCC	1.31	(0.05)	18,425	1.34	SMT	0.80	-	2,934	0.80	KTC	26.50	(2.00)	163,227	27.88
DCON	0.25	-	14,190	0.25	SVI	2.06	0.02	3,631	2.05	MBKET	4.34	(0.08)	918	4.38
DRT	4.30	(0.26)	3,440	4.35	TEAM	0.33	(0.03)	2,869	0.32	MFC	13.00	(2.00)	222	13.09
EPG	3.38	(0.06)	49,420	3.43	Energy & Utilities	-	-	-	-	ML	0.52	-	1,025	0.52
GEL	0.08	-	68,640	0.08	7UP	0.34	0.02	179,289	0.32	MTC	40.00	(7.00)	177,932	44.05
PPP	1.48	(0.01)	869	1.48	ABPIF	3.10	(0.04)	1,627	3.10	PE	-	-	-	-
Q-CON	4.80	(0.20)	35	4.79	ACE	2.40	0.04	153,218	2.43	PL	1.90	(0.03)	315	1.89
RCI	2.82	(0.04)	20	2.82	AI	0.85	-	40,989	0.85	S11	4.92	(0.23)	2,665	4.96
SCC	272.00	5.00	60,250	272.76	AKR	0.34	(0.02)	25,865	0.35	SAWAD	47.25	(3.50)	131,797	49.20
SCCC	101.50	(1.50)	623	101.85	BAFS	18.80	(0.60)	6,144	18.96	THANI	4.02	(0.02)	62,641	3.97
SCP	4.46	0.06	1,211	4.39	BANPU	4.76	(0.02)	527,054	4.84	TK	7.20	(0.15)	1,176	7.11
SKN	1.25	(0.01)	919	1.20	BCP	15.20	(0.70)	31,562	15.74	TNITY	3.10	(0.08)	4,308	3.17
TASCO	16.50	0.40	67,382	16.46	BCPG	10.10	(0.30)	112,016	10.51	UOBKH	2.14	(0.06)	461	2.20
TCMC	0.80	(0.07)	10,120	0.82	BGRIM	34.00	-	290,529	35.16	ZMICO	0.50	(0.01)	6,806	0.48
TOA	30.50	0.25	26,429	30.60	BPP	10.30	0.10	74,393	10.35	Food & Beverage	-	-	-	-
TPIPL	1.05	0.07	168,226	1.00	BRRGIF	5.60	(0.70)	1,060	5.80	APURE	0.47	(0.02)	11,818	0.46
UMI	0.38	0.02	2,161	0.36	CKP	2.66	(0.08)	148,285	2.68	ASIAN	2.70	(0.04)	1,501	2.70
VNG	2.42	(0.38)	1,493	2.42	DEMCO	1.35	(0.06)	2,809	1.38	BR	1.16	(0.02)	6,257	1.17
WHIK	1.09	(0.01)	5,098	1.08	EA	29.75	(0.75)	113,628	30.79	BRR	2.80	0.02	659	2.79
Petrochemicals & Che	-	-	-	-	EASTW	8.75	(0.20)	14,808	8.84	CBG	53.75	(1.00)	60,410	55.33
BCT	41.75	0.25	668	41.19	EGATIF	10.30	(0.20)	28,491	10.30	CFRESH	0.80	(0.03)	1,271	0.81
CMAN	0.86	(0.05)	7,160	0.86	EGCO	183.00	(2.50)	32,151	184.17	CM	1.85	(0.06)	1,138	1.90
GC	4.60	0.10	283	4.69	ESSO	4.10	-	186,971	4.21	CPF	20.30	(0.50)	750,990	20.75
GGC	4.60	(0.70)	85,604	4.96	GPSC	47.00	1.50	319,234	47.71	CPI	1.16	0.14	644	1.09
GIFT	1.94	(0.01)	7,381	1.92	GULF	125.00	1.00	251,136	128.05	F&D	-	-	-	-
IVL	17.40	0.30	340,198	17.69	GUNKUL	1.91	(0.03)	370,274	1.92	HTC	15.70	(0.10)	295	15.84
NFC	1.43	0.04	1	1.43	IFEC	-	-	-	-	ICHI	4.04	(0.04)	13,068	4.11
PATO	9.30	(0.30)	938	9.42	IRPC	1.92	0.04	1,566,073	1.95	KBS	2.50	(0.10)	935	2.26
PMTA	7.00	(0.50)	210	6.42	LANNA	5.10	-	1,938	5.05	KSL	1.46	(0.04)	22,319	1.47
PTTGC	24.50	0.50	534,087	24.93	MDX	1.39	(0.07)	634	1.42	KTIS	2.92	(0.08)	128	2.89
SUTHA	1.10	(0.03)	469	1.11	PRIME	0.26	0.01	37,177	0.25	LST	4.18	(0.04)	806	4.21
TCCC	15.60	(0.30)	302	15.92	PTG	10.70	(0.30)	151,272	11.11	M	44.00	(1.75)	6,909	44.87
TPA	5.30	0.25	35	5.24	PTT	26.00	(0.25)	1,930,546	26.66	MALEE	3.54	(0.38)	6,909	3.50
UAC	2.16	0.08	1,089	2.14	PTTEP	58.00	(0.25)	298,649	58.92	MINT	17.70	(1.60)	405,427	18.39
UP	-	-	-	-	RATCH	47.00	1.00	53,396	47.26	OISHI	35.50	(0.25)	441	35.82
VNT	16.10	-	16,646	15.74	RPC	0.35	0.03	48,414	0.36	OSP	31.25	-	186,246	31.79
WG	-	-	-	-	SCG	3.98	0.02	261	3.81	PB	68.00	-	85	68.10
YCI	-	-	-	-	SCI	1.23	-	2,506	1.16	PM	5.05	-	3,841	5.03
Commerce	-	-	-	-	SCN	1.25	-	5,110	1.22	PRG	11.10	(0.30)	103	10.23
BEAUTY	1.34	(0.06)	605,720	1.41	SGP	5.60	(0.05)	21,104	5.63	RBF	3.72	0.02	75,287	3.67
BIG	0.31	(0.02)	39,797	0.32	SKE	0.44	0.05	21,931	0.42	SAPPE	14.20	(0.70)	1,392	14.67
BJC	34.75	1.00	77,243	34.93	SOLAR	0.64	0.01	2,347	0.62	SAUCE	21.00	0.40	104	20.55
COL	13.20	-	2,665	13.20	SPCG	13.20	(1.00)	17,053	13.47	SFP	-	-	-	-
COM7	16.60	(1.00)	106,962	17.59	SPRC	4.54	(0.44)	458,427	4.81	SNP	10.00	(0.30)	246	10.11
CPALL	59.50	(0.50)	745,442	60.05	SSP	6.00	(0.10)	4,540	6.05	SORKON	44.00	0.25	96	43.28
CPW	0.96	(0.04)	15,290	0.98	SUPER	0.33	-	1,016,013	0.33	SSC	25.50	(1.50)	23	25.93
CRC	29.00	(0.25)	288,398	29.51	SUPEREIF	9.15	(0.15)	16,713	9.02	SSF	5.00	-	2	4.60
CSS	0.68	(0.02)	19,696	0.69	SUSCO	1.80	0.01	5,781	1.76	SST	2.90	(0.20)	129	2.96
DOHOME	5.40	(0.20)	91,483	5.48	TAE	2.40	0.10	18,347	2.36	TC	2.20	0.10	481	2.10
FN	0.68	0.03	1,471	0.65	TCC	0.16	-	3,877	0.15	TFG	2.54	(0.04)	61,045	2.56
FTE	1.44	-	3,691	1.43	TOP	28.75	(1.75)	336,107	30.20	TFMAMA	180.00	1.00	730	178.84
GLOBAL	11.00	-	83,613	11.16	TPIPP	2.92	(0.08)	119,728	2.98	TIPCO	4.22	(0.12)	5,398	4.28
HMPRO	11.20	-	493,413	11.38	TSE	1.68	-	35,093	1.69	TKN	5.20	(0.05)	73,142	5.33
ILM	7.35	(0.25)	27,309	7.43	TTW	11.30	(0.30)	98,674	11.35	TU	13.00	0.20	292,804	13.10
IT	1.80	(0.01)	110	1.80	WHAUP	3.64	-	67,399	3.65	TVO	23.00	(0.20)	11,165	22.87
KAMART	2.56	(0.12)	14,234	2.54	WP	3.10	(0.28)	10,434	3.21	ZEN	6.60	0.05	2,120	6.60
LOXLEY	0.74	0.03	16,079	0.72	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
MAKRO	31.00	2.00	13,197											

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	6.15	-	4,315	6.13	BROCK	1.35	(0.07)	68	1.30	HFT	2.24	-	3,193	2.28
PRINC	2.90	(0.02)	1,545	2.91	CGD	0.64	(0.01)	59,591	0.63	IHL	2.20	0.06	2,002	2.18
RAM	140.00	-	101	138.47	CI	0.60	(0.07)	286	0.63	INGRS	0.28	-	3,693	0.28
RJH	19.70	(0.60)	2,959	19.88	CPN	40.75	(1.75)	168,671	42.56	IRC	10.80	(0.60)	263	11.16
RPH	4.80	(0.20)	13,606	4.85	ESTAR	0.22	-	26,652	0.22	PCSGH	-	-	-	-
SKR	4.70	-	1,831	4.67	EVER	0.11	-	75,888	0.11	SAT	8.80	(0.35)	11,298	8.84
SVH	388.00	(2.00)	61	389.16	FPT	8.15	0.15	1,048	8.10	SPG	12.50	-	283	12.50
THG	18.10	(0.20)	7,334	17.93	GLAND	2.32	-	563	2.31	STANLY	126.00	1.00	29	125.31
VIBHA	1.34	0.03	40,188	1.33	GOLD	7.55	(0.05)	1,888	7.58	TKT	0.71	-	1	0.71
VIH	5.20	-	4,028	5.17	GREEN	0.52	-	524	0.53	TNPC	0.52	-	201	0.53
WPH	1.41	(0.04)	7,607	1.40	J	0.55	-	36	0.53	TRU	3.88	-	94	3.79
Tourism & Leisure	-	-	-	-	JCK	0.60	0.05	16,491	0.57	TSC	9.20	0.20	46	8.96
ASIA	3.50	0.10	193	3.39	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	14.90	(1.30)	62,542	15.59	KWG	0.93	(0.02)	400	0.92	ALLA	1.08	0.04	38,131	1.03
CSR	78.75	7.75	7	66.96	LALIN	3.92	(0.12)	2,531	3.98	ASEFA	2.46	(0.08)	2,588	2.48
DTC	7.15	0.05	1,475	6.90	LH	6.60	(0.10)	474,513	6.72	CPT	0.60	-	9,318	0.59
ERW	2.60	(0.06)	213,411	2.58	LPN	3.20	(0.30)	78,805	3.33	CRANE	1.23	(0.05)	2,659	1.26
GRAND	0.39	0.01	37,405	0.38	MBK	14.60	(0.50)	11,812	14.66	CTW	3.84	0.02	615	3.88
LRH	30.00	0.75	10	26.43	MJD	2.14	(0.02)	975	2.12	FMT	21.80	(0.10)	1	21.80
MANRIN	22.00	0.40	1	22.00	MK	2.08	(0.04)	4,162	2.09	HTECH	1.34	(0.11)	8,381	1.42
OHTL	-	-	-	-	NCH	0.39	(0.02)	143	0.43	KKC	0.26	(0.01)	789	0.22
ROH	-	-	-	-	NNCL	1.61	-	11,211	1.60	PK	0.61	(0.01)	903	0.63
SHANG	-	-	-	-	NOBLE	10.30	(0.60)	13,714	10.49	SNC	6.80	-	2,800	6.80
SHR	1.69	(0.04)	132,912	1.71	NUSA	0.31	-	62,201	0.31	STARK	1.76	(0.04)	8,872	1.79
VRANDA	5.00	(0.25)	3,091	4.99	NVD	1.24	(0.08)	1,647	1.21	TCJ	2.50	0.32	1	2.50
Home & Office Produ	-	-	-	-	ORI	3.20	0.10	215,395	3.17	VARO	-	-	-	-
ACC	0.65	(0.01)	20,930	0.65	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
AJA	0.25	0.03	79,865	0.24	PF	0.40	0.01	45,489	0.40	AIMCG	4.68	(0.32)	6,509	4.80
DTCI	19.40	2.40	4	18.98	PLAT	2.44	(0.22)	3,326	2.51	AIMIRT	10.00	(0.30)	6,390	10.03
FANCY	0.21	(0.02)	12,232	0.22	POLAR	-	-	-	-	AMATAR	10.10	(0.90)	158	9.87
KYE	240.00	-	2	240.00	PRECHA	0.56	0.05	85	0.51	B-WORK	10.30	(0.20)	9,520	10.23
L&E	1.54	-	5,019	1.53	PRIN	1.12	(0.08)	72,365	1.12	BKER	6.50	(0.10)	2,046	6.38
MODERN	1.88	(0.04)	2,987	1.90	PSH	9.25	(0.65)	45,758	9.56	BKCP	11.10	0.20	7	11.04
OGC	24.30	(0.20)	96	24.46	QH	1.93	0.01	420,035	1.93	BOFFICE	13.90	-	7,345	13.91
ROCK	-	-	-	-	RICHY	0.54	(0.04)	6,721	0.56	CPNCG	9.00	(0.20)	4,336	9.02
SIAM	1.24	(0.02)	2,070	1.23	RML	0.54	-	16,334	0.51	CPNREIT	27.25	0.50	84,766	26.54
TSR	1.34	-	7,043	1.28	ROJNA	3.38	(0.12)	15,574	3.37	CPTGF	10.30	(0.40)	1,356	10.35
Insurance	-	-	-	-	S	1.30	(0.04)	36,816	1.27	CTARAF	4.64	(0.02)	4,934	4.55
AYUD	30.00	1.50	11	28.64	SAMCO	1.12	(0.03)	1,181	1.14	DREIT	4.08	(0.12)	558	4.11
BKI	218.00	(2.00)	143	219.70	SC	1.84	(0.07)	41,930	1.85	ERWPF	4.38	(0.10)	23	4.38
BLA	11.20	(0.40)	6,251	11.40	SENA	2.02	0.02	11,058	2.03	FTREIT	14.10	(0.20)	19,644	14.02
BUI	-	-	-	-	SF	3.90	(0.08)	51,401	3.92	FUTUREPF	17.50	(0.30)	2,089	17.55
CHARAN	17.00	-	10	17.00	SIRI	0.57	(0.02)	857,668	0.58	GAHREIT	7.70	(0.20)	173	7.48
INSURE	-	-	-	-	SPALI	13.40	-	56,400	13.34	GOLDPF	-	-	-	-
MTI	69.50	0.50	86	67.96	U	0.78	(0.07)	112,684	0.82	GVREIT	14.00	-	2,886	13.90
NKI	-	-	-	-	UV	2.18	(0.08)	17,679	2.20	HPF	4.18	(0.06)	294	4.12
NSI	51.50	0.25	4	51.50	WHA	2.24	0.08	738,390	2.23	HREIT	6.75	(0.20)	9,261	6.80
SEG	33.75	7.75	445	27.08	WIN	0.30	-	225	0.30	IMPACT	13.80	-	23,152	13.50
SMK	24.50	0.10	38	24.50	Paper & Printing Mat	-	-	-	-	KNPFP	7.50	0.50	616	7.23
THRE	0.34	(0.05)	88,355	0.35	UTP	6.80	-	6,136	6.92	LHHOTEL	9.95	(0.95)	8,591	10.09
THREL	2.10	(0.10)	10,388	2.12	Fashion	-	-	-	-	LHPF	6.05	(0.40)	524	6.11
TIP	17.70	(1.60)	17,084	18.39	AFC	-	-	-	-	LHSC	12.10	(0.80)	7,771	11.76
TQM	52.00	(2.00)	28,156	53.87	B52	0.18	0.01	10,222	0.17	LUXF	5.60	(0.20)	212	5.85
TSI	0.40	0.02	1,405	0.38	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.06	(0.18)	477	3.04	CPH	2.50	0.38	5	2.50	M-PAT	4.10	(0.30)	5	4.10
Mining	-	-	-	-	CPL	0.83	0.18	1,613	0.58	M-STOR	6.55	(0.05)	7	6.31
PDI	3.86	(0.06)	997	3.86	ICC	35.00	(2.00)	10	35.00	MIPF	-	-	-	-
THL	-	-	-	-	NC	10.00	(1.00)	10	10.01	MIT	2.46	-	10	2.46
Packaging	-	-	-	-	PAF	0.32	-	1,934	0.32	MJLF	6.75	(0.25)	610	6.78
AJ	8.00	0.25	18	7.60	PDJ	1.00	(0.01)	2,623	1.00	MNIT	1.03	(0.01)	165	0.94
ALUCON	-	-	-	-	PG	-	-	-	-	MNIT2	5.00	0.06	2	5.00
BGC	8.80	0.05	1,820	8.83	SABINA	14.60	-	6,406	14.78	MNRF	2.50	-	30	2.50
CSC	40.25	(0.50)	14	40.68	SAWANG	-	-	-	-	POPF	8.80	(0.25)	3,228	8.83
GLOCON	0.50	0.01	23,781	0.47	SUC	35.00	-	30	35.00	PPF	11.20	-	1,650	11.16
NEP	0.13	0.01	7,330	0.13	TNL	-	-	-	-	QHHR	6.80	(0.20)	384	6.79
PTL	8.50	(0.15)	8,230	8.62	TPCORP	10.30	0.20	38	9.97	QHOP	2.88	(0.12)	56	2.81
SFLEX	5.00	(0.05)	3,625	4.99	TR	23.40	(0.20)	53	21.36	QHPP	9.85	(0.35)	5,183	9.90
SITHAI	0.46	(0.01)	12,675	0.46	TTI	-	-	-	-	SBPF	2.02	(0.28)	70	2.01
SLP	0.38	-	201	0.37	TTT	40.00	(2.25)	174	40.33	SHREIT	3.10	(0.30)	300	3.10
SMPK	4.62	(0.18)	3,513	4.50	UPF	-	-	-	-	SIRIP	9.60	(0.15)	120	9.69
SPACK	1.02	0.11	2	1.01	UT	-	-	-	-	SPF	13.90	(0.20)	6,532	13.95
TCOAT	-	-	-	-	WACOAL	47.75	1.50	17	45.81	SPRIME	11.50	-	2,964	11.50
TFI	0.04	-	27	0.04	Transportation & Log	-	-	-	-	SRIPANWA	7.50	(0.50)	3	7.23
THIP	18.60	0.20	197	18.25	AAV	1.04	(0.10)	339,136	1.09	SSPF	7.95	(0.20)	181	7.90
TMD	19.10	(0.40)	9	18.59	AOT	49.50	(0.50)	506,988	50.37	SSTRT	5.10	(0.10)	120	5.02
TOPP	-	-	-	-	ASIMAR	0.63	0.01	2,912	0.63	TIF1	7.60	(0.20)	285	7.64
TPBI	2.90	(0.02)	61	2.89	B	0.17	0.01	13,491	0.16	TLGF	17.20	(0.20)	26,892	17.18
TPP	14.10	(0.20)	79	14.07	BA	3.98	(0.04)	18,277	3.95	TLHPF	9.50	(0.20)	100	9.50
Personal Products &	-	-	-	-	BEM	6.50	(0.40)	1,702,094	6.75	TNPF	-	-	-	-
APCO	3.00	0.02	4,604	3.00	BTS	8.60	-	680,780	8.71	TPRIME	13.40	(0.40)	1,276	13.51
DDD	10.70	(0.30)	578	10.77	BTSGIF	6.85	(0.20)	42,774	6.98	TTLPF	19.60	(0.30)	290	19.50
JCT	68.00	-	2	68.00	III	3.72	0.16	6,769	3.59	TU-PF	-	-	-	-
OCC	-	-	-	-	JUTHA	0.20	-	106	0.20	URBNPF	3.50	-	268	3.50
S & J	-	-	-	-	JWD	4.98	0.02	2,078	5.07	WHABT	8.90	(0.25)	42	8.71
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	14.30	(0.40)	8,178	14.20
TNR	5.00	0.08	989	4.98	NOK	0.79	(0.01)	1,851	0.83	Steel	-	-	-	-
TOG	3.70	0.10	443	3.62	NYT	2.70	(0.14)	23,314	2.75	AMC	1.05	0.03	39	1.02
Professional Service	-	-	-	-	PORT	1.14	0.01	9,817	1.16	BSBM	0.66	(0.04)	1,319	0.68
BWG	0.21	(0.01)	238,125	0.21	PRM	3.28	(0.32)	168,531	3.53	CEN	0.36	0.02	971	0.33
GENCO	0.34	(0.01)	8,639	0.32	PSL	3.14	(0.62)	70,171	3.44	CITY	1.14	(0.27)	1,261	1.14
PRO	-	-	-	-	RCL	1.72	(0.07)	7,228	1.74	CSP	0.54	(0.01)	131	0.51
SISB	6.00	(0.40)	70,249	6.11	TFIF	9.65	0.15	185,786	9.50	GJS	0.07	-	1,857	0.06
TEAMG	1.80	-	3,876	1.80	THAI	3.38	(0.26)	56,984	3.51	GSTEEL	-	-	-	-
Property Developer	-	-	-	-	TSTE	7.00	0.90	6	7.00	INOX	0.36	(0.01)	49	0.37
A	4.84	0.04	82	4.88	TTA	1.99	(0.25)	67,572	2.04	LHK	1.91	(0.19)	1,956	1.93
AMATA	9.65	(0.15)	76,913	9.80	WICE	1.25	-	6,932	1.23	MAX	0.01	-	746,803	

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	AGE	0.48	(0.12)	63,637	-	ADVA01C2003A	0.01	-	8,348	-
ABICO	3.00	0.18	355	2.00	AIE	0.23	0.04	231,978	-	ADVA01C2003B	0.02	0.01	205	-
AU	5.90	(0.15)	48,819	6.00	PSTC	0.28	-	757,956	-	ADVA01C2005A	0.10	0.01	20,040	-
JCKH	0.10	(0.02)	1,100	-	QTC	3.20	-	1,281	3.00	ADVA01C2005B	0.02	(0.01)	2,953	-
KASET	0.95	0.07	381	-	SAAM	0.70	-	957	-	ADVA01C2007B	0.08	-	8,368	-
MM	1.93	0.02	389	1.00	SEAOIL	1.62	(0.05)	6,997	1.00	ADVA01C2008A	0.47	0.02	64,954	-
SUN	1.20	0.02	1,966	1.00	SR	0.50	0.01	1,837	-	ADVA01P2003A	1.36	(0.09)	65	1.00
TACC	2.50	-	9,378	2.00	TAKUNI	0.27	(0.01)	6,947	-	ADVA01P2003B	-	-	-	-
TMILL	2.68	0.18	629	2.00	TPCH	7.70	(0.50)	13,029	7.00	ADVA01P2007B	0.70	(0.03)	93,355	-
XO	3.36	-	5,107	3.00	TRT	1.65	0.01	299	1.00	ADVA06C2005A	-	-	-	-
<b>Consumer Products</b>														
BGT	0.40	(0.05)	473	-	UMS	0.11	(0.01)	161	-	ADVA08C2005A	0.03	0.01	3,104	-
BIZ	2.60	0.02	4,896	2.00	UWC	0.02	-	9,189	-	ADVA08P2004A	0.75	(0.08)	1,365	-
DOD	4.54	(0.22)	17,820	4.00	Services (MAI)	-	-	-	-	ADVA11C2006A	-	-	-	-
ECF	0.98	0.03	342,284	-	A5	-	-	-	-	ADVA11P2005A	0.38	-	5,791	-
HPT	0.37	(0.02)	3,716	-	AKP	0.67	(0.01)	6,527	-	ADVA13C2004A	-	-	-	-
IP	4.30	0.20	2,464	4.00	AMA	2.94	(0.20)	4,894	2.00	ADVA13C2006A	0.23	0.02	8,544	-
JUBILE	15.00	-	796	14.00	ARIP	0.27	-	1,997	-	ADVA13C2007A	0.11	0.01	13,689	-
MOONG	3.06	0.04	912	3.00	ATP30	0.66	(0.03)	4,086	-	ADVA13P2003A	0.92	(0.10)	5	-
NPK	9.75	(3.65)	128	9.00	AUCT	4.96	(0.14)	13,610	4.00	ADVA16C2005A	0.01	-	6,983	-
OCEAN	0.85	(0.02)	6,865	-	BOL	2.48	(0.06)	292	2.00	ADVA16C2007A	-	-	-	-
TM	2.16	0.06	4,876	2.00	CHUO	-	-	-	-	ADVA16C2009A	0.20	(0.03)	300	-
<b>Financials (MAI)</b>														
ACAP	0.42	(0.02)	4,131	-	CMO	0.71	0.03	3,623	-	ADVA19C2005A	-	-	-	-
AF	0.60	(0.06)	234	-	D	2.56	(0.02)	1,861	2.00	ADVA19C2007A	0.32	0.01	3,238	-
AIRA	0.96	0.02	171	-	DCORP	0.27	-	988	-	ADVA19C2007B	-	-	-	-
ASN	4.90	0.92	150	3.00	EFORL	0.03	(0.01)	663,528	-	ADVA19P2006A	0.64	(0.01)	14,742	-
BROOK	0.35	-	31,639	-	ETE	0.50	-	1,229	-	ADVA24C2006A	0.07	(0.05)	88	-
CHAYO	3.94	(0.28)	40,062	4.00	FSMART	5.50	(0.15)	24,821	5.00	ADVA28C2004A	-	-	-	-
GCAP	1.07	(0.03)	3,542	1.00	FVC	0.23	-	7,838	-	ADVA28C2005A	-	-	-	-
LIT	2.22	0.02	1,277	2.00	GSC	0.43	(0.11)	6,246	-	ADVA28C2007A	0.06	0.02	2,911	-
MTSIB	1.03	-	3,102	1.00	HARN	1.65	(0.02)	1,635	1.00	ADVA28P2004A	0.75	(0.11)	2,669	-
SGF	0.27	(0.01)	9,678	-	IMH	1.62	0.02	275	1.00	ADVA41C2004A	-	-	-	-
<b>Industrials (MAI)</b>														
2S	1.61	0.01	574	1.00	JKN	3.50	-	37,920	3.00	ADVA41C2005A	0.06	0.03	2,011	-
ACG	0.75	0.05	1,079	-	KIAT	0.25	(0.02)	20,179	-	ADVA41C2006A	-	-	-	-
ADB	0.37	0.01	1,482	-	KOOL	0.45	(0.02)	15,379	-	ADVA41C2007A	0.14	0.04	121	-
BM	1.34	(0.26)	2,678	1.00	LDC	0.41	(0.04)	2,655	-	ADVA41C2007B	0.45	(0.55)	87,193	-
CHO	0.43	-	42,652	-	MORE	0.31	(0.03)	196,052	-	ADVA41P2004A	1.04	0.06	200	1.00
CHOW	0.64	(0.12)	3,224	-	MPG	0.19	0.01	1	-	ADVA41P2005A	-	-	-	-
CIG	0.15	-	13,163	-	MVP	1.37	0.02	604	1.00	ADVA42C2003A	-	-	-	-
COLOR	0.91	-	201	-	NBC	0.40	-	1,681	-	ADVA42C2005A	0.01	(0.01)	104	-
CPR	2.34	0.06	120	2.00	NCL	0.79	(0.02)	266	-	ADVA42P2007A	0.95	(0.25)	110	-
FPI	2.04	0.04	1,608	2.00	NEWS	0.01	-	9,045	-	AEON01C2005A	0.02	-	4	-
GTB	0.51	0.02	6,651	-	NINE	1.70	(0.03)	100	1.00	AEON13C2003A	-	-	-	-
KCM	0.28	(0.02)	5,170	-	OTO	2.62	(0.34)	161	2.00	AEON13C2007A	-	-	-	-
KUMWEL	0.63	(0.01)	7,311	-	PHOL	1.47	-	3,740	1.00	AEON19C2003A	-	-	-	-
KWM	0.71	0.08	819	-	PICO	3.26	(0.10)	14	3.00	AEON19C2006A	-	-	-	-
MBAX	2.76	0.02	129	2.00	QLT	3.64	0.04	840	3.00	AMAT01C2004A	-	-	-	-
MGT	1.09	(0.03)	1,292	1.00	RP	0.71	(0.14)	2,703	-	AMAT01C2004B	-	-	-	-
NDR	-	-	-	-	SE	1.11	(0.20)	71	1.00	AMAT01C2007B	0.01	(0.01)	311	-
PDG	2.22	0.08	272	2.00	SONIC	0.84	0.01	402	-	AMAT01C2008A	-	-	-	-
PIMO	0.78	-	918	-	SPA	8.15	-	4,205	8.00	AMAT01P2008A	2.00	0.03	3	2.00
PJW	0.92	0.03	772	-	THMUI	0.34	0.02	10,517	-	AMAT06C2005A	0.01	-	1	-
PPM	0.39	(0.09)	446	-	TNDT	2.92	0.12	2,670	3.00	AMAT08C2005A	-	-	-	-
RWI	0.75	-	218	-	TNH	23.80	(0.20)	157	23.00	AMAT11C2004A	-	-	-	-
SALEE	0.76	(0.02)	405	-	TNP	1.75	(0.11)	7,248	1.00	AMAT11C2008A	-	-	-	-
SANKO	0.87	-	3,522	-	TSF	-	-	-	-	AMAT13C2004A	-	-	-	-
SELIC	1.88	0.02	4,536	1.00	TVT	0.51	-	1,114	-	AMAT13C2006A	-	-	-	-
SWC	3.90	-	1,993	3.00	VL	0.40	0.05	12,463	-	AMAT16C2003A	-	-	-	-
TMC	0.29	0.02	5,049	-	WINNER	1.83	-	214,372	-	AMAT16C2006A	-	-	-	-
TMI	0.66	0.01	11,139	-	YGG	3.30	(0.08)	1,114	3.00	AMAT16C2008A	-	-	-	-
TMW	30.00	(0.75)	310	30.00	<b>Technology (MAI)</b>									
TPAC	8.00	0.40	300	7.00	APP	1.35	(0.05)	1,316	1.00	AMAT19C2006A	-	-	-	-
TPLAS	0.93	-	4,416	-	COMAN	1.51	(0.11)	139	1.00	AMAT19C2008A	0.04	(0.02)	325	-
UBIS	-	-	-	-	ICN	1.29	0.02	322	1.00	AMAT24C2006A	-	-	-	-
UEC	0.44	(0.09)	2,379	-	INSET	2.02	0.02	4,399	2.00	AMAT41C2004A	-	-	-	-
UKEM	0.33	(0.01)	12,375	-	IRCP	0.31	(0.02)	612	-	AMAT41C2005A	-	-	-	-
UREKA	0.75	0.05	2,331	-	ITEL	1.39	(0.14)	14,047	1.00	AMAT41C2006A	-	-	-	-
YUASA	8.85	(0.15)	605	8.00	NETBAY	27.00	(1.00)	2,435	27.00	AMAT42C2003A	-	-	-	-
ZIGA	0.63	0.03	1,547	-	PLANET	0.86	0.06	203	-	AMAT42C2005A	-	-	-	-
<b>Property &amp; Construc</b>														
ALL	2.72	0.38	78,373	2.00	SIMAT	2.26	0.18	57,600	2.00	AMAT42C2007A	-	-	-	-
ARIN	0.48	0.02	1,692	-	SKY	12.60	(0.10)	3,456	12.00	ANAN13C2007A	-	-	-	-
ARROW	5.50	(0.40)	769	5.00	SPVI	1.57	(0.08)	28,222	1.00	ANAN19C2004A	-	-	-	-
BC	0.96	(0.01)	4,521	-	TPS	1.64	(0.14)	6,446	1.00	ANAN19C2007A	-	-	-	-
BSM	0.24	-	7,541	-	UPA	0.11	(0.01)	26,660	-	AOT01C2004A	0.02	-	13,430	-
BTW	0.39	-	2,307	-	VCOM	1.69	(0.24)	1,812	1.00	AOT01C2004B	0.01	-	14,000	-
CAZ	1.55	-	326	1.00	Unit Trust	-	-	-	-	AOT01C2006B	0.02	(0.01)	40,762	-
CHEWA	0.27	-	22,205	-	MGE	-	-	-	-	AOT01C2007A	0.08	(0.03)	257,405	-
CMC	0.52	(0.01)	3,586	-	SCBSET	-	-	-	-	AOT01P2004A	2.64	0.06	6,827	2.00
CRD	0.37	(0.01)	2,491	-	ETF	-	-	-	-	AOT01P2004B	2.52	-	121	2.00
DIMET	-	-	-	-	IDIV	6.29	(0.01)	289	6.00	AOT01P2006B	2.10	0.08	28,551	2.00
FLOYD	0.95	(0.07)	3,051	-	ABFTH	-	-	-	-	AOT11C2007A	1.97	0.05	98,829	1.00
HYDRO	-	-	-	-	BMSCG	4.85	(0.19)	741	4.00	AOT06C2003A	0.01	-	5,000	-
JSP	0.20	0.01	2,965	-	BMSCITH	7.66	(0.06)	4,119	7.00	AOT06C2007A	-	-	-	-
K	0.61	(0.02)	826	-	BSET100	6.65	(0.04)	7,327	6.00	AOT06P2003A	-	-	-	-
KUN	0.90	-	4,673	-	CHINA	5.44	(0.11)	137	5.00	AOT08C2005A	0.01	-	9,003	-
META	1.23	(0.02)	119,907	1.00	EBANK	2.97	(0.07)	86	2.00	AOT				

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT24C2003A	-	-	-	-	BBL41C2005A	-	-	-	-	BGRI01C2003B	0.02	0.01	972	-
AOT24C2006A	-	-	-	-	BBL41C2006A	-	-	-	-	BGRI01C2006A	0.03	-	65,382	-
AOT27C2008A	0.04	-	13,870	-	BBL41C2007A	-	-	-	-	BGRI01C2006B	0.02	-	11,183	-
AOT28C2006A	-	-	-	-	BBL41C2007B	0.07	-	1,501	-	BGRI01C2008B	0.13	0.01	9,701	-
AOT28C2006B	-	-	-	-	BBL41P2004A	-	-	-	-	BGRI01C2009A	0.23	(0.01)	30,807	-
AOT28C2008A	0.07	(0.02)	10,980	-	BBL41P2006A	-	-	-	-	BGRI01P2003A	1.08	(0.19)	288	1.00
AOT28P2004A	2.36	0.10	1,612	2.00	BBL42C2003A	-	-	-	-	BGRI01P2006A	2.64	-	5,670	2.00
AOT41C2003A	-	-	-	-	BBL42C2005A	-	-	-	-	BGRI06C2005A	0.01	(0.01)	8	-
AOT41C2004A	-	-	-	-	BBL42C2007A	-	-	-	-	BGRI08C2003A	0.01	-	10,000	-
AOT41C2005A	-	-	-	-	BCH01C2006A	-	-	-	-	BGRI08C2005A	0.02	-	1,512	-
AOT41C2006A	-	-	-	-	BCH01C2006B	-	-	-	-	BGRI11C2006A	0.05	0.01	10,718	-
AOT41C2007A	-	-	-	-	BCH01P2006A	-	-	-	-	BGRI11C2008A	0.03	(0.02)	10	-
AOT41C2007B	0.19	-	3,841	-	BCH06C2006A	0.01	-	3,085	-	BGRI13C2004A	-	-	-	-
AOT41P2004A	2.42	1.27	200	2.00	BCH06P2006A	-	-	-	-	BGRI13C2006A	0.01	(0.01)	5,224	-
AOT41P2005A	-	-	-	-	BCH08C2004A	-	-	-	-	BGRI13C2007A	0.04	0.01	36,857	-
AOT41P2006A	2.12	0.10	2	2.00	BCH11C2008A	-	-	-	-	BGRI13C2008A	0.11	(0.02)	8,002	-
AOT42C2006A	0.01	-	4,000	-	BCH13C2004A	-	-	-	-	BGRI13P2005A	2.98	(0.14)	2,114	2.00
AOT42P2003A	0.90	0.20	1,887	-	BCH13C2007A	-	-	-	-	BGRI16C2005A	0.01	-	30	-
AOT42P2009A	2.18	0.02	1,307	2.00	BCH16C2006A	0.01	(0.01)	200	-	BGRI19C2004A	-	-	-	-
AP19C2007A	-	-	-	-	BCH19C2005A	-	-	-	-	BGRI19C2005A	-	-	-	-
AP28C2004A	-	-	-	-	BCH19C2006A	-	-	-	-	BGRI19C2006A	-	-	-	-
AP28C2006A	-	-	-	-	BCH19C2008A	-	-	-	-	BGRI19C2008A	0.15	0.04	3,796	-
AWCO1C2003A	-	-	-	-	BCH24C2003A	-	-	-	-	BGRI19P2007A	1.80	0.05	505	1.00
AWCO1C2003B	-	-	-	-	BCH27C2003A	-	-	-	-	BGRI24C2004A	0.01	(0.05)	1	-
AWCO1C2004A	-	-	-	-	BCH41C2005A	-	-	-	-	BGRI27P2006A	1.24	0.02	4,548	1.00
AWCO1C2009A	0.07	0.01	1,529	-	BCH41C2006A	-	-	-	-	BGRI41C2004A	-	-	-	-
AWCO1P2003A	1.58	(0.10)	103	1.00	BCP01C2005A	-	-	-	-	BGRI41C2005A	-	-	-	-
AWCO1P2003B	1.07	(0.12)	213	1.00	BCP01C2005B	-	-	-	-	BGRI41C2006A	-	-	-	-
AWCO1P2007A	1.36	(0.08)	13,224	1.00	BCP01P2005A	1.08	0.08	1,028	1.00	BGRI41C2007A	0.18	0.02	11,091	-
AWCO6C2004A	-	-	-	-	BCP11C2004A	-	-	-	-	BGRI41P2004A	1.04	(0.16)	29	1.00
AWCO8C2004A	-	-	-	-	BCP13C2003A	-	-	-	-	BGRI41P2005A	1.65	0.16	2	1.00
AWC13C2006A	0.05	-	1	-	BCP13C2003B	-	-	-	-	BGRI41P2006A	-	-	-	-
AWC13P2006A	-	-	-	-	BCP13C2007A	0.02	-	1,000	-	BGRI42C2003A	-	-	-	-
AWC16C2005A	0.10	0.06	1	-	BCP19C2004A	-	-	-	-	BGRI42C2006A	-	-	-	-
AWC16C2007A	-	-	-	-	BCP19C2005A	-	-	-	-	BH01C2004A	0.16	0.01	180	-
AWC19C2003A	-	-	-	-	BCP24C2004A	-	-	-	-	BH01C2004B	-	-	-	-
AWC19C2004A	-	-	-	-	BCPG01C2005A	-	-	-	-	BH01P2004A	0.81	(0.04)	27,655	-
AWC19C2006A	-	-	-	-	BCPG01C2005B	-	-	-	-	BH08C2007A	0.18	0.01	61,000	-
AWC24C2007A	-	-	-	-	BCPG01C2008B	-	-	-	-	BH11C2008A	0.11	-	500	-
AWC28C2006A	-	-	-	-	BCPG01C2009A	0.15	(0.12)	1,206	-	BH13C2006A	0.07	-	122	-
AWC28C2008A	0.07	0.01	61,211	-	BCPG01P2005A	1.19	(0.09)	23	1.00	BH19C2003A	-	-	-	-
AWC41C2003A	-	-	-	-	BCPG01P2009A	1.10	0.07	3,585	1.00	BH19C2006A	0.13	(0.01)	10	-
AWC41C2004A	-	-	-	-	BCPG13C2004A	-	-	-	-	BH24C2003A	-	-	-	-
AWC41C2005A	-	-	-	-	BCPG13C2007A	-	-	-	-	BH27C2007A	0.12	0.01	29,540	-
AWC41C2006A	-	-	-	-	BCPG16C2009A	-	-	-	-	BH41C2003A	-	-	-	-
AWC41C2007A	-	-	-	-	BCPG19C2003A	-	-	-	-	BH41C2004A	-	-	-	-
AWC41C2007B	-	-	-	-	BCPG19C2005A	-	-	-	-	BH41C2005A	-	-	-	-
AWC42C2003A	-	-	-	-	BCPG28C2004A	-	-	-	-	BH41C2006A	-	-	-	-
AWC42C2008A	-	-	-	-	BCPG28C2008A	0.05	(0.04)	1	-	BH41P2004A	0.29	(0.02)	3,086	-
BANP01C2005A	0.01	(0.01)	9,366	-	BCPGA1C2005A	-	-	-	-	BH41P2006A	1.00	(0.05)	430	1.00
BANP01C2005B	0.01	(0.01)	600	-	BCPG42C2004A	-	-	-	-	BH42C2003A	-	-	-	-
BANP01P2005A	1.66	-	29	1.00	BCPG42C2007A	-	-	-	-	BH42C2008A	0.20	0.05	120	-
BANP01P2005B	1.99	-	1	1.00	BDMS01C2007B	0.05	0.01	2,201	-	BJC01C2004A	0.02	-	100	-
BANP06C2005A	-	-	-	-	BDMS01P2008A	0.69	(0.01)	19,888	-	BJC01C2004B	-	-	-	-
BANP08C2005A	-	-	-	-	BDMS06C2003A	0.01	-	400	-	BJC01C2008B	0.20	0.01	11,585	-
BANP08C2007A	-	-	-	-	BDMS06C2008A	-	-	-	-	BJC01C2009A	0.35	0.04	5,951	-
BANP08P2003A	-	-	-	-	BDMS06P2004A	-	-	-	-	BJC01P2004A	1.37	-	2,421	1.00
BANP11C2004A	-	-	-	-	BDMS08C2003A	-	-	-	-	BJC01P2009A	0.52	(0.05)	67,596	-
BANP11C2008A	-	-	-	-	BDMS08C2006A	-	-	-	-	BJC06C2006A	0.03	0.01	6,381	-
BANP13C2003A	-	-	-	-	BDMS11C2007A	-	-	-	-	BJC11C2008A	0.10	0.02	900	-
BANP13C2006A	-	-	-	-	BDMS11C2008A	-	-	-	-	BJC13C2004A	-	-	-	-
BANP13C2008A	-	-	-	-	BDMS13C2003A	-	-	-	-	BJC13C2005A	0.04	-	241	-
BANP19C2004A	-	-	-	-	BDMS13C2004A	-	-	-	-	BJC16C2006A	-	-	-	-
BANP19C2005A	-	-	-	-	BDMS13C2008A	0.10	(0.06)	131	-	BJC19C2003A	-	-	-	-
BANP19C2007A	-	-	-	-	BDMS16C2006A	-	-	-	-	BJC19C2005A	-	-	-	-
BANP19C2007B	-	-	-	-	BDMS19C2005A	-	-	-	-	BJC19C2007A	0.10	-	3,470	-
BANP19P2003A	-	-	-	-	BDMS19C2005B	-	-	-	-	BJC24C2003A	-	-	-	-
BANP24C2003A	-	-	-	-	BDMS24C2006A	-	-	-	-	BJC24C2006A	0.06	0.04	165	-
BANP27C2007A	-	-	-	-	BDMS41C2004A	-	-	-	-	BJC27C2009A	0.08	-	5,500	-
BANP28C2004A	-	-	-	-	BDMS41C2005A	-	-	-	-	BJC28C2004A	-	-	-	-
BANP28C2008A	-	-	-	-	BDMS41C2006A	-	-	-	-	BJC28C2007A	-	-	-	-
BANP41C2004A	-	-	-	-	BDMS41P2004A	0.79	(0.13)	2,968	-	BJC41C2004A	-	-	-	-
BANP41C2005A	-	-	-	-	BDMS41P2006A	0.62	0.01	43	-	BJC41C2005A	-	-	-	-
BANP41C2006A	-	-	-	-	BDMS42C2003A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP41C2007A	-	-	-	-	BEAU13C2003A	-	-	-	-	BJC41C2007A	-	-	-	-
BANP41P2005A	-	-	-	-	BEAU13C2003B	-	-	-	-	BJC41C2008A	0.19	0.03	16,037	-
BANP41P2007A	1.51	(0.01)	1	1.00	BEC01C2006A	-	-	-	-	BJC41P2004A	-	-	-	-
BANP42C2004A	-	-	-	-	BEC01C2006B	-	-	-	-	BJC41P2005A	0.72	(0.15)	50	-
BANP42C2006A	-	-	-	-	BEC01P2006A	1.40	0.04	150	1.00	BJC42C2004A	-	-	-	-
BANP42P2005A	2.06	0.12	10	2.00	BEC19C2003A	-	-	-	-	BLAN19C2004A	-	-	-	-
BBL06C2007A	-	-	-	-	BEC19C2005A	-	-	-	-	BLAN28C2004A	-	-	-	-
BBL06P2004A	-	-	-	-	BEC41C2003A	-	-	-	-	BPP01C2005A	0.02	-	4,999	-
BBL08C2005A	0.02	-	2	-	BEC42C2003A	0.09	0.08	1	-	BPP01C2005B	-	-	-	-
BBL08C2007A	0.02	(0.02)	23	-	BEC42C2005A	-	-	-	-	BPP01P2005A	1.81	(0.01)	1,417	1.00
BBL08P2007A	2.22	0.20	8,196	2.00	BEM01C2004A	0.02	(0.01)	1,202	-	BPP13C2004A	-	-	-	-
BBL11C2005A	-	-	-	-	BEM01C2004B	-	-	-	-	BPP13C2007A	-	-	-	-
BBL11C2007A	0.01	-	1	-	BEM01P2004A	0.98	0.13	1,676	-	BPP19C2005A	-	-	-	-
BBL11P2008A	2.36	0.22	121	2.00	BEM06C2004A	-	-	-	-	BPP19C2007A	0.02	(0.01)	4,100	-
BBL13C2004A	-	-	-	-	BEM08C2005A	0.02	-	8,250	-	BPP24C2003A	-	-	-	-
BBL13C2006A	-	-	-	-	BEM11C2003A	-	-	-	-	BTS01C2005A	0.02	(0.01)	11,673	-
BBL13C2008A	0.20	0.06	1	-	BEM13C2004A	-	-	-	-	BTS01C2005B	0.01	(0.01)	6,659	-
BBL13P2004A	3.24	0.32	80	3.00	BEM13C2007A	0.04	0.01	121	-	BTS01P2005A	0.93	-	23,153	-
BBL13P2008A	1.28	0.16	18,115	1.00	BEM16C2006A	0.01	(0.05)	800	-	BTS08C2005A	-	-	-	-
BBL16C2006A	-	-	-	-	BEM19C2005A	0.02	0.01	500	-	BTS11C2003A	-	-	-	-
BBL19C2003A	-	-	-	-	BEM24C2003A	-	-	-	-	BTS13C2003A	-	-	-	-
BBL19C2005A	-	-	-	-	BEM28C2006A	-	-	-	-	BTS13C2006A	0.05	-	7,124	-
BBL19C2007A	-	-	-	-	BEM28C2007A	0.02	(0.02)	3,500	-	BTS13C2008A	0.05	0.01	5,115	-
BBL19P2007A	2.28	0.18	512	2.00	BEM28C2008A	0.05	(0.02)	15,568	-	BTS16C2008A	0.03	-	10	-
BBL24C2004A	-	-	-	-	BEM41C2004A									

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS41C2006A	-	-	-	-	CKP13C2003A	-	-	-	-	CPN19C2007A	-	-	-	-
BTS41P2004A	0.94	0.03	2	-	CKP13C2004A	-	-	-	-	CPN24C2007A	-	-	-	-
BTS42C2003A	-	-	-	-	CKP13C2004B	-	-	-	-	CPN41C2004A	-	-	-	-
BTS42C2008A	-	-	-	-	CKP13C2007A	0.03	(0.02)	1,000	-	CPN41C2006A	-	-	-	-
CBG01C2004A	0.05	-	371	-	CKP16C2005A	-	-	-	-	CPN41P2005A	1.99	0.20	1	1.00
CBG01C2004B	0.02	-	1,404	-	CKP16C2007A	-	-	-	-	CPN41P2006A	1.48	0.07	712	1.00
CBG01C2007B	0.09	(0.01)	33,213	-	CKP19C2003A	-	-	-	-	CPN42C2004A	-	-	-	-
CBG01P2003A	0.51	0.02	82,295	-	CKP19C2005A	-	-	-	-	CPN42C2006A	-	-	-	-
CBG01P2004A	2.30	0.08	3,108	2.00	CKP19C2006A	-	-	-	-	CRC01C2007A	0.12	0.01	12,509	-
CBG01P2007B	2.56	0.04	9,954	2.00	CKP24C2006A	-	-	-	-	CRC08C2007A	0.18	(0.02)	15,135	-
CBG06C2005A	0.01	(0.03)	1	-	CKP27C2005A	-	-	-	-	CRC13C2008A	0.08	(0.03)	77,276	-
CBG08C2003A	-	-	-	-	CKP28C2004A	-	-	-	-	CRC19C2008A	0.17	0.01	3,877	-
CBG08C2007A	0.21	(0.02)	144,772	-	CKP28C2004B	-	-	-	-	CRC19C2008B	-	-	-	-
CBG11C2008A	0.15	0.02	28	-	CKP28C2006A	-	-	-	-	CRC28C2007A	0.08	(0.01)	6,594	-
CBG13C2004A	0.01	(0.02)	500	-	CKP41C2004A	-	-	-	-	CRC28C2007B	0.06	(0.01)	10,005	-
CBG13C2008A	0.23	0.01	9,852	-	CKP41C2005A	-	-	-	-	CRC41C2007A	0.22	0.01	150	-
CBG13P2006A	2.34	(0.28)	113	2.00	CKP41C2006A	-	-	-	-	DTACO1C2004A	0.01	-	3,863	-
CBG16C2008A	0.05	(0.04)	20	-	CKP41C2007A	-	-	-	-	DTACO1C2004B	-	-	-	-
CBG19C2004A	-	-	-	-	CKP42C2003A	-	-	-	-	DTACO1C2007B	0.04	(0.01)	2,552	-
CBG19C2005A	0.05	0.02	285	-	CKP42C2005A	-	-	-	-	DTACO1C2008A	0.14	-	795	-
CBG19C2008A	0.26	(0.03)	518,896	-	CKP42C2006A	-	-	-	-	DTACO1P2004A	-	-	-	-
CBG19P2006A	2.38	(0.26)	791	2.00	COM708C2007A	-	-	-	-	DTACO1P2004B	-	-	-	-
CBG24C2003A	-	-	-	-	COM711C2004A	0.01	-	17,000	-	DTACO1P2007B	1.35	(0.07)	178	1.00
CBG24C2008A	-	-	-	-	COM713C2004A	-	-	-	-	DTACO1P2008A	1.31	0.01	2,670	1.00
CBG41C2003A	-	-	-	-	COM713C2007A	0.01	(0.03)	12,001	-	DTACO6C2006A	-	-	-	-
CBG41C2004A	-	-	-	-	COM713C2008A	-	-	-	-	DTACO8C2005A	-	-	-	-
CBG41C2005A	0.08	0.01	5	-	COM716C2008A	-	-	-	-	DTACO8C2005B	-	-	-	-
CBG41C2006A	0.05	(0.05)	12,460	-	COM719C2003A	-	-	-	-	DTACO8C2007A	-	-	-	-
CBG41P2004A	-	-	-	-	COM719C2005A	-	-	-	-	DTAC13C2003A	-	-	-	-
CBG41P2006A	2.40	-	8	2.00	COM719C2008A	0.15	(0.01)	17,747	-	DTAC13C2006A	0.02	-	22	-
CBG42C2003A	-	-	-	-	COM719P2004A	0.67	0.13	8,077	-	DTAC13C2007A	0.03	-	750	-
CBG42C2006A	-	-	-	-	COM724C2007A	-	-	-	-	DTAC13P2003A	-	-	-	-
CBG42C2008A	-	-	-	-	COM741C2004A	-	-	-	-	DTAC13P2006A	-	-	-	-
CENT01C2003A	0.01	-	7,697	-	COM741C2006A	-	-	-	-	DTAC13P2007A	0.36	0.04	12	-
CENT01C2003B	0.01	-	10,450	-	COM742C2004A	-	-	-	-	DTAC13P2008A	1.45	0.16	100	1.00
CENT01C2006A	-	-	-	-	CPAL01C2004A	0.02	-	7,727	-	DTAC16C2009A	-	-	-	-
CENT01C2006B	-	-	-	-	CPAL01C2004B	0.02	-	503	-	DTAC19C2005A	-	-	-	-
CENT01C2009A	0.19	(0.06)	210	-	CPAL01C2006A	0.13	(0.01)	26,471	-	DTAC19C2006A	0.01	(0.01)	391	-
CENT01P2003A	1.48	0.11	200	1.00	CPAL01C2006B	0.07	0.02	5,937	-	DTAC19C2007A	0.08	0.02	34,400	-
CENT01P2009A	1.30	0.23	20,727	1.00	CPAL01C2008B	0.20	0.01	60,009	-	DTAC19P2007A	-	-	-	-
CENT06C2003A	0.01	-	3,295	-	CPAL01P2004A	1.78	0.01	1,443	1.00	DTAC24C2004A	-	-	-	-
CENT06C2006A	-	-	-	-	CPAL01P2004B	1.07	0.05	760	1.00	DTAC24C2007A	-	-	-	-
CENT06P2007A	1.64	0.24	228	1.00	CPAL01P2008B	0.94	0.03	47,903	-	DTAC27C2008A	-	-	-	-
CENT08C2004A	-	-	-	-	CPAL06C2006A	0.04	(0.01)	2,863	-	DTAC41C2004A	-	-	-	-
CENT11C2004A	-	-	-	-	CPAL08C2004A	0.01	(0.01)	10	-	DTAC41C2005A	-	-	-	-
CENT11C2007A	-	-	-	-	CPAL08C2006A	0.03	-	38,500	-	DTAC41C2006A	0.02	0.01	1	-
CENT13C2003A	-	-	-	-	CPAL08P2006A	1.20	0.10	321	1.00	DTAC41C2007A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL11C2006A	-	-	-	-	DTAC41C2007B	0.11	(0.02)	10	-
CENT13C2006A	-	-	-	-	CPAL11C2007A	0.07	(0.01)	2,418	-	DTAC41P2005A	-	-	-	-
CENT19C2004A	-	-	-	-	CPAL13C2004A	0.01	(0.02)	210	-	DTAC41P2006A	-	-	-	-
CENT19C2005A	-	-	-	-	CPAL13C2007A	0.15	-	5,788	-	DTAC42C2004A	-	-	-	-
CENT19C2008A	0.10	(0.05)	17,605	-	CPAL13P2003A	-	-	-	-	DTAC42C2006A	-	-	-	-
CENT24C2003A	-	-	-	-	CPAL16C2006A	-	-	-	-	EA06C2005A	0.03	0.01	1,004	-
CENT24C2008A	-	-	-	-	CPAL16C2007A	0.04	(0.07)	6	-	EA08C2004A	-	-	-	-
CENT27C2008A	-	-	-	-	CPAL19C2004A	-	-	-	-	EA08C2006A	0.04	-	1,216	-
CENT28C2004A	-	-	-	-	CPAL19C2005A	0.04	-	10,000	-	EA11C2005A	-	-	-	-
CENT28C2005A	-	-	-	-	CPAL19C2008A	0.21	(0.01)	305,873	-	EA13C2003A	-	-	-	-
CENT28C2006A	-	-	-	-	CPAL19P2004A	0.85	0.08	3,441	-	EA13C2005A	0.03	(0.02)	120	-
CENT28C2008A	0.07	(0.04)	15,518	-	CPAL24C2005A	-	-	-	-	EA13C2006A	0.02	(0.01)	572	-
CENT41C2003A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA13C2008A	0.13	0.01	2,687	-
CENT41C2004A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA13P2003A	0.53	0.09	16	-
CENT41C2005A	-	-	-	-	CPAL28C2007A	0.05	(0.01)	2,280	-	EA13P2006A	1.68	0.09	883	1.00
CENT41C2006A	0.03	(0.02)	2	-	CPAL41C2004A	-	-	-	-	EA16C2003A	-	-	-	-
CENT41P2003A	-	-	-	-	CPAL41C2005A	0.04	(0.02)	500	-	EA16C2006A	-	-	-	-
CENT42C2004A	-	-	-	-	CPAL41C2006A	-	-	-	-	EA16C2008A	0.06	-	396	-
CENT42C2006A	-	-	-	-	CPAL41C2007A	0.15	(0.01)	1,150	-	EA19C2004A	-	-	-	-
CHG01C2006A	0.15	-	372	-	CPAL41P2004A	0.98	0.01	18,135	-	EA19C2008A	0.16	0.01	2,171	-
CHG01C2006B	-	-	-	-	CPAL41P2005A	-	-	-	-	EA19P2007A	1.40	(0.04)	576	1.00
CHG01P2006A	0.56	(0.01)	1,844	-	CPAL41P2006A	1.22	0.01	2	1.00	EA24C2003A	-	-	-	-
CHG06P2003A	0.01	(0.03)	8,765	-	CPAL42C2003A	-	-	-	-	EA24C2004A	-	-	-	-
CHG08C2005A	0.03	-	1,620	-	CPAL42C2005A	-	-	-	-	EA27C2006A	-	-	-	-
CHG13C2006A	-	-	-	-	CPAL42C2007A	0.03	(0.01)	1	-	EA28C2004A	-	-	-	-
CHG16C2009A	-	-	-	-	CPF01C2004A	0.02	(0.01)	4,642	-	EA28C2004B	-	-	-	-
CHG19C2004A	-	-	-	-	CPF01C2004B	0.01	(0.01)	21,800	-	EA28C2006A	-	-	-	-
CHG27C2009A	0.12	-	18,307	-	CPF01P2004A	0.61	0.06	58,321	-	EA41C2004A	-	-	-	-
CHG41C2005A	-	-	-	-	CPF08C2006A	0.02	-	3,117	-	EA41C2005A	-	-	-	-
CHG42C2006A	0.06	0.01	4,200	-	CPF11C2004A	0.01	-	1,500	-	EA41C2006A	-	-	-	-
CK01C2005A	0.07	0.02	300	-	CPF11C2007A	-	-	-	-	EA41P2003A	-	-	-	-
CK01C2005B	0.01	(0.01)	3,800	-	CPF13C2003A	-	-	-	-	EA41P2004A	1.03	0.06	772	-
CK01P2005A	1.17	0.11	7,453	1.00	CPF13C2006A	0.03	-	3,125	-	EA42C2004A	-	-	-	-
CK06C2004A	0.01	(0.03)	130	-	CPF13C2008A	0.07	(0.02)	106,451	-	EGCO01C2004A	-	-	-	-
CK11C2007A	-	-	-	-	CPF16C2007A	-	-	-	-	EGCO01C2004B	0.01	-	1,100	-
CK13C2003A	-	-	-	-	CPF19C2003A	-	-	-	-	EGCO01C2007B	0.02	(0.02)	20,676	-
CK13C2006A	0.05	(0.03)	540	-	CPF19C2005A	0.02	(0.02)	2,800	-	EGCO06C2004A	0.01	-	4,314	-
CK16C2003A	-	-	-	-	CPF19C2006A	0.02	(0.01)	420	-	EGCO06C2007A	-	-	-	-
CK16C2006A	-	-	-	-	CPF24C2007A	0.03	(0.03)	654	-	EGCO06P2004A	-	-	-	-
CK19C2003A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO13C2005A	-	-	-	-
CK19C2004A	-	-	-	-	CPF28C2007A	0.01	(0.01)	15,000	-	EGCO19C2005A	-	-	-	-
CK19C2007A	0.01	(0.01)	133	-	CPF41C2004A	-	-	-	-	EGCO19C2007A	0.01	(0.01)	120	-
CK24C2003A	-	-	-	-	CPF41C2005A	-	-	-	-	EGCO41C2003A	-	-	-	-
CK27C2008A	0.05	-	500	-	CPF41P2003A	-	-	-	-	EGCO41C2004A	-	-	-	-
CK41C2003A	-	-	-	-	CPF41P2005A	0.75	0.05	3,157	-	EGCO41C2006A	-	-	-	-
CK41C2004A	-	-	-	-	CPF42C2003A	-	-	-	-	EGCO41P2004A	-	-	-	-
CK41C2005A	-	-	-	-	CPN01C2005A	-	-	-	-	EGCO41P2006A	2.82	0.06	613	2.00
CK42C2006A	-	-	-	-	CPN01C2005B	-	-	-	-	EGCO42C2003A	-	-	-	-
CKP01C2004A	-	-	-	-	CPN01P2005A	2.14	0.24	10,966	1.00	EGCO42C2007A	0.01	-	2,900	-
CKP01C2004B	-	-	-	-	CPN06C2006A	-	-	-	-	EPG08C2004A	-	-</		



## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ERW06C2006A	-	-	-	-	GULF13P2004A	1.60	(0.06)	7,791	1.00	INTU23C2111A	0.43	-	732	-
ERW06C2007A	-	-	-	-	GULF13P2005A	2.94	(0.08)	5,898	2.00	INTU24C2003A	-	-	-	-
ERW06P2006A	-	-	-	-	GULF16C2003A	-	-	-	-	INTU24C2008A	-	-	-	-
ERW13C2005A	-	-	-	-	GULF16C2007A	0.22	(0.04)	129	-	INTU28C2008A	0.06	(0.03)	4,000	-
ERW13C2006A	-	-	-	-	GULF19C2003A	-	-	-	-	INTU41C2004A	-	-	-	-
ERW13C2007A	-	-	-	-	GULF19C2004A	0.02	0.01	1,536	-	INTU41C2005A	-	-	-	-
ERW19C2005A	-	-	-	-	GULF19C2006A	0.02	-	1,111	-	INTU41C2006A	-	-	-	-
ERW19C2006A	-	-	-	-	GULF19C2008A	0.40	-	849,281	-	INTU41C2007A	-	-	-	-
ERW19C2007A	-	-	-	-	GULF19P2003A	0.40	(0.02)	78,973	-	INTU41P2003A	-	-	-	-
ERW24C2006A	-	-	-	-	GULF19P2006A	2.14	(0.06)	6,727	2.00	INTU41P2004A	-	-	-	-
ESSO01C2004A	0.01	-	100	-	GULF24C2005A	0.10	-	1,542	-	INTU41P2005A	-	-	-	-
ESSO01C2004B	0.01	-	1,300	-	GULF27C2004A	0.09	0.01	80,733	-	INTU41P2006A	-	-	-	-
ESSO01C2008B	-	-	-	-	GULF28C2006A	-	-	-	-	INTU42C2003A	-	-	-	-
ESSO01C2009A	0.12	-	1,306	-	GULF28C2008A	0.09	0.02	2,004	-	INTU42C2005A	-	-	-	-
ESSO01P2009A	1.14	0.02	1,683	1.00	GULF41C2004A	-	-	-	-	IRPC01C2005A	0.02	0.01	338,506	-
ESSO08C2004A	-	-	-	-	GULF41C2005A	0.12	0.05	505	-	IRPC01C2005B	0.02	-	500	-
ESSO13C2003A	-	-	-	-	GULF41C2006A	0.25	-	42,891	-	IRPC01C2007B	0.06	-	100	-
ESSO13C2006A	0.04	0.02	1,210	-	GULF41P2003A	1.22	(0.07)	502	1.00	IRPC01P2005A	-	-	-	-
ESSO19C2004A	-	-	-	-	GULF41P2004A	1.81	(0.03)	200	1.00	IRPC01P2005B	2.00	0.15	46	2.00
ESSO19C2007A	0.04	(0.03)	14,000	-	GULF41P2005A	1.53	0.06	23	1.00	IRPC01P2007B	1.15	(0.04)	15,608	1.00
ESSO24C2003A	-	-	-	-	GULF41P2006A	1.49	0.02	177	1.00	IRPC06C2005A	0.01	-	3,248	-
ESSO24C2007A	-	-	-	-	GULF41P2007A	2.68	(0.08)	74	2.00	IRPC06C2007A	0.02	-	1,385	-
ESSO41C2003A	-	-	-	-	GULF42C2003A	0.01	-	10	-	IRPC06P2004A	-	-	-	-
ESSO41C2004A	-	-	-	-	GUNK01C2005A	-	-	-	-	IRPC11C2005A	0.03	0.02	1	-
ESSO41C2005A	-	-	-	-	GUNK01C2005B	-	-	-	-	IRPC11C2008A	-	-	-	-
ESSO41C2006A	-	-	-	-	GUNK01P2005A	1.16	-	2,046	1.00	IRPC13C2006A	-	-	-	-
ESSO42C2003A	-	-	-	-	GUNK11C2007A	-	-	-	-	IRPC13C2007A	0.02	(0.01)	34	-
ESSO42C2007A	0.04	(0.01)	51	-	GUNK13C2006A	-	-	-	-	IRPC13C2008A	0.09	(0.04)	32,000	-
GFPT13C2003A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC16C2008A	-	-	-	-
GFPT19C2004A	-	-	-	-	GUNK19C2006A	-	-	-	-	IRPC19C2003A	-	-	-	-
GFPT19C2006A	-	-	-	-	GUNK24C2006A	-	-	-	-	IRPC19C2005A	-	-	-	-
GFPT24C2007A	-	-	-	-	GUNK28C2005A	-	-	-	-	IRPC19C2007A	-	-	-	-
GFPT42C2004A	-	-	-	-	GUNK41C2003A	-	-	-	-	IRPC19C2008A	0.17	-	187,247	-
GFPT42C2008A	-	-	-	-	GUNK41C2005A	-	-	-	-	IRPC24C2004A	-	-	-	-
GLOB01C2003A	0.01	-	200	-	GUNK41P2005A	1.13	0.01	2,184	1.00	IRPC24C2007A	-	-	-	-
GLOB01C2007B	0.07	0.01	2,000	-	GUNK42C2003A	-	-	-	-	IRPC27C2007A	0.03	-	3	-
GLOB01C2008A	-	-	-	-	HANA01C2006A	-	-	-	-	IRPC28C2006A	-	-	-	-
GLOB01P2003A	0.85	(0.07)	6,847	-	HANA01C2006B	-	-	-	-	IRPC28C2008A	0.10	0.01	54,364	-
GLOB06C2006A	-	-	-	-	HANA01P2006A	0.98	0.24	4,474	-	IRPC41C2004A	-	-	-	-
GLOB13C2007A	0.05	0.02	481	-	HANA11C2008A	0.06	(0.04)	1,488	-	IRPC41C2005A	-	-	-	-
GLOB19C2005A	-	-	-	-	HANA13C2006A	-	-	-	-	IRPC41C2006A	-	-	-	-
GLOB19C2007A	0.11	(0.05)	149	-	HANA13C2008A	0.03	(0.14)	200	-	IRPC41C2007A	0.15	(0.02)	3,100	-
GLOB24C2005A	-	-	-	-	HANA16C2008A	-	-	-	-	IRPC41P2004A	1.02	0.21	120	1.00
GLOB41C2004A	-	-	-	-	HANA19C2003A	-	-	-	-	IRPC41P2005A	-	-	-	-
GLOB42C2009A	-	-	-	-	HANA19C2006A	-	-	-	-	IRPC41P2006A	-	-	-	-
GPSC01C2003A	0.01	-	100	-	HANA27C2007A	0.06	(0.05)	95	-	IRPC41P2007A	-	-	-	-
GPSC01C2003B	0.01	-	25,099	-	HANA27P2007A	1.02	0.18	3,034	-	IRPC42C2003A	-	-	-	-
GPSC01C2005A	0.02	-	25,025	-	HANA41C2006A	-	-	-	-	IRPC42C2006A	-	-	-	-
GPSC01C2005B	0.02	-	5,620	-	HMPR01C2006A	0.05	0.01	601	-	IVL01C2004A	0.01	-	9,640	-
GPSC01C2007B	0.04	(0.01)	5,708	-	HMPR01C2006B	0.06	(0.03)	1	-	IVL01C2004B	-	-	-	-
GPSC01C2008A	0.11	0.02	89,782	-	HMPR01P2006A	1.13	(0.02)	10,090	1.00	IVL01C2006B	0.02	(0.02)	10,773	-
GPSC01P2003A	3.54	(0.06)	277	3.00	HMPR06C2006A	-	-	-	-	IVL01P2004A	1.18	(0.02)	18,705	1.00
GPSC01P2005A	3.50	(0.16)	236	3.00	HMPR06P2007A	-	-	-	-	IVL01P2004B	0.70	(0.05)	25,488	-
GPSC01P2005B	2.92	(0.46)	230	3.00	HMPR11C2003A	-	-	-	-	IVL01P2006B	1.24	(0.08)	21,758	1.00
GPSC01P2007B	2.66	(0.14)	5,492	2.00	HMPR13C2003A	-	-	-	-	IVL06C2003A	-	-	-	-
GPSC01P2008A	3.00	(0.12)	8,645	2.00	HMPR13C2006A	-	-	-	-	IVL06C2008A	-	-	-	-
GPSC06C2006A	0.02	-	2,197	-	HMPR13C2007A	0.04	(0.01)	6,401	-	IVL06P2005A	-	-	-	-
GPSC06C2008A	0.13	(0.02)	4	-	HMPR19C2003A	-	-	-	-	IVL08C2004A	0.01	(0.01)	34	-
GPSC08C2004B	-	-	-	-	HMPR19C2005A	-	-	-	-	IVL08P2003A	-	-	-	-
GPSC08C2007A	0.04	0.01	42,734	-	HMPR19C2007A	0.08	(0.02)	1,000	-	IVL08P2004A	1.00	0.30	4	-
GPSC08P2006A	-	-	-	-	HMPR24C2004A	-	-	-	-	IVL11C2005A	0.02	0.01	6	-
GPSC11C2006A	0.05	-	2,287	-	HMPR41C2005A	-	-	-	-	IVL11C2006A	-	-	-	-
GPSC13C2005A	0.02	-	1,207	-	HMPR41C2006A	-	-	-	-	IVL13C2003A	-	-	-	-
GPSC13C2007A	0.06	-	3,663	-	HMPR41C2007A	-	-	-	-	IVL13C2006A	0.07	0.04	475	-
GPSC13C2008A	0.15	-	102,874	-	HMPR41C2007B	0.14	0.02	11,835	-	IVL13C2008A	0.14	(0.06)	43	-
GPSC13P2003A	-	-	-	-	HMPR42C2003A	-	-	-	-	IVL13P2004A	1.50	(0.08)	1,106	1.00
GPSC13P2005A	-	-	-	-	HSI28C2003A	0.01	-	10	-	IVL16C2006A	-	-	-	-
GPSC13P2007A	2.82	0.06	392	2.00	HSI28C2003B	-	-	-	-	IVL16C2009A	-	-	-	-
GPSC16C2003A	-	-	-	-	HSI28C2003C	-	-	-	-	IVL19C2003A	-	-	-	-
GPSC16C2007A	0.07	0.02	1	-	HSI28C2004A	0.31	-	315,145	-	IVL19C2004A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28C2004B	0.18	(0.02)	47,181	-	IVL19C2006A	-	-	-	-
GPSC19C2007A	0.05	0.02	194	-	HSI28C2004C	0.09	(0.05)	2,176	-	IVL19C2008A	0.18	(0.06)	54,685	-
GPSC19C2008A	0.21	(0.01)	10,205	-	HSI28C2005A	1.13	(0.08)	449,156	1.00	IVL19P2003A	-	-	-	-
GPSC19P2005A	2.44	(0.04)	21	2.00	HSI28C2005B	0.86	0.05	340,104	1.00	IVL19P2006A	1.17	0.01	142	1.00
GPSC24C2007A	-	-	-	-	HSI28C2005C	0.56	-	76,988	-	IVL24C2003A	-	-	-	-
GPSC27C2005A	0.01	-	72	-	HSI28C2005D	0.35	(0.03)	97,477	-	IVL27P2007A	1.00	0.03	68,185	-
GPSC28C2008A	0.10	0.02	1,610	-	HSI28P2003A	-	-	-	-	IVL28C2007A	0.05	-	500	-
GPSC41C2004A	-	-	-	-	HSI28P2003B	-	-	-	-	IVL41C2004A	-	-	-	-
GPSC41C2005A	-	-	-	-	HSI28P2003C	-	-	-	-	IVL41C2005A	-	-	-	-
GPSC41C2005B	-	-	-	-	HSI28P2004A	2.94	(0.08)	263,513	2.00	IVL41C2006A	-	-	-	-
GPSC41C2006A	0.03	-	50	-	HSI28P2004B	3.70	0.12	83,541	3.00	IVL41C2007A	0.01	(0.04)	300	-
GPSC41P2004A	-	-	-	-	HSI28P2004C	3.80	(0.52)	299,965	3.00	IVL41C2007B	0.19	(0.81)	114,835	-
GPSC41P2005A	-	-	-	-	HSI28P2005A	3.86	0.16	187,527	3.00	IVL41P2004A	0.61	0.24	304	-
GPSC41P2006A	2.50	-	44	2.00	HSI28P2005B	3.04	0.16	271,145	2.00	IVL41P2005A	1.56	0.22	10	1.00
GPSC42C2006A	0.03	0.01	677	-	HSI28P2005C	2.72	0.10	169,982	2.00	IVL41P2006A	-	-	-	-
GPSC42P2006A	-	-	-	-	HSI28P2005D	2.24	0.08	848,309	1.00	IVL41P2007A	-	-	-	-
GULF01C2003A	0.04	0.01	73,035	-	INTU01C2003A	0.01	-	300	-	IVL42C2005A	-	-	-	-
GULF01C2003B	0.01	(0.01)	31,137	-	INTU01C2003B	-	-	-	-	IVL42C2008A	0.27	0.02	2,450	-
GULF01C2005A	0.11	-	633,800	-	INTU01C2006A	0.09	0.01	953	-	JAS13C2006A	0.07	-	1,211	-
GULF01C2005B	0.03	(0.01)	60,263	-	INTU01C2006B	0.03	-	1,490	-	JAS19C2004A	-	-	-	-
GULF01C2007A	0.06	-	191,941	-	INTU01P2003A	-	-	-	-	JAS41C2004A	-	-	-	-
GULF01P2003A	0.47	(0.04)	18,586	-	INTU01P2003B	-	-	-	-	JAS41C2005A	-	-	-	-
GULF01P2003B	0.63	(0.10)	4,091	-	INTU01P2006A	1.46	(0.01)	832	1.00	JAS41C2006A	-	-	-	-
GULF01P2005A	3.06	(0.06)	25,014	3.00	INTU01P2006B	1.11	0.03	2,604	1.00	JAS41P2005A	0.57	(0.01)	1	-
GULF03C2005A	-													

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN01P2007A	2.56	0.06	1,683	2.00	KTC42C2003A	-	-	-	-	PLAN41C2005A	-	-	-	-
KBAN01P2007B	2.98	0.24	3,100	2.00	KTC42C2006A	0.02	(0.01)	1,623	-	PLAN41C2006A	-	-	-	-
KBAN06C2004A	0.01	-	75	-	LH01C2003A	-	-	-	-	PLAN42C2007A	-	-	-	-
KBAN06C2008A	0.05	(0.01)	200	-	LH01P2003A	-	-	-	-	PRM08C2003A	0.01	-	19,616	-
KBAN08C2005A	-	-	-	-	LH11C2007A	-	-	-	-	PRM13C2003A	-	-	-	-
KBAN08C2007A	0.02	-	6,623	-	LH19C2003A	-	-	-	-	PRM13C2006A	-	-	-	-
KBAN08P2004A	-	-	-	-	LH19C2003B	-	-	-	-	PRM19C2004A	-	-	-	-
KBAN13C2003A	-	-	-	-	LH19C2007A	-	-	-	-	PRM19C2006A	0.02	-	375	-
KBAN13C2003B	-	-	-	-	LH19P2004A	1.13	(0.38)	685	1.00	PRM42C2006A	0.02	(0.01)	3,050	-
KBAN13C2006A	0.02	-	3,450	-	LH41C2004A	-	-	-	-	PSH19C2003A	-	-	-	-
KBAN13C2008A	0.05	(0.02)	1,280	-	LH41C2005A	-	-	-	-	PSH19C2005A	-	-	-	-
KBAN13P2003A	-	-	-	-	LH41C2006A	-	-	-	-	PSL06C2006A	0.02	-	1,001	-
KBAN13P2006A	2.52	0.24	1,150	2.00	MAJO13C2007A	-	-	-	-	PSL13C2003A	-	-	-	-
KBAN13P2008A	1.40	0.04	2,187	1.00	MAJO19C2006A	-	-	-	-	PSL19C2004A	-	-	-	-
KBAN16C2005A	0.01	-	600	-	MBK19C2004A	-	-	-	-	PSL19C2006A	-	-	-	-
KBAN16C2008A	0.06	-	1	-	MEGA16C2009A	-	-	-	-	PSL19C2007A	0.14	(0.16)	4,467	-
KBAN19C2003A	-	-	-	-	MEGA19C2005A	-	-	-	-	PTG01C2003A	0.01	(0.01)	8,699	-
KBAN19C2004A	-	-	-	-	MINT01C2003A	-	-	-	-	PTG01C2003B	-	-	-	-
KBAN19C2007A	0.05	-	1	-	MINT01C2003B	0.01	-	500	-	PTG01C2005A	0.04	(0.04)	404	-
KBAN19P2004A	2.10	0.52	10	2.00	MINT01C2007B	0.02	-	20	-	PTG01C2005B	0.03	0.01	5,000	-
KBAN19P2007A	2.48	0.04	11	2.00	MINT01C2008A	0.03	(0.03)	27,060	-	PTG01C2007B	0.12	(0.01)	6,307	-
KBAN24C2005A	-	-	-	-	MINT01P2003A	-	-	-	-	PTG01P2003A	1.64	0.10	100	1.00
KBAN28C2004A	-	-	-	-	MINT01P2008A	1.38	0.18	43,974	1.00	PTG01P2005A	1.20	(0.03)	111	1.00
KBAN28C2008A	-	-	-	-	MINT06C2006A	-	-	-	-	PTG01P2005B	1.02	0.08	8,883	-
KBAN41C2003A	-	-	-	-	MINT06P2007A	-	-	-	-	PTG03C2005A	0.01	-	2,000	-
KBAN41C2004A	-	-	-	-	MINT08C2003A	0.01	-	120	-	PTG06C2006A	-	-	-	-
KBAN41C2005A	-	-	-	-	MINT11C2006A	0.01	-	5	-	PTG08C2005A	-	-	-	-
KBAN41C2007A	-	-	-	-	MINT13C2004A	-	-	-	-	PTG08C2007A	0.10	(0.03)	26,095	-
KBAN41C2008A	0.20	(0.80)	1,800	-	MINT13C2006A	-	-	-	-	PTG11C2003A	-	-	-	-
KBAN41P2004A	-	-	-	-	MINT13C2008A	0.02	(0.03)	1,753	-	PTG11C2005A	0.03	(0.02)	10	-
KBAN41P2005A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG13C2004A	-	-	-	-
KBAN41P2006A	-	-	-	-	MINT19C2006A	-	-	-	-	PTG13C2006A	0.05	(0.05)	4,146	-
KBAN42C2003A	-	-	-	-	MINT19P2004A	-	-	-	-	PTG13P2004A	-	-	-	-
KBAN42C2004A	-	-	-	-	MINT24C2006A	-	-	-	-	PTG13P2006A	0.67	0.05	978	-
KBAN42C2007A	0.01	-	900	-	MINT28C2006A	0.01	(0.01)	5,400	-	PTG16C2009A	-	-	-	-
KBAN42P2008A	-	-	-	-	MINT28C2008A	-	-	-	-	PTG19C2003A	-	-	-	-
KCE01C2004A	0.10	(0.02)	59,072	-	MINT41C2004A	-	-	-	-	PTG19C2004A	-	-	-	-
KCE01C2004B	0.08	0.02	717	-	MINT41C2005A	-	-	-	-	PTG19C2005A	-	-	-	-
KCE01C2007B	0.02	(0.01)	6,387	-	MINT41C2007A	0.07	(0.93)	310	-	PTG19C2006A	0.07	(0.05)	51	-
KCE01C2008A	0.08	(0.01)	14,564	-	MINT41P2004A	1.64	0.31	600	1.00	PTG19P2006A	1.03	0.18	66	-
KCE01P2004A	1.93	0.06	22,504	1.00	MINT42C2004A	-	-	-	-	PTG27C2007A	0.08	(0.01)	4,621	-
KCE08C2005A	0.02	(0.02)	1,650	-	MTC01C2003A	0.03	(0.01)	139	-	PTG28C2004A	-	-	-	-
KCE08C2005B	0.02	(0.01)	20	-	MTC01C2003B	-	-	-	-	PTG41C2004A	-	-	-	-
KCE11C2004A	0.03	(0.04)	10,100	-	MTC01C2007B	0.03	(0.03)	6,229	-	PTG41C2005A	-	-	-	-
KCE13C2003A	-	-	-	-	MTC01C2008A	0.09	(0.10)	104,539	-	PTG41C2006A	-	-	-	-
KCE13C2004A	0.02	-	3,682	-	MTC01P2003A	1.42	0.78	5,699	-	PTG41P2005A	-	-	-	-
KCE13C2005A	-	-	-	-	MTC03C2005A	-	-	-	-	PTG42C2004A	-	-	-	-
KCE13C2006A	0.13	(0.02)	1,934	-	MTC06C2007A	-	-	-	-	PTG42C2006A	0.04	(0.02)	1,700	-
KCE16C2007A	0.02	(0.03)	3,375	-	MTC08C2005A	0.03	(0.02)	88,550	-	PTT01C2004A	0.02	-	30,444	-
KCE19C2005A	0.04	(0.03)	2,400	-	MTC11C2008A	0.07	(0.09)	2,800	-	PTT01C2004B	0.02	-	938	-
KCE19C2007A	0.06	(0.01)	2,900	-	MTC13C2003A	-	-	-	-	PTT01C2007A	0.05	(0.01)	94,250	-
KCE24C2005A	0.13	(0.20)	4	-	MTC13C2007A	0.04	(0.03)	24,750	-	PTT01C2007B	0.03	-	31,702	-
KCE27C2007A	0.04	0.01	4	-	MTC13P2003A	2.00	1.00	1	2.00	PTT01P2004A	1.55	0.02	3,292	1.00
KCE41C2003A	-	-	-	-	MTC16C2007A	0.11	(0.01)	350	-	PTT01P2004B	1.57	0.04	315	1.00
KCE41C2005A	0.07	(0.03)	103	-	MTC19C2006A	0.02	(0.04)	25	-	PTT01P2007A	1.87	0.02	7,725	1.00
KCE41C2006A	-	-	-	-	MTC19P2004A	1.10	0.55	52,891	-	PTT01P2007B	2.10	-	516	2.00
KKP01C2006A	-	-	-	-	MTC24C2004A	-	-	-	-	PTT06C2005A	0.01	(0.01)	1	-
KKP01C2006B	-	-	-	-	MTC27C2007A	-	-	-	-	PTT08C2005A	0.02	-	300	-
KKP01P2006A	2.92	0.32	44	2.00	MTC28C2006A	0.02	(0.02)	791	-	PTT08P2005A	1.51	(0.21)	106	1.00
KKP08C2003A	-	-	-	-	MTC28C2008A	0.07	(0.03)	5,004	-	PTT11C2004A	-	-	-	-
KKP11C2007A	-	-	-	-	MTC41C2004A	-	-	-	-	PTT11C2008A	0.04	0.01	4,966	-
KKP13C2004A	-	-	-	-	MTC41C2007A	0.09	(0.05)	28,270	-	PTT13C2004A	-	-	-	-
KKP13C2007A	-	-	-	-	MTC41P2004A	1.62	0.71	1,064	1.00	PTT13C2006A	0.01	(0.01)	63	-
KKP19C2003A	-	-	-	-	MTC42C2003A	-	-	-	-	PTT13C2008A	0.04	0.01	20,131	-
KKP24C2003A	-	-	-	-	OR113C2004A	-	-	-	-	PTT13C2008B	0.15	(0.02)	6,281	-
KKP41C2006A	-	-	-	-	OR119C2003A	-	-	-	-	PTT13P2004A	2.18	0.41	2	2.00
KTB01C2003A	-	-	-	-	OR119C2005A	-	-	-	-	PTT13P2006A	2.14	(0.28)	150	2.00
KTB01C2008B	-	-	-	-	OR128C2004A	-	-	-	-	PTT13P2008A	0.42	0.07	64,276	-
KTB01C2009A	0.08	-	940	-	OR128C2007A	0.02	0.01	500	-	PTT16C2008A	-	-	-	-
KTB01P2003A	-	-	-	-	OR141C2004A	-	-	-	-	PTT19C2005A	-	-	-	-
KTB01P2009A	1.01	0.02	4,743	-	OSP01C2003A	0.01	(0.01)	8,825	-	PTT19C2008A	0.17	(0.02)	456,084	-
KTB11C2004A	-	-	-	-	OSP01C2003B	-	-	-	-	PTT19P2003A	1.62	0.07	1	1.00
KTB11C2006A	-	-	-	-	OSP01C2006A	0.07	(0.01)	54,648	-	PTT19P2006A	1.76	-	70	1.00
KTB13C2006A	-	-	-	-	OSP01C2006B	0.03	(0.02)	737	-	PTT24C2003A	-	-	-	-
KTB19C2005A	-	-	-	-	OSP01P2003A	0.84	(0.03)	18,516	-	PTT24C2008A	0.05	0.02	1,753	-
KTB24C2004A	-	-	-	-	OSP01P2006A	1.23	(0.01)	26,558	1.00	PTT28C2004A	-	-	-	-
KTB41C2003A	-	-	-	-	OSP06C2005A	0.02	-	7,194	-	PTT28C2007A	-	-	-	-
KTB41C2004A	-	-	-	-	OSP06P2003A	-	-	-	-	PTT28C2008A	0.07	(0.02)	5,000	-
KTB41C2006A	-	-	-	-	OSP08C2004A	0.01	(0.01)	200	-	PTT28P2004A	-	-	-	-
KTB41P2004A	-	-	-	-	OSP11C2005A	-	-	-	-	PTT41C2004A	-	-	-	-
KTC01C2004A	0.01	(0.02)	1	-	OSP13C2004A	-	-	-	-	PTT41C2005A	-	-	-	-
KTC01C2004B	-	-	-	-	OSP13C2006A	0.03	(0.01)	2,403	-	PTT41C2006A	-	-	-	-
KTC01C2007A	0.14	(0.03)	14,300	-	OSP16C2008A	0.09	(0.01)	100	-	PTT41C2007A	0.24	(0.76)	10,000	-
KTC01C2007B	0.07	(0.03)	4,195	-	OSP19C2004A	-	-	-	-	PTT41P2004A	-	-	-	-
KTC01P2004A	1.03	0.21	11,275	-	OSP19C2005A	-	-	-	-	PTT41P2005A	-	-	-	-
KTC01P2007A	0.88	0.16	58,999	-	OSP24C2008A	-	-	-	-	PTT41P2006A	-	-	-	-
KTC06C2006A	0.02	(0.02)	3,480	-	OSP41C2003A	-	-	-	-	PTT42C2003A	-	-	-	-
KTC08C2004A	-	-	-	-	OSP41C2004A	-	-	-	-	PTT42C2007A	0.01	-	17,341	-
KTC08C2006A	0.06	(0.03)	86,302	-	OSP41C2005A	-	-	-	-	PTTE01C2004A	0.02	-	3,130	-
KTC11C2005A	0.03	0.01	48	-	OSP41P2003A	-	-	-	-	PTTE01C2004B	0.01	(0.01)	9,950	-
KTC13C2004A	-	-	-	-	OSP41P2004A	0.76	(0.05)	1,355	-	PTTE01C2007A	0.03	(0.01)	71,795	-
KTC13C2006A	0.05	(0.01)	370	-	OSP42C2005A	-	-	-	-	PTTE01C2007B	0.01	(0.01)	27,326	-
KTC13P2006A	0.72	-	6,192	-	PLAN08C2004A	-	-	-	-	PTTE01P2004A	2.62	0.02	192	2.00
KTC13P2007A	1.41	0.35	8	1.00	PLAN13C2004A	-	-	-	-	PTTE01P2004B	3.14	(0.06)	2,934	3.00
KTC19C2005A	-	-	-	-	PLAN13C2005A	-	-	-	-	PTTE01P2007A	3.70	-	3,969	3.00
KTC19C2006A	-	-	-	-</										

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC41C2006A	0.03	-	2,100	-	PLAN41C2004A	-	-	-	-	PTTE13C2004A	-	-	-	-



## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE13C2006A	0.02	-	3,985	-	RS08P2006A	1.06	0.02	4,362	1.00	S5019P2003D	11.50	0.40	10	11.00
PTTE13C2008A	0.02	-	34,010	-	RS13C2004A	-	-	-	-	S5019P2006A	6.95	(0.10)	19	6.00
PTTE13C2008B	0.17	(0.03)	53,721	-	RS13C2006A	0.07	(0.08)	2	-	S5019P2006B	5.25	(0.30)	27	5.00
PTTE13P2006A	3.92	-	2,242	3.00	RS16C2005A	-	-	-	-	S5019P2006C	5.85	0.10	1,742	5.00
PTTE13P2008A	1.23	(0.03)	38,829	1.00	RS19C2004A	-	-	-	-	S5024C2003A	-	-	-	-
PTTE16C2003A	-	-	-	-	RS19C2005A	-	-	-	-	S5024C2003B	-	-	-	-
PTTE16C2009A	0.04	-	1	-	RS19C2007A	0.09	-	10,144	-	S5024C2003C	0.01	-	455	-
PTTE19C2006A	0.02	0.01	1	-	RS24C2004A	-	-	-	-	S5024C2006A	0.02	-	2,323	-
PTTE19C2008A	0.02	-	9,353	-	RS24C2008A	-	-	-	-	S5024C2006B	0.02	-	11,332	-
PTTE19C2008B	0.27	(0.01)	367,469	-	RS41C2004A	-	-	-	-	S5024C2009A	0.06	-	9,449	-
PTTE19P2004A	2.56	0.04	962	2.00	RS42C2004A	-	-	-	-	S5024C2009B	0.35	(0.15)	17,070	-
PTTE19P2006A	-	-	-	-	RS42C2008A	-	-	-	-	S5024P2003A	-	-	-	-
PTTE24C2003A	-	-	-	-	S10001C2011A	0.03	-	19,042	-	S5024P2003B	-	-	-	-
PTTE24C2008A	0.03	0.01	2,031	-	S5001C2003F	0.01	-	33,344	-	S5024P2006A	22.00	1.30	50	22.00
PTTE28C2005A	-	-	-	-	S5001C2003G	0.02	0.01	7,739	-	S5024P2006B	11.10	0.10	1	11.00
PTTE28C2008A	0.03	(0.02)	8,024	-	S5001C2003H	0.01	-	1,119	-	S5024P2006C	5.95	0.40	2,546	5.00
PTTE28P2004A	3.00	0.10	797	3.00	S5001C2003I	0.01	-	4,421	-	S5028C2003A	0.01	-	59	-
PTTE41C2005A	-	-	-	-	S5001C2003J	0.01	-	1,322	-	S5028C2003B	-	-	-	-
PTTE41C2006A	0.06	(0.03)	400	-	S5001C2004A	0.02	-	98,666	-	S5028C2004A	-	-	-	-
PTTE41C2007A	0.64	(0.36)	42,289	-	S5001C2005A	0.03	-	34,482	-	S5028C2004B	0.02	-	2,660	-
PTTE41P2004A	-	-	-	-	S5001C2006F	0.03	(0.01)	184,879	-	S5028C2006A	0.02	(0.01)	1,926	-
PTTE42C2004A	-	-	-	-	S5001C2006G	0.03	-	67,481	-	S5028C2006B	0.03	-	3,210	-
PTTE42P2008A	1.79	0.21	50	1.00	S5001C2006H	0.12	(0.01)	1,583,410	-	S5028P2003A	2.90	0.04	100	2.00
PTTG01C2005A	0.01	-	1,322	-	S5001C2007A	0.31	0.03	2,588,454	-	S5028P2004A	9.60	0.45	380	9.00
PTTG01C2005B	0.02	0.01	480	-	S5001P2003F	13.40	(0.10)	313	13.00	S5028P2004B	6.70	0.35	457	6.00
PTTG01C2007B	0.03	0.01	7,058	-	S5001P2003G	15.60	0.80	166	15.00	S5028P2006A	2.74	0.08	23,331	2.00
PTTG01C2008A	0.02	-	86,011	-	S5001P2003H	15.10	0.10	2	15.00	S5028P2006B	2.40	0.20	193,215	2.00
PTTG01P2005A	3.20	(0.10)	2,915	3.00	S5001P2003I	-	-	-	-	S5041C2003A	-	-	-	-
PTTG01P2005B	3.72	0.02	1,648	3.00	S5001P2003J	7.95	(1.15)	6	7.00	S5041C2003B	-	-	-	-
PTTG01P2007B	2.66	(0.12)	769	2.00	S5001P2004A	6.55	0.15	2,484	6.00	S5041C2003C	-	-	-	-
PTTG01P2008A	2.44	(0.08)	309	2.00	S5001P2005A	5.60	0.10	6,932	5.00	S5041C2003D	-	-	-	-
PTTG06C2006A	-	-	-	-	S5001P2006F	12.90	(1.20)	782	13.00	S5041C2003E	-	-	-	-
PTTG08C2004A	-	-	-	-	S5001P2006G	11.60	(0.40)	5,956	11.00	S5041C2006A	0.31	(0.01)	4,402	-
PTTG08P2004A	2.50	(0.04)	100	2.00	S5001P2006H	6.15	0.50	31,669	6.00	S5041C2006B	0.43	(0.01)	3,748	-
PTTG11C2004A	-	-	-	-	S5001P2007A	5.60	0.55	183,127	5.00	S5041C2006C	1.29	(0.15)	1,173,325	1.00
PTTG11C2007A	0.01	(0.01)	5	-	S5006C2003A	0.02	-	8,356	-	S5041P2003A	-	-	-	-
PTTG13C2005A	-	-	-	-	S5006C2003B	0.02	-	141	-	S5041P2003B	-	-	-	-
PTTG13C2007A	0.02	0.01	1,431	-	S5006C2003C	-	-	-	-	S5041P2003C	-	-	-	-
PTTG13C2008A	0.07	-	30,981	-	S5006C2006A	0.04	0.02	25,814	-	S5041P2003D	-	-	-	-
PTTG13P2004A	-	-	-	-	S5006C2006B	0.05	0.01	387	-	S5041P2003E	-	-	-	-
PTTG13P2008A	1.60	(0.04)	607	1.00	S5006P2003A	-	-	-	-	S5041P2006A	9.90	0.30	758	9.00
PTTG16C2006A	-	-	-	-	S5006P2003B	-	-	-	-	S5041P2006B	8.60	0.05	122	8.00
PTTG19C2006A	-	-	-	-	S5006P2003C	-	-	-	-	S5041P2006C	4.88	0.14	79,022	4.00
PTTG19C2006B	-	-	-	-	S5006P2006A	14.20	(0.30)	17	14.00	SAWA01C2003A	0.05	(0.07)	14,299	-
PTTG19C2008A	0.02	0.01	62,129	-	S5006P2006B	-	-	-	-	SAWA01C2003B	0.01	-	200	-
PTTG19C2008B	0.18	0.02	171,220	-	S5008C2003A	-	-	-	-	SAWA01C2006A	0.10	(0.06)	67,004	-
PTTG19P2003A	-	-	-	-	S5008C2003B	-	-	-	-	SAWA01C2006B	0.03	(0.02)	400	-
PTTG19P2006A	-	-	-	-	S5008C2006A	0.03	-	34,851	-	SAWA01P2003A	0.71	0.27	29,765	-
PTTG24C2003A	-	-	-	-	S5008P2003A	-	-	-	-	SAWA01P2006A	2.32	0.41	8,061	2.00
PTTG24C2008A	-	-	-	-	S5008P2003B	37.00	14.50	58	23.00	SAWA06C2007A	-	-	-	-
PTTG27P2006A	-	-	-	-	S5008P2003C	-	-	-	-	SAWA08C2006A	0.04	(0.05)	3,036	-
PTTG28C2006A	-	-	-	-	S5011C2003A	-	-	-	-	SAWA11C2003A	-	-	-	-
PTTG28C2008A	-	-	-	-	S5011P2003A	-	-	-	-	SAWA13C2005A	0.10	0.06	290	-
PTTG41C2003A	-	-	-	-	S5013C2003A	0.01	-	100,200	-	SAWA13C2007A	0.05	(0.01)	2,350	-
PTTG41C2004A	-	-	-	-	S5013C2003B	0.01	-	200	-	SAWA16C2008A	0.06	(0.01)	3,010	-
PTTG41C2005A	-	-	-	-	S5013C2003C	-	-	-	-	SAWA19C2005A	-	-	-	-
PTTG41C2006A	-	-	-	-	S5013C2003D	-	-	-	-	SAWA24C2004A	0.07	-	500	-
PTTG41C2007A	-	-	-	-	S5013C2003E	0.01	-	110	-	SAWA27C2007A	0.08	(0.02)	500	-
PTTG41C2008A	-	-	-	-	S5013C2006A	0.02	-	851,263	-	SAWA28C2004A	0.01	-	1,101	-
PTTG41P2003A	-	-	-	-	S5013C2006B	0.02	0.01	410,008	-	SAWA28C2007A	0.05	(0.03)	400	-
PTTG41P2006A	-	-	-	-	S5013C2006C	0.02	-	33,842	-	SAWA28C2008A	0.07	(0.04)	65,427	-
PTTG42C2003A	-	-	-	-	S5013C2006D	0.02	(0.01)	1,419,322	-	SAWA41C2004A	-	-	-	-
PTTG42C2007A	0.09	0.08	1	-	S5013C2006E	0.20	0.01	9,001,441	-	SAWA41C2005A	0.05	(0.02)	50	-
QH01C2006A	-	-	-	-	S5013P2003A	10.00	(1.00)	16	10.00	SAWA41P2004A	1.21	0.23	10,834	1.00
QH01C2006B	-	-	-	-	S5013P2003B	10.40	(0.30)	30	10.00	SAWA41P2005A	1.80	0.27	9,538	1.00
QH01P2006A	0.87	-	257	-	S5013P2003C	10.90	(3.10)	22	11.00	SAWA42C2003A	-	-	-	-
QH11C2006A	-	-	-	-	S5013P2003D	-	-	-	-	SCB01C2004A	0.01	-	3,755	-
QH13C2003A	-	-	-	-	S5013P2003E	9.05	(2.45)	12	9.00	SCB01C2004B	0.01	(0.01)	100	-
QH19C2006A	-	-	-	-	S5013P2006A	9.00	0.40	2,796	8.00	SCB01C2007A	0.03	(0.01)	19,034	-
QH27C2007A	-	-	-	-	S5013P2006B	6.80	0.30	916	6.00	SCB01C2007B	0.02	-	23,519	-
RATC01C2003A	0.01	-	3,355	-	S5013P2006C	6.30	0.30	17,416	6.00	SCB01C2008B	0.11	-	5,080	-
RATC01C2003B	0.01	-	5,018	-	S5013P2006E	4.92	0.32	916,830	4.00	SCB01C2009A	0.25	-	1,404	-
RATC01C2006A	-	-	-	-	S5013P2006E	4.68	0.38	2,934,700	4.00	SCB01P2004A	2.26	(0.02)	473	2.00
RATC01C2006B	-	-	-	-	S5016C2003A	0.01	-	1	-	SCB01P2004B	2.70	0.02	16	2.00
RATC01P2006A	1.99	-	201	2.00	S5016C2003B	-	-	-	-	SCB01P2007A	1.90	0.01	5,512	1.00
RATC06C2006A	0.02	-	1,500	-	S5016C2003C	0.01	-	54	-	SCB01P2007B	2.38	0.02	8,096	2.00
RATC06P2006A	1.60	0.46	140	1.00	S5016C2003D	-	-	-	-	SCB06C2007A	-	-	-	-
RATC13C2004A	-	-	-	-	S5016C2003E	-	-	-	-	SCB08C2005A	0.02	-	1,974	-
RATC13C2007A	0.04	-	320	-	S5016C2006A	0.02	(0.01)	7,778	-	SCB08C2007A	0.04	-	551	-
RATC16C2008A	-	-	-	-	S5016C2006B	0.04	-	1,972	-	SCB08P2004A	2.56	-	20	2.00
RATC19C2005A	-	-	-	-	S5016P2003A	-	-	-	-	SCB11C2005A	-	-	-	-
RATC19C2007A	0.08	0.02	700	-	S5016P2003C	-	-	-	-	SCB11C2006A	-	-	-	-
RATC24C2006A	-	-	-	-	S5016P2003D	-	-	-	-	SCB11C2008A	-	-	-	-
RATC27C2004A	-	-	-	-	S5016P2006A	-	-	-	-	SCB11P2005A	-	-	-	-
RATC27C2007A	-	-	-	-	S5016P2006B	7.50	0.30	448	7.00	SCB13C2006A	0.02	0.01	1,001	-
RATC41C2003A	-	-	-	-	S5019C2003A	-	-	-	-	SCB13C2006B	-	-	-	-
RATC41C2004A	-	-	-	-	S5019C2003B	-	-	-	-	SCB13C2007A	-	-	-	-
RATC41C2005A	-	-	-	-	S5019C2003C	-	-	-	-	SCB13C2008A	0.25	(0.07)	356	-
RATC41C2006A	-	-	-	-	S5019C2003D	-	-	-	-	SCB13P2006A	3.14	0.34	10	3.00
RATC41P2004A	1.97	0.14	4,000	1.00	S5019C2006A	0.02	-	3,685	-	SCB13P2008A	1.20	(0.13)	57	1.00

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RATC41P2006A	1.64	(0.13)	16,358	1.00	S5019C2006B	0.02	(0.01)	14,455	-	SCB16C2003A	-	-	-	-
RATC42C2003A	-	-	-	-	S5019C2006C	0.12	-	122,326	-	SCB16C2008A	-	-	-	-
RATC42C2006A	-	-	-	-	S5019P2003A	10.40	0.30	14	10.00	SCB19C2003A	-	-	-	-
RS06C2004A	-	-	-	-	S5019P2003B	10.20	1.85	1	10.00	SCB19C2006A	-	-	-	-
RS08P2003A	-	-	-	-	S5019P2003C	-	-	-	-	SCB19C2007A	-	-	-	-

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB19C2008A	0.54	(0.46)	70,808	-	STA01C2003A	0.09	-	25	-	TISC11C2005A	-	-	-	-
SCB19P2005A	-	-	-	-	STA01C2003B	0.01	-	527	-	TISC11C2007A	0.06	(0.08)	3,595	-
SCB24C2004A	0.01	-	2	-	STA01C2008B	-	-	-	-	TISC13C2004A	-	-	-	-
SCB24C2008A	-	-	-	-	STA01C2009A	0.19	(0.05)	10,869	-	TISC13C2006A	0.01	(0.09)	386	-
SCB27C2007A	-	-	-	-	STA01P2003A	0.11	0.02	32,987	-	TISC19C2004A	-	-	-	-
SCB27P2006A	2.20	0.14	101	2.00	STA01P2009A	0.71	0.02	7,797	-	TISC19C2006A	0.02	-	4,500	-
SCB28C2004A	-	-	-	-	STA11C2005A	-	-	-	-	TISC41C2005A	0.05	0.01	1,000	-
SCB28C2006A	-	-	-	-	STA13C2003A	0.01	(0.03)	1,541	-	TISC41C2006A	-	-	-	-
SCB28C2006B	-	-	-	-	STA13C2006A	0.08	-	18,827	-	TISC41P2006A	1.38	0.21	1,644	1.00
SCB28C2008A	0.09	-	20	-	STA19C2004A	0.08	(0.01)	200	-	TISC42C2003A	-	-	-	-
SCB41C2004A	-	-	-	-	STA19C2005A	0.34	(0.04)	5,539	-	TKN01C2003A	0.01	-	5,301	-
SCB41C2005A	-	-	-	-	STA19C2007A	0.08	(0.01)	3,264	-	TKN01C2003B	0.01	-	2	-
SCB41C2006A	-	-	-	-	STA42C2007A	0.09	0.01	100	-	TKN01C2007B	-	-	-	-
SCB41C2006B	-	-	-	-	STEC01C2003A	0.01	-	22,062	-	TKN01C2008A	-	-	-	-
SCB41C2008A	0.26	(0.74)	8,364	-	STEC01C2003B	0.01	-	7,998	-	TKN08C2003A	-	-	-	-
SCB41P2004A	-	-	-	-	STEC01C2004A	0.04	0.01	1	-	TKN08C2007A	-	-	-	-
SCB41P2005A	-	-	-	-	STEC01C2006A	0.08	(0.02)	2,285	-	TKN13C2004A	-	-	-	-
SCB42C2003A	-	-	-	-	STEC01C2006B	0.02	-	5,380	-	TKN13C2006A	-	-	-	-
SCB42C2006A	-	-	-	-	STEC01P2003A	-	-	-	-	TKN16C2008A	-	-	-	-
SCB42C2007A	-	-	-	-	STEC01P2006A	1.44	0.13	5,653	1.00	TKN19C2004A	-	-	-	-
SCC01C2004A	0.04	0.02	2,816	-	STEC06C2004A	0.02	0.01	800	-	TKN19C2004B	-	-	-	-
SCC01C2004B	0.01	-	3,620	-	STEC08C2004A	0.01	(0.02)	2,300	-	TKN19C2007A	-	-	-	-
SCC01P2004A	2.16	(0.10)	577	2.00	STEC08C2005A	-	-	-	-	TKN28C2007A	-	-	-	-
SCC06C2007A	0.03	-	1,806	-	STEC11C2007A	0.02	0.01	2	-	TKN41C2003A	-	-	-	-
SCC08C2004A	-	-	-	-	STEC13C2003A	-	-	-	-	TKN41C2005A	-	-	-	-
SCC08P2006A	2.08	(0.02)	818	2.00	STEC13C2004A	0.01	-	780	-	TKN41C2006A	-	-	-	-
SCC11C2003A	-	-	-	-	STEC16C2003A	-	-	-	-	TKN42C2003A	-	-	-	-
SCC11C2006A	0.05	-	1	-	STEC16C2006A	-	-	-	-	TKN42C2006A	-	-	-	-
SCC11C2007A	0.06	0.01	1	-	STEC16C2009A	-	-	-	-	TMB01C2004A	0.02	0.01	11	-
SCC13C2004A	-	-	-	-	STEC19C2004A	-	-	-	-	TMB01C2004B	-	-	-	-
SCC13C2008A	0.20	-	1,400	-	STEC19C2005A	-	-	-	-	TMB01P2004A	-	-	-	-
SCC13P2006A	2.08	(0.14)	1,132	1.00	STEC24C2003A	-	-	-	-	TMB19C2004A	-	-	-	-
SCC16C2005A	-	-	-	-	STEC24C2006A	0.03	(0.05)	950	-	TMB19C2007A	0.01	(0.01)	3,884	-
SCC19C2003A	-	-	-	-	STEC28C2004A	-	-	-	-	TMB19P2004A	-	-	-	-
SCC19C2003B	-	-	-	-	STEC28C2004B	-	-	-	-	TMB41C2004A	-	-	-	-
SCC19C2006A	0.03	0.01	500	-	STEC28C2005A	-	-	-	-	TMB41C2005A	-	-	-	-
SCC19C2008A	0.16	0.01	170	-	STEC41C2004A	-	-	-	-	TMB41P2006A	1.59	(0.07)	135	1.00
SCC19P2004A	1.85	0.34	27	1.00	STEC41C2005A	-	-	-	-	TOA01C2006A	0.15	0.03	1,400	-
SCC24C2003A	-	-	-	-	STEC41C2006A	-	-	-	-	TOA01C2006B	0.06	-	1	-
SCC24C2006A	-	-	-	-	STEC41P2004A	-	-	-	-	TOA08C2003A	-	-	-	-
SCC27P2008A	0.98	(0.08)	23,504	-	STEC41P2005A	0.79	0.14	1	-	TOA13C2003A	-	-	-	-
SCC28C2004A	-	-	-	-	STEC42C2004A	-	-	-	-	TOA13C2007A	0.11	(0.04)	400	-
SCC28C2008A	0.11	0.01	117,170	-	SUPE13C2003A	-	-	-	-	TOA19C2004A	-	-	-	-
SCC41C2004A	-	-	-	-	SUPE19C2004A	-	-	-	-	TOA19C2007A	0.13	0.03	10,535	-
SCC41C2005A	-	-	-	-	SUPE19C2007A	0.02	(0.01)	1	-	TOA24C2005A	-	-	-	-
SCC41C2006A	-	-	-	-	SUPE42C2004A	-	-	-	-	TOA41C2004A	-	-	-	-
SCC41C2006B	0.17	0.04	10	-	TASC01C2003A	0.01	-	300	-	TOP01C2003A	0.01	-	2,500	-
SCC41P2004A	-	-	-	-	TASC01C2003B	-	-	-	-	TOP01C2003B	0.01	-	5,000	-
SCC41P2005A	-	-	-	-	TASC01C2007B	0.11	0.01	5,725	-	TOP01C2006A	0.02	-	13,141	-
SCC41P2006A	-	-	-	-	TASC01C2008A	0.30	0.03	9,536	-	TOP01C2006B	0.01	(0.01)	450	-
SCC42C2003A	-	-	-	-	TASC01P2003A	0.42	(0.08)	890	-	TOP01C2008B	0.05	(0.02)	980	-
SCC42C2008A	-	-	-	-	TASC01P2008A	1.21	(0.03)	327	1.00	TOP01C2009A	0.12	(0.04)	7,873	-
SGP13C2004A	-	-	-	-	TASC08C2005A	0.03	(0.02)	1,050	-	TOP01P2003A	-	-	-	-
SGP13C2006A	-	-	-	-	TASC08C2006A	0.11	0.01	38,500	-	TOP01P2006A	3.74	0.16	410	3.00
SGP13C2007A	-	-	-	-	TASC13C2003A	-	-	-	-	TOP01P2009A	1.55	0.15	5,390	1.00
SGP19C2006A	-	-	-	-	TASC13C2006A	0.16	0.02	124	-	TOP06C2004A	-	-	-	-
SGP19C2006B	-	-	-	-	TASC16C2008A	0.06	(0.02)	400	-	TOP06C2007A	0.01	(0.01)	5,528	-
SGP42C2007A	-	-	-	-	TASC19C2003A	-	-	-	-	TOP06P2005A	-	-	-	-
SIRI13C2007A	0.05	(0.02)	1	-	TASC19C2006A	0.21	(0.04)	4,945	-	TOP08C2003A	-	-	-	-
SIRI19C2004A	-	-	-	-	TASC19C2007A	0.12	-	100	-	TOP08C2007A	0.02	(0.01)	4,500	-
SIRI19C2007A	0.03	-	101	-	TASC19P2004A	-	-	-	-	TOP08P2003A	-	-	-	-
SPAL01C2004A	-	-	-	-	TASC24C2006A	-	-	-	-	TOP08P2007A	-	-	-	-
SPAL01C2004B	-	-	-	-	TASC28C2004A	-	-	-	-	TOP11C2007A	0.02	-	1	-
SPAL06P2004A	0.95	0.01	28	-	TASC28C2006A	-	-	-	-	TOP13C2004A	-	-	-	-
SPAL11C2006A	0.03	(0.03)	270	-	TASC41C2004A	0.05	(0.08)	500	-	TOP13C2006A	0.02	0.01	3,187	-
SPAL13C2003A	-	-	-	-	TASC41C2005A	-	-	-	-	TOP13C2008A	0.03	-	7,071	-
SPAL13C2006A	-	-	-	-	TASC42C2003A	-	-	-	-	TOP13C2008B	0.09	(0.08)	7,429	-
SPAL19C2004A	-	-	-	-	TASC42C2005A	0.04	0.01	5,881	-	TOP13P2005A	-	-	-	-
SPAL24C2003A	-	-	-	-	TCAP01C2007B	-	-	-	-	TOP13P2006A	3.40	-	11	3.00
SPAL27C2008A	-	-	-	-	TCAP01C2008A	0.05	(0.04)	216	-	TOP16C2008A	-	-	-	-
SPAL41C2004A	-	-	-	-	TCAP01P2008A	2.24	0.47	1,056	1.00	TOP19C2003A	-	-	-	-
SPAL42C2003A	-	-	-	-	TCAP13C2007A	-	-	-	-	TOP19C2006A	-	-	-	-
SPRC01C2003A	-	-	-	-	TCAP19C2004A	0.04	0.03	50	-	TOP19C2007A	0.02	(0.02)	800	-
SPRC01C2003B	0.01	(0.01)	3,400	-	TCAP41C2004A	-	-	-	-	TOP19C2008A	-	-	-	-
SPRC01C2007A	0.02	(0.02)	1,912	-	THAI11C2003A	0.01	-	3	-	TOP19P2006A	-	-	-	-
SPRC06C2007A	0.01	-	2,100	-	THAI13C2004A	-	-	-	-	TOP24C2007A	-	-	-	-
SPRC06P2003A	-	-	-	-	THAI19C2004A	-	-	-	-	TOP24C2008A	-	-	-	-
SPRC06P2007A	2.48	0.56	10	2.00	THAI27C2008A	-	-	-	-	TOP28C2004A	-	-	-	-
SPRC08C2005A	-	-	-	-	THAI42C2003A	-	-	-	-	TOP41C2004A	-	-	-	-
SPRC08C2006A	-	-	-	-	THAI42C2005A	-	-	-	-	TOP41C2005A	-	-	-	-
SPRC11C2005A	-	-	-	-	THAN01C2006A	-	-	-	-	TOP41C2006A	-	-	-	-
SPRC11C2008A	0.05	(0.04)	1	-	THAN01C2006B	-	-	-	-	TOP41C2007A	-	-	-	-
SPRC13C2004A	-	-	-	-	THAN01P2006A	0.80	0.07	252	-	TOP41C2008A	0.22	(0.04)	24,376	-
SPRC13C2006A	-	-	-	-	THAN06C2003A	0.01	-	200	-	TOP41P2004A	-	-	-	-
SPRC13C2008A	0.08	(0.04)	111	-	THAN06C2005A	-	-	-	-	TOP41P2005A	-	-	-	-
SPRC19C2005A	-	-	-	-	THAN06P2003A	-	-	-	-	TOP41P2006A	-	-	-	-
SPRC19C2005B	-	-	-	-	THAN13C2003A	-	-	-	-	TOP42C2007A	-	-	-	-
SPRC19C2007A	0.06	0.03	601	-	THAN13C2007A	-	-	-	-	TPH19C2004A	-	-	-	-

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC19P2005A	1.35	0.22	53	1.00	THAN19C2004A	-	-	-	-	TRUE01C2004A	-	-	-	-
SPRC24C2003A	-	-	-	-	THAN19C2007A	0.05	(0.03)	837	-	TRUE01C2004B	-	-	-	-
SPRC28C2008A	0.03	(0.01)	19,301	-	THAN27C2003A	-	-	-	-	TRUE01C2007A	0.09	(0.01)	3,160	-
SPRC41C2004A	-	-	-	-	THAN41C2005A	-	-	-	-	TRUE01C2007B	0.02	-	146	-
SPRC41C2005A	-	-	-	-	TISCO1C2006A	0.07	(0.05)	35,873	-	TRUE01P2004A	-	-	-	-
SPRC41C2006A	-	-	-	-	TISCO1C2006B	-	-	-	-	TRUE01P2004B	1.53	(0.04)	2,800	1.00
SPRC42C2006A	-	-	-	-	TISCO1P2006A	1.42	0.25	48,240	1.00	TRUE01P2007B	1.48	(0.02)	5,211	1.00

## Main Board Quotation

Issue Date :

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE06C2004A	-	-	-	-	WHA42C2006A	-	-	-	-	U-P	1.65	(0.06)	1,150	1.00
TRUE06C2007A	-	-	-	-	Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE08C2004A	-	-	-	-	BH-Q	-	-	-	-	BM-W1	0.01	(0.02)	28,536	-
TRUE08C2005A	-	-	-	-	CSC-Q	-	-	-	-	BROOK-W5	0.09	-	7,919	-
TRUE08C2007A	0.05	(0.02)	2,340	-	JUTHA-Q	-	-	-	-	CHO-W2	0.03	0.01	47,950	-
TRUE08P2005A	2.02	(0.16)	14	2.00	KTB-Q	-	-	-	-	KD-W1	0.47	0.47	12,316	-
TRUE11C2005A	-	-	-	-	SCB-Q	-	-	-	-	DOD-W1	0.25	(0.03)	41,032	-
TRUE11C2005B	-	-	-	-	TCAP-Q	-	-	-	-	ECF-W3	0.16	0.01	1,506	-
TRUE13C2003A	-	-	-	-	TISCO-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE13C2003B	-	-	-	-	U-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE13C2006A	-	-	-	-	Warrant	-	-	-	-	FVC-W2	-	-	-	-
TRUE13C2007A	0.04	(0.01)	101	-	7UP-W4	0.06	-	2,065	-	HPT-W1	0.12	(0.05)	1,112	-
TRUE19C2003A	-	-	-	-	AKR-W1	0.04	0.01	19,015	-	HYDRO-W1	-	-	-	-
TRUE19C2004A	-	-	-	-	ALT-W1	0.05	-	11,094	-	ITEL-W1	0.15	-	1,757	-
TRUE19C2006A	-	-	-	-	APEX-W1	-	-	-	-	JKN-W1	0.09	(0.01)	4,987	-
TRUE19C2007A	0.06	0.02	1,000	-	APURE-W2	0.04	(0.01)	1,136	-	LIT-W1	0.18	-	1,095	-
TRUE19P2003A	-	-	-	-	AS-W1	-	-	-	-	META-W4	0.02	-	5	-
TRUE19P2005A	-	-	-	-	AYUD-W1	0.05	(0.01)	2,085	-	NEWS-W6	-	-	-	-
TRUE28C2006A	-	-	-	-	B-W3	-	-	-	-	OCEAN-W3	0.23	(0.01)	475	-
TRUE41C2004A	-	-	-	-	B-W4	-	-	-	-	PROUD-W2	0.02	(0.01)	208	-
TRUE41C2005A	-	-	-	-	B-W5	0.02	-	6,872	-	RWI-W2	0.05	0.01	1,962	-
TRUE41C2006A	-	-	-	-	B52-W2	-	-	-	-	SANKO-W1	-	-	-	-
TRUE41C2007A	-	-	-	-	BKD-W2	-	-	-	-	SIMAT-W2	0.03	(0.01)	1,296	-
TRUE41P2004A	-	-	-	-	BTS-W5	0.57	0.01	378,847	-	SIMAT-W3	0.26	0.02	203	-
TRUE41P2005A	-	-	-	-	CGD-W4	0.03	(0.02)	66,630	-	SIMAT-W4	0.84	(0.07)	3,061	-
TRUE42C2003A	-	-	-	-	CGH-W3	0.01	-	25	-	SMART-W2	0.09	(0.06)	47	-
TRUE42C2004A	-	-	-	-	CI-W1	0.01	-	206	-	SWC-W1	2.28	(0.04)	354	2.00
TRUE42C2007A	-	-	-	-	KCP-W1	0.02	-	29,016	-	TAKUNI-W	0.02	-	2,122	-
TTW27C2009A	0.12	(0.02)	21,794	-	CRANE-W1	0.36	(0.22)	590	-	TVD-W2	0.06	-	1,558	-
TU01C2004A	0.10	0.03	10,278	-	DCC-W1	0.20	(0.01)	11,286	-	Preferred Shares	-	-	-	-
TU01C2004B	0.06	0.01	4,604	-	ECL-W3	0.06	0.01	14,864	-	SGF-P1	-	-	-	-
TU01P2004A	0.17	(0.05)	99,572	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU06C2004A	0.01	-	5,174	-	EIC-W3	0.02	-	614	-	-	-	-	-	-
TU06P2007A	0.46	(0.09)	514	-	EMC-W6	0.02	-	46,942	-	-	-	-	-	-
TU11C2003A	-	-	-	-	EPCO-W3	0.13	0.01	133	-	-	-	-	-	-
TU11C2008A	0.27	-	15,830	-	GLOCON-W4	0.09	-	9,459	-	-	-	-	-	-
TU13C2003A	-	-	-	-	J-W1	0.05	(0.01)	161	-	-	-	-	-	-
TU13C2004A	0.07	-	378	-	JAS-W3	0.37	(0.09)	274,241	-	-	-	-	-	-
TU19C2003A	-	-	-	-	JCK-W5	0.03	0.01	654	-	-	-	-	-	-
TU19C2005A	0.19	0.04	23,325	-	JMT-W2	2.72	(0.28)	3,025	2.00	-	-	-	-	-
TU19C2007A	0.17	0.02	600	-	MACO-W2	0.03	-	38,592	-	-	-	-	-	-
TU24C2003A	-	-	-	-	MILL-W4	0.03	-	2,003	-	-	-	-	-	-
TU24C2006A	-	-	-	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU27C2004A	-	-	-	-	MINT-W6	1.05	(0.12)	2,679	1.00	-	-	-	-	-
TU27C2006A	0.10	0.01	17,278	-	NFC-W1	0.32	(0.08)	14	-	-	-	-	-	-
TU41C2003A	-	-	-	-	NOK-W1	0.01	-	10,000	-	-	-	-	-	-
TU41C2004A	0.08	0.03	3,896	-	NVD-W1	0.07	0.02	312	-	-	-	-	-	-
TU41C2005A	-	-	-	-	ORI-W1	0.07	0.01	107,220	-	-	-	-	-	-
TU41P2004A	-	-	-	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU42C2007A	0.11	0.01	1,292	-	PACE-W3	-	-	-	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	PDI-W1	0.16	-	658	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	PDJ-W4	0.20	(0.01)	80	-	-	-	-	-	-
TVO19C2007A	0.03	(0.01)	4,000	-	PERM-W1	0.07	(0.01)	40	-	-	-	-	-	-
VGI01C2005A	0.02	(0.01)	1	-	PORT-W1	0.19	0.02	3,773	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VGI08C2006A	0.02	-	21	-	PRIME-W1	-	-	-	-	-	-	-	-	-
VGI11C2008A	0.06	0.03	100	-	PRIME-W2	-	-	-	-	-	-	-	-	-
VGI13C2006A	-	-	-	-	RICHY-W2	0.01	-	10	-	-	-	-	-	-
VGI19C2006A	0.01	(0.01)	25,000	-	RS-W3	0.06	(0.03)	12,418	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SAMART-W2	0.28	(0.05)	20,989	-	-	-	-	-	-
VGI41C2007A	-	-	-	-	SAWAD-W1	4.24	(2.01)	13,632	5.00	-	-	-	-	-
WHA01C2005A	0.01	-	103,680	-	SDC-W1	0.04	0.01	21	-	-	-	-	-	-
WHA01C2005B	0.02	0.01	3,639	-	SINGER-W1	0.94	0.09	43	-	-	-	-	-	-
WHA01C2008B	0.09	0.01	420	-	SINGER-W2	0.80	(0.20)	152	-	-	-	-	-	-
WHA01C2009A	0.21	0.01	1,957	-	SMT-W2	0.01	-	515	-	-	-	-	-	-
WHA01P2005A	2.18	(0.22)	24	2.00	SST-W2	0.29	0.01	249	-	-	-	-	-	-
WHA01P2009A	0.89	(0.07)	6,669	-	SUPER-W4	0.01	-	5,530	-	-	-	-	-	-
WHA06C2007A	0.01	(0.01)	7	-	SVI-W3	-	-	-	-	-	-	-	-	-
WHA08C2003A	0.01	-	2,055	-	TCC-W3	0.02	(0.01)	2,034	-	-	-	-	-	-
WHA08C2005A	0.01	-	2,000	-	TCC-W4	0.03	-	2	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TCC-W5	0.08	0.01	964	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	TCJ-W2	0.02	(0.01)	5,240	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	TFG-W2	0.04	0.01	16,731	-	-	-	-	-	-
WHA13C2003A	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA13C2005A	-	-	-	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA13C2006A	0.02	-	90	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	TNITY-W1	0.06	0.01	3,751	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	TRITN-W3	0.04	-	2,001	-	-	-	-	-	-
WHA19C2004A	-	-	-	-	TTCL-W1	0.13	(0.01)	107	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	U-W4	-	-	-	-	-	-	-	-	-
WHA19C2006A	0.01	-	2,001	-	UAC-W2	0.07	0.04	8,667	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VGI-W2	0.55	-	333,076	-	-	-	-	-	-
WHA24C2007A	-	-	-	-	VIBHA-W2	0.32	(0.03)	587	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	VIBHA-W3	0.09	-	6,215	-	-	-	-	-	-
WHA27C2008A	-	-	-	-	WAVE-W1	0.01	-	9,162	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	WIIK-W2	0.09	-	721	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	ZMICO-W4	0.05	-	51,239	-	-	-	-	-	-
WHA28C2006A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-

**Main Board Quotation**

**Issue Date :**

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA41C2004A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2007A	0.11	-	109	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41P2003A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
WHA41P2005A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-





**Main Board Quotation**

**Issue Date :**

Tuesday March 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-