

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.30	-	1,804	1.31	MCOT	6.65	(0.05)	1,104	6.60
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	1.40	(0.03)	168,376	1.46
SAFARI	-	-	-	-	DIF	12.90	0.40	204,207	12.95	MPIC	1.35	-	40	1.35
VI	-	-	-	-	DTAC	31.00	1.50	78,270	31.04	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.30	0.10	1,082	5.23	PLANB	3.10	0.10	321,691	3.15
WR	-	-	-	-	HUMAN	5.40	0.20	2,458	5.37	POST	-	-	-	-
Agribusiness	-	-	-	-	ILINK	2.20	0.02	2,806	2.18	PRAKIT	9.35	(0.15)	43	9.36
CHOTI	-	-	-	-	INET	1.68	0.01	2,212	1.66	SE-ED	1.40	(0.06)	5,326	1.41
EE	0.31	-	16,038	0.31	INTUCH	43.75	0.75	292,943	44.20	TBSP	13.60	(0.10)	1	13.60
GFPT	8.50	0.40	36,331	8.46	JAS	4.10	0.24	751,798	4.09	TH	0.51	-	5,816	0.50
LEE	1.96	0.01	6,050	1.96	JASIF	6.70	0.10	253,858	6.79	TKS	4.28	0.14	18,923	4.24
NER	1.71	0.01	139,092	1.73	JMART	4.60	0.16	80,173	4.66	VGI	5.85	0.20	152,847	5.75
PPPM	-	-	-	-	JTS	0.60	(0.08)	2,102	0.62	WAVE	0.98	-	103	0.93
STA	10.50	0.30	84,593	10.55	MFEC	4.30	0.28	18,582	4.23	WORK	6.05	0.75	60,526	5.97
TRUBB	0.41	0.02	725	0.40	MSC	4.20	0.14	556	4.10	Finance & Securities	-	-	-	-
TWPC	2.94	0.04	3,635	2.79	PT	3.96	0.02	1,091	3.98	AEC	0.21	(0.01)	4,370	0.21
UPOIC	2.34	(0.26)	1	2.34	SAMART	4.08	(0.30)	113,681	4.09	AEONTS	108.00	2.00	4,510	104.15
UVAN	4.06	0.02	12	3.96	SAMTEL	5.20	(0.20)	1,872	5.28	AMANAH	1.85	(0.06)	375,013	1.96
VPO	0.32	(0.01)	12,201	0.30	SDC	0.08	-	53,837	0.08	ASAP	1.00	0.01	1,356	1.00
Banking	-	-	-	-	SIS	5.50	0.15	4,047	5.48	ASK	15.50	0.20	3,454	15.59
BAY	19.20	0.40	1,956	19.12	SVOA	0.65	0.02	4,373	0.66	ASP	1.22	0.01	12,013	1.23
BBL	93.50	1.75	114,761	92.59	SYMC	1.63	(0.24)	168	1.65	BAM	16.40	0.40	2,189,849	16.70
CIMBT	0.44	0.01	15,198	0.44	SYNEX	3.98	-	6,022	4.00	BFIT	29.75	-	19,810	30.55
KBANK	87.25	1.25	161,707	87.63	THCOM	2.36	0.08	3,294	2.35	CGH	0.73	-	26,871	0.73
KKP	34.75	(1.50)	78,271	36.06	TRUE	2.78	0.32	3,092,487	2.72	CNS	1.29	(0.20)	1,366	1.29
KTB	10.00	0.15	530,217	10.07	TWZ	0.06	-	164,612	0.06	ECL	0.53	0.02	27,725	0.53
LHFG	0.94	-	46,259	0.92	Electronic Componen	-	-	-	-	FNS	1.71	0.01	417	1.70
SCB	61.50	(0.50)	175,218	62.71	CCET	1.45	0.03	11,916	1.44	FSS	0.71	0.02	1,182	0.68
TCAP	32.00	(0.75)	127,191	32.55	DELTA	31.50	1.50	6,711	31.34	GBX	0.36	0.01	1,912	0.36
TISCO	68.00	(2.00)	105,563	69.23	EIC	0.03	(0.01)	2,685	0.03	GL	2.38	0.06	15,840	2.45
TMB	0.74	0.02	2,301,534	0.74	HANA	20.90	(0.70)	48,776	21.24	IFS	1.90	-	8,788	1.90
Construction Materia	-	-	-	-	KCE	13.90	(0.10)	134,198	14.11	JMT	14.50	0.90	104,244	14.50
CCP	0.20	0.01	22,278	0.19	METCO	123.00	-	6	123.00	KCAR	8.60	0.05	1,083	8.60
COTTO	0.77	(0.02)	6,499	0.79	NEX	3.00	0.12	42,883	2.90	KGI	3.48	0.06	35,018	3.49
DCC	1.32	0.01	12,079	1.32	SMT	0.79	(0.01)	7,450	0.76	KTC	27.25	0.75	126,281	26.95
DCON	0.25	-	2,861	0.25	SVI	1.96	(0.10)	12,349	2.02	MBKET	4.28	(0.06)	2,093	4.32
DRT	4.32	0.02	2,334	4.35	TEAM	0.33	-	1,802	0.34	MFC	13.00	-	156	12.98
EPG	3.50	0.12	44,033	3.42	Energy & Utilities	-	-	-	-	ML	0.52	-	952	0.52
GEL	0.08	-	148,624	0.08	7UP	0.34	-	114,795	0.33	MTC	39.75	(0.25)	209,789	40.00
PPP	1.48	-	1,804	1.48	ABPIF	3.14	0.04	973	3.17	PE	-	-	-	-
Q-CON	4.50	(0.30)	60	4.55	ACE	2.50	0.10	92,039	2.49	PL	1.99	0.09	1,645	1.92
RCI	2.78	(0.04)	31	2.79	AI	0.84	(0.01)	42,219	0.84	S11	4.72	(0.20)	4,765	4.80
SCC	274.00	2.00	52,984	274.12	AKR	0.34	-	14,611	0.34	SAWAD	45.50	(1.75)	99,180	46.51
SCCC	102.00	0.50	623	102.76	BAFS	18.80	-	4,140	18.94	THANI	4.00	(0.02)	45,128	3.98
SCP	4.42	(0.04)	3,927	4.42	BANPU	5.00	0.24	518,721	4.94	TK	6.85	(0.35)	2,025	6.92
SKN	1.33	0.08	479	1.28	BCP	14.50	(0.70)	73,086	14.87	TNITY	3.06	(0.04)	165	3.08
TASCO	17.10	0.60	103,454	17.03	BCPG	10.40	0.30	71,235	10.50	UOBKH	2.20	0.06	351	2.18
TCMC	0.81	0.01	10,052	0.81	BGRIM	35.50	1.50	287,192	36.07	ZMICO	0.51	0.01	6,676	0.50
TOA	30.25	(0.25)	24,850	30.77	BPP	10.80	0.50	83,693	10.61	Food & Beverage	-	-	-	-
TPIPL	1.10	0.05	115,764	1.09	BRRGIF	6.15	0.55	194	6.11	APURE	0.49	0.02	7,999	0.48
UMI	0.33	(0.05)	47,128	0.33	CKP	2.68	0.02	82,366	2.73	ASIAN	2.68	(0.02)	7,670	2.76
VNG	2.36	(0.06)	1,493	2.42	DEMCO	1.34	(0.01)	8,665	1.40	BR	1.18	0.02	8,480	1.18
WHK	1.08	(0.01)	4,581	1.06	EA	30.25	0.50	102,873	30.36	BRR	2.76	(0.04)	402	2.67
Petrochemicals & Che	-	-	-	-	EASTW	8.95	0.20	5,421	8.88	CBG	53.50	(0.25)	50,847	54.20
BCT	42.00	0.25	8,488	41.09	EGATIF	10.40	0.10	13,970	10.51	CFRESH	0.81	0.01	632	0.81
CMAN	0.88	0.02	2,712	0.87	EGCO	191.50	8.50	22,820	186.82	CM	1.80	(0.05)	4,108	1.81
GC	4.78	0.18	788	4.55	ESSO	3.68	(0.42)	660,237	3.87	CPF	21.20	0.90	535,434	20.99
GGC	4.54	(0.06)	73,999	4.63	GPSC	49.00	2.00	260,573	49.04	CPI	1.19	0.03	374	1.08
GIFT	1.94	-	11,062	1.93	GULF	129.50	4.50	145,229	129.87	F&D	17.20	-	1	17.20
IVL	17.30	(0.10)	382,725	17.87	GUNKUL	1.95	0.04	351,217	1.98	HTC	16.10	0.40	1,237	16.35
NFC	1.30	(0.13)	1	1.30	IFEC	-	-	-	-	ICHI	4.08	0.04	6,425	4.12
PATO	9.30	-	758	9.12	IRPC	1.98	0.06	1,203,111	2.00	KBS	2.38	(0.12)	136	2.37
PMTA	5.95	(1.05)	758	6.10	LANNA	4.92	(0.18)	3,260	4.99	KSL	1.51	0.05	14,428	1.49
PTTGC	24.30	(0.20)	383,384	24.80	MDX	1.38	(0.01)	1,766	1.36	KTIS	3.00	0.08	38	2.98
SUTHA	1.14	0.04	817	1.14	PRIME	0.26	-	7,401	0.25	LST	4.24	0.06	1,245	4.17
TCCC	15.10	(0.50)	15	15.22	PTG	10.50	(0.20)	92,346	10.81	M	44.25	0.25	6,751	44.32
TPA	5.35	0.05	2	5.33	PTT	26.50	0.50	1,210,637	26.35	MALEE	3.56	0.02	1,240	3.60
UAC	2.28	0.12	819	2.28	PTTEP	57.00	(1.00)	352,920	57.75	MINT	16.00	(1.70)	650,888	16.81
UP	-	-	-	-	RATCH	46.50	(0.50)	79,225	46.99	OISHI	35.00	(0.50)	84	35.31
VNT	16.00	(0.10)	3,081	16.25	RPC	0.36	0.01	12,055	0.36	OSP	33.00	1.75	125,626	32.89
WG	-	-	-	-	SCG	3.78	(0.20)	218	3.89	PB	67.75	(0.25)	121	67.81
YCI	-	-	-	-	SCI	1.20	(0.03)	4,216	1.18	PM	5.10	0.05	6,215	5.02
Commerce	-	-	-	-	SCN	1.23	(0.02)	3,483	1.24	PRG	11.20	0.10	1	11.20
BEAUTY	1.31	(0.03)	2,218,005	1.40	SGP	5.80	0.20	16,867	5.76	RBF	3.62	(0.10)	78,629	3.69
BIG	0.34	0.03	76,018	0.34	SKE	0.50	0.06	12,747	0.48	SAPPE	14.20	-	1,085	14.32
BJC	36.75	2.00	102,015	36.08	SOLAR	0.65	0.01	3,688	0.65	SAUCE	21.00	-	30	21.33
COL	12.90	(0.30)	909	13.11	SPCQ	13.60	0.40	8,988	13.39	SFP	-	-	-	-
COM7	17.60	1.00	134,446	17.70	SPRC	4.92	0.38	382,867	4.79	SNP	10.30	0.30	129	10.26
CPALL	60.00	0.50	576,063	59.95	SSP	6.00	-	8,167	5.92	SORKON	45.00	1.00	36	43.33
CPW	0.96	-	7,867	0.97	SUPER	0.33	-	758,494	0.33	SSC	28.00	2.50	3	28.00
CRC	26.00	(3.00)	369,107	27.28	SUPEREIF	9.00	(0.15)	9,270	9.13	SSF	5.45	0.45	1	5.45
CSS	0.68	-	11,655	0.69	SUSCO	1.70	(0.10)	12,611	1.71	SST	2.98	0.08	594	2.92
DOHOME	4.98	(0.42)	256,318	5.11	TAE	2.26	(0.14)	27,373	2.25	TC	2.28	0.08	11	2.21
FN	0.66	(0.02)	1,200	0.67	TCC	0.16	-	1,185	0.15	TFG	2.52	(0.02)	53,880	2.57
FTE	1.40	(0.04)	2,510	1.45	TOP	28.25	(0.50)	232,480	29.10	TFMAMA	179.00	(1.00)	96	178.71
GLOBAL	11.00	-	79,990	10.89	TPIPP	3.00	0.08	98,715	2.99	TIPCO	4.24	0.02	6,029	4.25
HMPRO	11.30	0.10	300,531	11.25	TSE	1.69	0.01	40,720	1.72	TKN	4.94	(0.26)	152,546	5.10
ILM	7.10	(0.25)	55,199	7.42	TTW	11.60	0.30	56,368	11.45	TU	13.40	0.40	191,349	13.39
IT	1.78	(0.02)	35	1.78	WHAUP	3.66	0.02	90,030	3.65	TVO	22.90	(0.10)	6,478	23.08
KAMART	2.30	(0.26)	32,371	2.41	WP	3.14	0.04	3,290	3.12	ZEN	6.55	(0.05)	1,504	6.53
LOXLEY	0.75	0.01	23,691	0.74	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
MAKRO	30.50	(0.50)												

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	6.20	0.05	1,214	6.27	BROCK	1.24	(0.11)	1,701	1.27	HFT	2.16	(0.08)	6,176	2.19
PRINC	2.84	(0.06)	1,458	2.82	CGD	0.62	(0.02)	15,880	0.62	IHL	2.30	0.10	484	2.32
RAM	140.00	-	144	138.43	CI	0.68	0.08	2,546	0.61	INGRS	0.29	0.01	15,824	0.28
RJH	19.00	(0.70)	4,489	19.36	CPN	42.75	2.00	156,108	41.92	IRC	11.50	0.70	105	11.08
RPH	4.82	0.02	11,873	4.81	ESTAR	0.24	0.02	22,899	0.23	PCSGH	4.80	-	740	4.80
SKR	4.70	-	5,377	4.68	EVER	0.11	-	29,019	0.12	SAT	8.70	(0.10)	5,553	8.71
SVH	388.00	-	32	389.28	FPT	8.15	-	737	8.14	SPG	12.50	-	2	12.50
THG	18.40	0.30	8,555	18.30	GLAND	2.32	-	308	2.32	STANLY	126.00	-	68	129.28
VIBHA	1.37	0.03	13,286	1.37	GOLD	7.60	0.05	517	7.69	TKT	0.65	(0.06)	298	0.65
VIH	5.40	0.20	5,756	5.26	GREEN	0.55	0.03	8,011	0.54	TNPC	0.54	0.02	43	0.54
WPH	1.41	-	968	1.41	J	0.60	0.05	1,335	0.53	TRU	3.84	(0.04)	105	3.82
Tourism & Leisure	-	-	-	-	JCK	0.62	0.02	38,804	0.60	TSC	9.20	-	4	9.20
ASIA	3.62	0.12	178	3.57	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	14.50	(0.40)	49,022	15.07	KWG	0.93	-	286	0.91	ALLA	1.09	0.01	8,285	1.08
CSR	-	-	-	-	LALIN	3.90	(0.02)	2,093	3.96	ASEFA	2.54	0.08	2,133	2.48
DTC	7.15	-	295	7.20	LH	6.60	-	480,741	6.59	CPT	0.60	-	7,959	0.60
ERW	2.40	(0.20)	216,478	2.46	LPN	3.28	0.08	39,037	3.28	CRANE	1.24	0.01	2,442	1.23
GRAND	0.39	-	1,794	0.39	MBK	14.80	0.20	11,077	14.80	CTW	3.80	(0.04)	205	3.95
LRH	29.50	(0.50)	2	29.50	MJD	2.08	(0.06)	2,715	2.06	FMT	-	-	-	-
MANRIN	20.50	(1.50)	7	20.54	MK	2.08	-	2,350	2.08	HTECH	1.39	0.05	3,904	1.40
OHTL	350.00	(24.00)	1	350.00	NCH	0.44	0.05	637	0.44	KKC	0.25	(0.01)	535	0.24
ROH	-	-	-	-	NNCL	1.61	-	7,113	1.61	PK	0.63	0.02	607	0.66
SHANG	65.00	(2.00)	21	58.44	NOBLE	10.10	(0.20)	18,431	10.24	SNC	6.95	0.15	6,978	6.92
SHR	1.61	(0.08)	243,269	1.68	NUSA	0.32	0.01	44,382	0.32	STARK	1.90	0.14	13,080	1.82
VRANDA	5.00	-	5,699	4.99	NVD	1.13	(0.11)	4,418	1.10	TCJ	2.16	(0.34)	1,234	2.15
Home & Office Produ	-	-	-	-	ORI	3.28	0.08	82,188	3.26	VARO	-	-	-	-
ACC	0.63	(0.02)	17,234	0.63	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
AJA	0.22	(0.03)	96,062	0.24	PF	0.40	-	103,384	0.40	AIMCG	4.66	(0.02)	4,499	4.70
DTCI	19.00	(0.40)	2	19.00	PLAT	2.32	(0.12)	6,476	2.42	AIMIRT	10.20	0.20	2,442	10.22
FANCY	0.24	0.03	29,791	0.24	POLAR	-	-	-	-	AMATAR	10.30	0.20	45	10.01
KYE	241.00	1.00	4	241.00	PRECHA	0.61	0.05	10	0.61	B-WORK	10.30	-	6,188	10.32
L&E	1.56	0.02	1,251	1.55	PRIN	1.16	0.04	43,214	1.12	BKER	6.70	0.20	77	6.71
MODERN	1.92	0.04	4,935	1.89	PSH	9.20	(0.05)	41,462	9.25	BKKCP	10.90	(0.20)	98	11.06
OGC	-	-	-	-	QH	1.96	0.03	324,447	1.96	BOFFICE	14.00	0.10	3,631	13.91
ROCK	-	-	-	-	RICHY	0.54	-	3,778	0.55	CPNCG	9.10	0.10	2,380	9.17
SIAM	1.23	(0.01)	2,206	1.22	RML	0.51	(0.03)	5,178	0.51	CPNREIT	28.00	0.75	95,861	28.23
TSR	1.28	(0.06)	6,563	1.31	ROJNA	3.40	0.02	12,724	3.43	CPTGF	10.20	(0.10)	888	10.26
Insurance	-	-	-	-	S	1.25	(0.05)	16,949	1.28	CTARAF	4.78	0.14	696	4.77
AYUD	29.00	(1.00)	68	27.77	SAMCO	1.14	0.02	1,113	1.15	DREIT	4.08	-	179	4.12
BKI	217.00	(1.00)	236	219.09	SC	1.84	-	22,421	1.85	ERWPF	4.38	-	2	4.38
BLA	11.30	0.10	8,314	11.34	SENA	1.98	(0.04)	164,051	1.99	FTREIT	14.30	0.20	37,325	14.45
BUI	7.90	0.90	181	7.99	SF	4.00	0.10	52,385	3.95	FUTUREPF	17.50	-	11,375	17.51
CHARAN	17.20	0.20	11	17.23	SIRI	0.57	-	497,021	0.58	GAHREIT	7.80	0.10	30	7.69
INSURE	-	-	-	-	SPALI	13.70	0.30	67,048	13.50	GOLDPF	-	-	-	-
MTI	69.50	-	218	69.82	U	0.78	-	102,141	0.80	GVREIT	14.00	-	804	14.01
NKI	-	-	-	-	UV	2.20	0.02	17,210	2.22	HPF	4.12	(0.06)	341	4.08
NSI	51.75	0.25	6	48.00	WHA	2.28	0.04	885,394	2.26	HREIT	6.70	(0.05)	800	6.81
SEG	36.00	2.25	3,761	35.47	WIN	0.30	-	1,332	0.30	IMPACT	14.20	0.40	12,743	14.04
SMK	25.00	0.50	42	24.42	Paper & Printing Mat	-	-	-	-	KNPFP	6.65	(0.85)	37	6.76
THRE	0.34	-	49,058	0.34	UTP	6.75	(0.05)	9,839	6.84	LHHOTEL	10.00	0.05	1,070	10.08
THREL	2.14	0.04	6,880	2.10	Fashion	-	-	-	-	LHPF	6.00	(0.05)	763	6.03
TIP	17.40	(0.30)	8,957	17.39	AFC	-	-	-	-	LHSC	12.20	0.10	2,176	12.20
TQM	56.50	4.50	38,998	55.46	B52	0.17	(0.01)	900	0.17	LUXF	5.60	-	181	5.60
TSI	0.40	-	323	0.38	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.02	(0.04)	1,182	2.97	CPH	2.50	-	70	2.50	M-PAT	4.00	(0.10)	1	4.00
Mining	-	-	-	-	CPL	0.94	0.11	109	0.77	M-STOR	6.50	(0.05)	11	6.55
PDI	3.88	0.02	398	3.87	ICC	38.00	3.00	1	38.00	MIPF	-	-	-	-
THL	-	-	-	-	NC	10.00	-	1	10.00	MIT	2.12	(0.34)	5	2.12
Packaging	-	-	-	-	PAF	0.34	0.02	1,046	0.33	MJLF	6.75	-	210	6.75
AJ	7.90	(0.10)	636	7.37	PDJ	0.99	(0.01)	2,312	1.00	MNIT	1.00	(0.03)	350	1.02
ALUCON	122.00	8.00	11	119.00	PG	4.86	(0.24)	21	4.88	MNIT2	4.90	(0.10)	79	4.61
BGC	8.70	(0.10)	1,921	8.84	SABINA	14.70	0.10	6,218	14.84	MNRF	2.50	-	256	2.50
CSC	42.00	1.75	40	40.46	SAWANG	-	-	-	-	POPF	9.10	0.30	586	9.36
GLOCON	0.50	-	220,137	0.49	SUC	34.75	(0.25)	400	32.84	PPF	11.20	-	600	11.20
NEP	0.13	-	502	0.13	TNL	15.00	(2.00)	10	15.00	QHHR	6.80	-	1,687	6.79
PTL	8.45	(0.05)	13,049	8.50	TPCORP	9.90	(0.40)	57	10.11	QHOP	2.80	(0.08)	72	2.80
SFLEX	4.96	(0.04)	7,929	5.00	TR	22.70	(0.70)	17	21.49	QHPF	10.00	0.15	4,645	10.07
SITHAI	0.46	-	7,327	0.45	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.34	(0.04)	2,194	0.35	TTT	39.00	(1.00)	232	39.87	SHREIT	3.14	0.04	6,859	3.17
SMPC	4.68	0.06	1,667	4.72	UPF	38.00	2.00	3	38.00	SIRIP	9.80	0.20	62	9.77
SPACK	1.01	(0.01)	163	0.97	UT	13.60	(0.40)	2	13.70	SPF	14.10	0.20	5,995	13.84
TCOAT	-	-	-	-	WACOAL	47.00	(0.75)	33	45.32	SPRIME	11.60	0.10	37	11.42
TFI	0.03	(0.01)	8,592	0.03	Transportation & Log	-	-	-	-	SRIPANWA	7.30	(0.20)	86	7.31
THIP	18.60	-	132	18.83	AAV	1.05	0.01	173,871	1.07	SSPF	7.70	(0.25)	330	7.74
TMD	20.00	0.90	72	18.87	AOT	49.00	(0.50)	503,736	49.75	SSTRT	5.15	0.05	131	5.15
TOPP	-	-	-	-	ASIMAR	0.64	0.01	478	0.64	TIF1	7.60	-	495	7.61
TPBI	2.50	(0.40)	163	2.79	B	0.15	(0.02)	46,822	0.15	TLGF	17.10	(0.10)	2,510	17.19
TPP	13.20	(0.90)	9	13.31	BA	3.94	(0.04)	26,379	3.99	TLHPF	9.40	(0.10)	133	9.40
Personal Products &	-	-	-	-	BEM	6.65	0.15	880,148	6.73	TNPF	2.00	(0.20)	5	2.06
APCO	3.00	-	3,584	3.01	BTS	8.75	0.15	698,938	8.81	TPRIME	13.40	-	80	13.40
DDD	10.70	-	760	10.84	BTSGIF	6.85	-	116,730	6.77	TTLPF	19.60	-	126	19.60
JCT	-	-	-	-	III	4.00	0.28	25,281	3.93	TU-PF	1.10	0.09	8	1.12
OCC	9.20	(0.90)	900	9.20	JUTHA	0.19	(0.01)	176	0.20	URBNPF	3.50	-	272	3.43
S & J	24.00	(0.40)	56	24.00	JWD	5.10	0.12	5,744	5.14	WHABT	9.00	0.10	50	9.00
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	14.30	-	2,930	14.24
TNR	5.15	0.15	1,322	5.01	NOK	0.88	0.09	272	0.88	Steel	-	-	-	-
TOG	3.78	0.08	218	3.83	NYT	2.68	(0.02)	14,581	2.70	AMC	1.05	-	66	1.07
Professional Service	-	-	-	-	PORT	1.14	-	2,932	1.16	BSBM	0.67	0.01	1,187	0.70
BWG	0.21	-	257,772	0.21	PRM	3.14	(0.14)	169,352	3.27	CEN	0.33	(0.03)	4,446	0.34
GENCO	0.34	-	17,468	0.32	PSL	3.00	(0.14)	103,410	3.02	CITY	1.21	0.07	660	1.18
PRO	-	-	-	-	RCL	1.70	(0.02)	3,711	1.70	CSP	0.53	(0.01)	136	0.51
SISB	6.15	0.15	43,258	6.18	TFIF	9.60	(0.05)	118,891	9.74</					

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	AGE	0.50	0.02	11,890	-	ADVA01C2003A	0.02	0.01	2,200	-
ABICO	2.98	(0.02)	119	3.00	AIE	0.23	-	64,408	-	ADVA01C2003B	0.01	(0.01)	720	-
AU	6.05	0.15	53,276	6.00	PSTC	0.27	(0.01)	1,278,143	-	ADVA01C2005A	0.13	0.03	22,183	-
JCKH	0.11	0.01	943	-	QTC	3.20	-	367	3.00	ADVA01C2005B	0.02	-	2,430	-
KASET	0.96	0.01	410	-	SAAM	0.69	(0.01)	7,449	-	ADVA01C2007B	0.12	0.04	17,754	-
MM	1.98	0.05	690	1.00	SEAOIL	1.65	0.03	3,120	1.00	ADVA01C2008A	0.59	0.12	123,926	-
SUN	1.23	0.03	1,193	1.00	SR	0.57	0.07	531	-	ADVA01P2003A	1.26	(0.10)	1,781	1.00
TACC	2.66	0.16	22,103	2.00	TAKUNI	0.29	0.02	3,461	-	ADVA01P2003B	-	-	-	-
TMILL	2.72	0.04	335	2.00	TPCH	7.95	0.25	6,451	7.00	ADVA01P2007B	0.59	(0.11)	119,052	-
XO	3.34	(0.02)	1,852	3.00	TRT	1.69	0.04	5	1.00	ADVA06C2005A	-	-	-	-
Consumer Products	-	-	-	-	UMS	0.12	0.01	302	-	ADVA08C2005A	0.02	(0.01)	4	-
BGT	0.40	-	2,166	-	UWC	0.02	-	21,717	-	ADVA08P2004A	0.54	(0.21)	30,752	-
BIZ	2.60	-	653	2.00	Services (MAI)	-	-	-	-	ADVA11C2006A	0.02	-	1,000	-
DOD	4.56	0.02	16,524	4.00	A5	-	-	-	-	ADVA11P2005A	0.27	(0.11)	155,090	-
ECF	1.00	0.02	147,611	-	AKP	0.66	(0.01)	6,391	-	ADVA13C2004A	0.01	-	42	-
HPT	0.39	0.02	537	-	AMA	3.00	0.06	1,246	2.00	ADVA13C2006A	0.33	0.10	11,900	-
IP	4.38	0.08	1,909	4.00	ARIP	0.27	-	1,147	-	ADVA13C2007A	0.13	0.02	33,617	-
JUBILE	15.00	-	790	14.00	ATP30	0.66	-	4,026	-	ADVA13P2003A	-	-	-	-
MOONG	3.14	0.08	1,525	3.00	AUCT	4.94	(0.02)	8,683	5.00	ADVA16C2005A	0.01	-	175	-
NPK	8.30	(1.45)	986	8.00	BOL	2.48	-	426	2.00	ADVA16C2007A	-	-	-	-
OCEAN	0.80	(0.05)	9,091	-	CHUO	-	-	-	-	ADVA16C2009A	0.11	(0.09)	1,000	-
TM	2.20	0.04	10,679	2.00	CMO	0.71	-	2,273	-	ADVA19C2005A	0.02	(0.03)	20	-
Financials (MAI)	-	-	-	-	D	2.58	0.02	1,667	2.00	ADVA19C2007A	0.40	0.08	8,045	-
ACAP	0.42	-	5,278	-	DCORP	0.25	(0.02)	3,892	-	ADVA19C2007B	0.12	0.04	12,189	-
AF	0.57	(0.03)	1,932	-	EFORL	0.03	-	298,335	-	ADVA19P2006A	0.50	(0.14)	82,034	-
AIRA	-	-	-	-	ETE	0.50	-	59	-	ADVA24C2006A	-	-	-	-
ASN	4.90	-	11	5.00	FSMART	5.55	0.05	11,154	5.00	ADVA28C2004A	-	-	-	-
BROOK	0.34	(0.01)	22,212	-	FVC	0.23	-	5,905	-	ADVA28C2005A	0.02	-	170	-
CHAYO	3.96	0.02	44,051	3.00	GSC	0.43	-	540	-	ADVA28C2007A	0.06	-	1,497	-
GCAP	1.14	0.07	3,510	1.00	HARN	1.62	(0.03)	1,551	1.00	ADVA28P2004A	0.56	(0.19)	10,582	-
LIT	2.24	0.02	2,641	2.00	IMH	1.70	0.08	635	1.00	ADVA41C2004A	-	-	-	-
MITSI	1.07	0.04	12,771	1.00	JKN	3.52	0.02	10,984	3.00	ADVA41C2005A	0.05	(0.01)	11	-
SGF	0.29	0.02	15,826	-	KIAT	0.26	0.01	68,893	-	ADVA41C2006A	-	-	-	-
Industrials (MAI)	-	-	-	-	KOOL	0.46	0.01	10,095	-	ADVA41C2007A	0.14	-	1	-
2S	1.61	-	193	1.00	LDC	0.44	0.03	846	-	ADVA41C2007B	0.55	0.10	82,754	-
ACG	0.81	0.06	1,401	-	MORE	0.32	0.01	304,324	-	ADVA41P2004A	0.86	(0.18)	1,222	-
ADB	0.40	0.03	1,662	-	MPG	0.19	-	211	-	ADVA41P2005A	-	-	-	-
BM	1.34	-	1,080	1.00	MVP	1.35	(0.02)	429	1.00	ADVA42C2003A	-	-	-	-
CHO	0.43	-	20,413	-	NBC	0.38	(0.02)	252	-	ADVA42C2005A	0.10	0.09	1	-
CHOW	0.68	0.04	3,764	-	NCL	0.82	0.03	223	-	ADVA42P2007A	0.75	(0.20)	229	-
CIG	0.15	-	12,602	-	NEWS	0.01	-	748	-	AEON01C2005A	0.01	(0.01)	5,201	-
COLOR	0.97	0.06	56	-	NINE	1.70	-	33	1.00	AEON13C2007A	0.05	(0.02)	300	-
CPR	2.26	(0.08)	204	2.00	OTO	2.56	(0.06)	525	2.00	AEON19C2003A	-	-	-	-
FPI	2.08	0.04	1,254	2.00	PHOL	1.47	-	783	1.00	AEON19C2006A	-	-	-	-
GTB	0.51	-	6,986	-	PICO	3.52	0.26	56	2.00	AMAT01C2004A	-	-	-	-
KCM	0.27	(0.01)	3,542	-	QLT	3.56	(0.08)	910	3.00	AMAT01C2004B	-	-	-	-
KUMWEL	0.60	(0.03)	2,343	-	RP	0.71	-	929	-	AMAT01C2007B	-	-	-	-
KWM	0.72	0.01	1,917	-	SE	1.24	0.13	184	1.00	AMAT01C2008A	-	-	-	-
MBAX	2.86	0.10	269	2.00	SONIC	0.84	-	811	-	AMAT01P2008A	1.98	(0.02)	813	1.00
MGT	1.08	(0.01)	912	1.00	SPA	7.85	(0.30)	7,232	7.00	AMAT06C2005A	-	-	-	-
NDR	0.99	(0.01)	2,277	-	THMUI	0.33	(0.01)	362	-	AMAT08C2005A	-	-	-	-
PDG	2.18	(0.04)	646	2.00	TNDT	2.82	(0.10)	732	2.00	AMAT11C2004A	-	-	-	-
PIMO	0.78	-	4,571	-	TNH	23.80	-	391	23.00	AMAT11C2008A	-	-	-	-
PJW	0.92	-	647	-	TNP	1.73	(0.02)	7,543	1.00	AMAT13C2004A	-	-	-	-
PPM	0.42	0.03	340	-	TSF	-	-	-	-	AMAT13C2006A	-	-	-	-
RWI	0.75	-	5	-	TVD	0.51	-	1,455	-	AMAT16C2003A	-	-	-	-
SALEE	0.76	-	501	-	TVT	0.40	-	16,152	-	AMAT16C2006A	0.01	-	1	-
SANKO	0.87	-	6,569	-	VL	0.97	0.01	224,932	-	AMAT16C2008A	-	-	-	-
SELIC	1.77	(0.11)	947	1.00	WINNER	1.88	0.05	781	1.00	AMAT19C2003A	-	-	-	-
SWC	3.82	(0.08)	1,370	3.00	YGG	3.38	0.08	761	3.00	AMAT19C2005A	-	-	-	-
TMC	0.29	-	2,595	-	Technology (MAI)	-	-	-	-	AMAT19C2006A	-	-	-	-
TMI	0.66	-	9,031	-	APP	1.39	0.04	1,897	1.00	AMAT19C2008A	-	-	-	-
TMW	30.00	-	147	30.00	COMAN	1.42	(0.09)	2,302	1.00	AMAT24C2006A	-	-	-	-
TPAC	7.50	(0.50)	66	7.00	ICN	1.39	0.10	837	1.00	AMAT41C2004A	-	-	-	-
TPLAS	0.92	(0.01)	4,065	-	INSET	2.04	0.02	6,541	2.00	AMAT41C2005A	-	-	-	-
UBIS	5.00	-	1	5.00	IRCP	0.31	-	2,924	-	AMAT41C2006A	-	-	-	-
UEC	0.50	0.06	999	-	ITEL	1.42	0.03	9,250	1.00	AMAT42C2003A	-	-	-	-
UKEM	0.33	-	9,126	-	NETBAY	27.25	0.25	4,119	27.00	AMAT42C2005A	-	-	-	-
UREKA	0.75	-	2,811	-	PLANET	0.90	0.04	10	-	AMAT42C2007A	-	-	-	-
YUASA	8.90	0.05	245	8.00	SIMAT	2.28	0.02	147,480	2.00	ANAN13C2007A	-	-	-	-
ZIGA	0.61	(0.02)	4,062	-	SKY	12.60	-	2,284	12.00	ANAN19C2004A	-	-	-	-
Property & Construc	-	-	-	-	SPVI	1.59	0.02	22,520	1.00	ANAN19C2007A	-	-	-	-
ALL	2.62	(0.10)	15,556	2.00	TPS	1.70	0.06	948	1.00	AOT01C2004A	0.02	-	8,121	-
ARIN	0.49	0.01	3,935	-	UPA	0.11	-	12,782	-	AOT01C2004B	0.01	-	340	-
ARROW	5.50	-	480	5.00	VCOM	1.66	(0.03)	2,169	1.00	AOT01C2006B	0.02	-	17,678	-
BC	0.97	0.01	2,225	-	Unit Trust	-	-	-	-	AOT01C2007A	0.07	(0.01)	223,600	-
BSM	0.24	-	14,918	-	MGE	-	-	-	-	AOT01P2004A	2.68	0.04	5,804	2.00
BTW	0.38	(0.01)	3,017	-	SCBSET	-	-	-	-	AOT01P2004B	2.74	0.22	2,622	2.00
CAZ	1.33	(0.22)	7,021	1.00	ETF	-	-	-	-	AOT01P2006B	2.20	0.10	42,798	2.00
CHEWA	0.28	0.01	17,116	-	IDIV	6.32	0.03	1,303	6.00	AOT01P2007A	2.00	0.03	133,308	2.00
CMC	0.52	-	6,485	-	ABFTH	-	-	-	-	AOT06C2003A	-	-	-	-
CRD	0.35	(0.02)	5,604	-	BMSCG	4.88	0.03	174	4.00	AOT06C2007A	-	-	-	-
DIMET	-	-	-	-	BMSCITH	7.77	0.11	5,511	7.00	AOT06P2003A	-	-	-	-
FLOYD	0.94	(0.01)	1,707	-	BSET100	6.65	-	1,114	6.00	AOT08C2005A	0.01	-	5,102	-
HYDRO	-	-	-	-	CHINA	5.46	0.02	316	5.00	AOT08C2006A	0.01	(0.01)	500	-
JSP	0.20	-</												

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT24C2006A	-	-	-	-	BBL41P2004A	-	-	-	-	BGRI06C2005A	0.01	-	3,000	-
AOT27C2008A	-	-	-	-	BBL41P2006A	-	-	-	-	BGRI08C2003A	-	-	-	-
AOT28C2006A	-	-	-	-	BBL42C2003A	-	-	-	-	BGRI08C2005A	0.02	-	13,617	-
AOT28C2006B	-	-	-	-	BBL42C2005A	-	-	-	-	BGRI11C2006A	0.06	0.01	19,471	-
AOT28C2008A	0.09	0.02	71	-	BBL42C2007A	-	-	-	-	BGRI11C2008A	0.06	0.03	200	-
AOT28P2004A	2.42	0.06	3	2.00	BCH01C2006A	-	-	-	-	BGRI13C2004A	-	-	-	-
AOT41C2004A	-	-	-	-	BCH01C2006B	-	-	-	-	BGRI13C2006A	0.03	0.02	39	-
AOT41C2005A	-	-	-	-	BCH01P2006A	-	-	-	-	BGRI13C2007A	0.04	-	77,470	-
AOT41C2006A	0.05	(0.01)	30	-	BCH06C2006A	-	-	-	-	BGRI13C2008A	0.12	0.01	22,839	-
AOT41C2007A	-	-	-	-	BCH06P2006A	-	-	-	-	BGRI13P2005A	2.76	(0.22)	1,960	2.00
AOT41C2007B	0.16	(0.03)	17,096	-	BCH08C2004A	-	-	-	-	BGRI16C2005A	0.01	-	100	-
AOT41P2004A	-	-	-	-	BCH11C2008A	0.03	(0.03)	200	-	BGRI19C2004A	0.03	0.01	1	-
AOT41P2005A	-	-	-	-	BCH13C2004A	-	-	-	-	BGRI19C2005A	-	-	-	-
AOT41P2006A	2.24	0.12	100	2.00	BCH13C2007A	-	-	-	-	BGRI19C2006A	-	-	-	-
AOT42C2006A	0.01	-	373	-	BCH16C2006A	-	-	-	-	BGRI19C2008A	0.17	0.02	4,980	-
AOT42P2003A	1.90	1.00	2,565	-	BCH19C2005A	-	-	-	-	BGRI19C2008B	0.37	(0.63)	212,443	-
AOT42P2009A	2.12	(0.06)	100	2.00	BCH19C2006A	-	-	-	-	BGRI19P2007A	1.71	(0.09)	136	1.00
AP19C2007A	-	-	-	-	BCH19C2008A	0.10	(0.03)	6	-	BGRI24C2004A	0.01	-	100	-
AP28C2004A	0.02	-	1	-	BCH24C2003A	-	-	-	-	BGRI27P2006A	1.13	(0.11)	14,734	1.00
AP28C2006A	-	-	-	-	BCH27C2003A	-	-	-	-	BGRI41C2004A	-	-	-	-
AWCO1C2003A	0.01	-	2,050	-	BCH41C2005A	-	-	-	-	BGRI41C2005A	-	-	-	-
AWCO1C2003B	-	-	-	-	BCH41C2006A	-	-	-	-	BGRI41C2006A	-	-	-	-
AWCO1C2004A	-	-	-	-	BCP01C2005A	0.02	(0.02)	13,654	-	BGRI41C2007A	0.19	0.01	23,775	-
AWCO1C2009A	0.07	-	1,600	-	BCP01C2005B	-	-	-	-	BGRI41P2004A	0.93	(0.11)	1	-
AWCO1P2003A	-	-	-	-	BCP01P2005A	1.18	0.10	451	1.00	BGRI41P2005A	1.49	(0.16)	4	1.00
AWCO1P2003B	1.11	0.04	36	-	BCP11C2004A	-	-	-	-	BGRI41P2006A	-	-	-	-
AWCO1P2007A	1.31	(0.05)	2,508	1.00	BCP13C2003B	-	-	-	-	BGRI42C2003A	-	-	-	-
AWCO6C2004A	-	-	-	-	BCP13C2007A	-	-	-	-	BGRI42C2006A	-	-	-	-
AWCO8C2004A	-	-	-	-	BCP19C2004A	-	-	-	-	BH01C2004A	0.26	0.10	412	-
AWC13C2006A	0.06	0.01	3,001	-	BCP19C2005A	-	-	-	-	BH01C2004B	-	-	-	-
AWC13P2006A	1.44	(0.12)	765	1.00	BCP24C2004A	-	-	-	-	BH01P2004A	0.64	(0.17)	26,700	-
AWC16C2005A	0.04	(0.06)	1	-	BCPG01C2005A	-	-	-	-	BH08C2007A	0.24	0.06	32,364	-
AWC16C2007A	-	-	-	-	BCPG01C2005B	-	-	-	-	BH11C2008A	0.17	0.06	1,937	-
AWC19C2003A	-	-	-	-	BCPG01C2008B	-	-	-	-	BH13C2006A	-	-	-	-
AWC19C2004A	-	-	-	-	BCPG01C2009A	0.14	(0.01)	1,420	-	BH19C2003A	0.01	(0.01)	600	-
AWC19C2006A	-	-	-	-	BCPG01P2005A	-	-	-	-	BH19C2006A	0.12	(0.01)	509	-
AWC24C2007A	-	-	-	-	BCPG01P2009A	1.07	(0.03)	1,761	1.00	BH24C2003A	-	-	-	-
AWC28C2006A	-	-	-	-	BCPG13C2004A	-	-	-	-	BH27C2007A	0.16	0.04	13,594	-
AWC28C2008A	0.06	(0.01)	55,254	-	BCPG13C2007A	0.08	(0.02)	1,000	-	BH41C2004A	-	-	-	-
AWC41C2004A	-	-	-	-	BCPG16C2009A	-	-	-	-	BH41C2005A	-	-	-	-
AWC41C2005A	-	-	-	-	BCPG19C2003A	-	-	-	-	BH41C2006A	-	-	-	-
AWC41C2006A	-	-	-	-	BCPG19C2005A	-	-	-	-	BH41P2004A	0.18	(0.11)	2,492	-
AWC41C2007A	-	-	-	-	BCPG28C2004A	-	-	-	-	BH41P2006A	0.87	(0.13)	111	-
AWC41C2007B	0.24	(0.76)	30,084	-	BCPG28C2008A	-	-	-	-	BH42C2003A	-	-	-	-
AWC42C2003A	-	-	-	-	BCPG41C2005A	-	-	-	-	BH42C2008A	0.23	0.03	180	-
AWC42C2008A	0.01	-	500	-	BCPG42C2004A	-	-	-	-	BJC01C2004A	0.02	-	20,650	-
BANP01C2005A	0.02	0.01	1	-	BCPG42C2007A	-	-	-	-	BJC01C2004B	-	-	-	-
BANP01C2005B	-	-	-	-	BDM501C2007B	0.04	(0.01)	1,358	-	BJC01C2008B	0.26	0.06	3,703	-
BANP01P2005A	1.62	(0.04)	5,787	1.00	BDM501P2008A	0.65	(0.04)	35,711	-	BJC01C2009A	0.42	0.07	2,578	-
BANP01P2005B	1.85	(0.14)	2	1.00	BDM506C2003A	-	-	-	-	BJC01P2004A	1.22	(0.15)	1,110	1.00
BANP06C2005A	-	-	-	-	BDM506C2008A	0.13	(0.07)	110,698	-	BJC01P2009A	0.43	(0.09)	139,320	-
BANP08C2005A	-	-	-	-	BDM506P2004A	0.79	0.11	40	-	BJC06C2006A	0.05	0.02	2,070	-
BANP08C2007A	-	-	-	-	BDM508C2003A	-	-	-	-	BJC11C2008A	0.13	0.03	5,848	-
BANP08P2003A	-	-	-	-	BDM508C2006A	-	-	-	-	BJC13C2004A	-	-	-	-
BANP11C2004A	0.01	-	2,000	-	BDM511C2007A	0.07	(0.02)	500	-	BJC13C2005A	-	-	-	-
BANP11C2008A	-	-	-	-	BDM511C2008A	-	-	-	-	BJC16C2006A	0.04	(0.05)	70	-
BANP13C2003A	-	-	-	-	BDM513C2003A	-	-	-	-	BJC19C2003A	-	-	-	-
BANP13C2006A	-	-	-	-	BDM513C2004A	-	-	-	-	BJC19C2005A	-	-	-	-
BANP13C2008A	0.10	(0.01)	15	-	BDM513C2008A	0.10	-	1,930	-	BJC19C2007A	0.15	0.05	7,122	-
BANP19C2004A	-	-	-	-	BDM516C2006A	-	-	-	-	BJC24C2003A	-	-	-	-
BANP19C2005A	-	-	-	-	BDM519C2005A	-	-	-	-	BJC24C2006A	-	-	-	-
BANP19C2007A	-	-	-	-	BDM519C2005B	-	-	-	-	BJC27C2009A	0.09	0.01	3,200	-
BANP19C2007B	0.02	-	60	-	BDM524C2006A	-	-	-	-	BJC28C2004A	-	-	-	-
BANP19P2003A	-	-	-	-	BDM541C2004A	-	-	-	-	BJC28C2007A	-	-	-	-
BANP24C2003A	-	-	-	-	BDM541C2005A	-	-	-	-	BJC41C2004A	-	-	-	-
BANP27C2007A	-	-	-	-	BDM541C2006A	-	-	-	-	BJC41C2005A	-	-	-	-
BANP28C2004A	-	-	-	-	BDM541P2004A	0.79	-	1	-	BJC41C2006A	-	-	-	-
BANP28C2008A	0.03	(0.01)	902	-	BDM541P2006A	0.55	(0.07)	46	-	BJC41C2007A	-	-	-	-
BANP41C2004A	-	-	-	-	BDM542C2003A	-	-	-	-	BJC41C2008A	0.24	0.05	58,207	-
BANP41C2005A	-	-	-	-	BEAU13C2003A	-	-	-	-	BJC41P2004A	-	-	-	-
BANP41C2006A	-	-	-	-	BEAU13C2003B	-	-	-	-	BJC41P2005A	0.73	0.01	702	-
BANP41C2007A	-	-	-	-	BEC01C2006A	-	-	-	-	BJC42C2004A	-	-	-	-
BANP41P2005A	-	-	-	-	BEC01C2006B	0.03	0.01	1	-	BLAN19C2004A	-	-	-	-
BANP41P2007A	-	-	-	-	BEC01P2006A	1.22	(0.18)	403	1.00	BLAN28C2004A	0.02	-	500	-
BANP42C2004A	-	-	-	-	BEC19C2003A	-	-	-	-	BPP01C2005A	0.02	-	201	-
BANP42C2006A	-	-	-	-	BEC19C2005A	-	-	-	-	BPP01C2005B	-	-	-	-
BANP42P2005A	-	-	-	-	BEC42C2003A	-	-	-	-	BPP01P2005A	1.61	(0.20)	268	1.00
BBL06C2007A	0.02	(0.02)	11	-	BEC42C2005A	-	-	-	-	BPP13C2004A	-	-	-	-
BBL06P2004A	-	-	-	-	BEM01C2004A	0.02	-	1	-	BPP13C2007A	-	-	-	-
BBL08C2005A	0.02	-	1	-	BEM01C2004B	-	-	-	-	BPP19C2005A	-	-	-	-
BBL08C2007A	0.02	-	40	-	BEM01P2004A	0.95	(0.03)	5,921	-	BPP19C2007A	0.03	0.01	28,610	-
BBL08P2007A	2.16	(0.06)	10,165	2.00	BEM06C2004A	-	-	-	-	BPP24C2003A	-	-	-	-
BBL11C2005A	0.01	-	4,000	-	BEM08C2005A	0.01	(0.01)	250	-	BTS01C2005A	0.02	-	10,567	-
BBL11C2007A	0.01	-	10	-	BEM11C2003A	-	-	-	-	BTS01C2005B	0.02	0.01	1,010	-
BBL11P2008A	2.32	(0.04)	2,261	2.00	BEM13C2004A	-	-	-	-	BTS01P2005A	0.88	(0.05)	30,983	-
BBL13C2004A	-	-	-	-	BEM13C2007A	0.04	-	864	-	BTS08C2005A	0.01	-	5	-
BBL13C2006A	0.01	(0.03)	11,980	-	BEM16C2006A	-	-	-	-	BTS11C2003A	-	-	-	-
BBL13C2008A	0.20	-	128	-	BEM19C2005A	-	-	-	-	BTS13C2003A	-	-	-	-
BBL13P2004A	-	-	-	-	BEM24C2003A	-	-	-	-	BTS13C2006A	-	-	-	-
BBL13P2008A	1.22	(0.06)	7,969	1.00	BEM28C2006A	-	-	-	-	BTS13C2008A	0.04	(0.01)	4,765	-
BBL16C2006A	-	-	-	-	BEM28C2007A	-	-	-	-	BTS16C2008A	-	-	-	-
BBL19C2003A	-	-	-	-	BEM28C2008A	0.06	0.01	3,000	-	BTS19C2005A	-	-	-	-
BBL19C2005A	-	-	-	-	BEM41C2004A	-	-	-	-	BTS19C2008A	0.06	-	22,965	-
BBL19C2007A	0.02	-	4,000	-	BEM41C2006A	-	-	-	-	BTS24C2007A	-	-	-	-
BBL19P2007A	-	-	-	-	BEM41P2004A	0.90	0.03	12	-	BTS41C2003A	-	-	-	-
BBL24C2004A	-	-	-	-	BGRI01C2003A	0.02	-	20,001	-	BTS41C2004A	-	-	-	-
BBL28C2005A	-	-	-	-	BGRI01C2003B	0.02	-	403	-	BTS41C2006A	-	-	-	-
BBL28C2007A	-	-	-	-	BGRI01C2006A	0.03	-	91,007	-	BTS41P2004A	-	-	-	-
BBL41C2004A	-	-	-	-	BGRI01C2006B	0.01	(0.01)	8,452	-	BTS42				

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01P2003A	0.50	(0.01)	103,625	-	CKP27C2005A	-	-	-	-	CRC28C2007A	0.07	(0.01)	24,647	-
CBG01P2004A	2.32	0.02	5,218	2.00	CKP28C2004A	-	-	-	-	CRC28C2007B	0.04	(0.02)	12,962	-
CBG01P2007B	2.62	0.06	5,718	2.00	CKP28C2004B	-	-	-	-	CRC41C2007A	0.13	(0.09)	30,790	-
CBG06C2005A	0.04	0.03	100	-	CKP28C2006A	-	-	-	-	DTAC01C2004A	0.02	0.01	201	-
CBG08C2003A	0.02	-	65	-	CKP41C2004A	-	-	-	-	DTAC01C2004B	0.02	-	5,012	-
CBG08C2007A	0.20	(0.01)	102,187	-	CKP41C2005A	-	-	-	-	DTAC01C2007B	0.03	(0.01)	375	-
CBG11C2008A	0.14	(0.01)	2	-	CKP41C2006A	-	-	-	-	DTAC01C2008A	0.15	0.01	7,365	-
CBG13C2004A	0.02	0.01	2,520	-	CKP41C2007A	-	-	-	-	DTAC01P2004A	-	-	-	-
CBG13C2008A	0.22	(0.01)	6,319	-	CKP42C2003A	-	-	-	-	DTAC01P2004B	-	-	-	-
CBG13P2006A	2.52	0.18	75	2.00	CKP42C2005A	-	-	-	-	DTAC01P2007B	1.17	(0.18)	9,966	1.00
CBG16C2008A	0.06	0.01	19	-	CKP42C2006A	-	-	-	-	DTAC01P2008A	1.19	(0.12)	14,456	1.00
CBG19C2004A	-	-	-	-	COM708C2007A	-	-	-	-	DTAC06C2006A	-	-	-	-
CBG19C2005A	0.05	-	111	-	COM711C2004A	0.01	-	2,141	-	DTAC08C2005A	-	-	-	-
CBG19C2008A	0.25	(0.01)	306,486	-	COM713C2004A	-	-	-	-	DTAC08C2005B	-	-	-	-
CBG19P2006A	2.58	0.20	466	2.00	COM713C2007A	0.03	0.02	15,015	-	DTAC08C2007A	0.04	-	5	-
CBG24C2003A	-	-	-	-	COM713C2008A	0.13	0.02	1,177	-	DTAC13C2006A	0.02	-	3,023	-
CBG24C2008A	0.13	(0.20)	3,003	-	COM716C2008A	-	-	-	-	DTAC13C2007A	0.03	-	999	-
CBG41C2004A	-	-	-	-	COM719C2003A	-	-	-	-	DTAC13P2003A	-	-	-	-
CBG41C2005A	-	-	-	-	COM719C2005A	-	-	-	-	DTAC13P2006A	-	-	-	-
CBG41C2006A	0.03	(0.02)	5,501	-	COM719C2008A	0.19	0.04	5,384	-	DTAC13P2007A	0.35	(0.01)	23	-
CBG41P2004A	-	-	-	-	COM719P2004A	0.54	(0.13)	19,268	-	DTAC13P2008A	1.26	(0.19)	3	1.00
CBG41P2006A	2.52	0.12	603	2.00	COM724C2007A	-	-	-	-	DTAC16C2009A	-	-	-	-
CBG42C2003A	-	-	-	-	COM741C2004A	-	-	-	-	DTAC19C2005A	-	-	-	-
CBG42C2006A	-	-	-	-	COM741C2006A	-	-	-	-	DTAC19C2006A	-	-	-	-
CBG42C2008A	-	-	-	-	COM742C2004A	-	-	-	-	DTAC19C2007A	0.09	0.01	29,862	-
CENT01C2003A	0.01	-	3,000	-	CPAL01C2004A	0.02	-	3,530	-	DTAC19P2007A	0.96	(0.11)	1,581	-
CENT01C2003B	-	-	-	-	CPAL01C2004B	0.01	(0.01)	300	-	DTAC24C2004A	-	-	-	-
CENT01C2006A	0.04	(0.02)	3,635	-	CPAL01C2006A	0.13	-	14,728	-	DTAC24C2007A	-	-	-	-
CENT01C2006B	0.01	-	1,330	-	CPAL01C2006B	0.04	(0.03)	4,936	-	DTAC27C2008A	0.09	-	13,260	-
CENT01C2009A	0.16	(0.03)	386	-	CPAL01C2008B	0.18	(0.02)	70,582	-	DTAC41C2004A	-	-	-	-
CENT01P2003A	1.48	-	72	1.00	CPAL01P2004A	1.75	(0.03)	2,533	1.00	DTAC41C2005A	-	-	-	-
CENT01P2009A	1.40	0.10	14,949	1.00	CPAL01P2004B	1.00	(0.07)	1,276	1.00	DTAC41C2006A	-	-	-	-
CENT06C2003A	0.01	-	5,005	-	CPAL01P2008B	0.90	(0.04)	40,070	-	DTAC41C2007A	-	-	-	-
CENT06C2006A	-	-	-	-	CPAL06C2006A	-	-	-	-	DTAC41C2007B	-	-	-	-
CENT06P2007A	1.86	0.22	9,433	1.00	CPAL08C2004A	0.02	0.01	7	-	DTAC41P2005A	-	-	-	-
CENT08C2004A	-	-	-	-	CPAL08C2006A	0.03	-	4,200	-	DTAC41P2006A	-	-	-	-
CENT11C2004A	-	-	-	-	CPAL08P2006A	1.13	(0.07)	106	1.00	DTAC42C2004A	-	-	-	-
CENT11C2007A	0.04	0.03	1	-	CPAL11C2006A	0.01	(0.03)	1,800	-	DTAC42C2006A	-	-	-	-
CENT13C2003A	-	-	-	-	CPAL11C2007A	-	-	-	-	EA06C2005A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL13C2004A	-	-	-	-	EA08C2004A	-	-	-	-
CENT13C2006A	-	-	-	-	CPAL13C2007A	0.14	(0.01)	7,943	-	EA08C2006A	0.03	(0.01)	21,000	-
CENT19C2004A	-	-	-	-	CPAL16C2006A	-	-	-	-	EA11C2005A	-	-	-	-
CENT19C2005A	-	-	-	-	CPAL16C2007A	-	-	-	-	EA13C2003A	-	-	-	-
CENT19C2008A	0.09	(0.01)	20,008	-	CPAL19C2004A	-	-	-	-	EA13C2005A	0.02	(0.01)	1,580	-
CENT24C2003A	-	-	-	-	CPAL19C2005A	-	-	-	-	EA13C2006A	-	-	-	-
CENT24C2008A	-	-	-	-	CPAL19C2008A	0.21	-	316,781	-	EA13C2008A	0.15	0.02	606	-
CENT27C2008A	-	-	-	-	CPAL19P2004A	0.84	(0.01)	1,515	-	EA13P2003A	-	-	-	-
CENT28C2004A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA13P2006A	1.61	(0.07)	795	1.00
CENT28C2005A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA16C2003A	-	-	-	-
CENT28C2006A	0.02	-	500	-	CPAL28C2005A	-	-	-	-	EA16C2006A	-	-	-	-
CENT28C2008A	0.07	-	4,000	-	CPAL28C2007A	0.06	0.01	408	-	EA16C2008A	0.06	-	1,701	-
CENT41C2004A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA19C2004A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL41C2005A	-	-	-	-	EA19C2008A	0.16	-	818	-
CENT41C2006A	0.02	(0.01)	2	-	CPAL41C2006A	0.04	(0.06)	2	-	EA19P2007A	1.41	0.01	444	1.00
CENT42C2004A	-	-	-	-	CPAL41C2007A	0.15	-	400	-	EA24C2003A	-	-	-	-
CENT42C2006A	-	-	-	-	CPAL41P2004A	0.94	(0.04)	6,238	-	EA24C2004A	-	-	-	-
CHG01C2006A	0.14	(0.01)	99	-	CPAL41P2005A	-	-	-	-	EA27C2006A	-	-	-	-
CHG01C2006B	-	-	-	-	CPAL41P2006A	1.20	(0.02)	20	1.00	EA28C2004A	-	-	-	-
CHG01P2006A	0.63	0.07	9,334	-	CPAL42C2003A	-	-	-	-	EA28C2004B	-	-	-	-
CHG06P2003A	-	-	-	-	CPAL42C2005A	-	-	-	-	EA28C2006A	-	-	-	-
CHG08C2005A	-	-	-	-	CPAL42C2007A	0.02	(0.01)	451	-	EA41C2004A	-	-	-	-
CHG13C2006A	0.14	0.04	1	-	CPF01C2004A	0.02	-	1,911	-	EA41C2005A	-	-	-	-
CHG16C2009A	-	-	-	-	CPF01C2004B	0.01	-	2,759	-	EA41C2006A	-	-	-	-
CHG19C2004A	-	-	-	-	CPF01P2004A	0.51	(0.10)	63,964	-	EA41P2004A	1.07	0.04	1,896	-
CHG27C2009A	0.12	-	5,760	-	CPF08C2006A	0.02	-	18,702	-	EA42C2004A	-	-	-	-
CHG41C2005A	-	-	-	-	CPF11C2004A	-	-	-	-	EGCO01C2004A	0.01	(0.01)	5	-
CHG42C2006A	0.05	(0.01)	100	-	CPF11C2007A	0.06	-	250	-	EGCO01C2004B	-	-	-	-
CK01C2005A	-	-	-	-	CPF13C2006A	0.02	(0.01)	300	-	EGCO01C2007B	0.02	-	41,728	-
CK01C2005B	0.01	-	1,600	-	CPF13C2008A	0.08	0.01	32,703	-	EGCO06C2004A	0.01	-	15,000	-
CK01P2005A	1.02	(0.15)	5,321	1.00	CPF16C2007A	-	-	-	-	EGCO06C2007A	0.02	0.01	2	-
CK06C2004A	-	-	-	-	CPF19C2003A	-	-	-	-	EGCO06P2004A	-	-	-	-
CK11C2007A	-	-	-	-	CPF19C2005A	0.02	-	400	-	EGCO13C2005A	-	-	-	-
CK13C2003A	-	-	-	-	CPF19C2006A	0.02	-	1,250	-	EGCO19C2005A	-	-	-	-
CK13C2006A	0.05	-	10	-	CPF24C2007A	0.06	0.03	103	-	EGCO19C2007A	0.01	-	300	-
CK16C2003A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO41C2004A	-	-	-	-
CK16C2006A	-	-	-	-	CPF28C2007A	0.02	0.01	9,901	-	EGCO41C2006A	-	-	-	-
CK19C2003A	-	-	-	-	CPF41C2004A	-	-	-	-	EGCO41P2004A	-	-	-	-
CK19C2004A	0.04	(0.05)	270	-	CPF41C2005A	-	-	-	-	EGCO41P2006A	2.64	(0.18)	216	2.00
CK19C2007A	-	-	-	-	CPF41P2005A	0.67	(0.08)	1,080	-	EGCO42C2003A	-	-	-	-
CK24C2003A	-	-	-	-	CPF42C2003A	-	-	-	-	EGCO42C2007A	0.01	-	1	-
CK27C2008A	0.05	-	500	-	CPN01C2005A	0.04	(0.01)	515	-	EPG08C2004A	-	-	-	-
CK41C2003A	-	-	-	-	CPN01C2005B	-	-	-	-	EPG13C2004A	-	-	-	-
CK41C2004A	-	-	-	-	CPN01P2005A	1.94	(0.20)	16,685	1.00	EPG13C2006A	-	-	-	-
CK41C2005A	-	-	-	-	CPN06C2006A	-	-	-	-	EPG19C2005A	-	-	-	-
CK42C2006A	-	-	-	-	CPN11C2006A	-	-	-	-	EPG19C2007A	-	-	-	-
CKP01C2004A	-	-	-	-	CPN11C2008A	-	-	-	-	EPG19C2008A	0.25	0.03	65,257	-
CKP01C2004B	-	-	-	-	CPN13C2004A	-	-	-	-	EPG24C2008A	-	-	-	-
CKP01C2008B	-	-	-	-	CPN13C2007A	0.03	0.01	200	-	ERW06C2006A	-	-	-	-
CKP01C2009A	0.20	(0.01)	46	-	CPN16C2005A	0.07	(0.13)	1	-	ERW06C2007A	-	-	-	-
CKP01P2004A	-	-	-	-	CPN19C2004A	-	-	-	-	ERW06P2006A	1.73	0.03	25	1.00
CKP01P2009A	1.32	(0.10)	38	1.00	CPN19C2007A	-	-	-	-	ERW13C2005A	-	-	-	-
CKP08C2004A	-	-	-	-	CPN24C2007A	0.06	(0.05)	10	-	ERW13C2006A	-	-	-	-
CKP11C2006A	-	-	-	-	CPN41C2004A	-	-	-	-	ERW13C2007A	-	-	-	-
CKP13C2003A	-	-	-	-	CPN41C2006A	-	-	-	-	ERW19C2005A	-	-	-	-
CKP13C2004A	-	-	-	-	CPN41P2005A	-	-	-	-	ERW19C2006A	-	-	-	-
CKP13C2004B	-	-	-	-	CPN41P2006A	1.39	(0.09)	1	1.00	ERW19C2007A	-	-	-	-
CKP13C2007A	-	-	-	-	CPN42C2004A	-	-	-	-	ERW24C2006A	-	-	-	-
CKP16C2005A	-	-	-	-	CPN42C2006A	-	-	-						

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ESSO13C2006A	-	-	-	-	GULF41P2004A	-	-	-	-	IRPC06C2007A	0.02	-	165	-
ESSO19C2004A	-	-	-	-	GULF41P2005A	1.41	(0.12)	2	1.00	IRPC06P2004A	-	-	-	-
ESSO19C2007A	-	-	-	-	GULF41P2006A	1.48	(0.01)	1,000	1.00	IRPC11C2005A	-	-	-	-
ESSO24C2003A	-	-	-	-	GULF41P2007A	-	-	-	-	IRPC11C2008A	-	-	-	-
ESSO24C2007A	-	-	-	-	GULF42C2003A	-	-	-	-	IRPC13C2006A	-	-	-	-
ESSO41C2004A	-	-	-	-	GUNK01C2005A	-	-	-	-	IRPC13C2007A	0.07	0.05	5	-
ESSO41C2005A	-	-	-	-	GUNK01C2005B	-	-	-	-	IRPC13C2008A	0.11	0.02	55	-
ESSO41C2006A	0.03	(0.06)	1,667	-	GUNK01P2005A	1.04	(0.12)	21	1.00	IRPC16C2008A	-	-	-	-
ESSO42C2003A	-	-	-	-	GUNK11C2007A	-	-	-	-	IRPC19C2003A	-	-	-	-
ESSO42C2007A	0.02	(0.02)	2	-	GUNK13C2006A	-	-	-	-	IRPC19C2005A	-	-	-	-
GFPT13C2003A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC19C2007A	-	-	-	-
GFPT19C2004A	-	-	-	-	GUNK19C2006A	-	-	-	-	IRPC19C2008A	0.20	0.03	59,230	-
GFPT19C2006A	-	-	-	-	GUNK24C2006A	-	-	-	-	IRPC24C2004A	-	-	-	-
GFPT24C2007A	0.04	(0.02)	20	-	GUNK28C2005A	-	-	-	-	IRPC24C2007A	-	-	-	-
GFPT42C2004A	-	-	-	-	GUNK41C2005A	-	-	-	-	IRPC27C2007A	-	-	-	-
GFPT42C2008A	0.13	0.10	1	-	GUNK41P2005A	1.03	(0.10)	582	1.00	IRPC28C2006A	-	-	-	-
GLOB01C2003A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC28C2008A	0.10	-	30,845	-
GLOB01C2007B	0.07	-	5,000	-	HANA01C2006A	-	-	-	-	IRPC41C2004A	-	-	-	-
GLOB01C2008A	-	-	-	-	HANA01C2006B	-	-	-	-	IRPC41C2005A	-	-	-	-
GLOB01P2003A	1.12	0.27	6,618	1.00	HANA01P2006A	1.07	0.09	3,101	1.00	IRPC41C2006A	0.07	0.01	1	-
GLOB06C2006A	-	-	-	-	HANA11C2008A	0.03	(0.03)	320	-	IRPC41C2007A	0.15	-	2,400	-
GLOB13C2007A	0.05	-	1,680	-	HANA13C2006A	-	-	-	-	IRPC41P2004A	-	-	-	-
GLOB19C2005A	-	-	-	-	HANA13C2008A	0.02	(0.01)	50	-	IRPC41P2005A	-	-	-	-
GLOB19C2007A	-	-	-	-	HANA16C2008A	-	-	-	-	IRPC41P2006A	-	-	-	-
GLOB24C2005A	-	-	-	-	HANA19C2003A	-	-	-	-	IRPC41P2007A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA19C2006A	-	-	-	-	IRPC42C2003A	-	-	-	-
GLOB42C2009A	-	-	-	-	HANA27C2007A	-	-	-	-	IRPC42C2006A	-	-	-	-
GPSC01C2003A	0.02	0.01	2,150	-	HANA27P2007A	1.09	0.07	1,255	1.00	IVL01C2004A	0.01	-	40,550	-
GPSC01C2003B	0.01	-	3,674	-	HANA41C2006A	-	-	-	-	IVL01C2004B	-	-	-	-
GPSC01C2005A	0.03	0.01	16,319	-	HMPR01C2006A	-	-	-	-	IVL01C2006B	0.03	0.01	185	-
GPSC01C2005B	0.01	(0.01)	1,331	-	HMPR01C2006B	-	-	-	-	IVL01P2004A	1.19	0.01	451	1.00
GPSC01C2007B	0.05	0.01	3,919	-	HMPR01P2006A	1.12	(0.01)	15,246	1.00	IVL01P2004B	0.70	-	19,658	-
GPSC01C2008A	0.13	0.02	95,129	-	HMPR06C2006A	-	-	-	-	IVL01P2006B	1.24	-	11,822	1.00
GPSC01P2003A	3.22	(0.32)	118	3.00	HMPR06P2007A	0.82	0.30	1	-	IVL06C2003A	0.01	-	1,000	-
GPSC01P2005A	3.20	(0.30)	246	3.00	HMPR11C2003A	-	-	-	-	IVL06C2008A	0.02	(0.04)	4,000	-
GPSC01P2005B	2.78	(0.14)	130	2.00	HMPR13C2006A	-	-	-	-	IVL06P2005A	-	-	-	-
GPSC01P2007B	2.36	(0.30)	7,874	2.00	HMPR13C2007A	-	-	-	-	IVL08C2004A	0.01	-	45	-
GPSC01P2008A	2.80	(0.20)	8,292	2.00	HMPR19C2003A	-	-	-	-	IVL08P2003A	-	-	-	-
GPSC06C2006A	0.02	-	1,741	-	HMPR19C2005A	-	-	-	-	IVL08P2004A	0.88	(0.12)	11	-
GPSC06C2008A	0.12	(0.01)	128,218	-	HMPR19C2007A	-	-	-	-	IVL11C2005A	0.03	0.01	1	-
GPSC08C2004B	0.02	0.01	1,017	-	HMPR24C2004A	-	-	-	-	IVL11C2006A	-	-	-	-
GPSC08C2007A	0.05	0.01	2,018	-	HMPR41C2005A	-	-	-	-	IVL13C2003A	-	-	-	-
GPSC08P2006A	-	-	-	-	HMPR41C2006A	-	-	-	-	IVL13C2006A	0.07	-	1	-
GPSC11C2006A	0.06	0.01	30	-	HMPR41C2007A	-	-	-	-	IVL13C2008A	0.14	-	1,301	-
GPSC13C2005A	0.02	-	3,530	-	HMPR41C2007B	0.13	(0.01)	11	-	IVL13P2004A	1.52	0.02	6	1.00
GPSC13C2007A	0.07	0.01	11,711	-	HMPR42C2003A	-	-	-	-	IVL16C2006A	-	-	-	-
GPSC13C2008A	0.19	0.04	178,364	-	HSI28C2003A	-	-	-	-	IVL16C2009A	0.12	(0.01)	2	-
GPSC13P2003A	-	-	-	-	HSI28C2003B	-	-	-	-	IVL19C2003A	-	-	-	-
GPSC13P2005A	-	-	-	-	HSI28C2003C	-	-	-	-	IVL19C2004A	-	-	-	-
GPSC13P2007A	2.52	(0.30)	10	2.00	HSI28C2004A	0.25	(0.06)	374,545	-	IVL19C2006A	-	-	-	-
GPSC16C2003A	-	-	-	-	HSI28C2004B	0.14	(0.04)	55,323	-	IVL19C2008A	0.16	(0.02)	88,730	-
GPSC16C2007A	0.03	(0.04)	10,370	-	HSI28C2004C	0.11	0.02	1,634	-	IVL19P2003A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28C2005A	0.98	(0.15)	503,336	1.00	IVL19P2006A	-	-	-	-
GPSC19C2007A	-	-	-	-	HSI28C2005B	0.67	(0.19)	356,620	-	IVL24C2003A	-	-	-	-
GPSC19C2008A	0.25	0.04	11,019	-	HSI28C2005C	0.44	(0.12)	181,340	-	IVL27P2007A	1.00	-	63,588	-
GPSC19P2005A	2.40	(0.04)	34	2.00	HSI28C2005D	0.29	(0.06)	154,741	-	IVL28C2007A	0.04	(0.01)	200	-
GPSC24C2007A	-	-	-	-	HSI28P2003A	-	-	-	-	IVL41C2004A	-	-	-	-
GPSC27C2005A	-	-	-	-	HSI28P2003B	-	-	-	-	IVL41C2005A	-	-	-	-
GPSC28C2008A	0.10	-	4,400	-	HSI28P2003C	-	-	-	-	IVL41C2006A	-	-	-	-
GPSC41C2004A	-	-	-	-	HSI28P2004A	3.38	0.44	226,742	2.00	IVL41C2007A	-	-	-	-
GPSC41C2005A	-	-	-	-	HSI28P2004B	3.98	0.28	84,875	3.00	IVL41C2007B	0.19	-	41,064	-
GPSC41C2005B	-	-	-	-	HSI28P2004C	4.90	1.10	46,515	3.00	IVL41P2004A	0.63	0.02	300	-
GPSC41C2006A	0.03	-	1,000	-	HSI28P2005A	3.98	0.12	236,223	3.00	IVL41P2005A	1.54	(0.02)	73	1.00
GPSC41P2004A	-	-	-	-	HSI28P2005B	3.32	0.28	229,121	3.00	IVL41P2006A	-	-	-	-
GPSC41P2005A	-	-	-	-	HSI28P2005C	2.76	0.04	139,528	2.00	IVL41P2007A	-	-	-	-
GPSC41P2006A	2.30	(0.20)	5	2.00	HSI28P2005D	2.38	0.14	493,363	2.00	IVL42C2005A	-	-	-	-
GPSC42C2006A	0.02	(0.01)	1,900	-	INTU01C2003A	0.01	-	1,000	-	IVL42C2008A	0.31	0.04	427	-
GPSC42P2006A	-	-	-	-	INTU01C2003B	-	-	-	-	JAS13C2006A	0.08	0.01	8,036	-
GULF01C2003A	0.03	(0.01)	23,739	-	INTU01C2006A	0.09	-	1,459	-	JAS19C2004A	-	-	-	-
GULF01C2003B	0.01	-	118,967	-	INTU01C2006B	0.03	-	300	-	JAS41C2004A	0.06	0.04	1	-
GULF01C2005A	0.11	-	246,200	-	INTU01P2003A	-	-	-	-	JAS41C2005A	-	-	-	-
GULF01C2005B	0.03	-	74,432	-	INTU01P2003B	1.60	0.64	3,026	1.00	JAS41C2006A	0.11	(0.02)	200	-
GULF01C2007A	0.07	0.01	189,524	-	INTU01P2006A	1.43	(0.03)	11	1.00	JAS41P2005A	0.52	(0.05)	20	-
GULF01P2003A	0.34	(0.13)	15,095	-	INTU01P2006B	1.08	(0.03)	315	1.00	JMT13C2006A	0.06	0.01	1,840	-
GULF01P2003B	0.40	(0.23)	11,463	-	INTU13C2004A	0.05	-	100	-	JMT19C2006A	0.07	-	2,209	-
GULF01P2005A	2.68	(0.38)	33,875	2.00	INTU13C2006A	0.08	0.03	3	-	JMT42C2006A	0.05	-	500	-
GULF03C2005A	0.09	(0.15)	2	-	INTU13P2004A	1.20	0.59	200	1.00	KBAN01C2004A	0.02	0.01	2,051	-
GULF06C2004A	0.02	(0.01)	806	-	INTU16C2005A	-	-	-	-	KBAN01C2004B	0.01	-	600	-
GULF08C2003A	-	-	-	-	INTU16C2007A	-	-	-	-	KBAN01C2007A	0.05	(0.01)	6,620	-
GULF11C2003A	0.31	0.10	22,317	-	INTU16C2009A	-	-	-	-	KBAN01C2007B	0.02	0.01	15,692	-
GULF11C2006A	0.07	(0.02)	4,365	-	INTU19C2004A	-	-	-	-	KBAN01P2004A	2.94	(0.06)	30	2.00
GULF13C2004A	0.01	(0.03)	1,399	-	INTU19C2005A	0.05	-	7,004	-	KBAN01P2004B	1.96	(0.12)	12,132	1.00
GULF13C2006A	0.05	-	11,642	-	INTU19P2007A	0.78	0.10	75	-	KBAN01P2007A	2.54	(0.02)	459	2.00
GULF13C2006B	0.03	(0.01)	2,585	-	INTU23C2111A	0.47	0.04	930	-	KBAN01P2007B	2.86	(0.12)	7,115	2.00
GULF13C2008A	0.22	-	377,586	-	INTU24C2003A	-	-	-	-	KBAN06C2004A	-	-	-	-
GULF13P2004A	1.34	(0.26)	16,780	1.00	INTU24C2008A	0.11	(0.03)	2,408	-	KBAN06C2008A	0.06	0.01	10,885	-
GULF13P2005A	2.58	(0.36)	2,630	2.00	INTU28C2008A	0.06	-	18,360	-	KBAN08C2005A	0.02	0.01	50	-
GULF16C2003A	-	-	-	-	INTU41C2004A	0.01	(0.02)	143	-	KBAN08C2007A	-	-	-	-
GULF16C2007A	0.20	(0.02)	112	-	INTU41C2005A	-	-	-	-	KBAN08P2004A	-	-	-	-
GULF19C2003A	-	-	-	-	INTU41C2006A	-	-	-	-	KBAN13C2003A	-	-	-	-
GULF19C2004A	-	-	-	-	INTU41C2007A	-	-	-	-	KBAN13C2003B	-	-	-	-
GULF19C2006A	0.02	-	7,950	-	INTU41P2004A	-	-	-	-	KBAN13C2006A	0.02	-	1,950	-
GULF19C2008A	0.45	0.05	1,027,444	-	INTU41P2005A	-	-	-	-	KBAN13C2008A	0.06	0.01	3,130	-
GULF19P2003A	0.33	(0.07)	35,010	-	INTU41P2006A	1								

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN24C2005A	-	-	-	-	MINT01P2008A	1.57	0.19	43,463	1.00	PTG03C2005A	-	-	-	-
KBAN28C2004A	-	-	-	-	MINT06C2006A	-	-	-	-	PTG06C2006A	-	-	-	-
KBAN28C2008A	-	-	-	-	MINT06P2007A	-	-	-	-	PTG08C2005A	-	-	-	-
KBAN41C2003A	-	-	-	-	MINT08C2003A	-	-	-	-	PTG08C2007A	0.09	(0.01)	20,903	-
KBAN41C2004A	-	-	-	-	MINT11C2006A	0.01	-	5	-	PTG11C2003A	-	-	-	-
KBAN41C2005A	-	-	-	-	MINT13C2004A	-	-	-	-	PTG11C2005A	-	-	-	-
KBAN41C2007A	-	-	-	-	MINT13C2006A	-	-	-	-	PTG13C2004A	-	-	-	-
KBAN41C2008A	-	-	-	-	MINT13C2008A	0.02	-	1,504	-	PTG13C2006A	0.07	0.02	1,024	-
KBAN41P2004A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG13P2004A	-	-	-	-
KBAN41P2005A	-	-	-	-	MINT19C2006A	-	-	-	-	PTG13P2006A	0.69	0.02	4,151	-
KBAN41P2006A	-	-	-	-	MINT19P2004A	2.10	0.46	50	2.00	PTG16C2009A	-	-	-	-
KBAN42C2003A	-	-	-	-	MINT24C2006A	-	-	-	-	PTG19C2003A	-	-	-	-
KBAN42C2004A	-	-	-	-	MINT28C2006A	-	-	-	-	PTG19C2004A	-	-	-	-
KBAN42C2007A	0.01	-	100	-	MINT28C2008A	-	-	-	-	PTG19C2005A	-	-	-	-
KBAN42P2008A	-	-	-	-	MINT41C2004A	-	-	-	-	PTG19C2006A	-	-	-	-
KCE01C2004A	0.11	0.01	56,743	-	MINT41C2005A	-	-	-	-	PTG19P2006A	-	-	-	-
KCE01C2004B	0.02	(0.06)	1,001	-	MINT41C2007A	0.04	(0.03)	19,154	-	PTG27C2007A	0.07	(0.01)	13,710	-
KCE01C2007B	0.02	-	10,338	-	MINT41P2004A	1.90	0.26	515	1.00	PTG28C2004A	0.01	(0.01)	3,000	-
KCE01C2008A	0.07	(0.01)	14,470	-	MINT42C2004A	-	-	-	-	PTG41C2004A	-	-	-	-
KCE01P2004A	1.96	0.03	18,601	1.00	MTC01C2003A	0.03	-	1,149	-	PTG41C2005A	-	-	-	-
KCE08C2005A	0.02	-	7,210	-	MTC01C2003B	0.01	-	342	-	PTG41C2006A	-	-	-	-
KCE08C2005B	0.02	-	1	-	MTC01C2007B	0.03	-	9,828	-	PTG41P2005A	-	-	-	-
KCE11C2004A	-	-	-	-	MTC01C2008A	0.08	(0.01)	87,105	-	PTG42C2004A	-	-	-	-
KCE13C2003A	-	-	-	-	MTC01P2003A	1.45	0.03	18,883	1.00	PTG42C2006A	0.06	0.02	200	-
KCE13C2004A	0.03	0.01	2,512	-	MTC03C2005A	-	-	-	-	PTT01C2004A	0.01	(0.01)	46,141	-
KCE13C2005A	0.03	0.01	337	-	MTC06C2007A	0.10	(0.16)	150	-	PTT01C2004B	-	-	-	-
KCE13C2006A	0.13	-	2,922	-	MTC08C2005A	0.02	(0.01)	10,420	-	PTT01C2007A	0.06	0.01	58,490	-
KCE16C2007A	0.03	0.01	2,241	-	MTC11C2008A	0.05	(0.02)	200	-	PTT01C2007B	0.03	-	5,258	-
KCE19C2005A	0.04	-	10	-	MTC13C2003A	-	-	-	-	PTT01P2004A	1.51	(0.04)	2,790	1.00
KCE19C2007A	-	-	-	-	MTC13C2007A	0.05	0.01	6,117	-	PTT01P2004B	1.53	(0.04)	212	1.00
KCE19C2008A	0.38	(0.62)	136,723	-	MTC13P2003A	1.58	(0.42)	4	1.00	PTT01P2007A	1.85	(0.02)	6,861	1.00
KCE24C2005A	0.19	0.06	30	-	MTC16C2007A	0.11	-	225	-	PTT01P2007B	2.04	(0.06)	255	2.00
KCE27C2007A	0.03	(0.01)	3	-	MTC19C2006A	0.04	0.02	5,099	-	PTT06C2005A	-	-	-	-
KCE41C2005A	-	-	-	-	MTC19P2004A	1.10	-	63,790	1.00	PTT08C2005A	-	-	-	-
KCE41C2006A	-	-	-	-	MTC24C2004A	-	-	-	-	PTT08P2005A	1.61	0.10	16	1.00
KKP01C2006A	-	-	-	-	MTC27C2007A	0.04	(0.03)	8,600	-	PTT11C2004A	0.03	-	1,301	-
KKP01C2006B	0.02	-	500	-	MTC28C2006A	0.02	-	550	-	PTT11C2008A	0.04	-	1	-
KKP01P2006A	3.04	0.12	262	3.00	MTC28C2008A	0.04	(0.03)	1,060	-	PTT13C2004A	0.01	-	500	-
KKP08C2003A	-	-	-	-	MTC41C2004A	-	-	-	-	PTT13C2006A	0.03	0.02	5,891	-
KKP11C2007A	-	-	-	-	MTC41C2007A	0.05	(0.04)	73,450	-	PTT13C2008A	0.03	(0.01)	34,052	-
KKP13C2004A	-	-	-	-	MTC41P2004A	1.54	(0.08)	3,640	1.00	PTT13C2008B	0.13	(0.02)	7,235	-
KKP13C2007A	-	-	-	-	MTC42C2003A	0.01	-	500	-	PTT13P2004A	1.65	(0.53)	10	1.00
KKP19C2003A	-	-	-	-	ORI13C2004A	-	-	-	-	PTT13P2006A	2.06	(0.08)	3	2.00
KKP24C2003A	-	-	-	-	ORI19C2003A	-	-	-	-	PTT13P2008A	0.52	0.10	86,841	-
KKP41C2006A	-	-	-	-	ORI19C2005A	-	-	-	-	PTT16C2008A	0.02	-	1,029	-
KTBO1C2003A	-	-	-	-	ORI28C2004A	-	-	-	-	PTT19C2005A	-	-	-	-
KTBO1C2008B	0.04	(0.02)	1,846	-	ORI28C2007A	-	-	-	-	PTT19C2008A	0.18	0.01	97,957	-
KTBO1C2009A	0.07	(0.01)	667	-	ORI41C2004A	-	-	-	-	PTT19P2003A	-	-	-	-
KTBO1P2003A	-	-	-	-	OSP01C2003A	0.02	0.01	546	-	PTT19P2006A	1.83	0.07	120	1.00
KTBO1P2009A	0.98	(0.03)	3,176	-	OSP01C2003B	-	-	-	-	PTT24C2003A	-	-	-	-
KTB11C2004A	-	-	-	-	OSP01C2006A	0.09	0.02	62,911	-	PTT24C2008A	0.05	-	1	-
KTB11C2006A	-	-	-	-	OSP01C2006B	0.03	-	79	-	PTT28C2004A	-	-	-	-
KTB13C2006A	-	-	-	-	OSP01P2003A	0.69	(0.15)	4,095	-	PTT28C2007A	-	-	-	-
KTB19C2005A	-	-	-	-	OSP01P2006A	1.09	(0.14)	23,160	1.00	PTT28C2008A	0.06	(0.01)	1,100	-
KTB24C2004A	-	-	-	-	OSP06C2005A	0.01	(0.01)	2,151	-	PTT28P2004A	-	-	-	-
KTB41C2004A	-	-	-	-	OSP06P2003A	-	-	-	-	PTT41C2004A	-	-	-	-
KTB41C2006A	-	-	-	-	OSP08C2004A	-	-	-	-	PTT41C2005A	-	-	-	-
KTB41P2004A	-	-	-	-	OSP11C2005A	-	-	-	-	PTT41C2006A	-	-	-	-
KTC01C2004A	0.01	-	1,020	-	OSP13C2004A	-	-	-	-	PTT41C2007A	0.22	(0.02)	200	-
KTC01C2004B	0.02	0.01	2	-	OSP13C2006A	0.03	-	5,467	-	PTT41P2004A	-	-	-	-
KTC01C2007A	0.13	(0.01)	22,068	-	OSP16C2008A	0.01	(0.08)	8,731	-	PTT41P2005A	-	-	-	-
KTC01C2007B	0.05	(0.02)	252	-	OSP19C2004A	-	-	-	-	PTT41P2006A	-	-	-	-
KTC01P2004A	0.96	(0.07)	6,041	1.00	OSP19C2005A	-	-	-	-	PTT42C2003A	-	-	-	-
KTC01P2007A	0.81	(0.07)	30,752	-	OSP24C2008A	0.11	(0.04)	528	-	PTT42C2007A	0.01	-	11,764	-
KTC06C2006A	0.02	-	1,000	-	OSP41C2004A	-	-	-	-	PTTE01C2004A	0.01	(0.01)	9,620	-
KTC08C2004A	-	-	-	-	OSP41C2005A	-	-	-	-	PTTE01C2004B	0.01	-	5,400	-
KTC08C2006A	0.07	0.01	168,027	-	OSP41P2004A	0.67	(0.09)	5,725	-	PTTE01C2007A	0.02	(0.01)	90,346	-
KTC11C2005A	-	-	-	-	OSP42C2005A	-	-	-	-	PTTE01C2007B	0.02	0.01	25,991	-
KTC13C2004A	-	-	-	-	PLAN08C2004A	-	-	-	-	PTTE01P2004A	2.72	0.10	953	2.00
KTC13C2006A	0.06	0.01	2,090	-	PLAN13C2004A	-	-	-	-	PTTE01P2004B	3.28	0.14	1,723	3.00
KTC13P2006A	0.66	(0.06)	550	-	PLAN13C2005A	-	-	-	-	PTTE01P2007A	3.76	0.06	7,692	3.00
KTC13P2007A	1.47	0.06	34	1.00	PLAN13C2007A	0.01	-	5,541	-	PTTE01P2007B	5.40	0.15	828	5.00
KTC19C2005A	-	-	-	-	PLAN19C2005A	-	-	-	-	PTTE06C2006A	-	-	-	-
KTC19C2006A	0.07	0.01	1	-	PLAN19C2007A	0.01	(0.01)	8,500	-	PTTE06P2006A	-	-	-	-
KTC19P2005A	0.87	0.03	330	-	PLAN24C2006A	-	-	-	-	PTTE08C2005A	-	-	-	-
KTC27C2007A	0.06	(0.01)	553	-	PLAN27C2008A	-	-	-	-	PTTE08P2005A	3.12	0.08	353	3.00
KTC28C2004A	-	-	-	-	PLAN28C2004A	-	-	-	-	PTTE08P2006A	-	-	-	-
KTC28C2006A	-	-	-	-	PLAN28C2005A	-	-	-	-	PTTE11C2006A	0.01	-	4	-
KTC41C2004A	-	-	-	-	PLAN41C2004A	-	-	-	-	PTTE13C2004A	0.02	0.01	1,000	-
KTC41C2005A	-	-	-	-	PLAN41C2005A	-	-	-	-	PTTE13C2006A	0.02	-	100	-
KTC41C2006A	-	-	-	-	PLAN41C2006A	-	-	-	-	PTTE13C2008A	0.03	0.01	22,049	-
KTC42C2003A	-	-	-	-	PLAN42C2007A	-	-	-	-	PTTE13C2008B	0.15	(0.02)	13,865	-
KTC42C2006A	0.02	-	1,926	-	PRM08C2003A	-	-	-	-	PTTE13P2006A	4.02	0.10	1,044	4.00
LH01C2003A	-	-	-	-	PRM13C2003A	-	-	-	-	PTTE13P2008A	1.36	0.13	75,938	1.00
LH01P2003A	-	-	-	-	PRM13C2006A	-	-	-	-	PTTE16C2003A	-	-	-	-
LH11C2007A	-	-	-	-	PRM19C2004A	-	-	-	-	PTTE16C2009A	0.03	(0.01)	8	-
LH19C2003A	-	-	-	-	PRM19C2006A	0.02	-	250	-	PTTE19C2006A	0.01	(0.01)	1,952	-
LH19C2003B	-	-	-	-	PRM42C2006A	-	-	-	-	PTTE19C2008A	0.03	0.01	18,117	-
LH19C2007A	-	-	-	-	PSH19C2003A	-	-	-	-	PTTE19C2008B	0.24	(0.03)	179,219	-
LH19P2004A	1.39	0.26	730	1.00	PSH19C2005A	-	-	-	-	PTTE19P2004A	2.74	0.18	807	2.00
LH41C2004A	-	-	-	-	PSL06C2006A	-	-	-	-	PTTE19P2006A	3.34	0.04	200	3.00
LH41C2005A	-	-	-	-	PSL13C2003A	-	-	-	-	PTTE24C2003A	-	-	-	-
LH41C2006A	-	-	-	-	PSL19C2004A	-	-	-	-	PTTE24C2008A	0.03	-	11	-
MAJO13C2007A	-	-	-	-	PSL19C2006A	0.01	(0.01)	1	-	PTTE28C2005A	-	-	-	-
MAJO19C2006A	-	-	-	-	PSL19C2007A	0.11	(0.03)	1,278	-	PTTE28C2008A	0.03	-	2,000	-
MBK19C2004A	-	-	-	-	PTG01C2003A	0.01	-	12,484	-	PTTE28P2004A	3.34	0.34	11	3.00
MEGA16C2														

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT01P2003A	-	-	-	-	PTG01P2005B	1.04	0.02	1,190	1.00	PTTG01C2005A	0.01	-	3,300	-

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG01C2005B	-	-	-	-	S5001P2003I	-	-	-	-	S5041C2003A	-	-	-	-
PTTG01C2007B	0.02	(0.01)	11,027	-	S5001P2003J	7.65	(0.30)	889	7.00	S5041C2003B	-	-	-	-
PTTG01C2008A	0.02	-	18,069	-	S5001P2004A	6.50	(0.05)	2,692	6.00	S5041C2003C	-	-	-	-
PTTG01P2005A	3.22	0.02	478	3.00	S5001P2005A	5.55	(0.05)	5,441	5.00	S5041C2003D	-	-	-	-
PTTG01P2005B	-	-	-	-	S5001P2006F	12.40	(0.50)	900	12.00	S5041C2003E	-	-	-	-
PTTG01P2007B	2.80	0.14	19	2.00	S5001P2006G	11.20	(0.40)	1,466	11.00	S5041C2006A	0.24	(0.07)	2,477	-
PTTG01P2008A	2.48	0.04	85	2.00	S5001P2006H	6.05	(0.10)	21,354	6.00	S5041C2006B	0.39	(0.04)	1,430	-
PTTG06C2006A	-	-	-	-	S5001P2007A	6.10	0.50	218,457	5.00	S5041C2006C	1.39	0.10	1,014,952	1.00
PTTG08C2004A	-	-	-	-	S5006C2003A	-	-	-	-	S5041P2003A	-	-	-	-
PTTG08P2004A	-	-	-	-	S5006C2003B	-	-	-	-	S5041P2003B	-	-	-	-
PTTG11C2004A	-	-	-	-	S5006C2003C	0.02	-	428	-	S5041P2003C	-	-	-	-
PTTG11C2007A	0.01	-	1	-	S5006C2006A	0.02	(0.02)	905	-	S5041P2003D	-	-	-	-
PTTG13C2005A	-	-	-	-	S5006C2006B	0.02	(0.03)	2,550	-	S5041P2003E	-	-	-	-
PTTG13C2007A	0.03	0.01	279	-	S5006P2003A	-	-	-	-	S5041P2006A	9.75	(0.15)	646	9.00
PTTG13C2008A	0.06	(0.01)	34,827	-	S5006P2003B	-	-	-	-	S5041P2006B	8.45	(0.15)	912	8.00
PTTG13P2004A	-	-	-	-	S5006P2003C	-	-	-	-	S5041P2006C	4.68	(0.20)	350,817	4.00
PTTG13P2008A	1.53	(0.07)	312	1.00	S5006P2006A	14.90	0.70	5	14.00	S5041P2006D	0.02	(0.03)	117	-
PTTG16C2006A	-	-	-	-	S5006P2006B	-	-	-	-	SAWA01C2003A	0.01	-	400	-
PTTG19C2006A	-	-	-	-	S5008C2003A	-	-	-	-	SAWA01C2006A	0.08	(0.02)	48,010	-
PTTG19C2006B	-	-	-	-	S5008C2003B	-	-	-	-	SAWA01C2006B	0.02	(0.01)	1,280	-
PTTG19C2008A	0.02	-	7,612	-	S5008C2006A	0.03	-	26,614	-	SAWA01P2003A	0.86	0.15	1,562	-
PTTG19C2008B	0.18	-	386,953	-	S5008P2003A	-	-	-	-	SAWA01P2006A	2.56	0.24	14,015	2.00
PTTG19P2003A	-	-	-	-	S5008P2003B	25.75	(11.25)	31	25.00	SAWA06C2007A	0.04	(0.12)	51,000	-
PTTG19P2006A	-	-	-	-	S5008P2003C	-	-	-	-	SAWA08C2006A	0.03	(0.01)	620	-
PTTG24C2003A	-	-	-	-	S5011C2003A	-	-	-	-	SAWA11C2003A	0.02	(0.03)	1	-
PTTG24C2008A	-	-	-	-	S5011P2003A	7.80	2.60	1	7.00	SAWA13C2005A	-	-	-	-
PTTG27P2006A	2.84	(0.32)	570	2.00	S5013C2003A	0.01	-	49,040	-	SAWA13C2007A	0.04	(0.01)	2,961	-
PTTG28C2006A	-	-	-	-	S5013C2003B	-	-	-	-	SAWA16C2008A	0.06	-	248	-
PTTG28C2008A	-	-	-	-	S5013C2003C	-	-	-	-	SAWA19C2005A	0.01	(0.05)	1	-
PTTG41C2003A	-	-	-	-	S5013C2003D	0.01	-	21	-	SAWA24C2004A	-	-	-	-
PTTG41C2004A	-	-	-	-	S5013C2003E	0.01	-	11,701	-	SAWA27C2007A	0.06	(0.02)	920	-
PTTG41C2005A	-	-	-	-	S5013C2006A	0.01	(0.01)	625,388	-	SAWA28C2004A	-	-	-	-
PTTG41C2006A	-	-	-	-	S5013C2006B	0.01	(0.01)	404,866	-	SAWA28C2007A	0.04	(0.01)	700	-
PTTG41C2007A	-	-	-	-	S5013C2006C	0.02	-	179,163	-	SAWA28C2008A	0.06	(0.01)	17,067	-
PTTG41C2008A	0.22	(0.78)	1,000	-	S5013C2006D	0.02	-	905,108	-	SAWA41C2004A	-	-	-	-
PTTG41P2006A	-	-	-	-	S5013C2006E	0.21	0.01	3,728,467	-	SAWA41C2005A	0.03	(0.02)	2,212	-
PTTG42C2003A	-	-	-	-	S5013P2003A	-	-	-	-	SAWA41P2004A	1.41	0.20	11,246	1.00
PTTG42C2007A	-	-	-	-	S5013P2003B	10.90	0.50	11	10.00	SAWA41P2005A	2.00	0.20	295	1.00
QH01C2006A	0.09	0.03	1	-	S5013P2003C	10.60	(0.30)	1	10.00	SAWA42C2003A	-	-	-	-
QH01C2006B	-	-	-	-	S5013P2003D	-	-	-	-	SCB01C2004A	0.01	-	11,627	-
QH01P2006A	0.83	(0.04)	1,878	-	S5013P2003E	9.20	0.15	5	9.00	SCB01C2004B	-	-	-	-
QH11C2006A	0.05	(0.03)	2	-	S5013P2006A	8.75	(0.25)	1,586	8.00	SCB01C2007A	0.03	-	17,726	-
QH19C2006A	-	-	-	-	S5013P2006B	6.80	-	777	6.00	SCB01C2007B	0.03	0.01	25,814	-
QH27C2007A	-	-	-	-	S5013P2006C	6.35	0.05	5,679	6.00	SCB01C2008B	0.09	(0.02)	1,520	-
RATC01C2003A	-	-	-	-	S5013P2006D	5.25	0.33	895,284	5.00	SCB01C2009A	0.23	(0.02)	8,403	-
RATC01C2003B	-	-	-	-	S5013P2006E	4.68	-	1,889,547	4.00	SCB01P2004A	2.30	0.04	49	2.00
RATC01C2006A	0.04	(0.01)	297	-	S5016C2003A	-	-	-	-	SCB01P2004B	2.78	0.08	1	2.00
RATC01C2006B	-	-	-	-	S5016C2003B	-	-	-	-	SCB01P2007A	1.94	0.04	1,951	1.00
RATC01P2006A	2.16	0.17	350	2.00	S5016C2003C	-	-	-	-	SCB01P2007B	2.38	-	2,743	2.00
RATC06C2006A	0.01	(0.01)	3,580	-	S5016C2003D	-	-	-	-	SCB06C2007A	-	-	-	-
RATC06P2006A	-	-	-	-	S5016C2003E	0.01	-	50	-	SCB08C2005A	-	-	-	-
RATC13C2004A	-	-	-	-	S5016C2006A	0.03	0.01	27,731	-	SCB08C2007A	0.05	0.01	11	-
RATC13C2007A	0.04	-	56	-	S5016C2006B	0.03	(0.01)	1,061	-	SCB08P2004A	2.62	0.06	40	2.00
RATC16C2008A	-	-	-	-	S5016P2003A	-	-	-	-	SCB11C2005A	-	-	-	-
RATC19C2005A	-	-	-	-	S5016P2003C	-	-	-	-	SCB11C2006A	0.01	-	69	-
RATC19C2007A	0.07	(0.01)	300	-	S5016P2003D	-	-	-	-	SCB11C2008A	0.02	(0.01)	245	-
RATC24C2006A	0.03	0.01	101	-	S5016P2006A	8.80	1.50	2	8.00	SCB11P2005A	4.22	0.30	5	4.00
RATC27C2004A	-	-	-	-	S5016P2006B	7.65	0.15	593	7.00	SCB13C2006A	0.02	-	3	-
RATC27C2007A	-	-	-	-	S5019C2003A	-	-	-	-	SCB13C2006B	-	-	-	-
RATC41C2004A	-	-	-	-	S5019C2003B	-	-	-	-	SCB13C2007A	0.03	-	5,451	-
RATC41C2005A	-	-	-	-	S5019C2003C	-	-	-	-	SCB13C2008A	0.24	(0.01)	1,029	-
RATC41C2006A	-	-	-	-	S5019C2003D	-	-	-	-	SCB13P2006A	3.02	(0.12)	1	3.00
RATC41P2004A	1.96	(0.01)	2,000	1.00	S5019C2006A	0.01	(0.01)	52,784	-	SCB13P2008A	1.22	0.02	6,438	1.00
RATC41P2006A	1.74	0.10	4,512	1.00	S5019C2006B	0.02	-	44,619	-	SCB16C2003A	-	-	-	-
RATC42C2003A	-	-	-	-	S5019C2006C	0.12	-	77,892	-	SCB16C2008A	-	-	-	-
RATC42C2006A	-	-	-	-	S5019P2003A	-	-	-	-	SCB19C2003A	-	-	-	-
RS06C2004A	-	-	-	-	S5019P2003B	-	-	-	-	SCB19C2006A	-	-	-	-
RS08P2003A	-	-	-	-	S5019P2003C	8.90	2.70	2	8.00	SCB19C2007A	0.02	(0.01)	50	-
RS08P2006A	1.06	-	763	1.00	S5019P2003D	-	-	-	-	SCB19C2008A	0.51	(0.03)	126,619	-
RS13C2004A	-	-	-	-	S5019P2006A	7.05	0.10	18	7.00	SCB19P2005A	2.58	(0.08)	1	2.00
RS13C2006A	-	-	-	-	S5019P2006B	5.55	0.30	22	5.00	SCB24C2004A	-	-	-	-
RS16C2005A	-	-	-	-	S5019P2006C	5.90	0.05	2,030	5.00	SCB24C2008A	0.21	0.06	24,860	-
RS19C2004A	-	-	-	-	S5024C2003A	-	-	-	-	SCB27C2007A	-	-	-	-
RS19C2005A	-	-	-	-	S5024C2003B	-	-	-	-	SCB27P2006A	-	-	-	-
RS19C2007A	-	-	-	-	S5024C2003C	-	-	-	-	SCB28C2004A	-	-	-	-
RS24C2004A	-	-	-	-	S5024C2006A	0.02	-	2,596	-	SCB28C2006A	-	-	-	-
RS24C2008A	0.06	(0.06)	100	-	S5024C2006B	0.02	-	10,927	-	SCB28C2006B	-	-	-	-
RS41C2004A	-	-	-	-	S5024C2009A	0.05	(0.01)	3,553	-	SCB28C2008A	0.08	(0.01)	365	-
RS42C2004A	-	-	-	-	S5024C2009B	0.41	0.06	98,948	-	SCB41C2004A	0.01	-	1,000	-
RS42C2008A	-	-	-	-	S5024P2003A	25.00	5.60	1	25.00	SCB41C2005A	-	-	-	-
S10001C2011A	0.02	(0.01)	39,034	-	S5024P2003B	-	-	-	-	SCB41C2006A	-	-	-	-
S5001C2003F	0.02	0.01	26,891	-	S5024P2006A	22.20	0.20	72	22.00	SCB41C2006B	-	-	-	-
S5001C2003G	0.02	-	159	-	S5024P2006B	12.20	1.10	7	12.00	SCB41C2008A	0.25	(0.01)	12,718	-
S5001C2003H	0.02	0.01	1,120	-	S5024P2006C	5.85	(0.10)	4,996	5.00	SCB41P2004A	-	-	-	-
S5001C2003I	0.01	-	9	-	S5028C2003A	-	-	-	-	SCB41P2005A	-	-	-	-
S5001C2003J	0.01	-	64,882	-	S5028C2003B	-	-	-	-	SCB42C2003A	-	-	-	-
S5001C2004A	0.02	-	12,444	-	S5028C2004A	0.02	-	1,052	-	SCB42C2006A	-	-	-	-
S5001C2005A	0.02	(0.01)	35,553	-	S5028C2004B	0.02	-	3,903	-	SCB42C2007A	0.01	-	100	-
S5001C2006F	0.03	-	98,038	-	S5028C2006A	0.03	0.01	59,939	-	SCC01C2004A	0.04	-	2,405	-
S5001C2006G	0.03	-	100,915	-	S5028C2006B	0.02	(0.01)	8,970	-	SCC01C2004B	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001C2006H	0.10	(0.02)	1,046,331	-	S5028P2003A	-	-	-	-	SCC01P2004A	2.16	-	874	2.00
S5001C2007A	0.30	(0.01)	1,509,804	-	S5028P2004A	8.75	(0.85)	60	8.00	SCC06C2007A	0.03	-	1,052	-
S5001P2003F	13.30	(0.10)	183	13.00	S5028P2004B	6.15	(0.55)	54	6.00	SCC08C2004A	-	-	-	-
S5001P2003G	15.70	0.10	281	14.00	S5028P2006A	2.64	(0.10)	11,017	2.00	SCC08P2006A	2.24	0.16	2	2.00
S5001P2003H	-	-	-	-	S5028P2006B	2.26	(0.14)	269,798	2.00	SCC11C2003A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC11C2006A	-	-	-	-	STEC16C2006A	-	-	-	-	TMB01C2004B	-	-	-	-
SCC11C2007A	0.06	-	330	-	STEC16C2009A	-	-	-	-	TMB01P2004A	-	-	-	-
SCC13C2004A	-	-	-	-	STEC19C2004A	-	-	-	-	TMB19C2004A	-	-	-	-
SCC13C2008A	0.21	0.01	7,047	-	STEC19C2005A	-	-	-	-	TMB19C2007A	0.01	-	10,062	-
SCC13P2006A	2.06	(0.02)	164	2.00	STEC24C2003A	-	-	-	-	TMB19P2004A	-	-	-	-
SCC16C2005A	-	-	-	-	STEC24C2006A	0.03	-	50	-	TMB41C2004A	-	-	-	-
SCC19C2003A	-	-	-	-	STEC28C2004A	-	-	-	-	TMB41C2005A	-	-	-	-
SCC19C2003B	-	-	-	-	STEC28C2004B	-	-	-	-	TMB41P2006A	-	-	-	-
SCC19C2006A	-	-	-	-	STEC28C2005A	0.02	(0.01)	1,500	-	TOA01C2006A	0.15	-	2	-
SCC19C2008A	0.16	-	20	-	STEC41C2004A	-	-	-	-	TOA01C2006B	0.07	0.01	1	-
SCC19P2004A	-	-	-	-	STEC41C2005A	-	-	-	-	TOA08C2003A	-	-	-	-
SCC24C2003A	-	-	-	-	STEC41C2006A	-	-	-	-	TOA13C2007A	0.12	0.01	300	-
SCC24C2006A	-	-	-	-	STEC41P2004A	0.88	0.16	100	-	TOA19C2004A	-	-	-	-
SCC27P2008A	0.97	(0.01)	17,281	-	STEC41P2005A	0.71	(0.08)	349	-	TOA19C2007A	0.12	(0.01)	89,423	-
SCC28C2004A	-	-	-	-	STEC42C2004A	-	-	-	-	TOA24C2005A	0.09	0.07	2,002	-
SCC28C2008A	0.12	0.01	93,466	-	SUPE13C2003A	-	-	-	-	TOA41C2004A	-	-	-	-
SCC41C2004A	-	-	-	-	SUPE19C2004A	-	-	-	-	TOP01C2003A	0.02	0.01	100	-
SCC41C2005A	-	-	-	-	SUPE19C2007A	0.02	-	60,999	-	TOP01C2003B	-	-	-	-
SCC41C2006A	-	-	-	-	SUPE42C2004A	-	-	-	-	TOP01C2006A	0.02	-	18,362	-
SCC41C2006B	0.18	0.01	1,035	-	TASCO1C2003A	0.01	-	1,979	-	TOP01C2006B	0.02	0.01	116	-
SCC41P2004A	-	-	-	-	TASCO1C2003B	-	-	-	-	TOP01C2008B	-	-	-	-
SCC41P2005A	-	-	-	-	TASCO1C2007B	0.12	0.01	11,360	-	TOP01C2009A	0.12	-	11,811	-
SCC41P2006A	-	-	-	-	TASCO1C2008A	0.34	0.04	9,276	-	TOP01P2003A	-	-	-	-
SCC42C2003A	-	-	-	-	TASCO1P2003A	0.32	(0.10)	1,116	-	TOP01P2006A	3.86	0.12	250	3.00
SCC42C2008A	-	-	-	-	TASCO1P2008A	1.12	(0.09)	3,997	1.00	TOP01P2009A	1.54	(0.01)	9,988	1.00
SGP13C2004A	-	-	-	-	TASCO8C2005A	0.04	0.01	275	-	TOP06C2004A	0.02	-	5,001	-
SGP13C2006A	-	-	-	-	TASCO8C2006A	0.13	0.02	22,030	-	TOP06C2007A	0.01	-	1,043	-
SGP13C2007A	-	-	-	-	TASCI13C2006A	0.16	-	6,851	-	TOP06P2005A	-	-	-	-
SGP19C2006A	-	-	-	-	TASCI16C2008A	0.07	0.01	2	-	TOP08C2003A	-	-	-	-
SGP19C2006B	-	-	-	-	TASC19C2003A	-	-	-	-	TOP08C2007A	0.02	-	100	-
SGP42C2007A	0.02	-	4,000	-	TASC19C2006A	0.26	0.05	12,025	-	TOP08P2003A	-	-	-	-
SIRI13C2007A	-	-	-	-	TASC19C2007A	0.11	(0.01)	39,100	-	TOP08P2007A	-	-	-	-
SIRI19C2004A	-	-	-	-	TASC19P2004A	0.43	(0.08)	1,299	-	TOP11C2007A	0.02	-	41	-
SIRI19C2007A	-	-	-	-	TASC24C2006A	-	-	-	-	TOP13C2004A	-	-	-	-
SPAL01C2004A	-	-	-	-	TASC28C2004A	-	-	-	-	TOP13C2006A	0.03	0.01	511	-
SPAL01C2004B	-	-	-	-	TASC28C2006A	0.03	-	3,000	-	TOP13C2008A	0.07	0.04	66	-
SPAL06P2004A	0.95	-	10	-	TASC41C2004A	-	-	-	-	TOP13C2008B	0.10	0.01	13,272	-
SPAL11C2006A	0.07	0.04	2	-	TASC41C2005A	-	-	-	-	TOP13P2005A	-	-	-	-
SPAL13C2003A	-	-	-	-	TASC42C2003A	-	-	-	-	TOP13P2006A	3.20	(0.20)	6	3.00
SPAL13C2006A	-	-	-	-	TASC42C2005A	0.06	0.02	3,564	-	TOP16C2008A	-	-	-	-
SPAL19C2004A	-	-	-	-	TCAP01C2007B	-	-	-	-	TOP19C2003A	-	-	-	-
SPAL24C2003A	-	-	-	-	TCAP01C2008A	0.06	0.01	117	-	TOP19C2006A	-	-	-	-
SPAL27C2008A	-	-	-	-	TCAP01P2008A	2.38	0.14	115	2.00	TOP19C2007A	-	-	-	-
SPAL41C2004A	-	-	-	-	TCAP13C2007A	-	-	-	-	TOP19C2008A	-	-	-	-
SPAL42C2003A	-	-	-	-	TCAP19C2004A	-	-	-	-	TOP19P2006A	-	-	-	-
SPRC01C2003A	-	-	-	-	TCAP41C2004A	-	-	-	-	TOP24C2007A	-	-	-	-
SPRC01C2003B	-	-	-	-	THAI11C2003A	-	-	-	-	TOP24C2008A	0.32	0.22	44,126	-
SPRC01C2007A	0.04	0.02	101	-	THAI13C2004A	0.01	-	1	-	TOP28C2004A	-	-	-	-
SPRC06C2007A	0.02	0.01	1	-	THAI19C2004A	-	-	-	-	TOP41C2004A	-	-	-	-
SPRC06P2003A	2.02	0.58	1	2.00	THAI27C2008A	-	-	-	-	TOP41C2005A	-	-	-	-
SPRC06P2007A	-	-	-	-	THAI42C2003A	-	-	-	-	TOP41C2006A	-	-	-	-
SPRC08C2005A	-	-	-	-	THAI42C2005A	0.01	-	7,375	-	TOP41C2007A	-	-	-	-
SPRC08C2006A	0.02	-	120	-	THAN01C2006A	0.09	0.01	100	-	TOP41C2008A	0.20	(0.02)	9,627	-
SPRC11C2005A	-	-	-	-	THAN01C2006B	-	-	-	-	TOP41P2004A	-	-	-	-
SPRC11C2008A	-	-	-	-	THAN01P2006A	0.85	0.05	261	-	TOP41P2005A	-	-	-	-
SPRC13C2004A	-	-	-	-	THAN06C2003A	-	-	-	-	TOP41P2006A	-	-	-	-
SPRC13C2006A	-	-	-	-	THAN06C2005A	-	-	-	-	TOP42C2007A	-	-	-	-
SPRC13C2008A	0.04	(0.04)	2	-	THAN06P2003A	-	-	-	-	TPI19C2004A	-	-	-	-
SPRC19C2005A	-	-	-	-	THAN13C2003A	-	-	-	-	TRUE01C2004A	0.02	-	7,364	-
SPRC19C2005B	-	-	-	-	THAN13C2007A	-	-	-	-	TRUE01C2004B	-	-	-	-
SPRC19C2007A	-	-	-	-	THAN19C2004A	-	-	-	-	TRUE01C2007A	0.14	0.05	65,584	-
SPRC19P2005A	1.27	(0.08)	297	1.00	THAN19C2007A	0.04	(0.01)	837	-	TRUE01C2007B	0.04	0.02	4,084	-
SPRC24C2003A	-	-	-	-	THAN27C2003A	-	-	-	-	TRUE01P2004A	1.23	(0.19)	7,111	1.00
SPRC28C2008A	0.03	-	1	-	THAN41C2005A	-	-	-	-	TRUE01P2004B	1.02	(0.51)	3,730	1.00
SPRC41C2004A	-	-	-	-	TISCO1C2006A	0.08	0.01	5,292	-	TRUE01P2007B	1.02	(0.46)	28,439	1.00
SPRC41C2005A	-	-	-	-	TISCO1C2006B	-	-	-	-	TRUE06C2004A	-	-	-	-
SPRC41C2006A	-	-	-	-	TISCO1P2006A	1.50	0.08	61,815	1.00	TRUE06C2007A	-	-	-	-
SPRC42C2006A	-	-	-	-	TISC11C2005A	0.03	-	1,000	-	TRUE08C2004A	-	-	-	-
STA01C2003A	0.07	(0.02)	3,990	-	TISC11C2007A	0.07	0.01	2,325	-	TRUE08C2005A	-	-	-	-
STA01C2003B	-	-	-	-	TISC13C2004A	-	-	-	-	TRUE08C2007A	0.08	0.03	1,500	-
STA01C2008B	0.12	(0.01)	33,669	-	TISC13C2006A	0.02	0.01	28	-	TRUE08P2005A	1.65	(0.37)	5,759	1.00
STA01C2009A	0.20	0.01	30,023	-	TISC19C2004A	-	-	-	-	TRUE11C2005A	-	-	-	-
STA01P2003A	0.07	(0.04)	65,606	-	TISC19C2006A	-	-	-	-	TRUE11C2005B	-	-	-	-
STA01P2009A	0.66	(0.05)	23,956	-	TISC41C2005A	-	-	-	-	TRUE13C2003A	-	-	-	-
STA11C2005A	-	-	-	-	TISC41C2006A	-	-	-	-	TRUE13C2003B	-	-	-	-
STA13C2003A	0.02	0.01	69,215	-	TISC41P2006A	1.45	0.07	1,380	1.00	TRUE13C2006A	-	-	-	-
STA13C2006A	0.08	-	12,318	-	TISC42C2003A	-	-	-	-	TRUE13C2007A	0.08	0.04	2,832	-
STA19C2004A	0.05	(0.03)	17,971	-	TKN01C2003A	-	-	-	-	TRUE19C2003A	-	-	-	-
STA19C2005A	0.39	0.05	11,926	-	TKN01C2003B	-	-	-	-	TRUE19C2004A	-	-	-	-
STA19C2007A	0.09	0.01	2,074	-	TKN01C2007B	0.02	(0.03)	900	-	TRUE19C2006A	0.05	0.01	1	-
STA42C2007A	-	-	-	-	TKN01C2008A	-	-	-	-	TRUE19C2007A	0.09	0.03	17,500	-
STEC01C2003A	-	-	300	-	TKN08C2003A	-	-	-	-	TRUE19P2003A	-	-	-	-
STEC01C2003B	-	-	-	-	TKN08C2007A	0.04	(0.02)	6,000	-	TRUE19P2005A	1.34	0.04	493	1.00
STEC01C2004A	0.01	(0.03)	2,000	-	TKN13C2004A	-	-	-	-	TRUE28C2006A	-	-	-	-
STEC01C2006A	0.07	(0.01)	5,316	-	TKN13C2006A	0.03	(0.04)	500	-	TRUE41C2004A	-	-	-	-
STEC01C2006B	0.02	-	320	-	TKN16C2008A	-	-	-	-	TRUE41C2005A	-	-	-	-
STEC01P2003A	-	-	-	-	TKN19C2004A	-	-	-	-	TRUE41C2006A	0.03	(0.03)	1	-
STEC01P2006A	-	-	-	-	TKN19C2004B	-	-	-	-	TRUE41C2007A	0.06	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STEC06C2004A	0.01	(0.01)	630	-	TKN19C2007A	-	-	-	-	TRUE41P2004A	-	-	-	-
STEC08C2004A	-	-	-	-	TKN28C2007A	-	-	-	-	TRUE41P2005A	1.63	(0.51)	7,921	1.00
STEC08C2005A	-	-	-	-	TKN41C2005A	-	-	-	-	TRUE42C2003A	-	-	-	-
STEC11C2007A	-	-	-	-	TKN41C2006A	-	-	-	-	TRUE42C2004A	-	-	-	-
STEC13C2003A	-	-	-	-	TKN42C2003A	-	-	-	-	TRUE42C2007A	0.04	0.02	2	-
STEC13C2004A	-	-	-	-	TKN42C2006A	-	-	-	-	TTW27C2009A	0.14	0.02	14,338	-
STEC16C2003A	-	-	-	-	TMB01C2004A	0.02	-	5	-	TU01C2004A	0.11	0.01	15,443	-

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU01C2004B	0.07	0.01	720	-	EIC-W3	-	-	-	-	-	-	-	-	-
TU01P2004A	0.13	(0.04)	47,181	-	EMC-W6	0.03	0.01	7,830	-	-	-	-	-	-
TU06C2004A	0.02	0.01	16,012	-	EPCO-W3	0.13	-	6,051	-	-	-	-	-	-
TU06P2007A	0.43	(0.03)	16	-	GLOCON-W4	0.11	0.02	43,722	-	-	-	-	-	-
TU11C2003A	-	-	-	-	J-W1	0.05	-	550	-	-	-	-	-	-
TU11C2008A	0.28	0.01	14,094	-	JAS-W3	0.51	0.14	1,449,550	-	-	-	-	-	-
TU13C2003A	-	-	-	-	JCK-W5	0.03	-	860	-	-	-	-	-	-
TU13C2004A	0.08	0.01	7	-	JMT-W2	2.86	0.14	3,728	3.00	-	-	-	-	-
TU19C2003A	-	-	-	-	MACO-W2	0.04	0.01	87,681	-	-	-	-	-	-
TU19C2005A	0.23	0.04	30,921	-	MILL-W4	0.03	-	100	-	-	-	-	-	-
TU19C2007A	0.16	(0.01)	4,298	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU24C2003A	-	-	-	-	MINT-W6	1.03	(0.02)	14,599	1.00	-	-	-	-	-
TU24C2006A	0.25	0.05	500	-	NFC-W1	0.24	(0.08)	1	-	-	-	-	-	-
TU27C2004A	-	-	-	-	NOK-W1	-	-	-	-	-	-	-	-	-
TU27C2006A	0.12	0.02	31,233	-	NVD-W1	0.05	(0.02)	3,409	-	-	-	-	-	-
TU41C2004A	0.08	-	5,718	-	ORI-W1	0.06	(0.01)	75,189	-	-	-	-	-	-
TU41C2005A	0.30	(0.03)	100	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU41P2004A	0.12	(0.08)	200	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU42C2007A	0.12	0.01	100	-	PDI-W1	0.16	-	52	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	PDJ-W4	0.22	0.02	60	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	PERM-W1	0.07	-	405	-	-	-	-	-	-
TVO19C2007A	0.04	0.01	3,337	-	PORT-W1	0.20	0.01	7,377	-	-	-	-	-	-
VGI01C2005A	0.03	0.01	363	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	PRIME-W1	-	-	-	-	-	-	-	-	-
VGI08C2006A	-	-	-	-	PRIME-W2	-	-	-	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	RICHY-W2	-	-	-	-	-	-	-	-	-
VGI13C2006A	-	-	-	-	RS-W3	0.07	0.01	26,638	-	-	-	-	-	-
VGI19C2006A	-	-	-	-	SAMART-W2	0.29	0.01	4,304	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SAWAD-W1	3.46	(0.78)	17,799	4.00	-	-	-	-	-
VGI41C2007A	-	-	-	-	SDC-W1	0.05	0.01	250	-	-	-	-	-	-
WHA01C2005A	-	-	-	-	SINGER-W1	1.00	0.06	27	1.00	-	-	-	-	-
WHA01C2005B	-	-	-	-	SINGER-W2	0.94	0.14	591	-	-	-	-	-	-
WHA01C2008B	0.09	-	80	-	SMT-W2	-	-	-	-	-	-	-	-	-
WHA01C2009A	0.22	0.01	970	-	SST-W2	0.25	(0.04)	315	-	-	-	-	-	-
WHA01P2005A	2.06	(0.12)	215	2.00	SUPER-W4	0.01	-	1,201	-	-	-	-	-	-
WHA01P2009A	0.84	(0.05)	11,857	-	SVI-W3	-	-	-	-	-	-	-	-	-
WHA06C2007A	0.02	0.01	111	-	TCC-W3	0.03	0.01	3,571	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCC-W4	0.03	-	6	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	TCC-W5	0.07	(0.01)	1,162	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TCJ-W2	0.02	-	22,015	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	TFG-W2	0.03	(0.01)	2,602	-	-	-	-	-	-
WHA11C2008A	0.04	-	1	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA13C2003A	-	-	-	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA13C2005A	-	-	-	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA13C2006A	0.02	-	2,000	-	TNITY-W1	-	-	-	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	TRITN-W3	0.04	-	2,996	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	TTCL-W1	0.16	0.03	1,882	-	-	-	-	-	-
WHA19C2004A	-	-	-	-	U-W4	-	-	-	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	UAC-W2	0.03	(0.04)	4,731	-	-	-	-	-	-
WHA19C2006A	0.05	0.04	102	-	VGI-W2	0.55	-	178,294	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VIBHA-W2	0.30	(0.02)	4,121	-	-	-	-	-	-
WHA24C2007A	-	-	-	-	VIBHA-W3	0.09	-	26,362	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	WAVE-W1	0.01	-	2,754	-	-	-	-	-	-
WHA27C2008A	-	-	-	-	WIK-W2	0.08	(0.01)	14,999	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	ZMICO-W4	0.05	-	2,226	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA28C2006A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41C2007A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
WHA41P2005A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	U-P	1.65	-	47	1.00	-	-	-	-	-
Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	BM-W1	0.02	0.01	3	-	-	-	-	-	-
CSC-Q	-	-	-	-	BROOK-W5	0.08	(0.01)	9,379	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	CHO-W2	0.03	-	9,724	-	-	-	-	-	-
KTB-Q	-	-	-	-	D-W1	0.33	(0.14)	9,119	-	-	-	-	-	-
SCB-Q	-	-	-	-	DOD-W1	0.27	0.02	75,078	-	-	-	-	-	-
TCAP-Q	-	-	-	-	ECF-W3	0.17	0.01	4	-	-	-	-	-	-
TISCO-Q	-	-	-	-	EFORL-W3	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	EFORL-W4	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	FVC-W2	0.01	-	2	-	-	-	-	-	-
7UP-W4	0.05	(0.01)	64,102	-	HPT-W1	0.16	0.04	1	-	-	-	-	-	-
AKR-W1	0.04	-	2,766	-	HYDRO-W1	-	-	-	-	-	-	-	-	-
ALT-W1	0.07	0.02	20,386	-	ITEL-W1	0.15	-	5,875	-	-	-	-	-	-
APEX-W1	-	-	-	-	JKN-W1	0.11	0.02	4,280	-	-	-	-	-	-
APURE-W2	0.03	(0.01)	139	-	LIT-W1	0.19	0.01	353	-	-	-	-	-	-
AS-W1	0.01	-	6,054	-	META-W4	0.03	0.01	101	-	-	-	-	-	-
AYUD-W1	0.03	(0.02)	15,204	-	NEWS-W6	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	OCEAN-W3	0.22	(0.01)	2,054	-	-	-	-	-	-
B-W4	0.02	-	5	-	PROUD-W2	0.02	-	536	-	-	-	-	-	-
B-W5	0.02	-	1,358	-	RWI-W2	0.04	(0.01)	3,642	-	-	-	-	-	-
B52-W2	-	-	-	-	SANKO-W1	0.05	-	101	-	-	-	-	-	-
BKD-W2	0.04	(0.01)	2,600	-	SIMAT-W2	0.03	-	33,538	-	-	-	-	-	-
BTS-W5	0.53	(0.04)	536,966	-	SIMAT-W3	0.22	(0.04)	5,590	-	-	-	-	-	-
CGD-W4	0.04	0.01	1,015	-	SIMAT-W4	0.70	(0.14)	6,212	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CGH-W3	0.01	-	12	-	SMART-W2	0.10	0.01	210	-	-	-	-	-	-
CI-W1	-	-	-	-	SWC-W1	2.28	-	44	2.00	-	-	-	-	-
CKP-W1	0.02	-	60,725	-	TAKUNI-W	0.02	-	152	-	-	-	-	-	-
CRANE-W1	0.35	(0.01)	9,707	-	TVD-W2	0.06	-	1,025	-	-	-	-	-	-
DCC-W1	0.20	-	11,839	-	Preferred Shares	-	-	-	-	-	-	-	-	-
ECL-W3	0.07	0.01	43,356	-	SGF-P1	-	-	-	-	-	-	-	-	-
EIC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-