

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date :				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.23	0.03	130	1.24	MCOT	6.45	(0.05)	1,628	6.43
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	1.46	0.01	55,850	1.46
SAFARI	-	-	-	-	DIF	13.10	0.40	177,458	13.07	MPIC	-	-	-	-
VI	-	-	-	-	DTAC	37.75	3.50	89,386	37.02	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.40	0.10	721	5.35	PLANB	2.54	(0.10)	630,371	2.60
WR	-	-	-	-	HUMAN	5.25	0.05	11,679	5.24	POST	1.72	-	6	1.51
Agribusiness	-	-	-	-	ILINK	2.10	0.10	1,400	2.11	PRAKIT	9.10	0.10	138	9.04
CHOTI	-	-	-	-	INET	1.58	(0.01)	427	1.60	SE-ED	1.47	0.01	461	1.47
EE	0.40	0.02	72,612	0.41	INTUCH	48.00	2.25	254,914	48.35	TBSP	12.50	(0.30)	4	12.50
GFPT	9.20	0.45	22,831	9.18	JAS	4.24	0.02	832,755	4.25	TH	0.49	(0.01)	15,472	0.49
LEE	2.00	0.05	3,046	1.98	JASIF	7.15	0.15	208,902	7.15	TKS	3.64	0.14	9,443	3.67
NER	1.68	0.01	137,650	1.68	JMART	4.76	0.20	66,498	4.71	VGI	5.45	0.05	569,657	5.19
PPPM	-	-	-	-	JTS	0.69	0.04	4	0.69	WAVE	0.89	-	216	0.88
STA	10.20	0.60	82,290	10.08	MFEC	4.30	-	3,348	4.30	WORK	6.05	0.10	32,328	6.05
TRUBB	0.40	0.01	1,821	0.40	MSC	3.82	0.06	610	3.83	Finance & Securities	-	-	-	-
TWPC	2.74	-	12,732	2.80	PT	3.86	0.10	922	3.85	AEC	0.19	-	1,353	0.19
UPOIC	2.02	0.02	24	2.03	SAMART	4.28	-	19,807	4.30	AEONTS	91.00	(5.00)	10,534	92.11
UVAN	3.62	(0.16)	131	3.78	SAMTEL	4.98	(0.22)	9,359	5.02	AMANAHA	1.63	0.04	402,815	1.65
VPO	0.31	0.02	13,455	0.32	SDC	0.09	0.01	6,019	0.08	ASAP	1.00	0.03	1,767	0.97
Banking	-	-	-	-	SIS	5.30	0.05	6,085	5.19	ASK	15.00	-	859	15.09
BAY	18.30	0.20	4,203	18.32	SVOA	0.64	0.01	11,440	0.64	ASP	1.19	0.01	26,576	1.20
BBL	92.00	1.00	95,365	92.05	SYMC	1.65	0.08	105	1.62	BAM	19.00	1.50	4,179,596	18.81
CIMBT	0.41	-	9,878	0.41	SYNEX	3.78	0.02	7,916	3.77	BFIT	22.10	(2.60)	77,206	22.88
KBANK	81.50	2.50	158,544	81.27	THCOM	2.28	(0.02)	6,336	2.29	CGH	0.73	-	20,206	0.72
KKP	34.75	1.00	33,546	34.96	TRUE	2.98	0.08	2,177,142	3.01	ECL	0.59	0.03	7,162	0.58
KTB	10.40	0.20	533,080	10.46	TWZ	0.06	-	37,749	0.06	FNS	1.80	0.10	24	1.80
LHFG	0.83	0.02	29,585	0.83	Electronic Componer	-	-	-	-	FSS	0.79	(0.01)	127	0.79
SCB	60.75	1.75	169,922	60.72	CCET	1.37	0.01	1	1.37	GBX	0.36	0.01	702	0.36
TCAP	29.00	-	101,799	29.12	DELTA	33.25	2.50	5,035	32.72	GL	2.50	0.18	14,053	2.46
TISCO	64.00	1.50	157,728	63.60	EIC	0.03	-	200	0.03	IFS	1.74	0.03	4,140	1.72
TMB	0.74	0.04	3,332,313	0.74	HANA	20.70	1.40	33,587	20.07	JMT	11.60	0.10	202,002	11.77
Construction Materia	-	-	-	-	KCE	12.80	0.80	332,358	12.81	KCAR	7.30	(0.20)	285	7.33
CCP	0.17	(0.02)	61,510	0.18	METCO	-	-	-	-	KGI	3.52	0.10	38,670	3.49
COTTO	0.75	0.01	603	0.74	NEX	3.04	(0.02)	8,128	3.05	KTC	23.80	(0.10)	329,520	24.04
DCC	1.30	-	7,403	1.29	SMT	0.65	(0.03)	10,124	0.63	MBKET	4.16	0.02	752	4.18
DCON	0.25	-	16,715	0.25	SVI	1.99	0.07	5,978	1.96	MFC	12.00	(0.90)	447	12.00
DRT	4.80	0.30	3,147	4.71	TEAM	0.35	0.02	2,299	0.35	ML	0.41	-	669	0.42
EPG	3.16	0.10	23,745	3.16	Energy & Utilities	-	-	-	-	MTC	31.50	0.50	198,235	31.76
GEL	0.08	-	29,328	0.08	ZUP	0.36	0.02	169,285	0.34	PE	0.04	(0.01)	30,748	0.03
PPP	1.30	(0.01)	6,025	1.28	ABPIF	3.08	-	1,866	3.09	PL	1.96	-	3,465	1.89
Q-CON	4.40	0.36	15	4.35	ACE	2.44	0.04	180,782	2.43	S11	4.28	0.10	930	4.28
RCI	3.20	-	58	3.19	AI	0.83	0.02	28,623	0.82	SAWAD	36.50	0.50	172,496	37.11
SCC	313.00	24.00	64,413	311.89	AKR	0.36	0.01	809	0.35	THANI	4.04	0.20	53,635	3.92
SCCC	106.00	2.00	732	106.58	BAFS	17.90	0.60	4,845	17.59	TK	6.95	0.20	1,266	6.97
SCP	4.30	0.08	2,605	4.29	BANPU	5.05	0.13	368,467	5.10	TNITY	3.02	0.06	54	2.98
SKN	1.42	-	632	1.43	BCP	14.40	0.90	33,633	14.16	UOBKH	2.20	(0.08)	1,017	2.17
TASCO	17.00	0.40	88,148	17.15	BCPG	12.00	0.60	100,282	11.98	ZMICO	0.45	0.02	15,843	0.45
TCMC	0.63	(0.01)	15,169	0.63	BGRIM	39.00	1.50	226,580	39.44	Food & Beverage	-	-	-	-
TOA	31.00	0.75	36,150	31.26	BPP	11.10	0.60	54,918	11.03	APURE	0.54	-	7,309	0.55
TPIPL	1.12	0.01	76,197	1.12	BRRGIF	6.00	0.15	98	5.92	ASIAN	2.78	0.02	6,656	2.80
UMI	0.32	(0.03)	1,173	0.32	KPI	2.92	0.10	125,308	2.91	BR	1.10	0.02	5,884	1.10
VNG	2.16	-	2,917	2.15	DEMCO	1.25	0.03	1,589	1.25	BRR	2.40	(0.02)	607	2.41
WIUK	1.06	-	1,711	1.03	EA	33.25	0.75	80,067	33.78	CBG	59.00	3.00	86,875	60.17
Petrochemicals & Ch	-	-	-	-	EASTW	8.85	0.20	9,336	8.82	CFRESH	0.80	(0.02)	1,190	0.84
BCT	41.00	(1.00)	13	41.46	EGATIF	10.80	0.30	7,055	10.76	CM	1.92	0.02	277	1.90
CMAN	1.02	0.03	1,447	0.98	EGCO	215.00	16.00	31,182	217.07	CPF	23.50	1.00	729,599	23.78
GC	4.76	0.12	393	4.68	ESSO	3.82	0.22	516,611	3.77	CPI	1.27	0.02	20	1.25
GGC	4.94	0.30	15,919	4.88	GPSC	56.00	2.75	339,423	55.74	F&D	17.20	1.10	7	16.53
GIFT	1.97	0.04	3,807	1.95	GULF	146.50	4.50	176,350	147.42	HTC	16.40	0.50	389	16.38
IVL	18.30	1.10	702,380	18.13	GUNKUL	2.00	-	674,423	2.02	ICIH	4.08	0.06	11,980	4.07
NFC	-	-	-	-	IFEC	-	-	-	-	KBS	2.28	0.08	102	2.25
PATO	7.95	(0.05)	418	7.99	IRPC	2.10	0.10	1,272,069	2.09	KSL	1.44	0.02	19,875	1.44
PMITA	5.70	-	35	5.26	LANNA	4.82	0.02	1,742	4.82	KTIS	2.86	(0.08)	1,563	2.94
PTTGC	27.75	2.25	595,240	27.72	MDX	1.27	(0.01)	676	1.29	LST	4.36	0.08	1,710	4.31
SUTHA	1.10	-	100	1.09	PRIME	0.24	(0.01)	32,561	0.24	M	41.75	0.25	10,162	41.87
TCCC	17.50	(0.30)	58	17.62	PTG	9.60	0.10	278,602	9.70	MALEE	3.82	0.22	371	3.77
TPA	5.65	(0.15)	1	5.65	PTT	31.25	2.25	2,251,485	30.95	MINT	14.10	0.40	679,632	14.30
UAC	2.24	(0.02)	496	2.23	PTTEP	66.25	7.00	545,220	65.10	OISHI	33.50	0.25	155	33.79
UP	-	-	-	-	RATCH	57.25	5.00	88,123	56.83	OSP	35.25	2.25	119,724	35.59
VNT	16.80	0.30	5,120	16.75	RPC	0.40	0.03	6,136	0.38	PB	67.75	(0.50)	108	67.68
WG	-	-	-	-	SCG	3.86	(0.14)	128	3.90	PM	4.98	0.06	10,579	4.99
YCI	-	-	-	-	SCI	0.88	-	5,983	0.89	PRG	-	-	-	-
Commerce	-	-	-	-	SCN	1.13	0.01	8,299	1.13	RBF	2.92	0.04	224,878	2.96
BEAUTY	1.16	0.04	1,188,550	1.18	SGP	7.60	0.50	45,167	7.45	SAPPE	15.10	0.90	2,233	14.63
BIG	0.31	0.01	33,089	0.32	SKE	0.52	0.02	1,340	0.51	SAUCE	21.80	0.50	15	21.77
BJC	40.50	2.75	115,419	40.50	SOLAR	0.60	0.01	5,118	0.60	SFP	-	-	-	-
COL	10.90	(0.30)	5,741	10.91	SPCG	13.90	0.20	12,777	14.00	SNP	10.30	0.60	37	10.26
COM7	13.70	(0.60)	418,326	13.83	SPRC	4.32	0.24	318,829	4.25	SORKON	-	-	-	-
CPALL	59.25	0.25	526,611	59.64	SSP	6.00	0.05	3,920	5.95	SSC	27.00	(1.00)	1	27.00
CPW	0.90	0.01	4,288	0.90	SUPER	0.32	0.01	873,742	0.32	SST	4.84	0.02	214	4.62
CRC	24.10	3.10	472,864	23.20	SUPEREIF	8.95	0.30	4,106	8.96	SST	2.94	0.14	59	2.83
CSS	0.68	0.01	17,082	0.68	SUSCO	1.57	0.07	7,427	1.58	TC	2.52	(0.04)	166	2.32
DOHOME	4.12	0.06	1,093,510	4.21	TAE	2.16	0.04	7,984	2.16	TFG	2.70	0.26	116,138	2.66
FN	0.58	0.01	2,913	0.58	TCC	0.15	-	1,303	0.15	TFMAMA	182.00	4.00	529	180.79
FTE	1.40	0.02	2,328	1.40	TOP	30.50	2.25	368,723	29.89	TIPCO	4.18	0.02	3,869	4.19
GLOBAL	8.55	0.20	364,822	8.69	TPIPP	2.94	0.10	102,040	2.93	TKN	4.74	-	214,215	4.80
HMPRO	10.60	1.25	676,618	10.25	TSE	1.74	0.05	75,244	1.74	TU	15.30	1.10	317,538	15.09
ILM	6.90	0.20	10,229	6.93	TTW	12.50	1.00	91,895	12.19	TVO	21.50	0.40	13,701	21.39
IT	1.46	0.02	126	1.42	WHAUP	3.58	0.							

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.72	(0.18)	4,528	2.76	CGD	0.60	-	13,648	0.59	IHL	2.24	0.08	575	2.20
RAM	140.00	-	31	140.55	CI	0.52	(0.02)	523	0.50	INGRS	0.28	0.01	419	0.28
RJH	19.10	0.30	7,014	19.08	CPN	39.25	5.00	132,620	38.38	IRC	10.20	0.35	236	9.91
RPH	4.58	0.02	10,836	4.58	ESTAR	0.22	-	17,052	0.22	PCSGH	-	-	-	-
SKR	4.52	(0.08)	3,463	4.53	EVER	0.12	0.01	33,976	0.12	SAT	7.40	0.05	11,361	7.47
SVH	399.00	(3.00)	9	398.44	FPT	8.35	0.20	190	8.34	SPG	-	-	-	-
THG	17.90	0.20	4,016	17.93	GLAND	2.28	0.08	183	2.25	STANLY	124.50	(1.00)	302	124.20
VIBHA	1.32	0.01	14,589	1.33	GOLD	7.60	-	1,825	7.60	TKT	0.61	-	24	0.61
VIH	4.96	0.16	5,319	4.87	GREEN	0.55	0.04	47	0.54	TNPC	0.56	-	351	0.56
WPH	1.38	0.01	2,782	1.38	J	0.39	0.01	1,808	0.37	TRU	3.80	0.02	360	3.71
Tourism & Leisure					JCK	0.57	(0.01)	3,015	0.55	TSC	-	-	-	-
ASIA	3.80	(0.24)	72	3.82	KC	-	-	-	-	Industrial Materials				
CENTEL	13.50	0.40	47,604	13.61	KWG	0.69	0.01	691	0.68	ALLA	1.00	0.02	7,044	0.99
CSR	-	-	-	-	LALIN	3.76	0.02	1,883	3.78	ASEFA	2.46	0.04	1,291	2.43
DTC	7.00	-	195	7.00	LH	6.25	0.25	418,604	6.27	CPT	0.62	0.01	8,860	0.61
ERW	2.04	0.08	162,187	2.01	LPN	3.06	0.04	31,457	3.07	CRANE	1.66	0.17	25,507	1.67
GRAND	0.45	0.01	6,053	0.44	MBK	13.40	-	4,448	13.41	CTW	4.08	-	514	4.06
LRH	28.25	0.75	12	27.25	MJD	2.02	-	830	1.99	FMT	21.20	1.50	21	21.03
MANRIN	-	-	-	-	MK	2.16	(0.02)	2,265	2.18	HTECH	1.29	0.04	4,247	1.27
OHTL	-	-	-	-	NCH	0.54	-	842	0.51	KKC	0.28	0.02	1,590	0.28
ROH	-	-	-	-	NNCL	1.41	-	15,927	1.42	PK	0.65	-	655	0.66
SHANG	66.00	1.00	21	68.52	NOBLE	10.30	0.20	3,703	10.33	SNC	6.80	0.05	1,964	6.86
SHR	1.46	0.02	252,054	1.46	NUSA	0.28	0.01	26,549	0.28	STARK	1.85	0.01	8,720	1.85
VRANDA	4.72	(0.08)	1,851	4.70	NVD	1.09	-	3,918	1.09	TCJ	1.90	(0.01)	161	1.90
Home & Office Prod.					ORI	3.28	0.08	76,718	3.30	VARO	-	-	-	-
ACC	0.63	(0.02)	2,623	0.63	PACE	-	-	-	-	Property Fund & REI				
AJA	0.22	-	42,783	0.23	PF	0.40	0.01	80,129	0.40	AIMCG	4.48	0.10	859	4.49
DTCI	-	-	-	-	PLAT	2.00	0.03	3,074	1.99	AIMRT	10.50	0.20	608	10.39
FANCY	0.28	0.02	9,334	0.27	POLAR	-	-	-	-	AMATAR	10.60	0.20	1,018	10.01
KYE	231.00	3.00	20	230.70	PRECHA	0.58	-	230	0.58	B-WORK	10.10	0.20	1,467	10.06
L&E	1.54	-	1,253	1.54	PRIN	1.19	(0.01)	90	1.19	BKER	6.20	0.20	1,206	5.97
MODERN	1.90	-	5,426	1.90	PSH	8.80	0.40	31,556	8.69	BKKCP	11.00	0.40	31	11.00
OGC	-	-	-	-	QH	1.78	0.05	588,218	1.77	BOFFICE	13.40	(0.10)	9,599	13.45
ROCK	-	-	-	-	RICHY	0.53	0.02	3,009	0.52	CPNGC	8.90	0.10	5,439	8.90
SIAM	1.21	0.04	432	1.22	RML	0.47	(0.01)	9,885	0.46	CPNREIT	23.00	1.90	67,260	23.15
TSR	1.28	0.02	2,473	1.28	ROJNA	3.40	0.06	14,244	3.39	CPTGF	9.65	0.10	3,619	9.68
Insurance					S	1.18	0.02	57,773	1.17	CTARAF	4.76	(0.12)	476	4.67
AYUD	29.75	0.75	15	29.75	SAMCO	1.25	-	1,070	1.13	DREIT	3.88	-	1,336	3.88
BKI	220.00	-	193	219.56	SC	1.78	0.04	25,489	1.77	ERWPF	4.18	0.24	160	4.00
BLA	11.10	0.30	8,997	11.13	SENA	1.87	0.02	2,595	1.87	FTREIT	12.80	0.40	11,329	12.62
BUI	8.00	0.50	581	6.79	SF	3.68	0.14	15,245	3.66	FUTUREPF	16.20	0.40	2,833	15.95
CHARAN	17.00	0.40	5	17.00	SIRI	0.56	0.02	764,202	0.56	GAHREIT	-	-	-	-
INSURE	-	-	-	-	SPALI	13.80	0.10	127,274	13.92	GOLDPF	5.40	(0.30)	13	5.94
MTI	68.00	1.75	155	68.05	U	0.74	(0.01)	79,156	0.74	GVREIT	14.00	1.50	4,012	12.57
NKI	-	-	-	-	UV	2.32	0.04	20,805	2.33	HPF	3.74	0.14	23	3.73
NSI	49.00	0.75	12	50.21	WHA	2.10	0.04	853,969	2.12	HREIT	6.90	0.25	3,739	6.90
SEG	-	-	-	-	WIN	0.32	-	260	0.31	IMPACT	14.30	0.30	8,283	14.49
SMK	27.00	1.00	314	27.19	Paper & Printing Mat					KNPPF	6.85	(0.10)	2	6.93
THRE	0.33	0.01	2,898	0.32	UTP	6.75	0.05	2,990	6.88	LHHOTEL	10.10	0.20	4,596	9.95
THREL	2.10	0.02	2,673	2.11	Fashion	-	-	-	-	LHPF	5.75	0.10	205	5.67
TIP	19.30	0.50	4,808	19.03	AFC	-	-	-	-	LHSC	11.90	0.30	283	11.53
TQM	66.75	1.75	21,442	67.31	B52	0.17	-	4,928	0.16	LUXF	6.00	0.35	426	5.86
TSI	3.40	0.02	643	0.38	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	0.00	0.06	76	2.97	CPH	2.18	0.26	1	2.18	M-PAT	4.00	0.02	95	4.00
Mining					CPL	0.80	0.02	65	0.79	M-STOR	6.50	(0.45)	59	6.29
PDI	3.76	0.02	211	3.75	ICC	37.00	1.75	19	36.42	MPPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.02	(0.08)	40	2.21
Packaging					PAF	0.35	-	718	0.35	MJLF	7.00	0.25	1,255	6.98
AJ	7.40	(0.10)	1,488	7.33	PDJ	1.00	-	192	0.99	MNIT	0.90	(0.01)	571	0.90
ALUCON	119.50	0.50	1	119.50	PG	-	-	-	-	MNIT2	2.90	(0.42)	924	2.87
BGC	7.40	0.60	34,529	7.17	SABINA	15.10	0.90	6,203	14.87	MNRF	2.50	(0.02)	97	2.46
CSC	42.00	1.00	15	41.70	SAWANG	-	-	-	-	POPF	9.00	0.20	4,498	8.92
GLOCON	0.46	(0.04)	13,784	0.48	SUC	34.50	0.50	241	34.53	PPF	11.10	(0.10)	1,521	11.20
NEP	0.13	-	15,043	0.13	TNL	-	-	-	-	QHHR	6.55	0.25	754	6.35
PTL	8.90	0.30	5,013	8.94	TPCORP	9.90	0.20	41	9.89	QHOP	2.78	0.30	12	2.48
SFLEX	5.05	0.05	5,908	5.02	TR	22.10	(0.20)	74	20.39	QHPF	9.70	0.20	3,677	9.65
SITHAI	0.47	0.01	4,565	0.47	TTI	-	-	-	-	SBPF	2.00	0.09	1	2.00
SLP	0.34	-	88	0.34	TTT	39.00	(0.50)	42	37.32	SHREIT	3.16	(0.02)	3,462	3.18
SMPC	3.98	0.02	9,083	3.98	UPF	30.00	(4.00)	32	32.01	SIRIP	9.75	-	31	9.80
SPACK	-	-	-	-	UT	-	-	-	-	SPF	11.70	0.30	5,214	11.54
TCOAT	-	-	-	-	WACOAL	47.50	0.25	15	46.42	SPRIME	10.00	(0.60)	1,795	10.04
TFI	0.03	-	4,077	0.03	Transportation & Log					SRIPANWA	6.45	0.05	222	6.41
THIP	18.60	(0.20)	96	18.49	AAV	1.05	0.03	171,060	1.05	SSPF	7.90	0.05	1,172	7.85
TMD	20.50	0.90	78	20.27	AOT	50.25	2.25	511,011	50.32	SSTRT	4.90	-	470	4.86
TOPP	-	-	-	-	ASIMAR	0.60	0.02	531	0.60	TIF1	7.75	0.10	39	7.75
TPBI	2.40	(0.10)	704	2.43	B	0.14	(0.01)	8,855	0.15	TLGF	14.10	0.40	20,726	14.13
TPP	13.40	0.40	87	13.00	BA	3.66	0.06	3,944	3.66	TLHPF	8.90	(0.10)	100	8.90
Personal Products &					BEM	7.25	0.55	829,967	7.09	TNPF	2.12	0.18	1	2.12
APCO	3.12	0.06	3,815	3.12	BTS	8.60	0.35	583,074	8.56	TPRIME	12.70	0.10	697	12.64
DDD	10.60	(0.10)	290	10.58	BTSIGIF	7.05	0.05	49,063	7.02	TTLPF	20.60	-	2	20.60
JCT	70.00	1.75	6	70.25	III	4.00	(0.02)	16,371	4.01	TU-PF	-	-	-	-
OCC	-	-	-	-	JUTHA	0.15	(0.02)	200	0.15	URBNPF	3.12	0.12	231	3.00
S & J	21.90	0.70	8	23.04	JWD	5.00	0.04	3,642	5.13	WHABT	8.85	(0.15)	58	8.89
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	11.90	0.10	10,865	12.06
TNR	5.05	0.05	647	5.01	NOK	0.80	-	1,225	0.80	Steel	-	-	-	-
TOG	3.10	0.08	937	3.04	NYT	2.66	(0.02)	18,374	2.69	AMC	1.04	-	818	1.04
Professional Service					PORT	1.15	0.02	9,556	1.15	BSBM	0.70	0.03	978	0.67
BWG	0.17	-	881,285	0.17	PRM	3.98	0.38	221,852	3.92	CEN	0.32	-	776	0.33
GENCO	0.34	0.02	13,781	0.33	PSL	2.56	0.08	84,149	2.51	CITY	1.40	0.05	41	1.40
PRO	-	-	-	-	RCL	1.70	-	3,881	1.70	CSP	0.50	0.02	10	0.50
SISB	6.70	0.35	61,600	6.63	TFHFIF	9.70	0.25	57,102	9.68	GJS	0.05	-	54,708	0.05
TEAMG	1.62	0.07	11,484	1.60	THAI	2.92	0.08	29,672	2.89	GSTEEL	-	-	-	-
Property Developme					TSTE	7.00	(0.05)	49	6.99	INOX	0.37	0.01	420	0.37
A	4.88	0.08	90	4.77	TTA	1.88	-	43,329	1.88	LHK	1.94	0.04	2,017	1.97
AMATA	9.35	0.20	119,823	9.41	WICE	1.31	0.04	1,901	1.29	MAX	0.01	-	339,790	0.01
AMATAV	3.72	0.10	820	3.79	Automotive	-	-	-	-	MCS	6.60			

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price		
MAI																
Agro & Food Indust	-	-	-	-	AGE	0.51	0.01	19,799	-	ADVA01C2003A	0.02	-	3,425	-		
ABICO	3.00	0.02	223	2.00	AIE	0.21	-	15,495	-	ADVA01C2003B	-	-	-	-		
AU	6.35	0.55	58,869	6.00	PSTC	0.30	0.01	1,510,494	-	ADVA01C2005A	0.32	0.09	33,258	-		
JCHK	0.18	0.02	721	-	QTC	3.14	(0.06)	2,517	3.00	ADVA01C2005B	0.07	0.01	18,965	-		
KASET	0.99	0.04	21	-	SAAM	0.65	0.02	5	-	ADVA01C2007B	0.30	0.11	63,304	-		
MM	2.00	(0.02)	211	2.00	SEAOIL	1.68	0.04	3,657	1.00	ADVA01C2008A	1.05	0.21	47,615	1.00		
SUN	1.34	0.03	1,208	1.00	SR	0.63	(0.01)	256	-	ADVA01P2003A	-	-	-	-		
TACC	2.96	0.02	24,310	2.00	TAKUNI	0.27	0.01	2,035	-	ADVA01P2003B	0.26	(0.31)	12,685	-		
TMILL	2.50	0.02	6,855	2.00	TPCH	7.65	0.30	5,079	7.00	ADVA01P2007B	0.35	(0.06)	127,651	-		
XO	3.90	0.26	758	3.00	TRT	1.71	0.07	2,586	1.00	ADVA06C2005A	-	-	-	-		
Consumer Products					UMS	0.12	-	230	-	ADVA08C2005A	0.08	0.02	10,036	-		
BGT	0.42	-	610	-	UWC	0.02	-	30,508	-	ADVA08P2004A	0.19	(0.08)	129,413	-		
BIZ	2.64	0.04	6,139	2.00	Services (MAI)					-	-	ADVA11C2006A	0.02	-	362	-
DOD	3.62	0.18	34,786	3.00	A5	-	-	-	-	ADVA11P2005A	0.15	(0.04)	2,345	-		
ECF	1.01	0.01	275,515	1.00	AKP	0.65	-	755	-	ADVA13C2004A	0.03	0.01	24,923	-		
HPT	0.35	(0.04)	566	-	AMA	3.00	0.04	1,239	3.00	ADVA13C2006A	0.67	0.12	11,501	-		
IP	4.38	(0.08)	2,414	4.00	ARIP	0.27	0.01	342	-	ADVA13C2007A	0.28	0.05	33,058	-		
JUBILE	12.20	0.30	4,739	12.00	ATP30	0.69	0.04	1,874	-	ADVA13P2003A	-	-	-	-		
MOONG	3.06	0.02	826	3.00	AUCT	4.24	(0.16)	36,441	4.00	ADVA16C2005A	-	-	-	-		
NPK	5.70	-	11	5.00	BOL	2.50	-	1,592	2.00	ADVA16C2007A	0.11	0.08	754	-		
OCEAN	0.80	0.03	5,777	-	CHUO	-	-	-	-	ADVA16C2009A	0.30	0.09	331	-		
TM	2.24	0.04	3,955	2.00	CMO	0.75	-	1,523	-	ADVA19C2005A	0.07	0.02	4,158	-		
Financials (MAI)					D	2.24	0.02	237	2.00	ADVA19C2007A	0.85	0.21	6,284	-		
ACAP	0.41	0.03	1,858	-	DCORP	0.29	-	7,322	-	ADVA19C2007B	0.27	0.07	579	-		
AF	-	-	-	-	EFORL	0.03	-	67,616	-	ADVA19C2008A	1.29	0.19	40,688	1.00		
AIRA	0.84	(0.09)	2,222	-	ETE	0.51	0.01	763	-	ADVA19P2006A	0.32	(0.06)	7,208	-		
ASN	4.40	(0.52)	12	4.00	FSMART	5.75	0.30	7,854	5.00	ADVA19P2009A	0.38	(0.07)	1,058,460	-		
BROOK	0.35	-	8,471	-	FVC	0.21	-	581	-	ADVA24C2006A	-	-	-	-		
CHAYO	3.44	0.14	49,954	3.00	GSC	0.40	(0.01)	3,607	-	ADVA28C2004A	0.02	(0.01)	1,750	-		
GCAP	1.09	-	4,034	1.00	HARN	1.69	0.02	764	1.00	ADVA28C2005A	0.06	-	60	-		
LIT	2.32	0.06	1,377	2.00	IMH	1.65	-	691	1.00	ADVA28C2007A	0.20	0.09	1,715	-		
MITTSIB	1.02	(0.01)	5,879	1.00	JKN	3.50	0.10	8,802	3.00	ADVA28C2008A	1.09	0.21	82,223	1.00		
SGF	0.29	0.02	18,255	-	KIAT	0.25	0.01	35,847	-	ADVA28C2008B	-	-	-	-		
Industrials (MAI)					KOOL	0.46	0.01	2,053	-	ADVA28P2004A	0.17	(0.08)	8,037	-		
ZS	1.59	(0.01)	1,105	1.00	LDC	0.46	0.03	2,843	-	ADVA41C2004A	0.04	(0.06)	30	-		
ACG	0.77	0.03	276	-	MORE	0.25	0.01	99,227	-	ADVA41C2005A	-	-	-	-		
ADB	0.38	(0.02)	51	-	MPG	0.20	-	1,078	-	ADVA41C2006A	-	-	-	-		
BM	1.15	(0.06)	489	1.00	MVP	1.20	(0.05)	1,085	1.00	ADVA41C2007A	-	-	-	-		
CHO	0.42	-	18,634	-	NBC	0.38	-	2	-	ADVA41C2007B	1.12	0.17	26,441	1.00		
CHOW	0.51	(0.05)	8,207	-	NCL	0.75	0.05	102	-	ADVA41P2004A	0.47	(0.15)	565	-		
CIG	0.16	0.01	6,085	-	NEWS	0.01	-	71	-	ADVA41P2005A	0.50	(0.14)	2,955	-		
COLOR	0.98	-	1,520	-	NINE	1.98	0.21	17	1.00	ADVA42C2003A	-	-	-	-		
CPR	2.08	-	475	2.00	OTO	2.56	0.02	545	2.00	ADVA42C2005A	-	-	-	-		
FPI	2.06	(0.02)	1,969	2.00	PHOL	1.46	-	1,388	1.00	ADVA42P2007A	0.36	(0.17)	10	-		
GTB	0.49	-	5,270	-	PICO	3.28	-	60	3.00	AEON01C2005A	0.02	-	20,051	-		
KCM	0.29	-	1,951	-	QLT	3.82	-	1,153	3.00	AEON13C2007A	0.02	(0.03)	45	-		
KUMWEL	0.68	-	566	-	RP	0.78	0.01	442	-	AEON19C2003A	-	-	-	-		
KWM	0.68	(0.04)	375	-	SE	1.12	0.08	1,154	1.00	AEON19C2006A	-	-	-	-		
MBAX	2.76	(0.02)	87	2.00	SONIC	0.77	-	724	-	AMAT01C2004A	-	-	-	-		
MGT	1.16	0.01	28	1.00	SPA	7.05	0.10	2,731	7.00	AMAT01C2004B	-	-	-	-		
NDR	0.97	(0.01)	119	-	THMUI	0.37	0.02	5,186	-	AMAT01C2007B	-	-	-	-		
PDG	2.32	0.02	412	2.00	TNDT	1.65	(0.18)	2,178	1.00	AMAT01C2008A	0.05	0.01	110	-		
PIMO	1.78	0.01	1,772	-	TNH	22.90	0.30	262	22.00	AMAT01P2008A	2.16	(0.02)	8	2.00		
PJW	0.91	(0.02)	1,015	-	TNP	1.80	0.03	6,036	1.00	AMAT06C2005A	-	-	-	-		
PPM	0.44	(0.03)	414	-	TSF	-	-	-	-	AMAT08C2005A	-	-	-	-		
RWI	0.84	(0.05)	151	-	TVD	0.49	0.01	1,936	-	AMAT11C2004A	-	-	-	-		
SALEE	0.76	-	37	-	TVT	0.36	(0.03)	700	-	AMAT11C2008A	0.01	-	50	-		
SANKO	0.81	-	4,418	-	VL	0.94	0.02	921,466	-	AMAT13C2004A	-	-	-	-		
SELIC	1.69	0.01	620	1.00	WINNER	1.87	(0.03)	220	1.00	AMAT13C2006A	-	-	-	-		
SWC	3.78	0.04	532	3.00	YGG	3.44	0.10	697	3.00	AMAT16C2003A	-	-	-	-		
TMC	0.30	0.01	1,532	-	Technology (MAI)					-	-	AMAT16C2006A	-	-	-	
TMI	0.64	0.01	10,302	-	APP	1.34	-	697	1.00	AMAT16C2008A	-	-	-	-		
TMW	29.00	0.75	62	29.00	COMAN	1.42	(0.06)	211	1.00	AMAT19C2003A	-	-	-	-		
TPAC	6.10	(0.15)	131	6.00	ICN	1.30	0.02	2,606	1.00	AMAT19C2005A	-	-	-	-		
TPLAS	0.90	0.02	3,880	-	INSET	2.16	0.10	18,978	2.00	AMAT19C2006A	-	-	-	-		
UBIS	-	-	-	-	IRCP	0.30	-	1,861	-	AMAT19C2008A	-	-	-	-		
UEC	0.52	-	261	-	ITEL	1.45	0.08	4,913	1.00	AMAT24C2006A	-	-	-	-		
UKEM	0.33	0.01	7,535	-	NETBAY	27.00	0.75	1,874	26.00	AMAT41C2004A	-	-	-	-		
UREKA	0.72	(0.03)	221	-	PLANET	0.64	(0.03)	360	-	AMAT41C2005A	-	-	-	-		
YUASA	9.20	0.20	92	9.00	SIMAT	2.20	(0.02)	13,290	2.00	AMAT41C2006A	-	-	-	-		
ZIGA	0.63	0.04	4,281	-	SKY	12.10	-	773	12.00	AMAT42C2003A	-	-	-	-		
Property & Construc					SPVI	1.38	0.05	13,539	1.00	AMAT42C2005A	-	-	-	-		
ALL	2.64	0.14	25,689	2.00	TPS	1.77	0.06	427	1.00	AMAT42C2007A	-	-	-	-		
ARIN	0.49	0.01	3,534	-	UPA	0.11	-	27,113	-	ANAN13C2007A	0.01	(0.02)	276	-		
ARROW	5.90	-	90	5.00	VCOM	1.62	(0.01)	1,218	1.00	ANAN19C2004A	-	-	-	-		
BC	0.80	0.02	1,378	-	Unit Trust					-	-	ANAN19C2007A	-	-	-	
BSM	0.25	0.01	4,340	-	MGE	-	-	-	-	AOT01C2004A	0.01	-	1,660	-		
BTW	0.38	0.02	6,104	-	SCBSET	-	-	-	-	AOT01C2004B	0.01	-	5,000	-		
CAZ	1.23	(0.05)	12,983	1.00	ETF	-	-	-	-	AOT01C2006B	0.02	-	3,332	-		
CHEWA	0.27	0.01	9,035	-	1DIV	6.70	0.35	288	6.00	AOT01C2007A	0.08	0.02	146,549	-		
CMC	0.59	0.06	9,219	-	ABFTH	-	-	-	-	AOT01P2004A	2.54	(0.18)	1,341	2.00		
CRD	0.39	0.02	364	-	BMSCG	4.70	0.10	294	4.00	AOT01P2004B	2.48	(0.34)	7	2.00		
DIMET	-	-	-	-	BMSCITH	8.21	0.45	4,272	8.00	AOT01P2006B	2.08	(0.24)	28,819	2.00		
FLOYD	0.96	0.03	349	-	BSET100	7.01	0.35	2,399	6.00	AOT01P2007A	2.02	(0.08)	122,309	1.00		
HYDRO	-	-	-	-	CHINA	5.45	0.15	390	5.00	AOT06C2003A	-	-	-	-		
JSP	0.19	-	18,162	-	EBANK	2.89	(0.20)	40								

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2005A	0.02	0.01	170	-	BBL28C2005A	-	-	-	-	BGRI01C2009A	0.38	0.05	40,203	-
AOT19C2007A	0.04	0.01	14	-	BBL28C2007A	-	-	-	-	BGRI01P2003A	0.69	(0.16)	4,282	-
AOT19C2008A	0.28	0.06	580,283	-	BBL41C2004A	-	-	-	-	BGRI01P2006A	1.92	(0.22)	2,281	1.00
AOT19P2004A	2.36	(0.16)	19	2.00	BBL41C2005A	-	-	-	-	BGRI06C2005A	0.01	-	350	-
AOT19P2009A	0.47	(0.06)	994,094	-	BBL41C2006A	-	-	-	-	BGRI08C2003A	-	-	-	-
AOT24C2003A	-	-	-	-	BBL41C2007A	-	-	-	-	BGRI08C2005A	0.04	0.01	2,735	-
AOT24C2006A	-	-	-	-	BBL41C2007B	-	-	-	-	BGRI11C2006A	0.12	0.05	13,183	-
AOT27C2008A	0.05	0.04	101	-	BBL41P2004A	-	-	-	-	BGRI11C2008A	0.06	-	4,450	-
AOT28C2006A	0.02	0.01	201	-	BBL41P2006A	-	-	-	-	BGRI13C2004A	-	-	-	-
AOT28C2006B	-	-	-	-	BBL42C2003A	-	-	-	-	BGRI13C2006A	0.03	0.01	5,304	-
AOT28C2008A	0.12	0.02	9	-	BBL42C2005A	-	-	-	-	BGRI13C2007A	0.09	-	993	-
AOT28C2008B	0.20	0.04	77,109	-	BBL42C2007A	-	-	-	-	BGRI13C2008A	0.19	0.02	7,434	-
AOT28C2008C	0.33	0.06	107,340	-	BCH01C2006A	-	-	-	-	BGRI13P2005A	1.71	(0.55)	921	1.00
AOT28P2004A	-	-	-	-	BCH01C2006B	-	-	-	-	BGRI16C2005A	0.03	(0.02)	4,531	-
AOT41C2004A	-	-	-	-	BCH01P2006A	-	-	-	-	BGRI19C2004A	0.03	(0.05)	31	-
AOT41C2005A	-	-	-	-	BCH06C2005A	-	-	-	-	BGRI19C2005A	-	-	-	-
AOT41C2006A	-	-	-	-	BCH06P2006A	-	-	-	-	BGRI19C2006A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH08C2004A	-	-	-	-	BGRI19C2008A	0.23	0.05	13,568	-
AOT41C2007B	0.40	0.04	44,254	-	BCH11C2008A	-	-	-	-	BGRI19C2008B	0.51	0.07	286,781	-
AOT41P2004A	-	-	-	-	BCH13C2004A	-	-	-	-	BGRI19P2007A	1.26	(0.25)	10	1.00
AOT41P2005A	-	-	-	-	BCH13C2007A	-	-	-	-	BGRI24C2004A	0.12	0.11	2	-
AOT41P2006A	2.58	(0.14)	4	2.00	BCH16C2006A	-	-	-	-	BGRI27P2006A	0.89	(0.10)	4,294	-
AOT42C2006A	0.01	-	125	-	BCH19C2005A	-	-	-	-	BGRI41C2004A	-	-	-	-
AOT42P2003A	0.35	(0.90)	162	-	BCH19C2006A	-	-	-	-	BGRI41C2005A	-	-	-	-
AOT42P2009A	2.20	(0.48)	400	2.00	BCH19C2008A	0.10	0.03	810	-	BGRI41C2006A	0.07	0.04	258	-
AP19C2007A	0.03	(0.01)	38	-	BCH24C2003A	-	-	-	-	BGRI41C2007A	0.33	0.05	7,828	-
AP28C2004A	-	-	-	-	BCH27C2003A	-	-	-	-	BGRI41P2004A	-	-	-	-
AP28C2006A	-	-	-	-	BCH41C2005A	-	-	-	-	BGRI41P2005A	1.36	(0.17)	4	1.00
AWC01C2003A	0.01	-	2,932	-	BCH41C2006A	-	-	-	-	BGRI41P2006A	-	-	-	-
AWC01C2003B	-	-	-	-	BCP01C2005A	0.01	(0.01)	46,772	-	BGRI42C2003A	-	-	-	-
AWC01C2004A	-	-	-	-	BCP01C2005B	-	-	-	-	BGRI42C2006A	-	-	-	-
AWC01C2009A	0.05	-	7,864	-	BCP01P2005A	1.20	(0.11)	16	1.00	BH01C2004A	-	-	-	-
AWC01P2003A	1.75	(0.06)	1	1.00	BCP11C2004A	-	-	-	-	BH01C2004B	0.05	0.01	2,532	-
AWC01P2003B	-	-	-	-	BCP13C2003B	-	-	-	-	BH01P2004A	0.43	(0.06)	2,523	-
AWC01P2007A	1.59	(0.06)	1,472	1.00	BCP13C2007A	-	-	-	-	BH08C2007A	0.33	0.01	50,542	-
AWC06C2004A	-	-	-	-	BCP19C2004A	-	-	-	-	BH11C2008A	0.24	0.02	428	-
AWC08C2004A	-	-	-	-	BCP19C2005A	-	-	-	-	BH13C2006A	-	-	-	-
AWC13C2006A	0.01	-	1,565	-	BCE24C2004A	-	-	-	-	BH19C2003A	-	-	-	-
AWC13P2006A	1.71	(0.03)	37	1.00	BCEG01C2005A	-	-	-	-	BH19C2006A	-	-	-	-
AWC16C2005A	-	-	-	-	BCPG01C2005B	-	-	-	-	BH24C2003A	-	-	-	-
AWC16C2007A	-	-	-	-	BCPG01C2008B	0.09	0.03	6,000	-	BH27C2007A	0.23	0.02	1,507	-
AWC19C2003A	-	-	-	-	BCPG01C2009A	0.24	0.06	257	-	BH41C2004A	-	-	-	-
AWC19C2004A	-	-	-	-	BCPG01P2005A	-	-	-	-	BH41C2005A	-	-	-	-
AWC19C2006A	-	-	-	-	BCPG01P2009A	-	-	-	-	BH41C2006A	-	-	-	-
AWC24C2007A	-	-	-	-	BCPG13C2004A	-	-	-	-	BH41P2004A	0.10	(0.05)	322	-
AWC28C2006A	-	-	-	-	BCPG13C2007A	0.08	-	11	-	BH41P2006A	0.89	-	1	-
AWC28C2008A	0.04	-	30	-	BCPG16C2009A	-	-	-	-	BH42C2003A	-	-	-	-
AWC41C2004A	-	-	-	-	BCPG19C2003A	-	-	-	-	BH42C2008A	-	-	-	-
AWC41C2005A	-	-	-	-	BCPG19C2005A	-	-	-	-	BJC01C2004A	0.07	0.05	8,586	-
AWC41C2006A	-	-	-	-	BCPG28C2004A	-	-	-	-	BJC01C2004B	-	-	-	-
AWC41C2007A	-	-	-	-	BCPG28C2008A	-	-	-	-	BJC01C2008B	0.47	0.15	2,542	-
AWC41C2007B	0.17	0.03	20,400	-	BCPG41C2005A	-	-	-	-	BJC01C2009A	0.61	0.15	5,997	-
AWC42C2003A	-	-	-	-	BCPG42C2004A	-	-	-	-	BJC01P2004A	0.73	(0.21)	1,817	-
AWC42C2008A	-	-	-	-	BCPG42C2007A	-	-	-	-	BJC01P2009A	0.30	(0.09)	92,960	-
BANP01C2005A	-	-	-	-	BDMS01C2007B	0.03	-	13,887	-	BJC06C2006A	0.13	0.02	1,201	-
BANP01C2005B	-	-	-	-	BDMS01P2008A	0.68	(0.04)	5,790	-	BJC11C2008A	0.23	0.08	1,200	-
BANP01P2005A	-	-	-	-	BDMS06C2008A	0.11	0.04	103,055	-	BJC13C2004A	-	-	-	-
BANP01P2005B	1.87	(0.02)	4	1.00	BDMS06P2004A	-	-	-	-	BJC13C2005A	0.06	0.01	14,063	-
BANP06C2005A	-	-	-	-	BDMS08C2003A	-	-	-	-	BJC16C2006A	0.11	0.03	35	-
BANP08C2005A	-	-	-	-	BDMS08C2006A	0.01	(0.01)	1,700	-	BJC19C2003A	-	-	-	-
BANP08C2007A	-	-	-	-	BDMS11C2007A	-	-	-	-	BJC19C2005A	-	-	-	-
BANP08P2003A	-	-	-	-	BDMS11C2008A	-	-	-	-	BJC19C2007A	0.25	0.08	35,544	-
BANP11C2004A	0.01	-	1,000	-	BDMS13C2004A	-	-	-	-	BJC24C2003A	-	-	-	-
BANP11C2008A	-	-	-	-	BDMS13C2008A	0.12	0.04	11	-	BJC24C2006A	-	-	-	-
BANP13C2006A	-	-	-	-	BDMS16C2006A	-	-	-	-	BJC27C2009A	0.16	0.06	16,900	-
BANP13C2008A	-	-	-	-	BDMS19C2005A	0.02	-	100	-	BJC28C2004A	-	-	-	-
BANP19C2004A	-	-	-	-	BDMS19C2005B	-	-	-	-	BJC28C2007A	0.10	0.01	10	-
BANP19C2005A	-	-	-	-	BDMS24C2006A	0.01	(0.02)	400	-	BJC41C2004A	-	-	-	-
BANP19C2007A	-	-	-	-	BDMS41C2004A	-	-	-	-	BJC41C2005A	-	-	-	-
BANP19C2007B	-	-	-	-	BDMS41C2005A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP19P2003A	-	-	-	-	BDMS41C2006A	-	-	-	-	BJC41C2007A	0.41	0.02	1,557	-
BANP24C2003A	-	-	-	-	BDMS41P2004A	-	-	-	-	BJC41C2008A	0.63	0.12	51,173	-
BANP27C2007A	-	-	-	-	BDMS41P2006A	-	-	-	-	BJC41P2004A	0.71	(0.20)	2,465	-
BANP28C2004A	-	-	-	-	BDMS42C2003A	-	-	-	-	BJC41P2005A	-	-	-	-
BANP28C2008A	0.05	-	10,009	-	BEC01C2006A	-	-	-	-	BJC42C2004A	-	-	-	-
BANP41C2004A	-	-	-	-	BEC01C2006B	0.03	0.01	1	-	BLAN19C2004A	-	-	-	-
BANP41C2005A	-	-	-	-	BEC01P2006A	1.53	0.03	3	1.00	BLAN28C2004A	-	-	-	-
BANP41C2006A	-	-	-	-	BEC19C2003A	-	-	-	-	BPP01C2005A	-	-	-	-
BANP41C2007A	-	-	-	-	BEC19C2005A	0.04	-	1	-	BPP01C2005B	-	-	-	-
BANP41P2005A	1.43	0.07	2,172	1.00	BEC42C2003A	-	-	-	-	BPP01P2005A	1.54	(0.25)	5	1.00
BANP41P2007A	-	-	-	-	BEC42C2005A	-	-	-	-	BPP13C2004A	-	-	-	-
BANP42C2004A	-	-	-	-	BEM01C2004A	-	-	-	-	BPP13C2007A	0.16	0.02	68,620	-
BANP42C2006A	-	-	-	-	BEM01C2004B	-	-	-	-	BPP19C2005A	-	-	-	-
BANP42P2005A	-	-	-	-	BEM01P2004A	0.76	(0.15)	1,608	-	BPP19C2007A	0.03	0.01	5,712	-
BBL06C2007A	0.02	-	4,851	-	BEM06C2004A	-	-	-	-	BPP24C2003A	-	-	-	-
BBL06P2004A	-	-	-	-	BEM08C2005A	-	-	-	-	BTS01C2005A	0.02	-	200	-
BBL08C2005A	0.01	(0.01)	6,094	-	BEM11C2003A	-	-	-	-	BTS01C2005B	0.01	(0.01)	900	-
BBL08C2007A	-	-	-	-	BEM13C2004A	-	-	-	-	BTS01P2005A	0.94	(0.07)	11,503	-
BBL08P2007A	2.18	(0.10)	3,796	2.00	BEM13C2007A	0.03	-	712	-	BTS08C2005A	-	-	-	-
BBL11C2005A	0.01	(0.01)	200	-	BEM16C2006A	-	-	-	-	BTS11C2003A	-	-	-	-
BBL11C2007A	0.01	-	65	-	BEM19C2005A	0.02	0.01	100	-	BTS13C2003A	-	-	-	-
BBL11P2008A	2.58	(0.06)	21	2.00	BEM24C2003A	-	-	-	-	BTS13C2006A	0.05	-	10	-
BBL13C2004A	0.01	-	1	-	BEM28C2006A	-	-	-	-	BTS13C2008A	0.05	-	211	-
BBL13C2006A	-	-	-	-	BEM28C2007A	-	-	-	-	BTS16C2008A	0.02	-	64	-
BBL13C2008A	0.15	0.01	52,197	-	BEM28C2008A	0.08								

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01C2004A	0.05	0.03	5,357	-	CKP24C2006A	-	-	-	-	CRC08C2007A	0.09	0.05	48,558	-
CBG01C2004B	0.02	-	5,000	-	CKP27C2005A	-	-	-	-	CRC13C2008A	0.04	0.01	142,357	-
CBG01C2007B	0.17	0.05	90,824	-	CKP28C2004A	-	-	-	-	CRC19C2008A	0.08	0.03	576	-
CBG01P2003A	0.08	(0.10)	36,407	-	CKP28C2004B	-	-	-	-	CRC19C2008B	-	-	-	-
CBG01P2004A	1.63	(0.36)	10,529	1.00	CKP28C2006A	-	-	-	-	CRC28C2007A	0.05	0.01	862	-
CBG01P2007B	2.04	(0.30)	8,197	2.00	CKP41C2004A	-	-	-	-	CRC28C2007B	0.03	-	1,211	-
CBG06C2005A	-	-	-	-	CKP41C2005A	-	-	-	-	CRC41C2007A	0.11	0.03	12,662	-
CBG08C2003A	-	-	-	-	CKP41C2006A	-	-	-	-	DTAC01C2004A	0.04	0.02	23,859	-
CBG08C2007A	0.29	0.05	148,531	-	CKP41C2007A	0.13	0.03	5	-	DTAC01P2004B	0.01	-	3,087	-
CBG11C2008A	0.23	0.01	1,618	-	CKP42C2003A	-	-	-	-	DTAC01C2007B	0.13	0.06	11,599	-
CBG13C2004A	-	-	-	-	CKP42C2005A	-	-	-	-	DTAC01C2008A	0.33	0.11	6,833	-
CBG13C2008A	0.31	0.05	47,600	-	CKP42C2006A	-	-	-	-	DTAC01P2004A	-	-	-	-
CBG13P2006A	1.84	(0.42)	1,425	1.00	COM708C2007A	0.02	-	5,750	-	DTAC01P2004B	-	-	-	-
CBG16C2008A	0.08	(0.08)	156	-	COM711C2004A	-	-	-	-	DTAC01P2007B	0.60	(0.25)	912	-
CBG19C2004A	-	-	-	-	COM713C2004A	0.01	-	2,000	-	DTAC01P2008A	0.74	(0.20)	1,460	-
CBG19C2005A	-	-	-	-	COM713C2007A	-	-	-	-	DTAC06C2006A	0.02	-	435	-
CBG19C2008A	0.36	0.07	847,458	-	COM713C2008A	0.05	(0.01)	50,117	-	DTAC08C2005A	0.02	0.01	2	-
CBG19P2006A	2.06	(0.34)	536	2.00	COM716C2008A	-	-	-	-	DTAC08C2005B	-	-	-	-
CBG24C2003A	-	-	-	-	COM719C2003A	-	-	-	-	DTAC08C2007A	0.14	0.06	29,600	-
CBG24C2008A	0.24	0.08	3,045	-	COM719C2005A	-	-	-	-	DTAC13C2006A	0.02	-	7,001	-
CBG41C2004A	-	-	-	-	COM719C2008A	0.05	-	16,324	-	DTAC13C2007A	0.11	0.04	13,085	-
CBG41C2005A	0.27	0.06	2,086	-	COM719P2004A	1.03	0.03	24,834	1.00	DTAC13P2006A	1.16	(0.83)	2	1.00
CBG41C2006A	0.15	0.01	1,125	-	COM724C2007A	-	-	-	-	DTAC13P2007A	0.21	(0.06)	6,931	-
CBG41P2004A	2.10	(0.72)	400	2.00	COM741C2004A	-	-	-	-	DTAC13P2008A	-	-	-	-
CBG41P2006A	-	-	-	-	COM741C2006A	0.03	(0.07)	500	-	DTAC16C2009A	-	-	-	-
CBG42C2003A	-	-	-	-	COM742C2004A	-	-	-	-	DTAC19C2005A	-	-	-	-
CBG42C2006A	-	-	-	-	CPAL01C2004A	0.04	-	3,286	-	DTAC19C2006A	0.07	0.06	799	-
CBG42C2008A	0.32	0.02	6	-	CPAL01C2004B	-	-	-	-	DTAC19C2007A	0.23	0.07	316	-
CENT01C2003A	-	-	-	-	CPAL01C2006A	0.13	(0.01)	11,686	-	DTAC19P2007A	-	-	-	-
CENT01C2003B	-	-	-	-	CPAL01C2006B	0.05	-	457	-	DTAC24C2004A	-	-	-	-
CENT01C2006A	-	-	-	-	CPAL01C2008B	0.18	0.02	69,631	-	DTAC24C2007A	-	-	-	-
CENT01C2006B	-	-	-	-	CPAL01P2004A	1.77	(0.06)	22	1.00	DTAC27C2008A	0.24	0.09	38,694	-
CENT01C2009A	0.14	-	20,351	-	CPAL01P2004B	1.06	0.02	211	1.00	DTAC41C2004A	-	-	-	-
CENT01P2003A	-	-	-	-	CPAL01P2008B	0.92	(0.03)	10,603	-	DTAC41C2005A	-	-	-	-
CENT01P2009A	1.65	(0.08)	6,451	1.00	CPAL06C2006A	0.04	-	3,593	-	DTAC41C2006A	0.11	0.04	754	-
CENT06C2003A	-	-	-	-	CPAL08C2004A	0.01	-	2	-	DTAC41C2007A	0.26	0.06	3,128	-
CENT06C2006A	0.17	-	27,300	-	CPAL08C2006A	-	-	-	-	DTAC41C2007B	0.35	0.12	2,156	-
CENT06P2007A	-	-	-	-	CPAL08C2008A	0.37	-	127,089	-	DTAC41P2005A	0.71	(0.27)	11	-
CENT08C2004A	-	-	-	-	CPAL08P2006A	-	-	-	-	DTAC41P2006A	-	-	-	-
CENT11C2004A	-	-	-	-	CPAL11C2006A	0.03	-	690	-	DTAC42C2004A	-	-	-	-
CENT11C2007A	0.04	0.03	1	-	CPAL11C2007A	0.09	0.01	2,510	-	DTAC42C2006A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL13C2004A	0.04	0.02	1	-	EA06C2005A	0.02	-	1,670	-
CENT13C2006A	-	-	-	-	CPAL13C2007A	0.11	(0.01)	17,754	-	EA08C2004A	0.01	-	80	-
CENT19C2004A	-	-	-	-	CPAL16C2006A	-	-	-	-	EA08C2006A	0.08	0.01	7,722	-
CENT19C2005A	-	-	-	-	CPAL16C2007A	-	-	-	-	EA11C2005A	-	-	-	-
CENT19C2008A	0.05	-	9,244	-	CPAL19C2004A	-	-	-	-	EA13C2005A	0.05	(0.02)	701	-
CENT24C2003A	-	-	-	-	CPAL19C2005A	0.02	(0.02)	202	-	EA13C2006A	-	-	-	-
CENT24C2008A	-	-	-	-	CPAL19C2008A	0.19	-	201,651	-	EA13C2008A	0.14	0.01	517	-
CENT27C2008A	-	-	-	-	CPAL19P2004A	-	-	-	-	EA13P2006A	1.29	(0.03)	200	1.00
CENT28C2004A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA16C2003A	0.02	(0.02)	19	-
CENT28C2005A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA16C2006A	-	-	-	-
CENT28C2006A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA16C2008A	0.04	-	163	-
CENT28C2008A	0.03	-	10,140	-	CPAL28C2007A	0.03	(0.02)	200	-	EA19C2004A	-	-	-	-
CENT41C2004A	-	-	-	-	CPAL28C2008A	0.33	-	48,278	-	EA19C2008A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL28C2008B	0.47	0.01	77,237	-	EA19P2007A	1.03	(0.14)	200	1.00
CENT41C2006A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA24C2003A	-	-	-	-
CENT42C2004A	-	-	-	-	CPAL41C2005A	-	-	-	-	EA24C2004A	-	-	-	-
CENT42C2006A	-	-	-	-	CPAL41C2006A	-	-	-	-	EA27C2006A	-	-	-	-
CHG01C2006A	0.09	-	290	-	CPAL41C2007A	0.25	-	3,348	-	EA28C2004A	-	-	-	-
CHG01C2006B	-	-	-	-	CPAL41P2004A	-	-	-	-	EA28C2004B	-	-	-	-
CHG01P2006A	0.72	(0.06)	45	-	CPAL41P2005A	-	-	-	-	EA28C2006A	-	-	-	-
CHG08C2005A	-	-	-	-	CPAL41P2006A	1.38	(0.05)	586	1.00	EA41C2004A	-	-	-	-
CHG13C2006A	0.11	0.03	44,000	-	CPAL42C2003A	-	-	-	-	EA41C2005A	-	-	-	-
CHG16C2009A	-	-	-	-	CPAL42C2005A	-	-	-	-	EA41C2006A	-	-	-	-
CHG19C2004A	-	-	-	-	CPAL42C2007A	-	-	-	-	EA41P2004A	0.73	0.01	2,872	-
CHG27C2009A	0.09	0.01	100	-	CPF01C2004A	0.04	0.01	43,535	-	EA42C2004A	-	-	-	-
CHG41C2005A	-	-	-	-	CPF01C2004B	0.02	-	5	-	EGCO01C2004A	0.02	0.01	54	-
CHG42C2006A	-	-	-	-	CPF01P2004A	0.29	(0.09)	7,260	-	EGCO01C2004B	-	-	-	-
CK01C2005A	0.11	0.01	10	-	CPF08C2006A	0.03	0.01	20,604	-	EGCO01C2007B	0.04	-	67,985	-
CK01C2005B	0.01	-	2,110	-	CPF11C2004A	-	-	-	-	EGCO06C2004A	-	-	-	-
CK01P2005A	0.73	(0.01)	390	-	CPF11C2007A	0.08	(0.01)	210	-	EGCO06C2007A	0.03	-	100	-
CK06C2004A	-	-	-	-	CPF13C2006A	0.03	-	3,000	-	EGCO06P2004A	-	-	-	-
CK11C2007A	-	-	-	-	CPF13C2008A	0.16	0.03	66,733	-	EGCO13C2005A	0.02	(0.01)	1,258	-
CK13C2003A	-	-	-	-	CPF16C2007A	-	-	-	-	EGCO19C2005A	-	-	-	-
CK13C2006A	0.03	(0.02)	100	-	CPF19C2003A	-	-	-	-	EGCO19C2007A	0.04	0.01	800	-
CK16C2003A	-	-	-	-	CPF19C2005A	0.03	(0.02)	101	-	EGCO41C2004A	-	-	-	-
CK16C2006A	-	-	-	-	CPF19C2006A	0.02	-	5,000	-	EGCO41C2006A	-	-	-	-
CK19C2003A	-	-	-	-	CPF24C2007A	0.07	-	430	-	EGCO41P2004A	-	-	-	-
CK19C2004A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO41P2006A	2.18	(0.36)	629	2.00
CK19C2007A	-	-	-	-	CPF28C2007A	0.03	(0.01)	2,708	-	EGCO42C2003A	-	-	-	-
CK24C2003A	-	-	-	-	CPF41C2004A	-	-	-	-	EGCO42C2007A	0.01	-	10,280	-
CK27C2008A	0.09	0.02	400	-	CPF41C2005A	-	-	-	-	EPG08C2004A	-	-	-	-
CK41C2003A	-	-	-	-	CPF41P2005A	0.58	(0.06)	389	-	EPG13C2004A	-	-	-	-
CK41C2004A	-	-	-	-	CPF42C2003A	-	-	-	-	EPG13C2006A	-	-	-	-
CK41C2005A	-	-	-	-	CPN01C2005A	-	-	-	-	EPG19C2005A	-	-	-	-
CK42C2006A	-	-	-	-	CPN01C2005B	-	-	-	-	EPG19C2007A	-	-	-	-
CKP01C2004A	-	-	-	-	CPN01P2005A	2.76	(0.30)	3,564	2.00	EPG19C2008A	0.19	(0.07)	20	-
CKP01C2004B	-	-	-	-	CPN06C2006A	-	-	-	-	EPG24C2008A	0.03	(0.10)	280	-
CKP01C2008B	-	-	-	-	CPN11C2006A	0.06	0.05	1	-	ERW06C2006A	0.01	-	2,071	-
CKP01C2009A	0.24	0.02	10,149	-	CPN11C2008A	0.05	0.04	62	-	ERW06C2007A	-	-	-	-
CKP01P2004A	-	-	-	-	CPN13C2004A	-	-	-	-	ERW06P2006A	2.22	0.10	1	2.00
CKP01P2009A	1.17	(0.06)	820	1.00	CPN13C2007A	-	-	-	-	ERW13C2005A	-	-	-	-
CKP08C2004A	-	-	-	-	CPN16C2005A	0.13	0.06	1	-	ERW13C2006A	-	-	-	-
CKP11C2006A	-	-	-	-	CPN19C2004A	-	-	-	-	ERW13C2007A	-	-	-	-
CKP13C2003A	-	-	-	-	CPN19C2007A	0.05	0.01	41	-	ERW19C2005A	-	-	-	-
CKP13C2004A	-	-	-	-	CPN24C2007A	0.21	0.08	30,047	-	ERW19C2006A	-	-	-	-
CKP13C2004B	-	-	-	-	CPN41C2004A	-	-	-	-	ERW19C2007A	-	-		

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ESSO08C2004A	0.01	-	50	-	GULF28C2008C	0.62	0.05	197,462	-	IRPC01C2007B	0.07	-	700	-
ESSO08C2008A	0.74	(0.26)	174,340	-	GULF41C2004A	-	-	-	-	IRPC01P2005A	-	-	-	-
ESSO13C2006A	0.05	0.03	3	-	GULF41C2005A	0.16	0.04	1	-	IRPC01P2005B	-	-	-	-
ESSO19C2004A	-	-	-	-	GULF41C2006A	0.47	0.05	35,191	-	IRPC01P2007B	1.05	-	515	-
ESSO19C2007A	0.05	0.01	1	-	GULF41P2003A	0.48	(0.45)	310	-	IRPC06C2005A	0.01	-	5	-
ESSO24C2003A	-	-	-	-	GULF41P2004A	1.35	(0.34)	18	1.00	IRPC06C2007A	0.02	-	7,799	-
ESSO24C2007A	-	-	-	-	GULF41P2005A	1.73	0.02	1	1.00	IRPC06P2004A	-	-	-	-
ESSO41C2004A	-	-	-	-	GULF41P2006A	1.58	(0.17)	150	1.00	IRPC11C2005A	-	-	-	-
ESSO41C2005A	0.02	-	3,000	-	GULF41P2007A	2.02	(0.14)	24	2.00	IRPC11C2008A	0.04	(0.03)	350	-
ESSO41C2006A	-	-	-	-	GULF42C2003A	-	-	-	-	IRPC13C2006A	-	-	-	-
ESSO42C2003A	-	-	-	-	GUNK01C2005A	-	-	-	-	IRPC13C2007A	0.06	0.01	7	-
ESSO42C2007A	0.02	(0.04)	438	-	GUNK01C2005B	0.02	0.01	5	-	IRPC13C2008A	0.16	0.02	300	-
GFPT13C2003A	-	-	-	-	GUNK01P2005A	-	-	-	-	IRPC16C2008A	-	-	-	-
GFPT19C2004A	-	-	-	-	GUNK11C2007A	-	-	-	-	IRPC19C2003A	-	-	-	-
GFPT19C2006A	-	-	-	-	GUNK13C2006A	-	-	-	-	IRPC19C2005A	-	-	-	-
GFPT24C2007A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC19C2007A	0.06	(0.03)	1,000	-
GFPT42C2004A	-	-	-	-	GUNK19C2006A	-	-	-	-	IRPC19C2008A	0.24	0.04	223,486	-
GFPT42C2008A	-	-	-	-	GUNK24C2006A	-	-	-	-	IRPC24C2004A	-	-	-	-
GLOB01C2003A	-	-	-	-	GUNK28C2005A	-	-	-	-	IRPC24C2007A	-	-	-	-
GLOB01C2007B	-	-	-	-	GUNK41C2005A	-	-	-	-	IRPC27C2007A	-	-	-	-
GLOB01C2008A	0.07	0.03	23	-	GUNK41P2005A	-	-	-	-	IRPC28C2006A	-	-	-	-
GLOB01P2003A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC28C2008A	0.13	0.03	119,022	-
GLOB06C2006A	-	-	-	-	HANA01C2006A	-	-	-	-	IRPC41C2004A	-	-	-	-
GLOB13C2007A	-	-	-	-	HANA01C2006B	0.02	-	100	-	IRPC41C2005A	-	-	-	-
GLOB19C2005A	-	-	-	-	HANA01P2006A	1.12	(0.17)	1,525	1.00	IRPC41C2006A	-	-	-	-
GLOB19C2007A	-	-	-	-	HANA11C2008A	0.06	0.03	1	-	IRPC41C2007A	0.21	0.02	12,604	-
GLOB24C2005A	-	-	-	-	HANA13C2006A	-	-	-	-	IRPC41P2004A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA13C2008A	0.09	(0.01)	2,960	-	IRPC41P2005A	-	-	-	-
GLOB42C2009A	-	-	-	-	HANA16C2008A	-	-	-	-	IRPC41P2006A	-	-	-	-
GPSCO1C2003A	0.01	(0.01)	360	-	HANA19C2003A	-	-	-	-	IRPC41P2007A	-	-	-	-
GPSCO1C2003B	0.01	-	1,884	-	HANA19C2006A	-	-	-	-	IRPC42C2003A	-	-	-	-
GPSCO1C2005A	0.04	-	7,652	-	HANA27C2007A	-	-	-	-	IRPC42C2006A	-	-	-	-
GPSCO1C2005B	0.02	0.01	1,151	-	HANA27P2007A	1.15	(0.07)	632	1.00	IVL01C2004A	0.01	-	217	-
GPSCO1C2007B	0.11	0.02	5,628	-	HANA41C2006A	-	-	-	-	IVL01C2004B	-	-	-	-
GPSCO1C2008A	0.24	0.04	199,524	-	HMPR01C2006A	0.05	0.02	16,350	-	IVL01C2006B	0.03	0.01	4,474	-
GPSCO1P2003A	1.91	(0.59)	241	1.00	HMPR01C2006B	0.06	0.04	1	-	IVL01P2004A	-	-	-	-
GPSCO1P2005A	2.40	(0.32)	9,164	2.00	HMPR01P2006A	1.32	(0.25)	25,198	1.00	IVL01P2004B	0.63	(0.09)	15,488	-
GPSCO1P2005B	1.85	(0.33)	26	1.00	HMPR06C2006A	0.15	0.07	58,242	-	IVL01P2006B	1.15	(0.10)	3,642	1.00
GPSCO1P2007B	1.64	(0.28)	551	1.00	HMPR06P2007A	-	-	-	-	IVL06C2003A	-	-	-	-
GPSCO1P2008A	2.28	(0.16)	1,372	2.00	HMPR11C2003A	-	-	-	-	IVL06C2008A	-	-	-	-
GPSCO6C2006A	0.02	-	10	-	HMPR13C2006A	-	-	-	-	IVL06P2005A	-	-	-	-
GPSCO6C2008A	0.25	0.06	172,165	-	HMPR13C2007A	-	-	-	-	IVL08C2004A	-	-	-	-
GPSCO8C2004B	0.02	-	10	-	HMPR19C2003A	-	-	-	-	IVL08P2003A	-	-	-	-
GPSCO8C2007A	0.09	0.01	37,795	-	HMPR19C2005A	-	-	-	-	IVL08P2004A	-	-	-	-
GPSCO8P2006A	1.79	(0.25)	52	1.00	HMPR19C2007A	-	-	-	-	IVL11C2005A	0.03	-	2	-
GPSC11C2006A	0.10	0.02	502	-	HMPR24C2004A	-	-	-	-	IVL11C2006A	-	-	-	-
GPSC13C2005A	0.03	-	1,128	-	HMPR41C2005A	-	-	-	-	IVL13C2006A	0.01	-	525	-
GPSC13C2007A	0.14	0.02	2,813	-	HMPR41C2006A	-	-	-	-	IVL13C2008A	0.31	0.06	260,158	-
GPSC13C2008A	0.30	0.05	70,483	-	HMPR41C2007A	-	-	-	-	IVL13P2004A	-	-	-	-
GPSC13P2005A	-	-	-	-	HMPR41C2007B	0.10	0.02	2,001	-	IVL16C2006A	-	-	-	-
GPSC13P2007A	2.02	-	6	2.00	HMPR42C2003A	-	-	-	-	IVL16C2009A	-	-	-	-
GPSC16C2003A	-	-	-	-	HSI28C2003A	-	-	-	-	IVL19C2003A	-	-	-	-
GPSC16C2007A	0.04	0.01	1,730	-	HSI28C2003B	-	-	-	-	IVL19C2004A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28C2003C	-	-	-	-	IVL19C2006A	-	-	-	-
GPSC19C2007A	0.13	0.03	20	-	HSI28C2004A	0.50	0.19	348,904	-	IVL19C2008A	0.20	0.05	50,712	-
GPSC19C2008A	0.45	0.10	47,641	-	HSI28C2004B	0.28	0.11	103,092	-	IVL19C2009A	0.64	(0.36)	310,466	-
GPSC19C2009A	0.78	0.10	663,002	-	HSI28C2004C	0.14	0.03	922	-	IVL19P2003A	-	-	-	-
GPSC19P2005A	1.58	(0.27)	90	1.00	HSI28C2005A	1.67	0.42	727,813	1.00	IVL19P2006A	-	-	-	-
GPSC24C2007A	-	-	-	-	HSI28C2005B	1.15	0.30	600,526	-	IVL24C2003A	-	-	-	-
GPSC27C2005A	-	-	-	-	HSI28C2005C	0.83	0.24	637,973	-	IVL27P2007A	0.92	(0.06)	31	-
GPSC28C2008A	0.18	0.04	73,910	-	HSI28C2005D	0.55	0.16	618,704	-	IVL28C2007A	0.04	-	1	-
GPSC41C2004A	-	-	-	-	HSI28P2003A	-	-	-	-	IVL41C2004A	-	-	-	-
GPSC41C2005A	-	-	-	-	HSI28P2003B	-	-	-	-	IVL41C2005A	-	-	-	-
GPSC41C2005B	-	-	-	-	HSI28P2003C	-	-	-	-	IVL41C2006A	-	-	-	-
GPSC41C2006A	-	-	-	-	HSI28P2004A	1.95	(0.63)	208,890	2.00	IVL41C2007A	-	-	-	-
GPSC41P2004A	-	-	-	-	HSI28P2004B	2.64	(0.56)	95,346	2.00	IVL41C2007B	0.27	0.05	6,480	-
GPSC41P2005A	-	-	-	-	HSI28P2004C	3.42	(0.94)	305,108	3.00	IVL41P2004A	-	-	-	-
GPSC41P2006A	2.54	(0.14)	2	2.00	HSI28P2005A	2.84	(0.58)	230,230	3.00	IVL41P2005A	-	-	-	-
GPSC42C2006A	-	-	-	-	HSI28P2005B	2.26	(0.74)	324,061	2.00	IVL41P2006A	-	-	-	-
GPSC42P2006A	-	-	-	-	HSI28P2005C	1.82	(0.50)	155,240	2.00	IVL41P2007A	-	-	-	-
GULF01C2003A	0.06	0.02	70,942	-	HSI28P2005D	1.48	(0.38)	1,073,164	1.00	IVL42C2005A	-	-	-	-
GULF01C2003B	0.01	(0.01)	9,598	-	INTU01C2003A	0.01	-	1,499	-	IVL42C2008A	-	-	-	-
GULF01C2005A	0.27	0.04	506,502	-	INTU01C2003B	-	-	-	-	JAS13C2006A	0.07	-	7,397	-
GULF01C2005B	0.09	0.01	46,707	-	INTU01C2006A	0.15	0.01	5,070	-	JAS19C2004A	0.02	(0.01)	13,451	-
GULF01C2007A	0.10	0.02	180,491	-	INTU01C2006B	0.07	0.02	146	-	JAS41C2004A	-	-	-	-
GULF01P2003A	0.05	(0.02)	12,625	-	INTU01P2003A	-	-	-	-	JAS41C2005A	-	-	-	-
GULF01P2003B	0.02	(0.02)	4,350	-	INTU01P2003B	0.32	(0.47)	1	-	JAS41C2006A	-	-	-	-
GULF01P2005A	1.57	(0.26)	100,137	1.00	INTU01P2006A	1.06	(0.16)	103	1.00	JAS41P2005A	0.45	(0.03)	60	-
GULF03C2005A	0.01	(0.01)	32	-	INTU01P2006B	0.65	(0.17)	556	-	JMT13C2006A	0.05	(0.01)	6,890	-
GULF06C2004A	0.07	(0.06)	421	-	INTU13C2004A	-	-	-	-	JMT19C2006A	0.04	-	100	-
GULF08C2003A	0.04	0.02	4,801	-	INTU13C2006A	0.11	0.04	1,569	-	JMT42C2006A	0.02	-	100	-
GULF08C2008A	0.83	(0.18)	177,611	-	INTU13P2004A	-	-	-	-	KBAN01C2004A	0.01	(0.01)	2,436	-
GULF11C2003A	0.80	0.14	6,520	-	INTU16C2005A	0.10	0.09	111	-	KBAN01C2004B	0.02	0.01	10	-
GULF11C2006A	0.18	0.06	2,211	-	INTU16C2007A	-	-	-	-	KBAN01C2007A	0.04	-	16,208	-
GULF13C2004A	0.04	0.03	420	-	INTU16C2009A	-	-	-	-	KBAN01C2007B	0.02	-	4,045	-
GULF13C2006A	0.08	-	28,952	-	INTU19C2004A	-	-	-	-	KBAN01P2004A	3.20	(0.04)	15	3.00
GULF13C2006B	0.06	0.01	1,740	-	INTU19C2005A	-	-	-	-	KBAN01P2004B	2.58	(0.26)	7,014	2.00
GULF13C2008A	0.40	0.04	288,365	-	INTU19P2007A	-	-	-	-	KBAN01P2007A	2.80	(0.10)	576	2.00
GULF13P2004A	0.60	(0.16)	22,419	-	INTU23C2111A	0.55	0.04	241	-	KBAN01P2007B	3.40	(0.20)	2,018	3.00
GULF13P2005A	1.45	(0.26)	8,715	1.00	INTU24C2003A	-	-	-	-	KBAN06C2004A	-	-	-	-
GULF16C2003A	0.09	(0.01)	1	-	INTU24C2008A	0.20	0.04	16,409	-	KBAN06C2008A	0.03	(0.07)	4,702	-
GULF16C2007A	0.18	-	168	-	INTU28C2008A	0.10	0.02	6,571	-	KBAN08C2005A	-	-	-	-
GULF19C2003A	0.01	-	9,871	-	INTU41C2004A	-	-	-	-	KBAN08C2007A	-	-	-	-
GULF19C2004A	0.01	(0.03)	735	-	INTU41C2005A	-	-	-	-	KBAN08P2004A	2.72	(0.04)	15	2.00
GULF1														

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN19C2009A	0.70	0.06	113,451	-	MINT01C2003A	0.01	-	20	-	PTG01C2007B	0.06	(0.02)	2,879	-
KBAN19P2004A	-	-	-	-	MINT01C2003B	-	-	-	-	PTG01P2003A	-	-	-	-
KBAN19P2007A	2.54	0.06	5	2.00	MINT01C2007B	-	-	-	-	PTG01P2005A	1.55	0.04	501	1.00
KBAN24C2005A	0.03	0.02	182	-	MINT01C2008A	0.02	-	4,937	-	PTG01P2005B	1.39	(0.01)	2,771	1.00
KBAN28C2004A	-	-	-	-	MINT01P2003A	-	-	-	-	PTG03C2005A	0.02	-	7,001	-
KBAN28C2008A	-	-	-	-	MINT01P2008A	1.78	(0.04)	15,477	1.00	PTG06C2006A	-	-	-	-
KBAN28C2008B	0.33	0.04	186,992	-	MINT06C2006A	0.02	0.01	2,000	-	PTG08C2005A	-	-	-	-
KBAN28C2008C	0.49	0.05	269,333	-	MINT06P2007A	-	-	-	-	PTG08C2007A	0.06	(0.01)	14,300	-
KBAN41C2003A	-	-	-	-	MINT08C2003A	-	-	-	-	PTG11C2003A	-	-	-	-
KBAN41C2004A	0.01	-	628	-	MINT11C2006A	0.05	0.04	1	-	PTG11C2005A	-	-	-	-
KBAN41C2005A	-	-	-	-	MINT13C2004A	-	-	-	-	PTG13C2004A	-	-	-	-
KBAN41C2007A	-	-	-	-	MINT13C2006A	0.04	(0.01)	45	-	PTG13C2006A	0.01	(0.05)	8	-
KBAN41C2008A	0.22	(0.19)	1	-	MINT13C2008A	0.02	-	42	-	PTG13P2004A	1.38	(0.12)	112	1.00
KBAN41P2004A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG13P2006A	0.88	(0.03)	2,148	-
KBAN41P2005A	-	-	-	-	MINT19C2006A	0.04	0.02	50	-	PTG16C2009A	-	-	-	-
KBAN41P2006A	-	-	-	-	MINT19P2004A	-	-	-	-	PTG19C2003A	-	-	-	-
KBAN42C2003A	-	-	-	-	MINT24C2006A	-	-	-	-	PTG19C2004A	-	-	-	-
KBAN42C2004A	-	-	-	-	MINT28C2006A	-	-	-	-	PTG19C2005A	0.02	(0.02)	100	-
KBAN42C2007A	-	-	-	-	MINT28C2008A	-	-	-	-	PTG19C2006A	-	-	-	-
KBAN42P2008A	-	-	-	-	MINT41C2004A	-	-	-	-	PTG19C2008A	0.19	0.01	77,869	-
KCE01C2004A	0.07	-	3,707	-	MINT41C2005A	-	-	-	-	PTG19P2006A	-	-	-	-
KCE01C2004B	0.06	-	6	-	MINT41C2007A	0.04	-	499	-	PTG27C2007A	0.04	(0.03)	300	-
KCE01C2007B	0.03	0.01	1,323	-	MINT41P2004A	-	-	-	-	PTG28C2004A	-	-	-	-
KCE01C2008A	0.07	0.01	15,998	-	MINT42C2004A	-	-	-	-	PTG41C2004A	-	-	-	-
KCE01P2004A	2.30	(0.28)	1,458	2.00	MTC01C2003A	0.01	-	100	-	PTG41C2005A	-	-	-	-
KCE08C2005A	0.01	-	4,022	-	MTC01C2003B	0.01	(0.01)	12,400	-	PTG41C2006A	-	-	-	-
KCE08C2005B	-	-	-	-	MTC01C2007B	0.02	(0.01)	2,266	-	PTG41P2005A	-	-	-	-
KCE11C2004A	-	-	-	-	MTC01C2008A	0.04	-	129,913	-	PTG42C2004A	-	-	-	-
KCE13C2004A	-	-	-	-	MTC01P2003A	-	-	-	-	PTG42C2006A	-	-	-	-
KCE13C2005A	0.01	(0.01)	1	-	MTC03C2005A	-	-	-	-	PTT01C2004A	0.01	(0.01)	50,164	-
KCE13C2006A	0.07	0.01	815	-	MTC06C2007A	-	-	-	-	PTT01C2004B	0.02	-	4,958	-
KCE16C2007A	0.03	-	1,432	-	MTC08C2005A	-	-	-	-	PTT01C2007A	0.05	-	101,934	-
KCE19C2005A	0.04	-	5,000	-	MTC11C2008A	0.06	0.01	2,000	-	PTT01C2007B	0.02	-	21,547	-
KCE19C2007A	-	-	-	-	MTC13C2007A	0.05	0.02	4,254	-	PTT01P2004A	1.11	(0.19)	2,651	1.00
KCE19C2008A	0.32	0.08	775,861	-	MTC16C2007A	-	-	-	-	PTT01P2004B	0.80	(0.35)	3,093	-
KCE24C2005A	0.11	0.03	11,001	-	MTC19C2006A	0.04	-	886	-	PTT01P2007A	1.43	(0.19)	11,746	1.00
KCE27C2007A	0.03	-	30	-	MTC19C2009A	0.40	(0.60)	168,201	-	PTT01P2007B	1.21	(0.37)	2,732	1.00
KCE41C2005A	-	-	-	-	MTC19P2004A	2.20	(0.12)	4,259	2.00	PTT06C2005A	-	-	-	-
KCE41C2006A	0.16	(0.01)	2,054	-	MTC24C2004A	-	-	-	-	PTT06C2008A	0.50	(0.50)	84,736	-
KKP01C2006A	0.02	(0.01)	1,000	-	MTC27C2007A	-	-	-	-	PTT08C2005A	-	-	-	-
KKP01C2006B	0.01	-	80	-	MTC28C2006A	-	-	-	-	PTT08P2005A	0.90	(0.45)	774	1.00
KKP01P2006A	3.14	(0.02)	60	3.00	MTC28C2008A	-	-	-	-	PTT11C2004A	-	-	-	-
KKP08C2003A	-	-	-	-	MTC41C2004A	0.02	(0.08)	30	-	PTT11C2008A	0.03	-	12,029	-
KKP11C2007A	-	-	-	-	MTC41C2007A	0.18	0.01	19,040	-	PTT13C2004A	-	-	-	-
KKP13C2004A	-	-	-	-	MTC41P2004A	-	-	-	-	PTT13C2006A	0.02	-	3,982	-
KKP13C2007A	0.05	-	430	-	MTC42C2003A	-	-	-	-	PTT13C2008A	0.05	0.02	224,248	-
KKP19C2003A	-	-	-	-	ORI13C2004A	-	-	-	-	PTT13C2008B	0.33	0.10	89,716	-
KKP24C2003A	-	-	-	-	ORI19C2003A	-	-	-	-	PTT13P2004A	1.07	(0.49)	18	1.00
KKP41C2006A	-	-	-	-	ORI19C2005A	-	-	-	-	PTT13P2006A	1.68	(0.04)	192	1.00
KT801C2003A	-	-	-	-	ORI28C2004A	-	-	-	-	PTT13P2008A	0.26	(0.07)	126,878	-
KT801C2008B	-	-	-	-	ORI28C2007A	-	-	-	-	PTT16C2008A	0.02	0.01	3	-
KT801C2009A	0.08	(0.01)	3,081	-	ORI41C2004A	-	-	-	-	PTT19C2005A	0.02	0.01	8,624	-
KT801P2003A	1.58	(0.08)	5	1.00	OSP01C2003A	0.01	-	30	-	PTT19C2008A	0.35	0.09	294,714	-
KT801P2009A	0.89	(0.11)	25	-	OSP01C2003B	-	-	-	-	PTT19P2003A	0.79	(0.75)	379	-
KT811C2004A	-	-	-	-	OSP01C2006A	0.15	0.05	78,383	-	PTT19P2006A	1.18	(0.21)	1,772	1.00
KT811C2006A	-	-	-	-	OSP01C2006B	0.05	0.02	6,552	-	PTT24C2003A	-	-	-	-
KT813C2006A	-	-	-	-	OSP01P2003A	0.32	(0.26)	5,595	-	PTT24C2008A	0.08	0.03	9,188	-
KT819C2005A	-	-	-	-	OSP01P2006A	0.87	(0.17)	21,470	-	PTT28C2004A	-	-	-	-
KT824C2004A	-	-	-	-	OSP06C2005A	0.02	(0.04)	18,826	-	PTT28C2007A	-	-	-	-
KT841C2004A	-	-	-	-	OSP06C2008A	0.44	(0.56)	63,771	-	PTT28C2008A	0.13	0.03	1,137	-
KT841C2006A	-	-	-	-	OSP08C2004A	-	-	-	-	PTT28C2008B	0.36	0.10	71,051	-
KT841P2004A	-	-	-	-	OSP11C2005A	0.08	0.04	250	-	PTT28C2008C	1.50	0.33	110	1.00
KTC01C2004A	-	-	-	-	OSP13C2004A	-	-	-	-	PTT28P2004A	-	-	-	-
KTC01C2004B	0.01	-	1	-	OSP13C2006A	0.07	0.02	14	-	PTT41C2004A	0.11	0.08	5	-
KTC01C2007A	0.07	(0.03)	49,114	-	OSP16C2008A	0.05	0.01	401	-	PTT41C2005A	-	-	-	-
KTC01C2007B	0.05	-	1,424	-	OSP19C2004A	-	-	-	-	PTT41C2006A	-	-	-	-
KTC01P2004A	1.53	0.11	373	1.00	OSP19C2005A	0.05	(0.01)	1,511	-	PTT41C2007A	0.57	0.03	224	-
KTC01P2007A	1.12	(0.03)	6,516	1.00	OSP24C2008A	0.20	0.03	2	-	PTT41P2004A	-	-	-	-
KT06C2006A	-	-	-	-	OSP41C2004A	-	-	-	-	PTT41P2005A	1.42	(0.12)	586	1.00
KT08C2004A	-	-	-	-	OSP41C2005A	0.12	0.02	1	-	PTT41P2006A	-	-	-	-
KT08C2006A	0.05	-	1,600	-	OSP41P2004A	0.80	0.01	35	-	PTT42C2003A	-	-	-	-
KTC11C2005A	-	-	-	-	OSP42C2005A	-	-	-	-	PTT42C2007A	0.02	0.01	2,193	-
KTC13C2004A	-	-	-	-	PLAN08C2004A	-	-	-	-	PTTE01C2004A	0.01	-	14,631	-
KTC13C2006A	0.02	(0.02)	501	-	PLAN13C2004A	-	-	-	-	PTTE01C2004B	-	-	-	-
KTC13P2006A	0.90	(0.02)	5,980	-	PLAN13C2005A	-	-	-	-	PTTE01C2007A	0.04	-	109,999	-
KTC13P2007A	1.64	(0.07)	200	1.00	PLAN13C2007A	-	-	-	-	PTTE01C2007B	0.02	-	10,714	-
KTC19C2005A	-	-	-	-	PLAN19C2005A	-	-	-	-	PTTE01P2004A	2.20	(0.44)	242	2.00
KTC19C2006A	-	-	-	-	PLAN19C2007A	-	-	-	-	PTTE01P2004B	2.28	(0.74)	403	2.00
KTC19C2008A	0.17	-	402,434	-	PLAN24C2006A	-	-	-	-	PTTE01P2007A	3.22	(0.42)	3,794	3.00
KTC19P2005A	1.11	0.08	414	1.00	PLAN27C2008A	-	-	-	-	PTTE01P2007B	3.94	(1.11)	284	4.00
KTC27C2007A	0.05	(0.02)	400	-	PLAN28C2004A	-	-	-	-	PTTE06C2006A	0.02	0.01	611	-
KT28C2004A	-	-	-	-	PLAN28C2005A	-	-	-	-	PTTE06C2008A	0.96	(0.04)	205,084	-
KT28C2006A	-	-	-	-	PLAN41C2004A	-	-	-	-	PTTE06P2006A	-	-	-	-
KTC41C2004A	-	-	-	-	PLAN41C2005A	-	-	-	-	PTTE08C2005A	0.02	0.01	601	-
KTC41C2005A	-	-	-	-	PLAN41C2006A	-	-	-	-	PTTE08C2008A	1.38	0.25	120,684	1.00
KTC41C2006A	-	-	-	-	PLAN42C2007A	-	-	-	-	PTTE08P2005A	2.42	(0.64)	88	2.00
KTC42C2003A	-	-	-	-	PRM08C2003A	-	-	-	-	PTTE08P2006A	-	-	-	-
KTC42C2006A	-	-	-	-	PRM13C2003A	-	-	-	-	PTTE11C2006A	0.03	0.02	1	-
LH01C2003A	-	-	-	-	PRM13C2006A	0.01	-	2,141	-	PTTE13C2004A	-	-	-	-
LH01P2003A	1.12	0.09	1	1.00	PRM19C2004A	-	-	-	-	PTTE13C2006A	0.03	0.01	3,633	-
LH11C2007A	-	-	-	-	PRM19C2006A	0.02	0.01	2	-	PTTE13C2008A	0.03	-	57,373	-
LH19C2003A	-	-	-	-	PRM42C2006A	0.03	0.02	600	-	PTTE13C2008B	0.32	0.10	150,602	-
LH19C2003B	-	-	-	-	PSH19C2003A	-	-	-	-	PTTE13P2006A	3.22	(0.62)	4,084	3.00
LH19C2007A	-	-	-	-	PSH19C2005A	-	-	-	-	PTTE13P2008A	0.91	(0.27)	123,196	-
LH19P2004A	-	-	-	-	PSL06C2006A	-	-	-	-	PTTE16C2003A	-	-	-	-
LH41C2004A	-	-	-	-	PSL13C2003A	-	-	-						

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE24C2008A	0.03	0.01	1,000	-	S5001C2003I	0.01	-	26,693	-	S5024C2006B	0.02	-	1,067	-
PTTE28C2005A	-	-	-	-	S5001C2003J	0.01	(0.01)	885	-	S5024C2009A	0.07	0.01	215	-
PTTE28C2008A	0.05	0.03	49	-	S5001C2004A	0.01	-	19,188	-	S5024C2009B	0.56	0.16	187,203	-
PTTE28P2004A	2.32	(0.68)	154	2.00	S5001C2005A	0.02	-	61,927	-	S5024P2003A	-	-	-	-
PTTE41C2005A	-	-	-	-	S5001C2006F	0.03	-	25,630	-	S5024P2003B	-	-	-	-
PTTE41C2006A	0.20	0.07	2,510	-	S5001C2006G	0.02	-	81,024	-	S5024P2006A	25.75	(2.50)	5	26.00
PTTE41C2007A	1.21	0.32	2	1.00	S5001C2006H	0.07	0.02	202,225	-	S5024P2006B	12.60	1.20	2	12.00
PTTE41P2004A	-	-	-	-	S5001C2007A	0.15	(0.02)	421,047	-	S5024P2006C	4.16	(1.74)	305	5.00
PTTE42C2004A	-	-	-	-	S5001P2003F	12.90	(0.60)	17	12.00	S5028C2003A	-	-	-	-
PTTE42P2008A	-	-	-	-	S5001P2003G	12.90	(2.00)	10	12.00	S5028C2003B	-	-	-	-
PTTG01C2005A	0.01	(0.01)	1,310	-	S5001P2003H	-	-	-	-	S5028C2004A	0.01	-	788	-
PTTG01C2005B	0.01	-	1,547	-	S5001P2003I	-	-	-	-	S5028C2004B	-	-	-	-
PTTG01C2007B	0.02	-	500	-	S5001P2003J	7.50	(0.15)	38	7.00	S5028C2006A	0.03	-	1,437	-
PTTG01C2008A	0.03	0.01	244,721	-	S5001P2004A	5.75	(0.70)	897	5.00	S5028C2006B	0.02	(0.01)	5,134	-
PTTG01P2005A	2.88	(0.22)	63	2.00	S5001P2005A	5.05	(0.40)	3,134	5.00	S5028C2006C	0.80	0.26	37,179	-
PTTG01P2005B	-	-	-	-	S5001P2006F	11.50	(1.10)	56	11.00	S5028C2006D	1.22	0.39	9,883	1.00
PTTG01P2007B	2.16	(0.36)	7	2.00	S5001P2006G	9.90	(1.30)	4,372	9.00	S5028P2003A	2.66	(0.32)	2	2.00
PTTG01P2008A	2.06	(0.34)	88	2.00	S5001P2006H	5.60	(0.45)	6,529	5.00	S5028P2004A	7.80	(1.50)	475	8.00
PTTG06C2006A	-	-	-	-	S5001P2007A	5.10	(0.45)	60,717	5.00	S5028P2004B	5.00	(1.35)	126	5.00
PTTG08C2004A	-	-	-	-	S5006C2003A	0.01	-	4,080	-	S5028P2006A	2.50	(0.14)	996	2.00
PTTG08P2004A	-	-	-	-	S5006C2003B	-	-	-	-	S5028P2006B	2.00	(0.38)	275,670	2.00
PTTG11C2004A	-	-	-	-	S5006C2003C	-	-	-	-	S5028P2006C	0.92	(0.17)	102,913	-
PTTG11C2007A	-	-	-	-	S5006C2006A	0.04	0.02	8,437	-	S5041C2003A	-	-	-	-
PTTG13C2005A	-	-	-	-	S5006C2006B	0.03	0.01	924	-	S5041C2003B	-	-	-	-
PTTG13C2007A	-	-	-	-	S5006P2003A	-	-	-	-	S5041C2003C	-	-	-	-
PTTG13C2008A	0.12	0.02	44,858	-	S5006P2003B	-	-	-	-	S5041C2003D	-	-	-	-
PTTG13P2004A	-	-	-	-	S5006P2003C	-	-	-	-	S5041C2003E	-	-	-	-
PTTG13P2008A	1.27	(0.15)	8	1.00	S5006P2006A	-	-	-	-	S5041C2006A	0.34	0.12	30,694	-
PTTG16C2006A	-	-	-	-	S5006P2006B	-	-	-	-	S5041C2006B	0.56	0.19	4,577	-
PTTG19C2006A	-	-	-	-	S5008C2003A	-	-	-	-	S5041C2006C	1.68	0.34	4,230,860	1.00
PTTG19C2006B	-	-	-	-	S5008C2003B	-	-	-	-	S5041C2006D	2.92	0.54	41,014	2.00
PTTG19C2008A	0.02	-	122,628	-	S5008C2006A	0.05	0.01	29,228	-	S5041C2006E	1.02	(0.28)	197,064	-
PTTG19C2008B	0.27	0.07	859,803	-	S5008C2006B	1.33	0.28	1,224,572	1.00	S5041P2003A	-	-	-	-
PTTG19P2003A	-	-	-	-	S5008P2003A	12.50	0.30	1	12.00	S5041P2003B	7.35	2.71	2	7.00
PTTG19P2006A	-	-	-	-	S5008P2003B	22.70	(0.10)	1	22.00	S5041P2003C	-	-	-	-
PTTG24C2003A	-	-	-	-	S5008P2003C	-	-	-	-	S5041P2003D	-	-	-	-
PTTG24C2008A	-	-	-	-	S5008P2006A	0.91	(0.10)	425,043	-	S5041P2003E	-	-	-	-
PTTG27P2006A	-	-	-	-	S5011C2003A	-	-	-	-	S5041P2006A	8.60	(0.95)	5,770	8.00
PTTG28C2006A	-	-	-	-	S5011P2003A	-	-	-	-	S5041P2006B	7.50	(0.80)	437	7.00
PTTG28C2008A	0.06	-	200	-	S5013C2003A	0.01	-	270	-	S5041P2006C	4.12	(0.48)	124,515	4.00
PTTG41C2003A	-	-	-	-	S5013C2003B	0.01	-	106	-	S5041P2006D	3.22	(0.36)	327,410	3.00
PTTG41C2004A	-	-	-	-	S5013C2003C	-	-	-	-	S5041P2006E	1.38	(0.36)	102,680	1.00
PTTG41C2005A	-	-	-	-	S5013C2003D	-	-	-	-	SAWA01C2003A	-	-	-	-
PTTG41C2006A	-	-	-	-	S5013C2003E	0.01	-	1,538	-	SAWA01C2003B	-	-	-	-
PTTG41C2007A	-	-	-	-	S5013C2006A	0.02	0.01	1,402,923	-	SAWA01C2006A	0.02	(0.03)	55,896	-
PTTG41C2008A	0.53	0.05	2,932	-	S5013C2006B	0.01	-	281,603	-	SAWA01C2006B	0.02	-	2,650	-
PTTG41P2006A	-	-	-	-	S5013C2006C	0.02	0.01	258,247	-	SAWA01P2003A	-	-	-	-
PTTG42C2003A	-	-	-	-	S5013C2006D	0.02	-	1,410,222	-	SAWA01P2006A	3.86	(0.08)	3,267	3.00
PTTG42C2007A	-	-	-	-	S5013C2006E	0.11	-	917,699	-	SAWA06C2007A	-	-	-	-
QH01C2006A	-	-	-	-	S5013C2006F	1.06	0.22	6,336,925	1.00	SAWA08C2006A	-	-	-	-
QH01C2006B	-	-	-	-	S5013P2003A	-	-	-	-	SAWA11C2003A	-	-	-	-
QH01P2006A	1.05	(0.02)	158	1.00	S5013P2003B	9.50	(1.00)	350	9.00	SAWA13C2005A	-	-	-	-
QH11C2006A	-	-	-	-	S5013P2003C	-	-	-	-	SAWA13C2007A	0.06	(0.01)	411	-
QH19C2006A	-	-	-	-	S5013P2003D	-	-	-	-	SAWA16C2008A	0.03	(0.01)	22	-
QH27C2007A	-	-	-	-	S5013P2003E	-	-	-	-	SAWA19C2005A	-	-	-	-
RATC01C2003A	0.01	-	1,000	-	S5013P2006A	8.35	(0.70)	574	8.00	SAWA19C2009A	0.23	-	626,220	-
RATC01C2003B	-	-	-	-	S5013P2006B	5.80	(0.80)	380	5.00	SAWA24C2004A	0.03	(0.04)	100	-
RATC01C2006A	0.23	0.13	18,353	-	S5013P2006C	5.55	(0.50)	309	5.00	SAWA27C2007A	0.05	(0.10)	187	-
RATC01C2006B	0.09	0.01	305	-	S5013P2006D	4.12	(0.86)	252,773	4.00	SAWA28C2004A	-	-	-	-
RATC01P2006A	1.17	(0.37)	1,454	1.00	S5013P2006E	3.50	(0.46)	1,320,064	3.00	SAWA28C2007A	-	-	-	-
RATC06C2006A	0.02	0.01	7,822	-	S5016C2003A	-	-	-	-	SAWA28C2008A	0.04	-	7,099	-
RATC06P2006A	-	-	-	-	S5016C2003B	-	-	-	-	SAWA41C2004A	-	-	-	-
RATC13C2004A	-	-	-	-	S5016C2003C	-	-	-	-	SAWA41C2005A	-	-	-	-
RATC13C2007A	0.13	0.06	7,932	-	S5016C2003D	-	-	-	-	SAWA41P2004A	-	-	-	-
RATC16C2008A	-	-	-	-	S5016C2003E	-	-	-	-	SAWA41P2005A	3.10	(0.10)	1,148	3.00
RATC19C2005A	0.06	0.02	9	-	S5016C2006A	0.01	-	52,208	-	SAWA42C2003A	-	-	-	-
RATC19C2007A	0.21	0.12	1,128	-	S5016C2006B	0.08	0.01	1	-	SCB01C2004A	0.01	-	11,281	-
RATC24C2006A	-	-	-	-	S5016C2006C	1.05	0.05	370,200	1.00	SCB01C2004B	0.01	-	650	-
RATC27C2004A	-	-	-	-	S5016P2003A	-	-	-	-	SCB01C2007A	0.03	-	46,385	-
RATC27C2007A	0.15	0.06	4,009	-	S5016P2003C	-	-	-	-	SCB01C2007B	0.03	(0.01)	2,500	-
RATC41C2004A	-	-	-	-	S5016P2003D	-	-	-	-	SCB01C2008B	0.06	-	13,964	-
RATC41C2005A	-	-	-	-	S5016P2006A	-	-	-	-	SCB01C2009A	0.21	0.01	9,232	-
RATC41C2006A	0.55	0.17	24,522	-	S5016P2006B	5.55	(2.10)	3	5.00	SCB01P2004A	2.32	(0.12)	100	2.00
RATC41P2004A	-	-	-	-	S5016P2006C	1.22	0.22	354,933	1.00	SCB01P2004B	-	-	-	-
RATC41P2006A	-	-	-	-	S5019C2003A	-	-	-	-	SCB01P2007A	1.97	(0.07)	742	1.00
RATC42C2003A	-	-	-	-	S5019C2003B	-	-	-	-	SCB01P2007B	2.46	(0.08)	500	2.00
RATC42C2006A	-	-	-	-	S5019C2003C	-	-	-	-	SCB06C2007A	-	-	-	-
RS06C2004A	-	-	-	-	S5019C2003D	-	-	-	-	SCB08C2005A	-	-	-	-
RS08P2003A	-	-	-	-	S5019C2006A	0.01	(0.01)	2,643	-	SCB08C2007A	0.03	-	282	-
RS08P2006A	1.04	(0.08)	20	1.00	S5019C2006B	0.03	0.02	37,447	-	SCB08P2004A	2.72	0.10	16	2.00
RS13C2004A	-	-	-	-	S5019C2006C	0.12	0.02	9,651	-	SCB11C2005A	-	-	-	-
RS13C2006A	-	-	-	-	S5019C2006D	0.83	0.15	438,475	-	SCB11C2006A	-	-	-	-
RS16C2005A	-	-	-	-	S5019C2009A	2.40	0.30	118,274	2.00	SCB11C2008A	0.02	(0.01)	8,000	-
RS19C2004A	-	-	-	-	S5019P2003A	9.05	(1.25)	28	9.00	SCB11P2005A	-	-	-	-
RS19C2005A	-	-	-	-	S5019P2003B	-	-	-	-	SCB13C2006A	0.01	-	4,514	-
RS19C2007A	0.09	0.02	753	-	S5019P2003C	-	-	-	-	SCB13C2006B	-	-	-	-
RS24C2004A	-	-	-	-	S5019P2003D	-	-	-	-	SCB13C2007A	0.02	-	1,009	-
RS24C2008A	0.06	0.02	201	-	S5019P2006A	6.05	(0.55)	52	6.00	SCB13C2008A	0.23	0.01	420	-
RS41C2004A	-	-	-	-	S5019P2006B	4.72	(1.18)	4	4.00	SCB13P2006A	-	-	-	-
RS42C2004A	-	-	-	-	S5019P2006C	4.42	(1.03)	504	4.00	SCB13P2008A	1.27	(0.09)	493	1.00
RS42C2008A	-	-	-	-	S5019P2006D	1.21	(0.21)	884,779	1.00	SCB16C2003A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S10001C2011A	0.03	-	1,515	-	S5024C2003A	-	-	-	-	SCB16C2008A	0.01	-	65	-
S5001C2003F	0.01	-	43,621	-	S5024C2003B	-	-	-	-	SCB19C2003A	-	-	-	-
S5001C2003G	0.01	(0.01)	15,764	-	S5024C2003C	-	-	-	-	SCB19C2006A	-	-	-	-
S5001C2003H	0.01	(0.01)	1,065	-	S5024C2006A	-	-	-	-	SCB19C2007A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price
SCB19C2008A	0.46	0.05	175,908	-
SCB19P2005A	2.72	(0.28)	100	2.00
SCB24C2004A	-	-	-	-
SCB24C2008A	0.27	0.02	11,944	-
SCB27C2007A	-	-	-	-
SCB27P2006A	-	-	-	-
SCB28C2004A	-	-	-	-
SCB28C2006A	-	-	-	-
SCB28C2006B	-	-	-	-
SCB28C2008A	0.08	0.02	101	-
SCB41C2004A	-	-	-	-
SCB41C2005A	-	-	-	-
SCB41C2006A	-	-	-	-
SCB41C2006B	-	-	-	-
SCB41C2008A	0.41	0.03	12,138	-
SCB41P2004A	-	-	-	-
SCB41P2005A	-	-	-	-
SCB42C2003A	-	-	-	-
SCB42C2006A	-	-	-	-
SCB42C2007A	-	-	-	-
SCC01C2004A	0.08	0.05	12,540	-
SCC01C2004B	0.03	0.02	6,005	-
SCC01P2004A	1.40	(0.45)	2,897	1.00
SCC06C2007A	0.09	0.06	3,210	-
SCC08C2004A	-	-	-	-
SCC08P2006A	1.05	(0.51)	13,797	1.00
SCC11C2003A	-	-	-	-
SCC11C2006A	0.05	0.04	1	-
SCC11C2007A	0.10	0.03	8,064	-
SCC13C2004A	-	-	-	-
SCC13C2008A	0.45	0.17	3,847	-
SCC13P2006A	0.97	(0.52)	1,924	1.00
SCC16C2005A	-	-	-	-
SCC19C2003A	-	-	-	-
SCC19C2003B	-	-	-	-
SCC19C2006A	0.05	0.02	200	-
SCC19C2008A	0.66	0.19	87,041	-
SCC19P2004A	-	-	-	-
SCC24C2003A	-	-	-	-
SCC24C2006A	0.07	0.04	98	-
SCC27P2008A	0.40	(0.24)	56,248	-
SCC28C2004A	-	-	-	-
SCC28C2008A	0.40	0.16	284,250	-
SCC41C2004A	-	-	-	-
SCC41C2005A	-	-	-	-
SCC41C2006A	0.38	0.15	100	-
SCC41C2006B	0.61	0.19	71,667	-
SCC41P2004A	-	-	-	-
SCC41P2005A	-	-	-	-
SCC41P2006A	-	-	-	-
SCC42C2003A	-	-	-	-
SCC42C2008A	0.12	0.07	2,121	-
SGP13C2004A	0.02	(0.03)	5,220	-
SGP13C2006A	0.01	-	2,000	-
SGP13C2007A	0.12	0.06	139	-
SGP19C2006A	0.01	(0.06)	2	-
SGP19C2006B	-	-	-	-
SGP42C2007A	-	-	-	-
SIR113C2007A	-	-	-	-
SIR119C2004A	-	-	-	-
SIR119C2007A	-	-	-	-
SPAL01C2004A	-	-	-	-
SPAL01C2004B	-	-	-	-
SPAL06P2004A	-	-	-	-
SPAL11C2006A	-	-	-	-
SPAL13C2006A	-	-	-	-
SPAL19C2004A	-	-	-	-
SPAL24C2003A	-	-	-	-
SPAL27C2008A	-	-	-	-
SPAL41C2004A	-	-	-	-
SPAL42C2003A	-	-	-	-
SPRC01C2003A	-	-	-	-
SPRC01C2003B	-	-	-	-
SPRC01C2007A	0.03	0.01	1	-
SPRC06C2007A	0.01	-	400	-
SPRC06P2003A	-	-	-	-
SPRC06P2007A	-	-	-	-
SPRC08C2005A	-	-	-	-
SPRC08C2006A	-	-	-	-
SPRC11C2005A	-	-	-	-
SPRC11C2008A	-	-	-	-
SPRC13C2004A	-	-	-	-
SPRC13C2006A	-	-	-	-
SPRC13C2008A	-	-	-	-
SPRC19C2005A	-	-	-	-
SPRC19C2005B	-	-	-	-
SPRC19C2007A	-	-	-	-
SPRC19P2005A	-	-	-	-
SPRC24C2003A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
STA01C2003B	0.01	-	1	-
STA01C2008B	0.10	0.03	3,500	-
STA01C2009A	0.18	0.03	9,914	-
STA01P2003A	0.04	(0.08)	14,416	-
STA01P2009A	0.70	(0.10)	1,544	-
STA11C2005A	-	-	-	-
STA13C2003A	-	-	-	-
STA13C2006A	0.06	(0.01)	742	-
STA19C2004A	0.06	0.04	451	-
STA19C2005A	0.31	0.02	2,935	-
STA19C2007A	0.07	0.02	1,273	-
STA42C2007A	-	-	-	-
STEC01C2003A	0.01	-	15,987	-
STEC01C2003B	0.01	-	6,000	-
STEC01C2004A	-	-	-	-
STEC01C2006A	0.09	0.02	1,211	-
STEC01C2006B	0.01	(0.01)	5	-
STEC01P2003A	-	-	-	-
STEC01P2006A	1.06	(0.11)	100	1.00
STEC06C2004A	-	-	-	-
STEC08C2004A	-	-	-	-
STEC08C2005A	-	-	-	-
STEC11C2007A	-	-	-	-
STEC13C2003A	-	-	-	-
STEC13C2004A	-	-	-	-
STEC16C2003A	-	-	-	-
STEC16C2006A	-	-	-	-
STEC16C2009A	-	-	-	-
STEC19C2004A	-	-	-	-
STEC19C2005A	-	-	-	-
STEC24C2003A	-	-	-	-
STEC24C2006A	-	(0.52)	-	-
STEC28C2004A	-	-	-	-
STEC28C2004B	-	-	-	-
STEC28C2005A	-	-	-	-
STEC41C2004A	-	-	-	-
STEC41C2005A	-	-	-	-
STEC41C2006A	0.09	0.04	575	-
STEC41P2004A	-	-	-	-
STEC41P2005A	0.82	(0.03)	2,954	-
STEC42C2004A	-	-	-	-
SUPE13C2003A	-	-	-	-
SUPE19C2004A	-	-	-	-
SUPE19C2007A	0.02	-	22,893	-
SUPE42C2004A	-	-	-	-
TASC01C2003A	-	-	-	-
TASC01C2003B	-	-	-	-
TASC01C2007B	0.13	-	1,500	-
TASC01C2008A	0.35	0.06	10	-
TASC01P2003A	0.22	(0.14)	600	-
TASC01P2008A	-	-	-	-
TASC08C2005A	0.04	0.01	1,000	-
TASC08C2006A	0.12	0.01	30,153	-
TASC13C2006A	0.13	(0.01)	176	-
TASC16C2008A	-	-	-	-
TASC19C2003A	-	-	-	-
TASC19C2006A	0.25	0.02	1,545	-
TASC19C2007A	0.11	-	647	-
TASC19P2004A	0.38	(0.01)	60	-
TASC24C2006A	-	-	-	-
TASC28C2004A	-	-	-	-
TASC28C2006A	-	-	-	-
TASC41C2004A	-	-	-	-
TASC41C2005A	0.25	(0.01)	7,012	-
TASC42C2003A	-	-	-	-
TASC42C2005A	0.05	0.01	3,897	-
TCAP01C2007B	-	-	-	-
TCAP01C2008A	0.03	-	37	-
TCAP01P2008A	2.68	-	2	2.00
TCAP13C2007A	-	-	-	-
TCAP19C2004A	-	-	-	-
TCAP41C2004A	-	-	-	-
THAI11C2003A	-	-	-	-
THAI13C2004A	-	-	-	-
THAI19C2004A	-	-	-	-
THAI27C2008A	0.02	0.01	70	-
THAI42C2003A	-	-	-	-
THAI42C2005A	0.01	-	100	-
THAN01C2006A	-	-	-	-
THAN01C2006B	-	-	-	-
THAN01P2006A	-	-	-	-
THAN06C2005A	-	-	-	-
THAN13C2003A	-	-	-	-
THAN13C2007A	-	-	-	-
THAN19C2004A	-	-	-	-
THAN19C2007A	-	-	-	-
THAN27C2003A	-	-	-	-
THAN41C2005A	-	-	-	-
TISC01C2006A	0.03	(0.01)	1,313	-

Securities	Close	Change	Volume (Lot)	Average Price
TISC19C2004A	-	-	-	-
TISC19C2006A	-	-	-	-
TISC41C2005A	-	-	-	-
TISC41C2006A	0.06	(0.04)	492	-
TISC41P2006A	-	-	-	-
TISC42C2003A	-	-	-	-
TKN01C2003A	0.01	-	1	-
TKN01C2003B	-	-	-	-
TKN01C2007B	-	-	-	-
TKN01C2008A	-	-	-	-
TKN08C2003A	-	-	-	-
TKN08C2007A	-	-	-	-
TKN13C2004A	-	-	-	-
TKN13C2006A	-	-	-	-
TKN16C2008A	-	-	-	-
TKN19C2004A	-	-	-	-
TKN19C2004B	-	-	-	-
TKN19C2007A	0.02	(0.04)	1	-
TKN28C2007A	-	-	-	-
TKN41C2005A	-	-	-	-
TKN41C2006A	-	-	-	-
TKN42C2003A	-	-	-	-
TKN42C2006A	-	-	-	-
TMB01C2004A	0.02	0.01	1	-
TMB01C2004B	-	-	-	-
TMB01P2004A	2.18	0.26	5	2.00
TMB19C2004A	-	-	-	-
TMB19C2007A	0.02	0.01	220	-
TMB19P2004A	-	-	-	-
TMB41C2004A	-	-	-	-
TMB41C2005A	-	-	-	-
TMB41P2006A	-	-	-	-
TOA01C2006A	-	-	-	-
TOA01C2006B	0.11	-	1	-
TOA08C2003A	-	-	-	-
TOA13C2007A	0.12	(0.03)	410	-
TOA19C2004A	-	-	-	-
TOA19C2007A	0.14	0.04	6,074	-
TOA24C2005A	-	-	-	-
TOA41C2004A	-	-	-	-
TOP01C2003A	0.01	-	1,001	-
TOP01C2003B	-	-	-	-
TOP01C2006A	0.01	(0.01)	504	-
TOP01C2006B	-	-	-	-
TOP01C2008B	-	-	-	-
TOP01C2009A	0.15	0.02	11,520	-
TOP01P2003A	-	-	-	-
TOP01P2006A	-	-	-	-
TOP01P2009A	1.40	(0.22)	817	1.00
TOP06C2004A	-	-	-	-
TOP06C2007A	0.01	-	22,273	-
TOP06C2008A	0.36	(0.64)	157,104	-
TOP06P2005A	-	-	-	-
TOP08C2003A	-	-	-	-
TOP08C2007A	-	-	-	-
TOP08P2003A	-	-	-	-
TOP08P2007A	-	-	-	-
TOP11C2007A	0.02	-	5	-
TOP13C2004A	-	-	-	-
TOP13C2006A	0.02	-	5	-
TOP13C2008A	0.03	(0.05)	2,001	-
TOP13C2008B	0.12	0.04	6,729	-
TOP13P2005A	-	-	-	-
TOP13P2006A	-	-	-	-
TOP16C2008A	-	-	-	-
TOP19C2003A	-	-	-	-
TOP19C2006A	0.03	-	900	-
TOP19C2007A	-	-	-	-
TOP19C2008A	0.16	0.03	102,517	-
TOP19P2006A	-	-	-	-
TOP24C2007A	-	-	-	-
TOP24C2008A	0.36	0.07	84,025	-
TOP28C2004A	-	-	-	-
TOP41C2004A	-	-	-	-
TOP41C2005A	-	-	-	-
TOP41C2006A	-	-	-	-
TOP41C2007A	-	-	-	-
TOP41C2008A	0.36	(0.05)	782	-
TOP41P2004A	-	-	-	-
TOP41P2005A	-	-	-	-
TOP41P2006A	-	-	-	-
TOP42C2007A	-	-	-	-
TPI19C2004A	-	-	-	-
TRUE01C2004A	0.01	(0.01)	3,210	-
TRUE01C2004B	-	-	-	-
TRUE01C2007A	0.18	0.02	50,495	-
TRUE01C2007B	0.06	(0.01)	4,571	-
TRUE01P2004A	1.07	(0.05)	59	1.00
TRUE01P2004B	0.70	(0.08)	-	-

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC28C2008A	0.02	-	600	-	TISC01C2006B	-	-	-	-	TRUE01P2007B	0.79	(0.09)	11,538	-
SPRC41C2004A	-	-	-	-	TISC01P2006A	1.69	(0.06)	1,919	1.00	TRUE06C2004A	-	-	-	-
SPRC41C2005A	-	-	-	-	TISC11C2005A	-	-	-	-	TRUE06C2007A	0.06	(0.03)	97	-
SPRC41C2006A	-	-	-	-	TISC11C2007A	-	-	-	-	TRUE08C2004A	-	-	-	-
SPRC42C2006A	-	-	-	-	TISC13C2004A	-	-	-	-	TRUE08C2005A	-	-	-	-
STA01C2003A	0.03	-	501	-	TISC13C2006A	0.01	(0.01)	500	-	TRUE08C2007A	0.11	0.01	73,103	-

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE08P2005A	1.33	(0.11)	1,012	1.00	TCAP-Q	-	-	-	-	ECF-W3	0.22	0.03	1,450	-
TRUE11C2005A	-	-	-	-	TISCO-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE11C2005B	-	-	-	-	U-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE13C2003A	-	-	-	-	Warrant	-	-	-	-	FVC-W2	0.01	-	5	-
TRUE13C2003B	-	-	-	-	7UP-W4	0.06	-	62,516	-	HPT-W1	0.12	-	2,020	-
TRUE13C2006A	-	-	-	-	AKR-W1	0.04	0.01	7,661	-	HYDRO-W1	-	-	-	-
TRUE13C2007A	0.12	0.02	410	-	ALT-W1	0.06	0.01	3,669	-	ITEL-W1	0.14	0.01	3,827	-
TRUE19C2003A	0.01	(0.01)	70	-	APEX-W1	-	-	-	-	JKN-W1	0.08	-	5,896	-
TRUE19C2004A	-	-	-	-	APURE-W2	0.04	-	57	-	LIT-W1	0.18	-	843	-
TRUE19C2006A	-	-	-	-	AS-W1	0.02	0.01	2,682	-	META-W4	0.01	-	66,626	-
TRUE19C2007A	0.14	-	4,931	-	AYUD-W1	0.02	-	6,080	-	NEWS-W6	-	-	-	-
TRUE19P2003A	-	-	-	-	B-W3	-	-	-	-	OCEAN-W3	0.21	0.01	1,719	-
TRUE19P2005A	-	-	-	-	B-W4	0.02	-	1	-	PROUD-W2	0.02	-	2,141	-
TRUE28C2006A	-	-	-	-	B-W5	0.03	0.01	987	-	RWI-W2	0.04	-	2,151	-
TRUE41C2004A	-	-	-	-	B52-W2	-	-	-	-	SANKO-W1	0.04	0.01	4,385	-
TRUE41C2005A	-	-	-	-	BKD-W2	0.05	0.01	1,831	-	SIMAT-W2	0.03	-	352	-
TRUE41C2006A	-	-	-	-	BTS-W5	0.53	0.01	194,845	-	SIMAT-W3	0.23	0.01	31	-
TRUE41C2007A	0.42	0.30	4,610	-	CGD-W4	0.03	-	216	-	SIMAT-W4	0.78	(0.01)	17,914	-
TRUE41P2004A	-	-	-	-	CGH-W3	0.01	-	768	-	SMART-W2	-	-	-	-
TRUE41P2005A	-	-	-	-	CI-W1	-	-	-	-	SWC-W1	2.10	0.02	1,260	2.00
TRUE42C2003A	-	-	-	-	CKP-W1	0.01	-	84,644	-	TAKUNI-W	-	-	-	-
TRUE42C2004A	-	-	-	-	CRANE-W1	1.24	0.20	30,455	1.00	TVD-W2	0.06	0.01	128	-
TRUE42C2007A	-	-	-	-	DCC-W1	0.17	-	3,834	-	Preferred Shares	-	-	-	-
TTW27C2009A	0.19	0.06	11,851	-	ECL-W3	0.07	-	11,594	-	SGF-P1	-	-	-	-
TU01C2004A	0.26	0.09	12,593	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU01C2004B	0.20	0.09	249	-	EIC-W3	-	-	-	-	-	-	-	-	-
TU01P2004A	0.05	(0.03)	56,684	-	EMC-W6	0.03	0.01	6,261	-	-	-	-	-	-
TU06C2004A	0.04	0.01	10,609	-	EPCO-W3	0.12	-	669	-	-	-	-	-	-
TU06P2007A	0.23	(0.04)	13	-	GLOCON-W4	0.10	(0.01)	38,629	-	-	-	-	-	-
TU08C2008A	0.46	0.11	167,240	-	J-W1	0.07	-	400	-	-	-	-	-	-
TU11C2003A	-	-	-	-	JAS-W3	0.63	0.03	454,249	-	-	-	-	-	-
TU11C2008A	0.48	0.09	1,866	-	JCK-W5	0.03	-	1,212	-	-	-	-	-	-
TU13C2004A	0.24	0.12	21,663	-	JMT-W2	2.22	0.22	1,194	2.00	-	-	-	-	-
TU19C2003A	-	-	-	-	MACO-W2	0.04	-	53,981	-	-	-	-	-	-
TU19C2005A	0.40	0.12	12,997	-	MILL-W4	0.01	-	16,514	-	-	-	-	-	-
TU19C2007A	0.33	0.11	10,346	-	MILL-W5	0.01	-	10	-	-	-	-	-	-
TU24C2003A	-	-	-	-	MINT-W6	0.98	0.07	7,002	-	-	-	-	-	-
TU24C2006A	0.30	0.02	15	-	NFC-W1	0.14	0.01	6	-	-	-	-	-	-
TU27C2004A	-	-	-	-	NOK-W1	-	-	-	-	-	-	-	-	-
TU27C2006A	0.27	0.11	31,170	-	NVD-W1	0.05	-	2,399	-	-	-	-	-	-
TU41C2004A	0.22	0.05	34,287	-	ORI-W1	0.06	-	136,185	-	-	-	-	-	-
TU41C2005A	0.58	0.12	15,810	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU41P2004A	0.08	(0.04)	15	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU42C2007A	0.22	0.05	11,000	-	PDI-W1	0.16	-	310	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	PDJ-W4	0.13	0.02	78	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	PERM-W1	0.06	-	20	-	-	-	-	-	-
TVO19C2007A	-	-	-	-	PORT-W1	0.21	0.02	10,722	-	-	-	-	-	-
VG101C2005A	0.02	-	2,352	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VG106C2007A	-	-	-	-	PRIME-W1	0.01	-	143,000	-	-	-	-	-	-
VG108C2006A	-	-	-	-	PRIME-W2	0.01	-	4,001	-	-	-	-	-	-
VG111C2008A	0.06	-	2,000	-	RICHY-W2	-	-	-	-	-	-	-	-	-
VG113C2006A	-	-	-	-	RS-W3	0.09	0.02	8,969	-	-	-	-	-	-
VG119C2006A	-	-	-	-	SAMART-W2	0.32	0.03	1,833	-	-	-	-	-	-
VG141C2006A	-	-	-	-	SAWAD-W1	3.10	(0.12)	27,692	3.00	-	-	-	-	-
VG141C2007A	0.09	(0.02)	9,079	-	SDC-W1	-	-	-	-	-	-	-	-	-
WHA01C2005A	0.02	0.01	3,501	-	SINGER-W1	-	-	-	-	-	-	-	-	-
WHA01C2005B	0.02	0.01	10	-	SINGER-W2	0.76	0.06	492	-	-	-	-	-	-
WHA01C2008B	0.10	0.01	1	-	SMT-W2	0.01	-	2,231	-	-	-	-	-	-
WHA01C2009A	0.22	0.03	927	-	SST-W2	0.27	(0.01)	57	-	-	-	-	-	-
WHA01P2005A	2.48	(0.14)	15	2.00	SUPER-W4	-	-	-	-	-	-	-	-	-
WHA01P2009A	1.00	(0.05)	529	1.00	SVI-W3	-	-	-	-	-	-	-	-	-
WHA06C2007A	0.01	(0.02)	2,001	-	TCC-W3	0.03	-	7	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCC-W4	0.02	-	6,500	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	TCC-W5	-	-	-	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TCJ-W2	-	-	-	-	-	-	-	-	-
WHA08P2006A	1.71	(0.15)	20	1.00	TFG-W2	0.01	(0.01)	383,542	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA13C2003A	-	-	-	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA13C2005A	0.05	0.04	1	-	THE-W1	-	-	-	-	-	-	-	-	-
WHA13C2006A	-	-	-	-	TNITY-W1	0.05	-	690	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	TRITN-W3	0.04	-	3,726	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	TTCL-W1	0.19	0.03	120	-	-	-	-	-	-
WHA19C2004A	-	-	-	-	U-W4	0.01	-	100	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	UAC-W2	0.04	-	1,650	-	-	-	-	-	-
WHA19C2006A	-	-	-	-	VGI-W2	0.54	-	216,900	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VIBHA-W2	0.28	(0.02)	25	-	-	-	-	-	-
WHA24C2007A	0.15	0.06	400	-	VIBHA-W3	0.09	-	131	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	WAVE-W1	0.01	-	556	-	-	-	-	-	-
WHA27C2008A	-	-	-	-	WIJK-W2	0.09	0.02	3,777	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	ZMICO-W4	0.04	-	106	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA28C2006A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41C2007A	-	-	-	-	SCB-P	62.50	(10.75)	2	62.00	-	-	-	-	-
WHA41P2005A	2.60	0.18	800	2.00	TCAP-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	U-P	1.59	0.01	2	1.00	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	BM-W1	0.01	-	248	-	-	-	-	-	-
CSC-Q	-	-	-	-	BROOK-W5	0.08	-	44,538	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	CHO-W2	0.03	0.01	4,539	-	-	-	-	-	-
KTB-Q	-	-	-	-	D-W1	0.30	0.04	365	-	-	-	-	-	-
SCB-Q	-	-	-	-	DOD-W1	0.25	0.04	126,962	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------