

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.22	(0.03)	3,748	1.18	MCOT	6.35	(0.05)	291	6.33
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	1.57	0.06	131,151	1.54
SAFARI	-	-	-	-	DIF	13.80	0.20	141,429	13.57	MPIC	-	-	-	-
VI	-	-	-	-	DTAC	37.25	0.75	44,930	36.53	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.20	(0.05)	396	5.21	PLANB	2.82	(0.08)	369,886	2.77
WR	-	-	-	-	HUMAN	5.75	0.15	9,107	5.58	POST	-	-	-	-
Agribusiness	-	-	-	-	ILINK	2.16	-	1,485	2.12	PRAKIT	8.55	(0.45)	141	8.57
CHOTI	53.50	(2.75)	3	55.33	INET	1.61	(0.01)	2,164	1.61	SE-ED	1.48	-	1,261	1.47
EE	0.41	(0.02)	55,022	0.41	INTUCH	49.25	-	103,725	49.05	TBSP	-	-	-	-
GFPT	8.60	(0.35)	18,112	8.64	JAS	4.60	0.28	1,229,879	4.50	TH	0.50	0.01	23	0.46
LEE	1.86	0.01	153	1.86	JASIF	7.45	0.20	134,211	7.31	TKS	3.64	(0.06)	4,328	3.65
NER	1.68	(0.04)	101,295	1.68	JMART	5.00	0.02	31,616	4.92	VGI	5.30	(0.05)	106,950	5.28
PPPM	-	-	-	-	JTS	0.69	0.01	32	0.64	WAVE	0.91	(0.06)	13	0.91
STA	11.10	0.70	224,636	10.95	MFEF	4.28	(0.02)	5,284	4.27	WORK	6.55	(0.10)	12,863	6.50
TRUBB	0.46	0.06	13,397	0.45	MSC	3.98	0.10	279	3.95	Finance & Securities	-	-	-	-
TWPC	2.80	0.08	2,569	2.74	PT	3.98	0.04	397	3.97	AEC	0.18	(0.01)	7,022	0.18
UPOIC	2.02	(0.06)	452	2.02	SAMART	4.62	0.06	28,490	4.52	AEONTS	95.75	(0.75)	1,916	95.80
UVAN	3.78	(0.02)	303	3.70	SAMTEL	5.00	0.06	1,182	4.93	AMANAH	1.73	-	162,273	1.70
VPO	0.30	-	53	0.28	SDC	0.08	-	11,592	0.09	ASAP	1.02	0.02	1,923	1.00
Banking	-	-	-	-	SIS	5.25	(0.20)	3,467	5.23	ASK	15.40	(0.30)	1,851	15.32
BAY	18.40	(0.10)	2,463	18.40	SVOA	0.66	(0.01)	10,160	0.66	ASP	1.20	(0.01)	9,718	1.20
BBL	96.00	(2.00)	75,273	95.28	SYMC	1.62	(0.14)	1,403	1.56	BAM	18.80	0.20	1,410,443	18.66
CIMBT	0.41	(0.01)	33,230	0.41	SYNEX	3.84	(0.04)	5,156	3.82	BFIT	23.90	(0.30)	17,338	23.78
KBANK	85.00	(4.25)	206,882	85.54	THCOM	2.20	(0.06)	5,939	2.21	CGH	0.73	-	14,764	0.73
KKP	37.25	(0.50)	44,751	36.75	TRUE	3.08	0.10	2,418,589	3.06	ECL	0.58	0.01	2,050	0.57
KTB	10.80	(0.30)	350,350	10.89	TWZ	0.05	(0.01)	74,178	0.05	FNS	-	-	-	-
LHFG	0.86	-	12,256	0.85	Electronic Componen	-	-	-	-	FSS	0.83	0.04	2	0.83
SCB	64.50	(1.75)	143,456	64.13	CCET	1.36	-	3,101	1.39	GBX	0.37	(0.01)	14,642	0.37
TCAP	33.00	(1.25)	60,941	32.84	DELTA	33.75	(1.00)	5,004	33.39	GL	2.54	(0.06)	3,544	2.55
TISCO	68.25	(0.50)	67,018	67.78	EIC	0.03	-	14,483	0.03	IFS	1.78	-	818	1.77
TMB	0.82	0.01	1,205,577	0.80	HANA	20.80	(0.70)	21,179	20.86	JMT	12.50	(0.60)	126,006	12.45
Construction Materia	-	-	-	-	KCE	12.80	(0.50)	122,396	12.89	KCAR	7.70	-	412	7.65
CCP	0.19	0.01	7,521	0.18	METCO	128.50	3.00	15	121.50	KGI	3.62	0.02	27,356	3.57
COTTO	0.81	0.05	858	0.80	NEX	2.96	(0.06)	14,437	2.94	KTC	25.50	(0.50)	83,843	25.34
DCC	1.28	-	4,367	1.29	SMT	0.66	-	345	0.64	MBKET	4.20	(0.02)	423	4.20
DCON	0.25	-	38,186	0.24	SVI	1.92	(0.08)	8,603	1.94	MFC	12.40	-	142	12.44
DRT	4.92	0.06	2,042	4.88	TEAM	0.39	0.02	200	0.37	ML	0.41	(0.01)	317	0.41
EPG	3.30	(0.10)	11,313	3.30	Energy & Utilities	-	-	-	-	MTC	34.00	(2.00)	103,034	34.30
GEL	0.09	-	39,293	0.09	7UP	0.34	0.01	50,533	0.33	PE	0.03	-	5,116	0.02
PPP	1.32	0.02	1,356	1.30	ABPIF	3.14	0.02	1,123	3.13	PL	1.90	(0.09)	1,257	1.90
Q-CON	4.60	0.30	5	4.37	ACE	2.42	(0.10)	15,992	2.43	S11	4.48	(0.04)	713	4.49
RCI	2.96	(0.24)	34	2.97	AI	0.86	-	8,104	0.85	SAWAD	40.75	(2.75)	151,044	40.65
SCC	312.00	(8.00)	29,811	313.59	AKR	0.38	0.01	7,483	0.36	THANI	4.00	-	39,171	4.00
SCCC	114.00	(3.50)	493	113.49	BAFS	18.50	0.10	1,664	18.50	TK	6.75	(0.10)	2,516	6.63
SCP	4.32	-	726	4.30	BANPU	5.15	(0.10)	206,025	5.10	TNITY	3.08	0.04	140	3.02
SKN	1.49	0.05	226	1.53	BCP	14.30	(0.20)	8,727	14.26	UOBKH	2.00	(0.20)	5	2.00
TASCO	16.70	(0.10)	38,770	16.64	BCPG	11.90	-	27,709	11.88	ZMICO	0.47	0.01	3,798	0.46
TCMC	0.81	0.06	7,997	0.78	BGRIM	39.25	-	131,226	39.06	Food & Beverage	-	-	-	-
TOA	31.00	-	7,890	31.08	BPP	11.40	(0.10)	15,803	11.29	APURE	0.59	0.03	1,105	0.60
TIPL	1.11	(0.01)	32,403	1.11	BRRGIF	6.10	-	362	6.00	ASIAN	2.90	0.06	1,642	2.90
UMI	0.35	0.01	5,558	0.36	CKP	2.86	(0.04)	63,208	2.84	BR	1.39	0.08	10,631	1.35
VNG	2.10	(0.04)	4,240	2.07	DEMCO	1.27	(0.01)	3,142	1.25	BRR	2.44	0.02	1,601	2.13
WHK	1.04	(0.03)	1,466	1.01	EA	32.50	(0.50)	49,883	32.74	CBG	59.50	(1.00)	24,816	59.27
Petrochemicals & Che	-	-	-	-	EASTW	9.10	(0.05)	5,939	9.03	CFRESH	0.87	-	392	0.86
BCT	40.75	1.00	8	39.66	EGATIF	11.30	0.30	20,511	11.19	CM	2.12	0.02	2,764	2.13
CMAN	0.94	(0.01)	3,043	0.93	EGCO	227.00	(1.00)	15,504	224.66	CPF	24.00	(0.20)	341,363	24.08
GC	5.00	-	633	4.98	ESSO	3.88	0.02	173,373	3.80	CPI	1.22	0.07	118	1.11
GGC	5.40	(0.05)	12,382	5.39	GPSC	55.00	(0.50)	135,639	54.83	F&D	-	-	-	-
GIFT	1.99	(0.01)	2,309	1.99	GULF	149.00	-	77,956	148.52	HTC	16.60	(0.20)	691	16.62
IVL	19.00	(0.50)	218,041	19.00	GUNKUL	2.08	0.02	99,595	2.06	ICHI	4.00	(0.10)	31,661	3.95
NFC	1.42	0.01	27	1.49	IFEC	-	-	-	-	KBS	2.28	(0.02)	627	2.24
PATO	8.10	(0.05)	318	8.10	IRPC	2.08	-	456,131	2.04	KSL	1.46	(0.01)	8,051	1.45
PMTA	-	-	-	-	LANNA	4.92	(0.08)	149	4.92	KTIS	2.86	(0.04)	540	2.88
PTTGC	27.50	(0.75)	237,006	27.25	MDX	1.27	(0.02)	818	1.29	LST	4.38	0.02	363	4.36
SUTHA	1.19	0.01	385	1.20	PRIME	0.24	0.01	22,522	0.22	M	45.50	0.25	6,323	44.69
TCCC	-	-	-	-	PTG	9.05	(0.35)	240,362	9.09	MALEE	3.68	(0.04)	568	3.65
TPA	5.75	0.10	36	5.37	PTT	29.00	(1.00)	966,927	29.14	MINT	16.10	(0.10)	511,965	15.75
UAC	2.24	-	195	2.18	PTTEP	63.00	(1.50)	174,932	62.42	OISHI	35.50	-	88	35.42
UP	-	-	-	-	RATCH	56.00	(2.00)	67,419	56.00	OSP	35.00	(1.25)	70,958	35.09
VNT	16.30	(0.40)	6,019	16.35	RPC	0.41	(0.01)	33,772	0.42	PB	69.50	0.25	37	69.14
WG	135.00	-	1	135.00	SCG	3.94	(0.12)	36	3.87	PM	4.96	(0.04)	8,029	4.94
YCI	-	-	-	-	SCI	0.88	-	468	0.88	PRG	-	-	-	-
Commerce	-	-	-	-	SCN	1.20	0.02	4,618	1.19	RBF	3.30	-	120,923	3.29
BEAUTY	1.21	(0.01)	349,425	1.20	SGP	7.65	(0.05)	10,615	7.61	SAPPE	15.00	(0.30)	2,416	15.02
BIG	0.32	0.01	24,687	0.31	SKE	0.51	(0.03)	2,251	0.50	SAUCE	22.00	0.40	120	21.97
BJC	39.75	-	46,678	39.74	SOLAR	0.61	0.01	325	0.60	SFP	-	-	-	-
COL	11.60	-	4,163	11.50	SPCG	14.00	(0.20)	5,079	13.89	SNP	10.50	0.20	11	10.50
COM7	15.10	0.20	152,545	14.89	SPRC	4.18	(0.10)	61,040	4.17	SORKON	43.25	0.25	61	43.25
CPALL	60.25	-	243,309	60.14	SSP	5.90	(0.05)	11,594	5.90	SSC	29.00	-	10	29.00
CPW	0.93	0.01	8,377	0.90	SUPER	0.33	-	654,645	0.33	SSF	-	-	-	-
CRC	26.50	1.50	309,054	25.77	SUPEREIF	9.30	(0.15)	1,050	9.27	SST	2.98	(0.02)	10	2.99
CSS	0.66	(0.02)	79,315	0.64	SUSCO	1.61	(0.06)	8,058	1.60	TC	2.38	(0.24)	615	2.39
DOHOME	4.44	(0.10)	101,567	4.43	TAE	2.22	-	12,869	2.19	TFG	2.96	-	42,567	2.93
FN	0.57	(0.02)	590	0.56	TCC	0.15	-	8	0.15	TFMAMA	187.50	-	60	187.60
FTE	1.43	0.01	589	1.42	TOP	29.00	(0.75)	141,954	28.68	TIPCO	4.32	-	1,049	4.29
GLOBAL	8.80	-	35,484	8.73	TPIPP	3.02	0.04	60,532	2.99	TKN	5.15	0.15	132,176	5.15
HMPRO	10.80	(0.10)	210,377	10.69	TSE	1.79	0.02	35,243	1.76	TU	13.30	(0.40)	175,806	13.42
ILM	7.50	0.05	5,528	7.36	TTW	12.20	(0.40)	65,050	12.13	TVO	21.70	-	5,124	21.35
IT	1.38	(0.05)	139	1.33	WHAUP	4.04	0.04	54,251	4.05	ZEN	6.15	(0.20)	3,409	6.07
KAMART	1.98	(0.12)	61,946	1.99	WP	3.16	(0.12)	1,157	3.20	Health Care Services	-	-	-	-
LOXLEY	1.04	0.03	192,596	1.07	Media & Publishing	-	-	-	-	AHC	14.40	(0.10)	173	14.25
MAKRO	32.75	(0.75)	3,255	32.63	AMARIN	2.96	-	8	2.96	BCH	11.30	(0.30)	72,633	11.24
MC	6.90	0.10	24,283	6.88	AQUA	0.31	-	130,114	0.31	BDMS				

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.68	(0.02)	2,167	2.64	CGD	0.61	0.01	10,348	0.60	IHL	2.14	(0.10)	1,126	2.09
RAM	139.50	-	28	139.16	CI	0.51	(0.08)	5,180	0.51	INGRS	0.28	-	4,580	0.28
RJH	18.80	(0.10)	3,038	18.81	CPN	41.75	0.75	103,987	40.61	IRC	9.95	-	37	9.98
RPH	4.64	-	4,630	4.63	ESTAR	0.23	-	19,701	0.22	PCSGH	4.48	-	277	4.48
SKR	4.34	(0.16)	3,072	4.38	EVER	0.13	-	141,642	0.12	SAT	7.60	(0.05)	12,567	7.56
SVH	390.00	(6.00)	10	391.50	FPT	8.45	-	436	8.47	SPG	-	-	-	-
THG	17.60	(0.20)	3,849	17.47	GLAND	-	-	-	-	STANLY	122.00	(1.50)	284	121.27
VIBHA	1.36	0.02	21,091	1.33	GOLD	7.55	(0.05)	190	7.59	TKT	0.65	0.04	10	0.65
VIH	5.15	-	5,478	5.14	GREEN	0.55	0.02	1,411	0.55	TNPC	0.55	(0.01)	3,513	0.56
WPH	1.38	(0.01)	254	1.39	J	0.39	-	376	0.38	TRU	3.86	0.02	215	3.82
Tourism & Leisure					JCK	0.56	(0.01)	1,032	0.55	TSC	-	-	-	-
ASIA	3.98	0.08	4	3.98	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENDEL	14.40	(0.10)	16,288	14.25	KWG	0.66	-	1,011	0.66	ALLA	0.98	(0.01)	7,718	0.98
CSR	-	-	-	-	LALIN	3.80	(0.04)	375	3.80	ASEFA	2.60	-	1,574	2.57
DTC	7.00	-	517	6.86	LH	6.40	(0.10)	278,692	6.33	CPT	0.64	0.02	12,955	0.63
ERW	2.24	(0.08)	90,404	2.22	LPN	3.14	(0.02)	22,294	3.15	CRANE	1.59	(0.06)	14,948	1.66
GRAND	0.43	(0.03)	15,124	0.43	MBK	13.10	(0.40)	4,175	13.12	CTW	4.12	-	25	4.12
LRH	29.25	(0.25)	2	28.38	MJD	1.91	(0.08)	2,069	1.91	FMT	-	-	-	-
MANRIN	-	-	-	-	MK	2.40	0.04	2,253	2.41	HTECH	1.32	(0.02)	1,068	1.33
OHTL	-	-	-	-	NCH	0.46	(0.05)	1,111	0.46	KKC	0.30	0.02	89	0.30
ROH	34.50	0.50	1	34.50	NNCL	1.41	-	11,294	1.42	PK	0.67	-	4	0.68
SHANG	64.50	(0.50)	62	61.42	NOBLE	10.90	0.20	4,059	10.70	SNC	6.70	(0.15)	2,082	6.75
SHR	1.53	0.03	92,747	1.50	NUSA	0.28	(0.01)	27,345	0.28	STARK	1.82	(0.03)	8,377	1.83
VRANDA	4.66	(0.02)	1,013	4.66	NVD	1.09	(0.02)	684	1.10	TCJ	1.86	(0.10)	606	1.77
Home & Office Produ					ORI	3.42	0.10	48,103	3.34	VARO	-	-	-	-
ACC	0.63	-	408	0.61	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
AJA	0.22	-	15,839	0.22	PF	0.35	(0.01)	185,629	0.35	AIMCG	4.58	(0.02)	1,370	4.52
DTCI	-	-	-	-	PLAT	2.02	(0.02)	3,296	2.02	AMIRT	10.40	0.10	312	10.26
FANCY	0.28	-	1,108	0.26	POLAR	-	-	-	-	AMATAR	10.20	(0.10)	5,068	10.20
KYE	232.00	-	3	232.00	PRECHA	0.53	(0.01)	23	0.55	B-WORK	10.30	-	265	10.30
L&E	1.55	-	858	1.58	PRIN	1.28	0.01	61,586	1.27	BKER	5.95	(0.30)	1,409	6.00
MODERN	1.95	0.02	8,118	1.94	PSH	9.00	(0.05)	15,356	8.94	BKCP	10.90	(0.10)	66	10.93
OGC	25.00	0.70	1	25.00	QH	1.81	(0.01)	286,055	1.80	BOFFICE	13.60	0.20	2,149	13.29
ROCK	-	-	-	-	RICHY	0.56	(0.01)	19,797	0.57	CPNCG	9.95	0.30	4,950	9.81
SIAM	1.22	(0.02)	4	1.22	RML	0.46	(0.01)	12,276	0.44	CPNREIT	24.00	-	38,841	23.62
TSR	1.32	-	1,551	1.30	ROJNA	3.52	-	6,941	3.50	CPTGF	9.85	(0.05)	89	9.85
Insurance					S	1.20	(0.02)	22,506	1.18	CTARAF	4.60	(0.18)	1,791	4.60
AYUD	29.75	(0.25)	5	29.75	SAMCO	1.30	0.06	55	1.28	DREIT	3.60	(0.10)	17,558	3.61
BKI	220.00	-	122	219.56	SC	1.81	0.01	40,563	1.80	ERWPF	4.10	(0.18)	56	4.10
BLA	11.80	-	3,170	11.68	SENA	1.86	(0.02)	4,623	1.86	FTREIT	13.30	(0.20)	9,778	13.31
BUI	7.00	0.25	300	6.97	SF	3.80	0.04	29,606	3.71	FUTUREPF	16.60	(0.20)	3,707	16.62
CHARAN	-	-	-	-	SIRI	0.56	(0.01)	349,985	0.56	GAHREIT	7.40	(0.30)	112	7.28
INSURE	-	-	-	-	SPALI	14.40	0.20	30,930	14.36	GOLDPF	5.95	0.25	1	5.95
MTI	67.00	(3.00)	53	67.50	U	0.75	-	47,514	0.73	GVREIT	13.50	0.10	3,227	13.46
NKI	53.00	-	10	53.00	UV	2.34	0.02	7,256	2.31	HPF	3.72	-	105	3.60
NSI	47.00	-	108	47.01	WHA	2.14	-	372,648	2.13	HREIT	6.40	(0.35)	8,027	6.41
SEG	-	-	-	-	WIN	0.30	(0.02)	450	0.31	IMPACT	14.40	-	31,328	14.37
SMK	28.00	(0.25)	130	28.01	Paper & Printing Mat	-	-	-	-	KPNPF	6.70	(0.30)	94	6.82
THRE	0.46	0.06	69,222	0.44	UTP	6.85	(0.05)	3,803	6.83	LHHOTEL	12.00	0.70	4,687	11.70
THREL	2.06	(0.16)	32,416	2.05	Fashion	-	-	-	-	LHPF	5.70	(0.05)	241	5.62
TIP	18.80	(0.40)	2,631	18.79	AFC	-	-	-	-	LHSC	12.20	0.20	1,652	11.90
TQM	66.75	1.25	18,177	66.68	B52	0.18	0.02	16,816	0.17	LUXF	6.05	(0.10)	225	6.01
TSI	0.36	-	1,692	0.36	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.06	-	113	3.05	CPH	2.08	(0.02)	10	2.08	M-PAT	-	-	-	-
Mining					CPL	-	-	-	-	M-STOR	6.45	0.25	4	6.26
PDI	3.88	0.02	668	3.82	ICC	33.00	(4.00)	22	33.08	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.22	0.20	454	2.22
Packaging					PAF	0.35	(0.01)	339	0.34	MJLF	7.25	0.10	1,272	7.20
AJ	7.30	(0.25)	931	7.39	PDJ	0.96	(0.01)	2,070	0.97	MNIT	0.89	0.03	33	0.89
ALUCON	120.00	-	8	120.06	PG	4.30	(0.10)	11	4.30	MNIT2	-	-	-	-
BGC	7.40	(0.25)	3,030	7.38	SABINA	16.00	(0.30)	3,382	15.90	MNRF	-	-	-	-
CSC	43.00	(0.50)	13	43.46	SAWANG	4.62	0.60	10	4.62	POPF	10.00	0.70	3,337	9.62
GLOCON	0.45	(0.01)	13,649	0.44	SUC	34.75	(0.25)	6,030	34.75	PPF	11.20	-	100	11.20
NEP	0.13	-	11,000	0.13	TNL	18.40	2.40	2	18.40	QHHR	6.70	(0.05)	86	6.66
PTL	9.00	(0.30)	5,039	8.93	TPCORP	11.00	0.20	12	11.00	QHOP	-	-	-	-
SFLEX	5.00	(0.05)	9,411	4.95	TR	21.70	0.70	5	21.70	QHPF	10.10	0.15	1,311	9.92
SITHAI	0.47	(0.01)	4,365	0.47	TTI	-	-	-	-	SBPF	2.00	-	4	2.00
SLP	0.34	(0.01)	501	0.34	TTT	40.00	1.00	3	40.00	SHREIT	3.16	-	89	3.16
SMPC	4.06	(0.08)	4,148	4.05	UPF	27.25	(2.50)	20	27.85	SIRIP	9.60	(0.20)	10	9.60
SPACK	0.97	-	8	0.92	UT	-	-	-	-	SPF	13.00	0.70	8,835	12.40
TCOAT	-	-	-	-	WACOAL	47.50	-	1	47.50	SPRIME	10.20	0.20	92	10.10
TFI	0.03	-	471	0.02	Transportation & Log	-	-	-	-	SRIPANWA	7.00	(0.10)	542	7.05
THIP	19.80	0.20	37	19.44	AAV	1.05	(0.04)	210,782	1.04	SSPF	8.10	-	94	8.10
TMD	20.40	(0.10)	29	20.15	AOT	49.75	(0.75)	323,538	49.60	SSTRT	4.88	-	110	4.87
TOPP	-	-	-	-	ASIMAR	0.72	0.03	1,564	0.71	TIF1	7.75	(0.05)	406	7.75
TPBI	2.60	0.12	40	2.60	B	0.15	-	3,014	0.14	TLGF	14.50	0.10	15,057	14.23
TPP	12.70	0.60	25	12.58	BA	3.86	(0.14)	4,167	3.90	TLHPF	-	-	-	-
Personal Products &					BEM	7.60	0.05	648,736	7.50	TNPF	-	-	-	-
APCO	3.14	(0.06)	1,526	3.12	BTS	8.85	(0.10)	293,576	8.78	TPRIME	14.30	(0.10)	239	14.20
DDD	11.20	0.20	595	10.63	BTSGIF	7.35	0.05	140,085	7.25	TTLPF	20.70	-	1	20.70
JCT	-	-	-	-	III	4.02	(0.04)	7,832	3.95	TU-PF	1.15	(0.06)	45	1.19
OCC	-	-	-	-	JUTHA	0.21	0.02	660	0.21	URBNPF	3.02	-	47	3.02
S & J	19.70	(2.20)	2	20.70	JWD	5.15	0.05	1,060	5.05	WHABT	8.40	-	145	8.35
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	12.50	-	4,485	12.31
TNR	5.95	0.75	3,772	5.75	NOK	0.79	0.02	679	0.78	Steel	-	-	-	-
TOG	3.16	0.08	35	3.15	NYT	2.62	(0.02)	21,777	2.64	AMC	1.08	(0.04)	159	1.08
Professional Service					PORT	1.18	-	879	1.17	BSBM	0.69	0.01	391	0.68
BWG	0.17	-	112,730	0.18	PRM	4.04	0.04	50,891	4.02	CEN	0.32	0.01	478	0.30
GENCO	0.33	(0.03)	19,248	0.32	PSL	2.42	(0.20)	81,178	2.44	CITY	1.23	(0.02)	636	1.20
PRO	-	-	-	-	RCL	1.81	-	390	1.78	CSP	0.51	-	620	0.49
SISB	6.85	(0.30)	33,170	6.87	TFFIF	9.85	0.05	21,990	9.78	GJS	0.05	(0.01)	106,344	0.05
TEAMG	1.72	(0.04)	4,923	1.74	THAI	3.18	(0.02)	26,132	3.11	GSTEEL	-	-	-	-
Property Developer					TSTE	-	-	-	-	INOX	0.40	0.01	576	0.39
A	4.76	(0.04)	51	4.77	TTA	1.88	(0.07)	45,277	1.87	LHK	1.94	(0.04)	857	1.95
AMATA	9.55	(0.40)	167,776	9.61	WICE	1.35	0.03	1,517	1.31	MAX	0.01	-	36,234	0.01
AMATAV	3.82	0.04	166	3.82	Automotive	-	-	-	-	MCS	7.00	-	15,647	6.80
ANAN	1.17	(0.01)	15,481	1.17	AH	6.95	0.05	1,160	6.84	MILL	0.56	-	550	0.56
AP	3.76	0.02	81,521	3.69	APCS	3.7								

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	AGE	0.52	0.01	1,101	-	ADVA01C2003A	0.01	(0.01)	52,763	-
ABICO	3.02	(0.02)	75	3.00	AIE	0.21	-	9,763	-	ADVA01C2003B	0.01	-	3,380	-
AU	6.60	(0.05)	21,093	6.00	PSTC	0.29	-	680,196	-	ADVA01C2005A	0.28	(0.01)	14,304	-
JCKH	0.21	0.02	648	-	QTC	3.20	0.06	515	3.00	ADVA01C2005B	0.05	-	1,300	-
KASET	0.95	0.01	14	-	SAAM	0.62	(0.03)	165	-	ADVA01C2007B	0.27	0.02	5,689	-
MM	1.70	(0.30)	4,123	1.00	SEAOIL	1.67	(0.03)	3,026	1.00	ADVA01C2008A	0.97	-	3,999	-
SUN	1.35	(0.04)	3,008	1.00	SR	0.70	-	11	-	ADVA01P2003A	0.92	-	47	-
TACC	3.00	(0.12)	14,542	3.00	TAKUNI	0.28	0.01	5,630	-	ADVA01P2003B	0.39	0.05	3	-
TMILL	2.42	-	230	2.00	TPCH	8.05	0.05	3,703	7.00	ADVA01P2007B	0.36	(0.01)	86,393	-
XO	3.88	0.04	1,980	3.00	TRT	-	-	-	-	ADVA06C2005A	0.08	-	1,710	-
Consumer Products														
BGT	0.48	0.01	238	-	UMS	0.13	-	4	-	ADVA08C2005A	0.05	(0.03)	6,220	-
BIZ	2.60	(0.06)	50	2.00	UWC	0.01	-	120,728	-	ADVA08P2004A	0.22	-	87,589	-
DOD	3.60	(0.10)	11,983	3.00	Services (MAI)	-	-	-	-	ADVA11C2006A	0.03	0.01	339	-
ECF	0.98	(0.01)	202,368	-	A5	-	-	-	-	ADVA11P2005A	0.15	0.06	305	-
HPT	0.38	(0.02)	16	-	AKP	0.65	-	1,102	-	ADVA13C2004A	0.02	-	100	-
IP	4.72	0.08	1,119	4.00	AMA	3.00	(0.10)	1,027	2.00	ADVA13C2006A	0.64	-	972	-
JUBILE	12.00	(0.30)	3,421	12.00	ARIP	0.25	(0.02)	1,195	-	ADVA13C2007A	0.28	0.02	14,799	-
MOONG	3.04	(0.06)	609	3.00	ATP30	0.67	(0.01)	5,216	-	ADVA13C2008A	0.42	-	390,576	-
NPK	8.55	1.10	151	8.00	AUCT	4.12	(0.10)	13,657	4.00	ADVA13P2003A	-	-	-	-
OCEAN	0.82	-	2,573	-	BOL	2.58	-	1,191	2.00	ADVA16C2005A	-	-	-	-
TM	2.30	0.02	4,994	2.00	CHUO	-	-	-	-	ADVA16C2007A	-	-	-	-
Financials (MAI)														
ACAP	0.40	-	1,464	-	CMO	0.82	0.01	148	-	ADVA16C2009A	-	-	-	-
AF	-	-	-	-	D	2.16	(0.02)	638	2.00	ADVA19C2005A	-	-	-	-
AIRA	0.80	-	58	-	DCORP	0.30	-	2,946	-	ADVA19C2007A	0.73	(0.03)	13,393	-
ASN	4.40	-	1	4.00	EFORL	0.02	(0.01)	35,634	-	ADVA19C2007B	0.20	(0.07)	1,508	-
BROOK	0.36	0.01	5,742	-	ETE	0.50	-	420	-	ADVA19C2008A	1.16	(0.03)	209,475	1.00
CHAYO	3.70	0.06	97,914	3.00	FSMART	5.55	-	1,427	5.00	ADVA19P2006A	0.31	0.01	5,616	-
GCAP	1.06	(0.04)	3,625	1.00	FVC	0.22	0.01	3,070	-	ADVA19P2009A	0.40	0.01	278,553	-
LIT	2.32	-	901	2.00	GSC	0.41	(0.03)	200	-	ADVA24C2006A	-	-	-	-
MITSI	1.02	(0.01)	798	1.00	HARN	1.73	(0.01)	1,123	1.00	ADVA28C2004A	-	-	-	-
SGF	0.29	-	2,868	-	IMH	1.63	(0.06)	135	1.00	ADVA28C2005A	-	-	-	-
Industrials (MAI)														
2S	1.69	0.12	149	1.00	JKN	3.50	-	16,056	3.00	ADVA28C2007A	0.15	-	210	-
ACG	0.80	0.01	172	-	KIAT	0.25	-	22,213	-	ADVA28C2008A	0.97	(0.01)	163,426	-
ADB	0.37	(0.01)	4	-	KOOL	0.48	0.02	7,537	-	ADVA28C2008B	-	-	-	-
BM	1.31	0.01	203	1.00	LDC	0.47	(0.01)	1,078	-	ADVA28P2004A	0.06	(0.03)	6,218	-
CHO	0.41	-	5,824	-	MORE	0.22	(0.02)	134,016	-	ADVA41C2004A	-	-	-	-
CHOW	0.54	0.02	257	-	MPG	0.18	(0.01)	443	-	ADVA41C2005A	0.10	(0.01)	4,013	-
CIG	0.16	-	1,062	-	MVP	-	-	-	-	ADVA41C2006A	0.23	0.01	17	-
COLOR	1.00	-	700	-	NBC	0.40	0.01	5	-	ADVA41C2007A	-	-	-	-
CPR	2.08	(0.02)	730	2.00	NCL	0.73	0.04	3	-	ADVA41C2007B	0.98	0.01	24,730	-
FPI	2.08	0.02	1,377	2.00	NEWS	0.01	-	8	-	ADVA41P2004A	0.49	(0.05)	6,948	-
GTB	0.49	-	3,065	-	NINE	1.81	(0.18)	68	1.00	ADVA41P2005A	0.53	(0.01)	6,785	-
KCM	0.29	-	106	-	OTO	2.62	0.08	69	2.00	ADVA42C2003A	-	-	-	-
KUMWEL	0.67	(0.02)	365	-	PHOL	1.44	0.02	591	1.00	ADVA42C2005A	-	-	-	-
KWM	0.69	0.02	509	-	PICO	-	-	-	-	ADVA42P2007A	2.02	(0.04)	7,554	2.00
MBAX	2.72	-	290	2.00	QLT	3.78	-	19	3.00	AEON01C2005A	0.02	-	103	-
MGT	1.19	(0.02)	853	1.00	RP	0.82	-	59	-	AEON13C2007A	-	-	-	-
NDR	0.87	0.01	40	-	SE	1.11	0.03	11	1.00	AEON19C2003A	-	-	-	-
PDG	2.48	0.06	21	2.00	SONIC	0.79	0.02	1,756	-	AEON19C2006A	0.03	0.02	780	-
PIMO	0.80	-	200	-	SPA	7.00	(0.30)	5,172	6.00	AMAT01C2004A	-	-	-	-
PJW	0.95	(0.02)	595	-	THMUI	0.33	(0.02)	256	-	AMAT01C2004B	-	-	-	-
PPM	0.44	-	20	-	TNDT	1.54	(0.09)	2,850	1.00	AMAT01C2007B	-	-	-	-
RWI	0.90	0.03	288	-	TNH	23.00	(0.20)	41	22.00	AMAT01C2008A	0.08	0.03	101	-
SALEE	0.75	(0.02)	120	-	TNP	1.80	0.01	1,001	1.00	AMAT01P2008A	2.10	0.17	161	2.00
SANKO	0.82	0.01	2,015	-	TSF	-	-	-	-	AMAT06C2005A	-	-	-	-
SELIC	1.66	(0.03)	775	1.00	TVT	0.49	-	52	-	AMAT08C2005A	-	-	-	-
SWC	3.84	0.04	798	3.00	TVT	0.33	(0.04)	3,008	-	AMAT11C2004A	-	-	-	-
TMC	0.30	-	116	-	VL	0.92	-	213,751	-	AMAT11C2008A	-	-	-	-
TMI	0.63	-	158	-	WINNER	1.88	-	240	1.00	AMAT13C2004A	-	-	-	-
TMW	28.50	(0.50)	105	28.00	YGG	3.80	0.10	1,067	3.00	AMAT13C2006A	-	-	-	-
TPAC	6.95	-	8	6.00	Technology (MAI)									
TPLAS	0.91	-	2,442	-	APP	1.34	-	165	1.00	AMAT16C2006A	-	-	-	-
UBIS	4.76	(0.22)	69	4.00	COMAN	1.43	(0.06)	22	1.00	AMAT16C2008A	0.01	-	2	-
UEC	0.57	-	10	-	ICN	1.34	0.03	988	1.00	AMAT19C2003A	-	-	-	-
UKEM	0.33	(0.01)	3,945	-	INSET	2.16	(0.02)	1,289	2.00	AMAT19C2005A	-	-	-	-
UREKA	0.72	(0.05)	4,462	-	IRCP	0.30	(0.02)	1,631	-	AMAT19C2006A	-	-	-	-
YUASA	9.25	-	34	9.00	ITEL	1.44	(0.03)	1,859	1.00	AMAT19C2008A	-	-	-	-
ZIGA	0.92	0.12	12,451	-	NETBAY	26.75	(0.50)	882	26.00	AMAT24C2006A	-	-	-	-
Property & Construc														
ALL	2.68	(0.04)	2,028	2.00	PLANET	0.68	(0.01)	24	-	AMAT41C2004A	-	-	-	-
ARIN	0.49	0.02	1,537	-	SIMAT	2.10	0.08	2,163	2.00	AMAT41C2005A	-	-	-	-
ARROW	5.90	(0.05)	238	5.00	SKY	12.10	(0.10)	1,728	12.00	AMAT41C2006A	-	-	-	-
BC	0.81	0.01	693	-	SPVI	1.47	(0.05)	6,045	1.00	AMAT42C2003A	-	-	-	-
BSM	0.25	-	1,467	-	TPS	1.82	0.09	966	1.00	AMAT42C2005A	0.08	(0.04)	1	-
BTW	0.41	0.01	901	-	UPA	0.11	-	9,999	-	AMAT42C2007A	-	-	-	-
CAZ	1.22	0.02	101	1.00	VCOM	1.86	0.02	3,073	1.00	ANAN13C2007A	0.01	-	2	-
CHEWA	0.26	-	2,229	-	Unit Trust	-	-	-	-	ANAN19C2004A	-	-	-	-
CMC	0.58	(0.02)	571	-	MGE	-	-	-	-	ANAN19C2007A	-	-	-	-
CRD	0.39	(0.01)	1,117	-	SCBSET	-	-	-	-	AOT01C2004A	0.01	-	4,240	-
DIMET	-	-	-	-	ETF	-	-	-	-	AOT01C2004B	0.01	-	100	-
FLOYD	0.96	-	946	-	IDIV	6.78	(0.09)	107	6.00	AOT01C2006B	-	-	-	-
HYDRO	-	-	-	-	ABFTH	-	-	-	-	AOT01C2007A	0.08	(0.01)	14,728	-
JSP	0.19	(0.01)	2,512	-	BMSCG	4.78	(0.04)	116	4.00	AOT01P2004A	2.74	0.26	366	2.00
K	0.60	(0.05)	1,107	-	BMSCITH	8.19	(0.11)	9,316	8.00	AOT01P2004B	2.68	0.20	1,350	2.00
KUN	0.87	(0.01)	3,301	-	BSET100	7.03	(0.09)	579	6.00	AOT01P2006B	2.04	0.02	11,388	2.00
META	0.74	(0.13)	4,954	-	CHINA	5.39	(0.15)	162	5.00	AOT01P2007A	2.00	-	49,361	2.00
PPS	0.38	-	3,861	-	EBANK	-	-	-	-	AOT06C2007A	-	-	-	-

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2005A	0.01	(0.01)	198	-	BBL19C2007A	-	-	-	-	BEM41P2004A	0.74	0.05	10	-
AOT19C2007A	-	-	-	-	BBL19C2009A	0.94	(0.06)	188,126	-	BGRI01C2003A	0.01	-	103,693	-
AOT19C2008A	0.26	(0.02)	90,184	-	BBL19P2007A	-	-	-	-	BGRI01C2003B	0.01	-	5,359	-
AOT19C2009A	0.33	(0.67)	72,198	-	BBL24C2004A	-	-	-	-	BGRI01C2006A	0.05	0.01	8,373	-
AOT19P2004A	2.44	(0.06)	32	2.00	BBL28C2005A	0.01	-	1,700	-	BGRI01C2006B	0.02	-	2,248	-
AOT19P2009A	0.47	0.02	930,462	-	BBL28C2007A	-	-	-	-	BGRI01C2008B	0.21	0.03	100	-
AOT24C2003A	-	-	-	-	BBL28C2010A	0.27	(0.03)	86,848	-	BGRI01C2009A	0.37	-	13,015	-
AOT24C2006A	-	-	-	-	BBL41C2004A	-	-	-	-	BGRI01P2003A	0.64	(0.03)	71	-
AOT27C2008A	-	-	-	-	BBL41C2005A	-	-	-	-	BGRI01P2006A	1.90	(0.07)	944	1.00
AOT28C2006A	-	-	-	-	BBL41C2006A	-	-	-	-	BGRI06C2005A	-	-	-	-
AOT28C2006B	-	-	-	-	BBL41C2007A	-	-	-	-	BGRI08C2003A	-	-	-	-
AOT28C2008A	-	-	-	-	BBL41C2007B	-	-	-	-	BGRI08C2005A	-	-	-	-
AOT28C2008B	0.17	(0.02)	18,252	-	BBL41P2004A	-	-	-	-	BGRI11C2006A	0.12	0.02	4,168	-
AOT28C2008C	0.29	(0.02)	61,469	-	BBL41P2006A	-	-	-	-	BGRI11C2008A	0.06	0.01	3,000	-
AOT28P2004A	2.36	0.28	200	2.00	BBL42C2003A	-	-	-	-	BGRI13C2004A	-	-	-	-
AOT41C2004A	-	-	-	-	BBL42C2005A	-	-	-	-	BGRI13C2006A	0.02	-	1,052	-
AOT41C2005A	-	-	-	-	BBL42C2007A	-	-	-	-	BGRI13C2007A	0.10	0.01	1,169	-
AOT41C2006A	-	-	-	-	BCH01C2006A	-	-	-	-	BGRI13C2008A	0.19	-	1,927	-
AOT41C2007A	-	-	-	-	BCH01C2006B	-	-	-	-	BGRI13C2009A	0.52	(0.48)	96,727	-
AOT41C2007B	0.36	(0.04)	22,498	-	BCH01P2006A	-	-	-	-	BGRI13P2005A	1.68	0.06	108	1.00
AOT41P2004A	-	-	-	-	BCH06C2006A	-	-	-	-	BGRI16C2005A	0.03	-	10	-
AOT41P2005A	-	-	-	-	BCH06P2006A	-	-	-	-	BGRI19C2004A	-	-	-	-
AOT41P2006A	2.54	(0.02)	474	2.00	BCH08C2004A	-	-	-	-	BGRI19C2005A	-	-	-	-
AOT42C2006A	0.02	0.01	503	-	BCH11C2008A	-	-	-	-	BGRI19C2006A	-	-	-	-
AOT42P2003A	-	-	-	-	BCH13C2004A	-	-	-	-	BGRI19C2008A	0.23	0.02	1,506	-
AOT42P2009A	-	-	-	-	BCH13C2007A	-	-	-	-	BGRI19C2008B	0.51	-	265,112	-
AP19C2007A	-	-	-	-	BCH16C2006A	-	-	-	-	BGRI19P2007A	1.34	(0.01)	281	1.00
AP28C2004A	-	-	-	-	BCH19C2005A	-	-	-	-	BGRI24C2004A	-	-	-	-
AP28C2006A	-	-	-	-	BCH19C2006A	-	-	-	-	BGRI27P2006A	0.90	-	170	-
AWC01C2003A	0.01	-	50	-	BCH19C2008A	-	-	-	-	BGRI41C2004A	-	-	-	-
AWC01C2003B	-	-	-	-	BCH24C2003A	-	-	-	-	BGRI41C2005A	-	-	-	-
AWC01C2004A	0.01	-	1,000	-	BCH27C2003A	-	-	-	-	BGRI41C2006A	-	-	-	-
AWC01C2009A	0.05	-	200	-	BCH41C2005A	-	-	-	-	BGRI41C2007A	0.32	(0.02)	1,300	-
AWC01P2003A	-	-	-	-	BCH41C2006A	-	-	-	-	BGRI41P2004A	-	-	-	-
AWC01P2003B	-	-	-	-	BCP01C2005A	-	-	-	-	BGRI41P2005A	-	-	-	-
AWC01P2007A	1.52	0.04	666	1.00	BCP01C2005B	-	-	-	-	BGRI41P2006A	-	-	-	-
AWC06C2004A	-	-	-	-	BCP01P2005A	1.24	0.06	1	1.00	BGRI42C2003A	-	-	-	-
AWC08C2004A	-	-	-	-	BCP11C2004A	-	-	-	-	BGRI42C2006A	-	-	-	-
AWC13C2006A	0.01	-	1	-	BCP13C2003B	-	-	-	-	BH01C2004A	0.10	(0.04)	2,000	-
AWC13P2006A	-	-	-	-	BCP13C2007A	-	-	-	-	BH01C2004B	0.02	-	1	-
AWC16C2005A	-	-	-	-	BCP19C2004A	-	-	-	-	BH01P2004A	0.90	0.10	4,353	-
AWC16C2007A	0.02	(0.03)	610	-	BCP19C2005A	-	-	-	-	BH08C2007A	0.14	(0.01)	102,003	-
AWC19C2003A	-	-	-	-	BCP24C2004A	-	-	-	-	BH11C2008A	0.10	(0.04)	465	-
AWC19C2004A	-	-	-	-	BCPG01C2005A	-	-	-	-	BH13C2006A	0.07	0.01	1	-
AWC19C2006A	-	-	-	-	BCPG01C2005B	-	-	-	-	BH19C2003A	-	-	-	-
AWC24C2007A	-	-	-	-	BCPG01C2008B	-	-	-	-	BH19C2006A	0.06	0.01	206	-
AWC28C2006A	-	-	-	-	BCPG01C2009A	-	-	-	-	BH24C2003A	-	-	-	-
AWC28C2008A	-	-	-	-	BCPG01P2005A	0.85	(0.23)	250	-	BH27C2007A	-	-	-	-
AWC28C2010A	0.27	(0.03)	18,829	-	BCPG01P2009A	0.79	0.08	30	-	BH41C2004A	-	-	-	-
AWC41C2004A	-	-	-	-	BCPG13C2004A	-	-	-	-	BH41C2005A	-	-	-	-
AWC41C2005A	-	-	-	-	BCPG13C2007A	-	-	-	-	BH41C2006A	0.18	(0.03)	20	-
AWC41C2006A	-	-	-	-	BCPG16C2009A	-	-	-	-	BH41P2004A	0.31	0.04	1,365	-
AWC41C2007A	-	-	-	-	BCPG19C2003A	-	-	-	-	BH41P2006A	1.35	0.17	300	1.00
AWC41C2007B	0.24	0.08	3,267	-	BCPG19C2005A	-	-	-	-	BH42C2003A	-	-	-	-
AWC42C2003A	-	-	-	-	BCPG28C2004A	-	-	-	-	BH42C2008A	0.11	(0.03)	1,600	-
AWC42C2008A	0.01	-	100	-	BCPG28C2008A	0.19	0.11	20,252	-	BJC01C2004A	-	-	-	-
BANP01C2005A	-	-	-	-	BCPG41C2005A	-	-	-	-	BJC01C2004B	-	-	-	-
BANP01C2005B	-	-	-	-	BCPG42C2004A	-	-	-	-	BJC01C2008B	0.41	0.01	745	-
BANP01P2005A	-	-	-	-	BCPG42C2007A	-	-	-	-	BJC01C2009A	0.53	(0.01)	550	-
BANP01P2005B	-	-	-	-	BDMS01C2007B	0.04	-	792	-	BJC01P2004A	0.81	(0.15)	5	-
BANP06C2005A	0.02	0.01	1	-	BDMS01P2008A	0.66	0.02	822	-	BJC01P2009A	0.34	-	29,273	-
BANP08C2005A	-	-	-	-	BDMS06C2008A	0.09	(0.02)	14,480	-	BJC06C2006A	-	-	-	-
BANP08C2007A	0.02	(0.01)	20	-	BDMS06P2004A	-	-	-	-	BJC11C2008A	0.21	(0.02)	200	-
BANP08P2003A	-	-	-	-	BDMS08C2003A	-	-	-	-	BJC13C2004A	-	-	-	-
BANP11C2004A	-	-	-	-	BDMS08C2006A	0.01	-	94	-	BJC13C2005A	0.06	-	3,000	-
BANP11C2008A	-	-	-	-	BDMS11C2007A	-	-	-	-	BJC16C2006A	-	-	-	-
BANP13C2006A	-	-	-	-	BDMS11C2008A	0.05	0.01	3	-	BJC19C2003A	-	-	-	-
BANP13C2008A	-	-	-	-	BDMS13C2004A	-	-	-	-	BJC19C2005A	-	-	-	-
BANP19C2004A	-	-	-	-	BDMS13C2008A	-	-	-	-	BJC19C2007A	0.25	0.03	2,288	-
BANP19C2005A	-	-	-	-	BDMS16C2006A	-	-	-	-	BJC24C2003A	-	-	-	-
BANP19C2007A	-	-	-	-	BDMS19C2005A	-	-	-	-	BJC24C2006A	-	-	-	-
BANP19C2007B	-	-	-	-	BDMS19C2005B	-	-	-	-	BJC27C2009A	-	-	-	-
BANP19C2009A	0.28	(0.72)	92,193	-	BDMS24C2006A	-	-	-	-	BJC28C2004A	-	-	-	-
BANP19P2003A	-	-	-	-	BDMS41C2004A	-	-	-	-	BJC28C2007A	0.38	0.25	93,471	-
BANP24C2003A	-	-	-	-	BDMS41C2005A	-	-	-	-	BJC28C2010A	0.26	0.02	37,489	-
BANP27C2007A	0.01	-	1	-	BDMS41C2006A	-	-	-	-	BJC41C2004A	-	-	-	-
BANP28C2004A	-	-	-	-	BDMS41P2004A	-	-	-	-	BJC41C2005A	-	-	-	-
BANP28C2008A	-	-	-	-	BDMS41P2006A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP41C2004A	-	-	-	-	BDMS42C2003A	-	-	-	-	BJC41C2007A	0.44	0.04	2,450	-
BANP41C2005A	-	-	-	-	BEC01C2006A	-	-	-	-	BJC41C2008A	0.65	0.09	11,711	-
BANP41C2006A	-	-	-	-	BEC01C2006B	-	-	-	-	BJC41P2004A	-	-	-	-
BANP41C2007A	-	-	-	-	BEC01P2006A	1.39	(0.14)	201	1.00	BJC41P2005A	-	-	-	-
BANP41P2005A	1.43	0.04	120	1.00	BEC19C2003A	-	-	-	-	BJC42C2004A	-	-	-	-
BANP41P2007A	-	-	-	-	BEC19C2005A	-	-	-	-	BLAN19C2004A	-	-	-	-
BANP42C2004A	-	-	-	-	BEC42C2003A	-	-	-	-	BLAN28C2004A	-	-	-	-
BANP42C2006A	-	-	-	-	BEC42C2005A	-	-	-	-	BPP01C2005A	-	-	-	-
BANP42P2005A	-	-	-	-	BEM01C2004A	0.01	-	100	-	BPP01C2005B	-	-	-	-
BBL06C2007A	0.02	-	12,000	-	BEM01C2004B	-	-	-	-	BPP01P2005A	1.52	0.06	1	1.00
BBL06P2004A	-	-	-	-	BEM01P2004A	0.68	(0.02)	1,395	-	BPP13C2004A	-	-	-	-
BBL08C2005A	-	-	-	-	BEM06C2004A	-	-	-	-	BPP13C2007A	0.17	(0.01)	20,881	-
BBL08C2007A	0.02	(0.01)	521	-	BEM08C2005A	-	-	-	-	BPP19C2005A	-	-	-	-
BBL08P2007A	1.97	0.09	4,450	2.00	BEM11C2003A	-	-	-	-	BPP19C2007A	0.04	-	500	-
BBL11C2005A	0.01	-	8,046	-	BEM13C2004A	0.01	-	4	-	BPP24C2003A	-	-	-	-
BBL11C2007A	0.01	(0.01)	1	-	BEM13C2007A	-	-	-	-	BTS01C2005A	0.01	(0.01)	20	-
BBL11P2008A	-	-	-	-	BEM16C2006A	-	-	-	-	BTS01C2005B	-	-	-	-
BBL13C2004A	-	-	-	-	BEM19C2005A	-	-	-	-	BTS01P2005A	0.86	0.01	3,839	-
BBL13C2006A	-	-	-	-	BEM24C2003A	-	-	-	-	BTS08C2005A	0.02	0.01	1	-
BBL13C2008A	0.18	(0.03)	102,897	-	BEM28C2006A	-	-	-	-	BTS11C2003A	-	-	-	-
BBL13P2004A	-	-	-	-	BEM28C2007A	-	-	-	-	BTS13C2003A	-	-	-	-
BBL13P2008A	1.08	(0.01)	1,823	1.00	BEM28C2008A	0.08	-	18	-	BTS13C2006A	-	-	-	-
BBL16C2006A	-	-	-	-</										

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS19C2008A	-	-	-	-	CKP13C2004A	-	-	-	-	CPN16C2005A	-	-	-	-
BTS24C2007A	-	-	-	-	CKP13C2004B	-	-	-	-	CPN19C2004A	-	-	-	-
BTS41C2003A	-	-	-	-	CKP13C2007A	-	-	-	-	CPN19C2007A	0.04	(0.02)	4,699	-
BTS41C2004A	-	-	-	-	CKP16C2005A	-	-	-	-	CPN24C2007A	0.27	0.01	16,292	-
BTS41C2006A	-	-	-	-	CKP16C2007A	-	-	-	-	CPN41C2004A	-	-	-	-
BTS41P2004A	0.98	(0.04)	1	-	CKP19C2003A	-	-	-	-	CPN41C2006A	0.17	0.03	400	-
BTS42C2003A	-	-	-	-	CKP19C2005A	-	-	-	-	CPN41P2005A	2.66	0.67	20	2.00
BTS42C2008A	0.02	-	251	-	CKP19C2006A	-	-	-	-	CPN41P2006A	-	-	-	-
CBG01C2004A	0.04	(0.02)	100	-	CKP24C2006A	-	-	-	-	CPN42C2004A	-	-	-	-
CBG01C2004B	0.02	0.01	201	-	CKP27C2005A	-	-	-	-	CPN42C2006A	1.49	(0.15)	21	1.00
CBG01C2007B	0.16	0.01	8,545	-	CKP28C2004A	-	-	-	-	CRC01C2007A	0.07	-	1,576	-
CBG01P2003A	0.01	(0.02)	83,954	-	CKP28C2004B	-	-	-	-	CRC08C2007A	0.12	0.03	39,272	-
CBG01P2004A	1.53	0.05	5,546	1.00	CKP28C2006A	-	-	-	-	CRC13C2008A	0.04	-	36,714	-
CBG01P2007B	2.04	0.06	1,591	2.00	CKP41C2004A	-	-	-	-	CRC19C2008A	0.08	0.01	356	-
CBG06C2005A	-	-	-	-	CKP41C2005A	-	-	-	-	CRC19C2008B	0.12	(0.01)	2,001	-
CBG08C2003A	0.01	(0.01)	22,515	-	CKP41C2006A	-	-	-	-	CRC28C2007A	0.04	(0.01)	3,224	-
CBG08C2007A	0.28	(0.03)	47,993	-	CKP41C2007A	0.11	(0.01)	1,000	-	CRC28C2007B	0.03	0.01	10,618	-
CBG11C2008A	-	-	-	-	CKP42C2003A	-	-	-	-	CRC41C2007A	0.25	0.12	32,419	-
CBG13C2004A	-	-	-	-	CKP42C2005A	-	-	-	-	DTACO1C2004A	0.03	(0.01)	500	-
CBG13C2008A	0.33	0.01	2,481	-	CKP42C2006A	-	-	-	-	DTACO1C2004B	-	-	-	-
CBG13P2006A	2.04	0.08	18	2.00	COM708C2007A	-	-	-	-	DTACO1C2007B	0.12	0.03	26	-
CBG16C2008A	0.08	-	100	-	COM711C2004A	-	-	-	-	DTACO1C2008A	0.30	0.01	1,274	-
CBG19C2004A	-	-	-	-	COM713C2004A	-	-	-	-	DTACO1P2004A	1.70	0.10	29	1.00
CBG19C2005A	-	-	-	-	COM713C2007A	0.03	(0.02)	815	-	DTACO1P2004B	-	-	-	-
CBG19C2008A	0.36	(0.03)	267,252	-	COM713C2008A	0.06	-	6,571	-	DTACO1P2007B	0.70	0.08	20	-
CBG19P2006A	2.00	0.07	836	1.00	COM716C2008A	-	-	-	-	DTACO1P2008A	0.78	-	1,320	-
CBG24C2003A	-	-	-	-	COM719C2003A	-	-	-	-	DTACO6C2006A	-	-	-	-
CBG24C2008A	0.20	(0.01)	1,436	-	COM719C2005A	-	-	-	-	DTACO8C2005A	-	-	-	-
CBG41C2004A	-	-	-	-	COM719C2008A	0.08	-	9,547	-	DTACO8C2005B	-	-	-	-
CBG41C2005A	0.45	0.15	280	-	COM719P2004A	0.84	(0.02)	6,530	-	DTACO8C2007A	0.11	-	19,356	-
CBG41C2006A	-	-	-	-	COM724C2007A	-	-	-	-	DTAC13C2006A	0.02	-	5,167	-
CBG41P2004A	-	-	-	-	COM741C2004A	-	-	-	-	DTAC13C2007A	0.09	-	54	-
CBG41P2006A	-	-	-	-	COM741C2006A	0.04	0.01	500	-	DTAC13P2006A	-	-	-	-
CBG42C2003A	-	-	-	-	COM742C2004A	-	-	-	-	DTAC13P2007A	0.20	(0.01)	4,580	-
CBG42C2006A	-	-	-	-	CPAL01C2004A	0.03	-	142	-	DTAC13P2008A	1.08	(0.01)	93	1.00
CBG42C2008A	1.52	0.09	1,681	1.00	CPAL01C2004B	-	-	-	-	DTAC16C2009A	-	-	-	-
CENT01C2003A	0.01	-	1,030	-	CPAL01C2006A	0.13	(0.01)	4,478	-	DTAC19C2005A	-	-	-	-
CENT01C2003B	0.01	-	4,150	-	CPAL01C2006B	0.05	-	198	-	DTAC19C2006A	-	-	-	-
CENT01C2006A	-	-	-	-	CPAL01C2008B	0.18	0.01	24,280	-	DTAC19C2007A	0.21	0.03	35	-
CENT01C2006B	0.01	(0.01)	600	-	CPAL01P2004A	1.75	0.06	1	1.00	DTAC19P2007A	0.60	0.05	1,000	-
CENT01C2009A	0.17	(0.01)	903	-	CPAL01P2004B	0.91	(0.01)	200	-	DTAC24C2004A	-	-	-	-
CENT01P2003A	1.59	(0.01)	40	1.00	CPAL01P2008B	0.87	(0.02)	6,080	-	DTAC24C2007A	-	-	-	-
CENT01P2009A	1.52	0.13	8,749	1.00	CPAL06C2006A	-	-	-	-	DTAC27C2008A	0.20	-	24,062	-
CENT06C2006A	0.20	(0.01)	13,795	-	CPAL08C2004A	0.01	-	5	-	DTAC41C2004A	-	-	-	-
CENT06P2007A	-	-	-	-	CPAL08C2006A	0.02	(0.01)	320	-	DTAC41C2005A	-	-	-	-
CENT08C2004A	-	-	-	-	CPAL08C2008A	0.40	-	57,434	-	DTAC41C2006A	-	-	-	-
CENT11C2004A	-	-	-	-	CPAL08P2006A	-	-	-	-	DTAC41C2007A	0.23	-	13,790	-
CENT11C2007A	-	-	-	-	CPAL11C2006A	0.03	-	1	-	DTAC41C2007B	0.37	0.06	14,762	-
CENT13C2005A	-	-	-	-	CPAL11C2007A	0.07	(0.02)	18	-	DTAC41P2005A	-	-	-	-
CENT13C2006A	-	-	-	-	CPAL13C2004A	-	-	-	-	DTAC41P2006A	-	-	-	-
CENT19C2004A	-	-	-	-	CPAL13C2007A	0.12	-	6,638	-	DTAC42C2004A	-	-	-	-
CENT19C2005A	-	-	-	-	CPAL13C2009A	0.64	(0.36)	160,739	-	DTAC42C2006A	-	-	-	-
CENT19C2008A	0.06	(0.07)	1	-	CPAL16C2006A	-	-	-	-	EA06C2005A	0.03	-	9	-
CENT24C2003A	-	-	-	-	CPAL16C2007A	-	-	-	-	EA08C2004A	0.01	-	3,200	-
CENT24C2008A	-	-	-	-	CPAL19C2004A	-	-	-	-	EA08C2006A	0.06	(0.01)	13,527	-
CENT27C2008A	-	-	-	-	CPAL19C2005A	-	-	-	-	EA11C2005A	-	-	-	-
CENT28C2004A	-	-	-	-	CPAL19C2008A	0.20	-	68,058	-	EA13C2005A	0.07	0.01	1	-
CENT28C2005A	-	-	-	-	CPAL19P2004A	-	-	-	-	EA13C2006A	-	-	-	-
CENT28C2006A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA13C2008A	-	-	-	-
CENT28C2008A	0.16	0.12	32,072	-	CPAL24C2009A	0.70	(0.30)	26,684	-	EA13P2006A	-	-	-	-
CENT28C2010A	0.24	0.03	22,865	-	CPAL28C2004A	-	-	-	-	EA16C2003A	-	-	-	-
CENT41C2004A	-	-	-	-	CPAL28C2005A	0.03	(0.07)	468	-	EA16C2006A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL28C2007A	-	-	-	-	EA16C2008A	0.04	-	401	-
CENT41C2006A	-	-	-	-	CPAL28C2008A	0.35	-	28,853	-	EA19C2004A	-	-	-	-
CENT42C2004A	-	-	-	-	CPAL28C2008B	0.52	0.03	32,931	-	EA19C2008A	0.20	(0.04)	1,300	-
CENT42C2006A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA19P2007A	-	-	-	-
CHG01C2006A	0.10	-	100	-	CPAL41C2005A	-	-	-	-	EA24C2003A	-	-	-	-
CHG01C2006B	-	-	-	-	CPAL41C2006A	-	-	-	-	EA24C2004A	-	-	-	-
CHG01P2006A	0.74	0.11	2	-	CPAL41C2007A	0.33	0.08	4,060	-	EA27C2006A	-	-	-	-
CHG08C2005A	-	-	-	-	CPAL41P2004A	0.93	(0.21)	345	-	EA28C2004A	-	-	-	-
CHG13C2006A	0.09	(0.03)	9,952	-	CPAL41P2005A	-	-	-	-	EA28C2004B	-	-	-	-
CHG16C2009A	-	-	-	-	CPAL41P2006A	-	-	-	-	EA28C2006A	0.10	0.08	8,112	-
CHG19C2004A	-	-	-	-	CPAL42C2003A	-	-	-	-	EA41C2004A	-	-	-	-
CHG27C2009A	-	-	-	-	CPAL42C2005A	-	-	-	-	EA41C2005A	-	-	-	-
CHG41C2005A	-	-	-	-	CPAL42C2007A	-	-	-	-	EA41C2006A	-	-	-	-
CHG42C2006A	-	-	-	-	CPF01C2004A	0.05	0.01	2,370	-	EA41P2004A	-	-	-	-
CK01C2005A	0.11	0.04	102	-	CPF01C2004B	-	-	-	-	EA42C2004A	-	-	-	-
CK01C2005B	-	-	-	-	CPF01P2004A	0.26	-	1,122	-	EGCO01C2004A	0.01	-	2,500	-
CK01P2005A	0.66	0.09	171	-	CPF08C2006A	0.02	(0.01)	9,910	-	EGCO01C2004B	0.02	0.01	200	-
CK06C2004A	0.01	-	100	-	CPF11C2004A	-	-	-	-	EGCO01C2007B	0.08	0.01	8,116	-
CK11C2007A	-	-	-	-	CPF11C2007A	-	-	-	-	EGCO06C2004A	-	-	-	-
CK13C2003A	-	-	-	-	CPF13C2006A	0.03	-	190	-	EGCO06C2007A	0.03	-	1	-
CK13C2006A	-	-	-	-	CPF13C2008A	0.16	0.01	13,638	-	EGCO06P2004A	-	-	-	-
CK16C2003A	-	-	-	-	CPF16C2007A	-	-	-	-	EGCO13C2005A	-	-	-	-
CK16C2006A	-	-	-	-	CPF19C2003A	-	-	-	-	EGCO19C2005A	-	-	-	-
CK19C2003A	-	-	-	-	CPF19C2005A	-	-	-	-	EGCO19C2007A	-	-	-	-
CK19C2004A	-	-	-	-	CPF19C2006A	-	-	-	-	EGCO41C2004A	-	-	-	-
CK19C2007A	-	-	-	-	CPF24C2007A	0.08	(0.01)	400	-	EGCO41C2006A	0.15	0.03	6,593	-
CK24C2003A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO41P2004A	-	-	-	-
CK27C2008A	-	-	-	-	CPF28C2007A	-	-	-	-	EGCO41P2006A	2.12	0.22	603	2.00
CK41C2003A	-	-	-	-	CPF28C2010A	0.37	(0.02)	63,350	-	EGCO42C2003A	-	-	-	-
CK41C2004A	-	-	-	-	CPF41C2004A	-	-	-	-	EGCO42C2007A	0.01	-	1,100	-
CK41C2005A	-	-	-	-	CPF41C2005A	-	-	-	-	EPG08C2004A	0.01	-	13	-
CK42C2006A	0.75	(0.07)	1	-	CPF41P2005A	0.50	0.01	21	-	EPG13C2004A	-	-	-	-
CKP01C2004A	-	-	-	-	CPF42C2003A	-	-	-	-	EPG13C2006A	-	-	-	-
CKP01C2004B	0.01	-	1,000	-	CPN01C2005A	-	-	-	-	EPG19C2005A	-	-	-	-
CKP01C2008B	-	-	-	-	CPN01C2005B	-	-	-	-	EPG19C2007A	-	-	-	-
CKP01C2009A	0.26	0.01	102	-	CPN01P2005A	2.22	0.10	7,702	2.00	EPG19C2008A	0.21	0.03	100	-
CKP01P2004A	-	-	-											

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ERW13C2006A	-	-	-	-	GULF16C2003A	-	-	-	-	INTU24C2003A	-	-	-	-
ERW13C2007A	0.02	-	101	-	GULF16C2007A	0.18	0.04	48	-	INTU24C2008A	-	-	-	-
ERW19C2005A	-	-	-	-	GULF19C2003A	-	-	-	-	INTU28C2008A	0.29	0.18	83,676	-
ERW19C2006A	-	-	-	-	GULF19C2004A	-	-	-	-	INTU28C2010A	0.34	0.09	41,695	-
ERW19C2007A	-	-	-	-	GULF19C2006A	0.03	(0.01)	1,119	-	INTU41C2004A	-	-	-	-
ERW24C2006A	-	-	-	-	GULF19C2008A	0.72	(0.01)	418,364	-	INTU41C2005A	-	-	-	-
ESSO01C2004A	0.01	-	300	-	GULF19P2003A	0.01	(0.01)	3,700	-	INTU41C2006A	-	-	-	-
ESSO01C2004B	-	-	-	-	GULF19P2006A	1.30	(0.01)	14,434	1.00	INTU41C2007A	-	-	-	-
ESSO01C2008B	0.07	0.04	1	-	GULF24C2005A	0.25	(0.02)	1,395	-	INTU41P2004A	-	-	-	-
ESSO01C2009A	0.10	-	384	-	GULF27C2004A	0.32	(0.14)	61,185	-	INTU41P2005A	-	-	-	-
ESSO01P2009A	1.23	-	458	1.00	GULF28C2006A	0.01	-	10	-	INTU41P2006A	-	-	-	-
ESSO08C2004A	0.01	-	10	-	GULF28C2008A	0.16	(0.03)	403	-	INTU42C2003A	-	-	-	-
ESSO08C2008A	0.74	-	96,382	-	GULF28C2008B	0.47	(0.01)	63,359	-	INTU42C2005A	0.30	(0.02)	25,820	-
ESSO13C2006A	-	-	-	-	GULF28C2008C	0.64	(0.01)	84,811	-	IRPC01C2005A	0.02	0.01	117	-
ESSO19C2004A	-	-	-	-	GULF41C2004A	-	-	-	-	IRPC01C2005B	-	-	-	-
ESSO19C2007A	-	-	-	-	GULF41C2005A	-	-	-	-	IRPC01C2007B	0.06	(0.04)	2	-
ESSO19C2009A	0.56	(0.44)	159,923	-	GULF41C2006A	0.69	0.20	46,711	-	IRPC01P2005A	-	-	-	-
ESSO24C2003A	-	-	-	-	GULF41P2003A	-	-	-	-	IRPC01P2005B	1.79	(0.05)	1	1.00
ESSO24C2007A	-	-	-	-	GULF41P2004A	-	-	-	-	IRPC01P2007B	1.00	0.04	9,253	1.00
ESSO41C2004A	-	-	-	-	GULF41P2005A	1.54	(0.04)	4	1.00	IRPC06C2005A	-	-	-	-
ESSO41C2005A	-	-	-	-	GULF41P2006A	-	-	-	-	IRPC06C2007A	-	-	-	-
ESSO41C2006A	-	-	-	-	GULF41P2007A	2.36	0.32	4	2.00	IRPC06P2004A	-	-	-	-
ESSO42C2003A	-	-	-	-	GULF42C2003A	-	-	-	-	IRPC11C2005A	-	-	-	-
ESSO42C2007A	-	-	-	-	GUNK01C2005A	-	-	-	-	IRPC11C2008A	-	-	-	-
GFPT13C2003A	-	-	-	-	GUNK01C2005B	-	-	-	-	IRPC13C2006A	0.01	-	1	-
GFPT19C2004A	-	-	-	-	GUNK01P2005A	-	-	-	-	IRPC13C2007A	-	-	-	-
GFPT19C2006A	0.04	(0.01)	4,965	-	GUNK11C2007A	-	-	-	-	IRPC13C2008A	0.11	(0.05)	55	-
GFPT24C2007A	-	-	-	-	GUNK13C2006A	-	-	-	-	IRPC16C2008A	-	-	-	-
GFPT42C2004A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC19C2003A	-	-	-	-
GFPT42C2008A	-	-	-	-	GUNK19C2006A	-	-	-	-	IRPC19C2005A	-	-	-	-
GLOB01C2003A	0.01	-	300	-	GUNK24C2006A	-	-	-	-	IRPC19C2007A	0.05	(0.02)	900	-
GLOB01C2007B	-	-	-	-	GUNK28C2005A	-	-	-	-	IRPC19C2008A	0.23	-	55,307	-
GLOB01C2008A	-	-	-	-	GUNK41C2005A	-	-	-	-	IRPC24C2004A	-	-	-	-
GLOB01P2003A	-	-	-	-	GUNK41P2005A	-	-	-	-	IRPC24C2007A	-	-	-	-
GLOB06C2006A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC27C2007A	-	-	-	-
GLOB13C2007A	-	-	-	-	HANA01C2006A	-	-	-	-	IRPC28C2006A	-	-	-	-
GLOB19C2005A	-	-	-	-	HANA01C2006B	0.06	-	101	-	IRPC28C2008A	0.17	0.05	26,837	-
GLOB19C2007A	-	-	-	-	HANA01P2006A	1.07	0.03	733	1.00	IRPC41C2004A	-	-	-	-
GLOB24C2005A	-	-	-	-	HANA11C2008A	0.06	(0.01)	20	-	IRPC41C2005A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA13C2006A	-	-	-	-	IRPC41C2006A	-	-	-	-
GLOB42C2009A	-	-	-	-	HANA13C2008A	0.10	(0.01)	100	-	IRPC41C2007A	-	-	-	-
GPSC01C2003A	0.01	-	112,129	-	HANA16C2008A	-	-	-	-	IRPC41P2004A	-	-	-	-
GPSC01C2003B	0.01	-	33,808	-	HANA19C2003A	-	-	-	-	IRPC41P2005A	-	-	-	-
GPSC01C2005A	0.04	(0.01)	952	-	HANA19C2006A	-	-	-	-	IRPC41P2006A	-	-	-	-
GPSC01C2005B	0.02	0.01	2,321	-	HANA27C2007A	-	-	-	-	IRPC41P2007A	-	-	-	-
GPSC01C2007B	-	-	-	-	HANA27P2007A	-	-	-	-	IRPC42C2003A	-	-	-	-
GPSC01C2008A	0.22	(0.02)	38,649	-	HANA41C2006A	-	-	-	-	IRPC42C2006A	-	-	-	-
GPSC01P2003A	-	-	-	-	HMPR01C2006A	0.05	0.02	20	-	IVL01C2004A	-	-	-	-
GPSC01P2005A	2.56	0.16	228	2.00	HMPR01C2006B	0.02	(0.04)	10	-	IVL01C2004B	-	-	-	-
GPSC01P2005B	1.95	0.10	203	1.00	HMPR01P2006A	1.23	0.01	7,063	1.00	IVL01C2006B	0.02	(0.01)	1,089	-
GPSC01P2007B	1.71	0.03	51	1.00	HMPR06C2006A	0.15	-	36,424	-	IVL01P2004A	0.99	-	80	-
GPSC01P2008A	2.28	0.02	11	2.00	HMPR06P2007A	-	-	-	-	IVL01P2004B	0.46	-	4,163	-
GPSC06C2006A	0.02	-	201	-	HMPR11C2003A	-	-	-	-	IVL01P2006B	1.09	0.04	203	1.00
GPSC06C2008A	0.21	(0.02)	138,240	-	HMPR13C2006A	-	-	-	-	IVL06C2008A	-	-	-	-
GPSC08C2004B	0.01	(0.01)	68	-	HMPR13C2007A	-	-	-	-	IVL06P2005A	-	-	-	-
GPSC08C2007A	0.07	(0.02)	5,104	-	HMPR19C2003A	-	-	-	-	IVL08C2004A	-	-	-	-
GPSC08P2006A	-	-	-	-	HMPR19C2005A	-	-	-	-	IVL08P2003A	-	-	-	-
GPSC11C2006A	0.08	0.01	3,001	-	HMPR19C2007A	-	-	-	-	IVL08P2004A	-	-	-	-
GPSC13C2005A	0.03	(0.01)	150	-	HMPR24C2004A	-	-	-	-	IVL11C2005A	-	-	-	-
GPSC13C2007A	0.13	0.01	101	-	HMPR41C2005A	-	-	-	-	IVL11C2006A	-	-	-	-
GPSC13C2008A	0.28	(0.01)	194	-	HMPR41C2006A	-	-	-	-	IVL13C2006A	0.02	-	300	-
GPSC13P2005A	-	-	-	-	HMPR41C2007A	-	-	-	-	IVL13C2008A	0.34	(0.05)	243,483	-
GPSC13P2007A	-	-	-	-	HMPR41C2007B	0.16	0.04	2,634	-	IVL13P2004A	1.12	0.09	6	1.00
GPSC16C2003A	-	-	-	-	HMPR42C2003A	-	-	-	-	IVL16C2006A	-	-	-	-
GPSC16C2007A	0.04	-	13	-	HSI28C2003A	-	-	-	-	IVL16C2009A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28C2003B	-	-	-	-	IVL19C2003A	-	-	-	-
GPSC19C2007A	-	-	-	-	HSI28C2003C	-	-	-	-	IVL19C2004A	-	-	-	-
GPSC19C2008A	0.41	-	302	-	HSI28C2004A	0.25	(0.08)	112,950	-	IVL19C2006A	-	-	-	-
GPSC19C2009A	0.73	(0.03)	163,846	-	HSI28C2004B	0.13	(0.03)	4,982	-	IVL19C2008A	0.26	-	1	-
GPSC19P2005A	-	-	-	-	HSI28C2004C	-	-	-	-	IVL19C2009A	0.70	(0.04)	361,443	-
GPSC24C2007A	0.02	(0.02)	1,501	-	HSI28C2005A	1.25	(0.18)	399,603	1.00	IVL19P2003A	-	-	-	-
GPSC27C2005A	-	-	-	-	HSI28C2005B	0.81	(0.10)	385,249	-	IVL19P2006A	1.02	-	35	1.00
GPSC28C2008A	0.20	0.03	53,247	-	HSI28C2005C	0.56	(0.07)	260,853	-	IVL24C2003A	-	-	-	-
GPSC41C2004A	-	-	-	-	HSI28C2005D	0.34	(0.07)	296,500	-	IVL27P2007A	-	-	-	-
GPSC41C2005A	0.05	0.02	2,000	-	HSI28P2003A	-	-	-	-	IVL28C2007A	-	-	-	-
GPSC41C2005B	-	-	-	-	HSI28P2003B	-	-	-	-	IVL41C2004A	-	-	-	-
GPSC41C2006A	-	-	-	-	HSI28P2003C	-	-	-	-	IVL41C2005A	-	-	-	-
GPSC41P2004A	-	-	-	-	HSI28P2004A	2.20	0.10	89,518	2.00	IVL41C2006A	-	-	-	-
GPSC41P2005A	-	-	-	-	HSI28P2004B	2.86	0.28	55,048	2.00	IVL41C2007A	-	-	-	-
GPSC41P2006A	-	-	-	-	HSI28P2004C	3.52	0.20	170,016	3.00	IVL41C2007B	-	-	-	-
GPSC42C2006A	-	-	-	-	HSI28P2005A	2.98	0.08	114,653	2.00	IVL41P2004A	-	-	-	-
GPSC42P2006A	-	-	-	-	HSI28P2005B	2.48	0.12	97,835	2.00	IVL41P2005A	-	-	-	-
GULF01C2003A	0.02	(0.04)	31,410	-	HSI28P2005C	2.02	0.11	43,589	1.00	IVL41P2006A	-	-	-	-
GULF01C2003B	0.01	-	148,142	-	HSI28P2005D	1.60	0.02	551,116	1.00	IVL41P2007A	-	-	-	-
GULF01C2005A	0.31	0.01	139,767	-	INTU01C2003A	0.01	-	800	-	IVL42C2005A	0.52	0.01	1	-
GULF01C2005B	0.10	0.01	14,277	-	INTU01C2003B	0.01	-	200	-	IVL42C2008A	-	-	-	-
GULF01C2007A	0.10	-	86,102	-	INTU01C2006A	0.15	(0.01)	540	-	JAS13C2006A	0.11	0.03	38,796	-
GULF01P2003A	0.01	(0.01)	73,222	-	INTU01C2006B	0.08	0.03	1	-	JAS19C2004A	0.05	0.02	380,551	-
GULF01P2003B	0.01	(0.01)	10,291	-	INTU01P2003A	-	-	-	-	JAS41C2004A	-	-	-	-
GULF01P2005A	1.42	(0.07)	53,562	1.00	INTU01P2003B	-	-	-	-	JAS41C2005A	-	-	-	-
GULF03C2005A	0.01	(0.01)	32	-	INTU01P2006A	-	-	-	-	JAS41C2006A	0.13	0.02	449	-
GULF06C2004A	0.04	(0.10)	603	-	INTU01P2006B	0.62	0.01	530	-	JAS41P2005A	0.37	(0.06)	274	-
GULF08C2003A	0.01	-	7,857	-	INTU13C2004A	-	-	-	-	JMT13C2006A	0.06	(0.01)	1,065	-
GULF08C2008A	0.85	(0.01)	85,095	-	INTU13C2006A	0.08	(0.04)	30	-	JMT19C2006A	0.05	(0.02)	1	-
GULF11C2003A	0.90	(0.13)	1,000	-	INTU13C2008A	0.58	(0.42)	148,590	-	JMT42C2006A	-	-	-	-
GULF11C2006A	0.18	(0.03)	453	-	INTU13P2004A	0.36	(0.84)	450	-	KBAN01C2004A	0.02	-	1	-
GULF13C2004A	0.01	(0.02)	743	-	INTU16C2005A	-	-	-						

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN06C2004A	-	-	-	-	KTC41C2006A	-	-	-	-	PLAN42C2007A	0.01	-	100	-
KBAN06C2008A	0.09	-	5	-	KTC42C2003A	-	-	-	-	PRM08C2003A	-	-	-	-
KBAN08C2005A	0.01	-	7	-	KTC42C2006A	0.03	-	30	-	PRM13C2003A	-	-	-	-
KBAN08C2007A	0.02	(0.01)	893	-	LHO1C2003A	0.01	-	100	-	PRM13C2006A	-	-	-	-
KBAN08P2004A	-	-	-	-	LHO1P2003A	-	-	-	-	PRM19C2004A	-	-	-	-
KBAN13C2006A	-	-	-	-	LH11C2007A	0.04	-	475	-	PRM19C2006A	-	-	-	-
KBAN13C2008A	0.06	-	794	-	LH19C2003A	-	-	-	-	PRM42C2006A	-	-	-	-
KBAN13C2008B	0.73	(0.14)	807,518	-	LH19C2003B	-	-	-	-	PSH19C2003A	-	-	-	-
KBAN13P2006A	2.42	0.18	1	2.00	LH19C2007A	-	-	-	-	PSH19C2005A	-	-	-	-
KBAN13P2008A	1.32	0.11	1,852	1.00	LH19P2004A	-	-	-	-	PSL06C2006A	-	-	-	-
KBAN16C2005A	-	-	-	-	LH41C2004A	-	-	-	-	PSL13C2003A	-	-	-	-
KBAN16C2008A	0.03	(0.02)	726	-	LH41C2005A	-	-	-	-	PSL19C2004A	-	-	-	-
KBAN19C2003A	-	-	-	-	LH41C2006A	-	-	-	-	PSL19C2006A	-	-	-	-
KBAN19C2004A	-	-	-	-	MAJO13C2007A	0.11	(0.02)	7,416	-	PSL19C2007A	-	-	-	-
KBAN19C2007A	-	-	-	-	MAJO19C2006A	-	-	-	-	PTG01C2003A	0.01	-	1,027	-
KBAN19C2009A	0.81	(0.15)	383,371	-	MBK19C2004A	-	-	-	-	PTG01C2003B	-	-	-	-
KBAN19P2004A	-	-	-	-	MEGA16C2009A	-	-	-	-	PTG01C2005A	-	-	-	-
KBAN19P2007A	2.34	0.08	10	2.00	MEGA19C2005A	0.05	0.03	40	-	PTG01C2005B	-	-	-	-
KBAN24C2005A	-	-	-	-	MINT01C2003A	0.01	-	1,749	-	PTG01C2007B	0.08	0.01	754	-
KBAN28C2004A	-	-	-	-	MINT01C2003B	-	-	-	-	PTG01P2003A	-	-	-	-
KBAN28C2008A	-	-	-	-	MINT01C2007B	0.03	-	100	-	PTG01P2005A	1.72	-	5,401	1.00
KBAN28C2008B	0.38	(0.12)	112,692	-	MINT01C2008A	0.05	-	27,089	-	PTG01P2005B	1.58	0.16	59	1.00
KBAN28C2008C	0.62	(0.10)	74,216	-	MINT01P2003A	-	-	-	-	PTG03C2005A	-	-	-	-
KBAN28C2010A	0.14	(0.03)	21,232	-	MINT01P2008A	1.57	-	20,413	1.00	PTG06C2006A	-	-	-	-
KBAN41C2003A	-	-	-	-	MINT06C2006A	0.02	-	51	-	PTG08C2005A	-	-	-	-
KBAN41C2004A	-	-	-	-	MINT06P2007A	-	-	-	-	PTG08C2007A	0.05	-	2,000	-
KBAN41C2005A	-	-	-	-	MINT08C2003A	-	-	-	-	PTG11C2003A	-	-	-	-
KBAN41C2007A	-	-	-	-	MINT11C2006A	-	-	-	-	PTG11C2005A	-	-	-	-
KBAN41C2008A	0.36	(0.03)	4,469	-	MINT13C2004A	-	-	-	-	PTG13C2004A	-	-	-	-
KBAN41P2004A	-	-	-	-	MINT13C2006A	-	-	-	-	PTG13C2006A	0.05	(0.02)	1,703	-
KBAN41P2005A	-	-	-	-	MINT13C2008A	-	-	-	-	PTG13P2004A	-	-	-	-
KBAN41P2006A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG13P2006A	1.02	0.10	2,614	1.00
KBAN42C2003A	-	-	-	-	MINT19C2006A	-	-	-	-	PTG16C2009A	-	-	-	-
KBAN42C2004A	-	-	-	-	MINT19P2004A	2.30	0.02	1	2.00	PTG19C2003A	-	-	-	-
KBAN42C2007A	0.02	-	201	-	MINT24C2006A	-	-	-	-	PTG19C2004A	-	-	-	-
KBAN42P2008A	-	-	-	-	MINT28C2006A	-	-	-	-	PTG19C2005A	-	-	-	-
KCE01C2004A	0.06	(0.02)	4,467	-	MINT28C2008A	-	-	-	-	PTG19C2006A	-	-	-	-
KCE01C2004B	-	-	-	-	MINT41C2004A	-	-	-	-	PTG19C2008A	0.14	(0.02)	144,770	-
KCE01C2007B	0.03	0.01	10	-	MINT41C2005A	-	-	-	-	PTG19P2006A	-	-	-	-
KCE01C2008A	0.07	0.01	3,534	-	MINT41C2007A	0.06	-	2,251	-	PTG27C2007A	-	-	-	-
KCE01P2004A	2.32	0.32	1,265	2.00	MINT41P2004A	-	-	-	-	PTG28C2004A	-	-	-	-
KCE08C2005A	-	-	-	-	MINT42C2004A	-	-	-	-	PTG41C2004A	-	-	-	-
KCE08C2005B	-	-	-	-	MTC01C2003A	0.02	0.01	2,336	-	PTG41C2005A	-	-	-	-
KCE11C2004A	-	-	-	-	MTC01C2003B	0.01	-	9,640	-	PTG41C2006A	-	-	-	-
KCE13C2004A	-	-	-	-	MTC01C2007B	0.03	(0.02)	5,843	-	PTG41P2005A	-	-	-	-
KCE13C2005A	0.01	-	1	-	MTC01C2008A	0.05	0.01	15,179	-	PTG42C2004A	-	-	-	-
KCE13C2006A	0.04	(0.01)	10,646	-	MTC01P2003A	2.14	(0.56)	42	2.00	PTG42C2006A	-	-	-	-
KCE16C2007A	0.04	-	97	-	MTC03C2005A	-	-	-	-	PTT01C2004A	0.01	(0.01)	2,382	-
KCE19C2005A	-	-	-	-	MTC06C2007A	-	-	-	-	PTT01C2004B	-	-	-	-
KCE19C2007A	-	-	-	-	MTC08C2005A	-	-	-	-	PTT01C2007A	0.04	-	65,039	-
KCE19C2008A	0.32	(0.03)	37,695	-	MTC11C2008A	-	-	-	-	PTT01C2007B	0.02	(0.01)	42,388	-
KCE19C2009A	0.35	(0.04)	153,463	-	MTC13C2007A	0.04	(0.01)	411	-	PTT01P2004A	1.29	0.07	1,658	1.00
KCE24C2005A	0.08	(0.04)	1	-	MTC16C2007A	-	-	-	-	PTT01P2004B	1.14	0.07	590	1.00
KCE27C2007A	0.03	-	300	-	MTC19C2006A	-	-	-	-	PTT01P2007A	1.66	0.09	4,489	1.00
KCE41C2005A	-	-	-	-	MTC19C2009A	0.47	(0.07)	154,230	-	PTT01P2007B	1.56	0.15	1,069	1.00
KCE41C2006A	-	-	-	-	MTC19P2004A	1.81	0.27	16,394	1.00	PTT06C2005A	-	-	-	-
KKP01C2006A	-	-	-	-	MTC24C2004A	-	-	-	-	PTT06C2008A	0.37	(0.04)	57,700	-
KKP01C2006B	-	-	-	-	MTC27C2007A	-	-	-	-	PTT08C2005A	-	-	-	-
KKP01P2006A	-	-	-	-	MTC28C2006A	-	-	-	-	PTT08P2005A	1.27	0.12	228	1.00
KKP08C2003A	-	-	-	-	MTC28C2008A	-	-	-	-	PTT11C2004A	0.03	(0.02)	28	-
KKP11C2007A	-	-	-	-	MTC41C2004A	-	-	-	-	PTT11C2008A	0.03	-	1,261	-
KKP13C2004A	-	-	-	-	MTC41C2007A	0.22	(0.02)	6,002	-	PTT13C2004A	-	-	-	-
KKP13C2007A	-	-	-	-	MTC41P2004A	2.24	0.45	20	2.00	PTT13C2006A	0.02	0.01	5,566	-
KKP19C2003A	-	-	-	-	MTC42C2003A	-	-	-	-	PTT13C2008A	0.04	(0.01)	38,124	-
KKP24C2003A	-	-	-	-	OR113C2004A	0.01	-	1,000	-	PTT13C2008B	0.27	(0.06)	9,417	-
KKP41C2006A	0.08	(0.03)	10	-	OR119C2003A	-	-	-	-	PTT13C2009A	0.32	(0.03)	264,107	-
KTBO1C2003A	-	-	-	-	OR119C2005A	-	-	-	-	PTT13P2004A	1.78	0.59	35	1.00
KTBO1C2008B	-	-	-	-	OR128C2004A	0.01	-	90	-	PTT13P2006A	1.86	0.26	40	1.00
KTBO1C2009A	0.11	(0.02)	131	-	OR128C2007A	-	-	-	-	PTT13P2008A	0.27	0.03	169,115	-
KTBO1P2003A	-	-	-	-	OR141C2004A	-	-	-	-	PTT16C2008A	0.02	(0.01)	501	-
KTBO1P2009A	0.81	0.03	1,000	-	OSP01C2003A	0.01	(0.01)	14,652	-	PTT19C2005A	0.02	-	291	-
KTB11C2004A	-	-	-	-	OSP01C2003B	-	-	-	-	PTT19C2008A	0.26	(0.03)	176,282	-
KTB11C2006A	-	-	-	-	OSP01C2006A	0.16	(0.02)	8,563	-	PTT19P2003A	1.13	0.13	1	1.00
KTB13C2006A	-	-	-	-	OSP01C2006B	-	-	-	-	PTT19P2006A	1.39	0.07	1,364	1.00
KTB19C2005A	-	-	-	-	OSP01P2003A	0.29	0.09	7,654	-	PTT24C2003A	-	-	-	-
KTB24C2004A	-	-	-	-	OSP01P2006A	0.87	0.05	8,410	-	PTT24C2008A	0.09	(0.01)	60	-
KTB41C2004A	-	-	-	-	OSP06C2005A	-	-	-	-	PTT28C2004A	-	-	-	-
KTB41C2006A	-	-	-	-	OSP06C2008A	0.41	(0.07)	44,811	-	PTT28C2007A	-	-	-	-
KTB41P2004A	-	-	-	-	OSP08C2004A	-	-	-	-	PTT28C2008A	0.09	(0.02)	1,003	-
KTC01C2004A	0.01	-	3,918	-	OSP11C2005A	-	-	-	-	PTT28C2008B	0.26	(0.03)	46,342	-
KTC01C2004B	0.01	-	62,397	-	OSP13C2004A	0.01	-	269	-	PTT28C2008C	1.15	(0.14)	461	1.00
KTC01C2007A	0.12	-	386	-	OSP13C2006A	-	-	-	-	PTT28P2004A	-	-	-	-
KTC01C2007B	0.04	(0.02)	219	-	OSP16C2008A	0.03	(0.01)	120	-	PTT41C2004A	-	-	-	-
KTC01P2004A	1.22	0.11	2,928	1.00	OSP19C2004A	-	-	-	-	PTT41C2005A	-	-	-	-
KTC01P2007A	0.98	(0.02)	4,654	1.00	OSP19C2005A	0.05	-	12,742	-	PTT41C2006A	-	-	-	-
KTC06C2006A	0.01	-	710	-	OSP24C2008A	-	-	-	-	PTT41C2007A	0.51	(0.04)	3,317	-
KTC08C2004A	-	-	-	-	OSP41C2004A	-	-	-	-	PTT41P2004A	-	-	-	-
KTC08C2006A	0.06	-	170	-	OSP41C2005A	-	-	-	-	PTT41P2005A	1.47	0.12	20	1.00
KTC11C2005A	-	-	-	-	OSP41P2004A	0.69	0.04	800	-	PTT41P2006A	-	-	-	-
KTC13C2004A	-	-	-	-	OSP42C2005A	-	-	-	-	PTT42C2003A	-	-	-	-
KTC13C2006A	0.02	(0.02)	65	-	PLAN08C2004A	-	-	-	-	PTT42C2007A	0.01	-	11,001	-
KTC13C2008A	0.32	(0.68)	293,204	-	PLAN13C2004A	-	-	-	-	PTTE01C2004A	0.01	(0.01)	999	-
KTC13P2006A	0.76	-	295	-	PLAN13C2005A	-	-	-	-	PTTE01C2004B	0.01	-	8,000	-
KTC13P2007A	1.51	0.06	130	1.00	PLAN13C2007A	0.01	-	100	-	PTTE01C2007A	0.02	-	22,604	-
KTC19C2005A	-	-	-	-	PLAN19C2005A	-	-	-	-	PTTE01C2007B	0.02	-	1,980	-
KTC19C2006A	-	-	-	-	PLAN19C2007A	0.01	-	1,100	-	PTTE01P2004A	2.52	0.16	22	2.00
KTC19C2008A	0.21	(0.02)	238,844	-	PLAN24C2006A	-	-	-	-	PTTE01P2004B	2.58	-	682	2.00
KTC19P2005A	0.92	0.03	76	-	PLAN27C2008A									

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price
KTC41C2005A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
PLAN41C2006A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
PTTE08C2005A	-	-	-	-

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE08C2008A	1.23	(0.06)	40,136	1.00	RATC42C2003A	-	-	-	-	S5019C2003A	-	-	-	-
PTTE08P2005A	-	-	-	-	RATC42C2006A	-	-	-	-	S5019C2003B	-	-	-	-
PTTE08P2006A	-	-	-	-	RS06C2004A	-	-	-	-	S5019C2003C	-	-	-	-
PTTE11C2006A	-	-	-	-	RS08P2003A	-	-	-	-	S5019C2003D	-	-	-	-
PTTE13C2004A	-	-	-	-	RS08P2006A	1.09	0.13	62	1.00	S5019C2006A	0.02	-	7,432	-
PTTE13C2006A	0.02	(0.01)	4	-	RS13C2004A	-	-	-	-	S5019C2006B	0.03	(0.01)	210	-
PTTE13C2008A	0.02	(0.01)	16,840	-	RS13C2006A	-	-	-	-	S5019C2006C	0.13	-	5,059	-
PTTE13C2008B	0.23	(0.03)	15,522	-	RS16C2005A	-	-	-	-	S5019C2006D	0.76	(0.09)	380,711	-
PTTE13C2009A	0.82	(0.05)	531,502	-	RS19C2004A	-	-	-	-	S5019C2009A	2.32	(0.12)	77,381	2.00
PTTE13P2006A	3.54	0.02	2,106	3.00	RS19C2005A	-	-	-	-	S5019P2003A	9.10	0.15	8	9.00
PTTE13P2008A	0.90	0.02	146,787	-	RS19C2007A	0.07	(0.02)	1,528	-	S5019P2003B	-	-	-	-
PTTE16C2003A	-	-	-	-	RS24C2004A	-	-	-	-	S5019P2003C	8.50	0.10	1	8.00
PTTE16C2009A	0.09	0.06	35	-	RS24C2008A	-	-	-	-	S5019P2003D	-	-	-	-
PTTE19C2006A	-	-	-	-	RS41C2004A	-	-	-	-	S5019P2006A	6.20	0.15	40	6.00
PTTE19C2008A	0.02	(0.01)	903	-	RS42C2004A	-	-	-	-	S5019P2006B	4.74	0.24	1	4.00
PTTE19C2008B	0.36	(0.05)	229,196	-	RS42C2008A	0.24	(0.05)	2,128	-	S5019P2006C	4.58	0.40	839	4.00
PTTE19C2009A	1.12	(0.08)	182,294	1.00	S10001C2011A	0.03	-	1,422	-	S5019P2006D	1.17	0.05	995,257	1.00
PTTE19P2004A	2.18	0.06	1	2.00	S5001C2003F	0.01	-	110,735	-	S5019P2006E	0.78	0.02	387,768	-
PTTE19P2006A	2.96	0.10	344	2.00	S5001C2003G	0.01	(0.01)	58,354	-	S5024C2003A	-	-	-	-
PTTE24C2003A	-	-	-	-	S5001C2003H	0.01	(0.01)	55,293	-	S5024C2003B	-	-	-	-
PTTE24C2008A	-	-	-	-	S5001C2003I	0.01	-	42,617	-	S5024C2003C	-	-	-	-
PTTE28C2005A	-	-	-	-	S5001C2003J	0.01	-	142,759	-	S5024C2006A	0.02	-	6,413	-
PTTE28C2008A	-	-	-	-	S5001C2004A	0.01	-	8,137	-	S5024C2006B	0.02	-	4,569	-
PTTE28P2004A	-	-	-	-	S5001C2005A	0.02	-	62,297	-	S5024C2006C	1.60	0.60	57,847	1.00
PTTE41C2005A	-	-	-	-	S5001C2006F	0.03	-	44,945	-	S5024C2009A	0.05	(0.01)	1,868	-
PTTE41C2006A	-	-	-	-	S5001C2006G	0.02	-	59,227	-	S5024C2009B	0.52	(0.07)	61,913	-
PTTE41C2007A	-	-	-	-	S5001C2006H	0.06	-	9,978	-	S5024P2003A	-	-	-	-
PTTE41P2004A	-	-	-	-	S5001C2007A	0.06	-	227,539	-	S5024P2003B	16.20	1.20	5	15.00
PTTE42C2004A	-	-	-	-	S5001P2003F	12.10	0.10	34	12.00	S5024P2006A	-	-	-	-
PTTE42P2008A	-	-	-	-	S5001P2003G	12.90	0.50	87	13.00	S5024P2006B	-	-	-	-
PTTG01C2005A	0.01	(0.01)	201	-	S5001P2003H	-	-	-	-	S5024P2006C	4.20	(0.30)	55	4.00
PTTG01C2005B	0.01	-	5,890	-	S5001P2003I	7.85	0.30	30	7.00	S5024P2006D	3.54	2.54	62,468	3.00
PTTG01C2007B	0.02	-	1,000	-	S5001P2003J	-	-	-	-	S5028C2003A	-	-	-	-
PTTG01C2008A	0.04	0.01	23,413	-	S5001P2004A	5.75	0.15	498	5.00	S5028C2003B	-	-	-	-
PTTG01P2005A	2.98	0.10	106	2.00	S5001P2005A	4.86	0.02	5,224	4.00	S5028C2004A	-	-	-	-
PTTG01P2005B	3.26	0.18	20	3.00	S5001P2006F	11.70	1.70	50	11.00	S5028C2004B	-	-	-	-
PTTG01P2007B	-	-	-	-	S5001P2006G	9.35	0.15	96	9.00	S5028C2006A	0.02	0.01	1,035	-
PTTG01P2008A	2.18	0.18	18	2.00	S5001P2006H	4.60	(0.38)	8,066	4.00	S5028C2006B	0.02	-	240	-
PTTG06C2006A	-	-	-	-	S5001P2007A	3.90	(0.94)	45,504	4.00	S5028C2006C	0.74	(0.11)	365,944	-
PTTG08C2004A	-	-	-	-	S5006C2003A	0.01	-	8,763	-	S5028C2006D	1.08	(0.15)	802	1.00
PTTG08P2004A	-	-	-	-	S5006C2003B	0.01	-	6,205	-	S5028C2009A	0.68	(0.05)	233,311	-
PTTG11C2004A	-	-	-	-	S5006C2003C	0.01	-	5,528	-	S5028P2003A	-	-	-	-
PTTG11C2007A	0.01	-	1	-	S5006C2006A	0.02	(0.01)	1,560	-	S5028P2004A	8.25	1.10	151	8.00
PTTG13C2005A	-	-	-	-	S5006C2006B	0.04	-	703	-	S5028P2004B	-	-	-	-
PTTG13C2007A	-	-	-	-	S5006P2003A	-	-	-	-	S5028P2006A	2.44	0.18	657	2.00
PTTG13C2008A	0.10	(0.03)	6,153	-	S5006P2003B	-	-	-	-	S5028P2006B	1.95	0.06	54,006	1.00
PTTG13P2004A	-	-	-	-	S5006P2003C	-	-	-	-	S5028P2006C	0.97	0.03	174,052	-
PTTG13P2008A	1.24	0.01	12	1.00	S5006P2006A	12.20	(2.30)	1	12.00	S5028P2009A	2.10	0.04	89,333	2.00
PTTG16C2006A	-	-	-	-	S5006P2006B	-	-	-	-	S5041C2003A	-	-	-	-
PTTG19C2006A	-	-	-	-	S5008C2003A	-	-	-	-	S5041C2003B	-	-	-	-
PTTG19C2006B	0.01	(0.01)	5	-	S5008C2003B	-	-	-	-	S5041C2003C	-	-	-	-
PTTG19C2008A	-	-	-	-	S5008C2006A	0.02	(0.01)	39,265	-	S5041C2003D	-	-	-	-
PTTG19C2008B	0.25	(0.03)	211,219	-	S5008C2006B	1.25	(0.12)	754,313	1.00	S5041C2003E	-	-	-	-
PTTG19P2003A	-	-	-	-	S5008P2003A	-	-	-	-	S5041C2006A	0.34	(0.01)	81	-
PTTG19P2006A	2.64	(0.06)	400	2.00	S5008P2003B	5.00	(11.90)	6	16.00	S5041C2006B	0.50	(0.06)	5	-
PTTG24C2003A	-	-	-	-	S5008P2003C	-	-	-	-	S5041C2006C	1.59	(0.13)	2,865,109	1.00
PTTG24C2008A	-	-	-	-	S5008P2006A	0.79	0.04	150,932	-	S5041C2006D	2.80	(0.12)	24,264	2.00
PTTG27P2006A	-	-	-	-	S5011C2003A	-	-	-	-	S5041C2006E	1.00	(0.05)	854,190	-
PTTG28C2006A	-	-	-	-	S5011P2003A	-	-	-	-	S5041P2003A	-	-	-	-
PTTG28C2008A	0.08	0.02	200	-	S5013C2003A	0.01	-	1,000	-	S5041P2003B	-	-	-	-
PTTG41C2003A	-	-	-	-	S5013C2003B	-	-	-	-	S5041P2003C	-	-	-	-
PTTG41C2004A	-	-	-	-	S5013C2003C	-	-	-	-	S5041P2003D	-	-	-	-
PTTG41C2005A	-	-	-	-	S5013C2003D	-	-	-	-	S5041P2003E	-	-	-	-
PTTG41C2006A	-	-	-	-	S5013C2003E	0.01	-	53	-	S5041P2006A	8.60	0.35	8,401	8.00
PTTG41C2007A	-	-	-	-	S5013C2006A	0.01	-	338,229	-	S5041P2006B	7.50	0.65	8	7.00
PTTG41C2008A	-	-	-	-	S5013C2006B	0.01	(0.01)	199,429	-	S5041P2006C	4.04	0.08	127,140	4.00
PTTG41P2006A	-	-	-	-	S5013C2006C	0.02	-	22,105	-	S5041P2006D	3.14	0.04	74,534	3.00
PTTG42C2003A	-	-	-	-	S5013C2006D	0.03	(0.01)	38,516	-	S5041P2006E	1.33	0.01	327,739	1.00
PTTG42C2007A	0.01	-	2,500	-	S5013C2006E	0.10	(0.01)	94,341	-	SAWA01C2003A	0.01	-	4,071	-
QH01C2006A	-	-	-	-	S5013C2006F	0.96	(0.08)	4,981,292	-	SAWA01C2003B	0.01	-	2,078	-
QH01C2006B	-	-	-	-	S5013P2003A	9.10	0.10	2	9.00	SAWA01C2006A	0.05	(0.01)	20,241	-
QH01P2006A	1.03	0.03	204	1.00	S5013P2003B	9.35	0.35	2,300	9.00	SAWA01C2006B	0.02	(0.01)	50	-
QH11C2006A	-	-	-	-	S5013P2003C	-	-	-	-	SAWA01P2003A	1.34	0.16	40,200	1.00
QH19C2006A	-	-	-	-	S5013P2003D	-	-	-	-	SAWA01P2006A	3.14	0.16	1,021	3.00
QH27C2007A	-	-	-	-	S5013P2003E	7.90	(0.65)	11	7.00	SAWA06C2007A	0.02	-	1,500	-
RATC01C2003A	-	-	-	-	S5013P2006A	8.10	0.35	158	8.00	SAWA08C2006A	-	-	-	-
RATC01C2003B	-	-	-	-	S5013P2006B	5.55	0.30	706	5.00	SAWA11C2003A	-	-	-	-
RATC01C2006A	0.21	(0.01)	973	-	S5013P2006C	5.30	-	239	5.00	SAWA13C2005A	0.03	(0.03)	89	-
RATC01C2006B	0.11	0.02	10	-	S5013P2006D	4.40	0.50	143,508	4.00	SAWA13C2007A	0.04	(0.01)	800	-
RATC01P2006A	1.27	0.09	1,585	1.00	S5013P2006E	2.26	(0.56)	433,547	2.00	SAWA16C2008A	-	-	-	-
RATC06C2006A	-	-	-	-	S5013P2006F	0.94	0.01	6,132,440	-	SAWA19C2005A	-	-	-	-
RATC06P2006A	-	-	-	-	S5016C2003A	-	-	-	-	SAWA19C2009A	0.33	(0.09)	817,959	-
RATC13C2004A	-	-	-	-	S5016C2003B	-	-	-	-	SAWA24C2004A	-	-	-	-
RATC13C2007A	0.10	(0.02)	3,651	-	S5016C2003C	-	-	-	-	SAWA27C2007A	-	-	-	-
RATC16C2008A	-	-	-	-	S5016C2003D	-	-	-	-	SAWA28C2004A	-	-	-	-
RATC19C2005A	-	-	-	-	S5016C2003E	-	-	-	-	SAWA28C2007A	-	-	-	-
RATC19C2007A	0.16	(0.04)	833	-	S5016C2006A	-	-	-	-	SAWA28C2008A	-	-	-	-
RATC24C2006A	-	-	-	-	S5016C2006B	0.02	(0.04)	50	-	SAWA41C2004A	-	-	-	-
RATC27C2004A	-	-	-	-	S5016C2006C	0.97	(0.07)	219,707	-	SAWA41C2005A	-	-	-	-
RATC27C2007A	0.15	(0.01)	99	-	S5016P2003A	-	-	-	-	SAWA41P2004A	2.06	0.42	142	1.00

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RATC41C2004A	-	-	-	-	S5016P2003C	-	-	-	-	SAWA41P2005A	2.76	0.06	223	2.00
RATC41C2005A	-	-	-	-	S5016P2003D	-	-	-	-	SAWA42C2003A	-	-	-	-
RATC41C2006A	0.48	(0.06)	16,761	-	S5016P2006A	-	-	-	-	SCB01C2004A	0.02	0.01	1,604	-
RATC41P2004A	-	-	-	-	S5016P2006B	-	-	-	-	SCB01C2004B	0.01	(0.01)	3,708	-
RATC41P2006A	1.68	0.08	590	1.00	S5016P2006C	1.15	0.03	220,151	1.00	SCB01C2007A	0.03	(0.01)	3,504	-

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01C2007B	0.04	-	501	-	SPAL24C2003A	-	-	-	-	TCAP01P2008A	-	-	-	-
SCB01C2008B	0.11	-	550	-	SPAL27C2008A	-	-	-	-	TCAP13C2007A	-	-	-	-
SCB01C2009A	0.30	(0.05)	2,012	-	SPAL41C2004A	-	-	-	-	TCAP19C2004A	-	-	-	-
SCB01P2004A	-	-	-	-	SPAL42C2003A	-	-	-	-	TCAP41C2004A	-	-	-	-
SCB01P2004B	2.50	0.40	134	2.00	SPRC01C2003A	0.01	-	1,549	-	THAI11C2003A	-	-	-	-
SCB01P2007A	1.81	0.08	99	1.00	SPRC01C2003B	0.01	-	25,637	-	THAI13C2004A	-	-	-	-
SCB01P2007B	2.16	0.14	17	2.00	SPRC01C2007A	0.02	(0.01)	200	-	THAI19C2004A	-	-	-	-
SCB06C2007A	-	-	-	-	SPRC06C2007A	0.01	-	20,017	-	THAI27C2008A	0.07	0.05	1,128	-
SCB08C2005A	0.02	-	351	-	SPRC06P2007A	-	-	-	-	THAI42C2003A	-	-	-	-
SCB08C2007A	-	-	-	-	SPRC08C2005A	0.01	-	13,602	-	THAI42C2005A	-	-	-	-
SCB08P2004A	-	-	-	-	SPRC08C2006A	-	-	-	-	THAN01C2006A	-	-	-	-
SCB11C2005A	-	-	-	-	SPRC11C2005A	-	-	-	-	THAN01C2006B	-	-	-	-
SCB11C2006A	0.01	-	5,000	-	SPRC11C2008A	-	-	-	-	THAN01P2006A	-	-	-	-
SCB11C2008A	-	-	-	-	SPRC13C2004A	-	-	-	-	THAN06C2005A	-	-	-	-
SCB11P2005A	3.98	(0.06)	2	3.00	SPRC13C2006A	-	-	-	-	THAN13C2003A	-	-	-	-
SCB13C2006A	0.01	-	1,399	-	SPRC13C2008A	-	-	-	-	THAN13C2007A	-	-	-	-
SCB13C2006B	-	-	-	-	SPRC19C2005A	-	-	-	-	THAN19C2004A	-	-	-	-
SCB13C2007A	0.05	-	60	-	SPRC19C2005B	-	-	-	-	THAN19C2007A	-	-	-	-
SCB13C2008A	-	-	-	-	SPRC19C2007A	0.01	(0.02)	1	-	THAN27C2003A	-	-	-	-
SCB13P2006A	-	-	-	-	SPRC19P2005A	-	-	-	-	THAN41C2005A	-	-	-	-
SCB13P2008A	1.07	0.10	1,227	1.00	SPRC24C2003A	-	-	-	-	TISCO1C2006A	0.04	-	2,486	-
SCB16C2003A	-	-	-	-	SPRC28C2008A	-	-	-	-	TISCO1C2006B	0.01	(0.01)	14	-
SCB16C2008A	-	-	-	-	SPRC41C2004A	-	-	-	-	TISCO1P2006A	1.55	0.05	1,196	1.00
SCB19C2003A	-	-	-	-	SPRC41C2005A	-	-	-	-	TISC11C2005A	-	-	-	-
SCB19C2006A	-	-	-	-	SPRC41C2006A	-	-	-	-	TISC11C2007A	-	-	-	-
SCB19C2007A	-	-	-	-	SPRC42C2006A	-	-	-	-	TISC13C2004A	-	-	-	-
SCB19C2008A	0.58	(0.06)	169,787	-	STA01C2003A	0.09	0.06	901	-	TISC13C2006A	0.01	(0.01)	500	-
SCB19P2005A	-	-	-	-	STA01C2003B	0.01	-	6,096	-	TISC19C2004A	-	-	-	-
SCB24C2004A	-	-	-	-	STA01C2008B	0.14	0.05	10	-	TISC19C2006A	-	-	-	-
SCB24C2008A	0.33	(0.04)	17,337	-	STA01C2009A	0.25	0.05	12,433	-	TISC41C2005A	-	-	-	-
SCB27C2007A	-	-	-	-	STA01P2003A	0.01	(0.01)	34,381	-	TISC41C2006A	-	-	-	-
SCB27P2006A	2.20	0.24	80	2.00	STA01P2009A	0.57	(0.06)	1,322	-	TISC41P2006A	1.67	0.07	2	1.00
SCB28C2004A	-	-	-	-	STA11C2005A	0.06	0.01	5,050	-	TISC42C2003A	-	-	-	-
SCB28C2006A	-	-	-	-	STA13C2003A	-	-	-	-	TKN01C2003A	-	-	-	-
SCB28C2006B	-	-	-	-	STA13C2006A	0.10	0.04	17,398	-	TKN01C2003B	0.01	-	54	-
SCB28C2008A	0.08	-	251	-	STA19C2004A	0.10	0.03	7,350	-	TKN01C2007B	-	-	-	-
SCB28C2010A	0.39	(0.03)	6,084	-	STA19C2005A	0.48	0.16	8,578	-	TKN01C2008A	-	-	-	-
SCB41C2004A	-	-	-	-	STA19C2007A	0.12	0.05	64,625	-	TKN08C2003A	0.01	-	30	-
SCB41C2005A	-	-	-	-	STA42C2007A	-	-	-	-	TKN08C2007A	0.04	-	53,400	-
SCB41C2006A	-	-	-	-	STEC01C2003A	0.01	-	9,000	-	TKN13C2004A	0.01	(0.01)	3	-
SCB41C2006B	-	-	-	-	STEC01C2003B	0.01	-	150	-	TKN13C2006A	-	-	-	-
SCB41C2008A	0.49	(0.05)	17,399	-	STEC01C2004A	-	-	-	-	TKN16C2008A	-	-	-	-
SCB41P2004A	-	-	-	-	STEC01C2006A	0.13	-	10	-	TKN19C2004A	-	-	-	-
SCB41P2005A	-	-	-	-	STEC01C2006B	0.02	-	225	-	TKN19C2004B	-	-	-	-
SCB42C2003A	-	-	-	-	STEC01P2003A	-	-	-	-	TKN19C2007A	-	-	-	-
SCB42C2006A	-	-	-	-	STEC01P2006A	1.01	0.06	685	1.00	TKN28C2007A	-	-	-	-
SCB42C2007A	-	-	-	-	STEC06C2004A	-	-	-	-	TKN41C2005A	-	-	-	-
SCC01C2004A	0.07	(0.03)	2,000	-	STEC08C2004A	-	-	-	-	TKN41C2006A	-	-	-	-
SCC01C2004B	0.01	(0.01)	600	-	STEC08C2005A	-	-	-	-	TKN42C2003A	-	-	-	-
SCC01P2004A	1.42	0.13	2,038	1.00	STEC11C2007A	-	-	-	-	TKN42C2006A	0.22	-	4,671	-
SCC06C2007A	0.06	(0.01)	500	-	STEC13C2003A	-	-	-	-	TMB01C2004A	-	-	-	-
SCC08C2004A	-	-	-	-	STEC13C2004A	-	-	-	-	TMB01C2004B	-	-	-	-
SCC08P2006A	0.99	0.12	9,331	-	STEC16C2003A	-	-	-	-	TMB01P2004A	1.96	(0.22)	2	1.00
SCC11C2003A	-	-	-	-	STEC16C2006A	-	-	-	-	TMB19C2004A	-	-	-	-
SCC11C2006A	0.01	(0.04)	51	-	STEC16C2009A	-	-	-	-	TMB19C2007A	0.02	-	1	-
SCC11C2007A	0.11	(0.01)	100	-	STEC19C2004A	-	-	-	-	TMB19P2004A	-	-	-	-
SCC13C2004A	-	-	-	-	STEC19C2005A	-	-	-	-	TMB41C2004A	-	-	-	-
SCC13C2008A	0.49	0.03	64	-	STEC24C2003A	-	-	-	-	TMB41C2005A	0.05	-	65	-
SCC13P2006A	0.92	(0.04)	143	-	STEC24C2006A	-	-	-	-	TMB41P2006A	1.60	(0.10)	2	1.00
SCC16C2005A	-	-	-	-	STEC28C2004A	-	-	-	-	TOA01C2006A	0.15	0.02	40	-
SCC19C2003A	-	-	-	-	STEC28C2004B	-	-	-	-	TOA01C2006B	-	-	-	-
SCC19C2003B	-	-	-	-	STEC28C2005A	-	-	-	-	TOA08C2003A	0.01	(0.01)	45	-
SCC19C2006A	-	-	-	-	STEC41C2004A	-	-	-	-	TOA13C2007A	-	-	-	-
SCC19C2008A	0.64	(0.07)	53,806	-	STEC41C2005A	-	-	-	-	TOA19C2004A	-	-	-	-
SCC19P2004A	-	-	-	-	STEC41C2006A	0.12	0.01	100	-	TOA19C2007A	-	-	-	-
SCC24C2003A	-	-	-	-	STEC41P2004A	-	-	-	-	TOA24C2005A	-	-	-	-
SCC24C2006A	-	-	-	-	STEC41P2005A	-	-	-	-	TOA41C2004A	-	-	-	-
SCC27P2008A	0.37	(0.05)	6,446	-	STEC42C2004A	0.02	(0.02)	1	-	TOP01C2003A	0.01	-	3,991	-
SCC28C2004A	-	-	-	-	SUPE13C2003A	-	-	-	-	TOP01C2003B	0.01	-	1,101	-
SCC28C2008A	0.56	(0.02)	43,666	-	SUPE19C2004A	-	-	-	-	TOP01C2006A	0.01	-	15,550	-
SCC28C2010A	0.51	(0.04)	48,788	-	SUPE19C2007A	0.02	(0.01)	14,000	-	TOP01C2006B	0.01	(0.01)	500	-
SCC41C2004A	-	-	-	-	SUPE42C2004A	-	-	-	-	TOP01C2008B	-	-	-	-
SCC41C2005A	-	-	-	-	TASC01C2003A	0.01	-	1	-	TOP01C2009A	0.13	(0.01)	1,624	-
SCC41C2006A	0.57	0.15	50	-	TASC01C2003B	0.01	-	270	-	TOP01P2003A	-	-	-	-
SCC41C2006B	0.80	0.16	59,304	-	TASC01C2007B	0.12	(0.01)	650	-	TOP01P2006A	-	-	-	-
SCC41P2004A	0.57	0.05	200	-	TASC01C2008A	-	-	-	-	TOP01P2009A	1.56	0.08	875	1.00
SCC41P2005A	-	-	-	-	TASC01P2003A	0.19	(0.04)	201	-	TOP06C2004A	-	-	-	-
SCC41P2006A	1.85	(0.13)	590	1.00	TASC01P2008A	1.15	0.02	361	1.00	TOP06C2007A	0.01	(0.01)	10,030	-
SCC42C2003A	-	-	-	-	TASC08C2005A	-	-	-	-	TOP06C2008A	0.28	(0.04)	177,396	-
SCC42C2008A	0.12	(0.01)	1	-	TASC08C2006A	0.10	(0.01)	6,427	-	TOP06P2005A	-	-	-	-
SGP13C2004A	-	-	-	-	TASC13C2006A	0.09	(0.05)	5	-	TOP08C2003A	-	-	-	-
SGP13C2006A	-	-	-	-	TASC16C2008A	-	-	-	-	TOP08C2007A	0.02	-	200	-
SGP13C2007A	-	-	-	-	TASC19C2003A	-	-	-	-	TOP08P2003A	-	-	-	-
SGP19C2006A	-	-	-	-	TASC19C2006A	0.23	(0.01)	1,648	-	TOP08P2007A	2.44	0.16	2	2.00
SGP19C2006B	-	-	-	-	TASC19C2007A	-	-	-	-	TOP11C2007A	-	-	-	-
SGP42C2007A	0.13	(0.06)	200	-	TASC19P2004A	0.34	(0.04)	1	-	TOP13C2004A	-	-	-	-
SIRI13C2007A	-	-	-	-	TASC24C2006A	-	-	-	-	TOP13C2006A	0.02	0.01	1	-
SIRI19C2004A	-	-	-	-	TASC28C2004A	-	-	-	-	TOP13C2008A	0.03	(0.01)	-	-

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SIRI19C2007A	-	-	-	-	TASC28C2006A	-	-	-	-	TOP13C2008B	0.10	-	2	-
SPAL01C2004A	-	-	-	-	TASC41C2004A	-	-	-	-	TOP13P2005A	-	-	-	-
SPAL01C2004B	-	-	-	-	TASC41C2005A	0.26	0.02	3,936	-	TOP13P2006A	-	-	-	-
SPAL06P2004A	-	-	-	-	TASC42C2003A	-	-	-	-	TOP16C2008A	-	-	-	-
SPAL11C2006A	0.07	0.02	2	-	TASC42C2005A	-	-	-	-	TOP19C2003A	-	-	-	-
SPAL13C2006A	-	-	-	-	TCAP01C2007B	-	-	-	-	TOP19C2006A	-	-	-	-
SPAL19C2004A	-	-	-	-	TCAP01C2008A	0.08	0.02	3,495	-	TOP19C2007A	-	-	-	-

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP19C2008A	0.13	(0.01)	29,603	-	WHA13C2003A	-	-	-	-	THE-W2	-	-	-	-
TOP19P2006A	-	-	-	-	WHA13C2005A	-	-	-	-	TNITY-W1	0.05	-	190	-
TOP24C2007A	0.01	-	200	-	WHA13C2006A	-	-	-	-	TRITN-W3	0.04	-	1,452	-
TOP24C2008A	0.29	(0.04)	34,070	-	WHA16C2006A	-	-	-	-	TTCL-W1	0.17	0.01	418	-
TOP28C2004A	-	-	-	-	WHA16C2008A	-	-	-	-	U-W4	0.01	-	100	-
TOP41C2004A	-	-	-	-	WHA19C2004A	-	-	-	-	UAC-W2	0.05	-	20	-
TOP41C2005A	-	-	-	-	WHA19C2005A	-	-	-	-	VGI-W2	0.56	-	85,077	-
TOP41C2006A	-	-	-	-	WHA19C2006A	-	-	-	-	VIBHA-W2	0.31	(0.01)	161	-
TOP41C2007A	-	-	-	-	WHA24C2004A	-	-	-	-	VIBHA-W3	0.09	-	6,002	-
TOP41C2008A	-	-	-	-	WHA24C2007A	-	-	-	-	WAVE-W1	-	-	-	-
TOP41P2004A	-	-	-	-	WHA24P2003A	-	-	-	-	WIK-W2	0.08	(0.01)	14,279	-
TOP41P2005A	-	-	-	-	WHA27C2008A	-	-	-	-	ZMICO-W4	0.04	-	71	-
TOP41P2006A	-	-	-	-	WHA28C2004A	-	-	-	-	Preferred Shares	-	-	-	-
TOP42C2007A	-	-	-	-	WHA28C2005A	-	-	-	-	BH-P	-	-	-	-
TPH19C2004A	-	-	-	-	WHA28C2006A	-	-	-	-	CSC-P	-	-	-	-
TRUE01C2004A	0.02	-	2,208	-	WHA41C2004A	-	-	-	-	JUTHA-P	-	-	-	-
TRUE01C2004B	0.03	-	4	-	WHA41C2005A	-	-	-	-	KTB-P	-	-	-	-
TRUE01C2007A	0.23	0.05	27,013	-	WHA41C2006A	-	-	-	-	SCB-P	69.00	0.25	3	69.00
TRUE01C2007B	0.06	(0.02)	662	-	WHA41C2007A	0.11	(0.01)	1,004	-	TCAP-P	-	-	-	-
TRUE01P2004A	1.08	0.01	20	1.00	WHA41P2005A	-	-	-	-	TISCO-P	-	-	-	-
TRUE01P2004B	0.58	(0.05)	415	-	WHA42C2005A	-	-	-	-	U-P	1.40	(0.06)	31,480	1.00
TRUE01P2007B	0.73	(0.05)	7,106	-	WHA42C2006A	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE06C2004A	-	-	-	-	Preferred/Foreign	-	-	-	-	BM-W1	0.01	-	100	-
TRUE06C2007A	0.07	0.01	50	-	BH-Q	-	-	-	-	BROOK-W5	0.08	(0.01)	11,858	-
TRUE08C2004A	-	-	-	-	CSC-Q	-	-	-	-	CHO-W2	0.04	-	7,453	-
TRUE08C2005A	-	-	-	-	JUTHA-Q	-	-	-	-	D-W1	0.31	0.05	210	-
TRUE08C2007A	0.14	0.03	58,871	-	KTB-Q	-	-	-	-	DOD-W1	0.23	(0.01)	26,350	-
TRUE08P2005A	1.22	(0.10)	3,017	1.00	SCB-Q	-	-	-	-	ECF-W3	0.17	(0.03)	970	-
TRUE11C2005A	0.01	(0.02)	1,000	-	TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE11C2005B	-	-	-	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE13C2003A	-	-	-	-	U-Q	-	-	-	-	FVC-W2	-	-	-	-
TRUE13C2003B	-	-	-	-	Warrant	-	-	-	-	HPT-W1	-	-	-	-
TRUE13C2006A	0.06	-	1	-	7UP-W4	0.07	0.01	8,548	-	HYDRO-W1	-	-	-	-
TRUE13C2007A	0.16	0.07	1,507	-	AKR-W1	0.04	0.01	4,380	-	ITEL-W1	0.13	(0.01)	941	-
TRUE19C2003A	-	-	-	-	ALT-W1	0.05	(0.01)	4,475	-	JKN-W1	0.05	(0.01)	20,124	-
TRUE19C2004A	-	-	-	-	APEX-W1	0.02	-	5,100	-	LIT-W1	-	-	-	-
TRUE19C2006A	-	-	-	-	APURE-W2	0.04	-	331	-	META-W4	0.01	-	1,804	-
TRUE19C2007A	0.18	0.04	1,847	-	AS-W1	-	-	-	-	NEWS-W6	-	-	-	-
TRUE19P2003A	-	-	-	-	AYUD-W1	0.02	(0.01)	4,831	-	OCEAN-W3	0.21	-	337	-
TRUE19P2005A	-	-	-	-	B-W3	0.01	-	104	-	PROUD-W2	-	-	-	-
TRUE28C2006A	0.03	(0.01)	20	-	B-W4	0.02	-	140	-	RWI-W2	0.04	(0.01)	38	-
TRUE41C2004A	-	-	-	-	B-W5	0.03	-	544	-	SANKO-W1	-	-	-	-
TRUE41C2005A	-	-	-	-	B52-W2	-	-	-	-	SIMAT-W2	0.03	-	769	-
TRUE41C2006A	-	-	-	-	BKD-W2	0.05	0.01	11,849	-	SIMAT-W3	0.20	(0.01)	244	-
TRUE41C2007A	0.46	0.03	530	-	BTS-W5	0.54	0.02	62,382	-	SIMAT-W4	0.74	0.03	1,324	-
TRUE41P2004A	-	-	-	-	CGD-W4	-	-	-	-	SMART-W2	0.19	0.02	1	-
TRUE41P2005A	-	-	-	-	CGH-W3	0.01	-	10,134	-	SWC-W1	2.22	0.04	270	2.00
TRUE42C2003A	-	-	-	-	CI-W1	-	-	-	-	TAKUNI-W	0.02	-	10	-
TRUE42C2004A	0.19	(0.02)	1	-	CKP-W1	0.02	-	59,418	-	TVD-W2	-	-	-	-
TRUE42C2007A	-	-	-	-	CRANE-W1	1.54	0.10	82,034	1.00	Preferred Shares	-	-	-	-
TTW27C2009A	0.17	(0.03)	13,590	-	DCC-W1	0.17	-	292	-	SGF-P1	-	-	-	-
TU01C2004A	0.12	-	1,295	-	ECL-W3	0.06	(0.01)	14,350	-	-	-	-	-	-
TU01C2004B	0.09	0.01	723	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU01P2004A	0.13	0.02	17,089	-	EIC-W3	-	-	-	-	-	-	-	-	-
TU06C2004A	0.01	(0.01)	2,000	-	EMC-W6	0.02	-	1,622	-	-	-	-	-	-
TU06P2007A	-	-	-	-	EPCO-W3	-	-	-	-	-	-	-	-	-
TU08C2008A	0.27	(0.02)	53,018	-	GLOCON-W4	0.10	(0.01)	516	-	-	-	-	-	-
TU11C2003A	-	-	-	-	J-W1	0.04	(0.01)	300	-	-	-	-	-	-
TU11C2008A	0.25	(0.06)	810	-	JAS-W3	0.96	0.32	2,191,262	-	-	-	-	-	-
TU13C2004A	0.09	0.01	191	-	JCK-W5	-	-	-	-	-	-	-	-	-
TU19C2003A	-	-	-	-	JMT-W2	2.22	(0.12)	1,315	2.00	-	-	-	-	-
TU19C2005A	0.22	-	516	-	MACO-W2	0.03	(0.01)	32,021	-	-	-	-	-	-
TU19C2007A	0.17	(0.04)	4,452	-	MILL-W4	0.01	-	52,065	-	-	-	-	-	-
TU19C2009A	0.21	(0.02)	18,316	-	MILL-W5	0.01	-	5	-	-	-	-	-	-
TU24C2003A	-	-	-	-	MINT-W6	1.23	0.01	28,520	1.00	-	-	-	-	-
TU24C2006A	-	-	-	-	NFC-W1	0.30	0.13	270	-	-	-	-	-	-
TU27C2004A	-	-	-	-	NOK-W1	0.01	-	70	-	-	-	-	-	-
TU27C2006A	0.12	-	23,492	-	NVD-W1	0.06	0.01	145	-	-	-	-	-	-
TU41C2004A	0.03	(0.02)	1,820	-	ORI-W1	0.07	-	5,342	-	-	-	-	-	-
TU41C2005A	0.35	0.01	698	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU41P2004A	-	-	-	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU42C2007A	-	-	-	-	PDI-W1	0.18	0.05	61	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	PDJ-W4	-	-	-	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	PERM-W1	0.06	-	415	-	-	-	-	-	-
TVO19C2007A	-	-	-	-	PORT-W1	0.19	(0.01)	1,222	-	-	-	-	-	-
VGI01C2005A	0.01	-	300	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	PRIME-W1	0.01	-	12,471	-	-	-	-	-	-
VGI08C2006A	-	-	-	-	PRIME-W2	-	-	-	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	RICHY-W2	-	-	-	-	-	-	-	-	-
VGI13C2006A	-	-	-	-	RS-W3	0.07	(0.02)	2,584	-	-	-	-	-	-
VGI19C2006A	0.01	-	10,290	-	SAMART-W2	0.29	(0.01)	1,088	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SAWAD-W1	3.24	(0.28)	8,154	3.00	-	-	-	-	-
VGI41C2007A	0.09	-	830	-	SDC-W1	-	-	-	-	-	-	-	-	-
WHA01C2005A	-	-	-	-	SINGER-W1	1.00	0.13	1,455	-	-	-	-	-	-
WHA01C2005B	-	-	-	-	SINGER-W2	0.79	(0.13)	48	-	-	-	-	-	-
WHA01C2008B	-	-	-	-	SMT-W2	-	-	-	-	-	-	-	-	-
WHA01C2009A	0.21	(0.01)	20	-	SST-W2	0.27	0.02	13	-	-	-	-	-	-
WHA01P2005A	2.48	0.10	8	2.00	SUPER-W4	0.01	-	204	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA01P2009A	0.93	(0.01)	329	-	TCC-W3	-	-	-	-	-	-	-	-	-
WHA06C2007A	0.02	0.01	3	-	TCC-W4	0.03	0.01	1	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCC-W5	0.08	-	63	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	TCJ-W2	-	-	-	-	-	-	-	-	-
WHA08C2006A	0.02	(0.03)	100	-	TFG-W2	0.01	-	2,532	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	TGPRO-W3	0.01	-	290	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	TH-W2	-	-	-	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Monday March 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-