

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.25	0.03	4,752	1.25	MCOT	6.45	0.10	5,254	6.28
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	1.58	0.01	217,097	1.59
SAFARI	-	-	-	-	DIF	15.00	1.20	416,977	14.64	MPIC	1.32	(0.10)	2	1.32
VI	-	-	-	-	DTAC	40.75	3.50	131,763	39.91	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.15	(0.05)	249	5.15	PLANB	2.96	0.14	704,832	2.95
WR	-	-	-	-	HUMAN	6.10	0.35	2,444	6.09	POST	1.67	(0.05)	12	1.62
Agribusiness	-	-	-	-	ILINK	2.20	0.04	19,792	2.15	PRAKIT	8.95	0.40	44	8.55
CHOTI	-	-	-	-	INET	1.67	0.06	247	1.66	SE-ED	1.48	-	156	1.48
EE	0.43	0.02	23,694	0.43	INTUCH	50.00	0.75	134,804	50.04	TBSP	-	-	-	-
GFPT	8.70	0.10	22,747	8.67	JAS	4.90	0.30	2,106,377	4.89	TH	0.50	-	10,605	0.49
LEE	1.87	0.01	1,166	1.87	JASIF	8.35	0.90	502,980	8.08	TKS	3.72	0.08	8,463	3.71
NER	1.73	0.05	316,042	1.70	JMART	5.50	0.50	90,663	5.39	VGI	5.70	0.40	220,838	5.67
PPPM	0.35	(0.03)	2,136	0.36	JTS	0.69	-	75	0.68	WAVE	0.92	0.01	971	0.93
STA	11.00	(0.10)	156,578	11.13	MFEF	4.26	(0.02)	5,740	4.13	WORK	6.75	0.20	21,084	6.72
TRUBB	0.52	0.06	20,864	0.51	MSC	3.96	(0.02)	358	3.92	Finance & Securities	-	-	-	-
TWPC	2.80	-	5,817	2.80	PT	4.00	0.02	2,983	4.00	AEC	0.18	-	1,486	0.18
UPOIC	2.08	0.06	44	2.09	SAMART	4.52	(0.10)	44,299	4.59	AEONTS	98.75	3.00	4,107	98.36
UVAN	3.68	(0.10)	516	3.69	SAMTEL	4.94	(0.06)	3,010	4.96	AMANAH	1.81	0.08	455,584	1.80
VPO	0.29	(0.01)	1,284	0.28	SDC	0.08	-	13,542	0.08	ASAP	0.99	(0.03)	3,014	1.00
Banking	-	-	-	-	SIS	5.30	0.05	7,364	5.25	ASK	15.60	0.20	2,752	15.61
BAY	19.00	0.60	3,183	18.91	SVOA	0.66	-	6,231	0.65	ASP	1.23	0.03	20,263	1.22
BBL	100.50	4.50	115,009	99.61	SYMC	1.70	0.08	58	1.69	BAM	20.00	1.20	2,310,104	19.66
CIMBT	0.42	0.01	4,667	0.42	SYNEX	3.86	0.02	9,070	3.88	BFIT	25.00	1.10	27,241	24.83
KBANK	91.50	6.50	188,093	90.24	THCOM	2.30	0.10	12,681	2.31	CGH	0.73	-	28,466	0.72
KKP	39.00	1.75	38,323	38.55	TRUE	3.14	0.06	1,546,625	3.16	ECL	0.59	0.01	11,742	0.58
KTB	11.40	0.60	559,103	11.31	TWZ	0.05	-	391,176	0.05	FNS	1.81	0.01	8,054	1.81
LHFG	0.90	0.04	22,810	0.89	Electronic Componen	-	-	-	-	FSS	0.84	0.01	7	0.83
SCB	69.25	4.75	211,109	68.26	CCEET	1.36	-	761	1.36	GBX	0.37	-	1,858	0.37
TCAP	33.25	0.25	82,667	33.42	DELTA	34.00	0.25	7,845	34.39	GL	2.60	0.06	6,979	2.61
TISCO	69.75	1.50	127,568	69.95	EIC	0.03	-	105	0.04	IFS	1.87	0.09	1,519	1.83
TMB	0.88	0.06	5,811,493	0.87	HANA	23.00	2.20	73,313	22.67	JMT	13.10	0.60	206,539	13.00
Construction Materia	-	-	-	-	KCE	13.70	0.90	379,236	13.56	KCAR	7.95	0.25	2,874	7.93
CCP	0.18	(0.01)	23,353	0.18	METCO	128.50	-	6	126.25	KGI	3.66	0.04	36,926	3.65
COTTO	0.85	0.04	1,658	0.84	NEX	2.80	(0.16)	25,903	2.85	KTC	27.25	1.75	130,761	26.74
DCC	1.34	0.06	12,310	1.32	SMT	0.65	(0.01)	2,478	0.66	MBKET	4.20	-	942	4.20
DCON	0.25	-	4,080	0.25	SVI	1.94	0.02	14,037	1.92	MFC	12.90	0.50	223	12.64
DRT	4.94	0.02	5,021	4.92	TEAM	0.40	0.01	2,129	0.39	ML	0.43	0.02	410	0.44
EPG	3.52	0.22	30,522	3.43	Energy & Utilities	-	-	-	-	MTC	35.00	1.00	93,674	35.08
GEL	0.08	(0.01)	5,337	0.08	7UP	0.33	(0.01)	74,941	0.33	PE	0.02	(0.01)	163	0.02
PPP	1.33	0.01	534	1.32	ABPIF	3.58	0.44	13,879	3.51	PL	1.98	0.08	166	1.97
Q-CON	4.58	(0.02)	112	4.59	ACE	2.48	0.06	18,734	2.48	S11	4.64	0.16	1,797	4.59
RCI	2.90	(0.06)	565	2.73	AI	0.86	-	12,468	0.87	SAWAD	42.50	1.75	140,654	42.09
SCC	324.00	12.00	39,030	320.95	AKR	0.40	0.02	1,317	0.39	THANI	3.98	(0.02)	56,041	4.01
SCCC	119.00	5.00	975	119.64	BAFS	18.90	0.40	3,231	18.74	TK	6.60	(0.15)	4,386	6.50
SCP	4.32	-	2,012	4.33	BANPU	5.30	0.15	336,351	5.24	TNITY	3.08	-	621	3.10
SKN	1.55	0.06	2,629	1.50	BCP	15.00	0.70	26,682	14.74	UOBKH	2.30	0.30	5	2.30
TASCO	17.20	0.50	83,383	17.15	BCPG	12.40	0.50	49,733	12.31	ZMICO	0.47	-	9,590	0.48
TCMC	0.85	0.04	4,751	0.86	BGRIM	39.75	0.50	174,840	39.90	Food & Beverage	-	-	-	-
TOA	31.50	0.50	27,543	31.03	BPP	12.00	0.60	45,791	11.79	APURE	0.61	0.02	929	0.60
TIPL	1.11	-	104,832	1.12	BRRGIF	6.05	(0.05)	365	6.05	ASIAN	2.94	0.04	1,339	2.95
UMI	0.35	-	280	0.35	CKP	2.96	0.10	101,920	2.94	BR	1.41	0.02	15,001	1.45
VNG	2.12	0.02	2,121	2.12	DEMCO	1.29	0.02	1,107	1.30	BRR	2.22	(0.22)	1,186	2.30
WHK	1.05	0.01	804	1.04	EA	33.75	1.25	57,347	33.37	CBG	63.50	4.00	45,806	63.17
Petrochemicals & Che	-	-	-	-	EASTW	9.20	0.10	8,189	9.20	CFRESH	0.89	0.02	794	0.88
BCT	39.25	(1.50)	50	39.15	EGATIF	11.70	0.40	24,467	11.69	CM	2.14	0.02	408	2.15
CMAN	0.98	0.04	1,635	0.97	EGCO	231.00	4.00	13,173	230.57	CPF	24.30	0.30	436,436	24.33
GC	4.88	(0.12)	2,166	4.91	ESSO	4.24	0.36	343,495	4.08	CPI	1.17	(0.05)	745	1.12
GGC	5.95	0.55	17,720	5.75	GPSC	57.00	2.00	146,430	56.62	F&D	-	-	-	-
GIFT	1.99	-	11,003	2.01	GULF	150.00	1.00	125,227	151.25	HTC	17.20	0.60	1,882	16.85
IVL	21.40	2.40	615,459	20.61	GUNKUL	2.20	0.12	406,027	2.18	ICHI	4.02	0.02	15,604	4.01
NFC	1.42	-	7	1.38	IFEC	-	-	-	-	KBS	2.32	0.04	92	2.30
PATO	8.10	-	1,270	8.12	IRPC	2.14	0.06	1,412,740	2.13	KSL	1.47	0.01	23,037	1.46
PMTA	5.65	(0.05)	54	5.10	LANNA	5.05	0.13	248	5.02	KTIS	2.88	0.02	392	2.89
PTTGC	30.50	3.00	491,281	29.53	MDX	1.30	0.03	508	1.31	LST	4.36	(0.02)	1,095	4.35
SUTHA	1.18	(0.01)	306	1.19	PRIME	0.24	-	5,279	0.23	M	47.25	1.75	8,918	46.23
TCCC	18.90	1.70	46	18.17	PTG	9.70	0.65	374,663	9.51	MALEE	3.76	0.08	503	3.77
TPA	5.60	(0.15)	6	5.60	PTT	30.75	1.75	1,137,390	30.23	MINT	16.80	0.70	762,778	16.93
UAC	2.28	0.04	3,111	2.29	PTTEP	67.50	4.50	225,773	66.12	OISHI	34.75	(0.75)	320	34.96
UP	-	-	-	-	RATCH	57.00	1.00	70,437	57.11	OSP	35.75	0.75	96,319	35.91
VNT	17.70	1.40	20,515	17.56	RPC	0.40	(0.01)	8,284	0.41	PB	69.50	-	48	69.50
WG	-	-	-	-	SCG	3.92	(0.02)	173	3.97	PM	5.05	0.09	6,048	4.97
YCI	-	-	-	-	SCI	0.89	0.01	4,780	0.88	PRG	10.50	-	1	10.50
Commerce	-	-	-	-	SCN	1.27	0.07	5,430	1.25	RBF	3.66	0.36	279,902	3.60
BEAUTY	1.28	0.07	971,149	1.27	SGP	7.70	0.05	11,300	7.70	SAPPE	14.90	(0.10)	4,648	15.01
BIG	0.32	-	75,186	0.32	SKE	0.50	(0.01)	9,809	0.49	SAUCE	22.80	0.80	259	23.08
BJC	40.50	0.75	45,904	40.32	SOLAR	0.63	0.02	1,693	0.62	SFP	-	-	-	-
COL	11.90	0.30	1,432	11.79	SPCG	14.30	0.30	9,834	14.08	SNP	10.80	0.30	29	10.87
COM7	15.60	0.50	173,071	15.41	SPRC	4.42	0.24	245,150	4.37	SORKON	-	-	-	-
CPALL	61.00	0.75	378,488	61.22	SSP	6.00	0.10	10,053	5.98	SSC	-	-	-	-
CPW	0.92	(0.01)	7,373	0.93	SUPER	0.35	0.02	458,816	0.34	SSF	-	-	-	-
CRC	28.00	1.50	297,345	28.05	SUPEREIF	9.65	0.35	1,582	9.52	SST	2.94	(0.04)	137	2.93
CSS	0.65	(0.01)	73,264	0.64	SUSCO	1.64	0.03	5,126	1.64	TC	2.48	0.10	152	2.41
DOHOME	4.70	0.26	189,482	4.65	TAE	2.26	0.04	11,949	2.24	TFG	3.12	0.16	80,028	3.10
FN	0.58	0.01	4,021	0.58	TCC	0.15	-	3,218	0.15	TFMAMA	189.00	1.50	31	189.18
FTE	1.43	-	939	1.44	TOP	30.75	1.75	279,778	30.13	TIPCO	4.42	0.10	3,029	4.39
GLOBAL	9.15	0.35	90,931	9.04	TPIPP	3.06	0.04	219,662	3.04	TKN	5.30	0.15	141,139	5.35
HMPRO	11.10	0.30	294,765	11.20	TSE	1.84	0.05	120,200	1.82	TU	13.80	0.50	220,357	13.69
ILM	8.10	0.60	18,341	7.85	TTW	12.70	0.50	41,465	12.52	TVO	22.50	0.80	6,910	22.26
IT	1.43	0.05	208	1.38	WHAUP	4.16	0.12	63,596	4.17	ZEN	6.55	0.40	4,499	6.47
KAMART	2.02	0.04	70,070	2.02	WP	3.20	0.04	1,636	3.20	Health Care Services	-	-	-	-
LOXLEY	1.05	0.01	121,504	1.08	Media & Publishing	-	-	-	-	AHC	14.40	-	166	14.42
MAKRO	33.00	0.25	7,905	33.52	AMARIN	2.96	-	17						

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.68	-	2,532	2.68	CGD	0.57	(0.04)	44,892	0.58	IHL	2.20	0.06	28,998	2.16
RAM	140.00	0.50	32	139.83	CI	0.52	0.01	1,060	0.53	INGRS	0.29	0.01	6,902	0.28
RJH	18.80	-	8,349	18.76	CPN	42.75	1.00	208,087	42.18	IRC	9.85	(0.10)	163	9.85
RPH	4.68	0.04	4,238	4.65	ESTAR	0.23	-	9,211	0.22	PCSGH	4.52	0.04	6	4.79
SKR	4.40	0.06	987	4.38	EVER	0.12	(0.01)	12,995	0.13	SAT	7.90	0.30	14,279	7.87
SVH	389.00	(1.00)	18	389.28	FPT	8.80	0.35	623	8.70	SPG	12.50	-	20	12.50
THG	17.90	0.30	2,987	17.81	GLAND	2.24	-	521	2.14	STANLY	123.50	1.50	831	123.15
VIBHA	1.38	0.02	21,830	1.38	GOLD	7.70	0.15	314	7.69	TKT	0.64	(0.01)	23	0.63
VIH	5.20	0.05	5,285	5.16	GREEN	0.55	-	45	0.57	TNPC	0.59	0.04	222	0.57
WPH	1.38	-	2,510	1.38	J	0.40	0.01	1,228	0.40	TRU	3.82	(0.04)	654	3.76
Tourism & Leisure					JCK	0.56	-	1,927	0.54	TSC	9.50	0.70	31	8.82
ASIA	3.84	(0.14)	65	3.79	KC	-	-	-	-	Industrial Materials				
CENDEL	15.40	1.00	56,351	15.09	KWG	0.70	0.04	317	0.69	ALLA	1.04	0.06	12,922	1.02
CSR	70.25	(9.50)	6	70.46	LALIN	3.80	-	1,028	3.81	ASEFA	2.66	0.06	754	2.58
DTC	7.05	0.05	415	7.01	LH	6.70	0.30	514,465	6.60	CPT	0.65	0.01	18,943	0.64
ERW	2.48	0.24	302,820	2.36	LPN	3.28	0.14	36,545	3.24	CRANE	1.60	0.01	2,938	1.60
GRAND	0.44	0.01	20,283	0.44	MBK	13.10	-	18,511	13.11	CTW	4.18	0.06	61	4.17
LRH	26.50	(2.75)	181	26.89	MJD	1.92	0.01	412	1.91	FMT	-	-	-	-
MANRIN	-	-	-	-	MK	2.42	0.02	1,362	2.41	HTECH	1.36	0.04	1,318	1.35
OHTL	-	-	-	-	NCH	0.47	0.01	2,123	0.46	KKC	0.29	(0.01)	569	0.30
ROH	34.75	0.25	3	34.50	NNCL	1.42	0.01	5,035	1.43	PK	0.67	-	1,345	0.70
SHANG	64.75	0.25	1	64.75	NOBLE	11.90	1.00	10,874	11.42	SNC	6.80	0.10	1,021	6.81
SHR	1.65	0.12	158,576	1.60	NUSA	0.28	-	38,571	0.28	STARK	1.82	-	4,748	1.81
VRANDA	4.64	(0.02)	3,839	4.63	NVD	1.10	0.01	453	1.10	TCJ	2.00	0.14	10	1.82
Home & Office Produ					ORI	3.54	0.12	85,875	3.53	VARO	-	-	-	-
ACC	0.62	(0.01)	105	0.64	PACE	-	-	-	-	Property Fund & REIT				
AJA	0.20	(0.02)	578,408	0.20	PF	0.36	0.01	141,342	0.36	AIMCG	4.64	0.06	15,728	4.66
DTCI	-	-	-	-	PLAT	2.04	0.02	7,256	2.05	AIMIRT	11.20	0.80	1,425	10.90
FANCY	0.29	0.01	4,111	0.27	POLAR	-	-	-	-	AMATAR	10.20	-	15,297	10.21
KYE	235.00	3.00	2	242.50	PRECHA	0.53	-	1,223	0.52	B-WORK	10.50	0.20	2,800	10.49
L&E	1.57	0.02	207	1.57	PRIN	1.34	0.06	12,037	1.27	BKER	5.85	(0.10)	2,556	5.92
MODERN	1.99	0.04	3,730	1.97	PSH	9.25	0.25	19,016	9.21	BKCP	12.00	1.10	36	11.19
OGC	25.75	0.75	10	25.75	QH	1.86	0.05	576,979	1.86	BOFFICE	14.00	0.40	2,970	13.90
ROCK	-	-	-	-	RICHY	0.58	0.02	20,513	0.58	CPNCG	11.00	1.05	17,806	11.11
SIAM	1.23	0.01	59	1.23	RML	0.45	(0.01)	4,376	0.45	CPNREIT	23.80	(0.20)	73,669	24.01
TSR	1.38	0.06	4,548	1.41	ROJNA	3.72	0.20	17,916	3.69	CPTGF	10.20	0.35	4,161	9.95
Insurance					S	1.27	0.07	38,403	1.24	CTARAF	4.78	0.18	392	4.64
AYUD	29.50	(0.25)	334	28.89	SAMCO	1.36	0.06	243	1.34	DREIT	3.64	0.04	26,880	3.64
BKI	220.00	-	263	220.06	SC	1.83	0.02	45,425	1.82	ERWPF	4.10	-	85	4.10
BLA	11.90	0.10	12,647	11.99	SENA	1.90	0.04	11,637	1.89	FTREIT	13.50	0.20	12,161	13.50
BUI	7.00	-	218	6.97	SF	3.66	(0.14)	41,318	3.64	FUTUREPF	16.60	-	3,077	16.61
CHARAN	-	-	-	-	SIRI	0.59	0.03	666,022	0.58	GAHREIT	7.30	(0.10)	578	7.25
INSURE	-	-	-	-	SPALI	14.90	0.50	62,166	14.69	GOLDPF	6.40	0.45	14	6.04
MTI	69.00	2.00	184	69.31	U	0.81	0.06	138,462	0.79	GVREIT	13.70	0.20	796	13.64
NKI	-	-	-	-	UV	2.40	0.06	24,780	2.38	HPF	3.98	0.26	1,104	3.62
NSI	47.00	-	57	47.00	WHA	2.20	0.06	696,494	2.20	HREIT	6.55	0.15	15,700	6.56
SEG	-	-	-	-	WIN	0.32	0.02	198	0.31	IMPACT	14.60	0.20	6,633	14.57
SMK	28.00	-	319	28.00	Paper & Printing Mat					KPNPF	-	-	-	-
THRE	0.51	0.05	185,450	0.51	UTP	6.90	0.05	2,259	6.92	LHHOTEL	13.70	1.70	12,791	12.79
THREL	2.12	0.06	10,231	2.11	Fashion					LHPF	5.80	0.10	5,066	5.70
TIP	18.90	0.10	3,342	18.96	AFC	-	-	-	-	LHSC	12.90	0.70	3,790	12.51
TQM	67.25	0.50	12,486	67.10	B52	0.19	0.01	6,955	0.18	LUXF	6.25	0.20	384	6.17
TSI	0.36	-	388	0.35	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.10	0.04	124	3.06	CPH	2.18	0.10	42	2.09	M-PAT	4.00	-	75	4.00
Mining					CPL	0.86	0.06	52	0.86	M-STOR	6.45	-	102	6.45
PDI	4.00	0.12	637	3.99	ICC	33.50	0.50	16	34.52	MIPF	11.20	0.70	1	11.20
THL	-	-	-	-	NC	-	-	-	-	MIT	2.48	0.26	317	2.22
Packaging					PAF	0.36	0.01	270	0.35	MJLF	7.40	0.15	1,260	7.39
AJ	7.45	0.15	3,521	7.38	PDJ	0.98	0.02	1,294	0.99	MNIT	0.93	0.04	6	0.92
ALUCON	120.00	-	18	120.53	PG	4.80	0.50	1	4.80	MNIT2	3.00	0.20	5	3.00
BGC	8.50	1.10	7,252	8.10	SABINA	17.00	1.00	3,388	16.74	MNRF	-	-	-	-
CSC	44.50	1.50	43	43.45	SAWANG	-	-	-	-	POPF	11.40	1.40	7,051	11.20
GLOCON	0.48	0.03	21,311	0.45	SUC	33.50	(1.25)	1,591	33.52	PPF	11.20	-	480	11.20
NEP	0.13	-	200	0.13	TNL	-	-	-	-	QHHR	6.90	0.20	500	6.83
PTL	9.30	0.30	6,134	9.25	TPCORP	11.00	-	99	11.00	QHOP	2.78	-	3	2.62
SFLEX	4.98	(0.02)	1,464	5.00	TR	-	-	-	-	QHPF	10.60	0.50	8,802	10.45
SITHAI	0.48	0.01	287	0.49	TTI	-	-	-	-	SBPF	2.20	0.20	20	2.20
SLP	0.35	0.01	8	0.34	TTT	40.00	-	10	40.00	SHREIT	3.16	-	184	3.16
SMPC	4.34	0.28	2,737	4.21	UPF	27.75	0.50	1	27.75	SIRIP	-	-	-	-
SPACK	0.98	0.01	1	0.98	UT	-	-	-	-	SPF	14.60	1.60	24,146	14.30
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPRIME	10.70	0.50	687	10.33
TFI	0.03	-	2	0.03	Transportation & Log					SRIPANWA	7.20	0.20	384	7.14
THIP	19.80	-	81	19.80	AAV	1.06	0.01	241,048	1.06	SSPF	8.15	0.05	34	8.14
TMD	22.30	1.90	172	21.65	AOT	50.75	1.00	367,594	50.77	SSTRT	4.94	0.06	411	4.89
TOPP	165.00	-	4	165.00	ASIMAR	0.78	0.06	1,032	0.76	TIF1	7.85	0.10	60	7.76
TPBI	2.60	-	146	2.59	B	0.14	(0.01)	24,579	0.14	TLGF	15.20	0.70	7,881	15.09
TPP	14.60	1.90	65	14.21	BA	4.02	0.16	11,308	3.98	TLHPF	8.55	0.05	215	8.52
Personal Products &					BEM	7.75	0.15	552,364	7.73	TNPF	-	-	-	-
APCO	3.14	-	4,813	3.14	BTS	9.10	0.25	536,320	9.04	TPRIME	14.40	0.10	103	14.40
DDD	11.50	0.30	2,894	11.41	BTSGIF	8.15	0.80	669,328	8.00	TTLPF	21.00	0.30	22	21.00
JCT	72.50	2.50	3	69.83	III	4.04	0.02	10,201	3.99	TU-PF	-	-	-	-
OCC	-	-	-	-	JUTHA	0.24	0.03	293	0.24	URBNPF	3.02	-	574	3.02
S & J	20.90	1.20	15	21.25	JWD	5.20	0.05	5,217	5.22	WHABT	8.40	-	65	8.39
STHAI	-	-	-	-	KWC	281.00	1.00	1	281.00	WHART	12.60	0.10	19,320	12.62
TNR	6.20	0.25	5,125	6.32	NOK	0.79	-	1,400	0.78	Steel	-	-	-	-
TOG	3.24	0.08	466	3.29	NYT	2.70	0.08	24,681	2.70	AMC	1.08	-	95	1.10
Professional Service					PORT	1.21	0.03	14,199	1.21	BSBM	0.71	0.02	881	0.68
BWG	0.18	0.01	328,117	0.18	PRM	4.36	0.32	119,894	4.29	CEN	0.31	(0.01)	25	0.32
GENCO	0.33	-	5,156	0.34	PSL	2.54	0.12	115,734	2.49	CITY	1.28	0.05	347	1.23
PRO	-	-	-	-	RCL	1.82	0.01	3,182	1.83	CSP	0.52	0.01	14	0.51
SISB	7.20	0.35	125,630	7.22	TFFIF	10.10	0.25	82,134	10.00	GJS	0.05	-	26,203	0.05
TEAMG	1.78	0.06	2,135	1.76	THAI	3.26	0.08	23,027	3.27	GSTEEL	-	-	-	-
Property Developer					TSTE	7.50	0.35	2	7.50	INOX	0.41	0.01	439	0.40
A	4.80	0.04	55	4.78	TTA	1.94	0.06	26,642	1.92	LHK	1.95	0.01	1,541	1.95
AMATA	10.00	0.45	254,750	9.90	WICE	1.36	0.01	2,366	1.36	MAX	0.01	-	56,538	0.01
AMATAV	3.86	0.04	158	3.77	Automotive					MCS	7.10	0.10	9,090	7.07
ANAN	1.18	0.01</												

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	AGE	0.55	0.03	9,664	-	ADVA01C2003A	-	-	-	-
ABICO	3.00	(0.02)	109	2.00	AIE	0.22	0.01	8,016	-	ADVA01C2003B	-	-	-	-
AU	6.90	0.30	38,887	6.00	PSTC	0.29	-	640,209	-	ADVA01C2005A	0.29	0.01	15,628	-
JCHK	0.22	0.01	4,931	-	QTC	3.20	-	133	3.00	ADVA01C2005B	0.04	(0.01)	120	-
KASET	0.96	0.01	233	-	SAAM	0.62	-	3,059	-	ADVA01C2007B	0.26	(0.01)	8,061	-
MM	1.56	(0.14)	981	1.00	SEAOIL	1.71	0.04	9,252	1.00	ADVA01C2008A	1.00	0.03	3,970	1.00
SUN	1.36	0.01	5,256	1.00	SR	0.77	0.07	819	-	ADVA01P2003A	-	-	-	-
TACC	3.08	0.08	11,477	3.00	TAKUNI	0.28	-	8,263	-	ADVA01P2003B	-	-	-	-
TMILL	2.46	0.04	909	2.00	TPCH	8.25	0.20	7,052	8.00	ADVA01P2007B	0.34	(0.02)	108,467	-
XO	3.90	0.02	3,021	3.00	TRT	-	-	-	-	ADVA06C2005A	0.01	(0.07)	1,710	-
Consumer Products														
BGT	0.44	(0.04)	2,038	-	UMS	0.13	-	65	-	ADVA08C2005A	0.07	0.02	4,530	-
BIZ	2.76	0.16	2,348	2.00	UWC	0.01	-	103,839	-	ADVA08P2004A	0.19	(0.03)	52,266	-
DOD	3.76	0.16	38,783	3.00	Services (MAI)	-	-	-	-	ADVA11C2006A	-	-	-	-
ECF	0.99	0.01	4,308	-	A5	-	-	-	-	ADVA11P2005A	0.09	(0.06)	2,851	-
HPT	0.40	0.02	91	-	AKP	0.68	0.03	6,441	-	ADVA13C2004A	0.01	(0.01)	5,425	-
IP	4.90	0.18	2,114	4.00	AMA	3.06	0.06	781	3.00	ADVA13C2006A	0.63	(0.01)	220	-
JUBILE	12.30	0.30	1,491	12.00	ARIP	0.27	0.02	140	-	ADVA13C2007A	0.25	(0.03)	9,378	-
MOONG	3.08	0.04	886	3.00	ATP30	0.67	-	4,342	-	ADVA13C2008A	0.43	0.01	426,872	-
NPK	9.75	1.20	116	9.00	AUCT	4.18	0.06	24,016	4.00	ADVA16C2005A	-	-	-	-
OCEAN	0.82	-	1,228	-	BOL	2.58	-	203	2.00	ADVA16C2007A	0.09	(0.02)	9	-
TM	2.30	-	3,542	2.00	CHUO	-	-	-	-	ADVA16C2009A	0.28	0.05	10	-
Financials (MAI)														
ACAP	0.42	0.02	1,096	-	CMO	0.86	0.04	1,908	-	ADVA19C2005A	-	-	-	-
AF	-	-	-	-	D	2.14	(0.02)	915	2.00	ADVA19C2007A	0.78	0.05	377	-
AIRA	0.82	0.02	436	-	DCORP	0.28	(0.02)	2,956	-	ADVA19C2007B	0.23	0.03	1,836	-
ASN	-	-	-	-	EFORL	0.03	0.01	25,703	-	ADVA19C2008A	1.24	0.08	46,156	1.00
BROOK	0.36	-	13,201	-	ETE	0.51	0.01	504	-	ADVA19C2009A	0.86	(0.14)	41,143	-
CHAYO	3.76	0.06	198,904	3.00	FSMART	5.50	(0.05)	1,939	5.00	ADVA19P2006A	0.31	-	2,267	-
GCAP	1.08	0.02	3,307	1.00	FVC	0.22	-	5,459	-	ADVA19P2009A	0.37	(0.03)	245,066	-
LIT	2.30	(0.02)	1,982	2.00	GSC	0.42	0.01	922	-	ADVA24C2006A	-	-	-	-
MITSB	1.03	0.01	4,495	1.00	HARN	1.77	0.04	4,985	1.00	ADVA28C2004A	-	-	-	-
SGF	0.33	0.04	34,701	-	IMH	1.64	0.01	391	1.00	ADVA28C2005A	-	-	-	-
Industrials (MAI)														
2S	1.68	(0.01)	134	1.00	JKN	3.42	(0.08)	35,528	3.00	ADVA28C2007A	0.15	-	45	-
ACG	0.80	-	465	-	KIAT	0.26	0.01	34,226	-	ADVA28C2008A	1.01	0.04	38,044	1.00
ADB	0.38	0.01	330	-	KOOL	0.48	-	2,970	-	ADVA28C2008B	-	-	-	-
BM	1.31	-	234	1.00	LDC	0.48	0.01	2,780	-	ADVA28P2004A	0.06	-	1,013	-
CHO	0.41	-	8,925	-	MORE	0.23	0.01	256,444	-	ADVA41C2004A	-	-	-	-
CHOW	0.57	0.03	581	-	MPG	0.18	-	2,364	-	ADVA41C2005A	-	-	-	-
CIG	0.16	-	5,830	-	MVP	1.20	0.01	278	1.00	ADVA41C2006A	0.25	0.02	7	-
COLOR	1.00	-	868	1.00	NBC	0.40	-	11	-	ADVA41C2007A	0.34	0.10	83,855	-
CPR	2.12	0.04	358	2.00	NCL	0.75	0.02	2	-	ADVA41C2007B	1.04	0.06	30,056	1.00
FPI	2.08	-	246	2.00	NEWS	0.01	-	452	-	ADVA41P2004A	0.43	(0.06)	7,119	-
GTB	0.49	-	9,032	-	NINE	-	-	-	-	ADVA41P2005A	0.49	(0.04)	65,631	-
KCM	0.30	0.01	680	-	OTO	2.60	(0.02)	699	2.00	ADVA42C2005A	-	-	-	-
KUMWEL	0.70	0.03	1,506	-	PHOL	1.46	0.02	613	1.00	ADVA42P2007A	1.93	(0.09)	1	1.00
KWM	0.69	-	575	-	PICO	3.44	0.26	2	3.00	AEON01C2005A	0.02	-	10	-
KWB	2.70	(0.02)	2,158	2.00	QLT	3.74	(0.04)	250	3.00	AEON13C2007A	0.07	0.03	2	-
MGT	1.18	(0.01)	580	1.00	RP	0.87	0.05	199	-	AEON19C2003A	-	-	-	-
NDR	0.90	0.03	1	-	SE	1.05	(0.06)	133	1.00	AEON19C2006A	-	-	-	-
PDG	2.54	0.06	250	2.00	SONIC	0.79	-	5,142	-	AMAT01C2004A	0.01	-	600	-
PIMO	0.80	-	1,841	-	SPA	7.30	0.30	3,335	7.00	AMAT01C2004B	-	-	-	-
PJW	0.92	(0.03)	7,335	-	THMUI	0.36	0.03	892	-	AMAT01C2007B	0.02	0.01	502	-
PPM	0.45	0.01	710	-	TNDT	1.57	0.03	2,413	1.00	AMAT01C2008A	0.06	(0.02)	122	-
RWI	0.96	0.06	4,641	-	TNH	23.90	0.90	25	23.00	AMAT01P2008A	1.97	(0.13)	199	1.00
SALEE	0.78	0.03	1	-	TNP	1.80	-	1,381	1.00	AMAT06C2005A	0.01	-	204	-
SANKO	0.81	(0.01)	4,661	-	TSF	-	-	-	-	AMAT08C2005A	-	-	-	-
SELIC	1.68	0.02	1,265	1.00	TVD	0.50	0.01	10,146	-	AMAT11C2004A	-	-	-	-
SWC	3.78	(0.06)	2,499	3.00	TVT	0.34	0.01	2,771	-	AMAT11C2008A	0.06	0.03	1	-
TMC	0.31	0.01	202	-	VL	0.92	-	23,503	-	AMAT13C2004A	-	-	-	-
TMI	0.64	0.01	4,360	-	WINNER	1.91	0.03	545	1.00	AMAT13C2006A	-	-	-	-
TMW	29.00	0.50	98	28.00	YGG	4.02	0.22	1,166	4.00	AMAT16C2003A	-	-	-	-
TPAC	7.50	0.55	1,723	7.00	Technology (MAI)									
TPLAS	0.92	0.01	1,775	-	APP	1.40	0.06	828	1.00	AMAT16C2006A	-	-	-	-
UBIS	5.00	0.24	1,250	4.00	COMAN	1.44	0.01	532	1.00	AMAT16C2008A	-	-	-	-
UEC	0.59	0.02	191	-	ICN	1.43	0.09	12,492	1.00	AMAT19C2003A	-	-	-	-
UKEM	0.34	0.01	7,789	-	INSET	2.18	0.02	3,940	2.00	AMAT19C2005A	-	-	-	-
UREKA	0.75	0.03	3,073	-	IRCP	0.31	0.01	7,936	-	AMAT19C2006A	-	-	-	-
YUASA	9.45	0.20	178	9.00	ITEL	1.55	0.11	7,076	1.00	AMAT24C2006A	-	-	-	-
ZIGA	0.93	0.01	9,762	-	NETBAY	27.25	0.50	2,471	27.00	AMAT41C2004A	-	-	-	-
Property & Construc														
ALL	2.78	0.10	3,983	2.00	PLANET	0.72	0.04	797	-	AMAT41C2005A	-	-	-	-
ARIN	0.49	-	1,029	-	SIMAT	2.06	(0.04)	7,519	2.00	AMAT41C2006A	-	-	-	-
ARROW	5.90	-	459	5.00	SKY	12.30	0.20	2,061	12.00	AMAT42C2005A	-	-	-	-
BC	0.81	-	1,701	-	SPVI	1.51	0.04	10,492	1.00	AMAT42C2007A	-	-	-	-
BSM	0.25	-	880	-	TPS	1.77	(0.05)	2,397	1.00	ANAN13C2007A	-	-	-	-
BTW	0.43	0.02	579	-	UPA	0.10	(0.01)	19,501	-	ANAN19C2004A	-	-	-	-
CAZ	1.23	0.01	397	1.00	VCOM	1.85	(0.01)	3,182	1.00	ANAN19C2007A	-	-	-	-
CHEWA	0.26	-	19,888	-	Unit Trust	-	-	-	-	AOT01C2004A	0.01	-	8,421	-
CMC	0.61	0.03	235	-	MGE	-	-	-	-	AOT01C2004B	0.01	-	40,200	-
CRD	0.39	-	856	-	SCBSET	-	-	-	-	AOT01C2006B	0.02	-	3,526	-
DIMET	-	-	-	-	ETF	-	-	-	-	AOT01C2007A	0.08	-	10,646	-
FLOYD	0.96	-	2,903	-	IDIV	7.00	0.22	268	6.00	AOT01P2004A	2.52	(0.22)	129	2.00
HYDRO	-	-	-	-	ABFTH	-	-	-	-	AOT01P2004B	2.42	(0.26)	20	2.00
JSP	0.20	0.01	1,261	-	BMSCG	4.92	0.14	38	4.00	AOT01P2006B	1.98	(0.06)	7,295	1.00
K	0.65	0.05	93	-	BMSCITH	8.48	0.29	7,239	8.00	AOT01P2007A	1.99	(0.01)	25,741	1.00
KUN	0.87	-	793	-	BSET100	7.29	0.26	1,230	7.00	AOT06C2007A	0.02	(0.02)	102	-
META	0.63	(0.11)	7,238	-	CHINA	5.43	0.04	164	5.00	AOT06C2008A	0.41			

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2008A	0.28	0.02	5,861	-	BBL24C2004A	-	-	-	-	BGRI01C2009A	0.39	0.02	5,914	-
AOT19C2009A	0.36	0.03	91,887	-	BBL28C2005A	0.01	-	1,000	-	BGRI01P2003A	-	-	-	-
AOT19P2004A	-	-	-	-	BBL28C2007A	0.05	0.02	5	-	BGRI01P2006A	1.81	(0.09)	899	1.00
AOT19P2009A	0.44	(0.03)	396,494	-	BBL28C2010A	0.33	0.06	84,329	-	BGRI06C2005A	-	-	-	-
AOT19P2009B	0.55	(0.45)	14,060	-	BBL41C2004A	-	-	-	-	BGRI08C2003A	-	-	-	-
AOT24C2003A	-	-	-	-	BBL41C2005A	-	-	-	-	BGRI08C2005A	-	-	-	-
AOT24C2006A	-	-	-	-	BBL41C2006A	-	-	-	-	BGRI11C2006A	0.12	-	9,672	-
AOT27C2008A	-	-	-	-	BBL41C2007A	-	-	-	-	BGRI11C2008A	-	-	-	-
AOT28C2006A	0.02	-	200	-	BBL41C2007B	-	-	-	-	BGRI13C2004A	-	-	-	-
AOT28C2006B	-	-	-	-	BBL41P2004A	-	-	-	-	BGRI13C2006A	0.02	-	2	-
AOT28C2008A	0.06	(0.03)	132	-	BBL41P2006A	-	-	-	-	BGRI13C2007A	-	-	-	-
AOT28C2008B	0.19	0.02	22,009	-	BBL42C2005A	0.27	(0.02)	142	-	BGRI13C2008A	0.19	-	1,124	-
AOT28C2008C	0.32	0.03	53,544	-	BBL42C2007A	-	-	-	-	BGRI13C2009A	0.55	0.03	110,806	-
AOT28P2004A	2.22	(0.14)	12	2.00	BCH01C2006A	-	-	-	-	BGRI13P2005A	1.70	0.02	11	1.00
AOT41C2004A	-	-	-	-	BCH01C2006B	-	-	-	-	BGRI16C2005A	-	-	-	-
AOT41C2005A	-	-	-	-	BCH01P2006A	-	-	-	-	BGRI19C2004A	-	-	-	-
AOT41C2006A	-	-	-	-	BCH06C2006A	-	-	-	-	BGRI19C2005A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH06P2006A	-	-	-	-	BGRI19C2006A	-	-	-	-
AOT41C2007B	0.39	0.03	42,282	-	BCH08C2004A	-	-	-	-	BGRI19C2008A	0.24	0.01	793	-
AOT41P2004A	-	-	-	-	BCH11C2008A	-	-	-	-	BGRI19C2008B	0.52	0.01	269,301	-
AOT41P2005A	-	-	-	-	BCH13C2004A	-	-	-	-	BGRI19P2007A	-	-	-	-
AOT41P2006A	2.46	(0.08)	10	2.00	BCH13C2007A	-	-	-	-	BGRI24C2004A	0.02	(0.01)	1	-
AOT42C2006A	0.02	-	492	-	BCH16C2006A	-	-	-	-	BGRI27P2006A	0.83	(0.07)	120	-
AOT42P2009A	-	-	-	-	BCH19C2005A	-	-	-	-	BGRI41C2004A	0.01	(0.10)	1,003	-
AP19C2007A	-	-	-	-	BCH19C2006A	-	-	-	-	BGRI41C2005A	-	-	-	-
AP28C2004A	-	-	-	-	BCH19C2008A	-	-	-	-	BGRI41C2006A	-	-	-	-
AP28C2006A	-	-	-	-	BCH24C2003A	-	-	-	-	BGRI41C2007A	0.33	0.01	1,149	-
AWC01C2003A	-	-	-	-	BCH27C2003A	-	-	-	-	BGRI41P2004A	-	-	-	-
AWC01C2003B	-	-	-	-	BCH41C2005A	-	-	-	-	BGRI41P2005A	1.31	(0.03)	1	1.00
AWC01C2004A	-	-	-	-	BCH41C2006A	-	-	-	-	BGRI41P2006A	-	-	-	-
AWC01C2009A	-	-	-	-	BCP01C2005A	-	-	-	-	BGRI42C2006A	-	-	-	-
AWC01P2003A	-	-	-	-	BCP01C2005B	-	-	-	-	BH01C2004A	0.12	0.02	16	-
AWC01P2003B	-	-	-	-	BCP01P2005A	-	-	-	-	BH01C2004B	0.02	-	1,208	-
AWC01P2007A	1.40	(0.12)	252	1.00	BCP11C2004A	-	-	-	-	BH01P2004A	0.76	(0.14)	1,030	-
AWC06C2004A	-	-	-	-	BCP13C2003B	-	-	-	-	BH08C2007A	0.16	0.02	85,328	-
AWC08C2004A	-	-	-	-	BCP13C2007A	-	-	-	-	BH11C2008A	0.12	0.02	3,350	-
AWC13C2006A	-	-	-	-	BCP19C2004A	-	-	-	-	BH13C2006A	0.07	-	101	-
AWC13P2006A	-	-	-	-	BCP19C2005A	-	-	-	-	BH19C2003A	-	-	-	-
AWC16C2005A	-	-	-	-	BCP24C2004A	-	-	-	-	BH19C2006A	0.06	-	1,001	-
AWC16C2007A	0.02	-	710	-	BCPG01C2005A	-	-	-	-	BH19C2009A	0.52	(0.48)	27,729	-
AWC19C2003A	-	-	-	-	BCPG01C2005B	-	-	-	-	BH24C2003A	-	-	-	-
AWC19C2004A	-	-	-	-	BCPG01C2008B	-	-	-	-	BH27C2007A	-	-	-	-
AWC19C2006A	-	-	-	-	BCPG01C2009A	0.27	0.02	555	-	BH41C2004A	-	-	-	-
AWC24C2007A	-	-	-	-	BCPG01P2005A	0.75	(0.10)	266	-	BH41C2005A	0.20	(0.03)	600	-
AWC28C2006A	-	-	-	-	BCPG01P2009A	0.71	(0.08)	55	-	BH41C2006A	0.20	0.02	3,046	-
AWC28C2008A	0.07	0.03	1	-	BCPG13C2004A	-	-	-	-	BH41P2004A	0.22	(0.09)	186	-
AWC28C2010A	0.30	0.03	59,964	-	BCPG13C2007A	0.04	(0.01)	216	-	BH41P2006A	1.18	(0.17)	20	1.00
AWC41C2004A	-	-	-	-	BCPG16C2009A	-	-	-	-	BH42C2008A	1.28	1.17	951	-
AWC41C2005A	-	-	-	-	BCPG19C2003A	-	-	-	-	BJC01C2004A	-	-	-	-
AWC41C2006A	-	-	-	-	BCPG19C2005A	-	-	-	-	BJC01C2004B	-	-	-	-
AWC41C2007A	-	-	-	-	BCPG28C2004A	-	-	-	-	BJC01C2008B	-	-	-	-
AWC41C2007B	-	-	-	-	BCPG28C2008A	0.22	0.03	20,718	-	BJC01C2009A	0.57	0.04	1,459	-
AWC42C2008A	-	-	-	-	BCPG41C2005A	-	-	-	-	BJC01P2004A	-	-	-	-
BANP01C2005A	-	-	-	-	BCPG42C2004A	-	-	-	-	BJC01P2009A	0.33	(0.01)	11,646	-
BANP01C2005B	-	-	-	-	BCPG42C2007A	-	-	-	-	BJC06C2006A	0.07	(0.06)	700	-
BANP01P2005A	-	-	-	-	BDM501C2007B	0.04	-	5,298	-	BJC11C2008A	0.21	-	890	-
BANP01P2005B	-	-	-	-	BDM501P2008A	0.61	(0.05)	2,849	-	BJC13C2004A	-	-	-	-
BANP06C2005A	-	-	-	-	BDM506C2008A	0.10	0.01	19,325	-	BJC13C2005A	0.06	-	1,000	-
BANP08C2005A	-	-	-	-	BDM506P2004A	-	-	-	-	BJC16C2006A	-	-	-	-
BANP08C2007A	-	-	-	-	BDM508C2003A	-	-	-	-	BJC19C2003A	-	-	-	-
BANP08P2003A	-	-	-	-	BDM508C2006A	-	-	-	-	BJC19C2005A	-	-	-	-
BANP11C2004A	-	-	-	-	BDM511C2007A	-	-	-	-	BJC19C2007A	0.27	0.02	2	-
BANP11C2008A	-	-	-	-	BDM511C2008A	0.05	-	500	-	BJC24C2003A	-	-	-	-
BANP13C2006A	0.01	-	1	-	BDM513C2004A	-	-	-	-	BJC24C2006A	0.15	0.02	700	-
BANP13C2008A	0.25	0.14	69,542	-	BDM513C2008A	0.10	0.01	580	-	BJC27C2009A	0.18	0.02	100	-
BANP19C2004A	-	-	-	-	BDM516C2006A	-	-	-	-	BJC28C2004A	-	-	-	-
BANP19C2005A	-	-	-	-	BDM519C2005A	0.01	(0.04)	101	-	BJC28C2007A	0.40	0.02	51,645	-
BANP19C2007A	-	-	-	-	BDM519C2005B	-	-	-	-	BJC28C2010A	0.26	-	26,887	-
BANP19C2007B	-	-	-	-	BDM524C2006A	-	-	-	-	BJC41C2004A	-	-	-	-
BANP19C2009A	0.30	0.02	132,682	-	BDM541C2004A	-	-	-	-	BJC41C2005A	-	-	-	-
BANP19P2003A	-	-	-	-	BDM541C2005A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP24C2003A	-	-	-	-	BDM541C2006A	-	-	-	-	BJC41C2007A	0.45	0.01	14,318	-
BANP27C2007A	-	-	-	-	BDM541P2004A	-	-	-	-	BJC41C2008A	0.67	0.02	2,596	-
BANP28C2004A	-	-	-	-	BDM541P2006A	-	-	-	-	BJC41P2004A	-	-	-	-
BANP28C2008A	-	-	-	-	BEC01C2006A	-	-	-	-	BJC41P2005A	-	-	-	-
BANP41C2004A	-	-	-	-	BEC01C2006B	-	-	-	-	BJC42C2004A	-	-	-	-
BANP41C2005A	-	-	-	-	BEC01P2006A	-	-	-	-	BLAN19C2004A	-	-	-	-
BANP41C2006A	-	-	-	-	BEC19C2003A	-	-	-	-	BLAN28C2004A	-	-	-	-
BANP41C2007A	-	-	-	-	BEC19C2005A	-	-	-	-	BPP01C2005A	-	-	-	-
BANP41P2005A	1.39	(0.04)	2,990	1.00	BEC42C2005A	0.27	0.21	3	-	BPP01C2005B	-	-	-	-
BANP41P2007A	-	-	-	-	BEM01C2004A	0.01	-	100	-	BPP01P2005A	1.32	(0.20)	4	1.00
BANP42C2004A	-	-	-	-	BEM01C2004B	-	-	-	-	BPP13C2004A	-	-	-	-
BANP42C2006A	-	-	-	-	BEM01P2004A	0.64	(0.04)	455	-	BPP13C2007A	0.20	0.03	64,255	-
BANP42P2005A	-	-	-	-	BEM06C2004A	-	-	-	-	BPP19C2005A	-	-	-	-
BBL06C2007A	-	-	-	-	BEM08C2005A	-	-	-	-	BPP19C2007A	0.05	0.01	1,800	-
BBL06P2004A	-	-	-	-	BEM11C2003A	0.01	-	1,600	-	BPP24C2003A	-	-	-	-
BBL08C2005A	-	-	-	-	BEM13C2004A	-	-	-	-	BTS01C2005A	0.02	0.01	3,291	-
BBL08C2007A	-	-	-	-	BEM13C2007A	0.02	(0.01)	500	-	BTS01C2005B	0.01	-	533	-
BBL08P2007A	1.74	(0.23)	5,802	1.00	BEM16C2006A	0.01	(0.07)	4	-	BTS01P2005A	0.81	(0.05)	5,938	-
BBL11C2005A	0.01	-	6,800	-	BEM19C2005A	-	-	-	-	BTS08C2005A	-	-	-	-
BBL11C2007A	0.02	0.01	790	-	BEM24C2003A	-	-	-	-	BTS11C2003A	-	-	-	-
BBL11P2008A	-	-	-	-	BEM28C2006A	-	-	-	-	BTS13C2006A	-	-	-	-
BBL13C2004A	-	-	-	-	BEM28C2007A	-	-	-	-	BTS13C2008A	0.04	(0.01)	1,109	-
BBL13C2006A	-	-	-	-	BEM28C2008A	-	-	-	-	BTS16C2008A	-	-	-	-
BBL13C2008A	0.22	0.04	148,669	-	BEM28C2010A	0.41	0.02	66,016	-	BTS19C2005A	-	-	-	-
BBL13P2004A	-	-	-	-	BEM41C2004A	-	-	-	-	BTS19C2008A	-	-	-	-
BBL13P2008A	0.96	(0.12)	1,386	-	BEM41C2006A	-	-	-	-	BTS24C2007A	-	-	-	-
BBL16C2006A	-	-	-	-	BEM41P2004A	-	-	-	-	BTS41C2003A	-	-	-	-
BBL19C2003A	-	-	-	-	BGRI01C2003A	-	-	-	-	BTS41C2004A	-	-	-	-
BBL19C2005A	-	-	-	-	BGRI01C2003B	-	-	-	-	BTS41C2006A	-	-	-	-
BBL19C2007A	-	-	-	-	BGRI01C2006A	0.05	-	9,264	-	BTS41P2				

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01C2004B	0.02	-	102	-	CKP28C2004A	-	-	-	-	CRC13C2008A	0.06	0.02	178,928	-
CBG01C2007B	0.19	0.03	31,315	-	CKP28C2004B	-	-	-	-	CRC19C2008A	0.13	0.05	6,605	-
CBG01P2003A	-	-	-	-	CKP28C2006A	-	-	-	-	CRC19C2008B	0.15	0.03	2	-
CBG01P2004A	1.16	(0.37)	3,089	1.00	CKP41C2004A	-	-	-	-	CRC28C2007A	0.06	0.02	7,358	-
CBG01P2007B	1.79	(0.25)	2,313	1.00	CKP41C2005A	-	-	-	-	CRC28C2007B	0.03	-	2,421	-
CBG06C2005A	-	-	-	-	CKP41C2006A	-	-	-	-	CRC41C2007A	0.33	0.08	28,147	-
CBG08C2003A	-	-	-	-	CKP41C2007A	-	-	-	-	DTAC01C2004A	0.04	0.01	7,642	-
CBG08C2007A	0.38	0.10	59,378	-	CKP42C2005A	0.26	0.22	1	-	DTAC01C2004B	0.02	-	128	-
CBG11C2008A	0.25	0.06	1	-	CKP42C2006A	-	-	-	-	DTAC01C2007B	0.18	0.06	13,015	-
CBG13C2004A	-	-	-	-	COM708C2007A	0.01	(0.01)	2,910	-	DTAC01C2008A	0.42	0.12	6,381	-
CBG13C2008A	0.37	0.04	12,096	-	COM711C2004A	-	-	-	-	DTAC01P2004A	-	-	-	-
CBG13P2006A	-	-	-	-	COM713C2004A	-	-	-	-	DTAC01P2004B	0.76	(0.46)	720	-
CBG16C2008A	0.09	0.01	444	-	COM713C2007A	-	-	-	-	DTAC01P2007B	0.45	(0.25)	392	-
CBG19C2004A	-	-	-	-	COM713C2008A	0.06	-	15,558	-	DTAC01P2008A	0.73	(0.05)	1,237	-
CBG19C2005A	-	-	-	-	COM716C2008A	-	-	-	-	DTAC06C2006A	0.02	-	7,243	-
CBG19C2008A	0.46	0.10	508,021	-	COM719C2003A	-	-	-	-	DTAC08C2005A	-	-	-	-
CBG19P2006A	1.82	(0.18)	656	1.00	COM719C2005A	-	-	-	-	DTAC08C2005B	-	-	-	-
CBG24C2003A	-	-	-	-	COM719C2008A	0.08	-	2,881	-	DTAC08C2007A	0.19	0.08	32,021	-
CBG24C2008A	0.25	0.05	3,186	-	COM719C2009A	0.40	(0.60)	110,737	-	DTAC13C2006A	0.04	0.02	22,683	-
CBG41C2004A	-	-	-	-	COM719P2004A	0.79	(0.05)	1,954	-	DTAC13C2007A	0.13	0.04	2,926	-
CBG41C2005A	0.55	0.10	2,152	-	COM724C2007A	-	-	-	-	DTAC13P2006A	0.53	(0.39)	2	-
CBG41C2006A	0.19	0.04	4,002	-	COM741C2004A	-	-	-	-	DTAC13P2007A	0.16	(0.04)	45,570	-
CBG41P2004A	-	-	-	-	COM741C2006A	-	-	-	-	DTAC13P2008A	0.88	(0.20)	631	-
CBG41P2006A	-	-	-	-	COM742C2004A	0.31	0.29	1	-	DTAC16C2009A	-	-	-	-
CBG42C2006A	0.01	(0.02)	261	-	CPAL01C2004A	0.03	-	545	-	DTAC19C2005A	0.02	0.01	5,000	-
CBG42C2008A	1.76	0.24	3,920	1.00	CPAL01C2004B	-	-	-	-	DTAC19C2006A	0.11	0.04	640	-
CENT01C2003A	-	-	-	-	CPAL01C2006A	0.15	0.02	15,881	-	DTAC19C2007A	0.29	0.08	3,025	-
CENT01C2003B	-	-	-	-	CPAL01C2006B	0.04	(0.01)	1,657	-	DTAC19P2007A	0.45	(0.15)	2,492	-
CENT01C2006A	-	-	-	-	CPAL01C2008B	0.19	0.01	62,788	-	DTAC24C2004A	-	-	-	-
CENT01C2006B	-	-	-	-	CPAL01P2004A	1.61	(0.14)	2	1.00	DTAC24C2007A	-	-	-	-
CENT01C2009A	-	-	-	-	CPAL01P2004B	0.81	(0.10)	310	-	DTAC27C2008A	0.30	0.10	36,392	-
CENT01P2003A	-	-	-	-	CPAL01P2008B	0.82	(0.05)	6,949	-	DTAC41C2004A	-	-	-	-
CENT01P2009A	1.41	(0.11)	2,190	1.00	CPAL06C2006A	0.04	-	11	-	DTAC41C2005A	-	-	-	-
CENT06C2006A	0.26	0.06	18,065	-	CPAL08C2004A	-	-	-	-	DTAC41C2006A	0.13	0.02	115	-
CENT06P2007A	-	-	-	-	CPAL08C2006A	0.03	0.01	820	-	DTAC41C2007A	0.32	0.09	71,729	-
CENT08C2004A	-	-	-	-	CPAL08C2008A	0.41	0.01	117,834	-	DTAC41C2007B	0.52	0.15	20,006	-
CENT11C2004A	-	-	-	-	CPAL08P2006A	0.92	(0.14)	10	-	DTAC41P2005A	-	-	-	-
CENT11C2007A	0.03	(0.02)	1	-	CPAL11C2006A	0.03	-	28	-	DTAC41P2006A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL11C2007A	0.07	-	3	-	DTAC42C2004A	-	-	-	-
CENT13C2006A	-	-	-	-	CPAL13C2004A	0.01	(0.02)	518	-	DTAC42C2006A	0.89	0.80	1,601	-
CENT19C2004A	-	-	-	-	CPAL13C2007A	0.13	0.01	16,132	-	EA06C2005A	-	-	-	-
CENT19C2005A	-	-	-	-	CPAL13C2009A	0.65	0.01	382,156	-	EA08C2004A	-	-	-	-
CENT19C2008A	0.08	0.02	2,300	-	CPAL16C2006A	-	-	-	-	EA08C2006A	0.07	0.01	3,042	-
CENT24C2003A	-	-	-	-	CPAL16C2007A	-	-	-	-	EA11C2005A	0.01	(0.02)	1	-
CENT24C2008A	-	-	-	-	CPAL19C2004A	-	-	-	-	EA13C2005A	0.07	-	1	-
CENT27C2008A	-	-	-	-	CPAL19C2005A	0.02	-	18,762	-	EA13C2006A	0.03	-	2,519	-
CENT28C2004A	-	-	-	-	CPAL19C2008A	0.22	0.02	251,307	-	EA13C2008A	0.12	(0.05)	1	-
CENT28C2005A	-	-	-	-	CPAL19P2004A	0.55	(0.11)	63	-	EA13P2006A	1.15	(0.15)	201	1.00
CENT28C2006A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA16C2003A	0.02	(0.08)	1	-
CENT28C2008A	0.20	0.04	34,186	-	CPAL24C2009A	0.71	0.01	49,823	-	EA16C2006A	-	-	-	-
CENT28C2010A	0.31	0.07	34,728	-	CPAL28C2004A	-	-	-	-	EA16C2008A	0.04	-	140	-
CENT41C2004A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA19C2004A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL28C2007A	-	-	-	-	EA19C2008A	0.21	0.01	100	-
CENT41C2006A	-	-	-	-	CPAL28C2008A	0.36	0.01	80,227	-	EA19P2007A	-	-	-	-
CENT42C2004A	-	-	-	-	CPAL28C2008B	0.54	0.02	83,348	-	EA24C2003A	-	-	-	-
CENT42C2006A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA24C2004A	-	-	-	-
CHG01C2006A	-	-	-	-	CPAL41C2005A	-	-	-	-	EA27C2006A	-	-	-	-
CHG01C2006B	-	-	-	-	CPAL41C2006A	-	-	-	-	EA28C2004A	-	-	-	-
CHG01P2006A	0.66	(0.08)	5,054	-	CPAL41C2007A	0.35	0.02	7,572	-	EA28C2004B	-	-	-	-
CHG08C2005A	-	-	-	-	CPAL41P2004A	0.79	(0.14)	285	-	EA28C2006A	0.12	0.02	34,364	-
CHG13C2006A	0.09	-	14,613	-	CPAL41P2005A	-	-	-	-	EA41C2004A	-	-	-	-
CHG16C2009A	-	-	-	-	CPAL41P2006A	-	-	-	-	EA41C2005A	-	-	-	-
CHG19C2004A	-	-	-	-	CPAL42C2005A	-	-	-	-	EA41C2006A	0.13	0.02	2,392	-
CHG27C2009A	0.09	(0.01)	5,612	-	CPAL42C2007A	-	-	-	-	EA41P2004A	-	-	-	-
CHG41C2005A	-	-	-	-	CPF01C2004A	0.06	0.01	7,281	-	EA42C2004A	-	-	-	-
CHG42C2006A	0.02	(0.03)	50	-	CPF01C2004B	-	-	-	-	EGCO01C2004A	0.01	-	20	-
CK01C2005A	0.12	0.01	408	-	CPF01P2004A	0.24	(0.02)	2,967	-	EGCO01C2004B	-	-	-	-
CK01C2005B	-	-	-	-	CPF08C2006A	0.02	-	367	-	EGCO01C2007B	0.09	0.01	4,547	-
CK01P2005A	0.54	(0.12)	106	-	CPF11C2004A	-	-	-	-	EGCO06C2004A	-	-	-	-
CK06C2004A	-	-	-	-	CPF11C2007A	0.08	0.01	700	-	EGCO06C2007A	-	-	-	-
CK11C2007A	-	-	-	-	CPF13C2006A	0.02	(0.01)	7,074	-	EGCO06P2004A	-	-	-	-
CK13C2003A	-	-	-	-	CPF13C2008A	0.17	0.01	28,922	-	EGCO13C2005A	0.02	(0.01)	1	-
CK13C2006A	0.02	(0.03)	5,000	-	CPF16C2007A	-	-	-	-	EGCO19C2005A	-	-	-	-
CK16C2003A	-	-	-	-	CPF19C2003A	-	-	-	-	EGCO19C2007A	0.03	-	17	-
CK16C2006A	-	-	-	-	CPF19C2005A	-	-	-	-	EGCO41C2004A	-	-	-	-
CK19C2003A	-	-	-	-	CPF19C2006A	0.01	(0.03)	15	-	EGCO41C2006A	-	-	-	-
CK19C2004A	-	-	-	-	CPF24C2007A	0.08	-	200	-	EGCO41P2004A	-	-	-	-
CK19C2007A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO41P2006A	1.92	(0.20)	340	1.00
CK24C2003A	-	-	-	-	CPF28C2007A	-	-	-	-	EGCO42C2007A	-	-	-	-
CK27C2008A	-	-	-	-	CPF28C2010A	0.40	0.03	75,151	-	EPG08C2004A	-	-	-	-
CK41C2003A	-	-	-	-	CPF41C2004A	-	-	-	-	EPG13C2004A	-	-	-	-
CK41C2004A	0.01	(0.02)	100	-	CPF41C2005A	-	-	-	-	EPG13C2006A	-	-	-	-
CK41C2005A	-	-	-	-	CPF41P2005A	-	-	-	-	EPG19C2005A	0.04	0.02	1	-
CK42C2006A	-	-	-	-	CPN01C2005A	-	-	-	-	EPG19C2007A	-	-	-	-
CKP01C2004A	-	-	-	-	CPN01C2005B	-	-	-	-	EPG19C2008A	0.23	0.02	16	-
CKP01C2004B	-	-	-	-	CPN01P2005A	1.93	(0.29)	3,303	2.00	EPG24C2008A	-	-	-	-
CKP01C2008B	-	-	-	-	CPN06C2006A	-	-	-	-	ERW06C2006A	-	-	-	-
CKP01C2009A	-	-	-	-	CPN11C2006A	-	-	-	-	ERW06C2007A	-	-	-	-
CKP01P2004A	-	-	-	-	CPN11C2008A	0.03	(0.01)	699	-	ERW06P2006A	-	-	-	-
CKP01P2009A	1.15	(0.06)	1	1.00	CPN13C2004A	-	-	-	-	ERW13C2005A	-	-	-	-
CKP08C2004A	-	-	-	-	CPN13C2007A	0.05	0.02	20	-	ERW13C2006A	-	-	-	-
CKP11C2006A	-	-	-	-	CPN16C2005A	-	-	-	-	ERW13C2007A	0.01	(0.01)	1	-
CKP13C2003A	-	-	-	-	CPN19C2004A	-	-	-	-	ERW19C2005A	-	-	-	-
CKP13C2004A	-	-	-	-	CPN19C2007A	0.05	0.01	798	-	ERW19C2006A	-	-	-	-
CKP13C2004B	-	-	-	-	CPN24C2007A	0.30	0.03	30,872	-	ERW19C2007A	-	-	-	-
CKP13C2007A	-	-	-	-	CPN41C2004A	-	-	-	-	ERW24C2006A	-	-	-	-
CKP16C2005A	-	-	-	-	CPN41C2006A	-	-	-	-	ESSO01C2004A	-	-	-	-
CKP16														

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ESSO13C2006A	-	-	-	-	GULF41C2004A	-	-	-	-	IRPC01P2005A	-	-	-	-
ESSO19C2004A	-	-	-	-	GULF41C2005A	-	-	-	-	IRPC01P2005B	-	-	-	-
ESSO19C2007A	-	-	-	-	GULF41C2006A	0.71	0.02	173,558	-	IRPC01P2007B	0.93	(0.07)	4,090	-
ESSO19C2009A	0.72	0.16	76,463	-	GULF41P2003A	-	-	-	-	IRPC06C2005A	0.01	(0.01)	8	-
ESSO24C2003A	-	-	-	-	GULF41P2004A	1.18	(0.05)	100	1.00	IRPC06C2007A	0.02	-	30,006	-
ESSO24C2007A	-	-	-	-	GULF41P2005A	-	-	-	-	IRPC06P2004A	-	-	-	-
ESSO41C2004A	-	-	-	-	GULF41P2006A	1.42	(0.10)	4	1.00	IRPC11C2005A	-	-	-	-
ESSO41C2005A	0.03	-	1,020	-	GULF41P2007A	-	-	-	-	IRPC11C2008A	-	-	-	-
ESSO41C2006A	-	-	-	-	GUNK01C2005A	0.04	0.02	1	-	IRPC13C2006A	-	-	-	-
ESSO42C2007A	0.03	0.01	1,000	-	GUNK01C2005B	0.02	-	40	-	IRPC13C2007A	0.03	(0.02)	3,092	-
GFPT19C2004A	-	-	-	-	GUNK01P2005A	-	-	-	-	IRPC13C2008A	0.13	0.02	401	-
GFPT19C2006A	-	-	-	-	GUNK11C2007A	-	-	-	-	IRPC16C2008A	-	-	-	-
GFPT24C2007A	-	-	-	-	GUNK13C2006A	-	-	-	-	IRPC19C2003A	-	-	-	-
GFPT42C2004A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC19C2005A	-	-	-	-
GFPT42C2008A	-	-	-	-	GUNK19C2006A	-	-	-	-	IRPC19C2007A	-	-	-	-
GLOB01C2003A	-	-	-	-	GUNK24C2006A	-	-	-	-	IRPC19C2008A	0.25	0.02	268,940	-
GLOB01C2007B	-	-	-	-	GUNK28C2005A	-	-	-	-	IRPC24C2004A	-	-	-	-
GLOB01C2008A	0.06	-	10	-	GUNK41C2005A	-	-	-	-	IRPC24C2007A	-	-	-	-
GLOB01P2003A	-	-	-	-	GUNK41P2005A	-	-	-	-	IRPC27C2007A	-	-	-	-
GLOB06C2006A	-	-	-	-	HANA01C2006A	-	-	-	-	IRPC28C2006A	-	-	-	-
GLOB13C2007A	-	-	-	-	HANA01C2006B	-	-	-	-	IRPC28C2008A	0.19	0.02	58,221	-
GLOB19C2005A	-	-	-	-	HANA01P2006A	0.86	(0.21)	1,055	-	IRPC41C2004A	-	-	-	-
GLOB19C2007A	-	-	-	-	HANA11C2008A	0.06	-	101	-	IRPC41C2005A	-	-	-	-
GLOB24C2005A	-	-	-	-	HANA13C2006A	-	-	-	-	IRPC41C2006A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA13C2008A	0.14	0.04	2,910	-	IRPC41C2007A	0.23	-	4,029	-
GLOB42C2009A	0.03	-	30	-	HANA16C2008A	-	-	-	-	IRPC41P2004A	-	-	-	-
GPSC01C2003A	-	-	-	-	HANA19C2003A	-	-	-	-	IRPC41P2005A	-	-	-	-
GPSC01C2003B	-	-	-	-	HANA19C2006A	-	-	-	-	IRPC41P2006A	-	-	-	-
GPSC01C2005A	0.04	-	1,691	-	HANA27C2007A	-	-	-	-	IRPC41P2007A	-	-	-	-
GPSC01C2005B	0.01	(0.01)	1,307	-	HANA27P2007A	-	-	-	-	IRPC42C2006A	-	-	-	-
GPSC01C2007B	0.10	-	900	-	HANA41C2006A	-	-	-	-	IVL01C2004A	-	-	-	-
GPSC01C2008A	0.25	0.03	25,348	-	HMPR01C2006A	-	-	-	-	IVL01C2004B	-	-	-	-
GPSC01P2003A	-	-	-	-	HMPR01C2006B	0.03	0.01	1	-	IVL01C2006B	0.03	0.01	5,080	-
GPSC01P2005A	2.30	(0.26)	222	2.00	HMPR01P2006A	1.15	(0.08)	3,408	1.00	IVL01P2004A	-	-	-	-
GPSC01P2005B	1.66	(0.29)	45	1.00	HMPR06C2006A	0.17	0.02	47,927	-	IVL01P2004B	0.31	(0.15)	20,584	-
GPSC01P2007B	1.58	(0.13)	314	1.00	HMPR06P2007A	-	-	-	-	IVL01P2006B	0.85	(0.24)	2,503	-
GPSC01P2008A	2.22	(0.06)	235	2.00	HMPR11C2003A	-	-	-	-	IVL06C2008A	-	-	-	-
GPSC06C2006A	0.02	-	1,002	-	HMPR13C2006A	-	-	-	-	IVL06P2005A	-	-	-	-
GPSC06C2008A	0.26	0.05	197,616	-	HMPR13C2007A	-	-	-	-	IVL08C2004A	-	-	-	-
GPSC08C2004B	0.02	0.01	1	-	HMPR19C2003A	-	-	-	-	IVL08P2003A	-	-	-	-
GPSC08C2007A	0.09	0.02	52,923	-	HMPR19C2005A	-	-	-	-	IVL08P2004A	-	-	-	-
GPSC08P2006A	-	-	-	-	HMPR19C2007A	-	-	-	-	IVL11C2005A	0.03	-	1,249	-
GPSC11C2006A	0.08	-	2,351	-	HMPR24C2004A	-	-	-	-	IVL11C2006A	-	-	-	-
GPSC13C2005A	0.03	-	11,017	-	HMPR41C2005A	-	-	-	-	IVL13C2006A	0.02	-	1,238	-
GPSC13C2007A	0.14	0.01	55	-	HMPR41C2006A	-	-	-	-	IVL13C2008A	0.52	0.18	546,407	-
GPSC13C2008A	0.31	0.03	24,435	-	HMPR41C2007A	-	-	-	-	IVL13P2004A	0.63	(0.49)	7	-
GPSC13P2005A	-	-	-	-	HMPR41C2007B	0.18	0.02	800	-	IVL16C2006A	-	-	-	-
GPSC13P2007A	-	-	-	-	HSI28C2003A	-	-	-	-	IVL16C2009A	-	-	-	-
GPSC16C2003A	-	-	-	-	HSI28C2003B	-	-	-	-	IVL19C2003A	-	-	-	-
GPSC16C2007A	0.05	0.01	321	-	HSI28C2003C	-	-	-	-	IVL19C2004A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28C2004A	0.34	0.09	263,713	-	IVL19C2006A	0.01	(0.01)	7,551	-
GPSC19C2007A	0.13	-	100	-	HSI28C2004B	0.17	0.04	25,072	-	IVL19C2008A	0.38	0.12	10,356	-
GPSC19C2008A	0.44	0.03	1,445	-	HSI28C2004C	-	-	-	-	IVL19C2009A	0.91	0.21	647,807	-
GPSC19C2009A	0.81	0.08	204,617	-	HSI28C2005A	1.49	0.24	447,576	1.00	IVL19P2003A	-	-	-	-
GPSC19P2005A	1.62	0.12	15	1.00	HSI28C2005B	0.97	0.16	382,165	-	IVL19P2006A	0.91	(0.11)	153	-
GPSC24C2007A	0.03	0.01	1,565	-	HSI28C2005C	0.67	0.11	179,663	-	IVL24C2003A	-	-	-	-
GPSC27C2005A	-	-	-	-	HSI28C2005D	0.42	0.08	180,144	-	IVL27P2007A	0.77	(0.08)	175	-
GPSC28C2008A	0.23	0.03	69,026	-	HSI28P2003A	-	-	-	-	IVL28C2007A	0.04	-	300	-
GPSC41C2004A	-	-	-	-	HSI28P2003B	-	-	-	-	IVL41C2004A	-	-	-	-
GPSC41C2005A	-	-	-	-	HSI28P2003C	-	-	-	-	IVL41C2005A	-	-	-	-
GPSC41C2005B	0.16	0.05	220	-	HSI28P2004A	1.82	(0.38)	215,409	1.00	IVL41C2006A	-	-	-	-
GPSC41C2006A	-	-	-	-	HSI28P2004B	2.32	(0.54)	34,504	2.00	IVL41C2007A	-	-	-	-
GPSC41P2004A	-	-	-	-	HSI28P2004C	3.06	(0.46)	130,916	3.00	IVL41C2007B	-	-	-	-
GPSC41P2005A	-	-	-	-	HSI28P2005A	2.66	(0.32)	119,990	2.00	IVL41P2004A	-	-	-	-
GPSC41P2006A	-	-	-	-	HSI28P2005B	2.14	(0.34)	147,327	2.00	IVL41P2005A	-	-	-	-
GPSC42C2006A	-	-	-	-	HSI28P2005C	1.73	(0.29)	31,185	1.00	IVL41P2006A	-	-	-	-
GPSC42P2006A	-	-	-	-	HSI28P2005D	1.38	(0.22)	398,686	1.00	IVL41P2007A	-	-	-	-
GULF01C2003A	-	-	-	-	HSI41C2005A	0.80	(0.20)	195,272	-	IVL42C2005A	-	-	-	-
GULF01C2003B	-	-	-	-	HSI41P2005A	0.99	(0.70)	181,789	1.00	IVL42C2008A	1.03	0.65	1	1.00
GULF01C2005A	0.32	0.01	190,650	-	INTU01C2003A	-	-	-	-	JAS13C2006A	0.12	0.01	36,710	-
GULF01C2005B	0.10	-	7,772	-	INTU01C2003B	-	-	-	-	JAS19C2004A	0.06	0.01	572,182	-
GULF01C2007A	0.12	0.02	65,721	-	INTU01C2006A	0.19	0.04	6,616	-	JAS19C2009A	0.84	(0.16)	221,705	-
GULF01P2003A	-	-	-	-	INTU01C2006B	-	-	-	-	JAS41C2004A	-	-	-	-
GULF01P2003B	-	-	-	-	INTU01P2003A	-	-	-	-	JAS41C2005A	-	-	-	-
GULF01P2005A	1.28	(0.14)	41,858	1.00	INTU01P2003B	-	-	-	-	JAS41C2006A	0.17	0.04	1,352	-
GULF03C2005A	-	-	-	-	INTU01P2006A	-	-	-	-	JAS41P2005A	0.27	(0.10)	39,011	-
GULF06C2004A	0.10	0.06	2,058	-	INTU01P2006B	0.56	(0.06)	593	-	JMT13C2006A	0.07	0.01	6,126	-
GULF08C2003A	-	-	-	-	INTU13C2004A	-	-	-	-	JMT19C2006A	-	-	-	-
GULF08C2008A	0.87	0.02	141,568	-	INTU13C2006A	0.11	0.03	1,142	-	JMT42C2006A	0.01	(0.02)	35	-
GULF11C2003A	0.96	0.06	614	-	INTU13C2008A	0.59	0.01	235,175	-	KBAN01C2004A	0.02	-	1	-
GULF11C2006A	0.19	0.01	4,139	-	INTU13P2004A	0.26	(0.10)	350	-	KBAN01C2004B	0.02	-	10,510	-
GULF13C2004A	0.01	-	850	-	INTU16C2005A	-	-	-	-	KBAN01C2007A	0.06	(0.01)	10,744	-
GULF13C2006A	0.09	-	5,332	-	INTU16C2007A	-	-	-	-	KBAN01C2007B	-	-	-	-
GULF13C2006B	0.05	-	658	-	INTU16C2009A	-	-	-	-	KBAN01P2004A	-	-	-	-
GULF13C2008A	0.44	0.03	92,128	-	INTU19C2004A	-	-	-	-	KBAN01P2004B	1.70	(0.46)	3,214	1.00
GULF13C2009A	0.87	0.02	1,401,600	-	INTU19C2005A	-	-	-	-	KBAN01P2007A	2.40	(0.20)	532	2.00
GULF13P2004A	0.39	(0.12)	15,181	-	INTU19P2007A	0.28	(0.14)	410	-	KBAN01P2007B	2.54	(0.58)	246	2.00
GULF13P2005A	1.19	(0.07)	5,262	1.00	INTU23C2111A	-	-	-	-	KBAN06C2004A	0.01	-	57,900	-
GULF16C2003A	-	-	-	-	INTU24C2003A	-	-	-	-	KBAN06C2008A	-	-	-	-
GULF16C2007A	0.16	(0.02)	206	-	INTU24C2008A	0.23	0.01	3,428	-	KBAN08C2005A	-	-	-	-
GULF19C2003A	-	-	-	-	INTU28C2008A	0.31	0.02	99,626	-	KBAN08C2007A	0.03	0.01	200	-
GULF19C2004A	-	-	-	-	INTU28C2010A	0.35	0.01	51,970	-	KBAN08P2004A	-	-	-	-
GULF19C2006A	0.02	(0.01)	159	-	INTU41C2004A	-	-	-	-	KBAN13C2006A	0.01	-	1,000	-
GULF19C2008A	0.74	0.02	915,365	-	INTU41C2005A	-	-	-	-	KBAN13C2008A	0.06	-	1,726	-
GULF19P2003A	-	-	-	-	INTU41C2006A	-	-	-	-	KBAN13C2008B	0.94	0.21	717,165	-
GULF19P2006A	1.17	(0.13)	2,188	1.00	INTU41									

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN19P2004A	-	-	-	-	MINT01C2003A	-	-	-	-	PTG01P2005A	1.61	(0.11)	2	1.00
KBAN19P2007A	-	-	-	-	MINT01C2003B	-	-	-	-	PTG01P2005B	1.33	(0.25)	400	1.00
KBAN24C2005A	-	-	-	-	MINT01C2007B	0.02	(0.01)	282	-	PTG03C2005A	-	-	-	-
KBAN28C2004A	-	-	-	-	MINT01C2008A	0.05	-	10,341	-	PTG06C2006A	0.01	(0.01)	100	-
KBAN28C2008A	0.05	(0.01)	6,000	-	MINT01P2003A	-	-	-	-	PTG08C2005A	-	-	-	-
KBAN28C2008B	0.54	0.16	122,768	-	MINT01P2008A	1.50	(0.07)	21,977	1.00	PTG08C2007A	0.07	0.02	33,341	-
KBAN28C2008C	0.80	0.18	74,451	-	MINT06C2006A	-	-	-	-	PTG11C2003A	-	-	-	-
KBAN28C2010A	0.17	0.03	64,734	-	MINT06P2007A	-	-	-	-	PTG11C2005A	-	-	-	-
KBAN41C2003A	-	-	-	-	MINT08C2003A	-	-	-	-	PTG13C2004A	-	-	-	-
KBAN41C2004A	-	-	-	-	MINT11C2006A	0.04	(0.02)	1	-	PTG13C2006A	-	-	-	-
KBAN41C2005A	-	-	-	-	MINT13C2004A	-	-	-	-	PTG13P2004A	-	-	-	-
KBAN41C2007A	-	-	-	-	MINT13C2006A	0.03	(0.01)	130	-	PTG13P2006A	1.04	0.02	2	1.00
KBAN41C2008A	0.44	0.08	4,529	-	MINT13C2008A	0.03	(0.02)	63	-	PTG16C2009A	-	-	-	-
KBAN41P2004A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG19C2003A	-	-	-	-
KBAN41P2005A	-	-	-	-	MINT19C2006A	-	-	-	-	PTG19C2004A	-	-	-	-
KBAN41P2006A	-	-	-	-	MINT19P2004A	-	-	-	-	PTG19C2005A	-	-	-	-
KBAN42C2004A	-	-	-	-	MINT24C2006A	-	-	-	-	PTG19C2006A	-	-	-	-
KBAN42C2007A	0.01	(0.01)	2,100	-	MINT28C2006A	-	-	-	-	PTG19C2008A	0.19	0.05	268,472	-
KBAN42P2008A	-	-	-	-	MINT28C2008A	0.04	0.03	25	-	PTG19P2006A	-	-	-	-
KCE01C2004A	0.09	0.03	8,588	-	MINT41C2004A	-	-	-	-	PTG27C2007A	-	-	-	-
KCE01C2004B	0.04	-	150	-	MINT41C2005A	-	-	-	-	PTG28C2004A	-	-	-	-
KCE01C2007B	0.03	-	3,037	-	MINT41C2007A	0.07	0.01	6,160	-	PTG41C2004A	-	-	-	-
KCE01C2008A	0.08	0.01	10,054	-	MINT41P2004A	-	-	-	-	PTG41C2005A	-	-	-	-
KCE01P2004A	2.02	(0.30)	169	2.00	MINT42C2004A	-	-	-	-	PTG41C2006A	0.06	-	400	-
KCE08C2005A	-	-	-	-	MTC01C2003A	-	-	-	-	PTG41P2005A	-	-	-	-
KCE08C2005B	0.02	-	1	-	MTC01C2003B	-	-	-	-	PTG42C2004A	-	-	-	-
KCE11C2004A	-	-	-	-	MTC01C2007B	0.04	0.01	4,153	-	PTG42C2006A	-	-	-	-
KCE13C2004A	-	-	-	-	MTC01C2008A	0.05	-	7,496	-	PJT01C2004A	0.01	-	66,218	-
KCE13C2005A	0.01	-	990	-	MTC01P2003A	-	-	-	-	PJT01C2004B	-	-	-	-
KCE13C2006A	0.06	0.02	7,732	-	MTC03C2005A	0.06	(0.20)	100	-	PJT01C2007A	0.05	0.01	41,527	-
KCE16C2007A	-	-	-	-	MTC06C2007A	-	-	-	-	PJT01C2007B	0.01	(0.01)	16,829	-
KCE19C2005A	-	-	-	-	MTC08C2005A	0.02	0.01	50	-	PJT01P2004A	1.20	(0.09)	1,695	1.00
KCE19C2007A	0.08	0.02	1	-	MTC11C2008A	-	-	-	-	PJT01P2004B	0.93	(0.21)	348	-
KCE19C2008A	0.37	0.05	63,921	-	MTC13C2007A	0.03	(0.01)	280	-	PJT01P2007A	1.56	(0.10)	3,475	1.00
KCE19C2009A	0.41	0.06	430,009	-	MTC16C2007A	-	-	-	-	PJT01P2007B	1.39	(0.17)	960	1.00
KCE24C2005A	0.11	0.03	40	-	MTC19C2006A	-	-	-	-	PJT06C2005A	-	-	-	-
KCE27C2007A	0.03	-	291	-	MTC19C2009A	0.50	0.03	206,526	-	PJT06C2008A	0.45	0.08	119,264	-
KCE41C2005A	-	-	-	-	MTC19P2004A	1.64	(0.17)	2,082	1.00	PJT08C2005A	0.02	0.01	100	-
KCE41C2006A	-	-	-	-	MTC24C2004A	-	-	-	-	PJT08P2005A	1.12	(0.15)	31,098	1.00
KKP01C2006A	-	-	-	-	MTC27C2007A	-	-	-	-	PJT11C2004A	-	-	-	-
KKP01C2006B	-	-	-	-	MTC28C2006A	-	-	-	-	PJT11C2008A	0.03	-	1	-
KKP01P2006A	-	-	-	-	MTC28C2008A	-	-	-	-	PJT13C2004A	-	-	-	-
KKP08C2003A	-	-	-	-	MTC41C2004A	-	-	-	-	PJT13C2006A	0.02	-	1,488	-
KKP11C2007A	-	-	-	-	MTC41C2007A	0.23	0.01	7,902	-	PJT13C2008A	0.05	0.01	24,874	-
KKP13C2004A	-	-	-	-	MTC41P2004A	-	-	-	-	PJT13C2008B	0.30	0.03	3,841	-
KKP13C2007A	0.05	-	10	-	ORI13C2004A	-	-	-	-	PJT13C2009A	0.37	0.05	284,391	-
KKP19C2003A	-	-	-	-	ORI19C2003A	-	-	-	-	PJT13P2004A	1.19	(0.59)	55	1.00
KKP24C2003A	-	-	-	-	ORI19C2005A	-	-	-	-	PJT13P2006A	1.72	(0.14)	219	1.00
KKP41C2006A	0.09	0.01	10	-	ORI28C2004A	-	-	-	-	PJT13P2008A	0.25	(0.02)	108,836	-
KTBO1C2003A	-	-	-	-	ORI28C2007A	-	-	-	-	PJT16C2008A	-	-	-	-
KTBO1C2008B	-	-	-	-	ORI41C2004A	-	-	-	-	PJT19C2005A	0.01	(0.01)	211	-
KTBO1C2009A	0.12	0.01	500	-	OSP01C2003A	-	-	-	-	PJT19C2008A	0.32	0.06	434,970	-
KTBO1P2003A	-	-	-	-	OSP01C2003B	-	-	-	-	PJT19P2003A	-	-	-	-
KTBO1P2009A	0.79	(0.02)	30	-	OSP01C2006A	0.16	-	8,065	-	PJT19P2006A	1.23	(0.16)	232	1.00
KTB11C2004A	-	-	-	-	OSP01C2006B	0.04	(0.02)	1	-	PJT24C2003A	-	-	-	-
KTB11C2006A	-	-	-	-	OSP01P2003A	-	-	-	-	PJT24C2008A	0.09	-	2	-
KTB13C2006A	-	-	-	-	OSP01P2006A	0.82	(0.05)	5,134	-	PJT28C2004A	-	-	-	-
KTB19C2005A	-	-	-	-	OSP06C2005A	-	-	-	-	PJT28C2007A	0.05	0.04	15,650	-
KTB24C2004A	-	-	-	-	OSP06C2008A	0.45	0.04	108,392	-	PJT28C2008A	0.11	0.02	12,742	-
KTB41C2004A	-	-	-	-	OSP08C2004A	0.01	(0.01)	2,000	-	PJT28C2008B	0.30	0.04	22,245	-
KTB41C2006A	-	-	-	-	OSP11C2005A	-	-	-	-	PJT28C2008C	1.28	0.13	11	1.00
KTB41P2004A	-	-	-	-	OSP13C2004A	-	-	-	-	PJT28P2004A	-	-	-	-
KTC01C2004A	0.01	-	1	-	OSP13C2006A	0.06	-	1,500	-	PJT41C2004A	-	-	-	-
KTC01C2004B	0.01	-	1	-	OSP16C2008A	0.04	0.01	550	-	PJT41C2005A	-	-	-	-
KTC01C2007A	0.13	0.01	18,753	-	OSP19C2004A	-	-	-	-	PJT41C2006A	-	-	-	-
KTC01C2007B	0.06	0.02	950	-	OSP19C2005A	0.04	(0.01)	200	-	PJT41C2007A	-	-	-	-
KTC01P2004A	0.96	(0.26)	1,697	1.00	OSP24C2008A	-	-	-	-	PJT41P2004A	-	-	-	-
KTC01P2007A	0.86	(0.12)	9,248	-	OSP41C2004A	-	-	-	-	PJT41P2005A	-	-	-	-
KTC06C2006A	0.01	-	3	-	OSP41C2005A	-	-	-	-	PJT41P2006A	-	-	-	-
KTC08C2004A	-	-	-	-	OSP41P2004A	0.62	(0.07)	401	-	PJT42C2007A	0.02	0.01	5	-
KTC08C2006A	0.06	-	47,551	-	OSP42C2005A	-	-	-	-	PJTTE01C2004A	0.02	0.01	1,271	-
KTC11C2005A	0.02	(0.01)	9	-	PLAN08C2004A	-	-	-	-	PJTTE01C2004B	0.01	-	100	-
KTC13C2004A	-	-	-	-	PLAN13C2004A	-	-	-	-	PJTTE01C2007A	0.03	0.01	35,648	-
KTC13C2006A	0.03	0.01	2	-	PLAN13C2005A	-	-	-	-	PJTTE01C2007B	0.01	(0.01)	44,618	-
KTC13C2008A	0.37	0.05	213,869	-	PLAN13C2007A	-	-	-	-	PJTTE01P2004A	2.28	(0.24)	218	2.00
KTC13P2006A	0.64	(0.12)	1,106	-	PLAN19C2005A	-	-	-	-	PJTTE01P2004B	2.12	(0.46)	39	2.00
KTC13P2007A	1.36	(0.15)	568	1.00	PLAN19C2007A	0.01	-	6,900	-	PJTTE01P2007A	3.22	(0.18)	1,626	3.00
KTC19C2005A	-	-	-	-	PLAN24C2006A	-	-	-	-	PJTTE01P2007B	3.98	(0.56)	298	4.00
KTC19C2006A	0.03	-	30	-	PLAN27C2008A	-	-	-	-	PJTTE06C2006A	0.02	-	65	-
KTC19C2008A	0.27	0.06	533,259	-	PLAN28C2004A	-	-	-	-	PJTTE06C2008A	0.99	0.21	88,292	-
KTC19P2005A	0.82	(0.10)	88	-	PLAN28C2005A	-	-	-	-	PJTTE06P2006A	-	-	-	-
KTC27C2007A	0.02	(0.05)	410	-	PLAN41C2004A	-	-	-	-	PJTTE08C2005A	-	-	-	-
KTC28C2004A	-	-	-	-	PLAN41C2005A	-	-	-	-	PJTTE08C2008A	1.40	0.17	79,242	1.00
KTC28C2006A	0.07	0.03	5,000	-	PLAN41C2006A	-	-	-	-	PJTTE08P2005A	-	-	-	-
KTC41C2004A	-	-	-	-	PLAN42C2007A	-	-	-	-	PJTTE08P2006A	-	-	-	-
KTC41C2005A	-	-	-	-	PRM08C2003A	-	-	-	-	PJTTE11C2006A	0.01	(0.01)	1,000	-
KTC41C2006A	-	-	-	-	PRM13C2003A	-	-	-	-	PJTTE13C2004A	-	-	-	-
KTC42C2006A	0.02	(0.01)	60	-	PRM13C2006A	0.03	0.01	465	-	PJTTE13C2006A	0.03	0.01	187	-
LH01C2003A	-	-	-	-	PRM19C2004A	-	-	-	-	PJTTE13C2008A	0.02	-	9,920	-
LH01P2003A	-	-	-	-	PRM19C2006A	0.04	0.02	301	-	PJTTE13C2008B	0.31	0.08	22,686	-
LH11C2007A	0.04	-	2	-	PRM42C2006A	-	-	-	-	PJTTE13C2009A	0.97	0.15	430,556	-
LH19C2003A	-	-	-	-	PSH19C2003A	-	-	-	-	PJTTE13P2006A	3.18	(0.36)	3,012	3.00
LH19C2003B	-	-	-	-	PSH19C2005A	-	-	-	-	PJTTE13P2008A	0.81	(0.09)	50,340	-
LH19C2007A	-	-	-	-	PSL06C2006A	0.01	(0.01)	875	-	PJTTE16C2003A	-	-	-	-
LH19P2004A	-	-	-	-	PSL19C2004A	-	-	-	-	PJTTE16C2009A	0.06	(0.03)	600	-
LH41C2004A	-	-	-	-	PSL19C2006A	-	-	-	-	PJTTE19C2006A	-	-	-	-
LH41C2005A	-	-	-	-	PSL19C2007A	0.06	(0.02)	64	-	PJTTE19C2008A	0.03	0.01	3,014	-
LH41C2006A	-	-	-	-										

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price
MEGA19C2005A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
PTG01P2003A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
PTTE24C2003A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE24C2008A	-	-	-	-	S5001C2004A	0.01	-	29,744	-	S5019P2006F	0.59	(0.41)	745,230	-
PTTE28C2005A	-	-	-	-	S5001C2005A	0.02	-	9,002	-	S5024C2003A	-	-	-	-
PTTE28C2008A	-	-	-	-	S5001C2006F	0.02	(0.01)	37,933	-	S5024C2003B	-	-	-	-
PTTE28P2004A	-	-	-	-	S5001C2006G	0.04	0.02	396,903	-	S5024C2003C	-	-	-	-
PTTE41C2005A	-	-	-	-	S5001C2006H	0.07	0.01	72,484	-	S5024C2006A	-	-	-	-
PTTE41C2006A	0.21	0.01	40	-	S5001C2007A	0.08	0.02	375,946	-	S5024C2006B	0.02	-	765	-
PTTE41C2007A	-	-	-	-	S5001P2003F	-	-	-	-	S5024C2006C	1.80	0.20	71,810	1.00
PTTE41P2004A	-	-	-	-	S5001P2003G	-	-	-	-	S5024P2009A	0.05	-	2,610	-
PTTE42C2004A	-	-	-	-	S5001P2003H	-	-	-	-	S5024C2009B	0.68	0.16	84,695	-
PTTE42P2008A	-	-	-	-	S5001P2003I	-	-	-	-	S5024P2003A	-	-	-	-
PTTG01C2005A	0.01	-	1,705	-	S5001P2003J	-	-	-	-	S5024P2003B	-	-	-	-
PTTG01C2005B	0.01	-	21,600	-	S5001P2004A	5.30	(0.45)	135	5.00	S5024P2006A	-	-	-	-
PTTG01C2007B	0.02	-	4,508	-	S5001P2005A	4.64	(0.22)	4,428	4.00	S5024P2006B	14.10	1.40	1	14.00
PTTG01C2008A	0.04	-	5,247	-	S5001P2006F	9.90	(1.80)	55	9.00	S5024P2006C	4.00	(0.20)	21	3.00
PTTG01P2005A	2.68	(0.30)	89	2.00	S5001P2006G	8.40	(0.95)	66	8.00	S5024P2006D	3.10	(0.44)	31,780	3.00
PTTG01P2005B	2.86	(0.40)	44	2.00	S5001P2006H	4.04	(0.56)	4,167	4.00	S5028C2003A	-	-	-	-
PTTG01P2007B	1.80	(0.36)	14	1.00	S5001P2007A	3.40	(0.50)	41,516	3.00	S5028C2003B	-	-	-	-
PTTG01P2008A	1.84	(0.34)	67	1.00	S5006C2003A	-	-	-	-	S5028C2004A	-	-	-	-
PTTG06C2006A	0.02	-	500	-	S5006C2003B	-	-	-	-	S5028C2004B	-	-	-	-
PTTG08C2004A	-	-	-	-	S5006C2003C	-	-	-	-	S5028C2006A	0.02	-	11,572	-
PTTG08P2004A	-	-	-	-	S5006C2006A	0.02	-	402	-	S5028C2006B	0.02	-	10	-
PTTG11C2004A	-	-	-	-	S5006C2006B	0.02	(0.02)	28,397	-	S5028C2006C	0.92	0.18	449,601	-
PTTG11C2007A	0.01	-	1	-	S5006C2006C	0.74	(0.26)	131,561	-	S5028C2006D	1.33	0.25	2,087	1.00
PTTG13C2005A	-	-	-	-	S5006C2006D	0.87	(0.13)	96,444	-	S5028C2009A	0.79	0.11	257,300	-
PTTG13C2007A	0.03	(0.01)	10	-	S5006P2003A	-	-	-	-	S5028P2003A	-	-	-	-
PTTG13C2008A	0.16	0.06	5,309	-	S5006P2003B	-	-	-	-	S5028P2004A	7.10	(1.15)	120	7.00
PTTG13P2004A	-	-	-	-	S5006P2003C	-	-	-	-	S5028P2004B	-	-	-	-
PTTG13P2008A	1.11	(0.13)	10	1.00	S5006P2006A	-	-	-	-	S5028P2006A	2.20	(0.24)	1,368	2.00
PTTG16C2006A	-	-	-	-	S5006P2006B	-	-	-	-	S5028P2006B	1.75	(0.20)	63,250	1.00
PTTG19C2006A	-	-	-	-	S5006P2006C	0.84	(0.16)	82,202	-	S5028P2006C	0.89	(0.08)	278,842	-
PTTG19C2006B	-	-	-	-	S5006P2006D	0.79	(0.21)	147,254	-	S5028P2009A	1.99	(0.11)	87,806	2.00
PTTG19C2008A	0.04	0.02	12,362	-	S5008C2003A	-	-	-	-	S5041C2003A	-	-	-	-
PTTG19C2008B	0.36	0.11	386,547	-	S5008C2003B	-	-	-	-	S5041C2003B	-	-	-	-
PTTG19P2003A	-	-	-	-	S5008C2006A	0.02	-	17,959	-	S5041C2003C	-	-	-	-
PTTG19P2006A	-	-	-	-	S5008C2006B	1.46	0.21	680,316	1.00	S5041C2003D	-	-	-	-
PTTG24C2003A	-	-	-	-	S5008P2003A	-	-	-	-	S5041C2003E	-	-	-	-
PTTG24C2008A	-	-	-	-	S5008P2003B	-	-	-	-	S5041C2006A	0.37	0.03	70,731	-
PTTG27P2006A	-	-	-	-	S5008P2003C	-	-	-	-	S5041C2006B	0.62	0.12	1,438	-
PTTG28C2006A	-	-	-	-	S5008P2006A	0.74	(0.05)	44,332	-	S5041C2006C	1.83	0.24	3,182,870	1.00
PTTG28C2008A	0.14	0.06	21,000	-	S5011C2003A	-	-	-	-	S5041C2006D	3.12	0.32	131,573	3.00
PTTG41C2003A	-	-	-	-	S5011P2003A	-	-	-	-	S5041C2006E	1.12	0.12	1,019,677	1.00
PTTG41C2004A	-	-	-	-	S5013C2003A	-	-	-	-	S5041P2003A	-	-	-	-
PTTG41C2005A	-	-	-	-	S5013C2003B	-	-	-	-	S5041P2003B	-	-	-	-
PTTG41C2006A	-	-	-	-	S5013C2003C	-	-	-	-	S5041P2003C	-	-	-	-
PTTG41C2007A	-	-	-	-	S5013C2003D	-	-	-	-	S5041P2003D	-	-	-	-
PTTG41C2008A	-	-	-	-	S5013C2003E	-	-	-	-	S5041P2003E	-	-	-	-
PTTG41P2006A	-	-	-	-	S5013C2006A	0.01	-	50,771	-	S5041P2006A	8.00	(0.60)	4,103	8.00
PTTG42C2007A	-	-	-	-	S5013C2006B	0.01	-	17,144	-	S5041P2006B	-	-	-	-
QH01C2006A	0.07	(0.02)	10	-	S5013C2006C	0.02	-	14,989	-	S5041P2006C	3.70	(0.34)	76,669	3.00
QH01C2006B	-	-	-	-	S5013C2006D	0.04	0.01	27,686	-	S5041P2006D	2.90	(0.24)	17,077	2.00
QH01P2006A	0.98	(0.05)	700	-	S5013C2006E	0.09	(0.01)	100,304	-	S5041P2006E	1.25	(0.08)	881,091	1.00
QH11C2006A	-	-	-	-	S5013C2006F	1.09	0.13	3,441,677	1.00	SAWA01C2003A	-	-	-	-
QH19C2006A	-	-	-	-	S5013P2003A	-	-	-	-	SAWA01C2003B	-	-	-	-
QH27C2007A	-	-	-	-	S5013P2003B	-	-	-	-	SAWA01C2006A	0.05	-	13,016	-
RATC01C2003A	-	-	-	-	S5013P2003C	-	-	-	-	SAWA01C2006B	0.02	-	397	-
RATC01C2003B	-	-	-	-	S5013P2003D	-	-	-	-	SAWA01P2003A	-	-	-	-
RATC01C2006A	0.23	0.02	400	-	S5013P2003E	-	-	-	-	SAWA01P2006A	2.94	(0.20)	386	2.00
RATC01C2006B	0.10	(0.01)	28	-	S5013P2006A	6.70	(1.40)	274	7.00	SAWA06C2007A	0.02	-	50	-
RATC01P2006A	1.17	(0.10)	581	1.00	S5013P2006B	5.00	(0.55)	230	4.00	SAWA08C2006A	0.02	-	5,000	-
RATC06C2006A	-	-	-	-	S5013P2006C	4.60	(0.70)	95	4.00	SAWA11C2003A	-	-	-	-
RATC06P2006A	-	-	-	-	S5013P2006D	3.16	(1.24)	137,965	3.00	SAWA13C2005A	-	-	-	-
RATC13C2004A	-	-	-	-	S5013P2006E	2.10	(0.16)	174,565	2.00	SAWA13C2007A	0.05	0.01	853	-
RATC13C2007A	0.11	0.01	512	-	S5013P2006F	0.80	(0.14)	5,218,627	-	SAWA16C2008A	0.05	0.02	100	-
RATC16C2008A	-	-	-	-	S5016C2003A	-	-	-	-	SAWA19C2005A	-	-	-	-
RATC19C2005A	0.04	(0.02)	18	-	S5016C2003B	-	-	-	-	SAWA19C2009A	0.38	0.05	487,878	-
RATC19C2007A	0.18	0.02	300	-	S5016C2003C	-	-	-	-	SAWA24C2004A	0.02	(0.01)	20	-
RATC24C2006A	-	-	-	-	S5016C2003D	-	-	-	-	SAWA27C2007A	-	-	-	-
RATC27C2004A	-	-	-	-	S5016C2003E	-	-	-	-	SAWA28C2004A	-	-	-	-
RATC27C2007A	-	-	-	-	S5016C2006A	-	-	-	-	SAWA28C2007A	-	-	-	-
RATC41C2004A	-	-	-	-	S5016C2006B	0.05	0.03	4	-	SAWA28C2008A	-	-	-	-
RATC41C2005A	-	-	-	-	S5016C2006C	1.08	0.11	144,987	1.00	SAWA41C2004A	-	-	-	-
RATC41C2006A	0.49	0.01	35,373	-	S5016P2003A	-	-	-	-	SAWA41C2005A	-	-	-	-
RATC41P2004A	-	-	-	-	S5016P2003C	-	-	-	-	SAWA41P2004A	-	-	-	-
RATC41P2006A	-	-	-	-	S5016P2003D	-	-	-	-	SAWA41P2005A	-	-	-	-
RATC42C2006A	-	-	-	-	S5016P2006A	-	-	-	-	SCB01C2004A	0.02	-	11	-
RS06C2004A	-	-	-	-	S5016P2006B	-	-	-	-	SCB01C2004B	0.02	0.01	181	-
RS08P2003A	-	-	-	-	S5016P2006C	1.01	(0.14)	133,329	1.00	SCB01C2007A	0.04	0.01	6,349	-
RS08P2006A	0.98	(0.11)	1	-	S5019C2003A	-	-	-	-	SCB01C2007B	0.03	(0.01)	566	-
RS13C2004A	-	-	-	-	S5019C2003B	-	-	-	-	SCB01C2008B	0.12	0.01	8,770	-
RS13C2006A	0.08	-	51	-	S5019C2003C	-	-	-	-	SCB01C2009A	0.38	0.08	3,578	-
RS16C2005A	-	-	-	-	S5019C2003D	-	-	-	-	SCB01P2004A	-	-	-	-
RS19C2004A	-	-	-	-	S5019C2006A	0.01	(0.01)	11,392	-	SCB01P2004B	1.90	(0.60)	85	1.00
RS19C2005A	-	-	-	-	S5019C2006B	0.06	0.03	11,385	-	SCB01P2007A	1.70	(0.11)	336	1.00
RS19C2007A	0.08	0.01	13,801	-	S5019C2006C	0.16	0.03	2,800	-	SCB01P2007B	1.75	(0.41)	27	1.00
RS24C2004A	-	-	-	-	S5019C2006D	0.88	0.12	451,381	-	SCB06C2007A	-	-	-	-
RS24C2008A	-	-	-	-	S5019C2009A	2.58	0.26	46,921	2.00	SCB08C2005A	-	-	-	-
RS41C2004A	-	-	-	-	S5019P2003A	-	-	-	-	SCB08C2007A	0.06	0.01	2,712	-
RS42C2004A	-	-	-	-	S5019P2003B	-	-	-	-	SCB08P2004A	2.12	(0.18)	40	2.00
RS42C2008A	0.28	0.04	5,800	-	S5019P2003C	-	-	-	-	SCB11C2005A	-	-	-	-
S10001C2011A	0.03	-	1,303	-	S5019P2003D	-	-	-	-	SCB11C2006A	0.01	-	5,000	-

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001C2003F	-	-	-	-	S5019P2006A	5.50	(0.70)	11	5.00	SCB11C2008A	0.04	0.01	292	-
S5001C2003G	-	-	-	-	S5019P2006B	4.20	(0.54)	221	4.00	SCB11P2005A	-	-	-	-
S5001C2003H	-	-	-	-	S5019P2006C	3.90	(0.68)	473	4.00	SCB13C2006A	0.02	0.01	61	-
S5001C2003I	-	-	-	-	S5019P2006D	1.03	(0.14)	1,109,556	1.00	SCB13C2006B	0.01	(0.04)	1,500	-
S5001C2003J	-	-	-	-	S5019P2006E	0.68	(0.10)	131,637	-	SCB13C2007A	0.04	(0.01)	3,557	-

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB13C2008A	0.37	0.05	1,581	-	SPRC28C2008A	-	-	-	-	TISC11C2005A	-	-	-	-
SCB13P2006A	-	-	-	-	SPRC41C2004A	-	-	-	-	TISC11C2007A	0.05	(0.02)	4,019	-
SCB13P2008A	0.87	(0.20)	19,276	-	SPRC41C2005A	-	-	-	-	TISC13C2004A	-	-	-	-
SCB16C2003A	-	-	-	-	SPRC41C2006A	-	-	-	-	TISC13C2006A	0.02	0.01	1,096	-
SCB16C2008A	-	-	-	-	SPRC42C2006A	-	-	-	-	TISC19C2004A	-	-	-	-
SCB19C2003A	-	-	-	-	STA01C2003A	-	-	-	-	TISC19C2006A	-	-	-	-
SCB19C2006A	-	-	-	-	STA01C2003B	-	-	-	-	TISC41C2005A	-	-	-	-
SCB19C2007A	0.06	0.02	3,501	-	STA01C2008B	-	-	-	-	TISC41C2006A	0.07	0.02	100	-
SCB19C2008A	0.75	0.17	495,907	-	STA01C2009A	0.25	-	14,150	-	TISC41P2006A	1.55	(0.12)	2	1.00
SCB19P2005A	2.28	(0.26)	20	2.00	STA01P2003A	-	-	-	-	TKN01C2003A	-	-	-	-
SCB24C2004A	-	-	-	-	STA01P2009A	0.54	(0.03)	468	-	TKN01C2003B	-	-	-	-
SCB24C2008A	0.42	0.09	15,578	-	STA11C2005A	0.07	0.01	201	-	TKN01C2007B	-	-	-	-
SCB27C2007A	-	-	-	-	STA13C2003A	-	-	-	-	TKN01C2008A	0.11	0.01	1	-
SCB27P2006A	1.85	(0.35)	21	1.00	STA13C2006A	0.09	(0.01)	11,602	-	TKN08C2003A	-	-	-	-
SCB28C2004A	-	-	-	-	STA19C2004A	0.07	(0.03)	2,216	-	TKN08C2007A	0.05	0.01	22,700	-
SCB28C2006A	-	-	-	-	STA19C2005A	0.46	(0.02)	8,478	-	TKN13C2004A	-	-	-	-
SCB28C2006B	-	-	-	-	STA19C2007A	0.12	-	21,711	-	TKN13C2006A	-	-	-	-
SCB28C2008A	0.10	0.02	67	-	STA42C2007A	-	-	-	-	TKN16C2008A	-	-	-	-
SCB28C2010A	0.48	0.09	23,960	-	STEC01C2003A	-	-	-	-	TKN19C2004A	-	-	-	-
SCB41C2004A	-	-	-	-	STEC01C2003B	-	-	-	-	TKN19C2004B	-	-	-	-
SCB41C2005A	-	-	-	-	STEC01C2004A	0.01	(0.01)	6,000	-	TKN19C2007A	0.04	0.01	270	-
SCB41C2006A	-	-	-	-	STEC01C2006A	0.11	(0.02)	520	-	TKN28C2007A	-	-	-	-
SCB41C2006B	-	-	-	-	STEC01C2006B	0.01	(0.01)	201	-	TKN41C2005A	-	-	-	-
SCB41C2008A	0.63	0.14	71,109	-	STEC01P2003A	-	-	-	-	TKN41C2006A	-	-	-	-
SCB41P2004A	-	-	-	-	STEC01P2006A	0.94	(0.07)	284	-	TKN42C2006A	0.24	0.02	6,803	-
SCB41P2005A	-	-	-	-	STEC06C2004A	-	-	-	-	TMB01C2004A	0.01	(0.01)	1,000	-
SCB42C2006A	-	-	-	-	STEC08C2004A	-	-	-	-	TMB01C2004B	-	-	-	-
SCB42C2007A	0.02	-	1	-	STEC08C2005A	-	-	-	-	TMB01P2004A	1.68	(0.28)	51	1.00
SCC01C2004A	0.10	0.03	2,967	-	STEC11C2007A	-	-	-	-	TMB19C2004A	-	-	-	-
SCC01C2004B	0.01	-	920	-	STEC13C2003A	-	-	-	-	TMB19C2007A	0.02	-	8,024	-
SCC01P2004A	1.33	(0.09)	363	1.00	STEC13C2004A	-	-	-	-	TMB19P2004A	-	-	-	-
SCC06C2007A	-	-	-	-	STEC16C2003A	-	-	-	-	TMB41C2004A	-	-	-	-
SCC08C2004A	-	-	-	-	STEC16C2006A	-	-	-	-	TMB41C2005A	0.04	(0.01)	200	-
SCC08P2006A	0.81	(0.18)	2,728	-	STEC16C2009A	-	-	-	-	TMB41P2006A	1.45	(0.15)	3	1.00
SCC11C2003A	0.01	-	200	-	STEC19C2004A	-	-	-	-	TOA01C2006A	0.16	0.01	320	-
SCC11C2006A	-	-	-	-	STEC19C2005A	-	-	-	-	TOA01C2006B	-	-	-	-
SCC11C2007A	0.12	0.01	1,051	-	STEC24C2003A	-	-	-	-	TOA08C2003A	-	-	-	-
SCC13C2004A	-	-	-	-	STEC24C2006A	-	-	-	-	TOA13C2007A	0.11	-	1,811	-
SCC13C2008A	0.51	0.02	429	-	STEC28C2004A	-	-	-	-	TOA19C2004A	-	-	-	-
SCC13P2006A	0.81	(0.11)	553	-	STEC28C2004B	-	-	-	-	TOA19C2007A	0.12	-	600	-
SCC16C2005A	-	-	-	-	STEC28C2005A	-	-	-	-	TOA24C2005A	-	-	-	-
SCC19C2003A	-	-	-	-	STEC41C2004A	-	-	-	-	TOA41C2004A	-	-	-	-
SCC19C2003B	-	-	-	-	STEC41C2005A	-	-	-	-	TOP01C2003A	-	-	-	-
SCC19C2006A	-	-	-	-	STEC41C2006A	0.13	0.01	798	-	TOP01C2003B	-	-	-	-
SCC19C2008A	0.76	0.12	81,591	-	STEC41P2004A	-	-	-	-	TOP01C2006A	0.01	-	107	-
SCC19P2004A	-	-	-	-	STEC41P2005A	-	-	-	-	TOP01C2006B	0.02	0.01	331	-
SCC24C2003A	-	-	-	-	STEC42C2004A	-	-	-	-	TOP01C2008B	-	-	-	-
SCC24C2006A	-	-	-	-	SUPE13C2003A	-	-	-	-	TOP01C2009A	0.16	0.03	6,666	-
SCC27P2008A	0.30	(0.07)	11,558	-	SUPE19C2004A	-	-	-	-	TOP01P2003A	-	-	-	-
SCC28C2004A	-	-	-	-	SUPE19C2007A	0.02	-	4,000	-	TOP01P2006A	-	-	-	-
SCC28C2008A	0.64	0.08	55,481	-	SUPE42C2004A	-	-	-	-	TOP01P2009A	1.45	(0.11)	751	1.00
SCC28C2010A	0.56	0.05	48,579	-	TASC01C2003A	-	-	-	-	TOP06C2004A	0.01	-	2,170	-
SCC41C2004A	-	-	-	-	TASC01C2003B	-	-	-	-	TOP06C2007A	0.01	-	3,000	-
SCC41C2005A	-	-	-	-	TASC01C2007B	0.13	0.01	900	-	TOP06C2008A	0.36	0.08	170,475	-
SCC41C2006A	-	-	-	-	TASC01C2008A	-	-	-	-	TOP06P2005A	-	-	-	-
SCC41C2006B	0.90	0.10	64,666	-	TASC01P2003A	-	-	-	-	TOP08C2003A	-	-	-	-
SCC41P2004A	-	-	-	-	TASC01P2008A	-	-	-	-	TOP08C2007A	-	-	-	-
SCC41P2005A	-	-	-	-	TASC08C2005A	-	-	-	-	TOP08P2003A	-	-	-	-
SCC41P2006A	1.73	(0.12)	598	1.00	TASC08C2006A	0.11	0.01	8,430	-	TOP08P2007A	-	-	-	-
SCC42C2008A	0.12	-	101	-	TASC13C2006A	0.17	0.08	401	-	TOP11C2007A	-	-	-	-
SGP13C2004A	-	-	-	-	TASC16C2008A	-	-	-	-	TOP13C2004A	-	-	-	-
SGP13C2006A	0.01	-	23,400	-	TASC19C2003A	-	-	-	-	TOP13C2006A	-	-	-	-
SGP13C2007A	-	-	-	-	TASC19C2006A	0.24	0.01	250	-	TOP13C2008A	-	-	-	-
SGP19C2006A	-	-	-	-	TASC19C2007A	-	-	-	-	TOP13C2008B	0.13	0.03	50	-
SGP19C2006B	-	-	-	-	TASC19P2004A	0.34	-	10	-	TOP13P2005A	-	-	-	-
SGP42C2007A	0.14	0.01	350	-	TASC24C2006A	-	-	-	-	TOP13P2006A	-	-	-	-
SIRI13C2007A	-	-	-	-	TASC28C2004A	-	-	-	-	TOP16C2008A	-	-	-	-
SIRI19C2004A	-	-	-	-	TASC28C2006A	-	-	-	-	TOP19C2003A	-	-	-	-
SIRI19C2007A	-	-	-	-	TASC41C2004A	-	-	-	-	TOP19C2006A	-	-	-	-
SPAL01C2004A	0.03	0.01	1	-	TASC41C2005A	0.31	0.05	4,992	-	TOP19C2007A	-	-	-	-
SPAL01C2004B	-	-	-	-	TASC42C2005A	0.04	0.01	3,485	-	TOP19C2008A	0.16	0.03	48,323	-
SPAL06P2004A	-	-	-	-	TCAP01C2007B	0.04	0.01	1	-	TOP19P2006A	-	-	-	-
SPAL11C2006A	0.08	0.01	1	-	TCAP01C2008A	0.06	(0.02)	7,910	-	TOP24C2007A	0.01	-	100	-
SPAL13C2006A	-	-	-	-	TCAP01P2008A	-	-	-	-	TOP24C2008A	0.34	0.05	32,355	-
SPAL19C2004A	-	-	-	-	TCAP13C2007A	0.07	-	90	-	TOP28C2004A	-	-	-	-
SPAL24C2003A	-	-	-	-	TCAP19C2004A	-	-	-	-	TOP41C2004A	-	-	-	-
SPAL27C2008A	-	-	-	-	TCAP41C2004A	-	-	-	-	TOP41C2005A	-	-	-	-
SPAL41C2004A	-	-	-	-	THAI11C2003A	0.01	-	14	-	TOP41C2006A	0.03	(0.01)	40	-
SPRC01C2003A	-	-	-	-	THAI13C2004A	-	-	-	-	TOP41C2007A	-	-	-	-
SPRC01C2003B	-	-	-	-	THAI19C2004A	-	-	-	-	TOP41C2008A	-	-	-	-
SPRC01C2007A	0.02	-	7,401	-	THAI27C2008A	-	-	-	-	TOP41P2004A	-	-	-	-
SPRC06C2007A	0.02	0.01	501	-	THAI42C2005A	-	-	-	-	TOP41P2005A	-	-	-	-
SPRC06P2007A	-	-	-	-	THAN01C2006A	-	-	-	-	TOP41P2006A	-	-	-	-
SPRC08C2005A	0.02	0.01	10	-	THAN01C2006B	-	-	-	-	TOP42C2007A	-	-	-	-
SPRC08C2006A	-	-	-	-	THAN01P2006A	0.80	0.05	297	-	TP119C2004A	-	-	-	-
SPRC11C2005A	-	-	-	-	THAN06C2005A	-	-	-	-	TRUE01C2004A	-	-	-	-
SPRC11C2008A	-	-	-	-	THAN13C2003A	-	-	-	-	TRUE01C2004B	-	-	-	-
SPRC13C2004A	0.01	-	3	-	THAN13C2007A	-	-	-	-	TRUE01C2007A	0.24	0.01	-	-

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC13C2006A	0.05	0.03	2,000	-	THAN19C2004A	-	-	-	-	TRUE01C2007B	0.08	0.02	725	-
SPRC13C2008A	-	-	-	-	THAN19C2007A	-	-	-	-	TRUE01P2004A	0.98	(0.10)	170	-
SPRC19C2005A	-	-	-	-	THAN27C2003A	-	-	-	-	TRUE01P2004B	0.46	(0.12)	1,483	-
SPRC19C2005B	-	-	-	-	THAN41C2005A	-	-	-	-	TRUE01P2007B	0.73	-	5,338	-
SPRC19C2007A	0.04	0.03	1,050	-	TISC01C2006A	0.06	0.02	10,865	-	TRUE06C2004A	0.02	0.01	2,000	-
SPRC19P2005A	-	-	-	-	TISC01C2006B	-	-	-	-	TRUE06C2007A	-	-	-	-
SPRC24C2003A	-	-	-	-	TISC01P2006A	1.42	(0.13)	50	1.00	TRUE08C2004A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE08C2005A	-	-	-	-	TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE08C2007A	0.14	-	42,071	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE08P2005A	1.12	(0.10)	3,200	1.00	U-Q	-	-	-	-	FVC-W2	0.01	-	10	-
TRUE11C2005A	-	-	-	-	Warrant	-	-	-	-	HPT-W1	0.13	0.01	2,241	-
TRUE11C2005B	-	-	-	-	7UP-W4	0.05	(0.02)	8,684	-	HYDRO-W1	-	-	-	-
TRUE13C2003B	-	-	-	-	AKR-W1	0.04	-	1,553	-	ITEL-W1	0.17	0.04	71,944	-
TRUE13C2006A	0.08	0.02	1	-	ALT-W1	0.08	0.03	121,859	-	JKN-W1	0.10	0.05	268,201	-
TRUE13C2007A	0.14	(0.02)	326	-	APEX-W1	-	-	-	-	LIT-W1	0.26	0.06	9,223	-
TRUE19C2003A	-	-	-	-	APURE-W2	0.05	0.01	6,792	-	META-W4	0.02	0.01	77,151	-
TRUE19C2004A	-	-	-	-	AS-W1	0.01	(0.01)	754	-	NEWS-W6	-	-	-	-
TRUE19C2006A	-	-	-	-	AYUD-W1	0.30	0.28	726,817	-	OCEAN-W3	0.21	-	260	-
TRUE19C2007A	0.19	0.01	1,577	-	B-W3	-	-	-	-	PROUD-W2	0.03	0.01	177	-
TRUE19P2003A	-	-	-	-	B-W4	0.02	-	1,755	-	RWI-W2	0.05	0.01	12,583	-
TRUE19P2005A	0.80	(0.10)	35	-	B-W5	0.03	-	426	-	SANKO-W1	0.04	-	1,285	-
TRUE28C2006A	-	-	-	-	B52-W2	-	-	-	-	SIMAT-W2	0.03	-	45,382	-
TRUE41C2004A	-	-	-	-	BKD-W2	0.06	0.01	13,983	-	SIMAT-W3	0.22	0.02	1,378	-
TRUE41C2005A	-	-	-	-	BTS-W5	0.58	0.04	513,540	-	SIMAT-W4	0.80	0.06	2,419	-
TRUE41C2006A	-	-	-	-	CGD-W4	0.04	0.01	5,899	-	SMART-W2	0.12	(0.07)	199	-
TRUE41C2007A	0.46	-	1,050	-	CGH-W3	0.01	-	1,007	-	SWC-W1	2.36	0.14	167	2.00
TRUE41P2004A	-	-	-	-	CI-W1	0.02	0.01	46,302	-	TAKUNI-W	0.01	(0.01)	6,398	-
TRUE41P2005A	-	-	-	-	CKP-W1	0.01	(0.01)	57,471	-	TVD-W2	0.07	0.01	38,478	-
TRUE42C2004A	-	-	-	-	CRANE-W1	1.31	(0.23)	4,322	1.00	Preferred Shares	-	-	-	-
TRUE42C2007A	0.12	(0.02)	50	-	DCC-W1	0.18	0.01	52,153	-	SGF-P1	-	-	-	-
TTW27C2009A	0.21	0.04	7,426	-	ECL-W3	0.07	0.01	34,567	-	-	-	-	-	-
TU01C2004A	0.14	0.02	740	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU01C2004B	0.09	-	10	-	EIC-W3	-	-	-	-	-	-	-	-	-
TU01P2004A	0.12	(0.01)	7,439	-	EMC-W6	0.03	0.01	2,195	-	-	-	-	-	-
TU06C2004A	0.02	0.01	101	-	EPCO-W3	0.13	0.01	100	-	-	-	-	-	-
TU06P2007A	-	-	-	-	GLOCON-W4	0.11	0.01	10,316	-	-	-	-	-	-
TU08C2008A	0.30	0.03	101,286	-	J-W1	0.07	0.03	1,504	-	-	-	-	-	-
TU11C2003A	-	-	-	-	JAS-W3	1.16	0.20	3,060,858	1.00	-	-	-	-	-
TU11C2008A	0.30	0.05	250	-	JCK-W5	0.03	0.01	10,611	-	-	-	-	-	-
TU13C2004A	0.08	(0.01)	438	-	JMT-W2	2.36	0.14	4,223	2.00	-	-	-	-	-
TU19C2003A	-	-	-	-	MACO-W2	0.05	0.02	1,286,494	-	-	-	-	-	-
TU19C2005A	0.24	0.02	5,275	-	MILL-W4	0.01	-	3,731	-	-	-	-	-	-
TU19C2007A	0.18	0.01	2,720	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU19C2009A	0.24	0.03	110,028	-	MINT-W6	1.41	0.18	355,264	1.00	-	-	-	-	-
TU24C2003A	-	-	-	-	NFC-W1	0.40	0.10	26	-	-	-	-	-	-
TU24C2006A	0.16	(0.14)	4	-	NOK-W1	0.01	-	2,000	-	-	-	-	-	-
TU27C2004A	-	-	-	-	NVD-W1	0.07	0.01	9,581	-	-	-	-	-	-
TU27C2006A	0.13	0.01	2,565	-	ORI-W1	0.10	0.03	331,133	-	-	-	-	-	-
TU41C2004A	-	-	-	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU41C2005A	0.37	0.02	154	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU41P2004A	-	-	-	-	PDI-W1	0.16	(0.02)	9,478	-	-	-	-	-	-
TU42C2007A	-	-	-	-	PDJ-W4	0.13	0.02	50	-	-	-	-	-	-
TVO13C2007A	0.16	(0.02)	174	-	PERM-W1	0.07	0.01	10,764	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	PORT-W1	0.30	0.11	96,565	-	-	-	-	-	-
TVO19C2007A	-	-	-	-	PPPM-W4	0.09	(0.03)	4,431	-	-	-	-	-	-
VGI01C2005A	0.02	0.01	136	-	PRIME-W1	-	-	-	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	PRIME-W2	0.02	0.01	13	-	-	-	-	-	-
VGI08C2006A	0.02	-	501	-	RICHY-W2	0.01	-	1	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	RS-W3	0.50	0.43	988,242	-	-	-	-	-	-
VGI13C2006A	0.02	-	50	-	SAMART-W2	0.34	0.05	45,152	-	-	-	-	-	-
VGI19C2006A	0.03	0.02	600	-	SAWAD-W1	3.54	0.30	19,860	3.00	-	-	-	-	-
VGI41C2006A	-	-	-	-	SDC-W1	-	-	-	-	-	-	-	-	-
VGI41C2007A	0.12	0.03	2,858	-	SINGER-W1	1.00	-	226	1.00	-	-	-	-	-
WHA01C2005A	-	-	-	-	SINGER-W2	1.00	0.21	625	-	-	-	-	-	-
WHA01C2005B	0.02	-	25	-	SMT-W2	0.01	-	12,792	-	-	-	-	-	-
WHA01C2008B	-	-	-	-	SST-W2	0.28	0.01	67	-	-	-	-	-	-
WHA01C2009A	0.22	0.01	1,348	-	SUPER-W4	0.01	-	8,691	-	-	-	-	-	-
WHA01P2005A	2.26	(0.22)	20	2.00	TCC-W3	0.03	-	100	-	-	-	-	-	-
WHA01P2009A	0.91	(0.02)	330	-	TCC-W4	-	-	-	-	-	-	-	-	-
WHA06C2007A	0.02	-	29	-	TCC-W5	0.08	-	21	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCJ-W2	0.02	0.01	25,138	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	TFG-W2	0.01	-	117,570	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA13C2005A	-	-	-	-	TNITY-W1	0.11	0.06	201,922	-	-	-	-	-	-
WHA13C2006A	-	-	-	-	TRITN-W3	0.04	-	526	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	TTCL-W1	0.18	0.01	41,313	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	U-W4	0.01	-	400	-	-	-	-	-	-
WHA19C2004A	-	-	-	-	UAC-W2	0.07	0.02	56,611	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	VGI-W2	0.68	0.12	1,128,755	-	-	-	-	-	-
WHA19C2006A	0.01	(0.03)	100	-	VIBHA-W2	0.36	0.05	1,463	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VIBHA-W3	0.10	0.01	40,278	-	-	-	-	-	-
WHA24C2007A	0.17	0.02	3,176	-	WAVE-W1	0.02	0.01	25,450	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	WIIK-W2	0.08	-	33,764	-	-	-	-	-	-
WHA27C2008A	-	-	-	-	ZMICO-W4	0.04	-	68,674	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA28C2006A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	SCB-P	67.50	(1.50)	12	72.00	-	-	-	-	-
WHA41C2007A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA41P2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	U-P	1.45	0.05	18,065	1.00	-	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA42C2006A Preferred/Foreign	0.03	0.02	1	-	Warrant (MAI)	-	-	-	-		-	-	-	-
BH-Q	-	-	-	-	BM-W1	0.02	0.01	8,766	-		-	-	-	-
CSC-Q	-	-	-	-	BROOK-W5	0.09	0.01	25,891	-		-	-	-	-
JUTHA-Q	-	-	-	-	CHO-W2	0.04	-	38,172	-		-	-	-	-
KTB-Q	-	-	-	-	D-W1	0.31	-	176	-		-	-	-	-
SCB-Q	-	-	-	-	DOD-W1	0.29	0.06	641,107	-		-	-	-	-
					ECF-W3	0.20	0.03	200	-		-	-	-	-

Main Board Quotation

Issue Date :

Tuesday March 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-