

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.55	0.07	9,852	1.55	MCOT	6.25	(0.05)	2,973	6.20
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	1.87	-	48,785	1.87
SAFARI	-	-	-	-	DIF	14.90	-	74,628	14.87	MPIC	-	-	-	-
VI	-	-	-	-	DTAC	41.50	1.25	58,752	41.45	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.30	-	414	5.26	PLANB	4.20	0.32	501,497	4.05
WR	-	-	-	-	HUMAN	6.90	-	4,029	6.90	POST	-	-	-	-
Agribusiness	-	-	-	-	ILINK	3.18	0.40	3,339	3.18	PRAKIT	9.00	0.05	1,554	8.87
CHOTI	-	-	-	-	INET	1.86	0.03	21,587	1.85	SE-ED	1.56	0.01	36	1.63
EE	0.55	-	27,476	0.55	INTUCH	47.75	-	129,842	47.69	TBSP	13.80	1.50	15	13.53
GFPT	10.00	0.35	37,328	9.99	JAS	5.25	-	1,003,996	5.26	TH	0.56	0.06	76	0.51
LEE	1.95	(0.01)	775	1.95	JASIF	8.50	0.05	71,136	8.45	TKS	4.48	0.22	9,491	4.39
NER	2.14	0.08	209,774	2.12	JMART	7.00	0.20	51,628	6.94	VGI	6.90	0.40	267,338	6.74
PPPM	0.37	(0.01)	631	0.38	JTS	0.70	-	1,066	0.73	WAVE	0.98	-	1	0.98
STA	11.30	-	75,534	11.33	MFECC	4.54	0.04	4,340	4.50	WORK	8.20	0.25	20,627	8.11
TRUBB	0.55	-	5,119	0.56	MSC	4.56	(0.04)	883	4.50	Finance & Securities	-	-	-	-
TWPC	3.14	0.32	39,744	3.07	PT	3.98	(0.02)	3,113	3.99	AEC	0.18	-	4,941	0.18
UPOIC	-	-	-	-	SAMART	5.10	0.14	44,503	5.07	AEONTS	126.00	9.50	5,728	122.37
UVAN	3.78	-	789	3.76	SAMTEL	5.65	0.10	6,748	5.61	AMANAH	2.58	0.18	440,229	2.50
VPO	0.33	(0.01)	2,895	0.34	SDC	0.12	0.01	21,605	0.12	ASAP	1.18	0.15	117,218	1.15
Banking	-	-	-	-	SIS	6.30	0.45	10,022	6.07	ASK	16.50	0.80	31,736	16.49
BAY	20.10	0.10	4,393	19.96	SVOA	0.76	0.04	24,010	0.74	ASP	1.49	0.03	21,449	1.48
BBL	109.00	2.50	32,775	107.40	SYMC	2.04	0.04	470	2.05	BAM	21.70	(0.20)	1,014,454	21.74
CIMBT	0.43	-	10,162	0.43	SYNEX	5.10	0.54	45,156	4.84	BFIT	31.25	1.75	52,943	30.67
KBANK	95.00	-	50,287	94.79	THCOM	2.98	0.08	11,118	2.95	CGH	0.74	(0.01)	16,485	0.74
KKP	42.25	-	27,939	41.95	TRUE	3.34	-	1,653,632	3.36	ECL	0.84	0.04	132,707	0.86
KTB	10.80	-	183,778	10.73	TWZ	0.06	-	37,538	0.06	FNS	1.92	0.04	533	1.91
LHFG	0.98	(0.01)	16,730	0.99	Electronic Componer	-	-	-	-	FSS	1.10	0.07	573	1.08
SCB	69.50	(0.75)	116,052	69.11	CCET	1.43	0.04	28,032	1.41	GBX	0.40	-	1,858	0.40
TCAP	35.00	(2.00)	58,156	34.83	DELTA	37.75	(0.25)	6,548	37.69	GL	2.90	(0.04)	40,342	2.95
TISCO	79.00	2.25	121,666	78.35	EIC	0.03	-	2,559	0.02	IFS	2.32	0.08	2,602	2.33
TMB	0.90	0.02	2,138,708	0.89	HANA	26.50	0.50	20,167	26.57	JMT	17.60	1.80	143,610	16.70
Construction Materia	-	-	-	-	KCE	15.40	0.30	318,828	15.38	KCAR	8.00	(0.05)	379	8.01
CCP	0.21	-	50,089	0.21	METCO	130.00	2.00	9	128.33	KGI	3.94	(0.02)	36,738	3.95
COTTO	0.88	(0.01)	5,731	0.90	NEX	2.56	0.02	7,661	2.55	KTC	35.75	3.50	179,561	34.74
DCC	1.44	0.01	16,760	1.45	SMT	0.82	0.02	819	0.80	MBKET	5.15	0.35	5,012	5.09
DCON	0.26	0.01	53,926	0.25	SVI	2.12	(0.02)	6,953	2.13	MFC	13.30	0.30	712	13.17
DRT	5.10	-	3,166	5.05	TEAM	0.46	0.01	467	0.45	ML	0.58	(0.01)	1,292	0.59
EPG	4.02	-	40,418	4.05	Energy & Utilities	-	-	-	-	MTC	47.25	2.75	219,628	47.79
GEL	0.09	(0.01)	15,300	0.10	7UP	0.33	0.01	158,827	0.33	PE	0.04	-	103	0.04
PPP	1.54	0.02	106	1.54	ABPIF	3.54	(0.02)	476	3.54	PL	2.28	0.04	3,895	2.28
Q-CON	4.40	(0.08)	198	4.42	ACE	2.64	0.06	112,981	2.62	S11	5.35	0.15	2,557	5.33
RCI	3.02	0.10	149	3.03	AI	1.04	0.02	20,976	1.03	SAWAD	54.00	2.25	285,061	53.83
SCC	321.00	(3.00)	15,895	319.61	AKR	0.48	0.01	16,792	0.48	THANI	3.88	0.30	698,497	3.79
SCCC	129.50	(1.50)	918	130.09	BAFS	20.90	0.10	7,171	20.96	TK	7.30	0.15	1,017	7.27
SCP	5.20	(0.10)	1,693	5.22	BANPU	6.35	0.25	439,435	6.28	TNITY	3.30	0.06	785	3.29
SKN	1.60	0.01	1,456	1.62	BCP	18.50	-	10,573	18.58	UOBKH	2.52	0.04	600	2.50
TASCO	17.00	(0.30)	77,137	17.04	BCPG	14.70	0.40	37,988	14.34	ZMICO	0.50	0.01	5,032	0.49
TCMC	1.02	0.02	4,298	1.01	BGRIM	44.50	(0.25)	86,746	44.59	Food & Beverage	-	-	-	-
TOA	34.75	1.25	29,805	35.14	BPP	13.60	0.20	27,024	13.46	APURE	0.73	0.02	3,961	0.72
TPIPL	1.19	0.01	75,097	1.18	BRRGIF	6.55	0.20	598	6.58	ASIAN	3.82	0.22	5,298	3.74
UMI	0.41	0.04	5,809	0.39	CKP	3.44	0.10	171,118	3.40	BR	1.53	0.01	3,506	1.52
VNG	2.10	0.08	7,828	2.09	DEMCO	2.48	0.18	55,052	2.48	BRR	2.36	-	602	2.36
WIKI	1.17	0.02	6,228	1.16	EA	36.50	-	31,419	36.39	CBG	71.75	1.75	25,397	70.92
Petrochemicals & Ch	-	-	-	-	EASTW	10.50	0.30	21,636	10.33	CFRESH	1.12	0.04	1,802	1.09
BCT	36.25	(2.25)	189	36.30	EGATIF	11.90	0.10	8,393	11.79	CM	2.54	0.02	1,468	2.54
CMAN	1.05	-	4,162	1.03	EGCO	255.00	(2.00)	9,170	256.82	CPF	25.75	0.85	507,837	25.60
GC	5.20	-	429	5.19	ESSO	4.98	0.08	114,619	4.97	CPI	1.20	(0.01)	1,265	1.20
GGC	7.50	-	9,807	7.48	GPSC	67.00	(1.25)	146,364	67.14	F&D	-	-	-	-
GIFT	2.52	(0.06)	12,917	2.55	GULF	177.00	(1.50)	134,196	178.97	HTC	17.80	0.80	4,123	17.55
IVL	24.50	(0.30)	302,714	24.48	GUNKUL	2.50	0.02	341,537	2.51	ICI	4.94	0.16	19,030	4.90
NFC	1.42	(0.08)	3	1.41	IFEC	-	-	-	-	KBS	2.94	(0.06)	92	2.98
PATO	8.35	-	289	8.27	IRPC	2.44	-	423,078	2.45	KSL	1.87	(0.03)	23,644	1.88
PMTA	6.20	(0.10)	19	6.20	LANNA	5.55	0.10	1,234	5.46	KTIS	3.14	-	1,337	3.11
PTTGC	35.50	0.75	130,745	35.16	MDX	1.69	0.09	8,987	1.68	LST	4.70	0.06	1,453	4.64
SUTHA	1.33	0.06	655	1.29	PRIME	0.24	-	17,687	0.24	M	55.75	0.75	2,307	55.32
TCCC	18.00	-	11	18.00	PTG	12.50	0.90	340,033	12.21	MALEE	5.60	0.30	5,830	5.47
TPA	5.70	0.10	319	5.63	PTT	35.75	(0.25)	651,831	35.51	MINT	20.10	1.10	750,039	19.97
UAC	2.60	0.02	2,763	2.58	PTTEP	79.50	(0.25)	94,319	79.72	OISHI	37.00	(0.50)	460	36.80
UP	-	-	-	-	RATCH	61.25	-	28,683	61.45	OSP	37.75	(0.25)	50,749	38.22
VNT	20.40	-	3,693	20.47	RPC	0.46	-	2,986	0.46	PB	68.00	(1.75)	313	68.10
WG	-	-	-	-	SCG	4.00	0.06	185	4.03	PM	5.60	0.20	6,342	5.59
YCI	-	-	-	-	SCI	1.00	0.05	11,614	0.98	PRG	12.80	0.70	9	12.72
Commerce	-	-	-	-	SCN	1.37	0.02	12,133	1.36	RBF	4.20	(0.04)	72,118	4.19
BEAUTY	1.55	0.06	995,752	1.52	SGP	7.90	(0.05)	9,327	7.91	SAPPE	15.80	0.10	1,280	15.64
BIG	0.42	0.01	286,064	0.42	SKE	0.59	-	1,306	0.59	SAUCE	23.20	(0.20)	309	23.30
BJC	42.25	(0.25)	29,454	41.86	SOLAR	0.82	0.10	31,157	0.77	SFP	-	-	-	-
COL	13.70	(0.50)	886	13.74	SPCG	16.30	0.10	2,701	16.15	SNP	11.30	-	43	11.31
COM7	19.90	1.70	302,230	19.36	SPRC	4.66	(0.14)	379,878	4.70	SORKON	48.00	1.00	45	47.96
CPALL	64.25	-	168,404	63.95	SSP	6.45	0.05	5,620	6.33	SSC	-	-	-	-
CPW	1.15	0.02	25,049	1.13	SUPER	0.46	0.01	954,078	0.46	SSF	6.80	(0.40)	10	6.80
CRC	33.25	(0.75)	220,240	33.07	SUPEREIF	9.60	0.20	3,149	9.60	SST	3.00	0.02	6	3.00
CSS	0.83	0.10	133,542	0.80	SUSCO	1.87	0.05	16,188	1.85	TC	2.64	0.06	378	2.60
DOHOME	6.45	0.35	219,991	6.32	TAE	2.46	0.02	8,639	2.44	TFG	3.38	0.08	75,934	3.39
FN	0.76	0.01	14,493	0.75	TCC	0.20	0.01	3,694	0.19	TFMAMA	189.00	0.50	72	189.49
FTE	1.49	0.01	1,392	1.48	TOP	35.00	0.25	213,175	35.11	TIPCO	5.30	0.05	5,235	5.34
GLOBAL	12.40	0.50	84,408	12.06	TPIPP	3.48	0.10	124,595	3.44	TKN	6.65	0.10	109,106	6.69
HMPRO	13.60	1.00	429,966	13.18	TSE	2.28	(0.02)	100,688	2.27	TU	13.10	-	121,900	13.03
ILM	9.80	-	3,293	9.74	TTW	13.40	0.10	31,549	13.34	TVO	24.00	0.20	1,778	23.82
IT	1.58	0.06	1,579	1.54	WHAUP	4.42	0.16	124,435	4.34	ZEN	8.65	0.85	7,717	8.46
KAMART	2.74	0.04	18,940	2.69	WP	3.86	0.18	3,197	3.74	Health Care Services	-	-	-	-
LOXLEY	1.12	0.11	158,087	1.09	Media & Publishing	-	-	-	-	AHC	14.00	(0.10)	886	14.08
MAKRO	34.50	(0.25)	10,894	34.27	AMARIN	2.96	(0.02)	135	2.97	BCH	13.10	(0.30)		

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.62	-	1,249	2.60	CGD	0.59	(0.01)	11,676	0.59	IHL	2.38	(0.02)	15,332	2.39
RAM	140.00	-	52	139.54	CI	0.59	0.01	936	0.59	INGRS	0.37	(0.01)	4,352	0.38
RJH	20.20	-	1,773	20.11	CPN	49.50	1.00	149,799	49.71	IRC	11.00	0.60	257	10.98
RPH	5.20	(0.15)	5,562	5.19	ESTAR	0.25	-	25,410	0.25	PCSGH	5.05	0.45	122	4.64
SKR	4.80	-	792	4.77	EVER	0.16	-	33,059	0.16	SAT	9.65	-	9,717	9.56
SVH	408.00	-	15	408.00	FPT	10.90	0.40	1,459	10.80	SPG	13.20	(0.30)	1	13.20
THG	20.00	0.70	5,874	19.69	GLAND	2.14	-	142	2.10	STANLY	125.50	0.50	469	125.38
VIBHA	1.55	0.04	34,044	1.53	GOLD	7.65	0.10	209	7.64	TKT	0.63	0.02	274	0.62
VIH	5.70	-	7,337	5.67	GREEN	0.80	-	6,357	0.79	TNPC	0.60	-	400	0.60
WPH	1.70	0.11	936	1.69	J	0.40	0.01	6,052	0.39	TRU	3.50	(0.12)	977	3.52
Tourism & Leisure					JCK	0.62	0.02	4,182	0.62	TSC	-	-	-	-
ASIA	3.54	-	40	3.57	KC	-	-	-	-	Industrial Materials				
CENTEL	19.10	1.60	83,013	18.52	KWG	0.81	(0.03)	1,213	0.84	ALLA	1.16	0.02	9,243	1.14
CSR	79.50	-	2	74.00	LALIN	3.98	-	3,611	3.98	ASEFA	2.92	0.18	17,843	2.96
DTC	7.05	-	1,010	7.01	LH	7.45	0.25	253,119	7.31	CPT	0.70	0.04	12,737	0.67
ERW	3.00	0.10	253,458	2.99	LPN	4.00	0.04	66,448	3.97	CRANE	1.79	(0.01)	986	1.79
GRAND	0.63	(0.02)	22,765	0.63	MBK	15.50	0.20	14,400	15.52	CTW	4.52	0.04	361	4.57
LRH	-	-	-	-	MJD	1.91	(0.01)	1,695	1.90	FMT	-	-	-	-
MANRIN	-	-	-	-	MK	2.78	0.08	2,786	2.77	HTECH	1.80	-	5,374	1.79
OHTL	-	-	-	-	NCH	0.52	0.03	1,288	0.51	KKC	0.41	0.03	588	0.42
ROH	-	-	-	-	NNCL	1.62	0.05	3,134	1.60	PK	0.82	0.01	236	0.79
SHANG	64.75	0.75	7	64.75	NOBLE	13.90	(0.10)	6,075	13.98	SNC	7.35	-	1,957	7.27
SHR	1.84	(0.04)	243,342	1.85	NUSA	0.30	-	105,186	0.30	STARK	1.86	-	9,310	1.85
VRANDA	4.58	(0.02)	900	4.58	NVD	1.09	(0.01)	1,203	1.10	TCJ	2.06	0.17	1,199	2.00
Home & Office Prod.					ORI	4.76	(0.02)	85,184	4.74	VARO	-	-	-	-
ACC	0.63	(0.01)	836	0.63	PACE	-	-	-	-	Property Fund & REI				
AJA	0.17	0.02	326,711	0.16	PF	0.40	-	248,832	0.40	AIMCG	5.95	0.65	4,415	5.43
DTCI	-	-	-	-	PLAT	3.12	(0.06)	8,372	3.14	AIMRT	11.70	0.10	3,940	11.70
FANCY	0.34	0.01	1,850	0.34	POLAR	-	-	-	-	AMATAR	9.70	-	60	9.69
KYE	242.00	2.00	11	237.73	PRECHA	0.55	(0.04)	862	0.57	B-WORK	11.00	-	1,687	11.00
L&E	1.74	0.03	507	1.72	PRIN	1.31	-	56	1.31	BKER	6.20	0.20	1,823	6.07
MODERN	2.26	0.02	2,072	2.25	PSH	10.50	-	20,835	10.46	BKKCP	11.40	(0.20)	221	11.07
OGC	25.00	(0.75)	19	25.74	QH	2.18	-	307,210	2.13	BOFFICE	14.10	0.30	787	14.10
ROCK	-	-	-	-	RICHY	0.66	0.02	25,051	0.66	CPNCG	10.40	-	711	10.32
SIAM	1.24	0.03	1,685	1.23	RML	0.49	-	36,458	0.48	CPNREIT	26.50	1.70	45,429	25.68
TSR	1.68	0.01	2,988	1.68	ROJNA	4.28	0.04	12,817	4.22	CPTGF	10.30	0.10	481	10.23
Insurance					S	1.58	-	16,063	1.59	CTARAF	4.78	0.04	60	4.66
AYUD	32.25	0.50	66	32.23	SAMCO	1.32	(0.01)	243	1.30	DREIT	3.54	-	443	3.51
BKI	227.00	(1.00)	281	227.89	SC	2.16	(0.02)	46,510	2.16	ERWPF	4.36	0.22	101	4.14
BLA	14.70	1.10	15,462	14.16	SENA	2.18	0.06	16,909	2.13	FTREIT	14.20	-	8,755	13.95
BUI	7.00	0.10	9	7.09	SF	4.18	0.14	127,267	4.22	FUTUREPF	17.50	0.30	749	17.28
CHARAN	17.60	0.60	32	17.34	SIRI	0.73	0.01	418,073	0.73	GAHREIT	7.00	(0.25)	105	6.97
INSURE	-	-	-	-	SPALI	16.10	(0.10)	46,415	16.15	GOLDPF	5.90	(0.10)	59	5.90
MTI	81.25	(6.50)	13	80.27	U	1.21	0.11	178,824	1.20	GVREIT	13.90	0.10	893	13.83
NKI	-	-	-	-	UV	3.02	0.02	18,155	3.00	HPF	3.94	0.04	637	3.85
NSI	52.75	5.00	15	49.23	WHA	2.78	0.18	1,814,163	2.67	HREIT	7.45	0.25	3,126	7.25
SEG	-	-	-	-	WIN	0.30	0.01	5,860	0.29	IMPACT	15.80	-	5,923	15.78
SMK	28.00	-	45	28.04	Paper & Printing Mat					KNPPF	-	-	-	-
THRE	0.48	(0.02)	41,581	0.48	UTP	8.90	0.30	12,589	8.85	LHHOTEL	11.90	0.30	1,050	11.64
THREL	2.58	0.20	7,684	2.51	Fashion	-	-	-	-	LHPF	6.20	(0.05)	30	6.20
TIP	20.60	0.60	2,847	20.33	AFC	6.30	0.55	1	6.30	LHSC	13.00	-	836	12.94
TQM	70.50	(0.50)	5,742	70.56	B52	0.17	-	349	0.17	LUXF	6.75	0.15	84	6.74
TSI	0.36	-	64	0.32	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.18	(0.12)	1,570	3.22	CPH	2.84	(0.04)	129	2.84	M-PAT	4.00	0.10	52	4.00
Mining					CPL	0.90	(0.01)	3,451	0.85	M-STOR	6.60	0.15	12	6.50
PDI	4.18	0.04	721	4.18	ICC	35.00	0.75	1	35.00	MPPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.20	-	479	2.20
Packaging					PAF	0.44	(0.01)	1,756	0.44	MLF	7.35	(0.15)	307	7.29
AJ	8.05	0.05	349	8.05	PDJ	1.01	0.01	9,416	1.01	MNIT	0.96	0.02	64	0.95
ALUCON	135.50	5.50	22	133.18	PG	4.80	0.40	3	4.55	MNIT2	3.10	0.12	9	3.03
BGC	9.80	0.60	6,020	9.55	SABINA	17.50	0.10	5,691	17.42	MNRF	2.68	(0.02)	367	2.69
CSC	45.75	0.50	72	45.22	SAWANG	7.00	0.85	21	6.28	POPF	10.90	(0.10)	659	10.90
GLOCON	0.44	0.02	20,154	0.43	SUC	35.50	0.75	39	35.47	PPF	11.20	-	101	11.20
NEP	0.12	(0.01)	22,402	0.13	TNL	-	-	-	-	QHHR	6.40	0.05	602	6.40
PTL	11.70	0.20	1,724	11.69	TPCORP	10.60	0.40	9	10.60	QHOP	2.72	(0.04)	30	2.65
SFLEX	5.75	0.25	30,408	5.63	TR	22.30	(0.60)	97	21.65	QHPF	10.30	-	503	10.30
SITHAI	0.57	0.04	4,759	0.56	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.39	0.01	1,021	0.37	TTT	-	-	-	-	SHREIT	3.10	0.02	2,588	3.10
SMPC	5.60	0.30	3,935	5.54	UPF	29.25	0.25	51	29.24	SIRIP	9.80	-	121	9.74
SPACK	-	-	-	-	UT	-	-	-	-	SPF	12.90	0.20	14,261	12.88
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPRIME	12.30	0.40	365	12.31
TFI	0.03	-	102	0.03	Transportation & Log					SRIPANWA	7.75	(0.15)	40	7.79
THIP	21.10	0.70	709	21.16	AAV	1.42	(0.09)	832,928	1.41	SSPF	8.40	(0.30)	218	8.31
TMD	21.40	(1.00)	40	21.29	AOT	55.75	(1.50)	565,684	54.95	SSTRT	4.98	0.04	53	4.94
TOPP	-	-	-	-	ASIMAR	0.97	0.02	970	0.96	TIF1	8.05	-	499	7.99
TPBI	2.30	-	2,037	2.29	B	0.17	-	4,471	0.17	TLGF	15.60	1.00	33,124	15.35
TPP	15.70	0.80	27	15.78	BA	4.74	(0.02)	32,283	4.71	TLHPF	9.50	(0.30)	72	9.30
Personal Products &					BEM	9.00	0.55	1,678,799	8.75	TNPF	2.02	(0.04)	1,733	1.99
APCO	3.72	0.18	4,807	3.67	BTS	10.90	0.60	1,010,071	10.81	TPRIME	14.50	-	100	14.50
DDD	13.10	-	607	13.20	BTSGIF	7.25	0.20	39,250	7.20	TTLPF	21.50	(0.40)	14	21.22
JCT	75.75	2.50	4	74.06	III	4.44	0.14	13,127	4.37	TU-PF	0.95	(0.05)	121	0.88
OCC	-	-	-	-	JUTHA	0.31	-	8	0.31	URBNPF	3.02	-	90	3.02
S & J	-	-	-	-	JWD	5.90	0.05	1,723	5.86	WHABT	8.30	0.05	41	8.30
STHAI	-	-	-	-	KWC	280.00	6.00	3	280.00	WHART	14.30	0.40	5,992	13.81
TNR	7.45	0.45	3,344	7.22	NOK	1.17	0.15	15,543	1.16	Steel	-	-	-	-
TOG	3.40	0.10	216	3.50	NYT	3.14	0.10	17,958	3.09	AMC	1.28	0.01	1,523	1.28
Professional Service					PORT	1.69	0.01	31,370	1.70	BSBM	0.74	(0.03)	1,384	0.73
BWG	0.31	0.04	397,227	0.31	PRM	5.15	0.05	60,709	5.15	CEN	0.37	0.01	1,235	0.35
GENCO	0.45	0.01	4,495	0.44	PSL	3.88	-	20,902	3.87	CITY	1.32	(0.06)	380	1.32
PRO	-	-	-	-	RCL	2.24	0.04	5,784	2.21	CSP	0.48	(0.06)	311	0.49
SISB	7.55	0.35	80,096	7.47	TFIF	10.30	0.10	44,619	10.19	GJS	0.06	-	1,952	0.06
TEAMG	2.02	0.03	3,518	2.00	THAI	5.55	(0.80)	567,652	6.12	GSTEEL	-	-	-	-
Property Developmei					TSTE	7.45	0.45	5	7.45	INOX	0.43	-	2,633	0.43
A	4.66	0.06	116	4.66	TTA	2.98	0.02	19,446	2.97	LHK	2.22	0.02	1,165	2.22
AMATA	14.00	1.20	264,161	13.42	WICE	1.92	(0.01)	5,718	1.92	MAX	0.01	-	233,841	0.01
AMATAV	3.64	(0.08)	2,688	3.65	Automotive					MCS	8.60	0.05	7,756	8.56
ANAN	1.38	-	36,096	1.39	AH	8.35	-							

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.61	0.01	19,026	-	ADVA01C2005B	-	-	-	-
ABICO	3.04	-	67	3.00	AIE	0.24	-	10,194	-	ADVA01C2007B	0.19	-	3,943	-
AU	8.40	0.30	71,708	8.00	PSTC	0.31	-	917,581	-	ADVA01C2008A	0.81	0.04	7,312	-
JCHK	0.29	0.02	502	-	QTC	3.74	0.20	618	3.00	ADVA01P2007B	0.37	(0.05)	26,603	-
KASET	1.16	0.03	746	1.00	SAAM	0.69	0.05	7,694	-	ADVA06C2005A	-	-	-	-
MM	1.57	(0.03)	386	1.00	SEAOL	2.26	0.02	3,998	2.00	ADVA08C2005A	0.03	0.01	190	-
SUN	1.61	(0.03)	3,160	1.00	SR	0.80	0.05	517	-	ADVA08P2004A	0.17	(0.03)	3,531	-
TACC	3.40	0.06	15,336	3.00	TAKUNI	0.32	0.01	11,101	-	ADVA11C2006A	0.02	-	40	-
TMILL	2.48	-	11,613	2.00	TPCH	9.50	-	8,582	9.00	ADVA11P2005A	0.09	(0.01)	2,148	-
XO	4.22	0.14	1,739	4.00	TRT	1.81	-	4,090	1.00	ADVA13C2004A	-	-	-	-
Consumer Products	-	-	-	-	UMS	0.13	-	91	-	ADVA13C2006A	0.42	(0.04)	171	-
BGT	0.45	0.03	1,330	-	UWC	0.02	-	3,320	-	ADVA13C2007A	0.20	-	201	-
BIZ	2.94	-	614	2.00	Services (MAI)	-	-	-	-	ADVA13C2008A	0.35	0.01	182,612	-
DOD	4.92	0.12	38,319	4.00	A5	-	-	-	-	ADVA13P2009A	1.31	(0.04)	162,751	1.00
ECF	0.98	(0.01)	75,821	-	AKP	0.90	0.11	10,850	-	ADVA16C2005A	-	-	-	-
HPT	0.57	-	20,346	-	AMA	3.88	0.06	1,331	3.00	ADVA16C2007A	-	-	-	-
IP	5.05	(0.10)	3,276	5.00	ARIP	0.33	0.02	1,202	-	ADVA16C2009A	0.24	0.11	2	-
JUBILE	14.50	0.50	1,675	14.00	ATP30	0.83	-	7,501	-	ADVA19C2005A	-	-	-	-
MOONG	3.60	0.18	12,847	3.00	AUCT	5.20	0.05	21,350	5.00	ADVA19C2007A	0.58	0.04	4,695	-
NPK	9.45	0.50	41	9.00	BOL	2.76	0.08	1,543	2.00	ADVA19C2007B	-	-	-	-
OCEAN	0.84	0.01	939	-	CHUO	-	-	-	-	ADVA19C2008A	1.02	0.04	62,051	-
TM	2.66	-	8,068	2.00	CMO	0.92	0.03	2,816	-	ADVA19C2009A	0.70	0.03	114,667	-
Financials (MAI)	-	-	-	-	D	2.58	(0.06)	779	2.00	ADVA19P2006A	0.25	0.01	1,419	-
ACAP	0.54	0.02	14,345	-	DCORP	0.34	0.01	108	-	ADVA19P2009A	0.39	(0.02)	86,762	-
AF	0.56	-	3	-	EFORL	0.03	-	111,547	-	ADVA24C2006A	0.13	(0.13)	1	-
AIRA	0.82	(0.02)	19	-	ETE	0.57	0.04	14,392	-	ADVA28C2005A	0.04	-	55	-
ASN	4.78	(0.08)	25	4.00	FSMART	5.75	0.10	3,904	5.00	ADVA28C2007A	0.07	(0.04)	300	-
BROOK	0.39	0.01	52,808	-	FVC	0.29	0.03	59,485	-	ADVA28C2008A	0.78	0.02	26,003	-
CHAYO	4.90	0.26	232,460	4.00	GSC	0.66	0.06	1,285	-	ADVA28C2008B	1.21	0.06	100	1.00
GCAP	1.36	0.01	62,918	1.00	HARN	2.00	0.03	2,678	1.00	ADVA28C2012A	0.22	0.01	12,587	-
LIT	3.02	0.14	9,005	3.00	IMH	2.28	-	440	2.00	ADVA41C2004A	0.03	-	20	-
MITTSIB	0.99	0.08	17,384	-	JKN	3.92	0.06	33,059	3.00	ADVA41C2005A	-	-	-	-
SGF	0.47	0.05	187,880	-	KIAT	0.29	-	37,442	-	ADVA41C2006A	-	-	-	-
Industrials (MAI)	-	-	-	-	KOOL	0.60	-	8,316	-	ADVA41C2007A	0.25	0.01	200	-
ZS	1.76	0.08	120	1.00	LDC	0.59	-	6,267	-	ADVA41C2007B	0.82	0.04	120,085	-
ACG	0.78	0.01	1,400	-	MORE	0.29	0.02	32,412	-	ADVA41P2004A	0.37	(0.06)	2	-
ADB	0.42	-	1,910	-	MPG	0.19	0.01	1,047	-	ADVA41P2005A	0.47	(0.04)	52	-
BM	1.47	0.15	6,719	1.00	MVP	1.20	0.06	565	1.00	ADVA42C2005A	-	-	-	-
CHO	0.43	(0.01)	42,253	-	NBC	0.41	0.01	5,861	-	ADVA42P2007A	1.89	(0.11)	4,028	1.00
CHOW	0.59	(0.01)	101,391	-	NCL	0.69	-	562	-	AEON01C2005A	0.02	-	11	-
CIG	0.22	0.02	5,634	-	NEWS	0.01	-	21	-	AEON13C2007A	0.07	-	5,260	-
COLOR	0.87	(0.06)	10,509	-	NINE	1.81	-	13	1.00	AEON19C2006A	0.03	0.01	1,969	-
CPR	2.28	(0.04)	1,484	2.00	OTO	2.52	(0.02)	878	2.00	AMAT01C2004A	-	-	-	-
FPI	2.04	0.02	2,034	2.00	PHOL	1.71	0.11	9,985	1.00	AMAT01C2004B	-	-	-	-
GTB	0.51	(0.01)	2,564	-	PICO	3.18	(0.14)	215	3.00	AMAT01C2007B	0.08	0.06	3,380	-
KCM	0.36	0.02	6,230	-	QLT	3.98	(0.18)	283	3.00	AMAT01C2008A	0.21	0.10	2,130	-
KUMWEL	0.77	0.01	11,390	-	RP	1.09	(0.11)	13,674	1.00	AMAT01P2008A	0.94	(0.24)	513	1.00
KWM	0.77	0.04	4,535	-	SE	1.18	0.09	1,946	1.00	AMAT06C2005A	-	-	-	-
MBAX	2.68	-	967	2.00	SONIC	0.88	0.07	10,308	-	AMAT08C2005A	-	-	-	-
MGT	1.35	-	149	1.00	SPA	8.25	(0.25)	19,967	8.00	AMAT11C2004A	-	-	-	-
NDR	0.89	(0.01)	455	-	THMUI	0.43	0.01	286	-	AMAT11C2008A	0.08	0.02	160	-
PDG	2.82	-	183	2.00	TNDT	2.36	0.22	5,364	2.00	AMAT13C2004A	-	-	-	-
PIMO	0.86	(0.01)	4,237	-	TNH	30.25	(0.50)	304	30.00	AMAT13C2006A	0.01	-	500	-
PJW	1.03	0.02	1,738	1.00	TNP	1.96	0.03	7,658	1.00	AMAT16C2006A	-	-	-	-
PPM	0.57	0.04	394	-	TSF	-	-	-	-	AMAT16C2008A	0.08	0.04	830	-
RWI	1.07	0.02	170	1.00	TVD	0.62	0.05	53,080	-	AMAT19C2005A	-	-	-	-
SALEE	0.72	(0.01)	223	-	TVT	0.36	0.01	2,190	-	AMAT19C2006A	0.02	(0.02)	3	-
SANKO	0.82	-	15,099	-	VL	0.88	-	12,603	-	AMAT19C2008A	0.19	0.07	6,099	-
SELIC	1.72	-	2,246	1.00	WINNER	2.22	0.12	3,541	2.00	AMAT19C2009A	0.55	0.11	238,231	-
SWC	4.18	0.02	822	4.00	YGG	4.60	0.46	4,986	4.00	AMAT24C2006A	-	-	-	-
TMC	0.37	-	1,740	-	Technology (MAI)	-	-	-	-	AMAT41C2005A	-	-	-	-
TMI	0.62	(0.01)	3,956	-	APP	1.46	(0.01)	11,336	1.00	AMAT41C2006A	-	-	-	-
TMW	31.00	(0.25)	67	31.00	COMAN	1.65	0.02	88	1.00	AMAT42C2005A	0.20	0.02	1,751	-
TPAC	8.50	0.05	7,621	8.00	ICN	1.49	-	215	1.00	AMAT42C2007A	1.16	0.15	11,860	1.00
TPLAS	1.22	0.08	12,972	1.00	INSET	2.52	0.10	56,096	2.00	ANAN13C2007A	0.01	-	12	-
UBIS	4.98	-	160	4.00	IRCP	0.33	(0.01)	6,376	-	ANAN19C2004A	-	-	-	-
UEC	0.61	-	328	-	ITEL	2.20	0.12	54,764	2.00	ANAN19C2007A	-	-	-	-
UKEM	0.40	0.01	27,894	-	NETBAY	30.50	0.50	2,561	30.00	AOT01C2004A	0.01	-	10,355	-
UREKA	1.07	0.05	15,132	1.00	PLANET	0.90	0.05	2,648	-	AOT01C2004B	0.01	-	15,030	-
YUASA	10.60	0.10	558	10.00	SIMAT	1.86	0.05	14,604	1.00	AOT01C2006B	0.03	-	1,622	-
ZIGA	1.01	0.01	7,731	1.00	SKY	12.70	0.40	6,557	12.00	AOT01C2007A	0.18	(0.02)	49,115	-
Property & Construc	-	-	-	-	SPVI	2.12	0.23	78,159	2.00	AOT01P2004A	2.16	-	517	2.00
ALL	2.78	(0.02)	6,570	2.00	TPS	1.84	0.05	5,923	1.00	AOT01P2004B	-	-	-	-
ARIN	0.52	0.03	3,648	-	UPA	0.18	0.02	12,260	-	AOT01P2006B	1.32	0.11	5,008	1.00
ARROW	7.30	0.10	440	7.00	VCOM	2.08	0.02	2,720	2.00	AOT01P2007A	1.47	0.10	55,079	1.00
BC	1.02	0.13	8,160	1.00	Unit Trust	-	-	-	-	AOT06C2007A	0.08	0.04	152	-
BSM	0.26	-	2,327	-	MGE	-	-	-	-	AOT06C2008A	0.64	(0.09)	89,601	-
BTW	0.57	0.02	5,873	-	SCBSET	-	-	-	-	AOT08C2005A	-	-	-	-
CAZ	1.37	0.04	12,269	1.00	ETF	-	-	-	-	AOT08C2006A	-	-	-	-
CHEWA	0.31	-	38,099	-	1DIV	7.63	(0.01)	764	7.00	AOT08C2007A	0.15	(0.02)	4,085	-
CMC	0.65	(0.01)	2,567	-	ABFTH	-	-	-	-	AOT08P2004A	1.13	0.14	20	1.00
CRD	0.48	0.01	994	-	BMSCG	5.74	0.14	594	5.00	AOT11C2004A	-	-	-	-
DIMET	0.64	(0.04)	26,104	-	BMSCITH	9.23	0.04	1,828	9.00	AOT11P2004A	0.20	-	3,142	-
FLOYD	0.98	0.03	2,188	-	BSET100	8.08	0.04	451	8.00	AOT11P2007A	-	-	-	-
HYDRO	-	-	-	-	CHINA	5.50	(0.06)	168	5.00	AOT13C2004A	-	-	-	-
JSP	0.22	-	3,628	-	EBANK	-	-	-	-	AOT13C2006A	-	-	-	-
K	0.78	0.03	1,045	-	ECOMM	-	-	-	-	AOT13C2007A	0.10	(0.02)	5,443	-
KUN	0.88	(0.01)	4,559	-	EFOOD	4.79	0.10	401	4.00	AOT13C2008A	0.70	(0.06)	338,662	-
META	0.39	(0.02)	325,495	-	EICT	-	-	-	-	AOT13P2004A	-	-	-	-
PPS	0.42	(0.01)	22,351	-	ENGY	-	-	-	-	AOT13P2006A	1.28	0.22	2,933	1.00
PROUD	0.87	(0.12)	1,793	-	ENY	-	-	-	-	AOT13P2009A	0.66	0.03	450,669	-
SMART	0.81	(0.02)	5,066	-	ESET50	4.46	(0.34)	5	4.00	AOT16C2007A	0.04	0.01	21	-
STAR	2.26	0.29	6,116	2.00	GLD	2.28	0.01	15,770	2.00	AOT16C2009A	-	-	-	-
STC	0.62	0.08	33,250	-	TDEX	8.31	0.11	1,843	8.00	AOT19C2005A	-	-	-	-
STI	4.58	(0.20)	53	4.00	TGOLDETF	4.91	0.01	118	4.00	AOT19C2007A	0.10	(0.04)	322	-
T	0.03	0.01	3,721	-										

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C2006A	-	-	-	-	BCH06C2006A	-	-	-	-	BGR141C2006A	0.13	0.01	100	-
AOT28C2006B	0.03	-	300	-	BCH06P2006A	0.87	(0.18)	1,320	-	BGR141C2007A	0.53	0.01	19,019	-
AOT28C2008A	0.17	(0.02)	19	-	BCH08C2004A	-	-	-	-	BGR141P2005A	-	-	-	-
AOT28C2008B	0.36	(0.07)	154,424	-	BCH11C2008A	-	-	-	-	BGR141P2006A	-	-	-	-
AOT28C2008C	0.46	(0.04)	156,032	-	BCH13C2004A	-	-	-	-	BGR142C2006A	0.03	-	27	-
AOT41C2004A	-	-	-	-	BCH13C2007A	-	-	-	-	BH01C2004A	0.11	(0.05)	2	-
AOT41C2005A	-	-	-	-	BCH16C2006A	-	-	-	-	BH01C2004B	-	-	-	-
AOT41C2006A	-	-	-	-	BCH19C2005A	-	-	-	-	BH01P2004A	0.57	0.04	20	-
AOT41C2007A	-	-	-	-	BCH19C2006A	-	-	-	-	BH08C2007A	0.17	(0.01)	3,426	-
AOT41C2007B	-	-	-	-	BCH19C2008A	0.44	(0.04)	113,871	-	BH11C2008A	-	-	-	-
AOT41P2004A	0.48	(0.06)	226,062	-	BCH41C2005A	-	-	-	-	BH13C2006A	0.07	-	1	-
AOT41P2005A	-	-	-	-	BCH41C2006A	-	-	-	-	BH19C2006A	0.07	0.01	105	-
AOT41P2006A	-	-	-	-	BCP01C2005A	-	-	-	-	BH19C2009A	0.55	(0.01)	118,810	-
AOT41P2009A	0.52	0.04	5,551	-	BCP01C2005B	-	-	-	-	BH24C2008A	0.51	(0.01)	14,307	-
AOT42C2006A	0.02	-	4,386	-	BCP01P2005A	-	-	-	-	BH27C2007A	-	-	-	-
AOT42P2009A	1.24	0.17	5	1.00	BCP11C2004A	-	-	-	-	BH41C2004A	-	-	-	-
AP19C2007A	-	-	-	-	BCP13C2007A	-	-	-	-	BH41C2005A	-	-	-	-
AP28C2006A	-	-	-	-	BCP19C2004A	-	-	-	-	BH41C2006A	0.20	-	34	-
AP28C2012A	0.54	(0.02)	81,015	-	BCP19C2005A	-	-	-	-	BH41P2006A	1.04	-	118	1.00
AWC01C2004A	-	-	-	-	BCP24C2004A	-	-	-	-	BH42C2008A	1.23	(0.02)	7,675	1.00
AWC01C2009A	0.24	0.01	3,158	-	BCPG01C2005A	-	-	-	-	BJC01C2004A	-	-	-	-
AWC01P2007A	0.60	0.02	3,075	-	BCPG01C2005B	-	-	-	-	BJC01C2004B	-	-	-	-
AWC06C2004A	-	-	-	-	BCPG01C2008B	-	-	-	-	BJC01C2008B	0.45	(0.04)	100	-
AWC08C2004A	-	-	-	-	BCPG01C2009A	0.47	0.07	64	-	BJC01C2009A	-	-	-	-
AWC13C2006A	-	-	-	-	BCPG01P2005A	-	-	-	-	BJC01P2004A	0.58	(0.12)	2	-
AWC13C2009A	0.91	(0.02)	179,715	-	BCPG01P2009A	0.41	(0.04)	20	-	BJC01P2009A	0.25	(0.01)	6,266	-
AWC13P2006A	0.50	(0.01)	4,691	-	BCPG13C2004A	-	-	-	-	BJC06C2006A	0.11	(0.01)	58,987	-
AWC16C2005A	0.08	0.05	1	-	BCPG13C2007A	-	-	-	-	BJC11C2008A	-	-	-	-
AWC16C2007A	0.04	0.01	2	-	BCPG16C2009A	0.13	0.01	3,000	-	BJC13C2004A	-	-	-	-
AWC19C2004A	-	-	-	-	BCPG19C2005A	-	-	-	-	BJC13C2005A	-	-	-	-
AWC19C2006A	-	-	-	-	BCPG28C2008A	0.38	0.03	78,938	-	BJC16C2006A	-	-	-	-
AWC19C2010A	0.84	(0.02)	33,930	-	BCPG28C2012A	0.28	0.02	37,671	-	BJC19C2005A	0.18	(0.02)	5,414	-
AWC24C2007A	0.03	-	2	-	BCPG41C2005A	-	-	-	-	BJC19C2007A	0.28	(0.02)	2,515	-
AWC28C2006A	-	-	-	-	BCPG42C2004A	0.15	(0.07)	1,380	-	BJC24C2006A	0.70	(0.02)	6,289	-
AWC28C2008A	0.34	(0.05)	2	-	BCPG42C2007A	0.09	0.06	700	-	BJC27C2009A	0.14	(0.01)	1,160	-
AWC28C2010A	0.84	0.03	3	-	BDMS01C2007B	0.04	(0.01)	100	-	BJC28C2007A	0.42	(0.03)	60,174	-
AWC41C2005A	-	-	-	-	BDMS01P2008A	0.54	(0.01)	50	-	BJC28C2010A	0.28	(0.01)	21,227	-
AWC41C2006A	-	-	-	-	BDMS06C2008A	0.16	(0.01)	82,760	-	BJC41C2005A	-	-	-	-
AWC41C2007A	-	-	-	-	BDMS06P2004A	0.19	-	2,453	-	BJC41C2006A	-	-	-	-
AWC41C2007B	0.80	(0.02)	40,472	-	BDMS08C2006A	-	-	-	-	BJC41C2007A	0.47	(0.01)	7,604	-
AWC42C2008A	0.04	(0.02)	11	-	BDMS11C2007A	-	-	-	-	BJC41C2008A	0.72	-	2,533	-
BANP01C2005A	-	-	-	-	BDMS11C2008A	-	-	-	-	BJC41P2005A	-	-	-	-
BANP01C2005B	0.01	(0.01)	15	-	BDMS13C2004A	-	-	-	-	BJC42C2004A	-	-	-	-
BANP01P2005A	-	-	-	-	BDMS13C2008A	0.14	(0.01)	210	-	BLAN13C2004A	-	-	-	-
BANP01P2005B	-	-	-	-	BDMS16C2006A	-	-	-	-	BPP01C2005A	-	-	-	-
BANP06C2005A	-	-	-	-	BDMS19C2005A	-	-	-	-	BPP01C2005B	-	-	-	-
BANP08C2005A	-	-	-	-	BDMS19C2005B	-	-	-	-	BPP01P2005A	-	-	-	-
BANP08C2007A	0.04	(0.04)	15,180	-	BDMS24C2006A	-	-	-	-	BPP13C2004A	-	-	-	-
BANP11C2004A	-	-	-	-	BDMS41C2004A	-	-	-	-	BPP13C2007A	0.33	0.01	58,311	-
BANP11C2008A	-	-	-	-	BDMS41C2005A	-	-	-	-	BPP19C2005A	-	-	-	-
BANP13C2006A	0.01	-	16,445	-	BDMS41C2006A	-	-	-	-	BPP19C2007A	-	-	-	-
BANP13C2008A	0.43	0.04	122,422	-	BDMS41C2009A	0.47	-	1,420	-	BTS01C2005A	0.06	0.04	66,005	-
BANP19C2004A	-	-	-	-	BDMS41P2004A	-	-	-	-	BTS01C2005B	0.02	-	300	-
BANP19C2005A	0.01	-	2,500	-	BDMS41P2006A	-	-	-	-	BTS01P2005A	0.40	(0.16)	10,457	-
BANP19C2007A	0.02	0.01	50,993	-	BEC01C2006A	-	-	-	-	BTS08C2005A	-	-	-	-
BANP19C2007B	-	-	-	-	BEC01C2006B	0.03	0.02	715	-	BTS13C2006A	0.03	-	153	-
BANP19C2009A	0.46	0.05	172,677	-	BEC01P2006A	-	-	-	-	BTS13C2008A	0.14	0.06	6,497	-
BANP27C2007A	-	-	-	-	BEC19C2005A	-	-	-	-	BTS16C2008A	0.02	-	139	-
BANP28C2008A	0.14	0.05	6	-	BEC42C2005A	-	-	-	-	BTS19C2005A	0.02	(0.04)	22	-
BANP28C2012A	0.29	0.02	124,725	-	BEM01C2004A	0.03	0.02	13,907	-	BTS19C2008A	0.16	0.07	2,790	-
BANP41C2004A	-	-	-	-	BEM01C2004B	-	-	-	-	BTS24C2007A	0.09	0.05	1,791	-
BANP41C2005A	-	-	-	-	BEM01P2004A	0.31	(0.09)	200	-	BTS41C2004A	-	-	-	-
BANP41C2006A	-	-	-	-	BEM06C2004A	-	-	-	-	BTS41C2006A	-	-	-	-
BANP41C2007A	0.42	0.02	30	-	BEM08C2005A	0.04	0.02	10,711	-	BTS41P2004A	-	-	-	-
BANP41P2005A	1.11	(0.06)	3,514	1.00	BEM08C2009A	0.79	0.11	117,125	-	BTS42C2008A	0.06	(0.06)	650	-
BANP41P2007A	-	-	-	-	BEM13C2007A	0.06	0.02	2,092	-	CBG01C2004A	0.08	0.02	5,085	-
BANP42C2004A	-	-	-	-	BEM16C2006A	-	-	-	-	CBG01C2004B	0.02	0.01	200	-
BANP42C2006A	-	-	-	-	BEM19C2005A	0.01	-	1,270	-	CBG01C2007B	0.31	0.04	8,642	-
BANP42P2005A	1.74	(0.09)	7,084	1.00	BEM19C2010A	0.61	(0.39)	221,972	-	CBG01P2004A	0.34	(0.12)	2,806	-
BBL06C2007A	0.02	-	214	-	BEM24C2008A	0.66	0.11	42,285	-	CBG01P2007B	1.07	(0.12)	1,038	1.00
BBL06P2004A	-	-	-	-	BEM28C2006A	-	-	-	-	CBG06C2005A	-	-	-	-
BBL08C2005A	0.01	-	10	-	BEM28C2007A	-	-	-	-	CBG08C2007A	0.58	0.05	17,632	-
BBL08C2007A	0.03	-	500	-	BEM28C2008A	0.19	0.08	4,540	-	CBG11C2008A	0.35	-	99	-
BBL08P2007A	1.31	(0.13)	1,729	1.00	BEM28C2010A	0.61	0.10	175,399	-	CBG13C2008A	0.55	0.02	350	-
BBL11C2005A	0.01	-	8,000	-	BEM41C2004A	-	-	-	-	CBG13P2006A	-	-	-	-
BBL11C2007A	0.03	-	240	-	BEM41C2006A	-	-	-	-	CBG16C2008A	0.17	0.03	7	-
BBL11P2008A	-	-	-	-	BEM41P2004A	-	-	-	-	CBG19C2004A	-	-	-	-
BBL13C2004A	-	-	-	-	BGR101C2006A	0.09	-	6,500	-	CBG19C2005A	-	-	-	-
BBL13C2006A	0.01	(0.02)	5	-	BGR101C2006B	0.02	-	1,148	-	CBG19C2008A	0.68	0.06	207,855	-
BBL13C2008A	0.29	0.02	81,342	-	BGR101C2008B	-	-	-	-	CBG19P2006A	1.19	(0.05)	100	1.00
BBL13P2004A	-	-	-	-	BGR101C2009A	0.56	0.01	4,427	-	CBG24C2008A	0.39	0.02	2,504	-
BBL13P2008A	0.80	0.03	310	-	BGR101P2006A	1.29	0.04	784	1.00	CBG41C2004A	-	-	-	-
BBL16C2006A	-	-	-	-	BGR106C2005A	0.01	-	2,010	-	CBG41C2006A	0.63	(0.01)	15,494	-
BBL19C2005A	-	-	-	-	BGR108C2005A	-	-	-	-	CBG41C2008A	0.33	-	29	-
BBL19C2007A	-	-	-	-	BGR111C2006A	0.20	(0.01)	39,184	-	CBG41P2004A	-	-	-	-
BBL19C2009A	1.27	0.05	568	1.00	BGR111C2008A	-	-	-	-	CBG41P2006A	1.75	(0.14)	3,700	1.00
BBL19C2010A	0.61	0.04	59,940	-	BGR113C2004A	-	-	-	-	CBG42C2006A	-	-	-	-
BBL19P2007A	-	-	-	-	BGR113C2006A	0.04	-	412	-	CBG42C2008A	2.12	0.06	8,118	2.00
BBL24C2004A	-	-	-	-	BGR113C2007A	0.14	(0.01)	342	-	CENT01C2006A	0.06	0.02	3,005	-
BBL28C2005A	-	-	-	-	BGR113C2008A	-	-	-	-	CENT01C2006B	0.02	0.01	500	-
BBL28C2007A	0.07	(0.04)	6	-	BGR113C2009A	0.66	(0.02)	84,664	-	CENT01C2009A	0.39	0.09	845	-
BBL28C2010A	0.40	0.02	33,773	-	BGR113P2005A	0.53	(0.28)	4	1.00	CENT01P2009A	0.67	(0.17)	13,784	-
BBL41C2004A	-	-	-	-	BGR116C2005A	0.02	(0.03)	479	-	CENT06C2006A	0.49	0.13	56,304	-
BBL41C2005A	-	-	-	-	BGR119C2004A	-	-	-	-	CENT06P2007A	0.76	(0.57)	6,840	-
BBL41C2006A	-	-	-	-	BGR119C2005A	0.01	(0.01)	1	-	CENT08C2004A	-	-	-	-

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CENT27C2008A	0.22	0.19	1	-	CPAL41C2007A	-	-	-	-	EA19C2010A	0.38	(0.62)	39,920	-
CENT28C2005A	-	-	-	-	CPAL41P2004A	-	-	-	-	EA19P2007A	-	-	-	-
CENT28C2006A	0.01	(0.01)	390	-	CPAL41P2005A	-	-	-	-	EA24C2004A	-	-	-	-
CENT28C2008A	0.43	0.11	158,985	-	CPAL41P2006A	-	-	-	-	EA27C2006A	-	-	-	-
CENT28C2010A	0.54	0.11	80,072	-	CPAL42C2005A	0.01	-	200	-	EA28C2006A	0.13	(0.01)	35,052	-
CENT41C2005A	-	-	-	-	CPAL42C2007A	-	-	-	-	EA28C2012A	0.25	-	35,100	-
CENT41C2006A	-	-	-	-	CPF01C2004A	0.06	(0.02)	1,380	-	EA41C2004A	-	-	-	-
CENT42C2004A	-	-	-	-	CPF01C2004B	0.02	0.01	10,500	-	EA41C2005A	-	-	-	-
CENT42C2006A	0.92	0.12	11,479	-	CPF01P2004A	0.13	(0.02)	1,263	-	EA41C2006A	-	-	-	-
CHG01C2006A	0.15	0.01	246	-	CPF08C2006A	0.02	-	110	-	EA41P2004A	-	-	-	-
CHG01C2006B	-	-	-	-	CPF11C2004A	-	-	-	-	EA42C2004A	-	-	-	-
CHG01P2006A	0.46	(0.02)	125	-	CPF11C2007A	0.09	(0.02)	102	-	EGCO01C2004A	0.01	-	100	-
CHG08C2005A	-	-	-	-	CPF13C2006A	0.03	-	6,550	-	EGCO01C2004B	-	-	-	-
CHG13C2006A	0.13	(0.02)	21,863	-	CPF13C2008A	0.21	0.01	15,940	-	EGCO01C2007B	0.14	-	1,801	-
CHG16C2009A	-	-	-	-	CPF16C2007A	-	-	-	-	EGCO06C2004A	-	-	-	-
CHG19C2004A	-	-	-	-	CPF19C2005A	0.07	(0.03)	91	-	EGCO06C2007A	-	-	-	-
CHG27C2009A	-	-	-	-	CPF19C2006A	0.03	-	10	-	EGCO06P2004A	-	-	-	-
CHG41C2005A	-	-	-	-	CPF19C2009A	0.59	0.07	57,046	-	EGCO13C2005A	-	-	-	-
CHG42C2006A	-	-	-	-	CPF24C2007A	0.10	(0.01)	50	-	EGCO19C2005A	-	-	-	-
CK01C2005A	0.18	(0.01)	38	-	CPF28C2007A	0.04	-	3,100	-	EGCO19C2007A	-	-	-	-
CK01C2005B	0.02	-	1,484	-	CPF28C2010A	0.46	0.06	18,623	-	EGCO24C2009A	0.75	(0.02)	11,199	-
CK01P2005A	0.27	(0.03)	30	-	CPF41C2004A	-	-	-	-	EGCO41C2004A	-	-	-	-
CK06C2004A	0.01	-	2,000	-	CPF41C2005A	-	-	-	-	EGCO41C2006A	-	-	-	-
CK11C2007A	-	-	-	-	CPF41P2005A	0.35	(0.08)	1,125	-	EGCO41P2004A	-	-	-	-
CK13C2006A	-	-	-	-	CPN01C2005A	0.04	0.01	1,000	-	EGCO41P2006A	-	-	-	-
CK16C2006A	-	-	-	-	CPN01C2005B	0.02	-	10	-	EGCO42C2007A	0.02	0.01	331	-
CK19C2004A	-	-	-	-	CPN01P2005A	1.08	(0.14)	4,675	1.00	EPG08C2004A	-	-	-	-
CK19C2007A	0.09	0.07	138	-	CPN06C2006A	-	-	-	-	EPG13C2004A	-	-	-	-
CK27C2008A	0.19	-	11	-	CPN11C2006A	0.04	-	50	-	EPG13C2006A	-	-	-	-
CK41C2005A	-	-	-	-	CPN11C2008A	0.07	0.02	4,409	-	EPG19C2005A	-	-	-	-
CK42C2006A	0.90	(0.04)	8,904	-	CPN13C2004A	-	-	-	-	EPG19C2007A	-	-	-	-
CKP01C2004A	-	-	-	-	CPN13C2007A	0.09	0.02	3,938	-	EPG19C2008A	-	-	-	-
CKP01C2004B	-	-	-	-	CPN16C2005A	-	-	-	-	EPG24C2008A	0.08	-	495	-
CKP01C2008B	-	-	-	-	CPN19C2004A	-	-	-	-	ERW06C2006A	0.02	-	200	-
CKP01C2009A	0.43	(0.02)	9	-	CPN19C2007A	0.14	0.07	2,891	-	ERW06C2007A	-	-	-	-
CKP01P2004A	-	-	-	-	CPN24C2007A	0.46	0.03	26,310	-	ERW06P2006A	-	-	-	-
CKP01P2009A	0.71	(0.02)	3	-	CPN41C2004A	-	-	-	-	ERW13C2005A	-	-	-	-
CKP08C2004A	-	-	-	-	CPN41C2006A	-	-	-	-	ERW13C2006A	-	-	-	-
CKP11C2006A	-	-	-	-	CPN41P2005A	-	-	-	-	ERW13C2007A	-	-	-	-
CKP13C2004A	-	-	-	-	CPN41P2006A	1.63	(0.14)	1	1.00	ERW19C2005A	-	-	-	-
CKP13C2004B	-	-	-	-	CPN42C2004A	-	-	-	-	ERW19C2006A	-	-	-	-
CKP13C2007A	0.12	(0.02)	70	-	CPN42C2006A	2.14	0.17	9,526	2.00	ERW19C2007A	0.07	0.03	10	-
CKP16C2005A	-	-	-	-	CRC01C2007A	0.18	(0.02)	3,559	-	ERW24C2006A	0.07	0.02	100	-
CKP16C2007A	0.11	0.09	1,001	-	CRC08C2007A	0.29	(0.04)	63,083	-	ESS001C2004A	0.01	(0.01)	60	-
CKP19C2005A	-	-	-	-	CRC13C2008A	0.17	0.01	20,273	-	ESS001C2004B	0.01	(0.01)	4,200	-
CKP19C2006A	0.02	-	3,000	-	CRC13C2009A	0.53	(0.04)	143,742	-	ESS001C2008B	-	-	-	-
CKP19C2010A	0.47	(0.53)	92,450	-	CRC19C2008A	0.37	0.08	20	-	ESS001C2009A	0.19	(0.04)	7,962	-
CKP24C2006A	-	-	-	-	CRC19C2008B	0.57	(0.04)	143,474	-	ESS001P2009A	0.71	(0.02)	845	-
CKP27C2005A	-	-	-	-	CRC24C2008A	0.61	(0.05)	16,351	-	ESS008C2004A	-	-	-	-
CKP28C2006A	-	-	-	-	CRC28C2007A	-	-	-	-	ESS008C2008A	1.23	0.03	24,201	1.00
CKP28C2012A	0.34	0.02	27,354	-	CRC28C2007B	-	-	-	-	ESS013C2006A	0.05	-	201	-
CKP41C2004A	-	-	-	-	CRC28C2012A	0.28	(0.02)	56,860	-	ESS019C2004A	-	-	-	-
CKP41C2005A	-	-	-	-	CRC41C2007A	0.48	(0.06)	2,290	-	ESS019C2007A	-	-	-	-
CKP41C2006A	-	-	-	-	CRC41C2009A	0.60	(0.05)	19,101	-	ESS019C2009A	0.99	0.04	77,401	-
CKP41C2007A	-	-	-	-	DTAC01C2004A	0.04	0.02	370	-	ESS024C2007A	-	-	-	-
CKP42C2005A	-	-	-	-	DTAC01C2004B	-	-	-	-	ESSO41C2004A	-	-	-	-
CKP42C2006A	0.63	0.04	6,236	-	DTAC01C2007B	0.18	0.04	1,709	-	ESSO41C2005A	-	-	-	-
COM708C2007A	0.06	0.03	415	-	DTAC01C2008A	0.45	0.04	8,310	-	ESSO41C2006A	-	-	-	-
COM711C2004A	-	-	-	-	DTAC01P2004A	-	-	-	-	ESSO42C2007A	0.05	(0.04)	40	-
COM713C2004A	-	-	-	-	DTAC01P2004B	0.49	(0.14)	3,498	-	GFPT19C2004A	-	-	-	-
COM713C2007A	0.05	0.01	4,127	-	DTAC01P2007B	0.37	(0.06)	103	-	GFPT19C2006A	0.07	0.01	40,881	-
COM713C2008A	0.21	0.09	21,482	-	DTAC01P2008A	0.54	(0.06)	557	-	GFPT24C2007A	0.07	0.01	50	-
COM716C2008A	0.10	0.05	1	-	DTAC06C2006A	0.01	(0.01)	100	-	GFPT42C2004A	-	-	-	-
COM719C2005A	-	-	-	-	DTAC08C2005A	-	-	-	-	GFPT42C2008A	-	-	-	-
COM719C2008A	0.23	0.08	2,010	-	DTAC08C2005B	-	-	-	-	GLOB01C2007B	0.09	0.04	100	-
COM719C2009A	0.75	0.16	379,784	-	DTAC08C2007A	-	-	-	-	GLOB01C2008A	-	-	-	-
COM719P2004A	0.25	(0.18)	3,330	-	DTAC08C2008A	0.52	0.05	58,530	-	GLOB06C2006A	-	-	-	-
COM724C2007A	-	-	-	-	DTAC13C2006A	-	-	-	-	GLOB13C2007A	-	-	-	-
COM741C2004A	-	-	-	-	DTAC13C2007A	0.14	0.04	415	-	GLOB19C2005A	-	-	-	-
COM741C2006A	-	-	-	-	DTAC13C2009A	0.44	0.03	76,079	-	GLOB19C2007A	-	-	-	-
COM742C2004A	-	-	-	-	DTAC13P2006A	-	-	-	-	GLOB24C2005A	-	-	-	-
CPAL01C2004A	0.01	(0.01)	3,558	-	DTAC13P2007A	0.13	(0.02)	19,935	-	GLOB41C2004A	-	-	-	-
CPAL01C2004B	0.01	-	2,000	-	DTAC13P2008A	0.74	(0.08)	32,158	-	GLOB42C2009A	0.08	0.05	6,000	-
CPAL01C2006A	0.18	0.01	1,320	-	DTAC16C2009A	-	-	-	-	GPSCO1C2005A	0.12	-	2,140	-
CPAL01C2006B	0.05	-	17	-	DTAC19C2005A	-	-	-	-	GPSCO1C2005B	0.02	-	11,186	-
CPAL01C2008B	0.24	0.01	5,710	-	DTAC19C2006A	-	-	-	-	GPSCO1C2007B	0.25	-	2,493	-
CPAL01P2004A	-	-	-	-	DTAC19C2007A	0.34	0.08	2,075	-	GPSCO1C2008A	0.51	(0.01)	16,607	-
CPAL01P2004B	-	-	-	-	DTAC19C2009A	0.46	0.04	234,260	-	GPSCO1P2005A	1.13	(0.02)	60	1.00
CPAL01P2008B	0.62	0.01	2,325	-	DTAC19P2007A	-	-	-	-	GPSCO1P2005B	0.56	(0.09)	19	-
CPAL06C2006A	-	-	-	-	DTAC24C2004A	-	-	-	-	GPSCO1P2007B	0.81	0.02	1,345	-
CPAL08C2004A	0.01	-	61	-	DTAC24C2007A	-	-	-	-	GPSCO1P2008A	1.45	0.02	2,231	1.00
CPAL08C2006A	0.03	-	20,100	-	DTAC27C2008A	0.30	0.02	600	-	GPSCO6C2006A	0.02	-	19	-
CPAL08C2008A	0.48	(0.02)	21,890	-	DTAC41C2004A	-	-	-	-	GPSCO6C2008A	0.59	(0.06)	104,528	-
CPAL08P2006A	-	-	-	-	DTAC41C2005A	-	-	-	-	GPSCO8C2004B	0.02	-	7	-
CPAL11C2006A	-	-	-	-	DTAC41C2006A	0.11	0.03	21	-	GPSCO8C2007A	-	-	-	-
CPAL11C2007A	0.08	0.01	400	-	DTAC41C2007A	0.33	0.04	8,448	-	GPSCO8P2006A	0.90	0.02	20	-
CPAL13C2004A	-	-	-	-	DTAC41C2007B	-	-	-	-	GPSC11C2006A	-	-	-	-
CPAL13C2007A	0.14	(0.01)	3,664	-	DTAC41P2005A	-	-	-	-	GPSC13C2005A	0.03	(0.02)	26,947	-
CPAL13C2009A	0.73	-	86,572	-	DTAC41P2006A	-	-	-	-	GPSC13C2007A	0.28	(0.02)	250	-
CPAL16C2006A	-	-	-	-	DTAC42C2004A	-	-	-	-	GPSC13C2008A	0.55	(0.05)	3,627	-
CPAL16C2007A	-	-	-	-	DTAC42C2006A	1.13	0.07	2,998	1.00	GPSC13C2009A	0.94	(0.07)	467,553	-
CPAL19C2004A	0.04	0.01	180	-	EA06C2005A	0.03	(0.01)	291	-	GPSC13P2005A	-	-	-	-
CPAL19C2005A	0.02	0.01	1,099	-	EA08C2004A	-	-	-	-	GPSC13P2007A	-	-	-	-
CPAL19C2008A	0.28	-	162,110	-	EA08C2006A	0.10	(0.03)	6,366	-	GPSC16C2007A	0.12	-	2,080	-
CPAL19P2004A	-	-	-	-	EA11C2005A	-	-	-	-	GPSC19C2004A	-	-	-	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC41C2005A	-	-	-	-	INTU01C2006A	0.13	-	1,297	-	JMT19C2006A	0.10	0.04	15,378	-
GPSC41C2005B	-	-	-	-	INTU01C2006B	-	-	-	-	JMT42C2006A	-	-	-	-
GPSC41C2006A	-	-	-	-	INTU01P2006A	1.15	-	37	1.00	KBAN01C2004A	0.02	-	1,052	-
GPSC41C2009A	1.08	(0.04)	54,428	1.00	INTU01P2006B	-	-	-	-	KBAN01C2004B	0.01	-	3,000	-
GPSC41P2005A	1.56	0.02	3,160	1.00	INTU13C2004A	-	-	-	-	KBAN01C2007A	0.13	(0.01)	4,768	-
GPSC41P2006A	1.63	-	9,100	1.00	INTU13C2006A	0.07	-	530	-	KBAN01C2007B	0.05	0.01	16,204	-
GPSC42C2006A	-	-	-	-	INTU13C2008A	0.48	(0.01)	68,727	-	KBAN01P2004A	-	-	-	-
GPSC42P2006A	4.02	-	4,502	4.00	INTU13P2004A	-	-	-	-	KBAN01P2004B	0.74	(0.04)	1,274	-
GULF01C2005A	0.81	(0.01)	56,886	-	INTU16C2005A	-	-	-	-	KBAN01P2007A	2.00	0.04	62	2.00
GULF01C2005B	0.31	-	41,806	-	INTU16C2007A	-	-	-	-	KBAN01P2007B	1.88	(0.01)	221	1.00
GULF01C2007A	0.23	0.01	141,454	-	INTU16C2009A	-	-	-	-	KBAN06C2004A	-	-	-	-
GULF01P2005A	0.45	(0.05)	59,224	-	INTU19C2004A	-	-	-	-	KBAN06C2008A	0.12	-	54,484	-
GULF03C2005A	0.20	(0.14)	3,600	-	INTU19C2005A	-	-	-	-	KBAN08C2005A	-	-	-	-
GULF06C2004A	0.28	(0.06)	119,311	-	INTU19C2009A	0.36	-	165,643	-	KBAN08C2007A	-	-	-	-
GULF08C2008A	1.35	(0.03)	114,181	1.00	INTU19P2007A	0.35	(0.03)	729	-	KBAN08P2004A	-	-	-	-
GULF11C2006A	0.48	(0.02)	5,480	-	INTU23C2111A	-	-	-	-	KBAN13C2006A	0.02	-	200	-
GULF13C2004A	-	-	-	-	INTU24C2008A	0.30	-	12,090	-	KBAN13C2008A	0.16	(0.01)	1	-
GULF13C2006A	0.23	-	22,128	-	INTU28C2008A	0.21	-	50,415	-	KBAN13C2008B	1.15	(0.01)	331,169	1.00
GULF13C2006B	0.09	(0.01)	29,788	-	INTU28C2101A	0.27	0.01	36,677	-	KBAN13P2006A	-	-	-	-
GULF13C2008A	0.80	0.01	37,577	-	INTU41C2005A	-	-	-	-	KBAN13P2008A	0.84	-	568	-
GULF13C2009A	1.29	(0.04)	1,189,445	1.00	INTU41C2006A	-	-	-	-	KBAN16C2005A	-	-	-	-
GULF13P2004A	0.09	(0.01)	10,894	-	INTU41C2007A	-	-	-	-	KBAN16C2008A	0.03	-	3,598	-
GULF13P2005A	0.41	-	3,094	-	INTU41P2004A	-	-	-	-	KBAN19C2004A	-	-	-	-
GULF16C2007A	0.53	0.02	221	-	INTU41P2005A	-	-	-	-	KBAN19C2007A	0.07	0.02	100,000	-
GULF19C2004A	0.10	0.01	3	-	INTU41P2006A	-	-	-	-	KBAN19C2009A	1.33	0.01	150,364	1.00
GULF19C2006A	0.08	(0.01)	660	-	INTU42C2005A	0.14	(0.03)	8,000	-	KBAN19C2101A	0.42	0.01	38,308	-
GULF19C2008A	1.24	(0.05)	660,940	1.00	IRPC01C2005A	0.01	(0.01)	1	-	KBAN19P2004A	-	-	-	-
GULF19C2101A	0.39	(0.01)	218,808	-	IRPC01C2005B	-	-	-	-	KBAN19P2007A	-	-	-	-
GULF19P2006A	0.55	(0.02)	1,850	-	IRPC01C2007B	0.13	(0.05)	1,022	-	KBAN24C2005A	0.01	-	4,355	-
GULF19P2009A	0.50	0.01	106,241	-	IRPC01P2005A	-	-	-	-	KBAN28C2008A	-	-	-	-
GULF19P2101A	0.46	-	89,292	-	IRPC01P2005B	-	-	-	-	KBAN28C2008B	0.76	0.01	143,692	-
GULF24C2005A	-	-	-	-	IRPC01P2007B	0.60	-	821	-	KBAN28C2008C	1.08	(0.03)	100	1.00
GULF27C2004A	-	-	-	-	IRPC06C2005A	0.01	-	1,508	-	KBAN28C2101A	0.23	-	71,324	-
GULF28C2006A	-	-	-	-	IRPC06C2007A	0.06	-	100	-	KBAN41C2005A	-	-	-	-
GULF28C2008A	0.36	0.01	555	-	IRPC06P2004A	0.86	(0.32)	3,900	-	KBAN41C2007A	-	-	-	-
GULF28C2008B	0.82	(0.02)	139,121	-	IRPC11C2005A	-	-	-	-	KBAN41C2008A	0.55	(0.02)	44,072	-
GULF28C2008C	1.03	-	79,381	1.00	IRPC11C2008A	0.05	(0.02)	3,000	-	KBAN41P2005A	-	-	-	-
GULF41C2005A	0.39	0.10	297	-	IRPC13C2006A	-	-	-	-	KBAN41P2006A	-	-	-	-
GULF41C2006A	1.16	-	367,710	1.00	IRPC13C2007A	0.06	(0.04)	404	-	KBAN42C2004A	-	-	-	-
GULF41P2004A	0.38	0.03	7	-	IRPC13C2008A	-	-	-	-	KBAN42C2007A	0.04	(0.06)	443	-
GULF41P2005A	-	-	-	-	IRPC13C2009A	0.39	(0.01)	4,844	-	KBAN42P2008A	-	-	-	-
GULF41P2006A	0.84	-	32,366	-	IRPC16C2008A	0.22	(0.04)	1	-	KCE01C2004A	0.13	(0.02)	6,372	-
GULF41P2007A	-	-	-	-	IRPC19C2005A	-	-	-	-	KCE01C2004B	0.02	-	71	-
GUNK01C2005A	-	-	-	-	IRPC19C2007A	-	-	-	-	KCE01C2007B	0.03	-	795	-
GUNK01C2005B	-	-	-	-	IRPC19C2008A	0.40	-	250	-	KCE01C2008A	0.12	0.02	17,773	-
GUNK01P2005A	-	-	-	-	IRPC19C2101A	0.30	-	17,711	-	KCE01P2004A	1.17	(0.13)	1,038	1.00
GUNK11C2007A	-	-	-	-	IRPC24C2004A	-	-	-	-	KCE08C2005A	-	-	-	-
GUNK13C2006A	0.04	0.02	100	-	IRPC24C2007A	-	-	-	-	KCE08C2005B	-	-	-	-
GUNK19C2006A	0.08	(0.01)	900	-	IRPC27C2007A	-	-	-	-	KCE08C2009A	0.70	0.03	86,990	-
GUNK24C2006A	-	-	-	-	IRPC28C2006A	-	-	-	-	KCE11C2004A	-	-	-	-
GUNK28C2005A	-	-	-	-	IRPC28C2008A	0.31	-	52,607	-	KCE13C2004A	-	-	-	-
GUNK28C2012A	0.24	-	26,800	-	IRPC41C2004A	-	-	-	-	KCE13C2005A	-	-	-	-
GUNK41C2005A	-	-	-	-	IRPC41C2005A	0.03	(0.03)	500	-	KCE13C2006A	0.11	0.03	1,090	-
GUNK41P2005A	-	-	-	-	IRPC41C2006A	-	-	-	-	KCE16C2007A	0.04	(0.01)	1	-
HANA01C2006A	-	-	-	-	IRPC41C2007A	0.33	(0.01)	420	-	KCE19C2005A	0.04	0.01	1	-
HANA01C2006B	-	-	-	-	IRPC41P2005A	-	-	-	-	KCE19C2007A	0.13	0.04	4,509	-
HANA01P2006A	-	-	-	-	IRPC41P2006A	-	-	-	-	KCE19C2008A	0.51	0.03	41,939	-
HANA11C2008A	0.10	(0.01)	61	-	IRPC41P2007A	-	-	-	-	KCE19C2009A	0.53	0.03	589,092	-
HANA13C2006A	-	-	-	-	IRPC42C2006A	-	-	-	-	KCE24C2005A	0.18	-	10	-
HANA13C2008A	0.20	-	458	-	IVL01C2004A	0.01	(0.01)	207	-	KCE27C2007A	0.03	0.01	374	-
HANA16C2008A	-	-	-	-	IVL01C2004B	-	-	-	-	KCE41C2005A	-	-	-	-
HANA19C2006A	-	-	-	-	IVL01C2006B	0.06	(0.03)	851	-	KCE41C2006A	-	-	-	-
HANA27C2007A	-	-	-	-	IVL01P2004A	-	-	-	-	KKP01C2006A	-	-	-	-
HANA27P2007A	-	-	-	-	IVL01P2004B	0.08	-	5,952	-	KKP01C2006B	-	-	-	-
HANA41C2006A	-	-	-	-	IVL01P2006A	0.53	-	5,608	-	KKP01P2006A	-	-	-	-
HMPR01C2006A	0.13	0.08	8,586	-	IVL06C2008A	0.15	(0.01)	67,336	-	KKP11C2007A	-	-	-	-
HMPR01C2006B	0.08	0.06	602	-	IVL06P2005A	0.89	(0.37)	47,261	-	KKP13C2007A	0.05	(0.01)	1,000	-
HMPR01P2006A	0.68	(0.17)	1,011	-	IVL08C2004A	-	-	-	-	KKP41C2006A	-	-	-	-
HMPR06C2006A	0.31	0.09	97,039	-	IVL08P2004A	-	-	-	-	KTB01C2008B	-	-	-	-
HMPR06P2007A	0.43	(0.39)	5,931	-	IVL11C2005A	0.04	-	179	-	KTB01C2009A	0.18	-	1,790	-
HMPR13C2006A	-	-	-	-	IVL11C2006A	-	-	-	-	KTB01P2009A	0.73	0.04	1,509	-
HMPR13C2007A	-	-	-	-	IVL13C2006A	-	-	-	-	KTB11C2004A	-	-	-	-
HMPR19C2005A	-	-	-	-	IVL13C2008A	0.76	(0.04)	300,842	-	KTB11C2006A	-	-	-	-
HMPR19C2007A	-	-	-	-	IVL13P2004A	-	-	-	-	KTB13C2006A	-	-	-	-
HMPR19C2101A	0.45	0.08	92,319	-	IVL16C2006A	-	-	-	-	KTB19C2005A	-	-	-	-
HMPR24C2004A	-	-	-	-	IVL16C2009A	-	-	-	-	KTB24C2004A	-	-	-	-
HMPR24C2008A	0.57	0.11	35,565	-	IVL19C2004A	-	-	-	-	KTB41C2004A	-	-	-	-
HMPR41C2005A	-	-	-	-	IVL19C2006A	-	-	-	-	KTB41C2006A	-	-	-	-
HMPR41C2006A	-	-	-	-	IVL19C2008A	0.61	(0.03)	3,874	-	KTB41P2004A	-	-	-	-
HMPR41C2007A	0.54	0.11	23,598	-	IVL19C2009A	1.20	(0.04)	140,957	1.00	KT01C2004A	0.02	-	11,450	-
HMPR41C2007B	0.38	0.11	3,216	-	IVL19C2101A	0.27	(0.01)	18,137	-	KT01C2004B	0.01	-	1	-
HSI28C2004A	-	-	-	-	IVL19P2006A	0.62	0.08	220	-	KT01C2007A	0.38	0.13	27,169	-
HSI28C2004B	0.02	(0.07)	15	-	IVL24C2008A	1.08	(0.04)	33,757	1.00	KT01C2007B	0.16	0.07	13,371	-
HSI28C2004C	-	-	-	-	IVL27P2007A	0.53	0.04	51	-	KT01P2004A	0.15	(0.42)	1,951	-
HSI28C2005A	-	-	-	-	IVL28C2007A	-	-	-	-	KT01P2007A	0.44	(0.05)	11,458	-
HSI28C2005B	-	-	-	-	IVL41C2005A	-	-	-	-	KT06C2006A	0.13	0.07	131,588	-
HSI28C2005C	-	-	-	-	IVL41C2006A	-	-	-	-	KT08C2004A	0.01	(0.05)	44	-
HSI28C2005D	0.37	(0.01)	243	-	IVL41C2007A	0.15	0.14	600	-	KT08C2006A	0.27	0.13	48,388	-
HSI28C2006A	-	-	-	-	IVL41C2007B	-	-	-	-	KT01C2005A	-	-	-	-
HSI28C2006B	-	-	-	-	IVL41P2005A	-	-	-	-	KT01C2006A	-	-	-	-
HSI28C2006C	0.95	0.07	112	-	IVL41P2006A	-	-	-	-	KT01C2007A	0.11	0.06	25,250	-
HSI28P2004A	-	-	-	-	IVL41P2007A	-	-	-	-	KT01C2008A	0.69	0.14	422,491	-
HSI28P2004B	-	-	-	-	IVL42C2005A	0.69	(0.07)	8,337	-	KT01C2009A	0.16	(0.15)	86,077	-
HSI28P2004C	-	-	-	-	IVL42C2008A	2.56	(0.04)	9,218	2.00	KT01P200				

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC42C2006A	0.09	0.05	10,200	-	PTG06C2006A	0.10	-	4	-	PTTE41C2009A	1.15	(0.03)	1,078	1.00
LH11C2007A	0.04	0.02	100	-	PTG08C2005A	-	-	-	-	PTTE41P2004A	2.54	1.52	1	2.00
LH19C2007A	-	-	-	-	PTG08C2007A	0.18	0.03	16,058	-	PTTE42C2004A	0.01	-	1	-
LH19P2004A	-	-	-	-	PTG11C2005A	0.02	0.01	1	-	PTTE42P2008A	-	-	-	-
LH41C2004A	-	-	-	-	PTG13C2004A	-	-	-	-	PTTG01C2005A	0.02	-	2,570	-
LH41C2005A	-	-	-	-	PTG13C2006A	0.09	0.02	199	-	PTTG01C2005B	0.02	-	60	-
LH41C2006A	-	-	-	-	PTG13P2004A	-	-	-	-	PTTG01C2007B	0.03	-	41,300	-
MAJO13C2007A	0.15	(0.02)	7,807	-	PTG13P2006A	0.37	(0.07)	987	-	PTTG01C2008A	0.10	-	41,459	-
MAJO19C2006A	-	-	-	-	PTG16C2009A	-	-	-	-	PTTG01P2005A	2.18	0.06	4	2.00
MBK19C2004A	-	-	-	-	PTG19C2004A	-	-	-	-	PTTG01P2005B	1.87	0.07	60	1.00
MEGA16C2009A	0.20	0.04	3,925	-	PTG19C2005A	-	-	-	-	PTTG01P2007B	-	-	-	-
MEGA19C2005A	-	-	-	-	PTG19C2006A	0.12	0.02	10,001	-	PTTG01P2008A	1.42	-	1,476	1.00
MINT01C2007B	0.04	-	2,701	-	PTG19C2008A	0.41	0.09	305,531	-	PTTG06C2006A	-	-	-	-
MINT01C2008A	0.08	0.01	37,844	-	PTG19P2006A	0.66	(0.10)	202	-	PTTG08C2004A	-	-	-	-
MINT01P2008A	1.11	(0.11)	34,925	1.00	PTG27C2007A	0.14	0.05	200	-	PTTG08C2008A	0.58	0.02	15,647	-
MINT06C2006A	0.02	-	202	-	PTG41C2004A	-	-	-	-	PTTG08P2004A	-	-	-	-
MINT06P2007A	1.28	0.01	33,310	1.00	PTG41C2005A	-	-	-	-	PTTG11C2004A	-	-	-	-
MINT11C2006A	-	-	-	-	PTG41C2006A	0.14	0.03	50	-	PTTG11C2007A	-	-	-	-
MINT13C2006A	0.03	-	220	-	PTG41P2005A	-	-	-	-	PTTG13C2005A	-	-	-	-
MINT13C2008A	0.05	-	19,426	-	PTG42C2004A	-	-	-	-	PTTG13C2007A	-	-	-	-
MINT19C2004A	-	-	-	-	PTG42C2006A	-	-	-	-	PTTG13C2008A	0.33	-	43	-
MINT19C2006A	-	-	-	-	PTT01C2004A	0.08	0.02	19,794	-	PTTG13C2009A	0.50	0.03	206,128	-
MINT19P2004A	1.50	(0.29)	270	1.00	PTT01C2004B	0.03	0.01	1,980	-	PTTG13P2004A	-	-	-	-
MINT24C2006A	-	-	-	-	PTT01C2007A	0.14	(0.01)	113,375	-	PTTG13P2008A	0.56	(0.02)	480	-
MINT28C2006A	-	-	-	-	PTT01C2007B	0.05	-	226,875	-	PTTG16C2006A	-	-	-	-
MINT28C2008A	0.04	0.01	1,892	-	PTT01P2004A	0.76	-	380	-	PTTG19C2006A	-	-	-	-
MINT41C2004A	-	-	-	-	PTT01P2004B	0.30	0.03	1,313	-	PTTG19C2006B	-	-	-	-
MINT41C2005A	-	-	-	-	PTT01P2007A	1.09	0.02	2,949	1.00	PTTG19C2008A	0.09	(0.01)	2,747	-
MINT41C2007A	-	-	-	-	PTT01P2007B	0.66	0.05	6,094	-	PTTG19C2008B	0.56	(0.01)	24,935	-
MINT41P2004A	-	-	-	-	PTT06C2005A	-	-	-	-	PTTG19C2009A	0.38	0.02	144,150	-
MINT42C2004A	-	-	-	-	PTT06C2008A	0.78	(0.02)	38,370	-	PTTG19P2006A	-	-	-	-
MTC01C2007B	0.04	(0.01)	2,201	-	PTT08C2005A	-	-	-	-	PTTG19P2009A	0.59	(0.02)	232,245	-
MTC01C2008A	0.20	0.07	233,944	-	PTT08C2008A	0.58	(0.01)	64,780	-	PTTG24C2008A	0.60	-	10,628	-
MTC03C2005A	-	-	-	-	PTT08P2005A	0.40	0.03	47	-	PTTG27P2006A	-	-	-	-
MTC06C2007A	-	-	-	-	PTT11C2004A	0.02	(0.01)	100	-	PTTG28C2006A	-	-	-	-
MTC08C2005A	-	-	-	-	PTT11C2008A	0.07	(0.01)	19,753	-	PTTG28C2008A	0.22	(0.01)	20,296	-
MTC08C2009A	1.15	0.11	117,595	1.00	PTT13C2006A	0.06	-	2,322	-	PTTG41C2004A	-	-	-	-
MTC11C2008A	0.08	0.02	10	-	PTT13C2008A	0.15	0.01	11,273	-	PTTG41C2005A	-	-	-	-
MTC13C2007A	0.05	-	8,020	-	PTT13C2008B	0.48	(0.03)	2,851	-	PTTG41C2006A	-	-	-	-
MTC16C2007A	0.07	0.02	400	-	PTT13C2009A	0.51	(0.02)	146,904	-	PTTG41C2007A	0.59	0.02	16,824	-
MTC19C2006A	0.08	0.04	4,425	-	PTT13P2004A	-	-	-	-	PTTG41C2008A	0.79	(0.01)	210	-
MTC19C2009A	0.95	0.11	427,948	-	PTT13P2006A	-	-	-	-	PTTG41P2006A	-	-	-	-
MTC19P2004A	0.48	(0.14)	40,866	-	PTT13P2008A	0.12	-	48,883	-	PTTG42C2007A	-	-	-	-
MTC24C2004A	-	-	-	-	PTT13P2009A	0.41	-	71,032	-	QH01C2006A	-	-	-	-
MTC27C2007A	-	-	-	-	PTT16C2008A	0.02	(0.03)	2,199	-	QH01C2006B	-	-	-	-
MTC28C2006A	-	-	-	-	PTT19C2005A	0.05	0.01	26,150	-	QH01P2006A	0.65	(0.05)	5	-
MTC28C2008A	0.15	0.05	118	-	PTT19C2008A	0.55	-	1,317	-	QH11C2006A	-	-	-	-
MTC41C2004A	-	-	-	-	PTT19C2009A	0.49	(0.01)	200,988	-	QH19C2006A	-	-	-	-
MTC41C2007A	0.52	0.08	14,540	-	PTT19P2006A	0.67	-	42	-	QH27C2007A	-	-	-	-
MTC41P2004A	-	-	-	-	PTT19P2009A	0.27	(0.01)	141,051	-	RATC01C2006A	0.29	-	1,909	-
ORI13C2004A	-	-	-	-	PTT24C2008A	0.12	0.01	104	-	RATC01C2006B	-	-	-	-
ORI19C2005A	-	-	-	-	PTT28C2007A	0.07	-	450	-	RATC01P2006A	0.91	(0.03)	220	-
ORI28C2007A	0.03	0.01	1	-	PTT28C2008A	0.22	(0.01)	58,240	-	RATC06C2006A	-	-	-	-
ORI28C2012A	0.55	(0.03)	42,259	-	PTT28C2008B	-	-	-	-	RATC06P2006A	0.30	(1.30)	13,525	-
ORI41C2004A	-	-	-	-	PTT28C2008C	2.06	(0.04)	100	2.00	RATC13C2004A	-	-	-	-
OSP01C2006A	0.25	-	806	-	PTT41C2004A	-	-	-	-	RATC13C2007A	-	-	-	-
OSP01C2006B	-	-	-	-	PTT41C2005A	0.23	(0.02)	218	-	RATC16C2008A	0.16	0.01	2	-
OSP01P2006A	0.58	-	1,000	-	PTT41C2006A	-	-	-	-	RATC19C2005A	0.07	-	5	-
OSP06C2005A	-	-	-	-	PTT41C2007A	0.73	0.01	710	-	RATC19C2007A	0.21	-	90	-
OSP06C2008A	0.59	(0.02)	20,680	-	PTT41P2004A	-	-	-	-	RATC24C2006A	-	-	-	-
OSP08C2004A	-	-	-	-	PTT41P2005A	-	-	-	-	RATC27C2004A	0.01	-	5	-
OSP11C2005A	0.10	-	1,050	-	PTT41P2006A	-	-	-	-	RATC27C2007A	-	-	-	-
OSP13C2004A	-	-	-	-	PTT42C2007A	0.04	-	531	-	RATC41C2004A	-	-	-	-
OSP13C2006A	-	-	-	-	PTTE01C2004A	0.02	(0.01)	1,755	-	RATC41C2005A	-	-	-	-
OSP16C2008A	-	-	-	-	PTTE01C2004B	0.02	0.01	600	-	RATC41C2006A	0.58	0.01	13,538	-
OSP19C2004A	-	-	-	-	PTTE01C2007A	0.06	-	28,090	-	RATC41P2004A	-	-	-	-
OSP19C2005A	-	-	-	-	PTTE01C2007B	0.03	-	124,942	-	RATC41P2006A	-	-	-	-
OSP19C2009A	0.41	(0.01)	47,116	-	PTTE01P2004A	-	-	-	-	RATC42C2006A	-	-	-	-
OSP24C2008A	0.16	-	1	-	PTTE01P2004B	0.93	0.03	752	-	RS06C2004A	0.02	-	511	-
OSP41C2004A	-	-	-	-	PTTE01P2007A	2.40	-	1,278	2.00	RS08P2006A	0.71	(0.04)	65	-
OSP41C2005A	0.18	(0.02)	7,186	-	PTTE01P2007B	2.22	0.06	348	2.00	RS13C2004A	-	-	-	-
OSP41P2004A	-	-	-	-	PTTE06C2006A	-	-	-	-	RS13C2006A	-	-	-	-
OSP42C2005A	-	-	-	-	PTTE06C2008A	1.76	(0.02)	31,754	1.00	RS16C2005A	-	-	-	-
PLAN08C2004A	-	-	-	-	PTTE06P2006A	3.36	(0.24)	22,967	3.00	RS19C2004A	-	-	-	-
PLAN13C2004A	-	-	-	-	PTTE08C2005A	-	-	-	-	RS19C2005A	-	-	-	-
PLAN13C2005A	0.02	0.01	49,521	-	PTTE08C2008A	1.83	(0.01)	58,664	1.00	RS19C2007A	0.12	-	33,324	-
PLAN13C2007A	0.02	0.01	10,112	-	PTTE08P2005A	-	-	-	-	RS24C2004A	-	-	-	-
PLAN19C2005A	0.01	(0.01)	30	-	PTTE08P2006A	-	-	-	-	RS24C2008A	0.08	0.02	80	-
PLAN19C2007A	0.02	-	15,883	-	PTTE11C2006A	-	-	-	-	RS41C2004A	-	-	-	-
PLAN19C2010A	0.71	(0.29)	185,129	-	PTTE13C2004A	-	-	-	-	RS42C2004A	-	-	-	-
PLAN24C2006A	0.02	(0.02)	43,000	-	PTTE13C2006A	0.03	(0.01)	1,330	-	RS42C2008A	0.35	0.01	14,747	-
PLAN27C2008A	-	-	-	-	PTTE13C2008A	0.07	-	31,929	-	S10001C2011A	0.04	-	13,296	-
PLAN28C2005A	0.01	-	5,670	-	PTTE13C2008B	0.65	(0.05)	2,052	-	S5001C2004A	0.01	-	80,299	-
PLAN28C2012A	0.60	0.11	126,080	-	PTTE13C2009A	1.33	(0.03)	115,586	1.00	S5001C2005A	0.03	(0.01)	44,249	-
PLAN41C2004A	-	-	-	-	PTTE13P2006A	2.24	(0.04)	200	2.00	S5001C2006F	0.05	(0.01)	82,639	-
PLAN41C2005A	-	-	-	-	PTTE13P2008A	0.30	0.01	18,345	-	S5001C2006G	0.09	(0.01)	22,703	-
PLAN41C2006A	-	-	-	-	PTTE13P2009A	0.90	(0.01)	122,220	-	S5001C2006H	0.35	(0.09)	63,087	-
PLAN42C2007A	-	-	-	-	PTTE16C2009A	0.07	0.02	92	-	S5001C2007A	0.28	(0.01)	138,311	-
PRM13C2006A	-	-	-	-	PTTE19C2006A	0.02	-	135	-	S5001P2004A	4.32	(0.02)	559	4.00
PRM19C2004A	-	-	-	-	PTTE19C2008A	0.08	(0.01)	20,067	-	S5001P2005A	3.50	(0.12)	731	3.00
PRM19C2006A	0.06	(0.01)	24	-	PTTE19C2008B	0.90	(0.06)	1,381	-	S5001P2006F	-	-	-	-
PRM42C2006A	-	-	-	-	PTTE19C2009A	1.98	(0.02)	20,700	1.00	S5001P2006G	-	-	-	-
PSH19C2005A	-	-	-	-	PTTE19C2009B	1.18	(0.02)	67,332	1.00	S5001P2006H	2.70	(0.02)	1,143	2.00
PSL06C2006A	-	-	-	-	PTTE19C2010A	0.63								

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5008C2006B	2.14	0.04	299,796	2.00	SCB01C2007B	0.04	-	1,001	-	SPRC13C2006A	0.02	0.01	42	-
S5008C2006C	1.38	0.02	567,268	1.00	SCB01C2008B	0.20	(0.02)	5,568	-	SPRC13C2008A	-	-	-	-
S5008P2006A	0.25	(0.02)	18,140	-	SCB01C2009A	0.47	(0.03)	3,089	-	SPRC19C2005A	-	-	-	-
S5008P2006B	0.55	(0.04)	30,993	-	SCB01P2004A	-	-	-	-	SPRC19C2005B	-	-	-	-
S5013C2006A	0.09	(0.01)	304,090	-	SCB01P2004B	1.45	0.06	65	1.00	SPRC19C2007A	-	-	-	-
S5013C2006B	0.09	(0.01)	272,042	-	SCB01P2007A	1.36	0.04	2,566	1.00	SPRC19P2005A	1.22	(0.07)	3	1.00
S5013C2006C	0.28	(0.06)	251,008	-	SCB01P2007B	1.40	0.10	1,808	1.00	SPRC28C2008A	0.02	(0.01)	4,500	-
S5013C2006D	0.17	(0.02)	74,240	-	SCB06C2007A	-	-	-	-	SPRC41C2004A	-	-	-	-
S5013C2006E	0.75	0.01	172,088	-	SCB08C2005A	0.02	-	2	-	SPRC41C2005A	-	-	-	-
S5013C2006F	1.45	0.01	338,567	1.00	SCB08C2007A	-	-	-	-	SPRC41C2006A	-	-	-	-
S5013C2006G	1.05	(0.01)	4,082,696	1.00	SCB08P2004A	-	-	-	-	SPRC42C2006A	0.01	-	3,250	-
S5013P2006A	4.96	0.46	38	4.00	SCB11C2005A	-	-	-	-	STA01C2008B	-	-	-	-
S5013P2006B	3.20	(0.40)	53	3.00	SCB11C2006A	-	-	-	-	STA01C2009A	0.25	-	26	-
S5013P2006C	2.46	(0.42)	118	2.00	SCB11C2008A	0.07	(0.01)	34	-	STA01P2009A	-	-	-	-
S5013P2006D	2.30	(0.14)	115,532	2.00	SCB11P2005A	-	-	-	-	STA11C2005A	-	-	-	-
S5013P2006E	1.50	0.08	210,011	1.00	SCB13C2006A	0.01	-	11,505	-	STA13C2006A	0.09	0.01	2,056	-
S5013P2006F	0.36	(0.03)	553,129	-	SCB13C2006B	-	-	-	-	STA19C2004A	0.05	(0.06)	1	-
S5013P2006G	0.42	(0.04)	4,590,382	-	SCB13C2007A	0.08	(0.02)	22	-	STA19C2005A	0.51	0.05	445	-
S5016C2006A	0.05	-	7,161	-	SCB13C2008A	-	-	-	-	STA19C2007A	0.13	0.02	500	-
S5016C2006B	0.11	(0.01)	272	-	SCB13C2009A	0.86	(0.03)	305,969	-	STA19C2009A	0.28	-	142,243	-
S5016C2006C	1.38	0.02	249,198	1.00	SCB13P2006A	-	-	-	-	STA42C2007A	-	-	-	-
S5016C2006D	1.35	0.01	222,492	1.00	SCB13P2008A	0.66	0.04	6,837	-	STEC01C2004A	-	-	-	-
S5016P2006A	-	-	-	-	SCB16C2008A	-	-	-	-	STEC01C2006A	0.25	-	185	-
S5016P2006B	-	-	-	-	SCB19C2006A	-	-	-	-	STEC01C2006B	0.05	-	481	-
S5016P2006C	0.55	(0.03)	55,964	-	SCB19C2007A	0.09	(0.04)	300	-	STEC01P2006A	0.46	(0.07)	400	-
S5016P2006D	0.59	(0.04)	37,630	-	SCB19C2008A	0.89	(0.03)	55,750	-	STEC06C2004A	-	-	-	-
S5019C2006A	0.07	(0.01)	61,692	-	SCB19C2010A	0.56	(0.03)	90,458	-	STEC08C2004A	-	-	-	-
S5019C2006B	0.20	0.02	727	-	SCB19P2005A	-	-	-	-	STEC08C2005A	0.13	0.01	100	-
S5019C2006C	0.70	0.26	10,561	-	SCB24C2004A	-	-	-	-	STEC11C2007A	0.04	0.01	1	-
S5019C2006D	1.17	0.01	1,333,610	1.00	SCB24C2008A	0.61	(0.04)	11,844	-	STEC13C2004A	0.02	0.01	1,300	-
S5019C2006E	0.67	-	530,307	-	SCB27C2007A	0.01	-	1	-	STEC16C2006A	0.09	-	1	-
S5019C2006F	1.63	0.02	281,991	1.00	SCB27P2006A	-	-	-	-	STEC16C2009A	-	-	-	-
S5019C2009A	3.22	0.02	77,426	3.00	SCB28C2006A	3.22	-	-	-	STEC19C2004A	-	-	-	-
S5019P2006A	3.52	(0.30)	14	3.00	SCB28C2006B	-	-	-	-	STEC19C2005A	0.11	0.01	300	-
S5019P2006B	2.88	(0.12)	4	2.00	SCB28C2008A	0.16	(0.03)	10	-	STEC19C2009A	0.48	-	66,716	-
S5019P2006C	2.64	0.14	101	2.00	SCB28C2010A	0.57	(0.02)	52,827	-	STEC24C2006A	-	-	-	-
S5019P2006D	0.58	(0.03)	752,514	-	SCB41C2005A	-	-	-	-	STEC28C2005A	-	-	-	-
S5019P2006E	0.36	(0.02)	67,766	-	SCB41C2006A	-	-	-	-	STEC28C2012A	0.34	0.02	47,889	-
S5019P2006F	0.22	(0.03)	710,768	-	SCB41C2006B	-	-	-	-	STEC41C2004A	-	-	-	-
S5024C2006A	0.05	0.01	521	-	SCB41C2008A	0.72	(0.06)	29,308	-	STEC41C2005A	-	-	-	-
S5024C2006B	0.08	0.01	4,442	-	SCB41P2005A	-	-	-	-	STEC41C2006A	-	-	-	-
S5024C2006C	2.40	-	38,531	2.00	SCB42C2006A	-	-	-	-	STEC41P2004A	-	-	-	-
S5024C2006D	1.34	(0.16)	26,408	1.00	SCB42C2007A	0.03	(0.01)	718	-	STEC41P2005A	-	-	-	-
S5024C2009A	0.08	0.01	23,352	-	SCC01C2004A	0.06	(0.04)	33	-	STEC42C2004A	-	-	-	-
S5024C2009B	1.21	0.03	69,353	1.00	SCC01C2004B	-	-	-	-	SUPE19C2004A	-	-	-	-
S5024P2006A	-	-	-	-	SCC01P2004A	1.17	0.07	30	1.00	SUPE19C2007A	0.08	0.01	70,382	-
S5024P2006B	-	-	-	-	SCC06C2007A	0.09	(0.01)	14,473	-	SUPE42C2004A	-	-	-	-
S5024P2006C	1.41	(1.19)	503	1.00	SCC08C2004A	-	-	-	-	TASC01C2007B	0.15	-	1	-
S5024P2006D	1.58	(0.16)	485,697	1.00	SCC08P2006A	0.64	-	177	-	TASC01C2008A	-	-	-	-
S5028C2004A	-	-	-	-	SCC11C2006A	-	-	-	-	TASC01P2008A	-	-	-	-
S5028C2004B	0.01	-	278	-	SCC11C2007A	-	-	-	-	TASC08C2005A	-	-	-	-
S5028C2006A	0.05	-	14,169	-	SCC13C2004A	-	-	-	-	TASC08C2006A	-	-	-	-
S5028C2006B	0.09	-	4,681	-	SCC13C2008A	0.47	(0.04)	378	-	TASC13C2006A	0.09	(0.06)	600	-
S5028C2006C	1.67	0.03	1,633,346	1.00	SCC13C2009A	0.75	(0.03)	53,492	-	TASC16C2008A	-	-	-	-
S5028C2006D	2.30	0.14	67	2.00	SCC13P2006A	0.59	0.02	248	-	TASC19C2006A	-	-	-	-
S5028C2009A	1.16	0.02	1,731,544	1.00	SCC13P2009A	1.37	-	43,444	1.00	TASC19C2007A	0.13	(0.01)	30	-
S5028P2004A	4.02	(0.24)	161	4.00	SCC16C2005A	-	-	-	-	TASC19C2009A	0.39	(0.03)	65,932	-
S5028P2004B	2.92	(0.06)	2	2.00	SCC19C2006A	-	-	-	-	TASC19P2004A	-	-	-	-
S5028P2006A	1.70	(0.04)	1,324,561	1.00	SCC19C2008A	0.74	(0.05)	21,273	-	TASC24C2006A	-	-	-	-
S5028P2006B	1.18	(0.09)	1,450	1.00	SCC19P2004A	-	-	-	-	TASC28C2006A	-	-	-	-
S5028P2006C	0.59	(0.01)	1,234,382	-	SCC24C2006A	-	-	-	-	TASC28C2012A	0.24	(0.02)	12,709	-
S5028P2009A	1.65	(0.02)	1,024,922	1.00	SCC27P2008A	0.32	0.09	5,247	-	TASC41C2004A	-	-	-	-
S5041C2006A	0.68	0.03	1,523	-	SCC28C2008A	0.60	(0.08)	1,720	-	TASC41C2005A	0.24	(0.03)	1,600	-
S5041C2006B	-	-	-	-	SCC28C2010A	0.56	(0.02)	22,353	-	TASC42C2005A	-	-	-	-
S5041C2006C	2.60	0.04	287,027	2.00	SCC41C2005A	-	-	-	-	TCAP01C2007B	0.02	(0.03)	12	-
S5041C2006D	4.12	0.02	60,941	4.00	SCC41C2006A	-	-	-	-	TCAP01C2008A	0.09	(0.02)	9,237	-
S5041C2006E	1.57	0.05	24,254	1.00	SCC41C2006B	0.86	(0.03)	9,851	-	TCAP01P2008A	1.82	0.04	54	1.00
S5041C2006F	1.29	0.04	3,091,397	1.00	SCC41P2005A	-	-	-	-	TCAP13C2007A	0.07	0.01	1	-
S5041P2006A	6.05	(0.25)	99,349	6.00	SCC41P2006A	-	-	-	-	TCAP19C2004A	-	-	-	-
S5041P2006B	-	-	-	-	SCC42C2008A	0.16	(0.02)	10	-	TCAP41C2004A	0.03	-	1	-
S5041P2006C	2.60	(0.08)	593,370	2.00	SGP13C2004A	-	-	-	-	THAI13C2004A	-	-	-	-
S5041P2006D	2.06	(0.08)	13,095	2.00	SGP13C2006A	-	-	-	-	THAI19C2004A	0.20	(0.10)	10,254	-
S5041P2006E	0.88	(0.02)	23,048	-	SGP13C2007A	-	-	-	-	THAI27C2008A	0.51	(0.19)	9,354	-
S5041P2006F	0.52	(0.02)	76,858	-	SGP19C2006A	-	-	-	-	THAI42C2005A	0.10	(0.34)	18,906	-
SAWA01C2006A	0.19	0.06	95,947	-	SGP19C2006B	0.31	(0.03)	60,152	-	THAN01C2006A	0.07	0.02	18,712	-
SAWA01C2006B	0.03	(0.01)	416	-	SGP42C2007A	2.08	0.97	1	2.00	THAN01C2006B	-	-	-	-
SAWA01P2006A	1.50	(0.23)	9,995	1.00	SIRI13C2007A	-	-	-	-	THAN01P2006A	0.88	(0.18)	6,430	-
SAWA06C2007A	0.08	0.01	5,306	-	SIRI19C2004A	-	-	-	-	THAN06C2005A	-	-	-	-
SAWA08C2006A	0.07	0.04	388	-	SIRI19C2007A	0.03	0.02	2,300	-	THAN13C2007A	-	-	-	-
SAWA13C2005A	0.02	(0.01)	419	-	SPAL01C2004A	0.06	(0.01)	10	-	THAN19C2004A	-	-	-	-
SAWA13C2007A	0.06	-	13,768	-	SPAL01C2004B	-	-	-	-	THAN19C2007A	0.08	0.04	1,348	-
SAWA16C2008A	0.11	0.04	1,001	-	SPAL06P2004A	-	-	-	-	THAN41C2005A	-	-	-	-
SAWA19C2005A	0.01	(0.03)	6	-	SPAL11C2006A	-	-	-	-	TISCO1C2006A	0.13	0.03	17,186	-
SAWA19C2009A	0.79	0.07	69,240	-	SPAL13C2006A	-	-	-	-	TISCO1C2006B	0.03	-	920	-
SAWA19C2009B	0.86	0.07	319,932	-	SPAL19C2004A	-	-	-	-	TISCO1P2006A	1.09	(0.04)	1,590	1.00
SAWA24C2004A	0.01	-	300	-	SPAL27C2008A	-	-	-	-	TISCI1C2005A	-	-	-	-
SAWA27C2007A	0.11	0.04	200	-	SPAL41C2004A	-	-	-	-	TISCI1C2007A	0.11	0.03	10	-
SAWA28C2007A	0.09	0.03	396	-	SPRC01C2007A	0.01	(0.02)	1,505	-	TISCI13C2004A	-	-	-	-
SAWA28C2008A	0.10	0.02	981	-	SPRC06C2007A	-	-	-	-	TISCI13C2006A	0.03	0.01	121	-
SAWA28C2012A	0.61	0.05	168,103	-	SPRC06P2007A	2.40	0.10	12,40						

Securities	Close	Change	Volume (Lot)	Average Price
SAWA41P2005A	-	-	-	-
SCB01C2004A	0.02	0.01	2,308	-
SCB01C2004B	0.02	-	50	-
SCB01C2007A	0.07	(0.02)	7	-

Securities	Close	Change	Volume (Lot)	Average Price
SPRC08C2006A	-	-	-	-
SPRC11C2005A	0.01	-	15,882	-
SPRC11C2008A	0.06	0.01	1	-
SPRC13C2004A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
TISC41C2005A	-	-	-	-
TISC41C2006A	0.09	-	30	-
TISC41P2006A	1.24	(0.08)	45	1.00
TKN01C2007B	-	-	-	-

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN01C2008A	0.17	(0.02)	161	-	TRUE42C2007A	-	-	-	-	EPCO-W3	0.29	0.04	36,069	-
TKN08C2007A	-	-	-	-	TTW27C2009A	0.24	0.01	3,737	-	GLOCON-W4	0.12	0.01	27,583	-
TKN13C2006A	0.05	0.01	26	-	TU01C2004A	0.04	(0.01)	800	-	J-W1	0.13	0.04	5	-
TKN16C2008A	-	-	-	-	TU01C2004B	0.04	0.02	1,750	-	JAS-W3	0.84	(0.12)	292,087	-
TKN19C2004A	0.05	-	249	-	TU01P2004A	0.13	-	3,162	-	JCK-W5	0.03	-	7,570	-
TKN19C2004B	-	-	-	-	TU06C2004A	-	-	-	-	JMT-W2	3.50	0.80	10,923	3.00
TKN19C2007A	-	-	-	-	TU06P2007A	0.39	(0.03)	5,170	-	MACO-W2	0.05	(0.01)	42,382	-
TKN19C2010A	0.41	(0.59)	74,856	-	TU08C2008A	0.22	(0.01)	25,496	-	MILL-W4	0.02	-	581	-
TKN28C2007A	-	-	-	-	TU11C2008A	0.22	-	100	-	MILL-W5	0.01	-	5	-
TKN28C2012A	0.31	-	48,053	-	TU13C2004A	-	-	-	-	MINT-W6	1.34	-	59,621	1.00
TKN41C2005A	-	-	-	-	TU19C2005A	0.16	-	1	-	NFC-W1	0.50	0.09	25	-
TKN41C2006A	-	-	-	-	TU19C2007A	0.12	(0.03)	2,800	-	NOK-W1	0.04	(0.08)	472,688	-
TKN42C2006A	0.37	(0.01)	5,779	-	TU19C2009A	0.17	-	27,810	-	NVD-W1	0.08	0.01	2,217	-
TMB01C2004A	0.02	-	19	-	TU24C2006A	-	-	-	-	ORI-W1	0.14	-	39,825	-
TMB01C2004B	-	-	-	-	TU27C2004A	-	-	-	-	PACE-W2	-	-	-	-
TMB01P2004A	-	-	-	-	TU27C2006A	0.07	(0.01)	2,467	-	PACE-W3	-	-	-	-
TMB19C2004A	-	-	-	-	TU41C2005A	0.24	(0.02)	1,895	-	PDI-W1	0.33	0.01	32,894	-
TMB19C2007A	0.04	0.01	1,389	-	TU41C2009A	0.26	(0.02)	218	-	PDJ-W4	0.19	0.04	3,158	-
TMB19P2004A	-	-	-	-	TU42C2007A	-	-	-	-	PERM-W1	0.09	0.01	14,932	-
TMB41C2004A	-	-	-	-	TVO13C2007A	-	-	-	-	PORT-W1	0.52	-	66,142	-
TMB41C2005A	0.02	(0.01)	25	-	TVO19C2004A	-	-	-	-	PPPM-W4	0.09	(0.01)	9,212	-
TMB41P2006A	-	-	-	-	TVO19C2007A	-	-	-	-	PRIME-W1	-	-	-	-
TOA01C2006A	0.24	0.04	1,400	-	VGI01C2005A	0.03	(0.01)	2,250	-	PRIME-W2	-	-	-	-
TOA01C2006B	0.10	(0.04)	1,002	-	VGI06C2007A	0.10	(0.13)	1,001	-	RICHY-W2	0.01	(0.01)	202	-
TOA13C2007A	-	-	-	-	VGI08C2006A	0.02	-	27	-	RS-W3	0.26	(0.01)	151,231	-
TOA19C2004A	-	-	-	-	VGI11C2008A	-	-	-	-	SAMART-W2	0.42	-	35,348	-
TOA19C2007A	0.42	0.06	119,131	-	VGI13C2006A	-	-	-	-	SAWAD-W1	7.95	1.70	50,493	7.00
TOA24C2005A	0.08	0.04	1	-	VGI19C2006A	-	-	-	-	SDC-W1	0.08	0.01	1,201	-
TOA41C2004A	-	-	-	-	VGI41C2006A	-	-	-	-	SINGER-W1	1.45	0.10	80	1.00
TOP01C2006A	0.03	-	7,393	-	VGI41C2007A	-	-	-	-	SINGER-W2	1.16	0.10	172	1.00
TOP01C2006B	0.02	-	53	-	WHA01C2005A	0.02	(0.01)	2,500	-	SMT-W2	-	-	-	-
TOP01C2008B	-	-	-	-	WHA01C2005B	0.02	-	1	-	SST-W2	0.36	0.02	7	-
TOP01C2009A	0.29	0.01	18,667	-	WHA01C2008B	-	-	-	-	SUPER-W4	0.01	-	941	-
TOP01P2006A	2.90	0.08	4	2.00	WHA01C2009A	0.42	0.08	21,231	-	TCC-W3	0.03	-	2,000	-
TOP01P2009A	0.97	(0.02)	2,672	-	WHA01P2005A	1.19	(0.32)	1,959	1.00	TCC-W4	0.03	-	2,903	-
TOP06C2004A	-	-	-	-	WHA01P2009A	0.48	(0.11)	3,811	-	TCC-W5	0.09	-	1,537	-
TOP06C2007A	0.05	0.02	64,508	-	WHA06C2007A	0.04	0.01	490	-	TCJ-W2	0.04	-	37,346	-
TOP06C2008A	0.57	(0.03)	43,069	-	WHA08C2005A	-	-	-	-	TFG-W2	0.01	-	3,313	-
TOP06P2005A	-	-	-	-	WHA08C2006A	-	-	-	-	TGPRO-W3	-	-	-	-
TOP08C2007A	-	-	-	-	WHA08P2006A	0.81	(0.22)	145	-	TH-W2	0.02	0.01	8,741	-
TOP08P2007A	-	-	-	-	WHA11C2008A	-	-	-	-	THE-W2	-	-	-	-
TOP11C2007A	-	-	-	-	WHA13C2005A	0.04	0.01	1	-	TNITY-W1	0.12	0.01	17	-
TOP13C2004A	-	-	-	-	WHA13C2006A	0.06	0.01	1,050	-	TRITN-W3	0.06	-	11,178	-
TOP13C2006A	0.05	0.03	31,470	-	WHA16C2006A	0.01	(0.01)	9,726	-	TTCL-W1	0.39	-	89,798	-
TOP13C2008A	0.09	(0.02)	1,836	-	WHA16C2008A	-	-	-	-	U-W4	0.01	-	21,330	-
TOP13C2008B	0.47	-	422,534	-	WHA19C2004A	-	-	-	-	UAC-W2	0.11	-	9,040	-
TOP13P2005A	-	-	-	-	WHA19C2005A	-	-	-	-	VGI-W2	0.68	0.03	349,418	-
TOP13P2006A	-	-	-	-	WHA19C2006A	0.03	0.01	956	-	VIBHA-W2	0.52	0.07	9,650	-
TOP16C2008A	-	-	-	-	WHA19C2010A	0.47	(0.53)	287,538	-	VIBHA-W3	0.12	-	79,479	-
TOP19C2006A	-	-	-	-	WHA24C2004A	-	-	-	-	WAVE-W1	-	-	-	-
TOP19C2007A	-	-	-	-	WHA24C2007A	0.34	0.06	56,694	-	WIIK-W2	0.10	(0.01)	45,791	-
TOP19C2008A	0.24	-	428,863	-	WHA27C2008A	0.03	(0.01)	1,292	-	ZMICO-W4	0.06	-	70,576	-
TOP19P2006A	-	-	-	-	WHA28C2005A	-	-	-	-	Preferred Shares	-	-	-	-
TOP24C2007A	0.02	0.01	1,018	-	WHA28C2006A	-	-	-	-	BH-P	-	-	-	-
TOP24C2008A	0.47	-	38,961	-	WHA28C2012A	0.35	0.04	92,742	-	CSC-P	-	-	-	-
TOP41C2004A	-	-	-	-	WHA41C2004A	-	-	-	-	JUTHA-P	-	-	-	-
TOP41C2005A	-	-	-	-	WHA41C2005A	-	-	-	-	KTB-P	-	-	-	-
TOP41C2006A	-	-	-	-	WHA41C2006A	-	-	-	-	SCB-P	66.50	(9.25)	3	67.00
TOP41C2007A	-	-	-	-	WHA41C2007A	-	-	-	-	TCAP-P	-	-	-	-
TOP41C2008A	0.38	0.02	15,997	-	WHA41P2005A	-	-	-	-	TISCO-P	-	-	-	-
TOP41P2004A	-	-	-	-	WHA42C2005A	0.01	(0.03)	600	-	U-P	1.69	0.02	8,701	1.00
TOP41P2005A	-	-	-	-	WHA42C2006A	0.04	(0.06)	1	-	Warrant (MAI)	-	-	-	-
TOP41P2006A	-	-	-	-	Preferred/Foreign	-	-	-	-	BM-W1	0.04	0.02	85,039	-
TOP42C2007A	0.05	-	811	-	BH-Q	-	-	-	-	BROOK-W5	0.11	-	95,427	-
TP119C2004A	-	-	-	-	CSC-Q	-	-	-	-	CHO-W2	0.04	(0.01)	42,150	-
TRUE01C2004A	0.02	-	2,849	-	JUTHA-Q	-	-	-	-	D-W1	0.30	(0.02)	49	-
TRUE01C2004B	-	-	-	-	KTB-Q	-	-	-	-	DOD-W1	0.37	-	175,326	-
TRUE01C2007A	0.29	(0.01)	12,875	-	SCB-Q	-	-	-	-	ECF-W3	0.20	(0.01)	6,752	-
TRUE01C2007B	0.12	0.01	25	-	SCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE01P2004A	-	-	-	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE01P2004B	0.19	(0.03)	6,419	-	U-Q	-	-	-	-	FVC-W2	0.01	-	120,463	-
TRUE01P2007B	0.44	(0.06)	2,525	-	Warrant	-	-	-	-	HPT-W1	0.22	(0.03)	19,885	-
TRUE06C2004A	-	-	-	-	7UP-W4	0.07	-	221,317	-	HYDRO-W1	-	-	-	-
TRUE06C2007A	0.11	-	81,723	-	AKR-W1	0.04	-	140,715	-	ITEL-W1	0.30	0.01	101,154	-
TRUE08C2004A	-	-	-	-	ALT-W1	0.21	0.06	224,620	-	JKN-W1	0.01	-	8,012	-
TRUE08C2005A	-	-	-	-	APEX-W1	-	-	-	-	LIT-W1	0.50	0.01	46,442	-
TRUE08C2007A	0.18	(0.01)	40	-	APURE-W2	0.07	-	1,851	-	META-W4	0.02	(0.01)	28,182	-
TRUE08P2005A	-	-	-	-	AS-W1	0.01	-	72,892	-	NEWS-W6	-	-	-	-
TRUE11C2005A	-	-	-	-	AYUD-W1	0.04	(0.02)	91,246	-	OCEAN-W3	0.28	(0.01)	8,969	-
TRUE11C2005B	-	-	-	-	B-W3	-	-	-	-	PROUD-W2	0.04	-	1,760	-
TRUE13C2006A	-	-	-	-	B-W4	0.02	0.01	620	-	RWI-W2	0.06	(0.01)	39,933	-
TRUE13C2007A	0.15	(0.01)	1,168	-	B-W5	0.03	-	3,005	-	SANKO-W1	0.06	-	20,302	-
TRUE19C2004A	-	-	-	-	B52-W2	-	-	-	-	SIMAT-W2	0.02	(0.01)	5,991	-
TRUE19C2006A	-	-	-	-	BKD-W2	0.06	-	19,356	-	SIMAT-W3	0.23	-	402	-
TRUE19C2007A	0.24	0.02	2,261	-	BTS-W5	0.80	0.08	524,138	-	SIMAT-W4	0.79	0.05	76	-
TRUE19C2009A	0.45	-	333,259	-	CGD-W4	0.04	-	26,623	-	SMART-W2	0.16	0.01	962	-
TRUE19P2005A	0.51	(0.14)	185	-	CGH-W3	0.01	-	512	-	SWC-W1	2.42	0.02	30	2.00
TRUE28C2006A	-	-	-	-	CI-W1	0.01	-	5	-	TAKUNI-W	0.03	-	2	-
TRUE28C2012A	0.26	-	101,353	-	CKP-W1	0.03	0.01	111,013	-	TAPAC-W4	0.64	0.64	-	-

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE41C2004A	-	-	-	-	CRANE-W1	-	-	-	-	TVD-W2	0.12	-	89,990	-
TRUE41C2005A	-	-	-	-	DCC-W1	0.26	(0.01)	51,963	-	Preferred Shares	-	-	-	-
TRUE41C2006A	0.20	0.18	1	-	ECL-W3	0.15	-	423,040	-	SGF-P1	-	-	-	-
TRUE41C2007A	0.53	0.03	1	-	EIC-W2	-	-	-	-	-	-	-	-	-
TRUE41P2005A	-	-	-	-	EIC-W3	0.01	-	193	-	-	-	-	-	-
TRUE42C2004A	-	-	-	-	EMC-W6	0.03	0.01	86	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Monday April 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-