

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.58	(0.05)	2,391	1.60	MCOT	6.20	(0.10)	3,470	6.23
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	1.81	(0.03)	76,441	1.81
SAFARI	-	-	-	-	DIF	14.80	(0.10)	153,524	14.91	MPIC	1.31	(0.02)	421	1.31
VI	-	-	-	-	DTAC	39.00	(0.50)	95,306	39.17	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.35	-	294	5.32	PLANB	4.02	(0.24)	393,525	4.15
WR	-	-	-	-	HUMAN	6.90	-	1,315	6.85	POST	1.62	(0.03)	1	1.62
Agribusiness	-	-	-	-	ILINK	3.54	(0.10)	16,699	3.62	PRAKIT	9.05	-	126	9.03
CHOTI	63.00	(1.00)	14	63.48	INET	1.91	(0.01)	9,400	1.90	SE-ED	1.48	(0.06)	501	1.49
EE	0.52	(0.04)	42,344	0.53	INTUCH	47.50	(0.25)	213,036	47.65	TBSP	12.50	(1.40)	3	12.50
GFPT	10.20	(0.30)	32,557	10.48	JAS	5.05	(0.05)	1,030,032	5.07	TH	0.49	-	2,123	0.49
LEE	1.90	(0.05)	791	1.92	JASIF	8.55	0.10	154,909	8.56	TKS	4.58	(0.06)	10,866	4.63
NER	2.26	0.04	338,053	2.26	JMART	6.60	(0.45)	51,426	6.74	VGI	6.95	(0.35)	486,514	6.92
PPPM	0.45	0.03	21,408	0.46	JTS	0.67	(0.03)	59	0.69	WAVE	0.97	0.03	12	0.95
STA	11.60	(0.30)	249,980	11.88	MFEK	4.50	(0.04)	9,184	4.55	WORK	8.20	-	40,586	8.36
TRUBB	0.55	(0.02)	8,783	0.56	MSC	4.50	(0.06)	1,115	4.53	Finance & Securities	-	-	-	-
TWPC	3.02	(0.04)	28,991	3.04	PT	3.98	(0.02)	8,921	4.00	AEC	0.20	0.01	2,350	0.20
UPOIC	2.52	(0.12)	61	2.52	SAMART	5.00	(0.15)	49,654	5.13	AEONTS	118.50	(6.00)	7,741	120.91
UVAN	3.82	0.06	1,289	3.79	SAMTEL	5.55	(0.10)	4,953	5.68	AMANAH	2.50	(0.08)	251,058	2.58
VPO	0.36	0.02	1,805	0.35	SDC	0.14	0.01	16,803	0.14	ASAP	1.09	(0.01)	27,238	1.13
Banking	-	-	-	-	SIS	6.50	0.05	5,368	6.48	ASK	16.40	0.10	27,913	16.69
BAY	21.00	0.10	14,408	21.06	SVOA	0.76	(0.01)	9,748	0.77	ASP	1.48	(0.01)	16,258	1.49
BBL	116.00	(0.50)	135,654	117.79	SYMC	2.00	(0.10)	5,410	2.00	BAM	21.80	(0.10)	2,575,882	22.24
CIMBT	0.50	0.06	133,681	0.49	SYNEX	5.15	(0.15)	17,646	5.25	BFIT	30.25	(0.25)	12,943	30.55
KBANK	95.50	(3.25)	116,973	98.26	THCOM	3.46	0.44	86,354	3.39	CGH	0.73	(0.01)	9,506	0.73
KKP	42.00	-	40,730	42.29	TRUE	3.36	(0.04)	1,063,181	3.37	ECL	0.77	(0.05)	48,483	0.81
KTB	10.90	(0.20)	346,791	11.01	TWZ	0.06	0.01	142,638	0.05	FNS	1.91	(0.05)	1,031	1.92
LHFG	1.02	(0.01)	28,918	1.03	Electronic Componen	-	-	-	-	FSS	1.08	(0.08)	1,153	1.10
SCB	70.25	(1.75)	123,845	70.68	CCEK	1.45	0.02	5,390	1.44	GBX	0.39	(0.02)	5,918	0.39
TCAP	35.50	0.50	75,114	35.60	DELTA	38.50	(1.00)	13,291	39.54	GL	2.82	(0.02)	47,249	2.92
TISCO	81.50	1.00	100,402	81.71	EIC	0.03	-	88	0.03	IFS	2.26	(0.08)	3,345	2.28
TMB	0.93	(0.01)	2,243,447	0.94	HANA	26.75	(1.25)	9,147	27.17	JMT	16.40	(0.80)	133,877	16.99
Construction Materia	-	-	-	-	KCE	15.00	(1.00)	362,448	15.65	KCAR	8.10	0.05	315	8.00
CCP	0.22	0.01	86,124	0.21	METCO	128.50	2.00	10	128.85	KGI	3.92	(0.02)	52,464	3.94
COTTO	0.87	(0.02)	14,799	0.90	NEX	2.52	0.02	12,406	2.54	KTC	34.00	(0.25)	112,409	34.25
DCC	1.51	(0.04)	49,141	1.53	SMT	0.79	(0.01)	522	0.80	MBKET	5.10	(0.10)	2,613	5.14
DCON	0.25	-	24,045	0.25	SVI	2.26	(0.04)	17,422	2.26	MFC	13.20	(0.20)	1,023	13.16
DRT	5.05	(0.05)	3,392	5.09	TEAM	0.48	0.01	6,964	0.48	ML	0.56	(0.02)	1,190	0.57
EPG	4.16	0.02	169,768	4.28	Energy & Utilities	-	-	-	-	MTC	44.75	(1.00)	100,748	45.32
GEL	0.11	0.01	34,891	0.11	7UP	0.35	-	245,167	0.35	PE	0.04	-	1,155	0.04
PPP	1.62	0.05	1,562	1.62	ABPIF	3.56	-	231	3.56	PL	2.12	(0.04)	488	2.13
Q-CON	4.32	(0.28)	217	4.17	ACE	2.64	-	298,624	2.72	S11	5.00	(0.35)	4,618	5.00
RCI	-	-	-	-	AI	1.05	-	36,561	1.05	SAWAD	49.50	(1.75)	258,644	49.93
SCC	323.00	-	35,792	324.78	AKR	0.45	(0.01)	4,872	0.46	THANI	3.68	(0.18)	347,939	3.78
SCCC	133.00	(1.50)	776	133.70	BAFS	21.00	0.10	8,103	20.96	TK	7.45	(0.05)	829	7.45
SCP	5.00	(0.20)	5,175	5.01	BANPU	6.05	(0.35)	467,062	6.09	TNITY	3.44	0.14	284	3.39
SKN	1.60	(0.01)	2,200	1.61	BCP	19.50	0.20	61,000	19.31	UOBKH	-	-	-	-
TASCO	18.10	0.50	343,037	18.37	BCPG	14.90	-	41,952	14.82	ZMICO	0.51	-	8,773	0.50
TCMC	1.04	(0.01)	1,622	1.04	BGRIM	42.00	(1.25)	214,842	42.31	Food & Beverage	-	-	-	-
TOA	34.25	(2.00)	27,148	35.07	BPP	13.80	(0.40)	45,090	13.88	APURE	0.75	0.03	11,758	0.74
TIPL	1.20	-	191,111	1.22	BRRGIF	6.95	0.20	1,854	6.20	ASIAN	3.94	(0.04)	8,703	4.03
UMI	0.44	0.01	20,901	0.45	CKP	3.60	0.14	335,715	3.55	BR	1.97	0.22	24,257	1.91
VNG	2.32	0.20	11,140	2.34	DEMCO	2.28	(0.10)	10,102	2.31	BRR	2.36	0.02	1,112	2.36
WHIK	1.12	(0.05)	6,723	1.13	EA	37.00	0.25	207,610	37.57	CBG	71.00	(2.00)	23,247	72.46
Petrochemicals & Che	-	-	-	-	EASTW	9.95	(0.15)	19,297	10.02	CFRESH	1.23	0.05	4,036	1.24
BCT	37.75	(0.25)	7	37.32	EGATIF	12.00	(0.10)	9,541	12.05	CM	2.70	0.02	812	2.70
CMAN	1.14	0.04	6,874	1.11	EGCO	249.00	(8.00)	16,925	252.16	CPF	25.75	(1.00)	299,687	26.16
GC	5.25	(0.05)	3,844	5.24	ESSO	5.30	(0.25)	406,064	5.46	CPI	1.21	(0.01)	855	1.22
GGC	7.85	(0.10)	43,997	8.08	GPSC	63.25	(1.50)	249,775	64.02	F&D	-	-	-	-
GIFT	2.50	0.06	15,129	2.46	GULF	174.50	(0.50)	165,558	175.93	HTC	17.80	0.10	1,679	17.96
IVL	25.75	0.25	760,036	26.60	GUNKUL	2.54	-	284,223	2.53	ICHI	5.00	(0.15)	25,707	5.03
NFC	1.46	(0.14)	211	1.51	IFEC	-	-	-	-	KBS	2.94	0.02	656	2.96
PATO	8.60	0.15	397	8.64	IRPC	2.66	(0.06)	1,890,748	2.70	KSL	1.76	(0.09)	46,661	1.81
PMTA	6.35	0.15	167	6.35	LANNA	5.75	-	826	5.77	KTIS	3.18	0.02	3,753	3.17
PTTGC	39.00	2.25	720,483	37.96	MDX	1.66	(0.01)	4,392	1.68	LST	4.84	0.04	3,094	4.87
SUTHA	1.40	0.05	1,001	1.35	PRIME	0.25	(0.01)	14,015	0.25	M	52.75	(2.00)	12,159	53.74
TCCC	18.00	(0.20)	22	18.15	PTG	12.50	(0.50)	200,003	12.81	MALEE	5.35	(0.25)	3,448	5.60
TPA	5.35	(0.50)	339	5.33	PTT	35.50	(0.50)	895,425	35.47	MINT	20.60	(1.80)	882,899	21.46
UAC	2.62	(0.04)	2,621	2.61	PTTEP	78.25	(2.25)	217,807	78.75	OISHI	38.00	0.75	747	37.67
UP	-	-	-	-	RATCH	59.75	(1.75)	40,545	60.42	OSP	38.50	(0.50)	109,063	38.17
VNT	20.50	(0.30)	7,112	20.82	RPC	0.45	(0.01)	7,637	0.46	PB	67.75	(0.50)	15	67.97
WG	-	-	-	-	SCG	4.00	-	102	3.98	PM	5.75	-	3,521	5.82
YCI	-	-	-	-	SCI	0.97	(0.01)	5,094	0.98	PRG	12.40	(0.40)	48	12.46
Commerce	-	-	-	-	SCN	1.37	(0.02)	7,610	1.37	RBF	4.18	0.04	247,275	4.26
BEAUTY	1.59	0.02	3,588,149	1.64	SGP	7.95	0.10	14,367	7.87	SAPPE	16.10	(0.20)	4,770	16.40
BIG	0.45	0.02	242,524	0.46	SKE	0.60	0.01	25,689	0.61	SAUCE	23.00	-	468	22.72
BJC	40.75	(2.25)	70,110	41.33	SOLAR	0.75	(0.04)	13,513	0.78	SFP	-	-	-	-
COL	13.70	(0.30)	2,629	13.70	SPCG	16.20	(0.20)	4,513	16.34	SNP	11.40	0.10	14	11.21
COM7	19.40	(1.30)	181,826	19.93	SPRC	5.25	(0.10)	1,181,235	5.42	SORKON	-	-	-	-
CPALL	63.75	(1.00)	248,272	64.13	SSP	6.45	(0.05)	4,299	6.48	SSC	29.00	-	1	29.00
CPW	1.18	(0.05)	22,147	1.22	SUPER	0.48	0.01	2,245,113	0.49	SSF	6.80	-	9	6.80
CRC	31.75	(1.25)	296,391	32.38	SUPEREIF	9.90	-	4,359	9.93	SST	3.08	-	509	3.02
CSS	0.82	(0.01)	27,061	0.82	SUSCO	2.02	(0.10)	30,269	2.07	TC	2.60	-	1,140	2.59
DOHOME	6.50	(0.35)	146,758	6.69	TAE	2.46	-	16,950	2.47	TFG	3.46	(0.04)	37,394	3.45
FN	0.75	-	10,682	0.76	TCC	0.19	(0.01)	7,267	0.19	TFMAMA	188.00	(0.50)	40	188.54
FTE	1.51	(0.01)	1,612	1.52	TOP	39.00	0.75	403,110	38.92	TIPCO	5.60	0.15	10,592	5.69
GLOBAL	12.00	(0.50)	110,974	12.20	TPIPP	3.58	(0.02)	129,909	3.61	TKN	6.85	(0.05)	85,122	6.98
HMPRO	12.90	(0.50)	380,230	13.04	TSE	2.38	-	130,152	2.42	TU	13.00	(0.10)	126,093	13.07
ILM	9.45	(0.35)	8,410	9.54	TTW	13.20	(0.20)	32,051	13.29	TVO	24.30	(0.40)	7,035	24.35
IT	1.52	(0.06)	1,528	1.54	WHAUP	4.34	(0.12)	110,965	4.41	ZEN	8.65	(0.25)	3,478	8.72
KAMART	2.74	(0.08)	23,404	2.81	WP	3.88	(0.02)	1,352	3.94	Health Care Services	-	-	-	-
LOXLEY	1.09	(0.06)	73,914	1.11	Media & Publishing	-	-	-	-	AHC				

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.56	(0.02)	7,349	2.53	CGD	0.60	0.01	5,383	0.59	IHL	2.36	-	6,715	2.37
RAM	140.00	-	70	139.40	CI	0.60	-	1,304	0.61	INGRS	0.37	-	12,754	0.40
RJH	21.20	(0.20)	3,356	21.49	CPN	49.00	(1.00)	120,832	48.88	IRC	11.30	(0.10)	26	11.07
RPH	5.20	(0.10)	3,666	5.23	ESTAR	0.26	-	34,716	0.26	PCSGH	5.05	(0.05)	527	5.01
SKR	4.74	(0.02)	2,033	4.71	EVER	0.17	0.01	58,785	0.16	SAT	10.50	0.55	17,648	10.25
SVH	408.00	(6.00)	19	410.00	FPT	10.80	(0.40)	372	10.98	SPG	13.10	(0.10)	1	13.10
THG	19.80	(0.50)	6,197	20.13	GLAND	2.12	(0.08)	4,212	2.09	STANLY	129.50	(1.00)	779	131.36
VIBHA	1.61	-	30,001	1.62	GOLD	7.80	0.10	207	7.71	TKT	0.62	(0.01)	831	0.63
VIH	5.75	(0.10)	1,848	5.80	GREEN	0.78	(0.03)	1,290	0.80	TNPC	0.61	-	261	0.61
WPH	1.66	(0.02)	838	1.67	J	0.46	0.06	23,834	0.44	TRU	3.54	0.04	1,421	3.52
Tourism & Leisure					JCK	0.59	0.01	6,544	0.59	TSC	10.00	0.45	11	9.99
ASIA	3.46	(0.08)	300	3.48	KC	-	-	-	-	Industrial Materials				
CENDEL	19.50	(1.10)	75,616	20.06	KWG	0.84	0.03	717	0.80	ALLA	1.17	0.01	14,238	1.16
CSR	-	-	-	-	LALIN	3.96	(0.04)	2,596	4.03	ASEFA	2.78	(0.12)	2,931	2.82
DTC	6.95	(0.05)	2,241	6.98	LH	7.40	(0.25)	552,563	7.56	CPT	0.73	0.01	11,890	0.72
ERW	3.04	(0.20)	254,673	3.09	LPN	4.00	(0.12)	67,421	4.04	CRANE	1.69	(0.10)	5,988	1.72
GRAND	0.55	-	1,828	0.55	MBK	15.60	(0.50)	22,854	15.67	CTW	4.60	0.02	10	4.60
LRH	34.50	(0.25)	20	34.81	MJD	1.88	(0.02)	1,859	1.88	FMT	22.40	(1.30)	19	22.49
MANRIN	-	-	-	-	MK	2.84	-	4,139	2.83	HTECH	1.95	(0.02)	9,700	1.99
OHTL	380.00	-	5	380.00	NCH	0.50	(0.02)	396	0.51	KKC	0.42	-	5	0.43
ROH	34.00	1.00	1	34.00	NNCL	1.63	(0.01)	1,554	1.61	PK	0.82	(0.02)	1,022	0.85
SHANG	63.75	(1.00)	2	62.88	NOBLE	14.10	-	13,703	14.19	SNC	7.50	-	2,580	7.49
SHR	1.82	(0.04)	359,095	1.86	NUSA	0.30	(0.01)	133,982	0.30	STARK	2.12	0.26	169,500	2.05
VRANDA	4.62	(0.06)	6,933	4.63	NVD	1.10	-	1,176	1.10	TCJ	2.20	-	1,448	2.23
Home & Office Produ					ORI	4.88	0.06	156,603	4.86	VARO	-	-	-	-
ACC	0.61	(0.03)	1,438	0.61	PACE	-	-	-	-	Property Fund & REIT				
AJA	0.19	-	212,564	0.19	PF	0.41	-	831,412	0.42	AIMCG	6.20	(0.05)	3,612	6.19
DTCI	-	-	-	-	PLAT	3.04	(0.14)	9,790	3.11	AIMIRT	11.70	-	3,400	11.70
FANCY	0.31	(0.04)	26,772	0.31	POLAR	-	-	-	-	AMATAR	9.85	(0.05)	166	9.85
KYE	242.00	2.00	8	242.63	PRECHA	0.58	(0.01)	881	0.59	B-WORK	11.00	(0.10)	816	11.05
L&E	1.81	0.06	2,518	1.79	PRIN	1.26	(0.01)	567	1.26	BKER	6.30	0.05	5,332	6.30
MODERN	2.28	0.02	6,471	2.28	PSH	10.90	-	38,633	10.76	BKKCP	11.10	(0.10)	17	11.19
OGC	27.00	2.00	1	27.00	QH	2.18	(0.06)	274,829	2.20	BOFFICE	14.30	-	1,597	14.21
ROCK	-	-	-	-	RICHY	0.67	(0.01)	16,798	0.67	CPNCG	10.40	(0.10)	1,590	10.44
SIAM	1.26	0.02	550	1.25	RML	0.49	(0.01)	22,810	0.50	CPNREIT	28.25	0.25	26,122	27.80
TSR	1.70	0.01	923	1.69	ROJNA	4.20	(0.08)	18,392	4.26	CPTGF	10.50	0.10	522	10.66
Insurance					S	1.69	0.10	39,314	1.65	CTARAF	4.78	-	65	4.78
AYUD	33.25	0.25	40	33.01	SAMCO	1.31	(0.01)	1,478	1.30	DREIT	3.54	(0.02)	1,003	3.54
BKI	236.00	-	94	236.02	SC	2.16	(0.02)	43,424	2.17	ERWPF	4.18	0.02	281	4.17
BLA	14.20	(0.60)	23,225	14.62	SENA	2.16	(0.04)	26,740	2.18	FTREIT	14.70	(0.10)	15,443	14.60
BUI	7.10	0.10	6	7.04	SF	4.20	(0.16)	156,025	4.35	FUTUREPF	18.50	(0.10)	228	18.45
CHARAN	21.90	2.40	33	19.87	SIRI	0.76	(0.03)	511,620	0.77	GAHREIT	7.15	-	3	7.15
INSURE	-	-	-	-	SPALI	16.40	(0.10)	51,977	16.47	GOLDPF	-	-	-	-
MTI	81.75	(4.25)	51	82.18	U	1.12	(0.01)	75,854	1.15	GVREIT	14.60	-	3,134	14.50
NKI	-	-	-	-	UV	3.08	0.06	66,304	3.12	HPF	3.86	(0.04)	78	3.87
NSI	50.25	(2.25)	17	50.28	WHA	2.70	(0.20)	1,651,791	2.78	HREIT	7.55	(0.15)	2,701	7.55
SEG	-	-	-	-	WIN	0.31	0.01	6,913	0.29	IMPACT	16.40	(0.10)	13,205	16.33
SMK	29.00	-	65	28.90	Paper & Printing Mat					KPNPF	-	-	-	-
THRE	0.49	-	28,320	0.49	UTP	8.80	(0.25)	6,726	8.86	LHHOTEL	12.00	-	2,765	11.87
THREL	2.66	(0.06)	7,893	2.65	Fashion					LHPF	6.30	-	90	6.32
TIP	20.30	-	2,207	20.44	AFC	-	-	-	-	LHSC	13.70	0.10	1,090	13.58
TQM	69.00	0.25	7,698	69.12	B52	0.18	0.01	30,235	0.17	LUXF	6.50	(0.15)	42	6.64
TSI	0.34	(0.02)	2,154	0.34	BTNC	-	-	-	-	M-II	7.20	-	70	7.20
TVI	3.14	(0.04)	1,497	3.18	CPH	2.80	(0.12)	104	2.94	M-PAT	4.00	-	122	4.24
Mining					CPL	0.85	(0.05)	7,596	0.85	M-STOR	6.55	-	1	6.55
PDI	4.28	(0.06)	4,688	4.39	ICC	34.50	(0.50)	2	34.75	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.24	0.02	1	2.24
Packaging					PAF	0.46	0.03	12,157	0.46	MJLF	7.25	(0.10)	565	7.30
AJ	8.80	0.25	1,969	8.82	PDJ	0.98	(0.03)	4,702	0.99	MNIT	0.98	-	432	0.98
ALUCON	137.50	2.00	21	137.19	PG	-	-	-	-	MNIT2	-	-	-	-
BGC	8.95	(0.40)	17,189	9.15	SABINA	17.70	(0.10)	12,167	17.95	MNRF	2.68	-	117	2.68
CSC	47.00	0.25	140	46.79	SAWANG	7.60	0.95	5	7.58	POPF	11.00	-	438	10.94
GLOCON	0.46	(0.02)	23,806	0.47	SUC	36.50	-	332	36.52	PPF	11.20	-	1	11.20
NEP	0.13	-	24,267	0.13	TNL	18.50	-	5	18.50	QHHR	6.60	(0.20)	120	6.63
PTL	12.10	(0.30)	5,086	12.19	TPCORP	10.50	-	39	10.58	QHOP	2.78	0.02	241	2.74
SFLEX	5.75	0.05	8,157	5.74	TR	22.80	0.50	2	22.75	QHPF	10.80	-	2,093	10.80
SITHAI	0.59	-	2,973	0.60	TTI	-	-	-	-	SBPF	2.46	0.18	885	2.49
SLP	0.40	-	565	0.39	TTT	40.75	(1.00)	21	40.99	SHREIT	3.18	0.04	652	3.20
SMPC	5.60	(0.05)	1,319	5.61	UPF	30.25	0.25	16	30.25	SIRIP	10.00	0.20	1	10.00
SPACK	1.10	0.04	32	1.10	UT	-	-	-	-	SPF	12.70	(0.30)	13,500	12.81
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPRIME	12.70	0.20	274	12.60
TFI	0.03	(0.01)	945	0.03	Transportation & Log					SRIPANWA	7.90	0.10	385	7.90
THIP	20.00	(1.80)	654	20.18	AAV	1.46	-	961,516	1.48	SSPF	8.45	0.05	11	8.43
TMD	22.10	-	21	22.19	AOT	54.75	(1.50)	310,832	55.29	SSTRT	5.00	-	76	5.00
TOPP	-	-	-	-	ASIMAR	1.00	0.01	1,895	1.00	TIF1	8.05	0.05	5	8.05
TPBI	2.34	-	4,424	2.32	B	0.16	(0.01)	14,977	0.17	TLGF	17.60	0.60	63,809	17.47
TPP	-	-	-	-	BA	4.84	0.02	41,316	4.92	TLHPF	9.60	0.20	79	9.62
Personal Products &					BEM	8.90	(0.40)	789,785	9.08	TNPF	2.00	0.01	468	2.04
APCO	3.78	(0.22)	5,327	3.85	BTS	11.00	(0.40)	651,743	11.14	TPRIME	-	-	-	-
DDD	13.20	(0.50)	2,139	13.70	BTSGIF	7.60	0.15	46,833	7.50	TTLPF	21.30	(0.10)	44	21.16
JCT	-	-	-	-	III	4.50	(0.06)	13,987	4.56	TU-PF	1.10	0.10	22	1.10
OCC	-	-	-	-	JUTHA	0.33	0.02	72	0.33	URBNPF	3.00	(0.04)	5	3.00
S & J	-	-	-	-	JWD	5.90	(0.30)	15,067	6.01	WHABT	8.40	(0.10)	410	8.40
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	14.60	-	10,011	14.52
TNR	7.00	(0.50)	719	7.30	NOK	1.23	(0.07)	8,905	1.24	Steel	-	-	-	-
TOG	3.64	0.16	410	3.69	NYT	3.22	-	41,280	3.29	AMC	1.23	(0.09)	1,414	1.28
Professional Service					PORT	1.60	(0.06)	16,157	1.60	BSBM	0.70	-	2,977	0.71
BWG	0.31	0.01	498,166	0.31	PRM	5.70	0.30	188,440	5.71	CEN	0.38	(0.01)	806	0.39
GENCO	0.41	(0.02)	9,880	0.42	PSL	4.20	(0.18)	276,053	4.41	CITY	1.34	0.01	10	1.34
PRO	-	-	-	-	RCL	2.50	0.08	23,442	2.56	CSP	0.48	(0.03)	99	0.49
SISB	7.45	(0.10)	27,488	7.53	TFFIF	10.80	0.10	136,167	10.85	GJS	0.06	(0.01)	187,358	0.06
TEAMG	2.00	-	10,915	2.02	THAI	5.55	(0.05)	366,593	5.88	GSTEEL	-	-	-	-
Property Developer					TSTE	-	-	-	-	INOX	0.43	-	1,095	0.43
A	4.60	(0.06)	54	4.63	TTA	3.04	(0.12)	103,272	3.18	LHK	2.24	(0.02)	2,217	2.23
AMATA	13.00	(0.80)	223,995	13.32	WICE	1.93	0.03	32,658	1.97	MAX	0.01	-	29,435	0.01
AMATAV	3.66	0.02	1,186	3.66	Automotive					MCS	8.70	(0.15)	14,598	8.81
ANAN	1.53	0.05	116,064											

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	AGE	0.65	0.03	28,748	-	ADVA01C2005B	0.02	(0.01)	28,195	-
ABICO	3.00	(0.08)	325	3.00	AIE	0.25	(0.01)	45,806	-	ADVA01C2007B	0.15	(0.03)	5,170	-
AU	8.20	(0.10)	80,975	8.00	PSTC	0.37	0.03	3,967,010	-	ADVA01C2008A	0.72	(0.07)	7,137	-
JCKH	0.29	(0.03)	1,849	-	QTC	3.50	(0.12)	3,718	3.00	ADVA01P2007B	0.42	-	18,536	-
KASET	1.09	(0.04)	2,016	1.00	SAAM	0.70	0.02	2,021	-	ADVA06C2005A	0.01	-	20	-
MM	1.61	0.01	339	1.00	SEAOIL	2.20	(0.04)	2,914	2.00	ADVA08C2005A	-	-	-	-
SUN	1.58	(0.02)	1,937	1.00	SR	0.76	0.01	447	-	ADVA08P2004A	0.20	0.01	10,691	-
TACC	3.34	(0.08)	9,692	3.00	TAKUNI	0.34	(0.01)	12,434	-	ADVA11C2006A	0.01	(0.01)	295	-
TMILL	2.48	-	6,229	2.00	TPCH	9.30	(0.25)	9,351	9.00	ADVA11P2005A	0.08	(0.01)	2,875	-
XO	4.24	(0.04)	4,410	4.00	TRT	1.78	-	2,275	1.00	ADVA13C2004A	-	-	-	-
<b>Consumer Products</b>														
BGT	0.49	0.02	2,891	-	UMS	0.12	-	1,076	-	ADVA13C2006A	0.40	(0.05)	111	-
BIZ	2.98	-	40	3.00	UWC	0.03	0.01	164,880	-	ADVA13C2007A	0.18	-	1,281	-
DOD	5.00	(0.15)	43,816	5.00	Services (MAI)	-	-	-	-	ADVA13C2008A	0.31	(0.02)	411,462	-
ECF	0.98	(0.01)	32,985	-	A5	-	-	-	-	ADVA13P2009A	1.36	-	80,367	1.00
HPT	0.59	(0.01)	5,486	-	AKP	0.90	-	288	-	ADVA16C2005A	-	-	-	-
IP	5.10	-	1,114	5.00	AMA	3.98	-	2,503	4.00	ADVA16C2007A	0.01	(0.08)	2	-
JUBILE	14.70	(0.10)	2,009	14.00	ARIP	0.31	(0.01)	438	-	ADVA16C2009A	0.12	(0.12)	1	-
MOONG	3.58	(0.06)	4,198	3.00	ATP30	0.79	(0.04)	17,940	-	ADVA19C2005A	-	-	-	-
NPK	9.40	(0.05)	124	9.00	AUCT	5.20	0.15	95,537	5.00	ADVA19C2007A	0.48	(0.07)	4,840	-
OCEAN	0.89	0.03	11,629	-	BOL	2.80	-	5,924	2.00	ADVA19C2007B	-	-	-	-
TM	2.48	(0.14)	6,757	2.00	CHUO	-	-	-	-	ADVA19C2008A	0.90	(0.02)	38,478	-
<b>Financials (MAI)</b>														
ACAP	0.71	0.09	68,245	-	CMO	1.00	0.03	2,646	-	ADVA19C2009A	0.62	(0.03)	120,938	-
AF	0.56	0.02	9	-	D	2.50	(0.06)	798	2.00	ADVA19P2006A	0.30	0.05	754	-
AIRA	0.80	(0.03)	126	-	DCORP	0.33	-	492	-	ADVA19P2009A	0.42	-	136,290	-
ASN	4.70	(0.08)	41	4.00	EFORL	0.03	-	50,513	-	ADVA24C2006A	-	-	-	-
BROOK	0.40	0.01	128,236	-	ETE	0.58	-	6,452	-	ADVA28C2005A	-	-	-	-
CHAYO	4.90	0.02	189,399	4.00	FSMART	6.00	-	15,304	6.00	ADVA28C2007A	0.07	(0.03)	9	-
GCAP	1.32	(0.07)	10,097	1.00	FVC	0.35	0.02	40,662	-	ADVA28C2008A	0.68	(0.03)	106,182	-
LIT	2.96	(0.06)	2,891	2.00	GSC	0.61	(0.05)	4,136	-	ADVA28C2008B	1.17	(0.10)	2,033	1.00
MITSI	0.97	(0.02)	10,503	1.00	HARN	2.00	0.01	1,259	1.00	ADVA28C2012A	0.21	(0.01)	610	-
SGF	0.43	(0.03)	85,654	-	IMH	2.58	0.32	18,243	2.00	ADVA41C2004A	-	-	-	-
<b>Industrials (MAI)</b>														
2S	1.69	(0.04)	725	1.00	JKN	3.82	(0.08)	28,161	3.00	ADVA41C2005A	-	-	-	-
ACG	0.78	(0.01)	3,349	-	KIAT	0.28	(0.01)	29,310	-	ADVA41C2006A	0.14	(0.01)	10	-
ADB	0.45	0.01	1,360	-	KOOL	0.68	0.07	91,186	-	ADVA41C2007A	-	-	-	-
BM	1.49	0.01	1,914	1.00	LDC	0.60	0.01	8,426	-	ADVA41C2007B	0.73	-	18,002	-
CHO	0.46	0.03	90,437	-	MORE	0.28	(0.01)	35,668	-	ADVA41P2004A	-	-	-	-
CHOW	0.59	0.01	2,033	-	MPG	0.20	-	2	-	ADVA41P2005A	0.53	0.02	570	-
CIG	0.23	(0.01)	20,234	-	MVP	1.11	(0.05)	1,932	1.00	ADVA42C2005A	-	-	-	-
COLOR	0.87	0.01	444	-	NBC	0.45	-	3,816	-	ADVA42P2007A	1.93	0.01	16,034	1.00
CPR	2.36	0.06	2,897	2.00	NCL	0.70	(0.01)	7,460	-	AEON01C2005A	-	-	-	-
FPI	2.04	(0.06)	1,419	2.00	NEWS	0.01	-	2,519	-	AEON13C2007A	0.07	(0.01)	4,887	-
GTB	0.54	0.02	30,154	-	NINE	1.76	(0.03)	128	1.00	AEON19C2006A	0.04	-	500	-
KCM	0.37	0.01	7,854	-	OTO	2.50	(0.02)	370	2.00	AMAT01C2004A	0.02	0.01	50	-
KUMWEL	0.80	-	6,393	-	PHOL	1.64	(0.03)	1,486	1.00	AMAT01C2004B	0.01	(0.01)	5,860	-
KWM	0.80	0.01	3,112	-	PICO	3.22	0.02	572	3.00	AMAT01C2007B	0.03	(0.02)	1,666	-
MBAX	2.68	-	1,141	2.00	QLT	4.00	(0.02)	407	3.00	AMAT01C2008A	0.19	(0.05)	1,479	-
MGT	1.35	(0.04)	315	1.00	RP	1.09	(0.01)	1,272	1.00	AMAT01P2008A	1.06	0.09	443	1.00
NDR	0.86	-	420	-	SE	1.16	0.02	1,535	1.00	AMAT06C2005A	-	-	-	-
PDG	2.86	-	708	2.00	SONIC	0.91	0.01	7,086	-	AMAT08C2005A	-	-	-	-
PIMO	0.86	(0.03)	12,887	-	SPA	8.30	(0.10)	11,382	8.00	AMAT11C2004A	-	-	-	-
PJW	1.03	(0.01)	3,531	1.00	THMUI	0.42	0.01	4,219	-	AMAT11C2008A	0.05	(0.04)	169	-
PPM	0.59	0.02	240	-	TNDT	1.99	(0.19)	1,901	2.00	AMAT13C2004A	-	-	-	-
RWI	1.03	(0.08)	61	1.00	TNH	29.25	-	280	29.00	AMAT13C2006A	0.03	0.01	1,201	-
SALEE	0.71	0.01	13	-	TNP	1.90	(0.07)	9,385	1.00	AMAT16C2006A	-	-	-	-
SANKO	0.84	-	2,884	-	TSF	-	-	-	-	AMAT16C2008A	-	-	-	-
SELIC	1.71	(0.01)	3,308	1.00	TVD	0.59	(0.04)	13,264	-	AMAT19C2005A	-	-	-	-
SWC	4.38	-	1,813	4.00	TVT	0.36	(0.01)	518	-	AMAT19C2006A	-	-	-	-
TMC	0.40	0.01	6,458	-	VL	0.90	0.03	48,558	-	AMAT19C2008A	0.22	-	1	-
TMI	0.62	-	1,496	-	WINNER	2.10	(0.10)	2,413	2.00	AMAT19C2009A	0.45	(0.08)	85,918	-
TMW	35.00	3.50	164	32.00	YGG	4.26	(0.14)	2,553	4.00	AMAT24C2006A	-	-	-	-
TPAC	9.45	0.45	2,314	9.00	<b>Technology (MAI)</b>									
TPLAS	1.19	(0.01)	10,990	1.00	APP	1.46	(0.03)	8,965	1.00	AMAT41C2005A	-	-	-	-
UBIS	4.98	-	1,567	4.00	COMAN	1.66	(0.03)	1,138	1.00	AMAT41C2006A	-	-	-	-
UEC	0.62	-	1,593	-	ICN	1.49	(0.02)	2,835	1.00	AMAT42C2005A	0.16	(0.06)	17,398	-
UKEM	0.40	(0.01)	44,719	-	INSET	2.48	-	11,858	2.00	AMAT42C2007A	-	-	-	-
UREKA	1.06	(0.03)	10,100	1.00	IRCP	0.35	0.01	10,258	-	ANAN13C2007A	0.02	0.01	33	-
YUASA	10.90	0.20	571	10.00	ITEL	2.10	-	16,499	2.00	ANAN19C2007A	-	-	-	-
ZIGA	1.03	0.01	11,706	1.00	NETBAY	29.25	(1.75)	4,488	29.00	AOT01C2004A	0.01	-	10,742	-
<b>Property &amp; Construc</b>														
ALL	2.70	(0.06)	14,701	2.00	PLANET	0.84	(0.06)	1,833	-	AOT01C2004B	-	-	-	-
ARIN	0.51	(0.01)	3,366	-	SIMAT	1.99	0.07	10,737	1.00	AOT01C2006B	0.03	-	1,837	-
ARROW	7.35	-	2,080	7.00	SKY	12.50	(0.10)	847	12.00	AOT01C2007A	0.16	(0.02)	31,681	-
BC	0.97	(0.06)	5,113	1.00	SPVI	2.10	(0.08)	35,407	2.00	AOT01P2004A	2.16	0.06	856	2.00
BSM	0.26	(0.01)	7,112	-	TPS	1.86	-	3,858	1.00	AOT01P2004B	1.78	0.47	500	1.00
BTW	0.59	0.01	1,258	-	UPA	0.20	-	75,382	-	AOT01P2006B	1.33	0.04	1,932	1.00
CAZ	1.37	(0.04)	11,551	1.00	VCOM	2.24	0.02	3,268	2.00	AOT01P2007A	1.49	0.08	20,498	1.00
CHEWA	0.32	0.01	11,179	-	Unit Trust	-	-	-	-	AOT06C2007A	-	-	-	-
CMC	0.66	(0.01)	2,035	-	MGE	-	-	-	-	AOT06C2008A	0.59	(0.07)	193,053	-
CRD	0.50	0.01	3,694	-	SCBSET	-	-	-	-	AOT08C2005A	0.01	(0.01)	2	-
DIMET	0.47	(0.08)	159,066	-	ETF	-	-	-	-	AOT08C2006A	0.02	-	10	-
FLOYD	0.97	(0.04)	1,493	-	IDIV	7.75	(0.05)	349	7.00	AOT08C2007A	0.14	(0.02)	1,558	-
HYDRO	-	-	-	-	ABFTH	-	-	-	-	AOT08P2004A	1.18	0.14	338	1.00
JSP	0.20	(0.01)	8,962	-	BMSCG	5.78	(0.13)	562	5.00	AOT11C2004A	-	-	-	-
K	0.72	(0.03)	117	-	BMSCITH	9.20	(0.17)	4,111	9.00	AOT11P2004A	0.12			

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C2006B	0.03	-	810	-	BCH01C2006B	0.02	-	250	-	BGRI41C2006A	0.10	(0.01)	50	-
AOT28C2008A	-	-	-	-	BCH01P2006A	0.96	0.13	66	-	BGRI41C2007A	0.43	(0.05)	20,005	-
AOT28C2008B	0.34	(0.03)	111,440	-	BCH06C2006A	-	-	-	-	BGRI41P2005A	-	-	-	-
AOT28C2008C	0.43	(0.03)	114,421	-	BCH06P2006A	-	-	-	-	BGRI41P2006A	-	-	-	-
AOT41C2004A	-	-	-	-	BCH08C2004A	-	-	-	-	BGRI42C2006A	-	-	-	-
AOT41C2005A	-	-	-	-	BCH11C2008A	-	-	-	-	BH01C2004A	-	-	-	-
AOT41C2006A	-	-	-	-	BCH13C2007A	-	-	-	-	BH01C2004B	-	-	-	-
AOT41C2007A	-	-	-	-	BCH16C2006A	-	-	-	-	BH01P2004A	0.48	0.13	1,441	-
AOT41C2007B	0.46	(0.05)	63,212	-	BCH19C2005A	0.01	(0.01)	17,050	-	BH08C2007A	0.18	(0.08)	5,919	-
AOT41P2004A	-	-	-	-	BCH19C2006A	-	-	-	-	BH11C2008A	0.17	-	10	-
AOT41P2005A	-	-	-	-	BCH19C2008A	0.46	(0.06)	144,208	-	BH13C2006A	0.06	(0.02)	11	-
AOT41P2006A	2.00	0.16	3	1.00	BCH41C2005A	-	-	-	-	BH19C2006A	0.12	0.03	1	-
AOT41P2009A	0.53	0.02	9,327	-	BCH41C2006A	-	-	-	-	BH19C2009A	0.58	(0.12)	197,820	-
AOT42C2006A	0.02	-	500	-	BCP01C2005A	-	-	-	-	BH24C2008A	0.54	(0.09)	15,827	-
AOT42P2009A	1.17	(0.07)	15	1.00	BCP01C2005B	-	-	-	-	BH27C2007A	-	-	-	-
AP19C2007A	-	-	-	-	BCP01P2005A	0.67	0.03	11	-	BH41C2004A	-	-	-	-
AP19C2010A	0.72	(0.28)	40,355	-	BCP11C2004A	-	-	-	-	BH41C2005A	0.21	(0.07)	554	-
AP28C2006A	-	-	-	-	BCP13C2007A	-	-	-	-	BH41C2006A	0.25	(0.02)	60	-
AP28C2012A	0.65	0.06	75,190	-	BCP19C2004A	-	-	-	-	BH41P2006A	0.88	(0.09)	140	-
AWCO1C2004A	0.02	0.01	184	-	BCP19C2005A	-	-	-	-	BH42C2008A	1.28	(0.20)	8,764	1.00
AWCO1C2009A	0.19	(0.04)	3,812	-	BCP24C2004A	-	-	-	-	BJC01C2004A	-	-	-	-
AWCO1P2007A	0.61	0.02	611	-	BCPG01C2005A	0.16	0.04	40	-	BJC01C2004B	-	-	-	-
AWCO6C2004A	-	-	-	-	BCPG01C2005B	-	-	-	-	BJC01C2008B	0.48	-	3	-
AWCO6C2009A	1.00	-	35,101	1.00	BCPG01C2008B	-	-	-	-	BJC01C2009A	0.62	(0.05)	56	-
AWCO8C2004A	-	-	-	-	BCPG01C2009A	-	-	-	-	BJC01P2004A	-	-	-	-
AWC13C2006A	0.02	(0.01)	44	-	BCPG01P2005A	-	-	-	-	BJC01P2009A	0.26	0.02	23,206	-
AWC13C2009A	0.86	(0.11)	298,551	-	BCPG01P2009A	0.39	-	2,040	-	BJC06C2006A	0.07	(0.06)	71,753	-
AWC13P2006A	0.54	0.07	2,129	-	BCPG13C2007A	-	-	-	-	BJC11C2008A	0.24	(0.02)	30	-
AWC16C2005A	-	-	-	-	BCPG16C2009A	-	-	-	-	BJC13C2005A	-	-	-	-
AWC16C2007A	0.04	0.03	15	-	BCPG19C2005A	0.19	-	9,990	-	BJC16C2006A	-	-	-	-
AWC19C2004A	-	-	-	-	BCPG28C2008A	0.39	(0.01)	55,259	-	BJC19C2005A	0.14	(0.05)	9,020	-
AWC19C2006A	-	-	-	-	BCPG28C2012A	0.30	0.01	8,122	-	BJC19C2007A	0.28	(0.05)	326	-
AWC19C2010A	0.79	(0.11)	45,358	-	BCPG41C2005A	-	-	-	-	BJC24C2006A	0.63	(0.11)	17,666	-
AWC24C2007A	0.02	-	2	-	BCPG42C2004A	-	-	-	-	BJC27C2009A	0.14	(0.01)	800	-
AWC28C2006A	-	-	-	-	BCPG42C2007A	-	-	-	-	BJC28C2007A	0.35	(0.10)	88,406	-
AWC28C2008A	0.33	(0.09)	5	-	BDMS01C2007B	0.05	0.01	29,142	-	BJC28C2010A	0.25	(0.05)	56,611	-
AWC28C2010A	-	-	-	-	BDMS01P2008A	0.47	-	8,278	-	BJC41C2005A	-	-	-	-
AWC41C2005A	0.07	(0.02)	2,000	-	BDMS06C2008A	0.18	(0.08)	287,746	-	BJC41C2006A	-	-	-	-
AWC41C2006A	-	-	-	-	BDMS06P2004A	-	-	-	-	BJC41C2007A	0.25	(0.22)	20,335	-
AWC41C2007A	-	-	-	-	BDMS08C2006A	0.02	-	12	-	BJC41C2008A	0.65	(0.10)	14,552	-
AWC41C2007B	0.77	(0.10)	55,649	-	BDMS11C2007A	0.12	0.01	220	-	BJC41P2005A	0.60	-	40	-
AWC42C2008A	0.07	0.02	10	-	BDMS11C2008A	0.04	(0.01)	802	-	BJC42C2004A	-	-	-	-
BANP01C2005A	-	-	-	-	BDMS13C2004A	-	-	-	-	BLAN19C2004A	-	-	-	-
BANP01C2005B	-	-	-	-	BDMS13C2008A	-	-	-	-	BPP01C2005A	0.05	0.02	100	-
BANP01P2005A	1.27	(0.01)	90	1.00	BDMS16C2006A	-	-	-	-	BPP01C2005B	-	-	-	-
BANP01P2005B	1.12	0.05	902	1.00	BDMS19C2005A	-	-	-	-	BPP01P2005A	0.72	0.13	4	-
BANP06C2005A	-	-	-	-	BDMS19C2005B	-	-	-	-	BPP13C2007A	0.34	(0.05)	96,010	-
BANP08C2005A	-	-	-	-	BDMS19C2010A	0.45	(0.07)	93,287	-	BPP19C2005A	-	-	-	-
BANP08C2007A	0.03	-	200	-	BDMS24C2006A	-	-	-	-	BPP19C2007A	0.14	(0.01)	14,353	-
BANP11C2004A	-	-	-	-	BDMS41C2004A	-	-	-	-	BTS01C2005A	0.06	-	12,680	-
BANP11C2008A	0.02	0.01	120	-	BDMS41C2005A	-	-	-	-	BTS01C2005B	0.02	-	1,000	-
BANP13C2006A	-	-	-	-	BDMS41C2006A	0.04	(0.01)	2	-	BTS01P2005A	0.33	0.03	6,666	-
BANP13C2008A	0.41	(0.03)	57,926	-	BDMS41C2009A	0.51	(0.06)	38,308	-	BTS08C2005A	-	-	-	-
BANP19C2004A	-	-	-	-	BDMS41P2004A	-	-	-	-	BTS13C2006A	0.02	(0.01)	1,200	-
BANP19C2005A	-	-	-	-	BDMS41P2006A	0.55	(0.14)	20	-	BTS13C2008A	0.12	(0.02)	1,443	-
BANP19C2007A	0.02	-	14,404	-	BEC01C2006A	0.07	(0.01)	1	-	BTS16C2008A	0.02	-	149	-
BANP19C2007B	0.04	(0.01)	5,288	-	BEC01C2006B	0.03	-	5	-	BTS19C2005A	-	-	-	-
BANP19C2009A	0.44	(0.02)	54,773	-	BEC01P2006A	-	-	-	-	BTS19C2008A	0.32	0.12	11,584	-
BANP27C2007A	0.07	-	1	-	BEC19C2005A	-	-	-	-	BTS24C2007A	0.08	-	2,812	-
BANP28C2008A	-	-	-	-	BEC42C2005A	0.44	(0.05)	23,205	-	BTS41C2004A	-	-	-	-
BANP28C2012A	0.28	(0.02)	28,608	-	BEM01C2004A	0.02	(0.01)	2,707	-	BTS41C2006A	0.13	(0.02)	1,099	-
BANP41C2004A	-	-	-	-	BEM01C2004B	0.01	-	100	-	BTS41P2004A	-	-	-	-
BANP41C2005A	-	-	-	-	BEM01P2004A	0.28	0.03	1,498	-	BTS42C2008A	0.07	0.01	212	-
BANP41C2006A	-	-	-	-	BEM06C2004A	-	-	-	-	CBG01C2004A	0.11	(0.01)	1,725	-
BANP41C2007A	-	-	-	-	BEM08C2005A	0.02	(0.03)	152	-	CBG01C2004B	0.02	-	10,200	-
BANP41P2005A	-	-	-	-	BEM08C2009A	0.77	(0.08)	46,782	-	CBG01C2007B	0.30	(0.03)	1,602	-
BANP41P2007A	-	-	-	-	BEM13C2007A	0.04	(0.02)	4,122	-	CBG01P2004A	0.34	0.05	26,867	-
BANP42C2004A	-	-	-	-	BEM16C2006A	-	-	-	-	CBG01P2007B	1.05	0.07	3,173	1.00
BANP42C2006A	0.30	(0.04)	1,984	-	BEM19C2005A	0.02	0.01	3,001	-	CBG06C2005A	-	-	-	-
BANP42P2005A	1.74	0.05	4,302	1.00	BEM19C2010A	0.59	(0.07)	16,578	-	CBG08C2007A	0.54	(0.07)	10,587	-
BBL06C2007A	0.03	-	25,453	-	BEM24C2008A	0.66	(0.04)	4,634	-	CBG11C2008A	-	-	-	-
BBL06C2009A	1.07	0.07	55,809	1.00	BEM28C2006A	-	-	-	-	CBG13C2008A	0.52	(0.05)	99	-
BBL06P2004A	-	-	-	-	BEM28C2007A	0.01	-	1,649	-	CBG13P2006A	0.92	0.04	44	-
BBL08C2005A	0.02	0.01	5,261	-	BEM28C2008A	0.24	0.04	4,038	-	CBG16C2008A	0.16	(0.02)	4	-
BBL08C2007A	0.05	(0.01)	29,534	-	BEM28C2010A	0.59	(0.08)	83,273	-	CBG19C2004A	-	-	-	-
BBL08P2007A	1.03	(0.02)	5,784	1.00	BEM41C2004A	-	-	-	-	CBG19C2005A	-	-	-	-
BBL11C2005A	-	-	-	-	BEM41C2006A	-	-	-	-	CBG19C2008A	0.64	(0.08)	136,866	-
BBL11C2007A	0.02	-	390	-	BEM41P2004A	-	-	-	-	CBG19P2006A	1.11	0.12	210	1.00
BBL11P2008A	1.12	(0.07)	1,595	1.00	BGRI01C2006A	0.07	(0.02)	7,270	-	CBG24C2008A	1.14	(0.06)	9,679	1.00
BBL13C2004A	0.01	-	22	-	BGRI01C2006B	0.02	0.01	144,046	-	CBG41C2004A	0.01	(0.03)	2	-
BBL13C2006A	0.02	(0.01)	3,811	-	BGRI01C2008B	-	-	-	-	CBG41C2005A	0.64	(0.08)	41	-
BBL13C2008A	0.38	(0.03)	261,035	-	BGRI01C2009A	0.48	(0.04)	4,005	-	CBG41C2006A	-	-	-	-
BBL13P2004A	-	-	-	-	BGRI01P2006A	1.44	0.06	2,763	1.00	CBG41P2004A	0.94	0.04	100	-
BBL13P2008A	0.75	0.05	269	-	BGRI06C2005A	-	-	-	-	CBG41P2006A	1.74	0.13	20	1.00
BBL16C2006A	-	-	-	-	BGRI08C2005A	-	-	-	-	CBG42C2006A	-	-	-	-
BBL19C2005A	0.02	-	40	-	BGRI11C2006A	0.13	(0.05)	10,494	-	CBG42C2008A	2.16	-	1,362	2.00
BBL19C2007A	0.08	0.02	824	-	BGRI11C2008A	0.11	0.01	1	-	CENTO1C2006A	0.08	(0.03)	60	-
BBL19C2009A	1.61	0.01	1,042	1.00	BGRI13C2006A	-	-	-	-	CENTO1C2006B	-	-	-	-
BBL19C2010A	0.73	(0.01)	220,679	-	BGRI13C2007A	0.11	-	253	-	CENTO1C2009A	0.44	(0.16)	1,429	-
BBL19P2007A	1.05	(0.07)	1,217	1.00	BGRI13C2008A	0.40	0.16	702	-	CENTO1P2009A	0.65	0.14	51,803	-
BBL24C2004A	-	-	-	-	BGRI13C2009A	0.57	(0.05)	159,928	-	CENTO6C2006A	0.53	(0.12)	50,417	-
BBL28C2005A	-	-	-	-	BGRI13P2005A	0.70	0.11	88	-	CENTO6P2007A	-	-	-	-
BBL28C2007A	0.14	0.02	4	-	BGRI16C2005A	-	-	-	-	CENT08C2004A	-	-	-	-
BBL28C2010A	0.													

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CENT28C2006A	-	-	-	-	CPAL41P2004A	-	-	-	-	EA19P2007A	-	-	-	-
CENT28C2008A	0.48	(0.12)	31,894	-	CPAL41P2005A	-	-	-	-	EA24C2004A	-	-	-	-
CENT28C2010A	0.59	(0.08)	86,336	-	CPAL41P2006A	-	-	-	-	EA27C2006A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL42C2005A	-	-	-	-	EA28C2006A	0.15	0.02	49,495	-
CENT41C2006A	-	-	-	-	CPAL42C2007A	-	-	-	-	EA28C2012A	0.26	0.01	74,932	-
CENT42C2004A	-	-	-	-	CPF01C2004A	0.10	0.01	5,195	-	EA41C2004A	-	-	-	-
CENT42C2006A	1.04	(0.12)	16,136	1.00	CPF01C2004B	-	-	-	-	EA41C2005A	-	-	-	-
CHG01C2006A	-	-	-	-	CPF01P2004A	0.07	(0.03)	8,394	-	EA41C2006A	0.16	(0.03)	3,002	-
CHG01C2006B	-	-	-	-	CPF08C2006A	0.04	-	794	-	EA41P2004A	-	-	-	-
CHG01P2006A	0.47	0.01	3,795	-	CPF11C2004A	-	-	-	-	EA42C2004A	-	-	-	-
CHG08C2005A	-	-	-	-	CPF11C2007A	0.15	0.01	181	-	EGCO01C2004A	0.01	-	2,500	-
CHG13C2006A	0.13	(0.03)	22,569	-	CPF13C2006A	0.04	-	1,950	-	EGCO01C2004B	-	-	-	-
CHG16C2009A	-	-	-	-	CPF13C2008A	0.21	(0.01)	13,910	-	EGCO01C2007B	0.13	(0.02)	248	-
CHG19C2004A	-	-	-	-	CPF16C2007A	-	-	-	-	EGCO06C2004A	-	-	-	-
CHG27C2009A	-	-	-	-	CPF19C2005A	0.07	(0.01)	30	-	EGCO06C2007A	0.04	0.02	1	-
CHG41C2005A	-	-	-	-	CPF19C2006A	0.04	-	14,700	-	EGCO06P2004A	-	-	-	-
CHG42C2006A	-	-	-	-	CPF19C2009A	0.62	(0.05)	21,449	-	EGCO13C2005A	-	-	-	-
CK01C2005A	0.15	(0.01)	1,546	-	CPF24C2007A	0.13	-	36	-	EGCO19C2005A	-	-	-	-
CK01C2005B	0.01	(0.01)	1	-	CPF28C2007A	0.04	-	8,413	-	EGCO19C2007A	0.08	-	140	-
CK01P2005A	0.23	-	1,001	-	CPF28C2010A	0.51	(0.02)	11,266	-	EGCO24C2009A	0.70	(0.02)	17,873	-
CK06C2004A	-	-	-	-	CPF41C2004A	-	-	-	-	EGCO41C2004A	-	-	-	-
CK11C2007A	0.07	0.04	77	-	CPF41C2005A	-	-	-	-	EGCO41C2006A	-	-	-	-
CK13C2006A	0.04	(0.02)	428	-	CPF41P2005A	0.32	(0.01)	919	-	EGCO41P2004A	-	-	-	-
CK16C2006A	-	-	-	-	CPN01C2005A	-	-	-	-	EGCO41P2006A	-	-	-	-
CK19C2004A	-	-	-	-	CPN01C2005B	-	-	-	-	EGCO42C2007A	0.01	-	100	-
CK19C2007A	-	-	-	-	CPN01P2005A	1.17	0.19	8,076	1.00	EPG08C2004A	-	-	-	-
CK27C2008A	0.20	(0.01)	17	-	CPN06C2006A	-	-	-	-	EPN13C2006A	0.02	-	500	-
CK41C2005A	-	-	-	-	CPN11C2006A	-	-	-	-	EPG19C2005A	-	-	-	-
CK42C2006A	0.92	(0.01)	24,134	-	CPN11C2008A	0.08	(0.02)	234	-	EPG19C2007A	0.03	0.01	11,274	-
CKP01C2004A	0.01	-	500	-	CPN13C2007A	0.08	(0.01)	377	-	EPG19C2008A	0.46	0.07	311	-
CKP01C2004B	-	-	-	-	CPN16C2005A	-	-	-	-	EPG24C2008A	0.08	-	7,910	-
CKP01C2008B	0.25	0.06	2	-	CPN19C2004A	-	-	-	-	ERW06C2006A	0.02	-	180	-
CKP01C2009A	0.49	0.01	2	-	CPN19C2007A	0.12	(0.02)	1,500	-	ERW06C2007A	-	-	-	-
CKP01P2004A	-	-	-	-	CPN19C2010A	0.53	(0.47)	31,020	-	ERW06P2006A	-	-	-	-
CKP01P2009A	-	-	-	-	CPN24C2007A	0.42	(0.05)	27,428	-	ERW13C2005A	0.01	-	100	-
CKP08C2004A	-	-	-	-	CPN41C2004A	-	-	-	-	ERW13C2006A	0.02	(0.01)	748	-
CKP11C2006A	0.01	-	5,002	-	CPN41C2006A	-	-	-	-	ERW13C2007A	-	-	-	-
CKP13C2004A	-	-	-	-	CPN41P2005A	-	-	-	-	ERW19C2005A	-	-	-	-
CKP13C2004B	-	-	-	-	CPN41P2006A	1.69	0.07	1	1.00	ERW19C2006A	-	-	-	-
CKP13C2007A	0.14	0.02	922	-	CPN42C2004A	-	-	-	-	ERW19C2007A	-	-	-	-
CKP16C2005A	0.01	-	160	-	CPN42C2006A	1.99	(0.19)	5,236	2.00	ERW24C2006A	0.07	(0.01)	107	-
CKP16C2007A	0.11	0.09	2	-	CRC01C2007A	0.15	(0.02)	6,672	-	ESSO01C2004A	0.02	0.01	1,733	-
CKP19C2005A	-	-	-	-	CRC08C2007A	0.25	(0.04)	59,477	-	ESSO01C2004B	-	-	-	-
CKP19C2006A	-	-	-	-	CRC13C2008A	0.15	-	9,324	-	ESSO01C2008B	0.16	(0.02)	84	-
CKP19C2010A	0.53	0.06	79,068	-	CRC13C2009A	0.47	(0.05)	219,933	-	ESSO01C2009A	0.25	(0.04)	3,757	-
CKP24C2006A	-	-	-	-	CRC19C2008A	-	-	-	-	ESSO01P2009A	0.63	0.04	4,472	-
CKP27C2005A	-	-	-	-	CRC19C2008B	0.50	(0.05)	81,194	-	ESSO08C2004A	-	-	-	-
CKP28C2006A	-	-	-	-	CRC24C2008A	0.54	(0.05)	10,774	-	ESSO08C2008A	1.41	(0.13)	33,278	1.00
CKP28C2012A	0.38	0.03	61,362	-	CRC28C2007A	-	-	-	-	ESSO13C2006A	0.03	(0.02)	300	-
CKP41C2004A	-	-	-	-	CRC28C2007B	0.06	(0.01)	700	-	ESSO19C2004A	-	-	-	-
CKP41C2005A	-	-	-	-	CRC28C2012A	0.25	(0.03)	26,276	-	ESSO19C2007A	0.13	-	3,506	-
CKP41C2006A	-	-	-	-	CRC41C2007A	0.43	(0.04)	1,572	-	ESSO19C2009A	1.12	(0.13)	65,784	1.00
CKP41C2007A	0.25	0.03	12	-	CRC41C2009A	0.61	0.01	65,951	-	ESSO24C2007A	-	-	-	-
CKP42C2005A	-	-	-	-	DTAC01C2004A	-	-	-	-	ESSO41C2004A	-	-	-	-
CKP42C2006A	0.68	0.05	28,089	-	DTAC01C2004B	0.01	(0.01)	2,000	-	ESSO41C2005A	-	-	-	-
COM708C2007A	0.07	-	740	-	DTAC01C2007B	0.16	(0.01)	51	-	ESSO41C2006A	-	-	-	-
COM711C2004A	-	-	-	-	DTAC01C2008A	0.38	(0.05)	961	-	ESSO42C2007A	-	-	-	-
COM713C2004A	-	-	-	-	DTAC01P2004A	-	-	-	-	GFPT19C2004A	-	-	-	-
COM713C2007A	0.08	0.01	101	-	DTAC01P2004B	-	-	-	-	GFPT19C2006A	0.08	(0.01)	2,850	-
COM713C2008A	0.17	(0.09)	26,883	-	DTAC01P2007B	0.44	0.13	1,423	-	GFPT24C2007A	0.12	0.04	52	-
COM716C2008A	0.10	-	2,002	-	DTAC01P2008A	0.59	(0.05)	862	-	GFPT42C2004A	-	-	-	-
COM719C2005A	-	-	-	-	DTAC06C2006A	0.03	0.01	5	-	GFPT42C2008A	-	-	-	-
COM719C2008A	-	-	-	-	DTAC08C2005A	-	-	-	-	GLOB01C2007B	-	-	-	-
COM719C2009A	0.70	(0.14)	92,930	-	DTAC08C2005B	-	-	-	-	GLOB01C2008A	-	-	-	-
COM719P2004A	0.26	0.03	2,792	-	DTAC08C2007A	-	-	-	-	GLOB06C2006A	-	-	-	-
COM724C2007A	-	-	-	-	DTAC08C2008A	0.40	(0.03)	75,461	-	GLOB13C2007A	-	-	-	-
COM741C2004A	-	-	-	-	DTAC13C2006A	-	-	-	-	GLOB19C2005A	-	-	-	-
COM741C2006A	-	-	-	-	DTAC13C2007A	-	-	-	-	GLOB19C2007A	0.15	0.02	100	-
COM742C2004A	-	-	-	-	DTAC13C2009A	0.34	(0.04)	81,813	-	GLOB24C2005A	-	-	-	-
CPAL01C2004A	0.02	-	4,137	-	DTAC13P2006A	-	-	-	-	GLOB41C2004A	-	-	-	-
CPAL01C2004B	-	-	-	-	DTAC13P2007A	0.16	0.01	30,938	-	GLOB42C2009A	0.06	(0.07)	2,441	-
CPAL01C2006A	0.16	(0.02)	1,460	-	DTAC13P2008A	0.87	0.03	48,255	-	GPSCO1C2005A	0.10	-	2,931	-
CPAL01C2006B	0.04	(0.02)	20	-	DTAC16C2009A	0.37	0.09	9	-	GPSCO1C2005B	0.02	-	1,329	-
CPAL01C2008B	0.23	(0.01)	5,227	-	DTAC19C2005A	-	-	-	-	GPSCO1C2007B	0.15	(0.06)	5,533	-
CPAL01P2004A	1.21	(0.01)	1	1.00	DTAC19C2006A	-	-	-	-	GPSCO1C2008A	0.40	(0.05)	17,652	-
CPAL01P2004B	-	-	-	-	DTAC19C2007A	-	-	-	-	GPSCO1P2005A	1.51	0.09	270	1.00
CPAL01P2008B	0.59	-	1,925	-	DTAC19C2009A	0.37	(0.02)	170,113	-	GPSCO1P2005B	0.77	0.16	401	-
CPAL06C2006A	-	-	-	-	DTAC19P2007A	-	-	-	-	GPSCO1P2007B	0.96	0.06	11,791	-
CPAL08C2004A	0.01	-	200	-	DTAC24C2004A	-	-	-	-	GPSCO1P2008A	1.64	0.09	1,191	1.00
CPAL08C2006A	0.03	-	30,001	-	DTAC24C2007A	-	-	-	-	GPSCO6C2006A	0.02	-	10	-
CPAL08C2008A	0.48	(0.03)	52,613	-	DTAC27C2008A	0.23	(0.09)	600	-	GPSCO6C2008A	0.41	(0.08)	193,269	-
CPAL08P2006A	-	-	-	-	DTAC41C2004A	-	-	-	-	GPSCO8C2004B	-	-	-	-
CPAL11C2006A	-	-	-	-	DTAC41C2005A	-	-	-	-	GPSCO8C2007A	0.15	(0.04)	10	-
CPAL11C2007A	0.07	0.01	200	-	DTAC41C2006A	0.05	(0.06)	2	-	GPSCO8P2006A	1.06	0.10	50	1.00
CPAL13C2004A	-	-	-	-	DTAC41C2007A	0.23	(0.03)	24,367	-	GPSC11C2006A	-	-	-	-
CPAL13C2007A	0.15	-	1,562	-	DTAC41C2007B	-	-	-	-	GPSC13C2005A	0.03	-	100	-
CPAL13C2009A	0.71	(0.03)	119,029	-	DTAC41P2005A	-	-	-	-	GPSC13C2007A	0.18	(0.10)	5,305	-
CPAL16C2006A	-	-	-	-	DTAC41P2006A	-	-	-	-	GPSC13C2008A	0.47	(0.08)	231	-
CPAL16C2007A	-	-	-	-	DTAC42C2004A	-	-	-	-	GPSC13C2009A	0.79	(0.06)	537,306	-
CPAL19C2004A	-	-	-	-	DTAC42C2006A	0.89	(0.22)	3,974	-	GPSC13P2005A	-	-	-	-
CPAL19C2005A	-	-	-	-	EA06C2005A	0.05	-	2,348	-	GPSC13P2007A	1.30	0.08	401	1.00
CPAL19C2008A	0.27	(0.01)	126,441	-	EA08C2004A	-	-	-	-	GPSC16C2007A	0.08	(0.02)	1,102	-
CPAL19P2004A	0.22	0.03	9	-	EA08C2006A	0.11	0.01	23,340	-	GPSC19C2004A	0.01	-	300	-
CPAL19P2010A	0.46	0.02	19,345	-	EA11C2005A	-	-	-	-	GPSC19C2007A	0.20	(0.03)	500	-
CPAL24C2005A	-	-	-	-	EA13C2005A	0.05	0.01	1,290	-	GPSC19C2008A	0.60	(0.0		

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC41C2005B	-	-	-	-	HSI41P2005A	0.70	0.05	490,587	-	JAS41C2006A	0.16	(0.02)	5,891	-
GPSC41C2006A	-	-	-	-	HSI41P2006A	1.21	0.13	29,920	1.00	JAS41P2005A	0.20	0.01	66,672	-
GPSC41C2009A	0.96	(0.04)	45,826	-	HSI41P2006B	1.04	0.07	796,474	-	JMT13C2006A	0.09	-	8,936	-
GPSC41P2005A	1.80	0.11	31,160	1.00	INTU01C2006A	0.12	0.01	2,818	-	JMT19C2006A	0.10	-	480	-
GPSC41P2006A	1.77	0.07	16,920	1.00	INTU01C2006B	0.04	(0.02)	401	-	JMT42C2006A	-	-	-	-
GPSC42C2006A	-	-	-	-	INTU01P2006A	1.16	0.01	1	1.00	KBAN01C2004A	0.02	-	22,904	-
GPSC42P2006A	4.26	0.10	8,842	4.00	INTU01P2006B	0.62	(0.15)	6	-	KBAN01C2004B	-	-	-	-
GULF01C2005A	0.77	0.05	82,345	-	INTU13C2004A	-	-	-	-	KBAN01C2007A	0.14	-	871	-
GULF01C2005B	0.26	-	27,582	-	INTU13C2006A	0.08	0.01	1	-	KBAN01C2007B	0.04	(0.01)	1,631	-
GULF01C2007A	0.24	0.01	201,265	-	INTU13C2008A	0.47	(0.01)	158,993	-	KBAN01P2004A	-	-	-	-
GULF01P2005A	0.36	(0.06)	136,065	-	INTU13P2004A	-	-	-	-	KBAN01P2004B	0.65	0.18	9,446	-
GULF03C2005A	-	-	-	-	INTU16C2005A	-	-	-	-	KBAN01P2007A	1.91	0.07	192	1.00
GULF06C2004A	0.20	(0.02)	390,676	-	INTU16C2007A	-	-	-	-	KBAN01P2007B	1.72	0.14	230	1.00
GULF08C2008A	1.27	0.01	98,795	1.00	INTU16C2009A	-	-	-	-	KBAN06C2004A	-	-	-	-
GULF11C2006A	0.48	0.02	3,183	-	INTU19C2004A	-	-	-	-	KBAN06C2008A	0.12	(0.04)	68,442	-
GULF13C2004A	-	-	-	-	INTU19C2005A	-	-	-	-	KBAN08C2005A	-	-	-	-
GULF13C2006A	0.20	(0.03)	2,831	-	INTU19C2009A	0.34	(0.01)	69,400	-	KBAN08C2007A	-	-	-	-
GULF13C2006B	0.11	0.03	15,641	-	INTU19P2007A	0.36	0.03	50	-	KBAN08P2004A	-	-	-	-
GULF13C2008A	0.76	(0.02)	1,622	-	INTU23C2111A	-	-	-	-	KBAN13C2006A	0.02	-	8,216	-
GULF13C2009A	1.22	(0.02)	1,565,629	1.00	INTU24C2008A	0.29	(0.01)	15,880	-	KBAN13C2008A	0.13	0.01	2,770	-
GULF13P2004A	0.04	(0.02)	3,148	-	INTU28C2008A	0.19	(0.01)	74,613	-	KBAN13C2008B	1.16	(0.14)	492,479	1.00
GULF13P2005A	0.47	0.05	2,784	-	INTU28C2010A	0.26	(0.01)	8,865	-	KBAN13P2006A	-	-	-	-
GULF16C2007A	-	-	-	-	INTU41C2005A	-	-	-	-	KBAN13P2008A	0.82	0.02	343	-
GULF19C2004A	-	-	-	-	INTU41C2006A	-	-	-	-	KBAN16C2005A	-	-	-	-
GULF19C2006A	0.07	(0.01)	4,122	-	INTU41C2007A	-	-	-	-	KBAN16C2008A	0.03	-	1,612	-
GULF19C2008A	1.17	(0.02)	690,803	1.00	INTU41P2004A	-	-	-	-	KBAN19C2004A	-	-	-	-
GULF19C2010A	0.37	(0.01)	322,388	-	INTU41P2005A	-	-	-	-	KBAN19C2007A	0.07	-	20	-
GULF19P2006A	0.49	(0.06)	2,066	-	INTU41P2006A	-	-	-	-	KBAN19C2009A	1.33	(0.16)	359,064	1.00
GULF19P2009A	0.51	-	69,577	-	INTU42C2005A	0.13	(0.01)	23,008	-	KBAN19C2010A	0.42	(0.04)	125,146	-
GULF19P2010A	0.47	-	77,313	-	IRPC01C2005A	0.02	0.01	2,513	-	KBAN19P2004A	-	-	-	-
GULF24C2005A	-	-	-	-	IRPC01C2005B	0.02	-	4,447	-	KBAN19P2007A	1.60	(0.40)	240	1.00
GULF27C2004A	-	-	-	-	IRPC01C2007B	0.21	(0.04)	4,741	-	KBAN19P2010P	0.70	0.05	231,085	-
GULF28C2006A	0.05	(0.01)	299	-	IRPC01P2005A	-	-	-	-	KBAN24C2005A	-	-	-	-
GULF28C2008A	0.33	0.03	4	-	IRPC01P2005B	0.66	(0.23)	96	-	KBAN28C2008A	0.12	0.02	320	-
GULF28C2008B	0.81	0.03	206,942	-	IRPC01P2007B	0.44	(0.01)	5,342	-	KBAN28C2008B	0.77	(0.09)	205,603	-
GULF28C2008C	0.99	-	90,234	1.00	IRPC06C2005A	0.01	-	4,244	-	KBAN28C2008C	-	-	-	-
GULF41C2005A	0.28	(0.01)	6,985	-	IRPC06C2007A	0.06	(0.01)	2,464	-	KBAN28C2010A	0.23	(0.03)	108,300	-
GULF41C2006A	1.08	(0.02)	152,932	1.00	IRPC06P2004A	-	-	-	-	KBAN41C2005A	-	-	-	-
GULF41P2004A	0.38	-	193	-	IRPC11C2005A	-	-	-	-	KBAN41C2007A	-	-	-	-
GULF41P2005A	-	-	-	-	IRPC11C2008A	0.05	-	200	-	KBAN41C2008A	0.57	(0.06)	95,484	-
GULF41P2006A	0.88	-	33,846	-	IRPC13C2006A	0.02	0.01	6	-	KBAN41P2005A	1.80	(0.02)	4,900	1.00
GULF41P2007A	1.54	(0.10)	3	1.00	IRPC13C2007A	0.11	(0.01)	16,293	-	KBAN41P2006A	-	-	-	-
GUNK01C2005A	-	-	-	-	IRPC13C2008A	-	-	-	-	KBAN42C2004A	-	-	-	-
GUNK01C2005B	0.02	-	480	-	IRPC13C2009A	0.48	(0.04)	12,993	-	KBAN42C2007A	0.03	(0.01)	1,016	-
GUNK01P2005A	-	-	-	-	IRPC16C2008A	-	-	-	-	KBAN42P2008A	-	-	-	-
GUNK11C2007A	-	-	-	-	IRPC19C2005A	0.03	(0.03)	1	-	KCE01C2004A	0.15	(0.05)	616	-
GUNK13C2006A	-	-	-	-	IRPC19C2007A	0.21	0.02	2	-	KCE01C2004B	0.02	-	5,121	-
GUNK19C2006A	-	-	-	-	IRPC19C2008A	0.53	(0.11)	2,018	-	KCE01C2007B	0.03	-	9,023	-
GUNK24C2006A	-	-	-	-	IRPC19C2010A	0.38	(0.03)	221,014	-	KCE01C2008A	0.11	(0.02)	43,500	-
GUNK28C2005A	-	-	-	-	IRPC24C2004A	-	-	-	-	KCE01P2004A	1.25	0.29	565	1.00
GUNK28C2012A	0.24	(0.01)	23,788	-	IRPC24C2007A	-	-	-	-	KCE08C2005A	-	-	-	-
GUNK41C2005A	-	-	-	-	IRPC27C2007A	0.07	0.06	1	-	KCE08C2005B	-	-	-	-
GUNK41P2005A	-	-	-	-	IRPC28C2006A	-	-	-	-	KCE08C2009A	0.66	(0.08)	104,410	-
HANA01C2006A	0.19	0.02	7	-	IRPC28C2008A	0.41	(0.04)	97,406	-	KCE11C2004A	-	-	-	-
HANA01C2006B	-	-	-	-	IRPC41C2004A	-	-	-	-	KCE13C2004A	-	-	-	-
HANA01P2006A	-	-	-	-	IRPC41C2005A	-	-	-	-	KCE13C2005A	-	-	-	-
HANA11C2008A	0.12	(0.02)	150	-	IRPC41C2006A	-	-	-	-	KCE13C2006A	0.11	(0.02)	14,397	-
HANA13C2006A	-	-	-	-	IRPC41C2007A	0.44	(0.03)	10,458	-	KCE16C2007A	0.04	(0.02)	202	-
HANA13C2008A	0.21	(0.03)	8	-	IRPC41P2005A	-	-	-	-	KCE19C2005A	-	-	-	-
HANA16C2008A	-	-	-	-	IRPC41P2006A	-	-	-	-	KCE19C2007A	0.10	(0.04)	437	-
HANA19C2006A	0.11	0.05	3,923	-	IRPC41P2007A	1.26	(0.18)	98	1.00	KCE19C2008A	0.48	(0.08)	17,283	-
HANA27C2007A	0.10	0.08	1	-	IRPC42C2006A	0.05	0.01	1	-	KCE19C2009A	0.49	(0.09)	525,346	-
HANA27P2007A	-	-	-	-	IVL01C2004A	0.01	-	11,004	-	KCE24C2005A	0.14	(0.08)	966	-
HANA41C2006A	-	-	-	-	IVL01C2004B	0.01	-	1,160	-	KCE27C2007A	0.02	-	7	-
HMPR01C2006A	0.08	(0.04)	502	-	IVL01C2006A	0.10	0.04	20,786	-	KCE41C2005A	-	-	-	-
HMPR01C2006B	0.02	(0.01)	2	-	IVL01P2004A	0.29	(0.11)	201	-	KCE41C2006A	-	-	-	-
HMPR01P2006A	0.75	0.05	6,788	-	IVL01P2004B	0.03	(0.03)	10,281	-	KKP01C2006A	0.01	(0.01)	500	-
HMPR06C2006A	0.22	(0.06)	68,399	-	IVL01P2006B	0.51	-	7,038	-	KKP01C2006B	-	-	-	-
HMPR06P2007A	0.41	0.07	112,494	-	IVL06C2008A	0.19	-	457,390	-	KKP01P2006A	-	-	-	-
HMPR13C2006A	0.01	-	900	-	IVL06P2005A	-	-	-	-	KKP11C2007A	-	-	-	-
HMPR13C2007A	-	-	-	-	IVL08C2004A	-	-	-	-	KKP13C2007A	0.04	(0.01)	1,212	-
HMPR19C2005A	-	-	-	-	IVL08P2004A	0.15	(0.03)	27	-	KKP41C2006A	-	-	-	-
HMPR19C2007A	-	-	-	-	IVL11C2005A	0.04	0.01	51	-	KTB01C2008B	0.05	-	50	-
HMPR19C2010A	0.40	(0.03)	102,439	-	IVL11C2006A	0.08	0.02	12,435	-	KTB01C2009A	0.17	(0.01)	120	-
HMPR24C2004A	-	-	-	-	IVL13C2006A	0.09	(0.02)	5,347	-	KTB01P2009A	0.63	(0.03)	20	-
HMPR24C2008A	0.49	(0.05)	20,312	-	IVL13C2008A	0.88	0.04	316,100	-	KTB11C2004A	-	-	-	-
HMPR41C2005A	-	-	-	-	IVL16C2006A	-	-	-	-	KTB11C2006A	-	-	-	-
HMPR41C2006A	-	-	-	-	IVL16C2009A	0.20	0.08	210	-	KTB13C2006A	-	-	-	-
HMPR41C2007A	-	-	-	-	IVL19C2004A	0.04	0.02	500	-	KTB19C2005A	-	-	-	-
HMPR41C2007B	0.30	(0.03)	1,578	-	IVL19C2006A	0.06	0.03	11,235	-	KTB24C2004A	-	-	-	-
HSI28C2004A	0.12	(0.08)	33,360	-	IVL19C2008A	0.73	0.05	9,014	-	KTB41C2004A	-	-	-	-
HSI28C2004B	0.04	(0.03)	7,324	-	IVL19C2009A	1.34	0.03	23,792	1.00	KTB41C2006A	-	-	-	-
HSI28C2004C	-	-	-	-	IVL19C2010A	0.30	-	675,379	-	KTB41P2004A	-	-	-	-
HSI28C2005A	1.32	(0.25)	13,565	1.00	IVL19P2006A	0.53	(0.05)	608	-	KT001C2004A	0.01	(0.01)	300	-
HSI28C2005B	0.82	(0.20)	81,139	-	IVL19P2010A	0.65	(0.03)	421,912	-	KT001C2004B	-	-	-	-
HSI28C2005C	0.54	(0.12)	1,194	-	IVL24C2008A	1.18	0.05	19,584	1.00	KT001C2007A	0.33	(0.02)	6,952	-
HSI28C2005D	0.29	(0.09)	156,620	-	IVL27P2007A	0.44	(0.02)	9,925	-	KT001C2007B	0.16	-	71	-
HSI28C2006A	1.73	(0.31)	628	1.00	IVL28C2007A	0.08	0.01	2,199	-	KT001P2004A	0.16	(0.03)	6,719	-
HSI28C2006B	1.25	(0.17)	19,893	1.00	IVL41C2005A	-	-	-	-	KT001P2007A	0.48	0.02	44,599	-
HSI28C2006C	0.82	(0.18)	56,487	-	IVL41C2006A	-	-	-	-	KT006C2006A	0.08	(0.01)	110,290	-
HSI28P2004A	1.05	0.15	37,543	-	IVL41C2007A	-	-	-						

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC27C2007A	0.08	(0.01)	2,455	-	PTG01C2005B	-	-	-	-	PTTE28C2008A	0.21	(0.03)	18,582	-
KTC28C2006A	0.15	(0.02)	75,713	-	PTG01C2007B	0.21	(0.03)	942	-	PTTE41C2005A	-	-	-	-
KTC41C2004A	-	-	-	-	PTG01P2005A	0.82	(0.26)	423	-	PTTE41C2006A	-	-	-	-
KTC41C2005A	-	-	-	-	PTG01P2005B	0.45	0.06	1	-	PTTE41C2007A	-	-	-	-
KTC41C2006A	-	-	-	-	PTG03C2005A	-	-	-	-	PTTE41C2008A	0.70	(0.30)	34,718	-
KTC42C2006A	-	-	-	-	PTG06C2006A	-	-	-	-	PTTE41C2009A	1.01	(0.08)	6,968	1.00
LH11C2007A	-	-	-	-	PTG08C2005A	-	-	-	-	PTTE41P2004A	-	-	-	-
LH19C2007A	0.05	(0.06)	2	-	PTG08C2007A	0.18	(0.02)	1,204	-	PTTE41P2009A	1.50	0.05	21,034	1.00
LH19P2004A	-	-	-	-	PTG11C2005A	-	-	-	-	PTTE42C2004A	-	-	-	-
LH41C2004A	-	-	-	-	PTG13C2004A	-	-	-	-	PTTE42P2008A	-	-	-	-
LH41C2005A	-	-	-	-	PTG13C2006A	0.06	(0.03)	2,500	-	PTTG01C2005A	0.02	-	703	-
LH41C2006A	-	-	-	-	PTG13P2004A	-	-	-	-	PTTG01C2005B	0.02	-	11	-
MAJO13C2007A	0.17	(0.04)	33,648	-	PTG13P2006A	0.34	0.04	261	-	PTTG01C2007B	0.03	-	8,490	-
MAJO19C2006A	-	-	-	-	PTG16C2009A	-	-	-	-	PTTG01C2008A	0.14	-	91,969	-
MBK19C2004A	-	-	-	-	PTG19C2004A	-	-	-	-	PTTG01P2005A	1.74	(0.36)	165	1.00
MEGA16C2009A	-	-	-	-	PTG19C2005A	0.06	0.01	1	-	PTTG01P2005B	1.35	(0.40)	400	1.00
MEGA19C2005A	-	-	-	-	PTG19C2006A	0.10	(0.05)	4,310	-	PTTG01P2007B	0.79	(0.35)	228	-
MINTO1C2007B	0.04	-	5,331	-	PTG19C2008A	0.41	(0.05)	199,556	-	PTTG01P2008A	1.10	(0.15)	303	1.00
MINTO1C2008A	0.07	(0.02)	93,256	-	PTG19P2006A	0.45	(0.12)	101	-	PTTG06C2006A	-	-	-	-
MINTO1P2008A	1.08	0.08	63,323	1.00	PTG27C2007A	-	-	-	-	PTTG08C2004A	-	-	-	-
MINTO6C2006A	0.02	(0.02)	20,118	-	PTG41C2004A	-	-	-	-	PTTG08C2008A	0.69	0.07	121,999	-
MINTO6P2007A	1.22	0.20	275,766	1.00	PTG41C2005A	-	-	-	-	PTTG08P2004A	0.84	(0.07)	25	-
MINT11C2006A	0.01	(0.03)	2	-	PTG41C2006A	-	-	-	-	PTTG11C2004A	-	-	-	-
MINT13C2006A	0.02	-	150	-	PTG41P2005A	-	-	-	-	PTTG11C2007A	0.05	0.01	200	-
MINT13C2008A	0.05	(0.04)	13,773	-	PTG42C2004A	-	-	-	-	PTTG13C2005A	0.01	-	100	-
MINT19C2004A	-	-	-	-	PTG42C2006A	-	-	-	-	PTTG13C2007A	0.05	0.02	6,615	-
MINT19C2006A	0.05	0.01	512	-	PTT01C2004A	0.05	(0.01)	11,865	-	PTTG13C2008A	0.48	0.12	4,074	-
MINT19P2004A	1.40	0.19	1,507	1.00	PTT01C2004B	0.03	(0.01)	1,660	-	PTTG13C2009A	0.63	0.09	618,863	-
MINT24C2006A	-	-	-	-	PTT01C2007A	0.12	(0.02)	55,789	-	PTTG13P2004A	-	-	-	-
MINT28C2006A	0.01	-	10	-	PTT01C2007B	0.05	-	99,138	-	PTTG13P2008A	0.46	(0.07)	613	-
MINT28C2008A	0.05	-	6,654	-	PTT01P2004A	0.78	0.08	746	-	PTTG16C2006A	-	-	-	-
MINT41C2004A	-	-	-	-	PTT01P2004B	0.28	0.05	2,381	-	PTTG19C2006A	-	-	-	-
MINT41C2005A	-	-	-	-	PTT01P2007A	1.14	0.07	3,721	1.00	PTTG19C2006B	-	-	-	-
MINT41C2007A	-	-	-	-	PTT01P2007B	0.67	0.07	6,085	-	PTTG19C2008A	0.13	0.04	6,538	-
MINT41P2004A	-	-	-	-	PTT06C2005A	-	-	-	-	PTTG19C2008B	0.74	0.12	22,832	-
MINT42C2004A	-	-	-	-	PTT06C2008A	0.76	(0.06)	35,941	-	PTTG19C2009A	0.49	0.08	290,195	-
MTC01C2007B	0.02	(0.01)	114	-	PTT08C2005A	-	-	-	-	PTTG19P2006A	-	-	-	-
MTC01C2008A	0.16	(0.02)	106,990	-	PTT08C2008A	0.55	(0.03)	71,364	-	PTTG19P2009A	0.51	(0.04)	192,344	-
MTC03C2005A	-	-	-	-	PTT08P2005A	0.49	0.15	500	-	PTTG24C2008A	0.68	0.03	13,419	-
MTC06C2007A	-	-	-	-	PTT11C2004A	-	-	-	-	PTTG27P2006A	-	-	-	-
MTC06C2009A	1.06	0.06	39,484	1.00	PTT11C2008A	0.07	-	2,307	-	PTTG28C2006A	-	-	-	-
MTC08C2005A	-	-	-	-	PTT13C2006A	0.05	(0.01)	1,748	-	PTTG28C2008A	0.31	0.07	261,987	-
MTC08C2009A	1.03	(0.04)	115,540	1.00	PTT13C2008A	0.12	(0.02)	35,447	-	PTTG41C2004A	-	-	-	-
MTC11C2008A	-	-	-	-	PTT13C2008B	0.51	(0.01)	270	-	PTTG41C2005A	-	-	-	-
MTC13C2007A	0.04	(0.01)	1,971	-	PTT13C2009A	0.50	(0.03)	97,372	-	PTTG41C2006A	-	-	-	-
MTC16C2007A	-	-	-	-	PTT13P2004A	-	-	-	-	PTTG41C2007A	0.68	0.05	25,581	-
MTC19C2006A	0.03	0.01	695	-	PTT13P2006A	-	-	-	-	PTTG41C2008A	0.91	0.04	8,172	-
MTC19C2009A	0.84	(0.04)	130,309	-	PTT13P2008A	0.13	0.02	63,235	-	PTTG41P2006A	-	-	-	-
MTC19P2004A	0.38	(0.09)	32,093	-	PTT13P2009A	0.41	0.01	126,089	-	PTTG42C2007A	0.03	-	200	-
MTC24C2004A	-	-	-	-	PTT16C2008A	0.03	0.01	1,460	-	QH01C2006A	0.12	0.05	1	-
MTC27C2007A	0.05	-	1,000	-	PTT19C2005A	0.04	(0.01)	27,193	-	QH01C2006B	-	-	-	-
MTC28C2006A	-	-	-	-	PTT19C2008A	0.54	(0.01)	800	-	QH01P2006A	0.57	(0.08)	6	-
MTC28C2008A	0.13	(0.01)	1,000	-	PTT19C2009A	0.47	(0.02)	109,564	-	QH11C2006A	-	-	-	-
MTC41C2004A	-	-	-	-	PTT19P2006A	0.68	0.01	500	-	QH19C2006A	-	-	-	-
MTC41C2007A	0.42	(0.03)	56,669	-	PTT19P2009A	0.28	0.01	176,133	-	QH27C2007A	-	-	-	-
MTC41P2004A	-	-	-	-	PTT24C2008A	-	-	-	-	RATC01C2006A	0.24	(0.06)	350	-
ORI13C2004A	-	-	-	-	PTT28C2007A	-	-	-	-	RATC01C2006B	-	-	-	-
ORI19C2005A	-	-	-	-	PTT28C2008A	0.20	(0.02)	47,322	-	RATC01P2006A	0.94	0.05	210	-
ORI28C2007A	0.03	-	102	-	PTT28C2008B	0.50	(0.04)	80	-	RATC06C2006A	0.03	0.01	2	-
ORI28C2012A	0.55	(0.02)	28,774	-	PTT28C2009C	-	-	-	-	RATC06C2009A	0.68	(0.32)	30,873	-
ORI41C2004A	-	-	-	-	PTT41C2004A	-	-	-	-	RATC06P2006A	0.38	0.09	79,513	-
OSP01C2006A	0.23	(0.04)	11,565	-	PTT41C2005A	0.14	(0.10)	12,066	-	RATC13C2004A	-	-	-	-
OSP01C2006B	-	-	-	-	PTT41C2006A	-	-	-	-	RATC13C2007A	0.16	(0.04)	21	-
OSP01P2006A	0.55	0.03	617	-	PTT41C2007A	-	-	-	-	RATC16C2008A	0.14	(0.02)	25	-
OSP06C2005A	-	-	-	-	PTT41P2004A	-	-	-	-	RATC19C2005A	0.07	0.01	3	-
OSP06C2008A	0.61	(0.07)	36,028	-	PTT41P2005A	-	-	-	-	RATC19C2007A	0.64	0.43	32,257	-
OSP08C2004A	-	-	-	-	PTT41P2006A	-	-	-	-	RATC24C2006A	-	-	-	-
OSP11C2005A	0.09	-	1,050	-	PTT42C2007A	0.05	0.01	1,004	-	RATC27C2004A	0.01	-	5	-
OSP13C2004A	-	-	-	-	PTTE01C2004A	0.02	-	18,713	-	RATC27C2007A	-	-	-	-
OSP13C2006A	0.07	0.01	1	-	PTTE01C2004B	0.01	(0.01)	200	-	RATC41C2004A	-	-	-	-
OSP16C2008A	0.08	0.03	1	-	PTTE01C2007A	0.05	-	95,127	-	RATC41C2005A	-	-	-	-
OSP19C2004A	-	-	-	-	PTTE01C2007B	0.03	-	130,889	-	RATC41C2006A	0.52	(0.06)	9,884	-
OSP19C2005A	-	-	-	-	PTTE01P2004A	1.63	0.16	360	1.00	RATC41P2004A	-	-	-	-
OSP19C2009A	0.43	(0.02)	208,861	-	PTTE01P2004B	1.02	0.13	599	-	RATC41P2006A	-	-	-	-
OSP24C2008A	0.16	(0.02)	5	-	PTTE01P2007A	2.52	0.14	985	2.00	RATC42C2006A	-	-	-	-
OSP41C2004A	-	-	-	-	PTTE01P2007B	2.38	0.30	878	2.00	RS06C2004A	-	-	-	-
OSP41C2005A	0.12	(0.09)	2,198	-	PTTE06C2006A	-	-	-	-	RS08P2006A	0.73	(0.02)	1,520	-
OSP41P2004A	0.36	0.04	600	-	PTTE06C2008A	1.64	(0.17)	79,409	1.00	RS13C2004A	-	-	-	-
OSP42C2005A	-	-	-	-	PTTE06P2006A	3.52	0.28	48,183	3.00	RS13C2006A	-	-	-	-
PLAN08C2004A	-	-	-	-	PTTE08C2005A	0.01	(0.01)	1,500	-	RS16C2005A	-	-	-	-
PLAN13C2005A	-	-	-	-	PTTE08C2008A	1.74	(0.11)	49,669	1.00	RS19C2004A	-	-	-	-
PLAN13C2007A	0.02	-	1,798	-	PTTE08P2005A	1.48	0.07	400	1.00	RS19C2005A	-	-	-	-
PLAN19C2005A	-	-	-	-	PTTE08P2006A	-	-	-	-	RS19C2007A	0.12	0.01	46,517	-
PLAN19C2007A	0.02	-	1,130	-	PTTE11C2006A	-	-	-	-	RS24C2004A	-	-	-	-
PLAN19C2010A	0.63	(0.10)	216,136	-	PTTE13C2006A	0.03	-	4,441	-	RS24C2008A	0.07	(0.01)	157	-
PLAN24C2006A	0.01	-	15,002	-	PTTE13C2008A	0.07	-	13,450	-	RS41C2004A	-	-	-	-
PLAN27C2008A	0.01	-	1	-	PTTE13C2008B	0.59	(0.08)	748	-	RS42C2004A	-	-	-	-
PLAN28C2005A	0.01	-	10	-	PTTE13C2009A	1.27	(0.09)	102,169	1.00	RS42C2008A	0.31	(0.02)	14,072	-
PLAN28C2012A	0.53	(0.07)	112,648	-	PTTE13P2006A	2.38	0.16	315	2.00	S10001C2011A	0.04	(0.01)	22,054	-
PLAN41C2004A	-	-	-	-	PTTE13P2008A	0.36	0.07	41,686	-	S5001C2004A	0.01	(0.01)	15,670	-
PLAN41C2005A	-	-	-	-	PTTE13P2009A	0.90	0.04	333,438	-	S5001C2005A	0.03	-	78,364	-
PLAN41C2006A	-	-	-	-	PTTE16C2009A	0.06	(0.01)	102	-	S5001C2006F	0.04	(0.01)	94,768	-
PLAN42C2007A	-	-	-	-	PTTE19C2006A	0.01	(0.01)	3,759	-	S5001C200				

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG01C2005A	0.08	-	202	-	PTTE28C2005A	0.01	-	4,000	-	S5006C2006B	0.07	0.01	5,899	-



## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006C2006C	0.97	(0.08)	249,177	1.00	SAWA19C2005A	0.01	-	10	-	SPAL01C2004B	-	-	-	-
S5006C2006D	1.17	(0.09)	294,314	1.00	SAWA19C2009A	0.60	(0.10)	118,375	-	SPAL06P2004A	-	-	-	-
S5006C2006E	1.15	0.15	605,294	1.00	SAWA19C2009B	0.70	(0.06)	120,650	-	SPAL06P2009A	0.46	(0.54)	15,450	-
S5006P2006A	-	-	-	-	SAWA24C2004A	-	-	-	-	SPAL11C2006A	0.11	(0.03)	1	-
S5006P2006B	-	-	-	-	SAWA27C2007A	0.09	(0.02)	200	-	SPAL13C2006A	-	-	-	-
S5006P2006C	0.50	0.03	150,781	-	SAWA28C2007A	-	-	-	-	SPAL19C2004A	-	-	-	-
S5006P2006D	0.44	0.02	61,617	-	SAWA28C2008A	-	-	-	-	SPAL27C2008A	-	-	-	-
S5006P2006E	1.21	0.21	632,027	1.00	SAWA28C2012A	0.50	(0.04)	115,623	-	SPAL41C2004A	-	-	-	-
S5008C2006A	0.07	(0.02)	29,469	-	SAWA41C2005A	-	-	-	-	SPRC01C2007A	0.04	-	12,357	-
S5008C2006B	2.00	(0.24)	426,150	2.00	SAWA41P2005A	-	-	-	-	SPRC06C2007A	0.02	-	6,797	-
S5008C2006C	1.28	(0.14)	281,676	1.00	SCB01C2004A	0.01	-	29,076	-	SPRC06P2007A	1.97	0.04	61,147	1.00
S5008P2006A	0.26	0.01	36,256	-	SCB01C2004B	0.01	-	5,211	-	SPRC08C2005A	-	-	-	-
S5008P2006B	0.51	-	70,072	-	SCB01C2007A	0.08	(0.01)	6,540	-	SPRC08C2006A	-	-	-	-
S5013C2006A	0.06	(0.01)	421,294	-	SCB01C2007B	0.03	(0.01)	506	-	SPRC11C2005A	-	-	-	-
S5013C2006B	0.07	-	268,452	-	SCB01C2008B	0.22	-	125	-	SPRC11C2008A	0.09	0.03	255	-
S5013C2006C	0.11	(0.02)	79,273	-	SCB01C2009A	0.44	(0.07)	1,800	-	SPRC13C2006A	0.03	0.01	427	-
S5013C2006D	0.16	(0.02)	126,968	-	SCB01P2004A	-	-	-	-	SPRC13C2008A	0.09	0.06	5,697	-
S5013C2006E	0.60	(0.07)	40,931	-	SCB01P2004B	1.29	(0.16)	18	1.00	SPRC19C2005A	-	-	-	-
S5013C2006F	1.37	(0.14)	1,856,125	1.00	SCB01P2007A	1.32	0.08	286	1.00	SPRC19C2005B	-	-	-	-
S5013C2006G	0.98	(0.12)	5,434,597	1.00	SCB01P2007B	1.29	0.08	101	1.00	SPRC19C2007A	0.05	(0.01)	1,499	-
S5013P2006A	4.20	-	42	4.00	SCB06C2007A	0.02	-	30	-	SPRC19P2005A	0.99	(0.07)	2	-
S5013P2006B	3.04	(0.06)	131	3.00	SCB08C2005A	0.02	-	90	-	SPRC28C2008A	0.05	0.02	1,441	-
S5013P2006C	2.60	0.12	34	2.00	SCB08C2007A	0.11	(0.01)	161	-	SPRC41C2004A	-	-	-	-
S5013P2006D	2.10	0.08	234,722	2.00	SCB08P2004A	-	-	-	-	SPRC41C2005A	-	-	-	-
S5013P2006E	1.39	0.13	349,611	1.00	SCB11C2005A	-	-	-	-	SPRC41C2006A	-	-	-	-
S5013P2006F	0.33	0.01	578,268	-	SCB11C2006A	0.01	-	2,085	-	SPRC42C2006A	-	-	-	-
S5013P2006G	0.39	0.02	4,482,690	-	SCB11C2008A	-	-	-	-	STA01C2008B	-	-	-	-
S5013P2006H	0.92	0.04	9,667,330	-	SCB11P2005A	-	-	-	-	STA01C2009A	0.27	(0.03)	13,786	-
S5016C2006A	0.05	(0.01)	5,742	-	SCB13C2006A	0.01	-	20,458	-	STA01P2009A	0.44	-	42	-
S5016C2006B	0.11	(0.04)	12	-	SCB13C2006B	-	-	-	-	STA11C2005A	0.08	-	120	-
S5016C2006C	1.30	(0.11)	131,153	1.00	SCB13C2007A	-	-	-	-	STA13C2006A	0.10	-	9,663	-
S5016C2006D	1.26	(0.14)	191,901	1.00	SCB13C2008A	0.55	(0.04)	10	-	STA19C2004A	-	-	-	-
S5016P2006A	-	-	-	-	SCB13C2009A	0.87	(0.07)	360,894	-	STA19C2005A	-	-	-	-
S5016P2006B	1.23	(3.11)	5	1.00	SCB13P2006A	-	-	-	-	STA19C2007A	0.11	(0.02)	1,764	-
S5016P2006C	0.52	0.02	66,052	-	SCB13P2008A	0.61	-	2,880	-	STA19C2009A	0.30	(0.03)	334,248	-
S5016P2006D	0.56	0.03	106,465	-	SCB16C2008A	-	-	-	-	STA42C2007A	0.11	-	1,001	-
S5019C2006A	0.06	(0.01)	41,775	-	SCB19C2006A	-	-	-	-	STEC01C2004A	-	-	-	-
S5019C2006B	-	-	-	-	SCB19C2007A	-	-	-	-	STEC01C2006A	0.26	-	294	-
S5019C2006C	0.87	(0.02)	189	-	SCB19C2008A	0.90	(0.09)	67,103	-	STEC01C2006B	0.07	0.02	4,391	-
S5019C2006D	1.09	(0.12)	1,023,182	1.00	SCB19C2010A	0.57	(0.05)	96,091	-	STEC01P2006A	0.48	(0.02)	4,287	-
S5019C2006E	0.58	(0.12)	809,013	-	SCB19P2005A	-	-	-	-	STEC06C2004A	-	-	-	-
S5019C2006F	1.54	(0.17)	365,121	1.00	SCB24C2004A	-	-	-	-	STEC08C2004A	-	-	-	-
S5019C2006G	0.35	(0.08)	500,220	-	SCB24C2008A	0.61	(0.06)	13,958	-	STEC08C2005A	-	-	-	-
S5019C2009A	3.14	(0.16)	66,124	3.00	SCB27C2007A	0.01	-	808	-	STEC11C2007A	-	-	-	-
S5019P2006A	3.54	0.02	35	3.00	SCB27P2006A	-	-	-	-	STEC13C2004A	0.02	-	600	-
S5019P2006B	3.20	0.32	71	3.00	SCB28C2006A	0.03	(0.02)	2,500	-	STEC16C2006A	0.09	-	1	-
S5019P2006C	2.32	(0.10)	93	2.00	SCB28C2006B	-	-	-	-	STEC16C2009A	0.18	0.03	212	-
S5019P2006D	0.57	0.03	642,340	-	SCB28C2008A	-	-	-	-	STEC19C2004A	-	-	-	-
S5019P2006E	0.34	0.01	54,792	-	SCB28C2010A	0.58	(0.05)	34,685	-	STEC19C2005A	-	-	-	-
S5019P2006F	0.22	0.02	1,154,488	-	SCB41C2005A	-	-	-	-	STEC19C2009A	0.48	-	120,563	-
S5024C2006A	0.05	(0.02)	4,895	-	SCB41C2006A	-	-	-	-	STEC24C2006A	-	-	-	-
S5024C2006B	0.05	(0.02)	5,258	-	SCB41C2006B	-	-	-	-	STEC28C2005A	-	-	-	-
S5024C2006C	2.30	(0.16)	12,717	2.00	SCB41C2008A	0.74	(0.08)	120,344	-	STEC28C2012A	0.34	0.02	52,534	-
S5024C2006D	1.30	(0.12)	17,340	1.00	SCB41P2005A	-	-	-	-	STEC41C2004A	-	-	-	-
S5024C2009A	0.08	0.01	5,919	-	SCB42C2006A	-	-	-	-	STEC41C2005A	-	-	-	-
S5024C2009B	1.14	(0.16)	64,524	1.00	SCB42C2007A	-	-	-	-	STEC41C2006A	0.26	0.13	20,012	-
S5024P2006A	19.10	(0.70)	1	19.00	SCC01C2004A	0.10	0.03	1,220	-	STEC41P2004A	-	-	-	-
S5024P2006B	10.80	(0.30)	60	10.00	SCC01C2004B	0.01	(0.01)	3,000	-	STEC41P2005A	0.43	(0.03)	1	-
S5024P2006C	1.60	0.48	105	1.00	SCC01P2004A	1.06	(0.06)	1,760	1.00	STEC42C2004A	0.21	(0.01)	5,560	-
S5024P2006D	1.54	0.09	686,478	1.00	SCC06C2007A	0.09	-	117,468	-	SUPE19C2004A	-	-	-	-
S5028C2004A	-	-	-	-	SCC08C2004A	-	-	-	-	SUPE19C2007A	0.10	0.01	71,578	-
S5028C2004B	-	-	-	-	SCC08P2006A	0.58	(0.02)	360	-	TAPE19C2004A	-	-	-	-
S5028C2006A	0.05	-	2,322	-	SCC11C2006A	-	-	-	-	TASCO1C2007B	0.17	0.03	1,124	-
S5028C2006B	0.09	(0.01)	500	-	SCC11C2007A	0.13	-	600	-	TASCO1C2008A	0.42	0.06	3,619	-
S5028C2006C	1.58	(0.19)	2,303,006	1.00	SCC13C2004A	-	-	-	-	TASCO1P2008A	0.87	(0.21)	177	-
S5028C2006D	2.18	(0.26)	31	2.00	SCC13C2008A	0.60	0.11	20	-	TASCO8C2005A	-	-	-	-
S5028C2009A	1.11	(0.12)	1,361,090	1.00	SCC13C2009A	0.77	(0.01)	170,745	-	TASCO8C2006A	0.14	-	12	-
S5028P2004A	4.14	0.86	813	3.00	SCC13P2006A	0.53	(0.01)	5	-	TASC13C2006A	0.12	0.03	2,342	-
S5028P2004B	2.70	0.28	1	2.00	SCC13P2009A	1.35	(0.01)	63,953	1.00	TASC16C2008A	0.14	0.07	202	-
S5028P2006A	1.72	0.08	2,388,538	1.00	SCC16C2005A	-	-	-	-	TASC19C2006A	0.28	0.01	2,350	-
S5028P2006B	1.16	0.10	12,077	1.00	SCC19C2006A	0.05	-	1	-	TASC19C2007A	0.14	0.01	421	-
S5028P2006C	0.59	0.04	721,855	-	SCC19C2008A	0.76	(0.01)	87,386	-	TASC19C2009A	0.48	0.04	402,613	-
S5028P2009A	1.65	0.04	1,534,884	1.00	SCC19C2010A	0.71	0.01	112,423	-	TASC19P2004A	0.06	(0.16)	1,300	-
S5041C2006A	0.62	(0.11)	40,432	-	SCC19P2004A	-	-	-	-	TASC24C2006A	-	-	-	-
S5041C2006B	1.00	0.05	21,793	1.00	SCC19P2010A	0.68	(0.01)	51,034	-	TASC28C2006A	-	-	-	-
S5041C2006C	2.50	(0.24)	652,458	2.00	SCC24C2006A	-	-	-	-	TASC28C2012A	0.30	0.03	91,631	-
S5041C2006D	4.14	(0.22)	6,010	4.00	SCC27P2008A	0.29	(0.02)	1,865	-	TASC41C2004A	-	-	-	-
S5041C2006E	1.51	(0.11)	10,773	1.00	SCC28C2008A	-	-	-	-	TASC41C2005A	0.31	0.04	100,340	-
S5041C2006F	1.23	(0.11)	711,383	1.00	SCC28C2010A	0.58	0.01	45,366	-	TASC42C2005A	0.04	-	1,700	-
S5041C2006G	0.63	(0.08)	2,450,384	-	SCC41C2005A	-	-	-	-	TCAP01C2007B	-	-	-	-
S5041P2006A	6.20	0.30	40	6.00	SCC41C2006A	-	-	-	-	TCAP01C2008A	0.09	-	14,387	-
S5041P2006B	4.90	0.02	14,000	4.00	SCC41C2006B	0.86	(0.01)	47,038	-	TCAP01P2008A	1.76	(0.06)	9	1.00
S5041P2006C	2.64	0.14	87,658	2.00	SCC41P2005A	-	-	-	-	TCAP13C2007A	-	-	-	-
S5041P2006D	2.06	0.09	1,122,139	1.00	SCC41P2006A	-	-	-	-	TCAP19C2004A	0.06	0.03	1	-
S5041P2006E	0.87	0.02	8,286	-	SCC42C2008A	-	-	-	-	TCAP41C2004A	-	-	-	-
S5041P2006F	0.52	0.03	73,672	-	SGP13C2004A	-	-	-	-	THAI19C2004A	0.21	0.05	1,011	-
S5041P2006G	0.98	0.06	1,891,060	-	SGP13C2006A	-	-	-	-	THAI27C2008A	0.49	(0.19)	305	-
SAWA01C2006A	0.13	(0.03)	24,866	-	SGP13C2007A	-	-	-	-	THAI42C2005A</				

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA06C2007A	0.05	(0.02)	1,200	-	SGP42C2007A	2.42	0.34	2,000	2.00	THAN01P2006A	0.94	0.11	136	-
SAWA08C2006A	0.06	(0.01)	1	-	SIRI13C2007A	-	-	-	-	THAN06C2005A	-	-	-	-
SAWA13C2005A	0.01	-	300	-	SIRI19C2004A	-	-	-	-	THAN13C2007A	-	-	-	-
SAWA13C2007A	0.05	-	265	-	SIRI19C2007A	-	-	-	-	THAN19C2004A	-	-	-	-
SAWA16C2008A	0.07	-	112	-	SPAL01C2004A	0.08	-	10	-	THAN19C2007A	-	-	-	-

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAN1C2005A	-	-	-	-	TRUE19C2006A	0.11	0.02	1	-	BKD-W2	0.07	0.01	13,707	-
TISCO1C2006A	0.20	0.02	44,087	-	TRUE19C2007A	0.23	(0.04)	1,360	-	BTS-W5	0.80	(0.03)	245,968	-
TISCO1C2006B	-	-	-	-	TRUE19C2009A	0.45	(0.03)	90,189	-	CGD-W4	0.04	-	8,374	-
TISCO1P2006A	0.98	(0.04)	929	-	TRUE19P2005A	-	-	-	-	CGH-W3	0.01	-	102	-
TISC11C2005A	-	-	-	-	TRUE28C2006A	0.04	0.02	24,130	-	CI-W1	0.01	-	5	-
TISC11C2007A	0.11	(0.02)	1,600	-	TRUE28C2012A	0.26	(0.01)	12,190	-	CKP-W1	0.02	-	401,586	-
TISC13C2006A	0.03	-	120	-	TRUE41C2004A	-	-	-	-	CRANE-W1	0.74	(0.26)	1,603	-
TISC19C2004A	-	-	-	-	TRUE41C2005A	-	-	-	-	DCC-W3	0.29	(0.02)	254,654	-
TISC19C2006A	0.03	-	1,280	-	TRUE41C2006A	-	-	-	-	ECL-W1	0.11	(0.03)	158,301	-
TISC41C2005A	-	-	-	-	TRUE41C2007A	-	-	-	-	EIC-W2	-	-	-	-
TISC41C2006A	0.11	0.01	262	-	TRUE41P2005A	-	-	-	-	EIC-W3	-	-	-	-
TISC41P2006A	1.17	(0.05)	1,315	1.00	TRUE42C2004A	-	-	-	-	EMC-W3	0.03	-	594	-
TKN01C2007B	-	-	-	-	TRUE42C2007A	-	-	-	-	EPCO-W6	0.24	(0.02)	7,446	-
TKN01C2008A	0.20	0.01	250	-	TTW27C2009A	0.23	(0.01)	5,638	-	GLOCON-W4	0.15	-	50,666	-
TKN08C2007A	-	-	-	-	TU01C2004A	0.02	(0.04)	3,295	-	J-W1	0.17	0.06	10,858	-
TKN13C2006A	-	-	-	-	TU01C2004B	0.01	(0.03)	2,640	-	JAS-W3	0.76	0.11	949,548	-
TKN16C2008A	-	-	-	-	TU01P2004A	0.12	-	13,777	-	JCK-W5	0.02	(0.02)	16,576	-
TKN19C2004A	-	-	-	-	TU06C2004A	-	-	-	-	JMT-W2	3.16	(0.14)	4,232	3.00
TKN19C2004B	-	-	-	-	TU06P2007A	0.38	(0.01)	16,690	-	MACO-W2	0.06	(0.01)	412,885	-
TKN19C2007A	-	-	-	-	TU08C2008A	0.21	(0.02)	47,700	-	MILL-W4	0.03	0.01	48,645	-
TKN19C2010A	0.44	(0.01)	59,164	-	TU11C2008A	0.24	0.01	50	-	MILL-W5	0.01	-	10	-
TKN28C2007A	-	-	-	-	TU13C2004A	-	-	-	-	MINT-W6	2.16	0.04	649,344	2.00
TKN28C2012A	0.33	-	38,119	-	TU19C2005A	0.11	(0.01)	2,100	-	NFC-W1	0.39	(0.04)	41	-
TKN41C2005A	-	-	-	-	TU19C2007A	0.13	-	1,419	-	NOK-W1	0.02	(0.01)	127,189	-
TKN41C2006A	-	-	-	-	TU19C2009A	0.16	(0.01)	145,894	-	NVD-W1	0.07	-	1,205	-
TKN42C2006A	0.39	-	11,523	-	TU24C2006A	-	-	-	-	ORI-W1	0.14	-	291,520	-
TMB01C2004A	0.02	0.01	1	-	TU27C2004A	-	-	-	-	PACE-W2	-	-	-	-
TMB01C2004B	-	-	-	-	TU27C2006A	0.08	-	300	-	PACE-W3	-	-	-	-
TMB01P2004A	-	-	-	-	TU41C2005A	0.25	(0.01)	200	-	PDI-W1	0.30	(0.03)	11,226	-
TMB19C2004A	-	-	-	-	TU41C2009A	0.25	(0.03)	1,000	-	PDJ-W4	0.17	(0.02)	70	-
TMB19C2007A	0.04	(0.01)	3,680	-	TU42C2007A	-	-	-	-	PERM-W1	0.08	-	3,290	-
TMB19P2004A	-	-	-	-	TVO13C2007A	-	-	-	-	PORT-W1	0.49	(0.02)	7,095	-
TMB41C2004A	-	-	-	-	TVO19C2004A	-	-	-	-	PPPM-W4	0.12	-	221,520	-
TMB41C2005A	-	-	-	-	TVO19C2007A	-	-	-	-	PRIME-W1	0.01	-	9	-
TMB41P2006A	-	-	-	-	VGI01C2005A	0.03	(0.01)	10,333	-	PRIME-W2	0.02	-	10	-
TOA01C2006A	-	-	-	-	VGI06C2007A	0.10	(0.02)	46,751	-	RICHY-W2	0.01	(0.01)	299	-
TOA01C2006B	-	-	-	-	VGI08C2006A	-	-	-	-	RS-W3	0.21	(0.02)	204,481	-
TOA13C2007A	-	-	-	-	VGI11C2008A	-	-	-	-	SAMART-W2	0.37	(0.04)	41,338	-
TOA19C2004A	-	-	-	-	VGI13C2006A	-	-	-	-	SAWAD-W1	6.25	(0.65)	18,451	6.00
TOA19C2007A	0.38	(0.09)	287,578	-	VGI19C2006A	-	-	-	-	SDC-W1	0.08	-	100	-
TOA24C2005A	-	-	-	-	VGI41C2006A	-	-	-	-	SINGER-W1	1.39	-	2	1.00
TOA41C2004A	-	-	-	-	VGI41C2007A	-	-	-	-	SINGER-W2	-	-	-	-
TOP01C2006A	0.02	(0.01)	26,077	-	WHA01C2005A	0.02	(0.01)	1,595	-	SMT-W2	-	-	-	-
TOP01C2006B	0.02	-	3,212	-	WHA01C2005B	-	-	-	-	SST-W2	0.32	(0.04)	264	-
TOP01C2008B	0.18	0.01	4,954	-	WHA01C2008B	-	-	-	-	SUPER-W4	0.01	-	19,131	-
TOP01C2009A	0.35	0.02	21,272	-	WHA01C2009A	0.42	(0.06)	2,087	-	TCC-W3	0.02	(0.01)	4,501	-
TOP01P2006A	2.32	(0.14)	584	2.00	WHA01P2005A	1.28	0.27	273	1.00	TCC-W4	0.02	(0.01)	70,019	-
TOP01P2009A	0.75	(0.04)	48,078	-	WHA01P2009A	0.48	0.05	15,564	-	TCC-W5	0.10	-	1,015	-
TOP06C2004A	-	-	-	-	WHA06C2007A	-	-	-	-	TCJ-W2	0.02	-	10,124	-
TOP06C2007A	0.04	(0.03)	14,413	-	WHA08C2005A	-	-	-	-	TFG-W2	0.01	-	509	-
TOP06C2008A	0.80	0.03	3,859	-	WHA08C2006A	-	-	-	-	TGPRO-W3	-	-	-	-
TOP06P2005A	-	-	-	-	WHA08P2006A	0.84	0.03	200	-	TH-W2	0.02	0.01	6,705	-
TOP08C2007A	0.05	(0.02)	10,001	-	WHA11C2008A	0.05	-	700	-	THE-W2	-	-	-	-
TOP08P2007A	-	-	-	-	WHA13C2005A	-	-	-	-	TNITY-W1	0.10	(0.01)	3,625	-
TOP11C2007A	0.02	-	1,256	-	WHA13C2006A	0.05	(0.02)	1,600	-	TRITN-W3	0.06	-	12,764	-
TOP13C2006A	0.06	-	400	-	WHA16C2006A	0.01	-	103	-	TTCL-W1	0.33	(0.05)	65,146	-
TOP13C2008A	0.11	-	4,294	-	WHA16C2008A	-	-	-	-	U-W4	-	-	-	-
TOP13C2008B	0.64	0.03	370,109	-	WHA19C2004A	-	-	-	-	UAC-W2	0.10	-	15,359	-
TOP13P2005A	-	-	-	-	WHA19C2005A	-	-	-	-	VGI-W2	0.67	(0.03)	497,841	-
TOP13P2006A	-	-	-	-	WHA19C2006A	0.03	(0.02)	13,514	-	VIBHA-W2	0.61	-	7,721	-
TOP16C2008A	0.03	(0.04)	200	-	WHA19C2010A	0.43	(0.09)	54,721	-	VIBHA-W3	0.12	-	60,999	-
TOP19C2006A	-	-	-	-	WHA24C2004A	-	-	-	-	WAVE-W1	-	-	-	-
TOP19C2007A	0.05	0.01	1	-	WHA24C2007A	0.29	(0.11)	35,102	-	WIHK-W2	0.10	-	14,020	-
TOP19C2008A	0.35	0.03	331,425	-	WHA27C2008A	-	-	-	-	ZMICO-W4	0.05	(0.01)	1,005	-
TOP19P2006A	-	-	-	-	WHA28C2005A	-	-	-	-	Preferred Shares	-	-	-	-
TOP24C2007A	0.03	0.01	2,799	-	WHA28C2006A	-	-	-	-	BH-P	-	-	-	-
TOP24C2008A	0.64	0.04	17,843	-	WHA28C2012A	0.34	(0.06)	69,996	-	CSC-P	-	-	-	-
TOP41C2004A	-	-	-	-	WHA41C2004A	-	-	-	-	JUTHA-P	-	-	-	-
TOP41C2005A	-	-	-	-	WHA41C2005A	-	-	-	-	KTB-P	-	-	-	-
TOP41C2006A	-	-	-	-	WHA41C2006A	-	-	-	-	SCB-P	-	-	-	-
TOP41C2007A	0.24	-	10	-	WHA41C2007A	0.27	0.16	2,198	-	TCAP-P	-	-	-	-
TOP41C2008A	0.53	0.05	3,301	-	WHA41P2005A	-	-	-	-	TISCO-P	-	-	-	-
TOP41P2004A	-	-	-	-	WHA42C2005A	-	-	-	-	U-P	1.66	-	21,764	1.00
TOP41P2005A	-	-	-	-	WHA42C2006A	0.02	(0.01)	14,900	-	Warrant (MAI)	-	-	-	-
TOP41P2006A	-	-	-	-	Preferred/Foreign	-	-	-	-	BM-W1	0.03	-	14,249	-
TOP42C2007A	-	-	-	-	BH-Q	-	-	-	-	BROOK-W5	0.11	-	41,392	-
TPI19C2004A	0.02	(0.02)	151	-	CSC-Q	-	-	-	-	CHO-W2	0.05	0.01	70,042	-
TRUE01C2004A	0.02	-	11	-	JUTHA-Q	-	-	-	-	D-W1	0.30	-	223	-
TRUE01C2004B	0.01	-	295	-	KTB-Q	-	-	-	-	DOD-W1	0.37	(0.03)	146,049	-
TRUE01C2007A	0.29	(0.01)	1,582	-	SCB-Q	-	-	-	-	ECF-W3	0.19	(0.01)	2,379	-
TRUE01C2007B	-	-	-	-	TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE01P2004A	-	-	-	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE01P2004B	0.20	0.06	352	-	U-Q	-	-	-	-	FVC-W2	0.01	-	2,457	-
TRUE01P2007B	0.46	0.02	7,071	-	Warrant	-	-	-	-	HPT-W1	0.20	(0.01)	1,858	-
TRUE06C2004A	-	-	-	-	7UP-W4	0.07	-	24,755	-	HYDRO-W1	-	-	-	-
TRUE06C2007A	0.11	(0.01)	39,330	-	AKR-W1	0.03	(0.01)	16,975	-	ITEL-W1	0.25	(0.01)	45,840	-
TRUE08C2004A	0.01	-	10	-	ALT-W1	0.18	(0.01)	9,612	-	JKN-W1	-	-	-	-
TRUE08C2005A	-	-	-	-	APEX-W1	-	-	-	-	LIT-W1	0.43	(0.03)	4,357	-

## Main Board Quotation

Issue Date :

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE08C2007A	-	-	-	-	APURE-W2	0.07	-	8,420	-	META-W4	0.02	-	27,482	-
TRUE08P2005A	-	-	-	-	AS-W1	0.01	-	250	-	NEWS-W6	-	-	-	-
TRUE11C2005A	-	-	-	-	AYUD-W1	-	-	-	-	OCEAN-W3	0.32	0.03	18,200	-
TRUE11C2005B	0.01	(0.01)	800	-	B-W3	-	-	-	-	PROUD-W2	0.04	0.01	1,416	-
TRUE13C2006A	-	-	-	-	B-W4	0.02	-	40	-	RWI-W2	0.05	(0.01)	22,081	-
TRUE13C2007A	0.15	(0.02)	2,657	-	B-W5	0.02	(0.01)	4,304	-	SANKO-W1	0.05	-	1,092	-
TRUE19C2004A	-	-	-	-	B52-W2	-	-	-	-	SIMAT-W2	0.01	(0.01)	40,283	-



**Main Board Quotation**

**Issue Date :**

*Wednesday April 15, 2020*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



**Main Board Quotation**

**Issue Date :**

Wednesday April 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-