

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.88	0.12	50,853	1.84	MCOT	6.10	(0.15)	2,630	6.16
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	2.22	(0.04)	25,139	2.24
SAFARI	-	-	-	-	DIF	16.00	0.20	66,105	15.92	MPIC	1.30	(0.02)	15	1.30
VI	-	-	-	-	DTAC	42.75	0.50	48,705	42.88	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.40	(0.05)	1,064	5.39	PLANB	4.56	0.22	573,054	4.53
WR	-	-	-	-	HUMAN	6.60	-	1,487	6.61	POST	1.70	0.20	272	1.68
Agribusiness	-	-	-	-	ILINK	3.42	0.02	206	3.39	PRAKIT	9.15	(0.05)	2,818	9.24
CHOTI	77.50	(0.50)	3	77.50	INET	2.10	-	4,168	2.08	SE-ED	1.50	0.02	4	1.50
EE	0.53	-	2,793	0.52	INTUCH	53.25	0.50	87,423	53.23	TBSP	13.90	0.80	30	14.10
GFPT	11.50	0.30	40,265	11.38	JAS	3.98	0.06	747,909	3.96	TH	0.46	0.01	163	0.45
LEE	2.06	0.02	474	2.03	JASIF	9.15	0.05	64,101	9.16	TKS	4.96	0.02	2,732	4.97
NER	2.28	(0.22)	207,879	2.27	JMART	8.20	0.10	68,397	8.20	VGI	8.15	0.55	359,137	7.87
PPPM	0.46	-	3,877	0.46	JTS	0.74	0.01	1,615	0.72	WAVE	1.05	0.03	322	1.05
STA	12.80	(0.20)	50,664	12.75	MFEF	4.86	0.02	15,522	4.86	WORK	10.10	0.25	74,185	10.18
TRUBB	0.79	-	9,311	0.79	MSC	4.78	0.04	1,410	4.73	Finance & Securities	-	-	-	-
TWPC	3.28	0.02	11,012	3.30	PT	4.42	0.06	6,616	4.40	AEC	0.21	(0.01)	1,662	0.21
UPOIC	2.34	0.04	291	2.34	SAMART	5.10	-	28,267	5.11	AEONTS	123.00	3.50	13,442	120.92
UVAN	4.02	0.20	2,413	3.95	SAMTEL	5.70	(0.05)	2,969	5.74	AMANAH	2.80	0.02	125,554	2.81
VPO	0.38	-	9,037	0.37	SDC	0.14	0.01	2,118	0.14	ASAP	1.26	0.05	75,583	1.27
Banking	-	-	-	-	SIS	6.70	-	3,242	6.66	ASK	16.00	0.20	20,357	15.99
BAY	21.20	0.10	2,679	21.22	SVOA	0.95	0.04	88,805	0.96	ASP	1.75	-	28,855	1.75
BBL	100.50	0.50	68,386	100.68	SYMC	2.04	0.02	57	2.03	BAM	24.50	1.10	1,751,356	23.92
CIMBT	0.57	-	16,830	0.57	SYNEX	5.80	(0.05)	10,460	5.89	BFIT	27.50	0.25	15,774	27.31
KBANK	84.00	(0.25)	207,473	84.74	THCOM	3.76	0.04	15,080	3.71	CGH	0.75	-	2,903	0.75
KKP	41.75	1.25	51,573	41.48	TRUE	3.26	(0.02)	520,312	3.27	ECL	0.85	0.02	148,528	0.86
KTB	10.60	0.30	159,650	10.48	TWZ	0.05	(0.01)	43,159	0.06	FNS	2.04	0.08	9,247	2.04
LHFG	1.01	0.01	69,494	1.01	Electronic Componen	-	-	-	-	FSS	1.23	0.04	6,443	1.19
SCB	66.00	(0.25)	117,892	66.27	CCET	1.47	0.08	12,378	1.43	GBX	0.40	(0.02)	13,034	0.41
TCAP	35.25	1.00	40,896	34.94	DELTA	45.00	1.75	13,454	45.06	GL	3.14	-	12,434	3.16
TISCO	73.25	2.00	78,190	72.92	EIC	0.07	(0.01)	869,142	0.07	IFS	2.36	(0.04)	4,494	2.39
TMB	0.93	0.02	1,688,903	0.92	HANA	27.75	1.00	51,129	27.55	JMT	18.00	-	87,960	17.99
Construction Materia	-	-	-	-	KCE	15.70	0.70	495,405	15.62	KCAR	7.90	-	1,387	7.90
CCP	0.25	0.01	21,510	0.24	METCO	126.50	0.50	20	126.50	KGI	3.84	0.02	22,117	3.84
COTTO	1.03	0.09	28,984	1.00	NEX	2.54	(0.16)	48,987	2.60	KTC	34.50	1.75	191,043	33.85
DCC	1.56	0.03	108,175	1.56	SMT	0.80	0.01	3,898	0.81	MBKET	6.50	-	5,970	6.50
DCON	0.27	(0.01)	45,765	0.27	SVI	2.44	0.18	60,519	2.38	MFC	12.90	(1.20)	1,990	12.83
DRT	5.30	-	3,115	5.33	TEAM	0.63	0.01	3,868	0.63	ML	0.57	-	6,694	0.57
EPG	4.70	0.12	108,037	4.68	Energy & Utilities	-	-	-	-	MTC	47.50	(0.50)	113,010	47.92
GEL	0.12	-	22,237	0.12	7UP	0.41	(0.02)	163,335	0.42	PE	-	-	-	-
PPP	1.81	0.06	1,170	1.78	ABPIF	3.50	-	115	3.52	PL	2.02	0.02	5,825	2.02
Q-CON	4.40	(0.10)	288	4.40	ACE	3.06	0.02	34,497	3.04	S11	5.40	(0.05)	4,380	5.38
RCI	2.86	0.02	120	2.81	AI	1.17	0.04	151,789	1.17	SAWAD	53.50	(0.50)	105,631	53.89
SCC	340.00	1.00	20,832	339.10	AKR	0.51	(0.01)	7,662	0.52	THANI	3.98	(0.06)	595,348	4.05
SCCC	120.00	0.50	1,144	119.82	BAFS	23.20	0.20	8,535	23.15	TK	7.75	0.40	2,826	7.64
SCP	5.20	(0.05)	1,012	5.17	BANPU	5.60	0.10	222,725	5.54	TNITY	3.52	-	859	3.54
SKN	1.58	(0.01)	4,854	1.56	BCP	18.20	0.10	6,951	18.23	UOBKH	2.80	0.20	966	2.79
TASCO	17.80	(0.30)	107,856	18.02	BCPG	16.10	0.10	17,222	16.15	ZMICO	0.57	(0.01)	8,148	0.56
TCMC	1.17	(0.06)	138,228	1.28	BGRIM	44.00	(0.25)	67,646	44.24	Food & Beverage	-	-	-	-
TOA	38.50	-	38,926	39.05	BPP	15.70	0.60	44,694	15.30	APURE	1.16	0.03	13,904	1.15
TIPL	1.19	0.01	27,478	1.18	BRRGIF	7.05	-	7	7.05	ASIAN	4.48	0.08	11,431	4.52
UMI	0.57	0.05	10,642	0.54	CKP	3.68	0.06	91,138	3.66	BR	2.12	(0.02)	5,572	2.14
VNG	1.99	-	10,771	1.99	DEMCO	2.36	(0.04)	2,964	2.38	BRR	3.00	0.38	7,800	2.90
WHK	1.10	0.01	4,922	1.09	EA	39.75	(0.25)	37,091	40.10	CBG	79.50	0.50	45,254	80.33
Petrochemicals & Che	-	-	-	-	EASTW	10.10	(0.10)	11,094	10.03	CFRESH	1.52	0.06	3,281	1.56
BCT	37.50	-	7	37.61	EGATIF	12.10	0.10	16,777	12.00	CM	2.66	(0.04)	323	2.68
CMAN	1.19	0.01	2,093	1.20	EGCO	290.00	15.00	39,579	289.96	CPF	27.25	(0.75)	398,807	27.49
GC	5.00	-	426	5.02	ESSO	5.05	0.05	129,869	5.05	CPI	1.19	-	1,331	1.19
GGC	8.20	0.10	21,921	8.23	GPSC	70.25	(0.25)	145,167	70.58	F&D	-	-	-	-
GIFT	2.40	(0.04)	3,015	2.43	GULF	39.00	(0.50)	382,506	39.39	HTC	18.10	(0.30)	2,006	18.18
IVL	27.50	-	286,569	27.88	GUNKUL	2.70	0.08	348,373	2.66	ICHI	5.85	0.10	35,680	5.88
NFC	1.50	0.07	92	1.48	IFEC	-	-	-	-	KBS	3.16	0.18	1,477	3.14
PATO	9.50	(0.15)	268	9.57	IRPC	2.62	0.06	917,287	2.61	KSL	1.91	0.11	193,139	1.89
PMTA	7.60	(0.05)	3	7.60	LANNA	6.00	-	439	6.03	KTIS	3.14	(0.06)	987	3.18
PTTGC	37.00	0.25	171,085	37.24	MDX	1.65	0.02	4,562	1.62	LST	5.35	0.15	6,814	5.27
SUTHA	2.06	0.10	3,606	2.03	PRIME	0.27	0.01	9,813	0.26	M	55.00	0.25	7,862	55.26
TCCC	20.90	(0.10)	12	20.88	PTG	13.40	0.20	242,168	13.48	MALEE	5.75	0.10	5,929	5.91
TPA	5.35	-	22	5.34	PTT	34.00	0.50	700,517	33.84	MINT	20.80	0.10	272,080	20.94
UAC	2.86	(0.02)	704	2.89	PTTEP	78.25	1.25	112,477	77.98	OISHI	41.75	1.25	259	41.50
UP	12.90	0.20	4	12.83	RATCH	66.75	(1.75)	194,282	66.57	OSP	41.25	(0.75)	46,747	41.83
VNT	22.20	0.30	4,292	22.17	RPC	0.49	0.01	6,932	0.49	PB	71.00	0.50	33	71.00
WG	-	-	-	-	SCG	3.98	0.04	45	3.94	PM	6.10	0.15	3,462	6.04
YCI	-	-	-	-	SCI	1.12	-	15,090	1.12	PRG	12.30	(0.10)	38	12.30
Commerce	-	-	-	-	SCN	1.70	0.05	11,773	1.68	RBF	4.54	0.02	62,413	4.55
BEAUTY	1.81	0.01	1,500,923	1.82	SGP	7.75	0.05	4,346	7.78	SAPPE	16.20	0.10	1,083	16.18
BIG	0.53	(0.01)	96,646	0.54	SKE	0.74	0.02	4,810	0.72	SAUCE	24.00	0.40	1,417	23.90
BJC	41.50	0.25	40,382	41.44	SOLAR	0.87	(0.02)	56,004	0.89	SFP	124.00	(1.00)	3	124.33
COL	14.10	(0.10)	2,996	14.12	SPCG	17.00	0.50	7,851	16.88	SNP	11.10	(0.10)	19	11.06
COM7	21.10	0.40	100,714	20.91	SPRC	5.30	(0.05)	168,376	5.34	SORKON	46.00	-	10	46.00
CPALL	68.75	-	260,584	68.55	SSP	6.80	0.35	47,758	6.71	SSC	29.25	-	6	29.25
CPW	1.24	-	15,973	1.24	SUPER	0.59	0.06	8,104,966	0.57	SSF	6.95	(0.05)	10,033	6.90
CRC	36.75	(0.50)	153,888	37.20	SUPEREIF	10.00	-	3,290	10.07	SST	3.08	0.10	109	3.05
CSS	1.07	-	62,511	1.05	SUSCO	2.06	(0.02)	11,363	2.07	TC	2.90	0.06	2,218	2.86
DOHOME	7.30	0.05	136,705	7.29	TAE	2.60	0.02	7,294	2.60	TFG	3.70	(0.08)	94,502	3.75
FN	0.84	(0.02)	31,752	0.86	TCC	0.20	0.01	5,199	0.19	TFMAMA	191.00	(0.50)	85	191.77
FTE	1.57	0.03	3,722	1.56	TOP	39.25	0.75	98,547	39.10	TIPCO	5.75	(0.05)	2,729	5.78
GLOBAL	13.50	(0.30)	68,705	13.56	TPIPP	3.86	-	53,261	3.88	TKN	7.20	0.15	86,293	7.19
HMPRO	13.60	(0.40)	313,446	13.60	TSE	2.90	0.02	147,181	2.93	TU	12.80	-	111,492	12.79
ILM	10.20	-	4,312	10.31	TTW	13.60	(0.10)	41,357	13.71	TVO	24.60	0.30	4,014	24.49
IT	1.87	0.03	167	1.86	WHAUP	4.70	0.18	81,520	4.65	ZEN	9.20	0.45	14,708	9.17
KAMART	3.22	0.02	12,469	3.21	WP	4.24	0.02	1,494	4.22	Health Care Services	-	-	-	-
LOXLEY	1.30	0.04	179,143	1.32	Media & Publishing	-	-							

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.94	0.18	106,045	2.91	CGD	0.72	0.01	4,410	0.73	IHL	2.16	0.02	6,636	2.16
RAM	139.00	(1.00)	55	139.28	CI	0.64	0.01	321	0.65	INGRS	0.39	0.02	6,932	0.38
RJH	22.60	(0.10)	798	22.74	CPN	48.75	(1.25)	77,545	49.08	IRC	11.50	0.10	86	11.45
RPH	5.50	0.15	14,293	5.42	ESTAR	0.28	-	21,408	0.28	PCSGH	4.66	(0.22)	45	4.67
SKR	4.88	-	234	4.84	EVER	0.20	0.02	227,511	0.20	SAT	10.30	0.20	5,951	10.31
SVH	416.00	-	4	413.00	FPT	12.10	(0.10)	673	12.09	SPG	-	-	-	-
THG	20.10	(0.30)	2,583	20.19	GLAND	2.18	0.04	1,200	2.14	STANLY	126.00	1.00	280	125.80
VIBHA	1.64	(0.01)	59,679	1.64	GOLD	7.95	-	3,340	7.98	TKT	0.66	(0.02)	876	0.66
VIH	5.90	(0.05)	1,338	5.94	GREEN	0.79	-	1,179	0.79	TNPC	0.69	-	45	0.69
WPH	1.59	0.01	416	1.59	J	0.64	(0.02)	17,580	0.62	TRU	3.56	-	45	3.56
Tourism & Leisure	-	-	-	-	JCK	0.76	0.09	110,117	0.73	TSC	9.95	-	15	9.78
ASIA	3.36	(0.04)	186	3.38	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENDEL	22.10	1.10	101,293	22.02	KWG	0.80	(0.02)	435	0.79	ALLA	1.11	0.01	13,965	1.10
CSR	-	-	-	-	LALIN	4.04	0.10	3,737	3.99	ASEFA	2.84	(0.04)	1,460	2.85
DTC	7.10	-	689	7.07	LH	7.25	(0.05)	253,962	7.29	CPT	0.71	0.02	29,388	0.73
ERW	3.04	0.10	298,409	3.00	LPN	3.50	(0.02)	72,542	3.51	CRANE	1.75	(0.01)	9,253	1.78
GRAND	0.75	0.02	53,320	0.75	MBK	15.90	0.30	77,411	16.19	CTW	-	-	-	-
LRH	34.25	(1.00)	77	34.42	MJD	1.80	0.02	3,818	1.79	FMT	23.70	0.30	43	23.58
MANRIN	-	-	-	-	MK	2.58	-	2,241	2.60	HTECH	2.04	0.04	2,521	2.07
OHTL	-	-	-	-	NCH	0.50	(0.02)	911	0.51	KKC	0.42	-	447	0.40
ROH	-	-	-	-	NNCL	1.68	(0.04)	2,470	1.64	PK	0.93	-	255	0.92
SHANG	63.00	(1.00)	3	63.25	NOBLE	13.50	(0.10)	36,072	13.55	SNC	8.05	0.10	1,947	8.01
SHR	1.92	0.06	414,321	1.91	NUSA	0.39	(0.05)	564,293	0.40	STARK	2.20	-	14,108	2.21
VRANDA	4.54	(0.02)	2,463	4.53	NVD	1.05	-	2,182	1.06	TCJ	2.18	0.04	211	2.20
Home & Office Produ	-	-	-	-	ORI	4.52	0.04	128,857	4.51	VARO	-	-	-	-
ACC	0.62	0.01	693	0.61	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
AJA	0.14	0.01	951,837	0.14	PF	0.36	0.01	560,284	0.35	AIMCG	5.95	-	3,037	5.90
DTCI	-	-	-	-	PLAT	3.22	0.18	31,888	3.14	AIMIRT	11.70	-	2,109	11.69
FANCY	0.38	0.03	23,715	0.37	POLAR	-	-	-	-	AMATAR	10.10	0.10	8	10.06
KYE	241.00	2.00	13	240.92	PRECHA	0.57	(0.05)	361	0.57	B-WORK	11.30	-	1,024	11.25
L&E	1.65	(0.03)	1,236	1.66	PRIN	1.30	0.02	248	1.29	BKER	6.40	-	604	6.40
MODERN	2.46	0.10	13,519	2.42	PSH	10.60	0.10	6,912	10.59	BKKCP	12.00	0.20	45	11.94
OGC	-	-	-	-	QH	2.08	-	261,895	2.08	BOFFICE	14.60	0.10	1,372	14.60
ROCK	-	-	-	-	RICHY	0.59	-	23,380	0.60	CPNCG	10.50	0.10	3,106	10.41
SIAM	1.21	-	3,059	1.20	RML	0.50	0.01	26,697	0.49	CPNREIT	29.75	-	27,335	29.72
TSR	1.87	0.11	3,535	1.84	ROJNA	4.14	(0.02)	4,686	4.15	CPTGF	11.60	-	12	11.61
Insurance	-	-	-	-	S	1.66	0.03	16,573	1.65	CTARAF	4.98	-	116	4.97
AYUD	36.25	1.50	94	36.22	SAMCO	1.30	(0.02)	2,990	1.29	DREIT	3.54	0.02	4,081	3.52
BKI	234.00	-	130	234.85	SC	2.22	0.06	179,498	2.19	ERWPF	4.14	0.02	1	4.14
BLA	14.70	0.20	6,901	14.75	SENA	2.18	0.04	26,738	2.15	FTREIT	15.60	0.10	7,351	15.58
BUI	7.45	0.45	30	7.40	SF	4.74	0.30	228,965	4.72	FUTUREPF	19.00	-	325	19.00
CHARAN	23.00	0.70	6	22.07	SIRI	0.70	0.01	503,631	0.69	GAHREIT	7.30	(0.05)	285	7.28
INSURE	-	-	-	-	SPALI	15.30	(0.20)	27,705	15.30	GOLDPF	5.80	-	34	5.81
MTI	84.50	0.25	157	84.41	U	1.33	0.06	187,084	1.31	GVREIT	14.70	(0.10)	5,000	14.70
NKI	-	-	-	-	UV	3.30	0.12	37,474	3.24	HPF	4.18	0.08	88	4.10
NSI	53.00	-	7	53.00	WHA	2.72	-	557,539	2.73	HREIT	8.00	0.10	3,117	7.92
SEG	-	-	-	-	WIN	0.33	0.01	1,150	0.31	IMPACT	16.10	0.40	11,014	15.86
SMK	29.25	-	59	29.53	Paper & Printing Mat	-	-	-	-	KPNPF	6.95	0.20	2	6.95
THRE	0.52	0.05	165,711	0.50	UTP	9.40	0.20	6,847	9.36	LHHOTEL	12.30	0.30	2,244	12.11
THREL	3.02	0.32	20,956	2.80	Fashion	-	-	-	-	LHPF	6.50	-	256	6.40
TIP	22.40	0.50	3,705	22.14	AFC	6.15	-	10	6.15	LHSC	13.80	-	2,494	13.59
TQM	79.50	1.00	5,721	79.40	B52	0.17	-	2,528	0.16	LUXF	6.95	-	51	6.95
TSI	0.30	-	7,219	0.31	BTNC	-	-	-	-	M-II	7.10	(0.20)	150	7.10
TVI	3.52	0.08	13,491	3.50	CPH	-	-	-	-	M-PAT	-	-	-	-
Mining	-	-	-	-	CPL	0.84	(0.03)	645	0.88	M-STOR	5.70	(0.15)	761	5.73
PDI	4.46	(0.02)	618	4.46	ICC	-	-	-	-	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
Packaging	-	-	-	-	PAF	0.56	0.01	1,112	0.55	MJLF	7.55	0.10	309	7.51
AJ	9.20	0.20	1,125	9.14	PDJ	1.02	0.01	7,782	1.02	MNIT	1.15	(0.01)	9	1.10
ALUCON	127.00	-	4	127.00	PG	4.50	-	22	4.43	MNIT2	3.40	0.06	1	3.40
BGC	9.60	-	9,884	9.58	SABINA	17.00	0.20	7,527	16.95	MNRF	2.78	-	949	2.79
CSC	45.75	(0.50)	117	45.97	SAWANG	8.20	(0.80)	9	8.55	POPF	10.90	-	1,534	10.83
GLOCON	0.56	0.02	33,331	0.54	SUC	36.75	-	35	36.83	PPF	11.30	-	101	11.30
NEP	0.16	0.02	8,300	0.16	TNL	-	-	-	-	QHHR	6.75	0.05	239	6.79
PTL	13.70	0.90	16,460	13.03	TPCORP	10.20	(0.20)	3	10.20	QHOP	2.48	(0.02)	169	2.47
SFLEX	6.70	0.05	8,768	6.64	TR	21.50	(1.00)	173	22.05	QHPF	11.00	0.10	2,104	10.99
SITHAI	0.60	-	2,167	0.60	TTI	-	-	-	-	SBPF	2.58	-	78	2.64
SLP	0.39	(0.02)	2,195	0.39	TTT	40.50	0.50	70	40.51	SHREIT	4.38	(0.02)	2,128	4.41
SMPC	6.50	0.10	7,022	6.55	UPF	-	-	-	-	SIRIP	-	-	-	-
SPACK	1.06	-	790	1.05	UT	-	-	-	-	SPF	13.80	1.10	74,863	13.56
TCOAT	22.50	-	20	22.50	WACOAL	45.75	(0.25)	6	45.79	SPRIME	12.10	(0.10)	1,011	12.10
TFI	0.04	(0.01)	3,596	0.04	Transportation & Log	-	-	-	-	SRIPANWA	8.15	0.05	63	8.15
THIP	20.10	0.10	83	20.12	AAV	1.88	0.03	699,508	1.90	SSPF	-	-	-	-
TMD	22.90	0.60	130	22.14	AOT	60.00	0.50	123,866	59.93	SSTRT	5.10	0.10	189	5.01
TOPP	-	-	-	-	ASIMAR	1.06	(0.02)	444	1.07	TIF1	8.15	0.05	130	8.15
TPBI	3.24	0.04	1,824	3.22	B	0.20	0.01	7,142	0.20	TLGF	18.60	0.10	10,361	18.52
TPP	15.00	(0.50)	2	15.00	BA	5.80	0.10	28,420	5.77	TLHPF	9.85	0.30	31	9.56
Personal Products &	-	-	-	-	BEM	9.40	0.05	382,603	9.41	TNPF	-	-	-	-
APCO	3.80	0.14	9,240	3.76	BTS	11.20	(0.10)	396,030	11.33	TPRIME	14.50	0.20	339	14.49
DDD	15.00	0.50	2,908	15.10	BTSGIF	7.85	0.30	106,763	7.66	TTLPF	21.20	-	51	20.86
JCT	-	-	-	-	III	4.20	(0.06)	12,275	4.22	TU-PF	1.15	-	9	1.15
OCC	9.50	0.05	163	8.57	JUTHA	0.34	(0.02)	140	0.34	URBNPF	3.04	-	50	3.04
S & J	27.25	0.75	70	27.43	JWD	6.50	(0.05)	14,418	6.39	WHABT	-	-	-	-
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	16.00	0.30	13,042	15.87
TNR	6.55	-	110	6.50	NOK	1.20	0.05	6,476	1.19	Steel	-	-	-	-
TOG	3.82	0.12	415	3.71	NYT	3.62	0.06	51,340	3.62	AMC	1.31	(0.02)	2,911	1.30
Professional Service	-	-	-	-	PORT	1.74	0.04	20,034	1.72	BSBM	0.71	-	5,102	0.70
BWG	0.41	0.01	1,345,265	0.42	PRM	6.60	-	84,308	6.63	CEN	0.51	(0.02)	1,901	0.53
GENCO	0.50	0.04	163,742	0.50	PSL	3.90	0.16	162,341	3.89	CITY	1.47	0.07	809	1.43
PRO	-	-	-	-	RCL	2.98	(0.04)	6,861	2.99	CSP	0.55	(0.01)	55	0.53
SISB	8.45	-	3,944	8.45	TFFIF	10.90	0.40	69,006	10.75	GJS	0.07	0.01	4,303	0.06
TEAMG	2.02	-	10,531	2.02	THAI	7.35	0.40	752,328	7.54	GSTEEL	-	-	-	-
Property Developer	-	-	-	-	TSTE	-	-	-	-	INOX	0.42	(0.01)	1,237	0.43
A	4.70	0.10	50	4.69	TTA	3.02	0.12	86,531	2.96	LHK	2.40	(0.04)	8,363	2.46
AMATA	12.60	0.20	69,469	12.52	WICE	2.22	(0.04)	67,108	2.25	MAX	0.01	-	384,958	0.02
AMATAV	3.94	0.16	686	3.91	Automotive	-	-	-	-	MCS	9.45	0.30	14,817	9.36
ANAN	1.55	0.04	25,958	1.54	AH	8.65</								

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	AGE	0.67	0.01	4,256	-	ADVA01C2005B	0.01	(0.02)	100	-
ABICO	3.20	(0.04)	1,110	3.00	AIE	0.25	-	136,469	-	ADVA01C2007B	0.20	0.02	2,486	-
AU	8.85	0.20	39,273	8.00	PSTC	0.36	0.01	716,245	-	ADVA01C2008A	0.90	0.02	345	-
JCKH	0.28	-	2,163	-	QTC	3.96	0.38	9,233	3.00	ADVA01P2007B	0.27	-	3,069	-
KASET	1.24	(0.03)	199	1.00	SAAM	0.81	0.04	5,839	-	ADVA06C2005A	-	-	-	-
MM	1.66	0.03	280	1.00	SEAOIL	2.38	0.04	2,837	2.00	ADVA08C2005A	-	-	-	-
SUN	1.73	0.05	12,305	1.00	SR	0.66	0.01	964	-	ADVA08C2009A	0.75	-	8,086	-
TACC	3.72	(0.08)	13,154	3.00	TAKUNI	0.36	0.01	10,241	-	ADVA08P2004A	0.01	-	15,605	-
TMILL	2.54	0.02	4,289	2.00	TPCH	10.00	(0.10)	15,641	10.00	ADVA08P2009A	0.72	(0.28)	18,953	-
XO	4.78	0.10	3,964	4.00	TRT	1.69	0.03	1,202	1.00	ADVA11C2006A	-	-	-	-
Consumer Products														
BGT	0.60	0.01	1,241	-	UMS	0.14	0.01	87	-	ADVA11P2005A	0.03	(0.01)	5,282	-
BIZ	3.00	-	2,684	3.00	UWC	0.02	-	382,985	-	ADVA13C2006A	0.48	0.05	340	-
DOD	6.65	0.05	20,114	6.00	Services (MAI)	-	-	-	-	ADVA13C2007A	0.19	-	109	-
ECF	1.07	-	92,242	1.00	A5	-	-	-	-	ADVA13C2008A	0.36	0.01	137,638	-
HPT	0.59	(0.01)	3,380	-	AKP	1.01	0.13	25,712	-	ADVA13P2009A	1.15	(0.02)	14,740	1.00
IP	6.50	0.25	5,804	6.00	AMA	3.94	-	919	3.00	ADVA16C2005A	0.01	-	1	-
JUBILE	14.60	(0.10)	2,310	14.00	ARIP	0.31	-	573	-	ADVA16C2007A	-	-	-	-
MOONG	3.74	0.04	3,015	3.00	ATP30	0.89	(0.03)	14,905	-	ADVA16C2009A	0.26	0.02	1	-
NPK	9.95	(0.35)	4	9.00	AUCT	6.30	0.15	25,738	6.00	ADVA19C2005A	-	-	-	-
OCEAN	0.85	(0.01)	5,762	-	BOL	2.78	-	11,697	2.00	ADVA19C2007A	-	-	-	-
TM	2.60	-	2,627	2.00	CHUO	-	-	-	-	ADVA19C2007B	-	-	-	-
Financials (MAI)														
ACAP	0.78	0.05	33,267	-	CMO	0.88	-	3,858	-	ADVA19C2008A	1.11	0.03	10,162	1.00
AF	0.52	-	6,146	-	D	3.88	0.50	20,657	3.00	ADVA19C2009A	0.73	0.02	46,301	-
AIRA	-	-	-	-	DCORP	0.33	-	530	-	ADVA19C2010A	0.33	-	108,425	-
ASN	4.50	0.14	10	4.00	EFORL	0.04	-	80,465	-	ADVA19P2006A	0.13	-	100	-
BROOK	0.37	-	31,766	-	ETE	0.54	(0.02)	1,859	-	ADVA19P2009A	0.28	(0.02)	13,153	-
CHAYO	6.20	-	76,098	6.00	FSMART	6.10	-	2,326	6.00	ADVA24C2006A	-	-	-	-
GCAP	1.36	-	5,322	1.00	FVC	0.37	-	22,329	-	ADVA24C2009A	0.69	(0.31)	4,856	-
LIT	3.20	0.04	1,481	3.00	GSC	0.65	0.03	1,359	-	ADVA28C2005A	0.01	-	500	-
MITSBIB	1.09	0.02	4,770	1.00	HARN	2.06	0.02	3,609	2.00	ADVA28C2007A	-	-	-	-
SGF	0.44	-	13,555	-	IMH	2.64	0.04	1,980	2.00	ADVA28C2008A	0.82	0.01	14,263	-
Industrials (MAI)														
2S	1.76	0.01	313	1.00	JKN	4.36	0.24	180,822	4.00	ADVA28C2008B	-	-	-	-
ACG	0.73	-	1,038	-	KIAT	0.38	0.01	25,770	-	ADVA28C2012A	0.23	-	2,496	-
ADB	0.60	0.03	6,245	-	KOOL	0.73	0.02	47,613	-	ADVA28P2012A	0.40	-	18,918	-
BM	1.50	0.01	895	1.00	LDC	0.88	0.01	4,488	-	ADVA41C2005A	-	-	-	-
CHO	0.51	-	40,568	-	MORE	0.22	-	122,614	-	ADVA41C2006A	-	-	-	-
CHOW	0.87	0.04	4,743	-	MPG	0.18	0.01	1,083	-	ADVA41C2007A	0.26	-	7,756	-
CIG	0.23	0.01	490	-	MVP	1.11	(0.02)	823	1.00	ADVA41C2007B	-	-	-	-
COLOR	0.87	0.02	100	-	NBC	0.54	0.07	10,470	-	ADVA41P2005A	0.28	(0.03)	2,198	-
CPR	2.70	(0.04)	3,065	2.00	NCL	0.67	(0.02)	3,985	-	ADVA42C2005A	-	-	-	-
FPI	2.00	(0.02)	1,511	2.00	NEWS	0.01	-	2,656	-	ADVA42P2007A	1.48	(0.03)	1,561	1.00
GTB	0.58	0.01	18,596	-	NINE	1.74	0.01	292	1.00	AEON01C2005A	0.02	-	999	-
KCM	0.41	(0.01)	3,333	-	OTO	2.56	0.08	2,608	2.00	AEON13C2007A	0.06	-	1,276	-
KUMWEL	0.77	-	1,421	-	PHOL	1.70	0.02	1,128	1.00	AEON19C2006A	-	-	-	-
KWM	0.80	(0.01)	1,043	-	PICO	3.24	0.02	703	3.00	AMAT01C2004A	0.01	(0.05)	5,716	-
MBAX	3.10	-	204	3.00	QLT	3.90	0.10	863	3.00	AMAT01C2004B	0.01	(0.05)	5,855	-
MGT	1.44	-	414	1.00	RP	1.12	0.01	264	1.00	AMAT01C2007B	-	-	-	-
NDR	0.84	(0.02)	1,252	-	SE	1.33	0.01	1,457	1.00	AMAT01C2008A	0.16	(0.01)	100	-
PDG	2.94	0.02	224	2.00	SONIC	1.01	(0.02)	14,350	1.00	AMAT01P2008A	1.10	-	151	1.00
PIMO	1.09	(0.01)	18,703	1.00	SPA	8.60	0.20	12,757	8.00	AMAT06C2005A	-	-	-	-
PJW	1.14	(0.03)	6,027	1.00	THMUI	0.48	(0.02)	2,345	-	AMAT08C2005A	-	-	-	-
PPM	0.67	0.02	433	-	TNDT	2.42	0.10	20,283	2.00	AMAT11C2004A	-	-	-	-
RWI	0.97	-	2,770	-	TNH	30.00	-	317	29.00	AMAT11C2008A	0.05	(0.01)	1,000	-
SALEE	0.69	0.01	1,337	-	TNP	2.08	0.02	5,005	2.00	AMAT13C2006A	-	-	-	-
SANKO	0.93	0.01	358	-	TSF	-	-	-	-	AMAT16C2006A	-	-	-	-
SELIC	1.86	0.02	33,776	1.00	TVD	0.72	0.02	34,600	-	AMAT16C2008A	-	-	-	-
SWC	4.46	0.06	4,949	4.00	TVT	0.40	-	1,939	-	AMAT19C2005A	0.01	-	1,750	-
TMC	0.40	-	277	-	VL	1.05	0.01	37,857	1.00	AMAT19C2006A	-	-	-	-
TMI	0.65	(0.01)	3,481	-	WINNER	2.16	0.04	2,649	2.00	AMAT19C2008A	0.15	-	1	-
TMW	33.00	0.25	141	32.00	YGG	4.68	0.02	1,087	4.00	AMAT19C2009A	0.41	0.01	111,489	-
TPAC	10.40	0.10	70	10.00	Technology (MAI)									
TPLAS	1.17	-	1,207	1.00	APP	1.50	0.01	7,837	1.00	AMAT24C2006A	-	-	-	-
UBIS	4.54	(0.08)	2,298	4.00	COMAN	1.75	0.02	2,958	1.00	AMAT41C2005A	-	-	-	-
UEC	0.64	-	225	-	ICN	1.56	(0.02)	4,335	1.00	AMAT41C2006A	-	-	-	-
UKEM	0.46	(0.01)	10,340	-	INSET	2.52	0.02	8,141	2.00	AMAT42C2005A	0.05	(0.01)	1,000	-
UREKA	1.20	0.02	20,881	1.00	IRCP	0.39	(0.02)	4,059	-	AMAT42C2007A	0.88	(0.01)	3,843	-
YUASA	10.80	-	206	10.00	ITEL	2.12	-	15,552	2.00	ANAN13C2007A	-	-	-	-
ZIGA	1.13	(0.03)	2,601	1.00	NETBAY	32.00	0.50	731	31.00	ANAN19C2007A	-	-	-	-
Property & Construc														
ALL	2.98	0.02	109,869	3.00	PLANET	0.83	0.01	243	-	AOT01C2004A	0.01	(0.01)	26,842	-
ARIN	0.55	-	12,043	-	SIMAT	2.14	-	18,313	2.00	AOT01C2004B	0.01	-	39,148	-
ARROW	7.20	(0.05)	983	7.00	SKY	13.50	0.10	2,066	13.00	AOT01C2006B	0.05	0.01	6,338	-
BC	0.98	-	490	-	SPVI	2.34	0.04	34,152	2.00	AOT01C2007A	0.22	(0.02)	7,234	-
BSM	0.25	(0.01)	2,879	-	TPS	2.12	-	20,272	2.00	AOT01P2004A	1.77	0.05	2	1.00
BTW	0.61	-	144	-	UPA	0.16	(0.01)	14,815	-	AOT01P2004B	-	-	-	-
CAZ	1.55	0.02	2,260	1.00	VCOM	2.46	0.04	6,387	2.00	AOT01P2006B	0.75	(0.01)	619	-
CHEWA	0.34	(0.02)	11,285	-	Unit Trust	-	-	-	-	AOT01P2007A	1.14	-	2,697	1.00
CMC	0.67	(0.01)	2,116	-	MGE	-	-	-	-	AOT06C2007A	0.06	-	151	-
CRD	0.46	-	5,967	-	SCBSET	-	-	-	-	AOT06C2008A	0.87	0.03	28,457	-
DIMET	0.35	0.01	57,132	-	ETF	-	-	-	-	AOT06P2009A	0.55	(0.03)	36,764	-
FLOYD	1.02	(0.01)	1,350	1.00	1DIV	7.70	0.07	65	7.00	AOT08C2005A	0.01	-	60	-
HYDRO	-	-	-	-	ABFTH	-	-	-	-	AOT08C2006A	0.01	(0.01)	100	-
JSP	0.21	-	6,410	-	BMSCG	6.03	0.06	50	6.00	AOT08C2007A	0.22	(0.01)	12,450	-
K	0.77	0.01	1,247	-	BMSCITH	9.51	0.03	1,713	9.00	AOT08C2009A	0.94	0.01	46,469	-
KUN	0.90	(0.01)	688	-	BSET1									

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19P2009B	0.33	(0.01)	31,718	-	BBL28C2007A	0.07	0.02	1	-	BGR113C2006A	0.02	-	522	-
AOT19P2010A	0.79	(0.02)	61,123	-	BBL28C2010A	0.32	-	103,295	-	BGR113C2007A	0.08	(0.07)	50	-
AOT24C2006A	0.02	(0.10)	1	-	BBL41C2004A	-	-	-	-	BGR113C2008A	-	-	-	-
AOT24C2009A	0.59	0.01	9,510	-	BBL41C2005A	-	-	-	-	BGR113C2009A	0.59	(0.02)	110,160	-
AOT27C2008A	0.03	(0.06)	1	-	BBL41C2006A	-	-	-	-	BGR113P2005A	0.22	(0.13)	10	-
AOT28C2006A	-	-	-	-	BBL41C2007A	-	-	-	-	BGR116C2005A	0.01	(0.01)	1,190	-
AOT28C2006B	0.04	(0.02)	1	-	BBL41C2007B	-	-	-	-	BGR119C2004A	0.02	0.01	1,600	-
AOT28C2008A	-	-	-	-	BBL41P2006A	-	-	-	-	BGR119C2005A	-	-	-	-
AOT28C2008B	0.46	0.01	68,844	-	BBL42C2005A	-	-	-	-	BGR119C2006A	-	-	-	-
AOT28C2008C	0.57	-	29,924	-	BBL42C2007A	-	-	-	-	BGR119C2008A	0.27	(0.04)	40	-
AOT28P2012A	0.43	-	25,856	-	BCH01C2006A	-	-	-	-	BGR119C2008B	0.66	(0.01)	131	-
AOT41C2005A	-	-	-	-	BCH01C2006B	-	-	-	-	BGR119C2009A	0.52	(0.03)	416,432	-
AOT41C2006A	-	-	-	-	BCH01P2006A	-	-	-	-	BGR119P2007A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH06C2006A	-	-	-	-	BGR124C2004A	-	-	-	-
AOT41C2007B	0.56	(0.01)	67,565	-	BCH06P2006A	-	-	-	-	BGR124C2009A	0.51	(0.01)	26,411	-
AOT41P2005A	-	-	-	-	BCH08C2004A	0.01	-	1,240	-	BGR127P2006A	0.53	(0.03)	110	-
AOT41P2006A	-	-	-	-	BCH11C2008A	-	-	-	-	BGR141C2005A	-	-	-	-
AOT41P2009A	0.39	(0.01)	3,861	-	BCH13C2007A	0.22	0.03	3,782	-	BGR141C2006A	-	-	-	-
AOT41P2009B	0.68	(0.03)	21,584	-	BCH16C2006A	0.03	0.01	1	-	BGR141C2007A	0.43	(0.01)	4,678	-
AOT42C2006A	0.03	0.01	602	-	BCH19C2005A	-	-	-	-	BGR141P2005A	-	-	-	-
AOT42P2009A	0.64	(0.07)	51	-	BCH19C2006A	-	-	-	-	BGR141P2006A	-	-	-	-
AP19C2007A	-	-	-	-	BCH19C2008A	0.48	0.02	52,186	-	BGR142C2006A	-	-	-	-
AP19C2010A	0.67	-	31,100	-	BCH41C2005A	-	-	-	-	BH01C2004A	0.01	(0.01)	300	-
AP28C2006A	-	-	-	-	BCH41C2006A	0.16	0.07	3,910	-	BH01C2004B	0.01	-	2,000	-
AP28C2012A	0.60	0.02	20,724	-	BCH41C2007A	0.01	(0.02)	60	-	BH01P2004A	-	-	-	-
AWC01C2004A	0.01	-	604	-	BCH41C2008A	-	-	-	-	BH08C2007A	0.14	(0.02)	611	-
AWC01C2009A	0.30	0.03	5,663	-	BCH13C2007A	0.22	0.03	3,782	-	BH11C2008A	0.10	(0.07)	2,040	-
AWC01P2007A	0.33	(0.07)	8,077	-	BCH16C2006A	0.03	0.01	1	-	BH13C2006A	-	-	-	-
AWC06C2004A	-	-	-	-	BCH19C2005A	-	-	-	-	BH19C2006A	-	-	-	-
AWC06C2009A	1.40	0.16	15,474	1.00	BCH19C2006A	-	-	-	-	BH19C2009A	0.53	(0.02)	210,990	-
AWC08C2004A	-	-	-	-	BCH19C2008A	-	-	-	-	BH24C2008A	0.46	(0.04)	4,994	-
AWC13C2006A	0.06	0.04	11	-	BCH19C2009A	-	-	-	-	BH27C2007A	-	-	-	-
AWC13C2009A	1.15	0.10	26,692	1.00	BCH19C2009A	-	-	-	-	BH41C2005A	0.10	(0.04)	200	-
AWC13P2006A	0.41	0.06	1	-	BCH19C2009A	-	-	-	-	BH41C2006A	-	-	-	-
AWC16C2005A	0.10	0.08	1	-	BCH19C2009A	-	-	-	-	BH41P2006A	0.92	(0.07)	460	-
AWC16C2007A	0.03	(0.01)	52	-	BCH19C2009A	-	-	-	-	BH42C2008A	1.12	(0.01)	5,760	1.00
AWC19C2004A	-	-	-	-	BCH19C2009A	-	-	-	-	BJC01C2004A	0.01	-	8,000	-
AWC19C2006A	0.03	-	900	-	BCH19C2009A	0.23	(0.01)	1,300	-	BJC01C2004B	0.01	-	2,000	-
AWC19C2010A	1.08	0.10	9,215	1.00	BCH19C2009A	0.19	0.01	201	-	BJC01C2008B	-	-	-	-
AWC24C2007A	0.03	-	3	-	BCH19C2009A	-	-	-	-	BJC01C2009A	0.58	0.02	162	-
AWC28C2006A	-	-	-	-	BCH19C2009A	0.20	(0.01)	3,005	-	BJC01P2004A	-	-	-	-
AWC28C2008A	0.48	0.07	39	-	BCH19C2009A	0.47	-	2,600	-	BJC01P2009A	0.24	-	1,276	-
AWC28C2010A	-	-	-	-	BCH19C2009A	0.34	-	13,126	-	BJC06C2006A	-	-	-	-
AWC28C2012A	0.21	0.02	39,388	-	BCH19C2009A	-	-	-	-	BJC11C2008A	-	-	-	-
AWC41C2005A	-	-	-	-	BCH19C2009A	-	-	-	-	BJC13C2005A	-	-	-	-
AWC41C2006A	-	-	-	-	BCH19C2009A	-	-	-	-	BJC16C2006A	-	-	-	-
AWC41C2007A	0.22	0.19	16,157	-	BCH19C2009A	-	-	-	-	BJC19C2005A	0.10	(0.01)	1,000	-
AWC41C2007B	1.00	0.10	7,800	-	BCH19C2009A	0.04	0.01	186	-	BJC19C2007A	0.24	(0.04)	634	-
AWC42C2008A	0.07	0.01	800	-	BCH19C2009A	0.47	-	216	-	BJC19C2010A	0.38	0.01	75,973	-
BANP01C2005A	-	-	-	-	BCH19C2009A	0.18	0.01	3,383	-	BJC24C2006A	0.57	0.02	2,689	-
BANP01C2005B	0.01	-	4,000	-	BCH19C2009A	-	-	-	-	BJC27C2009A	0.15	-	200	-
BANP01P2005A	-	-	-	-	BCH19C2009A	0.58	-	9,350	-	BJC28C2007A	0.33	0.01	44,051	-
BANP01P2005B	-	-	-	-	BCH19C2009A	-	-	-	-	BJC28C2010A	0.25	0.01	18,952	-
BANP06C2005A	-	-	-	-	BCH19C2009A	-	-	-	-	BJC41C2005A	-	-	-	-
BANP08C2005A	-	-	-	-	BCH19C2009A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP08C2007A	0.01	(0.02)	1	-	BCH19C2009A	-	-	-	-	BJC41C2007A	0.24	0.01	11,002	-
BANP08C2009A	0.34	(0.66)	6,260	-	BCH19C2009A	0.35	-	19,040	-	BJC41C2008A	0.63	(0.03)	6,090	-
BANP08P2009A	0.99	(0.01)	13,409	1.00	BCH19C2009A	0.48	-	37,979	-	BJC41P2005A	-	-	-	-
BANP11C2004A	-	-	-	-	BCH19C2009A	-	-	-	-	BJC42C2004A	-	-	-	-
BANP11C2008A	0.02	-	500	-	BCH19C2009A	-	-	-	-	BLAN19C2004A	-	-	-	-
BANP13C2006A	-	-	-	-	BCH19C2009A	-	-	-	-	BPP01C2005A	0.08	0.02	1,100	-
BANP13C2008A	0.28	0.01	104,430	-	BCH19C2009A	0.42	-	19,938	-	BPP01C2005B	-	-	-	-
BANP19C2004A	-	-	-	-	BCH19C2009A	0.56	(0.01)	5,964	-	BPP01P2005A	-	-	-	-
BANP19C2005A	-	-	-	-	BCH19C2009A	-	-	-	-	BPP13C2007A	0.50	0.08	1,115	-
BANP19C2007A	0.02	0.01	1	-	BCH19C2009A	-	-	-	-	BPP19C2005A	-	-	-	-
BANP19C2007B	0.02	0.01	3	-	BCH19C2009A	-	-	-	-	BPP19C2007A	0.23	0.01	1,521	-
BANP19C2009A	0.34	0.01	68,124	-	BCH19C2009A	-	-	-	-	BTS01C2005A	0.05	-	1,498	-
BANP27C2007A	0.02	(0.02)	400	-	BCH19C2009A	-	-	-	-	BTS01C2005B	-	-	-	-
BANP28C2008A	-	-	-	-	BCH19C2009A	-	-	-	-	BTS01P2005A	0.21	(0.04)	1,088	-
BANP28C2012A	0.23	0.01	12,218	-	BCH19C2009A	0.12	0.03	1,676	-	BTS08C2005A	-	-	-	-
BANP41C2005A	-	-	-	-	BCH19C2009A	0.02	(0.01)	1,078	-	BTS13C2006A	0.02	-	30	-
BANP41C2006A	-	-	-	-	BCH19C2009A	0.50	(0.01)	100	-	BTS13C2008A	0.12	0.01	150	-
BANP41C2007A	-	-	-	-	BCH19C2009A	-	-	-	-	BTS13C2009A	0.33	-	118,915	-
BANP41P2005A	-	-	-	-	BCH19C2009A	0.52	0.01	10,303	-	BTS16C2008A	-	-	-	-
BANP41P2007A	1.33	0.02	20	1.00	BCH19C2009A	0.01	-	6,101	-	BTS19C2005A	-	-	-	-
BANP42C2004A	-	-	-	-	BCH19C2009A	-	-	-	-	BTS19C2008A	0.32	(0.01)	50,241	-
BANP42C2006A	-	-	-	-	BCH19C2009A	0.08	(0.08)	110	-	BTS24C2007A	0.06	-	501	-
BANP42P2005A	1.77	(0.03)	2,511	1.00	BCH19C2009A	0.42	(0.02)	5,310	-	BTS41C2006A	-	-	-	-
BBL06C2007A	0.02	(0.01)	203	-	BCH19C2009A	-	-	-	-	BTS42C2008A	-	-	-	-
BBL06C2009A	0.73	0.02	53,044	-	BCH19C2009A	0.85	0.01	51,458	-	CBG01C2004A	0.03	0.01	430	-
BBL06P2004A	-	-	-	-	BCH19C2009A	0.04	(0.01)	300	-	CBG01C2004B	0.01	-	11,657	-
BBL08C2005A	0.01	-	91	-	BCH19C2009A	0.60	0.01	187,726	-	CBG01C2007B	0.47	0.02	6,377	-
BBL08C2007A	0.06	0.01	1	-	BCH19C2009A	-	-	-	-	CBG01P2004A	0.02	-	17,632	-
BBL08C2009A	0.49	-	49,106	-	BCH19C2009A	-	-	-	-	CBG01P2007B	0.55	(0.03)	8,805	-
BBL08P2007A	1.48	(0.02)	78	1.00	BCH19C2009A	0.67	0.01	41,886	-	CBG06C2005A	0.07	0.01	1	-
BBL08P2009A	0.99	(0.01)	57,187	-	BCH19C2009A	0.55	(0.01)	4,300	-	CBG08C2007A	0.81	0.02	1,774	-
BBL11C2005A	-	-	-	-	BCH19C2009A	0.74	0.02	17,540	-	CBG11C2008A	-	-	-	-
BBL11C2007A	0.01	-	500	-	BCH19C2009A	-	-	-	-	CBG13C2008A	1.02	0.02	3,723	1.00
BBL11P2008A	-	-	-	-	BCH19C2009A	0.02	0.01	1,000	-	CBG13P2006A	-	-	-	-
BBL13C2004A	-	-	-	-	BCH19C2009A	0.41	0.03	14,600	-	CBG16C2008A	-	-	-	-
BBL13C2006A	-	-	-	-	BCH19C2009A	0.68	0.02	18,900	-	CBG19C2004A	-	-	-	-
BBL13C2008A	0.21	0.01	392,887	-	BCH19C2009A	-	-	-	-	CBG19C2005A	0.15	(0.02)	10,009	-
BBL13P2004A	-	-	-	-	BCH19C2009A	-	-	-	-	CBG19C2008A	0.92	0.03	5,288	-
BBL13P2008A	0.78	0.04	163	-	BCH19C2009A	-	-	-	-	CBG19C2010A	0.89	0.01	133,047	-
BBL16C2006A	-	-	-	-	BCH19C2009A	0.07	-	11,725	-	CBG19P2006A	-			

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CENT01C2009A	-	-	-	-	CPAL13C2009A	0.90	0.04	470,086	-	DTAC41C2007A	0.30	-	40,136	-
CENT01P2009A	0.41	(0.01)	4,570	-	CPAL16C2006A	-	-	-	-	DTAC41C2007B	-	-	-	-
CENT06C2006A	0.69	0.12	118,762	-	CPAL16C2007A	0.10	0.04	40	-	DTAC41P2005A	-	-	-	-
CENT06P2007A	-	-	-	-	CPAL19C2004A	-	-	-	-	DTAC41P2006A	-	-	-	-
CENT08C2004A	-	-	-	-	CPAL19C2005A	0.03	(0.03)	500	-	DTAC42C2004A	-	-	-	-
CENT11C2004A	-	-	-	-	CPAL19C2008A	0.43	0.04	124,659	-	DTAC42C2006A	0.99	0.02	6,384	-
CENT11C2007A	0.04	-	856	-	CPAL19P2004A	-	-	-	-	EA06C2005A	0.04	0.01	1,333	-
CENT13C2005A	-	-	-	-	CPAL19P2010A	0.31	(0.04)	45,263	-	EA08C2004A	0.01	-	10	-
CENT13C2006A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA08C2006A	0.17	(0.01)	3,838	-
CENT19C2004A	-	-	-	-	CPAL24C2009A	1.04	0.05	18,865	1.00	EA08C2009A	0.56	-	18,981	-
CENT19C2005A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA11C2005A	-	-	-	-
CENT19C2008A	0.94	0.12	49,896	-	CPAL28C2007A	-	-	-	-	EA13C2005A	0.02	(0.01)	4,307	-
CENT19C2010A	0.60	(0.40)	142,762	-	CPAL28C2008A	0.67	0.03	53,088	-	EA13C2006A	0.04	(0.01)	210	-
CENT24C2008A	0.36	0.05	10,731	-	CPAL28C2008B	0.85	0.01	2,558	-	EA13C2008A	0.22	(0.01)	618	-
CENT27C2008A	0.54	0.02	2,366	-	CPAL41C2005A	-	-	-	-	EA13C2009A	0.47	(0.01)	47,732	-
CENT28C2005A	-	-	-	-	CPAL41C2006A	-	-	-	-	EA13P2006A	0.72	(0.04)	10	-
CENT28C2006A	0.05	0.03	5,250	-	CPAL41C2007A	0.41	0.03	27,463	-	EA16C2006A	-	-	-	-
CENT28C2008A	0.71	0.12	10,700	-	CPAL41P2005A	-	-	-	-	EA16C2008A	0.05	(0.01)	24,819	-
CENT28C2010A	0.80	0.09	92,213	-	CPAL41P2006A	-	-	-	-	EA19C2004A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL42C2005A	-	-	-	-	EA19C2008A	0.38	0.01	2,803	-
CENT41C2006A	0.33	0.03	200	-	CPAL42C2007A	-	-	-	-	EA19C2010A	0.45	(0.02)	18,849	-
CENT42C2004A	-	-	-	-	CPF01C2004A	0.13	(0.01)	10	-	EA19P2007A	-	-	-	-
CENT42C2006A	1.11	0.07	1,423	1.00	CPF01C2004B	0.01	-	48,681	-	EA24C2004A	-	-	-	-
CHG01C2006A	-	-	-	-	CPF01P2004A	0.01	(0.01)	27,340	-	EA24C2008A	0.46	(0.02)	11,365	-
CHG01C2006B	-	-	-	-	CPF08C2006A	-	-	-	-	EA27C2006A	-	-	-	-
CHG01P2006A	-	-	-	-	CPF11C2004A	-	-	-	-	EA28C2006A	0.14	(0.02)	15,142	-
CHG08C2005A	-	-	-	-	CPF11C2007A	0.17	(0.01)	10	-	EA28C2012A	0.30	(0.01)	18,400	-
CHG13C2006A	0.13	0.01	7,802	-	CPF13C2006A	0.05	0.01	2,337	-	EA41C2005A	-	-	-	-
CHG16C2009A	-	-	-	-	CPF13C2008A	0.27	-	6,251	-	EA41C2006A	-	-	-	-
CHG19C2004A	-	-	-	-	CPF13C2009A	0.19	(0.03)	30,053	-	EA42C2004A	-	-	-	-
CHG27C2009A	0.14	-	7	-	CPF16C2007A	-	-	-	-	EGCO01C2004A	0.01	-	1,506	-
CHG41C2005A	-	-	-	-	CPF19C2005A	-	-	-	-	EGCO01C2004B	-	-	-	-
CHG42C2006A	0.07	0.05	10	-	CPF19C2006A	-	-	-	-	EGCO01C2007B	0.33	0.10	22,593	-
CK01C2005A	0.12	(0.02)	2,000	-	CPF19C2009A	0.70	(0.09)	3,261	-	EGCO06C2004A	-	-	-	-
CK01C2005B	-	-	-	-	CPF19C2010A	0.21	(0.02)	34,474	-	EGCO06C2007A	0.09	0.01	2,306	-
CK01P2005A	0.16	(0.02)	22	-	CPF24C2007A	-	-	-	-	EGCO06P2004A	-	-	-	-
CK06C2004A	-	-	-	-	CPF28C2007A	0.04	(0.01)	1,000	-	EGCO06P2009A	0.37	(0.09)	489,211	-
CK11C2007A	-	-	-	-	CPF28C2010A	0.64	(0.01)	6,572	-	EGCO13C2005A	0.01	-	5,403	-
CK13C2006A	-	-	-	-	CPF41C2005A	-	-	-	-	EGCO13C2009A	0.85	0.11	465,642	-
CK16C2006A	-	-	-	-	CPF41C2008A	0.22	(0.02)	936	-	EGCO19C2005A	-	-	-	-
CK19C2004A	-	-	-	-	CPF41P2005A	0.19	0.01	363	-	EGCO19C2007A	0.18	0.02	4,740	-
CK19C2007A	-	-	-	-	CPN01C2005A	-	-	-	-	EGCO19C2010A	1.03	0.14	189,844	1.00
CK19C2010A	0.46	(0.54)	546	-	CPN01C2005B	-	-	-	-	EGCO24C2009A	1.03	0.15	98,336	1.00
CK27C2008A	-	-	-	-	CPN01P2005A	1.13	0.14	822	1.00	EGCO41C2006A	0.38	0.11	140	-
CK41C2005A	-	-	-	-	CPN06C2006A	-	-	-	-	EGCO41P2006A	0.83	(0.19)	1,320	-
CK42C2006A	0.69	(0.08)	3,512	-	CPN11C2006A	-	-	-	-	EGCO42C2007A	0.05	0.02	13,697	-
CKP01C2004A	0.01	-	2,840	-	CPN11C2008A	0.07	-	564	-	EPG08C2004A	-	-	-	-
CKP01C2004B	0.01	-	11,000	-	CPN13C2007A	0.07	-	98	-	EPG13C2006A	0.01	-	2,000	-
CKP01C2008B	-	-	-	-	CPN13C2009A	0.51	(0.49)	70,029	-	EPG19C2005A	-	-	-	-
CKP01C2009A	0.57	0.11	2	-	CPN16C2005A	-	-	-	-	EPN16C2007A	0.03	(0.07)	670	-
CKP01P2004A	-	-	-	-	CPN19C2004A	-	-	-	-	EPG19C2008A	0.63	0.09	14	-
CKP01P2009A	0.47	(0.03)	8	-	CPN19C2007A	-	-	-	-	EPG24C2008A	0.12	0.02	57	-
CKP08C2004A	0.01	-	5,352	-	CPN19C2010A	0.49	(0.04)	68,705	-	ERW06C2006A	-	-	-	-
CKP11C2006A	-	-	-	-	CPN24C2007A	0.34	(0.04)	90,873	-	ERW06C2007A	-	-	-	-
CKP13C2004A	-	-	-	-	CPN41C2006A	-	-	-	-	ERW06P2006A	-	-	-	-
CKP13C2004B	-	-	-	-	CPN41P2005A	-	-	-	-	ERW13C2005A	-	-	-	-
CKP13C2007A	-	-	-	-	CPN41P2006A	-	-	-	-	ERW13C2006A	-	-	-	-
CKP16C2005A	-	-	-	-	CPN42C2004A	-	-	-	-	ERW13C2007A	-	-	-	-
CKP16C2007A	0.11	0.01	1	-	CPN42C2006A	1.55	(0.18)	8,838	1.00	ERW19C2005A	-	-	-	-
CKP19C2005A	-	-	-	-	CRC01C2007A	-	-	-	-	ERW19C2006A	-	-	-	-
CKP19C2006A	-	-	-	-	CRC08C2007A	0.43	-	2,071	-	ERW19C2007A	0.25	0.03	139,430	-
CKP19C2010A	0.54	0.02	11,526	-	CRC08C2009A	0.56	(0.02)	35,906	-	ERW24C2006A	-	-	-	-
CKP24C2006A	-	-	-	-	CRC13C2008A	0.21	-	13,279	-	ESSO01C2004A	0.01	-	1,678	-
CKP27C2005A	-	-	-	-	CRC13C2009A	0.63	(0.02)	104,505	-	ESSO01C2004B	0.01	-	5,165	-
CKP28C2006A	-	-	-	-	CRC19C2008A	0.40	0.01	3,660	-	ESSO01C2008B	0.08	(0.05)	2	-
CKP28C2012A	0.40	0.01	4,256	-	CRC19C2008B	0.67	(0.03)	12,560	-	ESSO01C2009A	0.24	0.01	14	-
CKP41C2005A	-	-	-	-	CRC24C2008A	0.72	(0.02)	14,427	-	ESSO01P2009A	0.68	0.03	327	-
CKP41C2006A	-	-	-	-	CRC28C2007A	-	-	-	-	ESSO08C2004A	0.01	-	8	-
CKP41C2007A	-	-	-	-	CRC28C2007B	-	-	-	-	ESSO08C2008A	-	-	-	-
CKP42C2005A	-	-	-	-	CRC28C2012A	0.35	-	8,052	-	ESSO13C2006A	-	-	-	-
CKP42C2006A	0.58	(0.01)	2,744	-	CRC41C2007A	0.59	(0.02)	12,594	-	ESSO19C2004A	-	-	-	-
COM708C2007A	0.05	(0.01)	406	-	CRC41C2009A	0.72	(0.01)	1,000	-	ESSO19C2007A	0.10	(0.02)	3	-
COM711C2004A	-	-	-	-	DTAC01C2004A	0.01	(0.01)	20,442	-	ESSO19C2009A	0.94	-	9,027	-
COM713C2004A	-	-	-	-	DTAC01C2004B	0.01	-	4,399	-	ESSO19C2010A	0.28	-	137,459	-
COM713C2007A	-	-	-	-	DTAC01C2007B	0.17	-	100	-	ESSO24C2007A	-	-	-	-
COM713C2008A	0.22	0.02	250	-	DTAC01C2008A	0.49	-	5,042	-	ESSO41C2004A	-	-	-	-
COM716C2008A	0.05	(0.04)	1	-	DTAC01P2004A	-	-	-	-	ESSO41C2005A	-	-	-	-
COM719C2005A	-	-	-	-	DTAC01P2004B	0.06	(0.09)	600	-	ESSO41C2006A	-	-	-	-
COM719C2008A	-	-	-	-	DTAC01P2007B	-	-	-	-	ESSO42C2007A	-	-	-	-
COM719C2009A	0.84	0.04	117,089	-	DTAC01P2008A	0.40	(0.02)	365	-	GFPT19C2004A	-	-	-	-
COM719C2010A	0.57	(0.43)	85,128	-	DTAC06C2006A	-	-	-	-	GFPT19C2006A	0.11	-	2,161	-
COM719P2004A	0.13	(0.03)	351	-	DTAC08C2005A	-	-	-	-	GFPT24C2007A	-	-	-	-
COM724C2007A	-	-	-	-	DTAC08C2005B	0.02	-	400	-	GFPT42C2004A	-	-	-	-
COM741C2006A	-	-	-	-	DTAC08C2007A	-	-	-	-	GFPT42C2008A	-	-	-	-
COM742C2004A	-	-	-	-	DTAC08C2008A	0.49	0.02	57,348	-	GLOB01C2007B	0.17	-	50	-
CPAL01C2004A	0.01	(0.01)	82,650	-	DTAC13C2006A	-	-	-	-	GLOB01C2008A	-	-	-	-
CPAL01C2004B	0.01	-	12,551	-	DTAC13C2007A	-	-	-	-	GLOB06C2006A	-	-	-	-
CPAL01C2006A	0.27	0.03	20,608	-	DTAC13C2009A	0.43	0.01	100,239	-	GLOB13C2007A	0.38	0.02	11,010	-
CPAL01C2006B	0.07	0.01	5,075	-	DTAC13P2006A	-	-	-	-	GLOB19C2005A	0.01	-	120,000	-
CPAL01C2008B	0.35	0.04	32,856	-	DTAC13P2007A	0.10	-	20,186	-	GLOB19C2007A	-	-	-	-
CPAL01P2004A	0.61	(0.18)	5	-	DTAC13P2008A	0.59	(0.03)	75,669	-	GLOB19C2010A	0.40	(0.01)	20,083	-
CPAL01P2004B	0.01	(0.40)	26	-	DTAC16C2009A	-	-	-	-	GLOB24C2005A	-	-	-	-
CPAL01P2008B	0.33	(0.07)	7,069	-	DTAC19C2005A	-	-	-	-	GLOB41C2004A	-	-	-	-
CPAL06C2006A	0.06	-	684	-	DTAC19C2006A	0.09	(0.06)	80	-	GLOB42C2009A	-	-	-	-
CPAL08C2004A	0.01	(0.01)	3,105	-	DTAC19C2007A	-	-	-	-	GPSCO1C2005A	0.09			

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC06C2008A	0.65	(0.02)	121,950	-	HMPR41C2005A	-	-	-	-	IVL01P2006B	0.30	(0.03)	6,115	-
GPSC08C2004B	0.01	-	3,607	-	HMPR41C2006A	-	-	-	-	IVL06C2008A	0.25	-	316,826	-
GPSC08C2007A	-	-	-	-	HMPR41C2007A	0.45	(0.04)	16,705	-	IVL06P2005A	-	-	-	-
GPSC08C2009A	0.84	(0.16)	95,062	-	HMPR41C2007B	0.35	(0.03)	1,484	-	IVL08C2004A	-	-	-	-
GPSC08P2006A	0.60	(0.02)	260	-	HSI28C2004A	-	-	-	-	IVL08C2009A	0.40	(0.60)	24,415	-
GPSC11C2006A	-	-	-	-	HSI28C2004B	-	-	-	-	IVL08P2004A	-	-	-	-
GPSC13C2005A	0.01	(0.01)	6,949	-	HSI28C2004C	-	-	-	-	IVL11C2005A	0.01	-	1,000	-
GPSC13C2007A	-	-	-	-	HSI28C2005A	1.30	(0.04)	6,033	1.00	IVL11C2006A	0.11	0.02	3	-
GPSC13C2008A	0.66	0.02	26	-	HSI28C2005B	0.78	(0.08)	126,456	-	IVL13C2006A	-	-	-	-
GPSC13C2009A	0.99	(0.02)	216,381	1.00	HSI28C2005C	0.43	(0.07)	104	-	IVL13C2008A	1.05	0.01	1,720	1.00
GPSC13P2005A	-	-	-	-	HSI28C2005D	0.20	(0.05)	79,161	-	IVL13C2009A	0.32	-	135,452	-
GPSC13P2007A	-	-	-	-	HSI28C2006A	1.91	(0.11)	406	1.00	IVL16C2006A	-	-	-	-
GPSC16C2007A	0.09	(0.03)	206	-	HSI28C2006B	1.32	(0.02)	20	1.00	IVL16C2009A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28C2006C	0.88	(0.07)	165,452	-	IVL19C2004A	-	-	-	-
GPSC19C2007A	-	-	-	-	HSI28C2007A	1.68	(0.03)	41	1.00	IVL19C2006A	0.06	0.01	177	-
GPSC19C2008A	0.84	(0.02)	123,553	-	HSI28C2007B	1.08	(0.08)	8,377	1.00	IVL19C2008A	-	-	-	-
GPSC19C2009A	1.36	0.01	56,864	1.00	HSI28C2007C	0.71	(0.06)	40,735	-	IVL19C2009A	1.51	(0.01)	4,094	1.00
GPSC19C2010A	0.77	(0.02)	159,690	-	HSI28C2010L	0.71	(0.04)	24,866	-	IVL19C2010A	0.35	-	149,102	-
GPSC19P2005A	0.37	(0.06)	4	-	HSI28P2004A	-	-	-	-	IVL19P2006A	-	-	-	-
GPSC19P2010A	0.69	-	124,337	-	HSI28P2004B	-	-	-	-	IVL19P2010A	0.52	(0.01)	105,202	-
GPSC24C2007A	0.05	(0.03)	30	-	HSI28P2004C	-	-	-	-	IVL24C2008A	1.30	-	4,460	1.00
GPSC27C2005A	-	-	-	-	HSI28P2005A	1.35	0.01	292	1.00	IVL27P2007A	0.38	0.01	253	-
GPSC28C2008A	0.42	-	103,805	-	HSI28P2005B	0.97	-	72,502	-	IVL28C2007A	0.08	-	17,994	-
GPSC41C2005A	-	-	-	-	HSI28P2005C	0.65	(0.04)	49,250	-	IVL41C2005A	-	-	-	-
GPSC41C2005B	-	-	-	-	HSI28P2005D	0.43	0.01	19,291	-	IVL41C2006A	-	-	-	-
GPSC41C2006A	0.17	(0.05)	10	-	HSI28P2006A	0.81	0.04	2,962	-	IVL41C2007A	-	-	-	-
GPSC41C2009A	0.75	(0.01)	102,779	-	HSI28P2006B	0.60	0.02	12,602	-	IVL41C2007B	-	-	-	-
GPSC41P2005A	1.01	0.01	140	-	HSI28P2006C	0.43	0.01	49,391	-	IVL41C2009A	0.35	0.03	31,923	-
GPSC41P2006A	0.80	-	15,350	-	HSI28P2007A	1.68	(0.01)	160	1.00	IVL41P2005A	0.70	(0.79)	1	-
GPSC42C2006A	-	-	-	-	HSI28P2007B	1.30	0.07	1,219	1.00	IVL41P2006A	-	-	-	-
GPSC42P2006A	2.92	(0.02)	1,417	2.00	HSI28P2007C	0.97	0.02	5,651	-	IVL41P2007A	-	-	-	-
GULF01C2005A	1.32	(0.05)	3,418	1.00	HSI28P2010L	0.87	0.02	575	-	IVL42C2005A	-	-	-	-
GULF01C2005B	0.46	(0.06)	3,558	-	HSI41C2005A	0.56	-	583,096	-	IVL42C2008A	3.00	0.20	196	3.00
GULF01C2007A	0.44	(0.01)	32,278	-	HSI41C2006A	0.86	(0.04)	6,014	-	JAS13C2006A	0.22	0.01	2,630	-
GULF01P2005A	0.15	(0.03)	30,588	-	HSI41C2006B	0.71	(0.01)	613,130	-	JAS13C2009A	0.33	0.01	72,597	-
GULF03C2005A	0.50	(0.01)	2	-	HSI41P2005A	0.37	(0.01)	1,000	-	JAS19C2004A	0.01	(0.02)	51,098	-
GULF06C2004A	0.54	(0.21)	3,011	-	HSI41P2006A	0.88	0.01	5,360	-	JAS19C2009A	1.06	0.03	48,664	1.00
GULF06C2009A	0.73	(0.02)	23,649	-	HSI41P2006B	0.75	0.02	539,344	-	JAS19C2010A	0.52	0.01	19,600	-
GULF08C2008A	-	-	-	-	INTU01C2006A	0.21	(0.02)	246	-	JAS41C2005A	0.11	(0.01)	5,505	-
GULF08C2009A	0.50	(0.50)	29,911	-	INTU01C2006B	0.05	0.01	1	-	JAS41C2006A	0.22	0.01	8,443	-
GULF11C2006A	0.91	(0.01)	4,270	-	INTU01P2006A	0.74	(0.02)	5,088	-	JAS41P2005A	0.09	(0.02)	55,623	-
GULF13C2006A	0.36	0.02	619	-	INTU01P2006B	0.25	-	642	-	JMT13C2006A	0.07	-	2,270	-
GULF13C2006B	0.13	-	4,813	-	INTU06C2009A	0.78	0.01	24,524	-	JMT19C2006A	0.13	0.05	1	-
GULF13C2008A	1.11	0.01	44	1.00	INTU13C2006A	-	-	-	-	JMT42C2006A	-	-	-	-
GULF13C2009A	1.60	(0.05)	4,284	1.00	INTU13C2008A	0.61	0.01	34,874	-	KBAN01C2004A	0.01	-	12,957	-
GULF13C2009B	0.50	(0.02)	657,319	-	INTU16C2005A	-	-	-	-	KBAN01C2004B	0.01	-	11,544	-
GULF13P2004A	-	-	-	-	INTU16C2007A	-	-	-	-	KBAN01C2007A	0.07	-	36,673	-
GULF13P2005A	0.07	-	288	-	INTU16C2009A	-	-	-	-	KBAN01C2007B	0.04	0.01	653	-
GULF13P2009A	0.39	-	224,398	-	INTU19C2004A	-	-	-	-	KBAN01P2004A	-	-	-	-
GULF16C2007A	-	-	-	-	INTU19C2005A	-	-	-	-	KBAN01P2004B	1.73	(0.04)	787	1.00
GULF19C2004A	0.03	(0.06)	1,012	-	INTU19C2009A	0.49	0.01	57,740	-	KBAN01P2007A	2.46	(0.02)	35	2.00
GULF19C2006A	0.12	-	5,803	-	INTU19P2007A	-	-	-	-	KBAN01P2007B	2.52	(0.16)	2	2.00
GULF19C2008A	1.62	(0.07)	5,983	1.00	INTU19P2010A	0.68	(0.02)	9,224	-	KBAN06C2008A	0.06	(0.01)	291	-
GULF19C2010A	0.48	(0.02)	369,089	-	INTU23C2111A	-	-	-	-	KBAN08C2005A	0.01	-	7	-
GULF19P2006A	0.22	-	2,739	-	INTU24C2008A	0.43	-	17,217	-	KBAN08C2007A	0.04	0.01	1	-
GULF19P2009A	0.36	0.01	120,874	-	INTU28C2008A	0.32	0.01	88,882	-	KBAN08P2004A	-	-	-	-
GULF19P2010A	0.35	-	109,801	-	INTU28C2010A	0.39	0.02	7,213	-	KBAN13C2006A	0.01	(0.01)	2,020	-
GULF24C2005A	-	-	-	-	INTU41C2005A	-	-	-	-	KBAN13C2008A	0.05	(0.02)	3	-
GULF27C2004A	-	-	-	-	INTU41C2006A	-	-	-	-	KBAN13C2008B	0.67	(0.02)	226,171	-
GULF28C2006A	0.06	-	1,038	-	INTU41C2007A	-	-	-	-	KBAN13P2006A	2.22	0.80	36	2.00
GULF28C2008A	-	-	-	-	INTU41P2004A	-	-	-	-	KBAN13P2008A	1.14	(0.01)	1,378	1.00
GULF28C2008B	1.08	(0.07)	215	1.00	INTU41P2005A	-	-	-	-	KBAN16C2005A	-	-	-	-
GULF28C2008C	-	-	-	-	INTU41P2006A	-	-	-	-	KBAN16C2008A	0.03	(0.01)	1,558	-
GULF41C2005A	0.45	0.02	465	-	INTU42C2005A	0.14	-	29,806	-	KBAN19C2004A	-	-	-	-
GULF41C2006A	1.48	(0.06)	10	1.00	IRPC01C2005A	0.01	-	5,350	-	KBAN19C2007A	-	-	-	-
GULF41P2005A	-	-	-	-	IRPC01C2005B	0.02	0.01	4	-	KBAN19C2009A	0.79	(0.02)	136,633	-
GULF41P2006A	0.46	(0.01)	65,257	-	IRPC01C2007B	0.21	0.01	160	-	KBAN19C2010A	0.24	(0.01)	141,153	-
GULF41P2007A	-	-	-	-	IRPC01P2005A	-	-	-	-	KBAN19P2004A	-	-	-	-
GUNK01C2005A	0.12	0.03	1,350	-	IRPC01P2005B	0.64	0.05	90	-	KBAN19P2007A	-	-	-	-
GUNK01C2005B	-	-	-	-	IRPC01P2007B	0.42	(0.04)	2,340	-	KBAN19P2010P	0.88	-	182,690	-
GUNK01P2005A	0.12	(0.02)	24	-	IRPC06C2005A	-	-	-	-	KBAN24C2005A	-	-	-	-
GUNK11C2007A	0.07	(0.01)	1	-	IRPC06C2007A	-	-	-	-	KBAN28C2008A	0.06	(0.01)	150	-
GUNK13C2006A	0.15	0.06	2,240	-	IRPC06P2004A	-	-	-	-	KBAN28C2008B	0.35	(0.01)	75,988	-
GUNK19C2006A	-	-	-	-	IRPC11C2005A	-	-	-	-	KBAN28C2008C	0.57	(0.04)	41,932	-
GUNK24C2006A	0.31	0.04	6,370	-	IRPC11C2008A	0.03	-	1,818	-	KBAN28C2010A	0.13	-	29,806	-
GUNK28C2005A	-	-	-	-	IRPC13C2006A	-	-	-	-	KBAN41C2005A	-	-	-	-
GUNK28C2012A	0.33	0.02	34,265	-	IRPC13C2007A	-	-	-	-	KBAN41C2007A	-	-	-	-
GUNK41C2005A	-	-	-	-	IRPC13C2008A	-	-	-	-	KBAN41C2008A	0.29	(0.01)	14,384	-
GUNK41P2005A	-	-	-	-	IRPC13C2009A	0.44	0.03	462,037	-	KBAN41P2005A	-	-	-	-
HANA01C2006A	-	-	-	-	IRPC16C2008A	-	-	-	-	KBAN41P2006A	-	-	-	-
HANA01C2006B	0.02	-	47	-	IRPC19C2005A	-	-	-	-	KBAN42C2004A	-	-	-	-
HANA01P2006A	0.39	(0.05)	460	-	IRPC19C2007A	-	-	-	-	KBAN42C2007A	0.02	(0.01)	701	-
HANA11C2008A	-	-	-	-	IRPC19C2008A	0.52	0.01	1	-	KBAN42P2008A	-	-	-	-
HANA13C2006A	-	-	-	-	IRPC19C2010A	0.34	0.02	170,760	-	KCE01C2004A	0.03	0.02	23,809	-
HANA13C2008A	0.20	0.02	17,561	-	IRPC24C2007A	-	-	-	-	KCE01C2004B	0.01	-	8,573	-
HANA16C2008A	-	-	-	-	IRPC24C2007B	-	-	-	-	KCE01C2007B	0.02	-	662	-
HANA19C2006A	0.10	-	96,331	-	IRPC27C2007A	-	-	-	-	KCE01C2008A	0.11	-	13,038	-
HANA27C2007A	0.19	0.02	1,788	-	IRPC28C2006A	-	-	-	-	KCE01P2004A	0.88	(0.52)	51	-
HANA27P2007A	-	-	-	-	IRPC28C2008A	0.37	0.03	58,639	-	KCE06C2009A	0.74	0.10	78,724	-
HANA41C2006A	-	-	-	-	IRPC28C2012A	0.22	0.01	32,848	-	KCE08C2005A	0.01	-	10	-
HMPR01C2006A	0.13	(0.01)	172	-										

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE27C2007A	0.06	0.01	540	-	OSP01P2006A	0.33	-	3,420	-	PTT41C2006A	-	-	-	-
KCE41C2005A	-	-	-	-	OSP06C2005A	0.03	(0.03)	70	-	PTT41C2007A	-	-	-	-
KCE41C2006A	0.15	0.02	20	-	OSP06C2008A	0.86	-	9,654	-	PTT41C2009A	0.33	0.02	16,220	-
KKP01C2006A	0.03	0.01	38	-	OSP08C2004A	0.01	-	320	-	PTT41P2005A	-	-	-	-
KKP01C2006B	0.03	-	90	-	OSP08C2009A	0.61	(0.01)	16,416	-	PTT41P2006A	1.73	(0.03)	86	1.00
KKP01P2006A	-	-	-	-	OSP11C2005A	-	-	-	-	PTT42C2007A	-	-	-	-
KKP11C2007A	-	-	-	-	OSP13C2006A	0.08	-	135	-	PTTE01C2004A	0.01	(0.01)	26,988	-
KKP13C2007A	-	-	-	-	OSP16C2008A	-	-	-	-	PTTE01C2004B	0.01	(0.01)	9,137	-
KKP41C2006A	-	-	-	-	OSP19C2004A	-	-	-	-	PTTE01C2007A	0.05	0.01	2,729	-
KTB01C2008B	0.05	-	200	-	OSP19C2005A	0.13	-	111	-	PTTE01C2007B	0.03	-	23,084	-
KTB01C2009A	0.13	-	618	-	OSP19C2009A	0.51	(0.03)	143,923	-	PTTE01P2004A	-	-	-	-
KTB01P2009A	-	-	-	-	OSP19C2010A	0.38	(0.01)	53,310	-	PTTE01P2004B	0.89	(0.17)	296	-
KTB11C2004A	-	-	-	-	OSP24C2008A	-	-	-	-	PTTE01P2007A	2.52	(0.08)	178	2.00
KTB11C2006A	-	-	-	-	OSP41C2005A	0.13	0.01	7,720	-	PTTE01P2007B	2.22	(0.20)	111	2.00
KTB13C2006A	-	-	-	-	OSP41P2004A	-	-	-	-	PTTE06C2006A	0.01	(0.01)	1,000	-
KTB19C2005A	-	-	-	-	OSP42C2005A	-	-	-	-	PTTE06C2008A	1.59	0.09	23,994	1.00
KTB24C2004A	-	-	-	-	PLAN08C2004A	0.01	-	8,300	-	PTTE06P2006A	-	-	-	-
KTB24C2009A	0.30	(0.70)	7,885	-	PLAN13C2005A	-	-	-	-	PTTE08C2005A	0.01	-	100	-
KTB28C2012A	0.15	0.01	16,464	-	PLAN13C2007A	0.03	0.01	1,045	-	PTTE08C2008A	1.66	0.03	43,498	1.00
KTB41C2006A	-	-	-	-	PLAN19C2005A	-	-	-	-	PTTE08P2005A	-	-	-	-
KTB41P2004A	-	-	-	-	PLAN19C2007A	0.03	-	400	-	PTTE08P2006A	-	-	-	-
KTC01C2004A	0.01	-	324	-	PLAN19C2010A	0.83	0.09	148,448	-	PTTE11C2006A	-	-	-	-
KTC01C2004B	0.01	-	2,001	-	PLAN24C2006A	0.01	-	2,000	-	PTTE13C2006A	0.03	-	1,265	-
KTC01C2007A	0.34	0.05	30,987	-	PLAN27C2008A	-	-	-	-	PTTE13C2008A	0.05	-	4,679	-
KTC01C2007B	0.15	-	735	-	PLAN28C2005A	-	-	-	-	PTTE13C2008B	0.49	(0.16)	253	-
KTC01P2004A	0.01	(0.01)	380	-	PLAN28C2012A	0.69	0.08	88,988	-	PTTE13C2009A	1.19	0.04	125,991	1.00
KTC01P2007A	0.27	(0.06)	11,296	-	PLAN41C2005A	-	-	-	-	PTTE13P2006A	-	-	-	-
KTC06C2006A	0.09	0.04	12,843	-	PLAN41C2006A	-	-	-	-	PTTE13P2008A	0.34	(0.03)	9,465	-
KTC08C2004A	-	-	-	-	PLAN42C2007A	0.02	0.01	1	-	PTTE13P2009A	0.79	(0.04)	164,501	-
KTC08C2006A	0.20	0.03	6,107	-	PRM13C2006A	-	-	-	-	PTTE16C2009A	0.08	-	103	-
KTC11C2005A	-	-	-	-	PRM19C2004A	-	-	-	-	PTTE19C2006A	0.02	0.01	1,002	-
KTC13C2006A	0.07	0.01	4,460	-	PRM19C2006A	0.19	(0.01)	88	-	PTTE19C2008A	0.08	0.03	31,859	-
KTC13C2008A	0.64	0.08	459,173	-	PRM19C2010A	0.48	-	55,664	-	PTTE19C2008B	0.77	0.03	751	-
KTC13P2006A	0.15	(0.02)	18,433	-	PRM42C2006A	0.76	0.01	5,798	-	PTTE19C2009A	1.89	0.09	5	1.00
KTC13P2007A	-	-	-	-	PSH19C2005A	-	-	-	-	PTTE19C2009B	1.05	0.04	223,646	1.00
KTC19C2005A	-	-	-	-	PSL06C2006A	-	-	-	-	PTTE19C2010A	0.54	0.02	88,097	-
KTC19C2006A	-	-	-	-	PSL19C2004A	-	-	-	-	PTTE19P2004A	-	-	-	-
KTC19C2008A	0.58	0.09	39,494	-	PSL19C2006A	-	-	-	-	PTTE19P2006A	-	-	-	-
KTC19C2010A	0.32	0.05	453,038	-	PSL19C2007A	0.25	0.03	1,294	-	PTTE19P2009A	0.41	(0.02)	13,481	-
KTC19P2005A	-	-	-	-	PTG01C2005A	0.09	0.04	411	-	PTTE19P2009B	0.98	(0.03)	18,589	-
KTC27C2007A	0.07	0.01	1	-	PTG01C2005B	0.02	-	52	-	PTTE24C2008A	-	-	-	-
KTC28C2006A	0.14	0.03	48,712	-	PTG01C2007B	0.23	0.02	45	-	PTTE28C2005A	-	-	-	-
KTC28C2012A	0.29	0.04	22,170	-	PTG01P2005A	-	-	-	-	PTTE28C2008A	0.17	0.01	18,873	-
KTC41C2005A	-	-	-	-	PTG01P2005B	0.18	(0.08)	1,664	-	PTTE41C2005A	-	-	-	-
KTC41C2006A	-	-	-	-	PTG03C2005A	-	-	-	-	PTTE41C2006A	-	-	-	-
KTC42C2006A	-	-	-	-	PTG06C2006A	0.07	(0.02)	51	-	PTTE41C2007A	0.93	0.02	3,960	-
LH11C2007A	-	-	-	-	PTG08C2005A	-	-	-	-	PTTE41C2008A	0.63	0.01	74,831	-
LH19C2007A	-	-	-	-	PTG08C2007A	0.21	0.03	555	-	PTTE41C2009A	-	-	-	-
LH19P2004A	-	-	-	-	PTG11C2005A	-	-	-	-	PTTE41P2004A	-	-	-	-
LH41C2005A	-	-	-	-	PTG13C2004A	-	-	-	-	PTTE41P2009A	1.41	(0.05)	11,022	1.00
LH41C2006A	0.11	0.10	100	-	PTG13C2006A	0.06	0.01	65	-	PTTE42C2004A	-	-	-	-
MAJO13C2007A	0.09	(0.01)	4,440	-	PTG13P2004A	-	-	-	-	PTTE42P2008A	-	-	-	-
MAJO19C2006A	-	-	-	-	PTG13P2006A	0.16	0.01	710	-	PTTG01C2005A	0.02	(0.01)	1,053	-
MBK19C2004A	-	-	-	-	PTG16C2009A	-	-	-	-	PTTG01C2005B	0.02	-	101	-
MEGA16C2009A	0.21	0.01	172	-	PTG19C2004A	-	-	-	-	PTTG01C2007B	0.04	-	2,100	-
MEGA19C2005A	-	-	-	-	PTG19C2005A	-	-	-	-	PTTG01C2008A	0.12	-	6,157	-
MINT01C2007B	0.03	-	12,109	-	PTG19C2006A	0.14	-	500	-	PTTG01P2005A	-	-	-	-
MINT01C2008A	0.07	-	28,289	-	PTG19C2008A	0.47	0.01	97,257	-	PTTG01P2005B	1.51	(0.29)	50	1.00
MINT01P2008A	1.05	-	12,133	1.00	PTG19C2010A	0.33	0.01	162,250	-	PTTG01P2007B	-	-	-	-
MINT06C2006A	0.02	(0.01)	10	-	PTG19P2006A	-	-	-	-	PTTG01P2008A	-	-	-	-
MINT06P2007A	1.19	(0.01)	160	1.00	PTG27C2007A	-	-	-	-	PTTG06C2006A	-	-	-	-
MINT11C2006A	0.04	0.03	1	-	PTG41C2005A	-	-	-	-	PTTG08C2004A	-	-	-	-
MINT13C2006A	-	-	-	-	PTG41C2006A	-	-	-	-	PTTG08C2008A	0.57	0.01	44,514	-
MINT13C2008A	0.05	-	461	-	PTG41P2005A	-	-	-	-	PTTG08P2004A	-	-	-	-
MINT13C2009A	0.64	0.01	82,293	-	PTG42C2004A	-	-	-	-	PTTG11C2004A	-	-	-	-
MINT19C2004A	-	-	-	-	PTG42C2006A	-	-	-	-	PTTG11C2007A	-	-	-	-
MINT19C2006A	-	-	-	-	PTT01C2004A	0.01	(0.01)	243,548	-	PTTG13C2005A	-	-	-	-
MINT19C2010A	0.64	0.01	173,709	-	PTT01C2004B	0.01	-	22,546	-	PTTG13C2007A	0.04	-	100	-
MINT19P2004A	-	-	-	-	PTT01C2007A	0.10	0.01	29,915	-	PTTG13C2008A	0.50	0.06	1	-
MINT24C2006A	-	-	-	-	PTT01C2007B	0.04	-	3,630	-	PTTG13C2009A	0.52	0.02	204,768	-
MINT28C2006A	-	-	-	-	PTT01P2004A	0.87	(0.09)	656	-	PTTG13P2008A	-	-	-	-
MINT28C2008A	0.05	0.01	1	-	PTT01P2004B	0.35	(0.12)	1,381	-	PTTG16C2006A	-	-	-	-
MINT28C2012A	0.42	-	28,152	-	PTT01P2007A	1.23	(0.01)	3,404	1.00	PTTG19C2006A	-	-	-	-
MINT41C2005A	-	-	-	-	PTT01P2007B	0.77	(0.04)	2,673	-	PTTG19C2006B	-	-	-	-
MINT41C2007A	-	-	-	-	PTT06C2005A	0.01	-	30	-	PTTG19C2008A	-	-	855	-
MINT41P2004A	-	-	-	-	PTT06C2008A	0.63	0.03	47,927	-	PTTG19C2008B	0.64	0.04	492	-
MINT42C2004A	-	-	-	-	PTT08C2005A	-	-	-	-	PTTG19C2009A	0.39	0.01	280,312	-
MTC01C2007B	0.03	(0.01)	1,811	-	PTT08C2008A	0.47	0.01	64,773	-	PTTG19P2006A	-	-	-	-
MTC01C2008A	0.17	-	26,031	-	PTT08P2005A	0.51	(0.14)	151	-	PTTG19P2009A	0.50	(0.01)	27,078	-
MTC03C2005A	-	-	-	-	PTT08P2009A	0.82	(0.03)	70,107	-	PTTG24C2008A	0.61	0.02	11,160	-
MTC06C2007A	-	-	-	-	PTT11C2004A	0.01	(0.01)	2,009	-	PTTG27P2006A	-	-	-	-
MTC06C2009A	1.17	(0.04)	23,215	1.00	PTT11C2008A	0.04	(0.01)	5,095	-	PTTG28C2006A	-	-	-	-
MTC08C2005A	-	-	-	-	PTT13C2006A	0.03	-	68	-	PTTG28C2008A	0.23	-	86,190	-
MTC08C2009A	1.12	(0.03)	64,034	1.00	PTT13C2008A	0.08	(0.02)	1,702	-	PTTG41C2005A	-	-	-	-
MTC11C2008A	0.07	(0.01)	1,000	-	PTT13C2008B	0.36	(0.01)	948	-	PTTG41C2006A	-	-	-	-
MTC13C2007A	0.03	-	2,777	-	PTT13C2009A	0.41	0.01	791,686	-	PTTG41C2007A	0.39	-	13,710	-
MTC13C2009A	0.63	(0.03)	207,146	-	PTT13P2004A	-	-	-	-	PTTG41C2008A	-	-	-	-
MTC16C2007A	0.05	0.01	2,149	-	PTT13P2006A	-	-	-	-	PTTG41P2006A	-	-	-	-
MTC19C2006A	0.03	(0.02)	300	-	PTT13P2008A	0.10	-	32,266	-	PTTG42C2007A	-	-	-	-
MTC19C2009A	0.93	(0.03)	71,452	-	PTT13P2009A	0.40	(0.02)	240,130	-	QH01C2006A	-	-	-	-
MTC19C2010A	0.62	(0.02)	166,678	-	PTT16C2008A	0.04	0.01	32	-	QH01C2006B	-	-	-	-
MTC19P2004A	0.02	(0.03)	934	-	PTT19C2005A	0.02	-	15,791	-	QH01P2006A	-	-	-	-
MTC24C2004A	-	-	-	-	PTT19C2008A	0.45	0.05	90	-	QH11C2006A	-	-	-	-
MTC27C2007A	-	-	-	-	PTT19C2009A	0.39	0.02	238,700</						

Main Board Quotation**Issue Date :**

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP01C2006B	0.10	(0.01)	1,210	-	PTT41C2005A	-	-	-	-	RATC16C2008A	0.10	(0.01)	17	-

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RATC19C2005A	-	-	-	-	S5019P2006B	1.90	(0.28)	4	1.00	SCB19C2008A	0.65	(0.02)	29,230	-
RATC19C2007A	0.84	(0.09)	197,743	-	S5019P2006C	1.65	(0.23)	13	1.00	SCB19C2010A	0.43	-	153,153	-
RATC24C2006A	-	-	-	-	S5019P2006D	0.34	(0.03)	42,330	-	SCB19P2005A	-	-	-	-
RATC27C2004A	-	-	-	-	S5019P2006E	0.18	(0.02)	17,361	-	SCB19P2010A	0.88	(0.01)	44,351	-
RATC27C2007A	0.27	(0.11)	234	-	S5019P2006F	0.08	(0.01)	92,938	-	SCB24C2004A	-	-	-	-
RATC41C2004A	-	-	-	-	S5019P2006G	0.49	(0.04)	484,729	-	SCB24C2008A	0.44	(0.01)	10,874	-
RATC41C2005A	-	-	-	-	S5024C2006A	-	-	-	-	SCB27C2007A	0.02	-	300	-
RATC41C2006A	0.58	(0.11)	87,995	-	S5024C2006B	0.05	(0.01)	322	-	SCB27P2006A	-	-	-	-
RATC41P2004A	-	-	-	-	S5024C2006C	2.32	(0.04)	2,375	2.00	SCB28C2006A	0.03	-	201	-
RATC41P2006A	-	-	-	-	S5024C2006D	1.27	0.03	6,699	1.00	SCB28C2006B	-	-	-	-
RATC42C2006A	0.05	-	621	-	S5024C2006E	0.99	0.01	29,382	-	SCB28C2008A	0.08	(0.03)	60	-
RS06C2004A	-	-	-	-	S5024C2009A	0.08	0.01	16,972	-	SCB28C2010A	0.44	-	44,168	-
RS08P2006A	-	-	-	-	S5024C2009B	1.29	0.03	143,690	1.00	SCB41C2005A	-	-	-	-
RS13C2004A	-	-	-	-	S5024P2006A	16.00	(0.90)	9	16.00	SCB41C2006A	-	-	-	-
RS13C2006A	0.21	(0.01)	167,844	-	S5024P2006B	8.90	(0.25)	401	8.00	SCB41C2006B	-	-	-	-
RS16C2005A	-	-	-	-	S5024P2006C	0.80	(0.69)	109	-	SCB41C2008A	0.53	-	19,542	-
RS19C2004A	-	-	-	-	S5024P2006D	0.82	(0.05)	106,698	-	SCB41P2005A	-	-	-	-
RS19C2005A	-	-	-	-	S5024P2006E	0.58	(0.04)	46,229	-	SCB42C2006A	-	-	-	-
RS19C2007A	0.16	(0.02)	138,926	-	S5024P2006F	1.33	(0.12)	137,363	1.00	SCB42C2007A	0.02	-	2	-
RS24C2004A	-	-	-	-	S5028C2004A	-	-	-	-	SCC01C2004A	0.04	(0.02)	91,280	-
RS24C2008A	0.11	(0.01)	20	-	S5028C2004B	-	-	-	-	SCC01C2004B	-	-	-	-
RS41C2004A	0.01	-	100	-	S5028C2006A	0.03	(0.01)	11,000	-	SCC01P2004A	0.76	0.01	1,726	-
RS42C2004A	-	-	-	-	S5028C2006B	0.18	0.07	200	-	SCC06C2007A	0.13	(0.01)	6,968	-
RS42C2008A	0.40	(0.02)	18,453	-	S5028C2006C	1.73	0.03	784,490	1.00	SCC08C2004A	0.01	-	1,003	-
S10001C2011A	0.04	-	15,687	-	S5028C2006D	-	-	-	-	SCC08P2006A	0.33	(0.02)	4,013	-
S5001C2004A	0.01	-	234,053	-	S5028C2009A	1.22	0.02	888,206	1.00	SCC11C2006A	-	-	-	-
S5001C2005A	0.02	(0.01)	77,595	-	S5028P2004A	2.92	(0.28)	80	2.00	SCC11C2007A	0.17	0.05	1	-
S5001C2006F	0.04	-	21,958	-	S5028P2004B	-	-	-	-	SCC13C2008A	0.60	(0.05)	320	-
S5001C2006G	0.07	-	6,836	-	S5028P2006A	1.47	(0.04)	777,937	1.00	SCC13C2009A	0.85	-	55,602	-
S5001C2006H	0.30	-	19,444	-	S5028P2006B	0.89	(0.04)	366	-	SCC13P2006A	0.35	-	50	-
S5001C2007A	0.30	(0.01)	68,280	-	S5028P2006C	0.43	(0.02)	822,314	-	SCC13P2009A	1.16	(0.01)	96,510	1.00
S5001P2004A	3.74	(0.08)	51	3.00	S5028P2009A	1.46	(0.03)	790,348	1.00	SCC16C2005A	-	-	-	-
S5001P2005A	3.02	(0.14)	131	3.00	S5041C2006A	0.64	0.01	33,339	-	SCC19C2006A	0.06	(0.04)	1	-
S5001P2006F	4.52	(0.28)	5	4.00	S5041C2006B	1.06	0.05	36,429	1.00	SCC19C2008A	0.89	(0.01)	220	-
S5001P2006G	-	-	-	-	S5041C2006C	2.58	0.04	226,206	2.00	SCC19C2010A	0.78	-	86,633	-
S5001P2006H	1.70	(0.20)	3,010	1.00	S5041C2006D	4.24	0.12	15,360	4.00	SCC19P2004A	-	-	-	-
S5001P2007A	1.58	(0.33)	30,774	1.00	S5041C2006E	1.63	0.04	6,961	1.00	SCC19P2010A	0.55	(0.02)	236,939	-
S5006C2006A	0.07	-	102	-	S5041C2006F	1.32	0.02	233,156	1.00	SCC24C2006A	-	-	-	-
S5006C2006B	0.06	0.01	1,518	-	S5041C2006G	0.67	0.02	1,381,256	-	SCC27P2008A	0.22	(0.01)	4,569	-
S5006C2006C	1.03	0.02	218,065	1.00	S5041P2006A	5.10	(0.25)	90	5.00	SCC28C2008A	-	-	-	-
S5006C2006D	1.22	0.03	213,900	1.00	S5041P2006B	4.20	(0.28)	3,914	4.00	SCC28C2010A	0.67	-	44,261	-
S5006C2006E	1.11	0.01	484,777	1.00	S5041P2006C	2.04	(0.06)	322,195	2.00	SCC41C2005A	-	-	-	-
S5006C2006F	1.97	0.02	439,686	1.00	S5041P2006D	1.51	(0.09)	125,740	1.00	SCC41C2006A	0.60	0.09	3,716	-
S5006P2006A	4.28	(0.50)	1	4.00	S5041P2006E	0.65	(0.02)	26,525	-	SCC41C2006B	0.91	-	32,544	-
S5006P2006B	-	-	-	-	S5041P2006F	0.32	(0.04)	18,630	-	SCC41P2005A	-	-	-	-
S5006P2006C	0.32	(0.02)	9,085	-	S5041P2006G	0.70	(0.04)	353,775	-	SCC41P2006A	-	-	-	-
S5006P2006D	0.27	(0.02)	15,685	-	SAWA01C2006A	0.15	(0.01)	2,835	-	SCC42C2008A	-	-	-	-
S5006P2006E	0.53	(0.06)	444,505	-	SAWA01C2006B	0.02	(0.03)	20	-	SGP13C2006A	-	-	-	-
S5006P2006F	1.14	(0.05)	257,976	1.00	SAWA01P2006A	1.36	0.03	425	1.00	SGP13C2007A	0.09	(0.02)	1,000	-
S5008C2006A	0.06	-	1,319	-	SAWA06C2007A	-	-	-	-	SGP19C2006A	-	-	-	-
S5008C2006B	1.98	0.04	507,826	1.00	SAWA08C2006A	-	-	-	-	SGP19C2006B	0.23	-	12,025	-
S5008C2006C	1.18	(0.01)	263,666	1.00	SAWA13C2005A	0.01	-	1,009	-	SGP42C2007A	-	-	-	-
S5008C2006D	1.24	(0.01)	783,174	1.00	SAWA13C2007A	0.03	(0.03)	610	-	SIRI13C2007A	-	-	-	-
S5008P2006A	0.06	(0.01)	13,551	-	SAWA13C2009A	0.73	(0.03)	181,614	-	SIRI19C2004A	-	-	-	-
S5008P2006B	0.24	(0.02)	1,570	-	SAWA16C2008A	0.06	-	9	-	SIRI19C2007A	0.02	-	25	-
S5008P2006C	0.68	(0.06)	291,289	-	SAWA19C2005A	-	-	-	-	SPAL01C2004A	0.01	-	566	-
S5013C2006A	0.04	0.01	51,735	-	SAWA19C2009A	0.76	(0.01)	25,973	-	SPAL01C2004B	-	-	-	-
S5013C2006B	0.06	0.01	25,660	-	SAWA19C2009B	0.78	(0.03)	176,795	-	SPAL06P2009A	0.49	0.01	6,830	-
S5013C2006C	0.10	-	5,036	-	SAWA24C2004A	-	-	-	-	SPAL11C2006A	-	-	-	-
S5013C2006D	0.15	-	10,333	-	SAWA27C2007A	-	-	-	-	SPAL13C2006A	-	-	-	-
S5013C2006E	0.52	(0.01)	18,646	-	SAWA28C2007A	-	-	-	-	SPAL19C2004A	-	-	-	-
S5013C2006F	1.33	0.01	2,385,045	1.00	SAWA28C2008A	-	-	-	-	SPAL27C2008A	-	-	-	-
S5013C2006G	0.92	-	6,150,238	-	SAWA28C2012A	0.57	(0.01)	86,888	-	SPRC01C2007A	-	-	-	-
S5013C2006H	0.72	0.01	6,145,735	-	SAWA41C2005A	-	-	-	-	SPRC06C2007A	0.02	0.01	1	-
S5013C2006I	0.59	(0.41)	5,227,725	-	SAWA41C2009A	0.73	(0.07)	10,734	-	SPRC06P2007A	1.90	(0.01)	825	1.00
S5013P2006A	3.50	(0.02)	12	3.00	SAWA41P2005A	-	-	-	-	SPRC08C2005A	-	-	-	-
S5013P2006B	2.18	(0.22)	14	2.00	SCB01C2004A	0.01	-	48,148	-	SPRC08C2006A	-	-	-	-
S5013P2006C	2.60	(0.10)	106	1.00	SCB01C2004B	0.01	-	1,474	-	SPRC11C2005A	-	-	-	-
S5013P2006D	1.15	(0.09)	22,635	1.00	SCB01C2007A	0.07	-	113	-	SPRC11C2008A	-	-	-	-
S5013P2006E	0.69	(0.07)	32,106	-	SCB01C2007B	0.03	-	1,221	-	SPRC13C2006A	0.03	0.02	202	-
S5013P2006F	0.13	(0.02)	249,179	-	SCB01C2008B	0.09	(0.01)	444	-	SPRC13C2008A	0.04	(0.01)	2	-
S5013P2006G	0.15	(0.02)	430,164	-	SCB01C2009A	0.31	-	7,419	-	SPRC19C2005A	0.01	-	300	-
S5013P2006H	0.47	(0.04)	2,880,914	-	SCB01P2004A	-	-	-	-	SPRC19C2005B	-	-	-	-
S5013P2006I	0.23	(0.03)	1,281,377	-	SCB01P2004B	1.74	(0.07)	76	1.00	SPRC19C2007A	-	-	-	-
S5013P2006J	0.70	(0.30)	5,451,535	-	SCB01P2007A	1.49	0.01	1	1.00	SPRC19P2005A	-	-	-	-
S5016C2006A	0.04	0.01	580	-	SCB01P2007B	-	-	-	-	SPRC28C2008A	-	-	-	-
S5016C2006B	-	-	-	-	SCB06C2007A	0.01	(0.01)	15	-	SPRC41C2005A	-	-	-	-
S5016C2006C	1.21	0.02	84,298	1.00	SCB08C2005A	0.01	(0.03)	5	-	SPRC41C2006A	-	-	-	-
S5016C2006D	1.20	0.02	98,724	1.00	SCB08C2007A	-	-	-	-	SPRC42C2006A	-	-	-	-
S5016C2006E	1.28	-	264,173	1.00	SCB08C2009A	0.64	(0.36)	69,230	-	STA01C2008B	-	-	-	-
S5016P2006A	-	-	-	-	SCB08P2004A	-	-	-	-	STA01C2009A	0.37	0.01	1,989	-
S5016P2006B	0.66	(0.57)	376	-	SCB11C2005A	-	-	-	-	STA01P2009A	0.27	-	69	-
S5016P2006C	0.26	(0.04)	210	-	SCB11C2006A	0.01	-	46	-	STA11C2005A	-	-	-	-
S5016P2006D	0.26	(0.03)	4,303	-	SCB11C2008A	0.05	-	206	-	STA13C2006A	0.17	0.02	16,426	-
S5016P2006E	0.56	(0.05)	76,555	-	SCB11P2005A	-	-	-	-	STA13C2009A	0.37	0.01	74,066	-
S5016P2103Z	-	-	-	-	SCB13C2006A	0.01	-	3,409	-	STA19C2004A	-	-	-	-
S5019C2006A	0.04	-	1,816	-	SCB13C2006B	-	-	-	-	STA19C2005A	-	-	-	-
S5019C2006B	-	-	-	-	SCB13C2007A	0.03	(0.02)	9	-	STA19C2007A	0.19	-	500	-
S5019C2006C	0.54	(0.01)	52	-</										

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5019C2006E	0.44	(0.01)	377,982	-	SCB13P2006A	2.30	0.02	10	2.00	STA42C2007A	-	-	-	-
S5019C2006F	1.67	0.03	363,234	1.00	SCB13P2008A	0.70	-	403	-	STEC01C2004A	0.01	-	610	-
S5019C2006G	0.29	0.01	23,171	-	SCB16C2008A	0.06	-	201	-	STEC01C2006A	0.38	-	400	-
S5019C2009A	3.36	0.06	42,902	3.00	SCB19C2006A	-	-	-	-	STEC01C2006B	0.08	0.01	100	-
S5019P2006A	3.70	(0.40)	3	3.00	SCB19C2007A	-	-	-	-	STEC01P2006A	0.25	(0.01)	365	-

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STEC06C2004A	0.02	(0.01)	5	-	TOA24C2005A	-	-	-	-	VGI19C2010A	0.63	0.10	98,131	-
STEC08C2004A	0.01	-	3,000	-	TOA41C2004A	0.01	-	10	-	VGI41C2006A	-	-	-	-
STEC08C2005A	-	-	-	-	TOP01C2006A	0.03	-	875	-	VGI41C2007A	-	-	-	-
STEC11C2007A	0.03	-	1,753	-	TOP01C2006B	0.02	0.01	21	-	WHA01C2005A	0.03	(0.02)	181	-
STEC13C2004A	-	-	-	-	TOP01C2008B	0.18	0.01	150	-	WHA01C2005B	-	-	-	-
STEC16C2006A	0.09	0.01	1	-	TOP01C2009A	0.36	0.03	797	-	WHA01C2008B	-	-	-	-
STEC16C2009A	-	-	-	-	TOP01P2006A	-	-	-	-	WHA01C2009A	0.42	0.02	101	-
STEC19C2004A	-	-	-	-	TOP01P2009A	0.62	(0.07)	3,796	-	WHA01P2005A	1.20	(0.05)	70	1.00
STEC19C2005A	-	-	-	-	TOP06C2007A	0.03	-	4,999	-	WHA01P2009A	-	-	-	-
STEC19C2009A	0.62	0.03	27,835	-	TOP06C2008A	0.81	0.05	25,838	-	WHA06C2007A	0.05	-	6	-
STEC24C2006A	-	-	-	-	TOP06P2005A	-	-	-	-	WHA08C2005A	-	-	-	-
STEC28C2005A	-	-	-	-	TOP08C2007A	-	-	-	-	WHA08C2006A	0.02	0.01	102	-
STEC28C2012A	0.42	0.01	18,849	-	TOP08P2007A	-	-	-	-	WHA08P2006A	-	-	-	-
STEC41C2005A	-	-	-	-	TOP11C2007A	0.02	-	8	-	WHA11C2008A	0.04	-	100	-
STEC41C2006A	0.35	0.03	36,530	-	TOP13C2006A	-	-	-	-	WHA13C2005A	-	-	-	-
STEC41P2004A	-	-	-	-	TOP13C2008A	0.11	(0.01)	663	-	WHA13C2006A	-	-	-	-
STEC41P2005A	-	-	-	-	TOP13C2008B	0.61	0.04	105,378	-	WHA13C2009A	0.35	(0.65)	76,181	-
STEC42C2004A	-	-	-	-	TOP13P2005A	-	-	-	-	WHA16C2006A	-	-	-	-
SUPE19C2004A	-	-	-	-	TOP13P2006A	-	-	-	-	WHA16C2008A	-	-	-	-
SUPE19C2007A	0.19	0.07	156,852	-	TOP16C2008A	-	-	-	-	WHA19C2004A	-	-	-	-
SUPE42C2004A	-	-	-	-	TOP19C2006A	-	-	-	-	WHA19C2005A	-	-	-	-
TASC01C2007B	0.10	(0.01)	100	-	TOP19C2007A	-	-	-	-	WHA19C2006A	0.02	-	350	-
TASC01C2008A	-	-	-	-	TOP19C2008A	0.32	0.01	143,713	-	WHA19C2010A	0.41	(0.01)	8,221	-
TASC01P2008A	-	-	-	-	TOP19P2006A	-	-	-	-	WHA24C2004A	-	-	-	-
TASC08C2005A	-	-	-	-	TOP24C2007A	0.02	-	4	-	WHA24C2007A	0.25	0.01	11,605	-
TASC08C2006A	0.12	(0.01)	500	-	TOP24C2008A	0.57	0.04	19,231	-	WHA27C2008A	0.24	-	2,160	-
TASC13C2006A	0.09	(0.03)	640	-	TOP41C2004A	-	-	-	-	WHA28C2005A	-	-	-	-
TASC13C2009A	0.33	(0.03)	147,568	-	TOP41C2005A	-	-	-	-	WHA28C2006A	-	-	-	-
TASC16C2008A	0.22	0.10	120	-	TOP41C2006A	-	-	-	-	WHA28C2012A	0.33	-	19,442	-
TASC19C2006A	0.25	0.01	2	-	TOP41C2007A	-	-	-	-	WHA41C2005A	-	-	-	-
TASC19C2007A	0.13	(0.02)	20	-	TOP41C2008A	0.47	0.02	1	-	WHA41C2006A	-	-	-	-
TASC19C2009A	0.42	(0.03)	148,007	-	TOP41P2004A	-	-	-	-	WHA41C2007A	0.20	-	10,575	-
TASC19P2004A	-	-	-	-	TOP41P2005A	-	-	-	-	WHA41P2005A	-	-	-	-
TASC24C2006A	-	-	-	-	TOP41P2006A	-	-	-	-	WHA42C2005A	-	-	-	-
TASC28C2006A	-	-	-	-	TOP42C2007A	-	-	-	-	WHA42C2006A	-	-	-	-
TASC28C2012A	0.27	-	74,654	-	TP119C2004A	-	-	-	-	Preferred/Foreign	-	-	-	-
TASC41C2004A	0.01	-	64	-	TRUE01C2004A	0.01	-	83,694	-	BH-Q	-	-	-	-
TASC41C2005A	0.22	(0.01)	4,360	-	TRUE01C2004B	0.01	-	435	-	CSC-Q	-	-	-	-
TASC42C2005A	-	-	-	-	TRUE01C2007A	0.21	(0.01)	14,611	-	JUTHA-Q	-	-	-	-
TCAP01C2007B	-	-	-	-	TRUE01C2007B	0.05	(0.01)	10,285	-	KTB-Q	-	-	-	-
TCAP01C2008A	0.07	(0.01)	1,640	-	TRUE01P2004A	-	-	-	-	SCB-Q	-	-	-	-
TCAP01P2008A	-	-	-	-	TRUE01P2004B	0.01	(0.02)	281	-	TCAP-Q	-	-	-	-
TCAP13C2007A	0.05	-	100	-	TRUE01P2007B	-	-	-	-	TISCO-Q	-	-	-	-
TCAP19C2004A	-	-	-	-	TRUE06C2004A	0.01	-	2,075	-	U-Q	-	-	-	-
THAI19C2004A	0.01	-	1,776	-	TRUE06C2007A	0.08	-	127	-	Warrant	-	-	-	-
THAI27C2008A	0.62	0.13	1,153	-	TRUE08C2004A	0.01	-	10	-	7UP-W4	0.10	(0.01)	74,533	-
THAI42C2005A	0.07	(0.24)	15,414	-	TRUE08C2005A	-	-	-	-	AKR-W1	0.06	-	79,015	-
THAN01C2006A	0.03	-	17,000	-	TRUE08C2007A	-	-	-	-	ALT-W1	0.39	-	546,987	-
THAN01C2006B	-	-	-	-	TRUE08P2005A	-	-	-	-	APEX-W1	0.02	-	510	-
THAN01P2006A	-	-	-	-	TRUE11C2005A	-	-	-	-	APURE-W2	0.14	-	50,477	-
THAN06C2005A	-	-	-	-	TRUE11C2005B	-	-	-	-	AS-W1	-	-	-	-
THAN13C2007A	-	-	-	-	TRUE13C2006A	-	-	-	-	AYUD-W1	-	-	-	-
THAN19C2004A	-	-	-	-	TRUE13C2007A	0.11	(0.01)	20	-	B-W3	-	-	-	-
THAN19C2007A	0.07	-	630	-	TRUE13C2009A	0.35	(0.01)	73,593	-	B-W4	0.02	-	545	-
THAN41C2005A	-	-	-	-	TRUE19C2004A	-	-	-	-	B-W5	0.04	-	4,027	-
TISCO1C2006A	0.13	0.01	4,362	-	TRUE19C2006A	-	-	-	-	B52-W2	-	-	-	-
TISCO1C2006B	0.02	(0.01)	500	-	TRUE19C2007A	-	-	-	-	BKD-W2	0.07	-	1,385	-
TISCO1P2006A	0.97	(0.05)	1,076	-	TRUE19C2009A	0.38	(0.01)	50,093	-	BTS-W5	0.97	-	1,965,931	-
TISC11C2005A	-	-	-	-	TRUE19P2005A	-	-	-	-	CGD-W4	0.08	0.01	63,137	-
TISC11C2007A	0.08	(0.03)	290	-	TRUE28C2006A	-	-	-	-	CGH-W3	0.02	0.01	247,596	-
TISC13C2006A	-	-	-	-	TRUE28C2012A	0.23	-	21,154	-	CI-W1	-	-	-	-
TISC19C2004A	-	-	-	-	TRUE41C2004A	-	-	-	-	CKP-W1	0.01	-	1,741	-
TISC19C2006A	0.02	-	10,025	-	TRUE41C2005A	-	-	-	-	CRANE-W1	0.60	0.13	487	-
TISC19C2010A	0.73	0.06	138,215	-	TRUE41C2006A	-	-	-	-	DCC-W1	0.33	0.04	272,832	-
TISC41C2005A	-	-	-	-	TRUE41C2007A	-	-	-	-	ECL-W3	0.14	-	257,946	-
TISC41C2006A	-	-	-	-	TRUE41P2005A	-	-	-	-	EIC-W2	-	-	-	-
TISC41P2006A	1.15	(0.05)	9	1.00	TRUE42C2004A	-	-	-	-	EIC-W3	0.05	-	224	-
TKN01C2007B	-	-	-	-	TRUE42C2007A	1.30	(0.05)	5,081	1.00	EMC-W6	0.03	-	2,651	-
TKN01C2008A	-	-	-	-	TTW27C2009A	0.24	-	2,577	-	EP-W3	0.37	0.06	405,296	-
TKN08C2007A	-	-	-	-	TU01C2004A	0.01	-	17,481	-	GLOCON-W4	0.21	-	112,866	-
TKN13C2006A	-	-	-	-	TU01C2004B	0.01	-	12,476	-	J-W1	0.35	0.01	20,346	-
TKN16C2008A	-	-	-	-	TU01P2004A	0.01	(0.02)	14,338	-	JAS-W3	0.93	0.10	551,374	-
TKN19C2004A	-	-	-	-	TU06P2007A	-	-	-	-	JCK-W5	0.05	(0.01)	541,764	-
TKN19C2004B	-	-	-	-	TU08C2008A	0.17	(0.01)	47,082	-	JMT-W2	3.18	0.04	2,335	3.00
TKN19C2007A	-	-	-	-	TU11C2008A	0.18	-	18	-	MACO-W2	0.06	-	13,425	-
TKN19C2010A	0.48	0.03	70,389	-	TU13C2004A	-	-	-	-	MILL-W4	0.03	-	44,469	-
TKN28C2007A	-	-	-	-	TU19C2005A	0.10	0.02	300	-	MILL-W5	-	-	-	-
TKN28C2012A	0.35	0.01	30,495	-	TU19C2007A	-	-	-	-	MINT-W6	2.22	(0.02)	61,172	2.00
TKN41C2005A	-	-	-	-	TU19C2009A	0.14	-	23,436	-	NFC-W1	0.71	0.14	6,137	-
TKN41C2006A	-	-	-	-	TU24C2006A	0.27	0.22	3,600	-	NOK-W1	0.01	-	131	-
TKN42C2006A	0.34	0.01	15,011	-	TU27C2004A	-	-	-	-	NVD-W1	0.12	0.01	57,040	-
TMB01C2004A	0.01	-	9,182	-	TU27C2006A	-	-	-	-	ORI-W1	0.24	0.02	232,268	-
TMB01C2004B	0.01	-	355	-	TU28C2012A	0.18	0.01	1,044	-	PACE-W2	-	-	-	-
TMB01P2004A	-	-	-	-	TU41C2005A	-	-	-	-	PACE-W3	-	-	-	-
TMB19C2004A	-	-	-	-	TU41C2009A	0.21	(0.02)	3,299	-	PDI-W1	0.44	(0.01)	10,162	-
TMB19C2007A	0.04	-	2,747	-	TU42C2007A	-	-	-	-	PDJ-W4	0.17	0.01	4,627	-
TMB19P2004A	-	-	-	-	TV013C2007A	-	-	-	-	PERM-W1	0.13	0.01	90,502	-
TMB41C2004A	-	-	-	-	TV019C2004A	-	-	-	-	PORT-W1	0.59	0.03	101,027	-

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB41C2005A	-	-	-	-	TVO19C2007A	-	-	-	-	PPPM-W4	0.13	-	14,016	-
TMB41P2006A	-	-	-	-	VGI01C2005A	0.07	0.02	13,930	-	PRIME-W1	-	-	-	-
TOA01C2006A	-	-	-	-	VGI06C2007A	0.23	0.06	996	-	PRIME-W2	0.01	(0.01)	3	-
TOA01C2006B	-	-	-	-	VGI08C2006A	0.05	0.01	14	-	RICHY-W2	0.01	-	1	-
TOA13C2007A	0.51	0.08	20,669	-	VGI11C2008A	0.08	0.02	95	-	RS-W3	-	-	-	-
TOA19C2004A	-	-	-	-	VGI13C2006A	-	-	-	-	SAMART-W2	0.42	0.01	12,728	-
TOA19C2007A	0.52	-	72,565	-	VGI19C2006A	0.03	-	12,301	-	SAWAD-W1	5.50	(0.40)	20,020	6.00

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday April 29, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-