

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	2.44	(0.06)	28,402	2.45	MCOT	5.85	(0.05)	3,515	5.88
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	2.22	0.06	48,673	2.18
SAFARI	-	-	-	-	DIF	15.90	0.10	50,539	15.87	MPIC	1.26	0.05	51	1.21
VI	-	-	-	-	DTAC	41.00	(0.75)	48,704	41.31	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.40	0.05	576	5.35	PLANB	5.60	(0.10)	303,859	5.66
WR	-	-	-	-	HUMAN	7.10	0.35	21,479	7.21	POST	1.78	0.08	118	1.70
Agribusiness	-	-	-	-	ILINK	3.42	0.02	1,494	3.40	PRAKIT	7.85	(0.30)	1,594	7.92
CHOTI	-	-	-	-	INET	2.32	(0.02)	9,886	2.35	SE-ED	1.45	0.01	64	1.43
EE	0.50	-	55,886	0.49	INTUCH	53.50	-	251,390	54.33	TBSP	-	-	-	-
GFPT	11.80	(0.20)	81,237	11.92	JAS	3.90	(0.02)	333,562	3.90	TH	0.45	0.02	642	0.45
LEE	2.08	0.02	2,261	2.08	JASIF	9.30	(0.05)	142,231	9.34	TKS	5.20	0.15	8,418	5.12
NER	2.38	0.18	917,634	2.33	JMART	8.60	-	153,449	8.63	VGI	8.35	(0.05)	83,615	8.40
PPPM	0.50	0.02	91,121	0.51	JTS	0.91	0.02	5,835	0.94	WAVE	1.08	(0.08)	2,320	1.07
STA	15.60	1.70	639,399	15.01	MFECC	4.56	-	3,543	4.55	WORK	10.20	-	131,964	10.34
TRUBB	0.83	0.10	38,348	0.81	MSC	4.88	0.08	618	4.85	Finance & Securities	-	-	-	-
TWPC	3.42	0.12	60,137	3.44	PT	4.48	-	12,161	4.56	AEC	0.21	-	15,845	0.21
UPOIC	2.48	0.02	5	2.48	SAMART	4.92	(0.13)	33,204	4.90	AEONTS	127.00	(2.50)	4,652	127.26
UVAN	4.02	(0.04)	1,415	4.04	SAMTEL	5.30	(0.30)	6,382	5.37	AMANAH	2.86	(0.18)	828,973	2.91
VPO	0.37	-	1,599	0.36	SDC	0.14	0.01	2,034	0.14	ASAP	1.10	(0.08)	77,058	1.11
Banking	-	-	-	-	SIS	7.30	0.60	25,475	7.29	ASK	16.10	-	11,493	16.08
BAY	21.30	(0.20)	1,191	21.32	SVOA	0.96	-	14,633	0.96	ASP	1.50	0.01	18,310	1.50
BBL	96.00	(1.25)	167,658	95.76	SYMC	2.40	0.10	129	2.35	BAM	23.50	-	2,126,627	23.74
CIMBT	0.54	(0.01)	17,924	0.55	SYNEX	6.40	0.30	23,647	6.33	BFIT	27.00	-	41,358	27.25
KBANK	85.25	1.00	78,920	84.75	THCOM	3.56	(0.02)	11,620	3.55	CGH	0.75	-	942	0.74
KKP	39.75	-	63,979	40.04	TRUE	3.22	-	489,546	3.21	ECL	0.82	0.01	11,347	0.81
KTB	10.50	0.10	217,699	10.42	TWZ	0.07	0.01	27,984	0.07	FNS	1.97	(0.03)	232	1.97
LHFG	0.98	-	8,515	0.98	Electronic Componer	-	-	-	-	FSS	1.03	(0.05)	2,737	1.05
SCB	68.00	0.25	121,043	67.42	CCET	1.46	0.04	71,801	1.50	GBX	0.41	-	4,137	0.41
TCAP	34.50	0.75	91,313	34.34	DELTA	52.00	3.25	27,186	51.78	GL	2.96	0.06	27,454	2.97
TISCO	69.75	1.00	60,858	69.31	EIC	0.11	-	340,967	0.11	IFS	2.44	0.02	2,293	2.43
TMB	0.93	0.01	2,882,128	0.93	HANA	29.75	(1.00)	46,618	30.86	JMT	19.00	0.30	278,000	19.04
Construction Materia	-	-	-	-	KCE	16.50	(0.90)	1,254,402	17.35	KCAR	8.00	-	316	8.00
CCP	0.26	0.01	39,609	0.25	METCO	122.00	(4.00)	70	122.15	KGI	3.82	0.04	63,934	3.82
COTTO	1.25	(0.02)	9,981	1.26	NEX	3.08	0.40	133,644	3.00	KTC	37.00	2.50	329,314	36.42
DCC	1.85	0.04	82,832	1.83	SMT	0.90	(0.01)	8,140	0.91	MBKET	6.55	-	1,141	6.56
DCON	0.28	0.01	3,355	0.27	SVI	3.06	0.24	98,201	3.05	MFC	12.50	-	210	12.50
DRT	5.40	-	2,164	5.41	TEAM	0.67	0.04	1,567	0.66	ML	0.61	0.01	2,591	0.61
EPG	4.80	(0.02)	123,287	4.80	Energy & Utilities	-	-	-	-	MTC	50.00	2.25	215,934	49.15
GEL	0.13	0.01	80,887	0.13	7UP	0.42	0.01	116,273	0.42	PE	-	-	-	-
PPP	1.94	0.04	1,061	1.92	ABPIF	3.48	(0.02)	2,245	3.47	PL	2.02	-	957	2.01
Q-CON	4.38	(0.10)	37	4.37	ACE	3.36	-	162,761	3.33	S11	5.40	-	1,673	5.36
RCI	-	-	-	-	AI	1.02	-	13,644	1.02	SAWAD	54.50	1.25	158,609	54.14
SCC	340.00	(2.00)	9,208	340.31	AKR	0.51	(0.02)	7,521	0.52	THANI	3.76	-	474,957	3.81
SCCC	116.50	(0.50)	1,353	116.92	BAFS	22.40	(0.20)	5,903	22.44	TK	8.60	0.05	2,313	8.59
SCP	5.15	-	1,512	5.15	BANPU	6.55	0.20	2,620,696	6.49	TNITY	3.50	0.02	269	3.51
SKN	1.78	0.11	2,977	1.77	BCP	19.00	(0.60)	59,388	19.18	UOBKH	3.10	(0.02)	600	3.16
TASCO	18.50	-	196,758	18.41	BCPG	16.00	(0.30)	53,008	16.16	ZMICO	0.57	0.01	4,904	0.56
TCMC	1.02	-	44,684	1.01	BGRIM	44.75	(1.25)	131,526	45.15	Food & Beverage	-	-	-	-
TOA	35.75	0.25	102,408	34.82	BPP	16.00	(0.40)	67,992	15.99	APURE	1.43	0.06	33,023	1.43
TPIPL	1.20	0.01	520,590	1.21	BRRGIF	7.15	0.05	446	7.01	ASIAN	5.30	0.36	58,749	5.38
UMI	0.50	(0.03)	9,586	0.50	CKP	3.94	(0.04)	123,054	3.96	BR	2.14	0.02	16,437	2.16
VNG	3.48	0.44	4,614	3.48	DEMCO	2.46	(0.04)	8,729	2.46	BRR	3.12	0.02	260	3.19
WIJK	1.25	0.16	123,733	1.23	EA	39.25	(0.25)	77,330	39.49	CBG	86.25	-	36,031	86.57
Petrochemicals & Ch	-	-	-	-	EASTW	10.10	0.10	10,741	10.07	CFRESH	1.56	0.05	10,879	1.56
BCT	36.75	(0.25)	506	36.75	EGATIF	11.90	-	17,868	11.92	CM	2.76	0.04	1,377	2.78
CMAN	1.19	(0.01)	5,771	1.16	EGCO	269.00	(2.00)	16,403	267.26	CPF	28.25	(0.25)	298,404	28.53
GC	5.15	(0.05)	1,316	5.19	ESSO	5.70	0.05	594,900	5.77	CPI	1.18	-	202	1.18
GGC	8.10	(0.20)	23,110	8.15	GPSC	72.00	(2.25)	167,535	72.83	F&D	16.80	-	9	16.74
GIFT	2.30	(0.06)	8,517	2.33	GULF	38.50	(1.25)	487,685	39.12	HTC	18.10	-	1,509	18.19
IVL	28.50	(0.25)	296,594	28.65	GUNKUL	2.78	0.08	465,259	2.74	ICHI	5.75	0.05	50,804	5.78
NFC	1.60	0.12	1	1.60	IFEC	-	-	-	-	KBS	3.08	(0.02)	354	3.08
PATO	9.15	(0.10)	57	9.20	IRPC	2.88	0.06	3,294,452	2.89	KSL	1.89	-	39,193	1.92
PMTA	8.45	0.90	82	8.00	LANNA	5.95	(0.20)	1,987	6.00	KTIS	3.08	-	152	3.10
PTTGC	41.00	(0.25)	213,568	41.23	MDX	1.66	0.03	1,068	1.64	LST	4.46	(0.02)	3,742	4.49
SUTHA	2.64	0.34	5,426	2.53	PRIME	0.34	0.04	34,356	0.32	M	54.25	(1.50)	16,503	54.20
TCCC	20.40	-	20	20.40	PTG	13.80	(0.20)	102,276	13.87	MALEE	5.70	0.05	2,920	5.75
TPA	5.25	-	35	5.21	PTT	36.00	(0.25)	490,951	36.11	MINT	19.30	(0.10)	178,883	19.33
UAC	3.04	0.08	7,418	3.02	PTTEP	83.50	(0.50)	115,561	83.43	OISHI	41.25	(0.75)	375	41.51
UP	-	-	-	-	RATCH	65.25	(0.75)	40,898	65.75	OSP	42.75	(0.50)	46,780	42.58
VNT	21.00	0.50	8,363	20.80	RPC	0.47	(0.01)	4,678	0.47	PB	70.75	-	6	70.75
WG	-	-	-	-	SCG	3.88	-	109	3.88	PM	7.05	0.20	4,581	6.98
YCI	-	-	-	-	SCI	1.13	0.03	7,568	1.13	PRG	11.90	(0.10)	26	11.90
Commerce	-	-	-	-	SCN	1.64	(0.03)	6,846	1.62	RBF	5.35	0.35	399,422	5.29
BEAUTY	1.78	(0.02)	843,672	1.80	SGP	8.05	0.15	38,858	8.14	SAPPE	17.50	(0.10)	3,004	17.37
BIG	0.51	(0.01)	72,879	0.51	SKE	0.76	0.02	8,823	0.76	SAUCE	23.40	0.30	101	23.31
BJC	38.75	(0.25)	62,421	38.83	SOLAR	0.86	0.04	36,393	0.86	SFP	-	-	-	-
COL	13.70	(0.50)	5,437	13.76	SPCG	17.40	0.10	13,056	17.55	SNP	10.80	(0.10)	22	10.82
COM7	21.80	-	49,059	21.79	SPRC	6.45	(0.05)	569,244	6.52	SORKON	49.50	2.50	4	49.50
CPALL	71.75	(1.75)	662,072	72.06	SSP	7.10	0.30	37,093	6.90	SSC	-	-	-	-
CPW	1.13	-	6,191	1.13	SUPER	0.62	(0.01)	938,888	0.62	SSF	-	-	-	-
CRC	37.75	-	74,195	37.43	SUPEREIF	10.60	0.30	14,572	10.46	SST	2.86	-	543	2.89
CSS	1.08	-	146,091	1.10	SUSCO	2.06	-	16,641	2.05	TC	3.16	0.04	1,071	3.12
DOHOME	7.65	0.20	196,150	7.66	TAE	2.52	(0.10)	27,999	2.53	TFG	4.02	(0.08)	149,060	4.08
FN	0.94	0.06	112,838	0.94	TCC	0.18	(0.01)	54,316	0.18	TFMAMA	206.00	(2.00)	60	206.65
FTE	1.63	-	589	1.62	TOP	42.25	(1.50)	200,386	42.75	TIPCO	5.75	(0.25)	18,553	5.73
GLOBAL	13.70	0.10	53,626	13.64	TPIPP	3.92	0.02	76,474	3.90	TKN	8.05	0.15	248,857	7.90
HMPRO	14.00	0.30	289,735	13.98	TSE	2.94	-	70,834	2.92	TU	12.50	(0.60)	464,398	12.61
ILM	9.60	-	3,790	9.61	TTW	13.80	-	35,369	13.72	TVO	24.50	0.10	5,889	24.48
IT	1.87	(0.01)	176	1.87	WHAUP	4.66	-	59,847	4.63	ZEN	8.35	(0.15)	8,453	8.43
KAMART	3.12	(0.02)	6,271	3.12	WP	4.26	0.04	1,408	4.26	Health Care Services	-	-	-	-
LOXLEY	1.31	-	50,932	1.32	Media & Publishing	-	-	-	-	AHC	12.80	0.20	461	12.79
MAKRO	35.50	(0.25)	8,080	35.31	AM									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :
Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.62	(0.06)	32,404	2.63	CGD	0.62	(0.03)	42,527	0.62	IHL	2.10	0.02	6,167	2.08
RAM	140.00	-	17	139.91	CI	0.64	0.01	12	0.64	INGRS	0.37	0.01	2,463	0.36
RJH	22.30	(0.20)	704	22.41	CPN	47.75	(0.50)	46,820	48.02	IRC	14.00	1.40	2,096	13.62
RPH	5.30	0.05	4,502	5.25	ESTAR	0.29	(0.01)	31,518	0.29	PCSGH	4.54	(0.06)	211	4.53
SKR	4.80	(0.02)	806	4.80	EVER	0.22	-	46,487	0.21	SAT	10.60	(0.20)	4,074	10.69
SVH	416.00	6.00	3	415.33	FPT	12.20	0.30	2,326	12.24	SPG	-	-	-	-
THG	19.20	(0.20)	3,352	19.21	GLAND	2.10	(0.04)	580	2.10	STANLY	133.00	2.50	361	132.31
VIBHA	1.60	(0.01)	18,035	1.60	GOLD	8.35	0.45	1,151	8.35	TKT	0.66	0.03	640	0.65
VIH	6.10	0.15	16,343	6.09	GREEN	0.77	-	141	0.77	TNPC	0.68	(0.01)	500	0.68
WPH	1.60	0.04	1,487	1.60	J	0.68	(0.01)	6,677	0.68	TRU	3.46	(0.02)	338	3.45
Tourism & Leisure					JCK	0.75	0.01	1,869	0.74	TSC	10.00	0.05	18	10.00
ASIA	3.42	(0.02)	219	3.43	KC	-	-	-	-	Industrial Materials				
CENTEL	19.70	(0.20)	29,507	19.84	KWG	0.79	-	200	0.79	ALLA	1.10	(0.01)	10,748	1.11
CSR	-	-	-	-	LALIN	4.08	-	1,012	4.07	ASEFA	2.94	(0.06)	2,656	2.96
DTC	6.95	(0.15)	1,404	7.00	LH	6.70	(0.05)	354,553	6.67	CPT	0.69	-	11,068	0.68
ERW	2.78	0.06	212,081	2.78	LPN	3.74	(0.10)	128,169	3.71	CRANE	1.80	0.01	7,342	1.79
GRAND	0.63	-	4,788	0.63	MBK	15.30	-	12,104	15.38	CTW	-	-	-	-
LRH	30.50	(0.75)	81	30.28	MJD	1.72	-	2,294	1.69	FMT	22.50	(0.30)	7	22.41
MANRIN	-	-	-	-	MK	2.44	0.02	1,675	2.44	HTECH	2.66	0.16	21,338	2.65
OHTL	-	-	-	-	NCH	0.52	0.02	595	0.50	KKC	0.42	-	25	0.41
ROH	-	-	-	-	NNCL	1.86	0.11	6,499	1.83	PK	1.05	0.13	7,307	1.04
SHANG	63.75	0.75	26	62.15	NOBLE	13.80	(0.10)	41,683	13.86	SNC	8.05	(0.05)	2,064	8.09
SHR	2.14	0.08	313,571	2.11	NUSA	0.33	-	152,889	0.32	STARK	2.24	(0.08)	79,515	2.27
VRANDA	4.78	0.28	25,028	4.85	NVD	1.13	(0.02)	11,242	1.16	TCJ	2.30	(0.06)	1,985	2.31
Home & Office Prod.					ORI	4.44	0.06	95,045	4.42	VARO	-	-	-	-
ACC	0.60	0.01	351	0.60	PACE	-	-	-	-	Property Fund & REI				
AJA	0.14	0.01	133,146	0.13	PF	0.35	-	601,019	0.35	AIMCG	6.10	-	303	6.04
DTCI	-	-	-	-	PLAT	2.82	(0.14)	12,109	2.84	AIMIRT	12.00	0.10	1,051	11.90
FANCY	0.39	0.01	2,953	0.38	POLAR	-	-	-	-	AMATAR	10.00	-	2,477	9.90
KYE	246.00	6.00	11	245.55	PRECHA	0.68	0.01	381	0.68	B-WORK	11.30	-	596	11.31
L&E	1.63	(0.03)	1,351	1.62	PRIN	1.32	0.01	10,329	1.31	BKER	6.80	-	1,929	6.79
MODERN	2.24	-	744	2.24	PSH	10.90	0.30	25,447	10.77	BKKCP	-	-	-	-
OGC	-	-	-	-	QH	2.08	0.08	535,700	2.06	BOFFICE	13.70	-	1,087	13.73
ROCK	-	-	-	-	RICHY	0.60	-	3,938	0.59	CPNCG	10.10	0.10	10,755	10.01
SIAM	1.25	(0.01)	3,573	1.24	RML	0.49	-	23,262	0.48	CPNREIT	29.75	-	4,160	29.56
TSR	1.89	0.04	10,503	1.92	ROJNA	4.10	0.02	11,069	4.09	CPTGF	11.50	0.10	653	11.50
Insurance					S	1.62	0.02	49,468	1.62	CTARAF	4.98	(0.07)	186	4.98
AYUD	35.50	0.25	9	35.42	SAMCO	1.28	0.01	1,366	1.27	DREIT	3.52	(0.06)	419	3.53
BKI	263.00	7.00	133	260.44	SC	1.98	0.06	100,489	1.97	ERWPF	4.26	(0.06)	12	4.27
BLA	14.70	(0.10)	18,228	14.66	SENA	2.08	-	14,661	2.10	FTREIT	16.00	0.20	12,933	15.96
BUI	7.40	0.40	23	7.14	SF	4.70	0.02	38,597	4.71	FUTUREPF	18.80	-	99	18.80
CHARAN	20.50	(0.50)	200	20.75	SIRI	0.75	-	440,180	0.75	GAHREIT	7.20	-	90	7.18
INSURE	-	-	-	-	SPALI	13.90	0.10	25,880	13.82	GOLDPF	5.90	0.10	1	5.90
MTI	88.00	(0.50)	34	88.10	U	1.35	0.01	212,050	1.36	GVREIT	14.50	-	1	14.50
NKI	-	-	-	-	UV	3.04	(0.02)	11,230	3.04	HPF	4.28	-	125	4.26
NSI	53.50	(0.75)	37	54.66	WHA	2.86	(0.02)	914,992	2.88	HREIT	7.90	(0.05)	1,825	7.90
SEG	-	-	-	-	WIN	0.32	-	100	0.32	IMPACT	15.30	(0.20)	12,367	15.23
SMK	31.25	2.00	737	30.52	Paper & Printing Mat					KNPFF	6.80	-	64	6.80
THRE	0.50	-	76,262	0.50	UTP	9.90	0.50	26,159	9.77	LHHOTEL	12.30	(0.20)	2,057	12.39
THREL	2.48	(0.18)	29,464	2.47	Fashion	-	-	-	-	LHPF	6.45	0.05	106	6.41
TIP	21.90	(0.50)	7,222	22.15	AFC	-	-	-	-	LHSC	12.20	(0.10)	1,031	12.15
TQM	77.50	1.25	18,908	77.32	B52	0.17	0.01	1,541	0.17	LUXF	6.85	(0.15)	3	6.88
TSI	0.31	-	5,093	0.30	BTNC	14.60	-	1	14.60	M-II	-	-	-	-
TVI	3.36	0.10	2,237	3.33	CPH	3.32	(0.26)	277	3.55	M-PAT	-	-	-	-
Mining					CPL	0.85	(0.01)	38	0.86	M-STOR	5.45	0.05	36	5.36
PDI	4.38	(0.02)	1,544	4.37	ICC	-	-	-	-	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
Packaging					PAF	0.51	-	228	0.51	MLF	7.70	-	351	7.51
AJ	9.75	-	2,017	9.80	PDJ	1.03	-	2,450	1.03	MNIT	1.12	0.01	252	1.06
ALUCON	130.00	(1.50)	2	130.00	PG	-	-	-	-	MNIT2	3.40	0.02	2	3.40
BGC	10.00	0.55	58,758	9.94	SABINA	17.80	0.60	77,064	17.65	MNRF	-	-	-	-
CSC	47.25	1.25	377	47.10	SAWANG	7.30	(0.70)	2	7.28	POPF	11.00	-	1,750	11.00
GLOCON	0.52	-	134,324	0.54	SUC	37.00	(0.25)	15	37.00	PPF	11.20	-	100	11.20
NEP	0.15	-	311	0.15	TNL	-	-	-	-	QHHR	6.95	0.10	254	6.86
PTL	13.90	0.30	7,414	13.70	TPCORP	10.10	(0.40)	7	10.14	QHOP	2.56	0.08	71	2.46
SFLEX	6.80	0.05	5,531	6.78	TR	22.20	0.20	3	22.13	QHPF	11.00	0.10	1,153	10.96
SITHAI	0.66	-	1,790	0.67	TTI	-	-	-	-	SBPF	2.68	0.16	180	2.68
SLP	0.42	0.02	18	0.41	TTT	41.25	(1.25)	28	40.96	SHREIT	4.28	(0.02)	34	4.28
SMPC	8.55	0.80	31,143	8.52	UPF	46.00	6.00	18	45.53	SIRIP	-	-	-	-
SPACK	1.16	(0.02)	203	1.13	UT	-	-	-	-	SPF	12.00	(0.60)	29,340	12.27
TCOAT	-	-	-	-	WACOAL	45.75	-	1	45.75	SPRIME	12.40	0.60	1,664	11.82
TFI	0.04	-	1,624	0.04	Transportation & Log					SRIPANWA	8.00	-	188	8.00
THIP	21.70	0.30	1,014	21.76	AAV	1.70	(0.02)	228,250	1.71	SSPF	8.85	-	21	8.85
TMD	22.60	-	8	22.61	AOT	60.25	(0.75)	126,758	60.43	SSTRT	5.20	0.20	222	5.10
TOPP	170.00	1.00	2	170.00	ASIMAR	0.99	(0.01)	1,670	0.99	TIF1	8.20	0.05	328	8.16
TPBI	3.14	0.04	188	3.10	B	0.21	-	14,596	0.20	TLGF	19.30	0.10	3,930	19.09
TPP	16.00	0.60	10	16.00	BA	5.50	(0.10)	32,850	5.48	TLHPF	9.20	-	50	9.20
Personal Products &					BEM	9.80	-	194,067	9.80	TNPF	2.04	(0.02)	200	2.05
APCO	3.72	(0.04)	1,133	3.70	BTS	11.80	-	259,139	11.83	TPRIME	15.50	1.30	20	15.54
DDD	17.30	(0.30)	1,978	17.37	BTSGIF	7.60	(0.10)	45,743	7.61	TTLPF	21.30	0.10	12	21.14
JCT	77.00	-	3	77.17	III	4.36	0.04	29,916	4.33	TU-PF	-	-	-	-
OCC	9.00	(0.10)	8	9.00	JUTHA	0.31	0.04	426	0.31	URBNPF	3.04	(0.02)	52	3.04
S & J	-	-	-	-	JWD	6.40	-	4,719	6.42	WHABT	-	-	-	-
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	16.40	(0.30)	7,004	16.43
TNR	7.75	0.45	4,109	7.50	NOK	1.04	(0.05)	12,189	1.05	Steel	-	-	-	-
TOG	3.76	(0.12)												

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.69	(0.01)	25,287	-	ADVA01C2007B	0.14	0.01	2,551	-
ABICO	3.24	(0.04)	609	3.00	AIE	0.25	-	3,229	-	ADVA01C2008A	0.68	(0.01)	2,573	-
AU	8.65	0.15	48,673	8.00	PSTC	0.44	0.03	3,690,983	-	ADVA01P2007B	0.34	0.01	3,597	-
JCKH	0.33	(0.01)	3,051	-	QTC	4.00	0.08	509	3.00	ADVA06C2005A	0.01	-	1,604	-
KASET	1.39	0.03	1,409	1.00	SAAM	0.86	0.03	7,877	-	ADVA06C2009A	0.31	(0.01)	28,273	-
MM	1.58	-	711	1.00	SEAOL	2.50	(0.04)	26,605	2.00	ADVA08C2005A	0.02	-	20	-
SUN	2.04	0.05	32,958	2.00	SR	0.71	-	62	-	ADVA08C2009A	0.57	-	59,078	-
TACC	4.30	0.08	183,870	4.00	TAKUNI	0.35	(0.01)	14,738	-	ADVA08P2009A	0.76	(0.02)	16,652	-
TMILL	2.72	0.10	5,322	2.00	TPCH	11.30	-	25,985	11.00	ADVA11C2006A	0.01	-	16,253	-
XO	6.70	0.25	17,807	6.00	TRT	1.69	0.01	1,204	1.00	ADVA11P2005A	0.02	(0.01)	5,020	-
Consumer Products					UMS	0.26	0.03	541	-	ADVA13C2006A	-	-	-	-
BGT	0.59	(0.02)	301	-	UWC	0.02	-	19,756	-	ADVA13C2007A	0.11	(0.02)	1,100	-
BIZ	3.14	0.02	2,617	3.00	Services (MAI)	-	-	-	-	ADVA13C2008A	0.26	(0.01)	75,355	-
DOD	6.10	(0.20)	43,049	6.00	A5	-	-	-	-	ADVA13C2010A	1.00	-	74,280	-
ECF	1.08	-	54,893	1.00	AKP	0.97	(0.01)	2,909	-	ADVA13P2009A	1.23	(0.01)	34,986	1.00
HPT	0.70	0.02	1,051	-	AMA	3.80	(0.10)	2,374	3.00	ADVA16C2005A	-	-	-	-
IP	6.95	(0.05)	24,051	7.00	ARIP	0.30	(0.01)	838	-	ADVA16C2007A	-	-	-	-
JUBILE	14.10	(0.30)	6,671	14.00	ATP30	0.82	(0.04)	33,852	-	ADVA16C2009A	0.09	(0.01)	5	-
MOONG	3.62	0.10	3,707	3.00	AUCT	7.15	-	18,586	7.00	ADVA19C2005A	-	-	-	-
NPK	10.20	(0.90)	47	10.00	BOL	3.16	0.12	2,558	3.00	ADVA19C2007A	-	-	-	-
OCEAN	0.83	-	16,790	-	CHUO	-	-	-	-	ADVA19C2007B	-	-	-	-
TM	2.30	(0.08)	20,347	2.00	CMO	0.92	0.01	1,174	-	ADVA19C2008A	0.81	-	44,618	-
Financials (MAI)					D	3.62	(0.02)	5,505	3.00	ADVA19C2009A	0.52	(0.01)	93,918	-
ACAP	0.72	0.01	15,367	-	DCORP	0.34	0.04	15,399	-	ADVA19C2010A	0.26	0.01	61,162	-
AF	0.63	0.05	1,347	-	EFORL	0.04	0.01	28,642	-	ADVA19P2006A	0.15	(0.01)	10	-
AIRA	0.90	0.06	23	-	ETE	0.72	0.09	52,850	-	ADVA19P2009A	0.32	(0.01)	28,989	-
ASN	-	-	-	-	FSMART	6.00	0.05	4,919	6.00	ADVA19P2010A	0.94	(0.06)	728	-
BROOK	0.37	-	82,686	-	FVC	0.38	0.01	3,448	-	ADVA24C2006A	-	-	-	-
CHAYO	6.20	(0.35)	133,601	6.00	GSC	0.68	(0.02)	1,331	-	ADVA24C2009A	0.48	-	8,689	-
GCAP	1.31	-	5,607	1.00	HARN	1.99	(0.01)	2,278	1.00	ADVA28C2005A	-	-	-	-
LIT	3.18	(0.08)	4,258	3.00	IMH	2.40	(0.06)	1,445	2.00	ADVA28C2007A	0.05	(0.01)	150	-
MITSIB	1.06	0.01	5,660	1.00	JKN	4.22	(0.12)	66,286	4.00	ADVA28C2008A	0.55	0.01	79,736	-
SGF	0.44	0.01	30,583	-	KIAT	0.42	0.02	165,623	-	ADVA28C2008B	-	-	-	-
Industrials (MAI)					KOOL	0.74	0.01	25,373	-	ADVA28C2012A	0.18	-	21,298	-
ZS	1.85	0.02	558	1.00	LDC	0.78	(0.02)	491	-	ADVA28P2012A	-	-	-	-
ACG	0.74	0.01	3,603	-	MORE	0.23	-	35,453	-	ADVA41C2005A	-	-	-	-
ADB	0.68	(0.01)	425	-	MPG	0.18	-	611	-	ADVA41C2006A	-	-	-	-
BM	1.70	0.10	6,639	1.00	MVP	1.18	0.01	10,042	1.00	ADVA41C2007A	-	-	-	-
CHO	0.45	(0.01)	23,385	-	NBC	0.59	0.05	1,303	-	ADVA41C2007B	0.55	(0.01)	57,062	-
CHOW	0.82	(0.01)	1,553	-	NCL	0.66	0.01	1,928	-	ADVA41P2005A	-	-	-	-
CIG	0.23	(0.01)	3,151	-	NEWS	0.01	-	8,003	-	ADVA41P2009A	1.27	(0.01)	57,917	1.00
COLOR	0.86	-	50	-	NINE	1.89	-	22	1.00	ADVA42C2005A	-	-	-	-
CPR	2.76	0.06	13,668	2.00	OTO	2.46	(0.02)	2,252	2.00	ADVA42P2007A	1.45	(0.02)	4,493	1.00
FPI	2.00	(0.02)	830	2.00	PHOL	1.93	0.25	12,829	1.00	AEON01C2005A	0.02	-	146	-
GTB	0.57	0.01	3,669	-	PICO	3.20	0.14	128	3.00	AEON13C2007A	0.04	(0.01)	93	-
KCM	0.41	-	488	-	QLT	4.10	(0.08)	1,625	4.00	AEON19C2006A	-	-	-	-
KUMWEL	0.77	0.01	18,557	-	RP	1.08	0.02	91	1.00	AMAT01C2007B	-	-	-	-
KWM	0.79	0.01	236	-	SE	1.43	0.01	726	1.00	AMAT01C2008A	0.11	(0.06)	21	-
MBAX	4.08	0.12	34,499	4.00	SONIC	1.07	0.03	9,706	1.00	AMAT01P2008A	1.04	(0.05)	9	1.00
MGT	1.73	0.12	4,725	1.00	SPA	6.15	(0.05)	21,857	6.00	AMAT06C2005A	0.01	-	500	-
NDR	0.86	0.01	108	-	THMUJ	0.51	0.02	700	-	AMAT08C2005A	-	-	-	-
PDG	3.26	0.28	11,321	3.00	TNDT	2.64	0.02	1,546	2.00	AMAT11C2008A	-	-	-	-
PIMO	1.17	0.09	149,629	1.00	TNH	29.50	(0.25)	5	29.00	AMAT13C2006A	-	-	-	-
PJW	1.13	0.03	11,842	1.00	TNP	2.14	0.06	5,979	2.00	AMAT16C2006A	-	-	-	-
PPM	0.80	(0.01)	470	-	TSF	-	-	-	-	AMAT16C2008A	-	-	-	-
RWI	0.95	(0.02)	46	-	TVD	0.80	-	176,839	-	AMAT19C2005A	-	-	-	-
SALEE	0.68	(0.02)	2,594	-	TVT	0.40	-	418	-	AMAT19C2006A	-	-	-	-
SANKO	0.94	0.02	1,882	-	VL	1.00	-	33,976	1.00	AMAT19C2008A	0.15	-	1	-
SELIC	2.06	0.09	26,690	2.00	WINNER	2.16	0.02	1,197	2.00	AMAT19C2009A	0.39	(0.05)	218,600	-
SWC	4.40	0.12	3,117	4.00	YGG	4.74	(0.02)	3,575	4.00	AMAT24C2006A	-	-	-	-
TMC	0.39	(0.01)	2,719	-	Technology (MAI)	-	-	-	-	AMAT41C2005A	-	-	-	-
TMI	0.64	-	649	-	APP	1.59	-	2,682	1.00	AMAT41C2006A	-	-	-	-
TMW	34.00	0.75	158	33.00	COMAN	1.70	0.01	2,015	1.00	AMAT42C2005A	-	-	-	-
TPAC	-	-	-	-	ICN	1.82	0.08	15,211	1.00	AMAT42C2007A	0.78	(0.08)	7,508	-
TPLAS	1.17	-	5,285	1.00	INSET	2.48	-	15,986	2.00	ANAN13C2007A	0.01	-	100	-
UBIS	4.62	-	100	4.00	IRCP	0.47	0.03	7,518	-	ANAN19C2007A	-	-	-	-
UEC	0.65	(0.01)	391	-	ITEL	2.10	(0.06)	13,997	2.00	AOT01C2006B	0.02	(0.02)	6,050	-
UKEM	0.63	0.04	97,374	-	NETBAY	30.00	(0.50)	5,424	30.00	AOT01C2007A	0.23	(0.01)	1,375	-
UREKA	1.13	0.02	5,225	1.00	PLANET	0.79	(0.02)	112	-	AOT01P2006B	0.65	0.02	893	-
YUASA	10.90	(0.30)	22	10.00	SIMAT	1.97	(0.03)	6,665	1.00	AOT01P2007A	1.07	0.02	3,771	1.00
ZIGA	1.15	0.01	2,745	1.00	SKY	14.40	(0.30)	5,722	14.00	AOT06C2007A	-	-	-	-
Property & Construc					SPVI	2.18	(0.04)	22,089	2.00	AOT06C2008A	-	-	-	-
ALL	3.08	0.08	430,296	3.00	TPS	1.89	0.03	9,424	1.00	AOT06C2009A	0.54	(0.02)	36,680	-
ARIN	0.63	0.03	7,940	-	UPA	0.17	-	2,193	-	AOT06P2009A	0.49	-	50,751	-
ARROW	7.80	0.60	6,809	7.00	VCOM	2.52	(0.04)	1,548	2.00	AOT08C2005A	0.02	-	1,003	-
BC	0.97	(0.02)	4,815	-	Unit Trust	-	-	-	-	AOT08C2006A	-	-	-	-
BSM	0.25	-	3,970	-	MGE	-	-	-	-	AOT08C2007A	0.19	(0.03)	25,215	-
BTW	0.62	(0.05)	9,890	-	SCBSET	-	-	-	-	AOT08C2009A	0.91	(0.02)	51,950	-
CAZ	1.67	(0.01)	3,523	1.00	ETF	-	-	-	-	AOT08P2009A	0.84	0.02	38,005	-
CHEWA	0.35	-	6,310	-	1DIV	7.90	-	346	7.00	AOT11P2007A	-	-	-	-
CMC	0.67	(0.01)	2,680	-	ABFTH	-	-	-	-	AOT13C2006A	0.01	(0.01)	10	-
CRD	0.48	-	1,003	-	BMSCG	6.12	-	2,837	6.00	AOT13C2007A	0.13	0.02	165	-
DIMET	0.35	-	60,313	-	BMSCITH	9.64	(0.07)	1,489	9.00	AOT13C2008A	0.74	(0.04)	346,471	-
FLOYD	0.99	(0.03)	8,058	-	BSET100	8.48	(0.04)	1,972	8.00	AOT13P2006A	0.66	0.01	52	-
HYDRO	-	-	-	-	CHINA	5.68	(0.05)	115	5.00	AOT13P2009A	0.45	0.02	102,031	-
JSP	0.21	-	13,035	-	EBANK	3.29	0.02	3	3.00	AOT16C2007A	-	-	-	-
K	0.76	0.02	1,217	-	ECOMM	7.85	(0.03)	1	7.00	AOT16C2009A	-	-	-	-
KUN	0.91	-	525	-	EFOOD	5.15	0.04	11	5.00	AOT19C2005A	-	-	-	-
META	0.40	-	167,580	-	EICT	4.45	-	22	4.00	AOT19C2007A	-	-	-	-
PPS	0.46	-	2,816	-	ENGY	6.20	(0.25)	818	5.00	AOT19C2008A	0.58	0.08	500	-
PROUD	1.06	(0.13)	608	1.00	ENY	-	-	-	-	AOT19C2009A	0.56	(0.03)	65,555	-
SMART	1.04	(0.01)	13,885	1.00	ESET50	4.70	-	2	4.00	AOT19P2009A	0.17	0.01	24,534	-
STAR	2.72	(0.02)	2	2.00	GLD	2.30	(0.01)	12,098	2.00	AOT19P2009B	0.30	0.02	46,703	-
STC	0.62	0.02	1,650	-	TDEX	8.68	(0.01)	850	8.00	AOT19P2010A	0.73	0.01	188,540	-
STI	4.4													

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C2012A	0.32	(0.02)	24,361	-	BCH06C2006A	-	-	-	-	BH19C2009A	0.41	(0.03)	30,732	-
AOT28P2012A	0.40	0.02	22,471	-	BCH06P2006A	-	-	-	-	BH24C2008A	0.34	(0.04)	3,553	-
AOT41C2005A	-	-	-	-	BCH11C2008A	-	-	-	-	BH27C2007A	-	-	-	-
AOT41C2006A	-	-	-	-	BCH13C2007A	0.20	0.01	7,018	-	BH41C2005A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH16C2006A	-	-	-	-	BH41C2006A	-	-	-	-
AOT41C2007B	0.50	(0.04)	102,857	-	BCH19C2005A	-	-	-	-	BH41C2009A	0.40	(0.04)	6,705	-
AOT41P2005A	-	-	-	-	BCH19C2006A	0.03	-	3,000	-	BH41P2006A	-	-	-	-
AOT41P2006A	-	-	-	-	BCH19C2008A	0.47	-	10,342	-	BH42C2008A	0.85	(0.07)	8,107	-
AOT41P2009A	0.34	-	65,368	-	BCH41C2005A	-	-	-	-	BJC01C2008B	-	-	-	-
AOT41P2009B	0.62	0.01	27,296	-	BCH41C2006A	-	-	-	-	BJC01C2009A	-	-	-	-
AOT41P2010A	0.87	(0.13)	46,594	-	BCP01C2005A	0.03	-	11	-	BJC01P2009A	0.26	-	4,145	-
AOT42C2006A	0.01	(0.03)	4,000	-	BCP01C2005B	-	-	-	-	BJC06C2006A	0.02	(0.03)	1	-
AOT42P2009A	0.52	(0.02)	6	-	BCP01P2005A	-	-	-	-	BJC11C2008A	0.16	-	20	-
AP19C2007A	0.01	-	930	-	BCP13C2007A	-	-	-	-	BJC13C2005A	-	-	-	-
AP19C2010A	0.71	0.06	133,485	-	BCP19C2005A	-	-	-	-	BJC13C2010A	0.36	(0.64)	39,584	-
AP28C2006A	-	-	-	-	BCPG01C2005A	-	-	-	-	BJC16C2006A	-	-	-	-
AP28C2012A	0.64	0.05	95,975	-	BCPG01C2005B	-	-	-	-	BJC19C2005A	-	-	-	-
AWC01C2009A	-	-	-	-	BCPG01C2008B	-	-	-	-	BJC19C2007A	-	-	-	-
AWC01P2007A	0.31	(0.02)	1,085	-	BCPG01C2009A	0.57	(0.05)	2	-	BJC19C2010A	0.30	-	45,228	-
AWC06C2009A	1.22	(0.08)	7,900	1.00	BCPG01P2005A	-	-	-	-	BJC24C2006A	0.37	(0.03)	3,086	-
AWC13C2006A	-	-	-	-	BCPG01P2009A	0.24	0.01	15	-	BJC27C2009A	0.12	(0.01)	400	-
AWC13C2009A	1.07	0.02	12,582	1.00	BCPG13C2007A	-	-	-	-	BJC28C2007A	0.20	(0.01)	39,952	-
AWC13C2010A	0.25	(0.01)	149,024	-	BCPG16C2009A	-	-	-	-	BJC28C2010A	0.20	-	17,711	-
AWC13P2006A	-	-	-	-	BCPG19C2005A	0.12	(0.02)	37,529	-	BJC41C2005A	-	-	-	-
AWC16C2005A	-	-	-	-	BCPG19C2010A	0.38	(0.03)	24,187	-	BJC41C2006A	-	-	-	-
AWC16C2007A	0.03	(0.01)	704	-	BCPG28C2008A	0.42	(0.04)	40,957	-	BJC41C2007A	0.17	(0.01)	7,984	-
AWC19C2006A	-	-	-	-	BCPG28C2012A	0.33	(0.01)	11,512	-	BJC41C2008A	0.50	(0.03)	6,049	-
AWC19C2010A	0.93	(0.07)	4,339	-	BCPG41C2005A	-	-	-	-	BJC41P2005A	-	-	-	-
AWC19C2010B	0.26	(0.01)	166,258	-	BCPG42C2007A	-	-	-	-	BPP01C2005A	0.08	(0.01)	2	-
AWC24C2007A	-	-	-	-	BDMS01C2007B	0.04	-	8,020	-	BPP01C2005B	-	-	-	-
AWC28C2006A	-	-	-	-	BDMS01P2008A	0.53	0.02	471	-	BPP01P2005A	0.17	0.07	3	-
AWC28C2008A	-	-	-	-	BDMS06C2008A	0.11	-	1	-	BPP13C2007A	0.46	(0.07)	33,321	-
AWC28C2010A	-	-	-	-	BDMS06P2009A	0.61	-	20,504	-	BPP19C2005A	-	-	-	-
AWC28C2012A	0.20	0.01	9,472	-	BDMS08C2006A	-	-	-	-	BPP19C2007A	-	-	-	-
AWC41C2006A	-	-	-	-	BDMS11C2007A	-	-	-	-	BPP19C2010A	0.49	(0.51)	6,527	-
AWC41C2007A	0.15	-	7,598	-	BDMS11C2008A	-	-	-	-	BTS01C2005A	-	-	-	-
AWC41C2007B	0.86	(0.01)	1,040	-	BDMS13C2008A	0.25	(0.01)	500	-	BTS01C2005B	0.01	-	50	-
AWC42C2008A	-	-	-	-	BDMS13C2009A	0.37	(0.01)	11,542	-	BTS01P2005A	0.13	0.01	439	-
BANP01C2005A	0.02	-	203	-	BDMS16C2006A	-	-	-	-	BTS08C2005A	-	-	-	-
BANP01C2005B	-	-	-	-	BDMS19C2005A	-	-	-	-	BTS13C2006A	-	-	-	-
BANP01P2005A	1.14	(0.08)	1	1.00	BDMS19C2005B	-	-	-	-	BTS13C2008A	0.20	(0.02)	602	-
BANP01P2005B	0.82	(0.06)	420	-	BDMS19C2010A	0.33	(0.01)	37,422	-	BTS13C2009A	0.35	-	9,052	-
BANP06C2005A	0.02	-	1,049	-	BDMS19P2010A	0.57	0.01	11,970	-	BTS16C2008A	-	-	-	-
BANP08C2005A	-	-	-	-	BDMS24C2006A	-	-	-	-	BTS19C2005A	-	-	-	-
BANP08C2007A	0.03	(0.01)	9,153	-	BDMS28C2012A	0.23	-	82	-	BTS19C2008A	0.35	(0.01)	12,294	-
BANP08C2009A	0.50	(0.04)	58,725	-	BDMS41C2005A	-	-	-	-	BTS19C2010A	-	-	-	-
BANP08P2009A	0.77	(0.04)	44,683	-	BDMS41C2006A	-	-	-	-	BTS24C2007A	-	-	-	-
BANP11C2008A	-	-	-	-	BDMS41C2009A	0.27	(0.01)	2,200	-	BTS41C2006A	-	-	-	-
BANP13C2006A	-	-	-	-	BDMS41P2006A	-	-	-	-	BTS42C2008A	-	-	-	-
BANP13C2008A	0.44	(0.06)	467,614	-	BEC01C2006A	0.08	-	1,091	-	CBG01C2007B	0.56	(0.03)	7,807	-
BANP19C2005A	-	-	-	-	BEC01C2006B	0.02	-	104	-	CBG01P2007B	0.34	(0.02)	16,096	-
BANP19C2007A	0.01	(0.01)	52	-	BEC01P2006A	-	-	-	-	CBG06C2005A	0.02	-	1,254	-
BANP19C2007B	0.03	(0.20)	5,866	-	BEC19C2005A	-	-	-	-	CBG08C2007A	1.03	(0.01)	1,297	1.00
BANP19C2009A	0.49	(0.04)	222,497	-	BEC42C2005A	0.26	-	7,922	-	CBG11C2008A	-	-	-	-
BANP19P2010A	0.38	(0.04)	261,033	-	BEM06P2009A	0.34	-	81,935	-	CBG13C2008A	1.21	(0.01)	73,321	1.00
BANP27C2007A	-	-	-	-	BEM08C2005A	0.01	(0.01)	50	-	CBG13P2006A	0.25	(0.03)	632	-
BANP28C2008A	0.14	0.06	129	-	BEM08C2009A	0.91	-	7,928	-	CBG16C2008A	-	-	-	-
BANP28C2012A	0.33	0.01	77,640	-	BEM13C2007A	0.08	-	1,500	-	CBG19C2005A	0.18	0.02	346	-
BANP41C2005A	-	-	-	-	BEM13C2009A	0.63	(0.01)	28,281	-	CBG19C2008A	1.12	(0.01)	610	1.00
BANP41C2006A	-	-	-	-	BEM16C2006A	-	-	-	-	CBG19C2010A	1.05	-	114,456	1.00
BANP41C2007A	0.37	0.02	743	-	BEM19C2005A	-	-	-	-	CBG19P2006A	0.31	(0.05)	220	-
BANP41C2010A	0.45	(0.55)	62,530	-	BEM19C2010A	0.71	-	8,896	-	CBG24C2008A	1.56	(0.01)	15,277	1.00
BANP41P2005A	-	-	-	-	BEM19P2010A	0.47	0.01	260	-	CBG41C2005A	-	-	-	-
BANP41P2007A	1.11	(0.20)	601	1.00	BEM24C2008A	0.81	-	5,750	-	CBG41C2006A	0.55	0.05	1	-
BANP42C2006A	-	-	-	-	BEM28C2006A	-	-	-	-	CBG41C2009A	1.12	(0.01)	47,448	1.00
BANP42P2005A	1.35	(0.08)	3,131	1.00	BEM28C2007A	-	-	-	-	CBG41P2006A	0.75	(0.03)	28,564	-
BBL06C2007A	0.02	-	500	-	BEM28C2008A	0.43	(0.01)	11,264	-	CBG42C2006A	0.05	-	550	-
BBL06C2009A	0.58	(0.04)	53,649	-	BEM28C2010A	0.73	-	24,912	-	CBG42C2008A	2.72	(0.02)	1,823	2.00
BBL08C2005A	-	-	-	-	BEM41C2006A	-	-	-	-	CENT01C2006A	-	-	-	-
BBL08C2007A	0.04	(0.01)	6	-	BGR101C2006A	0.07	-	1,436	-	CENT01C2006B	-	-	-	-
BBL08C2009A	0.40	(0.02)	21,250	-	BGR101C2006B	0.01	-	1,120	-	CENT01C2009A	-	-	-	-
BBL08P2007A	1.68	0.13	149	1.00	BGR101C2008B	0.27	-	5	-	CENT01P2009A	0.52	-	8,448	-
BBL08P2009A	1.06	0.04	38,584	1.00	BGR101C2009A	0.54	-	324	-	CENT06C2006A	0.33	(0.02)	39,276	-
BBL11C2005A	0.01	-	600	-	BGR101P2006A	0.99	0.08	308	-	CENT06P2007A	-	-	-	-
BBL11C2007A	0.01	-	250	-	BGR106C2005A	0.01	(0.01)	28,046	-	CENT11C2007A	-	-	-	-
BBL11P2008A	-	-	-	-	BGR108C2005A	-	-	-	-	CENT13C2005A	-	-	-	-
BBL13C2006A	0.02	0.01	41	-	BGR108C2009A	0.52	(0.04)	50,572	-	CENT13C2006A	-	-	-	-
BBL13C2008A	0.14	(0.02)	66,500	-	BGR111C2006A	0.19	(0.01)	210	-	CENT13C2009A	-	-	-	-
BBL13C2010A	1.08	(0.08)	117,534	1.00	BGR111C2008A	-	-	-	-	CENT19C2008A	0.61	(0.02)	104,213	-
BBL13P2008A	0.80	0.04	220	-	BGR113C2006A	-	-	-	-	CENT19C2010A	0.40	(0.01)	29,966	-
BBL13P2010A	1.33	0.05	48,109	1.00	BGR113C2007A	-	-	-	-	CENT24C2008A	0.21	(0.02)	7,878	-
BBL16C2006A	-	-	-	-	BGR113C2008A	-	-	-	-	CENT27C2008A	-	-	-	-
BBL19C2005A	-	-	-	-	BGR113C2009A	0.59	(0.03)	42,089	-	CENT28C2005A	-	-	-	-
BBL19C2007A	-	-	-	-	BGR113P2005A	-	-	-	-	CENT28C2006A	-	-	-	-
BBL19C2009A	0.84	(0.06)	86,543	-	BGR16C2005A	-	-	-	-	CENT28C2008A	0.40	(0.04)	101	-
BBL19C2010A	0.41	(0.02)	48,658	-	BGR19C2005A	-	-	-	-	CENT28C2010A	0.55	(0.03)	32,697	-
BBL19P2007A	-	-	-	-	BGR19C2006A	-	-	-	-	CENT28C2012A	0.26	-	44,028	-
BBL19P2010A	0.91	0.02	19,215	-	BGR19C2008A	0.31	-	47	-	CENT41C2005A	-	-	-	-
BBL24C2009A	0.31	(0.03)	10,800	-	BGR19C2008B	-	-	-	-	CENT41C2006A	-	-	-	-
BBL28C2005A	-	-	-	-	BGR19C2009A	0.53	(0.05)	105,630	-	CENT42C2006A	0.57	(0.03)	9,406	-
BBL28C2007A	0.03	(0.02)	58	-	BGR19P2007A	0.89	0.12	51	-	CHG01C2006A	-	-	-	-
BBL28C2010A	0.26	-	873	-	BGR124C2009A	0.50	(0.03)	12,808	-	CHG01C2006B	-	-	-	-
BBL41C2005A	-	-	-	-	BGR127P2006A	0.44	(0.06)	250	-	CHG01P2006A	0.36	(0.03)	7	-
BBL41C2006A	-	-	-	-	BGR141C2006A	-	-	-	-	CHG08C2005A	-	-		

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CK11C2007A	-	-	-	-	CPN41C2009A	0.35	-	14,954	-	ESSO19C2007A	0.12	(0.01)	2,596	-
CK13C2006A	-	-	-	-	CPN41P2005A	-	-	-	-	ESSO19C2009A	1.22	0.02	9,958	1.00
CK16C2006A	-	-	-	-	CPN41P2006A	-	-	-	-	ESSO19C2010A	0.36	0.01	287,939	-
CK19C2007A	-	-	-	-	CPN42C2006A	1.03	(0.07)	4,960	1.00	ESSO24C2007A	0.28	0.01	16,886	-
CK19C2010A	0.35	(0.01)	15,130	-	CR001C2007A	0.23	(0.01)	677	-	ESSO41C2005A	-	-	-	-
CK27C2008A	-	-	-	-	CR08C2007A	0.45	(0.01)	2,629	-	ESSO41C2006A	0.21	0.01	43,298	-
CK41C2005A	-	-	-	-	CR08C2009A	0.57	-	44,091	-	ESSO41C2010A	-	-	-	-
CK41C2009A	0.31	(0.02)	2,500	-	CR13C2008A	0.21	0.01	2,024	-	ESSO42C2007A	-	-	-	-
CK42C2006A	0.37	(0.02)	6,218	-	CR13C2009A	0.63	(0.01)	87,222	-	GFPT19C2006A	0.11	(0.02)	19,248	-
CKP01C2008B	0.33	(0.02)	2,550	-	CR19C2008A	0.39	0.04	109	-	GFPT19C2010A	0.33	(0.03)	96,216	-
CKP01C2009A	-	-	-	-	CR19C2008B	0.67	-	23,755	-	GFPT24C2007A	0.15	(0.03)	4,132	-
CKP01P2009A	0.31	(0.04)	3,457	-	CR19C2010A	0.46	-	91,617	-	GFPT42C2008A	-	-	-	-
CKP11C2006A	-	-	-	-	CR24C2008A	0.72	0.01	9,898	-	GLOB01C2007B	-	-	-	-
CKP13C2007A	-	-	-	-	CR28C2007A	0.19	0.01	1	-	GLOB01C2008A	-	-	-	-
CKP13C2010A	0.48	(0.01)	23,583	-	CR28C2007B	0.10	(0.02)	400	-	GLOB06C2006A	-	-	-	-
CKP16C2005A	-	-	-	-	CR28C2012A	0.35	-	39,252	-	GLOB13C2007A	0.35	0.01	20,878	-
CKP16C2007A	-	-	-	-	CR41C2007A	0.57	(0.01)	9,124	-	GLOB19C2005A	-	-	-	-
CKP19C2005A	-	-	-	-	CR41C2009A	-	-	-	-	GLOB19C2007A	-	-	-	-
CKP19C2006A	-	-	-	-	DTAC01C2007B	0.09	(0.03)	2	-	GLOB19C2010A	0.38	0.01	26,293	-
CKP19C2010A	0.64	(0.01)	58,700	-	DTAC01C2008A	0.37	(0.06)	300	-	GLOB24C2005A	-	-	-	-
CKP24C2006A	0.01	(0.08)	2,000	-	DTAC01P2007B	0.28	0.07	2	-	GLOB42C2009A	2.44	(0.02)	1,248	2.00
CKP27C2005A	-	-	-	-	DTAC01P2008A	0.47	0.04	278	-	GPS001C2005A	0.10	0.02	155	-
CKP28C2006A	-	-	-	-	DTAC06C2006A	-	-	-	-	GPS001C2005B	0.02	-	22,821	-
CKP28C2012A	0.48	(0.01)	40,994	-	DTAC08C2005A	-	-	-	-	GPS001C2007B	-	-	-	-
CKP41C2006A	-	-	-	-	DTAC08C2005B	-	-	-	-	GPS001C2008A	0.56	(0.07)	4,684	-
CKP41C2007A	-	-	-	-	DTAC08C2007A	-	-	-	-	GPS001C2005A	0.49	(0.09)	20	-
CKP42C2005A	-	-	-	-	DTAC08C2008A	0.41	(0.02)	35,528	-	GPS001P2005B	0.08	0.01	1	-
CKP42C2006A	0.57	0.05	9,854	-	DTAC13C2006A	-	-	-	-	GPS001P2007B	0.40	0.01	6,463	-
COM708C2007A	-	-	-	-	DTAC13C2007A	-	-	-	-	GPS01P2008A	1.08	0.08	766	1.00
COM713C2007A	-	-	-	-	DTAC13C2009A	0.34	(0.04)	72,096	-	GPS006C2006A	0.02	-	400	-
COM713C2008A	0.28	(0.01)	872	-	DTAC13P2006A	-	-	-	-	GPS006C2008A	0.68	(0.13)	110,876	-
COM716C2008A	-	-	-	-	DTAC13P2007A	0.10	-	6,225	-	GPS008C2007A	-	-	-	-
COM719C2005A	-	-	-	-	DTAC13P2008A	0.59	0.04	81,152	-	GPS008C2009A	0.84	(0.10)	67,505	-
COM719C2008A	-	-	-	-	DTAC16C2009A	-	-	-	-	GPS008P2006A	0.47	0.07	1,255	-
COM719C2009A	0.97	(0.01)	9,547	-	DTAC19C2005A	-	-	-	-	GPS11C2006A	0.26	(0.02)	1,211	-
COM719C2010A	0.65	(0.01)	47,812	-	DTAC19C2006A	-	-	-	-	GPS13C2005A	-	-	-	-
COM724C2007A	0.20	(0.01)	2,880	-	DTAC19C2007A	-	-	-	-	GPS13C2007A	-	-	-	-
COM741C2006A	-	-	-	-	DTAC19C2009A	0.39	(0.03)	88,609	-	GPS13C2008A	0.73	-	136	-
CPAL01C2006A	0.40	(0.04)	2,996	-	DTAC19C2010A	0.33	(0.02)	86,094	-	GPS13C2009A	1.00	(0.10)	222,122	1.00
CPAL01C2006B	0.09	(0.02)	5,776	-	DTAC19P2007A	0.53	0.02	20,285	-	GPS13P2005A	0.16	(1.23)	45	-
CPAL01C2008B	0.50	(0.05)	8,384	-	DTAC24C2007A	0.35	(0.03)	9,578	-	GPS13P2007A	0.61	-	200	-
CPAL01P2008B	0.23	0.01	5,124	-	DTAC27C2008A	-	-	-	-	GPS16C2007A	0.08	(0.01)	379	-
CPAL06C2006A	0.10	(0.89)	5	-	DTAC41C2005A	-	-	-	-	GPS19C2007A	-	-	-	-
CPAL08C2006A	-	-	-	-	DTAC41C2006A	-	-	-	-	GPS19C2008A	0.87	(0.11)	35,609	-
CPAL08C2008A	0.79	(0.10)	86,441	-	DTAC41C2007A	0.20	(0.04)	8,402	-	GPS19C2009A	1.41	(0.10)	21,369	1.00
CPAL08P2006A	0.13	(0.03)	281	-	DTAC41C2007B	0.42	(0.04)	5,160	-	GPS19C2010A	0.78	(0.08)	571,201	-
CPAL08P2009A	0.31	0.03	120,640	-	DTAC41P2006A	-	-	-	-	GPS19P2005A	-	-	-	-
CPAL11C2006A	0.01	-	175	-	DTAC42C2006A	0.68	(0.07)	11,958	-	GPS19P2010A	0.61	0.04	144,793	-
CPAL11C2007A	0.14	(0.02)	4	-	EA06C2005A	0.02	-	2,363	-	GPS24C2007A	-	-	-	-
CPAL13C2007A	0.27	(0.10)	401	-	EA08C2006A	0.13	0.01	3,810	-	GPS27C2005A	-	-	-	-
CPAL13C2009A	0.97	(0.08)	686,032	-	EA08C2009A	0.51	(0.01)	32,420	-	GPS28C2008A	0.42	(0.05)	55,593	-
CPAL16C2006A	-	-	-	-	EA11C2005A	-	-	-	-	GPS41C2005A	-	-	-	-
CPAL16C2007A	-	-	-	-	EA13C2005A	-	-	-	-	GPS41C2005B	-	-	-	-
CPAL19C2005A	0.02	(0.02)	201	-	EA13C2006A	0.02	-	400	-	GPS41C2006A	-	-	-	-
CPAL19C2008A	0.51	(0.10)	128,572	-	EA13C2008A	-	-	-	-	GPS41C2009A	0.74	(0.09)	108,429	-
CPAL19C2010A	0.58	(0.06)	380,443	-	EA13C2009A	0.41	(0.02)	66,197	-	GPS41P2005A	-	-	-	-
CPAL19P2010A	0.24	0.01	45,602	-	EA13P2006A	-	-	-	-	GPS41P2006A	0.57	0.05	39,709	-
CPAL19P2010B	0.93	(0.07)	401,373	-	EA16C2006A	-	-	-	-	GPS42C2006A	-	-	-	-
CPAL24C2005A	-	-	-	-	EA16C2008A	0.05	0.01	6	-	GPS42P2006A	2.02	(0.14)	2,300	1.00
CPAL24C2009A	1.15	(0.13)	26,454	1.00	EA19C2008A	0.37	0.06	100	-	GULF01C2005A	1.24	(0.09)	973	1.00
CPAL28C2005A	-	-	-	-	EA19C2010A	0.41	(0.01)	36,317	-	GULF01C2005B	0.30	(0.11)	2,273	-
CPAL28C2007A	-	-	-	-	EA19P2007A	-	-	-	-	GULF01C2007A	0.34	(0.03)	40,324	-
CPAL28C2008A	0.75	(0.12)	80,160	-	EA24C2008A	0.40	(0.01)	21,080	-	GULF01P2005A	0.03	0.01	16,208	-
CPAL28C2008B	0.97	(0.09)	14	-	EA27C2006A	-	-	-	-	GULF03C2005A	0.43	(0.02)	7,808	-
CPAL28C2012A	0.36	(0.05)	57,649	-	EA28C2006A	0.07	-	6,857	-	GULF06C2009A	0.67	(0.05)	30,093	-
CPAL41C2005A	-	-	-	-	EA28C2012A	0.28	-	22,683	-	GULF08C2008A	-	-	-	-
CPAL41C2006A	-	-	-	-	EA41C2005A	-	-	-	-	GULF08C2009A	0.48	(0.02)	32,250	-
CPAL41C2007A	0.45	(0.09)	13,754	-	EA41C2006A	-	-	-	-	GULF11C2006A	0.78	(0.11)	3	-
CPAL41P2005A	-	-	-	-	EA41C2009A	0.33	(0.01)	23,706	-	GULF13C2006A	0.22	(0.03)	1,534	-
CPAL41P2006A	-	-	-	-	EGCO01C2007B	0.15	(0.02)	18,822	-	GULF13C2006B	0.08	(0.02)	7,294	-
CPAL42C2005A	-	-	-	-	EGCO06C2007A	0.09	-	2	-	GULF13C2008A	1.04	(0.02)	24	1.00
CPAL42C2007A	-	-	-	-	EGCO06P2009A	0.45	0.01	98,363	-	GULF13C2009A	1.46	(0.10)	5,376	1.00
CPF08C2006A	0.03	-	1,600	-	EGCO13C2005A	-	-	-	-	GULF13C2009B	0.44	(0.05)	269,033	-
CPF11C2007A	-	-	-	-	EGCO13C2009A	0.63	(0.02)	57,886	-	GULF13P2005A	-	-	-	-
CPF13C2006A	0.04	-	1	-	EGCO19C2005A	-	-	-	-	GULF13P2009A	0.35	0.02	320,022	-
CPF13C2008A	0.30	0.01	2,309	-	EGCO19C2007A	-	-	-	-	GULF16C2007A	-	-	-	-
CPF13C2009A	0.21	-	119,734	-	EGCO19C2010A	0.79	(0.02)	54,623	-	GULF19C2006A	-	-	-	-
CPF16C2007A	0.09	0.01	120	-	EGCO24C2009A	0.75	(0.02)	22,956	-	GULF19C2008A	1.48	(0.17)	505	1.00
CPF19C2005A	-	-	-	-	EGCO41C2006A	-	-	-	-	GULF19C2010A	0.44	(0.04)	245,480	-
CPF19C2006A	0.05	0.01	200	-	EGCO41P2006A	-	-	-	-	GULF19P2006A	0.11	-	1,849	-
CPF19C2009A	0.75	(0.03)	1,158	-	EGCO42C2007A	0.01	(0.01)	1,567	-	GULF19P2009A	0.32	0.02	57,178	-
CPF19C2010A	0.23	-	120,103	-	EPG13C2006A	-	-	-	-	GULF19P2010A	0.33	0.02	77,416	-
CPF24C2007A	-	-	-	-	EPG19C2005A	-	-	-	-	GULF24C2005A	-	-	-	-
CPF28C2007A	0.04	-	20,000	-	EPG19C2007A	-	-	-	-	GULF24C2009A	0.40	(0.05)	15,445	-
CPF28C2010A	0.66	(0.02)	2,088	-	EPG19C2008A	0.64	(0.04)	89	-	GULF28C2006A	-	-	-	-
CPF28C2012A	0.15	-	11,149	-	EPG19C2010A	0.80	(0.20)	139,474	-	GULF28C2008A	-	-	-	-
CPF41C2005A	-	-	-	-	EPG24C2008A	0.17	-	12,100	-	GULF28C2008B	1.04	(0.07)	701	1.00
CPF41C2008A	0.23	-	3,299	-	ERW06C2006A	-	-	-	-	GULF28C2008C	-	-	-	-
CPF41P2005A	0.10	(0.02)	1,000	-	ERW06C2007A	-	-	-	-	GULF28C2012A	0.26	(0.02)	10,640	-
CPN01C2005A	-	-	-	-	ERW06P2006A	-	-	-	-	GULF41C2005A	-	-	-	-
CPN01C2005B	-	-	-	-	ERW13C2005A	-	-	-	-	GULF41C2006A	1.27	(0.12)	931	1.00
CPN01P2005A	1.27	0.11	1	1.00	ERW13C2006A	-	-	-</						

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GUNK24C2006A	0.28	0.03	7,598	-	IRPC19C2010A	0.42	0.02	705,338	-	KCE19C2005A	0.02	(0.02)	145	-
GUNK28C2005A	-	-	-	-	IRPC24C2007A	0.44	0.03	22,190	-	KCE19C2007A	0.12	0.04	202	-
GUNK28C2012A	0.35	0.03	44,550	-	IRPC27C2007A	-	-	-	-	KCE19C2008A	0.55	(0.09)	13,821	-
GUNK41C2005A	-	-	-	-	IRPC28C2006A	-	-	-	-	KCE19C2009A	0.56	(0.08)	643,491	-
GUNK41P2005A	-	-	-	-	IRPC28C2008A	0.48	0.04	207,546	-	KCE19C2010A	0.54	(0.09)	1,084,946	-
HANA01C2006A	0.23	(0.05)	321	-	IRPC28C2012A	0.28	0.02	83,891	-	KCE24C2005A	-	-	-	-
HANA01C2006B	0.01	(0.01)	5	-	IRPC41C2005A	-	-	-	-	KCE27C2007A	0.04	(0.01)	203	-
HANA01P2006A	0.20	(0.01)	416	-	IRPC41C2006A	-	-	-	-	KCE41C2005A	-	-	-	-
HANA11C2008A	-	-	-	-	IRPC41C2007A	0.50	0.07	26,979	-	KCE41C2006A	0.21	0.05	12,000	-
HANA13C2006A	-	-	-	-	IRPC41P2005A	-	-	-	-	KKP01C2006A	-	-	-	-
HANA13C2008A	0.25	(0.03)	50,078	-	IRPC41P2006A	-	-	-	-	KKP01C2006B	-	-	-	-
HANA16C2008A	-	-	-	-	IRPC41P2007A	-	-	-	-	KKP01P2006A	-	-	-	-
HANA19C2006A	0.12	(0.03)	55,183	-	IRPC42C2006A	0.03	0.01	500	-	KKP11C2007A	-	-	-	-
HANA19C2010A	0.35	(0.03)	55,100	-	IVL01C2006B	0.11	-	1	-	KKP13C2007A	-	-	-	-
HANA27C2007A	0.23	(0.02)	9,085	-	IVL01P2006B	0.24	0.02	1,912	-	KKP41C2006A	-	-	-	-
HANA27P2007A	0.34	(0.04)	10	-	IVL06C2008A	0.29	(0.01)	317,719	-	KTB01C2008B	-	-	-	-
HANA41C2006A	-	-	-	-	IVL06P2005A	-	-	-	-	KTB01C2009A	-	-	-	-
HMPR01C2006A	0.15	0.06	10	-	IVL06P2009A	0.24	-	185,628	-	KTB01P2009A	-	-	-	-
HMPR01C2006B	-	-	-	-	IVL08C2009A	0.41	-	24,332	-	KTB11C2006A	-	-	-	-
HMPR01P2006A	0.53	-	87	-	IVL11C2005A	-	-	-	-	KTB13C2006A	-	-	-	-
HMPR06C2006A	0.13	-	87,324	-	IVL11C2006A	-	-	-	-	KTB19C2005A	-	-	-	-
HMPR06P2007A	-	-	-	-	IVL13C2006A	-	-	-	-	KTB19C2010A	0.26	0.01	20,882	-
HMPR13C2006A	-	-	-	-	IVL13C2008A	-	-	-	-	KTB24C2009A	0.26	-	4,555	-
HMPR13C2007A	-	-	-	-	IVL13C2009A	0.33	(0.02)	84,780	-	KTB28C2012A	0.14	-	12,112	-
HMPR13C2009A	0.40	0.04	46,023	-	IVL16C2006A	-	-	-	-	KTB41C2006A	-	-	-	-
HMPR19C2005A	-	-	-	-	IVL16C2009A	-	-	-	-	KTG01C2007A	0.44	0.10	16,279	-
HMPR19C2007A	-	-	-	-	IVL19C2006A	-	-	-	-	KTG01C2007B	0.17	0.02	31,445	-
HMPR19C2010A	0.46	0.02	68,448	-	IVL19C2008A	-	-	-	-	KTG01P2007A	0.18	(0.02)	22,528	-
HMPR24C2008A	0.56	0.04	14,063	-	IVL19C2009A	1.58	(0.04)	3,532	1.00	KTG06C2006A	0.14	0.07	36,157	-
HMPR41C2005A	-	-	-	-	IVL19C2010A	0.36	(0.01)	447,717	-	KTG08C2006A	0.27	0.09	9,347	-
HMPR41C2006A	-	-	-	-	IVL19P2006A	-	-	-	-	KTG11C2005A	-	-	-	-
HMPR41C2007A	0.41	0.01	20,002	-	IVL19P2010A	0.44	0.01	307,160	-	KTG13C2006A	0.08	0.02	8,917	-
HMPR41C2007B	0.37	0.01	3,214	-	IVL24C2008A	1.33	(0.04)	4,202	1.00	KTG13C2008A	0.72	0.12	962,534	-
HSI28C2005A	0.73	(0.03)	48,962	-	IVL27P2007A	-	-	-	-	KTG13P2006A	0.08	-	2,051	-
HSI28C2005B	0.34	(0.02)	40,631	-	IVL28C2007A	-	-	-	-	KTG13P2007A	0.37	(0.09)	120	-
HSI28C2005C	0.12	(0.01)	360,010	-	IVL28C2012A	0.22	-	12,284	-	KTG19C2005A	-	-	-	-
HSI28C2005D	0.03	-	68,522	-	IVL41C2005A	-	-	-	-	KTG19C2006A	0.17	0.07	1,501	-
HSI28C2006A	1.54	0.01	2,898	1.00	IVL41C2006A	-	-	-	-	KTG19C2008A	0.70	0.13	21,123	-
HSI28C2006B	0.94	(0.02)	712	-	IVL41C2007A	-	-	-	-	KTG19C2010A	0.37	0.07	819,698	-
HSI28C2006C	0.58	-	97,458	-	IVL41C2007B	-	-	-	-	KTG19P2005A	-	-	-	-
HSI28C2007A	1.27	(0.01)	1,812	1.00	IVL41C2009A	0.35	(0.01)	15,650	-	KTG19P2010A	0.47	(0.05)	131,316	-
HSI28C2007B	0.86	(0.01)	52,334	-	IVL41P2005A	-	-	-	-	KTG27C2007A	0.10	0.03	740	-
HSI28C2007C	0.54	(0.01)	138,590	-	IVL41P2006A	-	-	-	-	KTG28C2006A	0.14	0.06	39,036	-
HSI28C2010L	0.57	-	3,875	-	IVL41P2007A	-	-	-	-	KTG28C2012A	0.33	0.06	75,203	-
HSI28P2005A	1.17	(0.04)	6,341	1.00	IVL42C2005A	0.28	(0.04)	2,600	-	KTG41C2005A	-	-	-	-
HSI28P2005B	0.69	(0.04)	147,985	-	IVL42C2008A	2.86	(0.22)	1,280	2.00	KTG41C2006A	-	-	-	-
HSI28P2005C	0.42	(0.02)	139	-	JAS13C2006A	0.18	-	5	-	KTG41C2009A	0.45	0.07	29,390	-
HSI28P2005D	0.20	(0.02)	2,893	-	JAS13C2009A	0.29	(0.01)	27,537	-	KTG42C2006A	0.06	0.04	301	-
HSI28P2006A	0.75	(0.02)	249,599	-	JAS19C2009A	0.97	(0.05)	1,811	-	LH11C2007A	-	-	-	-
HSI28P2006B	0.52	(0.02)	100,448	-	JAS19C2010A	0.45	(0.02)	13,572	-	LH19C2007A	-	-	-	-
HSI28P2006C	0.35	-	143,702	-	JAS28C2012A	0.27	(0.01)	16,224	-	LH41C2005A	-	-	-	-
HSI28P2007A	1.70	0.02	1,296	1.00	JAS41C2005A	0.01	(0.01)	14,409	-	LH41C2006A	-	-	-	-
HSI28P2007B	1.22	(0.03)	1,855	1.00	JAS41C2006A	0.15	(0.01)	3,900	-	MAJ013C2007A	0.08	-	115,834	-
HSI28P2007C	0.96	(0.02)	11,273	-	JAS41C2009A	0.50	(0.02)	500	-	MAJ01P2006A	-	-	-	-
HSI28P2010L	0.94	(0.01)	3,536	-	JAS41P2005A	0.04	-	7,137	-	MEGA16C2009A	0.31	-	30	-
HSI41C2005A	0.18	(0.01)	1,035	-	JMT13C2006A	0.06	(0.01)	1,151	-	MEGA19C2005A	-	-	-	-
HSI41C2006A	0.54	(0.05)	202,320	-	JMT19C2006A	0.11	-	1,464	-	MINT01C2007B	-	-	-	-
HSI41C2006B	0.48	(0.01)	534,185	-	JMT42C2006A	-	-	-	-	MINT01C2008A	0.06	-	4,632	-
HSI41P2005A	-	-	-	-	KBAN01C2007A	0.06	-	840	-	MINT01P2008A	1.21	0.01	3,452	1.00
HSI41P2006A	0.84	(0.01)	246,066	-	KBAN01C2007B	0.02	-	591	-	MINT06C2006A	-	-	-	-
HSI41P2006B	0.70	(0.02)	504,725	-	KBAN01P2007A	-	-	-	-	MINT06P2007A	-	-	-	-
INTU01C2006A	0.24	0.01	784	-	KBAN01P2007B	-	-	-	-	MINT11C2006A	-	-	-	-
INTU01C2006B	-	-	-	-	KBAN06C2008A	0.06	-	902	-	MINT13C2006A	-	-	-	-
INTU01P2006A	0.65	(0.03)	252	-	KBAN06C2009A	0.56	0.02	99,836	-	MINT13C2008A	-	-	-	-
INTU01P2006B	-	-	-	-	KBAN08C2005A	-	-	-	-	MINT13C2009A	0.47	(0.02)	26,230	-
INTU06C2009A	0.82	0.05	48,914	-	KBAN08C2007A	-	-	-	-	MINT19C2006A	0.02	-	100	-
INTU13C2006A	-	-	-	-	KBAN13C2006A	0.01	-	1	-	MINT19C2010A	0.50	(0.01)	22,767	-
INTU13C2008A	0.59	-	177,281	-	KBAN13C2008A	0.04	(0.01)	10	-	MINT24C2006A	0.06	0.04	150	-
INTU16C2005A	-	-	-	-	KBAN13C2008B	0.64	0.02	182,481	-	MINT28C2006A	-	-	-	-
INTU16C2007A	-	-	-	-	KBAN13P2006A	2.20	(0.02)	100	2.00	MINT28C2008A	0.02	(0.01)	70	-
INTU16C2009A	-	-	-	-	KBAN13P2008A	1.08	(0.02)	22	1.00	MINT28C2012A	0.33	(0.02)	16,630	-
INTU19C2005A	-	-	-	-	KBAN13P2010A	1.11	0.11	62,848	1.00	MINT41C2005A	-	-	-	-
INTU19C2009A	0.48	0.01	150,407	-	KBAN16C2005A	-	-	-	-	MINT41C2007A	-	-	-	-
INTU19P2007A	-	-	-	-	KBAN16C2008A	0.02	-	10	-	MINT41C2010A	0.51	(0.49)	3,300	-
INTU19P2010A	0.63	-	25,825	-	KBAN19C2007A	-	-	-	-	MTG01C2007B	0.03	-	2,650	-
INTU23C2111A	-	-	-	-	KBAN19C2009A	0.80	0.04	140,061	-	MTG01C2008A	0.18	0.02	54,201	-
INTU24C2008A	0.41	-	12,760	-	KBAN19C2010A	0.22	-	45,411	-	MTG03C2005A	-	-	-	-
INTU28C2008A	0.32	0.04	67,241	-	KBAN19P2007A	-	-	-	-	MTG06C2007A	0.05	0.01	200	-
INTU28C2010A	0.37	-	38,857	-	KBAN19P2010P	0.78	(0.03)	143,848	-	MTG06C2009A	1.29	0.16	38,531	1.00
INTU41C2005A	-	-	-	-	KBAN24C2005A	-	-	-	-	MTG08C2005A	-	-	-	-
INTU41C2006A	-	-	-	-	KBAN24C2009A	0.70	0.03	22,590	-	MTG08C2009A	1.21	0.11	91,757	1.00
INTU41C2007A	0.24	0.03	14,582	-	KBAN28C2008A	0.05	-	300	-	MTG11C2008A	0.08	0.02	90	-
INTU41P2005A	-	-	-	-	KBAN28C2008B	0.31	0.02	39,421	-	MTG13C2007A	0.03	0.01	1,334	-
INTU41P2006A	-	-	-	-	KBAN28C2008C	0.55	0.03	28,582	-	MTG13C2009A	0.67	0.07	291,352	-
INTU42C2005A	-	-	-	-	KBAN28C2010A	0.11	-	8,803	-	MTG16C2007A	-	-	-	-
IRPC01C2005A	0.02	-	166,083	-	KBAN28P2012A	0.82	(0.02)	41,546	-	MTG19C2006A	-	-	-	-
IRPC01C2005B	0.02	0.01	56	-	KBAN41C2007A	-	-	-	-	MTG19C2009A	0.99	0.09	192,050	-
IRPC01C2007B	0.30	0.08	729	-	KBAN41C2008A	-	-	-	-	MTG19C2010A	0.66	0.06	437,121	-
IRPC01P2005A	1.15	(0.27)	1	1.00	KBAN41C2009A	0.69	0.02	55,944	-	MTG27C2007A	-	-	-	-
IRPC01P2005B	0.24	(0.12)	731	-	KBAN41P2005A	-	-	-	-	MTG28C2006A	-	-	-	-
IRPC01P2007B	0.28	(0.03)	4,385	-	KBAN41P2006A	-	-	-	-	MTG28C2008A	-	-	-	-
IRPC06C2005A	0.01	-	61	-	KBAN42C2007A									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP08C2009A	0.61	(0.01)	19,055	-	PTTE08C2005A	-	-	-	-	S5001C2006G	0.05	-	3,236	-
OSP11C2005A	-	-	-	-	PTTE08C2008A	1.82	(0.03)	24,398	1.00	S5001C2006H	0.29	(0.01)	26,511	-
OSP13C2006A	0.06	(0.01)	200	-	PTTE08P2005A	-	-	-	-	S5001C2007A	0.30	(0.01)	69,175	-
OSP13C2010A	0.53	(0.01)	54,337	-	PTTE08P2006A	-	-	-	-	S5001P2005A	2.80	0.02	349	2.00
OSP16C2008A	-	-	-	-	PTTE11C2006A	-	-	-	-	S5001P2006F	4.20	-	4	4.00
OSP19C2005A	-	-	-	-	PTTE13C2006A	0.01	(0.02)	5,555	-	S5001P2006G	2.70	0.08	512	2.00
OSP19C2009A	0.54	(0.03)	34,007	-	PTTE13C2008A	0.05	-	7,435	-	S5001P2006H	0.79	(0.33)	3,557	-
OSP19C2010A	0.39	(0.02)	7,313	-	PTTE13C2008B	-	-	-	-	S5001P2007A	1.80	0.01	34,981	1.00
OSP24C2008A	0.45	(0.01)	19,058	-	PTTE13C2009A	1.32	(0.03)	346,447	1.00	S5006C2006A	0.03	(0.01)	494	-
OSP41C2005A	-	-	-	-	PTTE13P2006A	-	-	-	-	S5006C2006B	0.03	-	4,741	-
OSP41C2010A	0.47	(0.53)	8,720	-	PTTE13P2008A	0.18	-	3,711	-	S5006C2006C	1.00	(0.04)	159,406	1.00
OSP42C2005A	-	-	-	-	PTTE13P2009A	0.60	0.01	50,997	-	S5006C2006D	1.18	(0.05)	198,556	1.00
PLAN13C2005A	-	-	-	-	PTTE16C2009A	0.10	-	4	-	S5006C2006E	0.90	(0.11)	275,660	-
PLAN13C2007A	0.06	(0.02)	39,356	-	PTTE19C2006A	0.01	(0.01)	193	-	S5006P2006F	1.92	(0.08)	349,937	1.00
PLAN13C2010A	0.34	(0.02)	448,763	-	PTTE19C2008A	0.06	(0.01)	3,540	-	S5006P2006A	-	-	-	-
PLAN19C2005A	-	-	-	-	PTTE19C2008B	-	-	-	-	S5006P2006B	1.04	(0.81)	2	1.00
PLAN19C2007A	0.10	(0.01)	4,743	-	PTTE19C2009A	-	-	-	-	S5006P2006C	0.23	-	10,252	-
PLAN19C2010A	1.31	(0.06)	13,271	1.00	PTTE19C2009B	1.20	(0.03)	36,962	1.00	S5006P2006D	0.19	-	18,467	-
PLAN19C2010B	0.34	(0.66)	94,266	-	PTTE19C2010A	0.61	(0.02)	165,489	-	S5006P2006E	0.27	(0.01)	166,995	-
PLAN24C2006A	0.01	-	10,000	-	PTTE19C2010B	0.97	(0.03)	148,384	-	S5006P2006F	0.93	0.01	227,141	-
PLAN27C2008A	-	-	-	-	PTTE19P2006A	-	-	-	-	S5008C2006A	0.04	(0.01)	201	-
PLAN28C2005A	-	-	-	-	PTTE19P2009A	0.32	-	2,427	-	S5008C2006B	1.79	(0.04)	626	1.00
PLAN28C2012A	1.11	(0.01)	28,057	1.00	PTTE19P2009B	0.77	0.01	62,495	-	S5008C2006C	0.99	(0.08)	154,054	1.00
PLAN41C2005A	-	-	-	-	PTTE24C2008A	-	-	-	-	S5008C2006D	1.03	(0.09)	686,207	1.00
PLAN41C2006A	-	-	-	-	PTTE28C2005A	-	-	-	-	S5008P2006A	0.04	0.01	16,885	-
PLAN42C2007A	-	-	-	-	PTTE28C2008A	0.18	(0.01)	13,147	-	S5008P2006B	0.12	(0.01)	1,575	-
PRM13C2006A	-	-	-	-	PTTE28C2012A	0.65	(0.02)	27,541	-	S5008P2006C	0.39	(0.01)	5,688	-
PRM19C2006A	0.16	0.03	8,082	-	PTTE41C2005A	-	-	-	-	S5013C2006A	0.03	-	59,423	-
PRM19C2010A	0.46	0.06	229,964	-	PTTE41C2006A	-	-	-	-	S5013C2006B	0.03	(0.01)	14,063	-
PRM42C2006A	0.64	0.09	12,938	-	PTTE41C2007A	1.05	(0.03)	6,234	1.00	S5013C2006C	0.09	-	8,365	-
PSH19C2005A	-	-	-	-	PTTE41C2008A	0.72	(0.03)	99,649	-	S5013C2006D	0.09	-	7,102	-
PSL06C2006A	0.02	0.01	1	-	PTTE41C2009A	-	-	-	-	S5013C2006E	0.43	(0.08)	2,360	-
PSL19C2006A	-	-	-	-	PTTE41P2009A	1.19	(0.01)	86,442	1.00	S5013C2006F	1.13	(0.06)	2,618,028	1.00
PSL19C2007A	0.09	(0.01)	27,583	-	PTTE42P2008A	2.36	(3.29)	6,913	4.00	S5013C2006G	0.73	(0.05)	2,254,790	-
PTG01C2005A	0.04	(0.05)	1	-	PTTG01C2005A	0.01	(0.01)	9,302	-	S5013C2006H	0.57	(0.05)	1,495,819	-
PTG01C2005B	0.02	0.01	55	-	PTTG01C2005B	0.02	-	1,003	-	S5013C2006I	0.45	(0.05)	2,576,174	-
PTG01C2007B	0.25	0.01	7	-	PTTG01C2007B	-	-	-	-	S5013C2009A	1.13	(0.06)	4,183,367	1.00
PTG01P2005A	-	-	-	-	PTTG01C2008A	0.15	(0.02)	9,495	-	S5013P2006A	3.88	(0.32)	21	4.00
PTG01P2005B	-	-	-	-	PTTG01P2005A	-	-	-	-	S5013P2006B	2.66	0.54	11	2.00
PTG03C2005A	0.02	-	711	-	PTTG01P2005B	0.90	0.06	189	-	S5013P2006C	1.50	-	165	1.00
PTG06C2006A	0.03	(0.02)	100	-	PTTG01P2007B	0.48	-	250	-	S5013P2006D	0.70	(0.03)	17,706	-
PTG08C2005A	-	-	-	-	PTTG01P2008A	0.87	0.03	1,525	-	S5013P2006E	0.51	0.03	216,795	-
PTG08C2007A	-	-	-	-	PTTG06C2006A	-	-	-	-	S5013P2006F	0.06	-	89,799	-
PTG11C2005A	0.01	-	50	-	PTTG08C2008A	0.68	(0.01)	40,250	-	S5013P2006G	0.06	-	447,365	-
PTG13C2006A	-	-	-	-	PTTG11C2007A	-	-	-	-	S5013P2006H	0.24	(0.01)	386,226	-
PTG13P2006A	0.11	0.01	10	-	PTTG13C2005A	0.01	-	820	-	S5013P2006I	0.08	(0.01)	775,921	-
PTG16C2009A	-	-	-	-	PTTG13C2007A	0.04	(0.01)	305	-	S5013P2006J	0.28	(0.01)	2,317,573	-
PTG19C2005A	-	-	-	-	PTTG13C2008A	-	-	-	-	S5013P2006K	0.56	0.01	687,285	-
PTG19C2006A	-	-	-	-	PTTG13C2009A	0.64	(0.02)	577,377	-	S5013P2009A	1.02	0.01	5,624,366	1.00
PTG19C2008A	0.50	(0.03)	113,902	-	PTTG13P2008A	0.33	(0.03)	235	-	S5016C2006A	-	-	-	-
PTG19C2010A	0.34	(0.02)	49,893	-	PTTG16C2006A	-	-	-	-	S5016C2006B	-	-	-	-
PTG19P2006A	-	-	-	-	PTTG19C2006A	-	-	-	-	S5016C2006C	1.03	(0.06)	67,482	1.00
PTG27C2007A	-	-	-	-	PTTG19C2006B	-	-	-	-	S5016C2006D	1.04	(0.07)	58,021	1.00
PTG41C2005A	-	-	-	-	PTTG19C2008A	0.14	(0.02)	236	-	S5016C2006E	1.13	(0.09)	118,492	1.00
PTG41C2006A	-	-	-	-	PTTG19C2008B	-	-	-	-	S5016P2006A	1.60	(2.26)	1	1.00
PTG41P2005A	-	-	-	-	PTTG19C2009A	0.49	(0.01)	333,531	-	S5016P2006B	0.42	(0.33)	13	-
PTG42C2006A	-	-	-	-	PTTG19P2006A	-	-	-	-	S5016P2006C	0.15	(0.01)	2,303	-
PTT01C2007A	0.09	(0.01)	14,363	-	PTTG19P2009A	0.38	-	69,955	-	S5016P2006D	-	-	-	-
PTT01C2007B	0.03	(0.01)	33,366	-	PTTG24C2008A	0.72	(0.01)	9,323	-	S5016P2006E	0.33	(0.01)	35,896	-
PTT01P2007A	1.05	0.02	435	1.00	PTTG27P2006A	0.86	0.02	208	-	S5016P2103Z	3.72	0.08	1	3.00
PTT01P2007B	0.52	0.01	1,312	-	PTTG28C2006A	-	-	-	-	S5019C2006A	0.03	-	8,873	-
PTT06C2005A	-	-	-	-	PTTG28C2008A	0.32	0.01	71,184	-	S5019C2006B	0.06	-	40	-
PTT06C2008A	0.77	(0.02)	24,950	-	PTTG41C2005A	-	-	-	-	S5019C2006C	0.49	(0.07)	5,160	-
PTT08C2005A	-	-	-	-	PTTG41C2006A	-	-	-	-	S5019C2006D	0.79	(0.06)	899,814	-
PTT08C2008A	0.50	(0.01)	35,534	-	PTTG41C2007A	0.35	(0.08)	139,902	-	S5019C2006E	0.23	(0.03)	3,739	-
PTT08P2005A	0.20	(0.07)	466	-	PTTG41C2008A	0.97	(0.02)	4,896	-	S5019C2006F	1.54	(0.09)	320,036	1.00
PTT08P2009A	0.70	-	44,561	-	PTTG41C2010A	0.52	(0.48)	10,988	-	S5019C2006G	0.14	(0.03)	3,127	-
PTT11C2008A	0.05	-	4,685	-	PTTG41P2006A	-	-	-	-	S5019C2007A	-	-	-	-
PTT13C2006A	0.01	(0.01)	100	-	PTTG41P2010A	0.42	(0.58)	23,640	-	S5019C2007B	0.81	(0.08)	1,376,631	-
PTT13C2008A	0.08	(0.01)	12,415	-	PTTG42C2007A	0.06	0.02	633	-	S5019C2009A	3.28	(0.08)	18,747	3.00
PTT13C2008B	0.41	(0.02)	2,124	-	QH01C2006A	0.05	(0.07)	10	-	S5019C2009B	1.26	(0.06)	1,168,091	1.00
PTT13C2009A	0.44	(0.02)	275,402	-	QH01C2006B	-	-	-	-	S5019P2006A	-	-	-	-
PTT13P2006A	-	-	-	-	QH01P2006A	-	-	-	-	S5019P2006B	1.58	(0.17)	176	1.00
PTT13P2008A	0.09	0.01	24,980	-	QH11C2006A	-	-	-	-	S5019P2006C	0.99	0.08	2	-
PTT13P2009A	0.32	-	131,201	-	QH19C2006A	-	-	-	-	S5019P2006D	0.20	-	5,238	-
PTT16C2008A	0.02	(0.01)	119	-	QH27C2007A	-	-	-	-	S5019P2006E	0.09	-	50	-
PTT19C2005A	-	-	-	-	RAT01C2006A	0.37	(0.02)	57	-	S5019P2006F	0.02	(0.01)	9,546	-
PTT19C2008A	0.51	(0.01)	1,649	-	RAT01C2006B	-	-	-	-	S5019P2006G	0.24	(0.01)	55,252	-
PTT19C2009A	0.43	(0.02)	387,483	-	RAT01P2006A	0.56	0.05	20	-	S5019P2007A	-	-	-	-
PTT19P2006A	-	-	-	-	RAT06C2006A	0.03	0.01	2,498	-	S5019P2007B	0.66	(0.01)	1,405,291	-
PTT19P2009A	0.21	(0.01)	38,073	-	RAT06C2009A	0.82	(0.04)	31,214	-	S5019P2009A	0.91	0.02	1,009,966	-
PTT19P2010A	0.53	(0.47)	95,578	-	RAT06P2006A	0.06	0.02	3,639	-	S5024C2006A	0.01	-	2,755	-
PTT24C2008A	0.37	(0.01)	5,278	-	RAT13C2007A	0.50	(0.04)	164,263	-	S5024C2006B	-	-	-	-
PTT28C2007A	-	-	-	-	RAT16C2008A	-	-	-	-	S5024C2006C	2.04	(0.10)	400	2.00
PTT28C2008A	0.16	-	19,874	-	RAT19C2005A	-	-	-	-	S5024C2006D	-	-	-	-
PTT28C2008B	0.46	(0.02)	400	-	RAT19C2007A	0.70	(0.04)	44,009	-	S5024C2006E	0.70	(0.08)	18,129	-
PTT28C2008C	-	-	-	-	RAT24C2006A	0.09	(0.16)	515	-	S5024C2009A	0.06	-	1,467	-
PTT41C2005A	-	-	-	-	RAT27C2007A	0.25	(0.01)	8	-	S5024C2009B	1.55	-	63,368	

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5041C2006A	-	-	-	-	SCC41C2006A	-	-	-	-	TISCO1C2006B	0.01	(0.01)	1	-
S5041C2006B	0.90	(0.07)	248	-	SCC41P2006B	0.78	(0.04)	11,448	-	TISCO1P2006A	1.15	0.01	604	1.00
S5041C2006C	2.36	(0.12)	17,880	2.00	SCC41P2006A	-	-	-	-	TISC11C2005A	-	-	-	-
S5041C2006D	-	-	-	-	SCC42C2008A	-	-	-	-	TISC11C2007A	0.07	0.01	150	-
S5041C2006E	1.58	(0.05)	8,725	1.00	SGP13C2006A	-	-	-	-	TISC13C2006A	0.02	(0.01)	300	-
S5041C2006F	1.26	(0.03)	350	1.00	SGP13C2007A	0.11	-	52	-	TISC19C2006A	0.01	(0.01)	30	-
S5041C2006G	0.58	(0.05)	1,325,466	-	SGP19C2006A	-	-	-	-	TISC19C2010A	0.57	0.03	93,431	-
S5041C2009A	1.35	(0.05)	2,931,150	1.00	SGP19C2006B	0.22	0.01	263,696	-	TISC41C2005A	-	-	-	-
S5041P2006A	-	-	-	-	SGP42C2007A	2.08	0.04	2,122	2.00	TISC41C2006A	-	-	-	-
S5041P2006B	3.60	(0.02)	3,390	3.00	SIRI13C2007A	-	-	-	-	TISC41P2006A	-	-	-	-
S5041P2006C	1.69	0.01	46,957	1.00	SIRI19C2007A	-	-	-	-	TKN01C2007B	0.09	0.01	131	-
S5041P2006D	1.15	(0.02)	3,480	1.00	SPAL06P2009A	0.63	-	18,799	-	TKN01C2008A	-	-	-	-
S5041P2006E	-	-	-	-	SPAL11C2006A	-	-	-	-	TKN08C2007A	-	-	-	-
S5041P2006F	0.22	(0.01)	400	-	SPAL13C2006A	-	-	-	-	TKN13C2006A	-	-	-	-
S5041P2006G	0.55	-	151,453	-	SPAL27C2008A	-	-	-	-	TKN16C2008A	-	-	-	-
S5041P2009A	1.37	0.01	1,437,012	1.00	SPRC01C2007A	0.04	-	7,371	-	TKN19C2007A	-	-	-	-
SAWA01C2006A	0.13	0.01	1,859	-	SPRC06C2007A	0.02	-	95	-	TKN19C2010A	0.60	0.02	156,592	-
SAWA01C2006B	0.01	-	3,540	-	SPRC06P2007A	-	-	-	-	TKN28C2007A	-	-	-	-
SAWA01P2006A	1.22	(0.10)	1,125	1.00	SPRC08C2005A	-	-	-	-	TKN28C2012A	0.45	0.02	42,758	-
SAWA06C2007A	-	-	-	-	SPRC08C2006A	-	-	-	-	TKN41C2006A	-	-	-	-
SAWA08C2006A	0.03	-	30	-	SPRC11C2005A	-	-	-	-	TKN42C2006A	0.35	0.02	19,520	-
SAWA13C2005A	-	-	-	-	SPRC11C2008A	0.11	(0.01)	500	-	TMB19C2007A	0.05	-	25	-
SAWA13C2007A	0.05	-	2	-	SPRC13C2006A	0.05	0.04	643	-	TMB41C2005A	-	-	-	-
SAWA13C2009A	0.72	0.04	263,918	-	SPRC13C2008A	0.09	-	122	-	TMB41P2006A	-	-	-	-
SAWA16C2008A	-	-	-	-	SPRC19C2005A	-	-	-	-	TOA01C2006A	0.23	(0.12)	400	-
SAWA19C2005A	-	-	-	-	SPRC19C2005B	-	-	-	-	TOA01C2006B	-	-	-	-
SAWA19C2009A	0.73	0.05	24,528	-	SPRC19C2007A	-	-	-	-	TOA13C2007A	0.36	0.03	97,351	-
SAWA19C2009B	0.76	0.04	394,492	-	SPRC19C2010A	0.42	(0.01)	87,352	-	TOA19C2007A	0.36	-	264,062	-
SAWA27C2007A	-	-	-	-	SPRC19P2005A	-	-	-	-	TOA24C2005A	-	-	-	-
SAWA28C2007A	-	-	-	-	SPRC28C2008A	0.07	0.01	1,924	-	TOP01C2006A	0.03	-	4,251	-
SAWA28C2008A	-	-	-	-	SPRC41C2005A	-	-	-	-	TOP01C2006B	-	-	-	-
SAWA28C2012A	0.58	0.03	63,702	-	SPRC41C2006A	-	-	-	-	TOP01C2008B	0.23	(0.01)	11	-
SAWA41C2005A	-	-	-	-	SPRC42C2006A	0.01	-	8	-	TOP01C2009A	0.46	(0.02)	362	-
SAWA41C2009A	0.72	0.03	57,790	-	STA01C2008B	-	-	-	-	TOP01P2006A	-	-	-	-
SAWA41P2005A	-	-	-	-	STA01C2009A	0.69	0.21	3,336	-	TOP01P2009A	0.46	-	4,410	-
SCB01C2007A	0.06	-	4	-	STA01P2009A	0.13	(0.07)	11,828	-	TOP06C2007A	0.05	0.01	4	-
SCB01C2007B	0.02	(0.01)	695	-	STA11C2005A	0.38	0.20	6,624	-	TOP06C2008A	1.02	(0.13)	66,104	1.00
SCB01C2008B	0.10	0.01	100	-	STA13C2006A	0.45	0.18	34,014	-	TOP06P2005A	-	-	-	-
SCB01C2009A	0.34	0.01	16,658	-	STA13C2009A	0.65	0.19	844,392	-	TOP08C2007A	-	-	-	-
SCB01P2007A	1.44	(0.10)	70	1.00	STA19C2005A	1.97	0.64	2,026	1.00	TOP08P2007A	1.00	0.13	200	1.00
SCB01P2007B	1.40	0.06	33	1.00	STA19C2007A	0.46	0.12	753	-	TOP11C2007A	0.02	-	4,117	-
SCB06C2007A	0.04	-	3	-	STA19C2009A	0.72	0.20	127,357	-	TOP13C2006A	-	-	-	-
SCB08C2005A	0.01	-	40	-	STA19C2010A	0.54	0.14	1,007,752	-	TOP13C2008A	0.13	(0.04)	103	-
SCB08C2007A	-	-	-	-	STA28C2012A	0.43	0.11	127,708	-	TOP13C2008B	0.70	(0.09)	109,527	-
SCB08C2009A	0.67	-	47,816	-	STA42C2007A	0.42	0.14	432	-	TOP13P2005A	-	-	-	-
SCB11C2005A	-	-	-	-	STEC01C2006A	0.33	(0.01)	50	-	TOP13P2006A	-	-	-	-
SCB11C2006A	0.01	-	50	-	STEC01C2006B	-	-	-	-	TOP16C2008A	-	-	-	-
SCB11C2008A	0.04	-	100	-	STEC01P2006A	0.26	0.03	830	-	TOP19C2006A	-	-	-	-
SCB11P2005A	-	-	-	-	STEC08C2005A	-	-	-	-	TOP19C2007A	0.05	(0.01)	210	-
SCB13C2006A	-	-	-	-	STEC11C2007A	-	-	-	-	TOP19C2008A	0.39	(0.05)	208,229	-
SCB13C2006B	-	-	-	-	STEC16C2006A	-	-	-	-	TOP19C2010A	0.55	(0.05)	106,925	-
SCB13C2007A	0.01	(0.01)	644	-	STEC16C2009A	-	-	-	-	TOP19P2006A	-	-	-	-
SCB13C2008A	-	-	-	-	STEC19C2005A	-	-	-	-	TOP24C2007A	0.01	(0.01)	3	-
SCB13C2009A	0.66	-	94,443	-	STEC19C2009A	0.52	(0.02)	36,760	-	TOP24C2008A	0.62	(0.09)	20,674	-
SCB13P2006A	-	-	-	-	STEC24C2006A	0.32	(0.03)	4,232	-	TOP41C2005A	-	-	-	-
SCB13P2008A	0.60	-	4	-	STEC28C2005A	-	-	-	-	TOP41C2006A	-	-	-	-
SCB16C2008A	-	-	-	-	STEC28C2012A	0.36	(0.02)	17,686	-	TOP41C2007A	-	-	-	-
SCB19C2006A	-	-	-	-	STEC41C2005A	-	-	-	-	TOP41C2008A	0.50	(0.08)	24,429	-
SCB19C2007A	-	-	-	-	STEC41C2006A	-	-	-	-	TOP41P2006A	-	-	-	-
SCB19C2008A	0.68	-	26,920	-	STEC41C2009A	0.32	(0.01)	300	-	TOP41P2010A	0.67	(0.33)	8,494	-
SCB19C2010A	0.44	0.01	111,328	-	STEC41P2005A	-	-	-	-	TOP42C2007A	-	-	-	-
SCB19P2005A	-	-	-	-	SUPE19C2007A	0.21	(0.01)	38,778	-	TRUE01C2007A	0.18	-	5,600	-
SCB19P2010A	0.78	(0.01)	115,435	-	SUPE19C2010A	0.18	(0.01)	35,824	-	TRUE01C2007B	0.03	(0.01)	14,051	-
SCB24C2008A	0.44	-	5,481	-	TASC01C2007B	-	-	-	-	TRUE01P2007B	0.44	-	311	-
SCB27C2007A	-	-	-	-	TASC01C2008A	0.36	0.01	990	-	TRUE06C2007A	-	-	-	-
SCB27P2006A	-	-	-	-	TASC01P2008A	0.73	(0.03)	5	-	TRUE06C2009A	0.34	-	38,694	-
SCB28C2006A	-	-	-	-	TASC06C2009A	0.45	-	66,235	-	TRUE08C2005A	0.01	-	230	-
SCB28C2006B	-	-	-	-	TASC08C2005A	-	-	-	-	TRUE08C2007A	-	-	-	-
SCB28C2008A	-	-	-	-	TASC08C2006A	-	-	-	-	TRUE08P2005A	-	-	-	-
SCB28C2010A	0.45	(0.01)	39,952	-	TASC13C2006A	0.09	-	400	-	TRUE11C2005A	0.01	-	100	-
SCB41C2005A	-	-	-	-	TASC13C2009A	0.35	-	237,875	-	TRUE11C2005B	0.01	-	2,500	-
SCB41C2006A	-	-	-	-	TASC16C2008A	-	-	-	-	TRUE13C2006A	-	-	-	-
SCB41C2006B	-	-	-	-	TASC19C2006A	0.28	0.04	8	-	TRUE13C2007A	-	-	-	-
SCB41C2008A	0.52	-	12,798	-	TASC19C2007A	-	-	-	-	TRUE13C2009A	0.30	-	36,086	-
SCB41P2005A	-	-	-	-	TASC19C2009A	0.46	-	145,912	-	TRUE19C2006A	-	-	-	-
SCB42C2006A	-	-	-	-	TASC24C2006A	-	-	-	-	TRUE19C2007A	0.11	(0.03)	280	-
SCB42C2007A	-	-	-	-	TASC28C2006A	-	-	-	-	TRUE19C2009A	0.33	-	9,035	-
SCC06C2007A	0.19	0.07	50	-	TASC28C2012A	0.28	-	40,810	-	TRUE19P2005A	-	-	-	-
SCC08P2006A	0.24	(0.03)	166	-	TASC41C2005A	-	-	-	-	TRUE28C2006A	-	-	-	-
SCC11C2006A	0.03	-	76	-	TASC41C2009A	0.44	-	3,467	-	TRUE28C2012A	0.21	-	10,747	-
SCC11C2007A	-	-	-	-	TASC42C2005A	-	-	-	-	TRUE41C2005A	-	-	-	-
SCC13C2008A	-	-	-	-	TCAP01C2007B	-	-	-	-	TRUE41C2006A	-	-	-	-
SCC13C2009A	0.80	(0.03)	31,894	-	TCAP01C2008A	0.09	0.01	13,551	-	TRUE41C2007A	-	-	-	-
SCC13P2006A	-	-	-	-	TCAP01P2008A	-	-	-	-	TRUE41P2005A	-	-	-	-
SCC13P2009A	1.09	0.01	15,433	1.00	TCAP13C2007A	0.03	-	2,000	-	TRUE42C2007A	1.09	(0.01)	4,460	1.00
SCC16C2005A	-	-	-	-	THAI27C2008A	0.33	(0.07)	251	-	TTW27C2009A	0.24	-	18,712	-
SCC19C2006A	-	-	-	-	THAI42C2005A	0.10	(0.02)	2,926	-	TU06C2009A	0.28	(0.08)	94,216	-
SCC19C2008A	-	-	-	-	THAN01C2006A	0.02	-	1,850	-	TU06P2007A	0.43	0.11	1,345	-
SCC19C2010A	0.73	(0.02)	5,000	-	THAN01C2006B	-	-	-	-	TU08C2008A	0.14	(0.04)	37,039	-
SCC19P2010A	0.49	-	19,323	-	THAN01P2006A	-	-	-	-	TU11C2008A	0.15	(0.04)	8,110	-
SCC24C2006A	-	-	-	-	THAN06C2005A	-	-	-	-	TU19C2005A	0.02	(0.03)	999	-

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price
SCC27P2008A	0.20	-	301	-
SCC28C2008A	-	-	-	-
SCC28C2010A	0.63	(0.02)	19,557	-
SCC41C2005A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
THAN13C2007A	-	-	-	-
THAN19C2007A	0.02	-	1,503	-
THAN41C2005A	-	-	-	-
TISC01C2006A	0.08	-	362	-

Securities	Close	Change	Volume (Lot)	Average Price
TU19C2007A	-	-	-	-
TU19C2009A	0.11	(0.03)	71,669	-
TU19C2010A	0.26	(0.05)	127,060	-
TU24C2006A	0.18	(0.06)	6,784	-

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU27C2006A	0.05	(0.03)	1,026	-	PDJ-W4	0.31	-	1,841	-	-	-	-	-	-
TU28C2012A	0.16	(0.02)	37,477	-	PERM-W1	0.14	0.01	36,985	-	-	-	-	-	-
TU41C2005A	-	-	-	-	PORT-W1	0.58	0.01	66,987	-	-	-	-	-	-
TU41C2009A	0.19	(0.01)	1,500	-	PPPM-W4	0.15	0.02	337,246	-	-	-	-	-	-
TU42C2007A	-	-	-	-	PRIME-W1	0.02	-	7,017	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	PRIME-W2	0.03	0.01	23,927	-	-	-	-	-	-
TVO19C2007A	-	-	-	-	RICHY-W2	0.01	-	3	-	-	-	-	-	-
VGI01C2005A	0.07	-	26	-	RS-W3	-	-	-	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	SAMART-W2	0.37	(0.03)	27,676	-	-	-	-	-	-
VGI08C2006A	-	-	-	-	SAWAD-W1	-	-	-	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	SDC-W1	0.10	(0.01)	99	-	-	-	-	-	-
VGI13C2006A	-	-	-	-	SINGER-W1	2.10	(0.38)	64,337	2.00	-	-	-	-	-
VGI19C2006A	-	-	-	-	SINGER-W2	2.20	(0.12)	33,441	2.00	-	-	-	-	-
VGI19C2010A	0.63	(0.02)	56,296	-	SMT-W2	-	-	-	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SST-W2	0.83	(0.13)	24,256	-	-	-	-	-	-
VGI41C2007A	0.30	-	18,116	-	SUPER-W4	0.01	-	2,181	-	-	-	-	-	-
WHA01C2005A	0.02	-	20	-	TCC-W3	0.04	-	28,630	-	-	-	-	-	-
WHA01C2005B	-	-	-	-	TCC-W4	0.04	-	29,888	-	-	-	-	-	-
WHA01C2008B	-	-	-	-	TCC-W5	0.13	(0.01)	618	-	-	-	-	-	-
WHA01C2009A	0.47	(0.01)	200	-	TCJ-W2	-	-	-	-	-	-	-	-	-
WHA01P2005A	0.80	(0.20)	282	-	TFG-W2	-	-	-	-	-	-	-	-	-
WHA01P2009A	0.35	0.03	645	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA06C2007A	0.04	-	200	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	TNITY-W1	0.26	-	39,446	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TRITN-W3	0.06	0.01	67,012	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	TTCL-W1	0.38	(0.01)	24,172	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	U-W4	0.01	-	570	-	-	-	-	-	-
WHA13C2005A	-	-	-	-	UAC-W2	0.13	-	116,534	-	-	-	-	-	-
WHA13C2006A	0.04	-	70	-	VGI-W2	0.97	(0.04)	506,213	-	-	-	-	-	-
WHA13C2009A	0.41	(0.01)	260,190	-	VIBHA-W2	0.55	(0.01)	10,486	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	VIBHA-W3	0.15	0.03	409,450	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	WIJK-W2	0.27	0.14	2,000,344	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	ZMICO-W4	0.10	0.03	207,605	-	-	-	-	-	-
WHA19C2006A	0.04	0.01	1,100	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA19C2010A	0.48	(0.01)	105,369	-	BH-P	-	-	-	-	-	-	-	-	-
WHA24C2007A	0.27	(0.01)	43,325	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA27C2008A	0.27	-	2,808	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA28C2006A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
WHA28C2012A	0.38	(0.01)	40,596	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	U-P	1.67	(0.03)	62,175	1.00	-	-	-	-	-
WHA41C2007A	0.21	(0.01)	8,569	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
WHA41P2005A	-	-	-	-	BM-W1	0.10	0.04	260,425	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	BROOK-W5	0.11	-	46,420	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	CHO-W2	0.07	-	172,560	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	D-W1	0.94	(0.05)	594	-	-	-	-	-	-
BH-Q	-	-	-	-	DIMET-W3	0.32	-	117	-	-	-	-	-	-
CSC-Q	-	-	-	-	DOD-W1	0.47	(0.02)	138,194	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	ECF-W3	0.38	-	41,272	-	-	-	-	-	-
KTB-Q	-	-	-	-	EFORL-W3	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	EFORL-W4	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	FVC-W2	0.01	-	11,320	-	-	-	-	-	-
TISCO-Q	-	-	-	-	HPT-W1	0.26	-	22,674	-	-	-	-	-	-
U-Q	-	-	-	-	HYDRO-W1	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	ITEL-W1	0.30	(0.01)	48,254	-	-	-	-	-	-
7UP-W4	0.12	0.01	39,706	-	LIT-W1	0.60	(0.02)	17,582	-	-	-	-	-	-
AKR-W1	0.07	-	72,686	-	META-W4	0.06	-	112,161	-	-	-	-	-	-
ALT-W1	0.36	-	60,737	-	NEWS-W6	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	OCEAN-W3	0.34	(0.01)	9,277	-	-	-	-	-	-
APURE-W2	0.18	(0.02)	230,304	-	PROUD-W2	0.14	(0.04)	158,203	-	-	-	-	-	-
AS-W1	-	-	-	-	RWI-W2	0.09	0.02	138,229	-	-	-	-	-	-
B-W3	-	-	-	-	SANKO-W1	0.14	(0.01)	42,752	-	-	-	-	-	-
B-W4	0.04	0.01	24,582	-	SIMAT-W2	-	-	-	-	-	-	-	-	-
B-W5	0.05	-	103,056	-	SIMAT-W3	0.34	(0.01)	30,731	-	-	-	-	-	-
B52-W2	-	-	-	-	SIMAT-W4	0.97	0.01	882	-	-	-	-	-	-
BKD-W2	0.09	0.01	18,046	-	SMART-W2	0.21	0.01	35,307	-	-	-	-	-	-
BTS-W5	1.14	(0.01)	742,418	1.00	SWC-W1	3.10	0.04	196	3.00	-	-	-	-	-
CGD-W4	0.06	-	45,332	-	TAKUNI-W	0.05	0.02	75,461	-	-	-	-	-	-
CGH-W3	0.02	-	1,417	-	TAPAC-W4	0.55	0.03	312,714	-	-	-	-	-	-
CI-W1	-	-	-	-	TVD-W2	0.30	0.01	429,407	-	-	-	-	-	-
CKP-W1	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
CRANE-W1	0.39	0.02	8,528	-	SGF-P1	-	-	-	-	-	-	-	-	-
DCC-W1	0.50	(0.01)	131,196	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.14	(0.01)	93,349	-	-	-	-	-	-	-	-	-	-	-
EIC-W2	0.01	-	131	-	-	-	-	-	-	-	-	-	-	-
EIC-W3	0.05	0.01	2,200	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.02	(0.01)	148,220	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.40	(0.03)	168,864	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.20	0.01	412,157	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.37	(0.02)	16,030	-	-	-	-	-	-	-	-	-	-	-
JAS-W3	0.70	(0.09)	312,351	-	-	-	-	-	-	-	-	-	-	-
JCK-W5	0.03	0.01	14,903	-	-	-	-	-	-	-	-	-	-	-
JMT-W2	4.02	0.18	43,788	4.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.06	-	97,286	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.04	0.01	11,038	-	-	-	-	-	-	-	-	-	-	-
MILL-W5	0.01	-	44	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	2.04	-	36,323	2.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.71	(0.06)	2,859	-	-	-	-	-	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NOK-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.17	(0.02)	134,022	-	-	-	-	-	-	-	-	-	-	-
ORI-W1	0.30	0.01	288,161	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.42	(0.03)	5,325	-	-	-	-	-	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday May 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-