

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Thursday May 14, 2020					
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	
KTECH	-	-	-	-	ALT	2.32	(0.12)	49,970	2.31	MCOT	5.85	-	-	2,546	5.79
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	2.22	-	-	52,551	2.22
SAFARI	-	-	-	-	DIF	15.90	-	93,510	15.85	MPIC	1.24	(0.02)	-	7	1.23
VI	-	-	-	-	DTAC	41.00	-	26,066	40.87	NMG	-	-	-	-	-
WORLD	-	-	-	-	FORTH	5.30	(0.10)	355	5.34	PLANB	5.30	(0.30)	509,717	5.32	
WR	-	-	-	-	HUMAN	7.10	-	3,362	7.12	POST	1.70	(0.08)	33	1.70	
Agribusiness	-	-	-	-	ILINK	3.42	-	12,332	3.44	PRAKIT	7.80	(0.05)	225	7.86	
CHOTI	75.00	(1.00)	3	75.33	INET	2.26	(0.06)	10,568	2.24	SE-ED	1.41	(0.04)	386	1.41	
EE	0.49	(0.01)	27,806	0.49	INTUCH	53.50	-	92,631	53.19	TBSP	-	-	-	-	-
GFPT	11.60	(0.20)	21,282	11.75	JAS	3.90	-	291,310	3.88	TH	0.41	(0.04)	2,361	0.42	
LEE	2.08	-	646	2.05	JASIF	9.25	(0.05)	123,969	9.29	TKS	4.82	(0.38)	16,605	4.87	
NER	2.36	(0.02)	377,200	2.37	JMART	8.45	(0.15)	141,646	8.50	VGI	8.15	(0.20)	159,280	8.08	
PPPM	0.50	-	14,608	0.50	JTS	0.90	(0.01)	1,382	0.92	WAVE	1.09	0.01	56	1.10	
STA	15.70	0.10	237,870	15.51	MFEC	4.56	-	5,805	4.55	WORK	9.80	(0.40)	40,423	9.91	
TRUBB	0.84	0.01	49,402	0.87	MSC	4.88	-	388	4.85	Finance & Securities	-	-	-	-	-
TWPC	3.34	(0.08)	18,206	3.35	PT	4.32	(0.16)	9,838	4.32	AEC	0.21	-	2,073	0.21	
UPOIC	2.48	-	5	2.48	SAMART	4.90	(0.02)	12,024	4.86	AEONTS	125.00	(2.00)	2,992	125.35	
UVAN	3.98	(0.04)	4,097	4.00	SAMTEL	5.00	(0.30)	11,733	5.09	AMANAH	2.82	(0.04)	324,463	2.84	
VPO	0.35	(0.02)	8,724	0.34	SDC	0.14	-	29,037	0.14	ASAP	1.07	(0.03)	36,444	1.08	
Banking	-	-	-	-	SIS	7.25	(0.05)	11,953	7.21	ASK	16.00	(0.10)	8,331	15.94	
BAY	20.90	(0.40)	2,221	21.01	SVOA	0.94	(0.02)	13,209	0.94	ASP	1.50	-	15,916	1.50	
BBL	95.25	(0.75)	81,614	94.92	SYMC	2.38	(0.02)	310	2.37	BAM	23.10	(0.40)	986,234	23.27	
CIMBT	0.54	-	17,937	0.54	SYNEX	6.20	(0.20)	15,378	6.31	BFIT	26.50	(0.50)	13,068	26.72	
KBANK	84.25	(1.00)	49,528	84.27	THCOM	3.40	(0.16)	24,111	3.44	CGH	0.75	-	5,435	0.75	
KKP	39.50	(0.25)	38,302	39.59	TRUE	3.16	(0.06)	646,484	3.17	ECL	0.81	(0.01)	19,985	0.81	
KTB	10.00	(0.50)	1,009,242	10.04	TWZ	0.06	(0.01)	64,964	0.06	FNS	1.93	(0.04)	305	1.95	
LHFG	1.00	0.02	100,360	1.00	Electronic Componer	-	-	-	-	FSS	1.04	0.01	195	1.03	
SCB	67.25	(0.75)	91,754	67.36	CCET	1.45	(0.01)	15,026	1.44	GBX	0.41	-	36	0.41	
TCAP	33.75	(0.75)	66,601	33.82	DELTA	55.50	3.50	18,240	54.08	GL	2.92	(0.04)	14,339	2.92	
TISCO	68.00	(1.75)	87,623	68.29	EIC	0.12	0.01	1,703,835	0.11	IFS	2.40	(0.04)	1,171	2.41	
TMB	0.93	-	1,084,359	0.92	HANA	28.00	(1.75)	96,390	28.49	JMT	18.60	(0.40)	151,258	18.81	
Construction Materia	-	-	-	-	KCE	16.10	(0.40)	389,742	16.18	KCAR	8.00	-	123	8.00	
CCP	0.26	-	26,434	0.25	METCO	121.50	(0.50)	128	121.98	KGI	3.78	(0.04)	84,374	3.76	
COTTO	1.19	(0.06)	7,173	1.21	NEX	3.54	0.46	324,598	3.50	KTC	36.75	(0.25)	128,635	37.04	
DCC	1.84	(0.01)	116,581	1.85	SMT	0.88	(0.02)	7,328	0.89	MBKET	6.55	-	1,819	6.51	
DCON	0.27	(0.01)	12,218	0.27	SVI	3.10	0.04	33,617	3.11	MFC	12.50	-	169	12.46	
DRT	5.40	-	7,973	5.41	TEAM	0.64	(0.03)	4,962	0.64	ML	0.61	-	3,928	0.60	
EPG	5.00	0.20	283,737	4.94	Energy & Utilities	-	-	-	-	MTC	49.25	(0.75)	154,649	49.97	
GEL	0.13	-	102,609	0.13	7UP	0.43	0.01	717,365	0.44	PE	-	-	-	-	-
PPP	1.98	0.04	2,593	1.96	ABPIF	3.48	-	59	3.48	PL	1.98	(0.04)	5,068	1.98	
Q-CON	-	-	-	-	ACE	3.40	0.04	133,027	3.31	S11	5.20	(0.20)	2,646	5.27	
RCI	2.70	(0.04)	24	2.72	AI	1.17	0.15	216,698	1.16	SAWAD	53.75	(0.75)	109,065	54.18	
SCC	341.00	1.00	13,541	339.80	AKR	0.56	0.05	20,622	0.55	THANI	3.62	(0.14)	350,468	3.65	
SCCC	116.50	-	524	116.31	BAFS	21.90	(0.50)	9,601	21.92	TK	8.50	(0.10)	724	8.51	
SCP	5.15	-	897	5.16	BANPU	6.50	(0.05)	1,231,660	6.46	TNITY	3.50	-	388	3.51	
SKN	1.79	0.01	4,006	1.76	BCP	18.50	(0.50)	24,791	18.62	UOBKH	3.00	(0.10)	223	3.17	
TASCO	18.40	(0.10)	111,623	18.26	BCPG	15.80	(0.20)	27,029	15.82	ZMICO	0.56	(0.01)	21,459	0.54	
TCMC	1.00	(0.02)	23,699	1.00	BGRIM	44.25	(0.50)	76,191	44.15	Food & Beverage	-	-	-	-	-
TOA	35.50	(0.25)	14,107	35.57	BPP	16.10	0.10	17,438	15.89	APURE	1.47	0.04	21,847	1.45	
TPIPL	1.20	-	128,787	1.20	BRRGIF	-	-	-	-	ASIAN	5.40	0.10	34,613	5.50	
UMI	0.49	(0.01)	4,156	0.49	CKP	3.98	0.04	261,887	4.00	BR	2.12	(0.02)	3,575	2.15	
VNG	3.48	-	32,806	3.43	DEMCO	2.40	(0.06)	4,201	2.41	BRR	3.10	(0.02)	93	3.05	
WIJK	1.22	(0.03)	103,131	1.23	EA	38.00	(1.25)	65,368	38.32	CBG	87.00	0.75	41,049	86.48	
Petrochemicals & Ch	-	-	-	-	EASTW	9.95	(0.15)	15,181	10.01	CFRESH	1.62	0.06	8,785	1.61	
BCT	36.75	-	378	36.24	EGATIF	11.90	-	25,414	11.90	CM	2.70	(0.06)	1,375	2.71	
CMAN	1.18	(0.01)	946	1.17	EGCC	262.00	(7.00)	24,224	262.29	CPF	28.75	0.50	580,321	28.91	
GC	5.20	0.05	241	5.17	ESSO	5.55	(0.15)	176,601	5.57	CPI	1.19	0.01	399	1.19	
GGC	8.00	(0.10)	12,936	7.98	GPSC	71.50	(0.50)	135,028	71.30	F&D	16.90	0.10	4	16.90	
GIFT	2.18	(0.12)	11,983	2.18	GULF	38.25	(0.25)	281,064	38.41	HTC	18.50	0.40	2,489	18.30	
IVL	28.00	(0.50)	133,916	28.02	GUNKUL	2.82	0.04	920,610	2.81	ICHI	5.60	(0.15)	10,905	5.63	
NFC	1.84	0.24	191	1.75	IFEC	-	-	-	-	KBS	3.10	0.02	1	3.10	
PATO	9.00	(0.15)	312	9.10	IRPC	2.80	(0.08)	807,600	2.82	KSL	1.88	(0.01)	21,075	1.89	
PMTA	8.30	(0.15)	21	8.30	LANNA	6.00	0.05	2,548	5.99	KTIS	3.04	(0.04)	1,703	3.07	
PTTGC	40.25	(0.75)	175,166	40.22	MDX	1.90	0.24	33,532	1.85	LST	4.32	(0.14)	3,901	4.30	
SUTHA	2.94	0.30	5,601	2.87	PRIME	0.36	0.02	146,240	0.36	M	53.00	(1.25)	9,569	52.85	
TCCC	20.00	(0.40)	546	20.11	PTG	13.50	(0.30)	158,218	13.47	MALEE	5.45	(0.25)	5,677	5.56	
TPA	5.35	0.10	303	5.22	PTT	35.50	(0.50)	457,093	35.32	MINT	18.50	(0.80)	446,827	18.62	
UAC	3.30	0.26	37,027	3.24	PTTEP	81.75	(1.75)	76,967	82.04	OISHI	40.50	(0.75)	311	40.56	
UP	-	-	-	-	RATCH	64.75	(0.50)	58,813	64.73	OSP	41.25	(1.50)	63,558	41.53	
VNT	21.70	0.70	28,191	21.65	RPC	0.47	-	9,115	0.47	PB	71.00	0.25	23	70.54	
WG	-	-	-	-	SCG	3.94	0.06	98	3.87	PM	6.90	(0.15)	2,935	6.95	
YCI	-	-	-	-	SCI	1.20	0.07	97,910	1.22	PRG	11.90	-	4	11.95	
Commerce	-	-	-	-	SCN	1.70	0.06	11,020	1.70	RBF	5.25	(0.10)	418,383	5.33	
BEAUTY	1.79	0.01	1,037,669	1.80	SGP	8.05	-	44,268	8.21	SAPPE	17.00	(0.50)	2,385	17.08	
BIG	0.50	(0.01)	58,033	0.50	SKE	0.75	(0.01)	1,812	0.76	SAUCE	23.60	0.20	278	23.50	
BJC	37.25	(1.50)	123,286	37.63	SOLAR	0.83	(0.03)	11,456	0.83	SFP	-	-	-	-	-
COL	13.70	-	2,545	13.71	SPCG	17.50	0.10	4,228	17.38	SNP	10.90	0.10	38	11.00	
COM7	21.20	(0.60)	68,755	21.40	SPRC	6.45	-	364,262	6.45	SORKON	50.00	0.50	114	49.97	
CPALL	70.25	(1.50)	440,335	70.34	SSP	7.30	0.20	36,829	7.25	SSC	28.25	(0.50)	57	28.53	
CPW	1.10	(0.03)	19,986	1.10	SUPER	0.64	0.02	8,633,007	0.65	SSF	-	-	-	-	-
CRC	36.00	(1.75)	104,590	36.57	SUPEREIF	11.00	0.40	15,119	10.91	SST	2.88	0.02	175	2.81	
CSS	1.11	0.03	304,114	1.14	SUSCO	2.04	(0.02)	7,317	2.04	TC	3.16	-	663	3.14	
DOHOME	7.40	(0.25)	165,535	7.60	TAE	2.52	-	14,256	2.54	TFG	4.14	0.12	200,438	4.13	
FN	0.91	(0.03)	38,168	0.94	TCC	0.19	0.01	10,220	0.19	TFMAMA	200.00	(6.00)	96	201.68	
FTE	1.62	(0.01)	1,014	1.61	TOP	41.25	(1.00)	100,369	41.32	TIPCO	5.55	(0.20)	5,370	5.62	
GLOBAL	13.50	(0.20)	94,097	13.49	TRIPP	3.90	(0.02)	50,585	3.87	TKN	7.95	(0.10)	110,609	7.98	
HMPRO	14.00	-	223,175	14.09	TSE	2.92	(0.02)	45,737	2.90	TU	12.60	0.10	123,918	12.54	
ILM	9.60	-	2,136	9.50	TTW	13.80	-								

Main Board Quotation

Issue Date :

Thursday May 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.60	(0.02)	9,379	2.59	CGD	0.59	(0.03)	35,564	0.59	IHL	2.08	(0.02)	3,431	2.08
RAM	-	-	-	-	CI	0.65	0.01	353	0.64	INGRS	0.35	(0.02)	13,079	0.35
RJH	21.90	(0.40)	2,934	21.86	CPN	47.75	-	56,929	47.67	IRC	13.60	(0.40)	213	13.78
RPH	5.15	(0.15)	10,843	5.19	ESTAR	0.30	0.01	39,293	0.29	PCSGH	4.44	(0.10)	65	4.50
SKR	4.82	0.02	1,951	4.78	EVER	0.21	(0.01)	51,137	0.21	SAT	10.60	-	3,687	10.54
SVH	418.00	2.00	8	417.75	FPT	11.90	(0.30)	1,694	12.09	SPG	-	-	-	-
THG	19.10	(0.10)	5,135	19.29	GLAND	2.14	0.04	16	2.12	STANLY	132.00	(1.00)	230	132.51
VIBHA	1.60	-	37,467	1.59	GOLD	8.40	0.05	943	8.35	TKT	0.75	0.09	4,861	0.75
VIH	6.00	(0.10)	2,684	6.02	GREEN	0.76	(0.01)	2,315	0.75	TNPC	0.68	-	800	0.68
WPH	1.60	-	1,627	1.59	J	0.64	(0.04)	8,969	0.65	TRU	3.44	(0.02)	177	3.43
Tourism & Leisure	-	-	-	-	JCK	0.75	-	1,352	0.74	TSC	-	-	-	-
ASIA	3.38	(0.04)	347	3.37	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	19.00	(0.70)	38,786	19.22	KWVG	0.78	(0.01)	223	0.76	ALLA	1.11	0.01	6,363	1.10
CSR	-	-	-	-	LALIN	4.12	0.04	3,419	4.15	ASEFA	2.96	0.02	2,500	2.93
DTC	7.00	0.05	2,592	6.90	LH	6.60	(0.10)	331,821	6.60	CPT	0.70	0.01	6,377	0.69
ERW	2.70	(0.08)	163,283	2.73	LPN	3.94	0.20	196,030	3.93	CRANE	1.80	-	6,371	1.79
GRAND	0.63	-	1,754	0.62	MBK	15.40	0.10	15,576	15.45	CTW	5.05	-	13	5.07
LRH	-	-	-	-	MJD	1.65	(0.07)	7,611	1.65	FMT	22.70	0.20	6	22.67
MANRIN	-	-	-	-	MK	2.44	-	1,841	2.44	HTECH	2.40	(0.26)	15,548	2.42
OHTL	-	-	-	-	NCH	0.53	0.01	5	0.52	KKC	0.39	(0.03)	318	0.39
ROH	-	-	-	-	NNCL	1.91	0.05	4,402	1.91	PK	1.04	(0.01)	2,836	1.04
SHANG	63.00	(0.75)	50	62.22	NOBLE	13.80	-	44,319	13.83	SNC	8.75	0.70	16,639	8.51
SHR	2.12	(0.02)	240,592	2.09	NUSA	0.33	-	97,377	0.32	STAR	2.26	0.02	30,748	2.26
VRANDA	4.70	(0.08)	2,975	4.71	NVD	1.13	-	1,931	1.13	TCJ	2.28	(0.02)	664	2.29
Home & Office Prod.	-	-	-	-	ORI	4.38	(0.06)	75,966	4.34	VARO	-	-	-	-
ACC	0.60	-	863	0.59	PACE	-	-	-	-	Property Fund & REI	-	-	-	-
AJA	0.13	(0.01)	223,444	0.13	PF	0.35	-	213,844	0.35	AIMCG	6.75	0.65	5,761	6.63
DTCI	-	-	-	-	PLAT	2.72	(0.10)	12,667	2.72	AIMIRT	12.10	0.10	2,864	11.99
FANCY	0.38	(0.01)	1,302	0.37	POLAR	-	-	-	-	AMATAR	9.95	(0.05)	390	9.95
KYE	247.00	1.00	20	247.00	PRECHA	0.68	-	107	0.68	B-WORK	11.60	0.30	2,212	11.51
L&E	1.64	0.01	17	1.63	PRIN	1.34	0.02	10	1.34	BKER	6.80	-	283	6.64
MODERN	2.26	0.02	3,007	2.25	PSH	10.70	(0.20)	12,305	10.69	BKKCP	11.60	(0.20)	171	11.56
OGC	24.80	0.20	50	24.10	QH	2.02	(0.06)	287,829	2.03	BOFFICE	13.80	0.10	33	13.88
ROCK	11.70	(0.30)	42	11.70	RICHY	0.59	(0.01)	7,016	0.59	CPNCG	10.10	-	4,704	10.01
SIAM	1.24	(0.01)	1,732	1.25	RML	0.48	(0.01)	5,778	0.48	CPNREIT	29.50	(0.25)	1,138	29.53
TSR	1.87	(0.02)	2,293	1.85	ROJNA	4.08	(0.02)	3,585	4.07	CPTGF	11.50	-	921	11.50
Insurance	-	-	-	-	S	1.59	(0.03)	36,681	1.61	CTARAF	4.98	-	123	4.98
AYUD	35.50	-	5	35.50	SAMCO	1.27	(0.01)	37	1.27	DREIT	3.54	0.02	1,634	3.51
BKI	265.00	2.00	88	263.63	SC	1.95	(0.03)	29,281	1.95	ERWPF	4.24	(0.02)	620	4.24
BLA	14.70	-	10,219	14.53	SENA	2.10	0.02	10,347	2.09	FTREIT	16.20	0.20	9,575	16.12
BUI	7.10	(0.30)	1	7.10	SF	4.68	(0.02)	46,485	4.74	FUTUREPF	18.70	(0.10)	359	18.65
CHARAN	20.50	-	10	20.50	SIRI	0.73	(0.02)	206,494	0.73	GAHREIT	7.10	(0.10)	411	7.02
INSURE	-	-	-	-	SPALI	13.70	(0.20)	22,229	13.81	GOLDFP	5.90	-	9	5.90
MTI	87.75	(0.25)	1	87.75	U	1.33	(0.02)	107,880	1.34	GVREIT	14.60	0.10	2,405	14.51
NKI	-	-	-	-	UV	2.96	(0.08)	34,118	2.98	HPF	4.28	-	2	4.28
NSI	53.75	0.25	18	53.64	WHA	2.76	(0.10)	695,032	2.80	HREIT	7.85	(0.05)	3,490	7.90
SEG	-	-	-	-	WIN	0.32	-	1,834	0.32	IMPACT	15.30	-	6,049	15.19
SMK	31.00	(0.25)	200	30.67	Paper & Printing Mat	-	-	-	-	KPNPF	6.95	0.15	1	6.95
THRE	0.49	(0.01)	31,937	0.49	UTP	10.60	0.70	111,469	10.50	LHHOTEL	12.40	0.10	4	12.40
THREL	2.40	(0.08)	14,331	2.40	Fashion	-	-	-	-	LHPP	6.45	-	15	6.45
TIP	21.80	(0.10)	3,359	21.87	AFC	5.85	(0.65)	6	5.78	LHSC	12.30	0.10	1,576	12.30
TQM	75.75	(1.75)	19,647	76.45	B52	0.17	-	48	0.17	LUXF	-	-	-	-
TSI	0.31	-	3,130	0.31	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.32	(0.04)	289	3.30	CPH	3.30	(0.02)	214	3.32	M-PAT	4.10	-	11	4.06
Mining	-	-	-	-	CPL	0.86	0.01	233	0.88	M-STOR	5.55	0.10	8	5.36
PDI	5.00	0.62	6,893	5.00	ICC	-	-	-	-	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
Packaging	-	-	-	-	PAF	0.50	(0.01)	1,092	0.50	MJLF	7.40	(0.30)	194	7.42
AJ	9.75	-	2,189	9.73	PDJ	0.98	(0.05)	11,895	0.98	MNIT	1.12	-	127	1.09
ALUCON	130.50	0.50	3	130.17	PG	4.66	0.14	30	4.66	MNIT2	3.40	-	28	3.40
BGC	9.30	(0.70)	58,575	9.50	SABINA	18.50	0.70	60,711	18.25	MNRF	2.78	0.08	1	2.78
CSC	46.75	(0.50)	94	46.84	SAWANG	8.15	0.85	1	8.15	POPF	10.90	(0.10)	1,486	10.98
GLOCON	0.53	0.01	778,365	0.49	SUC	38.00	1.00	13	37.62	PPF	11.20	-	52	11.20
NEP	-	-	-	-	TNL	17.90	-	3	17.90	QHHR	6.90	(0.05)	451	6.86
PTL	14.00	0.10	12,301	13.83	TPCORP	-	-	-	-	QHOP	2.56	-	1	2.56
SFLEX	7.70	0.90	89,582	7.42	TR	22.00	(0.20)	24	22.03	QHPF	10.90	(0.10)	1,851	10.94
SITHAI	0.66	-	30,220	0.66	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.41	(0.01)	436	0.40	TTT	43.00	1.75	29	41.72	SHREIT	4.20	(0.08)	167	4.20
SMPC	7.85	(0.70)	25,847	7.89	UPF	48.00	2.00	27	47.19	SIRIP	9.95	(0.15)	27	9.97
SPACK	1.14	(0.02)	78	1.13	UT	-	-	-	-	SPF	12.50	0.50	32,422	12.32
TCOAT	-	-	-	-	WACOAL	46.00	0.25	1	46.00	SPRIME	11.80	(0.60)	921	11.80
TFI	0.05	0.01	504	0.04	Transportation & Log	-	-	-	-	SRIPANWA	8.05	0.05	16	8.02
THIP	22.90	1.20	1,488	22.70	AAV	1.67	(0.03)	203,407	1.67	SSPF	8.90	0.05	65	8.89
TMD	22.60	-	23	22.60	AOT	59.75	(0.50)	198,422	59.78	SSTRT	5.20	-	36	5.19
TOPP	169.00	(1.00)	2	169.00	ASIMAR	1.00	0.01	2,464	0.99	TIF1	8.10	(0.10)	488	8.08
TPBI	3.10	(0.04)	103	3.09	B	0.20	(0.01)	31,090	0.20	TLGF	19.20	(0.10)	6,713	19.12
TPP	15.90	(0.10)	6	15.57	BA	5.35	(0.15)	12,274	5.35	TLHPF	8.80	(0.40)	132	8.78
Personal Products &	-	-	-	-	BEM	9.50	(0.30)	796,783	9.62	TNPF	-	-	-	-
APCO	3.66	(0.06)	2,095	3.67	BTS	11.60	(0.20)	330,957	11.62	TPRIME	15.00	(0.50)	1,600	15.02
DDD	17.20	(0.10)	1,208	17.12	BTSGIF	7.20	(0.40)	140,098	7.33	TTLPF	22.90	1.60	1	22.90
JCT	77.00	-	1	77.00	IHI	4.38	0.02	25,257	4.37	TU-PF	0.91	(0.14)	3	0.91
OCC	-	-	-	-	JUTHA	0.35	0.04	55	0.34	URBNPF	3.04	-	39	3.04
S & J	-	-	-	-	JWD	6.60	0.20	45,269	6.54	WHABT	8.45	-	2	8.43
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	16.50	0.10	5,402	16.55
TNR	8.00	0.25	2,277	7.77	NOK	1.04	-	2,505	1.03	Steel	-	-	-	-
TOG	3.74	(0.02)	63	3.76	NYT	2.94	(0.02)	10,023	2.95	AMC	1.42	0.10	7,859	1.38
Professional Service	-	-	-	-	PORT	1.59	(0.03)	10,651	1.59	BSBM	0.85	(0.01)	3,032	0.84
BWG	0.40	0.01	139,239	0.40	PRM	6.55	0.05	293,799	6.58	CEN	0.54	0.01	1,818	0.54
GENCO	0.45	0.01	12,488	0.44	PSL	3.28	(0.06)	224,223	3.31	CITY	1.55	0.02	35	1.55
PRO	-	-	-	-	RCL	3.00	(0.02)	3,217	2.98	CSP	0.55	0.01	330	0.54
SISB	8.45	(0.15)	16,612	8.48	TFIF	11.10	0.20	60,410	11.03	GJS	0.08	-	55,755	0.07
TEAMG	2.02	(0.06)	31,382	2.02	THAI	4.78	(0.42)	423,009	4.91	GSTEEL	-	-	-	-
Property Development	-	-	-	-	TSTE	-	-	-	-	INOX	0.43	-	209	0.42
A	4.66	-	285	4.60	TTA	2.72	(0.10)	53,737	2.75	LHK	2.36	(0.04)	3,949	2.37
AMATA	12.50	(0.20)	55,712	12.50	WICE	2.28	0.20	108,588	2.31	MAX	0.02	0.01	88,719	0.01
AMATAV	4.46	0.06	563	4.45	Automotive	-	-	-	-	MCS	10.10	0.10	10,101	9.99
ANAN	1.53	(0.03)	30,871	1.54	AH									

Main Board Quotation

Issue Date :

Thursday May 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.68	(0.01)	10,940	-	ADVA01C2007B	0.13	(0.01)	4,525	-
ABICO	3.20	(0.04)	251	3.00	AIE	0.28	0.03	81,959	-	ADVA01C2008A	0.68	-	1,565	-
AU	8.50	(0.15)	26,163	8.00	PSTC	0.43	(0.01)	1,662,684	-	ADVA01P2007B	0.33	(0.01)	5,112	-
JCKH	0.30	(0.03)	628	-	QTC	3.94	(0.06)	2,013	3.00	ADVA06C2005A	-	-	-	-
KASET	1.38	(0.01)	2,549	1.00	SAAM	0.88	0.02	4,228	-	ADVA06C2009A	0.31	-	1,617	-
MM	1.60	0.02	240	1.00	SEA0IL	2.52	0.02	10,492	2.00	ADVA08C2005A	-	-	-	-
SUN	2.00	(0.04)	7,441	2.00	SR	0.74	0.03	917	-	ADVA08C2009A	0.54	(0.03)	29,709	-
TACC	4.18	(0.12)	74,253	4.00	TAKUNI	0.38	0.03	79,616	-	ADVA08P2009A	0.77	0.01	18,114	-
TMILL	2.64	(0.08)	3,081	2.00	TPCH	11.40	0.10	10,028	11.00	ADVA11C2006A	0.01	-	100	-
XO	6.40	(0.30)	12,759	6.00	TRT	1.72	0.03	600	1.00	ADVA11P2005A	0.03	0.01	405	-
Consumer Products														
BGT	0.59	-	825	-	UMS	0.23	(0.03)	825	-	ADVA13C2006A	-	-	-	-
BIZ	3.10	(0.04)	1,217	3.00	UWC	0.03	0.01	9,110	-	ADVA13C2007A	0.12	0.01	48	-
DOD	5.95	(0.15)	18,216	5.00	Services (MAI)	-	-	-	-	ADVA13C2008A	0.25	(0.01)	91,511	-
ECF	1.05	(0.03)	33,332	1.00	A5	-	-	-	-	ADVA13C2010A	0.96	(0.04)	53,751	-
HPT	0.70	-	575	-	AKP	0.94	(0.03)	10,778	-	ADVA13P2009A	1.23	-	30,623	1.00
IP	6.90	(0.05)	5,476	6.00	AMA	3.80	-	2,050	3.00	ADVA16C2005A	-	-	-	-
JUBILE	14.50	0.40	2,638	14.00	ARIP	0.30	-	339	-	ADVA16C2007A	-	-	-	-
MOONG	3.40	(0.22)	4,999	3.00	ATP30	0.82	-	6,350	-	ADVA16C2009A	0.08	(0.01)	414	-
NPK	10.50	0.30	29	10.00	AUCT	7.15	-	13,499	7.00	ADVA19C2005A	-	-	-	-
OCEAN	0.83	-	3,114	-	BOL	3.18	0.02	2,238	3.00	ADVA19C2007A	-	-	-	-
TM	2.30	-	4,295	2.00	CHUO	-	-	-	-	ADVA19C2007B	-	-	-	-
Financials (MAI)														
ACAP	0.70	(0.02)	6,409	-	CMO	0.91	(0.01)	548	-	ADVA19C2008A	0.79	(0.02)	20,475	-
AF	0.65	0.02	4,747	-	D	3.60	(0.02)	890	3.00	ADVA19C2009A	0.50	(0.02)	42,639	-
AIRA	0.90	-	175	-	DCORP	0.32	(0.02)	26,736	-	ADVA19C2010A	0.24	(0.02)	17,018	-
ASN	4.50	(0.06)	251	4.00	EFORL	0.03	(0.01)	71,524	-	ADVA19P2006A	0.15	-	350	-
BROOK	0.37	-	15,908	-	ETE	0.77	0.05	68,847	-	ADVA19P2009A	0.33	0.01	19,388	-
CHAYO	5.95	(0.25)	61,016	6.00	FSMART	5.95	(0.05)	8,470	5.00	ADVA19P2010A	0.94	-	43,576	-
GCAP	1.40	0.09	95,731	1.00	FVC	0.38	-	10,396	-	ADVA24C2006A	-	-	-	-
LIT	3.12	(0.06)	3,015	3.00	GSC	0.68	-	2,695	-	ADVA24C2009A	0.46	(0.02)	1,450	-
MITSIB	1.07	0.01	4,910	1.00	HARN	2.00	0.01	1,000	2.00	ADVA28C2007A	-	-	-	-
SGF	0.43	(0.01)	58,888	-	IMH	2.42	0.02	70	2.00	ADVA28C2008A	0.51	(0.04)	63,367	-
Industrials (MAI)														
2S	2.12	0.27	12,767	2.00	JKN	4.30	0.08	98,271	4.00	ADVA28C2008B	-	-	-	-
ACG	0.75	0.01	4,637	-	KIAT	0.41	(0.01)	72,136	-	ADVA28C2012A	0.18	-	6,180	-
ADB	0.63	(0.05)	1,844	-	KOOL	0.70	(0.04)	24,632	-	ADVA28P2012A	0.43	-	4,056	-
BM	1.75	0.05	8,796	1.00	LDC	0.77	(0.01)	369	-	ADVA41C2005A	-	-	-	-
CHO	0.43	(0.02)	21,079	-	MORE	0.23	-	173,646	-	ADVA41C2006A	-	-	-	-
CHOW	0.82	-	664	-	MPG	0.20	0.02	11,637	-	ADVA41C2007A	-	-	-	-
CIG	0.24	0.01	15,921	-	MVP	1.17	(0.01)	3,582	1.00	ADVA41C2007B	0.52	(0.03)	5,128	-
COLOR	0.90	0.04	17,617	-	NBC	0.56	(0.03)	2,283	-	ADVA41P2005A	-	-	-	-
CPR	2.68	(0.08)	1,788	2.00	NCL	0.67	0.01	20,533	-	ADVA41P2009A	1.28	0.01	31,685	1.00
FPI	2.00	-	367	2.00	NEWS	0.01	-	1,157	-	ADVA42C2005A	-	-	-	-
GTB	0.55	(0.02)	5,752	-	NINE	-	-	-	-	ADVA42P2007A	1.44	(0.01)	3,557	1.00
KCM	0.41	-	441	-	OTO	2.44	(0.02)	2,385	2.00	AEON01C2005A	0.02	-	16,055	-
KUMWEL	0.78	0.01	3,973	-	PHOL	2.10	0.17	66,350	2.00	AEON13C2007A	0.05	0.01	2	-
KWM	0.77	(0.02)	2,122	-	PICO	-	-	-	-	AEON19C2006A	-	-	-	-
MBAX	4.22	0.14	15,818	4.00	QLT	4.18	0.08	441	4.00	AEON19C2010A	0.67	(0.33)	7,675	-
MGT	1.68	(0.05)	1,933	1.00	RP	1.06	(0.02)	36	1.00	AMAT01C2007B	-	-	-	-
NDR	0.86	-	341	-	SE	1.46	0.03	1,371	1.00	AMAT01C2008A	0.15	0.04	1	-
PDG	3.24	(0.02)	2,924	3.00	SONIC	1.05	(0.02)	2,855	1.00	AMAT01P2008A	1.04	-	54	1.00
PIMO	1.15	(0.02)	184,892	1.00	SPA	6.15	-	20,601	6.00	AMAT06C2005A	-	-	-	-
PJW	1.11	(0.02)	3,227	1.00	THMUI	0.48	(0.03)	706	-	AMAT08C2005A	-	-	-	-
PPM	0.82	0.02	142	-	TNDT	2.66	0.02	1,133	2.00	AMAT08C2010A	0.35	(0.65)	6,998	-
RWI	1.03	0.08	13,001	1.00	TNH	29.75	0.25	486	29.00	AMAT11C2008A	-	-	-	-
SALEE	0.69	0.01	2,023	-	TNP	2.38	0.24	123,924	2.00	AMAT13C2006A	-	-	-	-
SANKO	0.92	(0.02)	2,242	-	TSF	-	-	-	-	AMAT13C2010A	0.31	(0.69)	41,481	-
SELIC	2.02	(0.04)	5,830	2.00	TVD	0.76	(0.04)	53,346	-	AMAT16C2006A	-	-	-	-
SWC	4.38	(0.02)	2,202	4.00	TVT	0.41	0.01	6,370	-	AMAT16C2008A	-	-	-	-
TMC	0.39	-	234	-	VL	0.98	(0.02)	23,920	-	AMAT19C2005A	-	-	-	-
TMI	0.64	-	896	-	WINNER	2.12	(0.04)	3,862	2.00	AMAT19C2006A	-	-	-	-
TMW	34.00	-	335	34.00	YGG	4.88	0.14	56,364	4.00	AMAT19C2008A	-	-	-	-
TPAC	10.30	-	30	10.00	Technology (MAI)									
TPLAS	1.16	(0.01)	5,233	1.00	APP	1.46	(0.13)	12,061	1.00	AMAT19C2009A	0.38	(0.01)	42,769	-
UBIS	4.62	-	11	4.00	COMAN	1.70	-	367	1.00	AMAT24C2006A	-	-	-	-
UEC	0.70	0.05	9,881	-	ICN	1.68	(0.14)	29,079	1.00	AMAT41C2005A	-	-	-	-
UKEM	0.63	-	37,544	-	INSET	2.48	-	12,328	2.00	AMAT41C2006A	-	-	-	-
UREKA	1.12	(0.01)	10,865	1.00	JRCP	0.46	(0.01)	2,145	-	AMAT42C2005A	-	-	-	-
YUASA	10.80	(0.10)	253	10.00	ITEL	2.16	0.06	10,116	2.00	AMAT42C2007A	0.74	(0.04)	3,032	-
ZIGA	1.14	(0.01)	690	1.00	NETBAY	30.00	-	1,560	30.00	ANAN13C2007A	-	-	-	-
Property & Construc														
ALL	2.90	(0.18)	358,159	3.00	PLANET	0.82	0.03	705	-	ANAN19C2007A	-	-	-	-
ARIN	0.65	0.02	10,689	-	SIMAT	1.96	(0.01)	1,373	1.00	AOT01C2006B	0.02	-	14,169	-
ARROW	7.65	(0.15)	2,143	7.00	SKY	14.50	0.10	2,826	14.00	AOT01C2007A	0.22	(0.01)	5,597	-
BC	0.98	0.01	388	-	SPVI	2.14	(0.04)	15,746	2.00	AOT01P2006B	0.65	-	976	-
BSM	0.26	0.01	779	-	TPS	1.88	(0.01)	3,280	1.00	AOT01P2007A	1.12	0.05	18,983	1.00
BTW	0.63	0.01	7,127	-	UPA	0.18	0.01	41,064	-	AOT06C2007A	-	-	-	-
CAZ	1.63	(0.04)	3,054	1.00	VCOM	2.52	-	10,596	2.00	AOT06C2008A	-	-	-	-
CHEWA	0.34	(0.01)	4,182	-	Unit Trust		-	-	-	AOT06C2009A	0.51	(0.03)	67,152	-
CMC	0.65	(0.02)	2,029	-	MGE	-	-	-	-	AOT06P2009A	0.51	0.02	64,843	-
CRD	0.49	0.01	805	-	SCBSET	-	-	-	-	AOT08C2005A	0.02	-	1,003	-
DIMET	0.35	-	38,188	-	ETF	-	-	-	-	AOT08C2006A	-	-	-	-
FLOYD	0.99	-	684	-	1DIV	7.83	(0.07)	475	7.00	AOT08C2007A	0.19	-	14,336	-
HYDRO	-	-	-	-	ABFTH	-	-	-	-	AOT08C2009A	0.88	(0.03)	57,680	-
JSP	0.21	-	10,542	-	BMSCG	6.05	(0.07)	2,780	6.00	AOT08P2009A	0.83	(0.01)	48,598	-
K	0.77	0.01	119	-	BMSCITH	9.51	(0.13)	2,714	9.00	AOT11P2007A	-	-	-	-
KUN	0.91	-	6,089	-	BSET100	8.37	(0.11)							

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday May 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C2008B	0.40	(0.02)	56,538	-	BCH01P2006A	-	-	-	-	BH13C2010A	0.42	(0.01)	11,656	-
AOT28C2008C	0.51	(0.09)	80	-	BCH06C2006A	-	-	-	-	BH19C2006A	-	-	-	-
AOT28C2012A	0.31	(0.01)	16,188	-	BCH06P2006A	-	-	-	-	BH19C2009A	0.40	(0.01)	33,783	-
AOT28P2012A	0.39	(0.01)	46,093	-	BCH11C2008A	-	-	-	-	BH24C2008A	0.33	(0.01)	3,156	-
AOT41C2005A	-	-	-	-	BCH13C2007A	0.18	(0.02)	11,044	-	BH27C2007A	-	-	-	-
AOT41C2006A	-	-	-	-	BCH16C2006A	-	-	-	-	BH41C2005A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH19C2005A	-	-	-	-	BH41C2006A	-	-	-	-
AOT41C2007B	0.47	(0.03)	103,280	-	BCH19C2006A	-	-	-	-	BH41C2009A	0.39	(0.01)	8,112	-
AOT41P2005A	-	-	-	-	BCH19C2008A	0.45	(0.02)	9,487	-	BH41P2006A	-	-	-	-
AOT41P2006A	-	-	-	-	BCH41C2005A	-	-	-	-	BH42C2008A	0.83	(0.02)	4,894	-
AOT41P2009A	0.34	-	405	-	BCH41C2006A	-	-	-	-	BJC01C2008B	-	-	-	-
AOT41P2009B	0.62	-	12,236	-	BCP01C2005A	-	-	-	-	BJC01C2009A	0.45	(0.04)	2	-
AOT41P2010A	0.88	0.01	124,275	-	BCP01C2005B	-	-	-	-	BJC01P2009A	0.30	0.04	5,876	-
AOT42C2006A	0.01	-	1,000	-	BCP01P2005A	0.72	0.02	6	-	BJC06C2006A	-	-	-	-
AOT42P2009A	-	-	-	-	BCEP13C2007A	-	-	-	-	BJC11C2008A	-	-	-	-
AP19C2007A	-	-	-	-	BCEP19C2005A	-	-	-	-	BJC13C2005A	-	-	-	-
AP19C2010A	0.67	(0.04)	30,779	-	BCPG01C2005A	-	-	-	-	BJC13C2010A	0.31	(0.05)	48,727	-
AP28C2006A	-	-	-	-	BCPG01C2005B	0.01	(0.01)	10	-	BJC16C2006A	-	-	-	-
AP28C2012A	0.61	(0.03)	44,052	-	BCPG01C2008B	-	-	-	-	BJC19C2005A	-	-	-	-
AWC01C2009A	0.22	(0.08)	79	-	BCPG01C2009A	-	-	-	-	BJC19C2007A	0.11	(0.08)	437	-
AWC01P2007A	0.36	0.05	2,711	-	BCPG01P2005A	-	-	-	-	BJC19C2010A	0.25	(0.05)	331,395	-
AWC06C2009A	1.11	(0.11)	15,408	1.00	BCPG01P2009A	-	-	-	-	BJC24C2006A	0.31	(0.06)	11,828	-
AWC13C2006A	-	-	-	-	BCPG13C2007A	-	-	-	-	BJC27C2009A	-	-	-	-
AWC13C2009A	0.91	(0.16)	42,925	-	BCPG13C2010A	0.37	(0.63)	101,500	-	BJC28C2007A	0.15	(0.05)	107,893	-
AWC13C2010A	0.23	(0.02)	63,818	-	BCPG16C2009A	-	-	-	-	BJC28C2010A	0.17	(0.03)	40,422	-
AWC13P2006A	0.32	0.10	300	-	BCPG19C2005A	0.09	(0.03)	45,239	-	BJC41C2005A	-	-	-	-
AWC16C2005A	-	-	-	-	BCPG19C2010A	0.36	(0.02)	22,688	-	BJC41C2006A	-	-	-	-
AWC16C2007A	0.02	(0.01)	1,802	-	BCPG28C2008A	0.40	(0.02)	36,294	-	BJC41C2007A	0.13	(0.04)	8,568	-
AWC19C2006A	-	-	-	-	BCPG28C2012A	0.32	(0.01)	21,561	-	BJC41C2008A	0.44	(0.06)	18,450	-
AWC19C2010A	0.85	(0.08)	11,985	-	BCPG41C2005A	-	-	-	-	BJC41P2005A	0.39	(0.01)	70	-
AWC19C2010B	0.23	(0.03)	2,500	-	BCPG42C2007A	-	-	-	-	BPP01C2005A	-	-	-	-
AWC24C2007A	-	-	-	-	BDMS01C2007B	0.04	-	13	-	BPP01C2005B	-	-	-	-
AWC28C2006A	-	-	-	-	BDMS01P2008A	0.55	0.02	175	-	BPP01P2005A	0.16	(0.01)	201	-
AWC28C2008A	-	-	-	-	BDMS06C2008A	0.07	(0.04)	12,070	-	BPP13C2007A	0.45	(0.01)	16,994	-
AWC28C2010A	-	-	-	-	BDMS06P2009A	0.62	0.01	42,205	-	BPP19C2005A	-	-	-	-
AWC28C2012A	0.17	(0.03)	4,190	-	BDMS08C2006A	0.01	(0.01)	3,000	-	BPP19C2007A	0.30	(0.01)	10	-
AWC41C2006A	0.07	0.04	500	-	BDMS11C2007A	-	-	-	-	BPP19C2010A	0.48	(0.01)	6,308	-
AWC41C2007A	-	-	-	-	BDMS11C2008A	-	-	-	-	BTS01C2005A	0.05	(0.01)	837	-
AWC41C2007B	0.70	(0.16)	750	-	BDMS13C2008A	0.24	(0.01)	48,976	-	BTS01C2005B	-	-	-	-
AWC42C2008A	-	-	-	-	BDMS13C2009A	0.35	(0.02)	83,754	-	BTS01P2005A	0.13	-	4,040	-
BANP01C2005A	0.02	-	11,701	-	BDMS16C2006A	-	-	-	-	BTS08C2005A	-	-	-	-
BANP01C2005B	-	-	-	-	BDMS19C2005A	-	-	-	-	BTS13C2006A	0.01	(0.02)	1,714	-
BANP01P2005A	-	-	-	-	BDMS19C2005B	-	-	-	-	BTS13C2008A	0.20	-	501	-
BANP01P2005B	0.85	0.03	712	-	BDMS19C2010A	0.32	(0.01)	35,291	-	BTS13C2009A	0.33	(0.02)	68,509	-
BANP06C2005A	-	-	-	-	BDMS19P2010A	0.57	-	219,233	-	BTS16C2008A	-	-	-	-
BANP08C2005A	-	-	-	-	BDMS24C2006A	-	-	-	-	BTS19C2005A	-	-	-	-
BANP08C2007A	0.03	-	1,635	-	BDMS28C2012A	0.21	(0.02)	39,473	-	BTS19C2008A	0.34	(0.01)	6,477	-
BANP08C2009A	0.49	(0.01)	87,880	-	BDMS41C2005A	-	-	-	-	BTS19C2010A	0.30	(0.70)	1	-
BANP08P2009A	0.77	-	124,200	-	BDMS41C2006A	-	-	-	-	BTS24C2007A	-	-	-	-
BANP11C2008A	0.02	(0.01)	40	-	BDMS41C2009A	0.24	(0.03)	2,200	-	BTS41C2006A	-	-	-	-
BANP13C2006A	-	-	-	-	BDMS41P2006A	0.47	(0.02)	40	-	BTS42C2008A	0.07	(0.01)	50	-
BANP13C2008A	0.43	(0.01)	183,676	-	BEC01C2006A	0.06	(0.02)	2,048	-	CBG01C2007B	0.59	0.03	523	-
BANP19C2005A	-	-	-	-	BEC01C2006B	0.02	-	202	-	CBG01P2007B	0.32	(0.02)	42,915	-
BANP19C2007A	0.02	0.01	725	-	BEC01P2006A	-	-	-	-	CBG06C2005A	0.01	(0.01)	4,979	-
BANP19C2007B	0.03	-	2,900	-	BEC19C2005A	-	-	-	-	CBG08C2007A	1.08	0.05	527	1.00
BANP19C2009A	0.48	(0.01)	123,652	-	BEC42C2005A	0.22	(0.04)	45	-	CBG11C2008A	0.67	(0.02)	60	-
BANP19P2010A	0.39	0.01	75,170	-	BEM06P2009A	0.37	0.03	98,621	-	CBG13C2008A	1.25	0.04	62,889	1.00
BANP27C2007A	0.04	-	21	-	BEM08C2005A	-	-	-	-	CBG13P2006A	0.19	(0.06)	610	-
BANP28C2008A	0.09	(0.05)	29	-	BEM08C2009A	0.83	(0.08)	45,786	-	CBG16C2008A	-	-	-	-
BANP28C2012A	0.32	(0.01)	64,196	-	BEM13C2007A	-	-	-	-	CBG19C2005A	0.17	(0.01)	202	-
BANP41C2005A	-	-	-	-	BEM13C2009A	0.57	(0.06)	474,565	-	CBG19C2008A	1.16	0.04	110	1.00
BANP41C2006A	-	-	-	-	BEM16C2006A	-	-	-	-	CBG19C2010A	1.06	0.01	69,953	1.00
BANP41C2007A	-	-	-	-	BEM19C2005A	-	-	-	-	CBG19P2006A	0.36	0.05	5	-
BANP41C2010A	0.43	(0.02)	17,043	-	BEM19C2010A	0.65	(0.06)	51,826	-	CBG24C2008A	1.59	0.03	10,983	1.00
BANP41P2005A	-	-	-	-	BEM19P2010A	0.49	0.02	36,892	-	CBG41C2005A	-	-	-	-
BANP41P2007A	-	-	-	-	BEM24C2008A	0.74	(0.07)	22,400	-	CBG41C2006A	0.51	(0.04)	894	-
BANP42C2006A	-	-	-	-	BEM28C2006A	-	-	-	-	CBG41C2009A	1.14	0.02	35,906	1.00
BANP42P2005A	1.34	(0.01)	6,538	1.00	BEM28C2007A	0.01	(0.01)	500	-	CBG41P2006A	0.69	(0.06)	39,359	-
BBL06C2007A	0.03	0.01	1	-	BEM28C2008A	0.37	(0.06)	36,975	-	CBG42C2006A	-	-	-	-
BBL06C2009A	0.56	(0.02)	8,622	-	BEM28C2010A	0.66	(0.07)	88,252	-	CBG42C2008A	2.72	-	5,646	2.00
BBL08C2005A	-	-	-	-	BEM41C2006A	-	-	-	-	CENT01C2006A	-	-	-	-
BBL08C2007A	0.04	-	190	-	BGR01C2006A	0.06	(0.01)	5,495	-	CENT01C2006B	-	-	-	-
BBL08C2009A	0.38	(0.02)	2,335	-	BGR01C2006B	0.02	0.01	50,030	-	CENT01C2009A	0.39	0.02	200	-
BBL08P2007A	1.73	0.05	200	1.00	BGR01C2008B	-	-	-	-	CENT01P2009A	0.58	0.06	12,276	-
BBL08P2009A	1.06	-	10,353	1.00	BGR01C2009A	0.51	(0.03)	723	-	CENT06C2006A	0.25	(0.08)	7,296	-
BBL11C2005A	-	-	-	-	BGR01P2006A	0.99	-	221	1.00	CENT06P2007A	-	-	-	-
BBL11C2007A	0.01	-	750	-	BGR106C2005A	0.01	-	10,443	-	CENT11C2007A	0.01	(0.03)	1,022	-
BBL11P2008A	-	-	-	-	BGR108C2005A	0.02	0.01	201	-	CENT13C2005A	-	-	-	-
BBL13C2006A	0.01	(0.01)	351	-	BGR108C2009A	0.51	(0.01)	36,250	-	CENT13C2006A	-	-	-	-
BBL13C2008A	0.13	(0.01)	39,435	-	BGR111C2006A	0.14	(0.05)	10,000	-	CENT19C2005A	-	-	-	-
BBL13C2010A	1.05	(0.03)	92,357	1.00	BGR111C2008A	0.06	-	400	-	CENT19C2008A	0.54	(0.07)	15,716	-
BBL13P2008A	0.85	0.05	1	-	BGR113C2006A	-	-	-	-	CENT19C2010A	0.35	(0.05)	9,360	-
BBL13P2010A	1.33	-	42,378	1.00	BGR113C2007A	-	-	-	-	CENT24C2008A	0.19	(0.02)	1,200	-
BBL16C2006A	-	-	-	-	BGR113C2008A	-	-	-	-	CENT27C2008A	-	-	-	-
BBL19C2005A	0.05	0.03	53	-	BGR113C2009A	0.56	(0.03)	74,119	-	CENT28C2006A	-	-	-	-
BBL19C2007A	-	-	-	-	BGR113P2005A	-	-	-	-	CENT28C2008A	0.34	(0.06)	1,100	-
BBL19C2009A	0.81	(0.03)	74,155	-	BGR116C2005A	-	-	-	-	CENT28C2010A	0.50	(0.05)	10,143	-
BBL19C2010A	0.40	(0.01)	9,192	-	BGR19C2005A	-	-	-	-	CENT28C2012A	0.23	(0.03)	21,140	-
BBL19P2007A	-	-	-	-	BGR19C2006A	-	-	-	-	CENT41C2005A	-	-	-	-
BBL19P2010A	0.91	-	12,277	-	BGR19C2008A	-	-	-	-	CENT41C2006A	-	-	-	-
BBL24C2009A	0.30	(0.01)	4,050	-	BGR19C2008B	-	-	-	-	CENT42C2006A	0.49	(0.08)	4,047	-
BBL28C2007A	-	-	-	-	BGR19C2009A	0.50	(0.03)	140,817	-	CHG01C2006A	0.18	0.02	351	-
BBL28C2010A	0.25	(0.01)	4,660	-	BGR119P2007A	0.85	(0.04)	101	-	CHG01C2006B	-	-	-	-
BBL41C2005A	0.01	-	2	-	BGR124C2009A	0.48	(0.02)	8,						

Main Board Quotation

Issue Date :

Thursday May 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CK06C2009A	0.28	(0.01)	51,317	-	CPN19P2010A	0.81	0.01	16,730	-	ESSO08C2008A	1.45	(0.10)	200	1.00
CK11C2007A	-	-	-	-	CPN24C2007A	0.22	(0.02)	19,514	-	ESSO13C2006A	0.02	(0.01)	100	-
CK13C2006A	-	-	-	-	CPN41C2006A	-	-	-	-	ESSO13C2010A	0.29	(0.02)	56,375	-
CK16C2006A	0.02	-	200	-	CPN41C2009A	0.32	(0.03)	7,098	-	ESSO19C2007A	-	-	-	-
CK19C2007A	-	-	-	-	CPN41P2005A	-	-	-	-	ESSO19C2009A	1.14	(0.08)	9,624	1.00
CK19C2010A	0.34	(0.01)	4,072	-	CPN41P2006A	-	-	-	-	ESSO19C2010A	0.33	(0.03)	204,778	-
CK27C2008A	-	-	-	-	CPN42C2006A	0.97	(0.06)	4,172	1.00	ESSO24C2007A	0.26	(0.02)	8,815	-
CK41C2005A	-	-	-	-	CRC01C2007A	-	-	-	-	ESSO41C2005A	-	-	-	-
CK41C2009A	0.29	(0.02)	7,598	-	CRC08C2007A	0.39	(0.06)	1,176	-	ESSO41C2006A	0.18	(0.03)	1,002	-
CK42C2006A	0.33	(0.04)	5,937	-	CRC08C2009A	0.51	(0.06)	5,943	-	ESSO41C2010A	0.31	(0.69)	6,830	-
CKP01C2008B	-	-	-	-	CRC13C2008A	0.20	(0.01)	601	-	ESSO42C2007A	-	-	-	-
CKP01C2009A	0.72	0.10	58	-	CRC13C2009A	0.56	(0.07)	18,299	-	GFPT19C2006A	0.10	(0.01)	7,087	-
CKP01P2009A	0.30	(0.01)	3,689	-	CRC19C2008A	0.37	(0.02)	89	-	GFPT19C2010A	0.32	(0.01)	37,535	-
CKP08C2010A	0.60	(0.40)	49,699	-	CRC19C2008B	0.58	(0.09)	4,784	-	GFPT24C2007A	0.14	(0.01)	2,080	-
CKP11C2006A	-	-	-	-	CRC19C2010A	0.40	(0.06)	43,047	-	GFPT42C2008A	-	-	-	-
CKP13C2007A	-	-	-	-	CRC24C2008A	0.69	(0.03)	560	-	GLOB01C2007B	-	-	-	-
CKP13C2010A	0.49	0.01	48,955	-	CRC28C2007A	0.18	(0.01)	25	-	GLOB01C2008A	-	-	-	-
CKP16C2005A	-	-	-	-	CRC28C2007B	0.10	-	350	-	GLOB06C2006A	-	-	-	-
CKP16C2007A	0.12	0.01	1	-	CRC28C2012A	0.33	(0.02)	3,188	-	GLOB13C2007A	0.32	(0.03)	18,796	-
CKP19C2005A	-	-	-	-	CRC41C2007A	0.49	(0.08)	3,515	-	GLOB19C2005A	-	-	-	-
CKP19C2006A	-	-	-	-	CRC41C2009A	-	-	-	-	GLOB19C2007A	-	-	-	-
CKP19C2010A	0.64	-	129,111	-	DTAC01C2007B	-	-	-	-	GLOB19C2010A	0.36	(0.02)	15,845	-
CKP24C2006A	-	-	-	-	DTAC01C2008A	-	-	-	-	GLOB24C2005A	-	-	-	-
CKP27C2005A	-	-	-	-	DTAC01P2007B	-	-	-	-	GLOB42C2009A	2.40	(0.04)	644	2.00
CKP28C2006A	-	-	-	-	DTAC01P2008A	0.49	0.02	333	-	GPSCO1C2005A	-	-	-	-
CKP28C2012A	0.49	0.01	62,944	-	DTAC06C2006A	-	-	-	-	GPSCO1C2005B	0.02	-	1,001	-
CKP41C2006A	-	-	-	-	DTAC08C2005A	0.01	(0.01)	3,000	-	GPSCO1C2007B	0.22	(0.04)	1	-
CKP41C2007A	-	-	-	-	DTAC08C2005B	-	-	-	-	GPSCO1C2008A	0.54	(0.02)	1,568	-
CKP42C2005A	-	-	-	-	DTAC08C2007A	-	-	-	-	GPSCO1P2005A	0.53	0.04	50	-
CKP42C2006A	0.58	0.01	11,665	-	DTAC08C2008A	0.39	(0.02)	13,807	-	GPSCO1P2005B	-	-	-	-
COM708C2007A	0.05	(0.02)	1,026	-	DTAC13C2006A	-	-	-	-	GPSCO1P2007B	0.41	0.01	273	-
COM708C2010A	0.62	(0.38)	23,532	-	DTAC13C2007A	-	-	-	-	GPSCO1P2008A	1.10	0.02	294	1.00
COM713C2007A	0.03	(0.01)	40	-	DTAC13C2009A	0.35	0.01	23,670	-	GPSCO6C2006A	0.02	-	1,027	-
COM713C2008A	0.29	0.01	921	-	DTAC13P2006A	-	-	-	-	GPSCO6C2008A	0.64	(0.04)	117,955	-
COM716C2008A	-	-	-	-	DTAC13P2007A	0.10	-	8,606	-	GPSCO8C2007A	-	-	-	-
COM719C2005A	-	-	-	-	DTAC13P2008A	0.58	(0.01)	54,147	-	GPSCO8C2009A	0.82	(0.02)	69,793	-
COM719C2008A	-	-	-	-	DTAC16C2009A	0.64	0.27	20,236	-	GPSCO8P2006A	-	-	-	-
COM719C2009A	0.92	(0.05)	9,995	-	DTAC19C2005A	-	-	-	-	GPSC11C2006A	-	-	-	-
COM719C2010A	0.61	(0.04)	88,769	-	DTAC19C2006A	-	-	-	-	GPSC13C2005A	-	-	-	-
COM724C2007A	0.19	(0.01)	3,000	-	DTAC19C2007A	-	-	-	-	GPSC13C2007A	-	-	-	-
COM741C2006A	-	-	-	-	DTAC19C2009A	0.38	(0.01)	34,694	-	GPSC13C2008A	-	-	-	-
CPAL01C2006A	0.42	0.02	2,950	-	DTAC19C2010A	0.32	(0.01)	18,525	-	GPSC13C2009A	0.97	(0.03)	244,856	-
CPAL01C2006B	0.07	(0.02)	4,408	-	DTAC19P2007A	0.51	(0.02)	15,718	-	GPSC13P2005A	-	-	-	-
CPAL01C2008B	0.41	(0.09)	6,862	-	DTAC24C2007A	0.35	-	4,737	-	GPSC13P2007A	-	-	-	-
CPAL01P2008B	0.24	0.01	12,046	-	DTAC27C2008A	-	-	-	-	GPSC16C2007A	0.07	(0.01)	200	-
CPAL06C2006A	-	-	-	-	DTAC41C2005A	-	-	-	-	GPSC19C2007A	-	-	-	-
CPAL08C2006A	0.09	(0.02)	845	-	DTAC41C2006A	-	-	-	-	GPSC19C2008A	0.84	(0.03)	78,097	-
CPAL08C2008A	0.70	(0.09)	48,908	-	DTAC41C2007A	0.19	(0.01)	7,902	-	GPSC19C2009A	1.38	(0.03)	36,391	1.00
CPAL08P2006A	0.17	0.04	461	-	DTAC41C2007B	0.41	(0.01)	1,880	-	GPSC19C2010A	0.76	(0.02)	627,589	-
CPAL08P2009A	0.33	0.02	76,685	-	DTAC41P2006A	-	-	-	-	GPSC19P2005A	-	-	-	-
CPAL11C2006A	0.01	-	60	-	DTAC42C2006A	0.67	(0.01)	4,372	-	GPSC19P2010A	0.61	-	140,637	-
CPAL11C2007A	0.11	(0.03)	25	-	EA06C2005A	0.01	(0.01)	3,003	-	GPSC24C2007A	-	-	-	-
CPAL13C2007A	-	-	-	-	EA08C2006A	0.10	(0.03)	250	-	GPSC27C2005A	0.01	-	1,829	-
CPAL13C2009A	0.90	(0.07)	250,499	-	EA08C2009A	0.46	(0.05)	11,554	-	GPSC28C2008A	0.40	(0.02)	79,417	-
CPAL16C2006A	-	-	-	-	EA11C2005A	-	-	-	-	GPSC41C2005A	-	-	-	-
CPAL16C2007A	-	-	-	-	EA13C2005A	-	-	-	-	GPSC41C2005B	-	-	-	-
CPAL19C2005A	-	-	-	-	EA13C2006A	0.03	0.01	82	-	GPSC41C2006A	-	-	-	-
CPAL19C2008A	0.45	(0.06)	179,240	-	EA13C2008A	0.14	(0.01)	1	-	GPSC41C2009A	0.72	(0.02)	119,562	-
CPAL19C2010A	0.53	(0.05)	266,646	-	EA13C2009A	0.37	(0.04)	20,245	-	GPSC41P2005A	-	-	-	-
CPAL19P2010A	0.25	0.01	106,474	-	EA13P2006A	0.75	-	10	-	GPSC41P2006A	0.59	0.02	18,958	-
CPAL19P2010B	0.97	0.04	182,282	-	EA16C2006A	-	-	-	-	GPSC42C2006A	1.53	(0.43)	6,382	1.00
CPAL24C2005A	-	-	-	-	EA16C2008A	0.04	(0.01)	14	-	GPSC42P2006A	2.02	-	6,406	2.00
CPAL24C2009A	1.08	(0.07)	24,169	1.00	EA19C2008A	-	-	-	-	GULF01C2005A	1.17	(0.07)	558	1.00
CPAL28C2007A	0.10	(0.01)	1,100	-	EA19C2010A	0.36	(0.05)	35,866	-	GULF01C2005B	0.30	-	951	-
CPAL28C2008A	0.69	(0.06)	54,119	-	EA19P2007A	-	-	-	-	GULF01C2007A	0.34	-	17,378	-
CPAL28C2008B	-	-	-	-	EA24C2008A	0.35	(0.05)	11,296	-	GULF01P2005A	0.02	(0.01)	17,965	-
CPAL28C2012A	0.33	(0.03)	15,494	-	EA27C2006A	-	-	-	-	GULF03C2005A	0.45	0.02	10	-
CPAL41C2005A	-	-	-	-	EA28C2006A	0.05	(0.02)	365	-	GULF06C2009A	0.65	(0.02)	30,767	-
CPAL41C2006A	-	-	-	-	EA28C2012A	0.25	(0.03)	28,604	-	GULF08C2008A	-	-	-	-
CPAL41C2007A	0.40	(0.05)	39,790	-	EA41C2005A	0.01	-	5,000	-	GULF08C2009A	0.44	(0.04)	27,988	-
CPAL41P2005A	-	-	-	-	EA41C2006A	0.10	(0.03)	10	-	GULF11C2006A	0.74	(0.04)	25	-
CPAL41P2006A	-	-	-	-	EA41C2009A	0.29	(0.04)	7,972	-	GULF13C2006A	0.21	(0.01)	933	-
CPAL42C2005A	-	-	-	-	EGCO01C2007B	0.13	(0.02)	2,798	-	GULF13C2006B	0.10	0.02	1,755	-
CPAL42C2007A	-	-	-	-	EGCO06C2007A	0.05	(0.04)	61	-	GULF13C2008A	1.01	(0.03)	89	1.00
CPF08C2006A	0.05	0.02	902	-	EGCO06P2009A	0.48	0.03	140,440	-	GULF13C2009A	1.47	0.01	1,870	1.00
CPF08C2010A	0.29	(0.71)	75,060	-	EGCO13C2005A	-	-	-	-	GULF13C2009B	0.43	(0.01)	310,644	-
CPF11C2007A	0.20	0.01	210	-	EGCO13C2009A	0.57	(0.06)	63,638	-	GULF13P2005A	-	-	-	-
CPF13C2006A	0.05	0.01	2,150	-	EGCO19C2005A	-	-	-	-	GULF13P2009A	0.36	0.01	237,258	-
CPF13C2008A	0.30	-	421	-	EGCO19C2007A	0.09	(0.02)	2,538	-	GULF16C2007A	-	-	-	-
CPF13C2009A	0.22	0.01	113,249	-	EGCO19C2010A	0.73	(0.06)	40,675	-	GULF19C2006A	0.11	(0.01)	6,287	-
CPF16C2007A	0.10	0.01	1,000	-	EGCO24C2009A	0.70	(0.05)	19,314	-	GULF19C2008A	1.48	-	689	1.00
CPF19C2005A	-	-	-	-	EGCO41C2006A	-	-	-	-	GULF19C2010A	0.44	-	147,401	-
CPF19C2006A	-	-	-	-	EGCO41P2006A	1.04	0.12	55	1.00	GULF19P2006A	0.10	(0.01)	1,234	-
CPF19C2009A	0.78	0.03	4,098	-	EGCO42C2007A	0.02	0.01	200	-	GULF19P2009A	0.32	-	56,888	-
CPF19C2010A	0.23	-	206,218	-	EPG13C2006A	-	-	-	-	GULF19P2010A	0.33	-	58,993	-
CPF24C2007A	0.20	0.01	104	-	EPG19C2005A	-	-	-	-	GULF24C2005A	-	-	-	-
CPF28C2007A	0.05	0.01	11,970	-	EPG19C2007A	-	-	-	-	GULF24C2009A	0.38	(0.02)	18,483	-
CPF28C2010A	0.67	0.01	2,259	-	EPG19C2008A	0.75	0.11	185	-	GULF28C2006A	-	-	-	-
CPF28C2012A	0.16	0.01	23,139	-	EPG19C2010A	0.92	0.12	174,438	-	GULF28C2008A	-	-	-	-
CPF41C2005A	-	-	-	-	EPG24C2008A	0.19	0.02	8,167	-	GULF28C2008B	-	-	-	-
CPF41C2008A	0.22	(0.01)	15,301	-	ERW06C2006A	-	-	-	-	GULF28C2008C	1.22	0.16	1	

Main Board Quotation

Issue Date :

Thursday May 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GUNK13C2006A	0.10	(0.03)	2,001	-	IRPC19C2007A	0.28	(0.04)	50	-	KCE13C2009A	0.44	(0.02)	436,037	-
GUNK19C2006A	0.17	-	666	-	IRPC19C2008A	-	-	-	-	KCE16C2007A	0.03	(0.01)	1	-
GUNK19C2010A	0.38	0.01	264,751	-	IRPC19C2010A	0.38	(0.04)	122,236	-	KCE19C2005A	0.04	0.02	551	-
GUNK24C2006A	0.30	0.02	8,552	-	IRPC24C2007A	0.39	(0.05)	4,800	-	KCE19C2007A	-	-	-	-
GUNK28C2012A	0.37	0.02	31,404	-	IRPC27C2007A	-	-	-	-	KCE19C2008A	0.50	(0.05)	690	-
GUNKA1C2005A	-	-	-	-	IRPC28C2006A	-	-	-	-	KCE19C2009A	0.52	(0.04)	132,504	-
GUNKA1P2005A	-	-	-	-	IRPC28C2008A	0.45	(0.03)	45,948	-	KCE19C2010A	0.51	(0.03)	227,901	-
HANA01C2006A	0.17	(0.06)	55	-	IRPC28C2012A	0.26	(0.02)	25,997	-	KCE24C2005A	-	-	-	-
HANA01C2006B	0.01	-	73	-	IRPC41C2005A	-	-	-	-	KCE27C2007A	0.03	(0.01)	1,266	-
HANA01P2006A	0.33	0.13	1,605	-	IRPC41C2006A	-	-	-	-	KCE41C2005A	-	-	-	-
HANA11C2008A	-	-	-	-	IRPC41C2007A	0.43	(0.07)	6,000	-	KCE41C2006A	0.14	(0.07)	600	-
HANA13C2006A	-	-	-	-	IRPC41P2005A	-	-	-	-	KKP01C2006A	-	-	-	-
HANA13C2008A	0.18	(0.07)	145,801	-	IRPC41P2006A	-	-	-	-	KKP01C2006B	-	-	-	-
HANA16C2008A	-	-	-	-	IRPC41P2007A	-	-	-	-	KKP01P2006A	-	-	-	-
HANA19C2006A	0.09	(0.03)	101,230	-	IRPC42C2006A	-	-	-	-	KKP11C2007A	-	-	-	-
HANA19C2010A	0.29	(0.06)	238,767	-	IVL01C2006B	0.07	(0.04)	270	-	KKP13C2007A	0.04	-	1	-
HANA27C2007A	0.16	(0.07)	18,482	-	IVL01P2006B	0.25	0.01	3,325	-	KKP13C2010A	0.37	(0.63)	68,996	-
HANA27P2007A	0.51	0.17	4,435	-	IVL06C2008A	0.25	(0.04)	162,294	-	KKP41C2006A	-	-	-	-
HANA41C2006A	-	-	-	-	IVL06P2005A	-	-	-	-	KTB01C2008B	0.06	0.04	490	-
HMPRO1C2006A	0.14	(0.01)	5	-	IVL06P2009A	0.25	0.01	132,060	-	KTB01C2009A	-	-	-	-
HMPRO1C2006B	-	-	-	-	IVL08C2009A	0.38	(0.03)	7,574	-	KTB01P2009A	0.82	0.08	4	-
HMPRO1P2006A	0.53	-	3,112	-	IVL11C2005A	0.04	0.01	1	-	KTB11C2006A	-	-	-	-
HMPRO6C2006A	0.12	(0.01)	66,332	-	IVL11C2006A	-	-	-	-	KTB13C2006A	-	-	-	-
HMPRO6P2007A	-	-	-	-	IVL13C2006A	-	-	-	-	KTB19C2005A	-	-	-	-
HMPR13C2006A	-	-	-	-	IVL13C2008A	1.01	(0.13)	5	1.00	KTB19C2010A	0.22	(0.04)	32,751	-
HMPR13C2007A	0.08	-	8,339	-	IVL13C2009A	0.31	(0.02)	71,622	-	KTB24C2009A	0.23	(0.03)	5,150	-
HMPR13C2009A	0.38	(0.02)	46,266	-	IVL16C2006A	-	-	-	-	KTB28C2012A	0.12	(0.02)	7,236	-
HMPR19C2005A	-	-	-	-	IVL16C2009A	0.40	0.24	3,380	-	KTB41C2006A	-	-	-	-
HMPR19C2007A	-	-	-	-	IVL19C2006A	0.05	(0.01)	1	-	KTBC01C2007A	0.44	-	2,327	-
HMPR19C2010A	0.45	(0.01)	30,142	-	IVL19C2008A	-	-	-	-	KTC01C2007B	0.17	-	5,448	-
HMPR24C2008A	0.56	-	13,639	-	IVL19C2009A	1.52	(0.06)	3,780	1.00	KTC01P2007A	0.18	-	17,779	-
HMPRA41C2005A	-	-	-	-	IVL19C2010A	0.34	(0.02)	13,594	-	KTC06C2006A	0.13	(0.01)	33,799	-
HMPRA41C2006A	-	-	-	-	IVL19P2006A	-	-	-	-	KTC08C2006A	0.26	(0.01)	1,290	-
HMPRA41C2007A	0.40	(0.01)	3,319	-	IVL19P2010A	0.45	0.01	174,978	-	KTC11C2005A	-	-	-	-
HMPRA41C2007B	0.36	(0.01)	7,726	-	IVL24C2008A	1.28	(0.05)	802	1.00	KTC13C2006A	0.09	0.01	2,200	-
HSI28C2005A	0.50	(0.23)	39,883	-	IVL27P2007A	-	-	-	-	KTC13C2008A	0.71	(0.01)	553,038	-
HSI28C2005B	0.18	(0.16)	18,804	-	IVL28C2007A	-	-	-	-	KTC13P2006A	0.07	(0.01)	500	-
HSI28C2005C	0.07	(0.05)	200,524	-	IVL28C2012A	0.21	(0.01)	6,612	-	KTC13P2007A	0.35	(0.02)	210	-
HSI28C2005D	0.02	(0.01)	3,210	-	IVL41C2005A	-	-	-	-	KTC19C2005A	-	-	-	-
HSI28C2006A	1.25	(0.29)	8,117	1.00	IVL41C2006A	-	-	-	-	KTC19C2006A	0.18	0.01	754	-
HSI28C2006B	0.75	(0.19)	16,830	-	IVL41C2007A	-	-	-	-	KTC19C2008A	0.68	(0.02)	4,285	-
HSI28C2006C	0.42	(0.16)	118,290	-	IVL41C2007B	-	-	-	-	KTC19C2010A	0.36	(0.01)	424,840	-
HSI28C2007A	1.01	(0.26)	3,377	1.00	IVL41C2009A	0.33	(0.02)	13,894	-	KTC19P2005A	-	-	-	-
HSI28C2007B	0.67	(0.19)	62,062	-	IVL41P2005A	-	-	-	-	KTC19P2010A	0.47	-	103,668	-
HSI28C2007C	0.40	(0.14)	191,833	-	IVL41P2006A	-	-	-	-	KTC27C2007A	-	-	-	-
HSI28C2010L	0.46	(0.11)	23,251	-	IVL41P2007A	-	-	-	-	KTC28C2006A	0.13	(0.01)	71,178	-
HSI28P2005A	1.47	0.30	1,469	1.00	IVL42C2005A	0.23	(0.05)	1,200	-	KTC28C2012A	0.33	-	32,360	-
HSI28P2005B	0.87	0.18	40,583	-	IVL42C2008A	2.80	(0.06)	304	2.00	KTC41C2005A	-	-	-	-
HSI28P2005C	0.51	0.09	15,622	-	JAS13C2006A	0.12	(0.06)	23	-	KTC41C2006A	-	-	-	-
HSI28P2005D	0.25	0.05	82,751	-	JAS13C2009A	0.29	-	32,213	-	KTC41C2009A	0.47	0.02	7,902	-
HSI28P2006A	0.91	0.16	26,853	-	JAS19C2009A	0.93	(0.04)	1	-	KTC42C2006A	0.09	0.03	112	-
HSI28P2006B	0.62	0.10	316,832	-	JAS19C2010A	0.44	(0.01)	8,924	-	LH11C2007A	-	-	-	-
HSI28P2006C	0.41	0.06	18,532	-	JAS28C2012A	0.27	-	19,172	-	LH19C2007A	-	-	-	-
HSI28P2007A	1.93	0.23	3,290	1.00	JAS41C2005A	0.01	-	5,900	-	LH41C2005A	-	-	-	-
HSI28P2007B	1.43	0.21	1,509	1.00	JAS41C2006A	-	-	-	-	LH41C2006A	-	-	-	-
HSI28P2007C	1.11	0.15	22,838	1.00	JAS41C2009A	0.49	(0.01)	40	-	MAJ013C2007A	0.08	-	9,176	-
HSI28P2010L	1.03	0.09	2,485	1.00	JAS41P2005A	0.03	(0.01)	31,434	-	MAJ019C2006A	-	-	-	-
HSI41C2005A	0.10	(0.08)	746	-	JMT13C2006A	0.05	(0.01)	2,488	-	MEGA16C2009A	0.29	(0.02)	180	-
HSI41C2006A	0.43	(0.11)	552,763	-	JMT19C2006A	0.10	(0.01)	3,645	-	MEGA19C2005A	-	-	-	-
HSI41C2006B	0.35	(0.13)	1,156,195	-	JMT42C2006A	0.04	(0.02)	12,920	-	MINT01C2007B	0.02	(0.01)	3,886	-
HSI41P2005A	0.26	0.01	740	-	KBAN01C2007A	0.05	(0.01)	3,844	-	MINT01C2008A	0.06	-	32,904	-
HSI41P2006A	0.94	0.10	243,112	-	KBAN01C2007B	0.02	-	10	-	MINT01P2008A	1.30	0.09	25,249	1.00
HSI41P2006B	0.80	0.10	140,739	-	KBAN01P2007A	-	-	-	-	MINT06C2006A	0.01	(0.01)	5,010	-
INTU01C2006A	-	-	-	-	KBAN01P2007B	-	-	-	-	MINT06P2007A	1.44	0.07	100	1.00
INTU01C2006B	-	-	-	-	KBAN06C2008A	0.05	(0.01)	2,800	-	MINT08C2010A	0.54	(0.46)	27,031	-
INTU01P2006A	0.72	0.07	28	-	KBAN06C2009A	0.53	(0.03)	58,017	-	MINT11C2006A	0.01	(0.03)	2	-
INTU01P2006B	0.19	0.02	417	-	KBAN08C2005A	-	-	-	-	MINT13C2006A	-	-	-	-
INTU06C2009A	0.75	(0.07)	24,625	-	KBAN08C2007A	-	-	-	-	MINT13C2008A	0.04	-	110	-
INTU13C2006A	-	-	-	-	KBAN13C2006A	0.01	-	10	-	MINT13C2009A	0.42	(0.05)	13,571	-
INTU13C2008A	0.58	(0.01)	86,043	-	KBAN13C2008A	0.05	0.01	100	-	MINT19C2006A	-	-	-	-
INTU16C2005A	-	-	-	-	KBAN13C2008B	0.61	(0.03)	181,260	-	MINT19C2010A	0.44	(0.06)	46,644	-
INTU16C2007A	-	-	-	-	KBAN13P2006A	-	-	-	-	MINT24C2006A	-	-	-	-
INTU16C2009A	0.47	0.24	46,190	-	KBAN13P2008A	1.09	0.01	310	1.00	MINT28C2006A	-	-	-	-
INTU19C2005A	-	-	-	-	KBAN13P2010A	1.14	0.03	46,863	1.00	MINT28C2008A	0.02	-	1,000	-
INTU19C2009A	0.46	(0.02)	24,828	-	KBAN16C2005A	-	-	-	-	MINT28C2012A	0.30	(0.03)	25,109	-
INTU19P2007A	-	-	-	-	KBAN16C2008A	0.03	0.01	1	-	MINT41C2005A	-	-	-	-
INTU19P2010A	0.62	(0.01)	24,400	-	KBAN19C2007A	-	-	-	-	MINT41C2007A	-	-	-	-
INTU23C2111A	-	-	-	-	KBAN19C2009A	0.75	(0.05)	55,385	-	MINT41C2010A	0.44	(0.07)	14,890	-
INTU24C2008A	0.40	(0.01)	8,824	-	KBAN19C2010A	0.21	(0.01)	17,086	-	MTC01C2007B	-	-	-	-
INTU28C2008A	0.28	(0.04)	58,432	-	KBAN19P2007A	-	-	-	-	MTC01C2008A	0.17	(0.01)	34,831	-
INTU28C2010A	0.36	(0.01)	40,149	-	KBAN19P2010P	0.80	0.02	39,981	-	MTC03C2005A	-	-	-	-
INTU41C2005A	-	-	-	-	KBAN24C2005A	-	-	-	-	MTC06C2007A	-	-	-	-
INTU41C2006A	-	-	-	-	KBAN24C2009A	0.66	(0.04)	12,455	-	MTC06C2009A	1.23	(0.06)	39,756	1.00
INTU41C2007A	0.18	(0.06)	6,596	-	KBAN28C2008A	-	-	-	-	MTC08C2005A	-	-	-	-
INTU41P2005A	-	-	-	-	KBAN28C2008B	0.28	(0.03)	55,122	-	MTC08C2009A	1.18	(0.03)	73,939	1.00
INTU41P2006A	-	-	-	-	KBAN28C2008C	0.51	(0.04)	20,670	-	MTC11C2008A	-	-	-	-
INTU42C2005A	-	-	-	-	KBAN28C2010A	0.11	-	15,150	-	MTC13C2007A	0.03	-	181	-
IRPC01C2005A	-	-	-	-	KBAN28P2012A	0.83	0.01	11,800	-	MTC13C2009A	0.64	(0.03)	286,670	-
IRPC01C2005B	0.02	-	7,001	-	KBAN41C2007A	-	-	-	-	MTC16C2007A	-	-	-	-
IRPC01C2007B	0.26	(0.04)	50	-	KBAN41C2008A	-	-	-	-	MTC19C2006A	0.01	-	7,100	-
IRPC01P2005A	1.20	0.05	1	1.00	KBAN41C2009A	0.66	(0.0							

Main Board Quotation

Issue Date :

Thursday May 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP01P2006A	0.25	0.03	2,522	-	PTTE06C2008A	1.82	(0.12)	24,474	1.00	RS42C2008A	0.38	(0.04)	11,546	-
OSP06C2005A	-	-	-	-	PTTE06P2006A	-	-	-	-	S10001C2011A	0.04	-	7,952	-
OSP06C2008A	0.80	(0.13)	22,984	-	PTTE06P2009A	0.69	0.03	56,086	-	S5001C2005A	0.01	-	15,604	-
OSP06P2009A	0.50	0.05	54,045	-	PTTE08C2005A	-	-	-	-	S5001C2006F	0.03	0.01	84,839	-
OSP08C2009A	0.56	(0.05)	28,008	-	PTTE08C2008A	1.75	(0.07)	20,194	1.00	S5001C2006G	0.05	-	1,099	-
OSP11C2005A	0.13	0.07	600	-	PTTE08P2005A	-	-	-	-	S5001C2006H	0.25	(0.04)	33,693	-
OSP13C2006A	0.04	(0.02)	1,800	-	PTTE08P2006A	-	-	-	-	S5001C2007A	0.30	-	55,476	-
OSP13C2010A	0.48	(0.05)	50,998	-	PTTE11C2006A	-	-	-	-	S5001P2005A	2.94	0.14	3,133	2.00
OSP16C2008A	-	-	-	-	PTTE13C2006A	0.01	-	4,455	-	S5001P2006F	4.54	0.34	2	4.00
OSP19C2005A	-	-	-	-	PTTE13C2008A	0.04	(0.01)	31,277	-	S5001P2006G	3.00	0.30	1	3.00
OSP19C2009A	0.47	(0.07)	31,098	-	PTTE13C2008B	0.52	(0.09)	217	-	S5001P2006H	0.88	0.09	6,903	-
OSP19C2010A	0.36	(0.03)	23,672	-	PTTE13C2009A	1.25	(0.07)	189,929	1.00	S5001P2007A	1.85	0.05	23,055	1.00
OSP24C2008A	0.38	(0.07)	9,050	-	PTTE13P2006A	1.96	0.02	30	1.00	S5006C2006A	0.03	-	34,253	-
OSP41C2005A	0.01	(0.04)	1,000	-	PTTE13P2008A	0.12	(0.06)	6,387	-	S5006C2006B	0.03	-	12,109	-
OSP41C2010A	0.42	(0.05)	7,000	-	PTTE13P2009A	0.61	0.01	104,476	-	S5006C2006C	0.94	(0.06)	150,751	-
OSP42C2005A	-	-	-	-	PTTE16C2009A	0.10	-	843	-	S5006C2006D	1.10	(0.08)	126,009	1.00
PLAN13C2005A	-	-	-	-	PTTE19C2006A	0.01	-	7	-	S5006C2006E	0.76	(0.14)	293,782	-
PLAN13C2007A	0.06	-	5,010	-	PTTE19C2008A	0.06	-	2,282	-	S5006C2006F	1.80	(0.12)	334,696	1.00
PLAN13C2010A	0.29	(0.05)	391,738	-	PTTE19C2008B	0.85	(0.13)	742	-	S5006P2006A	4.52	0.24	2	4.00
PLAN19C2005A	-	-	-	-	PTTE19C2009A	-	-	-	-	S5006P2006B	1.10	0.06	2	1.00
PLAN19C2007A	0.11	0.01	459	-	PTTE19C2009B	1.12	(0.08)	35,872	1.00	S5006P2006C	0.25	0.02	12,427	-
PLAN19C2010A	1.14	(0.17)	44,537	1.00	PTTE19C2010A	0.57	(0.04)	77,504	-	S5006P2006D	0.20	0.01	1,051	-
PLAN19C2010B	0.30	(0.04)	173,821	-	PTTE19C2010B	0.93	(0.04)	57,462	-	S5006P2006E	0.28	0.01	230,635	-
PLAN24C2006A	0.01	-	6,139	-	PTTE19P2006A	-	-	-	-	S5006P2006F	0.96	0.03	275,980	-
PLAN27C2008A	-	-	-	-	PTTE19P2009A	0.33	0.01	11,606	-	S5008C2006A	0.04	-	3,581	-
PLAN28C2012A	0.96	(0.15)	34,018	-	PTTE19P2009B	0.79	0.02	79,397	-	S5008C2006B	1.59	(0.20)	80,906	1.00
PLAN41C2005A	-	-	-	-	PTTE24C2008A	-	-	-	-	S5008C2006C	0.89	(0.10)	179,378	-
PLAN41C2006A	-	-	-	-	PTTE28C2008A	0.16	(0.02)	6,008	-	S5008C2006D	0.93	(0.10)	558,553	-
PLAN42C2007A	-	-	-	-	PTTE28C2012A	0.62	(0.03)	25,351	-	S5008P2006A	0.03	(0.01)	10,212	-
PRM13C2006A	-	-	-	-	PTTE41C2005A	-	-	-	-	S5008P2006B	0.11	(0.01)	1,584	-
PRM19C2006A	0.18	0.02	10,600	-	PTTE41C2006A	-	-	-	-	S5008P2006C	0.38	(0.01)	6,170	-
PRM19C2010A	0.47	0.01	134,549	-	PTTE41C2007A	0.85	(0.20)	3,950	-	S5013C2006A	0.02	(0.01)	58,029	-
PRM42C2006A	0.63	(0.01)	12,783	-	PTTE41C2008A	0.67	(0.05)	55,782	-	S5013C2006B	0.03	-	1,042	-
PSH19C2005A	-	-	-	-	PTTE41C2009A	-	-	-	-	S5013C2006C	0.07	(0.02)	3,462	-
PSL06C2006A	-	-	-	-	PTTE41P2009A	1.23	0.04	69,766	1.00	S5013C2006D	0.07	(0.02)	4,619	-
PSL19C2006A	-	-	-	-	PTTE42P2008A	-	-	-	-	S5013C2006E	0.41	(0.02)	1,119	-
PSL19C2007A	0.10	0.01	10,414	-	PTTG01C2005A	0.01	-	18,003	-	S5013C2006F	1.02	(0.11)	754,619	1.00
PTG01C2005A	0.07	0.03	1	-	PTTG01C2005B	0.02	-	15,056	-	S5013C2006G	0.65	(0.08)	742,457	-
PTG01C2005B	-	-	-	-	PTTG01C2007B	-	-	-	-	S5013C2006H	0.50	(0.07)	1,421,049	-
PTG01C2007B	-	-	-	-	PTTG01C2008A	0.14	(0.01)	10,312	-	S5013C2006I	0.39	(0.06)	706,858	-
PTG01P2005A	-	-	-	-	PTTG01P2005A	1.64	0.12	1	1.00	S5013C2009A	1.05	(0.08)	3,787,129	1.00
PTG01P2005B	-	-	-	-	PTTG01P2005B	0.99	0.09	186	1.00	S5013P2006A	3.48	(0.40)	1	3.00
PTG03C2005A	0.02	-	2	-	PTTG01P2007B	0.51	0.03	130	-	S5013P2006B	2.48	(0.18)	20	2.00
PTG06C2006A	0.04	0.01	49	-	PTTG01P2008A	0.92	0.05	738	-	S5013P2006C	1.65	0.15	2,145	1.00
PTG08C2005A	-	-	-	-	PTTG06C2006A	-	-	-	-	S5013P2006D	0.74	0.04	12,991	-
PTG08C2007A	0.18	(0.02)	262	-	PTTG08C2008A	0.64	(0.04)	42,000	-	S5013P2006E	0.57	0.06	343,953	-
PTG11C2005A	0.01	-	70	-	PTTG08P2010A	0.70	(0.31)	48,727	-	S5013P2006F	0.05	(0.01)	56,970	-
PTG13C2006A	0.04	-	200	-	PTTG11C2007A	-	-	-	-	S5013P2006G	0.06	-	135,265	-
PTG13P2006A	0.13	0.02	20	-	PTTG13C2005A	-	-	-	-	S5013P2006H	0.25	0.01	196,636	-
PTG16C2009A	0.36	0.21	48,790	-	PTTG13C2007A	-	-	-	-	S5013P2006I	0.09	0.01	279,741	-
PTG19C2005A	-	-	-	-	PTTG13C2008A	-	-	-	-	S5013P2006J	0.28	-	1,429,580	-
PTG19C2006A	-	-	-	-	PTTG13C2009A	0.62	(0.02)	177,556	-	S5013P2006K	0.59	0.03	510,583	-
PTG19C2008A	0.46	(0.04)	97,207	-	PTTG13P2008A	0.30	(0.03)	200	-	S5013P2009A	1.07	0.05	4,833,555	1.00
PTG19C2010A	0.31	(0.03)	83,642	-	PTTG16C2006A	-	-	-	-	S5016C2006A	0.01	(0.02)	7	-
PTG19P2006A	-	-	-	-	PTTG19C2006A	-	-	-	-	S5016C2006B	0.03	(0.03)	169	-
PTG27C2007A	-	-	-	-	PTTG19C2006B	-	-	-	-	S5016C2006C	0.93	(0.10)	28,660	-
PTG41C2005A	-	-	-	-	PTTG19C2008A	0.11	(0.03)	848	-	S5016C2006D	0.94	(0.10)	59,740	-
PTG41C2006A	-	-	-	-	PTTG19C2008B	-	-	-	-	S5016C2006E	1.01	(0.12)	118,380	-
PTG41P2005A	-	-	-	-	PTTG19C2009A	0.46	(0.03)	265,559	-	S5016P2006A	-	-	-	-
PTG42C2006A	-	-	-	-	PTTG19P2006A	-	-	-	-	S5016P2006B	0.48	0.06	5	-
PTT01C2007A	0.09	-	36,509	-	PTTG19P2009A	0.39	0.01	100,783	-	S5016P2006C	0.15	-	1,001	-
PTT01C2007B	0.03	-	57,189	-	PTTG24C2008A	0.69	(0.03)	6,235	-	S5016P2006D	0.14	(0.03)	400	-
PTT01P2007A	1.12	0.07	1,201	1.00	PTTG27P2006A	-	-	-	-	S5016P2006E	0.33	-	18,450	-
PTT01P2007B	0.56	0.04	2,400	-	PTTG28C2006A	-	-	-	-	S5016P2103Z	-	-	-	-
PTT06C2005A	0.01	-	35,000	-	PTTG28C2008A	0.28	(0.04)	216,528	-	S5019C2006A	0.02	(0.01)	17,056	-
PTT06C2008A	0.73	(0.04)	14,702	-	PTTG41C2005A	-	-	-	-	S5019C2006B	-	-	-	-
PTT08C2005A	0.02	(0.03)	2,116	-	PTTG41C2006A	-	-	-	-	S5019C2006C	0.39	(0.10)	44,880	-
PTT08C2008A	0.47	(0.03)	21,626	-	PTTG41C2007A	0.31	(0.04)	11,850	-	S5019C2006D	0.71	(0.08)	227,087	-
PTT08P2005A	0.26	0.06	10,050	-	PTTG41C2008A	-	-	-	-	S5019C2006E	0.19	(0.04)	5,260	-
PTT08P2009A	0.71	0.01	13,700	-	PTTG41C2010A	0.47	(0.05)	139,584	-	S5019C2006F	1.39	(0.15)	240,552	1.00
PTT11C2008A	0.04	(0.01)	623	-	PTTG41P2006A	-	-	-	-	S5019C2006G	0.11	(0.03)	1,561	-
PTT13C2006A	0.01	-	470	-	PTTG41P2010A	0.43	0.01	63,234	-	S5019C2007A	-	-	-	-
PTT13C2008A	0.09	0.01	20	-	PTTG42C2007A	0.02	(0.04)	500	-	S5019C2007B	0.69	(0.12)	1,025,884	-
PTT13C2008B	0.36	(0.05)	1	-	QH01C2006A	-	-	-	-	S5019C2009A	3.12	(0.16)	36,002	3.00
PTT13C2009A	0.42	(0.02)	46,509	-	QH01C2006B	-	-	-	-	S5019C2009B	1.17	(0.09)	830,195	1.00
PTT13P2006A	-	-	-	-	QH01P2006A	0.57	-	10	-	S5019P2006A	2.80	(0.22)	850	3.00
PTT13P2008A	0.08	(0.01)	2,283	-	QH11C2006A	-	-	-	-	S5019P2006B	1.86	0.28	1	1.00
PTT13P2009A	0.33	0.01	125,440	-	QH19C2006A	-	-	-	-	S5019P2006C	1.19	0.20	196	1.00
PTT16C2008A	0.02	-	1	-	QH27C2007A	-	-	-	-	S5019P2006D	0.21	0.01	10,632	-
PTT19C2005A	-	-	-	-	RATC01C2006A	0.37	-	614	-	S5019P2006E	0.09	-	1,050	-
PTT19C2008A	0.52	0.01	1	-	RATC01C2006B	-	-	-	-	S5019P2006F	0.03	0.01	41,881	-
PTT19C2009A	0.41	(0.02)	249,228	-	RATC01P2006A	0.58	0.02	100	-	S5019P2006G	0.25	0.01	8,091	-
PTT19P2006A	-	-	-	-	RATC06C2006A	0.03	-	26	-	S5019P2007A	-	-	-	-
PTT19P2009A	0.21	-	38,658	-	RATC06C2009A	0.80	(0.02)	37,975	-	S5019P2007B	0.70	0.04	478,194	-
PTT19P2010A	0.55	0.02	56,242	-	RATC06P2006A	0.05	(0.01)	1,043	-	S5019P2009A	0.95	0.04	660,115	-
PTT24C2008A	0.34	(0.03)	2,410	-	RATC13C2007A	0.48	(0.02)	82,835	-	S5024C2006A	-	-	-	-
PTT28C2007A	-	-	-	-	RATC13C2010A	0.61	(0.39)	81,466	-	S5024C2006B	0.02	-	1,413	-
PTT28C2008A	0.14	(0.02)	15,090	-	RATC16C2008A	-	-	-	-	S5024C2006C	1.90	(0.14)	1,003	1.00
PTT28C2008B</														

Main Board Quotation

Issue Date :

Thursday May 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5028C2009A	1.10	(0.08)	534,607	1.00	SCC19C2008A	-	-	-	-	THAI42C2005A	0.09	(0.01)	2,761	-
S5028C2009B	0.63	(0.37)	681,959	-	SCC19C2010A	0.72	(0.01)	8,630	-	THAN01C2006A	0.01	(0.01)	3,499	-
S5028P2006A	1.41	0.04	691,020	1.00	SCC19P2010A	0.49	-	18,388	-	THAN01C2006B	-	-	-	-
S5028P2006B	0.81	(0.01)	687	-	SCC24C2006A	-	-	-	-	THAN01P2006A	0.97	0.05	83	-
S5028P2006C	0.35	0.02	687,583	-	SCC27P2008A	0.14	(0.06)	1,742	-	THAN06C2005A	-	-	-	-
S5028P2007A	1.01	0.01	809,855	1.00	SCC28C2008A	-	-	-	-	THAN13C2007A	-	-	-	-
S5028P2009A	1.39	0.03	190,333	1.00	SCC28C2010A	0.63	-	27,342	-	THAN19C2007A	-	-	-	-
S5028P2009B	1.04	0.04	562,656	1.00	SCC41C2005A	-	-	-	-	THAN41C2005A	-	-	-	-
S5041C2006A	0.41	(0.14)	110	-	SCC41C2006A	-	-	-	-	TISCO1C2006A	0.06	(0.02)	3,130	-
S5041C2006B	-	-	-	-	SCC41C2006B	0.75	(0.03)	17,362	-	TISCO1C2006B	-	-	-	-
S5041C2006C	2.14	(0.22)	100,919	2.00	SCC41P2006A	-	-	-	-	TISCO1P2006A	1.19	0.04	1,894	1.00
S5041C2006D	-	-	-	-	SCC42C2008A	-	-	-	-	TISCI1C2005A	0.01	-	550	-
S5041C2006E	1.46	(0.12)	7	1.00	SGP13C2006A	-	-	-	-	TISCI1C2007A	0.06	(0.01)	120	-
S5041C2006F	1.13	(0.13)	10,000	1.00	SGP13C2007A	0.12	0.01	70	-	TISCI3C2006A	-	-	-	-
S5041C2006G	0.51	(0.07)	655,814	-	SGP19C2006A	-	-	-	-	TISCI9C2006A	-	-	-	-
S5041C2009A	1.23	(0.12)	1,590,914	1.00	SGP19C2006B	0.21	(0.01)	399,906	-	TISCI9C2010A	0.51	(0.06)	117,696	-
S5041P2006A	-	-	-	-	SGP42C2007A	2.06	(0.02)	4,244	2.00	TISCA41C2005A	-	-	-	-
S5041P2006B	3.72	0.12	3,950	3.00	SIRI13C2007A	-	-	-	-	TISCA41C2006A	-	-	-	-
S5041P2006C	1.74	0.05	89,704	1.00	SIRI19C2007A	-	-	-	-	TISCA41P2006A	-	-	-	-
S5041P2006D	1.14	(0.01)	458	1.00	SPAL06P2009A	0.65	0.02	15,517	-	TKN01C2007B	0.05	(0.04)	81	-
S5041P2006E	0.49	(0.01)	781	-	SPAL11C2006A	0.01	(0.03)	3	-	TKN01C2008A	-	-	-	-
S5041P2006F	0.21	(0.01)	15,210	-	SPAL13C2006A	-	-	-	-	TKN08C2007A	-	-	-	-
S5041P2006G	0.57	0.02	109,942	-	SPAL27C2008A	-	-	-	-	TKN13C2006A	-	-	-	-
S5041P2009A	1.43	0.06	1,164,845	1.00	SPROC1C2007A	1.43	-	-	-	TKN16C2008A	-	-	-	-
SAWA01C2006A	0.13	-	581	-	SPROC6C2007A	-	-	-	-	TKN19C2007A	-	-	-	-
SAWA01C2006B	0.01	-	2,180	-	SPROC6P2007A	-	-	-	-	TKN19C2010A	0.58	(0.02)	113,519	-
SAWA01P2006A	1.24	0.02	1,771	1.00	SPROC8C2005A	0.02	-	1	-	TKN28C2007A	-	-	-	-
SAWA06C2007A	0.04	-	200	-	SPROC8C2006A	-	-	-	-	TKN28C2012A	0.43	(0.02)	63,780	-
SAWA08C2006A	0.03	-	120	-	SPRC11C2005A	-	-	-	-	TKN41C2006A	-	-	-	-
SAWA13C2005A	-	-	-	-	SPRC11C2008A	-	-	-	-	TKN42C2006A	0.33	(0.02)	12,992	-
SAWA13C2007A	0.04	(0.01)	1,808	-	SPRC13C2006A	-	-	-	-	TMB19C2007A	0.05	-	3,474	-
SAWA13C2009A	0.69	(0.03)	154,163	-	SPRC13C2008A	-	-	-	-	TMB41C2005A	-	-	-	-
SAWA16C2008A	-	-	-	-	SPRC13C2010A	0.32	(0.68)	128,219	-	TMB41P2006A	-	-	-	-
SAWA19C2005A	-	-	-	-	SPRC19C2005A	-	-	-	-	TOA01C2006A	-	-	-	-
SAWA19C2009A	0.74	0.01	10,196	-	SPRC19C2005B	-	-	-	-	TOA01C2006B	-	-	-	-
SAWA19C2009B	0.73	(0.03)	579,804	-	SPRC19C2007A	-	-	-	-	TOA13C2007A	0.32	(0.04)	9,868	-
SAWA27C2007A	0.03	(0.01)	2,000	-	SPRC19C2010A	0.42	-	35,109	-	TOA19C2007A	0.35	(0.01)	101,843	-
SAWA28C2007A	-	-	-	-	SPRC19P2005A	0.78	-	2,005	-	TOA19C2010A	0.39	(0.61)	61,357	-
SAWA28C2008A	-	-	-	-	SPRC28C2008A	-	-	-	-	TOA24C2005A	-	-	-	-
SAWA28C2012A	0.57	(0.01)	53,255	-	SPRC41C2005A	-	-	-	-	TOP01C2006A	0.02	(0.01)	11,264	-
SAWA41C2005A	-	-	-	-	SPRC41C2006A	-	-	-	-	TOP01C2006B	0.02	-	863	-
SAWA41C2009A	0.69	(0.03)	9,040	-	SPRC42C2006A	-	-	-	-	TOP01C2008B	0.20	(0.03)	12	-
SAWA41P2005A	1.35	(0.14)	52	1.00	STA01C2008B	-	-	-	-	TOP01C2009A	0.42	(0.04)	411	-
SCB01C2007A	0.05	(0.01)	480	-	STA01C2009A	0.76	0.07	4,430	-	TOP01P2006A	-	-	-	-
SCB01C2007B	0.02	-	144	-	STA01P2009A	0.10	(0.03)	5,754	-	TOP01P2009A	0.51	0.05	9,034	-
SCB01C2008B	0.10	-	401	-	STA08C2010A	0.54	(0.47)	128,225	-	TOP06C2007A	0.03	(0.02)	1,655	-
SCB01C2009A	0.33	(0.01)	5,783	-	STA11C2005A	0.33	(0.05)	2,250	-	TOP06C2008A	0.94	(0.08)	48,818	-
SCB01P2007A	-	-	-	-	STA13C2006A	0.46	0.01	1,095	-	TOP06P2005A	-	-	-	-
SCB01P2007B	-	-	-	-	STA13C2009A	0.66	0.01	214,107	-	TOP08C2007A	-	-	-	-
SCB06C2007A	-	-	-	-	STA19C2005A	2.00	0.03	8	2.00	TOP08C2010A	0.55	(0.45)	54,500	-
SCB08C2005A	-	-	-	-	STA19C2007A	0.49	0.03	222	-	TOP08P2007A	-	-	-	-
SCB08C2007A	-	-	-	-	STA19C2009A	0.73	0.01	24,402	-	TOP11C2007A	-	-	-	-
SCB08C2009A	0.65	(0.02)	20,994	-	STA19C2010A	0.56	0.02	118,036	-	TOP13C2006A	0.01	(0.03)	987	-
SCB11C2005A	-	-	-	-	STA28C2012A	0.43	-	37,365	-	TOP13C2008A	0.13	-	110	-
SCB11C2006A	0.01	-	100	-	STA42C2007A	-	-	-	-	TOP13C2008B	0.63	(0.07)	71,710	-
SCB11C2008A	-	-	-	-	STEC01C2006A	0.31	(0.02)	150	-	TOP13P2005A	-	-	-	-
SCB11P2005A	-	-	-	-	STEC01C2006B	-	-	-	-	TOP13P2006A	-	-	-	-
SCB13C2006A	-	-	-	-	STEC01P2006A	0.24	(0.02)	1,975	-	TOP16C2008A	0.03	(0.03)	1	-
SCB13C2006B	-	-	-	-	STEC08C2005A	-	-	-	-	TOP19C2006A	0.01	-	731	-
SCB13C2007A	0.01	-	1,884	-	STEC11C2007A	0.02	-	50	-	TOP19C2007A	-	-	-	-
SCB13C2008A	-	-	-	-	STEC16C2006A	0.01	-	8	-	TOP19C2008A	0.35	(0.04)	91,348	-
SCB13C2009A	0.65	(0.01)	39,354	-	STEC16C2009A	-	-	-	-	TOP19C2010A	0.53	(0.02)	36,128	-
SCB13P2006A	-	-	-	-	STEC19C2005A	-	-	-	-	TOP19P2006A	-	-	-	-
SCB13P2008A	0.56	(0.04)	24	-	STEC19C2009A	0.51	(0.01)	24,755	-	TOP24C2007A	0.02	0.01	4	-
SCB16C2008A	-	-	-	-	STEC24C2006A	0.32	-	2,827	-	TOP24C2008A	0.58	(0.04)	7,878	-
SCB19C2006A	-	-	-	-	STEC28C2012A	0.36	-	16,923	-	TOP41C2005A	-	-	-	-
SCB19C2007A	-	-	-	-	STEC41C2005A	-	-	-	-	TOP41C2006A	-	-	-	-
SCB19C2008A	0.66	(0.02)	25,026	-	STEC41C2006A	-	-	-	-	TOP41C2007A	-	-	-	-
SCB19C2010A	0.41	(0.03)	11,078	-	STEC41C2009A	0.30	(0.02)	161	-	TOP41C2008A	0.46	(0.04)	44,256	-
SCB19P2005A	-	-	-	-	STEC41P2005A	-	-	-	-	TOP41P2006A	-	-	-	-
SCB19P2010A	0.79	0.01	48,226	-	SUPE19C2007A	0.23	0.02	58,507	-	TOP41P2010A	0.69	0.02	22,275	-
SCB24C2008A	0.42	(0.02)	3,745	-	SUPE19C2010A	0.19	0.01	243,030	-	TOP42C2007A	-	-	-	-
SCB27C2007A	-	-	-	-	TASC01C2007B	-	-	-	-	TQM19C2010A	0.88	(0.12)	50,200	-
SCB27P2006A	-	-	-	-	TASC01C2008A	0.37	0.01	212	-	TRUE01C2007A	0.16	(0.02)	10,867	-
SCB28C2006A	0.03	0.01	230	-	TASC01P2008A	-	-	-	-	TRUE01C2007B	0.04	0.01	210	-
SCB28C2006B	-	-	-	-	TASC06C2009A	0.44	(0.01)	35,223	-	TRUE01P2007B	-	-	-	-
SCB28C2008A	-	-	-	-	TASC08C2005A	-	-	-	-	TRUE06C2007A	0.07	-	1	-
SCB28C2010A	0.44	(0.01)	23,714	-	TASC08C2006A	-	-	-	-	TRUE06C2009A	0.31	(0.03)	31,925	-
SCB41C2005A	-	-	-	-	TASC13C2006A	0.06	(0.03)	1,038	-	TRUE08C2005A	-	-	-	-
SCB41C2006A	-	-	-	-	TASC13C2009A	0.34	(0.01)	104,526	-	TRUE08C2007A	-	-	-	-
SCB41C2006B	-	-	-	-	TASC16C2008A	-	-	-	-	TRUE08P2005A	-	-	-	-
SCB41C2008A	0.48	(0.04)	600	-	TASC19C2006A	-	-	-	-	TRUE08P2010A	0.70	(0.30)	23,599	-
SCB41P2005A	-	-	-	-	TASC19C2007A	0.08	(0.02)	300	-	TRUE11C2005A	-	-	-	-
SCB42C2006A	-	-	-	-	TASC19C2009A	0.44	(0.02)	172,182	-	TRUE11C2005B	-	-	-	-
SCB42C2007A	-	-	-	-	TASC24C2006A	-	-	-	-	TRUE13C2006A	-	-	-	-
SCC06C2007A	-	-	-	-	TASC28C2006A	-	-	-	-	TRUE13C2007A	-	-	-	-
SCC08P2006A	0.24	-	502	-	TASC28C2012A	0.28	-	21,124	-	TRUE13C2009A	0.28	(0.02)	23,361	-
SCC11C2006A	-	-	-	-	TASC41C2005A	-	-	-	-	TRUE19C2006A	-	-	-	-
SCC11C2007A	0.15	(0.02)	4,700	-	TASC41C2009A	0.42	(0.02)	3,327	-	TRUE19C2007A	0.14	0.03	6	-
SCC13C2008A	-	-	-	-	TASC42C2005A	-	-	-	-	TRUE19C2009A	0.31	(0.02)	25,349	-
SCC13C2009A	0.81	0.01	21,541	-	TCAP01C2007B	-	-	-	-	TRUE19P2005A	0.47	(0.05)	94	-
SCC13P2006A	0.12	(0.08)	22	-	TCAP01C2008A	0.08	(0.01)	27,454	-	TRUE28C2006A	-	-	-	-
SCC13P2009A	1.09	-	33,140	1.00	TCAP01P2008A	-	-	-	-	TRUE28C2012A	0.19	(0.02)	23,979	-
SCC16C2005A	-	-	-	-	TCAP13C2007A	-	-	-	-	TRUE41C2005				

Main Board Quotation
Issue Date :
Thursday May 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE41C2007A	0.11	(0.16)	4,000	-	JCK-W5	0.02	(0.01)	228,756	-	-	-	-	-	-
TRUE41P2005A	-	-	-	-	JMT-W2	3.80	(0.22)	15,304	3.00	-	-	-	-	-
TRUE42C2007A	1.05	(0.04)	3,664	1.00	MACO-W2	0.06	-	106,206	-	-	-	-	-	-
TTW27C2009A	0.24	-	8,668	-	MILL-W4	0.03	(0.01)	68,675	-	-	-	-	-	-
TU06C2009A	0.29	0.01	66,467	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU06P2007A	-	-	-	-	MINT-W6	1.99	(0.05)	29,744	2.00	-	-	-	-	-
TU08C2008A	0.14	-	22,101	-	NFC-W1	0.88	0.17	26,872	-	-	-	-	-	-
TU11C2008A	0.15	-	6,800	-	NOK-W1	-	-	-	-	-	-	-	-	-
TU19C2005A	0.02	-	2,519	-	NVD-W1	0.15	(0.02)	88,806	-	-	-	-	-	-
TU19C2007A	0.06	(0.01)	1,080	-	ORI-W1	0.28	(0.02)	134,916	-	-	-	-	-	-
TU19C2009A	0.11	-	38,441	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU19C2010A	0.28	0.02	91,128	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU24C2006A	0.19	0.01	4,988	-	PDI-W1	1.02	0.60	1,267,045	-	-	-	-	-	-
TU27C2006A	0.04	(0.01)	110	-	PDJ-W4	0.34	0.03	19,985	-	-	-	-	-	-
TU28C2012A	0.16	-	2,502	-	PERM-W1	0.17	0.03	153,372	-	-	-	-	-	-
TU41C2005A	-	-	-	-	PORT-W1	0.56	(0.02)	28,817	-	-	-	-	-	-
TU41C2009A	0.18	(0.01)	500	-	PPPM-W4	0.16	0.01	118,451	-	-	-	-	-	-
TU42C2007A	-	-	-	-	PRIME-W1	0.03	0.01	122,088	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	PRIME-W2	0.03	-	30,754	-	-	-	-	-	-
TVO19C2007A	-	-	-	-	RICHY-W2	-	-	-	-	-	-	-	-	-
VGI01C2005A	0.04	(0.03)	4	-	RS-W3	-	-	-	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	SAMART-W2	0.36	(0.01)	17,192	-	-	-	-	-	-
VGI08C2006A	-	-	-	-	SAWAD-W1	-	-	-	-	-	-	-	-	-
VGI11C2008A	0.11	0.04	182	-	SDC-W1	0.10	-	2,916	-	-	-	-	-	-
VGI13C2006A	-	-	-	-	SINGER-W1	2.08	(0.02)	40,635	2.00	-	-	-	-	-
VGI13C2010A	0.42	(0.58)	53,601	-	SINGER-W2	2.20	-	60,205	2.00	-	-	-	-	-
VGI19C2006A	-	-	-	-	SMT-W2	-	-	-	-	-	-	-	-	-
VGI19C2010A	0.60	(0.03)	58,455	-	SST-W2	0.87	0.04	18,922	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SUPER-W4	0.01	-	10,069	-	-	-	-	-	-
VGI41C2007A	0.25	(0.05)	7,310	-	TCC-W3	0.04	-	21	-	-	-	-	-	-
WHA01C2005A	-	-	-	-	TCC-W4	0.04	-	23,496	-	-	-	-	-	-
WHA01C2005B	-	-	-	-	TCC-W5	0.13	-	559	-	-	-	-	-	-
WHA01C2008B	-	-	-	-	TCJ-W2	-	-	-	-	-	-	-	-	-
WHA01C2009A	-	-	-	-	TGF-W2	-	-	-	-	-	-	-	-	-
WHA01P2005A	0.94	0.14	1	-	TGPRO-W3	0.01	-	1	-	-	-	-	-	-
WHA01P2009A	0.35	-	116	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA06C2007A	-	-	-	-	TNITY-W1	0.26	-	18,034	-	-	-	-	-	-
WHA08C2005A	0.01	-	1,000	-	TRITN-W3	0.08	0.02	51,494	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TTCL-W1	0.38	-	33,628	-	-	-	-	-	-
WHA08P2006A	0.59	(0.13)	810	-	U-W4	0.01	-	7,000	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	UAC-W2	0.16	0.03	516,009	-	-	-	-	-	-
WHA13C2005A	-	-	-	-	VGI-W2	0.92	(0.05)	614,949	-	-	-	-	-	-
WHA13C2006A	-	-	-	-	VIBHA-W2	0.56	0.01	9,372	-	-	-	-	-	-
WHA13C2009A	0.36	(0.05)	300,916	-	VIBHA-W3	0.16	0.01	153,674	-	-	-	-	-	-
WHA16C2006A	0.01	-	20,599	-	WIJK-W2	0.23	(0.04)	771,131	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	ZMICO-W4	0.09	(0.01)	177,503	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA19C2006A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA19C2010A	0.43	(0.05)	81,639	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA24C2007A	0.22	(0.05)	44,329	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA27C2008A	0.22	(0.05)	5,788	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA28C2006A	0.01	-	170	-	SCB-P	-	-	-	-	-	-	-	-	-
WHA28C2012A	0.34	(0.04)	229,197	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	U-P	1.68	0.01	12,119	1.00	-	-	-	-	-
WHA41C2007A	-	-	-	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
WHA41P2005A	-	-	-	-	BM-W1	0.11	0.01	678,912	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	BROOK-W5	0.12	0.01	70,994	-	-	-	-	-	-
WHA42C2006A	0.01	-	3,000	-	CHO-W2	0.06	(0.01)	96,797	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	D-W1	0.95	0.01	625	-	-	-	-	-	-
BH-Q	-	-	-	-	DIMET-W3	0.33	0.01	267	-	-	-	-	-	-
CSC-Q	-	-	-	-	DOD-W1	0.46	(0.01)	100,779	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	ECF-W3	0.35	(0.03)	20,228	-	-	-	-	-	-
KTB-Q	-	-	-	-	EFORL-W3	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	EFORL-W4	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	FVC-W2	0.01	-	1,380	-	-	-	-	-	-
TISCO-Q	-	-	-	-	HPT-W1	0.25	(0.01)	27,439	-	-	-	-	-	-
U-Q	-	-	-	-	HYDRO-W1	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	ITEL-W1	0.29	(0.01)	67,143	-	-	-	-	-	-
7UP-W4	0.14	0.02	786,319	-	LIT-W1	0.58	(0.02)	11,361	-	-	-	-	-	-
AKR-W1	0.07	-	158,517	-	META-W4	0.06	-	25,479	-	-	-	-	-	-
ALT-W1	0.35	(0.01)	34,948	-	NEWS-W6	-	-	-	-	-	-	-	-	-
APEX-W1	0.01	(0.01)	1,433	-	OCEAN-W3	0.35	0.01	49,207	-	-	-	-	-	-
APURE-W2	0.20	0.02	104,325	-	PROUD-W2	0.18	0.04	235,460	-	-	-	-	-	-
AS-W1	-	-	-	-	RWI-W2	0.13	0.04	1,146,103	-	-	-	-	-	-
B-W3	0.01	-	100	-	SANKO-W1	0.14	-	52,904	-	-	-	-	-	-
B-W4	0.04	-	12,623	-	SIMAT-W2	-	-	-	-	-	-	-	-	-
B-W5	0.05	-	140,446	-	SIMAT-W3	0.35	0.01	40,084	-	-	-	-	-	-
B52-W2	-	-	-	-	SIMAT-W4	0.96	(0.01)	11	-	-	-	-	-	-
BKD-W2	0.11	0.02	522,669	-	SMART-W2	0.23	0.02	182,587	-	-	-	-	-	-
BTS-W5	1.11	(0.03)	639,030	1.00	SWC-W1	3.10	-	1	3.00	-	-	-	-	-
CGD-W4	0.05	(0.01)	130,432	-	TAKUNI-W	0.05	-	473,742	-	-	-	-	-	-
CGH-W3	0.02	-	5,015	-	TAPAC-W4	0.49	(0.06)	368,716	-	-	-	-	-	-
CI-W1	-	-	-	-	TVD-W2	0.27	(0.03)	117,363	-	-	-	-	-	-
CKP-W1	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
CRANE-W1	0.40	0.01	1,685	-	SGF-P1	-	-	-	-	-	-	-	-	-
DCC-W1	0.49	(0.01)	180,450	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.14	-	123,767	-	-	-	-	-	-	-	-	-	-	-
EIC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EIC-W3	0.05	-	300	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.03	0.01	447,851	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.40	-	98,140	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.23	0.03	320,144	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.35	(0.02)	4,438	-	-	-	-	-	-	-	-	-	-	-
JAS-W3	0.62	(0.08)	285,093	-	-	-	-	-	-	-	-	-	-	-

