

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Friday July 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	4.32	0.06	97,237	4.29	MATCH	1.61	(0.04)	4	1.55
POMPUI	-	-	-	-	BLISS	-	-	-	-	MATI	4.20	-	120	4.20
SAFARI	-	-	-	-	DIF	15.00	-	33,803	15.06	MCOT	5.05	(0.05)	2,672	5.05
VI	-	-	-	-	DTAC	39.00	(0.75)	27,554	39.31	MONO	2.70	(0.10)	31,485	2.77
WORLD	-	-	-	-	FORTH	5.95	-	369	5.92	MPIC	1.47	0.08	4	1.42
WR	-	-	-	-	HUMAN	8.05	(0.15)	9,273	8.13	NMG	-	-	-	-
Agribusiness					ILINK	3.82	(0.02)	15,168	3.88	PLANB	6.20	-	135,728	6.27
EE	0.48	-	24,521	0.47	INET	2.94	(0.20)	71,312	3.02	POST	1.39	0.07	9	1.33
GPPT	13.00	0.10	21,376	12.94	INTUCH	57.00	(0.50)	84,287	57.24	PRAKIT	7.65	(0.05)	10	7.65
LEE	2.22	(0.04)	1,590	2.24	JAS	3.64	0.02	518,518	3.67	SE-ED	1.46	(0.01)	9	1.39
MAX	0.01	-	452,044	0.01	JASIF	9.65	-	248,191	9.66	TBSP	12.60	(1.20)	5	12.30
NER	2.64	(0.02)	93,742	2.64	JMART	11.90	(0.10)	225,188	11.91	TH	0.50	(0.02)	357	0.50
PPPM	0.39	-	2,222	0.39	JTS	2.24	0.02	13,610	2.26	TKS	5.00	0.02	10,658	4.98
STA	28.00	(1.00)	582,096	28.80	MFEF	4.34	(0.02)	1,633	4.34	VGI	7.60	(0.10)	91,235	7.60
TRUBB	1.97	(0.17)	345,529	2.12	MSC	4.84	0.06	4,006	4.79	WAVE	1.04	(0.01)	50	1.05
TWPC	4.02	(0.12)	15,943	4.06	PT	4.60	(0.45)	20,900	4.72	WORK	11.10	0.10	185,122	11.28
UPOIC	3.16	0.02	21	3.17	SAMART	5.40	(0.05)	13,424	5.38	Finance & Securities				
UVAN	4.30	(0.02)	636	4.30	SAMTEL	5.85	-	3,042	5.85	AEC	0.29	0.01	5,534	0.28
VPO	0.39	(0.02)	10,271	0.40	SDC	0.15	(0.01)	40,384	0.15	AEONTS	113.00	(2.00)	5,897	113.24
Banking					SIS	9.55	-	5,953	9.60	AMANAHA	2.58	0.02	54,280	2.59
BAY	22.70	(0.20)	3,144	22.56	SVOA	1.13	(0.03)	163,188	1.17	ASAP	1.92	(0.03)	23,781	1.96
BBL	107.50	(1.00)	51,232	107.83	SYMC	3.28	(0.02)	571	3.24	ASK	16.50	(0.40)	8,613	16.68
CIMBT	0.60	-	11,275	0.59	SYNEX	7.50	-	4,377	7.44	ASP	1.70	(0.02)	8,600	1.71
KBANK	91.50	(1.00)	113,465	91.58	THCOM	4.64	(0.08)	29,871	4.63	BAM	24.20	(0.20)	284,317	24.35
KKP	41.00	(0.75)	21,227	41.25	TRUE	3.50	(0.10)	587,423	3.53	BFIT	26.75	(0.50)	7,139	26.88
KTB	10.40	(0.10)	150,904	10.38	TWZ	0.07	-	24,969	0.07	CGH	0.73	(0.01)	5,855	0.73
LHFG	1.03	(0.01)	7,921	1.02	Electronic Componer					ECL	0.93	-	13,459	0.93
SCB	72.25	(1.25)	86,927	72.63	CCET	1.88	(0.06)	141,862	1.89	FNS	2.44	(0.02)	1,627	2.45
TCAP	34.75	(0.75)	99,355	34.59	DELTA	69.50	9.00	82,783	67.34	FSS	1.48	(0.02)	711	1.48
TISCO	68.75	(1.00)	44,878	69.03	HANA	32.75	2.50	177,405	32.00	GBX	0.48	-	24,081	0.48
TMB	1.04	(0.01)	1,340,453	1.04	KCE	25.25	1.95	727,876	24.63	GL	3.76	(0.12)	53,631	3.79
Construction Materia					METCO	133.50	-	1	133.50	IFS	2.42	(0.02)	3,382	2.41
CCP	0.40	(0.02)	465,701	0.39	NEX	4.62	(0.08)	415,143	4.73	JMT	28.00	1.00	209,703	27.39
COTTO	1.25	(0.01)	55,054	1.29	SMT	1.28	0.06	185,542	1.32	KCAR	7.70	0.05	344	7.67
DCC	2.40	0.02	202,605	2.39	SVI	3.16	0.14	214,883	3.12	KGI	3.46	(0.02)	14,343	3.46
DCON	0.30	-	9,958	0.30	TEAM	0.86	-	1,253	0.86	KTC	30.50	(0.25)	77,251	30.51
DRT	5.65	(0.20)	5,314	5.76	W	0.13	-	171,859	0.13	MBKET	8.70	0.05	8,652	8.71
EPG	4.92	(0.13)	169,228	5.04	Energy & Utilities					MFC	13.50	-	69	13.52
GEL	0.20	-	8,239	0.19	7UP	0.39	(0.01)	126,755	0.39	ML	0.85	-	950	0.85
PPP	2.06	-	139	2.04	ABPIF	3.50	0.02	58	3.49	MTC	53.50	-	55,082	53.52
Q-CON	4.82	(0.02)	6	4.82	ACE	4.18	0.20	591,147	4.12	PE	-	-	-	-
RCI	2.60	(0.10)	415	2.67	AI	1.34	(0.01)	32,534	1.35	PL	2.00	(0.04)	2,096	2.02
SCC	383.00	1.00	16,055	384.24	AKR	0.56	0.01	10,305	0.55	S11	5.05	(0.05)	2,451	5.06
SCCC	134.00	(3.00)	2,136	134.70	BAFS	23.00	0.10	2,532	22.89	SAWAD	50.75	(1.25)	66,322	51.49
SCP	5.70	(0.10)	3,229	5.73	BANPU	6.00	(0.30)	754,624	6.06	THANI	3.56	(0.02)	110,756	3.57
SKN	2.04	0.04	935	2.04	BCP	20.10	(0.50)	32,293	20.35	TK	7.65	(0.05)	1,115	7.63
TASCO	25.75	(0.50)	64,227	26.00	BCPG	15.70	(0.20)	21,495	15.76	TNITY	3.94	-	264	3.86
TCMC	1.11	-	35,054	1.10	BGRIM	53.00	(2.00)	78,382	53.55	UOBKH	3.46	0.16	85	3.45
TOA	40.25	1.50	46,466	40.14	BPP	16.20	(0.10)	23,180	16.27	ZMICO	0.68	0.02	6,441	0.67
TPIPL	1.19	(0.01)	90,965	1.19	BRRGIF	7.15	(0.05)	366	7.14	Food & Beverage				
UMI	0.68	0.01	24,239	0.68	CKP	4.72	-	234,827	4.73	APURE	1.88	(0.03)	5,384	1.89
VNG	3.70	(0.02)	6,719	3.71	DEMCO	3.30	(0.12)	7,253	3.37	ASIAN	7.50	(0.10)	35,330	7.52
WIJK	1.72	0.02	21,799	1.73	EA	45.75	(2.25)	287,351	46.89	BR	1.90	-	10,862	1.89
Petrochemicals & Ch					EASTW	10.20	0.10	15,792	10.20	BRR	2.92	-	1,255	2.87
BCT	40.00	-	684	39.56	EGATIF	12.40	0.10	18,554	12.45	CBG	113.00	(2.00)	31,871	113.43
CMAN	1.39	(0.01)	3,445	1.40	EGCO	253.00	(3.00)	6,999	253.22	CFRESH	2.34	-	7,871	2.36
GC	5.25	(0.05)	1,008	5.25	EP	3.60	(0.06)	12,574	3.62	CHOTI	76.00	(1.00)	8	76.16
GGC	10.10	(0.20)	49,562	10.16	ESSO	7.10	(0.25)	370,480	7.16	CM	2.68	(0.02)	47	2.68
GIFT	2.30	0.08	11,907	2.29	Gpsc	73.50	(2.00)	108,356	74.08	CPF	31.75	(0.25)	160,922	31.78
IVL	27.25	(1.00)	314,303	27.82	GREEN	0.88	0.01	4,429	0.88	CPI	-	-	-	-
NFC	1.61	(0.01)	186	1.62	GULF	37.75	(1.25)	222,375	38.12	F&D	-	-	-	-
PATO	8.90	(0.15)	1,349	8.94	GUNKUL	2.74	(0.02)	179,346	2.76	HTC	18.00	0.20	9,188	18.23
PMTA	8.70	-	5	8.60	IFEC	-	-	-	-	IGHI	8.15	(0.15)	58,106	8.15
PTTGC	46.00	(1.75)	255,067	46.32	IRPC	2.74	(0.10)	521,114	2.77	KBS	3.18	-	375	3.18
SUTHA	3.36	(0.02)	237	3.36	LANNA	7.40	0.20	155	7.20	KSL	2.02	(0.02)	14,520	2.00
TCCC	20.00	(0.10)	103	20.00	MDX	2.90	-	11,520	2.98	KTIS	2.70	(0.04)	935	2.71
TPA	5.45	-	11	5.43	PDI	5.80	(0.10)	2,891	5.79	LST	4.46	(0.04)	2,860	4.49
UAC	3.62	-	2,270	3.62	PRIME	0.41	-	51,650	0.41	M	56.75	(0.75)	2,483	56.85
UP	-	-	-	-	PTG	16.70	(0.60)	191,680	16.89	MALEE	7.20	0.10	16,072	7.18
VNT	22.20	(0.40)	5,350	22.41	PTT	38.25	(1.00)	510,490	38.50	MINT	19.40	(0.50)	403,709	19.63
WG	-	-	-	-	PTTEP	91.00	(1.50)	156,334	90.82	OISHI	39.25	-	412	39.38
YCI	-	-	-	-	RATCH	62.50	(1.00)	33,013	62.85	OSP	39.25	(0.50)	75,874	39.26
Commerce					RPC	0.51	-	1,256	0.51	PB	68.75	0.25	61	68.11
BEAUTY	1.73	0.03	459,273	1.69	SCG	3.90	-	195	3.85	PM	6.60	(0.30)	15,307	6.67
BIG	0.56	(0.03)	190,268	0.56	SCI	1.59	(0.03)	37,729	1.62	PRG	11.20	-	4	11.23
BIC	39.75	0.50	57,257	39.06	SCN	2.16	-	27,300	2.17	RBF	9.95	0.10	488,562	10.23
COL	14.30	(0.30)	567	14.36	SGP	8.75	0.05	6,964	8.71	SAPPE	18.50	(0.40)	2,311	18.64
COM7	34.00	1.00	89,954	33.78	SKE	0.80	-	3,748	0.79	SAUCE	24.90	0.10	397	24.91
CPALL	65.75	(1.50)	314,286	66.07	SOLAR	1.11	(0.02)	11,122	1.11	SFP	-	-	-	-
CPW	1.96	(0.06)	279,587	2.04	SPCG	17.60	(0.60)	20,150	17.93	SNP	10.50	(0.10)	125	10.50
CRC	32.00	(0.75)	107,174	31.95	SPRC	6.40	(0.05)	157,571	6.46	SORKON	50.25	(1.25)	3	50.67
CSS	1.44	-	198,451	1.47	SSP	7.40	(0.10)	3,445	7.43	SSC	-	-	-	-
DOHOME	11.50	0.20	249,174	11.32	SUPER	1.00	0.02	6,356,932	0.99	SSF	6.25	(0.05)	16	6.25
FN	1.30	(0.01)	40,621	1.31	SUPEREIF	11.50	0.10	6,670	11.56	SST	2.68	(0.02)	22	2.68
FTE	1.62	-	2,923	1.61	SUSCO	2.54	(0.10)	14,036	2.57	TC	3.34	0.04	1,130	3.30
GLOBAL	16.40	(0.10)	41,129	16.39	TAE	2.78	-	4,497	2.76	TFG	4.52	(0.18)	249,869	4.60
HMPRO	15.90	-	230,485	15.90	TCC	0.22	(0.01)	3,636	0.22	TFMAMA	197.00	(1.50)	90	197.65
ILM	14.10	(0.40)	9,499	14.18	TOP	42.75	(0.50)	201,189	42.43	TIPCO	7.10	(0.20)	17,988	7.18
IT	2.54	(0.04)	30	2.55	TIPIP	4.06	(0.04)	38,331	4.08	TKN	10.50	(0.30)	187,466	10.60
KAMART	2.98	(0.02)	16,152	2.98	TSE	2.94	(0.10)	126,775	2.98	TU	13.70	0.10	189,917	13.55
LOXLEY	1.53	(0.05)	47,157	1.54	TTW	13.50	-	49,488	13.44	TVO	28.50	0.25	14,673	28.30
MAKRO	41.50	0.25	19,424	41.58	WHAUP	4.60	(0.0							

## Main Board Quotation

Issue Date :

Friday July 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NEW	-	-	-	-	BLAND	1.04	(0.01)	98,512	1.04	HFT	3.44	0.02	7,103	3.45
NTV	43.00	-	36	43.09	BROCK	1.41	0.07	527	1.40	IHL	2.46	(0.02)	18,019	2.46
PR9	6.80	(0.05)	2,431	6.80	CGD	0.61	0.01	7,988	0.60	INGRS	0.39	-	1,662	0.39
PRINC	3.16	(0.12)	33,521	3.20	CI	0.81	(0.01)	463	0.80	IRC	13.40	0.10	12	13.39
RAM	-	-	-	-	CPN	49.50	(1.00)	46,384	49.86	PCSGH	4.48	-	1	4.48
RJH	21.40	(0.50)	2,741	21.70	ESTAR	0.35	(0.01)	17,783	0.35	SAT	10.50	(0.30)	7,752	10.59
RPH	5.25	-	3,264	5.26	EVER	0.22	-	36,604	0.22	SPG	12.90	-	3	12.90
SKR	5.00	-	9,104	4.98	FPT	11.50	(0.10)	246	11.44	STANLY	173.50	1.00	2,191	173.13
SVH	418.00	-	12	418.00	GLAND	2.20	(0.02)	178	2.15	TKT	0.92	(0.03)	765	0.94
THG	19.60	(0.30)	1,220	19.64	GOLD	8.45	-	6,775	8.45	TNPC	-	-	-	-
VIBHA	1.56	(0.02)	31,499	1.57	J	0.93	(0.02)	14,936	0.93	TRU	4.12	(0.04)	318	4.11
VIH	6.55	-	9,885	6.50	JCK	0.74	(0.02)	515	0.75	TSC	9.90	(0.05)	4	9.94
WPH	1.62	(0.02)	1,324	1.61	KC	-	-	-	-	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	KWG	0.78	-	3,012	0.79	ALLA	1.25	-	7,250	1.25
ASIA	5.45	0.15	71	5.34	LALIN	4.48	(0.02)	3,848	4.47	ASEFA	3.24	(0.06)	3,296	3.23
CENTEL	22.40	(0.20)	27,367	22.43	LH	7.70	(0.05)	263,308	7.66	CPT	0.85	-	2,937	0.85
CSR	-	-	-	-	LPN	4.88	0.10	122,436	4.81	CRANE	2.36	(0.12)	360,200	2.43
DTC	7.30	(0.10)	324	7.32	MBK	13.50	(0.20)	19,811	13.58	CTW	-	-	-	-
ERW	3.40	(0.16)	282,130	3.44	MJD	1.65	-	18,063	1.63	FMT	21.60	0.10	9	21.88
GRAND	0.62	-	18,745	0.62	MK	2.84	(0.02)	814	2.86	HTECH	2.38	0.10	9,958	2.37
LRH	35.50	-	18	35.47	NCH	0.66	0.05	18,221	0.63	KKC	0.49	-	559	0.49
MANRIN	-	-	-	-	NNCL	1.85	(0.02)	15,346	1.85	PK	1.54	0.06	1,948	1.53
OHTL	-	-	-	-	NOBLE	11.00	(0.10)	3,444	11.00	SNC	9.10	0.15	3,908	8.96
ROH	35.50	0.50	1	35.50	NUSA	0.33	-	23,897	0.33	STARK	2.18	0.06	413,967	2.16
SHANG	60.00	(0.50)	5	60.00	NVD	1.31	(0.01)	1,707	1.32	TCJ	2.80	-	902	2.76
SHR	2.16	(0.06)	82,315	2.16	ORI	6.10	(0.15)	269,413	6.22	VARO	3.84	0.04	2	3.82
VRANDA	6.00	-	689	5.94	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
Home & Office Produ	-	-	-	-	PF	0.42	-	222,719	0.42	AIMCG	7.40	0.15	2,829	7.29
ACC	0.64	(0.04)	4,437	0.65	PLAT	3.04	(0.04)	7,669	3.03	AIMIRT	13.60	-	1,785	13.59
AJA	0.14	(0.01)	57,066	0.14	POLAR	-	-	-	-	AMATAR	10.40	0.20	1,031	10.39
DTCI	-	-	-	-	PRECHA	0.94	(0.02)	17,520	1.03	B-WORK	12.00	0.20	5	11.84
FANCY	0.72	-	16,759	0.70	PRIN	1.55	0.02	1,068	1.54	BKER	6.25	(0.30)	3,876	6.29
KYE	326.00	(1.00)	21	325.81	PSH	11.60	-	8,875	11.55	BKKCP	11.90	0.10	84	11.82
L&E	1.61	(0.01)	132	1.61	QH	2.20	(0.02)	279,089	2.19	BOFFICE	13.30	-	115	13.37
MODERN	2.48	0.02	333	2.46	RICHY	0.73	-	22,533	0.73	CPNCG	10.70	-	2,096	10.77
OGC	24.50	(0.50)	6	24.58	RML	0.77	-	523,194	0.80	CPNREIT	26.75	(0.50)	2,684	26.94
ROCK	-	-	-	-	ROJNA	4.34	(0.10)	10,116	4.38	CPTGF	12.30	-	65	12.29
SIAM	1.52	0.04	9,618	1.52	S	1.57	-	27,766	1.57	CTARAF	5.05	(0.05)	512	5.04
TSR	2.34	0.10	45,439	2.32	SAMCO	1.26	0.04	6,270	1.26	DREIT	3.86	(0.06)	512	3.88
Insurance	-	-	-	-	SC	2.20	(0.06)	36,494	2.22	ERWPF	-	-	-	-
AYUD	34.00	(0.75)	2	34.38	SENA	2.64	(0.12)	38,447	2.68	FTREIT	14.70	0.10	8,622	14.83
BKI	283.00	1.00	247	282.15	SF	4.40	(0.02)	18,512	4.41	FUTUREPF	19.30	-	1,383	19.26
BLA	15.70	(0.10)	10,523	15.54	SIRI	0.77	(0.01)	363,114	0.77	GAHREIT	8.00	(0.45)	37	7.90
BUI	9.05	0.05	16	9.05	SPALI	16.30	(0.40)	56,182	16.40	GOLDPF	6.00	-	45	5.90
CHARAN	-	-	-	-	U	1.57	(0.03)	145,643	1.57	GVREIT	13.90	(0.20)	1,446	14.07
INSURE	-	-	-	-	UV	3.04	0.02	18,298	3.05	HPF	4.70	0.04	33	4.67
MTI	85.00	-	24	84.17	WHA	3.16	(0.08)	768,961	3.19	HREIT	8.25	0.05	887	8.20
NKI	48.75	-	1	48.75	WIN	0.37	0.01	144	0.37	IMPACT	17.10	(0.20)	4,367	16.99
NSI	55.00	1.50	1	55.00	Paper & Printing Mat	-	-	-	-	KPNPF	6.85	-	101	6.80
SEG	25.25	(0.25)	32	25.48	UTP	11.10	(0.10)	73,422	11.03	LHHOTEL	10.30	(0.60)	6,053	10.25
SMK	34.75	-	51	34.67	Fashion	-	-	-	-	LHPF	6.05	-	173	6.01
THRE	0.90	0.01	95,686	0.90	AFC	6.40	0.35	9	6.25	LHSC	12.70	(0.10)	635	12.78
THREL	2.48	(0.04)	10,307	2.50	B52	0.14	(0.01)	1,491	0.15	LUXF	6.20	(0.15)	481	6.26
TIP	22.50	0.20	2,850	22.44	BTNC	-	-	-	-	M-II	-	-	-	-
TQM	130.50	(4.50)	24,868	134.86	CPH	3.24	-	1	3.24	M-PAT	3.96	(0.02)	4	3.97
TSI	0.36	-	1,146	0.35	CPL	0.79	(0.01)	621	0.78	M-STOR	5.95	0.10	105	5.95
TVI	3.10	(0.02)	654	3.11	ICC	31.00	0.25	1	31.00	MIPF	16.00	-	2	16.00
Mining	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
THL	-	-	-	-	PAF	0.61	(0.01)	5,928	0.61	MJLF	7.35	(0.10)	76	7.35
Packaging	-	-	-	-	PDJ	1.05	(0.01)	2,749	1.05	MNIT	-	-	-	-
AJ	19.40	0.40	174,939	19.75	PG	4.70	-	206	4.70	MNIT2	5.05	0.45	1	5.05
ALUCON	143.00	(1.00)	2	143.00	SABINA	18.80	-	1,756	18.74	MNRF	2.92	0.32	1	2.92
BGC	9.95	0.05	26,232	10.01	SAWANG	-	-	-	-	POPF	10.90	-	1,086	10.80
CSC	45.50	-	106	45.52	SUC	36.50	0.25	25	36.50	PPF	-	-	-	-
GLOCON	0.84	-	31,237	0.84	TNL	16.70	-	5	16.70	QHHR	6.75	(0.05)	742	6.71
NEP	0.16	-	104,500	0.16	TPCORP	9.25	(0.40)	52	9.25	QHOP	2.24	(0.06)	265	2.25
PTL	22.90	2.20	790,417	21.90	TR	25.75	(1.00)	21	25.76	QHPP	11.10	0.10	2,470	11.00
SFLEX	14.90	0.30	19,894	14.78	TTI	-	-	-	-	SBPF	2.44	-	110	2.29
SITHAI	0.69	(0.01)	828	0.69	TTT	54.00	0.25	14	54.16	SHREIT	3.58	-	10,428	3.60
SLP	0.46	0.01	1,437	0.45	UPF	41.00	0.75	3	39.17	SIRIP	9.55	0.15	20	9.55
SMPC	9.55	0.85	89,830	9.42	UT	15.10	(0.10)	33	15.61	SPF	13.90	(0.10)	5,984	13.85
SPACK	2.82	0.32	46,047	2.74	WACOAL	45.75	(0.25)	6	45.83	SPRIME	11.00	(0.10)	25	11.00
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SRIPANWA	8.20	0.05	20	8.15
TFI	0.05	-	1,239	0.05	AAV	1.93	(0.06)	453,055	1.93	SSPF	9.00	-	86	8.96
THIP	22.70	(0.30)	305	22.81	AOT	55.00	(1.25)	480,027	55.03	SSTRT	5.50	0.05	9	5.50
TMD	21.60	-	223	21.61	ASIMAR	1.38	(0.01)	3,040	1.36	TIFI	8.40	(0.15)	543	8.37
TOPP	190.00	(5.50)	1	190.00	B	0.30	-	13,458	0.30	TLGF	18.70	(0.40)	3,022	18.91
TPBI	4.28	0.12	1,280	4.18	BA	6.40	-	10,627	6.29	TLHPP	8.85	(0.90)	11	9.02
TPP	-	-	-	-	BEM	9.45	0.05	334,177	9.42	TNPF	2.20	0.16	4,679	2.04
Personal Products &	-	-	-	-	BTS	11.20	(0.10)	230,318	11.20	TPRIME	14.60	0.50	501	14.10
APCO	3.76	-	1,523	3.72	BTSGIF	7.30	(0.05)	25,081	7.32	TTLPF	-	-	-	-
DDD	16.70	-	2,056	16.60	III	4.38	(0.02)	5,406	4.35	TU-PF	-	-	-	-
JCT	78.50	(0.50)	2	78.50	JUTHA	0.43	(0.03)	356	0.43	URBNPF	-	-	-	-
OCC	8.70	0.20	45	8.55	JWD	6.30	(0.15)	31,875	6.43	WHABT	8.75	-	11	8.71
S & J	27.50	-	2	27.13	KWC	-	-	-	-	WHART	16.00	0.10	9,058	15.98
STGT	74.50	(0.25)	1,058,550	76.27	NOK	0.94	(0.01)	1,646	0.94	Steel	-	-	-	-
STHAI	-	-	-	-	NYT	2.98	(0.04)	5,767	2.99	AMC	1.40	0.01	235	1.39
TNR	10.90	(0.10)	819	10.76	PORT	2.14	(0.06)	30,256	2.16	BSBM	0.88	-	241	0.87
TOG	3.44	-	6	3.45	PRM	8.80	0.60	1,528,908	8.68	CEN	0.68	(0.01)	1,169	0.70
Professional Service	-	-	-	-	PSL	5.00	(0.10)	150,554	5.01	CITY	1.80	0.01	788	1.75
BWG	0.65	(0.06)	2,161,588	0.65	RCL	3.14	(0.14)	5,393	3.16	CSP	0.63	0.01	205	0.63
GENCO	0.54	-	30,095	0.54	TFFIF	10.90	-	9,386	10.91	GJS	0.10	(0.01)	21,393	0.11
PRO	-	-	-	-	THAI	3.82	(0.04)	12,120	3.82	GSTEEL	-	-	-	-
SISB	9.60	0.15	72,931	9.66	TSTE	-	-	-	-	INOX	0.49	-	871	0.48
Property Developer	-	-	-	-	TTA	3.10	(0.02)	30,477	3.10	LHK	2.44	(0.02)	10,182	2.43
A	4.98	(0.02)	109	5.00	WICE	3.38	0.04	93,677	3.38	MCS	12.90	(0.10)	31,541	12.93
AMATA														

## Main Board Quotation

Issue Date :

Friday July 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AIE	0.68	(0.01)	140,851	-	ADVA06C2010A	0.50	(0.02)	27,539	-
ABICO	5.50	-	1,218	5.00	PSTC	1.83	(0.02)	42,362	1.00	ADVA06P2011A	0.74	0.01	74,821	-
AU	9.70	0.10	22,293	9.00	QTC	4.36	0.04	2,007	4.00	ADVA08C2009A	0.27	(0.02)	11,642	-
JCKH	0.25	-	20	-	SAAM	1.08	(0.03)	1,854	1.00	ADVA08C2012A	0.76	(0.01)	49,495	-
KASET	1.57	-	303	1.00	SEAOIL	2.44	(0.02)	3,350	2.00	ADVA08P2009A	0.41	0.01	14,400	-
MM	1.52	(0.04)	123	1.00	SR	0.76	0.04	2,186	-	ADVA11C2011A	0.66	(0.02)	10,817	-
SUN	2.30	0.08	14,333	2.00	TAKUNI	0.40	0.01	11,001	-	ADVA11P2011A	0.70	0.01	12,012	-
TACC	5.55	-	143,571	5.00	TPCH	12.50	(0.40)	21,246	12.00	ADVA13C2007A	0.01	-	1	-
TMILL	3.12	0.02	6,851	3.00	TRT	-	-	-	-	ADVA13C2008A	0.11	(0.01)	43,938	-
XO	7.25	(0.15)	17,718	7.00	UMS	0.32	0.02	1,101	-	ADVA13C2010A	0.63	(0.03)	184,735	-
Consumer Products					UPA	0.26	(0.01)	55,795	-	ADVA13P2009A	0.89	0.03	44,376	-
BGT	1.07	-	901	1.00	UWC	0.04	(0.01)	64,711	-	ADVA16C2007A	-	-	-	-
BIZ	3.72	(0.12)	3,418	3.00	Services (MAI)	-	-	-	-	ADVA16C2009A	-	-	-	-
DOD	8.35	(0.10)	20,039	8.00	A5	-	-	-	-	ADVA19C2007A	-	-	-	-
ECF	1.57	(0.05)	76,743	1.00	AKP	0.96	(0.01)	52	-	ADVA19C2007B	-	-	-	-
HPT	0.88	(0.05)	755	-	AMA	5.25	(0.20)	10,155	5.00	ADVA19C2008A	0.45	(0.05)	66,739	-
IP	10.60	(0.40)	18,072	10.00	ARIP	0.34	-	1,286	-	ADVA19C2009A	0.25	(0.02)	84,637	-
JUBILE	15.60	0.20	547	15.00	ATP30	0.78	(0.02)	46,646	-	ADVA19C2010A	0.12	(0.02)	142,457	-
MOONG	3.54	(0.04)	1,538	3.00	AUCT	7.60	(0.05)	24,648	7.00	ADVA19C2010B	0.59	(0.03)	57,339	-
NPK	12.20	(0.40)	16	12.00	BOL	3.50	(0.06)	5,039	3.00	ADVA19P2009A	0.13	-	43,108	-
OCEAN	0.94	-	8,021	-	CHUO	-	-	-	-	ADVA19P2010A	0.60	-	36,041	-
TM	2.38	(0.02)	2,488	2.00	CMO	1.06	0.04	69,929	1.00	ADVA24C2009A	0.20	(0.01)	15,497	-
Financials (MAI)					D	3.50	(0.02)	4,916	3.00	ADVA28C2008A	0.13	(0.03)	23,808	-
ACAP	0.78	0.10	96,577	-	DCORP	0.37	-	8,039	-	ADVA28C2008B	-	-	-	-
AF	0.57	(0.01)	725	-	EFORL	0.03	(0.01)	97,213	-	ADVA28C2011A	0.14	-	1	-
AIRA	-	-	-	-	ETE	1.15	(0.03)	25,707	1.00	ADVA28C2012A	0.11	-	200	-
ASN	5.15	0.41	987	5.00	FSMART	6.10	(0.05)	9,497	6.00	ADVA28C2012B	0.52	(0.48)	20,376	-
BROOK	0.40	(0.01)	28,369	-	FVC	0.40	(0.01)	1,477	-	ADVA28C2102L	0.44	(0.01)	12,168	-
CHAYO	6.85	(0.30)	315,070	7.00	GSC	1.03	0.13	60,702	1.00	ADVA28P2012A	0.32	-	2,114	-
GCAP	1.64	(0.02)	40,356	1.00	HARN	2.14	(0.02)	3,401	2.00	ADVA41C2007B	-	-	-	-
LIT	3.24	(0.04)	1,125	3.00	IMH	2.34	(0.04)	6,872	2.00	ADVA41C2010A	-	-	-	-
MITSI	1.08	(0.01)	6,347	1.00	JKN	10.60	0.15	170,520	6.00	ADVA41C2010B	0.50	(0.03)	69,002	-
SGF	0.63	0.01	150,689	-	KIAT	0.45	(0.01)	20,533	-	ADVA41P2009A	0.75	0.01	64,615	-
Industrials (MAI)					KOOL	0.91	(0.02)	17,203	-	ADVA41P2011A	-	-	-	-
ZS	2.64	0.02	5,958	2.00	LDC	0.74	0.01	1,402	-	ADVA42C2102T	0.60	-	3,200	-
ADB	0.73	(0.05)	1,467	-	MORE	0.35	(0.01)	126,582	-	ADVA42P2007A	0.17	(0.02)	82	-
BM	2.04	(0.02)	586	2.00	MPG	1.20	-	288	-	AEON13C2007A	-	-	-	-
CHO	0.53	(0.01)	11,745	-	MVP	0.24	(0.02)	4,384	1.00	AEON13C2010A	0.20	(0.01)	18,661	-
CHOW	2.08	(0.08)	5,361	2.00	NBC	0.71	0.02	341	-	AEON19C2010A	0.32	(0.03)	22,541	-
CIG	0.23	-	1,429	-	NCL	0.78	0.01	5,914	-	AEON19C2010B	0.54	(0.05)	76,065	-
COLOR	1.11	0.01	1,698	1.00	NEWS	0.01	-	7,196	-	AMAT01C2007B	-	-	-	-
CPR	3.00	(0.04)	414	3.00	NINE	1.74	(0.02)	27	1.00	AMAT01C2008A	0.27	-	25	-
FPI	1.57	(0.07)	11,503	1.00	OTO	2.88	0.04	2,352	2.00	AMAT01P2008A	0.27	0.04	1	-
GTB	0.56	-	3,416	-	PHOL	2.84	(0.02)	13,547	2.00	AMAT06C2010A	0.63	(0.03)	16,732	-
KCM	0.55	0.07	148,021	-	PICO	3.40	(0.02)	14	3.00	AMAT08C2010A	0.49	(0.02)	18,350	-
KUMWEL	1.07	-	27,002	1.00	QLT	4.16	0.02	47	4.00	AMAT11C2008A	-	-	-	-
KWM	0.78	(0.01)	10,988	-	RP	1.73	(0.02)	4,488	1.00	AMAT13C2010A	0.45	(0.01)	105,019	-
MBAX	4.70	0.04	10,671	4.00	SE	1.28	-	86	1.00	AMAT16C2008A	-	-	-	-
MGT	1.76	(0.03)	2,598	1.00	SONIC	1.04	-	2,716	1.00	AMAT19C2008A	-	-	-	-
NDR	1.23	-	1,462	1.00	SPA	6.70	(0.05)	6,282	6.00	AMAT19C2009A	0.55	(0.03)	7,346	-
PDG	3.42	-	1,866	3.00	THMUI	0.63	0.01	2,022	-	AMAT19C2011A	0.45	(0.02)	71,476	-
PIMO	1.34	(0.02)	18,313	1.00	TNDT	3.12	0.08	3,007	3.00	AMAT24C2010A	0.41	(0.02)	3,650	-
PJW	1.38	(0.01)	15,024	1.00	TNH	32.50	-	71	32.00	AMAT28C2012A	0.38	(0.02)	28,392	-
PPM	0.83	-	1,291	-	TNP	3.00	0.14	83,395	2.00	AMAT28C2102L	-	-	-	-
RWI	1.35	(0.06)	6,540	1.00	TSF	-	-	-	-	AMAT42C2007A	-	-	-	-
SALIE	0.69	-	27	-	TVD	0.97	-	36,931	-	AMAT42C2101T	0.28	-	7,052	-
SANKO	0.96	-	840	-	TVT	0.71	0.09	83,677	-	ANAN13C2007A	-	-	-	-
SELIC	2.44	0.12	21,075	2.00	VLT	1.27	0.06	613,999	1.00	ANAN19C2007A	-	-	-	-
SWC	3.96	0.02	1,002	3.00	WINNER	2.86	(0.08)	3,024	2.00	AOT01C2007A	0.06	(0.01)	1,522	-
TMC	0.54	-	2,008	-	YGG	12.10	(0.80)	14,657	12.00	AOT01P2007A	1.51	0.16	5,208	1.00
TMI	0.64	-	17,171	-	Technology (MAI)	-	-	-	-	AOT06C2007A	-	-	-	-
TMW	36.75	(0.50)	564	36.00	APP	1.88	(0.16)	35,395	1.00	AOT06C2008A	-	-	-	-
TPAC	12.20	0.20	2	12.00	COMAN	2.12	(0.04)	1,294	2.00	AOT06C2009A	0.20	(0.04)	100,575	-
TPLAS	1.36	(0.05)	65,398	1.00	ICN	1.90	(0.03)	6,594	1.00	AOT06P2009A	0.33	0.02	74,912	-
UBIS	4.66	-	85	4.00	INSET	3.48	(0.06)	146,819	3.00	AOT06P2011A	1.38	0.08	54,801	1.00
UEC	0.88	(0.01)	336	-	IRCP	0.45	-	523	-	AOT08C2007A	0.01	(0.08)	3,004	-
UKEM	0.63	(0.01)	3,953	-	ITEL	3.18	(0.06)	14,591	3.00	AOT08C2009A	0.47	(0.04)	41,221	-
UREKA	0.93	0.01	80,346	-	NETBAY	33.25	(0.75)	2,105	33.00	AOT08P2009A	0.59	0.03	60,939	-
YUASA	14.50	(0.50)	4,212	14.00	PLANET	1.00	(0.01)	5,421	1.00	AOT11C2011A	0.49	(0.03)	39,685	-
ZIGA	1.49	(0.01)	774	1.00	SIMAT	3.50	-	115,646	3.00	AOT11P2007A	-	-	-	-
Property & Construc					SKY	14.50	-	3,493	14.00	AOT13C2007A	0.01	(0.07)	116	-
ALL	3.62	(0.20)	190,342	3.00	SPVI	2.80	(0.14)	365,629	2.00	AOT13C2008A	0.30	(0.01)	200	-
ARIN	0.97	(0.01)	14,063	-	TPS	2.36	(0.06)	38,496	2.00	AOT13C2010A	0.18	(0.04)	827,308	-
ARROW	7.30	(0.05)	442	7.00	VCOM	3.18	(0.04)	56,004	3.00	AOT13P2009A	0.26	0.02	78,284	-
BC	1.01	0.01	306	1.00	Unit Trust	-	-	-	-	AOT13P2010A	1.04	0.05	203,713	1.00
BSM	0.25	(0.01)	1,259	-	MGE	-	-	-	-	AOT16C2007A	-	-	-	-
BTW	0.84	(0.02)	3,823	-	SCBSET	-	-	-	-	AOT16C2009A	0.19	(0.04)	1,054	-
CAZ	1.54	(0.03)	11,329	1.00	ETF	-	-	-	-	AOT19C2007A	0.02	(0.06)	173	-
CHEWA	0.44	-	20,684	-	IDIV	8.37	(0.08)	83	8.00	AOT19C2008A	0.22	(0.03)	10	-
CMC	0.80	(0.05)	347,995	-	ABFTH	-	-	-	-	AOT19C2009A	0.20	(0.04)	120,198	-
CRD	0.52	-	1,827	-	BMSCG	7.18	(0.02)	37	7.00	AOT19C2011A	0.15	(0.03)	287,285	-
DIMET	0.37	-	33,815	-	BMSCITH	9.86	(0.15)	2,357	9.00	AOT19P2009A				

## Main Board Quotation

## Issue Date :

Friday July 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP19C2010A	-	-	-	-	BCPG28C2008A	0.18	(0.13)	3,000	-	CBG19C2010A	1.70	(0.10)	2,731	1.00
AP19C2011A	0.32	(0.03)	7,860	-	BCPG28C2012A	0.26	(0.01)	4,056	-	CBG19C2011A	0.72	(0.04)	112,062	-
AP28C2012A	1.06	(0.04)	425	1.00	BCPG28C2012B	0.24	(0.02)	18,020	-	CBG19P2010A	0.45	0.02	787,800	-
AP28C2012B	0.29	(0.02)	16,892	-	BCPG42C2007A	0.07	(0.05)	500	-	CBG42C2008A	2.24	(0.08)	1,541	2.00
AWC01C2009A	-	-	-	-	BDMS01C2007B	-	-	-	-	CBG41C2009A	-	-	-	-
AWC01P2007A	0.59	-	591	-	BDMS01P2008A	0.30	0.02	28	-	CBG41C2010A	0.70	(0.05)	42,940	-
AWC06C2009A	0.35	(0.01)	25,430	-	BDMS06C2008A	-	-	-	-	CBG41C2011A	1.69	0.18	1,952	1.00
AWC06C2011A	0.12	(0.01)	3,200	-	BDMS06C2010A	0.55	(0.05)	13,315	-	CBG41P2010A	0.56	-	29,045	-
AWC06P2012A	0.75	-	34,225	-	BDMS06P2009A	0.17	-	9,129	-	CBG42C2008A	-	-	-	-
AWC08C2012A	0.52	-	19,030	-	BDMS08C2011A	0.41	(0.01)	10,428	-	CBG42C2010T	0.97	(0.02)	13,402	-
AWC13C2009A	0.27	(0.01)	82,952	-	BDMS11C2007A	-	-	-	-	CENTO1C2009A	0.65	(0.04)	20	-
AWC13C2010A	0.05	(0.01)	1,965	-	BDMS11C2008A	-	-	-	-	CENTO1P2009A	0.14	-	2,708	-
AWC13C2010B	0.23	(0.01)	81,580	-	BDMS11C2011A	0.89	(0.03)	14,882	-	CENTO8C2012A	0.57	(0.03)	20,300	-
AWC13C2011A	0.50	-	131,629	-	BDMS13C2008A	0.20	(0.03)	8,000	-	CENT11C2007A	-	-	-	-
AWC16C2007A	-	-	-	-	BDMS13C2009A	0.35	(0.03)	29,978	-	CENT11C2012A	0.22	(0.02)	14,402	-
AWC19C2010A	0.32	-	30	-	BDMS19C2010A	0.38	(0.02)	21,848	-	CENT13C2010A	0.14	(0.01)	5,158	-
AWC19C2010B	0.06	(0.01)	1	-	BDMS19P2010A	0.24	-	6,631	-	CENT19C2008A	-	-	-	-
AWC19C2010C	0.50	(0.01)	25,176	-	BDMS28C2011A	0.38	(0.02)	11,710	-	CENT19C2010A	0.40	(0.01)	6,782	-
AWC19P2011A	0.55	-	169,521	-	BDMS28C2012A	0.28	(0.02)	10,140	-	CENT19C2011A	0.17	(0.01)	1,100	-
AWC24C2007A	-	-	-	-	BDMS28C2012B	0.11	(0.01)	3,042	-	CENT19P2011A	0.75	0.02	16,798	-
AWC24C2010A	0.12	-	7,200	-	BDMS41C2009A	0.31	(0.03)	7,821	-	CENT24C2008A	0.13	-	800	-
AWC28C2008A	-	-	-	-	BDMS42C2010T	0.33	0.03	4,510	-	CENT27C2008A	-	-	-	-
AWC28C2010A	0.30	(0.01)	34,811	-	BEM06P2009A	0.19	-	16,061	-	CENT28C2008A	-	-	-	-
AWC28C2010B	0.05	(0.01)	1,520	-	BEM08C2009A	0.60	(0.01)	20,638	-	CENT28C2010A	0.66	(0.02)	18,898	-
AWC28C2012A	0.07	-	8,730	-	BEM11C2011A	0.42	(0.02)	21,820	-	CENT28C2012A	0.29	(0.01)	19,886	-
AWC28C2012B	0.35	(0.65)	6,084	-	BEM13C2007A	-	-	-	-	CENT28C2012B	0.39	(0.61)	11,413	-
AWC41C2007B	-	-	-	-	BEM13C2009A	0.36	0.02	54,573	-	CHG13C2010A	0.19	-	50	-
AWC41C2010A	-	-	-	-	BEM13C2010A	0.14	-	7,184	-	CHG16C2009A	0.15	-	17,982	-
AWC41C2011A	0.39	(0.01)	32,196	-	BEM19C2010A	0.48	-	61,820	-	CHG19C2011A	0.25	0.01	27,181	-
AWC42C2008A	-	-	-	-	BEM19C2011A	-	-	-	-	CHG27C2009A	-	-	-	-
AWC42C2101T	0.21	(0.01)	100	-	BEM19P2010A	0.33	-	21,714	-	CK06C2009A	0.52	-	80,769	-
BANP06C2010A	0.20	(0.05)	22,363	-	BEM24C2008A	0.66	-	12,838	-	CK11C2007A	-	-	-	-
BANP06P2011A	0.64	0.06	81,223	-	BEM28C2008A	-	-	-	-	CK11C2012A	0.59	0.02	66,356	-
BANP08C2007A	0.01	-	4,029	-	BEM28C2010A	-	-	-	-	CK13C2010A	0.62	0.01	218,486	-
BANP08C2009A	0.28	(0.04)	40,375	-	BEM28C2012A	0.15	(0.01)	18,252	-	CK19C2007A	-	-	-	-
BANP08P2009A	0.58	0.04	53,457	-	BGR101C2008B	-	-	-	-	CK19C2010A	0.49	-	135,095	-
BANP11C2008A	0.02	-	20	-	BGR101C2009A	-	-	-	-	CK27C2008A	-	-	-	-
BANP13C2008A	0.13	(0.04)	97,332	-	BGR106C2010A	0.66	(0.11)	32,116	-	CK41C2009A	0.47	(0.01)	4,848	-
BANP13C2010A	0.11	(0.02)	127,726	-	BGR108C2009A	0.58	(0.07)	19,623	-	CK41C2011A	0.48	-	52,101	-
BANP13C2011A	0.27	(0.05)	228,819	-	BGR111C2008A	-	-	-	-	CKP01C2008B	-	-	-	-
BANP19C2007A	-	-	-	-	BGR113C2007A	-	-	-	-	CKP01C2009A	1.13	0.30	199	1.00
BANP19C2007B	-	-	-	-	BGR113C2008A	-	-	-	-	CKP01P2009A	0.06	(0.06)	179	-
BANP19C2009A	0.27	(0.06)	47,716	-	BGR113C2009A	0.61	(0.08)	32,108	-	CKP08C2010A	0.73	(0.01)	53,038	-
BANP19C2010A	0.20	(0.04)	150,530	-	BGR113C2011A	0.46	(0.06)	21,000	-	CKP13C2007A	-	-	-	-
BANP19P2010A	0.30	0.02	97,354	-	BGR113P2011A	0.61	0.05	38,432	-	CKP13C2010A	0.62	(0.03)	176,982	-
BANP19P2010B	0.79	0.05	283,490	-	BGR19C2008A	-	-	-	-	CKP16C2007A	-	-	-	-
BANP24C2011A	0.21	(0.05)	8,400	-	BGR19C2008B	-	-	-	-	CKP19C2010A	0.83	(0.02)	10,331	-
BANP27C2007A	-	-	-	-	BGR19C2009A	0.66	(0.09)	9,242	-	CKP19C2011A	0.57	(0.01)	73,929	-
BANP28C2008A	-	-	-	-	BGR19C2011A	0.48	(0.07)	80,507	-	CKP28C2011A	0.61	-	57,913	-
BANP28C2010A	0.18	(0.03)	57,598	-	BGR19P2007A	0.11	-	11	-	CKP28C2012A	0.65	(0.02)	43,246	-
BANP28C2012A	0.21	(0.03)	15,575	-	BGR19P2010A	0.47	0.04	129,906	-	COM706C2012A	0.65	0.05	42,438	-
BANP28C2012B	0.25	(0.75)	3,043	-	BGR124C2009A	0.57	(0.09)	7,530	-	COM708C2007A	0.46	0.04	2,111	-
BANP41C2007A	-	-	-	-	BGR127C2010A	0.53	(0.06)	2,233	-	COM708C2010A	-	-	-	-
BANP41C2010A	0.26	(0.05)	13,929	-	BGR127P2012A	0.31	0.01	4,854	-	COM708C2011A	0.51	0.04	33,800	-
BANP42C2012T	-	-	-	-	BGR141C2007A	-	-	-	-	COM713C2007A	0.35	0.04	165	-
BBL06C2007A	0.02	0.01	1,191	-	BGR141C2010A	0.43	(0.06)	9,600	-	COM713C2008A	1.57	0.33	50	1.00
BBL06C2009A	0.59	(0.05)	27,494	-	BGR142C2101T	0.30	(0.05)	1,284	-	COM713C2010A	-	-	-	-
BBL06P2011A	0.93	0.01	26,829	-	BH08C2007A	-	-	-	-	COM713C2010B	0.56	0.05	178,294	-
BBL08C2007A	0.02	0.01	401	-	BH11C2008A	-	-	-	-	COM716C2008A	-	-	-	-
BBL08C2009A	0.36	(0.02)	35,980	-	BH13C2010A	0.37	(0.03)	44,851	-	COM719C2009A	2.52	0.12	50	2.00
BBL08P2007A	-	-	-	-	BH19C2009A	0.34	(0.03)	60,842	-	COM719C2010A	-	-	-	-
BBL08P2009A	0.49	0.01	19,172	-	BH24C2008A	0.18	(0.02)	2,800	-	COM719C2011A	0.61	0.03	57,712	-
BBL11C2007A	0.01	-	1,872	-	BH27C2007A	-	-	-	-	COM719C2011B	0.42	0.04	167,291	-
BBL11C2011A	0.75	(0.04)	22,489	-	BH41C2009A	0.33	(0.05)	45,012	-	COM719P2011A	0.32	(0.03)	871,375	-
BBL11P2008A	-	-	-	-	BH42C2008A	0.05	(0.10)	1,529	-	COM724C2007A	-	-	-	-
BBL13C2008A	0.08	(0.02)	56,519	-	BJC01C2008B	-	-	-	-	CPAL01C2008B	0.08	(0.03)	8,417	-
BBL13C2010A	1.24	(0.05)	3,147	1.00	BJC01C2009A	-	-	-	-	CPAL01P2008B	0.20	0.02	2,919	-
BBL13C2010B	0.40	(0.02)	110,004	-	BJC01P2009A	0.15	0.02	200	-	CPAL06C2011A	0.28	(0.06)	102,230	-
BBL13P2008A	-	-	-	-	BJC11C2008A	-	-	-	-	CPAL06P2012A	0.86	0.06	94,238	-
BBL13P2010A	0.53	0.01	89,950	-	BJC13C2010A	0.23	0.01	38,301	-	CPAL08C2008A	0.24	(0.06)	600	-
BBL19C2007A	-	-	-	-	BJC19C2007A	0.08	(0.02)	50	-	CPAL08C2011A	0.31	(0.03)	52,833	-
BBL19C2009A	-	-	-	-	BJC19C2010A	0.20	0.01	50,250	-	CPAL08P2009A	0.22	0.02	64,224	-
BBL19C2010A	0.41	(0.02)	19,146	-	BJC19C2010B	0.34	(0.02)	127,136	-	CPAL11C2007A	-	-	-	-
BBL19C2011A	0.32	(0.01)	872	-	BJC27C2009A	-	-	-	-	CPAL11C2012A	0.50	(0.05)	46,142	-
BBL19P2007A	0.89	(0.10)	100	-	BJC28C2010A	0.12	(0.01)	12,168	-	CPAL13C2007A	-	-	-	-
BBL19P2010A	0.51	0.01	77,596	-	BJC28C2012A	0.23	-	36,965	-	CPAL13C2009A	0.52	(0.04)	41,313	-
BBL19P2011A	0.87	0.02	159,346	-	BJC28C2012B	0.34	(0.66)	34,477	-	CPAL13C2011A	0.35	(0.05)	187,379	-
BBL24C2009A	0.36	(0.02)	14,350	-	BJC28C2102L	0.23	(0.01)	12,168	-	CPAL16C2007A	-	-	-	-
BBL28C2010A	0.26	(0.01)	18,252	-	BJC41C2008A	0.26	(0.03)	3,200	-	CPAL19C2008A	0.13	(0.04)	154,971	-
BBL28C2011A	-	-	-	-	BJC41C2011A	0.29	(0.03)	18,296	-	CPAL19C2010A	0.25	(0.03)	3,798	-
BBL28C2012A	0.38	(0.62)	20,292	-	BPP13C2007A	-	-	-	-	CPAL19C2011A	0.41	(0.05)	287,344	-
BBL41C2007B	-	-	-	-	BPP19C2007A	-	-	-	-	CPAL19P2010A	0.17	0.01	469,619	-
BBL41C2009A	0.38	(0.04)	21,305	-	BPP19C2010A	0.37	(0.01)	4,822	-	CPAL19P2010B	0.82	0.05	185,070	-
BBL41C2011A	-	-	-	-	BTS11C2011A	0.32	(0.01)	250	-	CPAL24C2009A	0.63	(0.06)	18,384	-
BBL41P2010A	0.55	0.02	861	-	BTS13C2008A	-	-	-	-	CPAL27C2101A	0.32	(0.03)	14,682	-
BBL41P2011A	0.54	0.01	1,600	-	BTS13C2009A	0.17	(0.01)	6,246	-	CPAL28C2008A	-	-	-	-
BBL42C2007A	-	-	-	-	BTS16C2008A	-	-	-	-	CPAL28C2008B	-	-	-	-
BBL42C2101T	0.25	-	3,020	-	BTS19C2008A	0.16	(0.02)	800	-	CPAL28C2010A	0.12	(0.02)	61,448	-
BCH														

## Main Board Quotation

## Issue Date :

Friday July 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF19C2009A	-	-	-	-	ERW19C2010B	0.25	(0.05)	36,024	-	HMPR06C2010A	0.54	0.01	32,166	-
CPF19C2010A	0.23	(0.01)	32,344	-	ESS001C2008B	-	-	-	-	HMPR06P2007A	-	-	-	-
CPF19P2010A	0.25	(0.01)	1	-	ESS001C2009A	0.49	(0.14)	51	-	HMPR06P2011A	0.39	-	72,655	-
CPF24C2007A	-	-	-	-	ESS001P2009A	0.13	(0.01)	7,240	-	HMPR11C2011A	0.62	(0.03)	14,294	-
CPF28C2010A	-	-	-	-	ESS006C2011A	0.44	(0.06)	38,351	-	HMPR13C2007A	-	-	-	-
CPF28C2011A	0.26	(0.01)	39,754	-	ESS008C2008A	-	-	-	-	HMPR13C2009A	0.36	(0.02)	19,754	-
CPF28C2012A	0.17	(0.01)	1,272	-	ESS008C2011A	0.50	(0.04)	49,146	-	HMPR19C2007A	0.14	(0.13)	200	-
CPF28C2012B	0.16	(0.01)	5,028	-	ESS013C2010A	0.43	(0.06)	242,757	-	HMPR19C2010A	0.49	(0.01)	66,542	-
CPF41C2008A	-	-	-	-	ESS019C2007A	-	-	-	-	HMPR24C2008A	0.61	(0.02)	6,267	-
CPF41C2010A	0.22	(0.02)	5,213	-	ESS019C2009A	-	-	-	-	HMPR41C2007A	-	-	-	-
CPF42C2101T	0.16	-	1,000	-	ESS019C2010A	0.48	(0.04)	11,907	-	HMPR41C2007B	-	-	-	-
CPN06C2010A	0.47	(0.08)	41,556	-	ESS019C2011A	0.31	(0.04)	60,501	-	HMPR41C2010A	0.37	(0.01)	20,801	-
CPN11C2008A	-	-	-	-	ESS024C2007A	0.23	(0.04)	2,200	-	HSI28C2007A	1.44	(0.44)	72,772	1.00
CPN13C2007A	-	-	-	-	ESS041C2010A	-	-	-	-	HSI28C2007B	0.73	(0.28)	86,817	-
CPN13C2009A	0.29	(0.04)	22,259	-	ESS041C2011A	0.38	(0.03)	4,090	-	HSI28C2007C	0.26	(0.18)	1,053,019	-
CPN19C2007A	-	-	-	-	ESS042C2007A	0.13	(0.03)	5,120	-	HSI28C2008A	2.78	(0.58)	20	2.00
CPN19C2010A	0.34	(0.03)	20,363	-	ESS042C2010T	0.34	(0.01)	400	-	HSI28C2008B	1.96	(0.30)	695	1.00
CPN19C2011A	0.43	(0.06)	74,806	-	GFPT08C2011A	0.33	-	13,454	-	HSI28C2008C	1.22	(0.31)	29,356	1.00
CPN19P2010A	0.50	0.01	43,706	-	GFPT13C2010A	0.29	-	9,645	-	HSI28C2008D	0.81	(0.19)	44,750	-
CPN24C2007A	0.02	(0.01)	5,003	-	GFPT19C2010A	0.36	0.01	31,316	-	HSI28C2009A	1.80	(0.30)	1,133	1.00
CPN24C2011A	0.46	(0.05)	8,753	-	GFPT19C2010B	0.22	-	7,822	-	HSI28C2009B	1.22	(0.24)	18	1.00
CPN41C2009A	0.24	(0.04)	21,302	-	GFPT24C2007A	0.11	(0.01)	2,902	-	HSI28C2009C	0.78	(0.17)	9,440	-
CRC01C2007A	-	-	-	-	GFPT42C2008A	-	-	-	-	HSI28C2010L	0.65	(0.17)	70,126	-
CRC08C2007A	-	-	-	-	GFPT42C2101T	-	-	-	-	HSI28C2011L	-	-	-	-
CRC08C2009A	0.24	(0.01)	31,207	-	GLOB01C2007B	-	-	-	-	HSI28C2012L	0.76	(0.14)	2,712	-
CRC13C2008A	0.01	-	875	-	GLOB01C2008A	-	-	-	-	HSI28P2007A	0.10	0.03	332,992	-
CRC13C2009A	0.26	(0.02)	29,492	-	GLOB13C2007A	-	-	-	-	HSI28P2007B	0.04	0.01	30,833	-
CRC19C2008A	-	-	-	-	GLOB13C2011A	0.30	(0.02)	44,835	-	HSI28P2007C	0.02	(0.01)	109,915	-
CRC19C2008B	0.21	(0.03)	33,759	-	GLOB19C2007A	-	-	-	-	HSI28P2008A	0.36	0.08	379,815	-
CRC19C2010A	0.19	(0.02)	9,874	-	GLOB19C2010A	0.48	(0.02)	33,902	-	HSI28P2008B	0.25	0.06	46,176	-
CRC24C2008A	0.29	(0.03)	8,231	-	GLOB24C2010A	0.42	-	6,176	-	HSI28P2008C	0.15	0.02	350,751	-
CRC28C2011A	0.22	(0.03)	15,140	-	GLOB24C2009A	-	-	-	-	HSI28P2009A	1.17	0.17	58,418	1.00
CRC28C2012A	0.19	(0.01)	10,665	-	GPSC01C2007B	-	-	-	-	HSI28P2009B	0.78	0.12	12,724	-
CRC41C2007A	-	-	-	-	GPSC01C2008A	-	-	-	-	HSI28P2009C	0.57	0.10	27,994	-
CRC41C2009A	0.19	(0.05)	1,600	-	GPSC01P2007B	0.03	0.01	90	-	HSI28P2010L	0.26	0.02	40,062	-
CRC41C2010A	-	-	-	-	GPSC01P2008A	0.56	(0.03)	612	-	HSI28P2011L	0.27	0.04	16,963	-
DELT13C2011A	1.13	0.39	272,972	1.00	GPSC06C2008A	0.28	(0.10)	109,676	-	HSI28P2012L	0.66	0.08	8,821	-
DOHO06C2012A	0.30	(0.70)	78,712	-	GPSC06C2011A	0.54	(0.07)	73,218	-	HSI41C2007A	0.90	(0.30)	4,700	-
DOHO13C2011A	0.25	0.03	423,446	-	GPSC08C2007A	-	-	-	-	HSI41C2007B	0.52	(0.13)	79	-
DOHO19C2011A	0.24	0.02	614,319	-	GPSC08C2009A	0.59	(0.06)	27,545	-	HSI41C2007C	-	-	-	-
DOHO28C2012A	0.24	(0.76)	50,317	-	GPSC13C2007A	-	-	-	-	HSI41C2008A	1.58	0.38	1	1.00
DTAC01C2007B	0.01	-	70	-	GPSC13C2008A	0.35	(0.06)	1	-	HSI41C2008B	0.93	(0.28)	116,047	-
DTAC01C2008A	-	-	-	-	GPSC13C2009A	0.69	(0.09)	90,497	-	HSI41C2008C	0.63	(0.24)	295,054	-
DTAC01P2007B	-	-	-	-	GPSC13C2011A	0.58	(0.07)	374,582	-	HSI41C2009A	1.22	(0.26)	6,051	1.00
DTAC01P2008A	0.36	-	268	-	GPSC13P2007A	0.12	0.10	1	-	HSI41P2007A	0.18	0.04	3,094	-
DTAC06C2012A	0.39	(0.61)	5,401	-	GPSC13P2011A	0.91	0.05	156,620	-	HSI41P2007B	-	-	-	-
DTAC08C2007A	-	-	-	-	GPSC16C2007A	-	-	-	-	HSI41P2007C	-	-	-	-
DTAC08C2008A	0.13	(0.02)	3,000	-	GPSC19C2007A	-	-	-	-	HSI41P2008A	0.34	0.04	100	-
DTAC13C2007A	-	-	-	-	GPSC19C2008A	-	-	-	-	HSI41P2008B	-	-	-	-
DTAC13C2009A	0.13	(0.01)	17,092	-	GPSC19C2009A	1.36	-	30	1.00	HSI41P2008C	0.54	0.11	30,991	-
DTAC13C2011A	0.37	(0.03)	21,159	-	GPSC19C2010A	0.59	(0.07)	163,186	-	HSI41P2009A	0.82	0.11	60,077	-
DTAC13P2007A	-	-	-	-	GPSC19P2010A	0.34	0.02	73,440	-	INTU06C2009A	0.63	(0.05)	14,885	-
DTAC13P2008A	0.20	-	38,915	-	GPSC19P2011A	1.01	0.05	172,849	-	INTU06P2011A	0.68	(0.01)	19,537	-
DTAC16C2009A	0.31	(0.04)	5,656	-	GPSC24C2007A	-	-	-	-	INTU13C2008A	0.46	(0.02)	73,644	-
DTAC19C2007A	-	-	-	-	GPSC24C2011A	0.52	(0.06)	6,755	-	INTU13C2011A	0.42	(0.02)	282,322	-
DTAC19C2009A	0.18	(0.02)	40,019	-	GPSC28C2008A	0.25	(0.04)	22,574	-	INTU16C2007A	-	-	-	-
DTAC19C2010A	0.16	(0.01)	21,467	-	GPSC28C2011A	0.57	(0.05)	35,575	-	INTU16C2009A	0.34	(0.02)	17,808	-
DTAC19C2011A	0.35	(0.65)	2,001	-	GPSC41C2009A	0.48	(0.06)	31,986	-	INTU19C2009A	0.40	(0.02)	153,279	-
DTAC19P2007A	0.23	0.01	550	-	GPSC41P2010A	0.82	0.04	17,284	-	INTU19P2007A	0.01	-	7	-
DTAC19P2011A	-	-	-	-	GPSC42C2101T	0.38	(0.01)	6,455	-	INTU19P2010A	0.34	-	1,000	-
DTAC24C2007A	-	-	-	-	GULF01C2007A	0.10	(0.02)	6,986	-	INTU23C2111A	-	-	-	-
DTAC27C2008A	-	-	-	-	GULF06C2009A	0.41	(0.05)	19,194	-	INTU24C2008A	0.34	(0.02)	6,073	-
DTAC41C2007B	-	-	-	-	GULF08C2008A	-	-	-	-	INTU28C2008A	0.13	(0.02)	35,374	-
DTAC41C2010A	0.21	-	4,000	-	GULF08C2009A	0.26	(0.03)	10,667	-	INTU28C2010A	0.33	(0.03)	27,103	-
DTAC42C2101T	0.18	(0.01)	1,923	-	GULF11C2011A	0.41	(0.05)	11,218	-	INTU28C2012A	0.42	(0.58)	25,609	-
EA06C2010A	0.64	(0.13)	205,124	-	GULF13C2008A	-	-	-	-	INTU41C2010A	-	-	-	-
EA08C2009A	0.57	(0.10)	80,016	-	GULF13C2009A	0.88	(0.13)	4,433	-	INTU42C2101T	0.31	0.07	2	-
EA13C2008A	0.27	0.02	101	-	GULF13C2009B	0.23	(0.04)	85,506	-	IRPC01C2007B	-	-	-	-
EA13C2009A	0.43	(0.09)	535,127	-	GULF13C2011A	0.40	(0.05)	132,778	-	IRPC01P2007B	0.07	-	4	-
EA16C2008A	0.10	0.01	1,640	-	GULF13P2009A	0.15	0.02	158,103	-	IRPC06C2010A	0.28	(0.05)	41,005	-
EA19C2008A	0.51	(0.01)	60	-	GULF13P2011A	0.40	0.03	152,911	-	IRPC06P2010A	0.34	0.04	96,634	-
EA19C2010A	0.48	(0.09)	659,151	-	GULF16C2007A	-	-	-	-	IRPC11C2008A	-	-	-	-
EA19P2007A	0.14	-	300	-	GULF19C2008A	-	-	-	-	IRPC13C2007A	-	-	-	-
EA19P2011A	0.45	0.04	306,915	-	GULF19C2010A	0.29	(0.04)	50,944	-	IRPC13C2008A	-	-	-	-
EA24C2008A	0.39	(0.10)	36,399	-	GULF19C2010B	0.37	(0.05)	22,649	-	IRPC13C2009A	0.32	(0.05)	56,424	-
EA28C2011A	0.50	(0.10)	125,899	-	GULF19P2009A	0.14	0.02	127,201	-	IRPC16C2008A	0.25	(0.04)	1,200	-
EA28C2012A	0.36	(0.05)	69,423	-	GULF19P2010A	0.21	0.02	50,845	-	IRPC19C2007A	-	-	-	-
EA41C2009A	0.43	(0.09)	5,389	-	GULF19P2010B	0.41	0.03	85,561	-	IRPC19C2008A	-	-	-	-
EA42C2101T	0.36	(0.06)	27,710	-	GULF24C2009A	0.23	(0.03)	5,803	-	IRPC19C2010A	0.26	(0.04)	159	-
EGCO01C2007B	0.02	-	136	-	GULF28C2008A	-	-	-	-	IRPC19C2011A	0.40	(0.06)	24,557	-
EGCO06C2007A	-	-	-	-	GULF28C2008B	0.69	(0.15)	510	-	IRPC24C2007A	0.19	(0.04)	6,003	-
EGCO06C2010A	0.41	(0.05)	26,834	-	GULF28C2008C	-	-	-	-	IRPC27C2007A	-	-	-	-
EGCO06P2009A	0.27	-	20,217	-	GULF28C2010A	0.18	(0.03)	5,113	-	IRPC28C2008A	-	-	-	-
EGCO13C2009A	0.27	(0.04)	11,591	-	GULF28C2012A	0.18	(0.02)	14,284	-	IRPC28C2012A	0.19	(0.03)	2,630	-
EGCO19C2007A	-	-	-	-	GULF41C2009A	0.24	(0.03)	12,530	-	IRPC41C2007A	-	-	-	-
EGCO19C2010A	0.46	(0.02)	53,075	-	GULF41C2011A	0.44	0.01	50	-	IRPC41C2010A	0.27	(0.02)	7,106	-
EGCO24C2009A	0.35	(0.04)	3,015	-	GULF41P2009A	0.38	0.02	29,852	-	IVL06C2008A	0.11	(0.03)	112,060	-
EGCO42C2007A</														

## Main Board Quotation

Issue Date :

Friday July 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL24C2008A	0.72	(0.07)	5,950	-	KTC13C2008A	0.28	(0.01)	23,417	-	PTG08C2007A	0.25	(0.06)	8	-
IVL27P2007A	0.12	0.01	6,526	-	KTC13C2010A	0.08	(0.01)	55,048	-	PTG08C2011A	0.47	(0.06)	41,810	-
IVL28C2011A	0.22	(0.02)	47,372	-	KTC13C2010B	0.29	-	204,823	-	PTG13C2010A	0.38	(0.06)	445,271	-
IVL28C2012A	0.15	(0.01)	31,941	-	KTC13P2007A	-	-	-	-	PTG16C2009A	0.45	(0.07)	28,105	-
IVL41C2007B	-	-	-	-	KTC19C2008A	0.28	(0.02)	26,941	-	PTG19C2008A	-	-	-	-
IVL41C2009A	0.18	(0.02)	27,555	-	KTC19C2010A	0.11	-	180,534	-	PTG19C2010A	0.46	(0.06)	72,155	-
IVL41C2010A	0.18	0.01	1,600	-	KTC19C2010B	0.29	(0.01)	44,736	-	PTG19P2010A	0.28	0.02	66,060	-
IVL41P2010A	0.46	0.04	23,747	-	KTC19P2010A	0.45	(0.01)	4,345	-	PTG27C2007A	0.18	(0.08)	7,040	-
IVL42C2008A	0.91	(0.83)	287	-	KTC27C2007A	-	-	-	-	PTG42C2101T	0.27	(0.04)	15,480	-
IVL42C2101T	0.15	(0.01)	170	-	KTC28C2011A	0.11	(0.01)	4,500	-	PTT01C2007A	0.06	(0.01)	3,586	-
JAS08C2011A	0.41	-	18,049	-	KTC28C2012A	0.15	0.01	31,972	-	PTT01C2007B	0.02	0.01	2,811	-
JAS13C2009A	0.13	-	37,620	-	KTC28C2012B	0.29	(0.01)	19,581	-	PTT01P2007A	0.86	0.07	489	-
JAS13C2011A	0.40	(0.01)	232,922	-	KTC41C2009A	0.14	-	10,400	-	PTT01P2007B	0.06	0.02	1,234	-
JAS19C2009A	0.58	-	19,428	-	KTC41C2011A	0.30	-	3,552	-	PTT06C2008A	0.90	(0.09)	28,128	-
JAS19C2010A	0.24	-	4,657	-	KTC42C2102T	0.17	-	20	-	PTT08C2008A	0.30	(0.03)	37,171	-
JAS19C2010B	0.38	-	22,997	-	LH11C2007A	-	-	-	-	PTT08P2009A	0.30	0.01	29,939	-
JAS19P2010A	0.40	(0.01)	20,636	-	LH11C2012A	0.39	(0.01)	28,780	-	PTT11C2008A	0.03	(0.01)	8,540	-
JAS28C2011A	0.25	-	21,464	-	LH13C2010A	0.35	(0.02)	24,515	-	PTT13C2008A	0.06	(0.01)	35	-
JAS28C2012A	0.17	-	2,786	-	LH19C2007A	-	-	-	-	PTT13C2008B	-	-	-	-
JAS28C2012B	0.37	(0.63)	22,534	-	LH19C2010A	0.42	(0.01)	6,926	-	PTT13C2009A	0.32	(0.04)	199,758	-
JAS41C2009A	0.24	-	4,400	-	LH19C2011A	0.27	(0.01)	6,499	-	PTT13C2010A	0.26	(0.04)	380,587	-
JMT13C2011A	1.02	0.08	12,861	-	LH19P2010A	0.34	0.01	12,564	-	PTT13P2008A	0.01	-	2,006	-
JMT13C2011B	0.35	0.04	986,907	-	MAJ013C2007A	-	-	-	-	PTT13P2009A	0.10	0.01	86,173	-
JMT19C2010A	1.27	0.10	11,851	1.00	MAJ013C2011A	0.33	0.01	42,041	-	PTT13P2010A	0.32	0.03	342,578	-
JMT19C2011A	0.36	0.04	263,986	-	MAJ019C2011A	0.46	0.01	14,539	-	PTT16C2008A	-	-	-	-
KBAN01C2007A	0.04	(0.02)	2,322	-	MEGA16C2009A	-	-	-	-	PTT19C2008A	-	-	-	-
KBAN01C2007B	0.02	0.01	2,972	-	MEGA19C2011A	0.34	(0.01)	16,839	-	PTT19C2009A	0.38	(0.04)	162,794	-
KBAN01P2007A	2.12	0.04	6	2.00	MINT01C2007B	0.01	-	995	-	PTT19C2011A	0.30	(0.03)	180,745	-
KBAN01P2007B	1.45	0.30	72	1.00	MINT01C2008A	0.02	(0.01)	9,585	-	PTT19P2009A	0.07	0.01	27,905	-
KBAN06C2008A	0.02	-	141	-	MINT01P2008A	1.17	0.07	3,759	1.00	PTT19P2010A	0.30	0.02	117,200	-
KBAN06C2009A	0.35	(0.05)	95,510	-	MINT06P2007A	-	-	-	-	PTT19P2010B	0.36	0.02	118,679	-
KBAN06C2011A	0.14	(0.02)	19,337	-	MINT08C2010A	0.45	(0.05)	36,650	-	PTT24C2008A	0.26	(0.04)	32,400	-
KBAN06P2011A	0.95	0.02	141,473	-	MINT08P2011A	1.00	0.04	73,900	-	PTT28C2008A	0.05	(0.01)	781	-
KBAN08C2007A	-	-	-	-	MINT11C2011A	0.65	(0.05)	30,621	-	PTT28C2008B	-	-	-	-
KBAN08C2011A	0.54	(0.05)	44,194	-	MINT11P2011A	0.63	0.02	34,733	-	PTT28C2008C	-	-	-	-
KBAN13C2008A	-	-	-	-	MINT13C2008A	-	-	-	-	PTT28C2011A	0.31	(0.04)	34,228	-
KBAN13C2008B	0.44	(0.08)	100	-	MINT13C2009A	0.25	(0.03)	140,541	-	PTT28C2012A	0.22	(0.03)	23,898	-
KBAN13C2010A	0.54	(0.04)	632,072	-	MINT13C2010A	0.57	(0.05)	218,100	-	PTT41C2007A	-	-	-	-
KBAN13C2010B	0.16	(0.02)	116,875	-	MINT19C2010A	0.34	(0.03)	211,433	-	PTT41C2009A	-	-	-	-
KBAN13P2008A	-	-	-	-	MINT19C2011A	0.73	(0.04)	52,710	-	PTT41C2010A	0.29	(0.04)	61,558	-
KBAN13P2010A	0.50	0.01	384,429	-	MINT19P2010A	0.69	0.04	31,999	-	PTT41P2010A	0.24	0.01	2,972	-
KBAN16C2008A	0.01	(0.01)	1,412	-	MINT24C2011A	0.52	(0.04)	20,681	-	PTT41P2011A	0.76	0.04	10	-
KBAN19C2007A	-	-	-	-	MINT28C2008A	0.01	(0.01)	1,603	-	PTT42C2007A	-	-	-	-
KBAN19C2009A	0.75	(0.07)	1	-	MINT28C2012A	0.26	(0.01)	36,875	-	PTT42C2010M	0.35	(0.05)	15,323	-
KBAN19C2010A	0.18	(0.02)	54,319	-	MINT28C2012B	0.44	(0.56)	34,482	-	PTT42C2012T	0.22	(0.02)	33,374	-
KBAN19C2010B	0.53	(0.04)	184,770	-	MINT41C2007A	-	-	-	-	PTT42P2101T	0.27	0.02	6,001	-
KBAN19C2011A	0.15	(0.02)	169,748	-	MINT41C2010A	0.37	(0.02)	24,514	-	PTTE01C2007A	0.01	(0.01)	5,293	-
KBAN19P2007A	-	-	-	-	MINT42C2101T	0.35	(0.04)	2,665	-	PTTE01C2007B	0.01	(0.01)	4,209	-
KBAN19P2010A	0.97	0.02	100,635	-	MTC01C2007B	-	-	-	-	PTTE01P2007A	1.72	0.10	31	1.00
KBAN19P2010P	0.38	0.02	78,398	-	MTC01C2008A	0.14	-	9	-	PTTE01P2007B	0.30	0.07	201	-
KBAN24C2009A	0.66	(0.05)	22,814	-	MTC06C2007A	-	-	-	-	PTTE06C2008A	2.36	(0.18)	50,541	2.00
KBAN28C2008A	-	-	-	-	MTC06C2009A	-	-	-	-	PTTE06C2011A	0.58	(0.10)	108,640	-
KBAN28C2008B	-	-	-	-	MTC06C2010A	0.44	-	42,536	-	PTTE06P2009A	0.16	0.01	77,095	-
KBAN28C2008C	0.37	(0.04)	30,345	-	MTC08C2009A	-	-	-	-	PTTE06P2011A	1.05	0.05	139,359	1.00
KBAN28C2010A	0.08	(0.01)	5,600	-	MTC08C2011A	0.67	(0.01)	34,909	-	PTTE08C2008A	-	-	-	-
KBAN28C2012A	0.22	(0.02)	8,157	-	MTC11C2008A	-	-	-	-	PTTE08C2011A	0.88	(0.07)	90,121	-
KBAN28P2012A	0.50	-	43,134	-	MTC13C2007A	-	-	-	-	PTTE11C2011A	0.83	(0.07)	47,104	-
KBAN41C2007A	0.01	-	35,500	-	MTC13C2009A	0.51	(0.01)	39,610	-	PTTE13C2008A	0.03	-	50	-
KBAN41C2008A	-	-	-	-	MTC13C2010A	0.46	-	213,975	-	PTTE13C2008B	-	-	-	-
KBAN41C2009A	0.63	(0.09)	109,702	-	MTC16C2007A	-	-	-	-	PTTE13C2009A	-	-	-	-
KBAN41C2011A	0.15	(0.01)	20	-	MTC19C2009A	0.91	(0.03)	22,965	-	PTTE13C2010A	0.68	(0.08)	179,222	-
KBAN41P2010A	0.63	0.02	22,996	-	MTC19C2010A	0.58	-	134,202	-	PTTE13C2010B	0.28	(0.02)	20,536	-
KBAN41P2011A	-	-	-	-	MTC24C2009A	0.49	(0.02)	6,948	-	PTTE13P2008A	0.04	0.01	8,644	-
KBAN42C2007A	-	-	-	-	MTC27C2007A	0.01	-	220	-	PTTE13P2009A	0.12	0.01	2,858	-
KBAN42C2101T	0.60	(0.03)	19,937	-	MTC28C2008A	-	-	-	-	PTTE13P2010A	1.15	0.04	230,534	1.00
KBAN42P2008A	-	-	-	-	MTC28C2011A	0.54	-	91,178	-	PTTE16C2009A	0.02	-	2	-
KBAN42P2101T	0.93	0.12	8,000	-	MTC28C2012A	0.38	0.01	28,374	-	PTTE19C2008A	0.09	(0.01)	26	-
KCE01C2007B	0.02	-	6,002	-	MTC28C2102L	0.36	(0.01)	26,594	-	PTTE19C2008B	-	-	-	-
KCE01C2008A	0.31	0.08	5,435	-	MTC41C2010A	0.44	(0.01)	7,941	-	PTTE19C2009A	-	-	-	-
KCE06C2009A	2.06	0.33	207	1.00	MTC42C2101T	0.32	-	9,992	-	PTTE19C2009B	-	-	-	-
KCE06C2012A	1.18	0.22	145,485	1.00	ORI19C2010A	-	-	-	-	PTTE19C2010A	0.51	(0.05)	29,555	-
KCE08C2009A	1.54	0.25	96,765	1.00	ORI19C2011A	0.39	(0.03)	109,870	-	PTTE19C2010B	0.91	(0.08)	198,424	-
KCE08C2012A	0.35	0.06	166,183	-	ORI28C2011A	-	-	-	-	PTTE19C2011A	0.36	(0.03)	246,985	-
KCE13C2009A	0.96	0.19	661,782	-	ORI28C2012A	0.83	0.06	100	-	PTTE19P2009A	0.10	-	432,675	-
KCE13C2010A	0.27	0.06	421,630	-	ORI28C2012B	0.34	(0.03)	145,991	-	PTTE19P2009B	0.26	0.01	150,096	-
KCE16C2007A	0.04	(0.02)	31,973	-	OSP06C2008A	0.51	(0.05)	20,860	-	PTTE19P2010A	0.73	0.03	413,181	-
KCE19C2007A	0.34	0.06	1,008	-	OSP06C2011A	0.30	(0.02)	43,891	-	PTTE19P2010B	1.07	0.05	498,989	1.00
KCE19C2008A	-	-	-	-	OSP06P2009A	0.33	0.01	27,201	-	PTTE24C2008A	-	-	-	-
KCE19C2009A	1.30	0.21	37,739	1.00	OSP08C2009A	0.30	(0.02)	15,000	-	PTTE24C2011A	0.52	(0.05)	15,970	-
KCE19C2010A	1.23	0.22	258,780	1.00	OSP13C2010A	0.27	(0.02)	29,153	-	PTTE28C2008A	0.04	(0.04)	657	-
KCE19C2010B	0.81	0.15	326,544	-	OSP16C2008A	0.01	(0.02)	9	-	PTTE28C2011A	0.85	(0.07)	23,186	-
KCE24C2010A	0.47	0.08	26,015	-	OSP19C2009A	0.26	(0.02)	68,450	-	PTTE28C2011B	0.28	(0.03)	46,411	-
KCE27C2007A	0.02	-	2,000	-	OSP19C2010A	0.18	(0.01)	50,748	-	PTTE28C2012A	0.64	(0.06)	47,921	-
KCE27C2101X	0.57	0.07	28,827	-	OSP24C2008A	0.12	(0.02)	10,838	-	PTTE28C2102L	0.48	(0.03)	47,252	-
KCE42C2012T	0.70	0.12	30,380	-	OSP41C2010A	0.24	(0.01)	1,000	-	PTTE41C2007A	0.74	(0.08)	788	-
KKP11C2007A	-	-	-	-	OSP42C2101T	0.21	(0.01)							

## Main Board Quotation

## Issue Date :

Friday July 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG13C2008A	-	-	-	-	S5028C2009C	0.58	(0.42)	662,865	-	SPRC01C2007A	0.03	-	1	-
PTTG13C2009A	-	-	-	-	S5028C2012A	0.35	(0.05)	281,945	-	SPRC06C2010A	0.32	(0.01)	39,206	-
PTTG13C2010A	0.36	(0.06)	269,601	-	S5028P2007A	0.04	-	10,716	-	SPRC06P2007A	-	-	-	-
PTTG13P2008A	0.08	(0.01)	431	-	S5028P2009A	0.93	0.04	72,803	-	SPRC06P2011A	0.57	0.01	30,173	-
PTTG13P2010A	0.41	0.04	132,539	-	S5028P2009B	0.58	0.04	316,419	-	SPRC08C2011A	0.32	(0.02)	7,124	-
PTTG19C2008A	-	-	-	-	S5028P2009C	1.10	0.10	1,499,940	1.00	SPRC11C2008A	-	-	-	-
PTTG19C2008B	-	-	-	-	S5028P2012A	1.14	0.07	462,677	1.00	SPRC13C2008A	-	-	-	-
PTTG19C2009A	0.50	(0.07)	180,076	-	S5041C2009A	0.69	(0.14)	57,022	-	SPRC13C2010A	0.22	(0.02)	64,237	-
PTTG19C2011A	0.43	(0.05)	311,419	-	S5041C2009B	0.37	(0.09)	128,862	-	SPRC19C2007A	-	-	-	-
PTTG19P2009A	0.14	0.02	182,526	-	S5041C2009C	0.24	(0.07)	83,023	-	SPRC19C2010A	0.30	(0.01)	69,994	-
PTTG19P2010A	0.54	0.05	305,327	-	S5041C2009D	0.13	(0.04)	3,397	-	SPRC19P2011A	0.53	0.01	122,029	-
PTTG19P2011A	0.49	0.04	211,805	-	S5041C2009E	0.69	(0.12)	3,210,679	-	SPRC28C2008A	-	-	-	-
PTTG24C2008A	0.41	(0.07)	24,489	-	S5041P2009A	0.61	0.05	7,667	-	SPRC28C2011A	0.23	(0.01)	22,887	-
PTTG28C2008A	0.23	(0.04)	179,154	-	S5041P2009B	0.81	0.08	103,217	-	SPRC42C2101T	-	-	-	-
PTTG28C2011A	0.27	(0.06)	34,496	-	S5041P2009C	1.13	0.11	152,394	1.00	STA01C2008B	3.00	(0.40)	1,597	3.00
PTTG28C2012A	0.54	(0.07)	59,412	-	S5041P2009D	0.84	0.08	10,430	-	STA01C2009A	2.92	0.10	25	2.00
PTTG41C2007A	-	-	-	-	S5041P2009E	1.04	0.10	466,349	1.00	STA01P2009A	0.24	-	3,851	-
PTTG41C2008A	-	-	-	-	SAWA06C2007A	0.01	-	205	-	STA06C2012A	0.42	(0.06)	101,635	-
PTTG41C2010A	-	-	-	-	SAWA06C2010A	0.40	(0.05)	38,738	-	STA08C2010A	-	-	-	-
PTTG41C2011A	0.32	(0.06)	38,564	-	SAWA08C2011A	0.44	(0.03)	40,028	-	STA08C2011A	0.28	(0.05)	97,857	-
PTTG41P2010A	-	-	-	-	SAWA13C2007A	-	-	-	-	STA13C2009A	2.64	(0.30)	27	2.00
PTTG41P2011A	0.82	0.07	55,847	-	SAWA13C2009A	0.35	(0.04)	2,891	-	STA13C2010A	1.50	(0.12)	1,863	1.00
PTTG42C2007A	-	-	-	-	SAWA13C2010A	0.33	(0.02)	70,736	-	STA13C2010B	0.31	(0.04)	1,148,027	-
PTTG42C2012T	0.32	(0.02)	18,000	-	SAWA16C2008A	-	-	-	-	STA13C2010C	0.27	(0.04)	941,613	-
QH27C2007A	-	-	-	-	SAWA19C2009A	0.42	(0.02)	942	-	STA13P2010A	0.31	0.02	591,104	-
QH27C2101A	-	-	-	-	SAWA19C2009B	0.39	(0.04)	39,645	-	STA19C2007A	-	-	-	-
RATC06C2009A	0.35	(0.05)	16,869	-	SAWA19C2011A	0.46	(0.03)	128,163	-	STA19C2009A	2.94	(0.24)	5,582	2.00
RATC06P2010A	0.79	0.04	24,889	-	SAWA24C2009A	0.35	(0.05)	6,030	-	STA19C2010A	-	-	-	-
RATC13C2007A	-	-	-	-	SAWA27C2007A	-	-	-	-	STA19C2010B	-	-	-	-
RATC13C2010A	0.35	(0.02)	53,759	-	SAWA28C2008A	-	-	-	-	STA19C2010C	0.28	(0.04)	198,082	-
RATC16C2008A	-	-	-	-	SAWA28C2011A	0.42	(0.04)	76,314	-	STA19C2011A	1.06	(0.10)	7,950	1.00
RATC19C2007A	0.19	(0.03)	6,516	-	SAWA28C2012A	0.41	(0.03)	54,075	-	STA19C2011B	0.32	(0.05)	526,142	-
RATC19C2011A	0.43	(0.03)	35,424	-	SAWA28C2102L	0.24	(0.01)	9,226	-	STA19P2009A	0.29	0.02	1,078,672	-
RATC19P2011A	0.72	0.03	165,812	-	SAWA41C2009A	0.35	(0.03)	18,168	-	STA28C2011A	-	-	-	-
RATC27C2007A	0.01	(0.09)	998	-	SAWA41C2010A	-	-	-	-	STA28C2011B	0.30	(0.03)	45,800	-
RATC41C2010A	0.40	(0.04)	8,841	-	SAWA42C2101T	0.24	-	550	-	STA28C2012A	-	-	-	-
RATC42C2102T	0.35	(0.05)	4,000	-	SCB01C2007A	0.02	-	19,105	-	STA28C2102L	0.22	(0.02)	37,872	-
RS06C2010A	0.81	(0.10)	24,392	-	SCB01C2007B	0.02	-	256	-	STA41C2010A	0.28	(0.02)	18,317	-
RS08C2011A	0.54	(0.07)	29,112	-	SCB01C2008B	0.04	-	217	-	STA42C2007A	-	-	-	-
RS13C2010A	0.68	(0.08)	660	-	SCB01C2009A	0.27	(0.04)	10,741	-	STA42C2101T	0.24	(0.02)	180	-
RS13C2011A	0.35	(0.05)	213,547	-	SCB01P2007A	1.14	0.08	30	1.00	STEC06C2010A	0.44	(0.03)	60,306	-
RS19C2007A	0.66	(0.11)	1	-	SCB01P2007B	0.56	0.03	80	-	STEC08C2012A	0.42	(0.01)	56,460	-
RS19C2010A	1.85	0.03	22	1.00	SCB06C2010A	0.62	(0.07)	33,735	-	STEC11C2007A	-	-	-	-
RS19C2010B	0.42	(0.07)	58,980	-	SCB08C2007A	-	-	-	-	STEC13C2010A	0.32	(0.02)	152,884	-
RS19C2011A	0.72	(0.09)	12,634	-	SCB08C2009A	0.52	(0.04)	31,616	-	STEC16C2009A	-	-	-	-
RS24C2008A	0.43	(0.10)	1,401	-	SCB11C2008A	-	-	-	-	STEC19C2009A	0.43	(0.03)	99,745	-
RS28C2012A	0.54	(0.07)	46,974	-	SCB11P2012A	0.85	0.03	31,585	-	STEC19C2011A	0.31	(0.01)	184,765	-
RS28C2101L	0.35	(0.05)	29,587	-	SCB13C2007A	-	-	-	-	STEC28C2011A	0.34	(0.03)	74,644	-
RS41C2011A	0.41	(0.06)	32,202	-	SCB13C2008A	-	-	-	-	STEC28C2012A	0.35	(0.01)	44,706	-
RS42C2008A	-	-	-	-	SCB13C2009A	0.47	(0.06)	144,268	-	STEC41C2009A	0.24	(0.03)	21,817	-
RS42C2101T	0.27	-	6,200	-	SCB13C2010A	0.28	(0.03)	95,351	-	SUPE08C2012A	0.30	-	120,897	-
S10001C2011A	0.09	0.01	542	-	SCB13P2008A	0.15	0.01	160	-	SUPE19C2007A	-	-	-	-
S5001C2007A	0.14	(0.04)	7,845	-	SCB13P2010A	1.28	0.05	187,676	1.00	SUPE19C2010A	0.52	(0.01)	12,530	-
S5001P2007A	0.44	0.04	27,358	-	SCB16C2008A	-	-	-	-	SUPE19C2011A	0.30	0.02	643,761	-
S5006C2009A	0.56	(0.14)	366,725	-	SCB19C2007A	-	-	-	-	SUPE19C2011B	0.20	-	63,525	-
S5006C2009B	0.93	(0.18)	538,710	-	SCB19C2008A	-	-	-	-	SUPE19P2011A	0.43	(0.57)	14,655	-
S5006C2009C	0.38	(0.12)	144,312	-	SCB19C2010A	0.32	(0.04)	62,902	-	SUPE42C2101T	0.21	0.01	23,627	-
S5006P2009A	0.89	0.07	335,714	-	SCB19C2010B	0.66	(0.05)	55,313	-	TASC01C2007B	-	-	-	-
S5006P2009B	0.23	0.04	164,896	-	SCB19P2010A	0.43	0.02	18,600	-	TASC01C2008A	1.12	(0.04)	4,106	1.00
S5006P2009C	1.10	0.14	460,987	1.00	SCB19P2011A	1.51	0.07	7,617	1.00	TASC01P2008A	0.11	-	5	-
S5008C2009A	0.23	(0.06)	23,551	-	SCB24C2008A	0.24	(0.04)	8,400	-	TASC06C2009A	-	-	-	-
S5008C2009B	0.42	(0.11)	484,251	-	SCB27C2007A	-	-	-	-	TASC06C2012A	0.33	(0.67)	19,281	-
S5008P2009A	0.32	0.03	22,854	-	SCB28C2008A	-	-	-	-	TASC08C2011A	0.81	(0.03)	110	-
S5008P2009B	0.76	0.07	313,774	-	SCB28C2010A	0.41	(0.06)	28,582	-	TASC08C2012A	0.27	(0.01)	24,910	-
S5013C2009A	0.68	(0.12)	5,449,614	-	SCB28C2012A	0.47	(0.53)	23,781	-	TASC13C2009A	0.87	(0.03)	1,600	-
S5013C2009B	0.34	(0.09)	8,159,358	-	SCB41C2008A	-	-	-	-	TASC13C2011A	0.25	(0.02)	336,886	-
S5013C2009C	0.17	(0.05)	2,233,998	-	SCB41C2011A	0.23	(0.03)	300	-	TASC16C2008A	-	-	-	-
S5013P2009A	0.39	0.04	288,803	-	SCB41C2011B	0.55	(0.06)	77,218	-	TASC19C2007A	0.39	(0.09)	1,290	-
S5013P2009B	0.30	0.04	561,110	-	SCB41P2011A	0.76	0.04	76,653	-	TASC19C2009A	1.20	(0.04)	1,000	1.00
S5013P2009C	0.43	0.05	295,745	-	SCB42C2007A	-	-	-	-	TASC19C2010A	0.23	(0.02)	81,916	-
S5013P2009D	0.40	0.04	3,364,009	-	SCB42C2101T	0.31	(0.02)	2,909	-	TASC19C2011A	0.88	(0.06)	9,652	-
S5013P2009E	1.27	0.12	5,317,875	1.00	SCC06C2007A	-	-	-	-	TASC19P2010A	0.41	0.02	29,261	-
S5013P2009F	0.97	0.10	6,818,847	-	SCC06C2012A	0.90	(0.10)	33,939	-	TASC19P2011A	0.33	0.01	57,804	-
S5016C2009A	0.24	(0.07)	4,932	-	SCC08C2011A	0.82	0.02	18,412	-	TASC24C2011A	0.78	(0.03)	2,309	-
S5016P2009A	1.06	0.11	17,792	1.00	SCC11C2007A	0.21	0.02	1,450	-	TASC28C2010A	-	-	-	-
S5016P2103Z	-	-	-	-	SCC11C2011A	0.92	0.01	30,651	-	TASC28C2012A	0.64	(0.02)	4,260	-
S5019C2007B	-	-	-	-	SCC13C2008A	-	-	-	-	TASC28C2012B	0.23	-	12,368	-
S5019C2009A	2.82	(0.22)	3,144	2.00	SCC13C2009A	0.87	0.02	53,443	-	TASC28C2012C	0.77	(0.23)	2,028	-
S5019C2009B	0.79	(0.13)	478,545	-	SCC13P2009A	0.47	(0.02)	403	-	TASC41C2009A	-	-	-	-
S5019C2009C	0.16	(0.05)	158,052	-	SCC19C2008A	-	-	-	-	TASC41C2010A	-	-	-	-
S5019C2009D	0.33	(0.10)	472,459	-	SCC19C2010A	0.79	0.01	89,803	-	TASC41C2011A	0.26	(0.01)	25,617	-
S5019P2007B	-	-	-	-	SCC19P2010A	0.17	-	3,996	-	TASC42C2101T	0.48	(0.01)	10,692	-
S5019P2009A	0.25	0.02	79,620	-	SCC19P2011A	0.87	(0.03)	45,969	-	TCAP01C2007B	-	-	-	-
S5019P2009B	0.09	0.01	68,627	-	SCC27P2008A	-	-	-	-	TCAP01C2008A	-	-	-	-
S5019P2009C	0.63	0.07	480,452	-	SCC28C2008A	-	-	-	-	TCAP01P2008A	-	-	-	-
S5019P2009D	1.03	0.09	746,337	1.00	SCC28C2010A	0.81								

## Main Board Quotation

Issue Date :

Friday July 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN08C2007A	-	-	-	-	VGI06C2007A	-	-	-	-	TISCO-P	-	-	-	-
TKN08C2011A	0.25	(0.02)	10,555	-	VGI06C2010A	0.29	(0.02)	18,548	-	U-P	1.79	(0.01)	100	1.00
TKN13C2010A	-	-	-	-	VGI11C2008A	-	-	-	-	Warrant (MAI)	-	-	-	-
TKN13C2010B	0.23	(0.03)	79,806	-	VGI13C2010A	0.22	(0.01)	50,528	-	BM-W1	-	-	-	-
TKN16C2008A	-	-	-	-	VGI19C2010A	0.36	(0.03)	25,227	-	BROOK-W5	0.15	-	89,841	-
TKN19C2007A	-	-	-	-	VGI41C2007A	-	-	-	-	CHAYO-W1	2.24	(0.14)	233,330	2.00
TKN19C2010A	-	-	-	-	VGI41C2011A	0.41	(0.03)	18,792	-	CHO-W2	0.04	(0.01)	19,043	-
TKN19C2011A	0.67	(0.06)	33,305	-	VGI42C2011T	0.21	(0.01)	1,900	-	CIG-W8	0.02	(0.01)	521	-
TKN19C2011B	0.26	(0.03)	32,522	-	WHA01C2008B	-	-	-	-	D-W1	1.06	0.02	6,726	1.00
TKN28C2012A	0.74	(0.04)	1,300	-	WHA01C2009A	-	-	-	-	DIMET-W3	1.16	0.05	13	1.00
TKN28C2012B	0.25	(0.03)	13,537	-	WHA01P2009A	0.09	0.01	2,199	-	DOD-W1	0.59	(0.02)	48,179	-
TMB19C2007A	0.01	-	51	-	WHA06C2010A	0.36	(0.05)	60,000	-	ECF-W3	0.30	(0.02)	13,851	-
TMB19C2011A	0.33	(0.01)	11,580	-	WHA06P2012A	0.75	0.04	45,643	-	HPT-W1	0.30	(0.05)	5,700	-
TMB19C2011B	0.19	-	465	-	WHA08C2011A	0.44	(0.05)	19,153	-	HYDRO-W1	0.03	-	125	-
TMB41C2010A	0.14	-	3,630	-	WHA11C2008A	-	-	-	-	ITEL-W1	0.38	-	22,145	-
TOA13C2007A	0.18	0.07	1,272	-	WHA13C2009A	0.40	(0.05)	140,833	-	LIT-W1	0.58	-	1,662	-
TOA13C2011A	0.44	0.06	361,979	-	WHA16C2008A	-	-	-	-	META-W4	0.07	-	15,191	-
TOA19C2007A	0.29	0.05	61,425	-	WHA19C2010A	0.49	(0.05)	18,883	-	NEWS-W6	-	-	-	-
TOA19C2010A	0.44	0.05	154,627	-	WHA19C2011A	0.34	(0.04)	77,029	-	OCEAN-W3	0.32	(0.01)	2,952	-
TOA42C2011T	0.29	0.04	48,348	-	WHA19P2011A	0.62	0.04	68,644	-	RWI-W2	0.15	-	63,601	-
TOP01C2008B	-	-	-	-	WHA24C2007A	0.07	(0.01)	1,960	-	SANKO-W1	0.11	(0.03)	8,224	-
TOP01C2009A	-	-	-	-	WHA27C2008A	0.15	(0.03)	356	-	SIMAT-W3	0.63	(0.05)	213,536	-
TOP01P2009A	0.30	0.02	1	-	WHA28C2011A	0.35	(0.03)	17,736	-	SIMAT-W4	2.20	(0.10)	3,089	2.00
TOP06C2007A	-	-	-	-	WHA28C2012A	-	-	-	-	SMART-W2	0.22	(0.01)	50,541	-
TOP06C2008A	0.96	(0.05)	59,194	-	WHA42C2011T	0.27	(0.03)	3,050	-	SWC-W1	-	-	-	-
TOP06C2011A	0.32	(0.02)	191,541	-	Preferred/Foreign	-	-	-	-	TAKUNI-W	0.04	-	2,037	-
TOP06P2010A	0.35	0.01	94,513	-	BH-Q	-	-	-	-	TAPAC-W4	0.39	-	29,753	-
TOP08C2007A	-	-	-	-	CSC-Q	-	-	-	-	TVD-W2	0.28	(0.01)	31,839	-
TOP08C2010A	0.41	(0.03)	29,100	-	JUTHA-Q	-	-	-	-	UREKA-W2	0.38	0.38	1,391,262	-
TOP08P2007A	-	-	-	-	KTB-Q	-	-	-	-	Preferred Shares	-	-	-	-
TOP11C2007A	-	-	-	-	SCB-Q	-	-	-	-	SGF-P1	-	-	-	-
TOP11C2011A	0.54	(0.03)	39,639	-	TCAP-Q	-	-	-	-	-	-	-	-	-
TOP13C2008A	-	-	-	-	TISCO-Q	-	-	-	-	-	-	-	-	-
TOP13C2008B	-	-	-	-	U-Q	-	-	-	-	-	-	-	-	-
TOP13C2010A	0.35	(0.02)	74,814	-	Warrant	-	-	-	-	-	-	-	-	-
TOP13C2011A	0.38	(0.03)	28,645	-	7UP-W4	0.11	-	17,330	-	-	-	-	-	-
TOP13P2010A	0.52	0.01	45,690	-	AKR-W1	0.06	-	35,336	-	-	-	-	-	-
TOP16C2008A	-	-	-	-	ALT-W1	1.42	0.01	75,544	1.00	-	-	-	-	-
TOP19C2007A	-	-	-	-	APEX-W1	-	-	-	-	-	-	-	-	-
TOP19C2008A	0.20	(0.03)	231,599	-	APURE-W2	0.20	-	32,647	-	-	-	-	-	-
TOP19C2010A	0.41	(0.03)	37,759	-	B-W3	-	-	-	-	-	-	-	-	-
TOP19C2010B	0.44	(0.02)	137,324	-	B-W4	0.05	0.01	44,791	-	-	-	-	-	-
TOP19P2010A	0.50	0.02	219,926	-	B-W5	0.06	-	96,240	-	-	-	-	-	-
TOP24C2007A	-	-	-	-	BKD-W2	0.08	(0.01)	1,030	-	-	-	-	-	-
TOP24C2008A	0.17	(0.02)	7,381	-	BTS-W5	1.06	(0.03)	63,052	1.00	-	-	-	-	-
TOP41C2008A	0.11	(0.04)	1,000	-	CGD-W4	0.05	(0.01)	6,422	-	-	-	-	-	-
TOP41C2010A	0.28	(0.02)	500	-	CGH-W3	0.03	-	8,338	-	-	-	-	-	-
TOP41C2011A	0.38	(0.04)	37,128	-	DCC-W1	0.94	0.01	82,191	-	-	-	-	-	-
TOP41P2010A	0.37	-	27,706	-	ECL-W3	0.13	(0.01)	8,583	-	-	-	-	-	-
TOP41P2011A	-	-	-	-	EMC-W6	0.04	-	213,235	-	-	-	-	-	-
TOP42C2007A	-	-	-	-	EP-W3	0.33	-	13,854	-	-	-	-	-	-
TOP42C2011T	0.31	(0.01)	6,011	-	GLOCON-W4	0.34	-	138,625	-	-	-	-	-	-
TQM13C2011A	0.73	(0.08)	289,458	-	III-W1	0.61	(0.04)	55,798	-	-	-	-	-	-
TQM19C2010A	3.20	(0.22)	739	3.00	J-W1	0.38	-	420	-	-	-	-	-	-
TQM19C2010B	0.61	(0.09)	530,497	-	JCK-W5	-	-	-	-	-	-	-	-	-
TQM19C2011A	0.97	(0.11)	293,457	1.00	JMART-W3	5.10	(0.20)	89,224	5.00	-	-	-	-	-
TQM41C2011A	0.75	(0.06)	34,205	-	JMART-W4	4.08	(0.24)	141,416	4.00	-	-	-	-	-
TQM42C2011T	0.65	(0.03)	5,341	-	JMT-W2	7.90	0.50	188,711	7.00	-	-	-	-	-
TRUE01C2007A	-	-	-	-	MACO-W2	0.09	-	166,884	-	-	-	-	-	-
TRUE01C2007B	0.01	-	7,173	-	MILL-W4	0.05	-	55	-	-	-	-	-	-
TRUE01P2007B	0.02	-	12	-	MILL-W5	-	-	-	-	-	-	-	-	-
TRUE06C2007A	-	-	-	-	MINT-W6	0.97	(0.06)	33,988	-	-	-	-	-	-
TRUE06C2009A	0.31	(0.05)	18,719	-	NER-W1	1.24	(0.03)	237,089	1.00	-	-	-	-	-
TRUE06P2011A	0.62	0.05	41,282	-	NEX-W2	3.28	(0.08)	101,874	3.00	-	-	-	-	-
TRUE08C2007A	-	-	-	-	NFC-W1	0.71	-	105	-	-	-	-	-	-
TRUE08C2012A	0.45	(0.05)	36,049	-	NVD-W1	0.14	-	419	-	-	-	-	-	-
TRUE08P2010A	0.35	0.01	20,450	-	ORI-W1	0.22	(0.02)	115,114	-	-	-	-	-	-
TRUE13C2007A	-	-	-	-	PACE-W2	-	-	-	-	-	-	-	-	-
TRUE13C2009A	0.22	(0.04)	40,112	-	PACE-W3	-	-	-	-	-	-	-	-	-
TRUE19C2007A	-	-	-	-	PDI-W1	0.52	-	1,151	-	-	-	-	-	-
TRUE19C2009A	0.30	(0.05)	24,540	-	PDJ-W4	0.24	(0.01)	1,458	-	-	-	-	-	-
TRUE19C2011A	0.25	(0.03)	12,544	-	PERM-W1	0.17	-	233	-	-	-	-	-	-
TRUE19P2011A	0.44	0.02	24,846	-	PORT-W1	0.70	-	6,859	-	-	-	-	-	-
TRUE28C2011A	0.22	(0.03)	12,368	-	PPPM-W4	0.16	-	11,601	-	-	-	-	-	-
TRUE28C2012A	0.21	(0.02)	4,057	-	PRIME-W1	0.03	0.01	3	-	-	-	-	-	-
TRUE28C2012B	0.34	(0.66)	18,253	-	PRIME-W2	0.03	-	2,016	-	-	-	-	-	-
TRUE41C2007A	-	-	-	-	SAMART-W2	0.36	-	13,013	-	-	-	-	-	-
TRUE41C2010A	0.38	(0.05)	39,126	-	SDC-W1	-	-	-	-	-	-	-	-	-
TRUE42C2007A	-	-	-	-	SINGER-W1	6.75	0.45	20,103	6.00	-	-	-	-	-
TRUE42C2010T	0.24	(0.07)	9,400	-	SINGER-W2	4.40	0.78	114,549	4.00	-	-	-	-	-
TTW19C2011A	0.24	0.01	60,808	-	SST-W2	1.11	0.03	5,880	1.00	-	-	-	-	-
TTW27C2009A	0.13	(0.01)	448	-	SUPER-W4	0.01	-	1,000	-	-	-	-	-	-
TU06C2009A	0.25	0.01	47,226	-	TCC-W3	0.05	0.01	1,004	-	-	-	-	-	-
TU06P2007A	-	-	-	-	TCC-W4	0.04	(0.01)	251	-	-	-	-	-	-
TU06P2010A	0.23	(0.01)	21,524	-	TCC-W5	0.14	-	2,143	-	-	-	-	-	-
TU08C2008A	0.09	-	1	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
TU08C2011A	0.31	-	16,120	-	TNITY-W1	0.26	0.01	3,345	-	-	-	-	-	-
TU11C2008A	0.13	0.01	4,472	-	TRITN-W3	0.11	-	33,640	-	-	-	-	-	-
TU13C2010A	0.29	-	115,976	-	TTCL-W1	0.42	-	2,011	-	-	-	-	-	-
TU19C2007A	-	-	-	-	U-W4	-	-	-	-	-	-	-	-	-
TU19C2009A	0.08	(0.01)	33,857	-	VGI-W2	0.80	(0.05)	166,321	-	-	-	-	-	-
TU19C2010A	0.25	-	78,146	-	VIBHA-W3	0.14	(0.01)	18,897	-	-	-	-	-	-
TU19P2011A	0.31	(0.69)	10,091	-	W-W2	-	-	-	-	-	-	-	-	-
TU24C2011A	0.31	-	8,210	-	W-W3	0.02	0.01	2,548	-	-	-	-	-	-
TU28C2011A	0.26	0.01	3,042	-	WIIK-W2	0.25	(0.01)	38,380	-	-	-	-	-	-
TU28C2012A	0.15	-	3,995	-	ZMICO-W4	0.08	-	8,467	-	-	-	-	-	-
TU41C2009A	0.12	-	1,000	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TU41C2010A	0.26	-	25,993	-	BH-P	-	-	-	-	-	-	-	-	-
TU42C2007A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
TU42C2010T	0.21	-	10,615	-	JUTHA-P	-	-	-	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
TVO19C2007A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
TVO19C2011A	0.20	-	38,501	-	TCAP-P	-	-	-	-	-	-	-	-	-