

## Main Board Quotation

## Issue Date :

Monday August 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	BLISS	-	-	-	-	MATI	4.08	0.22	8	3.88
SAFARI	-	-	-	-	DIF	15.20	-	61,754	15.20	MCOT	4.72	(0.02)	86	4.70
VI	-	-	-	-	DTAC	36.75	(0.50)	21,291	37.07	MONO	2.62	-	9,848	2.65
WORLD	-	-	-	-	FORTH	5.90	(0.05)	1,546	5.89	MPIC	1.32	(0.08)	1	1.32
WR	-	-	-	-	HUMAN	8.70	0.15	26,997	8.73	NMG	-	-	-	-
Agribusiness	-	-	-	-	ILINK	4.84	(0.06)	30,950	4.90	PLANB	5.35	-	66,374	5.44
EE	0.69	0.05	923,944	0.70	INET	3.30	-	29,786	3.32	POST	1.38	0.05	8	1.33
GFPT	12.90	-	23,737	12.96	INTUCH	57.00	0.25	55,512	57.08	PRAKIT	7.55	-	11	7.55
LEE	2.38	0.04	834	2.36	JAS	3.34	0.02	283,426	3.34	SE-ED	1.40	0.06	33	1.35
MAX	0.01	-	299,783	0.01	JASIF	10.00	0.10	48,661	9.95	TBSP	-	-	-	-
NER	3.94	0.44	4,049,104	3.78	JMART	14.00	0.20	88,958	13.80	TH	0.50	0.02	1	0.50
PPPM	0.37	0.02	1,101	0.36	JTS	2.74	(0.16)	15,908	2.80	TKS	5.55	0.05	6,874	5.50
STA	29.00	0.50	392,966	28.84	MFC	4.74	(0.02)	10,770	4.70	VGI	6.10	(0.10)	74,211	6.09
TRUBB	1.49	0.13	170,797	1.44	MSC	5.10	0.10	487	5.08	WAVE	1.15	(0.05)	543	1.17
TWPC	3.66	(0.52)	125,597	3.68	PT	4.84	-	4,161	4.87	WORK	10.90	0.95	54,992	10.60
UPOIC	3.12	-	51	3.12	SAMART	5.10	0.10	12,317	5.13	Finance & Securities	-	-	-	-
UVAN	4.66	0.06	344	4.63	SAMTEL	5.50	(0.05)	1,590	5.53	AEC	0.14	-	30,762	0.14
VPO	0.36	(0.01)	2,030	0.36	SDC	0.15	0.01	3,142	0.14	AEONTS	96.75	(2.25)	5,545	96.83
Banking	-	-	-	-	SIS	11.40	-	10,638	11.26	AMANAH	2.76	0.28	543,841	2.68
BAY	21.40	(0.10)	1,010	21.49	SVOA	1.13	-	8,331	1.12	ASAP	2.36	0.02	9,294	2.35
BBL	99.25	(0.75)	48,825	99.66	SYMC	3.20	-	89	3.20	ASK	17.20	(0.10)	959	17.21
CIMBT	0.57	(0.01)	23,239	0.58	SYNEX	11.50	0.20	14,111	11.44	ASP	1.78	-	10,650	1.79
KBANK	82.75	(0.25)	68,930	83.41	THCOM	6.50	0.55	539,625	6.27	BAM	24.70	0.10	133,720	24.78
KKP	39.25	1.00	34,433	39.28	TRUE	3.34	0.02	310,793	3.34	BFIT	26.75	(0.50)	11,442	26.79
KTB	9.70	(0.15)	446,206	9.76	TWZ	0.06	-	13,286	0.07	CGH	0.74	-	8,442	0.74
LHFG	0.97	(0.01)	16,901	0.98	Electronic Componer	-	-	-	-	ECL	0.82	0.01	5,930	0.82
SCB	68.25	-	44,553	68.33	CCET	1.86	(0.02)	22,941	1.87	FNS	3.46	0.04	631	3.46
TCAP	35.00	0.75	57,585	34.69	DELTA	112.50	(1.00)	12,361	113.54	FSS	1.50	(0.01)	640	1.51
TISCO	65.25	(1.00)	22,407	65.57	HANA	36.75	(1.25)	26,753	37.12	GBX	0.51	(0.01)	12,120	0.52
TMB	0.93	(0.01)	1,120,651	0.94	KCE	27.50	-	56,673	27.50	GL	3.54	(0.02)	18,960	3.57
Construction Materia	-	-	-	-	METCO	-	-	-	-	IFS	2.36	(0.04)	4,671	2.33
CCP	0.52	-	139,020	0.53	NEX	5.40	0.10	63,006	5.38	JMT	31.50	1.50	147,850	30.93
COTTO	1.24	(0.01)	8,976	1.23	SMT	2.58	-	75,707	2.57	KCAR	7.55	0.05	143	7.55
DCC	2.64	0.22	679,758	2.58	SVI	3.38	-	34,203	3.40	KGI	3.46	-	9,296	3.46
DCON	0.33	-	31,107	0.33	TEAM	0.83	0.01	1,828	0.84	KTC	29.50	(0.50)	59,517	29.71
DRT	6.30	0.05	11,476	6.32	W	0.19	0.01	211,069	0.18	MBKET	8.65	(0.15)	2,093	8.72
EPG	4.76	-	28,247	4.80	Energy & Utilities	-	-	-	-	MFC	13.50	(0.10)	93	13.51
GEL	0.19	0.01	10,883	0.18	7UP	0.39	0.04	968,824	0.38	ML	0.92	(0.03)	279	0.92
PPP	2.00	-	173	1.99	ABPIF	3.50	-	337	3.49	MTC	47.25	(1.25)	88,988	47.52
Q-CON	4.80	(0.16)	554	4.84	ACE	3.68	(0.02)	183,644	3.68	PE	-	-	-	-
RCI	-	-	-	-	AI	1.35	0.01	43,562	1.36	PL	2.00	-	980	2.01
SCC	378.00	1.00	6,226	378.28	AKR	0.54	0.01	721	0.54	S11	5.10	-	1,539	5.11
SCCC	148.00	(1.00)	1,372	148.66	BAFS	20.40	(0.10)	979	20.46	SAWAD	45.00	(1.00)	74,924	45.26
SCP	6.25	0.15	1,704	6.20	BANPU	5.60	0.05	89,295	5.59	THANI	4.26	0.26	978,570	4.22
SKN	2.22	0.10	48,725	2.28	BCP	19.20	(0.10)	5,291	19.32	TK	7.45	0.05	1,256	7.46
TASCO	28.75	0.25	91,374	28.78	BCPG	15.60	-	10,927	15.57	TNITY	3.74	(0.08)	3,827	3.74
TCMC	1.09	0.01	19,544	1.09	BGRIM	49.25	(0.50)	52,480	49.66	UOBKH	3.50	(0.06)	12	3.56
TOA	39.25	-	17,426	39.42	BPP	14.80	0.10	6,953	14.79	ZMICO	0.69	(0.01)	3,794	0.69
TPIPL	1.26	-	40,241	1.26	BRRGIF	7.10	-	28	7.06	Food & Beverage	-	-	-	-
UMI	0.69	(0.02)	9,956	0.69	CKP	5.65	0.10	176,988	5.61	APURE	2.30	0.14	88,195	2.31
VNG	3.52	(0.10)	1,260	3.55	DEMC0	3.16	-	1,671	3.16	ASIAN	11.40	0.40	342,271	11.29
WIJK	2.28	0.14	165,516	2.26	EA	47.00	(0.25)	201,976	46.32	BR	1.61	(0.01)	8,896	1.62
Petrochemicals & Ch	-	-	-	-	EASTW	9.90	(0.05)	16,056	9.93	BRR	3.00	(0.04)	1,289	3.00
BCT	39.75	0.25	20	39.41	EGATTIF	12.50	0.10	6,847	12.43	CBG	130.50	4.50	121,412	131.88
CMAN	1.29	(0.04)	22,131	1.30	EGCO	235.00	(2.00)	3,327	235.18	CFRESH	4.72	(0.24)	57,171	4.70
GC	5.60	-	3,117	5.59	EP	4.08	0.06	36,390	4.13	CHOTI	-	-	-	-
GGC	8.95	0.05	4,452	8.94	ESSO	7.80	-	226,849	7.87	CM	3.06	(0.06)	4,777	3.09
GIFT	2.16	0.02	333	2.15	GPSC	70.50	(0.25)	70,276	70.79	CPF	33.00	0.50	205,455	32.91
IVL	24.90	0.20	104,225	24.81	GREEN	0.90	(0.01)	269	0.90	CPI	1.25	0.01	103	1.25
NFC	1.63	-	14	1.62	GULF	33.25	-	65,156	33.31	F&D	-	-	-	-
PATO	9.10	0.10	98	9.09	GUNKUL	2.66	(0.02)	118,603	2.68	HTC	20.80	1.20	48,465	20.75
PMTA	8.75	(0.10)	36	8.71	IFEC	-	-	-	-	ICHI	9.05	0.50	81,611	8.85
PTTGC	50.00	0.50	102,489	50.10	IRPC	2.54	0.02	222,237	2.53	KBS	3.42	0.02	598	3.44
SUTHA	3.32	(0.02)	101	3.32	LANNA	7.10	(0.05)	814	7.09	KSL	2.14	0.02	72,222	2.17
TCCC	20.80	0.30	182	20.68	MDX	2.56	0.02	829	2.55	KTIS	2.62	0.04	2,550	2.61
TPA	5.35	0.15	3	5.35	PDI	9.40	0.35	34,231	9.49	LST	4.40	(0.04)	1,839	4.41
UAC	3.68	(0.02)	510	3.66	PRIME	0.52	-	103,572	0.51	M	49.75	0.25	2,970	49.43
UP	-	-	-	-	PTG	19.30	0.40	85,707	19.12	MALEE	7.45	0.20	7,079	7.46
VNT	24.50	(0.20)	7,078	24.71	PIT	37.75	(0.50)	231,904	38.12	MINT	18.30	-	141,471	18.40
WG	184.50	(0.50)	21	184.86	PTTEP	94.25	0.25	67,156	93.90	OISHI	38.50	(0.50)	427	38.83
YCI	-	-	-	-	RATCH	59.25	(0.75)	12,615	59.36	OSP	41.00	(0.50)	46,391	41.59
Commerce	-	-	-	-	RPC	0.50	-	1,301	0.49	PB	68.75	(0.25)	11	68.70
BEAUTY	1.46	(0.01)	69,257	1.47	SCG	3.90	-	102	3.87	PM	7.15	0.10	29,316	7.19
BIG	0.56	0.02	43,087	0.55	SCI	1.67	0.10	213,137	1.66	PRG	-	-	-	-
BJC	35.75	(0.50)	49,264	35.94	SCN	2.00	-	2,308	1.99	RBF	10.20	0.65	230,626	9.99
BOL	15.00	(0.40)	2,894	15.18	SGP	9.05	0.05	19,173	9.04	SAPPE	17.30	-	4,789	17.31
COM7	37.25	(0.25)	27,599	37.42	SKE	0.76	0.02	3,274	0.78	SAUCE	25.25	-	220	25.13
CPALL	68.50	0.25	92,326	68.43	SOLAR	1.07	(0.03)	66,736	1.12	SFP	-	-	-	-
CPW	1.92	(0.02)	26,736	1.92	SPCG	19.70	1.30	49,521	19.25	SNP	10.20	-	82	10.21
CRC	28.50	(0.25)	43,699	28.56	SPRC	6.85	-	72,648	6.87	SORKON	-	-	-	-
CSS	1.56	-	41,810	1.56	SSP	7.50	-	16,968	7.53	SSC	-	-	-	-
DOHOME	12.70	(0.10)	76,780	12.53	SUPER	0.92	-	1,732,715	0.93	SSF	6.35	0.05	2	6.35
FN	1.29	(0.02)	38,364	1.30	SUPEREIF	11.70	0.10	3,301	11.65	SST	2.56	-	633	2.56
FTE	1.59	(0.02)	1,501	1.59	SUSCO	2.38	(0.02)	2,086	2.38	TC	3.94	(0.08)	12,234	3.93
GLOBAL	19.70	(0.10)	45,572	19.73	TAE	2.44	(0.26)	64,886	2.42	TFG	4.68	(0.12)	197,063	4.74
HMPRO	15.70	(0.10)	110,279	15.67	TCC	0.22	0.01	206	0.22	TFMAMA	197.00	0.50	64	196.91
ILM	12.50	(0.30)	9,218	12.73	TOP	42.75	(1.00)	122,739	43.07	TIPCO	8.20	0.65	43,609	7.94
IT	2.52	0.02	1,001	2.53	TPIPP	4.48	0.14	271,990	4.43	TKN	9.30	0.20	110,841	9.23
KAMART	3.22	0.02	66,199	3.30	TSE	3.10	(0.04)	233,881	3.14	TU	13.10	(0.30)	123,893	13.22
LOXLEY	1.51	0.01	31,941	1.49	TTW	13.30	-	22,761	13.29	TVO	28.50	0.50	9,422	28.33
MAKRO	40.25	(0.25)	3,554	40.31	WHAUP	4.26	0.04	27,766	4.19	ZEN	8.80	0.20	911	8.71
MC	9.50	0.15	14,495	9.52	WP	4.84	-	541	4.84	Health Care Services	-	-		

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

**Issue Date :**
**Monday August 10, 2020**

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NTV	42.50	0.25	181	42.20	BROCK	1.54	-	120	1.54	HFT	3.44	0.10	37,815	3.43
PR9	6.50	(0.10)	3,448	6.57	CGD	0.59	(0.01)	3,853	0.59	IHL	2.44	(0.04)	1,544	2.45
PRINC	2.88	(0.02)	2,575	2.87	CI	0.71	(0.01)	51	0.72	INGRS	0.44	(0.01)	6,087	0.45
RAM	139.50	0.50	10	139.00	CPN	45.00	(1.25)	58,492	45.54	IRC	12.90	-	888	12.88
RJH	22.20	-	1,788	22.39	ESTAR	0.32	-	3,220	0.32	PCSGH	4.50	0.04	1	4.50
RPH	5.15	(0.15)	11,586	5.15	EVER	0.24	0.03	401,409	0.24	SAT	10.30	0.10	9,000	10.37
SKR	5.55	0.05	2,404	5.51	FPT	11.00	-	306	11.00	SPG	12.70	-	2	12.70
SVH	414.00	(4.00)	2	415.00	GLAND	2.24	-	198	2.22	STANLY	150.00	0.50	187	150.61
THG	18.90	(0.10)	1,145	18.94	GOLD	6.55	(0.70)	1,480	6.60	TKT	-	-	-	-
VIBHA	1.54	(0.01)	8,216	1.54	J	1.02	(0.01)	9,714	1.04	TNCP	-	-	-	-
VIH	6.50	(0.05)	6,868	6.52	JCK	0.71	0.02	6,293	0.70	TRU	3.82	0.08	142	3.74
WPH	1.61	-	422	1.60	KC	-	-	-	-	TSC	-	-	-	-
Tourism & Leisure	-	-	-	-	KTECH	0.01	(0.01)	497,688	0.02	Industrial Materials	-	-	-	-
ASIA	3.88	-	15	3.88	KWG	0.72	(0.05)	5,422	0.75	ALLA	1.24	-	5,378	1.23
CENTEL	22.60	(0.10)	14,975	22.70	LALIN	4.68	0.06	3,070	4.66	ASEFA	3.18	0.02	1,817	3.16
CSR	72.25	(4.75)	17	72.63	LH	7.50	0.05	157,785	7.53	CPT	0.84	-	2,047	0.84
DTC	7.00	-	441	6.96	LPN	5.45	0.35	387,830	5.30	CRANE	2.32	0.12	629,229	2.27
ERW	3.44	(0.04)	60,068	3.50	MBK	11.80	-	5,921	11.76	CTW	5.05	(0.10)	266	5.12
GRAND	0.55	0.02	217	0.54	MJD	1.47	(0.04)	34,342	1.48	FMT	20.60	(1.60)	1,573	19.62
LRH	36.00	2.25	3	35.50	MK	2.94	0.04	1,287	2.93	HTECH	2.76	(0.06)	5,365	2.76
MANRIN	24.00	(0.80)	10	24.00	NCH	0.70	-	560	0.70	KKC	0.57	(0.03)	1,128	0.58
OHTL	350.00	(25.00)	7	353.43	NNCL	2.08	-	5,471	2.10	PK	1.56	(0.01)	516	1.55
ROH	-	-	-	-	NOBLE	11.30	0.10	3,967	11.27	SNC	9.70	(0.05)	3,665	9.74
SHANG	56.00	-	10	56.00	NUSA	0.32	-	53,202	0.32	STARK	2.12	-	65,674	2.14
SHR	2.00	(0.04)	15,488	2.01	NVD	1.27	(0.04)	2,265	1.27	TCJ	3.10	0.20	54,980	3.19
VRANDA	6.00	-	538	5.92	ORI	7.30	0.20	79,275	7.26	VARO	-	-	-	-
Home & Office Produ	-	-	-	-	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
ACC	0.65	0.02	152	0.64	PF	0.39	(0.01)	112,347	0.39	AIMCG	6.40	(0.05)	258	6.40
AJA	0.14	-	8,867	0.14	PLAT	2.42	(0.08)	11,396	2.40	AIMIRT	13.30	0.10	2,304	13.30
DTCI	-	-	-	-	POLAR	-	-	-	-	AMATAR	-	-	-	-
FANCY	0.64	(0.03)	2,934	0.65	PRECHA	0.86	(0.03)	161	0.86	B-WORK	11.30	-	53	11.30
KYE	320.00	2.00	11	319.00	PRIN	1.57	(0.03)	232	1.57	BKER	5.45	(0.05)	1,917	5.46
L&E	1.72	-	255	1.72	PSH	11.20	(0.20)	4,779	11.29	BKKCP	11.80	(0.10)	608	11.80
MODERN	2.40	(0.02)	3,334	2.39	QH	2.16	-	42,011	2.17	BOFFICE	12.60	0.30	1,107	12.45
OGC	22.10	(0.10)	15	22.10	RICHY	0.70	-	621	0.69	CPNGC	10.70	0.10	5,762	10.61
ROCK	-	-	-	-	RML	0.68	-	7,030	0.69	CPNREIT	22.00	(0.70)	16,092	22.12
SIAM	1.40	-	1,742	1.39	ROJNA	4.28	(0.04)	8,439	4.27	CPTGF	10.90	(0.10)	552	10.93
TSR	2.52	0.02	3,970	2.52	S	1.58	(0.03)	19,195	1.59	CTARAF	4.98	0.08	211	4.92
Insurance	-	-	-	-	SAMCO	1.20	-	130	1.18	DREIT	3.92	0.08	7,753	3.89
AYUD	33.25	(0.25)	103	33.36	SC	2.34	0.02	56,324	2.30	ERWPF	4.42	0.22	20	4.43
BKI	284.00	1.00	295	282.53	SENA	2.82	0.04	8,085	2.80	FTREIT	14.20	0.10	1,295	14.16
BLA	15.80	(0.30)	9,002	15.95	SF	4.36	(0.04)	33,464	4.40	FUTUREPF	19.00	(0.10)	1,861	19.02
BUI	-	-	-	-	SIRI	0.73	-	83,152	0.73	GAHREIT	7.70	0.15	643	7.61
CHARAN	-	-	-	-	SPALI	17.20	0.40	52,315	17.26	GOLDPF	5.80	(0.05)	44	5.80
INSURE	-	-	-	-	U	1.44	(0.01)	32,000	1.45	GVREIT	12.80	(0.50)	915	12.98
MTI	89.00	2.00	148	88.92	UV	3.00	0.02	7,975	3.00	HPF	4.66	(0.02)	20	4.66
NKI	-	-	-	-	WHA	3.32	(0.04)	253,631	3.32	HREIT	8.10	0.05	1,541	8.13
NSI	-	-	-	-	WIN	0.35	(0.03)	1,914	0.35	IMPACT	16.00	0.30	1,908	15.74
SEG	24.90	-	10	24.54	Paper & Printing Mat	-	-	-	-	KNPFP	6.80	0.05	58	6.75
SMK	36.25	0.50	55	36.21	UTP	13.30	1.70	543,718	12.93	LHHOTEL	9.40	0.20	686	9.43
THRE	0.98	-	97,578	0.99	Fashion	-	-	-	-	LHPF	5.60	0.10	665	5.50
THREL	2.32	-	18,616	2.33	AFC	6.45	-	4	6.40	LHSC	9.95	(0.45)	6,277	9.94
TIP	27.75	(1.25)	24,397	27.86	BS2	0.18	-	12,176	0.17	LUXF	6.25	(0.20)	321	6.28
TQM	133.00	(1.00)	3,577	133.06	BTNC	-	-	-	-	M-II	-	-	-	-
TSI	0.37	-	6,483	0.37	CPH	3.10	0.20	1	3.10	M-PAT	3.50	(0.02)	4	3.50
TVI	3.36	(0.04)	1,949	3.35	CPL	0.92	0.02	1,118	0.91	M-STOR	5.80	-	23	5.80
Mining	-	-	-	-	ICC	29.00	(0.25)	16	29.11	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
Packaging	-	-	-	-	PAF	0.60	0.01	787	0.59	MJLF	6.95	(0.15)	610	6.99
AJ	18.10	1.60	112,123	18.04	PDJ	1.67	0.06	7,729	1.64	MNIT	1.30	(0.13)	1	1.30
ALUCON	151.00	2.50	1	151.00	PG	4.70	0.20	20	4.70	MNIT2	-	-	-	-
BGC	9.75	0.30	5,864	9.63	SABINA	17.20	(0.20)	1,568	17.29	MNRF	-	-	-	-
CSC	46.50	1.00	109	46.08	SAWANG	-	-	-	-	POPF	10.80	-	4,161	10.80
GLOCON	0.96	0.01	26,188	0.96	SUC	33.75	(0.50)	11	34.00	PPF	11.30	(0.10)	49	11.22
NEP	0.17	(0.01)	395	0.18	TNL	-	-	-	-	QHHR	5.90	-	114	5.90
PTL	23.30	-	132,978	23.11	TPCORP	9.25	0.10	3	9.23	QHOP	2.28	(0.02)	10	2.28
SFLEX	12.00	-	10,710	12.10	TR	-	-	-	-	QHPP	9.95	-	3,582	9.93
SITHAI	0.66	0.02	6,712	0.65	TTI	-	-	-	-	SBPF	2.50	0.30	3	2.50
SLP	0.42	(0.01)	2,612	0.41	TTT	56.00	-	57	54.64	SHREIT	3.70	(0.02)	232	3.78
SMPC	12.50	0.10	14,317	12.52	UPF	42.00	1.00	2	40.63	SIRIP	9.35	(0.05)	21	9.35
SPACK	2.62	0.08	73,965	2.69	UT	-	-	-	-	SPF	12.60	(0.10)	11,184	12.59
TCOAT	-	-	-	-	WACOAL	45.00	(0.25)	1	45.00	SPRIME	9.15	(0.35)	1,592	9.29
TFI	0.18	0.02	15,344	0.18	Transportation & Log	-	-	-	-	SRIPANWA	7.90	(0.10)	40	7.96
THIP	26.75	0.50	835	26.56	AAV	1.80	-	101,210	1.81	SSPF	-	-	-	-
TMD	21.00	(0.20)	44	20.97	AOT	49.00	-	202,073	49.01	SSTRT	-	-	-	-
TOPP	-	-	-	-	ASIMAR	1.42	0.01	1,007	1.41	TIF1	8.40	-	140	8.40
TPBI	5.30	0.15	27,135	5.62	B	0.31	-	6,436	0.31	TLGF	16.20	(0.30)	4,147	16.25
TPP	15.20	-	39	15.19	BA	5.55	(0.05)	1,674	5.59	TLHPP	8.80	-	45	8.82
Personal Products &	-	-	-	-	BEM	8.70	(0.05)	193,690	8.72	TNPF	2.00	-	502	2.00
APCO	3.78	-	1,898	3.75	BTS	9.95	(0.15)	490,101	9.97	TPRIME	-	-	-	-
DDD	13.60	(0.50)	1,939	13.56	BTSGIF	6.70	(0.15)	50,053	6.72	TTLPF	-	-	-	-
JCT	80.25	1.25	28	80.44	III	4.74	0.08	114,408	4.78	TU-PF	0.90	-	68	0.89
OCC	8.55	-	32	8.57	JUTHA	0.42	0.01	35	0.42	URBNPF	2.98	0.02	30	2.98
S & J	-	-	-	-	JWD	6.20	0.05	1,585	6.21	WHABT	8.45	(0.10)	68	8.44
STGT	88.50	-	85,882	88.24	KWC	-	-	-	-	WHART	14.60	(0.10)		

## Main Board Quotation

Issue Date :

Monday August 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AIE	0.57	(0.01)	35,108	-	ADVA08C2009A	0.14	-	24,011	-
ABICO	6.35	(0.10)	7,486	6.00	PSTC	1.66	(0.01)	27,204	1.00	ADVA08C2012A	0.64	0.01	37,523	-
AU	8.70	(0.10)	37,017	8.00	QTC	4.38	0.04	6,545	4.00	ADVA08P2009A	0.22	(0.01)	5,000	-
JCKH	0.20	(0.01)	2,445	-	SAAM	1.02	0.02	11,179	1.00	ADVA11C2011A	0.57	0.02	10,119	-
KASET	1.58	0.04	264	1.00	SEAOIL	2.36	(0.02)	2,770	2.00	ADVA11P2011A	0.57	(0.02)	10,010	-
MM	1.70	(0.04)	60	1.00	SR	0.72	-	11	-	ADVA13C2008A	-	-	-	-
SUN	3.08	0.18	26,870	3.00	TAKUNI	0.40	-	8,272	-	ADVA13C2010A	0.45	-	177,841	-
TACC	6.10	-	46,200	6.00	TPCH	13.00	0.20	13,461	12.00	ADVA13P2009A	0.60	(0.04)	38,995	-
TMILL	3.26	0.02	16,125	3.00	TRT	1.69	0.01	900	1.00	ADVA16C2009A	-	-	-	-
XO	10.20	0.60	79,863	10.00	UMS	0.31	0.01	2	-	ADVA19C2008A	0.26	0.01	86,176	-
Consumer Products					UPA	0.27	0.01	63,299	-	ADVA19C2009A	0.13	(0.01)	110,100	-
BGT	1.06	0.13	2,424	1.00	UWC	0.04	-	17,590	-	ADVA19C2010A	-	-	-	-
BIZ	3.58	0.02	1,108	3.00	Services (MAI)	-	-	-	-	ADVA19C2010B	0.47	0.01	10,020	-
DOD	8.50	0.35	99,218	8.00	A5	-	-	-	-	ADVA19P2009A	-	-	-	-
ECF	1.30	(0.02)	70,895	1.00	AKP	1.03	0.01	1,540	1.00	ADVA19P2010A	0.40	(0.02)	20,708	-
HPT	0.80	0.04	14,630	-	AMA	5.70	(0.05)	17,982	5.00	ADVA24C2009A	-	-	-	-
IP	12.80	1.30	47,451	12.00	ARIP	0.38	0.01	7,086	-	ADVA28C2008A	-	-	-	-
JUBILE	17.00	(0.10)	992	16.00	ATP30	0.80	(0.02)	11,456	-	ADVA28C2008B	-	-	-	-
MOONG	3.54	-	441	3.00	AUCT	10.40	1.00	162,489	10.00	ADVA28C2011A	-	-	-	-
NPK	10.40	(0.70)	10	10.00	BOL	4.08	-	3,698	4.00	ADVA28C2012A	-	-	-	-
OCEAN	0.86	(0.03)	13,010	-	CMO	0.97	(0.02)	2,563	-	ADVA28C2012B	0.38	-	29,417	-
TM	2.30	0.02	6,208	2.00	D	3.38	-	512	3.00	ADVA28C2101A	0.70	(0.30)	11,621	-
Financials (MAI)					DCORP	0.32	-	3,524	-	ADVA28C2102L	0.39	-	10,140	-
ACAP	0.70	-	2,863	-	EFORL	0.04	0.01	22,137	-	ADVA28P2012A	-	-	-	-
AF	0.53	(0.01)	332	-	ETE	1.11	(0.01)	1,848	1.00	ADVA41C2010A	-	-	-	-
AIRA	0.95	-	1	-	FSMART	6.70	0.10	10,243	6.00	ADVA41C2010B	0.30	0.06	1,590	-
ASN	4.58	(0.02)	124	4.00	FVC	0.39	-	2,763	-	ADVA41C2011A	0.64	0.01	74,178	-
BROOK	0.40	(0.02)	22,263	-	GSC	1.31	(0.01)	8,285	1.00	ADVA41P2009A	0.39	(0.04)	48,404	-
CHAYO	8.65	0.35	137,122	8.00	HARN	2.14	-	2,353	2.00	ADVA41P2011A	-	-	-	-
GCAP	1.48	0.01	7,164	1.00	IMH	2.42	(0.04)	55,732	2.00	ADVA42C2102T	0.53	-	135	-
LIT	3.28	0.04	2,807	3.00	JKN	5.95	0.15	58,948	5.00	AEON13C2010A	0.05	(0.01)	2,939	-
MITSI	1.01	-	1,977	1.00	KIAT	0.49	(0.01)	73,132	-	AEON13C2011A	0.19	(0.04)	112,382	-
SGF	0.66	0.02	182,123	-	KOOL	0.82	-	3,852	-	AEON19C2010A	0.12	(0.01)	17,771	-
Industrials (MAI)					LDC	0.71	-	82	-	AEON19C2010B	0.21	(0.03)	9,942	-
ZS	3.06	(0.02)	1,620	3.00	MORE	0.54	0.07	1,464,974	-	AEON19C2011A	0.79	(0.08)	35,765	-
ADB	0.74	-	199	-	MPG	0.19	-	94	-	AEON42C2101T	0.21	(0.03)	850	-
BM	2.26	(0.04)	339	2.00	MVP	1.20	0.02	301	1.00	AMAT01C2008A	-	-	-	-
CHO	0.49	-	4,979	-	NBC	0.60	(0.03)	3,916	-	AMAT01P2008A	-	-	-	-
CHOW	2.02	0.07	2,079	1.00	NCL	0.78	0.02	450	-	AMAT06C2010A	0.26	(0.02)	18,485	-
CIG	0.24	0.01	7,111	-	NEWS	0.01	-	28,376	-	AMAT08C2010A	0.26	(0.01)	26,024	-
COLOR	1.15	0.03	2,639	1.00	NINE	1.72	(0.05)	131	1.00	AMAT11C2008A	-	-	-	-
CPR	2.80	-	931	2.00	OTO	3.06	(0.04)	1,059	3.00	AMAT13C2010A	0.21	(0.02)	7,648	-
FPI	1.52	-	1,088	1.00	PHOL	3.10	0.02	12,969	3.00	AMAT16C2008A	-	-	-	-
GTB	0.69	-	4,151	-	PICO	3.62	0.04	1	3.00	AMAT19C2008A	-	-	-	-
KCM	0.52	(0.01)	2,772	-	QLT	4.10	-	6	4.00	AMAT19C2009A	0.26	(0.02)	57,142	-
KUMWEL	1.10	-	2,450	1.00	RP	1.51	(0.09)	762	1.00	AMAT19C2011A	0.24	(0.01)	53,683	-
KWM	0.85	(0.01)	8,744	-	SE	1.28	0.01	3,993	1.00	AMAT24C2010A	0.20	(0.05)	60	-
MBAX	5.95	0.25	30,240	5.00	SLM	-	-	-	-	AMAT28C2012A	0.21	(0.01)	34,448	-
MGT	1.88	-	9,111	1.00	SONIC	1.12	(0.02)	7,496	1.00	AMAT28C2102L	0.16	(0.01)	36,477	-
NDR	1.22	(0.02)	1,357	1.00	SPA	5.40	(0.05)	8,104	5.00	AMAT42C2101T	0.17	(0.01)	100	-
PDG	3.66	0.04	3,041	3.00	THMUI	0.57	(0.01)	124	-	AOT01C2012A	0.46	-	78,805	-
PIMO	1.45	0.04	89,569	1.00	TNDT	3.00	0.02	54	2.00	AOT06C2008A	0.01	(0.03)	10	-
PJW	1.36	0.01	48,352	1.00	TNH	33.50	(0.50)	5	33.00	AOT06C2009A	0.05	(0.01)	288	-
PPM	0.78	-	270	-	TNP	2.86	(0.04)	17,805	2.00	AOT06C2011A	0.16	-	20,908	-
RWI	1.30	(0.04)	966	1.00	TSF	-	-	-	-	AOT06P2009A	0.34	(0.01)	23,513	-
SALEE	0.67	0.03	123	-	TVD	1.06	-	32,844	1.00	AOT06P2011A	1.70	(0.02)	123	1.00
SANKO	0.97	-	3,461	-	TVT	0.63	-	928	-	AOT08C2009A	0.20	-	1,000	-
SELIC	2.02	0.02	1,974	2.00	VL	1.28	-	8,847	1.00	AOT08P2009A	0.54	(0.02)	7,500	-
SWC	3.84	0.04	446	3.00	WINNER	2.84	-	1,373	2.00	AOT11C2011A	0.27	-	4,004	-
TMC	0.62	-	918	-	YGG	15.30	1.70	60,882	14.00	AOT11P2010A	0.87	(0.02)	12,569	-
TMI	0.64	0.01	16,108	-	Technology (MAI)	-	-	-	-	AOT13C2008A	-	-	-	-
TMW	32.75	-	107	32.00	APP	1.78	(0.06)	8,538	1.00	AOT13C2010A	0.04	(0.01)	185,079	-
TPAC	13.10	0.30	2,210	13.00	COMAN	1.98	(0.08)	6,335	1.00	AOT13C2011A	0.13	-	168,734	-
TPLAS	1.40	0.03	11,506	1.00	ICN	2.08	(0.06)	58,456	2.00	AOT13C2012A	0.32	-	197,458	-
UBIS	4.62	(0.04)	130	4.00	IIG	23.00	0.70	347,845	23.00	AOT13P2009A	0.19	(0.02)	108,362	-
UEC	0.89	(0.01)	1,043	-	INSET	3.52	0.06	119,054	3.00	AOT13P2010A	1.17	(0.01)	271	1.00
UKEM	0.62	0.01	30,364	-	IRCP	0.49	-	1,272	-	AOT13P2011A	0.60	(0.03)	260,320	-
UREKA	0.85	(0.01)	21,982	-	ITEL	3.30	0.32	202,374	3.00	AOT16C2009A	-	-	-	-
YUASA	15.70	0.10	539	15.00	NETBAY	30.75	(0.50)	1,568	31.00	AOT19C2008A	-	-	-	-
ZIGA	1.45	0.01	858	1.00	PLANET	1.03	0.01	3,222	1.00	AOT19C2009A	-	-	-	-
Property & Construc					SICT	5.00	(0.10)	129,404	4.00	AOT19C2011A	0.05	0.01	3,473	-
ALL	3.84	0.12	141,791	3.00	SIMAT	4.20	(0.12)	75,960	4.00	AOT19C2011B	0.14	-	169,918	-
ARIN	1.06	-	5,421	1.00	SKY	15.30	-	5,264	15.00	AOT19C2012A	0.28	(0.01)	49,531	-
ARROW	7.25	-	156	7.00	SPVI	2.76	-	38,406	2.00	AOT19P2009A	0.10	(0.01)	27,231	-
BC	0.96	0.06	10,234	-	TPS	2.28	0.02	19,060	2.00	AOT19P2009B	-	-	-	-
BSM	0.24	0.01	5,009	-	VCOM	3.52	(0.02)	10,781	3.00	AOT19P2010A	0.66	(0.01)	49,999	-
BTW	0.84	-	5,000	-	Unit Trust	-	-	-	-	AOT19P2011A	1.27	(0.01)	4,371	1.00
CAZ	1.55	(0.07)	38,818	1.00	MGE	-	-	-	-	AOT24C2009A	-	-	-	-
CHEWA	0.41	(0.02)	2,169	-	SCBSET	-	-	-	-	AOT27C2008A	-	-	-	-
CMC	0.74	-	1,630	-	ETF	-	-	-	-	AOT28C2008A	-	-	-	-
CRD	0.49	(0.01)	51	-	IDIV	8.27	0.03	18	8.00	AOT28C2008B	-	-	-	-
DIMET	0.32	0.01	27,404	-	ABFTH	-	-	-	-	AOT28C2008C	-	-	-	-
FLOYD	1.00	0.01	113	-	BMSCG	7.46	0.06							

Main Board Quotation

Issue Date :

Monday August 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC06C2011A	-	-	-	-	BDM528C2011A	0.16	-	20,302	-	CENT08C2012A	0.51	(0.01)	31,550	-
AWC06P2012A	0.65	-	15,795	-	BDM528C2012A	-	-	-	-	CENT11C2012A	0.20	(0.01)	13,600	-
AWC08C2012A	0.40	(0.02)	8,500	-	BDM528C2012B	-	-	-	-	CENT13C2010A	0.11	-	2,619	-
AWC13C2009A	0.11	(0.02)	26,366	-	BDM528C2010A	0.31	(0.69)	18,252	-	CENT13C2011A	0.45	(0.02)	141,109	-
AWC13C2010A	0.03	-	1,006	-	BDM541C2009A	0.09	-	32	-	CENT19C2008A	-	-	-	-
AWC13C2010B	0.13	(0.01)	8,151	-	BDM541P2011A	0.64	(0.01)	22,643	-	CENT19C2010A	0.31	(0.02)	16,443	-
AWC13C2011A	0.35	(0.04)	85,936	-	BDM542C2010T	0.19	(0.02)	339	-	CENT19C2011A	0.14	(0.01)	7,258	-
AWC19C2010A	0.20	(0.01)	6,030	-	BEM06P2009A	0.15	(0.01)	8,250	-	CENT19C2011B	0.56	(0.04)	60,598	-
AWC19C2010B	0.04	-	500	-	BEM08C2009A	0.34	(0.03)	7,001	-	CENT19P2011A	0.56	-	23,494	-
AWC19C2010C	0.36	(0.02)	43,776	-	BEM11C2011A	0.29	(0.01)	8,008	-	CENT24C2008A	-	-	-	-
AWC19P2011A	0.44	0.02	19,131	-	BEM13C2009A	0.12	(0.02)	20,272	-	CENT24C2011A	0.53	(0.03)	23,848	-
AWC24C2010A	-	-	-	-	BEM13C2010A	0.06	(0.01)	400	-	CENT27C2008A	-	-	-	-
AWC28C2008A	-	-	-	-	BEM13C2011A	0.28	(0.01)	20,424	-	CENT28C2008A	-	-	-	-
AWC28C2010A	0.18	(0.02)	18,502	-	BEM19C2010A	0.28	(0.01)	24,495	-	CENT28C2010A	0.60	(0.01)	15,942	-
AWC28C2010B	-	-	-	-	BEM19C2011A	-	-	-	-	CENT28C2012A	0.25	-	22,659	-
AWC28C2012A	-	-	-	-	BEM19P2010A	0.30	-	24,162	-	CENT28C2012B	0.32	(0.01)	51,192	-
AWC28C2012B	0.24	(0.02)	32,755	-	BEM24C2008A	0.46	(0.01)	2,400	-	CHG13C2010A	0.14	(0.01)	59,846	-
AWC28C2101A	0.44	(0.56)	25,350	-	BEM28C2008A	-	-	-	-	CHG13C2012A	0.25	(0.01)	81,594	-
AWC41C2010A	-	-	-	-	BEM28C2010A	0.28	(0.02)	3,272	-	CHG16C2009A	-	-	-	-
AWC41C2011A	0.29	(0.02)	4,000	-	BEM28C2012A	-	-	-	-	CHG19C2011A	0.19	(0.01)	19,704	-
AWC42C2008A	-	-	-	-	BGR101C2008B	-	-	-	-	CHG27C2009A	-	-	-	-
AWC42C2101T	-	-	-	-	BGR101C2009A	-	-	-	-	CK06C2009A	0.22	(0.01)	21,200	-
BANP06C2010A	0.08	(0.01)	10,094	-	BGR106C2010A	0.35	(0.03)	45,498	-	CK06P2012A	0.69	(0.01)	17,550	-
BANP06C2101A	-	-	-	-	BGR106P2011A	0.59	-	17,554	-	CK11C2012A	0.37	-	29,068	-
BANP06P2011A	0.65	(0.02)	7,445	-	BGR108C2009A	0.34	(0.02)	21,000	-	CK13C2010A	0.35	(0.02)	106,768	-
BANP08C2009A	0.15	-	3,100	-	BGR111C2008A	-	-	-	-	CK19C2010A	0.28	(0.01)	11,030	-
BANP08P2009A	0.48	(0.03)	1,804	-	BGR111C2010A	0.46	(0.01)	32,750	-	CK19C2011A	0.32	(0.01)	15,954	-
BANP11C2008A	-	-	-	-	BGR113C2008A	-	-	-	-	CK19P2011A	0.55	-	48,063	-
BANP11C2008A	-	-	-	-	BGR113C2009A	0.31	(0.02)	36,702	-	CK27C2008A	-	-	-	-
BANP13C2010A	0.04	-	2,059	-	BGR113C2011A	0.25	(0.02)	50,782	-	CK41C2009A	-	-	-	-
BANP13C2011A	0.16	0.01	24,457	-	BGR113P2011A	0.56	(0.01)	39,531	-	CK41C2011A	0.29	(0.01)	8,112	-
BANP19C2009A	0.14	-	8,010	-	BGR119C2008A	-	-	-	-	CK42C2101T	-	-	-	-
BANP19C2010A	0.11	-	130	-	BGR119C2008B	-	-	-	-	CKP01C2008B	-	-	-	-
BANP19P2010A	0.26	(0.01)	35,216	-	BGR19C2009A	0.38	(0.03)	88,350	-	CKP01C2009A	-	-	-	-
BANP19P2010B	0.75	(0.03)	3,303	-	BGR19C2011A	0.30	(0.01)	118,483	-	CKP01P2009A	-	-	-	-
BANP24C2011A	0.12	-	1,800	-	BGR19P2010A	0.43	-	30,646	-	CKP06C2012A	0.42	0.04	19,162	-
BANP28C2008A	-	-	-	-	BGR124C2009A	0.30	(0.03)	9,208	-	CKP08C2010A	1.03	(0.05)	21	1.00
BANP28C2010A	-	-	-	-	BGR127C2101A	0.35	(0.02)	3,084	-	CKP08C2012A	0.31	0.01	15,392	-
BANP28C2012A	0.14	-	14,905	-	BGR127P2012A	0.30	(0.01)	5,360	-	CKP13C2010A	0.99	0.02	202	-
BANP28C2012B	0.15	-	11,126	-	BGR141C2010A	0.23	(0.01)	4,600	-	CKP13C2011A	0.28	0.01	140,910	-
BANP28C2101A	0.27	(0.73)	12,152	-	BGR142C2101T	-	-	-	-	CKP19C2010A	-	-	-	-
BANP41C2010A	0.14	0.01	4,000	-	BH11C2008A	-	-	-	-	CKP19C2011A	0.89	0.04	426	-
BANP42C2012T	-	-	-	-	BH13C2010A	0.15	(0.01)	126,613	-	CKP19C2011B	0.26	0.01	80,607	-
BBL06C2009A	0.23	(0.03)	38,570	-	BH19C2009A	0.12	(0.01)	24,593	-	CKP24C2011A	0.31	0.01	15,163	-
BBL06C2101A	-	-	-	-	BH19C2012A	0.43	(0.02)	66,063	-	CKP28C2011A	-	-	-	-
BBL06P2011A	0.97	0.01	29,864	-	BH24C2008A	-	-	-	-	CKP28C2012A	-	-	-	-
BBL08C2009A	0.17	-	3	-	BH41C2009A	0.12	-	32,600	-	CKP28C2012B	0.25	0.02	18,452	-
BBL08P2009A	0.46	-	24,890	-	BH42C2008A	-	-	-	-	COM706C2012A	0.76	(0.01)	18,550	-
BBL11C2011A	0.50	(0.02)	10,400	-	BJC01C2008B	-	-	-	-	COM708C2010A	-	-	-	-
BBL11P2008A	-	-	-	-	BJC01C2009A	-	-	-	-	COM708C2011A	0.58	(0.01)	16,237	-
BBL13C2008A	-	-	-	-	BJC01P2009A	-	-	-	-	COM711C2101A	0.47	(0.02)	25,558	-
BBL13C2010A	0.55	(0.03)	81,718	-	BJC11C2008A	-	-	-	-	COM713C2008A	-	-	-	-
BBL13C2010B	0.18	(0.02)	58,953	-	BJC13C2010A	0.08	-	4,057	-	COM713C2010A	1.88	0.11	1	1.00
BBL13C2012A	0.40	(0.01)	103,184	-	BJC13C2011A	0.16	(0.01)	58,597	-	COM713C2010B	0.65	(0.01)	401	-
BBL13P2008A	-	-	-	-	BJC19C2010A	0.07	(0.01)	1	-	COM713C2011A	0.39	(0.02)	131,214	-
BBL13P2010A	0.42	-	154,240	-	BJC19C2010B	-	-	-	-	COM716C2008A	-	-	-	-
BBL19C2009A	0.39	(0.04)	37,994	-	BJC27C2009A	-	-	-	-	COM719C2008A	-	-	-	-
BBL19C2010A	0.21	(0.01)	144,762	-	BJC28C2010A	-	-	-	-	COM719C2009A	-	-	-	-
BBL19C2011A	0.17	(0.01)	132,840	-	BJC28C2012A	0.11	(0.01)	6,084	-	COM719C2010A	-	-	-	-
BBL19C2011B	0.29	(0.03)	87,680	-	BJC28C2012B	0.18	(0.02)	11,236	-	COM719C2011A	0.70	(0.02)	1,454	-
BBL19C2012A	0.90	(0.05)	7,085	-	BJC28C2010A	0.24	(0.76)	11,154	-	COM719C2011B	0.48	(0.01)	14,032	-
BBL19P2010A	0.48	-	214,026	-	BJC28C2102L	0.15	(0.01)	9,126	-	COM719C2012A	0.34	(0.01)	21,554	-
BBL19P2011A	0.90	0.01	11,951	-	BJC41C2008A	-	-	-	-	COM719P2011A	0.19	-	85,753	-
BBL24C2009A	0.13	(0.02)	20,700	-	BJC41C2011A	0.15	-	3,956	-	COM719P2012A	0.43	(0.57)	36,246	-
BBL28C2010A	0.11	(0.01)	12,118	-	BPP13C2011A	0.23	(0.01)	73,080	-	COM724C2012A	0.36	(0.01)	23,307	-
BBL28C2011A	-	-	-	-	BPP19C2010A	0.20	0.01	410	-	CPAL01C2008B	0.02	(0.01)	35,396	-
BBL28C2012A	0.21	-	12,168	-	BTS11C2010A	0.19	(0.01)	10,270	-	CPAL01P2008B	-	-	-	-
BBL41C2009A	0.15	(0.01)	83,074	-	BTS13C2008A	-	-	-	-	CPAL06C2011A	0.24	(0.01)	11,400	-
BBL41C2011A	-	-	-	-	BTS13C2009A	0.04	(0.01)	4,170	-	CPAL06P2012A	0.59	(0.02)	29,547	-
BBL41P2010A	-	-	-	-	BTS13C2011A	0.13	(0.02)	55	-	CPAL08C2008A	0.14	0.01	28,140	-
BBL41P2011A	0.57	-	8,535	-	BTS16C2008A	-	-	-	-	CPAL08C2011A	0.29	0.01	25,490	-
BBL42C2101T	0.15	(0.01)	2,540	-	BTS19C2008A	-	-	-	-	CPAL08P2009A	0.09	(0.01)	551	-
BCH06C2011A	0.36	(0.02)	31,014	-	BTS19C2010A	0.08	(0.01)	509	-	CPAL11C2012A	0.51	0.01	29,337	-
BCH11C2008A	-	-	-	-	BTS19C2011A	0.13	(0.02)	10,082	-	CPAL13C2009A	0.44	-	105,967	-
BCH13C2010A	0.25	(0.02)	57,660	-	BTS24C2012A	0.11	(0.01)	23,200	-	CPAL13C2011A	0.32	(0.01)	86,970	-
BCH19C2008A	0.31	(0.01)	1,854	-	BTS41C2010A	0.04	(0.03)	1,000	-	CPAL13P2011A	0.49	(0.03)	43,850	-
BCH19C2011A	0.37	(0.02)	18,246	-	BTS42C2008A	-	-	-	-	CPAL19C2008A	0.08	-	5,751	-
BCP13C2011A	0.29	(0.01)	400	-	CBG06C2011A	1.00	0.12	78,988	1.00	CPAL19C2010A	0.20	0.01	241,328	-
BCP19C2011A	0.24	0.01	801	-	CBG08C2012A	0.99	0.10	68,513	1.00	CPAL19C2011A	0.41	-	185,370	-
BCPG01C2008B	-	-	-	-	CBG11C2008A	-	-	-	-	CPAL19P2010A	0.08	(0.01)	300	-
BCPG01C2009A	-	-	-	-	CBG11C2101A	0.94	0.08	41,414	-	CPAL19P2010B	0.54	(0.01)	125,244	-
BCPG01P2009A	-	-	-	-	CBG13C2008A	-	-	-	-	CPAL24C2009A	0.60	-	60,678	-
BCPG13C2010A	0.15	(0.01)	14,848	-	CBG13C2010A	1.67	0.13	2,152	1.00	CPAL27C2101A	0.30	(0.01)	1,492	-
BCPG16C2009A	0.11	(0.03)	720	-	CBG13C2011A	0.88	0.09	752,313	-	CPAL28C2008A	-	-	-	-
BCPG19C2010A	-	-	-	-	CBG13P2010A	0.12	(0.04)	71,016	-	CPAL28C2008B	-	-	-	-
BCPG19C2011A	0.28	-	32,479	-	CBG13P2011A	0.58	(0.09)	293,606	-	CPAL28C2010A	0.09	(0.01)	30	-
BCPG28C2008A	-	-	-	-	CBG16C2008A	1.68	0.14	10	1.00	CPAL28C2012A	0.16	-	20,410	-
BCPG28C2012A	0.22	(0.01)	4,256	-	CBG19C2008A	-	-	-	-	CPAL28C2012B	0.26	0.01	24,336	-
BCPG28C2012B	0.18	(0.01)	5,242	-	CBG19C2010A	2.38	0.28	713	2.00					

## Main Board Quotation

## Issue Date :

Monday August 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF24C2012A	0.20	-	31,326	-	ERW19C2010A	0.54	(0.02)	59,840	-	HMPR06C2010A	0.39	(0.02)	35,601	-
CPF28C2010A	-	-	-	-	ERW19C2010B	0.19	-	5,792	-	HMPR06P2011A	0.29	-	22,120	-
CPF28C2011A	0.25	0.01	10,190	-	ESSO01C2008B	-	-	-	-	HMPR11C2011A	0.55	(0.02)	25,374	-
CPF28C2012A	0.16	0.01	27,656	-	ESSO01C2009A	0.70	(0.04)	26	-	HMPR13C2009A	0.23	(0.01)	60,610	-
CPF28C2012B	0.15	-	20,066	-	ESSO01P2009A	0.04	-	80	-	HMPR19C2010A	0.39	(0.02)	4,717	-
CPF41C2008A	-	-	-	-	ESSO06C2011A	0.50	-	57,306	-	HMPR19P2011A	0.37	-	30,155	-
CPF41C2010A	0.19	0.01	13,956	-	ESSO08C2008A	-	-	-	-	HMPR24C2008A	0.47	(0.03)	5,305	-
CPF41P2011A	0.28	(0.02)	3,256	-	ESSO08C2011A	0.56	(0.01)	45,260	-	HMPR41C2010A	0.30	(0.01)	12,558	-
CPF42C2010T	0.16	-	6,265	-	ESSO13C2010A	0.50	-	201,865	-	HSI28C2008A	1.13	(0.05)	976,942	1.00
CPN06C2010A	0.17	(0.05)	48,869	-	ESSO19C2009A	-	-	-	-	HSI28C2008B	0.50	(0.04)	593,843	-
CPN11C2008A	0.04	0.03	40	-	ESSO19C2010A	0.53	-	42,600	-	HSI28C2008C	0.17	(0.03)	525,888	-
CPN11C2010A	0.33	(0.03)	40,859	-	ESSO19C2011A	0.34	-	161,527	-	HSI28C2008D	0.06	(0.02)	151,415	-
CPN13C2009A	0.09	(0.03)	24,374	-	ESSO24C2012A	0.44	-	85,252	-	HSI28C2009A	0.71	(0.01)	838,605	-
CPN13C2011A	0.21	(0.05)	99,030	-	ESSO41C2010A	-	-	-	-	HSI28C2009B	0.39	(0.02)	54,832	-
CPN19C2010A	0.17	(0.02)	11,920	-	ESSO41C2011A	0.41	-	27,746	-	HSI28C2009C	0.21	(0.01)	138,293	-
CPN19C2011A	0.23	(0.04)	103,442	-	ESSO42C2010T	0.36	(0.01)	5,774	-	HSI28C2009D	0.10	(0.02)	63,124	-
CPN19P2010A	0.48	0.03	168,995	-	GFPT08C2011A	0.27	(0.01)	19,700	-	HSI28C2009E	0.05	(0.01)	140,407	-
CPN24C2011A	0.25	(0.04)	3,959	-	GFPT13C2010A	0.23	-	17,469	-	HSI28C2010L	0.18	(0.02)	284,162	-
CPN41C2009A	-	-	-	-	GFPT19C2010A	0.28	-	117,619	-	HSI28C2011L	0.61	(0.01)	16,705	-
CPN41P2011A	0.82	0.05	39,157	-	GFPT19C2010B	0.15	(0.01)	88,540	-	HSI28C2012L	0.33	(0.01)	64,941	-
CRC08C2009A	0.10	-	1	-	GFPT24C2012A	0.25	-	11,312	-	HSI28P2008A	0.27	(0.05)	267,984	-
CRC13C2008A	-	-	-	-	GFPT42C2008A	0.11	(0.07)	5,203	-	HSI28P2008B	0.13	(0.03)	96,956	-
CRC13C2009A	0.07	(0.01)	837	-	GFPT42C2010T	-	-	-	-	HSI28P2008C	0.04	(0.02)	61,684	-
CRC13C2011A	0.19	(0.01)	24,644	-	GLOB01C2008A	-	-	-	-	HSI28P2009A	1.47	(0.08)	678,516	1.00
CRC19C2008A	-	-	-	-	GLOB13C2011A	0.51	(0.01)	53,877	-	HSI28P2009B	0.96	(0.04)	717,155	-
CRC19C2008B	0.03	(0.01)	1,000	-	GLOB19C2010A	0.72	(0.02)	2,998	-	HSI28P2009C	0.59	(0.05)	33,221	-
CRC19C2010A	0.08	-	170	-	GLOB19C2012A	0.49	(0.01)	6,299	-	HSI28P2010L	0.28	(0.02)	8,032	-
CRC19C2011A	0.19	(0.01)	24,349	-	GLOB24C2010A	0.67	(0.04)	7,421	-	HSI28P2011L	0.27	(0.01)	10,162	-
CRC19P2011A	0.34	0.01	54,695	-	GLOB84C2009A	1.81	(0.19)	100	1.00	HSI28P2012L	0.69	(0.03)	2,704	-
CRC24C2008A	0.08	(0.01)	70	-	GPS01C2008A	-	-	-	-	HSI41C2008A	0.30	(0.17)	360,442	-
CRC28C2011A	0.10	-	3,082	-	GPS01P2008A	-	-	-	-	HSI41C2008B	-	-	-	-
CRC28C2012A	0.10	(0.01)	333	-	GPS06C2008A	-	-	-	-	HSI41C2008C	0.03	(0.01)	12,105	-
CRC28C2101A	0.27	(0.73)	4,306	-	GPS06C2011A	0.33	-	44,289	-	HSI41C2009A	0.36	-	3,647	-
CRC41C2009A	-	-	-	-	GPS06C2101A	-	-	-	-	HSI41C2009B	0.17	-	1	-
CRC41C2010A	-	-	-	-	GPS06P2011A	0.92	-	39,400	-	HSI41C2009C	0.09	(0.01)	3	-
DEL13C2011A	3.54	(0.04)	5,605	3.00	GPS08C2009A	0.33	(0.01)	19,250	-	HSI41C2009D	0.05	0.01	3,580	-
DOH06C2012A	0.34	(0.02)	49,686	-	GPS13C2008A	-	-	-	-	HSI41C2010A	0.96	(0.05)	17,122	1.00
DOH08C2012A	0.37	(0.01)	16,985	-	GPS13C2009A	0.35	(0.02)	50,924	-	HSI41C2010B	0.63	0.02	1,470,428	-
DOHO11C2101A	0.35	-	25,409	-	GPS13C2011A	0.36	(0.02)	34,913	-	HSI41C2010C	0.38	(0.03)	4,311	-
DOHO13C2011A	0.27	(0.01)	243,387	-	GPS13C2012A	0.67	(0.02)	483,357	-	HSI41P2008A	-	-	-	-
DOHO19C2011A	0.27	(0.01)	227,178	-	GPS13P2011A	0.78	(0.02)	101,881	-	HSI41P2008B	-	-	-	-
DOHO28C2012A	0.27	-	29,578	-	GPS19C2008A	0.37	(0.03)	3	-	HSI41P2008C	0.41	(0.04)	294,643	-
DOHO42C2012T	0.21	(0.02)	101	-	GPS19C2009A	1.03	(0.01)	501	1.00	HSI41P2009A	0.89	(0.05)	1,272,670	-
DTAC01C2008A	0.18	-	1	-	GPS19C2010A	0.38	(0.01)	139,587	-	HSI41P2009B	-	-	-	-
DTAC01P2008A	0.19	(0.05)	507	-	GPS19C2012A	0.71	(0.02)	256,441	-	HSI41P2009C	-	-	-	-
DTAC06C2012A	0.27	(0.02)	13,138	-	GPS19P2010A	0.26	-	19,665	-	HSI41P2009D	0.56	(0.03)	19,557	-
DTAC06P2012A	0.61	0.01	7,106	-	GPS19P2011A	0.90	0.01	231,649	-	HSI41P2010A	-	-	-	-
DTAC08C2008A	0.03	(0.01)	140	-	GPS24C2011A	0.33	(0.01)	11,107	-	HSI41P2010B	1.36	0.32	16,539	1.00
DTAC08C2012A	0.20	-	4,000	-	GPS28C2008A	-	-	-	-	HSI41P2010C	0.91	(0.01)	296,468	-
DTAC13C2009A	-	-	-	-	GPS28C2011A	0.35	(0.02)	48,310	-	INTU06C2009A	0.43	-	2,990	-
DTAC13C2011A	0.26	(0.01)	26,136	-	GPS28C2101A	0.73	(0.27)	42,588	-	INTU06P2011A	0.52	(0.02)	5,561	-
DTAC13P2008A	-	-	-	-	GPS41C2009A	0.19	(0.02)	2,000	-	INTU13C2008A	0.27	(0.01)	20,242	-
DTAC13P2011A	0.46	-	20,172	-	GPS41C2011A	0.46	(0.01)	33,870	-	INTU13C2011A	0.32	-	24,962	-
DTAC16C2009A	0.16	(0.01)	1,728	-	GPS41P2010A	0.72	(0.01)	26,134	-	INTU16C2009A	0.19	-	500	-
DTAC19C2009A	0.09	-	100	-	GPS42C2101T	-	-	-	-	INTU19C2009A	0.27	-	11,870	-
DTAC19C2010A	-	-	-	-	GULF06C2009A	0.12	(0.02)	21,361	-	INTU19P2010A	-	-	-	-
DTAC19C2011A	0.24	(0.01)	17,930	-	GULF08C2008A	0.26	(0.10)	147	-	INTU19P2012A	-	-	-	-
DTAC19P2011A	0.38	-	10,704	-	GULF08C2009A	0.10	0.01	1,038	-	INTU23C211A	-	-	-	-
DTAC24C2012A	0.24	(0.01)	4,000	-	GULF08C2012A	0.25	-	4,450	-	INTU24C2008A	0.17	(0.02)	7,250	-
DTAC27C2008A	-	-	-	-	GULF11C2011A	0.25	-	35	-	INTU28C2008A	-	-	-	-
DTAC41C2010A	0.11	(0.08)	4,256	-	GULF13C2008A	-	-	-	-	INTU28C2010A	-	-	-	-
DTAC41C2011A	0.20	-	3,710	-	GULF13C2009A	0.30	-	10	-	INTU28C2012A	0.32	(0.01)	12,245	-
DTAC42C2101T	-	-	-	-	GULF13C2009B	0.05	(0.01)	3,454	-	INTU41C2010A	0.23	-	1,601	-
EA06C2010A	0.58	(0.04)	175,842	-	GULF13C2011A	0.18	(0.02)	69,484	-	INTU42C2101T	0.21	0.01	5,500	-
EA06P2012A	0.57	-	91,692	-	GULF13P2009A	0.10	(0.01)	26,257	-	IRPC06C2010A	0.10	-	19,000	-
EA08C2009A	0.51	(0.01)	79,431	-	GULF13P2011A	0.42	(0.01)	47,086	-	IRPC06P2010A	0.32	(0.01)	26,943	-
EA11C2010A	0.33	(0.02)	43,400	-	GULF19C2008A	-	-	-	-	IRPC11C2008A	-	-	-	-
EA13C2008A	-	-	-	-	GULF19C2010A	0.12	(0.01)	60,155	-	IRPC13C2008A	-	-	-	-
EA13C2009A	0.30	(0.03)	865,554	-	GULF19C2010B	0.17	(0.01)	22,028	-	IRPC13C2009A	0.13	-	94,331	-
EA13C2011A	0.38	(0.03)	494,648	-	GULF19C2012A	0.30	(0.01)	85,730	-	IRPC13C2011A	0.21	-	31,773	-
EA13P2011A	0.64	-	308,861	-	GULF19P2009A	0.10	-	27,196	-	IRPC16C2008A	-	-	-	-
EA16C2008A	0.02	0.01	2,722	-	GULF19P2010A	0.20	(0.01)	37,282	-	IRPC19C2008A	-	-	-	-
EA16C2012A	0.48	(0.52)	40,692	-	GULF19P2010B	0.43	(0.01)	47,011	-	IRPC19C2010A	0.13	-	2,072	-
EA19C2008A	-	-	-	-	GULF24C2009A	0.07	(0.02)	300	-	IRPC19C2011A	0.25	-	64,476	-
EA19C2010A	0.43	(0.02)	483,077	-	GULF28C2008A	-	-	-	-	IRPC19P2011A	0.36	(0.02)	73,336	-
EA19P2011A	0.33	0.01	111,428	-	GULF28C2008B	-	-	-	-	IRPC24C2012A	0.28	0.01	32,470	-
EA19P2011B	0.49	-	358,049	-	GULF28C2008C	-	-	-	-	IRPC28C2008A	-	-	-	-
EA24C2008A	0.21	(0.05)	61,324	-	GULF28C2010A	0.04	(0.01)	180	-	IRPC28C2012A	0.12	(0.02)	25,336	-
EA28C2011A	0.45	(0.02)	174,522	-	GULF28C2012A	0.09	(0.01)	4,000	-	IRPC28C2101A	0.26	(0.74)	10,523	-
EA28C2012A	0.34	(0.01)	41,557	-	GULF28C2012B	0.18	-	4,028	-	IRPC41C2010A	0.13	(0.02)	3,959	-
EA28C2101A	0.40	(0.03)	79,346	-	GULF28C2101A	0.27	(0.73)	6,084	-	IVL01C2012A	0.26	0.01	24,409	-
EA41C2009A	0.32	(0.09)	500	-	GULF41C2009A	0.07	-	2	-	IVL06C2008A	-	-	-	-
EA41C2011A	0.35	(0.02)	132,461	-	GULF41C2011A	-	-	-	-	IVL06C2010A	0.07	-	2,403	-
EA42C2101T	0.45	(0.02)	17,993	-	GULF41P2009A	0.45	0.01	2,277	-	IVL06C2101A	-	-	-	-
EGCO06C2010A	-	-	-	-	GULF41P2011A	0.40	-	37,328	-	IVL06P2009A	0.10	-	13,092	-
EGCO06P2009A	0.23	(0.01)	14,060	-	GULF42C2010M	-	-	-	-	IVL06P2011A	0.70	(0.03)	28,717	-
EGCO13C2009A	-	-	-	-	GULF42									



Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
IVL19P2011A	0.69	(0.03)	54,859	-
IVL24C2008A	0.32	(0.01)	5,100	-
IVL28C2011A	0.11	(0.01)	9,126	-
IVL28C2012A	0.09	-	199	-
IVL28C2012B	0.14	-	6,534	-
IVL41C2009A	-	-	-	-
IVL41C2010A	0.06	-	5,000	-
IVL41P2010A	0.48	(0.02)	3,000	-
IVL42C2008A	-	-	-	-
IVL42C2101T	0.09	-	123	-
JAS08C2011A	0.23	-	12,230	-
JAS13C2009A	0.04	(0.01)	2,896	-
JAS13C2011A	0.21	-	70,345	-
JAS19C2009A	0.29	-	12,159	-
JAS19C2010A	0.12	-	2	-
JAS19C2010B	0.20	0.01	24,130	-
JAS19P2010A	0.37	(0.02)	31,574	-
JAS28C2011A	0.11	-	26,794	-
JAS28C2012A	0.10	-	4,563	-
JAS28C2012B	0.20	0.01	19,312	-
JAS28C2101A	0.36	(0.64)	26,412	-
JAS41C2009A	-	-	-	-
JAS41C2011A	0.31	0.01	50	-
JMT06C2012A	0.48	0.07	51,540	-
JMT13C2011A	1.23	0.18	200	1.00
JMT13C2011B	0.44	0.06	517,846	-
JMT19C2010A	-	-	-	-
JMT19C2011A	0.43	0.05	143,329	-
JMT24C2011A	0.41	0.06	53,481	-
JMT42C2101T	0.25	0.04	13,970	-
KBAN01C2012A	1.01	(0.03)	29,259	1.00
KBAN06C2008A	-	-	-	-
KBAN06C2009A	-	-	-	-
KBAN06C2011A	0.06	-	2,282	-
KBAN06C2012A	0.56	(0.02)	48,954	-
KBAN06P2011A	1.05	-	43,247	1.00
KBAN08C2011A	0.25	-	15,950	-
KBAN13C2008A	-	-	-	-
KBAN13C2008B	-	-	-	-
KBAN13C2010A	0.17	(0.01)	71,557	-
KBAN13C2010B	0.06	-	6,352	-
KBAN13C2011A	0.45	(0.01)	95,540	-
KBAN13C2012A	0.55	(0.03)	276,892	-
KBAN13P2008A	-	-	-	-
KBAN13P2010A	0.44	(0.01)	205,626	-
KBAN16C2008A	-	-	-	-
KBAN19C2009A	0.31	(0.01)	181,140	-
KBAN19C2010A	0.06	-	3,320	-
KBAN19C2010B	0.21	(0.01)	20,286	-
KBAN19C2011A	0.06	-	1,100	-
KBAN19C2012A	0.67	(0.02)	38,382	-
KBAN19P2010A	1.00	(0.01)	74,006	-
KBAN19P2010P	0.36	(0.01)	32,843	-
KBAN24C2009A	0.22	(0.02)	11,010	-
KBAN28C2008A	-	-	-	-
KBAN28C2008B	-	-	-	-
KBAN28C2008C	-	-	-	-
KBAN28C2010A	-	-	-	-
KBAN28C2012A	0.10	-	6,084	-
KBAN28C2012B	0.29	(0.02)	18,252	-
KBAN28C2101A	0.63	(0.37)	32,448	-
KBAN28P2012A	0.52	-	26,465	-
KBAN41C2008A	-	-	-	-
KBAN41C2009A	0.20	(0.02)	26,224	-
KBAN41C2011A	0.05	-	800	-
KBAN41P2010A	0.65	-	20,765	-
KBAN41P2011A	1.51	(0.03)	4,056	1.00
KBAN42C2101T	0.40	(0.01)	120	-
KBAN42P2008A	-	-	-	-
KBAN42P2101T	0.96	(0.01)	7,460	-
KCE01C2008A	0.29	(0.08)	300	-
KCE01C2012A	0.36	(0.01)	42,703	-
KCE06C2009A	-	-	-	-
KCE06C2012A	1.33	(0.05)	2	1.00
KCE06C2012B	0.46	(0.01)	21,607	-
KCE08C2009A	-	-	-	-
KCE08C2012A	0.39	-	31,080	-
KCE11C2101A	0.38	(0.01)	41,840	-
KCE13C2009A	0.95	(0.06)	151	-
KCE13C2010A	0.28	(0.01)	442,581	-
KCE13P2010A	0.39	(0.02)	134,802	-
KCE19C2008A	-	-	-	-
KCE19C2009A	-	-	-	-
KCE19C2010A	1.35	-	252	1.00
KCE19C2010B	0.83	(0.06)	938	-
KCE19C2011A	0.30	-	114,269	-
KCE19P2010A	0.39	(0.01)	17,314	-
KCE24C2010A	0.50	(0.01)	17,200	-
KCE27C2101X	0.62	(0.03)	60	-
KCE42C2012T	0.77	(0.02)	4,488	-
KKP13C2010A	0.16	0.01	46,253	-
KKP19C2010A	0.23	0.01	42,393	-
KKP19C2011A	0.13	0.01	4,936	-
KT01C2008B	-	-	-	-
KT01C2009A	-	-	-	-
KT01P2009A	-	-	-	-
KT01C2010A	0.08	(0.01)	9,108	-
KT01C2011A	0.09	-	160	-
KT01C2011A	0.13	(0.02)	20,095	-
KT01C2012A	0.39	(0.03)	72,762	-
KT01C2009A	-	-	-	-
KT01C2011A	0.28	(0.04)	10,140	-
KT01C2012A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
KT01C2012B	-	-	-	-
KT01C2010C	0.15	(0.01)	1,014	-
KT01C2011A	0.33	(0.01)	1,734	-
KT08C2011A	0.21	(0.02)	22,100	-
KT11C2011A	0.38	0.01	39,410	-
KT13C2008A	0.12	(0.02)	5,580	-
KT13C2010A	0.04	-	14,090	-
KT13C2010B	0.17	(0.02)	86,672	-
KT13C2011A	0.25	(0.02)	55,697	-
KT13P2010A	0.31	-	16,660	-
KT19C2008A	0.13	(0.04)	26,955	-
KT19C2010A	0.06	(0.01)	91,619	-
KT19C2010B	0.21	-	8,800	-
KT19C2010A	0.38	0.01	28,168	-
KTC24C2011A	0.23	(0.02)	25,550	-
KTC28C2011A	-	-	-	-
KTC28C2012A	0.10	-	1,000	-
KTC28C2012B	0.21	(0.02)	16,424	-
KTC41C2009A	-	-	-	-
KTC41C2011A	0.22	(0.02)	11,008	-
KTC42C2012T	0.12	(0.01)	260	-
LH06C2012A	0.30	-	21,206	-
LH11C2012A	0.31	-	31,092	-
LH13C2010A	0.23	-	57,748	-
LH19C2010A	0.31	0.01	4,589	-
LH19C2011A	0.19	0.01	11,888	-
LH19P2010A	0.26	(0.01)	490	-
MAJ013C2011A	0.20	-	3,801	-
MAJ019C2011A	0.32	0.01	19,114	-
MEGA13C2011A	0.22	-	81,146	-
MEGA16C2009A	-	-	-	-
MEGA19C2011A	0.28	-	31,139	-
MEGA42C2101T	0.21	-	60	-
MINT01C2008A	0.02	0.01	22,158	-
MINT01P2008A	-	-	-	-
MINT06C2012A	0.46	-	34,280	-
MINT06P2012A	0.69	(0.01)	52,651	-
MINT08C2010A	0.29	(0.01)	19,275	-
MINT08P2011A	0.91	-	24,354	-
MINT11C2011A	0.48	(0.01)	19,100	-
MINT11P2011A	0.58	(0.02)	5	-
MINT13C2008A	-	-	-	-
MINT13C2009A	0.10	-	6,298	-
MINT13C2010A	0.34	(0.03)	47,192	-
MINT13C2011A	0.30	(0.01)	210,704	-
MINT13P2011A	0.69	-	139,526	-
MINT19C2010A	0.20	(0.01)	14,034	-
MINT19C2011A	0.55	-	56,273	-
MINT19C2011B	0.27	-	102,297	-
MINT19P2010A	0.59	(0.01)	47,275	-
MINT24C2011A	0.34	(0.03)	33,332	-
MINT28C2008A	-	-	-	-
MINT28C2012A	0.16	(0.01)	23,166	-
MINT28C2012B	0.28	(0.01)	28,392	-
MINT28C2012C	0.31	-	28,748	-
MINT41C2010A	0.20	(0.01)	47,996	-
MINT42C2101T	0.25	(0.01)	31	-
MTC01C2008A	0.02	(0.01)	7,682	-
MTC06C2009A	0.53	(0.07)	28,100	-
MTC06C2010A	0.15	(0.02)	51,528	-
MTC08C2009A	0.71	(0.05)	51,600	-
MTC08C2011A	0.39	(0.04)	22,735	-
MTC11C2008A	-	-	-	-
MTC13C2009A	0.18	(0.04)	41,000	-
MTC13C2010A	0.19	(0.03)	83,451	-
MTC13C2011A	0.36	(0.05)	188,831	-
MTC13P2011A	0.73	0.02	96,754	-
MTC19C2009A	0.52	(0.04)	113,870	-
MTC19C2010A	0.31	(0.03)	97,889	-
MTC19P2010A	0.43	0.02	160,626	-
MTC24C2009A	0.19	(0.04)	4,900	-
MTC28C2008A	-	-	-	-
MTC28C2011A	0.27	(0.03)	63,768	-
MTC28C2012A	0.22	(0.02)	21,993	-
MTC28C2012B	0.39	(0.61)	26,564	-
MTC28C2102L	0.24	(0.02)	17,408	-
MTC41C2010A	0.19	(0.03)	8,556	-
MTC42C2101T	0.18	(0.02)	932	-
ORI13C2011A	0.39	0.03	45,960	-
ORI19C2010A	-	-	-	-
ORI19C2011A	0.57	0.04	7,859	-
ORI19C2012A	0.38	0.03	10,222	-
ORI28C2011A	-	-	-	-
ORI28C2012A	-	-	-	-
ORI28C2012B	0.51	0.03	32,559	-
OSP06C2008A	-	-	-	-
OSP06C2011A	0.28	(0.02)	18,991	-
OSP06P2009A	0.15	0.01	15,225	-
OSP08C2009A	0.25	-	11,000	-
OSP13C2010A	0.23	(0.02)	55,703	-
OSP16C2008A	-	-	-	-
OSP19C2009A	0.22	(0.03)	41,871	-
OSP19C2010A	0.14	(0.02)	5,244	-
OSP19P2010A	0.31	0.01	33,492	-
OSP24C2008A	0.06	(0.02)	2,528	-
OSP41C2010A	0.24	0.01	4,000	-
OSP42C2101T	0.22	(0.01)	30	-
PLAN13C2010A	0.13	(0.01)	16,506	-
PLAN13C2011A	0.24	(0.01)	74,394	-
PLAN19C2010A	0.82	-	3,766	-
PLAN19C2010B	0.17	0.01	34,522	-
PLAN24C2009A	0.11	-	3,600	-
PLAN27C2008A	-	-	-	-

Issue Date :

Monday August 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price
PLAN27C2101A	0.24	-	2,224	-
PLAN28C2010A	0.11	-	6,084	-
PLAN28C2012A	-	-	-	-
PLAN28C2012B	0.24	(0.76)	20,280	-
PLAN42C2101T	0.19	-	25	-
PRM13C2010A	0.53	0.05	124,531	-
PRM19C2010A	0.83	0.07	26,478	-
PRM19C2011A	0.56	0.04	72,244	-
PRM42C2011T	0.36	0.01	2,150	-
PTG06C2010A	0.75	0.05	70,871	-
PTG08C2011A	0.67	0.04	41,593	-
PTG11C2010A	0.60	0.03	25,845	-
PTG13C2010A	0.52	0.04	413,181	-
PTG16C2009A	0.55	0.02	13,288	-
PTG19C2008A	-	-	-	-
PTG19C2010A	0.62	0.02	21,766	-
PTG19C2011A	0.47	0.04	234,197	-
PTG19P2010A	0.12	-	85,865	-
PTG19P2011A	0.50	(0.04)	119,045	-
PTG42C2101T	0.37	0.01	2,285	-
PTT01C2012A	0.41	(0.01)	72,018	-
PTT06C2008A	0.86	-	2,025	-
PTT06C2012A	0.31	-	32,796	-
PTT08C2008A	-	-	-	-
PTT08P2009A	-	-	-	-
PTT11C2008A	0.01	-	3,000	-
PTT11C2101A	0.32	-	4,070	-
PTT13C2008A	-	-	-	-
PTT13C2008B	-	-	-	-
PTT13C2009A	0.17	(0.02)	127,982	-
PTT13C2101A	0.17	(0.01)	150,284	-
PTT13P2008A	-	-	-	-
PTT13P2009A	-	-	-	-
PTT13P2010A	0.22	0.01	85,187	-
PTT13P2011A	0.39	0.01		

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Monday August 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG01C2012A	0.80	0.03	51,218	-	S5024C2009A	-	-	-	-	SCC19P2010A	-	-	-	-
PTTG01P2008A	-	-	-	-	S5024C2009B	0.31	(0.02)	37,205	-	SCC19P2011A	0.63	(0.03)	60,610	-
PTTG08C2008A	0.43	-	16,000	-	S5024C2009C	-	-	-	-	SCC27P2008A	0.01	-	20	-
PTTG08P2010A	0.14	(0.01)	2,030	-	S5024C2009D	-	-	-	-	SCC28C2008A	-	-	-	-
PTTG11C2010A	0.48	0.03	31,132	-	S5024C2009E	0.13	(0.04)	1	-	SCC28C2010A	0.62	(0.01)	12,901	-
PTTG13C2008A	-	-	-	-	S5024C2009F	0.49	(0.03)	38,317	-	SCC41C2010A	-	-	-	-
PTTG13C2009A	0.75	0.01	27	-	S5024C2009G	0.73	(0.04)	434,737	-	SCC41C2011A	0.45	-	15,246	-
PTTG13C2010A	0.35	-	137,723	-	S5024C2012A	0.07	(0.01)	399	-	SCC41P2011A	0.86	(0.03)	18,314	-
PTTG13C2011A	0.54	0.01	336,427	-	S5024C2012B	0.37	(0.01)	223	-	SCC42C2008A	-	-	-	-
PTTG13P2008A	-	-	-	-	S5024P2009A	0.19	(0.03)	1	-	SGP13C2011A	0.31	-	29,233	-
PTTG13P2010A	0.19	(0.02)	49,533	-	S5024P2009B	0.46	(0.05)	24,817	-	SGP19C2011A	0.35	-	59,797	-
PTTG13P2011A	0.47	(0.03)	170,713	-	S5024P2009C	0.50	(0.04)	26,314	-	SGP42C2101T	0.28	(0.01)	1,420	-
PTTG19C2008A	-	-	-	-	S5024P2009D	0.57	(0.07)	378,406	-	SIR19C2011A	0.14	-	5,703	-
PTTG19C2008B	-	-	-	-	S5024P2009E	1.10	(0.05)	173,749	1.00	SIR42C2101T	-	-	-	-
PTTG19C2009A	0.53	0.03	116,590	-	S5024P2012A	0.18	(0.01)	1,079	-	SPAL06C2010A	0.61	0.07	31,743	-
PTTG19C2011A	0.47	0.02	200,635	-	S5024P2012B	0.53	(0.01)	1,900	-	SPAL06P2009A	0.02	(0.04)	1,056	-
PTTG19P2009A	-	-	-	-	S5028C2008A	0.02	0.01	1,004	-	SPAL13C2010A	0.36	0.04	40,556	-
PTTG19P2010A	0.28	(0.02)	253,465	-	S5028C2009A	0.36	(0.03)	111,013	-	SPAL19C2011A	0.53	0.05	22,547	-
PTTG19P2011A	0.30	(0.01)	151,971	-	S5028C2009B	0.15	(0.02)	401,299	-	SPAL19C2011B	0.29	0.04	39,932	-
PTTG19P2011B	0.59	(0.41)	79,224	-	S5028C2009C	0.20	(0.01)	79,292	-	SPAL27C2008A	-	-	-	-
PTTG24C2008A	0.42	-	25,600	-	S5028C2009D	0.43	(0.01)	1,602,107	-	SPAL27C2101A	0.31	0.02	9,467	-
PTTG28C2008A	-	-	-	-	S5028C2009E	0.43	(0.03)	614,565	-	SPRC06C2010A	0.31	(0.01)	63,835	-
PTTG28C2011A	0.30	0.01	14,196	-	S5028C2012A	0.20	(0.01)	113,009	-	SPRC06P2011A	0.35	-	34,240	-
PTTG28C2012A	0.61	0.01	53,287	-	S5028P2009A	0.78	(0.02)	188,679	-	SPRC08C2011A	0.32	-	28,263	-
PTTG28C2102L	0.33	0.01	14,198	-	S5028P2009B	0.44	(0.03)	79,621	-	SPRC11C2008A	-	-	-	-
PTTG41C2008A	-	-	-	-	S5028P2009C	0.74	(0.07)	772,778	-	SPRC13C2008A	-	-	-	-
PTTG41C2010A	0.72	0.01	80	-	S5028P2009D	0.31	(0.04)	528,144	-	SPRC13C2010A	0.20	(0.01)	244,632	-
PTTG41C2011A	0.36	0.01	36,608	-	S5028P2009E	1.34	(0.09)	149,521	1.00	SPRC19C2010A	0.28	(0.02)	129,485	-
PTTG41P2010A	-	-	-	-	S5041C2009A	1.15	-	472,107	1.00	SPRC19P2011A	0.36	(0.01)	83,229	-
PTTG41P2011A	0.54	(0.02)	10,544	-	S5041C2009B	0.21	(0.02)	6,353	-	SPRC28C2008A	-	-	-	-
PTTG42C2012T	-	-	-	-	S5041C2009C	0.08	(0.01)	481	-	SPRC28C2011A	0.21	(0.02)	36,730	-
QH27C2101A	0.19	-	500	-	S5041C2009D	0.04	0.01	1,013	-	SPRC42C2101T	0.22	(0.02)	20	-
RATC06C2009A	0.09	(0.02)	9,204	-	S5041C2009E	-	-	-	-	STA01C2008B	3.34	0.38	4	3.00
RATC06P2010A	0.71	-	7,451	-	S5041C2009F	0.30	(0.01)	121,966	-	STA01C2009A	-	-	-	-
RATC13C2010A	0.17	(0.02)	20,069	-	S5041C2009G	0.65	-	1,605,383	-	STA01P2009A	0.12	-	1,515	-
RATC13C2012A	0.47	(0.04)	33,450	-	S5041C2009H	1.01	-	66,032	1.00	STA06C2012A	0.39	0.02	299,314	-
RATC16C2008A	-	-	-	-	S5041P2009A	-	-	-	-	STA08C2010A	2.18	0.30	4	2.00
RATC19C2011A	0.26	(0.02)	6,005	-	S5041P2009B	0.62	(0.02)	229,245	-	STA08C2011A	0.27	0.02	118,714	-
RATC19C2012A	0.53	(0.03)	9,925	-	S5041P2009C	0.94	(0.03)	2,423,170	-	STA13C2009A	2.72	0.54	200	2.00
RATC19P2011A	0.66	-	6,120	-	S5041P2009D	0.54	(0.03)	20,000	-	STA13C2010A	1.47	0.07	11,215	1.00
RATC41C2010A	0.22	(0.01)	11,512	-	S5041P2009E	0.94	(0.02)	74,876	-	STA13C2010B	0.28	0.01	857,630	-
RATC42C2102T	0.25	(0.01)	2,070	-	S5041P2009F	1.66	(0.02)	6,563	1.00	STA13C2010C	0.22	0.01	121,067	-
RS06C2010A	-	-	-	-	S5041P2009G	2.10	(0.04)	26,201	2.00	STA13C2010D	0.17	-	361,495	-
RS06C2012A	0.55	0.04	40,334	-	SAWA01C2012A	0.59	(0.04)	34,918	-	STA13C2011A	0.99	0.04	23,210	1.00
RS08C2011A	0.77	0.08	35,494	-	SAWA06C2010A	0.17	(0.03)	49,033	-	STA13C2011B	0.36	0.02	433,861	-
RS13C2010A	0.95	0.11	405	-	SAWA08C2011A	0.24	(0.03)	17,500	-	STA19P2010A	0.15	(0.02)	47,610	-
RS13C2011A	0.49	0.04	292,663	-	SAWA13C2009A	0.12	(0.02)	26,504	-	STA19P2010B	0.19	(0.03)	115,999	-
RS19C2010A	-	-	-	-	SAWA13C2010A	0.13	(0.03)	261,367	-	STA19C2009A	-	-	-	-
RS19C2010B	0.61	0.08	20,723	-	SAWA13C2011A	0.34	(0.04)	324,742	-	STA19C2010A	-	-	-	-
RS19C2011A	1.00	(0.02)	1,525	1.00	SAWA16C2008A	-	-	-	-	STA19C2010B	-	-	-	-
RS19C2011B	0.42	0.04	176,186	-	SAWA19C2009A	0.16	(0.02)	13,028	-	STA19C2010C	0.25	0.01	410,595	-
RS24C2008A	-	-	-	-	SAWA19C2009B	0.17	(0.02)	41,054	-	STA19C2011A	1.04	0.05	12,039	1.00
RS28C2012A	-	-	-	-	SAWA19C2011A	0.24	(0.03)	200,484	-	STA19C2011B	0.31	0.01	1,073,770	-
RS28C2101L	0.49	0.04	26,961	-	SAWA19C2012A	0.43	(0.04)	86,420	-	STA19P2009A	0.10	(0.01)	76,126	-
RS41C2011A	-	-	-	-	SAWA24C2009A	0.13	(0.03)	10,800	-	STA19P2010A	0.21	(0.03)	176,839	-
RS42C2008A	-	-	-	-	SAWA28C2008A	-	-	-	-	STA24C2011A	0.26	0.01	89,000	-
RS42C2101T	0.35	0.03	7,544	-	SAWA28C2011A	-	-	-	-	STA28C2011A	1.16	0.04	57,222	1.00
S10001C2011A	0.05	(0.01)	84	-	SAWA28C2012A	0.27	(0.02)	25,496	-	STA28C2011B	0.28	0.01	127,466	-
S5006C2009A	0.14	(0.01)	57,800	-	SAWA28C2012B	0.26	(0.03)	64,642	-	STA28C2012A	1.53	0.11	20	1.00
S5006C2009B	0.35	-	206,445	-	SAWA28C2102L	0.15	(0.02)	24,436	-	STA28C2102L	0.21	0.01	29,648	-
S5006C2009C	0.05	(0.02)	1,510	-	SAWA41C2009A	-	-	-	-	STA41C2010A	0.25	-	125,004	-
S5006C2009D	1.49	(0.02)	451,829	1.00	SAWA41C2010A	-	-	-	-	STA42C2101T	0.21	(0.01)	295	-
S5006P2009A	0.55	(0.03)	167,177	-	SAWA42C2101T	0.15	(0.01)	410	-	STEC06C2010A	0.25	(0.03)	12,000	-
S5006P2009B	0.09	(0.01)	44,408	-	SCB01C2008B	-	-	-	-	STEC08C2012A	0.28	(0.02)	1,240	-
S5006P2009C	0.76	(0.04)	458,778	-	SCB01C2009A	0.13	(0.02)	1,164	-	STEC13C2010A	0.18	(0.02)	39,259	-
S5006P2009D	-	-	-	-	SCB06C2010A	0.31	(0.01)	43,492	-	STEC16C2009A	-	-	-	-
S5008C2009A	0.04	(0.01)	4	-	SCB08C2009A	0.25	(0.01)	5,000	-	STEC19C2009A	0.26	(0.03)	24,697	-
S5008C2009B	0.08	(0.01)	5,720	-	SCB08P2012A	0.83	(0.01)	8,001	-	STEC19C2011A	0.18	(0.03)	45,596	-
S5008C2012A	0.80	0.01	350,442	-	SCB11C2008A	0.01	-	2	-	STEC19P2011A	0.48	0.03	55,966	-
S5008P2009A	0.12	-	30,083	-	SCB11P2012A	0.82	0.01	21,038	-	STEC28C2011A	0.22	(0.02)	13,785	-
S5008P2009B	0.47	(0.02)	236,051	-	SCB13C2008A	-	-	-	-	STEC28C2012A	0.25	(0.02)	14,221	-
S5013C2009A	0.26	(0.01)	477,647	-	SCB13C2009A	0.17	(0.02)	37,736	-	STEC41C2009A	0.11	(0.01)	6,000	-
S5013C2009B	0.07	-	190,686	-	SCB13C2010A	0.12	(0.01)	62,276	-	SUPE08C2012A	0.21	-	5,094	-
S5013C2009C	0.03	(0.01)	449,394	-	SCB13C2011A	0.40	(0.01)	101,283	-	SUPE19C2010A	0.44	0.01	804	-
S5013C2009D	0.22	(0.02)	5,068,291	-	SCB13P2008A	0.03	(0.04)	1,907	-	SUPE19C2011A	0.19	-	132,751	-
S5013C2009E	0.34	(0.03)	2,713,868	-	SCB13P2010A	1.18	(0.02)	144,027	1.00	SUPE19C2011B	-	-	-	-
S5013C2009F	0.41	(0.03)	7,579,194	-	SCB16C2008A	-	-	-	-	SUPE19P2011A	0.36	(0.01)	11,400	-
S5013C2010A	0.52	-	505,212	-	SCB19C2008A	-	-	-	-	SUPE42C2101T	0.15	-	4,200	-
S5013P2009A	0.20	(0.02)	79,349	-	SCB19C2010A	0.17	0.01	44,784	-	TASC01C2008A	1.56	0.04	4,050	1.00
S5013P2009B	0.10	(0.02)	89,340	-	SCB19C2010B	0.40	(0.01)	1,600	-	TASC01P2008A	0.01	(0.01)	751	-
S5013P2009C	0.19	(0.02)	61,155	-	SCB19P2010A	0.36	(0.02)	34,332	-	TASC06C2009A	-	-	-	-
S5013P2009D	0.14	(0.02)	274,302	-	SCB19P2011A	1.44	(0.01)	15,475	1.00	TASC06C2012A	0.41	0.01	29,766	-
S5013P2009E	0.88	(0.05)	4,108,580	-	SCB19P2011B	-	-	-	-	TASC08C2011A	-	-	-	-
S5013P2009F	0.56	(0.05)	15,000,776	-	SCB24C2008A	-	-	-	-	TASC08C2012A	0.34	0.02	50,797	-
S5013P2009G	0.77	(0.07)	2,828,324	-	SCB28C2008A	-	-	-	-	TASC13C2009A	1.09	0.05	40</	

