

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday September 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.26	(0.26)	98,293	3.38	MAJOR	16.40	0.70	23,561	16.22
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	1.60	0.05	1,480	1.60
VI	-	-	-	-	DIF	14.80	-	57,817	14.78	MATI	-	-	-	-
WORLD	-	-	-	-	DTAC	34.00	-	32,018	34.14	MCOT	4.48	(0.10)	1,297	4.49
WR	-	-	-	-	FORTH	5.70	-	46	5.70	MONO	2.40	(0.06)	6,933	2.42
Agribusiness	-	-	-	-	HUMAN	8.25	-	14,004	8.22	MPIC	-	-	-	-
EE	0.67	(0.01)	61,591	0.67	ILINK	4.98	-	10,174	4.97	NMG	-	-	-	-
GPPT	12.40	(0.10)	19,340	12.41	INET	2.82	(0.02)	4,911	2.82	PLANB	5.40	-	251,284	5.47
LEE	2.24	-	2,241	2.24	INTUCH	54.50	-	36,979	54.64	POST	-	-	-	-
MAX	0.01	-	385,188	0.01	JAS	2.66	(0.04)	222,312	2.69	PRAKIT	7.35	-	12	7.34
NER	3.26	(0.02)	421,224	3.28	JASIF	9.60	(0.05)	126,058	9.60	SE-ED	1.43	-	20	1.43
PPPM	0.33	(0.01)	2,512	0.33	JMART	13.80	0.40	510,841	13.83	TBSP	12.90	-	4	12.90
STA	26.00	0.50	84,789	26.02	JTS	2.58	0.10	5,329	2.54	TH	-	-	-	-
TRUBB	1.57	(0.12)	98,993	1.55	MFEK	4.78	(0.02)	4,604	4.78	TKS	5.40	-	2,109	5.46
TWPC	3.42	-	6,251	3.43	MSC	5.65	0.05	548	5.55	VGI	6.25	(0.25)	401,700	6.38
UPOIC	3.20	(0.04)	289	3.25	PT	5.30	(0.15)	415	5.34	WAVE	0.73	(0.01)	1,165	0.72
UVAN	4.40	(0.02)	452	4.45	SAMART	4.90	-	1,664	4.86	WORK	10.40	(0.20)	37,775	10.52
VPO	0.37	0.02	42,753	0.38	SAMTEL	4.94	(0.02)	1,145	4.96	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.15	(0.01)	12,371	0.15	AEC	0.09	-	79,098	0.09
BAY	20.30	(0.50)	4,536	20.53	SIS	13.70	(0.20)	6,832	13.77	AEONTS	103.50	1.00	6,038	103.99
BBL	102.50	(0.50)	48,448	102.97	SVOA	1.22	(0.02)	229,131	1.25	AMANAHA	2.54	(0.04)	33,267	2.56
CIMBT	0.55	(0.02)	15,593	0.56	SYMC	4.56	-	7,722	4.69	ASAP	2.24	(0.08)	8,995	2.27
KBANK	80.75	(0.75)	103,493	81.06	SYNEX	12.90	(0.10)	28,366	12.88	ASK	18.40	(0.20)	1,869	18.56
KKP	38.25	(0.25)	23,201	38.37	THCOM	5.65	(0.10)	59,021	5.74	ASP	1.69	(0.01)	21,884	1.69
KTB	9.40	-	156,426	9.42	TRUE	3.24	(0.02)	282,904	3.24	BAM	21.30	(0.50)	306,244	21.61
LHFG	0.89	(0.01)	7,479	0.90	TWZ	0.07	0.01	20,930	0.06	BFIT	28.50	0.50	5,593	28.40
SCB	69.50	(1.00)	94,635	69.73	Electronic Componer	-	-	-	-	CGH	0.66	-	1,196	0.66
TCAP	31.00	(0.25)	21,562	31.23	CCET	1.81	-	29,198	1.81	ECL	0.78	0.02	26,833	0.78
TISCO	64.25	(0.75)	32,061	64.44	DELTA	120.00	1.00	11,915	120.00	FNS	2.70	(0.10)	1,963	2.75
TMB	0.91	-	627,308	0.91	HANA	41.00	1.00	52,895	39.86	FSS	1.33	(0.01)	595	1.33
Construction Materia	-	-	-	-	KCE	27.50	(0.75)	96,216	27.55	GBX	0.42	(0.01)	1,224	0.43
CCP	0.45	(0.01)	42,289	0.45	METCO	138.00	3.00	178	141.96	GL	3.24	(0.06)	28,277	3.28
COTTO	1.13	0.01	2,829	1.12	NEX	4.40	(0.08)	891,498	4.73	IFS	2.36	-	4,688	2.33
DCC	2.56	0.06	74,102	2.53	SMT	2.56	0.06	91,277	2.56	JMT	30.25	1.00	205,289	30.19
DCON	0.34	-	39,108	0.34	SVI	3.52	(0.04)	49,420	3.56	KCAR	7.60	-	179	7.60
DRT	6.35	(0.25)	7,952	6.47	TEAM	0.82	(0.02)	1,094	0.83	KGI	3.20	(0.08)	31,957	3.22
EPG	4.88	0.08	74,406	4.77	W	0.16	-	1,675,381	0.16	KTC	31.50	0.50	54,758	31.46
GEL	0.18	-	63,872	0.18	Energy & Utilities	-	-	-	-	MBKET	7.25	(0.05)	614	7.26
PPP	2.02	0.04	5,417	2.01	7UP	0.31	(0.02)	421,664	0.32	MFC	13.60	-	174	13.43
Q-CON	-	-	-	-	ABPIF	3.00	(0.02)	1,163	2.99	ML	0.86	0.06	3,568	0.86
RCI	3.80	-	10	3.80	ACE	2.94	(0.06)	116,276	2.96	MTC	48.00	(1.00)	57,043	48.43
SCC	346.00	(1.00)	17,553	345.96	AI	1.80	0.05	613,276	1.80	PE	-	-	-	-
SCCC	133.00	(2.50)	1,279	132.64	AKR	0.47	0.01	25,151	0.48	PL	2.02	-	2,436	2.02
SCP	5.95	(0.15)	6,893	6.03	BAFS	21.00	(0.10)	1,490	21.00	S11	6.25	(0.10)	6,564	6.31
SKN	2.48	(0.06)	5,499	2.51	BANPU	5.50	(0.10)	84,709	5.52	SAWAD	45.75	(0.50)	52,014	45.96
TASCO	20.40	(3.50)	45,988	20.40	BCP	16.50	(0.50)	24,108	16.69	THANI	3.92	(0.14)	447,420	4.04
TCMC	1.05	-	44,698	1.06	BCPG	11.80	(0.60)	92,861	12.06	TK	7.05	0.05	2,930	7.02
TOA	34.50	(0.50)	4,270	34.83	BGRIM	45.00	-	110,164	45.57	TNITY	3.62	-	2,440	3.62
TPIPL	1.26	0.01	35,429	1.26	BPP	13.60	(0.30)	25,524	13.70	UOBKH	3.08	0.04	1	3.08
UMI	0.62	-	1,550	0.62	BRRGIF	6.20	(0.10)	632	6.16	ZMICO	0.62	-	2,325	0.62
VNG	3.32	0.04	773	3.34	CKP	5.40	(0.10)	112,255	5.45	Food & Beverage	-	-	-	-
WIJK	1.98	0.01	18,892	1.96	DEMCO	3.04	0.02	4,107	3.06	APURE	1.80	(0.09)	22,785	1.83
Petrochemicals & Ch	-	-	-	-	EA	41.00	(0.75)	61,952	41.61	ASIAN	11.10	0.30	662,956	11.18
BCT	41.25	-	18	41.06	EASTW	9.55	(0.10)	16,743	9.61	BR	1.78	-	1,215	1.80
CMAN	1.16	(0.01)	673	1.17	EGATIF	12.10	-	26,216	12.15	BRR	2.66	(0.06)	1,368	2.67
GC	5.30	-	1,071	5.29	EGCO	202.00	(6.00)	21,455	202.99	CBG	110.00	(3.50)	128,722	110.01
GCC	8.85	0.05	2,400	8.77	EP	3.64	-	7,375	3.65	CFRESH	3.32	(0.06)	37,677	3.39
GIFT	2.06	-	7,980	2.09	ESSO	6.10	(0.10)	131,851	6.18	CHOTI	-	-	-	-
IVL	23.00	(0.20)	115,021	23.09	GPSC	63.50	(0.50)	59,490	64.09	CM	2.74	-	516	2.75
NFC	-	-	-	-	GREEN	0.98	-	549	0.98	CPF	29.00	(0.25)	479,249	29.21
PATO	9.85	0.10	52	9.80	GULF	31.25	(0.25)	132,808	31.60	CPI	1.26	0.04	1,980	1.26
PMTA	8.95	0.20	10	8.94	GUNKUL	2.22	(0.08)	403,570	2.22	F&D	-	-	-	-
PTTGC	42.50	(0.50)	121,960	42.79	IFEC	-	-	-	-	HTC	26.50	(0.50)	6,958	26.31
SUTHA	3.02	(0.04)	1,028	3.04	IRPC	2.16	(0.04)	425,517	2.19	ICHI	11.10	0.50	173,910	10.92
TCCC	22.60	(0.10)	7	22.59	KBSPIF	9.95	-	1,052	9.95	KBS	3.00	(0.02)	1,320	3.00
TPA	5.20	-	11	5.20	LANNA	5.95	(0.05)	2,085	5.93	KSL	2.00	(0.02)	13,961	2.01
UAC	3.74	0.02	1,185	3.74	MDX	2.40	(0.06)	3,394	2.44	KTIS	2.58	(0.02)	1,413	2.52
UP	17.00	0.40	211	17.75	PDI	6.70	0.25	23,246	6.79	LST	4.24	(0.06)	3,814	4.32
VNT	22.80	-	5,638	23.00	PRIME	0.54	(0.02)	127,390	0.55	M	49.00	(1.25)	10,253	49.42
WG	185.50	-	42	185.05	PTG	16.80	(0.60)	265,445	16.93	MALEE	6.30	(0.05)	2,148	6.28
YCI	-	-	-	-	PTT	35.00	-	300,452	35.23	MINT	21.80	0.20	505,150	21.99
Commerce	-	-	-	-	PTTEP	82.75	0.75	75,718	82.81	OISHI	39.50	0.25	218	39.72
BEAUTY	1.28	(0.04)	184,240	1.30	RATCH	53.25	(0.75)	31,073	53.62	OSP	37.25	(1.00)	129,042	37.43
BIG	0.45	(0.02)	37,789	0.46	RPC	0.46	(0.02)	626	0.47	PB	70.75	-	6	70.75
BJC	37.25	-	24,893	37.45	SCG	3.48	(0.02)	134	3.41	PM	7.65	0.05	19,628	7.59
BOL	16.40	1.40	69,356	15.88	SCI	1.33	(0.05)	19,230	1.35	PRG	11.00	(0.10)	2	11.00
COM7	39.00	0.50	127,310	38.41	SCN	1.74	(0.02)	1,212	1.74	RBF	9.25	(0.20)	118,644	9.37
CPALL	62.50	(0.50)	207,789	63.11	SGP	8.75	-	5,609	8.72	SAPPE	20.40	0.40	6,512	20.13
CPW	1.82	0.02	81,328	1.84	SKE	0.65	(0.03)	12,562	0.65	SAUCE	25.50	0.50	12	25.25
CRC	26.50	(0.50)	199,255	26.82	SOLAR	0.91	(0.02)	7,640	0.91	SFP	-	-	-	-
CSS	1.26	(0.02)	58,701	1.25	SPCG	17.60	(0.20)	6,001	17.62	SNP	10.00	(0.20)	271	10.00
DOHOME	12.60	(0.30)	136,464	12.56	SPRC	6.05	-	74,429	6.08	SORKON	5.20	(0.20)	299	5.30
FN	1.31	0.13	371,209	1.26	SSP	7.20	-	4,094	7.11	SSC	-	-	-	-
FTE	1.53	(0.01)	876	1.54	SUPER	0.83	(0.01)	5,337,808	0.85	SSF	7.00	-	30	7.00
GLOBAL	18.80	(0.40)	185,536	18.60	SUPEREIF	11.60	(0.10)	1,341	11.67	SST	2.48	-	36	2.51
HMPRO	13.90	(0.50)	246,837	13.96	SUSCO	2.62	(0.06)	15,529	2.65	TC	3.58	(0.04)	5,381	3.61
ILM	11.50	(0.20)	44,092	11.67	TAE	2.30	(0.02)	5,076	2.32	TFG	4.24	-	42,489	4.26
IT	2.54	(0.16)	799	2.60	TCC	0.19	-	3,709	0.19	TFMAMA	197.00	(1.00)	467	197.59
KAMART	2.72	(0.02)	16,496	2.75	TOP	37.50	(0.50)	46,752	37.83	TIPCO	6.20	(1.05)	76,166	6.28
LOXLEY	1.38	(0.04)	20,465	1.39	TPIPP	4.22	0.02	62,424	4.20	TKN	10.30	0.55	261,055	10.00
MAKRO	44.25	-	8,194	43.99	TSE	2.76	0.04	26,267	2.74	TU	13.90	-	210,385	13.86
MC	9.45	0.15	8,273	9.39	TTW	13.10	-	9,729	13.14	TVO	31.25	4.00</		

Main Board Quotation

Issue Date :

Monday September 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M-CHAI	181.00	(4.00)	2	181.00	AWC	3.90	(0.02)	171,103	3.92	HFT	3.44	(0.04)	12,108	3.48
NEW	-	-	-	-	BLAND	0.99	(0.01)	30,630	0.99	IHL	2.94	0.18	527,963	2.96
NTV	42.00	0.25	11	42.00	BROCK	1.49	-	120	1.49	INGRS	0.43	(0.03)	71,030	0.44
PR9	6.50	(0.05)	2,772	6.50	CGD	0.63	(0.01)	32,498	0.63	IRC	12.10	(0.10)	13	12.12
PRINC	2.70	(0.06)	24,774	2.70	CI	0.70	-	16	0.68	PCSGH	4.40	-	335	4.45
RAM	138.50	-	43	138.50	CPN	44.50	(0.75)	74,492	44.46	SAT	13.20	0.20	40,454	13.21
RJH	22.50	0.10	1,061	22.48	ESTAR	0.34	-	5,111	0.33	SPG	-	-	-	-
RPH	5.25	0.10	3,477	5.21	EVER	0.21	(0.01)	12,574	0.21	STANLY	145.00	(1.50)	203	145.51
SKR	6.00	0.15	784	5.95	FPT	10.40	-	222	10.51	TKT	0.98	(0.01)	720	0.99
SVH	412.00	(4.00)	9	413.11	GLAND	2.16	(0.02)	445	2.19	TNPC	0.74	-	100	0.74
THG	18.80	(0.10)	1,795	18.85	J	1.22	-	21,871	1.23	TRU	3.38	(0.02)	72	3.38
VIBHA	1.52	0.01	2,882	1.52	JCK	1.33	0.04	240,088	1.36	TSC	9.30	-	21	9.25
VIH	6.50	0.10	11,111	6.40	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.53	-	861	1.53	KWG	0.70	-	704	0.70	ALLA	1.12	(0.03)	9,634	1.13
Tourism & Leisure	-	-	-	-	LALIN	5.40	0.05	4,435	5.34	ASEFA	3.08	(0.04)	1,132	3.09
ASIA	4.34	(0.20)	530	4.34	LH	7.30	0.05	170,753	7.24	CPT	0.84	(0.01)	1,780	0.84
CENTEL	23.30	(1.00)	103,322	23.71	LPN	4.60	(0.10)	31,321	4.64	CRANE	1.66	(0.07)	20,547	1.70
CSR	70.75	1.25	3	70.17	MBK	11.90	(0.60)	16,838	12.10	CTW	5.55	(0.30)	34,109	6.14
DTC	7.05	-	276	7.05	MJD	1.46	(0.01)	5,008	1.46	FMT	18.50	(0.30)	1	18.50
ERW	3.16	0.04	85,795	3.17	MK	2.88	0.02	511	2.86	HTECH	2.68	0.04	8,922	2.68
GRAND	0.53	0.01	989	0.52	NCH	0.90	(0.01)	340	0.90	KKC	0.53	-	426	0.52
LRH	30.75	(0.50)	1	30.75	NNCL	1.85	(0.02)	2,144	1.85	PK	1.23	(0.09)	878	1.27
MANRIN	22.80	1.80	1	22.80	NOBLE	13.00	(0.60)	24,474	13.13	SNC	9.85	(0.10)	1,476	9.90
OHTL	-	-	-	-	NUSA	0.30	(0.01)	113,854	0.30	STARK	2.00	(0.02)	182,468	2.00
ROH	37.75	0.75	9	37.39	NVD	1.15	(0.06)	1,089	1.16	TCJ	3.54	0.02	660	3.55
SHANG	-	-	-	-	ORI	6.10	(0.20)	139,777	6.07	VARO	-	-	-	-
SHR	1.92	(0.02)	29,837	1.92	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
VRANDA	5.60	0.05	926	5.56	PF	0.36	-	42,117	0.36	AIMCG	6.15	(0.05)	1,017	6.12
Home & Office Produ	-	-	-	-	PLAT	2.38	(0.04)	9,163	2.40	AIMIRT	13.70	0.20	12,425	13.58
ACC	0.61	0.01	324	0.61	POLAR	-	-	-	-	AMATAR	10.10	-	6	10.02
AJA	0.12	(0.01)	9,169	0.12	PRECHA	0.89	0.01	98	0.87	B-WORK	-	-	-	-
DTCI	-	-	-	-	PRIN	1.60	-	1,440	1.60	BKER	5.70	-	2,351	5.72
FANCY	0.46	(0.05)	19,632	0.47	PSH	11.30	0.10	4,645	11.31	BKKCP	11.80	-	104	11.80
KYE	307.00	-	1	307.00	QH	2.22	(0.02)	123,636	2.23	BOFFICE	12.10	-	78	12.15
L&E	1.67	(0.04)	262	1.69	RICHY	0.69	(0.01)	2,158	0.69	CPNCG	10.20	(0.20)	3,381	10.20
MODERN	2.38	(0.02)	140	2.37	RML	0.62	(0.02)	37,297	0.64	CPNREIT	24.50	-	4,425	24.52
OGC	-	-	-	-	ROJNA	4.16	(0.06)	14,022	4.20	CPTGF	10.20	(0.10)	602	10.20
ROCK	-	-	-	-	S	1.34	(0.03)	11,960	1.35	CTARAF	4.98	(0.02)	818	4.98
SIAM	1.39	(0.01)	4,482	1.38	SAMCO	1.17	(0.01)	28	1.18	DREIT	3.76	(0.04)	163	3.79
TSR	2.80	0.14	25,504	2.78	SC	2.28	-	29,398	2.26	ERWPF	4.24	(0.28)	25	4.27
Insurance	-	-	-	-	SENA	2.74	-	12,621	2.72	FTREIT	14.90	(0.10)	10,498	14.80
AYUD	33.25	(0.25)	87	33.35	SF	4.50	0.04	20,641	4.50	FUTUREPF	19.00	0.20	23	19.69
BKI	283.00	-	198	282.03	SIRI	0.69	-	206,706	0.69	GAHREIT	8.20	(0.15)	294	8.14
BLA	16.60	0.10	10,600	16.55	SPALI	16.30	(0.20)	18,557	16.47	GOLDPF	5.80	-	8	5.78
BUI	-	-	-	-	U	1.24	(0.04)	60,513	1.25	GVREIT	13.00	(0.10)	1,619	13.01
CHARAN	-	-	-	-	UV	2.70	(0.02)	9,773	2.70	HPF	4.68	-	114	4.68
INSURE	-	-	-	-	WHA	2.86	(0.08)	524,893	2.88	HREIT	8.00	-	57	8.00
MTI	83.75	(0.25)	7	83.89	WIN	0.37	0.01	80	0.37	IMPACT	18.50	0.80	15,235	18.22
NKI	49.75	1.50	109	47.33	Paper & Printing Mat	-	-	-	-	KPNPF	6.70	-	200	6.70
NSI	69.75	-	120	68.56	UTP	13.80	(0.20)	41,810	13.88	LHHOTEL	10.00	(0.20)	293	10.00
SEG	23.00	(0.50)	52	23.16	Fashion	-	-	-	-	LHPF	5.20	(0.05)	447	5.17
SMK	37.25	(0.25)	161	37.63	AFC	-	-	-	-	LHSC	11.80	(0.30)	471	11.84
THRE	0.95	-	249,218	0.96	B52	0.16	(0.01)	3,169	0.17	LUXF	6.40	(0.10)	98	6.45
THREL	2.16	(0.04)	4,896	2.18	BTNC	10.70	(0.10)	5	10.70	M-II	-	-	-	-
TIP	24.90	0.10	5,241	25.01	CPH	-	-	-	-	M-PAT	2.78	(0.12)	20	2.75
TQM	119.50	1.00	6,113	119.64	CPL	1.05	0.01	279	1.07	M-STOR	-	-	-	-
TSI	0.29	0.01	12	0.29	ICC	28.50	(0.50)	41	28.30	MIPF	16.10	0.80	2	16.05
TVI	3.32	0.02	426	3.30	NC	-	-	-	-	MIT	3.00	(0.18)	4	3.16
Mining	-	-	-	-	PAF	0.54	(0.02)	642	0.54	MJLF	6.90	-	237	6.90
THL	-	-	-	-	PDJ	1.65	0.03	4,923	1.65	MNIT	-	-	-	-
Packaging	-	-	-	-	PG	4.74	0.06	10	4.74	MNIT2	-	-	-	-
AJ	14.80	-	6,982	14.86	SABINA	18.60	-	2,812	18.59	MNRF	-	-	-	-
ALUCON	153.50	2.00	2	153.50	SAWANG	-	-	-	-	POPF	10.30	(0.10)	29	10.39
BGC	12.40	-	27,477	12.40	SUC	33.75	0.25	22	33.98	PPF	-	-	-	-
CSC	53.00	(0.25)	16	53.36	TNL	-	-	-	-	PROSPECT	9.05	0.05	1,775	9.02
GLOCON	1.00	(0.04)	35,230	1.01	TPCORP	9.20	0.20	3	9.08	QHHR	5.80	-	556	5.78
NEP	0.25	0.02	5,573	0.24	TR	21.60	-	182	21.65	QHOP	-	-	-	-
PTL	22.00	(0.20)	34,123	22.37	TTI	-	-	-	-	QHPP	9.70	(0.05)	3,273	9.70
SFLEX	11.10	0.10	3,089	11.02	TTT	53.00	-	63	53.00	SBPF	2.64	(0.02)	8	2.65
SITHAI	0.56	(0.01)	7,722	0.55	UPF	61.25	1.50	37	55.41	SHREIT	3.54	(0.14)	1,281	3.66
SLP	0.39	-	911	0.39	UT	-	-	-	-	SIRIP	-	-	-	-
SMPC	11.70	0.10	15,606	11.97	WACOAL	45.50	0.75	1	45.50	SPF	12.80	(0.10)	3,046	12.88
SPACK	2.32	(0.06)	2,059	2.36	Transportation & Log	-	-	-	-	SPRIME	9.55	(0.05)	100	9.55
TCOAT	-	-	-	-	AAV	1.83	(0.01)	93,786	1.85	SRIPANWA	8.00	0.15	402	7.95
TFI	0.12	(0.01)	2,719	0.12	AOT	58.00	(0.25)	171,745	57.87	SSPF	9.25	0.15	19	9.20
THIP	23.90	(0.20)	87	23.95	ASIMAR	1.30	(0.01)	743	1.30	SSTRT	5.35	-	351	5.32
TMD	22.00	(0.30)	38	22.06	B	0.27	(0.01)	3,504	0.28	TIF1	8.35	(0.10)	222	8.39
TOPP	-	-	-	-	BA	5.40	0.10	6,173	5.30	TLGF	17.10	(0.30)	7,581	17.14
TPBI	4.68	-	1,711	4.67	BEM	9.00	0.05	87,672	8.99	TLHPF	8.65	-	5	8.65
TPP	-	-	-	-	BTS	10.00	-	131,257	10.09	TNPF	-	-	-	-
Personal Products &	-	-	-	-	BTSGIF	6.20	-	12,922	6.20	TPRIME	13.10	(0.40)	164	13.10
APCO	3.58	-	1,678	3.51	III	4.06	(0.16)	6,816	4.13	TTLPF	22.10	0.10	19	22.13
DDD	15.40	(0.20)	3,140	15.58	JUTHA	0.44	(0.02)	501	0.41	TU-PF	0.80	-	1	0.80
JCT	-	-	-	-	JWD	7.10	(0.05)	11,894	7.11	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	-	-	-	-	WHART	-	-	-	-
S & J	-	-	-	-	NOK	0.63	(0.04)	6,338	0.68	WHART	15.40	0.40	7,655	15.25
STGT	68.50	0.25	141,824	69.00	NYT	3.18	0.04	229,315	3.29	Steel	-	-	-	-
STHAI	-	-	-	-	PORT	2.12	0.13	93,939	2.11	AMC	1.45	(0.07)	1,113	1.49
TNR	9.95	0.05	215	9.90	PRM	8.55	(0.30)	565,318	8.60	BSBM	0.85	-	418	0.85
TOG	3.38	-	223	3.38	PSL	4.22	(0.12)	45,093	4.29	CEN	0.65	(0.01)	239	0.66
Professional Service	-	-	-	-	RCL	3.72	(0.16)	39,862	3.78	CITY	1.84	0.01	382	1.81
BWG	0.50	-	366,590	0.50	TFHFJ	10.10	-	28,811	10.14	CSP	0.51	-	148	0.52
GENCO	0.47	-	4,132	0.47	THAI	3.62	0.24	155,992	3.58	GJS	0.09	-	362,435	0.08
PRO	-	-	-	-	TSTE	6.85	(0.05)	5	6.85	GSTEEL	-	-	-	-
SISB	8.05	0.05	2,711	8.01	TTA	2.80	(0.02)	7,959	2.80	INOX	0.42	(0.03)	35,318	0.43
Property Developer	-	-	-	-	WICE	4.90	(0.02)	66,534	4.91	LHK	2.30	0.02	7,458	2.33
A	4.96	(0.02)	45	4.96	Automotive	-	-	-	-	MCS	13.10	(0.30)	30,614	13.13
AMATA	12.20	(0.70)	98,040											

Main Board Quotation

Issue Date :

Monday September 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AIE	0.59	-	100,669	-	ADVA08C2009A	-	-	-	-
ABICO	5.50	(0.15)	1,904	5.00	ETC	1.86	-	93,829	1.00	ADVA08C2012A	0.39	(0.01)	15,101	-
AU	9.20	(0.25)	34,752	9.00	PSTC	1.53	(0.02)	10,296	1.00	ADVA08P2009A	-	-	-	-
JCKH	0.30	(0.02)	963	-	QTC	3.94	(0.04)	448	3.00	ADVA08P2101A	0.83	(0.03)	12,875	-
KASET	1.50	(0.04)	7,173	1.00	SAAM	1.01	0.01	1,671	-	ADVA11C2011A	0.36	-	22,960	-
MM	1.70	(0.22)	453	1.00	SEAOIL	2.26	(0.06)	6,512	2.00	ADVA11P2011A	0.47	-	18,500	-
SUN	2.54	0.02	3,332	2.00	SR	0.70	-	183	-	ADVA13C2010A	0.11	(0.02)	20,764	-
TACC	6.30	(0.05)	55,235	6.00	TAKUNI	0.38	(0.02)	8,833	-	ADVA13C2012A	0.47	-	112,098	-
TMILL	3.06	(0.02)	2,404	3.00	TPCH	12.50	0.20	4,223	12.00	ADVA13P2009A	-	-	-	-
XO	8.80	(0.15)	25,881	8.00	TRT	1.65	0.01	181	1.00	ADVA13P2012A	0.75	(0.03)	68,732	-
Consumer Products					UMS	0.31	-	1	-	ADVA16C2009A	-	-	-	-
BGT	1.04	0.04	51	1.00	UPA	0.18	0.01	20,787	-	ADVA19C2009A	-	-	-	-
BIZ	3.36	(0.02)	731	3.00	UWC	0.05	-	453,412	-	ADVA19C2010A	0.02	0.01	10	-
DOD	9.20	0.10	68,431	9.00	Services (MAI)	-	-	-	-	ADVA19C2010B	0.20	(0.01)	82,969	-
ECF	1.27	0.01	108,290	1.00	A5	-	-	-	-	ADVA19C2012A	0.45	(0.01)	61,678	-
HPT	0.89	(0.01)	11	-	AKP	0.89	(0.01)	1,361	-	ADVA19P2009A	0.02	-	2	-
IP	11.90	(0.10)	9,384	11.00	AMA	4.46	(0.16)	9,536	4.00	ADVA19P2010A	0.22	(0.01)	23,910	-
JUBILE	17.30	0.10	1,082	17.00	ARIP	0.42	0.02	4,530	-	ADVA19P2012A	0.66	(0.02)	104,255	-
MOONG	3.70	-	144	3.00	ATP30	0.79	0.01	13,607	-	ADVA24C2009A	-	-	-	-
NPK	16.20	(2.80)	181	16.00	AUCT	12.70	0.10	25,437	12.00	ADVA24C2101A	0.48	(0.01)	3,576	-
OCEAN	0.81	(0.01)	2,193	-	BOL	4.82	(0.08)	6,857	4.00	ADVA28C2011A	-	-	-	-
TM	2.34	(0.02)	2,430	2.00	CMO	0.89	-	260	-	ADVA28C2012A	0.04	(0.01)	2,411	-
Financials (MAI)					D	3.32	0.04	532	3.00	ADVA28C2012B	-	-	-	-
ACAP	0.66	-	3,294	-	DV8	0.30	(0.01)	2,762	-	ADVA28C2101A	0.45	-	14,210	-
AF	0.53	-	579	-	EFORL	0.04	0.01	304,623	-	ADVA28C2102L	-	-	-	-
AIRA	-	-	-	-	ETE	0.98	-	112	-	ADVA28P2012A	0.20	-	15,260	-
ASN	4.40	0.24	1	4.00	FSMART	6.50	(0.10)	8,650	6.00	ADVA41C2010A	-	-	-	-
BROOK	0.39	-	69,383	-	FVC	0.37	0.01	1,600	-	ADVA41C2010B	-	-	-	-
CHAYO	7.20	(0.30)	113,331	7.00	GSC	1.26	(0.02)	754	1.00	ADVA41C2011A	0.39	(0.01)	39,105	-
GCAP	1.34	(0.02)	2,353	1.00	HARN	2.12	-	6,809	2.00	ADVA41P2009A	-	-	-	-
LIT	3.14	-	1,149	3.00	IMH	2.20	0.06	2,352	2.00	ADVA41P2011A	-	-	-	-
MITSI	1.09	-	1,735	1.00	JKN	9.00	0.95	342,378	8.00	ADVA41P2101A	0.63	(0.02)	23,000	-
SGF	0.54	(0.01)	17,189	-	KIAT	0.45	-	65,886	-	ADVA42C2102T	-	-	-	-
Industrials (MAI)					KOOL	0.99	(0.02)	67,179	1.00	AEON13C2010A	0.02	-	5	-
ZS	3.08	0.02	1,131	3.00	LDC	1.16	0.05	19,255	1.00	AEON13C2011A	0.16	0.01	319,006	-
ADB	0.70	(0.01)	969	-	MORE	0.83	(0.01)	757,061	-	AEON19C2010A	0.06	-	1,036	-
BM	2.14	(0.02)	126	2.00	MPG	0.33	0.01	14,106	-	AEON19C2010B	0.16	0.01	1,002	-
CHO	0.46	-	15,972	-	MVP	1.14	(0.03)	259	1.00	AEON19C2011A	0.78	0.07	4,096	-
CHOW	1.71	-	2,083	1.00	NBC	0.54	(0.05)	896	-	AEON19C2012A	0.42	0.02	70,955	-
CIG	0.23	0.01	14,372	-	NCL	0.69	(0.01)	68	-	AEON28C2012A	0.36	0.02	69,984	-
COLOR	1.24	(0.01)	2,211	1.00	NEWS	0.01	-	167,210	-	AEON28C2101A	0.90	-	80,893	-
CPR	2.48	(0.02)	288	2.00	NINE	1.70	-	30	1.00	AEON42C2101T	-	-	-	-
FPI	1.41	-	165	1.00	OTO	3.22	(0.02)	1,828	3.00	AMAT01C2101A	0.27	(0.04)	9,074	-
GTB	0.67	0.01	807	-	PHOL	2.30	(0.06)	9,560	2.00	AMAT06C2010A	0.05	(0.02)	4,060	-
KCM	0.43	(0.01)	1,441	-	PICO	3.88	(0.02)	252	3.00	AMAT08C2010A	0.10	(0.04)	12,620	-
KUMWEL	1.03	-	1,382	1.00	QLT	4.00	(0.12)	22	4.00	AMAT08C2101A	0.29	(0.04)	20,000	-
KWM	0.86	-	2,219	-	RP	1.26	-	452	1.00	AMAT13C2010A	0.04	(0.04)	12,814	-
MBAX	5.95	(0.20)	23,886	5.00	SE	1.21	(0.01)	264	1.00	AMAT13C2012A	0.16	(0.06)	185,608	-
MGT	2.18	(0.12)	15,308	2.00	SLM	-	-	-	-	AMAT19C2009A	-	-	-	-
NDR	1.31	-	4,393	1.00	SONIC	1.03	(0.01)	4,680	1.00	AMAT19C2011A	0.12	(0.01)	21,080	-
PDG	3.38	(0.04)	932	3.00	SPA	5.60	(0.10)	13,691	5.00	AMAT19C2012A	0.16	(0.03)	36,000	-
PIMO	2.04	0.24	1,041,911	1.00	THMUI	0.55	0.01	114	-	AMAT24C2010A	-	-	-	-
PJW	1.33	(0.01)	8,519	1.00	TNDT	3.14	0.02	10,519	3.00	AMAT28C2012A	0.09	(0.03)	45,260	-
PPM	0.73	0.02	12	-	TNH	33.50	0.50	39	33.00	AMAT28C2101A	0.18	(0.02)	10,140	-
RWI	1.36	0.02	477	1.00	TNP	2.76	(0.04)	10,487	2.00	AMAT28C2102L	0.10	(0.02)	40,031	-
SALIE	0.62	-	1,025	-	TSF	-	-	-	-	AMAT42C2101T	0.10	(0.02)	214	-
SANKO	0.93	(0.02)	180	-	TVD	1.00	(0.08)	39,056	1.00	AOT01C2012A	0.67	(0.02)	10,698	-
SELIC	2.04	(0.08)	8,115	2.00	TVT	0.64	(0.01)	1,680	-	AOT01P2012A	0.30	(0.01)	19,331	-
SWC	4.10	0.02	302	4.00	VL	1.01	(0.02)	10,102	1.00	AOT01P2012B	0.69	(0.31)	2,100	-
TMC	0.60	0.03	202	-	WINNER	2.46	(0.04)	702	2.00	AOT06C2009A	0.04	(0.01)	361	-
TMI	0.63	-	14,378	-	YGG	10.80	0.70	23,311	10.00	AOT06C2011A	0.29	(0.03)	18,729	-
TMW	30.00	-	48	29.00	Technology (MAI)	-	-	-	-	AOT06P2009A	0.01	(0.01)	127	-
TPAC	13.40	(0.30)	3,403	13.00	APP	2.36	0.10	33,200	2.00	AOT06P2011A	0.69	(0.01)	37,191	-
TPLAS	1.65	0.04	85,271	1.00	COMAN	2.32	(0.02)	3,904	2.00	AOT08C2009A	0.12	(0.03)	1,998	-
UBIS	5.00	0.08	3,078	5.00	ICN	2.02	(0.02)	9,798	2.00	AOT08C2101A	0.51	(0.03)	5,002	-
UEC	0.86	(0.03)	1,234	-	IIG	18.50	1.20	53,174	18.00	AOT08P2009A	0.05	(0.02)	330	-
UKEM	0.54	(0.01)	26,833	-	INSET	3.16	(0.04)	50,514	3.00	AOT08P2102A	0.69	(0.02)	51,817	-
UREKA	0.79	-	2,509	-	IRCP	0.81	(0.02)	13,392	-	AOT11C2011A	0.34	(0.01)	11,651	-
YUASA	14.70	0.10	664	14.00	ITEL	2.62	(0.14)	30,678	2.00	AOT11P2101A	0.42	(0.01)	16,210	-
ZIGA	1.80	(0.02)	9,763	1.00	NETBAY	26.00	-	1,904	26.00	AOT13C2010A	0.04	(0.01)	21,201	-
Property & Construc					PLANET	1.12	(0.03)	9,714	1.00	AOT13C2011A	0.24	(0.01)	149,993	-
ALL	3.04	(0.10)	18,790	3.00	SICT	4.40	0.06	15,808	4.00	AOT13C2012A	0.58	(0.02)	2,600	-
ARIN	0.95	0.02	1,127	-	SIMAT	4.00	-	17,079	3.00	AOT13P2010A	0.41	(0.01)	24,603	-
ARROW	7.10	-	169	7.00	SKY	13.30	0.10	3,915	13.00	AOT13P2011A	0.19	(0.01)	182,982	-
BC	0.86	0.03	353	-	SPVI	2.90	(0.02)	58,732	2.00	AOT16C2009A	-	-	-	-
BSM	0.29	-	4,938	-	TPS	2.54	0.04	33,844	2.00	AOT16C2012A	0.66	(0.02)	4,038	-
BTW	-	-	-	-	VCOM	5.20	0.30	72,870	5.00	AOT19C2009A	0.02	(0.05)	720	-
CAZ	1.53	(0.01)	1,471	1.00	Unit Trust	-	-	-	-	AOT19C2011A	0.07	(0.01)	28,328	-
CHEWA	0.45	(0.01)	17,732	-	SCBSET	-	-	-	-	AOT19C2011B	0.25	(0.02)	122,171	-
CMC	0.72	0.01	3,933	-	ETF	-	-	-	-	AOT19C2012A	0.50	(0.02)	39,177	-
CRD	0.48	(0.01)	283	-	IDIV	7.83	(0.04)	488	7.00	AOT19P2009A	-	-	-	-
DIMET	0.18	(0.11)	336,424	-	ABFTH	-	-	-	-	AOT19P2009B				

Main Board Quotation

Issue Date :

Monday September 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP01C2012A	0.22	0.01	6,630	-	BCPG28C2012B	-	-	-	-	BTS19P2012A	-	-	-	-
AP08C2010A	0.27	-	2,000	-	BCPG28C2012C	-	-	-	-	BTS24C2012A	-	-	-	-
AP13C2011A	0.18	(0.01)	38,436	-	BCPG28C2010A	0.15	(0.03)	16,042	-	BTS41C2010A	-	-	-	-
AP19C2010A	-	-	-	-	BCPG28C2103L	0.18	-	1,521	-	BTS41C2012A	-	-	-	-
AP19C2011A	0.21	(0.01)	33,295	-	BDMS01C2010A	0.45	(0.01)	25,355	-	CBG01C2012A	0.35	(0.06)	167,371	-
AP28C2012A	-	-	-	-	BDMS06C2010A	0.04	(0.01)	611	-	CBG01P2012A	0.86	0.06	355,560	-
AP28C2012B	0.19	(0.01)	10,828	-	BDMS06C2102A	0.45	-	20,050	-	CBG06C2011A	0.35	(0.07)	178,954	-
AWC01C2009A	-	-	-	-	BDMS06P2009A	-	-	-	-	CBG08C2012A	0.45	(0.08)	91,766	-
AWC01C2010A	0.57	-	22,799	-	BDMS08C2011A	-	-	-	-	CBG11C2010A	0.47	(0.07)	49,361	-
AWC06C2009A	-	-	-	-	BDMS08C2101A	0.38	(0.02)	12,100	-	CBG13C2010A	0.45	(0.16)	24,432	-
AWC06C2011A	-	-	-	-	BDMS11C2011A	0.43	(0.02)	15,290	-	CBG13C2011A	0.35	(0.06)	560,063	-
AWC06P2012A	0.45	(0.01)	9,400	-	BDMS13C2009A	-	-	-	-	CBG13C2012A	0.23	(0.04)	456,762	-
AWC08C2012A	0.30	-	29,040	-	BDMS13C2011A	0.17	(0.02)	39,546	-	CBG13P2010A	0.02	(0.01)	1,304	-
AWC11C2010A	0.56	-	17,695	-	BDMS13C2012A	0.31	(0.02)	95,594	-	CBG13P2011A	0.54	0.03	687,716	-
AWC13C2009A	-	-	-	-	BDMS19C2010A	0.06	-	1,000	-	CBG19C2010A	1.06	(0.39)	7,268	1.00
AWC13C2010A	-	-	-	-	BDMS19C2011A	0.15	(0.01)	8,000	-	CBG19C2011A	0.45	(0.07)	488,869	-
AWC13C2010B	-	-	-	-	BDMS19C2012A	0.30	-	35,124	-	CBG19C2011B	0.19	(0.04)	529,221	-
AWC13C2011A	0.24	(0.02)	11,011	-	BDMS19P2010A	0.11	(0.01)	5,000	-	CBG19P2010A	0.08	0.01	87,816	-
AWC13P2011A	0.24	(0.01)	47,242	-	BDMS24C2010A	0.41	(0.01)	9,967	-	CBG19P2011A	0.30	0.03	870,802	-
AWC19C2010A	0.10	0.01	911	-	BDMS28C2011A	-	-	-	-	CBG19P2012A	0.92	0.07	426,083	-
AWC19C2010B	-	-	-	-	BDMS28C2012A	0.08	(0.01)	20	-	CBG41C2009A	-	-	-	-
AWC19C2010C	0.22	-	8,000	-	BDMS28C2012B	-	-	-	-	CBG41C2010A	0.35	(0.08)	7,649	-
AWC19P2011A	0.25	(0.01)	25,000	-	BDMS28C2010A	0.22	(0.01)	6,084	-	CBG41C2011A	-	-	-	-
AWC24C2010A	-	-	-	-	BDMS28C2102A	0.31	(0.02)	16,224	-	CBG41C2011B	0.30	(0.06)	284,400	-
AWC28C2010A	-	-	-	-	BDMS41C2012A	0.28	(0.01)	19,712	-	CBG41C2012A	0.18	(0.05)	4,581	-
AWC28C2010B	-	-	-	-	BDMS41P2011A	0.57	-	4,317	-	CBG41P2010A	0.25	0.02	26,005	-
AWC28C2012A	-	-	-	-	BDMS42C2101T	-	-	-	-	CBG41P2012A	1.12	0.09	84,764	1.00
AWC28C2012B	0.16	(0.01)	3,042	-	BEM01C2101A	-	-	-	-	CBG42C2101T	0.65	(0.10)	29,344	-
AWC28C2010A	0.36	-	2,535	-	BEM06P2009A	-	-	-	-	CENT01C2009A	-	-	-	-
AWC41C2010A	-	-	-	-	BEM08C2009A	-	-	-	-	CENT01P2009A	0.01	(0.01)	1,114	-
AWC41C2011A	0.18	(0.01)	4,000	-	BEM08C2102A	0.19	(0.01)	4,881	-	CENT08C2012A	-	-	-	-
AWC42C2101T	-	-	-	-	BEM11C2011A	0.24	(0.01)	2,330	-	CENT11C2012A	0.16	(0.05)	16,428	-
BANP01C2101A	0.31	(0.02)	8,132	-	BEM13C2009A	-	-	-	-	CENT13C2010A	0.07	(0.02)	20,430	-
BANP06C2010A	-	-	-	-	BEM13C2010A	0.03	-	1,000	-	CENT13C2011A	0.37	(0.09)	220,080	-
BANP06C2101A	0.26	(0.01)	3,300	-	BEM13C2011A	0.19	(0.01)	62,428	-	CENT13P2011A	0.33	0.05	107,506	-
BANP06P2011A	0.49	-	11,450	-	BEM19C2010A	0.19	-	1	-	CENT19C2010A	0.19	(0.07)	68,862	-
BANP08C2009A	-	-	-	-	BEM19C2011A	-	-	-	-	CENT19C2011A	0.11	(0.03)	14,876	-
BANP08P2009A	0.18	(0.03)	18,528	-	BEM19P2010A	0.14	(0.01)	7,400	-	CENT19C2011B	0.46	(0.10)	110,032	-
BANP13C2010A	0.01	-	1,000	-	BEM28C2010A	0.16	(0.03)	6,584	-	CENT19P2011A	0.31	0.04	16,148	-
BANP13C2011A	0.09	(0.02)	300	-	BEM28C2101A	0.06	(0.01)	500	-	CENT24C2011A	0.46	(0.10)	96,412	-
BANP13C2012A	0.19	(0.03)	63,575	-	BEM28C2103A	0.35	(0.02)	6,090	-	CENT28C2010A	-	-	-	-
BANP19C2009A	0.05	(0.02)	400	-	BGR101C2009A	0.20	-	305	-	CENT28C2012A	0.20	(0.06)	54,754	-
BANP19C2010A	0.05	(0.01)	100	-	BGR101C2012A	0.27	-	46,510	-	CENT28C2012B	0.24	(0.08)	105,566	-
BANP19C2012A	0.22	(0.02)	4,130	-	BGR101P2012A	0.52	(0.02)	56,479	-	CENT28C2101A	0.42	(0.11)	124,760	-
BANP19P2010A	0.14	-	10	-	BGR106C2010A	0.07	(0.01)	41,850	-	CENT28C2101B	0.12	(0.05)	22,987	-
BANP19P2010B	0.56	0.01	2,229	-	BGR106P2011A	0.54	(0.03)	54,737	-	CENT28C2103L	0.33	(0.07)	69,697	-
BANP19P2012A	0.29	-	29,136	-	BGR108C2009A	-	-	-	-	CHG13C2010A	-	-	-	-
BANP24C2011A	-	-	-	-	BGR108C2101A	0.41	-	54,574	-	CHG13C2012A	0.21	(0.02)	42,292	-
BANP28C2010A	-	-	-	-	BGR111C2101A	0.26	-	35,281	-	CHG16C2009A	-	-	-	-
BANP28C2012A	0.11	-	3,292	-	BGR113C2011A	0.09	0.01	6,331	-	CHG19C2011A	0.15	(0.01)	61,040	-
BANP28C2101B	-	-	-	-	BGR113C2012A	0.34	(0.01)	140,336	-	CHG27C2009A	-	-	-	-
BANP28C2101A	0.23	-	2,358	-	BGR113P2011A	0.49	(0.02)	92,243	-	CK01C2101A	0.39	(0.05)	42,763	-
BANP41C2010A	0.08	-	200	-	BGR119C2009A	0.09	(0.03)	22,100	-	CK06C2009A	0.08	(0.01)	6,400	-
BANP42C2012T	-	-	-	-	BGR119C2011A	0.12	(0.01)	15,954	-	CK06P2012A	0.57	0.05	41,963	-
BBL06C2009A	-	-	-	-	BGR119C2012A	0.24	(0.01)	228,963	-	CK11C2012A	0.26	(0.05)	30,080	-
BBL06C2101A	-	-	-	-	BGR119P2010A	0.35	(0.01)	208,923	-	CK13C2010A	0.18	(0.05)	130,814	-
BBL06P2011A	0.57	(0.01)	25,076	-	BGR124C2009A	-	-	-	-	CK19C2010A	0.14	(0.04)	85,158	-
BBL08C2009A	0.04	(0.03)	1,000	-	BGR127C2101A	0.19	-	5,872	-	CK19C2011A	0.20	(0.04)	214,292	-
BBL08C2101A	0.36	(0.01)	26,676	-	BGR127P2012A	0.29	(0.01)	6,972	-	CK19C2012A	0.36	(0.06)	89,541	-
BBL08P2009A	0.10	(0.02)	25,000	-	BGR141C2010A	-	-	-	-	CK19P2011A	0.43	0.06	185,062	-
BBL11C2011A	0.43	(0.01)	18,900	-	BGR141C2012A	0.48	-	42,597	-	CK24C2102A	0.34	(0.05)	58,042	-
BBL13C2010A	0.29	(0.08)	24	-	BGR141C2101A	-	-	-	-	CK41C2009A	0.06	(0.04)	1,500	-
BBL13C2010B	0.10	(0.01)	183,144	-	BGR142C2101T	-	-	-	-	CK41C2011A	-	-	-	-
BBL13C2012A	0.36	(0.02)	195,318	-	BH13C2010A	-	-	-	-	CK41C2012A	0.41	0.01	8,760	-
BBL13P2010A	0.05	(0.02)	200	-	BH13C2012A	0.26	(0.02)	24,257	-	CK42C2101T	-	-	-	-
BBL13P2012A	0.62	(0.01)	22,654	-	BH19C2009A	0.01	(0.01)	5,500	-	CKP01C2009A	-	-	-	-
BBL19C2009A	-	-	-	-	BH19C2012A	0.29	(0.03)	45,687	-	CKP01C2101A	0.21	(0.03)	10,170	-
BBL19C2010A	0.13	(0.01)	1,508	-	BH19P2012A	0.47	0.02	50,925	-	CKP01P2009A	-	-	-	-
BBL19C2011A	0.12	0.01	3	-	BH41C2009A	-	-	-	-	CKP01P2101A	0.55	0.03	26,771	-
BBL19C2011B	0.22	(0.01)	75,413	-	BH41C2012A	0.29	(0.01)	16,000	-	CKP06C2012A	0.28	(0.05)	20,757	-
BBL19C2012A	-	-	-	-	BJC01C2009A	-	-	-	-	CKP08C2010A	-	-	-	-
BBL19P2010A	0.24	(0.01)	34,341	-	BJC01C2101A	0.37	-	13,424	-	CKP08C2012A	0.22	(0.03)	12,600	-
BBL19P2011A	0.59	-	96,252	-	BJC01P2009A	0.02	-	1,022	-	CKP11C2102A	0.29	(0.04)	15,290	-
BBL24C2009A	0.05	(0.03)	4,941	-	BJC01P2101A	0.47	-	4,746	-	CKP13C2010A	-	-	-	-
BBL28C2010A	-	-	-	-	BJC11C2102A	0.33	-	3,660	-	CKP13C2011A	0.17	(0.02)	111,258	-
BBL28C2011A	-	-	-	-	BJC13C2010A	-	-	-	-	CKP16C2012A	0.17	(0.03)	11,960	-
BBL28C2012A	0.16	(0.03)	16,196	-	BJC13C2011A	0.12	(0.01)	22,110	-	CKP19C2010A	-	-	-	-
BBL28C2101A	0.27	(0.02)	21,286	-	BJC13C2012A	0.27	-	6,880	-	CKP19C2011A	-	-	-	-
BBL41C2009A	-	-	-	-	BJC13P2012A	0.29	(0.01)	4,392	-	CKP19C2011B	0.15	(0.03)	29,343	-
BBL41C2011A	-	-	-	-	BJC19C2010A	0.04	-	1,000	-	CKP19P2012A	0.37	0.02	24,182	-
BBL41C2012A	-	-	-	-	BJC19C2010B	0.12	-	28,000	-	CKP24C2011A	0.19	(0.03)	27,012	-
BBL41P2010A	-	-	-	-	BJC19C2012A	0.25	(0.01)	46,959	-	CKP28C2011A	-	-	-	-
BBL41P2011A	0.36	-	22,892	-	BJC19P2012A	0.29	(0.01)	12,000	-	CKP28C2012A	-	-	-	-
BBL42C2101T	-	-	-	-	BJC27C2009A	0.01	-	100	-	CKP28C2012B	0.14	(0.04)	29,992	-
BBL42P2102T	-	-	-	-	BJC28C2010A	-	-	-	-	COM706C2012A	0.73	0.03	72,332	-
BCH01C2101A	0.37	-	16,882	-	BJC28C2012A	-	-	-	-	COM708C2010A	-	-	-	-
BCH06C2011A	0.19	(0.02)	30,694	-	BJC28C2010B	0.15	-	5,070	-	COM708C2011A	0.54	0.01	36,712	-
BCH13C2010A	0.11	(0.02)	35,387	-	BJC28C2101A	0.23	-	6,056	-	COM708C2102A	0.37	(0.01)	66,871	-
BCH19C2011A	0.23	(0.02)	54,700	-	BJC28C2102L	-	-	-	-	COM711C2101A	0.45	(0.01)	51,447	-</

Main Board Quotation

Issue Date :

Monday September 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL06P2012A	0.66	0.02	79,215	-	DTAC19P2011A	0.36	(0.01)	56,520	-	GPSC19P2012A	0.47	-	169,795	-
CPAL08C2011A	0.10	-	250	-	DTAC24C2012A	0.10	(0.01)	6,200	-	GPSC24C2011A	0.11	-	7,600	-
CPAL08C2102A	0.46	(0.02)	31,011	-	DTAC28C2012A	0.09	(0.01)	2,008	-	GPSC28C2011A	0.10	-	18,210	-
CPAL08P2009A	-	-	-	-	DTAC28C2102A	0.19	(0.01)	3,042	-	GPSC28C2101A	0.40	(0.01)	30,617	-
CPAL08P2101A	0.70	0.01	29,954	-	DTAC28C2104L	0.23	(0.77)	33,462	-	GPSC28C2104L	0.30	(0.01)	27,201	-
CPAL11C2012A	0.22	(0.01)	37,176	-	DTAC41C2010A	-	-	-	-	GPSC41C2011A	-	-	-	-
CPAL13C2011A	0.08	(0.02)	119,715	-	DTAC41C2011A	-	-	-	-	GPSC41C2012A	0.37	0.01	18,000	-
CPAL13C2012A	0.28	(0.03)	372,659	-	DTAC42C2101T	-	-	-	-	GPSC41P2010A	0.71	(0.02)	37,822	-
CPAL13P2011A	0.49	0.01	292,280	-	EA06C2010A	0.16	(0.03)	53,574	-	GPSC42C2101T	0.13	-	50	-
CPAL19C2010A	0.04	-	1,100	-	EA06P2012A	0.61	0.02	31,167	-	GULF01C2012A	0.23	(0.01)	15,860	-
CPAL19C2011A	0.14	(0.02)	41,801	-	EA08C2009A	0.12	(0.02)	13,280	-	GULF01P2012A	0.29	-	57,226	-
CPAL19C2012A	0.33	(0.02)	276,077	-	EA08C2101A	0.42	(0.02)	23,686	-	GULF06C2009A	0.01	-	1,110	-
CPAL19P2010A	-	-	-	-	EA11C2101A	0.15	(0.01)	20,470	-	GULF06C2101A	0.29	(0.01)	18,193	-
CPAL19P2010B	0.49	0.01	97,371	-	EA13C2009A	-	-	-	-	GULF08C2009A	0.01	(0.01)	401	-
CPAL24C2009A	0.13	(0.03)	45,024	-	EA13C2011A	0.13	(0.02)	173,971	-	GULF08C2012A	0.14	(0.01)	12,049	-
CPAL27C2101A	0.13	-	2,544	-	EA13C2012A	0.26	(0.04)	116,267	-	GULF08C2102A	0.34	(0.01)	16,300	-
CPAL28C2010A	-	-	-	-	EA13P2011A	0.70	0.02	51,090	-	GULF11C2011A	0.12	(0.01)	28,509	-
CPAL28C2012A	-	-	-	-	EA16C2012A	0.18	(0.04)	6,264	-	GULF13C2009B	-	-	-	-
CPAL28C2012B	-	-	-	-	EA19C2010A	0.15	(0.02)	33,780	-	GULF13C2011A	0.07	-	51,918	-
CPAL28C2012C	0.12	-	14,140	-	EA19C2012A	0.25	(0.03)	164,831	-	GULF13C2012A	0.16	(0.01)	155,518	-
CPAL28C2102A	0.27	(0.02)	21,666	-	EA19P2011A	0.34	0.02	138,973	-	GULF13P2009A	0.02	-	320	-
CPAL28C2104L	0.24	-	11,126	-	EA19P2011B	0.49	0.02	40,866	-	GULF13P2011A	0.32	-	246,794	-
CPAL41C2010A	0.06	-	1	-	EA24C2101A	0.33	(0.04)	45,705	-	GULF16C2012A	0.16	-	5,796	-
CPAL41C2011A	0.22	0.01	34,010	-	EA28C2011A	0.15	(0.03)	24,351	-	GULF19C2010A	0.04	-	5,922	-
CPAL41P2011A	0.57	-	16,626	-	EA28C2012A	0.19	(0.01)	11,523	-	GULF19C2010B	0.07	(0.01)	7	-
CPAL42C2101T	-	-	-	-	EA28C2101A	0.19	(0.02)	16,896	-	GULF19C2012A	0.18	-	63,938	-
CPF01C2012A	0.10	-	17,542	-	EA28C2103L	0.16	(0.01)	8,212	-	GULF19C2101A	0.24	(0.01)	251,702	-
CPF01P2012A	0.43	0.02	14,400	-	EA41C2009A	-	-	-	-	GULF19P2009A	0.02	-	10,000	-
CPF06C2010A	0.04	-	1,520	-	EA41C2011A	0.13	(0.02)	11,000	-	GULF19P2010A	0.14	-	104,732	-
CPF06P2011A	0.21	0.01	36,066	-	EA42C2101T	0.20	(0.01)	45	-	GULF19P2010B	0.33	(0.02)	103,606	-
CPF08C2010A	0.08	(0.02)	11,100	-	EGC001C2101A	0.34	(0.05)	57,445	-	GULF19P2012A	0.32	-	200,976	-
CPF11C2010A	-	-	-	-	EGC006C2010A	-	-	-	-	GULF24C2009A	-	-	-	-
CPF13C2009A	0.01	-	21	-	EGC006P2009A	0.15	0.02	21,080	-	GULF24C2101A	0.24	(0.01)	31,964	-
CPF13C2011A	0.05	(0.01)	28,520	-	EGC013C2009A	-	-	-	-	GULF28C2010A	0.01	-	1,500	-
CPF13C2012A	0.13	-	83,277	-	EGC013C2011A	0.07	(0.03)	23,698	-	GULF28C2012A	0.04	-	10,251	-
CPF13P2012A	0.40	0.01	124,016	-	EGC013C2012A	0.32	(0.68)	154,804	-	GULF28C2012B	0.08	(0.03)	660	-
CPF16C2012A	0.10	-	1,896	-	EGC013P2011A	0.70	0.06	113,079	-	GULF28C2101A	0.17	-	15,129	-
CPF19C2009A	-	-	-	-	EGC019C2010A	0.05	(0.01)	13,990	-	GULF41C2009A	-	-	-	-
CPF19C2010A	0.05	-	23,626	-	EGC019C2011A	0.09	(0.02)	8,001	-	GULF41C2011A	0.10	(0.01)	5,051	-
CPF19C2012A	0.13	(0.01)	35,410	-	EGC019C2012A	0.19	(0.04)	125,853	-	GULF41C2012A	-	-	-	-
CPF19P2010A	0.12	0.01	8,300	-	EGC019P2011A	0.89	0.06	27,463	-	GULF41P2009A	0.38	(0.02)	1,220	-
CPF19P2012A	0.45	0.02	19,732	-	EGC019P2012A	0.55	(0.45)	165,961	-	GULF41P2011A	0.38	-	5,322	-
CPF24C2012A	0.08	(0.01)	1,000	-	EGC024C2009A	-	-	-	-	GULF41P2012A	0.30	-	45,946	-
CPF28C2010A	0.38	-	50	-	EGC042C2101T	-	-	-	-	GULF42C2101M	-	-	-	-
CPF28C2011A	-	-	-	-	EPG13C2010A	0.03	(0.01)	8,000	-	GULF42C2101T	0.11	-	693	-
CPF28C2012A	0.06	(0.02)	8,740	-	EPG13C2011A	0.41	0.02	48,166	-	GULF42P2010T	0.28	(0.01)	5,100	-
CPF28C2012B	0.05	(0.01)	3,004	-	EPG13C2012A	0.16	-	49,700	-	GUNK01C2012A	0.14	(0.03)	29,438	-
CPF28C2103L	0.14	(0.01)	10,274	-	EPG19C2010A	0.42	0.03	217,053	-	GUNK13C2011A	0.04	(0.02)	1,077	-
CPF41C2010A	0.04	(0.02)	1	-	EPG19C2011A	0.12	(0.01)	10,075	-	GUNK19C2010A	0.02	(0.01)	70	-
CPF41P2011A	0.35	0.02	27,370	-	EPG42C2101T	0.27	(0.06)	20	-	GUNK19C2012A	0.07	(0.03)	27,278	-
CPF42C2101T	0.07	(0.01)	10,392	-	ERW06C2010A	0.21	0.01	71,600	-	GUNK19C2101A	0.14	(0.86)	37,283	-
CPN01C2012A	0.27	(0.03)	87,167	-	ERW13C2010A	0.07	(0.01)	22,293	-	GUNK24C2012A	0.08	(0.03)	12,651	-
CPN06C2010A	0.05	0.01	5	-	ERW19C2010A	0.28	0.01	38,498	-	GUNK28C2012A	0.07	(0.03)	6,146	-
CPN11C2101A	0.22	(0.03)	14,780	-	ERW19C2010B	0.05	(0.01)	2,000	-	GUNK28C2012B	-	-	-	-
CPN13C2009A	-	-	-	-	ESSO01C2009A	-	-	-	-	GUNK28C2102A	0.10	(0.04)	22,632	-
CPN13C2011A	0.12	(0.02)	54,074	-	ESSO01C2012A	0.26	(0.02)	12,866	-	HANA01C2012A	0.46	0.03	49,544	-
CPN19C2010A	0.06	(0.02)	4	-	ESSO01P2009A	0.01	-	1,174	-	HANA13C2011A	0.46	0.03	185,396	-
CPN19C2011A	0.12	(0.02)	11,600	-	ESSO01P2012A	0.58	-	27,560	-	HANA13C2012A	0.25	0.02	317,515	-
CPN19C2012A	0.26	(0.03)	47,780	-	ESSO06C2011A	0.11	(0.03)	26,195	-	HANA19C2010A	0.42	0.02	100,591	-
CPN19P2010A	0.30	0.02	97,402	-	ESSO08C2011A	0.18	(0.02)	30,179	-	HANA19C2012A	0.28	0.02	144,436	-
CPN24C2011A	0.14	(0.02)	7,400	-	ESSO13C2010A	0.08	(0.02)	32,541	-	HANA19P2011A	0.06	(0.01)	2,065	-
CPN41C2009A	0.01	-	1	-	ESSO13C2012A	0.23	(0.01)	67,822	-	HANA24C2012A	0.44	0.03	51,667	-
CPN41C2012A	0.21	(0.05)	8,472	-	ESSO19C2009A	-	-	-	-	HANA27P2012X	0.15	(0.01)	14,467	-
CPN41P2011A	0.75	0.06	12,377	-	ESSO19C2010A	0.16	(0.01)	67,550	-	HANA28C2012A	0.38	0.03	57,716	-
CRC01C2101A	0.24	(0.01)	12,573	-	ESSO19C2011A	0.09	(0.02)	60,341	-	HANA41C2012A	0.36	0.01	98,691	-
CRC01P2101A	0.58	0.02	29,274	-	ESSO19C2012A	0.19	(0.01)	46,574	-	HANA42C2101T	0.31	0.01	24,689	-
CRC08C2009A	0.01	(0.01)	2	-	ESSO19P2012A	0.43	0.02	128,930	-	HMPR01C2012A	0.17	(0.05)	9,712	-
CRC08C2101A	0.19	(0.02)	2,001	-	ESSO24C2012A	0.13	(0.01)	15,920	-	HMPR06C2010A	0.11	(0.04)	27,500	-
CRC13C2011A	0.08	(0.01)	6,170	-	ESSO28C2101A	0.12	(0.01)	10,270	-	HMPR06P2011A	0.29	0.05	43,951	-
CRC13C2012A	0.15	(0.01)	39,942	-	ESSO28C2101B	0.16	(0.03)	32,416	-	HMPR11C2011A	0.29	(0.05)	25,520	-
CRC13P2012A	0.29	(0.01)	67,296	-	ESSO41C2010A	-	-	-	-	HMPR13C2009A	-	-	-	-
CRC19C2010A	0.02	(0.01)	2,900	-	ESSO41C2011A	0.10	(0.01)	3,928	-	HMPR13C2012A	0.25	(0.04)	111,382	-
CRC19C2011A	0.07	(0.02)	9,245	-	ESSO42C2101T	-	-	-	-	HMPR19C2010A	0.16	(0.03)	12,201	-
CRC19C2012A	0.14	(0.01)	17,413	-	GFPT08C2011A	0.15	(0.02)	3,070	-	HMPR19P2011A	0.39	0.05	40,348	-
CRC19P2011A	0.28	0.01	23,500	-	GFPT13C2010A	0.12	(0.01)	10,100	-	HMPR41C2010A	-	-	-	-
CRC24C2101A	0.15	(0.01)	12,012	-	GFPT19C2010A	0.14	(0.01)	6,800	-	HSI28C2009A	0.25	(0.05)	523,113	-
CRC28C2011A	-	-	-	-	GFPT19C2010B	-	-	-	-	HSI28C2009B	0.05	(0.03)	156,471	-
CRC28C2012A	0.06	-	2,100	-	GFPT24C2012A	0.16	(0.01)	9,411	-	HSI28C2009C	0.02	-	332,935	-
CRC28C2101A	0.17	(0.01)	19,587	-	GFPT42C2101T	-	-	-	-	HSI28C2009D	0.01	-	72,435	-
CRC41C2010A	-	-	-	-	GLOB01C2012A	0.26	(0.05)	32,073	-	HSI28C2009E	0.01	-	41,721	-
CRC41C2012A	0.14	(0.01)	15,699	-	GLOB13C2011A	0.30	(0.05)	93,181	-	HSI28C2010A	0.67	(0.03)	1,091,935	-
DELT13C2011A	3.90	(0.04)	1,537	3.00	GLOB19C2010A	0.48	(0.06)	37,245	-	HSI28C2010B	0.34	(0.02)	394,533	-
DOHO06C2012A	0.24	(0.03)	96,214	-	GLOB19C2012A	0.30	(0.04)	103,667	-	HSI28C2010C	0.16	(0.01)	62,205	-
DOHO08C2012A	0.30	(0.02)	74,080	-	GLOB24C2010A	0.38	(0.09)	20,335	-	HSI28C2010L	0.06	(0.01)	110,627	-
DOHO11C2101A	0.29	(0.03)	44,080	-	GLOB42C2009A	0.54	(0.42)	323	-	HSI28C2011L	0.45	-		

Main Board Quotation

Issue Date :

Monday September 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI41C2010C	0.18	-	3,902	-	JMT06C2012A	0.34	0.04	99,248	-	KTC13P2012A	0.30	(0.02)	187,233	-
HSI41C2011A	0.24	-	735	-	JMT08C2010A	0.25	0.03	46,713	-	KTC19C2010A	0.03	0.01	28,514	-
HSI41C2012A	0.27	0.01	136	-	JMT11C2012A	0.27	0.02	46,233	-	KTC19C2010B	0.16	0.01	64,429	-
HSI41C2101A	0.24	-	404	-	JMT13C2011A	1.00	(0.30)	169	1.00	KTC19C2012A	0.23	0.03	73,516	-
HSI41P2009A	0.28	(0.06)	10,472	-	JMT13C2011B	0.30	0.03	238,981	-	KTC19P2010A	0.20	(0.02)	2,100	-
HSI41P2009B	-	-	-	-	JMT13C2012A	0.19	0.01	1,250,197	-	KTC24C2011A	0.21	0.01	10,200	-
HSI41P2009C	0.62	(0.16)	8,052	-	JMT19C2010A	-	-	-	-	KTC28C2011A	-	-	-	-
HSI41P2009D	0.13	(0.03)	2,000	-	JMT19C2011A	0.32	0.04	336,204	-	KTC28C2012A	0.09	0.01	2,000	-
HSI41P2010A	1.21	(0.17)	6	1.00	JMT19C2012A	0.20	0.03	346,002	-	KTC28C2012B	0.20	0.02	16,510	-
HSI41P2010B	0.79	(0.09)	20,011	-	JMT24C2011A	0.30	0.04	139,772	-	KTC28C2010A	0.20	(0.80)	40,848	-
HSI41P2010C	0.48	(0.06)	110	-	JMT28C2010A	0.24	0.03	166,424	-	KTC28C2013L	0.19	-	3,042	-
HSI41P2011A	0.81	(0.09)	7	-	JMT42C2010T	0.19	0.02	450	-	KTC41C2009A	-	-	-	-
HSI41P2012A	0.46	(0.04)	15	-	KBAN01C2012A	0.75	(0.03)	34,872	-	KTC41C2011A	0.21	0.02	19,000	-
HSI41P2101A	-	-	-	-	KBAN01C2012B	0.62	(0.03)	52,429	-	KTC41C2012A	-	-	-	-
INTU01C2101A	0.43	0.01	19,852	-	KBAN01P2012A	0.96	0.02	31,802	-	KTC42C2010T	0.11	0.01	2,208	-
INTU06C2009A	-	-	-	-	KBAN06C2009A	-	-	-	-	LH01C2101A	0.31	(0.02)	1,642	-
INTU06P2011A	0.35	(0.01)	10,747	-	KBAN06C2011A	0.02	(0.01)	1,532	-	LH06C2012A	0.19	(0.02)	2,130	-
INTU13C2011A	0.16	(0.01)	22,132	-	KBAN06C2012A	0.31	(0.03)	59,984	-	LH11C2012A	0.22	(0.02)	12,267	-
INTU16C2009A	-	-	-	-	KBAN06P2011A	0.78	0.01	47,430	-	LH13C2010A	-	-	-	-
INTU19C2009A	-	-	-	-	KBAN08C2011A	0.10	(0.02)	20,500	-	LH19C2010A	0.19	(0.01)	150	-
INTU19C2012A	0.31	-	7,450	-	KBAN08C2010A	0.38	(0.03)	50,541	-	LH19C2011A	0.11	(0.01)	50	-
INTU19P2010A	-	-	-	-	KBAN08P2010A	1.11	0.02	40,720	1.00	LH19P2010A	-	-	-	-
INTU19P2012A	0.57	(0.02)	8,100	-	KBAN13C2010A	0.03	-	5,147	-	MAJ013C2011A	0.23	0.03	64,624	-
INTU23C2111A	-	-	-	-	KBAN13C2010B	0.01	(0.01)	50,304	-	MAJ019C2011A	0.38	0.05	30,449	-
INTU28C2010A	-	-	-	-	KBAN13C2011A	0.25	(0.01)	123,471	-	MEGA13C2011A	0.09	(0.01)	20	-
INTU28C2012A	0.18	-	4,556	-	KBAN13C2012A	0.34	(0.03)	357,718	-	MEGA16C2009A	-	-	-	-
INTU28C2102A	0.32	-	18,252	-	KBAN13P2010A	0.12	(0.01)	22,560	-	MEGA19C2011A	0.14	0.02	39,989	-
INTU41C2010A	-	-	-	-	KBAN13P2011A	0.99	-	529,203	-	MEGA42C2101T	-	-	-	-
INTU41C2012A	0.28	-	4,000	-	KBAN19C2009A	-	-	-	-	MINT01C2012A	0.65	(0.01)	86,756	-
INTU42C2101T	-	-	-	-	KBAN19C2010A	0.02	-	3	-	MINT01P2012A	0.39	(0.03)	29,234	-
IRPC01C2101A	0.22	(0.02)	17,291	-	KBAN19C2010B	0.07	-	1,000	-	MINT01P2012B	0.85	(0.15)	6,235	-
IRPC06C2010A	0.01	-	200	-	KBAN19C2011A	0.02	-	6,641	-	MINT06C2012A	0.70	0.02	104,837	-
IRPC06P2010A	0.39	0.01	16,710	-	KBAN19C2012A	0.46	(0.03)	46,765	-	MINT06P2012A	0.25	(0.02)	122,073	-
IRPC11C2102A	0.19	(0.02)	19,860	-	KBAN19C2012B	0.30	(0.02)	226,839	-	MINT08C2010A	0.36	(0.01)	63,854	-
IRPC13C2011A	-	-	-	-	KBAN19P2010A	0.66	0.01	107,365	-	MINT08P2011A	0.36	(0.02)	56,588	-
IRPC13C2012A	0.12	(0.02)	2,891	-	KBAN19P2010P	0.19	-	71,434	-	MINT11C2011A	0.60	(0.01)	80,109	-
IRPC13P2011A	0.40	0.01	78,745	-	KBAN24C2009A	0.02	(0.02)	9,800	-	MINT11P2011A	0.28	(0.01)	41,320	-
IRPC19C2010A	-	-	-	-	KBAN24C2012A	0.30	(0.04)	53,544	-	MINT13C2009A	-	-	-	-
IRPC19C2011A	0.08	(0.01)	100	-	KBAN28C2010A	0.01	-	2,500	-	MINT13C2010A	0.38	-	140,780	-
IRPC19C2010A	0.18	(0.82)	3,535	-	KBAN28C2012A	0.04	-	1,266	-	MINT13C2011A	0.43	-	650,708	-
IRPC19P2011A	0.46	0.02	1,791	-	KBAN28C2012B	0.13	(0.02)	2,468	-	MINT13P2011A	0.28	(0.01)	121,169	-
IRPC19P2012A	0.26	(0.74)	31,000	-	KBAN28C2010A	0.42	(0.05)	16,050	-	MINT13P2012A	0.49	(0.04)	502,803	-
IRPC24C2012A	0.09	(0.02)	15,492	-	KBAN28C2014L	0.31	(0.01)	18,452	-	MINT16C2012A	0.66	0.01	11,814	-
IRPC28C2012A	0.04	(0.01)	6,804	-	KBAN28P2012A	0.39	-	39,532	-	MINT19C2010A	0.23	0.01	208,500	-
IRPC28C2101A	0.11	(0.01)	4,000	-	KBAN41C2009A	-	-	-	-	MINT19C2011A	0.73	(0.01)	192,428	-
IRPC28C2103A	0.18	(0.02)	11,126	-	KBAN41C2011A	0.01	(0.07)	20	-	MINT19C2011B	0.39	0.01	501,367	-
IRPC41C2010A	0.03	-	200	-	KBAN41C2012A	0.41	(0.03)	148,739	-	MINT19P2010A	0.17	(0.01)	50,840	-
IRPC41C2101A	-	-	-	-	KBAN41P2010A	0.38	0.01	20,784	-	MINT19P2011A	0.21	-	234,210	-
IVL01C2012A	0.14	(0.02)	7,422	-	KBAN41P2011A	1.40	0.06	2,923	1.00	MINT19P2012A	0.56	(0.01)	236,604	-
IVL01C2012B	0.53	(0.04)	27,434	-	KBAN42C2010T	-	-	-	-	MINT24C2011A	0.50	(0.02)	22,297	-
IVL01P2012A	0.86	0.03	22,130	-	KBAN42P2010T	0.85	-	7,200	-	MINT28C2012A	0.21	(0.01)	35,596	-
IVL06C2010A	0.01	-	10,900	-	KCE01C2012A	0.28	(0.03)	62,666	-	MINT28C2012B	0.38	(0.01)	116,252	-
IVL06C2101A	0.37	(0.03)	68,636	-	KCE01P2011A	0.51	0.01	56,581	-	MINT28C2012C	0.43	(0.02)	59,938	-
IVL06P2009A	-	-	-	-	KCE06C2009A	-	-	-	-	MINT28C2104L	0.31	-	27,850	-
IVL06P2011A	0.68	0.02	42,495	-	KCE06C2012A	-	-	-	-	MINT41C2010A	0.27	0.01	116,792	-
IVL08C2009A	-	-	-	-	KCE06C2012B	0.40	(0.04)	29,251	-	MINT41C2012A	0.75	(0.03)	1,964	-
IVL08C2101A	0.38	(0.04)	22,323	-	KCE08C2009A	-	-	-	-	MINT42C2101T	0.35	(0.03)	6,300	-
IVL08P2011A	0.31	0.01	28,000	-	KCE08C2012A	0.33	(0.03)	21,593	-	MINT42P2102T	-	-	-	-
IVL11C2012A	0.14	(0.01)	12,360	-	KCE11C2101A	0.34	(0.03)	24,972	-	MTC01C2012A	0.47	(0.02)	42,749	-
IVL13C2009A	-	-	-	-	KCE13C2009A	-	-	-	-	MTC06C2009A	-	-	-	-
IVL13C2011A	-	-	-	-	KCE13C2010A	0.20	(0.03)	325,369	-	MTC06C2010A	0.05	(0.02)	5,200	-
IVL13C2012A	0.34	(0.03)	26,548	-	KCE13C2012A	0.20	(0.02)	196,628	-	MTC06C2102A	0.50	(0.03)	39,641	-
IVL13C2012B	0.10	(0.01)	40,388	-	KCE13P2010A	0.14	(0.01)	47,516	-	MTC08C2009A	0.49	(0.05)	13,600	-
IVL13P2010A	0.17	0.01	88,700	-	KCE16C2012A	0.25	(0.03)	26,182	-	MTC08C2011A	0.28	(0.04)	11,700	-
IVL16C2009A	-	-	-	-	KCE19C2009A	-	-	-	-	MTC08C2102A	0.50	(0.03)	27,154	-
IVL19C2009A	-	-	-	-	KCE19C2010A	-	-	-	-	MTC11C2102A	0.47	(0.02)	18,565	-
IVL19C2010A	0.04	(0.01)	16,000	-	KCE19C2010B	-	-	-	-	MTC13C2009A	-	-	-	-
IVL19C2010B	-	-	-	-	KCE19C2011A	0.23	(0.03)	146,978	-	MTC13C2010A	0.08	(0.02)	19,812	-
IVL19C2011A	0.21	(0.03)	149,254	-	KCE19C2012A	0.18	(0.03)	146,469	-	MTC13C2011A	0.27	(0.05)	120,381	-
IVL19C2012A	0.38	(0.04)	75,603	-	KCE19P2010A	0.15	0.02	50,748	-	MTC13P2011A	0.47	0.01	61,351	-
IVL19P2010A	0.14	-	14,950	-	KCE19P2012A	0.34	0.02	223,791	-	MTC19C2009A	0.31	(0.03)	86,122	-
IVL19P2010B	0.26	-	52,981	-	KCE24C2010A	0.39	(0.04)	7,555	-	MTC19C2010A	0.19	(0.02)	143,052	-
IVL19P2011A	0.65	0.01	60,326	-	KCE27C2101X	0.58	(0.04)	4,227	-	MTC19C2012A	0.32	(0.03)	175,497	-
IVL19P2012A	0.49	0.02	121,598	-	KCE41C2012A	0.20	(0.02)	2,160	-	MTC19P2010A	0.11	0.01	60,300	-
IVL24C2012A	0.38	(0.62)	32,046	-	KCE42C2012T	0.71	(0.04)	3,800	-	MTC19P2012A	0.52	0.01	247,847	-
IVL28C2011A	-	-	-	-	KKP13C2010A	-	-	-	-	MTC24C2009A	-	-	-	-
IVL28C2012A	0.04	(0.01)	1,102	-	KKP13C2012A	0.22	(0.02)	100,672	-	MTC28C2011A	0.16	(0.02)	12,236	-
IVL28C2012B	-	-	-	-	KKP19C2010A	0.12	(0.02)	6,130	-	MTC28C2012A	0.17	(0.01)	23,454	-
IVL28C2101A	0.31	(0.04)	19,252	-	KKP19C2011A	0.06	(0.02)	6,100	-	MTC28C2012B	0.32	(0.03)	30,829	-
IVL28C2104L	0.30	(0.01)	3,042	-	KKP19C2012A	0.22	(0.03)	32,300	-	MTC28C2102L	0.21	(0.01)	6,584	-
IVL41C2009A	-	-	-	-	KTB01C2009A	-	-	-	-	MTC41C2010A	-	-	-	-
IVL41C2010A	-	-	-	-	KTB01P2009A	-	-	-	-	MTC41C2012A	0.41	(0.04)	24,568	-
IVL41C2011A	-	-	-	-	KTB13C2010A	-	-	-	-	MTC42C2101T	0.15	(0.02)	30	-
IVL41C2012A	0.39	(0.03)	41,540	-	KTB13C2012A	0.25	(0.01)	32,068	-	OR113C2011A	0.17	(0.03)	111,273	-
IVL41P2010A	-	-	-	-	KTB19C2010A	-	-	-	-	OR119C2010A	0.79	(0.53)	60	-
IVL41P2012A	0.81	0.03	28,732	-	KTB19C2011A	0.07	(0.02)	4,000	-	OR119C2011A	0.29	(0.05)	31,329	-
IVL41P2012B	-	-	-											

Main Board Quotation

Issue Date :

Monday September 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP19P2010A	0.25	0.03	398,607	-	PTTE28C2011B	-	-	-	-	S5013P2009E	0.20	(0.04)	2,982,975	-
OSP24C2010A	0.27	(0.03)	66,543	-	PTTE28C2012A	0.32	(0.01)	13,168	-	S5013P2009F	0.06	(0.02)	49,463	-
OSP28C2010A	0.14	(0.02)	8,112	-	PTTE28C2010A	0.41	(0.01)	71,546	-	S5013P2009G	0.07	(0.03)	479,289	-
OSP28C2010B	0.15	(0.05)	29,378	-	PTTE28C2012L	0.27	-	12,169	-	S5013P2010A	0.71	0.01	311,490	-
OSP41C2010A	-	-	-	-	PTTE41C2010A	-	-	-	-	S5013P2012A	1.09	0.01	8,788,107	1.00
OSP41C2012A	-	-	-	-	PTTE41C2011A	-	-	-	-	S5013P2012B	1.23	0.01	6,900,920	1.00
OSP42C2010T	0.11	(0.02)	2,300	-	PTTE41C2012A	0.40	0.01	30,820	-	S5016C2009A	-	-	-	-
PLAN13C2010A	0.06	-	30,173	-	PTTE41P2009A	-	-	-	-	S5016C2009B	-	-	-	-
PLAN13C2011A	0.17	(0.01)	159,802	-	PTTE41P2010A	-	-	-	-	S5016C2012A	0.39	(0.04)	23,329	-
PLAN19C2010A	0.64	(0.04)	8,429	-	PTTE41P2011A	0.96	(0.03)	15,772	-	S5016P2009A	-	-	-	-
PLAN19C2010B	0.11	0.01	6,002	-	PTTE42C2010T	-	-	-	-	S5016P2009B	-	-	-	-
PLAN19C2012A	0.19	(0.01)	39,378	-	PTTE42P2010T	0.79	(0.03)	10,451	-	S5016P2012A	0.90	0.01	60,932	-
PLAN24C2009A	-	-	-	-	PTTG01C2012A	0.40	(0.02)	35,346	-	S5016P2012B	0.90	0.01	137,430	-
PLAN27C2010A	0.19	(0.02)	4,800	-	PTTG01P2012A	0.97	0.01	39,051	-	S5016P2103Z	-	-	-	-
PLAN28C2010A	-	-	-	-	PTTG08C2010A	0.28	(0.02)	900	-	S5019C2009A	1.10	(0.08)	33,481	1.00
PLAN28C2012A	-	-	-	-	PTTG08P2010A	0.10	-	19,500	-	S5019C2009B	-	-	-	-
PLAN28C2012B	0.18	(0.01)	25,534	-	PTTG11C2010A	0.12	(0.01)	6,500	-	S5019C2009C	-	-	-	-
PLAN42C2010T	-	-	-	-	PTTG13C2010A	0.05	(0.01)	2,509	-	S5019C2009D	-	-	-	-
PRM08C2010A	0.36	(0.04)	110,011	-	PTTG13C2011A	0.17	(0.02)	39,527	-	S5019C2009E	-	-	-	-
PRM11C2010A	0.47	(0.04)	57,020	-	PTTG13C2012A	0.28	(0.02)	116,466	-	S5019C2009F	-	-	-	-
PRM13C2010A	0.24	(0.03)	122,086	-	PTTG13P2010A	0.15	-	28,258	-	S5019C2012A	0.30	(0.02)	33,586	-
PRM16C2012A	0.28	(0.05)	62,256	-	PTTG13P2011A	0.57	0.01	163,521	-	S5019C2012B	0.33	(0.03)	1,089,209	-
PRM19C2010A	0.51	(0.06)	73,207	-	PTTG19C2009A	0.09	(0.02)	30,390	-	S5019C2012C	0.61	(0.39)	468,200	-
PRM19C2011A	0.27	(0.04)	182,517	-	PTTG19C2010A	0.18	(0.01)	15,121	-	S5019P2009A	-	-	-	-
PRM28C2012A	0.22	(0.07)	43,960	-	PTTG19C2012A	0.30	(0.02)	63,054	-	S5019P2009B	0.01	-	1	-
PRM42C2010T	0.23	(0.08)	1,800	-	PTTG19P2009A	-	-	-	-	S5019P2009C	0.06	(0.02)	1,000	-
PTG01C2012A	0.29	(0.06)	23,687	-	PTTG19P2010A	0.30	0.01	209,325	-	S5019P2009D	0.18	(0.02)	600	-
PTG01P2012A	0.84	0.07	92,174	-	PTTG19P2011A	0.32	0.01	105,441	-	S5019P2009E	-	-	-	-
PTG06C2010A	0.27	(0.07)	115,149	-	PTTG19P2011B	0.73	0.02	6,043	-	S5019P2009F	0.04	(0.01)	1,100	-
PTG08C2011A	0.29	(0.08)	25,751	-	PTTG24C2010A	0.36	(0.03)	162,855	-	S5019P2012A	0.92	0.02	1,452,264	-
PTG11C2010A	0.32	(0.06)	30,581	-	PTTG28C2010A	-	-	-	-	S5019P2012B	0.85	0.03	681,040	-
PTG13C2010A	0.13	(0.06)	298,317	-	PTTG28C2012A	0.24	(0.03)	31,568	-	S5024C2009A	-	-	-	-
PTG13C2012A	0.14	(0.04)	252,449	-	PTTG28C2012L	-	-	-	-	S5024C2009B	0.01	-	26	-
PTG16C2009A	0.10	(0.05)	3,988	-	PTTG41C2010A	0.26	(0.03)	37,594	-	S5024C2009C	-	-	-	-
PTG19C2010A	0.28	(0.07)	171,523	-	PTTG41C2011A	0.11	(0.01)	2,000	-	S5024C2009D	-	-	-	-
PTG19C2011A	0.18	(0.05)	287,400	-	PTTG41P2010A	-	-	-	-	S5024C2009E	-	-	-	-
PTG19P2010A	0.07	0.01	963	-	PTTG41P2011A	0.66	0.01	36,093	-	S5024C2009F	0.01	(0.10)	100	-
PTG19P2011A	0.51	0.05	324,369	-	PTTG42C2012T	-	-	-	-	S5024C2009G	0.07	(0.03)	40	-
PTG42C2010T	0.21	(0.03)	4,566	-	QH19C2012A	0.15	(0.01)	7,244	-	S5024C2012A	0.03	-	4,469	-
PTT01C2012A	0.22	-	4,962	-	QHZ2C2010A	-	-	-	-	S5024C2012B	0.17	(0.02)	10	-
PTT01P2012A	0.40	(0.01)	24,164	-	RAT01C2010A	0.42	(0.02)	8,719	-	S5024C2012C	0.39	(0.05)	404,047	-
PTT06C2012A	0.13	-	5,570	-	RAT06C2009A	-	-	-	-	S5024C2012D	0.52	(0.07)	849,867	-
PTT08C2010A	0.20	-	1,800	-	RAT06C2102A	0.41	(0.03)	13,500	-	S5024P2009A	-	-	-	-
PTT08P2009A	-	-	-	-	RAT06P2010A	0.63	0.01	20,368	-	S5024P2009B	-	-	-	-
PTT08P2101A	0.46	-	15,201	-	RAT06P2011A	0.02	(0.03)	1,000	-	S5024P2009C	0.03	(0.01)	41	-
PTT11C2010A	0.17	(0.01)	68,142	-	RAT13C2010A	0.22	(0.02)	87,446	-	S5024P2009D	0.01	(0.01)	128	-
PTT13C2010A	0.03	-	34,785	-	RAT13C2012A	0.44	-	153,744	-	S5024P2009E	0.55	(0.04)	531,873	-
PTT13C2012A	0.12	(0.01)	203,742	-	RAT13P2011A	0.49	-	153,744	-	S5024P2012A	0.14	-	598	-
PTT13C2012B	0.24	-	267,653	-	RAT19C2010A	0.09	(0.02)	33,463	-	S5024P2012B	0.47	-	832	-
PTT13P2010A	0.14	(0.01)	182,250	-	RAT19C2011A	0.61	0.01	67,764	-	S5024P2012C	1.22	0.03	655,550	1.00
PTT13P2011A	0.36	(0.01)	204,695	-	RAT24C2012A	0.26	(0.02)	7,904	-	S5024P2012D	0.86	0.01	479,210	-
PTT16C2012A	0.15	0.01	5,703	-	RAT41C2010A	-	-	-	-	S5028C2009A	-	-	-	-
PTT19C2009A	-	-	-	-	RAT41C2012A	0.33	(0.02)	18,400	-	S5028C2009B	-	-	-	-
PTT19C2011A	0.09	(0.01)	43,671	-	RAT42C2102T	0.13	(0.01)	190	-	S5028C2009C	-	-	-	-
PTT19C2012A	0.15	-	188	-	RS06C2010A	-	-	-	-	S5028C2009D	0.02	(0.03)	109	-
PTT19C2012B	0.20	-	174,317	-	RS06C2012A	0.38	(0.06)	52,527	-	S5028C2009E	0.02	(0.02)	400	-
PTT19P2009A	-	-	-	-	RS08C2011A	0.58	(0.33)	1,000	-	S5028C2010A	0.17	(0.03)	499,942	-
PTT19P2010A	-	-	-	-	RS08C2103A	0.49	(0.06)	57,486	-	S5028C2012A	0.09	(0.01)	11,898	-
PTT19P2010B	0.23	-	64,000	-	RS13C2010A	-	-	-	-	S5028C2012B	0.15	(0.01)	239,270	-
PTT24C2010A	0.21	(0.01)	24,430	-	RS13C2011A	0.32	(0.06)	158,465	-	S5028P2009A	0.50	(0.02)	75,030	-
PTT28C2011A	-	-	-	-	RS19C2010A	-	-	-	-	S5028P2009B	0.19	(0.02)	90,092	-
PTT28C2012A	-	-	-	-	RS19C2010B	0.41	(0.06)	224,125	-	S5028P2009C	0.16	(0.05)	148,820	-
PTT28C2010A	0.16	(0.01)	27,371	-	RS19C2011A	-	-	-	-	S5028P2009D	-	-	-	-
PTT28C2103L	0.20	(0.01)	2	-	RS19C2011B	0.26	(0.05)	79,166	-	S5028P2009E	0.58	(0.07)	180,831	-
PTT41C2009A	-	-	-	-	RS28C2012A	-	-	-	-	S5028P2010A	0.60	(0.01)	895,654	-
PTT41C2010A	-	-	-	-	RS28C2101A	0.33	(0.04)	66,660	-	S5028P2012A	1.15	0.01	1,274,483	1.00
PTT41C2012A	-	-	-	-	RS28C2101L	0.40	(0.04)	41,766	-	S5028P2012B	0.50	(0.01)	796,768	-
PTT41C2010A	0.15	(0.01)	987	-	RS41C2011A	0.43	(0.05)	30,756	-	S5041C2009A	0.01	-	601	-
PTT41P2010A	-	-	-	-	RS42C2010T	-	-	-	-	S5041C2009B	0.01	-	300	-
PTT41P2011A	-	-	-	-	S10001C2011A	0.02	(0.01)	135	-	S5041C2009C	0.01	-	2,100	-
PTT41P2012A	0.47	-	5,942	-	S5001C2012F	0.69	(0.04)	242,181	-	S5041C2009D	0.01	-	22,959	-
PTT42C2010M	-	-	-	-	S5001P2012F	1.19	0.01	275,659	1.00	S5041C2009E	-	-	-	-
PTT42C2012T	-	-	-	-	S5006C2009A	0.01	-	882	-	S5041C2009F	0.09	(0.01)	5,000	-
PTT42P2010T	-	-	-	-	S5006C2009B	0.06	-	173	-	S5041C2009G	0.29	(0.04)	370,358	-
PTTE01C2012A	0.75	-	35,400	-	S5006C2009C	0.01	-	685	-	S5041C2012A	0.38	(0.04)	858,729	-
PTTE01P2012A	1.58	(0.05)	23,753	1.00	S5006C2009D	0.24	(0.08)	678,792	-	S5041C2012B	0.24	(0.03)	8,339	-
PTTE06C2011A	0.13	0.01	33,722	-	S5006C2012A	0.52	(0.06)	216,356	-	S5041C2012C	0.19	(0.05)	178,620	-
PTTE06C2101A	0.62	0.02	49,569	-	S5006P2009A	0.07	(0.01)	4,668	-	S5041P2009A	-	-	-	-
PTTE06P2009A	0.01	-	51	-	S5006P2009B	0.02	-	6,657	-	S5041P2009B	0.23	(0.01)	970,102	-
PTTE06P2011A	0.58	(0.05)	58,661	-	S5006P2009C	0.16	(0.01)	102,787	-	S5041P2009C	0.58	0.01	209,465	-
PTTE08C2011A	0.36	-	13,060	-	S5006P2009D	-	-	-	-	S5041P2009D	-	-	-	-
PTTE08P2010A	1.11	(0.06)	38,217	1.00	S5006P2012A	1.11	0.04	352,412	1.00	S5041P2009E	0.80	0.02	10,633	-
PTTE11C2011A	0.45	0.01	19,038	-	S5008C2009A	-	-	-	-	S5041P2009F	1.70	0.04	5,246	1.00
PTTE13C2010A	0.07	(0.01)	13,481	-	S5008C2009B	-	-	-	-	S5041P2009G	2.40	0.06	12,232	2.00
PTTE13C2010B	0.04	(0.01)	500	-	S5008C2012A	0.36	(0.03)	332,951	-	S5041P2012A	1.00	0.02	126,143	-
PTTE13C2011A	0.27	0.01	163,919	-	S5008C2012B	0.49	(0.04)	456,110	-	S5041P2012B	0.87	0.02	1,725,730	-
PTTE13C2012A	0.57	-	135,143	-	S5008P2009A	-	-	-	-	S5041P2012C				

Main Board Quotation

Issue Date :

Monday September 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA28C2012A	0.22	(0.02)	2,478	-	STA19P2009A	-	-	-	-	TKN19C2011A	0.43	0.08	13,600	-
SAWA28C2012B	0.16	(0.03)	22,318	-	STA19P2010A	0.10	(0.02)	21,300	-	TKN19C2011B	0.15	0.02	19,252	-
SAWA28C2101A	0.31	(0.03)	29,430	-	STA24C2011A	0.11	0.01	22,560	-	TKN28C2012A	-	-	-	-
SAWA28C2102L	0.12	(0.01)	6,084	-	STA28C2011A	-	-	-	-	TKN28C2012B	0.15	0.02	28,720	-
SAWA41C2009A	-	-	-	-	STA28C2011B	0.13	0.01	6,084	-	TKN28C2101A	0.57	0.09	57,308	-
SAWA41C2010A	-	-	-	-	STA28C2012A	-	-	-	-	TKN42C2012T	-	-	-	-
SAWA41C2012A	0.27	(0.02)	9,206	-	STA28C2102L	0.13	-	6,400	-	TMB13C2011A	0.07	0.01	15	-
SAWA42C2101T	0.11	(0.01)	40	-	STA41C2010A	0.10	0.01	8,000	-	TMB19C2011A	0.14	-	1,130	-
SCB01C2009A	0.02	(0.01)	1,265	-	STA42C2101T	0.13	-	20	-	TMB19C2011B	0.05	(0.01)	30	-
SCB01C2101A	0.56	(0.04)	67,931	-	STEC01C2101A	0.23	(0.03)	8,956	-	TMB19P2011A	0.31	-	34,332	-
SCB01P2101A	0.89	0.02	26,488	-	STEC01P2101A	0.55	0.03	18,237	-	TMB41C2010A	-	-	-	-
SCB06C2010A	0.15	(0.03)	63,380	-	STEC06C2010A	0.03	(0.01)	10	-	TOA13C2011A	0.13	(0.01)	6,000	-
SCB08C2009A	-	-	-	-	STEC08C2012A	0.09	(0.01)	500	-	TOA19C2010A	-	-	-	-
SCB08C2101A	0.43	(0.04)	45,500	-	STEC11C2102A	0.27	(0.02)	4,620	-	TOA19C2012A	0.24	(0.76)	3,207	-
SCB08P2012A	0.57	0.01	26,723	-	STEC13C2010A	-	-	-	-	TOA42C2101T	0.14	(0.01)	2	-
SCB11C2102A	0.51	(0.02)	54,745	-	STEC13C2012A	0.15	(0.03)	17,101	-	TOP01C2009A	-	-	-	-
SCB11P2012A	0.60	0.01	50,270	-	STEC13P2011A	0.29	0.01	33,126	-	TOP01C2012A	0.29	(0.01)	21,992	-
SCB13C2010A	0.03	(0.02)	360	-	STEC16C2009A	-	-	-	-	TOP01P2009A	0.06	(0.01)	945	-
SCB13C2011A	0.28	(0.04)	321,231	-	STEC19C2009A	0.01	(0.01)	11	-	TOP01P2012A	0.63	0.01	20,529	-
SCB13P2010A	0.65	0.01	223,962	-	STEC19C2011A	0.03	(0.02)	4,000	-	TOP06C2011A	0.05	-	43,952	-
SCB19C2010A	0.06	(0.01)	178	-	STEC19C2012A	0.16	(0.02)	11,050	-	TOP06C2102A	0.29	(0.02)	20,850	-
SCB19C2010B	0.26	(0.03)	211,310	-	STEC19P2011A	0.62	0.04	2,804	-	TOP06P2010A	-	-	-	-
SCB19P2010A	0.16	-	169,412	-	STEC19P2012A	0.38	0.02	5,100	-	TOP08C2010A	-	-	-	-
SCB19P2011A	1.05	0.03	43,269	1.00	STEC28C2011A	0.04	(0.01)	250	-	TOP08C2102A	0.46	(0.01)	7,000	-
SCB19P2011B	0.52	0.02	225,531	-	STEC28C2012A	0.10	(0.01)	2,619	-	TOP11C2011A	0.23	-	16,395	-
SCB24C2012A	0.38	(0.04)	96,461	-	STEC28C2101A	0.19	(0.02)	6,084	-	TOP13C2010A	0.02	(0.01)	4,005	-
SCB28C2010A	0.10	(0.04)	20,624	-	STEC28C2104L	0.20	(0.02)	11,154	-	TOP13C2011A	0.08	(0.01)	17,500	-
SCB28C2012A	0.19	(0.03)	30,780	-	STEC41C2009A	0.01	-	72,000	-	TOP13C2012A	0.13	(0.01)	41,098	-
SCB28C2012B	0.37	(0.04)	75,516	-	STEC41C2012A	0.14	(0.03)	7,000	-	TOP13C2012B	0.24	(0.01)	60,284	-
SCB28C2104L	0.29	(0.02)	29,393	-	STEC42P2102T	0.28	0.01	1,311	-	TOP13P2010A	0.29	(0.01)	14,674	-
SCB41C2011A	-	-	-	-	SUPE08C2012A	0.11	(0.01)	28,464	-	TOP13P2012A	0.71	0.01	840	-
SCB41C2011B	-	-	-	-	SUPE19C2010A	0.23	(0.01)	11,969	-	TOP19C2010A	0.10	(0.01)	1,340	-
SCB41C2012A	0.48	(0.05)	102,105	-	SUPE19C2011A	0.09	-	83,168	-	TOP19C2010B	-	-	-	-
SCB41P2011A	0.51	0.03	10,000	-	SUPE19C2011B	0.03	(0.01)	17,811	-	TOP19C2012A	0.11	(0.01)	16,000	-
SCB42C2101T	-	-	-	-	SUPE19C2012A	0.22	(0.01)	194,040	-	TOP19C2101A	0.31	(0.01)	12,071	-
SCC01C2101A	0.69	(0.02)	80,343	-	SUPE19P2011A	0.26	-	739,314	-	TOP19P2010A	0.33	-	93,874	-
SCC01P2012A	0.97	(0.03)	2,494	-	SUPE42C2101T	0.08	(0.01)	31	-	TOP19P2011A	0.60	-	9,570	-
SCC06C2012A	0.30	(0.02)	27,577	-	SUPE42P2102T	-	-	-	-	TOP24C2101A	0.28	(0.01)	14,337	-
SCC08C2011A	0.25	(0.02)	8,078	-	TASC01C2012A	0.24	(0.27)	2,786	-	TOP41C2010A	-	-	-	-
SCC11C2011A	0.47	(0.01)	18,220	-	TASC06C2009A	0.17	(0.50)	740	-	TOP41C2011A	0.11	(0.01)	7,957	-
SCC13C2009A	-	-	-	-	TASC06C2012A	0.04	(0.12)	78,413	-	TOP41P2010A	-	-	-	-
SCC13C2011A	0.28	(0.02)	144,189	-	TASC08C2011A	-	-	-	-	TOP41P2011A	-	-	-	-
SCC13P2009A	-	-	-	-	TASC08C2012A	0.02	(0.11)	91,249	-	TOP42C2011T	-	-	-	-
SCC13P2011A	0.82	(0.01)	47,823	-	TASC11C2102A	0.11	(0.09)	320	-	TP13C2011A	0.24	-	126,132	-
SCC19C2010A	0.19	(0.01)	38,968	-	TASC13C2009A	0.01	(0.18)	3,340	-	TP19C2012A	0.30	(0.01)	104,198	-
SCC19C2012A	0.47	-	235,330	-	TASC13C2011A	0.02	(0.08)	204,237	-	TQM11C2102A	0.59	-	4,930	-
SCC19P2010A	-	-	-	-	TASC13C2012A	0.20	(0.35)	44,425	-	TQM13C2011A	0.28	-	86,022	-
SCC19P2011A	0.48	(0.01)	463,406	-	TASC13P2011A	1.69	1.39	34,857	1.00	TQM19C2010A	2.14	(0.12)	29	2.00
SCC24C2012A	0.28	(0.02)	20,148	-	TASC19C2009A	0.22	(0.40)	101	-	TQM19C2010B	0.17	-	5,817	-
SCC28C2010A	0.20	(0.03)	12,001	-	TASC19C2010A	0.01	(0.08)	50,739	-	TQM19C2011A	0.52	0.01	19,734	-
SCC28C2102A	0.39	(0.01)	29,432	-	TASC19C2011A	0.10	(0.40)	25,999	-	TQM24C2011A	0.24	(0.02)	3,750	-
SCC28C2104L	0.29	(0.01)	12,683	-	TASC19P2010A	1.39	1.20	12,296	1.00	TQM28C2012A	0.27	(0.01)	10,140	-
SCC41C2010A	-	-	-	-	TASC19P2011A	0.90	0.69	2	-	TQM41C2011A	0.35	(0.01)	9,856	-
SCC41C2011A	0.17	(0.01)	4,320	-	TASC19P2012A	2.54	1.93	20,606	2.00	TQM42C2101T	-	-	-	-
SCC41P2011A	0.89	(0.02)	73,321	-	TASC24C2011A	0.08	(0.31)	2,722	-	TRUE01C2101A	0.33	(0.01)	7,376	-
SGP13C2011A	0.16	(0.01)	1,636	-	TASC28C2010A	0.12	(0.37)	230	-	TRUE06C2009A	-	-	-	-
SGP19C2011A	0.23	-	2,604	-	TASC28C2012A	0.21	(0.22)	2,613	-	TRUE06P2011A	0.35	-	19,000	-
SGP42C2101T	-	-	-	-	TASC28C2012B	0.02	(0.10)	1	-	TRUE08C2012A	0.21	(0.02)	2,356	-
SIR19C2011A	0.06	(0.01)	12,900	-	TASC28C2012C	-	-	-	-	TRUE08P2010A	0.17	(0.01)	14,194	-
SIR42C2101T	-	-	-	-	TASC28C2101A	-	-	-	-	TRUE11C2101A	0.22	(0.01)	6,120	-
SPAL06C2010A	0.40	(0.04)	19,937	-	TASC28C2103L	-	-	-	-	TRUE11P2101A	0.57	0.01	11,240	-
SPAL06P2009A	-	-	-	-	TASC41C2009A	-	-	-	-	TRUE13C2009A	-	-	-	-
SPAL13C2010A	0.19	(0.03)	51,884	-	TASC41C2010A	0.09	(0.33)	451	-	TRUE13C2011A	0.13	(0.01)	35,394	-
SPAL19C2011A	0.39	(0.01)	37,345	-	TASC41C2011A	0.04	(0.08)	2,000	-	TRUE19C2009A	0.02	(0.01)	1,000	-
SPAL19C2011B	0.17	(0.01)	4,007	-	TASC42C2101T	-	-	-	-	TRUE19C2011A	-	-	-	-
SPAL27C2101A	0.20	(0.03)	1,174	-	TCAP01C2101A	0.32	(0.01)	7,723	-	TRUE19C2012A	0.22	-	1,381	-
SPRC01C2101A	0.29	-	21,442	-	TCAP13C2010A	0.04	-	30	-	TRUE19P2011A	0.31	-	44,068	-
SPRC01P2101A	0.61	(0.39)	2,440	-	TCAP13C2012A	0.18	(0.02)	71,300	-	TRUE28C2011A	-	-	-	-
SPRC06C2010A	0.05	-	7,400	-	TCAP19C2010A	0.08	(0.01)	16,251	-	TRUE28C2012A	-	-	-	-
SPRC06P2011A	0.34	(0.01)	45,843	-	TCAP19C2012A	0.21	-	61,002	-	TRUE28C2101B	0.12	(0.02)	6,084	-
SPRC08C2011A	0.14	-	15,100	-	TCAP19P2012A	0.29	-	83,937	-	TRUE28C2101A	0.24	-	4,056	-
SPRC11C2102A	0.30	(0.01)	45,786	-	TCAP42C2101T	-	-	-	-	TRUE41C2010A	0.11	(0.02)	1	-
SPRC13C2010A	0.04	(0.01)	1,045	-	THAN01C2012A	1.28	(0.09)	15,920	1.00	TRUE42C2101T	-	-	-	-
SPRC13C2012A	0.17	-	62,148	-	THAN01C2012B	0.52	(0.05)	32,005	-	TTW19C2011A	-	-	-	-
SPRC19C2010A	0.10	-	9,510	-	THAN06C2010A	-	-	-	-	TTW24C2012A	0.13	-	200	-
SPRC19C2012A	0.20	-	24,497	-	THAN06C2102A	0.63	(0.10)	53,844	-	TTW27C2009A	0.10	0.05	40	-
SPRC19P2011A	0.36	(0.01)	60,617	-	THAN08C2010A	1.05	0.01	1	1.00	TU01C2101A	0.28	(0.01)	14,305	-
SPRC28C2011A	0.06	(0.02)	506	-	THAN08C2102A	0.55	(0.06)	26,236	-	TU01P2101A	0.42	0.01	31,060	-
SPRC28C2101A	0.18	-	28,404	-	THAN13C2012A	0.78	(0.08)	2,001	-	TU06C2009A	0.05	(0.01)	7,098	-
SPRC42C2101T	-	-	-	-	THAN13C2012B	0.38	(0.06)	197,421	-	TU06P2010A	-	-	-	-
STA01C2009A	2.38	(0.02)	1	2.00	THAN19C2010A	0.88	(0.14)	32,494	-	TU08C2011A	0.21	(0.01)	13,431	-
STA01P2009A	0.01	(0.01)	13,712	-	THAN19C2011A	1.34	(0.14)	25,414	1.00	TU11C2102A	0.25	(0.01)	11,340	-
STA06C2012A	0.19	0.01	37,376	-	THAN19C2012A	0.61	(0.09)	42,945	-	TU13C2010A	0.15	(0.02)	13,815	-
STA08C2010A	-	-	-	-	THAN19C2012B	0.42	(0.05)	210,695	-	TU13C2012A	0.23	(0.01)	121,143	-
STA08C2011A	0.13	0.01	3,000	-	THAN24C2102T	0.31	(0.04)	12,001	-	TU19C2009A	-	-	-	-
STA08C2101A	0.32	0.02	43,954	-	TISCO1C2101A	0.50	(0.02)	18,912	-	TU19C2010A	0.13	(0.01)	35,433	-
STA13C2009A	2.12	(0.20)	200	2.00										

Main Board Quotation

Issue Date :

Monday September 14, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI13C2012A	0.17	(0.03)	456,879	-	TCAP-P	-	-	-	-	-	-	-	-	-
VGI19C2010A	0.06	(0.04)	8,880	-	TISCO-P	-	-	-	-	-	-	-	-	-
VGI19C2012A	0.21	(0.05)	38,687	-	U-P	1.63	(0.03)	314	1.00	-	-	-	-	-
VGI19C2012B	0.29	(0.06)	89,576	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
VGI19C2012C	0.12	(0.03)	137,035	-	ALL-W1	0.55	(0.01)	24,179	-	-	-	-	-	-
VGI24C2012A	0.19	(0.03)	58,101	-	BROOK-W5	0.14	0.01	44,194	-	-	-	-	-	-
VGI28C2101A	0.15	(0.03)	42,588	-	CHAYO-W1	2.06	(0.06)	9,211	2.00	-	-	-	-	-
VGI41C2011A	0.09	(0.04)	900	-	CHO-W2	0.02	-	12,469	-	-	-	-	-	-
VGI42C2101T	0.06	(0.03)	5,103	-	CIG-W8	0.01	-	29	-	-	-	-	-	-
WHA01C2009A	-	-	-	-	D-W1	0.83	0.04	11	-	-	-	-	-	-
WHA01C2101A	0.28	(0.04)	15,188	-	DIMET-W3	-	-	-	-	-	-	-	-	-
WHA01P2009A	0.02	-	9,000	-	DOD-W1	0.59	-	68,136	-	-	-	-	-	-
WHA01P2101A	0.78	0.02	14,268	-	ECF-W3	0.15	(0.01)	14,258	-	-	-	-	-	-
WHA06C2010A	0.07	(0.02)	7,270	-	HPT-W1	0.34	-	600	-	-	-	-	-	-
WHA06P2012A	0.63	0.04	35,898	-	HYDRO-W1	-	-	-	-	-	-	-	-	-
WHA08C2011A	0.17	(0.03)	13,417	-	ITEL-W1	0.12	(0.02)	58,204	-	-	-	-	-	-
WHA11C2101A	0.26	(0.03)	5,500	-	ITEL-W2	0.35	(0.04)	43,557	-	-	-	-	-	-
WHA13C2009A	-	-	-	-	LIT-W1	0.44	0.01	2,203	-	-	-	-	-	-
WHA13C2011A	0.10	(0.02)	52,417	-	META-W4	0.03	(0.01)	5,178	-	-	-	-	-	-
WHA13P2011A	0.41	0.03	100,115	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA19C2010A	0.17	(0.04)	11,073	-	OCEAN-W3	0.22	(0.04)	61,831	-	-	-	-	-	-
WHA19C2011A	0.12	(0.01)	32,060	-	RWI-W2	0.13	(0.01)	12,443	-	-	-	-	-	-
WHA19P2011A	0.49	0.05	38,613	-	SANKO-W1	0.01	(0.01)	8,209	-	-	-	-	-	-
WHA28C2011A	0.11	(0.03)	12,168	-	SIMAT-W3	0.50	(0.01)	2,805	-	-	-	-	-	-
WHA28C2012A	0.24	(0.02)	11,151	-	SIMAT-W4	2.58	(0.02)	178	2.00	-	-	-	-	-
WHA28C2102L	0.14	(0.01)	3,072	-	SMART-W2	0.19	-	1,523	-	-	-	-	-	-
WHA42C2101T	-	-	-	-	SWC-W1	-	-	-	-	-	-	-	-	-
WHAU13C2012A	0.19	(0.03)	8,262	-	TAKUNI-W	0.03	0.01	415	-	-	-	-	-	-
WHAU19C2012A	0.23	(0.04)	8,214	-	TAPAC-W4	0.24	(0.02)	7,859	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TVD-W2	0.25	(0.09)	51,427	-	-	-	-	-	-
BH-Q	-	-	-	-	UREKA-W2	0.27	-	5,491	-	-	-	-	-	-
CSC-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.10	(0.01)	14,419	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.04	0.01	65,825	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.62	(0.07)	18,641	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.25	(0.02)	17,492	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.04	-	6,103	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.04	(0.01)	115,515	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.08	0.01	1,105	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	0.78	(0.01)	82,636	-	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.05	(0.01)	2,015	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.01	-	10,107	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.98	-	16,416	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.08	-	84,633	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.03	-	69,493	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.14	-	20,491	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.45	(0.01)	25,174	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.54	(0.02)	6,485	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.67	-	669	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	4.54	0.16	16,255	4.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	3.10	0.10	9,131	3.00	-	-	-	-	-	-	-	-	-	-
JMT-W2	11.80	0.80	39,503	11.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.08	0.01	20,139	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.04	(0.01)	18,993	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	0.48	0.03	71,287	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	7.70	-	30,246	7.00	-	-	-	-	-	-	-	-	-	-
NER-W1	1.62	(0.01)	30,551	1.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	4.78	(0.12)	183,330	5.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.07	-	1,000	-	-	-	-	-	-	-	-	-	-	-
ORI-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.57	0.04	203,940	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.69	(0.02)	27,536	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.11	-	472	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.60	0.05	70,955	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	0.02	-	12,972	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	0.02	-	4,526	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.13	(0.01)	2,310	-	-	-	-	-	-	-	-	-	-	-
SDC-W1	0.06	(0.01)	3,100	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	5.75	-	1,901	5.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	3.94	0.04	544	3.00	-	-	-	-	-	-	-	-	-	-
SST-W2	0.90	(0.01)	240	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.03	-	5,536	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.12	-	8	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.12	(0.01)	1,732	-	-	-	-	-	-	-	-	-	-	-
TRITN-W3	0.14	(0.01)	434,814	-	-	-	-	-	-	-	-	-	-	-
TTCL-W1	0.43	(0.05)	37,127	-	-	-	-	-	-	-	-	-	-	-
U-W4	0.01	-	200	-	-	-	-	-	-	-	-	-	-	-
VGI-W2	0.75	(0.02)	347,651	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.11	(0.01)	46,535	-	-	-	-	-	-	-	-	-	-	-
W-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WIIK-W2	0.24	(0.01)	25,440	-	-	-	-	-	-	-	-	-	-	-
ZMICO-W4	0.07	(0.01)	5,635	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-