

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Tuesday September 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.22	(0.04)	69,985	3.22	MAJOR	16.30	(0.10)	35,452	16.31
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	1.56	(0.04)	777	1.60
VI	-	-	-	-	DIF	14.90	0.10	75,308	14.86	MATI	3.86	(0.14)	1	3.86
WORLD	-	-	-	-	DTAC	34.50	0.50	8,493	34.36	MCOT	4.44	(0.04)	180	4.44
WR	-	-	-	-	FORTH	5.75	0.05	149	5.70	MONO	2.42	0.02	9,518	2.48
Agribusiness	-	-	-	-	HUMAN	8.65	0.40	5,699	8.46	MPIC	1.30	(0.03)	92	1.30
EE	0.69	0.02	147,092	0.70	ILINK	5.05	0.07	10,051	5.05	NMG	-	-	-	-
GPPT	12.40	-	42,574	12.18	INET	2.82	-	7,152	2.81	PLANB	5.50	0.10	56,083	5.48
LEE	2.22	(0.02)	164	2.23	INTUCH	54.75	0.25	52,117	54.73	POST	-	-	-	-
MAX	0.01	-	83,011	0.01	JAS	2.68	0.02	147,048	2.67	PRAKIT	7.35	-	21	7.35
NER	3.34	0.08	422,543	3.31	JASIF	9.65	0.05	33,213	9.60	SE-ED	1.47	0.04	2	1.47
PPPM	0.34	0.01	506	0.33	JMART	15.10	1.30	758,292	14.90	TBSP	12.90	-	2	12.90
STA	27.25	1.25	161,762	26.84	JTS	2.52	(0.06)	759	2.53	TH	0.49	0.01	50	0.49
TRUBB	1.60	0.03	50,493	1.55	MFEK	4.78	-	9,427	4.77	TKS	5.50	0.10	1,749	5.47
TPWC	3.46	0.04	16,166	3.48	MSC	5.65	-	355	5.63	VGI	6.50	0.25	229,874	6.43
UPOIC	3.48	0.28	307	3.33	PT	5.15	(0.15)	2,009	5.18	WAVE	0.76	0.03	1,432	0.75
UVAN	4.40	-	843	4.39	SAMART	4.86	(0.04)	3,506	4.85	WORK	11.50	1.10	229,117	11.25
VPO	0.37	-	5,414	0.37	SAMTEL	4.92	(0.02)	3,140	4.93	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.16	0.01	867	0.16	AEC	0.10	0.01	71,727	0.10
BAY	20.30	-	1,144	20.36	SIS	13.70	-	10,853	13.65	AEONTS	103.50	-	5,455	102.85
BBL	103.50	1.00	34,597	103.06	SVOA	1.23	0.01	162,712	1.23	AMANAHA	2.58	0.04	29,260	2.57
CIMBT	0.56	0.01	7,177	0.55	SYMC	4.56	-	918	4.49	ASAP	2.34	0.10	36,753	2.29
KBANK	81.00	0.25	88,366	80.97	SYNEX	13.40	0.50	44,768	13.40	ASK	18.50	0.10	1,822	18.50
KKP	38.00	(0.25)	25,102	38.17	THCOM	5.60	(0.05)	103,551	5.53	ASP	1.70	0.01	16,139	1.69
KTB	9.40	-	92,675	9.39	TRUE	3.24	-	190,258	3.24	BAM	21.50	0.20	108,240	21.49
LHFG	0.91	0.02	17,610	0.90	TWZ	0.07	-	34,985	0.06	BFIT	29.00	0.50	4,512	28.97
SCB	69.75	0.25	53,490	69.51	Electronic Componer	-	-	-	-	CGH	0.67	0.01	254	0.67
TCAP	31.00	-	20,890	31.16	CCET	1.85	0.04	62,505	1.85	ECL	0.78	-	7,777	0.79
TISCO	63.50	(0.75)	46,972	63.74	DELTA	125.50	5.50	23,433	123.34	FNS	2.80	0.10	562	2.81
TMB	0.91	-	321,560	0.91	HANA	41.75	0.75	76,334	41.82	FSS	1.31	(0.02)	704	1.31
Construction Materia	-	-	-	-	KCE	28.75	1.25	124,239	28.59	GBX	0.42	-	2,095	0.42
CCP	0.46	0.01	34,023	0.45	METCO	146.00	8.00	144	143.68	GL	3.20	(0.04)	18,746	3.20
COTTO	1.14	0.01	953	1.13	NEX	4.26	(0.14)	255,278	4.31	IFS	2.36	-	2,002	2.33
DCC	2.64	0.08	123,665	2.60	SMT	2.76	0.20	339,275	2.71	JMT	32.00	1.75	205,882	31.75
DCON	0.36	0.02	157,059	0.35	SVI	3.64	0.12	72,711	3.59	KCAR	7.60	-	151	7.60
DRT	6.25	(0.10)	12,141	6.24	TEAM	0.85	0.03	2,520	0.84	KGI	3.12	(0.08)	42,832	3.15
EPG	4.78	(0.10)	21,188	4.84	W	0.17	0.01	140,813	0.16	KTC	32.00	0.50	43,185	31.83
GEL	0.19	0.01	5,488	0.18	Energy & Utilities	-	-	-	-	MBKET	7.30	0.05	1,040	7.26
PPP	2.04	0.02	29,554	2.11	7UP	0.31	-	74,448	0.32	MFC	13.80	0.20	142	13.58
Q-CON	4.58	(0.16)	20	4.56	ABPIF	2.98	(0.02)	714	2.99	ML	0.89	0.03	21,959	0.92
RCI	3.80	-	676	3.78	ACE	2.94	-	69,211	2.92	MTC	48.75	0.75	32,201	48.76
SCC	344.00	(2.00)	20,774	345.94	AI	1.80	-	259,464	1.79	PE	-	-	-	-
SCCC	133.50	0.50	393	132.66	AKR	0.48	0.01	2,734	0.47	PL	2.00	(0.02)	147	2.02
SCP	6.05	0.10	5,295	5.89	BAFS	21.30	0.30	1,696	21.03	S11	6.25	-	3,874	6.28
SKN	2.46	(0.02)	3,827	2.47	BANPU	5.55	0.05	57,725	5.51	SAWAD	46.25	0.50	41,980	46.20
TASCO	17.40	(3.00)	38,764	17.40	BCP	16.70	0.20	9,734	16.68	THANI	4.02	0.10	277,258	3.98
TCMC	1.06	0.01	24,109	1.07	BCPG	12.00	0.20	35,477	12.06	TK	7.05	-	2,176	7.05
TOA	35.50	1.00	9,563	35.45	BGRIM	45.00	-	29,857	45.03	TNITY	3.58	(0.04)	724	3.59
TPIPL	1.26	-	24,028	1.26	BPP	13.70	0.10	17,063	13.62	UOBKH	3.08	-	24	3.08
UMI	0.61	(0.01)	1,801	0.61	BRRGIF	6.20	-	357	6.16	ZMICO	0.63	0.01	806	0.62
VNG	3.30	(0.02)	1,672	3.30	CKP	5.55	0.15	230,443	5.50	Food & Beverage	-	-	-	-
WIJK	2.00	0.02	9,175	2.00	DEMCO	3.00	(0.04)	8,633	3.01	APURE	1.75	(0.05)	22,257	1.79
Petrochemicals & Ch	-	-	-	-	EA	41.75	0.75	37,762	41.60	ASIAN	11.50	0.40	811,919	11.48
BCT	41.50	0.25	10	41.25	EASTW	9.65	0.10	4,722	9.58	BR	1.79	0.01	1,730	1.79
CMAN	1.15	(0.01)	618	1.15	EGATIF	12.10	-	37,958	12.10	BRR	2.66	-	136	2.68
GC	5.30	-	1,243	5.27	EGCO	200.00	(2.00)	18,605	199.82	CBG	110.50	0.50	87,282	110.68
GCC	8.75	(0.10)	2,829	8.80	EP	3.66	0.02	3,142	3.65	CFRESH	3.32	-	4,744	3.33
GIFT	2.06	-	2,691	2.04	ESSO	6.30	0.20	118,771	6.20	CHOTI	71.00	1.00	1	71.00
IVL	23.40	0.40	121,303	23.26	GPSC	63.75	0.25	28,388	63.75	CM	2.70	(0.04)	53,523	2.89
NFC	1.52	(0.02)	3	1.55	GREEN	1.02	0.04	4,532	0.99	CPF	30.00	1.00	602,230	30.16
PATO	9.80	(0.05)	33	9.77	GULF	31.75	0.50	76,628	31.69	CPI	1.25	(0.01)	2,926	1.27
PMTA	-	-	-	-	GUNKUL	2.26	0.04	280,464	2.25	F&D	-	-	-	-
PTTGC	43.25	0.75	112,753	42.93	IFEC	-	-	-	-	HTC	27.25	0.75	8,973	27.05
SUTHA	3.08	0.06	1,229	3.00	IRPC	2.18	0.02	366,967	2.16	ICHI	11.60	0.50	198,939	11.45
TCCC	22.70	0.10	62	22.67	KBSPIF	9.95	-	4,859	9.96	KBS	3.02	0.02	621	3.04
TPA	5.00	(0.20)	85	5.04	LANNA	5.90	(0.05)	3,302	5.89	KSL	1.99	(0.01)	4,961	2.01
UAC	3.76	0.02	3,532	3.76	MDX	2.40	-	4,529	2.40	KTIS	2.58	-	1,193	2.57
UP	17.10	0.10	1	17.10	PDI	6.90	0.20	13,396	6.88	LST	4.28	0.04	595	4.26
VNT	23.30	0.50	9,480	23.05	PRIME	0.55	0.01	134,261	0.54	M	49.50	0.50	2,997	49.61
WG	-	-	-	-	PTG	17.50	0.70	157,648	17.23	MALEE	6.40	0.10	878	6.36
YCI	-	-	-	-	PTT	35.25	0.25	450,366	34.97	MINT	23.00	1.20	954,995	22.50
Commerce	-	-	-	-	PTTEP	85.75	3.00	167,015	84.56	OISHI	39.75	0.25	216	39.57
BEAUTY	1.29	0.01	121,076	1.29	RATCH	52.75	(0.50)	29,331	52.82	OSP	37.00	(0.25)	138,589	36.88
BIG	0.46	0.01	46,074	0.47	RPC	0.47	0.01	136	0.48	PB	71.00	0.25	2	70.63
BJC	37.00	(0.25)	32,351	36.98	SCG	3.44	(0.04)	35	3.43	PM	7.70	0.05	31,579	7.71
COL	18.70	2.30	168,716	18.68	SCI	1.33	-	5,014	1.34	PRG	11.10	0.10	1	11.10
COM7	40.50	1.50	77,761	40.04	SCN	1.75	0.01	2,870	1.75	RBF	9.70	0.45	175,080	9.56
CPALL	62.50	-	138,226	62.35	SGP	8.75	-	8,251	8.74	SAPPE	20.80	0.40	16,452	20.82
CPW	1.97	0.15	457,752	1.97	SKE	0.65	-	1,694	0.65	SAUCE	25.25	(0.25)	20	25.02
CRC	28.25	1.75	276,703	27.83	SOLAR	0.94	0.03	44,589	0.97	SFP	-	-	-	-
CSS	1.29	0.03	44,682	1.29	SPCG	17.60	-	3,538	17.56	SNP	10.10	0.10	104	10.10

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Tuesday September 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M-CHAI	-	-	-	-	AWC	3.92	0.02	90,965	3.91	HFT	3.56	0.12	23,700	3.52
NEW	-	-	-	-	BLAND	1.01	0.02	110,526	1.00	IHL	2.94	-	278,259	3.04
NTV	42.00	-	19	41.53	BROCK	-	-	-	-	INGRS	0.45	0.02	52,399	0.45
PR9	6.50	-	1,477	6.56	CGD	0.62	(0.01)	21,061	0.62	IRC	12.10	-	1	12.10
PRINC	2.74	0.04	22,738	2.70	CI	0.70	-	6	0.70	PCSGH	4.40	-	35	4.42
RAM	-	-	-	-	CPN	43.75	(0.75)	80,525	43.84	SAT	13.60	0.40	77,509	13.65
RJH	22.40	(0.10)	775	22.46	ESTAR	0.33	(0.01)	3,897	0.33	SPG	-	-	-	-
RPH	5.25	-	5,041	5.27	EVER	0.22	0.01	20,839	0.21	STANLY	146.00	1.00	372	144.23
SKR	5.95	(0.05)	2,051	5.94	FPT	10.30	(0.10)	549	10.40	TKT	0.96	(0.02)	960	0.97
SVH	416.00	4.00	1	416.00	GLAND	2.16	-	11	2.18	TNPC	0.74	-	100	0.74
THG	18.80	-	12,129	18.91	J	1.27	0.05	103,923	1.27	TRU	3.40	0.02	12	3.38
VIBHA	1.51	(0.01)	9,904	1.51	JCK	1.31	(0.02)	62,238	1.31	TSC	-	-	-	-
VIH	6.50	-	10,719	6.49	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.51	(0.02)	1,468	1.51	KWG	0.69	(0.01)	71	0.70	ALLA	1.11	(0.01)	64,338	1.11
Tourism & Leisure	-	-	-	-	LALIN	5.35	(0.05)	2,795	5.34	ASEFA	3.10	0.02	718	3.09
ASIA	4.30	(0.04)	355	4.39	LH	7.25	(0.05)	73,791	7.24	CPT	0.83	(0.01)	2,117	0.83
CENTEL	25.25	1.95	80,742	24.44	LPN	4.64	0.04	19,825	4.63	CRANE	1.66	-	6,744	1.67
CSR	-	-	-	-	MBK	12.30	0.40	9,987	12.18	CTW	5.55	-	1,185	5.62
DTC	7.20	0.15	2,687	7.12	MJD	1.45	(0.01)	4,426	1.45	FMT	18.40	(0.10)	9	18.46
ERW	3.42	0.26	326,425	3.35	MK	2.90	0.02	321	2.89	HTECH	2.80	0.12	2,267	2.75
GRAND	0.51	(0.02)	4,060	0.51	NCH	0.86	(0.04)	1,681	0.87	KKC	0.53	-	1	0.53
LRH	-	-	-	-	NNCL	1.85	-	205	1.86	PK	1.26	0.03	221	1.27
MANRIN	-	-	-	-	NOBLE	13.20	0.20	20,420	13.07	SNC	9.85	-	538	9.90
OHTL	-	-	-	-	NUSA	0.30	-	42,934	0.30	STARK	2.04	0.04	85,594	2.02
ROH	38.00	0.25	14	38.07	NVD	1.15	-	525	1.15	TCJ	3.52	(0.02)	1,696	3.52
SHANG	55.00	-	28	54.55	ORI	6.30	0.20	130,818	6.28	VARO	-	-	-	-
SHR	1.98	0.06	51,463	1.96	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
VRANDA	5.65	0.05	394	5.59	PF	0.36	-	30,090	0.36	AIMCG	6.15	-	525	6.10
Home & Office Produ	-	-	-	-	PLAT	2.48	0.10	17,335	2.40	AIMIRT	13.80	0.10	3,937	13.69
ACC	0.61	-	337	0.61	POLAR	-	-	-	-	AMATAR	10.10	-	529	10.00
AJA	0.13	0.01	480	0.13	PRECHA	0.91	0.02	112	0.91	B-WORK	11.90	-	2,010	11.75
DTCI	-	-	-	-	PRIN	1.60	-	548	1.60	BKER	5.70	-	10,541	5.70
FANCY	0.47	0.01	10,538	0.45	PSH	11.30	-	5,160	11.31	BKKCP	11.80	-	109	11.80
KYE	299.00	(8.00)	47	300.40	QH	2.22	-	57,295	2.23	BOFFICE	12.10	-	1,038	12.08
L&E	-	-	-	-	RICHY	0.69	-	1,512	0.69	CPNCG	10.20	-	1,926	10.20
MODERN	2.38	-	1,209	2.32	RML	0.63	0.01	58,878	0.62	CPNREIT	24.60	0.10	5,506	24.51
OGC	-	-	-	-	ROJNA	4.20	0.04	10,136	4.21	CPTGF	10.20	-	1,362	10.20
ROCK	-	-	-	-	S	1.35	0.01	7,034	1.33	CTARAF	5.00	0.02	907	4.98
SIAM	1.39	-	205	1.38	SAMCO	1.15	(0.02)	463	1.16	DREIT	3.88	0.12	385	3.86
TSR	3.16	0.36	146,165	2.97	SC	2.26	(0.02)	13,076	2.28	ERWPF	4.26	0.02	201	4.30
Insurance	-	-	-	-	SENA	2.74	-	4,359	2.74	FTREIT	14.80	(0.10)	22,991	14.79
AYUD	33.50	0.25	17	33.50	SF	4.52	0.02	10,393	4.50	FUTUREPF	19.00	-	2	19.00
BKI	283.00	-	65	282.72	SIRI	0.69	-	213,148	0.68	GAHREIT	8.15	(0.05)	36	7.87
BLA	17.20	0.60	24,650	16.85	SPALI	16.00	(0.30)	14,411	16.14	GOLDPF	5.80	-	3	5.80
BUI	-	-	-	-	U	1.26	0.02	80,564	1.26	GVREIT	13.00	-	4,510	13.00
CHARAN	-	-	-	-	UV	2.70	-	4,386	2.68	HPF	4.70	0.02	33	4.68
INSURE	-	-	-	-	WHA	2.96	0.10	433,130	2.94	HREIT	7.95	(0.05)	2,829	7.95
MTI	84.50	0.75	6	84.58	WIN	0.37	-	161	0.37	IMPACT	18.70	0.20	8,412	18.57
NKI	47.50	(2.25)	79	47.84	Paper & Printing Mat	-	-	-	-	KPNPF	6.70	-	100	6.70
NSI	69.75	-	59	69.53	UTP	13.90	0.10	30,226	13.80	LHHOTEL	10.00	-	32	10.00
SEG	-	-	-	-	Fashion	-	-	-	-	LHPF	5.25	0.05	46	5.23
SMK	37.25	-	33	37.51	AFC	-	-	-	-	LHSC	11.90	0.10	72	11.81
THRE	0.95	-	187,156	0.93	B52	0.17	0.01	752	0.17	LUXF	6.30	(0.10)	69	6.30
THREL	2.18	0.02	11,121	2.16	BTNC	-	-	-	-	M-II	-	-	-	-
TIP	24.70	(0.20)	9,802	24.65	CPH	3.24	0.16	19	3.24	M-PAT	-	-	-	-
TQM	120.50	1.00	2,282	120.08	CPL	1.04	(0.01)	625	1.05	M-STOR	5.85	0.05	121	5.88
TSI	0.27	(0.02)	3,625	0.27	ICC	28.50	-	6	28.46	MIPF	-	-	-	-
TVI	3.32	-	65	3.33	NC	-	-	-	-	MIT	-	-	-	-
Mining	-	-	-	-	PAF	0.51	(0.03)	2,561	0.52	MJLF	6.85	(0.05)	186	6.85
THL	-	-	-	-	PDJ	1.68	0.03	2,276	1.67	MNIT	-	-	-	-
Packaging	-	-	-	-	PG	-	-	-	-	MNIT2	-	-	-	-
AJ	15.10	0.30	2,047	14.99	SABINA	19.40	0.80	11,252	19.15	MNRF	2.88	(0.12)	103	2.60
ALUCON	153.00	(0.50)	6	152.75	SAWANG	11.70	(1.00)	11	11.91	POPF	10.30	-	686	10.21
BGC	12.50	0.10	15,195	12.45	SUC	33.75	-	10	33.75	PPF	11.40	0.10	2	11.40
CSC	51.00	(2.00)	147	51.32	TNCR	-	-	-	-	PROSPECT	9.10	0.05	2,972	9.04
GLOCON	1.04	0.04	19,677	1.03	TPCORP	-	-	-	-	QHHR	5.85	0.05	1,225	5.85
NEP	0.24	(0.01)	3,077	0.23	TR	21.90	0.30	416	21.87	QHOP	-	-	-	-
PTL	22.50	0.50	47,203	22.46	TTI	-	-	-	-	QHPP	9.70	-	2,994	9.68
SFLEX	11.00	(0.10)	1,787	10.97	TTT	53.00	-	11	53.09	SBPF	-	-	-	-
SITHAI	0.55	(0.01)	885	0.55	UPF	56.00	(5.25)	8	56.22	SHREIT	3.62	0.08	987	3.61
SLP	0.39	-	746	0.39	UT	-	-	-	-	SIRIP	8.55	(0.15)	2	8.55
SMPC	11.90	0.20	12,077	11.93	WACOAL	45.00	(0.50)	2	45.25	SPF	13.20	0.40	13,842	13.19
SPACK	2.36	0.04	2,288	2.37	Transportation & Log	-	-	-	-	SPRIME	9.55	-	2,500	9.55
TCOAT	23.90	1.90	5	23.70	AAV	1.94	0.11	688,652	1.92	SRIPANWA	7.95	(0.05)	24	7.88
TFI	0.11	(0.01)	2,168	0.11	AOT	59.50	1.50	497,246	59.07	SSPF	9.25	-	32	9.14
THIP	24.10	0.20	204	24.08	ASIMAR	1.27	(0.03)	7,537	1.26	SSTRT	5.35	-	21	5.30
TMD	-	-	-	-	B	0.28	0.01	828	0.28	TIF1	8.40	0.05	25	8.40
TOPP	-	-	-	-	BA	5.40	-	7,297	5.38	TLGF	17.40	0.30	2,539	17.22
TPBI	4.68	-	1,094	4.64	BEM	9.05	0.05	46,363	9.03	TLHPF	8.75	0.10	20	8.73
TPP	14.60	0.10	2	14.60	BTS	10.10	0.10	142,965	10.10	TNPF	2.06	(0.12)	22	2.06
Personal Products &	-	-	-	-	BTSGIF	6.20	-	6,307	6.20	TPRIME	13.20	0.10	307	13.23
APCO	3.58	-	1,546	3.53	III	4.16	0.10	3,996	4.15	TTLPF	22.10	-	6	22.02
DDD	15.80	0.40	6,464	15.91	JUTHA	-	-	-	-	TU-PF	-	-	-	-
JCT	-	-	-	-	JWD	7.35	0.25	12,752	7.29	URBNPF	-	-	-	-
OCC	8.95	-	15	8.95	KWC	-	-	-	-	WHART	-	-	-	-
S & J	27.00	(0.25)	1	27.00	NOK	0.66	0.03	3,304	0.64	WHART	15.60	0.20	3,879	15.54
STGT	70.00	1.50	145,321	69.42	NYT	3.22	0.04	98,658	3.22	Steel	-	-	-	-
STHAI	-	-	-	-	PORT	2.08	(0.04)	36,552	2.10	AMC	1.48	0.03	442	1.45
TNR	9.80	(0.15)	429	9.72	PRM	9.05	0.50	326,467	8.90	BSBM	0.85	-	1,483	0.85
TOG	3.40	0.02	161	3.40	PSL	4.34	0.12	47,114	4.28	CEN	0.69	0.04	921	0.68
Professional Service	-	-	-	-	RCL	3.88	0.16	38,279	3.87	CITY	1.82	(0.02)	113	1.82
BWG	0.48	(0.02)	565,647	0.49	TFFIF	10.10	-	17,920	10.12	CSP	0.53	0.02	211	0.51
GENCO	0.49	0.02	2,569	0.48	THAI	3.46	(0.16)	51,152	3.53	GJS	0.09	-	121	0.08
PRO	-	-	-	-	TSTE	6.60	(0.25)	4	6.58	GSTEEL	-	-	-	-
SISB	8.05	-	4,410	8.05	TTA	2.80	-	6,007	2.80	INOX	0.42	-	11,060	0.42
Property Developer	-	-	-	-	WICE	5.10	0.20	100,249	5.01	LHK	2.26	(0.04)	1,628	2.28
A	5.00	0.04	70	4.99	Automotive	-	-	-	-	MCS	13.20	0.10	11,114	13.09
AMATA	13.20	1.00	53,867	12.67	ACG	1.30	(0.06)	151,448	1.37	MILL	0.67	-	4,085	0.66
AMATAV	4.94	0.02	11	4.94	AH	10.70	0.40	107,981						

## Main Board Quotation

Issue Date :

Tuesday September 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AIE	0.60	0.01	116,270	-	ADVA08C2012A	0.38	(0.01)	2,500	-
ABICO	5.65	0.15	1,591	5.00	ETC	1.84	(0.02)	56,417	1.00	ADVA08P2009A	0.03	(0.02)	200	-
AU	9.65	0.45	38,268	9.00	PSTC	1.54	0.01	5,702	1.00	ADVA08P2101A	0.85	0.02	12,425	-
JCKH	0.30	-	3,007	-	QTC	3.98	0.04	249	3.00	ADVA11C2011A	0.34	(0.02)	14,440	-
KASET	1.54	0.04	1,219	1.00	SAAM	1.00	(0.01)	4,123	-	ADVA11P2011A	0.46	(0.01)	9,280	-
MM	1.94	0.24	1,731	1.00	SEOIL	2.48	0.22	190,046	2.00	ADVA13C2010A	0.10	(0.01)	31,425	-
SUN	2.76	0.22	18,085	2.00	SR	0.64	(0.06)	3,848	-	ADVA13C2012A	0.45	(0.02)	102,969	-
TACC	6.55	0.25	44,525	6.00	TAKUNI	0.39	0.01	14,152	-	ADVA13P2009A	-	-	-	-
TMILL	3.06	-	7,687	3.00	TPCH	12.10	(0.40)	32,939	12.00	ADVA13P2012A	0.75	-	62,617	-
XO	9.10	0.30	40,481	9.00	TRT	1.65	-	402	1.00	ADVA16C2009A	-	-	-	-
<b>Consumer Products</b>														
BGT	1.03	(0.01)	111	1.00	UMS	0.30	(0.01)	1	-	ADVA19C2009A	-	-	-	-
BIZ	3.30	(0.06)	2,043	3.00	UPA	0.17	(0.01)	2,923	-	ADVA19C2010A	0.01	(0.01)	5,777	-
DOD	9.20	-	195,111	9.00	UWC	0.06	0.01	90,394	-	ADVA19C2010B	0.18	(0.02)	123,530	-
ECF	1.27	-	110,390	1.00	Services (MAI)	-	-	-	-	ADVA19C2012A	0.44	(0.01)	67,068	-
HPT	0.90	0.01	1,462	-	A5	-	-	-	-	ADVA19P2009A	-	-	-	-
IP	12.00	0.10	5,067	11.00	AKP	0.88	(0.01)	285	-	ADVA19P2010A	0.22	-	24,128	-
JUBILE	17.60	0.30	220	17.00	AMA	4.46	-	8,716	4.00	ADVA19P2012A	0.67	0.01	26,084	-
MOONG	3.72	0.02	337	3.00	ARIP	0.43	0.01	44,534	-	ADVA24C2009A	-	-	-	-
NPK	16.10	(0.10)	100	14.00	ATP30	0.81	0.02	11,692	-	ADVA24C2101A	0.46	(0.02)	33,037	-
OCEAN	0.82	0.01	1,067	-	AUCT	13.50	0.80	38,389	13.00	ADVA28C2011A	-	-	-	-
TM	2.32	(0.02)	1,164	2.00	BOL	4.94	0.12	3,503	4.00	ADVA28C2012A	-	-	-	-
<b>Financials (MAI)</b>														
ACAP	0.67	0.01	1,007	-	CMO	0.92	0.03	296	-	ADVA28C2012B	0.15	(0.02)	13,668	-
AF	0.51	(0.02)	60	-	D	3.38	0.06	1,308	3.00	ADVA28C2101A	0.44	(0.01)	9,713	-
AIRA	0.98	-	46	-	DV8	0.30	-	2,187	-	ADVA28C2102L	0.27	(0.02)	13,675	-
ASN	-	-	-	-	EFORL	0.03	(0.01)	633,167	-	ADVA28P2012A	0.20	-	20	-
BROOK	0.40	0.01	30,522	-	ETE	0.98	-	963	-	ADVA41C2010A	-	-	-	-
CHAYO	7.65	0.45	126,168	7.00	FSMART	6.60	0.10	6,613	6.00	ADVA41C2010B	0.03	(0.03)	750	-
GCAP	1.36	0.02	878	1.00	FVC	0.39	0.02	5,877	-	ADVA41C2011A	0.37	(0.02)	47,588	-
LIT	3.18	0.04	4,020	3.00	GSC	1.30	0.04	756	1.00	ADVA41P2009A	-	-	-	-
MITSI	1.08	(0.01)	3,918	1.00	HARN	2.14	0.02	1,751	2.00	ADVA41P2011A	-	-	-	-
SGF	0.56	0.02	13,186	-	IMH	2.20	-	296	2.00	ADVA41P2101A	0.57	(0.06)	7,803	-
<b>Industrials (MAI)</b>														
ZS	3.12	0.04	4,904	3.00	JKN	9.50	0.50	543,974	9.00	ADVA42C2102T	-	-	-	-
ADB	0.73	0.03	1,517	-	KIAT	0.45	-	96,024	-	AEON13C2010A	-	-	-	-
BM	2.14	-	101	2.00	KOOL	0.98	(0.01)	92,099	-	AEON13C2011A	0.14	(0.02)	115,210	-
CHO	0.49	0.03	15,446	-	LDC	1.24	0.08	36,864	1.00	AEON19C2010A	0.05	(0.01)	8	-
CHOW	1.82	0.11	8,665	1.00	MORE	0.84	0.01	641,936	-	AEON19C2010B	0.13	(0.03)	8	-
CIG	0.23	-	24,802	-	MPG	0.37	0.04	15,621	-	AEON19C2011A	0.67	(0.11)	3,930	-
COLOR	1.23	(0.01)	2,569	1.00	MVP	1.15	0.01	336	1.00	AEON19C2012A	0.40	(0.02)	82,844	-
CPR	2.50	0.02	631	2.00	NBC	0.54	-	990	-	AEON28C2012A	0.34	(0.02)	57,282	-
FPI	1.41	-	272	1.00	NCL	0.70	0.01	104	-	AEON28C2101A	-	-	-	-
GTB	0.67	-	657	-	NEWS	0.01	-	13,311	-	AEON42C2101T	0.19	(0.01)	70	-
KCM	0.45	0.02	590	-	NINE	1.66	(0.04)	8	1.00	AMAT01C2101A	0.31	0.04	32,988	-
KUMWEL	1.03	-	840	1.00	OTO	3.16	(0.06)	11,054	3.00	AMAT06C2010A	0.06	0.01	20	-
KWM	0.86	-	5,377	-	PHOL	2.28	(0.02)	5,952	2.00	AMAT08C2010A	0.14	0.04	2,735	-
MBAX	6.05	0.10	8,407	6.00	PICO	3.80	-	14	3.00	AMAT08C2101A	0.33	0.04	17,157	-
MGT	2.12	(0.06)	15,918	2.00	QLT	4.02	0.02	65	4.00	AMAT13C2010A	0.08	0.04	5,759	-
NDR	1.43	0.12	32,913	1.00	RP	1.26	-	667	1.00	AMAT13C2012A	0.22	0.06	30,379	-
PDG	3.38	-	252	3.00	SE	1.19	(0.02)	1,341	1.00	AMAT19C2009A	-	-	-	-
PIMO	1.97	(0.07)	312,624	1.00	SLM	-	-	-	-	AMAT19C2011A	0.14	0.02	12,975	-
PJW	1.35	0.02	14,207	1.00	SONIC	1.04	0.01	2,712	1.00	AMAT19C2012A	0.18	0.02	7,200	-
PPM	0.72	(0.01)	36	-	SPA	6.30	0.70	57,741	6.00	AMAT24C2010A	-	-	-	-
RWI	1.36	-	1,175	1.00	THMUI	0.54	(0.01)	53	-	AMAT28C2012A	0.11	0.02	4,632	-
SALEE	0.60	(0.02)	610	-	TNDT	3.12	(0.02)	4,781	3.00	AMAT28C2101A	0.20	0.02	4,096	-
SANKO	0.95	0.02	72	-	TNH	33.50	-	469	33.00	AMAT28C2102L	-	-	-	-
SELIC	2.10	0.06	61,284	2.00	TNP	27.76	-	42,380	2.00	AMAT42C2101T	0.13	0.03	350	-
SWC	4.10	-	1,624	4.00	TSF	-	-	-	-	AOT01C2012A	0.74	0.07	128,659	-
TMC	0.57	(0.03)	6	-	TVD	0.95	(0.05)	40,600	-	AOT01P2012A	0.26	(0.04)	31,226	-
TMI	0.63	-	402	-	TVT	0.65	0.01	100	-	AOT01P2012B	0.62	(0.07)	74,807	-
TMW	29.00	(1.00)	144	29.00	VL	1.00	(0.01)	93,954	1.00	AOT06C2009A	0.05	0.01	102	-
TPAC	13.40	-	1,774	13.00	WINNER	2.46	-	490	2.00	AOT06C2011A	0.35	0.06	106,558	-
TPLAS	1.65	-	32,822	1.00	YGG	11.30	0.50	90,337	11.00	AOT06P2009A	0.01	-	560	-
UBIS	5.00	-	336	5.00	<b>Technology (MAI)</b>									
UEC	0.87	0.01	4,660	-	APP	2.46	0.10	213,874	2.00	AOT06P2011A	0.59	(0.10)	79,366	-
UKEM	0.55	0.01	15,093	-	COMAN	2.34	0.02	2,108	2.00	AOT08C2009A	0.14	0.02	36,400	-
UREKA	0.81	0.02	1,266	-	ICN	2.02	-	7,184	2.00	AOT08C2101A	0.57	0.06	80,170	-
YUASA	14.80	0.10	481	14.00	IIG	18.40	(0.10)	78,899	18.00	AOT08P2009A	0.04	(0.01)	1,210	-
ZIGA	1.82	0.02	23,421	1.00	INSET	3.18	0.02	38,967	3.00	AOT08P2102A	0.63	(0.06)	108,090	-
<b>Property &amp; Construc</b>														
ALL	2.98	(0.06)	30,204	3.00	IRCP	0.86	0.05	43,185	-	AOT11C2011A	0.38	0.04	83,880	-
ARIN	0.94	(0.01)	4,252	-	ITEL	2.62	-	17,571	2.00	AOT11P2101A	0.37	(0.05)	55,790	-
ARROW	7.10	-	232	7.00	NETBAY	26.25	0.25	4,126	26.00	AOT13C2010A	0.06	0.02	36,217	-
BC	0.81	(0.05)	732	-	PLANET	1.27	0.15	46,120	1.00	AOT13C2011A	0.28	0.04	676,625	-
BSM	0.29	-	14,952	-	SICT	4.50	0.10	20,007	4.00	AOT13C2012A	0.65	0.07	35,342	-
BTW	0.78	(0.01)	52	-	SIMAT	4.00	-	12,513	4.00	AOT13P2010A	0.35	(0.06)	79,483	-
CAZ	1.50	(0.03)	4,920	1.00	SKY	13.30	-	3,054	13.00	AOT13P2011A	0.16	(0.03)	281,078	-
CHEWA	0.49	0.04	62,021	-	SPVI	3.16	0.26	377,459	3.00	AOT16C2009A	-	-	-	-
CMC	0.72	-	1,251	-	TPS	2.60	0.06	95,196	2.00	AOT16C2012A	0.74	0.08	18,561	-
CRD	0.49	0.01	181	-	VCOM	5.10	(0.10)	43,547	5.00	AOT19C2009A	0.03	0.01	1,000	-
DIMET	0.20	0.02	222,212	-	<b>Unit Trust</b>									
FLOYD	0.90	0.01	1,246	-	SCBSET	-	-	-	-	AOT19C2011A	0.09	0.02	1,187	-
HYDRO	0.17	0.02	12,648	-	ETF	-	-	-	-	AOT19C2011B	0.31	0.06	604,825	-
JSP	0.23	-	288	-	IDIV	7.86	0.03	2,671	7.00	AOT19P2009A	0.56	0.06	187,212	-
K	0.77	0.01	75	-	ABFTH	-	-	-	-	AOT19P2009B	-	-	-	-
K														

## Main Board Quotation

Issue Date :

Tuesday September 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP08C2101A	-	-	-	-	BGP28C2103L	0.16	(0.02)	7,042	-	BTS41C2012A	-	-	-	-
AP13C2011A	0.19	0.01	44,574	-	BDM501C2101A	0.45	-	59,056	-	CBG01C2012A	0.36	0.01	746,567	-
AP19C2010A	-	-	-	-	BDM506C2010A	0.04	-	5,327	-	CBG01P2012A	0.82	(0.04)	234,357	-
AP19C2011A	0.22	0.01	17,100	-	BDM506C2102A	0.44	(0.01)	43,892	-	CBG06C2011A	0.35	-	105,155	-
AP28C2012A	-	-	-	-	BDM506P2009A	0.01	(0.05)	2,200	-	CBG08C2012A	0.46	0.01	58,439	-
AP28C2012B	-	-	-	-	BDM508C2011A	-	-	-	-	CBG11C2101A	0.49	0.02	32,937	-
AWC01C2009A	-	-	-	-	BDM508C2101A	0.39	0.01	28,767	-	CBG13C2010A	0.51	0.06	9,894	-
AWC01C2101A	0.56	(0.01)	9,792	-	BDM511C2011A	0.44	0.01	24,780	-	CBG13C2011A	0.35	-	389,821	-
AWC06C2011A	-	-	-	-	BDM513C2009A	-	-	-	-	CBG13C2012A	0.24	0.01	207,273	-
AWC06P2012A	0.44	(0.01)	2,750	-	BDM513C2011A	0.18	0.01	24,198	-	CBG13P2010A	0.02	-	37	-
AWC08C2012A	0.29	(0.01)	1,000	-	BDM513C2012A	0.32	0.01	185,582	-	CBG13P2011A	0.52	(0.02)	370,008	-
AWC11C2102A	0.56	-	7,095	-	BDM519C2010A	-	-	-	-	CBG19C2010A	1.10	0.04	1,221	1.00
AWC13C2009A	-	-	-	-	BDM519C2011A	-	-	-	-	CBG19C2011A	0.46	0.01	724,184	-
AWC13C2010A	-	-	-	-	BDM519C2012A	0.30	-	71,766	-	CBG19C2011B	0.20	0.01	376,177	-
AWC13C2010B	0.04	(0.01)	1,020	-	BDM519P2010A	0.11	-	8,237	-	CBG19P2010A	0.07	(0.01)	53,858	-
AWC13C2011A	0.23	(0.01)	5,906	-	BDM524C2101A	0.41	-	28,820	-	CBG19P2011A	0.28	(0.02)	187,322	-
AWC13P2011A	0.23	(0.01)	6,132	-	BDM528C2011A	0.06	(0.01)	17,000	-	CBG19P2012A	0.89	(0.03)	184,617	-
AWC19C2010A	0.09	(0.01)	6,051	-	BDM528C2012A	-	-	-	-	CBG41C2009A	-	-	-	-
AWC19C2010B	-	-	-	-	BDM528C2012B	-	-	-	-	CBG41C2010A	0.38	0.03	20,600	-
AWC19C2010C	0.22	-	4,000	-	BDM528C2101A	0.22	-	10,612	-	CBG41C2011A	-	-	-	-
AWC19P2011A	-	-	-	-	BDM528C2102A	0.32	0.01	61,430	-	CBG41C2011B	0.32	0.02	117,046	-
AWC24C2010A	-	-	-	-	BDM541C2012A	0.26	(0.02)	46,752	-	CBG41C2012A	0.20	0.02	30	-
AWC28C2010A	-	-	-	-	BDM541P2011A	0.55	(0.02)	10,205	-	CBG41P2010A	0.22	(0.03)	25,010	-
AWC28C2010B	-	-	-	-	BDM542C2101T	0.14	-	150	-	CBG41P2012A	1.06	(0.06)	13,764	1.00
AWC28C2012A	-	-	-	-	BEM01C2101A	-	-	-	-	CBG42C2101T	0.66	0.01	16,819	-
AWC28C2012B	0.16	-	3,042	-	BEM06P2009A	0.01	(0.04)	500	-	CENT01C2009A	-	-	-	-
AWC28C2101A	0.36	-	4,056	-	BEM08C2009A	-	-	-	-	CENT01P2009A	0.01	-	1,820	-
AWC41C2010A	-	-	-	-	BEM08C2102A	0.19	-	1,119	-	CENT08C2012A	0.50	(0.09)	600	-
AWC41C2011A	-	-	-	-	BEM11C2011A	-	-	-	-	CENT11C2012A	0.22	0.06	11,040	-
AWC42C2101T	-	-	-	-	BEM13C2009A	-	-	-	-	CENT13C2010A	0.08	0.01	879	-
BANP01C2101A	0.31	-	25,250	-	BEM13C2010A	0.03	-	580	-	CENT13C2011A	0.53	0.16	181,955	-
BANP06C2010A	0.04	-	2,000	-	BEM13C2011A	0.20	0.01	1,100	-	CENT13P2011A	0.23	(0.10)	70,336	-
BANP06C2101A	0.26	-	11,250	-	BEM19C2010A	0.19	-	3	-	CENT19C2010A	0.29	0.10	37,920	-
BANP06P2011A	0.47	(0.02)	18,450	-	BEM19C2011A	-	-	-	-	CENT19C2011A	0.14	0.03	11,576	-
BANP08C2009A	-	-	-	-	BEM19P2010A	0.13	(0.01)	800	-	CENT19C2011B	0.64	0.18	90,961	-
BANP08P2009A	0.16	(0.02)	5,180	-	BEM28C2010A	-	-	-	-	CENT19P2011A	0.21	(0.10)	25,482	-
BANP13C2010A	0.01	-	1,000	-	BEM28C2012A	-	-	-	-	CENT24C2011A	0.60	0.14	94,594	-
BANP13C2011A	0.10	0.01	36,848	-	BEM28C2103A	-	-	-	-	CENT28C2010A	-	-	-	-
BANP13C2012A	0.20	0.01	55,996	-	BGR101C2009A	-	-	-	-	CENT28C2012A	0.27	0.07	41,539	-
BANP19C2009A	-	-	-	-	BGR101C2012A	0.26	(0.01)	29,226	-	CENT28C2012B	0.35	0.11	61,781	-
BANP19C2010A	-	-	-	-	BGR101P2012A	0.52	-	27,888	-	CENT28C2101A	0.54	0.12	59,736	-
BANP19C2012A	-	-	-	-	BGR106C2010A	0.06	(0.01)	9,100	-	CENT28C2101B	0.18	0.06	23,456	-
BANP19P2010A	-	-	-	-	BGR106P2011A	0.53	(0.01)	30,952	-	CENT28C2103L	0.42	0.09	33,457	-
BANP19P2010B	0.54	(0.02)	5,933	-	BGR108C2009A	-	-	-	-	CHG13C2010A	-	-	-	-
BANP19P2012A	0.28	(0.01)	3,500	-	BGR108C2101A	0.41	-	8,500	-	CHG13C2012A	0.21	-	49,352	-
BANP24C2011A	-	-	-	-	BGR111C2101A	0.26	-	11,410	-	CHG16C2009A	-	-	-	-
BANP28C2010A	-	-	-	-	BGR113C2011A	0.09	-	6,755	-	CHG19C2011A	0.15	-	6,000	-
BANP28C2012A	-	-	-	-	BGR113C2012A	0.34	-	113,895	-	CHG27C2009A	-	-	-	-
BANP28C2012B	0.10	(0.02)	18,252	-	BGR113P2011A	0.47	(0.02)	38,633	-	CK01C2101A	0.40	0.01	45,248	-
BANP28C2101A	0.22	(0.01)	14,396	-	BGR19C2009A	-	-	-	-	CK06C2009A	-	-	-	-
BANP41C2010A	0.07	(0.01)	100	-	BGR19C2011A	0.12	-	41,741	-	CK06P2012A	0.55	(0.02)	32,337	-
BANP42C2012T	-	-	-	-	BGR19C2012A	0.24	-	56,038	-	CK11C2012A	0.27	0.01	14,090	-
BBL06C2101A	-	-	-	-	BGR19P2010A	0.33	(0.02)	51,441	-	CK13C2010A	0.18	-	94,992	-
BBL06P2011A	0.55	(0.02)	8,515	-	BGR124C2009A	-	-	-	-	CK19C2010A	0.15	0.01	182,993	-
BBL08C2009A	-	-	-	-	BGR127C2101A	0.19	-	3,334	-	CK19C2011A	0.20	-	116,262	-
BBL08C2101A	0.35	(0.01)	1,500	-	BGR127P2012A	0.29	-	3,300	-	CK19C2012A	0.39	0.03	127,209	-
BBL08P2009A	-	-	-	-	BGR141C2010A	-	-	-	-	CK19P2011A	0.40	(0.03)	80,180	-
BBL11C2011A	0.42	(0.01)	28,557	-	BGR141C2012A	0.48	-	22,860	-	CK24C2102A	0.35	0.01	53,314	-
BBL13C2010A	0.26	(0.03)	50	-	BGR141C2101A	-	-	-	-	CK41C2009A	-	-	-	-
BBL13C2010B	0.10	-	34,615	-	BGR142C2101T	0.11	(0.01)	652	-	CK41C2011A	-	-	-	-
BBL13C2012A	0.37	0.01	50,652	-	BH13C2010A	0.03	(0.02)	3,000	-	CK41C2012A	0.34	(0.07)	16,000	-
BBL13P2010A	0.05	-	1,190	-	BH13C2012A	0.23	(0.03)	27,247	-	CK42C2101T	-	-	-	-
BBL13P2012A	0.60	(0.02)	2,763	-	BH19C2009A	-	-	-	-	CKP01C2009A	-	-	-	-
BBL19C2009A	-	-	-	-	BH19C2012A	0.26	(0.03)	60,352	-	CKP01C2101A	0.23	0.02	55,231	-
BBL19C2010A	0.13	-	23,804	-	BH19P2010A	0.49	0.02	98,784	-	CKP01P2009A	0.01	(0.01)	1,587	-
BBL19C2011A	0.12	-	29,168	-	BH41C2009A	-	-	-	-	CKP01P2010A	0.51	(0.04)	39,585	-
BBL19C2011B	0.22	-	5,054	-	BH41C2012A	0.22	(0.07)	39,652	-	CKP06C2012A	0.32	0.04	46,246	-
BBL19C2012A	-	-	-	-	BJC01C2009A	-	-	-	-	CKP08C2010A	-	-	-	-
BBL19P2010A	-	-	-	-	BJC01C2101A	0.35	(0.02)	33,060	-	CKP08C2012A	0.25	0.03	12,000	-
BBL19P2011A	0.58	(0.01)	5,580	-	BJC01P2009A	0.02	-	490	-	CKP11C2102A	0.32	0.03	30,400	-
BBL24C2009A	0.04	(0.01)	10	-	BJC01P2101A	0.48	0.01	31,690	-	CKP13C2010A	-	-	-	-
BBL28C2010A	0.03	(0.03)	10,000	-	BJC11C2102A	0.30	(0.03)	7,320	-	CKP13C2011A	0.21	0.04	129,615	-
BBL28C2011A	-	-	-	-	BJC13C2010A	0.01	(0.01)	1	-	CKP16C2012A	0.19	0.02	9,752	-
BBL28C2012A	0.16	-	1,014	-	BJC13C2011A	0.11	(0.01)	60,963	-	CKP19C2010A	-	-	-	-
BBL28C2101A	0.27	-	2,028	-	BJC13C2012A	0.25	(0.02)	16,602	-	CKP19C2011A	-	-	-	-
BBL41C2009A	0.01	(0.08)	2,000	-	BJC13P2012A	0.30	0.01	9,012	-	CKP19C2011B	0.17	0.02	31,146	-
BBL41C2011A	-	-	-	-	BJC19C2010A	-	-	-	-	CKP19P2012A	0.35	(0.02)	16,422	-
BBL41C2012A	-	-	-	-	BJC19C2010B	-	-	-	-	CKP24C2011A	0.22	0.03	40,637	-
BBL41P2010A	0.20	(0.32)	739	-	BJC19C2012A	0.23	(0.02)	19,415	-	CKP28C2011A	-	-	-	-
BBL41P2011A	0.34	(0.02)	2,977	-	BJC19P2010A	0.30	0.01	3,000	-	CKP28C2012A	-	-	-	-
BBL42C2101T	-	-	-	-	BJC27C2009A	-	-	-	-	CKP28C2012B	0.16	0.02	36,392	-
BBL42P2102T	-	-	-	-	BJC28C2010A	-	-	-	-	COM706C2012A	0.82	0.09	33,786	-
BCH01C2010A	0.32	(0.05)	42,012	-	BJC28C2012A	0.07	(0.01)	50	-	COM708C2010A	-	-	-	-
BCH06C2011A	0.15	(0.04)	8,639	-	BJC28C2012B	0.13	(0.02)	5,070	-	COM708C2011A	0.62	0.08	18,001	-
BCH13C2010A	0.07	(0.04)	25,657	-	BJC28C2101A	0.22	(0.01)	6,103	-	COM708C2102A	0.42	0.05	27,841	-
BCH19C2011A	0.20	(0.03)	117	-	BJC28C2102L	0.13	(0.01)	14	-	COM711C2101A	0.52	0.07	25,226	-
BCP13C2011A	0.08	0.01	2,000	-	BJC41C2011A	-	-	-	-	COM713C2010A	-	-	-	-
BCP13C2012A	0.23	(0.02)	9,934	-	BJC41C2012A	0.27	(0.02)	3,943	-	COM713C2010B	0.68	0.08	3,219	-
BCP19C2011A	-	-	-	-	BPP13C2011A	0.11	-	82,843	-	COM713C2011A	0.40	0.05	203,263	-
BCP19C2012A	0.23	(0.02)	59,480	-	BPP13C2012A	0.25	0.01	294,218	-	COM719C2009A	-			

## Main Board Quotation

Issue Date :

Tuesday September 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL08P2009A	-	-	-	-	DTAC24C2012A	0.11	0.01	123	-	GPSC24C2011A	0.11	-	1,000	-
CPAL08P2101A	0.69	(0.01)	11,500	-	DTAC28C2012A	0.09	-	22	-	GPSC28C2011A	0.10	-	3,042	-
CPAL11C2012A	0.21	(0.01)	20,740	-	DTAC28C2102A	-	-	-	-	GPSC28C2101A	0.40	-	25,344	-
CPAL13C2011A	0.08	-	47,317	-	DTAC28C2104L	0.23	-	9,126	-	GPSC28C2104L	0.31	0.01	4,049	-
CPAL13C2012A	0.28	-	234,458	-	DTAC41C2010A	-	-	-	-	GPSC41C2011A	-	-	-	-
CPAL13P2011A	0.48	(0.01)	119,296	-	DTAC41C2011A	-	-	-	-	GPSC41C2012A	0.37	-	10,110	-
CPAL19C2010A	0.03	(0.01)	163	-	DTAC42C2010T	-	-	-	-	GPSC41P2010A	0.70	(0.01)	20,175	-
CPAL19C2011A	0.14	-	10,161	-	EA06C2010A	0.17	0.01	27,387	-	GPSC42C2010T	0.13	-	300	-
CPAL19C2012A	0.33	-	41,000	-	EA06P2012A	0.57	(0.04)	7,250	-	GULF01C2012A	0.24	0.01	44,521	-
CPAL19P2010A	-	-	-	-	EA08C2009A	0.12	-	5,826	-	GULF01P2012A	0.27	(0.02)	552	-
CPAL19P2010B	0.48	(0.01)	49,268	-	EA08C2101A	0.43	0.01	17,523	-	GULF06C2009A	0.01	-	1,000	-
CPAL24C2009A	0.11	(0.02)	17,706	-	EA11C2101A	0.15	-	10,350	-	GULF06C2101A	0.31	0.02	9,219	-
CPAL27C2101A	-	-	-	-	EA13C2009A	-	-	-	-	GULF08C2009A	0.01	-	522	-
CPAL28C2010A	0.01	(0.02)	2,000	-	EA13C2011A	0.14	0.01	67,680	-	GULF08C2012A	0.14	-	3,000	-
CPAL28C2012A	-	-	-	-	EA13C2012A	0.28	0.02	68,336	-	GULF08C2102A	0.34	-	3,000	-
CPAL28C2012B	-	-	-	-	EA13P2011A	0.67	(0.03)	6,158	-	GULF11C2011A	0.12	-	656	-
CPAL28C2012C	-	-	-	-	EA16C2012A	0.20	0.02	1,552	-	GULF13C2009B	-	-	-	-
CPAL28C2102A	0.26	(0.01)	7,108	-	EA19C2010A	0.15	-	33,589	-	GULF13C2011A	0.07	-	32,840	-
CPAL28C2104L	0.23	(0.01)	12,168	-	EA19C2012A	0.28	0.03	31,165	-	GULF13C2012A	0.17	0.01	131,350	-
CPAL41C2010A	-	-	-	-	EA19P2011A	0.31	(0.03)	30,000	-	GULF13P2009A	-	-	-	-
CPAL41C2011A	0.20	(0.02)	5,020	-	EA19P2011B	0.47	(0.02)	40	-	GULF13P2011A	0.29	(0.03)	196,264	-
CPAL41P2011A	0.59	0.02	26,704	-	EA24C2101A	0.35	0.02	8,675	-	GULF16C2012A	0.16	-	2,528	-
CPAL42C2101T	0.08	-	150	-	EA28C2011A	0.16	0.01	8,084	-	GULF19C2010A	0.04	-	68,110	-
CPF01C2012A	0.12	0.02	21,384	-	EA28C2012A	0.18	(0.01)	6,056	-	GULF19C2010B	-	-	-	-
CPF01P2012A	0.38	(0.05)	36,185	-	EA28C2101A	0.19	-	5,070	-	GULF19C2012A	0.18	-	54,578	-
CPF06C2010A	0.04	-	2,100	-	EA28C2103L	-	-	-	-	GULF19C2101A	0.25	0.01	68,580	-
CPF06P2011A	0.17	(0.04)	25,992	-	EA41C2009A	-	-	-	-	GULF19P2009A	0.02	-	20,000	-
CPF08C2010A	0.10	0.02	9,550	-	EA41C2011A	0.14	0.01	6,000	-	GULF19P2010A	0.13	(0.01)	47,619	-
CPF11C2010A	-	-	-	-	EA42C2101T	0.20	-	520	-	GULF19P2010B	0.32	(0.01)	20,472	-
CPF13C2009A	-	-	-	-	EGCO01C2101A	0.32	(0.02)	47,379	-	GULF19P2012A	-	-	-	-
CPF13C2011A	0.06	0.01	109,344	-	EGCO06C2010A	0.03	(0.02)	1,001	-	GULF24C2009A	-	-	-	-
CPF13C2012A	0.14	0.01	343,779	-	EGCO06P2009A	0.16	0.01	13,229	-	GULF24C2101A	0.25	0.01	20,250	-
CPF13P2012A	0.35	(0.05)	162,304	-	EGCO13C2009A	-	-	-	-	GULF28C2010A	0.01	-	1,460	-
CPF16C2012A	0.11	0.01	4,478	-	EGCO13C2011A	0.07	-	25,952	-	GULF28C2012A	0.05	0.01	8,536	-
CPF19C2009A	0.22	(0.53)	70	-	EGCO13C2012A	0.30	(0.02)	107,032	-	GULF28C2012B	-	-	-	-
CPF19C2010A	0.06	0.01	12,781	-	EGCO13P2011A	0.71	0.01	109,275	-	GULF28C2101A	0.17	-	10,536	-
CPF19C2012A	0.15	0.02	225,880	-	EGCO19C2010A	0.03	(0.02)	100	-	GULF41C2009A	-	-	-	-
CPF19P2010A	-	-	-	-	EGCO19C2011A	-	-	-	-	GULF41C2011A	-	-	-	-
CPF19P2012A	0.39	(0.06)	40,551	-	EGCO19C2012A	0.18	(0.01)	29,969	-	GULF41C2012A	0.18	(0.01)	3,600	-
CPF24C2012A	0.09	0.01	23,439	-	EGCO19P2011A	0.92	0.03	15,064	-	GULF41C2102A	-	-	-	-
CPF28C2010A	0.48	0.10	157	-	EGCO19P2012A	0.56	0.01	43,323	-	GULF41P2009A	0.36	(0.02)	3,000	-
CPF28C2011A	0.09	-	3,061	-	EGCO24C2009A	-	-	-	-	GULF41P2011A	0.36	(0.02)	2,071	-
CPF28C2012A	0.08	0.02	7,150	-	EGCO42C2101T	-	-	-	-	GULF41P2012A	0.29	(0.01)	6,054	-
CPF28C2012B	0.06	0.01	4,001	-	EPG13C2010A	-	-	-	-	GULF42C2101M	-	-	-	-
CPF28C2103L	0.15	0.01	5,556	-	EPG13C2011A	0.38	(0.03)	37,171	-	GULF42C2101T	0.11	-	4	-
CPF41C2010A	0.06	0.02	1,576	-	EPG13C2012A	0.14	(0.02)	40,846	-	GULF42P2101T	0.28	-	703	-
CPF41C2101A	0.19	(0.81)	29,355	-	EPG19C2010A	0.37	(0.05)	31,428	-	GUNK01C2012A	0.15	0.01	50,637	-
CPF41P2011A	0.30	(0.05)	4,094	-	EPG19C2011A	0.11	(0.01)	281	-	GUNK13C2011A	0.04	-	4,650	-
CPF42C2101T	0.08	0.01	1,842	-	EPG42C2101T	-	-	-	-	GUNK19C2010A	0.02	-	2,000	-
CPN01C2012A	0.24	(0.03)	44,855	-	ERW06C2010A	0.34	0.13	86,195	-	GUNK19C2012A	0.08	0.01	600	-
CPN06C2010A	0.06	0.01	14	-	ERW13C2010A	0.12	0.05	34,588	-	GUNK19C2101A	0.15	0.01	8,231	-
CPN11C2010A	0.21	(0.01)	27,920	-	ERW19C2010A	0.40	0.12	30,817	-	GUNK24C2012A	0.09	0.01	12,364	-
CPN13C2009A	-	-	-	-	ERW19C2010B	0.08	0.03	30	-	GUNK28C2012A	0.09	0.02	1,008	-
CPN13C2011A	0.10	(0.02)	35,209	-	ESS001C2009A	-	-	-	-	GUNK28C2012B	-	-	-	-
CPN19C2010A	0.05	(0.01)	3	-	ESS001C2012A	0.28	0.02	46,626	-	GUNK28C2102A	0.11	0.01	8,070	-
CPN19C2011A	0.11	(0.01)	12,143	-	ESS001P2009A	0.01	-	682	-	HANA01C2012A	0.49	0.03	77,739	-
CPN19C2012A	0.23	(0.03)	70,195	-	ESS001P2012A	0.55	(0.03)	31,570	-	HANA13C2011A	0.49	0.03	188,561	-
CPN19P2010A	0.30	-	41,700	-	ESS006C2011A	0.13	0.02	6,680	-	HANA13C2012A	0.27	0.02	553,353	-
CPN24C2011A	0.13	(0.01)	7,900	-	ESS008C2011A	0.21	0.03	34,296	-	HANA19C2010A	0.46	0.04	44,326	-
CPN41C2009A	-	-	-	-	ESS013C2010A	0.10	0.02	5,064	-	HANA19C2012A	0.30	0.02	73,187	-
CPN41C2012A	0.19	(0.02)	14,000	-	ESS013C2012A	0.25	0.02	177,590	-	HANA19P2011A	0.04	(0.02)	180	-
CPN41C2101A	0.22	(0.78)	1,970	-	ESS019C2009A	-	-	-	-	HANA24C2012A	0.46	0.02	76,404	-
CPN41P2011A	0.77	0.02	5,918	-	ESS019C2010A	0.17	0.01	36,001	-	HANA27P2012X	0.13	(0.02)	20,068	-
CRC01C2101A	0.28	0.04	33,200	-	ESS019C2011A	0.09	-	16,080	-	HANA28C2012A	0.40	0.02	46,688	-
CRC01P2101A	0.50	(0.08)	26,345	-	ESS019C2012A	0.21	0.02	47,544	-	HANA41C2012A	0.40	0.04	63,426	-
CRC08C2009A	0.02	0.01	25	-	ESS019P2012A	0.39	(0.04)	126,831	-	HANA42C101T	0.34	0.03	6,749	-
CRC08C2101A	0.23	0.04	22,086	-	ESS024C2012A	0.14	0.01	67,493	-	HMPR01C2012A	0.23	0.06	64,777	-
CRC13C2011A	0.11	0.03	58,054	-	ESS028C2101A	0.13	0.01	28,792	-	HMPR06C2010A	0.15	0.04	107,939	-
CRC13C2012A	0.18	0.03	206,369	-	ESS028C2101B	0.17	0.01	7,619	-	HMPR06P2011A	0.21	(0.08)	46,450	-
CRC13P2012A	0.25	(0.04)	74,550	-	ESS041C2010A	0.16	(0.13)	4,000	-	HMPR11C2011A	0.37	0.08	68,930	-
CRC19C2010A	0.03	0.01	791	-	ESS041C2011A	0.11	0.01	1,305	-	HMPR13C2009A	-	-	-	-
CRC19C2011A	0.10	0.03	57,123	-	ESS042C2101T	0.17	-	1	-	HMPR13C2012A	0.32	0.07	392,263	-
CRC19C2012A	0.18	0.04	81,043	-	GFPT08C2011A	0.15	-	12,000	-	HMPR19C2010A	0.20	0.04	8,511	-
CRC19P2011A	0.22	(0.06)	26,446	-	GFPT13C2010A	0.11	(0.01)	9,527	-	HMPR19P2011A	0.32	(0.07)	46,883	-
CRC24C2101A	0.20	0.05	37,914	-	GFPT19C2010A	0.14	-	121,985	-	HMPR41C2010A	0.12	-	11,012	-
CRC28C2011A	-	-	-	-	GFPT19C2010B	0.06	(0.03)	2,601	-	HSI28C2009A	0.35	0.10	483,878	-
CRC28C2012A	0.06	-	1,103	-	GFPT24C2012A	0.15	(0.01)	26,932	-	HSI28C2009B	0.09	0.04	348,155	-
CRC28C2101A	0.20	0.03	23,720	-	GFPT42C2101T	-	-	-	-	HSI28C2009C	0.02	-	303,934	-
CRC41C2010A	-	-	-	-	GLOB01C2012A	0.27	0.01	53,234	-	HSI28C2009D	0.01	-	17,503	-
CRC41C2012A	0.19	0.05	60,780	-	GLOB13C2011A	0.31	0.01	79,753	-	HSI28C2009E	0.01	-	57,172	-
DEL13C2011A	4.30	0.40	3,988	4.00	GLOB19C2010A	0.49	0.01	158,822	-	HSI28C2010A	0.80	0.13	1,253,702	-
DOHO06C2012A	0.26	0.02	52,076	-	GLOB19C2012A	0.31	0.01	80,360	-	HSI28C2010B	0.42	0.08	158,215	-
DOHO08C2012A	0.31	0.01	35,604	-	GLOB24C2010A	0.40	0.02	21,930	-	HSI28C2010C	0.20	0.04	118,908	-
DOHO11C2101A	0.31	0.02	29,861	-	GLOB42C2009A	-	-	-	-	HSI28C2010L	0.08	0.02	267,341	-
DOHO13C2011A	0.18	0.02	319,912	-	GPSC01C2012A	0.36	-	48,923	-	HSI28C2011L	0.51	0.06	8,497	-
DOHO19C2011A	0.19	0.01	233,122	-	GPSC01P2012A	0.77	(0.02)	39,303	-	HSI28C2012L	0.30	0.03	63,	

## Main Board Quotation

Issue Date :

Tuesday September 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI41C2010C	0.22	0.04	5,607	-	JMT06C2012A	0.42	0.08	93,556	-	KTC19C2010A	0.04	0.01	21	-
HSI41C2011A	0.28	0.04	38	-	JMT08C2010A	0.30	0.05	25,842	-	KTC19C2010B	0.17	0.01	11,302	-
HSI41C2012A	0.27	-	350	-	JMT11C2012A	0.32	0.05	76,301	-	KTC19C2012A	0.24	0.01	44,709	-
HSI41C2101A	0.26	0.02	411	-	JMT13C2011A	1.11	0.11	107	1.00	KTC19P2010A	0.18	(0.02)	3,100	-
HSI41P2009A	0.18	(0.10)	47,441	-	JMT13C2011B	0.38	0.08	383,493	-	KTC24C2011A	0.22	0.01	10,150	-
HSI41P2009B	-	-	-	-	JMT13C2012A	0.24	0.05	1,091,315	-	KTC28C2010A	0.04	0.01	994	-
HSI41P2009C	0.52	(0.10)	25,780	-	JMT19C2010A	1.43	0.26	5	1.00	KTC28C2012A	0.09	-	1,000	-
HSI41P2009D	0.08	(0.05)	200	-	JMT19C2011A	0.38	0.06	46,088	-	KTC28C2012B	0.21	0.01	22,326	-
HSI41P2010A	1.06	(0.15)	152	1.00	JMT19C2012A	0.24	0.04	396,415	-	KTC28C2010A	0.22	0.02	18,518	-
HSI41P2010B	0.67	(0.12)	760,004	-	JMT24C2011A	0.37	0.07	169,375	-	KTC28C2103L	0.20	0.01	15,293	-
HSI41P2010C	0.40	(0.08)	21,610	-	JMT28C2101A	0.30	0.06	37,504	-	KTC41C2009A	-	-	-	-
HSI41P2011A	0.75	(0.06)	380,051	-	JMT42C2101T	0.22	0.03	13,730	-	KTC41C2011A	0.22	0.01	9,000	-
HSI41P2012A	0.44	(0.02)	4	-	KBAN01C2012A	0.76	0.01	66,232	-	KTC41C2012A	-	-	-	-
HSI41P2101A	-	-	-	-	KBAN01C2012B	0.62	-	25,378	-	KTC42C2012T	0.12	0.01	410	-
INTU01C2101A	0.42	(0.01)	55,929	-	KBAN01P2012A	0.92	(0.04)	68,848	-	LH01C2101A	0.31	-	7,394	-
INTU06C2009A	-	-	-	-	KBAN06C2011A	0.03	0.01	4,402	-	LH06C2012A	0.19	-	18,300	-
INTU06P2011A	0.33	(0.02)	24,150	-	KBAN06C2012A	0.31	-	55,705	-	LH11C2012A	0.22	-	36,093	-
INTU13C2011A	0.16	-	241,160	-	KBAN06P2011A	0.75	(0.03)	38,104	-	LH13C2010A	-	-	-	-
INTU16C2009A	-	-	-	-	KBAN08C2011A	0.10	-	4,290	-	LH19C2010A	0.18	(0.01)	56,746	-
INTU19C2009A	-	-	-	-	KBAN08C2101A	0.38	-	17,184	-	LH19C2011A	-	-	-	-
INTU19C2012A	0.31	-	133,915	-	KBAN08P2010A	1.08	(0.03)	39,916	1.00	LH19P2010A	0.12	(0.01)	38,040	-
INTU19P2010A	-	-	-	-	KBAN13C2010A	0.02	(0.01)	2,835	-	MAJO13C2011A	0.22	(0.01)	99,245	-
INTU19P2012A	0.57	-	30,160	-	KBAN13C2010B	0.01	-	17,029	-	MAJO19C2011A	0.37	(0.01)	13,053	-
INTU23C2111A	-	-	-	-	KBAN13C2011A	0.23	(0.02)	49,295	-	MEGA13C2011A	0.10	0.01	1,902	-
INTU28C2010A	-	-	-	-	KBAN13C2012A	0.34	-	392,873	-	MEGA16C2009A	-	-	-	-
INTU28C2012A	-	-	-	-	KBAN13P2010A	0.10	(0.02)	37,056	-	MEGA19C2011A	0.16	0.02	5,520	-
INTU28C2102A	0.32	-	39,238	-	KBAN13P2011A	0.97	(0.02)	459,582	-	MEGA42C2101T	-	-	-	-
INTU41C2010A	0.06	(0.01)	40	-	KBAN19C2009A	0.05	(0.03)	5,530	-	MINT01C2012A	0.77	0.12	103,130	-
INTU41C2012A	0.27	(0.01)	22,000	-	KBAN19C2010A	0.02	-	10,000	-	MINT01P2012A	0.33	(0.06)	129,463	-
INTU42C2101T	-	-	-	-	KBAN19C2010B	0.06	(0.01)	500	-	MINT01P2012B	0.72	(0.13)	105,792	-
IRPC01C2101A	0.23	0.01	30,041	-	KBAN19C2011A	0.02	-	1,999	-	MINT06C2012A	0.85	0.15	153,510	-
IRPC06C2010A	0.01	-	1,087	-	KBAN19C2012A	0.46	-	48,144	-	MINT06P2012A	0.20	(0.05)	107,864	-
IRPC06P2010A	0.41	0.02	100	-	KBAN19P2010A	0.29	(0.01)	120,450	-	MINT08C2010A	0.45	0.09	99,078	-
IRPC11C2102A	0.19	-	2,550	-	KBAN19P2011A	0.64	(0.02)	175,770	-	MINT08P2011A	0.28	(0.08)	58,035	-
IRPC13C2011A	-	-	-	-	KBAN19P2010P	0.18	(0.01)	95,312	-	MINT11C2011A	0.70	0.10	95,153	-
IRPC13C2012A	0.12	-	11,728	-	KBAN24C2009A	-	-	-	-	MINT11P2011A	0.24	(0.04)	43,738	-
IRPC13P2011A	0.40	-	24,240	-	KBAN24C2012A	0.31	0.01	61,535	-	MINT13C2009A	-	-	-	-
IRPC19C2010A	-	-	-	-	KBAN28C2010A	-	-	-	-	MINT13C2010A	0.47	0.09	282,642	-
IRPC19C2011A	0.08	-	100	-	KBAN28C2012A	0.03	(0.01)	3,450	-	MINT13C2011A	0.54	0.11	1,137,871	-
IRPC19C2101A	0.19	0.01	10,650	-	KBAN28C2012B	0.12	(0.01)	8,212	-	MINT13P2011A	0.21	(0.07)	75,635	-
IRPC19P2011A	0.46	-	2,751	-	KBAN28C2010A	0.42	-	37,067	-	MINT13P2012A	0.40	(0.09)	621,176	-
IRPC19P2012A	0.26	-	13,797	-	KBAN28C2104L	-	-	-	-	MINT16C2012A	0.81	0.15	24,012	-
IRPC24C2012A	0.10	0.01	3,144	-	KBAN28P2012A	0.37	(0.02)	14,496	-	MINT19C2010A	0.28	0.05	183,717	-
IRPC28C2012A	0.04	-	1,361	-	KBAN41C2009A	0.01	(0.05)	232	-	MINT19C2011A	0.85	0.12	236,189	-
IRPC28C2101A	0.10	(0.01)	8,112	-	KBAN41C2011A	-	-	-	-	MINT19C2011B	0.49	0.10	803,207	-
IRPC28C2103A	0.18	-	13,168	-	KBAN41C2012A	0.41	-	122,540	-	MINT19P2010A	0.13	(0.04)	81,686	-
IRPC41C2010A	-	-	-	-	KBAN41P2010A	0.36	(0.02)	8,500	-	MINT19P2011A	0.16	(0.05)	133,538	-
IRPC41C2101A	-	-	-	-	KBAN41P2011A	1.35	(0.05)	4,652	1.00	MINT19P2012A	0.45	(0.11)	290,642	-
IVL01C2012A	0.14	-	29,712	-	KBAN42C2010A	-	-	-	-	MINT19P2011A	0.61	0.11	28,037	-
IVL01C2012B	0.56	0.03	32,444	-	KBAN42P2011A	0.85	-	1,400	-	MINT28C2012A	0.27	0.06	80,225	-
IVL01P2012A	0.80	(0.06)	25,476	-	KCE01C2012A	0.32	0.04	151,635	-	MINT28C2012B	0.46	0.08	142,872	-
IVL06C2010A	0.01	-	6,120	-	KCE01P2011A	0.46	(0.05)	129,361	-	MINT28C2012C	0.54	0.11	87,320	-
IVL06C2101A	0.40	0.03	43,713	-	KCE06C2009A	-	-	-	-	MINT28C2104L	0.35	0.04	56,756	-
IVL06P2009A	-	-	-	-	KCE06C2012A	-	-	-	-	MINT41C2010A	0.35	0.08	155,080	-
IVL06P2011A	0.62	(0.06)	26,267	-	KCE06C2012B	0.45	0.05	64,442	-	MINT41C2012A	0.77	0.02	3,940	-
IVL08C2009A	-	-	-	-	KCE08C2009A	-	-	-	-	MINT42C2101T	0.39	0.04	9,290	-
IVL08C2101A	0.41	0.03	24,699	-	KCE08C2012A	0.38	0.05	34,833	-	MINT42P2102T	0.49	(0.04)	8,704	-
IVL08P2011A	0.29	(0.02)	11,000	-	KCE11C2101A	0.38	0.04	80,235	-	MTC01C2012A	0.47	-	41,066	-
IVL11C2012A	0.14	-	9,794	-	KCE13C2009A	-	-	-	-	MTC06C2010A	0.05	-	471	-
IVL13C2009A	-	-	-	-	KCE13C2010A	0.25	0.05	382,563	-	MTC06C2102A	0.52	0.02	42,581	-
IVL13C2011A	0.06	-	506	-	KCE13C2012A	0.23	0.03	731,695	-	MTC08C2009A	0.50	0.01	8,800	-
IVL13C2012A	0.36	0.02	63,328	-	KCE13P2010A	0.11	(0.03)	249,443	-	MTC08C2011A	0.30	0.02	5,600	-
IVL13C2012B	0.11	0.01	133,042	-	KCE16C2012A	0.29	0.04	30,962	-	MTC08C2102A	0.52	0.02	30,676	-
IVL13P2010A	0.14	(0.03)	22,370	-	KCE19C2009A	-	-	-	-	MTC11C2102A	0.48	0.01	6,200	-
IVL16C2009A	-	-	-	-	KCE19C2010A	-	-	-	-	MTC13C2009A	-	-	-	-
IVL19C2009A	-	-	-	-	KCE19C2010B	-	-	-	-	MTC13C2010A	0.08	-	36,491	-
IVL19C2010A	0.04	-	3,970	-	KCE19C2011A	0.27	0.04	311,593	-	MTC13C2011A	0.29	0.02	45,154	-
IVL19C2010B	-	-	-	-	KCE19C2012A	0.22	0.04	111,508	-	MTC13P2011A	0.44	(0.03)	60,753	-
IVL19C2011A	0.23	0.02	196,692	-	KCE19P2010A	0.11	(0.04)	122,445	-	MTC19C2009A	0.31	-	73,198	-
IVL19C2012A	0.41	0.03	55,396	-	KCE19P2012A	0.30	(0.04)	145,637	-	MTC19C2010A	0.20	0.01	82,288	-
IVL19P2010A	0.13	(0.01)	39,007	-	KCE24C2010A	0.46	0.07	26,489	-	MTC19C2012A	0.34	0.02	47,320	-
IVL19P2010B	0.25	(0.01)	79,007	-	KCE27C2101X	0.64	0.06	12,626	-	MTC19P2010A	-	-	-	-
IVL19P2011A	0.60	(0.05)	40,004	-	KCE41C2012A	0.23	0.03	105,440	-	MTC19P2012A	0.50	(0.02)	168,586	-
IVL19P2012A	0.45	(0.04)	14,127	-	KCE42C2012T	0.79	0.08	6,200	-	MTC24C2009A	-	-	-	-
IVL24C2012A	0.41	0.03	47,874	-	KKP13C2010A	0.04	(0.04)	1	-	MTC28C2011A	0.16	-	11,506	-
IVL28C2011A	-	-	-	-	KKP13C2012A	0.22	-	20,000	-	MTC28C2012A	0.18	0.01	26,948	-
IVL28C2012A	0.04	-	300	-	KKP19C2010A	0.11	(0.01)	2,000	-	MTC28C2012B	0.33	0.01	29,339	-
IVL28C2012B	-	-	-	-	KKP19C2011A	0.06	-	20	-	MTC28C2102L	0.21	-	2,030	-
IVL28C2101A	0.33	0.02	19,252	-	KKP19C2012A	0.22	-	32,884	-	MTC41C2010A	0.10	(0.07)	985	-
IVL28C2104L	0.29	(0.01)	16,731	-	KTBO1C2009A	-	-	-	-	MTC41C2012A	0.44	0.03	10,902	-
IVL41C2009A	-	-	-	-	KTBO1P2009A	0.92	(0.09)	11	-	MTC42C2101T	0.15	-	1	-
IVL41C2010A	-	-	-	-	KTB13C2010A	0.02	(0.02)	50	-	OR11C2011A	0.19	0.02	54,875	-
IVL41C2011A	0.12	(0.01)	79	-	KTB13C2012A	0.25	-	39,308	-	OR19C2010A	-	-	-	-
IVL41C2012A	0.41	0.02	22,500	-	KTB19C2010A	0.02	(0.04)	150	-	OR19C2011A	0.33	0.04	36,736	-
IVL41P2010A	-	-	-	-	KTB19C2011A	-	-	-	-	OR19C2012A	0.18	0.02	28,534	-
IVL41P2012A	0.79	(0.02)	14,394	-	KTB19C2012A	0.25	-	4	-	OR128C2011A	-	-	-	-
IVL41P2012B	-	-	-	-	KTB19P2012A	0.53	(0.01)</							

## Main Board Quotation

## Issue Date :

Tuesday September 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP28C2101A	0.12	(0.02)	22,308	-	PTTE28C2101A	0.48	0.07	157,019	-	S5013P2009F	0.03	(0.03)	6,378	-
OSP28C2101B	0.14	(0.01)	31,378	-	PTTE28C2102L	0.30	0.03	20,903	-	S5013P2009G	0.04	(0.03)	240,111	-
OSP41C2101A	-	-	-	-	PTTE41C2101A	-	-	-	-	S5013P2010A	0.68	(0.03)	164,113	-
OSP41C2012A	0.18	(0.08)	4,000	-	PTTE41C2011A	0.30	0.03	12,820	-	S5013P2012A	1.01	(0.08)	10,561,296	1.00
OSP42C2101T	-	-	-	-	PTTE41C2012A	0.45	0.05	74,428	-	S5013P2012B	1.14	(0.09)	3,698,418	1.00
PLAN13C2101A	0.05	(0.01)	17,032	-	PTTE41C2101A	0.56	(0.44)	19,730	-	S5016C2009A	-	-	-	-
PLAN13C2011A	0.19	0.02	75,973	-	PTTE41P2009A	-	-	-	-	S5016C2009B	-	-	-	-
PLAN19C2101A	0.68	0.04	3,990	-	PTTE41P2010A	-	-	-	-	S5016C2012A	0.43	0.04	109,644	-
PLAN19C2101B	-	-	-	-	PTTE41P2011A	0.83	(0.13)	52,998	-	S5016P2009A	-	-	-	-
PLAN19C2101A	0.20	0.01	49,685	-	PTTE42C2101T	0.35	0.04	1	-	S5016P2009B	-	-	-	-
PLAN24C2009A	-	-	-	-	PTTE42P2101T	0.71	(0.08)	12,968	-	S5016P2012A	0.84	(0.06)	72,800	-
PLAN27C2101A	0.18	(0.01)	600	-	PTTG01C2012A	0.41	0.01	73,386	-	S5016P2012B	0.82	(0.08)	140,877	-
PLAN28C2101A	-	-	-	-	PTTG01P2012A	0.94	(0.03)	15,583	-	S5016P2103Z	-	-	-	-
PLAN28C2012A	-	-	-	-	PTTG08C2101A	0.29	0.01	10,300	-	S5019C2009A	1.14	0.04	64,693	1.00
PLAN28C2012B	0.19	0.01	8,184	-	PTTG08P2010A	0.09	(0.01)	3,500	-	S5019C2009B	-	-	-	-
PLAN42C2101T	-	-	-	-	PTTG11C2101A	0.12	-	36,508	-	S5019C2009C	-	-	-	-
PRM08C2101A	0.41	0.05	43,901	-	PTTG13C2010A	0.05	-	1,098	-	S5019C2009D	-	-	-	-
PRM11C2101A	0.54	0.07	26,956	-	PTTG13C2011A	0.18	0.01	44,182	-	S5019C2009E	-	-	-	-
PRM13C2010A	0.31	0.07	102,829	-	PTTG13C2012A	0.30	0.02	102,902	-	S5019C2009F	-	-	-	-
PRM16C2012A	0.34	0.06	53,020	-	PTTG13P2010A	0.13	(0.02)	35,472	-	S5019C2012A	0.33	0.03	467,422	-
PRM19C2010A	0.61	0.10	40,291	-	PTTG13P2011A	0.52	(0.05)	175,274	-	S5019C2012B	0.36	0.03	341,267	-
PRM19C2011A	0.34	0.07	59,469	-	PTTG19C2009A	0.09	-	42,020	-	S5019C2012C	0.67	0.06	470,190	-
PRM28C2012A	0.29	0.07	42,200	-	PTTG19C2011A	0.18	-	121,936	-	S5019P2009A	0.01	(0.01)	304	-
PRM42C2101T	0.28	0.05	3,140	-	PTTG19C2012A	0.32	0.02	69,994	-	S5019P2009B	-	-	-	-
PTG01C2012A	0.34	0.05	87,169	-	PTTG19P2009A	-	-	-	-	S5019P2009C	0.05	(0.01)	4,385	-
PTG01P2012A	0.76	(0.08)	22,496	-	PTTG19P2010A	0.26	(0.04)	82,007	-	S5019P2009D	0.13	(0.05)	99,111	-
PTG06C2010A	0.34	0.07	91,640	-	PTTG19P2011A	0.30	(0.02)	41,006	-	S5019P2009E	-	-	-	-
PTG08C2011A	0.35	0.06	22,815	-	PTTG19P2011B	0.68	(0.05)	5,094	-	S5019P2009F	-	-	-	-
PTG11C2101A	0.37	0.05	73,436	-	PTTG24C2101A	0.39	0.03	70,949	-	S5019P2012A	0.86	(0.06)	1,213,072	-
PTG13C2010A	0.17	0.04	420,626	-	PTTG28C2011A	-	-	-	-	S5019P2012B	0.76	(0.09)	669,339	-
PTG13C2012A	0.17	0.03	302,842	-	PTTG28C2012A	0.25	0.01	31,957	-	S5024C2009A	-	-	-	-
PTG16C2009A	0.13	0.03	10,704	-	PTTG28C2102L	0.17	-	12,168	-	S5024C2009B	-	-	-	-
PTG19C2010A	0.33	0.05	121,535	-	PTTG41C2010A	0.27	0.01	95,258	-	S5024C2009C	-	-	-	-
PTG19C2011A	0.22	0.04	186,906	-	PTTG41C2011A	-	-	-	-	S5024C2009D	-	-	-	-
PTG19P2010A	0.06	(0.01)	30,719	-	PTTG41C2101A	0.25	(0.75)	4,940	-	S5024C2009E	-	-	-	-
PTG19P2011A	0.44	(0.07)	239,989	-	PTTG41P2010A	-	-	-	-	S5024C2009F	-	-	-	-
PTG42C2101T	0.24	0.03	8,255	-	PTTG41P2011A	0.63	(0.03)	9,915	-	S5024C2009G	0.06	(0.01)	636	-
PTT01C2012A	0.22	-	65,567	-	PTTG42C2012T	0.15	(0.01)	60	-	S5024C2012A	0.03	-	4,357	-
PTT01P2012A	0.39	(0.01)	23,427	-	QH19C2012A	-	-	-	-	S5024C2012B	0.18	0.01	1,690	-
PTT06C2012A	0.13	-	48,716	-	QH27C2010A	-	-	-	-	S5024C2012C	0.44	0.05	364,238	-
PTT08C2101A	0.20	-	12,400	-	RAT01C2101A	0.40	(0.02)	37,582	-	S5024C2012D	0.59	0.07	609,223	-
PTT08P2009A	-	-	-	-	RAT06C2102A	0.38	(0.03)	23,440	-	S5024P2009A	-	-	-	-
PTT08P2101A	0.44	(0.02)	12,814	-	RAT06P2010A	0.65	0.02	28,775	-	S5024P2009B	0.01	(0.02)	30,022	-
PTT11C2101A	0.17	-	13,020	-	RAT13C2010A	0.01	(0.01)	10,502	-	S5024P2009C	0.02	(0.01)	41	-
PTT13C2010A	0.02	(0.01)	8,760	-	RAT13C2012A	0.20	(0.02)	90,246	-	S5024P2009D	-	-	-	-
PTT13C2012A	0.12	-	47,355	-	RAT13P2011A	0.45	0.01	271,922	-	S5024P2009E	0.42	(0.13)	10,117	-
PTT13C2012B	0.24	-	329,378	-	RAT19C2011A	0.08	(0.01)	8,009	-	S5024P2012A	0.14	-	3	-
PTT13P2010A	0.12	(0.02)	112,929	-	RAT19C2012A	0.25	(0.02)	24,723	-	S5024P2012B	0.44	(0.03)	911	-
PTT13P2011A	0.34	(0.02)	201,681	-	RAT19P2011A	0.62	0.01	31,109	-	S5024P2012C	1.08	(0.14)	765,655	1.00
PTT16C2012A	0.14	(0.01)	647	-	RAT24C2012A	0.25	(0.01)	6,664	-	S5024P2012D	0.74	(0.12)	764,365	-
PTT19C2009A	-	-	-	-	RAT41C2010A	0.03	(0.07)	199	-	S5028C2009A	-	-	-	-
PTT19C2011A	0.10	0.01	162,631	-	RAT41C2012A	0.31	(0.02)	21,670	-	S5028C2009B	-	-	-	-
PTT19C2012A	0.16	0.01	141,752	-	RAT42C2102T	-	-	-	-	S5028C2009C	-	-	-	-
PTT19C2012B	0.21	0.01	68,910	-	RS06C2010A	-	-	-	-	S5028C2009D	-	-	-	-
PTT19P2009A	-	-	-	-	RS06C2012A	0.43	0.05	32,600	-	S5028C2009E	-	-	-	-
PTT19P2010A	0.14	(0.02)	97,832	-	RS08C2011A	0.64	0.06	1	-	S5028C2010A	0.19	0.02	656,106	-
PTT19P2010B	0.21	(0.02)	54,306	-	RS08C2103A	0.54	0.05	30,334	-	S5028C2012A	0.08	(0.01)	18,834	-
PTT24C2101A	0.20	(0.01)	36,306	-	RS13C2010A	0.88	0.04	8,000	-	S5028C2012B	0.16	0.01	130,400	-
PTT28C2011A	-	-	-	-	RS13C2011A	0.37	0.05	115,720	-	S5028P2009A	0.45	(0.05)	80,159	-
PTT28C2011A	-	-	-	-	RS19C2010A	-	-	-	-	S5028P2009B	0.16	(0.03)	64,772	-
PTT28C2101A	0.16	-	34,448	-	RS19C2010B	0.47	0.06	88,203	-	S5028P2009C	0.12	(0.04)	224,373	-
PTT28C2103L	0.20	-	2,028	-	RS19C2011A	-	-	-	-	S5028P2009D	0.01	(0.03)	468	-
PTT41C2009A	-	-	-	-	RS19C2011B	0.30	0.04	124,462	-	S5028P2009E	0.43	(0.15)	344,724	-
PTT41C2010A	-	-	-	-	RS28C2012A	-	-	-	-	S5028P2010A	0.52	(0.08)	566,307	-
PTT41C2012A	0.13	(0.01)	15,772	-	RS28C2101A	0.37	0.04	30,576	-	S5028P2012A	1.09	(0.06)	857,641	1.00
PTT41C2101A	-	-	-	-	RS28C2101L	0.44	0.04	27,566	-	S5028P2012B	0.46	(0.04)	323,192	-
PTT41P2010A	0.12	-	739	-	RS41C2011A	0.49	0.06	16,222	-	S5041C2009A	0.01	-	190	-
PTT41P2011A	-	-	-	-	RS42C2101T	-	-	-	-	S5041C2009B	-	-	-	-
PTT41P2012A	0.45	(0.02)	23,438	-	S10001C2011A	0.03	0.01	3,205	-	S5041C2009C	0.01	-	100	-
PTT42C2010M	-	-	-	-	S5001C2012F	0.72	0.03	314,547	-	S5041C2009D	-	-	-	-
PTT42C2012T	0.08	(0.01)	50	-	S5001P2012F	1.12	(0.07)	359,781	1.00	S5041C2009E	-	-	-	-
PTT42P2101T	0.22	(0.01)	13,970	-	S5006C2009A	0.02	0.01	2,082	-	S5041C2009F	0.09	-	19,731	-
PTTE01C2012A	0.83	0.08	62,279	-	S5006C2009B	-	-	-	-	S5041C2009G	0.33	0.04	1,720,636	-
PTTE01P2012A	1.43	(0.15)	41,586	1.00	S5006C2009C	0.01	-	800	-	S5041C2012A	0.42	0.04	1,965,848	-
PTTE06C2011A	0.16	0.03	63,676	-	S5006C2009D	0.28	0.04	322,470	-	S5041C2012B	0.26	0.02	123,560	-
PTTE06C2101A	0.72	0.10	117,266	-	S5006C2012A	0.58	0.06	284,495	-	S5041C2012C	0.21	0.02	66,360	-
PTTE06P2009A	0.01	-	500	-	S5006P2009A	0.04	(0.03)	9,557	-	S5041P2009A	0.06	(0.03)	11	-
PTTE06P2011A	0.46	(0.12)	88,631	-	S5006P2009B	0.01	(0.01)	1,471	-	S5041P2009B	0.17	(0.06)	690,579	-
PTTE08C2011A	0.41	0.05	52,769	-	S5006P2009C	0.09	(0.07)	157,437	-	S5041P2009C	0.47	(0.11)	557,772	-
PTTE08P2101A	1.01	(0.10)	67,623	1.00	S5006P2009D	-	-	-	-	S5041P2009D	0.03	(0.02)	2	-
PTTE11C2011A	0.50	0.05	45,042	-	S5006P2012A	0.95	(0.16)	468,952	1.00	S5041P2009E	0.70	(0.10)	9,640	-
PTTE13C2010A	0.10	0.03	2,921	-	S5008C2009A	-	-	-	-	S5041P2009F	1.54	(0.16)	10,252	1.00
PTTE13C2010B	0.05	0.01	6,000	-	S5008C2009B	-	-	-	-	S5041P2009G	2.24	(0.16)	19,133	2.00
PTTE13C2011A	0.33	0.06	178,758	-	S5008C2012A	0.39	0.03	270,623	-	S5041P2012A	0.92	(0.08)	31,575	-
PTTE13C2012A	0.67	0.10	329,302	-	S5008C2012B	0.53	0.04	781,460	-	S5041P2012B	0.79	(0.08)	1,265,057	-
PTTE13P2010A	0.49	(0.12)	79,669	-	S5008P2009A	0.01	-	1	-	S5041P2012C	0.96	(0.10)	169,246	1.00

## Main Board Quotation

## Issue Date :

Tuesday September 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA28C2012B	0.17	0.01	7,084	-	STA24C2011A	0.13	0.02	23,040	-	TKN28C2012A	-	-	-	-
SAWA28C2010A	0.32	0.01	9,084	-	STA28C2011A	-	-	-	-	TKN28C2012B	0.15	-	54,941	-
SAWA28C2102L	-	-	-	-	STA28C2011B	0.15	0.02	20,904	-	TKN28C2010A	0.59	0.02	12,000	-
SAWA41C2009A	-	-	-	-	STA28C2012A	1.28	0.17	371	1.00	TKN42C2012T	-	-	-	-
SAWA41C2010A	-	-	-	-	STA28C2102L	0.15	0.02	6,479	-	TMB13C2011A	0.06	(0.01)	592	-
SAWA41C2012A	0.27	-	6,522	-	STA41C2010A	0.12	0.02	4,300	-	TMB19C2011A	0.14	-	932	-
SAWA42C2101T	-	-	-	-	STA42C2101T	0.15	0.02	20	-	TMB19C2011B	0.05	-	7	-
SCB01C2009A	0.02	-	210	-	STEC01C2101A	0.22	(0.01)	15,630	-	TMB19P2011A	0.31	-	4,551	-
SCB01C2101A	0.56	-	45,792	-	STEC01P2101A	0.55	-	40,495	-	TMB41C2101A	-	-	-	-
SCB01P2101A	0.87	(0.02)	44,113	-	STEC06C2101A	-	-	-	-	TOA13C2011A	0.14	0.01	72,671	-
SCB06C2010A	0.16	0.01	62,300	-	STEC08C2012A	0.08	(0.01)	83	-	TOA19C2010A	0.13	0.01	47,592	-
SCB08C2009A	-	-	-	-	STEC11C2102A	0.26	(0.01)	7,100	-	TOA19C2012A	0.26	0.02	32,579	-
SCB08C2101A	0.43	-	19,673	-	STEC13C2101A	-	-	-	-	TOA42C2101T	-	-	-	-
SCB08P2012A	0.57	-	5,860	-	STEC13C2012A	0.15	-	22,730	-	TOP01C2009A	-	-	-	-
SCB11C2102A	0.50	(0.01)	39,828	-	STEC13P2011A	0.29	-	75,980	-	TOP01C2012A	0.30	0.01	68,318	-
SCB11P2012A	0.60	-	25,480	-	STEC16C2009A	-	-	-	-	TOP01C2009A	0.04	(0.02)	999	-
SCB13C2010A	0.03	-	100	-	STEC19C2009A	0.01	-	7,557	-	TOP01P2012A	0.59	(0.04)	38,306	-
SCB13C2011A	0.29	0.01	492,543	-	STEC19C2011A	0.04	0.01	4,000	-	TOP06C2011A	0.05	-	63,297	-
SCB13P2010A	0.62	(0.03)	211,719	-	STEC19C2012A	0.16	-	2,000	-	TOP06C2102A	0.33	0.04	48,102	-
SCB19C2010A	0.06	-	1,068	-	STEC19P2011A	0.63	0.01	9,198	-	TOP06P2010A	0.07	(0.02)	200	-
SCB19C2101B	0.25	(0.01)	16,172	-	STEC19P2012A	0.38	-	39,230	-	TOP08C2010A	-	-	-	-
SCB19P2010A	0.15	(0.01)	65,007	-	STEC28C2011A	0.04	-	200	-	TOP08C2102A	0.48	0.02	10,345	-
SCB19P2011A	1.03	(0.02)	18,606	1.00	STEC28C2012A	0.10	-	4,156	-	TOP11C2011A	0.23	-	9,364	-
SCB19P2011B	0.50	(0.02)	112,830	-	STEC28C2101A	0.18	(0.01)	37,904	-	TOP13C2010A	0.02	-	3	-
SCB24C2012A	0.38	-	72,999	-	STEC28C2104L	-	-	-	-	TOP13C2011A	0.08	-	2,800	-
SCB28C2010A	0.10	-	10,152	-	STEC41C2009A	-	-	-	-	TOP13C2012A	0.14	0.01	178,360	-
SCB28C2012A	0.19	-	22,304	-	STEC41C2012A	-	-	-	-	TOP13C2012B	0.26	0.02	67,509	-
SCB28C2012B	0.37	-	44,774	-	STEC42P2102T	0.28	-	10,653	-	TOP13P2010A	0.26	(0.03)	19,434	-
SCB28C2104L	0.29	-	12,675	-	SUPE08C2012A	0.13	0.02	1,697	-	TOP13P2012A	0.70	(0.01)	5	-
SCB41C2011A	-	-	-	-	SUPE19C2010A	0.28	0.05	12,974	-	TOP19C2010A	0.10	-	70,012	-
SCB41C2011B	-	-	-	-	SUPE19C2011A	0.12	0.03	164,852	-	TOP19C2010B	0.11	(0.01)	40,200	-
SCB41C2012A	0.48	-	110,000	-	SUPE19C2011B	0.04	0.01	11,365	-	TOP19C2012A	0.12	0.01	15,020	-
SCB41P2011A	0.49	(0.02)	10,000	-	SUPE19C2012A	0.28	0.06	751,062	-	TOP19C2101A	0.32	0.01	43,377	-
SCB42C2101T	-	-	-	-	SUPE19P2011A	0.21	(0.05)	743,100	-	TOP19P2010A	0.31	(0.02)	45,121	-
SCC01C2101A	0.67	(0.02)	31,970	-	SUPE42C2101T	0.10	0.02	26,669	-	TOP19P2011A	0.57	(0.03)	5,894	-
SCC01P2012A	0.97	-	30,970	-	SUPE42P2102T	-	-	-	-	TOP24C2101A	0.30	0.02	23,222	-
SCC06C2012A	0.29	(0.01)	33,016	-	TASC01C2012A	0.10	(0.14)	93,427	-	TOP41C2010A	-	-	-	-
SCC08C2011A	0.25	-	23,454	-	TASC06C2009A	-	-	-	-	TOP41C2011A	-	-	-	-
SCC11C2011A	0.47	-	26,380	-	TASC06C2012A	0.05	0.01	14,791	-	TOP41C2102A	0.31	(0.69)	4,000	-
SCC13C2009A	-	-	-	-	TASC08C2011A	0.10	(0.41)	50	-	TOP41P2010A	0.22	(0.06)	2,661	-
SCC13C2011A	0.27	(0.01)	234,468	-	TASC08C2012A	0.03	0.01	29,411	-	TOP41P2011A	-	-	-	-
SCC13P2009A	-	-	-	-	TASC11C2102A	0.07	(0.04)	226	-	TOP42C2011T	-	-	-	-
SCC13P2011A	0.82	-	54,276	-	TASC13C2009A	-	-	-	-	TP113C2011A	0.25	0.01	1,146	-
SCC19C2010A	0.18	(0.01)	69,227	-	TASC13C2011A	0.02	-	693,750	-	TP19C2012A	0.33	0.03	45,649	-
SCC19C2012A	0.45	(0.02)	144,324	-	TASC13C2012A	0.12	(0.08)	187,504	-	TQM11C2102A	0.60	0.01	2,940	-
SCC19P2010A	-	-	-	-	TASC13P2011A	2.58	0.89	43,913	2.00	TQM13C2011A	0.28	-	74,289	-
SCC19P2011A	0.48	-	124,372	-	TASC19C2009A	-	-	-	-	TQM19C2010A	2.16	0.02	80	2.00
SCC24C2012A	0.26	(0.02)	33,381	-	TASC19C2010A	0.01	-	11,396	-	TQM19C2010B	0.17	-	37,003	-
SCC28C2010A	0.19	(0.01)	20,324	-	TASC19C2011A	0.08	(0.02)	24,451	-	TQM19C2011A	0.52	-	22,099	-
SCC28C2102A	0.40	0.01	18,252	-	TASC19P2010A	1.96	0.57	4,807	1.00	TQM24C2011A	0.24	-	2,500	-
SCC28C2104L	0.30	0.01	19,274	-	TASC19P2011A	1.08	0.18	252	1.00	TQM28C2012A	0.28	0.01	13,126	-
SCC41C2010A	0.27	(0.05)	1,970	-	TASC19P2012A	2.14	(0.40)	43,631	2.00	TQM41C2011A	0.35	-	5,942	-
SCC41C2011A	0.18	0.01	4,160	-	TASC24C2011A	0.06	(0.02)	1,466	-	TQM42C2101T	0.38	(0.02)	10	-
SCC41P2011A	0.89	-	40,349	-	TASC28C2010A	-	-	-	-	TRUE01C2101A	0.32	(0.01)	31,710	-
SGP13C2011A	0.15	(0.01)	1,417	-	TASC28C2012A	0.09	(0.12)	5,799	-	TRUE06C2009A	-	-	-	-
SGP19C2011A	0.23	-	233	-	TASC28C2012B	0.03	0.01	6,002	-	TRUE06P2011A	0.33	(0.02)	9,800	-
SGP42C2101T	-	-	-	-	TASC28C2012C	-	-	-	-	TRUE08C2012A	0.21	-	817	-
SIRI19C2011A	0.06	-	1,499	-	TASC28C2101A	0.04	(0.09)	1,208	-	TRUE08P2010A	-	-	-	-
SIRI42C2101T	-	-	-	-	TASC28C2103L	0.05	(0.10)	110	-	TRUE11C2101A	0.22	-	11,220	-
SPAL06C2010A	0.37	(0.03)	6,900	-	TASC41C2009A	-	-	-	-	TRUE11P2101A	0.56	(0.01)	7,120	-
SPAL13C2010A	0.17	(0.02)	32,005	-	TASC41C2010A	0.03	(0.06)	627	-	TRUE13C2009A	-	-	-	-
SPAL19C2011A	0.35	(0.04)	905	-	TASC41C2011A	-	-	-	-	TRUE13C2011A	0.13	-	44,152	-
SPAL19C2011B	0.15	(0.02)	2,000	-	TASC42C2101T	0.06	(0.24)	11,831	-	TRUE19C2009A	-	-	-	-
SPAL27C2101A	0.18	(0.02)	2,880	-	TCAP01C2101A	0.31	(0.01)	10,322	-	TRUE19C2011A	-	-	-	-
SPRC01C2101A	0.30	0.01	37,932	-	TCAP13C2010A	0.03	(0.01)	1,393	-	TRUE19C2012A	0.21	(0.01)	46,390	-
SPRC01P2101A	0.59	(0.02)	15,867	-	TCAP13C2012A	0.17	(0.01)	17,522	-	TRUE19P2011A	0.30	(0.01)	37,173	-
SPRC06C2010A	0.05	-	3,120	-	TCAP19C2010A	0.07	(0.01)	127	-	TRUE28C2011A	-	-	-	-
SPRC06P2011A	0.31	(0.03)	34,114	-	TCAP19C2012A	0.20	(0.01)	15,840	-	TRUE28C2012A	-	-	-	-
SPRC08C2011A	0.14	-	8,000	-	TCAP19P2012A	0.29	-	2,000	-	TRUE28C2101A	0.23	(0.01)	11,150	-
SPRC11C2102A	0.32	0.02	30,710	-	TCAP42C2101T	-	-	-	-	TRUE41C2010A	0.11	-	2	-
SPRC13C2010A	0.04	-	1,521	-	THAN01C2012A	1.27	(0.01)	7,471	1.00	TRUE42C2101T	-	-	-	-
SPRC13C2012A	0.18	0.01	368,949	-	THAN01C2012B	0.51	(0.01)	15,063	-	TTW19C2011A	-	-	-	-
SPRC19C2010A	0.10	-	96,006	-	THAN06C2010A	-	-	-	-	TTW24C2012A	-	-	-	-
SPRC19C2012A	0.21	0.01	184,306	-	THAN06C2102A	0.66	0.03	48,628	-	TTW27C2009A	0.02	(0.08)	2,205	-
SPRC19P2011A	0.34	(0.02)	43,457	-	THAN08C2101A	-	-	-	-	TU01C2101A	0.29	0.01	13,508	-
SPRC28C2011A	-	-	-	-	THAN08C2102A	0.54	(0.01)	1,090	-	TU01P2101A	0.39	(0.03)	5,700	-
SPRC28C2101A	0.19	0.01	35,476	-	THAN13C2012A	0.78	-	1,250	-	TU06C2009A	0.06	0.01	1,302	-
SPRC42C2101T	-	-	-	-	THAN13C2012B	0.41	0.03	191,956	-	TU06P2010A	-	-	-	-
STA01C2009A	-	-	-	-	THAN19C2010A	0.92	0.04	22,367	-	TU08C2011A	0.23	0.02	2,000	-
STA01P2009A	0.01	-	1,145	-	THAN19C2011A	1.36	0.02	22,582	1.00	TU11C2102A	0.26	0.01	5,940	-
STA06C2012A	0.24	0.05	37,414	-	THAN19C2012A	0.67	0.06	56,460	-	TU13C2010A	0.17	0.02	803	-
STA08C2010A	1.75	0.21	250	1.00	THAN19C2012B	0.44	0.02	37,244	-	TU13C2012A	0.25	0.02	50,129	-
STA08C2011A	0.15	0.02	11,764	-	THAN42C2102T	0.30	(0.01)	200	-	TU19C2009A	-	-	-	-
STA08C2101A	0.36	0.04	25,865	-	TISCO1C2101A	0.46	(0.04)	40,090	-	TU19C2010A	0.15	0.02	56,340	-
STA13C2009A	-	-	-	-	TISCO1C2102A	0.29	(0.03)	19,890	-	TU19C2012A	0.25	0.03	25,531	-
STA13C2010A	0.98	0.16	5,054	-	TISCO13C2010A	0.04	(0.02)	2,406	-	TU19P2011A	0.10	(0.02)	22,110	-
STA13C2010B	0.12	0.02	124,201	-	TISCO13C2012A	0.35	(0.02)	59,396	-	TU19P2012A	0.31	-	6,136	-
STA13C2010C	0.07	0.01												



Main Board Quotation

Issue Date :

Tuesday September 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI19C2010A	0.07	0.01	1,061	-	TISCO-P	-	-	-	-	-	-	-	-	-
VGI19C2012A	0.24	0.03	148,330	-	U-P	1.64	0.01	68	1.00	-	-	-	-	-
VGI19C2012B	0.34	0.05	132,047	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
VGI19C2012C	0.15	0.03	25,271	-	ALL-W1	0.54	(0.01)	34,078	-	-	-	-	-	-
VGI24C2012A	0.22	0.03	32,422	-	BROOK-W5	0.13	(0.01)	3,345	-	-	-	-	-	-
VGI28C2101A	0.17	0.02	11,621	-	CHAYO-W1	2.22	0.16	9,991	2.00	-	-	-	-	-
VGI41C2011A	-	-	-	-	CHO-W2	0.02	-	4,126	-	-	-	-	-	-
VGI42C2101T	0.08	0.02	32	-	CIG-W8	0.01	-	1	-	-	-	-	-	-
WHA01C2009A	-	-	-	-	D-W1	0.84	0.01	69	-	-	-	-	-	-
WHA01C2101A	0.31	0.03	24,856	-	DIMET-W3	-	-	-	-	-	-	-	-	-
WHA01P2009A	-	-	-	-	DOD-W1	0.59	-	134,022	-	-	-	-	-	-
WHA01P2101A	0.73	(0.05)	18,382	-	ECF-W3	0.14	(0.01)	12,187	-	-	-	-	-	-
WHA06C2010A	0.09	0.02	6,648	-	HPT-W1	0.33	(0.01)	1,439	-	-	-	-	-	-
WHA06P2012A	0.56	(0.07)	21,266	-	HYDRO-W1	-	-	-	-	-	-	-	-	-
WHA08C2011A	0.20	0.03	21,981	-	ITEL-W1	0.13	0.01	20,981	-	-	-	-	-	-
WHA11C2101A	0.29	0.03	41,620	-	ITEL-W2	0.36	0.01	31,172	-	-	-	-	-	-
WHA13C2009A	-	-	-	-	LIT-W1	0.44	-	9,303	-	-	-	-	-	-
WHA13C2011A	0.13	0.03	64,152	-	META-W4	0.03	-	9,287	-	-	-	-	-	-
WHA13P2011A	0.36	(0.05)	114,064	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA19C2010A	0.21	0.04	19,983	-	OCEAN-W3	0.22	-	7,473	-	-	-	-	-	-
WHA19C2011A	0.13	0.01	88,915	-	RWI-W2	0.13	-	5,926	-	-	-	-	-	-
WHA19P2011A	0.42	(0.07)	70,511	-	SANKO-W1	0.01	-	70,531	-	-	-	-	-	-
WHA28C2011A	0.12	0.01	16,196	-	SIMAT-W3	0.52	0.02	615	-	-	-	-	-	-
WHA28C2012A	0.26	0.02	21,352	-	SIMAT-W4	2.50	(0.08)	200	2.00	-	-	-	-	-
WHA28C2102L	0.15	0.01	12,168	-	SMART-W2	0.19	-	2,554	-	-	-	-	-	-
WHA42C2101T	-	-	-	-	SWC-W1	-	-	-	-	-	-	-	-	-
WHAU13C2012A	0.17	(0.02)	16,644	-	TAKUNI-W	0.02	(0.01)	55,854	-	-	-	-	-	-
WHAU19C2012A	0.22	(0.01)	24,324	-	TAPAC-W4	0.23	(0.01)	16,623	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TVD-W2	0.16	(0.09)	207,159	-	-	-	-	-	-
BH-Q	-	-	-	-	UREKA-W2	0.27	-	421	-	-	-	-	-	-
CSC-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.11	0.01	11,630	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.04	-	14,585	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.63	0.01	12,739	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.23	(0.02)	33,126	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.04	-	209	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.05	0.01	7,479	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.06	(0.02)	6,999	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	0.79	0.01	76,442	-	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.06	0.01	32,782	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.01	-	2,561	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	1.00	0.02	32,624	1.00	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.07	(0.01)	20,798	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.03	-	23,601	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.14	-	12,673	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.47	0.02	21,922	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.56	0.02	6,704	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.74	0.07	16,929	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	5.20	0.66	43,457	5.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	3.32	0.22	23,253	3.00	-	-	-	-	-	-	-	-	-	-
JMT-W2	13.70	1.90	56,918	13.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.07	(0.01)	51,267	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.04	-	4,013	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	0.55	0.07	143,923	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	9.40	1.70	378,128	8.00	-	-	-	-	-	-	-	-	-	-
NER-W1	1.63	0.01	35,822	1.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	4.54	(0.24)	56,171	4.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.62	(0.07)	475	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.07	-	3,598	-	-	-	-	-	-	-	-	-	-	-
ORI-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.57	-	85,202	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.74	0.05	32,154	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.11	-	7,427	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.58	(0.02)	15,413	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	0.01	(0.01)	4,002	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	0.01	(0.01)	6,432	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.14	0.01	1,845	-	-	-	-	-	-	-	-	-	-	-
SDC-W1	0.06	-	401	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	6.25	0.50	4,062	6.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	4.08	0.14	1,661	4.00	-	-	-	-	-	-	-	-	-	-
SST-W2	0.84	(0.06)	177	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.03	-	1	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.12	-	2	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.12	-	2,909	-	-	-	-	-	-	-	-	-	-	-
TRITN-W3	0.12	(0.02)	123,252	-	-	-	-	-	-	-	-	-	-	-
TTCL-W1	0.42	(0.01)	18,544	-	-	-	-	-	-	-	-	-	-	-
U-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VGI-W2	0.81	0.06	435,542	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.12	0.01	4,682	-	-	-	-	-	-	-	-	-	-	-
W-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WIJK-W2	0.24	-	8,100	-	-	-	-	-	-	-	-	-	-	-
ZMICO-W4	0.08	0.01	7,713	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-