

Main Board Quotation

Issue Date :

Thursday September 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	2.94	(0.20)	99,097	3.02	MAJOR	16.30	-	19,635	16.18
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	-	-	-	-
VI	-	-	-	-	DIF	14.70	(0.10)	108,739	14.80	MATI	4.00	0.14	2	4.00
WORLD	-	-	-	-	DTAC	33.00	(1.25)	84,490	33.43	MCOT	4.40	(0.02)	609	4.46
WR	-	-	-	-	FORTH	5.85	0.15	14,873	5.87	MONO	2.46	0.04	12,840	2.48
Agribusiness					HUMAN	8.40	(0.05)	3,159	8.39	MPIC	-	-	-	-
EE	0.68	(0.02)	37,147	0.68	ILINK	5.15	0.10	12,913	5.13	NMG	-	-	-	-
GPPT	12.10	(0.20)	19,227	12.26	INET	3.12	0.26	123,075	3.05	PLANB	5.50	(0.15)	110,358	5.61
LEE	2.24	(0.02)	4,341	2.24	INTUCH	54.75	(0.50)	58,930	54.75	POST	-	-	-	-
MAX	0.01	-	1,049,994	0.01	JAS	2.54	(0.10)	384,818	2.58	PRAKIT	7.50	0.15	69	7.37
NER	3.28	(0.02)	329,083	3.30	JASIF	9.60	(0.05)	154,215	9.62	SE-ED	1.44	(0.03)	56	1.50
PPPM	0.33	(0.01)	2,377	0.32	JMART	14.40	(0.70)	160,815	14.68	TBSP	12.60	(0.20)	12	12.68
STA	26.75	(0.50)	133,047	26.98	JTS	2.38	(0.08)	5,689	2.40	TH	0.48	(0.01)	395	0.48
TRUBB	1.55	(0.05)	35,903	1.56	MFEF	4.76	(0.04)	2,750	4.78	TKS	5.55	0.05	4,628	5.57
TWPC	3.46	(0.02)	5,090	3.46	MSC	5.75	-	735	5.77	VGI	6.50	(0.15)	139,004	6.53
UPOIC	3.40	-	1	3.40	PT	5.05	-	2,722	5.00	WAVE	0.75	(0.02)	2,700	0.75
UVAN	4.36	(0.04)	597	4.35	SAMART	4.84	0.04	3,948	4.82	WORK	10.70	(0.60)	270,482	11.36
VPO	0.37	0.02	13,054	0.37	SAMTEL	4.90	-	2,183	4.92	Finance & Securities				
Banking					SDC	0.15	(0.01)	13,789	0.15	AEC	0.09	(0.01)	19,423	0.09
BAY	19.80	(0.30)	3,101	19.94	SIS	13.60	(0.10)	6,095	13.77	AEONTS	103.50	(2.00)	5,680	104.35
BBL	99.00	(1.00)	100,880	100.00	SVOA	1.17	(0.05)	137,426	1.20	AMANAH	2.56	(0.08)	50,565	2.59
CIMBT	0.56	0.01	2,819	0.55	SYMC	4.50	-	511	4.42	ASAP	2.26	(0.02)	5,805	2.26
KBANK	78.50	(1.25)	198,956	79.24	SYNEC	13.30	(0.30)	17,110	13.42	ASK	18.60	(0.50)	4,129	18.84
KKP	37.50	(0.50)	21,805	37.70	THCOM	5.55	(0.15)	35,738	5.64	ASP	1.71	0.02	14,418	1.71
KTB	9.15	(0.05)	140,977	9.16	TRUE	3.16	(0.06)	517,873	3.18	BAM	21.10	(0.30)	176,381	21.25
LHFG	0.91	0.01	7,860	0.90	TWZ	0.06	-	46,392	0.06	BFIT	28.75	(0.50)	5,401	28.72
SCB	67.75	(0.75)	127,878	67.35	Electronic Componer					CGH	0.67	0.01	10,248	0.67
TCAP	30.75	(0.25)	32,035	30.79	CCET	1.96	0.06	140,117	1.94	ECL	0.88	0.07	472,941	0.86
TISCO	63.25	(0.50)	24,535	63.40	DELTA	140.00	1.00	66,667	138.49	FNS	3.08	0.08	2,526	3.06
TMB	0.89	(0.01)	1,074,276	0.90	HANA	42.25	(1.50)	181,364	43.38	FSS	1.33	0.02	504	1.31
Construction Materia					KCE	31.25	1.00	373,004	31.22	GBX	0.42	-	3,676	0.43
CCP	0.43	(0.02)	145,839	0.44	METCO	143.00	(2.00)	4	143.00	GL	3.14	(0.12)	25,396	3.18
COTTO	1.13	-	2,048	1.12	NEX	4.28	0.06	91,810	4.29	IFS	2.32	(0.02)	763	2.33
DCC	2.62	(0.04)	150,207	2.61	SMT	2.72	0.06	461,616	2.76	JMT	31.75	(0.25)	60,007	31.86
DCON	0.34	(0.02)	113,467	0.35	SVI	4.04	0.28	389,177	3.90	KCAR	7.60	0.05	577	7.60
DRT	6.25	(0.10)	4,617	6.31	TEAM	0.85	-	384	0.85	KGI	2.94	-	21,827	2.93
EPG	4.70	(0.08)	30,813	4.77	W	0.20	0.02	1,724,676	0.19	KTC	32.25	(1.00)	73,427	32.54
GEL	0.18	-	11,282	0.18	Energy & Utilities					MBKET	7.10	(0.10)	500	7.13
PPP	2.08	-	6,385	2.05	7UP	0.32	0.01	170,550	0.32	MFC	13.60	(0.10)	46	13.58
Q-CON	-	-	-	-	ABPIF	2.96	(0.02)	830	2.98	ML	0.93	(0.02)	22,777	0.94
RCI	3.82	(0.10)	154	3.82	ACE	2.96	0.04	102,055	2.97	MTC	50.75	(1.25)	82,071	51.07
SCC	340.00	(4.00)	20,724	340.03	AI	1.81	(0.01)	186,748	1.82	PE	-	-	-	-
SCCC	126.50	(2.00)	3,521	125.80	AKR	0.48	-	1,092	0.48	PL	2.00	-	310	2.00
SCP	6.05	0.05	3,047	6.02	BAFS	21.10	(0.20)	1,008	21.18	S11	6.20	(0.20)	5,206	6.29
SKN	2.40	0.02	2,700	2.39	BANPU	5.45	(0.05)	103,716	5.46	SAWAD	47.50	(1.25)	113,350	47.88
TASCO	16.50	0.50	2,326,451	16.54	BCP	16.70	(0.20)	7,420	16.78	THANI	3.86	(0.10)	160,793	3.91
TCMC	1.08	(0.02)	83,790	1.10	BCPG	12.20	-	38,293	12.30	TK	7.05	0.05	1,987	7.01
TOA	35.50	(0.25)	13,104	35.40	BGRIM	45.00	(0.50)	48,715	44.79	TNITY	3.68	-	3	3.68
TPIPL	1.26	(0.02)	26,584	1.28	BPP	13.60	(0.10)	11,918	13.60	UOBKH	3.08	-	71	2.99
UMI	0.61	-	212	0.62	BRRGIF	6.20	0.05	6	6.16	ZMICO	0.61	(0.01)	2,097	0.61
VNG	3.20	(0.02)	1,782	3.20	CKP	5.60	-	68,034	5.59	Food & Beverage				
WIJK	2.04	0.02	14,102	2.02	DEMCO	2.94	(0.06)	2,340	2.96	APURE	1.82	(0.06)	9,826	1.84
Petrochemicals & Ch					EA	41.25	(0.50)	32,551	41.38	ASIAN	11.10	(0.50)	652,327	11.36
BCT	41.25	0.25	25	41.02	EASTW	9.60	-	8,776	9.60	BR	1.82	0.02	3,002	1.82
CMAN	1.16	0.02	728	1.16	EGATIF	12.10	-	10,539	12.11	BRR	-	-	-	-
GC	5.30	0.05	506	5.27	EGCO	199.50	-	13,215	201.35	CBG	114.50	0.50	51,086	113.97
GCC	8.70	(0.10)	3,901	8.76	EP	3.70	0.04	14,806	3.70	CFRESH	3.64	(0.04)	18,326	3.61
GIFT	2.04	-	1,080	2.02	ESSO	6.60	0.20	295,519	6.54	CHOTI	-	-	-	-
IVL	23.20	(0.10)	98,037	23.13	GPSC	63.50	-	67,134	63.77	CM	2.72	(0.04)	1,445	2.73
NFC	1.50	(0.02)	2	1.47	GREEN	1.10	0.09	22,430	1.11	CPF	30.25	(0.25)	221,936	30.09
PATO	9.70	(0.05)	112	9.22	GULF	31.50	(0.25)	117,681	31.50	CPI	1.25	-	106	1.25
PMTA	-	-	-	-	GUNKUL	2.24	-	322,857	2.23	F&D	-	-	-	-
PTTGC	42.75	(0.75)	85,282	42.94	IFEC	-	-	-	-	HTC	27.50	0.25	6,529	27.37
SUTHA	2.98	-	11	2.98	IRPC	2.12	(0.04)	359,137	2.13	ICHI	11.00	(0.20)	67,635	11.12
TCCC	22.70	-	26	22.60	KBSPIF	10.00	0.05	2,863	9.95	KBS	3.02	-	30	3.02
TPA	5.15	0.05	14	5.09	LANNA	5.80	(0.05)	2,887	5.80	KSL	2.00	-	14,876	2.03
UAC	3.72	(0.06)	2,881	3.75	MDX	2.28	(0.10)	5,774	2.31	KTIS	2.54	0.02	752	2.47
UP	17.80	(0.20)	1	17.80	PDI	6.80	(0.15)	6,338	6.80	LST	4.28	0.06	7,763	4.29
VNT	22.90	(0.20)	6,098	22.94	PRIME	0.53	(0.01)	61,700	0.54	M	49.25	0.25	8,254	49.08
WG	185.50	-	12	185.29	PTG	17.80	(0.30)	143,660	18.03	MALEE	6.40	(0.05)	1,115	6.43
YCI	-	-	-	-	PTT	35.75	0.50	326,186	35.49	MINT	22.70	(0.60)	382,173	22.84
Commerce					PTTEP	87.25	-	69,768	86.96	OISHI	39.50	(0.25)	54	39.61
BEAUTY	1.23	(0.03)	183,802	1.23	RATCH	52.00	0.25	49,079	52.37	OSP	38.00	(0.25)	33,552	37.94
BIG	0.45	(0.01)	76,749	0.45	RPC	0.47	-	418	0.47	PB	70.50	(0.50)	17	70.54
BJC	37.00	-	36,007	37.21	SCG	3.54	0.10	213	3.55	PM	7.70	(0.05)	31,451	7.64
COL	18.70	-	170,889	18.70	SCI	1.31	(0.01)	5,418	1.31	PRG	-	-	-	-
COM7	39.25	(0.50)	43,666	39.68	SCN	1.77	0.01	1,625	1.74	RBF	9.50	(0.25)	106,563	9.69
CPALL	62.25	(0.25)	117,238	62.23	SGP	8.70	-	2,950	8.67	SAPPE	20.10	(0.20)	6,518	20.23
CPW	1.85	(0.06)	67,848	1.86	SKE	0.61	0.01	9,633	0.60	SAUCE	-	-	-	-
CRC	28.50	(0.75)	256,401	28.88	SOLAR	0.92	(0.03)	5,637	0.94	SFP	-	-	-	-
CSS	1.35	0.06	170,368	1.36	SPCG	17.60	-	1,344	17.61	SNP	10.10	-	50	10.16
DOHOME	13.10	(0.30)	33,579	13.17	SPRC	6.05	(0.15)	198,836	6.17	SORKON				

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday September 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M-CHAI	-	-	-	-	AWC	3.94	(0.02)	426,188	3.94	HFT	3.52	(0.04)	4,405	3.53
NEW	-	-	-	-	BLAND	0.99	(0.01)	63,732	0.99	IHL	3.00	-	59,486	3.02
NTV	42.00	-	229	41.73	BROCK	1.48	(0.01)	197	1.48	INGRS	0.45	(0.01)	38,481	0.45
PR9	6.65	0.05	321	6.62	CGD	0.65	0.01	91,745	0.64	IRC	-	-	-	-
PRINC	2.72	(0.04)	10,215	2.71	CI	0.71	0.01	240	0.71	PCSGH	-	-	-	-
RAM	138.50	-	304	138.50	CPN	44.00	0.50	85,902	43.95	SAT	13.50	0.10	26,675	13.46
RJH	22.40	-	566	22.30	ESTAR	0.34	(0.01)	1,366	0.34	SPG	12.90	-	3	12.90
RPH	5.50	0.15	10,081	5.51	EVER	0.22	-	2,619	0.22	STANLY	146.00	(1.50)	88	146.18
SKR	6.00	0.05	2,018	5.95	FPT	10.60	0.20	54	10.52	TKT	0.91	(0.01)	1,152	0.92
SVH	416.00	2.00	6	413.00	GLAND	2.16	-	441	2.12	TNPC	0.74	-	13	0.73
THG	18.70	(0.20)	2,354	18.86	J	1.24	(0.01)	43,437	1.26	TRU	3.36	(0.02)	80	3.36
VIBHA	1.51	(0.01)	43,242	1.53	JCK	1.43	0.03	163,618	1.43	TSC	9.35	-	3	9.35
VIH	6.65	-	11,063	6.68	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.52	-	1,169	1.53	KWG	0.68	(0.02)	1,677	0.69	ALLA	1.11	0.01	5,235	1.11
Tourism & Leisure	-	-	-	-	LALIN	5.40	0.10	2,501	5.38	ASEFA	3.18	0.06	10,640	3.18
ASIA	4.66	0.28	259	4.62	LH	7.15	(0.10)	320,601	7.16	CPT	0.77	-	3,929	0.75
CENTEL	24.20	(0.80)	39,799	24.62	LPN	4.54	-	29,319	4.52	CRANE	1.93	0.22	296,209	1.88
CSR	71.00	1.50	1	71.00	MBK	12.50	(0.10)	4,370	12.49	CTW	5.80	0.20	696	5.78
DTC	7.10	(0.05)	374	7.14	MJD	1.48	(0.01)	10,473	1.47	FMT	-	-	-	-
ERW	3.22	(0.10)	85,845	3.26	MK	2.86	(0.02)	987	2.87	HTECH	2.86	0.04	3,439	2.80
GRAND	0.51	(0.01)	542	0.51	NCH	0.86	(0.04)	1,645	0.88	KKC	0.52	-	1,320	0.51
LRH	-	-	-	-	NNCL	1.88	-	559	1.87	PK	1.27	0.02	627	1.26
MANRIN	-	-	-	-	NOBLE	13.70	0.50	48,294	13.63	SNC	9.95	-	1,014	9.97
OHTL	-	-	-	-	NUSA	0.30	-	28,423	0.30	STARK	2.00	(0.02)	39,196	2.03
ROH	-	-	-	-	NVD	1.10	-	6,120	1.11	TCJ	3.40	(0.08)	162	3.45
SHANG	56.00	1.00	2	55.50	ORI	7.00	0.45	267,140	6.87	VARO	-	-	-	-
SHR	2.02	0.02	216,237	2.04	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
VRANDA	5.55	(0.10)	247	5.55	PF	0.36	-	23,276	0.36	AIMCG	6.05	(0.05)	2,600	6.02
Home & Office Produ	-	-	-	-	PLAT	2.42	(0.02)	6,098	2.42	AIMIRT	13.80	-	6,389	13.80
ACC	0.60	-	112	0.60	POLAR	-	-	-	-	AMATAR	10.10	-	259	10.01
AJA	0.12	-	4,543	0.12	PRECHA	0.90	0.02	100	0.90	B-WORK	11.70	(0.20)	2,629	11.70
DTCI	-	-	-	-	PRIN	1.60	-	1,025	1.60	BKER	5.70	-	1,347	5.66
FANCY	0.46	(0.01)	8,642	0.47	PSH	11.40	(0.10)	2,681	11.39	BKKCP	11.80	-	135	11.80
KYE	-	-	-	-	QH	2.20	(0.02)	116,553	2.21	BOFFICE	11.90	(0.10)	2,315	11.92
L&E	1.60	(0.03)	1,067	1.57	RCHY	0.70	0.01	52,177	0.70	CPNCG	10.20	-	2,190	10.15
MODERN	2.38	-	1,052	2.39	RIML	0.63	-	6,496	0.63	CPNREIT	24.60	-	7,188	24.91
OGC	21.00	-	2	21.00	ROJNA	4.18	(0.04)	10,133	4.16	CPTGF	10.10	-	2,166	10.10
ROCK	-	-	-	-	S	1.33	-	15,700	1.32	CTARAF	5.05	0.05	1,411	4.99
SIAM	1.38	(0.01)	1,148	1.38	SAMCO	1.18	0.01	121	1.16	DREIT	3.86	-	8,102	3.86
TSR	3.10	(0.10)	69,065	3.20	SC	2.26	(0.02)	11,893	2.26	ERWPF	-	-	-	-
Insurance	-	-	-	-	SENA	2.76	-	5,991	2.73	FTREIT	14.70	(0.10)	2,218	14.78
AYUD	33.00	(0.50)	114	33.07	SF	4.54	0.02	11,250	4.52	FUTUREPF	19.10	(0.20)	13	19.10
BKI	282.00	(1.00)	70	282.11	SIRI	0.67	(0.02)	277,774	0.68	GAHREIT	8.00	(0.15)	7	8.06
BLA	17.40	(0.10)	13,696	17.30	SPALI	16.10	0.10	38,148	16.10	GOLDPF	5.80	-	246	5.54
BUI	-	-	-	-	U	1.25	-	36,332	1.25	GVREIT	12.50	(0.20)	1,377	12.54
CHARAN	-	-	-	-	UV	2.60	(0.06)	14,988	2.61	HPF	4.68	(0.02)	140	4.69
INSURE	-	-	-	-	WHA	2.96	(0.04)	343,170	2.98	HREIT	8.00	-	3,566	8.00
MTI	85.00	0.50	1	85.00	WIN	0.36	-	127	0.37	IMPACT	19.30	0.60	28,759	19.19
NKI	47.25	(1.50)	7	47.46	Paper & Printing Mat	-	-	-	-	KNPFP	-	-	-	-
NSI	70.00	-	61	68.77	UTP	13.70	(0.60)	55,460	13.87	LHHOTEL	9.70	(0.20)	2,857	9.80
SEG	-	-	-	-	Fashion	-	-	-	-	LHPF	5.30	(0.05)	286	5.18
SMK	36.50	-	5	36.50	AFC	6.00	(0.05)	6	6.12	LHSC	11.90	(0.10)	130	11.80
THRE	0.96	0.03	614,476	0.98	B52	0.18	0.01	5,026	0.17	LUXF	6.40	(0.20)	612	6.41
THREL	2.18	-	7,357	2.20	BTNC	10.60	(0.30)	2	10.60	M-II	7.20	(0.10)	2	7.20
TIP	24.60	-	3,781	24.77	CPH	3.02	(0.22)	100	3.19	M-PAT	-	-	-	-
TQM	124.00	(2.00)	7,864	125.13	CPL	1.05	(0.01)	150	1.05	M-STOR	5.95	-	15	5.90
TSI	0.28	0.01	13,468	0.27	ICC	27.75	-	45	27.66	MIPF	-	-	-	-
TVI	3.34	0.02	7	3.35	NC	-	-	-	-	MIT	-	-	-	-
Mining	-	-	-	-	PAF	0.54	0.01	234	0.52	MJLF	6.85	-	18	6.89
THL	-	-	-	-	PDJ	1.45	(0.01)	5,248	1.46	MNIT	-	-	-	-
Packaging	-	-	-	-	PG	-	-	-	-	MNIT2	-	-	-	-
AJ	15.10	-	9,869	15.21	SABINA	20.70	0.30	30,656	20.95	MNRF	-	-	-	-
ALUCON	151.50	(1.00)	1	151.50	SAWANG	-	-	-	-	POPF	10.40	-	268	10.30
BGC	12.00	(0.40)	15,822	12.15	SUC	33.50	(0.25)	69	33.46	PPF	11.30	(0.10)	1	11.30
CSC	50.00	-	46	49.90	TNL	-	-	-	-	PROSPECT	9.10	0.05	1,226	9.10
GLOCON	1.01	(0.02)	10,475	1.02	TPCORP	9.05	(0.05)	7	8.86	QHHR	5.75	(0.10)	1,662	5.78
NEP	0.26	0.02	16,163	0.24	TR	21.80	-	80	21.66	QHOP	2.28	-	50	2.28
PTL	22.70	0.20	65,047	22.70	TTI	-	-	-	-	QHPP	9.65	-	4,298	9.61
SFLEX	10.60	(0.20)	1,576	10.69	TTT	54.25	0.25	1	54.25	SBPF	2.60	0.22	1	2.60
SITHAI	0.55	-	4,837	0.54	UPF	57.50	3.50	18	53.99	SHREIT	3.60	(0.04)	2,282	3.64
SLP	0.40	0.01	12	0.40	UT	-	-	-	-	SIRIP	8.55	0.05	6	8.55
SMPC	11.90	-	8,583	11.97	WACOAL	-	-	-	-	SPF	12.80	(0.20)	8,906	12.97
SPACK	2.42	-	6,215	2.44	Transportation & Log	-	-	-	-	SPRIME	9.35	(0.05)	8,122	9.35
TCOAT	-	-	-	-	AAV	1.87	(0.04)	187,818	1.89	SRIPANWA	-	-	-	-
TFI	0.10	(0.01)	3,206	0.10	AOT	60.25	(1.25)	238,043	60.14	SSPF	-	-	-	-
THIP	24.10	(0.10)	106	24.13	ASIMAR	1.21	(0.05)	6,722	1.22	SSTRT	5.35	-	42	5.30
TMD	-	-	-	-	B	0.29	(0.01)	13,142	0.29	TIF1	8.40	(0.10)	249	8.40
TOPP	191.00	(8.00)	3	189.67	BA	5.30	(0.10)	11,387	5.29	TLGF	17.30	(0.10)	17,295	17.39
TPBI	4.64	(0.02)	372	4.62	BEM	8.95	-	196,609	8.91	TLHPF	9.50	0.75	15	9.23
TPP	14.40	(0.10)	2	14.40	BTS	10.00	(0.20)	217,247	10.07	TNPF	2.06	-	11	2.06
Personal Products &	-	-	-	-	BTSGIF	6.15	(0.10)	15,174	6.20	TPRIME	13.20	0.50	20	13.20
APCO	3.54	(0.02)	1,249	3.52	III	4.20	-	6,013	4.19	TTLPF	-	-	-	-
DDD	16.00	(0.30)	5,942	16.27	JUTHA	0.44	(0.01)	504	0.44	TU-PF	0.86	0.06	1	0.86
JCT	-	-	-	-	JWD	7.00	(0.25)	12,347	7.10	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	-	-	-	-	WHART	-	-	-	-
S & J	26.75	(0.25)	2	26.88	NOK	0.66	0.02	1,314	0.64	WHART	14.90	(0.10)	2,448	14.91
STGT	69.00	(0.75)	153,570	70.22	NYT	3.14	0.04	41,263	3.15	Steel	-	-	-	-
STHAI	-	-	-	-	PORT	2.02	(0.04)	12,109	2.01	AMC	1.47	0.01	3	1.47
TNR	9.70	-	157	9.70	PRM	8.80	(0.05)	72,497	8.86	BSBM	0.82	(0.01)	4,159	0.83
TOG	3.38	(0.02)	485	3.33	PSL	4.24	(0.08)	19,015	4.28	CEN	1.68	(0.01)	256	0.68
Professional Service	-	-	-	-	RCL	3.82	(0.10)	14,027	3.86	CITY	0.83	0.01	745	1.81
BWG	0.46	(0.03)	747,745	0.47	TFFIF	10.00	(0.10)	187,029	10.10	CSP	0.53	0.01	123	0.52
GENCO	0.47	-	4,411	0.47	THAI	3.38	-	8,660	3.37	GJS	0.09	0.01	1,037	0.08
PRO	-	-	-	-	TSTE	6.90	0.25	14	6.66	GSTEEL	-	-	-	-
SISB	8.70	0.10	59,924	8.71	TTA	2.82	-	16,157	2.83	INOX	0.45	0.03	92,354	0.44
Property Developer	-	-	-	-	WICE	5.05	0.05	122,259	5.13	LHK	2.22	(0.04)	1,485	2.24
A	4.98	(0.02)	45	4.99	Automotive	-	-	-	-	MCS	12.60	(0.50)	40,386	12.73
AMATA	13.30	(0.10)	112,399	13.45	ACG	1.26	(0.02)	17,741	1.28					

Main Board Quotation

Issue Date :

Thursday September 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AIE	0.59	-	52,284	-	ADVA08C2012A	0.33	(0.05)	29,534	-
ABICO	5.90	0.25	7,292	5.00	ETC	1.75	(0.08)	145,895	1.00	ADVA08P2009A	-	-	-	-
AU	9.55	(0.10)	25,382	9.00	PSTC	1.54	-	10,261	1.00	ADVA08P2101A	0.89	0.06	42,962	-
JCKH	0.29	(0.01)	2,188	-	QTC	3.96	-	129	3.00	ADVA11C2011A	-	-	-	-
KASET	1.50	-	1,744	1.00	SAAM	1.01	0.01	29	1.00	ADVA11P2011A	0.48	0.02	30,900	-
MM	1.92	-	7	1.00	SEOIL	2.40	(0.06)	12,643	2.00	ADVA13C2010A	0.07	(0.03)	19,262	-
SUN	2.76	(0.04)	6,189	2.00	SR	0.65	-	55	-	ADVA13C2012A	0.39	(0.06)	41,645	-
TACC	6.35	(0.15)	51,100	6.00	TAKUNI	0.39	(0.01)	2,451	-	ADVA13P2012A	0.81	0.06	104,667	-
TMILL	3.06	0.02	514	3.00	TPCH	11.80	(0.30)	33,236	11.00	ADVA16C2009A	-	-	-	-
XO	9.00	(0.05)	14,158	9.00	TRT	1.66	0.01	10	1.00	ADVA19C2009A	-	-	-	-
Consumer Products					UMS	-	-	-	-	ADVA19C2010A	0.01	-	5,992	-
BGT	-	-	-	-	UPA	0.17	(0.01)	3,779	-	ADVA19C2010B	0.14	(0.04)	96,980	-
BIZ	3.30	(0.04)	3,070	3.00	UWC	0.05	(0.01)	32,898	-	ADVA19C2012A	0.37	(0.07)	113,413	-
DOD	9.55	0.25	165,330	9.00	Services (MAI)	-	-	-	-	ADVA19P2009A	-	-	-	-
ECF	1.27	-	91,236	1.00	A5	-	-	-	-	ADVA19P2010A	0.22	0.01	24,180	-
HPT	0.89	(0.01)	1,514	-	AKP	0.84	(0.03)	630	-	ADVA19P2012A	0.71	0.05	252,033	-
IP	11.80	(0.10)	6,828	11.00	AMA	4.40	0.20	116,941	4.00	ADVA24C2009A	-	-	-	-
JUBILE	17.70	-	569	17.00	ARIP	0.40	(0.01)	5,420	-	ADVA24C2101A	0.41	(0.05)	18,053	-
MOONG	3.74	-	531	3.00	ATP30	0.81	0.01	4,570	-	ADVA28C2011A	-	-	-	-
NPK	17.80	1.50	15	17.00	AUCT	13.30	(0.30)	32,574	13.00	ADVA28C2012A	0.04	-	500	-
OCEAN	0.82	(0.01)	2,607	-	BOL	4.84	-	3,388	4.00	ADVA28C2012B	0.13	(0.02)	13,146	-
TM	2.30	(0.02)	3,120	2.00	CMO	0.91	-	309	-	ADVA28C2101A	0.39	(0.05)	2,114	-
Financials (MAI)					D	3.44	(0.04)	1,591	3.00	ADVA28C2102L	0.26	(0.02)	2,029	-
ACAP	0.67	(0.02)	296	-	DV8	0.30	0.01	2,719	-	ADVA28P2012A	0.21	0.01	18,449	-
AF	0.52	(0.01)	329	-	EFORL	0.03	-	116,276	-	ADVA41C2010A	-	-	-	-
AIRA	-	-	-	-	ETE	0.94	(0.01)	5,353	-	ADVA41C2010B	-	-	-	-
ASN	4.14	(0.04)	2	4.00	FSMART	7.60	0.85	139,158	7.00	ADVA41C2011A	0.30	(0.06)	31,082	-
BROOK	0.40	0.01	19,006	-	FVC	0.38	(0.01)	3,598	-	ADVA41P2009A	-	-	-	-
CHAYO	7.45	(0.20)	56,231	7.00	GSC	1.33	0.03	1,424	1.00	ADVA41P2011A	0.40	-	741	-
GCAP	1.38	0.01	3,898	1.00	HARN	2.10	(0.02)	1,989	2.00	ADVA41P2101A	0.62	0.04	18,702	-
LIT	3.16	(0.02)	434	3.00	IMH	2.14	(0.06)	2,079	2.00	ADVA42C2102T	0.38	(0.02)	25	-
MITSI	1.03	(0.05)	9,558	1.00	JKN	9.45	(0.10)	95,351	9.00	AEON13C2010A	-	-	-	-
SGF	0.55	(0.02)	42,483	-	KIAT	0.44	(0.01)	10,644	-	AEON13C2011A	0.14	(0.02)	18,487	-
Industrials (MAI)					KOOL	0.97	(0.02)	12,938	-	AEON19C2010A	0.05	-	101	-
ZS	3.18	0.04	4,929	3.00	LDC	1.20	-	18,573	1.00	AEON19C2010B	0.14	-	6	-
ADB	0.71	(0.02)	789	-	MORE	0.80	(0.02)	326,903	-	AEON19C2011A	0.69	(0.03)	8,801	-
BM	2.12	-	234	2.00	MPG	0.34	(0.05)	16,999	-	AEON19C2012A	0.40	(0.03)	71,831	-
CHO	0.47	(0.02)	2,041	-	MVP	1.16	0.01	643	1.00	AEON28C2012A	0.34	(0.01)	27,380	-
CHOW	1.81	0.02	63	1.00	NBC	0.54	(0.01)	19	-	AEON28C2101A	0.92	-	400	-
CIG	0.22	(0.01)	13,427	-	NCL	0.69	(0.01)	191	-	AEON42C2101T	-	-	-	-
COLOR	1.19	(0.02)	555	1.00	NEWS	0.01	-	105	-	AMAT01C2101A	-	-	-	-
CPR	2.50	-	42	2.00	NINE	1.70	(0.02)	11	1.00	AMAT06C2010A	0.09	0.02	1,752	-
FPI	1.41	-	370	1.00	OTO	3.16	0.02	4,929	3.00	AMAT08C2010A	0.15	0.01	26,500	-
GTB	0.66	(0.01)	416	-	PHOL	2.22	(0.04)	4,059	2.00	AMAT08C2101A	0.35	-	34,332	-
KCM	0.45	-	648	-	PICO	3.60	(0.18)	18	3.00	AMAT13C2010A	0.09	0.01	2,450	-
KUMWEL	1.02	-	1,025	1.00	QLT	4.18	-	2	4.00	AMAT13C2012A	0.25	-	193,943	-
KWM	0.87	0.01	11,170	-	RP	1.27	-	274	1.00	AMAT19C2009A	0.08	(0.02)	40,000	-
MBAX	6.10	-	6,410	6.00	SE	1.19	(0.01)	2,095	1.00	AMAT19C2011A	0.16	0.01	182,363	-
MGT	2.16	(0.02)	4,098	2.00	SLM	-	-	-	-	AMAT19C2012A	0.22	(0.01)	72,802	-
NDR	1.38	(0.05)	6,954	1.00	SONIC	1.04	0.01	1,464	1.00	AMAT24C2010A	0.09	(0.07)	160	-
PDG	3.38	-	236	3.00	SPA	6.50	0.30	89,577	6.00	AMAT28C2012A	0.13	0.01	50,445	-
PIMO	2.04	(0.02)	194,745	2.00	THMUI	0.55	-	90	-	AMAT28C2101A	0.23	0.01	32,452	-
PJW	1.31	(0.02)	8,858	1.00	TNDT	3.08	(0.06)	698	3.00	AMAT28C2102L	0.13	0.01	18,252	-
PPM	0.71	(0.03)	80	-	TNH	33.75	0.25	1,220	33.00	AMAT42C2101T	0.13	-	40	-
RWI	1.36	-	706	1.00	TNP	2.84	0.04	25,883	2.00	AOT01C2012A	0.75	(0.04)	100,695	-
SALEE	-	-	-	-	TSF	-	-	-	-	AOT01P2012A	0.24	0.02	74,984	-
SANKO	0.96	0.01	1,028	-	TVD	1.09	0.11	75,295	1.00	AOT01P2012B	0.58	0.03	76,506	-
SELIC	2.06	(0.06)	5,834	2.00	TVT	0.65	-	550	-	AOT06C2009A	0.05	(0.02)	8	-
SWC	4.18	0.04	1,080	4.00	VL	1.00	(0.02)	18,474	1.00	AOT06C2011A	0.36	(0.06)	50,490	-
TMC	0.55	(0.01)	20	-	WINNER	2.50	(0.02)	618	2.00	AOT06P2009A	0.01	-	60	-
TMI	0.62	-	19,964	-	YGG	10.80	(0.20)	12,943	10.00	AOT06P2011A	0.53	0.05	73,737	-
TMW	29.25	(0.25)	50	29.00	Technology (MAI)	-	-	-	-	AOT08C2009A	-	-	-	-
TPAC	13.40	(0.20)	596	13.00	APP	2.44	(0.14)	172,917	2.00	AOT08C2101A	0.60	(0.06)	49,709	-
TPLAS	1.62	(0.06)	28,696	1.00	COMAN	2.30	-	1,215	2.00	AOT08P2009A	0.02	(0.01)	60	-
UBIS	5.15	0.10	90	5.00	ICN	2.02	(0.02)	5,823	2.00	AOT08P2102A	0.61	0.03	59,423	-
UEC	0.87	(0.01)	622	-	IIG	20.10	1.40	166,200	19.00	AOT11C2011A	0.38	(0.03)	98,189	-
UKEM	0.55	0.01	63,309	-	INSET	3.20	0.02	17,668	3.00	AOT11P2101A	0.36	0.02	65,207	-
UREKA	0.80	0.01	1,739	-	IRCP	0.72	(0.10)	72,327	-	AOT13C2010A	0.06	(0.02)	29,586	-
YUASA	14.40	(0.20)	409	14.00	ITEL	2.62	(0.02)	5,558	2.00	AOT13C2011A	0.29	(0.06)	263,322	-
ZIGA	1.88	0.07	238,351	1.00	NETBAY	25.75	(0.75)	1,788	26.00	AOT13C2012A	0.68	(0.08)	24,524	-
Property & Construc					PLANET	1.16	(0.01)	9,098	1.00	AOT13P2010A	0.30	0.02	59,225	-
ALL	2.96	0.10	111,301	2.00	SICT	4.58	(0.04)	55,512	4.00	AOT13P2011A	0.14	-	128,448	-
ARIN	0.97	0.03	16,186	-	SIMAT	3.80	(0.18)	9,321	3.00	AOT16C2009A	-	-	-	-
ARROW	7.10	(0.05)	381	7.00	SKY	13.50	(0.40)	6,337	13.00	AOT16C2012A	0.77	(0.07)	6,672	-
BC	0.82	(0.02)	245	-	SPVI	2.96	(0.04)	78,009	2.00	AOT19C2009A	-	-	-	-
BSM	0.28	(0.01)	13,393	-	TPS	2.52	(0.06)	47,262	2.00	AOT19C2011A	0.10	(0.01)	2,000	-
BTW	0.77	(0.01)	669	-	VCOM	4.98	(0.02)	18,286	5.00	AOT19C2011B	0.30	(0.05)	260,634	-
CAZ	1.49	(0.01)	2,933	1.00	Unit Trust	-	-	-	-	AOT19C2012A	0.59	(0.07)	101,889	-
CHEWA	0.51	0.01	64,555	-	SCBSET	-	-	-	-	AOT19P2009A	-	-	-	-
CMC	0.71	-	1,870	-	ETF	-	-	-	-	AOT19P2009B	-	-	-	-
CRD	0.47	(0.02)	20	-	IDIV	7.79	(0.01)	23	7.00	AOT19P2010A	0.16	0.01	17,800	-
DIMET	0.18	(0.01)	64,384	-	ABFTH	-	-	-	-	AOT19P2011A	0.46	0.03	191,676	-

Main Board Quotation

Issue Date :

Thursday September 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP19C2010A	-	-	-	-	BDM506C2010A	-	-	-	-	CBG01C2012A	0.39	-	195,992	-
AP19C2011A	0.16	(0.02)	45,320	-	BDM506C2102A	0.47	-	24,653	-	CBG01P2012A	0.73	(0.03)	136,948	-
AP28C2012A	-	-	-	-	BDM506P2009A	-	-	-	-	CBG06C2011A	0.40	0.01	81,163	-
AP28C2012B	0.15	(0.02)	29,378	-	BDM508C2011A	0.09	(0.01)	9,000	-	CBG08C2012A	0.51	-	40,843	-
AWC01C2009A	-	-	-	-	BDM508C2010A	0.40	(0.01)	24,520	-	CBG11C2101A	0.53	0.01	21,903	-
AWC01C2101A	0.57	(0.01)	74,017	-	BDM511C2011A	0.43	(0.03)	26,996	-	CBG13C2010A	0.53	0.01	676	-
AWC06C2011A	-	-	-	-	BDM513C2009A	-	-	-	-	CBG13C2011A	0.40	-	232,476	-
AWC06P2012A	0.40	(0.01)	34,262	-	BDM513C2011A	0.18	(0.01)	6,090	-	CBG13C2012A	0.27	0.01	110,599	-
AWC08C2012A	0.30	(0.01)	29,808	-	BDM513C2012A	0.33	(0.01)	153,883	-	CBG13P2010A	0.03	(0.01)	86	-
AWC11C2102A	0.57	(0.01)	32,224	-	BDM519C2010A	-	-	-	-	CBG13P2011A	0.44	(0.01)	246,062	-
AWC13C2010A	-	-	-	-	BDM519C2011A	0.14	(0.02)	43,243	-	CBG19C2010A	-	-	-	-
AWC13C2010B	0.04	-	4,130	-	BDM519C2012A	0.30	(0.02)	26,020	-	CBG19C2011A	0.51	-	322,933	-
AWC13C2011A	0.24	(0.01)	239,903	-	BDM519P2010A	-	-	-	-	CBG19C2011B	0.22	-	390,053	-
AWC13P2011A	0.22	0.01	27,667	-	BDM524C2010A	0.45	-	28,167	-	CBG19P2010A	0.05	(0.01)	69,899	-
AWC19C2010A	-	-	-	-	BDM528C2011A	0.06	-	3,710	-	CBG19P2011A	0.22	(0.01)	98,087	-
AWC19C2010B	-	-	-	-	BDM528C2012A	-	-	-	-	CBG19P2012A	0.79	(0.02)	169,921	-
AWC19C2010C	0.21	(0.01)	92,384	-	BDM528C2012B	0.02	(0.01)	4	-	CBG41C2009A	-	-	-	-
AWC19P2011A	0.22	-	81,000	-	BDM528C2101A	0.23	(0.01)	13,168	-	CBG41C2010A	0.39	(0.01)	9,975	-
AWC24C2010A	-	-	-	-	BDM528C2102A	0.32	(0.02)	33,558	-	CBG41C2011A	1.26	(0.50)	400	1.00
AWC28C2010A	-	-	-	-	BDM541C2012A	0.27	(0.02)	25,103	-	CBG41C2011B	0.34	-	39,408	-
AWC28C2010B	-	-	-	-	BDM541P2011A	0.51	(0.01)	6,034	-	CBG41C2012A	0.21	(0.01)	23	-
AWC28C2012A	-	-	-	-	BDM542C2101T	-	-	-	-	CBG41P2010A	0.18	(0.01)	6,434	-
AWC28C2012B	0.16	-	24,336	-	BEM01C2101A	0.15	(0.02)	26,412	-	CBG41P2012A	0.99	(0.02)	14,470	-
AWC28C20101A	0.36	(0.01)	20,280	-	BEM06P2009A	-	-	-	-	CBG42C2101T	0.72	-	14,944	-
AWC41C2010A	-	-	-	-	BEM08C2009A	-	-	-	-	CENT01C2009A	-	-	-	-
AWC41C2011A	0.16	(0.01)	9,912	-	BEM08C2102A	0.18	(0.01)	23,528	-	CENT01P2009A	0.01	-	2,010	-
AWC42C2101T	-	-	-	-	BEM11C2011A	-	-	-	-	CENT08C2012A	0.50	(0.06)	203	-
BANP01C2101A	0.30	(0.01)	15,962	-	BEM13C2009A	-	-	-	-	CENT11C2012A	0.19	(0.02)	7,140	-
BANP06C2010A	0.02	(0.02)	90	-	BEM13C2010A	-	-	-	-	CENT13C2010A	0.07	(0.01)	27,594	-
BANP06C2101A	0.25	(0.01)	5,400	-	BEM13C2011A	0.18	(0.01)	5,300	-	CENT13C2011A	0.42	(0.08)	178,660	-
BANP06P2011A	0.48	0.01	7,190	-	BEM19C2010A	0.17	(0.02)	496	-	CENT13P2011A	0.26	0.03	108,810	-
BANP08C2009A	-	-	-	-	BEM19C2011A	-	-	-	-	CENT19C2010A	0.21	(0.05)	19,454	-
BANP08P2009A	-	-	-	-	BEM19P2010A	0.13	-	5,000	-	CENT19C2011A	0.12	(0.02)	25,164	-
BANP13C2010A	-	-	-	-	BEM28C2010A	0.14	(0.02)	27,378	-	CENT19C2011B	0.53	(0.09)	127,856	-
BANP13C2011A	0.09	-	553	-	BEM28C2012A	-	-	-	-	CENT19P2011A	0.24	0.02	35,455	-
BANP13C2012A	0.18	(0.01)	77,023	-	BEM28C2103A	0.33	(0.02)	26,871	-	CENT24C2011A	0.56	(0.05)	55,130	-
BANP19C2009A	-	-	-	-	BGR101C2009A	0.11	(0.09)	500	-	CENT28C2010A	-	-	-	-
BANP19C2010A	0.04	(0.01)	100	-	BGR101C2012A	0.24	(0.02)	74,674	-	CENT28C2012A	0.24	(0.02)	1,812	-
BANP19C2012A	0.20	(0.01)	19,200	-	BGR101P2012A	0.50	0.01	52,782	-	CENT28C2012B	0.30	(0.03)	3,500	-
BANP19P2010A	-	-	-	-	BGR106C2010A	0.05	(0.01)	1,750	-	CENT28C2101A	-	-	-	-
BANP19P2010B	0.55	0.02	883	-	BGR106C2102A	0.55	(0.45)	25,102	-	CENT28C2101B	0.15	(0.01)	33,336	-
BANP19P2012A	0.28	0.01	11,960	-	BGR106P2011A	0.52	0.01	43,237	-	CENT28C2103L	0.40	(0.01)	2	-
BANP24C2011A	-	-	-	-	BGR108C2009A	-	-	-	-	CHG06C2102A	0.25	(0.75)	2,200	-
BANP28C2010A	-	-	-	-	BGR108C2101A	0.39	(0.02)	15,212	-	CHG13C2010A	-	-	-	-
BANP28C2012A	0.10	(0.01)	3,062	-	BGR111C2101A	0.24	(0.01)	21,153	-	CHG13C2012A	0.21	(0.04)	28,724	-
BANP28C2012B	-	-	-	-	BGR113C2011A	0.07	(0.01)	1,585	-	CHG16C2009A	-	-	-	-
BANP28C2101A	0.21	(0.02)	4,356	-	BGR113C2012A	0.33	(0.02)	38,829	-	CHG19C2011A	-	-	-	-
BANP41C2010A	-	-	-	-	BGR113P2011A	0.46	0.01	64,135	-	CHG27C2009A	-	-	-	-
BANP42C2012T	-	-	-	-	BGR119C2009A	-	-	-	-	CK01C2101A	0.33	(0.02)	62,099	-
BBL06C2101A	0.77	(0.59)	28,151	-	BGR119C2011A	0.11	(0.02)	75,395	-	CK06C2009A	0.01	(0.02)	10	-
BBL06P2011A	0.63	0.01	62,085	-	BGR119C2012A	0.22	(0.03)	40,656	-	CK06C2102A	0.38	(0.62)	27,464	-
BBL08C2009A	0.02	-	1,810	-	BGR119P2010A	0.32	0.01	99,466	-	CK06P2012A	0.60	0.01	37,501	-
BBL08C2101A	0.31	(0.01)	3,571	-	BGR124C2009A	-	-	-	-	CK11C2012A	0.22	(0.01)	7,200	-
BBL08P2009A	0.09	(0.01)	4	-	BGR127C2101A	0.17	(0.02)	2,849	-	CK13C2010A	0.14	(0.01)	37,672	-
BBL11C2011A	0.35	(0.02)	29,747	-	BGR127P2012A	0.29	0.01	3,946	-	CK13C2012A	0.28	(0.72)	170,757	-
BBL13C2010A	0.17	(0.01)	200	-	BGR141C2010A	-	-	-	-	CK19C2010A	0.11	(0.01)	87,176	-
BBL13C2010B	0.06	(0.01)	6,977	-	BGR141C2012A	0.46	(0.02)	23,672	-	CK19C2011A	0.16	(0.01)	106,492	-
BBL13C2012A	0.29	(0.01)	223,127	-	BGR141C2101A	0.25	(0.02)	1,089	-	CK19C2012A	0.32	(0.02)	136,329	-
BBL13P2010A	0.05	(0.01)	200	-	BGR142C2101T	-	-	-	-	CK19P2011A	0.45	0.02	72,517	-
BBL13P2012A	0.67	0.01	40,394	-	BH13C2010A	-	-	-	-	CK24C2102A	0.29	(0.01)	33,461	-
BBL19C2009A	-	-	-	-	BH13C2012A	0.25	-	27,628	-	CK41C2009A	-	-	-	-
BBL19C2010A	0.10	(0.03)	27,088	-	BH19C2009A	-	-	-	-	CK41C2011A	-	-	-	-
BBL19C2011A	0.09	(0.01)	40	-	BH19C2012A	0.28	(0.01)	77,981	-	CK41C2012A	0.30	(0.02)	15,912	-
BBL19C2011B	0.16	(0.02)	89,774	-	BH19P2012A	0.44	(0.01)	24,045	-	CK42C2101T	-	-	-	-
BBL19C2012A	-	-	-	-	BH41C2009A	-	-	-	-	CKP01C2009A	-	-	-	-
BBL19P2010A	0.26	-	43,100	-	BH41C2012A	0.23	(0.01)	13,000	-	CKP01C2101A	0.23	-	15,602	-
BBL19P2011A	0.64	0.01	116,374	-	BJC01C2009A	-	-	-	-	CKP01P2009A	-	-	-	-
BBL24C2009A	-	-	-	-	BJC01C2101A	0.34	(0.01)	40,894	-	CKP01P2101A	0.49	(0.01)	8,668	-
BBL28C2010A	-	-	-	-	BJC01P2009A	-	-	-	-	CKP06C2012A	0.31	(0.01)	16,980	-
BBL28C2011A	-	-	-	-	BJC01P2101A	0.46	(0.02)	28,001	-	CKP08C2010A	-	-	-	-
BBL28C2012A	0.12	(0.01)	6,084	-	BJC11C2102A	0.31	-	17,130	-	CKP08C2012A	0.24	(0.01)	1,500	-
BBL28C2101A	0.21	(0.02)	35,428	-	BJC13C2010A	0.01	-	1	-	CKP11C2102A	0.32	-	11,680	-
BBL41C2009A	-	-	-	-	BJC13C2011A	0.11	-	70,163	-	CKP13C2010A	-	-	-	-
BBL41C2011A	-	-	-	-	BJC13C2012A	0.24	(0.01)	29,542	-	CKP13C2011A	0.19	-	106,732	-
BBL41C2012A	-	-	-	-	BJC13P2012A	0.29	(0.01)	21,841	-	CKP16C2012A	0.19	-	8,848	-
BBL41P2010A	0.22	(0.01)	741	-	BJC19C2010A	0.03	-	30	-	CKP19C2010A	-	-	-	-
BBL41P2011A	0.38	-	11,876	-	BJC19C2010B	0.10	(0.02)	73,896	-	CKP19C2011A	-	-	-	-
BBL42C2101T	-	-	-	-	BJC19C2012A	0.24	-	22,042	-	CKP19C2011B	0.17	-	13,927	-
BBL42P2102T	-	-	-	-	BJC19P2012A	0.30	-	29,000	-	CKP19P2012A	0.32	-	24,929	-
BCH01C2101A	0.34	-	50,300	-	BJC27C2009A	-	-	-	-	CKP24C2011A	0.22	-	20,889	-
BCH06C2011A	0.17	0.01	46,109	-	BJC28C2010A	-	-	-	-	CKP28C2011A	-	-	-	-
BCH13C2010A	0.09	-	6,316	-	BJC28C2012A	-	-	-	-	CKP28C2012A	-	-	-	-
BCH13C2012A	0.32	0.01	112,190	-	BJC28C2012B	0.13	-	6,084	-	CKP28C2012B	0.16	-	20,110	-
BCH19C2011A	0.23	0.02	46,400	-	BJC28C2101A	0.21	(0.01)	11,326	-	COM706C2012A	0.72	(0.04)	33,553	-
BCP13C2011A	0.07	(0.01)	1,842	-	BJC28C2102L	0.14	0.01	3,042	-	COM708C2010A	-	-	-	-
BCP13C2012A	0.22	(0.01)	5,942	-	BJC41C2011A	-	-	-	-	COM708C2011A	0.56	(0.03)	22,430	-
BCP19C2011A	-	-	-	-	BJC41C2012A	0.26	(0.01)	10,912	-	COM708C2102A	0.39	(0.03)	36,124	-
BCP19C2012A	0.22	(0.01)	72,064	-	BPP13C2011A	0.10	-	9,000	-	COM711C2101A	0.48	(0.01)	26,182	-
BCPG01C2009A	0.04	(0.03)	300	-	BPP13C2012A	0.23	(0.02)	135,371	-	COM713C2010A	2.02	0.16	160	2.00
BCPG01P2009A	-	-												

Main Board Quotation

Issue Date :

Thursday September 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL06P2012A	0.64	0.01	22,058	-	DTAC19C2010A	0.01	(0.01)	400	-	GPSC19P2010A	0.15	(0.01)	88,750	-
CPAL08C2011A	-	-	-	-	DTAC19C2011A	0.07	(0.03)	4,700	-	GPSC19P2011A	0.83	-	71,516	-
CPAL08C2102A	0.43	(0.01)	11,000	-	DTAC19C2012A	0.14	(0.04)	36,207	-	GPSC19P2012A	0.45	-	60,117	-
CPAL08P2009A	0.02	(0.01)	5	-	DTAC19P2011A	0.38	0.04	150,546	-	GPSC24C2011A	0.10	-	2,000	-
CPAL08P2101A	0.70	0.02	5,500	-	DTAC24C2012A	0.08	(0.02)	2,390	-	GPSC28C2011A	-	-	-	-
CPAL11C2012A	-	-	-	-	DTAC28C2012A	0.08	(0.01)	1	-	GPSC28C2101A	0.39	-	15,196	-
CPAL13C2011A	0.07	(0.01)	44,480	-	DTAC28C2102A	0.17	(0.02)	45,771	-	GPSC28C2104L	0.30	-	6,784	-
CPAL13C2012A	0.27	-	1,449	-	DTAC28C2104L	0.21	(0.02)	3,042	-	GPSC41C2011A	-	-	-	-
CPAL13P2011A	0.47	-	98,836	-	DTAC41C2010A	0.01	(0.03)	200	-	GPSC41C2012A	0.35	-	51,713	-
CPAL19C2010A	-	-	-	-	DTAC41C2011A	-	-	-	-	GPSC41P2010A	0.67	(0.02)	20,253	-
CPAL19C2011A	0.13	(0.01)	30,200	-	DTAC42C2101T	0.07	(0.01)	150	-	GPSC42C2101T	0.12	(0.01)	100	-
CPAL19C2012A	0.31	(0.01)	173,162	-	EA06C2010A	0.15	(0.01)	12,733	-	GULF01C2012A	0.23	(0.01)	515	-
CPAL19P2010A	-	-	-	-	EA06P2012A	0.56	0.01	9,208	-	GULF01P2012A	0.26	-	55,039	-
CPAL19P2010B	0.46	-	30,000	-	EA08C2009A	-	-	-	-	GULF06C2009A	0.01	(0.01)	3,511	-
CPAL24C2009A	-	-	-	-	EA08C2101A	0.41	(0.02)	16,927	-	GULF06C2101A	0.29	(0.02)	11,450	-
CPAL27C2101A	0.11	(0.02)	3,266	-	EA11C2101A	0.14	(0.01)	11,160	-	GULF08C2009A	0.01	-	250	-
CPAL28C2010A	0.01	-	1,302	-	EA13C2011A	0.13	(0.02)	56,411	-	GULF08C2012A	-	-	-	-
CPAL28C2012A	0.06	-	200	-	EA13C2012A	0.26	(0.01)	49,263	-	GULF08C2102A	0.33	(0.01)	35,232	-
CPAL28C2012B	-	-	-	-	EA13P2011A	0.68	0.02	12,496	-	GULF11C2011A	-	-	-	-
CPAL28C2012C	0.10	-	13,140	-	EA16C2012A	0.18	(0.01)	4,044	-	GULF13C2011A	0.07	-	1,800	-
CPAL28C2102A	0.25	(0.01)	68,364	-	EA19C2010A	0.14	(0.01)	3,200	-	GULF13C2012A	0.16	(0.01)	110,497	-
CPAL28C2104L	-	-	-	-	EA19C2012A	0.25	(0.02)	25,603	-	GULF13P2009A	-	-	-	-
CPAL41C2010A	-	-	-	-	EA19P2011A	0.31	0.01	23,966	-	GULF13P2011A	0.29	-	145,056	-
CPAL41C2011A	0.19	-	32,200	-	EA19P2011B	0.46	0.01	11,821	-	GULF16C2012A	0.15	(0.01)	3,792	-
CPAL41P2011A	0.58	-	2,694	-	EA24C2101A	0.33	(0.02)	17,190	-	GULF19C2010A	0.03	-	9,253	-
CPAL42C2101T	-	-	-	-	EA28C2011A	0.15	-	15,210	-	GULF19C2101B	-	-	-	-
CPF01C2012A	0.11	-	39,829	-	EA28C2012A	0.18	-	4,070	-	GULF19C2012A	0.17	(0.01)	82,950	-
CPF01P2012A	0.35	(0.01)	26,349	-	EA28C2101A	0.18	(0.01)	9,598	-	GULF19C2101A	0.24	(0.01)	12,912	-
CPF06C2010A	-	-	-	-	EA28C2103L	0.15	(0.01)	6,804	-	GULF19P2009A	-	-	-	-
CPF06C2102A	0.33	(0.67)	14,300	-	EA41C2009A	-	-	-	-	GULF19P2010A	0.12	-	95,114	-
CPF06P2011A	0.16	0.01	16,000	-	EA41C2011A	0.13	(0.01)	7,912	-	GULF19P2101B	0.31	-	58,750	-
CPF08C2010A	0.10	(0.01)	1,500	-	EA42C2101T	0.20	-	540	-	GULF19P2012A	0.31	0.01	87,934	-
CPF11C2010A	-	-	-	-	EGC001C2101A	0.31	-	74,358	-	GULF24C2009A	-	-	-	-
CPF13C2009A	-	-	-	-	EGC006C2101A	-	-	-	-	GULF24C2101A	0.24	(0.01)	13,989	-
CPF13C2011A	0.06	-	17,864	-	EGC006P2009A	0.10	(0.04)	7,200	-	GULF28C2010A	-	-	-	-
CPF13C2012A	0.15	(0.01)	38,729	-	EGC013C2009A	-	-	-	-	GULF28C2012A	0.05	-	1,051	-
CPF13P2012A	0.33	0.01	53,763	-	EGC013C2011A	0.06	(0.01)	13,000	-	GULF28C2012B	0.08	-	250	-
CPF16C2012A	0.10	(0.01)	1,896	-	EGC013C2012A	0.29	-	282,318	-	GULF28C2101A	0.16	(0.01)	28,605	-
CPF19C2009A	-	-	-	-	EGC013P2011A	0.69	(0.03)	35,210	-	GULF41C2011A	0.09	(0.01)	40	-
CPF19C2010A	0.06	(0.01)	4,000	-	EGC019C2010A	0.03	(0.01)	17,000	-	GULF41C2012A	0.17	(0.01)	26,400	-
CPF19C2012A	0.16	(0.01)	24,450	-	EGC019C2011A	-	-	-	-	GULF41C2102A	-	-	-	-
CPF19P2010A	-	-	-	-	EGC019C2012A	0.17	-	187,110	-	GULF41P2009A	0.35	-	97,398	-
CPF19P2012A	0.38	0.01	8,931	-	EGC019P2011A	0.90	(0.02)	13,906	-	GULF41P2011A	0.37	0.01	50,741	-
CPF24C2012A	0.09	(0.01)	701	-	EGC019P2012A	0.54	(0.03)	64,456	-	GULF41P2012A	0.29	-	47,782	-
CPF28C2010A	-	-	-	-	EGC024C2009A	-	-	-	-	GULF42C2101M	-	-	-	-
CPF28C2011A	0.09	(0.01)	1,000	-	EGC042C2101T	0.07	-	500	-	GULF42C2101T	0.11	-	42	-
CPF28C2012A	0.08	-	4,000	-	EPG13C2010A	0.02	-	7,520	-	GULF42P2101T	-	-	-	-
CPF28C2012B	0.06	-	1	-	EPG13C2011A	0.33	(0.02)	50,318	-	GUNK01C2012A	0.14	(0.01)	134,586	-
CPF28C2103L	0.16	-	3,928	-	EPG13C2012A	0.12	(0.02)	31,646	-	GUNK13C2011A	-	-	-	-
CPF41C2010A	-	-	-	-	EPG19C2010A	0.32	(0.05)	85,415	-	GUNK19C2010A	-	-	-	-
CPF41C2101A	0.20	-	20,050	-	EPG19C2011A	0.10	-	50	-	GUNK19C2012A	0.07	(0.01)	200	-
CPF41P2011A	0.29	0.01	6,449	-	EPG42C2101T	0.20	(0.07)	35,359	-	GUNK19C2101A	0.14	-	9,082	-
CPF42C2101T	0.08	-	1,301	-	ERW06C2010A	0.20	(0.07)	35,359	-	GUNK24C2012A	0.08	(0.01)	6,250	-
CPN01C2012A	0.23	0.01	38,419	-	ERW13C2010A	0.07	(0.03)	15,600	-	GUNK28C2012A	-	-	-	-
CPN06C2010A	0.09	0.01	101	-	ERW19C2010A	0.30	(0.04)	9,454	-	GUNK28C2012B	-	-	-	-
CPN11C2101A	0.20	(0.01)	34,335	-	ERW19C2010B	0.04	(0.04)	3,071	-	GUNK28C2102A	0.10	-	21,745	-
CPN13C2009A	-	-	-	-	ESSO01C2009A	-	-	-	-	HANA01C2012A	0.50	(0.06)	200,031	-
CPN13C2011A	0.10	-	42,282	-	ESSO01C2012A	0.32	0.03	40,824	-	HANA13C2011A	0.51	(0.08)	560,394	-
CPN13C2010A	-	-	-	-	ESSO01P2009A	0.01	-	100	-	HANA13C2012A	0.28	(0.05)	1,383,818	-
CPN19C2011A	0.10	-	176,182	-	ESSO01P2012A	0.50	(0.03)	34,046	-	HANA19C2010A	0.47	(0.08)	242,765	-
CPN19C2012A	0.23	0.01	306,303	-	ESSO06C2011A	0.15	0.02	17,900	-	HANA19C2012A	0.31	(0.05)	552,606	-
CPN19P2010A	0.28	(0.01)	45,466	-	ESSO08C2011A	0.24	0.02	21,962	-	HANA19P2011A	0.04	-	3,576	-
CPN24C2011A	0.12	-	8,000	-	ESSO13C2010A	0.12	0.02	47,486	-	HANA24C2012A	0.48	(0.07)	164,778	-
CPN41C2009A	0.01	-	9,993	-	ESSO13C2012A	0.29	0.03	139,675	-	HANA27P2012X	0.13	0.02	39,066	-
CPN41C2012A	-	-	-	-	ESSO19C2009A	-	-	-	-	HANA28C2012A	0.42	(0.06)	176,363	-
CPN41C2101A	-	-	-	-	ESSO19C2010A	0.20	0.02	14,660	-	HANA41C2012A	0.42	(0.03)	211,494	-
CPN41P2011A	0.74	(0.03)	17,395	-	ESSO19C2011A	0.11	0.01	52,151	-	HANA42C2101T	0.36	(0.01)	11,800	-
CRC01C2010A	0.28	(0.02)	51,420	-	ESSO19C2012A	0.25	0.02	79,876	-	HMPR01C2012A	0.19	(0.03)	51,202	-
CRC01P2101A	0.48	0.02	56,343	-	ESSO19P2012A	0.34	(0.02)	51,701	-	HMPR06C2010A	0.11	(0.04)	11,170	-
CRC08C2009A	-	-	-	-	ESSO24C2012A	0.16	0.01	27,788	-	HMPR06P2011A	0.22	0.02	39,969	-
CRC08C2101A	0.24	(0.02)	14,511	-	ESSO28C2101A	0.15	0.01	9,084	-	HMPR11C2011A	0.33	(0.02)	11,206	-
CRC13C2011A	0.11	(0.02)	94,099	-	ESSO28C2101B	0.21	0.02	25,308	-	HMPR13C2009A	-	-	-	-
CRC13C2012A	0.19	(0.03)	196,892	-	ESSO41C2010A	0.19	0.02	9,912	-	HMPR13C2012A	0.26	(0.04)	138,132	-
CRC13P2012A	0.22	-	128,556	-	ESSO41C2011A	-	-	-	-	HMPR19C2010A	0.17	(0.03)	22,200	-
CRC19C2010A	-	-	-	-	ESSO42C2101T	-	-	-	-	HMPR19P2011A	0.34	0.03	76,986	-
CRC19C2011A	0.11	(0.01)	23,093	-	GFPT08C2011A	0.13	(0.01)	10,898	-	HMPR41C2010A	-	-	-	-
CRC19C2012A	0.19	(0.02)	64,045	-	GFPT13C2010A	0.10	-	14,348	-	HSI28C2009A	0.14	(0.13)	1,592,476	-
CRC19P2011A	0.20	-	5,000	-	GFPT19C2010A	0.12	(0.01)	11,022	-	HSI28C2009B	0.03	(0.03)	69,070	-
CRC24C2101A	0.20	(0.03)	29,295	-	GFPT19C2101B	-	-	-	-	HSI28C2009C	0.01	-	193,900	-
CRC28C2011A	-	-	-	-	GFPT24C2012A	0.13	(0.01)	17,154	-	HSI28C2009D	0.01	-	59,461	-
CRC28C2012A	0.07	(0.01)	1,600	-	GFPT42C2101T	-	-	-	-	HSI28C2009E	0.01	(0.01)	86,836	-
CRC28C2101A	0.22	(0.02)	25,535	-	GLOB01C2012A	0.28	(0.01)	5,342	-	HSI28C2010A	0.54	(0.17)	2,515,407	-
CRC41C2010A	-	-	-	-	GLOB13C2011A	0.33	(0.01)	50,318	-	HSI28C2010B	0.25	(0.11)	808,166	-
CRC41C2012A	0.20	(0.01)	2,217	-	GLOB19C2010A	0.52	-	18,768	-	HSI28C2010C	0.11	(0.06)	133,623	-
DEL13C2011A	5.35	0.10	13,403	5.00	GLOB19C2012A	0.34	-	39,814	-	HSI28C2010L	0.05	(0.02)	200,712	-
DOHO06C2012A	0.27	(0.04)	64,946	-	GLOB24C2010A	0.42	(0.02)	8,254	-	HSI28C2011L	0.37	(0.10)	55,189	-
DOHO08C2012A	0.32	(0.03)	14,699	-	GLOB42C2009A	-	-	-	-	HSI28C2012L	0.21	(0.07)	168,067	-
DOHO11C2101A	0.32													

Main Board Quotation

Issue Date :

Thursday September 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI41C2010B	0.26	(0.13)	98,039	-	JAS41C2011A	-	-	-	-	KTC19C2010A	0.04	-	577	-
HSI41C2010C	0.11	(0.07)	57,141	-	JMT06C2012A	0.40	(0.02)	53,386	-	KTC19C2010B	0.17	(0.02)	42,761	-
HSI41C2011A	0.18	(0.07)	36,349	-	JMT08C2011A	0.29	(0.01)	8,154	-	KTC19C2012A	0.24	(0.04)	91,007	-
HSI41C2012A	0.20	(0.05)	4,123	-	JMT11C2102A	0.31	(0.01)	15,760	-	KTC19P2010A	0.16	0.01	20,576	-
HSI41C2101A	0.20	(0.04)	1,450	-	JMT13C2011A	-	-	-	KTC24C2011A	0.24	(0.04)	14,412	-	
HSI41P2009A	0.24	0.06	255	-	JMT13C2011B	0.36	(0.02)	193,922	-	KTC28C2011A	-	-	-	-
HSI41P2009B	-	-	-	-	JMT13C2012A	0.22	(0.02)	125,843	-	KTC28C2012A	0.10	(0.01)	5,090	-
HSI41P2009C	0.67	0.18	8,600	-	JMT19C2010A	-	-	-	KTC28C2012B	0.22	(0.02)	19,410	-	
HSI41P2009D	0.09	0.02	200	-	JMT19C2011A	0.36	(0.02)	19,735	-	KTC28C2101A	0.23	(0.02)	33,434	-
HSI41P2010A	1.32	0.20	2,394	1.00	JMT19C2012A	0.23	(0.01)	150,673	-	KTC28C2103L	0.21	(0.01)	17,032	-
HSI41P2010B	0.80	0.12	1,960,751	-	JMT24C2011A	0.35	(0.03)	38,121	-	KTC41C2009A	-	-	-	-
HSI41P2010C	0.47	0.08	378	-	JMT28C2010A	0.28	(0.01)	37,490	-	KTC41C2011A	0.22	(0.04)	17,000	-
HSI41P2011A	0.87	0.09	1,240,011	-	JMT42C2101T	0.21	(0.02)	100	-	KTC41C2012A	0.27	(0.02)	7,912	-
HSI41P2012A	0.47	0.05	15	-	KBAN01C2012A	0.67	(0.04)	92,294	-	KTC42C2012T	-	-	-	-
HSI41P2101A	-	-	-	-	KBAN01C2012B	0.52	(0.04)	68,352	-	LH01C2101A	-	-	-	-
INTU01C2101A	0.41	(0.02)	2,570	-	KBAN01P2012A	0.98	0.03	73,871	-	LH06C2012A	0.17	(0.01)	23,610	-
INTU06C2009A	-	-	-	-	KBAN06C2011A	0.03	-	1,050	-	LH11C2012A	-	-	-	-
INTU06P2011A	0.32	0.01	40,330	-	KBAN06C2012A	0.24	(0.03)	66,175	-	LH13C2010A	-	-	-	-
INTU13C2011A	0.15	(0.01)	243,797	-	KBAN06P2011A	0.84	0.06	60,912	-	LH19C2010A	0.16	(0.02)	71,350	-
INTU16C2009A	-	-	-	-	KBAN08C2011A	0.08	-	310	-	LH19C2011A	0.10	(0.01)	100	-
INTU19C2009A	-	-	-	-	KBAN08C2010A	0.32	(0.02)	44,575	-	LH19P2010A	0.12	0.01	200	-
INTU19C2012A	0.30	(0.02)	486,150	-	KBAN08P2010A	1.18	0.06	88,823	1.00	MAJO13C2011A	0.21	(0.01)	55,870	-
INTU19P2010A	0.10	0.01	18,000	-	KBAN13C2010A	0.01	(0.01)	42,552	-	MAJO19C2011A	0.36	-	26,705	-
INTU19P2012A	0.55	-	49,031	-	KBAN13C2010B	0.01	-	2,235	-	MEGA13C2011A	0.13	0.01	63,422	-
INTU23C2111A	-	-	-	-	KBAN13C2011A	0.18	(0.03)	37,848	-	MEGA16C2009A	-	-	-	-
INTU28C2010A	-	-	-	-	KBAN13C2012A	0.27	(0.03)	732,912	-	MEGA19C2011A	0.17	(0.01)	97,600	-
INTU28C2012A	0.17	(0.01)	64,956	-	KBAN13P2010A	0.12	0.01	37,761	-	MEGA42C2010T	0.16	0.03	100	-
INTU28C2102A	0.31	(0.01)	76,050	-	KBAN13P2011A	1.06	0.06	701,974	1.00	MINT01C2012A	0.71	(0.08)	67,226	-
INTU41C2010A	-	-	-	-	KBAN19C2009A	-	-	-	-	MINT01P2012A	0.32	0.02	38,206	-
INTU41C2012A	0.27	(0.01)	39,652	-	KBAN19C2010A	-	-	-	-	MINT01P2012B	0.71	0.03	46,351	-
INTU42C2101T	-	-	-	-	KBAN19C2010B	0.04	(0.01)	1,000	-	MINT06C2012A	0.79	(0.09)	80,519	-
IRPC01C2101A	0.21	(0.01)	5,985	-	KBAN19C2011A	0.01	(0.01)	9,574	-	MINT06P2012A	0.19	0.01	66,841	-
IRPC06C2010A	-	-	-	-	KBAN19C2012A	0.38	(0.04)	103,009	-	MINT08C2010A	0.41	(0.06)	44,338	-
IRPC06P2010A	0.37	(0.04)	28	-	KBAN19C2012B	0.22	(0.04)	403,067	-	MINT08P2011A	0.29	0.02	24,165	-
IRPC11C2102A	-	-	-	-	KBAN19P2010A	0.69	0.02	150,860	-	MINT11C2011A	0.67	(0.05)	46,310	-
IRPC13C2011A	-	-	-	-	KBAN19P2010P	0.20	0.01	12,153	-	MINT11P2011A	0.23	0.01	18,735	-
IRPC13C2012A	0.10	(0.02)	390	-	KBAN24C2009A	0.01	-	321	-	MINT13C2009A	-	-	-	-
IRPC13C2012B	0.16	(0.03)	2,300	-	KBAN24C2012A	0.24	(0.04)	65,786	-	MINT13C2010A	0.42	(0.07)	123,188	-
IRPC13P2011A	0.41	0.01	150	-	KBAN28C2010A	0.01	-	2,156	-	MINT13C2011A	0.50	(0.07)	656,211	-
IRPC13P2012A	0.26	0.01	94,589	-	KBAN28C2012A	0.03	-	246	-	MINT13P2011A	0.21	0.01	55,684	-
IRPC19C2010A	0.01	(0.02)	3,600	-	KBAN28C2012B	0.10	(0.01)	12,188	-	MINT13P2012A	0.40	0.03	515,788	-
IRPC19C2011A	-	-	-	-	KBAN28C2010A	0.35	(0.04)	26,864	-	MINT16C2012A	0.75	(0.09)	12,050	-
IRPC19C2011A	0.16	(0.02)	3,996	-	KBAN28C2104L	0.28	(0.01)	21,594	-	MINT19C2010A	0.24	(0.04)	234,044	-
IRPC19P2011A	0.46	0.02	750	-	KBAN28P2011A	0.42	0.03	28,536	-	MINT19C2011A	0.80	(0.07)	82,989	-
IRPC19P2012A	0.27	0.01	83,000	-	KBAN41C2009A	-	-	-	-	MINT19C2011B	0.45	(0.06)	237,082	-
IRPC24C2010A	-	-	-	-	KBAN41C2011A	-	-	-	-	MINT19P2010A	0.12	-	58,928	-
IRPC28C2012A	-	-	-	-	KBAN41C2012A	0.34	(0.03)	132,234	-	MINT19P2011A	0.15	0.01	311,837	-
IRPC28C2101A	-	-	-	-	KBAN41P2010A	0.39	0.02	29,868	-	MINT19P2012A	0.45	0.03	360,290	-
IRPC28C2103A	-	-	-	-	KBAN41P2011A	1.44	0.03	4,428	1.00	MINT41C2011A	0.57	(0.07)	18,077	-
IRPC41C2010A	-	-	-	-	KBAN42C2010T	-	-	-	-	MINT28C2010A	0.25	(0.02)	38,042	-
IRPC41C2101A	-	-	-	-	KBAN42P2101T	0.91	0.04	9,300	-	MINT28C2012B	0.44	(0.04)	40,760	-
IVL01C2012A	0.13	(0.01)	507	-	KCE01C2012A	0.39	0.03	228,231	-	MINT28C2012C	0.50	(0.08)	76,073	-
IVL01C2012B	0.52	(0.02)	54,148	-	KCE01P2011A	0.36	(0.05)	236,990	-	MINT28C2104L	0.33	(0.03)	27,378	-
IVL01P2012A	0.80	-	37,478	-	KCE06C2009A	-	-	-	-	MINT41C2010A	0.31	(0.06)	78,100	-
IVL06C2010A	0.02	0.01	24,702	-	KCE06C2012A	1.79	0.06	75	1.00	MINT41C2012A	-	-	-	-
IVL06C2101A	0.37	(0.02)	29,792	-	KCE06C2012B	0.58	0.05	67,070	-	MINT42C2101T	-	-	-	-
IVL06P2009A	-	-	-	-	KCE08C2009A	-	-	-	-	MINT42P2102T	0.48	0.03	8,216	-
IVL06P2011A	0.62	-	24,807	-	KCE08C2012A	0.48	0.03	78,804	-	MTC01C2012A	0.51	(0.05)	78,070	-
IVL08C2009A	-	-	-	-	KCE11C2101A	0.47	0.04	77,369	-	MTC06C2010A	-	-	-	-
IVL08C2101A	0.38	(0.02)	16,836	-	KCE13C2010A	0.35	0.05	384,987	-	MTC06C2102A	0.59	(0.07)	60,777	-
IVL08P2011A	0.29	0.01	4,050	-	KCE13C2012A	0.32	0.04	676,209	-	MTC08C2009A	-	-	-	-
IVL11C2012A	-	-	-	-	KCE13P2010A	0.06	(0.03)	92,705	-	MTC08C2011A	0.34	(0.02)	13,000	-
IVL13C2011A	0.04	(0.02)	1,930	-	KCE16C2012A	0.43	0.07	33,210	-	MTC08C2102A	0.59	(0.02)	60,398	-
IVL13C2012A	0.33	(0.02)	22,517	-	KCE19C2009A	2.26	0.37	10	2.00	MTC11C2102A	0.54	(0.05)	23,100	-
IVL13C2012B	0.09	(0.01)	200	-	KCE19C2010A	1.84	0.21	500	1.00	MTC13C2010A	0.09	(0.03)	132,048	-
IVL13P2010A	0.12	(0.01)	34,502	-	KCE19C2010B	-	-	-	-	MTC13C2011A	0.34	(0.05)	225,630	-
IVL16C2009A	-	-	-	-	KCE19C2011A	0.36	0.04	223,357	-	MTC13P2011A	0.37	0.02	173,261	-
IVL19C2009A	-	-	-	-	KCE19C2012A	0.28	0.02	367,628	-	MTC19C2009A	0.35	(0.07)	12,475	-
IVL19C2010A	0.04	-	3,200	-	KCE19P2010A	0.06	(0.03)	54,891	-	MTC19C2010A	0.22	(0.04)	128,738	-
IVL19C2010B	-	-	-	-	KCE19P2012A	0.22	(0.03)	665,113	-	MTC19C2012A	0.39	(0.05)	160,250	-
IVL19C2011A	0.21	(0.01)	221,935	-	KCE24C2010A	0.58	0.04	28,461	-	MTC19P2010A	-	-	-	-
IVL19C2012A	0.37	(0.03)	102,511	-	KCE27C2101X	0.81	0.08	29,200	-	MTC19P2012A	0.43	0.03	446,236	-
IVL19P2010A	0.12	-	168,818	-	KCE41C2012A	0.33	0.06	178,190	-	MTC24C2009A	-	-	-	-
IVL19P2010B	0.24	0.01	57,638	-	KCE42C2101T	0.96	0.05	2,850	-	MTC28C2011A	0.20	(0.02)	21,294	-
IVL19P2011A	0.60	0.01	41,943	-	KKP13C2010A	0.03	(0.01)	300	-	MTC28C2012A	0.20	(0.02)	32,228	-
IVL19P2012A	0.45	-	135,593	-	KKP13C2012A	0.19	(0.02)	66,154	-	MTC28C2012B	0.40	(0.02)	65,882	-
IVL24C2012A	0.37	(0.03)	19,330	-	KKP19C2010A	0.09	(0.02)	5,140	-	MTC28C2102L	0.23	(0.02)	14,319	-
IVL28C2011A	-	-	-	-	KKP19C2011A	0.06	-	800	-	MTC41C2010A	0.11	0.01	985	-
IVL28C2012A	0.04	-	2,002	-	KKP19C2012A	0.20	(0.02)	1,017	-	MTC41C2012A	0.50	(0.03)	32,748	-
IVL28C2012B	-	-	-	-	KTBO1C2009A	-	-	-	-	MTC42C2010T	0.18	-	1,002	-
IVL28C2101A	0.31	(0.03)	9,112	-	KTBO1P2009A	-	-	-	-	OR113C2011A	0.29	0.06	132,396	-
IVL28C2104L	0.28	(0.01)	1,521	-	KTBI3C2010A	-	-	-	-	OR119C2010A	-	-	-	-
IVL41C2010A	-	-	-	-	KTBI3C2012A	0.20	(0.02)	23,979	-	OR119C2011A	0.46	0.07	73,179	-
IVL41C2011A	-	-	-	-	KTBI9C2010A	-	-	-	-	OR119C2012A	0.27	0.06	82,924	-
IVL41C2012A	0.39	(0.01)	8,500	-	KTBI9C2011A	-	-	-	-	OR128C2011A	-	-	-	-
IVL41P2010A	-	-	-	-	KTBI9C2012A	0.21	(0.01)	28,010	-	OR128C2012A	-	-	-	-
IVL41P2012A	0.77	0.02	7,563	-	KTBI9P2012A	0.57	0.02	102,034						

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday September 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP28C2101B	0.16	(0.01)	8,412	-	PTTE28C2102A	0.38	(0.01)	37,486	-	S5013P2009C	-	-	-	-
OSP41C2010A	-	-	-	-	PTTE28C2101A	0.52	-	69,724	-	S5013P2009D	-	-	-	-
OSP41C2011A	-	-	-	-	PTTE28C2102L	0.31	(0.01)	30,420	-	S5013P2009E	0.10	-	653,526	-
OSP42C2101T	-	-	-	-	PTTE41C2010A	-	-	-	-	S5013P2009F	0.02	(0.01)	34,860	-
PLAN06C2102A	0.29	(0.71)	18,160	-	PTTE41C2011A	0.33	-	5,203	-	S5013P2009G	0.02	-	100,988	-
PLAN13C2010A	0.06	-	20,791	-	PTTE41C2012A	0.48	(0.02)	115,625	-	S5013P2010A	0.68	-	357,492	-
PLAN13C2011A	0.18	(0.04)	95,438	-	PTTE41C2010A	0.60	(0.01)	24,780	-	S5013P2012A	1.00	0.03	6,969,877	1.00
PLAN19C2010A	0.69	(0.06)	6,458	-	PTTE41P2010A	-	-	-	-	S5013P2012B	1.12	0.03	2,814,931	1.00
PLAN19C2010B	0.10	(0.01)	12,004	-	PTTE41P2011A	0.75	(0.02)	38,222	-	S5016C2009A	-	-	-	-
PLAN19C2012A	0.20	(0.02)	55,514	-	PTTE42C2101T	-	-	-	-	S5016C2009B	-	-	-	-
PLAN24C2009A	-	-	-	-	PTTE42P2101T	0.67	-	5,368	-	S5016C2012A	0.39	(0.06)	9,960	-
PLAN27C2101A	0.19	(0.01)	4,800	-	PTTG01C2012A	0.39	(0.02)	59,713	-	S5016P2009A	0.04	(0.09)	8	-
PLAN28C2010A	-	-	-	-	PTTG01P2012A	0.92	0.01	36,986	-	S5016P2009B	0.02	(0.03)	3	-
PLAN28C2012A	-	-	-	-	PTTG08C2101A	0.28	(0.02)	8,000	-	S5016P2012A	0.83	0.03	24,537	-
PLAN28C2012B	0.20	(0.01)	26,182	-	PTTG08P2010A	0.09	-	1,000	-	S5016P2012B	0.80	0.04	83,592	-
PLAN42C2101T	-	-	-	-	PTTG11C2010A	0.11	(0.01)	16,764	-	S5016P2103Z	-	-	-	-
PRM08C2101A	0.38	(0.02)	15,222	-	PTTG13C2010A	0.03	(0.01)	1,052	-	S5019C2009A	1.04	(0.09)	17,563	1.00
PRM11C2102A	0.49	(0.02)	9,753	-	PTTG13C2011A	0.17	(0.01)	25,874	-	S5019C2009B	-	-	-	-
PRM13C2010A	0.26	(0.02)	42,476	-	PTTG13C2012A	0.28	(0.02)	36,355	-	S5019C2009C	-	-	-	-
PRM16C2012A	0.30	(0.02)	8,454	-	PTTG13P2010A	0.12	-	20,522	-	S5019C2009D	-	-	-	-
PRM19C2010A	0.55	(0.01)	6,528	-	PTTG13P2011A	0.52	0.02	112,047	-	S5019C2009E	-	-	-	-
PRM19C2011A	0.29	(0.01)	11,798	-	PTTG19C2009A	0.07	(0.02)	6,000	-	S5019C2009F	-	-	-	-
PRM28C2012A	0.25	-	14,398	-	PTTG19C2011A	0.17	(0.01)	24,620	-	S5019C2012A	0.31	(0.03)	44,582	-
PRM42C2101T	-	-	-	-	PTTG19C2012A	0.30	(0.03)	33,290	-	S5019C2012B	0.33	(0.05)	301,532	-
PTG01C2012A	0.35	(0.02)	50,349	-	PTTG19P2009A	-	-	-	-	S5019C2012C	0.63	(0.05)	828,747	-
PTG01P2012A	0.70	0.01	104,563	-	PTTG19P2010A	0.26	0.01	161,154	-	S5019P2009A	-	-	-	-
PTG06C2010A	0.36	(0.03)	47,613	-	PTTG19P2011A	0.29	0.01	78,210	-	S5019P2009B	0.01	-	11	-
PTG08C2011A	0.38	(0.01)	12,349	-	PTTG19P2011B	0.68	0.02	4,734	-	S5019P2009C	0.03	-	4	-
PTG11C2101A	0.39	(0.02)	26,269	-	PTTG24C2101A	0.37	(0.02)	19,797	-	S5019P2009D	0.08	(0.01)	6,003	-
PTG13C2010A	0.18	(0.03)	104,401	-	PTTG28C2011A	0.07	(0.03)	100	-	S5019P2009E	-	-	-	-
PTG13C2012A	0.19	(0.01)	152,196	-	PTTG28C2012A	0.25	(0.01)	16,196	-	S5019P2009F	0.01	(0.03)	13	-
PTG13C2012B	0.36	(0.64)	306,733	-	PTTG28C2102L	0.16	(0.01)	5,070	-	S5019P2012A	0.85	0.02	1,015,848	-
PTG16C2009A	-	-	-	-	PTTG41C2010A	0.25	(0.03)	57,912	-	S5019P2012B	0.74	0.02	2,514,755	-
PTG19C2010A	0.35	(0.04)	41,998	-	PTTG41C2011A	-	-	-	-	S5024C2009A	-	-	-	-
PTG19C2011A	0.23	(0.02)	103,750	-	PTTG41C2012A	0.24	(0.02)	7,912	-	S5024C2009B	-	-	-	-
PTG19C2012A	0.34	(0.66)	26,628	-	PTTG41P2010A	-	-	-	-	S5024C2009C	-	-	-	-
PTG19P2010A	0.05	-	4,613	-	PTTG41P2011A	0.62	0.01	3,412	-	S5024C2009D	-	-	-	-
PTG19P2011A	0.40	0.02	403,932	-	PTTG42C2012T	-	-	-	-	S5024C2009E	-	-	-	-
PTG42C2101T	0.26	(0.01)	600	-	QH19C2012A	0.15	-	5,249	-	S5024C2009F	-	-	-	-
PTT01C2012A	0.23	0.01	43,334	-	QH27C2101A	-	-	-	-	S5024C2009G	-	-	-	-
PTT01P2012A	0.37	(0.01)	12,775	-	RAT001C2101A	0.38	0.02	50,304	-	S5024C2012A	0.03	-	40	-
PTT06C2012A	0.14	0.01	15,705	-	RAT06C2102A	0.35	0.01	36,221	-	S5024C2012B	-	-	-	-
PTT08C2101A	0.21	0.01	2,830	-	RAT06P2010A	0.66	(0.05)	1,413	-	S5024C2012C	0.41	(0.04)	47,618	-
PTT08P2009A	-	-	-	-	RAT13C2010A	0.01	-	15	-	S5024C2012D	0.55	(0.06)	324,998	-
PTT08P2101A	0.43	-	14,500	-	RAT13C2012A	0.18	-	242,923	-	S5024C2012E	0.80	(0.09)	487,321	-
PTT11C2101A	0.18	0.01	44,790	-	RAT13P2011A	0.47	(0.02)	262,376	-	S5024P2009A	-	-	-	-
PTT13C2010A	0.02	-	2,340	-	RAT19C2011A	-	-	-	-	S5024P2009B	-	-	-	-
PTT13C2012A	0.13	0.01	35,337	-	RAT19C2012A	0.23	0.01	207,341	-	S5024P2009C	0.01	(0.01)	2	-
PTT13C2012B	0.25	0.01	211,437	-	RAT19P2011A	0.64	(0.02)	78,439	-	S5024P2009D	-	-	-	-
PTT13P2010A	0.11	(0.01)	65,591	-	RAT24C2012A	0.22	-	17,134	-	S5024P2009E	0.36	(0.02)	2,767	-
PTT13P2011A	0.32	(0.01)	123,750	-	RAT41C2010A	-	-	-	-	S5024P2012A	0.13	-	52,395	-
PTT16C2012A	0.14	(0.01)	336	-	RAT41C2012A	0.30	0.02	10,852	-	S5024P2012B	0.45	0.01	452	-
PTT19C2009A	0.05	-	703	-	RAT42C2102T	-	-	-	-	S5024P2012C	1.07	0.05	672,308	1.00
PTT19C2011A	0.10	-	58,700	-	RS06C2010A	-	-	-	-	S5024P2012D	0.74	0.04	562,666	-
PTT19C2012A	0.16	0.01	12,000	-	RS06C2012A	0.43	(0.05)	48,891	-	S5028C2009A	0.03	0.01	1	-
PTT19C2012B	0.21	-	171,827	-	RS08C2011A	-	-	-	-	S5028C2009B	-	-	-	-
PTT19P2009A	-	-	-	-	RS08C2103A	0.54	(0.05)	58,837	-	S5028C2009C	-	-	-	-
PTT19P2010A	-	-	-	-	RS13C2010A	0.89	0.01	500	-	S5028C2009D	-	-	-	-
PTT19P2010B	0.18	(0.03)	19,002	-	RS13C2011A	0.37	(0.05)	171,060	-	S5028C2009E	-	-	-	-
PTT24C2101A	0.22	0.01	20,081	-	RS19C2010A	-	-	-	-	S5028C2010A	0.16	(0.03)	272,188	-
PTT28C2011A	0.07	-	300	-	RS19C2010B	0.48	(0.05)	21,479	-	S5028C2012A	0.08	(0.01)	21,507	-
PTT28C2012A	-	-	-	-	RS19C2011A	-	-	-	-	S5028C2012B	0.15	(0.01)	358,080	-
PTT28C2101A	0.16	-	15,210	-	RS19C2011B	0.29	(0.05)	341,061	-	S5028P2009A	0.42	(0.02)	7,003	-
PTT28C2103L	-	-	-	-	RS28C2012A	-	-	-	-	S5028P2009B	0.14	0.01	44,000	-
PTT41C2010A	-	-	-	-	RS28C2101A	0.37	(0.04)	69,949	-	S5028P2009C	0.09	0.01	17,415	-
PTT41C2012A	-	-	-	-	RS28C2101L	0.45	(0.03)	40,424	-	S5028P2009D	0.01	-	2	-
PTT41C2101A	-	-	-	-	RS41C2011A	0.50	(0.03)	34,388	-	S5028P2009E	0.36	-	104,021	-
PTT41P2010A	-	-	-	-	RS42C2101T	-	-	-	-	S5028P2010A	0.50	0.01	771,935	-
PTT41P2011A	0.76	(0.02)	10	-	S10001C2011A	-	-	-	-	S5028P2012A	1.09	0.02	631,470	1.00
PTT41P2012A	0.44	(0.01)	18,490	-	S5001C2012F	0.68	(0.04)	329,273	-	S5028P2012B	0.45	0.01	508,339	-
PTT42C2010M	-	-	-	-	S5001P2012F	1.11	0.01	346,853	1.00	S5041C2009A	-	-	-	-
PTT42C2012T	-	-	-	-	S5006C2009A	0.01	-	352	-	S5041C2009B	-	-	-	-
PTT42P2101T	0.21	(0.01)	7,712	-	S5006C2009B	0.01	-	460	-	S5041C2009C	-	-	-	-
PTTE01C2012A	0.84	(0.02)	31,771	-	S5006C2009C	-	-	-	-	S5041C2009D	-	-	-	-
PTTE01P2012A	1.33	(0.01)	34,350	1.00	S5006C2009D	0.18	(0.08)	92,201	-	S5041C2009E	-	-	-	-
PTTE06C2011A	0.16	(0.02)	31,220	-	S5006C2012A	0.53	(0.06)	243,244	-	S5041C2009F	0.06	(0.03)	22,400	-
PTTE06C2101A	0.78	(0.01)	126,556	-	S5006C2012B	1.89	0.89	702,736	1.00	S5041C2009G	0.26	(0.06)	7,054	-
PTTE06P2009A	0.01	-	200	-	S5006P2009A	0.02	-	9,925	-	S5041C2012A	0.38	(0.05)	312,616	-
PTTE06P2011A	0.39	(0.01)	50,291	-	S5006P2009B	0.02	0.01	561	-	S5041C2012B	0.23	(0.04)	71,803	-
PTTE08C2011A	0.43	(0.01)	19,020	-	S5006P2009C	0.05	(0.01)	24,250	-	S5041C2012C	0.19	(0.04)	77,767	-
PTTE08P2101A	0.93	(0.02)	29,453	-	S5006P2009D	-	-	-	-	S5041C2012D	0.37	(0.63)	1,074,725	-
PTTE11C2011A	0.51	(0.02)	16,032	-	S5006P2012A	0.95	0.05	268,395	-	S5041P2009A	-	-	-	-
PTTE13C2010A	0.08	(0.02)	2,215	-	S5006P2012B	0.50	(0.50)	231,631	-	S5041P2009B	0.13	(0.01)	210	-
PTTE13C2010B	-	-	-	-	S5008C2009A	-	-	-	-	S5041P2009C	0.42	0.02	17,452	-
PTTE13C2011A	0.36	-	139,567	-	S5008C2009B	-	-	-	-	S5041P2009D	-	-	-	-
PTTE13C2012A	0.71	(0.01)	109,658	-	S5008C2012A	0.36	(0.04)	83,140	-	S5041P2009E	0.67	0.04	10,387	-
PTTE13P2010A	0.42	(0.01)	36,447	-	S5008C2012B	0.51	(0.04)	248,250	-	S5041P2009F	1.57	0.09	7,352	1.00
PTTE13P2012A	0.58	-	72,562	-	S5008P									

Main Board Quotation

Issue Date :

Thursday September 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA19P2011A	0.34	0.02	127,341	-	STA19C2011A	-	-	-	-	TKN06C2010A	-	-	-	-
SAWA24C2009A	-	-	-	-	STA19C2011B	0.17	(0.01)	173,121	-	TKN08C2011A	0.13	-	48,200	-
SAWA28C2011A	0.13	(0.03)	12,040	-	STA19C2012A	0.24	(0.03)	85,863	-	TKN13C2010A	0.30	0.01	1,470	-
SAWA28C2012A	0.25	(0.02)	50,046	-	STA19P2009A	-	-	-	-	TKN13C2010B	0.08	-	8,345	-
SAWA28C2012B	0.20	(0.02)	34,302	-	STA19P2010A	0.07	-	1,600	-	TKN13C2012A	0.17	-	338,947	-
SAWA28C2101A	0.36	(0.04)	50,616	-	STA24C2011A	0.12	(0.01)	54,751	-	TKN19C2010A	-	-	-	-
SAWA28C2102L	0.14	(0.01)	28,392	-	STA28C2011A	-	-	-	-	TKN19C2011A	0.49	0.05	392	-
SAWA41C2010A	-	-	-	-	STA28C2011B	0.14	(0.01)	4,056	-	TKN19C2011B	0.14	(0.01)	100,222	-
SAWA41C2012A	0.31	(0.03)	3,956	-	STA28C2012A	1.27	(0.07)	45	1.00	TKN28C2012A	-	-	-	-
SAWA42C2101T	0.13	(0.01)	1,060	-	STA28C2102L	0.14	(0.01)	2,079	-	TKN28C2012B	0.15	-	58,850	-
SCB01C2009A	-	-	-	-	STA41C2010A	0.11	(0.02)	8,400	-	TKN28C2101A	0.60	0.01	201	-
SCB01C2101A	0.48	(0.04)	70,040	-	STA42C2101T	-	-	-	-	TKN42C2012T	0.10	0.01	20	-
SCB01P2101A	0.93	0.03	21,929	-	STEC01C2101A	0.22	(0.01)	17,324	-	TMB13C2011A	0.05	-	14,317	-
SCB06C2010A	0.09	(0.02)	8,050	-	STEC01P2101A	0.56	0.01	113	-	TMB19C2011A	0.12	-	55,700	-
SCB08C2009A	-	-	-	-	STEC06C2010A	-	-	-	-	TMB19C2011B	0.04	(0.01)	220	-
SCB08C2101A	0.36	(0.04)	12,416	-	STEC08C2012A	-	-	-	-	TMB19C2012A	-	-	-	-
SCB08P2012A	0.62	0.03	30,463	-	STEC11C2102A	0.25	(0.01)	4,400	-	TMB19P2011A	0.31	-	26,597	-
SCB11C2102A	0.44	(0.03)	39,621	-	STEC13C2010A	0.01	-	1,000	-	TMB41C2010A	0.02	(0.01)	50	-
SCB1P2012A	0.63	0.02	57,120	-	STEC13C2012A	0.14	-	12,631	-	TOA13C2011A	0.13	(0.02)	18,488	-
SCB13C2010A	0.02	(0.01)	1,844	-	STEC13P2011A	0.29	-	5,690	-	TOA19C2010A	0.11	(0.01)	10,000	-
SCB13C2011A	0.21	(0.04)	101,313	-	STEC16C2009A	-	-	-	-	TOA19C2012A	0.25	(0.01)	38,323	-
SCB13C2012A	0.47	(0.53)	366,920	-	STEC19C2009A	-	-	-	-	TOA42C2101T	-	-	-	-
SCB13P2010A	0.69	0.03	120,297	-	STEC19C2011A	0.03	-	310	-	TOP01C2009A	-	-	-	-
SCB19C2010A	-	-	-	-	STEC19C2012A	0.15	-	12,500	-	TOP01C2012A	0.29	(0.02)	70,074	-
SCB19C2010B	0.19	(0.03)	51,840	-	STEC19P2011A	-	-	-	-	TOP01P2009A	0.02	-	3,000	-
SCB19C2012A	0.33	(0.67)	10,309	-	STEC19P2012A	0.38	0.01	6,224	-	TOP01P2012A	0.56	0.02	14,217	-
SCB19P2010A	0.17	0.02	58,000	-	STEC28C2011A	-	-	-	-	TOP06C2011A	0.05	(0.01)	14,888	-
SCB19P2011A	1.11	0.05	13,605	1.00	STEC28C2012A	-	-	-	-	TOP06C2102A	0.31	(0.04)	34,568	-
SCB19P2011B	0.54	0.02	175,280	-	STEC28P2101A	-	-	-	-	TOP06P2010A	-	-	-	-
SCB24C2012A	0.31	(0.04)	88,832	-	STEC28C2104L	0.19	-	1,536	-	TOP06P2102A	0.52	(0.48)	12,175	-
SCB28C2010A	0.05	(0.03)	1,507	-	STEC41C2009A	0.01	-	10,000	-	TOP08C2010A	-	-	-	-
SCB28C2012A	0.15	(0.02)	9,192	-	STEC41C2012A	0.12	(0.02)	5,456	-	TOP08C2102A	0.47	(0.03)	21,821	-
SCB28C2012B	0.30	(0.04)	18,445	-	STEC42P2102T	-	-	-	-	TOP11C2011A	0.22	(0.02)	18,588	-
SCB28C2104L	0.26	(0.02)	11,940	-	SUPE08C2012A	0.13	0.01	42,162	-	TOP13C2010A	0.02	-	801	-
SCB41C2011A	-	-	-	-	SUPE19C2010A	0.28	0.02	2,521	-	TOP13C2011A	0.07	(0.02)	50	-
SCB41C2011B	-	-	-	-	SUPE19C2011A	0.11	0.01	264,634	-	TOP13C2012A	0.13	(0.02)	43,345	-
SCB41C2012A	0.40	(0.04)	88,522	-	SUPE19C2011B	0.04	-	11,945	-	TOP13C2012B	0.25	(0.03)	39,855	-
SCB41P2011A	0.54	0.03	26,736	-	SUPE19C2012A	0.27	0.02	545,937	-	TOP13P2010A	0.24	0.01	11,432	-
SCB42C2101T	0.13	(0.01)	100	-	SUPE19P2011A	0.19	(0.03)	121,783	-	TOP13P2012A	0.65	0.02	1,947	-
SCC01C2101A	0.62	(0.04)	53,113	-	SUPE42C2101T	0.10	-	2,880	-	TOP19C2010A	0.09	(0.02)	6,001	-
SCC01P2012A	0.99	0.03	40,257	-	SUPE42P2102T	0.16	(0.03)	600	-	TOP19C2010B	0.11	(0.01)	40,000	-
SCC06C2012A	0.25	(0.02)	7,380	-	TASC01C2012A	0.25	(0.15)	112,713	-	TOP19C2012A	0.12	(0.02)	53,220	-
SCC08C2011A	0.21	(0.02)	20,643	-	TASC06C2009A	-	-	-	-	TOP19C2101A	0.32	(0.03)	22,341	-
SCC11C2011A	0.42	(0.03)	36,300	-	TASC06C2012A	0.13	0.07	124,676	-	TOP19P2010A	0.29	0.02	53,025	-
SCC13C2011A	0.24	(0.02)	149,646	-	TASC08C2011A	0.08	0.01	1,707	-	TOP19P2011A	0.55	0.02	43,604	-
SCC13P2011A	0.85	0.03	60,962	-	TASC08C2012A	0.03	(0.02)	184,890	-	TOP24C2010A	0.29	(0.03)	11,479	-
SCC19C2010A	0.14	(0.02)	85,704	-	TASC11C2102A	0.08	-	2,742	-	TOP41C2010A	-	-	-	-
SCC19C2012A	0.40	(0.04)	149,469	-	TASC13C2009A	-	-	-	-	TOP41C2011A	-	-	-	-
SCC19P2010A	-	-	-	-	TASC13C2011A	0.02	-	88,606	-	TOP41C2012A	0.31	(0.02)	4,000	-
SCC19P2011A	0.48	0.02	243,669	-	TASC13C2012A	0.12	(0.04)	1,286,423	-	TOP41P2010A	-	-	-	-
SCC24C2012A	0.23	(0.03)	26,704	-	TASC13C2012B	0.29	(0.71)	2,319,749	-	TOP41P2011A	-	-	-	-
SCC28C2010A	0.14	(0.03)	16,224	-	TASC13P2011A	1.03	(0.59)	45,197	1.00	TOP42C2011T	-	-	-	-
SCC28C2102A	0.34	(0.03)	15,530	-	TASC19C2009A	0.03	-	444	-	TP113C2011A	0.23	-	55,780	-
SCC28C2104L	0.28	(0.01)	10,686	-	TASC19C2010A	0.01	(0.02)	6,229	-	TP19C2012A	0.31	-	17,884	-
SCC41C2010A	-	-	-	-	TASC19C2011A	0.06	(0.02)	203,595	-	TQM11C2102A	0.66	(0.04)	12,813	-
SCC41C2011A	0.14	(0.01)	6,160	-	TASC19C2012A	0.26	(0.74)	1,420,621	-	TQM13C2011A	0.31	(0.04)	224,454	-
SCC41P2011A	0.92	0.01	67,792	-	TASC19P2010A	0.96	(0.12)	11,305	-	TQM19C2010A	2.46	(0.02)	60	2.00
SGP13C2011A	0.14	-	4,708	-	TASC19P2011A	0.67	(0.05)	11	-	TQM19C2010B	0.20	(0.03)	11,218	-
SGP19C2011A	0.21	(0.01)	5,201	-	TASC19P2012A	1.74	(0.11)	39,735	1.00	TQM19C2011A	0.57	(0.06)	103,263	-
SGP42C2101T	-	-	-	-	TASC19P2012B	0.28	(0.72)	358,825	-	TQM24C2011A	0.29	(0.03)	7,309	-
SIRI19C2011A	-	-	-	-	TASC24C2011A	0.09	-	301	-	TQM28C2012A	0.33	(0.03)	27,006	-
SIRI42C2101T	-	-	-	-	TASC28C2010A	-	-	-	-	TQM41C2011A	0.40	(0.04)	22,780	-
SPAL06C2010A	0.34	0.01	45,169	-	TASC28C2012A	0.09	-	23,442	-	TQM42C2101T	0.43	(0.01)	1,000	-
SPAL13C2010A	0.16	-	62,957	-	TASC28C2012B	0.03	-	1,630	-	TRUE01C2101A	0.28	(0.03)	46,807	-
SPAL19C2011A	0.35	0.01	51,864	-	TASC28C2012C	0.06	-	3,721	-	TRUE06C2009A	-	-	-	-
SPAL19C2011B	0.14	(0.01)	9,401	-	TASC28C2101A	0.06	-	1,015	-	TRUE06P2011A	0.34	0.01	28,650	-
SPAL27C2101A	0.17	(0.01)	5,634	-	TASC28C2103L	0.07	-	10,400	-	TRUE08C2012A	-	-	-	-
SPRC01C2101A	0.28	(0.02)	54,674	-	TASC41C2009A	-	-	-	-	TRUE08P2010A	0.17	0.01	39,234	-
SPRC01P2101A	0.59	0.02	17,940	-	TASC41C2010A	-	-	-	-	TRUE11C2101A	0.19	(0.03)	19,820	-
SPRC06C2010A	0.04	(0.01)	1,250	-	TASC41C2011A	0.03	0.01	53,178	-	TRUE11P2101A	0.58	0.02	21,380	-
SPRC06C2102A	0.29	(0.71)	28,312	-	TASC42C2101T	0.08	(0.01)	43,492	-	TRUE13C2011A	0.10	(0.02)	46,752	-
SPRC06P2011A	0.31	0.02	43,351	-	TCAP01C2101A	0.29	(0.01)	23,639	-	TRUE19C2009A	-	-	-	-
SPRC08C2011A	0.13	(0.01)	5,500	-	TCAP13C2010A	0.02	(0.01)	1,551	-	TRUE19C2011A	0.05	(0.02)	4,520	-
SPRC11C2102A	0.30	(0.02)	77,182	-	TCAP13C2012A	0.16	(0.01)	39,400	-	TRUE19C2012A	0.18	(0.02)	8,452	-
SPRC13C2010A	0.03	(0.01)	4,663	-	TCAP19C2010A	-	-	-	-	TRUE19P2011A	0.32	0.02	193,120	-
SPRC13C2012A	0.16	(0.02)	223,137	-	TCAP19C2012A	0.19	(0.01)	14,290	-	TRUE28C2011A	-	-	-	-
SPRC13C2012B	0.24	(0.76)	164,739	-	TCAP19P2012A	0.29	-	7,000	-	TRUE28C2012A	-	-	-	-
SPRC19C2010A	0.09	(0.01)	14,000	-	TCAP42C2101T	-	-	-	-	TRUE28C2012B	-	-	-	-
SPRC19C2012A	0.20	(0.01)	126,359	-	THAN01C2012A	1.16	(0.10)	2,419	1.00	TRUE28C2101A	0.21	(0.01)	29,871	-
SPRC19P2011A	0.32	-	45,224	-	THAN01C2012B	0.46	(0.05)	6,084	-	TRUE41C2010A	-	-	-	-
SPRC28C2011A	-	-	-	-	THAN06C2010A	-	-	-	-	TRUE42C2101T	-	-	-	-
SPRC28C2101A	0.18	(0.01)	9,549	-	THAN06C2012A	0.57	(0.08)	20,527	-	TTW19C2011A	-	-	-	-
SPRC42C2101T	-	-	-	-	THAN08C2101A	-	-	-	-	TTW24C2012A	0.12	(0.01)	400	-
STA01C2009A	2.54	0.16	33	2.00	THAN08C2102A	-	-	-	-	TTW27C2009A	-	-	-	-
STA01P2009A	0.01	-	400	-	THAN13C2012A	0.70	(0.06)	7,329	-	TU01C2101A	0.27	(0.02)	17,143	-
STA06C2012A	0.21	(0.01)	29,841	-	THAN13C2012B	0.34	(0.05)	55,238	-	TU01P2101A	0.42	0.04	36,470	-
STA08C2010A	-	-	-	-	THAN19C2010A	0.79	(0.11)	12,715	-	TU06C2009A	0.03	(0.02)		

Main Board Quotation

Issue Date :

Thursday September 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU42C2101T	0.17	(0.02)	2,150	-	VGI-W2	0.79	(0.03)	403,391	-					
TVO13C2011A	0.25	0.09	421,503	-	VIBHA-W3	0.12	0.01	19,736	-					
TVO13C2012A	0.32	0.07	485,681	-	W-W3	0.02	-	340	-					
TVO19C2011A	0.31	0.09	249,261	-	WIJK-W2	0.24	(0.01)	9,034	-					
TVO19C2012A	0.28	(0.72)	245,862	-	ZMICO-W4	0.08	-	331	-					
VGI01C2012A	0.29	(0.02)	26,759	-	Preferred Shares	-	-	-	-					
VGI06C2010A	0.05	(0.01)	469	-	BH-P	-	-	-	-					
VGI06C2101A	0.28	(0.04)	32,449	-	CSC-P	-	-	-	-					
VGI11C2101A	0.21	(0.01)	12,390	-	JUTHA-P	-	-	-	-					
VGI13C2010A	0.01	-	308	-	KTBP	-	-	-	-					
VGI13C2012A	0.19	(0.03)	291,298	-	SCB-P	68.00	(0.50)	3	69.00					
VGI19C2010A	0.07	(0.02)	203	-	TCAP-P	-	-	-	-					
VGI19C2012A	0.24	(0.01)	28,429	-	TISCO-P	-	-	-	-					
VGI19C2012B	0.34	(0.03)	94,107	-	U-P	1.64	0.03	770	1.00					
VGI19C2012C	0.14	-	10,000	-	Warrant (MAI)	-	-	-	-					
VGI24C2012A	0.22	(0.02)	23,679	-	ALL-W1	0.57	0.04	280,703	-					
VGI28C2101A	0.17	-	11,661	-	BROOK-W5	0.14	-	7,844	-					
VGI41C2011A	0.11	0.02	700	-	CHAYO-W1	2.14	(0.06)	9,194	2.00					
VGI42C2101T	0.08	(0.01)	98	-	CHO-W2	0.01	(0.01)	46,369	-					
WHA01C2009A	-	-	-	-	CIG-W8	-	-	-	-					
WHA01C2101A	0.30	(0.02)	78,551	-	D-W1	0.86	0.02	40	-					
WHA01P2009A	-	-	-	-	DIMET-W3	-	-	-	-					
WHA01P2101A	0.71	-	21,027	-	DOD-W1	0.60	0.02	170,346	-					
WHA06C2010A	0.09	-	12,855	-	ECF-W3	0.10	(0.01)	30,102	-					
WHA06P2012A	0.53	-	24,400	-	HPT-W1	0.33	(0.01)	1,295	-					
WHA08C2011A	0.20	(0.01)	17,079	-	HYDRO-W1	0.03	-	16	-					
WHA11C2101A	0.28	(0.01)	31,414	-	ITEL-W1	0.12	(0.02)	25,068	-					
WHA13C2009A	-	-	-	-	ITEL-W2	0.37	0.01	25,454	-					
WHA13C2011A	0.12	(0.01)	22,715	-	LTT-W1	0.42	(0.02)	1,351	-					
WHA13P2011A	0.34	0.01	62,000	-	META-W4	0.02	(0.01)	28,881	-					
WHA19C2010A	0.19	(0.02)	56,224	-	NEWS-W6	-	-	-	-					
WHA19C2011A	0.13	(0.01)	28,025	-	OCEAN-W3	0.22	-	1,250	-					
WHA19P2011A	0.40	0.01	130,007	-	RWI-W2	0.12	-	26,608	-					
WHA28C2011A	0.12	(0.01)	2,028	-	SANKO-W1	0.01	-	9,663	-					
WHA28C2012A	0.26	(0.01)	6,056	-	SIMAT-W3	0.49	(0.02)	4,106	-					
WHA28C2102L	0.15	-	36,504	-	SIMAT-W4	2.48	(0.06)	796	2.00					
WHA42C2101T	-	-	-	-	SMART-W2	0.18	(0.01)	1,602	-					
WHAU13C2012A	0.16	(0.01)	35,254	-	SWC-W1	3.00	-	63	3.00					
WHAU19C2012A	0.21	(0.01)	62,087	-	TAKUNI-W	0.02	-	30,262	-					
Preferred/Foreign	-	-	-	-	TAPAC-W4	0.21	-	9,379	-					
BH-Q	-	-	-	-	TVD-W2	0.24	0.04	253,161	-					
CSC-Q	-	-	-	-	UREKA-W2	0.27	0.01	4,372	-					
JUTHA-Q	-	-	-	-	Preferred Shares	-	-	-	-					
KTBP-Q	-	-	-	-	SGF-P1	-	-	-	-					
SCB-Q	-	-	-	-										
TCAP-Q	-	-	-	-										
TISCO-Q	-	-	-	-										
U-Q	-	-	-	-										
Warrant														
7UP-W4	0.11	-	20,191	-										
AKR-W1	0.03	(0.01)	176,719	-										
ALT-W1	0.54	(0.08)	34,409	-										
APEX-W1	-	-	-	-										
APURE-W2	0.23	(0.03)	31,345	-										
B-W3	-	-	-	-										
B-W4	0.04	(0.01)	1,506	-										
B-W5	0.05	(0.01)	1,063	-										
BKD-W2	0.07	-	723	-										
BTS-W5	0.78	(0.03)	77,144	-										
CGD-W4	0.06	-	10,291	-										
CGH-W3	0.02	-	2	-										
DCC-W1	1.00	-	41,617	1.00										
ECL-W3	0.08	-	85,772	-										
EMC-W6	0.04	-	97,079	-										
EP-W3	0.15	-	38,798	-										
GLOCON-W4	0.46	(0.01)	8,160	-										
III-W1	0.55	(0.01)	3,449	-										
J-W1	0.71	(0.01)	10,069	-										
JMART-W3	4.94	(0.11)	3,768	5.00										
JMART-W4	3.32	(0.02)	8,286	3.00										
JMT-W2	13.20	(0.10)	14,344	13.00										
MACO-W2	0.08	-	37,503	-										
MILL-W4	0.04	-	1,070	-										
MINT-W6	0.47	(0.04)	40,965	-										
MINT-W7	8.45	(0.35)	51,646	8.00										
NER-W1	1.56	(0.04)	68,763	1.00										
NEX-W2	4.46	(0.02)	9,917	4.00										
NFC-W1	-	-	-	-										
NVD-W1	0.06	(0.01)	8,055	-										
ORI-W1	-	-	-	-										
PACE-W2	-	-	-	-										
PACE-W3	-	-	-	-										
PDI-W1	0.51	-	29,662	-										
PDJ-W4	0.63	-	11,300	-										
PERM-W1	0.11	-	6,906	-										
PORT-W1	0.54	(0.03)	5,082	-										
PPPM-W4	0.12	(0.02)	637	-										
PRIME-W1	0.02	-	5,154	-										
PRIME-W2	0.02	-	28,928	-										
SAMART-W2	0.13	-	23,910	-										
SAWAD-W2	13.60	13.60	181,493	14.00										
SDC-W1	-	-	-	-										
SINGER-W1	6.35	-	2,932	6.00										
SINGER-W2	4.22	0.06	5,126	4.00										
SST-W2	0.81	-	176	-										
TCC-W3	0.03	-	1	-										
TCC-W4	-	-	-	-										
TCC-W5	0.12	-	9	-										
TGPRO-W3	-	-	-	-										
TNITY-W1	0.10	(0.01)	5,324	-										
TRITN-W3	0.14	0.01	8,668	-										
TTCL-W1	0.40	(0.01)	7,957	-										
U-W4	-	-	-	-										