

Main Board Quotation

Issue Date :

Tuesday September 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.06	-	10,605	3.06	MAJOR	16.10	0.30	21,115	15.94
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	-	-	-	-
VI	-	-	-	-	DIF	14.70	-	19,866	14.72	MATI	-	-	-	-
WORLD	-	-	-	-	DTAC	31.75	(0.25)	32,340	31.87	MCOT	4.40	(0.06)	462	4.40
WR	-	-	-	-	FORTH	6.45	-	8,454	6.47	MONO	2.54	(0.02)	4,213	2.57
Agribusiness	-	-	-	-	HUMAN	8.50	0.15	6,287	8.44	MPIC	-	-	-	-
EE	0.70	0.01	116,134	0.70	ILINK	5.20	0.05	6,034	5.12	NMG	-	-	-	-
GPPT	12.00	0.10	21,157	11.92	INET	3.28	0.28	129,293	3.16	PLANB	5.60	0.15	81,390	5.53
LEE	2.24	0.04	747	2.21	INTUCH	53.50	(0.75)	81,490	53.40	POST	1.13	(0.12)	22	1.10
MAX	0.01	-	542,575	0.01	JAS	2.88	(0.06)	918,488	2.89	PRAKIT	7.35	-	32	7.32
NER	3.30	(0.02)	666,390	3.31	JASIF	9.60	-	125,546	9.56	SE-ED	1.50	0.08	33	1.52
PPPM	0.33	-	1,851	0.34	JMART	14.60	(0.30)	81,194	14.75	TBSP	-	-	-	-
STA	26.75	0.50	71,737	26.76	JTS	2.78	(0.10)	4,058	2.79	TH	0.49	-	6	0.49
TRUBB	1.70	(0.03)	73,159	1.70	MFEF	4.82	-	10,173	4.85	TKS	5.55	-	1,974	5.51
TWPC	3.40	(0.06)	10,290	3.42	MSC	5.95	-	1,842	5.98	VGI	6.45	0.05	88,359	6.40
UPOIC	-	-	-	-	PT	5.15	0.10	1,679	5.10	WAVE	0.72	-	1,558	0.72
UVAN	4.54	0.02	2,113	4.50	SAMART	4.84	-	6,577	4.82	WORK	10.50	(0.10)	13,119	10.40
VPO	0.36	0.01	1,126	0.36	SAMTEL	4.88	(0.02)	1,684	4.87	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.15	-	2,142	0.15	AEC	0.12	0.01	36,170	0.12
BAY	19.60	(0.10)	1,945	19.64	SIS	14.20	0.80	70,405	14.19	AEONTS	99.00	(1.00)	19,099	98.43
BBL	97.50	(3.00)	97,621	98.33	SVOA	1.14	(0.03)	43,888	1.15	AMANAHS	2.54	(0.02)	20,261	2.55
CIMBT	0.54	-	10,129	0.54	SYMC	4.40	(0.18)	743	4.43	ASAP	2.16	(0.04)	6,109	2.17
KBANK	76.50	(2.50)	182,575	77.21	SYNEX	13.30	0.30	17,750	13.13	ASK	18.20	(0.20)	6,744	18.28
KKP	37.00	(0.50)	20,272	37.08	THCOM	5.35	0.05	71,673	5.31	ASP	1.68	(0.01)	12,550	1.69
KTB	9.05	(0.20)	232,173	9.06	TRUE	3.18	(0.04)	287,382	3.20	BAM	19.90	(1.00)	589,631	20.26
LHFG	0.88	(0.02)	12,220	0.89	TWZ	0.06	-	43,646	0.06	BFIT	28.00	(0.50)	7,737	28.06
SCB	64.50	(2.25)	151,834	65.05	Electronic Componer	-	-	-	-	CGH	0.66	(0.01)	1,958	0.66
TCAP	30.50	(0.25)	38,281	30.51	CCET	1.97	0.01	91,726	1.98	ECL	0.81	(0.03)	43,420	0.83
TISCO	63.00	(1.25)	36,685	63.48	DELTA	153.00	11.00	70,265	150.53	FNS	3.06	(0.04)	3,259	3.07
TMB	0.88	(0.02)	1,499,202	0.88	HANA	42.25	-	81,539	42.66	FSS	1.33	(0.01)	395	1.35
Construction Materia	-	-	-	-	KCE	31.25	0.25	201,952	31.47	GBX	0.42	-	8,907	0.42
CCP	0.47	-	130,288	0.46	METCO	147.00	2.00	35	147.10	GL	3.10	(0.02)	9,343	3.10
COTTO	1.11	(0.01)	3,035	1.11	NEX	4.38	(0.04)	114,852	4.39	IFS	2.34	(0.02)	655	2.34
DCC	2.58	0.02	71,607	2.58	SMT	3.10	0.40	1,246,016	2.94	JMT	32.00	(0.25)	31,525	32.11
DCON	0.34	(0.01)	86,234	0.34	SVI	3.90	(0.12)	423,599	4.03	KCAR	7.55	-	418	7.55
DRT	6.35	0.05	3,766	6.31	TEAM	0.86	-	2,889	0.85	KGI	2.94	(0.02)	8,039	2.94
EPG	4.80	(0.10)	19,560	4.85	W	0.20	-	1,000,027	0.19	KTC	34.00	0.50	96,508	33.59
GEL	0.18	-	49,739	0.18	Energy & Utilities	-	-	-	-	MBKET	7.25	0.05	616	7.16
PPP	2.06	0.02	145	2.05	7UP	0.31	(0.01)	16,127	0.31	MFC	13.90	0.30	5	13.90
Q-CON	4.54	-	1	4.54	ABPIF	3.00	-	492	2.98	ML	0.90	(0.02)	7,843	0.91
RCI	3.78	0.04	629	3.77	ACE	3.06	0.04	49,341	3.00	MTC	52.75	0.50	71,487	52.31
SCC	330.00	(1.00)	24,732	332.17	AI	1.80	-	140,181	1.79	PE	-	-	-	-
SCCC	124.00	-	1,271	123.48	AKR	0.47	(0.02)	7,647	0.47	PL	2.00	-	566	1.99
SCP	6.00	-	5,259	6.00	BAFS	20.90	(0.30)	2,273	20.82	S11	6.15	-	7,951	6.11
SKN	2.38	-	3,007	2.40	BANPU	6.30	0.35	875,537	6.03	SAWAD	49.00	0.75	110,833	48.63
TASCO	15.40	(0.60)	812,595	15.71	BCP	15.80	(0.40)	14,742	15.94	THANI	3.82	(0.04)	300,751	3.86
TCMC	1.16	0.01	125,182	1.15	BCPG	12.10	(0.20)	16,348	12.22	TK	7.00	(0.05)	1,066	7.00
TOA	36.00	-	15,641	36.00	BGRIM	44.75	0.50	34,479	44.69	TNITY	-	-	-	-
TPPIPL	1.32	0.01	80,893	1.31	BPP	13.70	0.10	18,857	13.61	UOBKH	3.06	-	24	3.03
UMI	0.61	-	640	0.61	BRRGIF	6.10	-	461	6.10	ZMICO	0.59	(0.03)	3,366	0.60
VNG	3.10	(0.04)	2,116	3.05	CKP	5.80	-	145,337	5.77	Food & Beverage	-	-	-	-
WIJK	1.98	(0.02)	5,047	1.98	DEMCO	2.88	(0.02)	750	2.88	APURE	1.81	-	4,810	1.80
Petrochemicals & Ch	-	-	-	-	EA	39.75	(0.25)	64,440	39.73	ASIAN	10.90	-	75,056	10.83
BCT	41.25	(0.75)	26	41.28	EASTW	9.45	(0.05)	7,931	9.48	BR	1.87	0.01	5,196	1.86
CMAN	1.16	0.01	1,203	1.15	EGATIF	12.10	-	17,923	12.14	BRR	2.80	(0.10)	797	2.78
GC	5.20	(0.05)	2,584	5.21	EGCO	195.50	(0.50)	17,590	194.28	CBG	115.50	5.00	54,017	113.69
GGC	8.65	(0.15)	1,864	8.67	EP	3.70	(0.02)	8,066	3.67	CFRESH	4.40	0.04	130,795	4.46
GIFT	1.97	(0.05)	2,588	1.98	ESSO	6.20	(0.10)	112,882	6.24	CHOTI	67.00	(3.75)	5	67.05
IVL	21.90	(0.50)	283,902	22.28	Gpsc	63.00	-	50,100	62.89	CM	2.74	-	1,427	2.74
NFC	1.47	(0.03)	3	1.47	GREEN	1.13	0.01	4,619	1.10	CPF	29.25	-	88,083	29.15
PATO	9.85	0.10	260	9.80	GULF	31.50	0.25	126,623	31.38	CPI	-	-	-	-
PMTA	9.00	-	1	9.00	GUNKUL	2.30	(0.06)	870,706	2.34	F&D	18.00	-	5	18.54
PTTGC	40.50	(1.00)	140,733	40.56	IFEC	-	-	-	-	HTC	27.25	0.25	10,249	27.09
SUTHA	3.00	0.02	245	3.00	IRPC	2.04	(0.06)	629,651	2.05	ICHI	11.50	0.30	115,421	11.32
TCCC	22.60	0.10	127	22.66	KBSPIF	9.90	(0.05)	771	9.95	KBS	3.02	(0.02)	419	3.02
TPA	5.10	(0.05)	91	5.05	LANNA	6.05	0.15	4,393	6.19	KSL	2.02	(0.12)	93,133	2.09
UAC	3.70	(0.04)	1,017	3.70	MDX	2.30	(0.08)	2,840	2.29	KTIS	2.48	(0.08)	1,258	2.48
UP	-	-	-	-	PDI	6.65	(0.15)	5,839	6.68	LST	4.28	(0.06)	3,251	4.32
VNT	23.00	0.20	7,272	22.89	PRIME	0.54	-	67,591	0.54	M	47.75	(0.50)	7,332	48.13
WG	185.00	-	4	185.13	PTG	17.70	0.10	63,024	17.56	MALEE	6.40	(0.05)	983	6.40
YCI	-	-	-	-	PTT	34.25	(0.75)	535,630	34.28	MINT	21.20	(1.40)	1,034,307	21.76
Commerce	-	-	-	-	PTTEP	84.75	(0.75)	88,609	84.65	OISHI	39.50	(0.25)	65	39.52
BEAUTY	1.18	(0.04)	237,070	1.19	RATCH	51.00	(0.50)	23,641	51.17	OSP	36.25	(0.25)	180,356	36.02
BIG	0.45	(0.01)	42,189	0.45	RPC	0.46	(0.01)	3,495	0.46	PB	70.25	-	6	70.25
BJC	37.00	-	19,313	36.95	SCG	3.58	(0.02)	29	3.58	PM	7.70	(0.05)	20,805	7.66
COL	18.70	-	45,381	18.70	SCI	1.32	0.01	920	1.31	PRG	11.00	0.20	25	10.90
COM7	40.00	-	28,812	39.79	SCN	1.76	-	687	1.75	RBF	9.50	0.10	91,926	9.43
CPALL	62.00	-	102,700	61.99	SGP	8.65	(0.10)	6,204	8.63	SAPPE	20.80	0.70	18,027	20.76
CPW	1.86	(0.02)	27,375	1.86	SKE	0.58	(0.03)	21,531	0.59	SAUCE	25.25	0.35	18	25.20
CRC	27.75	0.25	119,056	27.46	SOLAR	0.94	0.01	8,091	0.95	SFP	-	-	-	-
CSS	1.30	(0.03)	21,369	1.31	SPCG	18.10	0.50	6,247	17.89	SNP	10.00	(0.10)	1	10.00
DOHOME	13.20	0.20	105,605	13.06	SPRC	5.50	(0.30)	223,729	5.55	SORKON	5.30	0.05	120	5.28
FN	1.27	(0.01)	64,692	1.28	SSP	7.15	-	2,861	7.11	SSC	32.00	(0.50)	29	32.09
FTE	1.50	(0.01)	1,470	1.50	SUPER	0.87	-	1,440,039	0.87	SSF	-	-	-	-
GLOBAL	19.70	0.50	103,736	19.55	SUPEREIF	11.70	0.10	3,620	11.61	SST	2.40	(0.02)	124	2.39
HMPRO	14.40	0.10	130,684	14.33	SUSCO	2.62	(0.08)	16,383	2.66	TC	3.64	(0.02)	5,404	3.63
ILM	11.70	(0.20)	22,042	11.94	TAE	2.28	(0.02)	2,612	2.28	TFG	4.28	0.02	77,429	4.25
IT	2.50	(0.02)	687	2.53	TCC	0.18	(0.02)	14,246	0.18	TFMAMA	198.50	(0.50)	95	198.76
KAMART	2.86	(0.04)	17,605	2.84	TOP	35.75	(1.75)	164,606	36.16	TIPCO	5.85	(0.10)	9,837	5.86
LOXLEY	1.38	-	8,981	1.36	TIIPP	4.20	(0.06)	55,102	4.22	TKN	10.30	-	49,096	10.29
MAKRO	45.00	(0.50)	15,071	44.88	TSE	2.76	-	14,167	2.76	TU	13.40	(0.20)	194,176	13.48
MC	9.50	0.05	12,737	9.50	TTW	13.00	(0.10)	13,466	13.03	TVO	34.00	0.75	65,619	33.45
MEGA	3													

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday September 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M-CHAI	181.00	-	2	180.50	AWC	3.84	(0.06)	115,159	3.86	HFT	3.50	(0.02)	8,525	3.49
NEW	-	-	-	-	BLAND	1.03	0.04	317,390	1.01	IHL	3.18	(0.06)	91,893	3.19
NTV	41.25	(0.25)	140	41.10	BROCK	1.62	0.16	2	1.54	INGRS	0.46	-	42,369	0.45
PR9	6.65	0.05	1,141	6.60	CGD	0.64	-	47,066	0.64	IRC	12.30	-	200	12.04
PRINC	2.66	(0.04)	9,410	2.67	CI	0.64	(0.05)	1,800	0.66	PCSGH	4.40	(0.08)	373	4.50
RAM	138.00	-	223	138.66	CPN	43.25	0.50	81,265	42.70	SAT	13.20	(0.20)	12,793	13.25
RJH	22.00	0.10	1,704	21.90	ESTAR	0.33	(0.01)	5,778	0.34	SPG	12.80	(0.20)	1	12.80
RPH	5.40	(0.05)	35,133	5.39	EVER	0.22	(0.01)	19,264	0.22	STANLY	145.00	(1.50)	175	145.17
SKR	5.95	(0.05)	2,000	5.98	FPT	10.60	(0.10)	193	10.60	TKT	0.93	0.02	157	0.93
SVH	408.00	(2.00)	20	408.50	GLAND	2.16	-	306	2.14	TNCP	-	-	-	-
THG	18.30	0.20	4,660	18.03	J	1.20	(0.02)	22,578	1.21	TRU	3.40	(0.04)	144	3.38
VIBHA	1.51	(0.01)	23,797	1.51	JCK	1.56	0.19	386,167	1.50	TSC	-	-	-	-
VIH	6.25	(0.25)	24,306	6.29	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.52	(0.01)	830	1.52	KWG	0.67	(0.04)	268	0.67	ALLA	1.11	-	6,669	1.10
Tourism & Leisure	-	-	-	-	LALIN	5.40	0.05	3,982	5.32	ASEFA	3.12	(0.14)	3,396	3.21
ASIA	-	-	-	-	LH	6.90	(0.10)	443,859	6.92	CPT	0.81	-	25	0.80
CENTEL	23.00	(0.50)	57,567	23.07	LPN	4.48	(0.06)	45,899	4.48	CRANE	1.72	(0.07)	32,398	1.75
CSR	72.00	1.00	1	72.00	MBK	12.00	(0.40)	9,702	12.07	CTW	5.55	-	763	5.59
DTC	7.15	0.05	200	7.01	MJD	1.47	0.02	2,200	1.46	FMT	-	-	-	-
ERW	3.18	(0.02)	70,630	3.19	MK	2.86	(0.02)	223	2.88	HTECH	2.80	0.02	6,053	2.81
GRAND	0.51	-	2,475	0.51	NCH	0.88	0.01	1,118	0.86	KKC	-	-	-	-
LRH	30.00	(1.25)	2	30.13	NNCL	1.88	-	1,819	1.88	PK	1.25	0.01	172	1.24
MANRIN	22.20	(0.50)	1	22.20	NOBLE	14.90	0.90	160,135	14.67	SNC	9.95	(0.15)	2,059	10.00
OHTL	-	-	-	-	NUSA	0.29	-	23,807	0.30	STARK	2.02	-	38,646	2.04
ROH	38.00	-	15	38.00	NVD	1.10	-	659	1.10	TCJ	3.24	-	303	3.23
SHANG	-	-	-	-	ORI	6.50	(0.25)	72,624	6.57	VARO	-	-	-	-
SHR	1.96	(0.03)	82,759	1.96	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
VRANDA	5.60	-	330	5.55	PF	0.35	-	43,094	0.35	AIMCG	6.10	0.05	105	6.06
Home & Office Produ	-	-	-	-	PLAT	2.36	(0.02)	5,229	2.35	AIMIRT	13.60	-	806	13.60
ACC	0.59	(0.01)	700	0.59	POLAR	-	-	-	-	AMATAR	10.10	-	118	10.00
AJA	0.12	(0.01)	6,846	0.13	PRECHA	0.89	-	15	0.89	B-WORK	11.70	-	30	11.70
DTCI	-	-	-	-	PRIN	1.62	0.01	3,269	1.63	BKER	5.65	0.05	2,102	5.55
FANCY	0.46	-	1,509	0.46	PSH	11.10	(0.10)	15,757	11.04	BKKCP	11.90	-	101	11.80
KYE	308.00	3.00	10	308.00	QH	2.16	(0.04)	284,454	2.17	BOFFICE	11.80	-	384	11.80
L&E	-	-	-	-	RICHY	0.69	(0.01)	4,543	0.69	CPNCG	10.20	-	1,383	10.20
MODERN	2.52	0.04	2,809	2.50	RML	0.61	(0.02)	4,466	0.62	CPNREIT	24.70	(0.10)	3,559	24.62
OGC	21.10	(0.10)	5	21.10	ROJNA	4.18	-	4,836	4.16	CPTGF	10.20	-	38	10.20
ROCK	-	-	-	-	S	1.30	(0.03)	10,459	1.32	CTARAF	5.00	(0.05)	1,637	4.98
SIAM	1.38	(0.01)	3,316	1.36	SAMCO	1.18	(0.01)	1,037	1.19	DREIT	3.86	(0.02)	219	3.86
TSR	3.38	0.30	133,741	3.30	SC	2.20	(0.06)	54,712	2.21	ERWPF	4.30	0.02	100	4.30
Insurance	-	-	-	-	SENA	2.70	(0.06)	11,252	2.71	FTREIT	14.30	(0.10)	4,821	14.38
AYUD	32.75	(0.25)	53	33.00	SF	4.46	-	7,730	4.46	FUTUREPF	19.10	(0.10)	3	19.10
BKI	283.00	-	132	282.02	SIRI	0.67	-	319,508	0.66	GAHREIT	-	-	-	-
BLA	18.00	0.40	44,135	17.86	SPALI	15.90	(0.30)	33,357	15.94	GOLDPPF	5.50	(0.30)	1	5.50
BUI	-	-	-	-	U	1.19	(0.06)	80,934	1.21	GVREIT	12.20	(0.10)	203	12.21
CHARAN	-	-	-	-	UV	2.54	(0.02)	14,102	2.55	HPF	4.66	(0.02)	387	4.67
INSURE	-	-	-	-	WHA	2.82	(0.10)	617,300	2.87	HREIT	8.00	-	4,836	8.00
MTI	-	-	-	-	WIN	0.35	(0.01)	2,164	0.33	IMPACT	19.20	(0.10)	4,814	19.22
NKI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KPNPF	-	-	-	-
NSI	70.00	0.50	20	70.26	UTP	13.80	-	14,118	13.71	LHHOTEL	9.70	-	2,956	9.70
SEG	-	-	-	-	Fashion	-	-	-	-	LHPF	5.40	0.15	76	5.29
SMK	36.25	(0.25)	49	36.47	AFC	6.05	0.05	19	6.09	LHSC	11.70	(0.20)	257	11.70
THRE	0.92	(0.03)	255,156	0.92	B52	0.16	-	5,075	0.15	LUXF	-	-	-	-
THREL	2.30	0.02	17,409	2.29	BTNC	11.40	0.90	5	11.44	M-II	-	-	-	-
TIP	24.30	(0.30)	2,608	24.46	CPH	-	-	-	-	M-PAT	3.00	0.02	6	2.73
TQM	133.00	(2.00)	10,970	133.33	CPL	1.02	(0.01)	872	0.99	M-STOR	5.90	-	100	5.90
TSI	0.28	-	1,150	0.27	ICC	27.75	-	7	27.36	MIPF	-	-	-	-
TVI	3.36	(0.04)	52	3.36	NC	9.50	1.00	2	9.20	MIT	-	-	-	-
Mining	-	-	-	-	PAF	0.54	-	447	0.53	MJLF	6.85	(0.05)	231	6.81
THL	-	-	-	-	PDJ	1.47	(0.03)	1,568	1.46	MNIT	-	-	-	-
Packaging	-	-	-	-	PG	-	-	-	-	MNIT2	3.90	(0.12)	20	3.88
AJ	14.90	0.10	5,698	15.01	SABINA	20.80	(0.10)	7,041	20.75	MNRF	2.68	(0.04)	80	2.68
ALUCON	153.00	-	10	153.15	SAWANG	-	-	-	-	POPF	10.30	-	304	10.30
BGC	13.00	(0.40)	45,693	12.93	SUC	33.50	(0.25)	181	33.44	PPF	11.30	(0.10)	1	11.30
CSC	50.50	0.25	47	49.94	TNL	-	-	-	-	PROSPECT	9.30	-	911	9.37
GLOCON	0.97	(0.03)	66,645	0.97	TPCORP	-	-	-	-	QHHR	5.85	0.05	431	5.77
NEP	0.25	-	21,196	0.25	TR	21.50	-	75	21.50	QHOP	2.28	0.16	1	2.28
PTL	22.50	0.30	32,999	22.48	TTI	-	-	-	-	QHPP	9.60	-	1,684	9.57
SFLEX	10.80	-	2,036	10.68	TTT	-	-	-	-	SBPF	-	-	-	-
SITHAI	0.53	(0.01)	4,654	0.53	UPF	55.00	1.00	3	55.83	SHREIT	3.78	(0.04)	3,830	3.78
SLP	0.40	0.01	4,628	0.39	UT	14.70	(0.30)	48	14.64	SIRIP	-	-	-	-
SMPC	12.70	0.50	40,920	12.65	WACOAL	-	-	-	-	SPF	12.90	0.10	1,637	12.90
SPACK	2.28	(0.02)	6,271	2.30	Transportation & Log	-	-	-	-	SPRIME	9.00	(0.05)	1,268	9.00
TCOAT	-	-	-	-	AAV	1.85	(0.01)	119,437	1.85	SRIPANWA	7.90	0.10	1,909	7.94
TFI	0.13	0.01	15,244	0.13	AOT	59.00	(0.50)	257,394	59.34	SSPF	9.25	(0.05)	2	9.25
THIP	24.00	(0.20)	428	24.14	ASIMAR	1.23	(0.02)	2,959	1.23	SSTRT	5.40	0.05	2	5.40
TMD	21.60	(0.50)	1	21.60	B	0.30	-	3,034	0.29	TIFI	8.45	-	42	8.40
TOPP	-	-	-	-	BA	5.40	(0.05)	7,382	5.34	TLGF	17.00	0.20	3,246	16.72
TPBI	4.62	-	781	4.61	BEM	8.75	(0.10)	209,819	8.80	TLHPF	8.80	(0.70)	50	8.80
TPP	-	-	-	-	BTS	10.00	(0.10)	193,725	10.00	TNPF	2.02	(0.08)	32	2.02
Personal Products &	-	-	-	-	BTSGIF	6.15	-	16,014	6.12	TPRIME	12.80	(0.20)	24	12.80
APCO	3.50	0.04	1,624	3.47	III	4.16	0.02	3,929	4.16	TTLPF	-	-	-	-
DDD	16.00	0.30	3,429	16.01	JUTHA	-	-	-	-	TU-PF	-	-	-	-
JCT	-	-	-	-	JWD	7.10	(0.20)	22,521	7.17	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	-	-	-	-	WHABT	-	-	-	-
S & J	-	-	-	-	NOK	0.63	-	842	0.63	WHART	14.60	-	998	14.61
STGT	70.00	0.75	45,772	69.80	NYT	3.16	(0.02)	32,243	3.18	Steel	-	-	-	-
STHAI	-	-	-	-	PORT	2.08	0.04	48,329	2.08	AMC	1.50	0.04	814	1.49
TNR	9.95	(0.05)	2	9.98	PRM	8.70	(0.05)	107,845	8.72	BSBM	0.85	0.02	61	0.84
TOG	3.34	(0.02)	901	3.33	PSL	4.40	0.02	100,829	4.38	CEN	0.69	-	138	0.69
Professional Service	-	-	-	-	RCL	4.62	0.42	224,359	4.44	CITY	1.84	-	516	1.81
BWG	0.48	0.02	968,755	0.48	TFJFI	10.00	-	14,279	10.00	CSP	0.52	(0.01)	208	0.52
GENCO	0.47	-	78,159	0.48	THAI	3.26	(0.02)	11,224	3.27	GJS	0.09	-	10,060	0.08
PRO	-	-	-	-	TSTE	6.85	(0.05)	5	6.85	GSTEEL	-	-	-	-
SISB	8.75	(0.05)	9,067	8.71	TTA	3.04	0.16	144,225	2.99	INOX	0.42	(0.01)	11,985	0.42
Property Developer	-	-	-	-	WICE	5.00	-	70,799	5.00	LHK	2.20	(0.04)	774	2.20
A	4.98	-	40	4.99	Automotive	-	-	-	-	MCS	12.40	(0.20)	8,952	12.40
AMATA	13.10	(0.50)	45,968	13.23	ACG	1.22	(0.02)	23,752	1.20	MILL	0.67	(0.01)	990	0.67
AMATAV	5.15	0.15	996	5.14	AH	12.00	0.10	10						

Main Board Quotation

Issue Date :

Tuesday September 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AIE	0.60	0.01	28,193	-	ADVA08C2012A	0.29	(0.02)	26,811	-
ABICO	5.85	0.05	2,247	5.00	ETC	1.70	-	125,913	1.00	ADVA08P2009A	-	-	-	-
AU	9.55	(0.10)	24,457	9.00	PSTC	1.55	(0.03)	19,463	1.00	ADVA08P2101A	0.90	0.02	42,859	-
JCKH	0.28	-	1,638	-	QTC	3.96	-	408	3.00	ADVA11C2011A	0.27	(0.03)	21,320	-
KASET	1.51	(0.02)	197	1.00	SAAM	1.00	-	1,162	1.00	ADVA11P2011A	0.47	-	31,340	-
MM	1.93	0.03	2	1.00	SEAOIL	2.44	0.04	7,548	2.00	ADVA13C2010A	0.03	(0.01)	4,535	-
SUN	2.70	(0.04)	2,167	2.00	SR	0.62	(0.05)	940	-	ADVA13C2012A	0.34	(0.03)	154,732	-
TACC	6.40	-	62,416	6.00	TAKUNI	0.39	(0.01)	1,467	-	ADVA13P2012A	0.81	0.01	53,920	-
TMILL	3.04	(0.02)	517	3.00	TPCH	11.70	(0.10)	13,128	11.00	ADVA16C2009A	-	-	-	-
XO	9.35	0.35	183,314	9.00	TRT	1.63	(0.04)	295	1.00	ADVA19C2009A	-	-	-	-
Consumer Products														
BGT	1.02	(0.01)	29	-	UMS	-	-	-	-	ADVA19C2010A	-	-	-	-
BIZ	3.20	(0.10)	4,058	3.00	UPA	0.16	(0.01)	32,915	-	ADVA19C2010B	0.11	(0.01)	96,088	-
DOD	9.65	0.15	291,595	9.00	UWC	0.05	(0.01)	20,996	-	ADVA19C2012A	0.33	(0.03)	88,858	-
ECF	1.27	(0.02)	105,705	1.00	Services (MAI)	-	-	-	-	ADVA19P2009A	-	-	-	-
HPT	0.89	-	106	-	A5	-	-	-	-	ADVA19P2010A	0.21	-	114,074	-
IP	12.10	0.10	11,497	12.00	AKP	0.84	-	1,245	-	ADVA19P2012A	0.71	0.01	175,994	-
JUBILE	17.60	(0.10)	870	17.00	AMA	4.24	(0.06)	13,173	4.00	ADVA24C2009A	-	-	-	-
MOONG	3.72	(0.04)	290	3.00	ARIP	0.40	-	9,282	-	ADVA24C2101A	0.36	(0.03)	38,514	-
NPK	16.50	1.00	4	16.00	ATP30	0.79	(0.01)	4,185	-	ADVA28C2011A	-	-	-	-
OCEAN	0.81	-	614	-	AUCT	13.60	0.60	70,277	13.00	ADVA28C2012A	-	-	-	-
TM	2.30	(0.02)	1,050	2.00	BOL	4.62	(0.16)	11,290	4.00	ADVA28C2012B	0.10	(0.01)	12,168	-
Financials (MAI)														
ACAP	0.67	-	848	-	CMO	0.88	(0.02)	482	-	ADVA28C2101A	0.34	(0.02)	26,701	-
AF	0.53	0.02	114	-	D	3.44	-	1,163	3.00	ADVA28C2102L	0.23	(0.01)	22,250	-
AIRA	0.94	(0.04)	188	-	DV8	0.31	-	507	-	ADVA28P2012A	0.21	0.01	16,224	-
ASN	4.48	0.30	20	4.00	EFORL	0.03	-	18,173	-	ADVA41C2010A	-	-	-	-
BROOK	0.40	0.01	53,115	-	ETE	0.94	0.01	356	-	ADVA41C2010B	-	-	-	-
CHAYO	7.50	-	23,727	7.00	FSMART	8.00	(0.05)	86,509	7.00	ADVA41C2011A	0.26	(0.03)	12,500	-
GCAP	1.36	(0.02)	2,751	1.00	FVC	0.38	0.01	236	-	ADVA41P2009A	-	-	-	-
LIT	3.18	0.02	2,821	3.00	GSC	1.36	0.06	1,319	1.00	ADVA41P2011A	-	-	-	-
MITSI	1.04	(0.02)	11,783	1.00	HARN	2.12	0.02	2,385	2.00	ADVA41P2101A	0.63	0.03	18,683	-
SGF	0.54	-	33,769	-	IMH	2.16	-	410	2.00	ADVA42C2102T	0.34	(0.04)	162	-
Industrials (MAI)														
ZS	3.14	(0.04)	622	3.00	JKN	10.80	(0.10)	338,693	11.00	AEON13C2010A	-	-	-	-
ADB	0.76	0.02	2,502	-	KIAT	0.46	0.01	23,053	-	AEON13C2011A	0.09	(0.02)	22,180	-
BM	2.10	(0.02)	49	2.00	KOOL	1.01	0.06	95,945	1.00	AEON19C2010A	-	-	-	-
CHO	0.48	-	25,594	-	LDC	1.19	(0.01)	2,986	1.00	AEON19C2010B	0.09	(0.01)	5,201	-
CHOW	1.70	(0.05)	685	1.00	MORE	0.80	(0.02)	222,146	-	AEON19C2011A	0.52	(0.04)	372,636	-
CIG	0.21	(0.01)	9,690	-	MPG	0.26	0.01	15,444	-	AEON19C2012A	0.31	(0.02)	26,737	-
COLOR	1.21	(0.01)	1,500	1.00	MVP	1.13	(0.01)	1,915	1.00	AEON28C2012A	0.25	(0.03)	36,370	-
CPR	2.46	(0.02)	138	2.00	NBC	0.54	(0.01)	103	-	AEON28C2101A	0.70	(0.13)	100	-
FPI	1.41	0.01	3,476	1.00	NCL	0.63	(0.05)	593	-	AEON42C2101T	0.15	(0.02)	50	-
GTB	0.67	(0.01)	831	-	NEWS	0.01	-	12,385	-	AMAT01C2101A	0.31	(0.05)	42,573	-
KCM	0.42	-	3,841	-	NINE	1.71	(0.03)	28	1.00	AMAT06C2010A	-	-	-	-
KUMWEL	1.14	(0.01)	75,763	1.00	OTO	3.04	(0.08)	1,078	3.00	AMAT08C2010A	0.12	(0.03)	7,505	-
KWM	0.86	-	3,558	-	PHOL	2.38	0.04	12,534	2.00	AMAT08C2101A	0.33	(0.05)	24,140	-
MBAX	6.20	0.15	7,344	6.00	PICO	3.60	(0.04)	1	3.00	AMAT13C2010A	0.05	(0.03)	2,000	-
MGT	2.14	-	6,675	2.00	QLT	4.02	0.02	290	4.00	AMAT13C2012A	0.22	(0.05)	575,317	-
NDR	1.39	(0.02)	3,869	1.00	RP	1.24	(0.01)	1,441	1.00	AMAT19C2009A	0.05	(0.04)	3,400	-
PDG	3.42	0.04	363	3.00	SE	1.15	(0.01)	440	1.00	AMAT19C2011A	0.12	(0.04)	102,000	-
PIMO	2.20	0.14	861,778	2.00	SLM	-	-	-	-	AMAT19C2012A	0.20	(0.04)	75,552	-
PJW	1.33	0.01	4,927	1.00	SONIC	1.04	-	562	1.00	AMAT24C2010A	-	-	-	-
PPM	0.69	-	173	-	SPA	6.15	(0.25)	14,018	6.00	AMAT28C2012A	0.11	(0.02)	40,777	-
RWI	1.36	-	1,203	1.00	THMUI	0.53	(0.01)	45	-	AMAT28C2101A	0.20	(0.03)	34,481	-
SALIE	0.63	-	411	-	TNDT	2.98	(0.02)	1,061	2.00	AMAT28C2102L	0.12	(0.02)	22,268	-
SANKO	0.97	0.02	626	-	TNH	33.25	-	1,056	33.00	AMAT28C2103A	0.32	(0.04)	42,067	-
SELIC	2.00	(0.04)	3,612	2.00	TNP	2.96	0.04	38,646	2.00	AMAT42C2101T	-	-	-	-
SWC	4.14	(0.04)	1,740	4.00	TSF	-	-	-	-	AOT01C2012A	0.68	(0.03)	93,634	-
TMC	0.60	0.02	835	-	TVD	1.01	(0.05)	20,385	1.00	AOT01P2012A	0.24	0.01	75,862	-
TMI	0.62	-	190	-	TVT	0.65	-	214	-	AOT01P2012B	0.60	0.02	118,623	-
TMW	29.00	-	103	28.00	VL	1.07	0.06	266,922	1.00	AOT06C2009A	-	-	-	-
TPAC	13.40	(0.30)	106	13.00	WINNER	2.46	(0.02)	929	2.00	AOT06C2011A	0.29	(0.03)	50,666	-
TPLAS	1.60	0.02	9,132	1.00	YGG	12.60	1.60	125,033	11.00	AOT06P2009A	0.01	-	882	-
UBIS	5.00	-	260	5.00	Technology (MAI)					AOT06P2011A	0.56	0.02	90,056	-
UEC	0.86	-	928	-	APP	2.40	0.02	37,294	2.00	AOT08C2009A	-	-	-	-
UKEM	0.53	(0.01)	42,232	-	COMAN	2.22	(0.06)	737	2.00	AOT08C2101A	0.53	(0.04)	41,413	-
UREKA	0.81	0.01	1,112	-	ICN	1.95	(0.02)	3,016	1.00	AOT08P2009A	-	-	-	-
YUASA	14.90	0.40	9,849	14.00	IIG	23.00	1.70	220,620	22.00	AOT08P2102A	0.62	0.01	64,910	-
ZIGA	1.84	-	173,703	1.00	INSET	3.26	(0.04)	79,934	3.00	AOT11C2011A	0.34	(0.03)	94,830	-
Property & Construc														
ALL	3.02	(0.12)	62,400	3.00	IRCP	0.69	0.01	13,559	-	AOT11P2101A	0.36	0.01	49,261	-
ARIN	0.99	-	1,145	1.00	ITEL	2.84	-	18,241	2.00	AOT13C2010A	0.03	(0.01)	22,839	-
ARROW	7.80	0.65	73,555	7.00	NETBAY	26.00	-	3,159	25.00	AOT13C2011A	0.23	(0.02)	416,345	-
BC	0.82	(0.07)	2,634	-	PLANET	1.17	-	4,050	1.00	AOT13C2012A	0.59	(0.06)	15,885	-
BSM	0.28	-	2,930	-	SICT	5.05	(0.05)	551,814	5.00	AOT13P2010A	0.29	0.01	106,155	-
BTW	0.80	0.01	109	-	SIMAT	3.64	0.04	12,948	3.00	AOT13P2011A	0.14	-	137,946	-
CAZ	1.48	(0.01)	5,137	1.00	SKY	13.70	-	3,274	13.00	AOT16C2009A	-	-	-	-
CHEWA	0.49	-	7,076	-	SPVI	2.96	0.02	48,189	2.00	AOT16C2012A	0.67	(0.05)	4,176	-
CMC	0.71	(0.01)	2,261	-	TPS	2.48	(0.04)	17,288	2.00	AOT19C2009A	-	-	-	-
CRD	-	-	-	-	VCOM	5.00	(0.10)	14,537	5.00	AOT19C2011A	0.08	-	500	-
DIMET	0.17	-	29,509	-	Unit Trust					AOT19C2011B	0.26	(0.02)	592,751	-
FLOYD	0.89	-	5,369	-	SCBSET	-	-	-	-	AOT19C2012A	0.52	(0.02)	106,339	-
HYDRO	0.31	0.04	37,966	-	ETF	-	-	-	-	AOT19P2009A	-	-	-	-
JSP	0.23	0.02	20,043	-	IDIV	7.57	(0.15)	497	7.00	AOT19P2009B	-	-	-	-
K	0.76	0.01</												

Asia Plus Securities Company Limited

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
AP13C2011A	0.09	(0.03)	29,631	-
AP19C2010A	-	-	-	-
AP19C2011A	0.13	(0.01)	212	-
AP28C2012A	0.63	(0.51)	2,028	-
AP28C2012B	0.11	(0.02)	7,620	-
AWC01C2009A	-	-	-	-
AWC01C2101A	0.51	(0.03)	5,773	-
AWC06C2011A	-	-	-	-
AWC06P2012A	0.43	0.01	17,880	-
AWC08C2012A	0.26	(0.01)	4,000	-
AWC11C2102A	0.51	(0.04)	20,160	-
AWC13C2010A	-	-	-	-
AWC13C2010B	0.01	(0.01)	9,680	-
AWC13C2011A	0.20	(0.02)	21,866	-
AWC13P2011A	0.22	0.01	54,244	-
AWC19C2010A	0.06	(0.02)	370	-
AWC19C2010B	-	-	-	-
AWC19C2010C	-	-	-	-
AWC19P2011A	0.22	-	7,000	-
AWC24C2010A	-	-	-	-
AWC28C2010A	-	-	-	-
AWC28C2010B	0.01	-	1,800	-
AWC28C2012A	-	-	-	-
AWC28C2012B	0.13	(0.01)	15,731	-
AWC28C2101A	0.31	(0.03)	10,140	-
AWC28C2103L	0.21	(0.02)	15,196	-
AWC41C2010A	-	-	-	-
AWC41C2011A	-	-	-	-
AWC42C2010T	0.09	(0.04)	2,001	-
BANP01C2101A	0.44	0.10	101,894	-
BANP06C2010A	-	-	-	-
BANP06C2101A	0.43	0.09	96,610	-
BANP06P2011A	0.26	(0.10)	44,970	-
BANP08C2009A	-	-	-	-
BANP08P2009A	-	-	-	-
BANP13C2010A	-	-	-	-
BANP13C2011A	0.16	0.03	139,527	-
BANP13C2012A	0.33	0.07	477,214	-
BANP13P2012A	0.27	(0.73)	163,587	-
BANP19C2009A	0.09	0.03	4,003	-
BANP19C2010A	-	-	-	-
BANP19C2012A	0.35	0.07	94,825	-
BANP19P2010A	0.09	(0.01)	44,000	-
BANP19P2010B	0.34	(0.10)	77,990	-
BANP19P2012A	0.17	(0.04)	116,453	-
BANP24C2011A	-	-	-	-
BANP28C2010A	-	-	-	-
BANP28C2012A	0.17	0.05	25,360	-
BANP28C2012B	0.12	-	46,773	-
BANP28C2101A	0.35	0.07	54,576	-
BANP41C2010A	0.09	-	6,178	-
BANP42C2012T	0.12	0.02	600	-
BBL06C2101A	0.66	(0.15)	22,780	-
BBL06P2011A	0.62	0.06	39,676	-
BBL08C2009A	-	-	-	-
BBL08C2101A	0.27	(0.04)	3,001	-
BBL08P2009A	-	-	-	-
BBL11C2011A	0.32	(0.04)	4,880	-
BBL13C2010A	-	-	-	-
BBL13C2010B	0.04	(0.02)	5,213	-
BBL13C2012A	0.25	(0.05)	107,748	-
BBL13C2012B	0.69	(0.31)	44,257	-
BBL13P2010A	0.03	(0.01)	7,334	-
BBL13P2012A	0.68	0.06	70,618	-
BBL19C2009A	-	-	-	-
BBL19C2010A	0.07	(0.03)	1,215	-
BBL19C2011A	-	-	-	-
BBL19C2011B	0.13	(0.04)	24,874	-
BBL19C2012A	0.56	(0.12)	25,002	-
BBL19P2010A	0.26	0.04	104,570	-
BBL19P2011A	0.65	0.06	117,278	-
BBL19P2012A	0.46	0.04	64,953	-
BBL24C2009A	-	-	-	-
BBL28C2010A	-	-	-	-
BBL28C2011A	-	-	-	-
BBL28C2012A	0.10	(0.03)	2,028	-
BBL28C2101A	0.18	(0.04)	10,267	-
BBL28C2104L	0.17	(0.02)	9,326	-
BBL41C2009A	-	-	-	-
BBL41C2011A	-	-	-	-
BBL41C2012A	0.56	(0.09)	1	-
BBL41C2012B	0.21	(0.79)	8,111	-
BBL41P2010A	-	-	-	-
BBL41P2011A	0.37	0.02	2,857	-
BBL42C2101T	0.09	(0.02)	50	-
BBL42P2102T	0.41	0.02	689	-
BCH01C2101A	0.34	(0.03)	141,140	-
BCH06C2011A	0.17	(0.02)	24,200	-
BCH13C2010A	0.08	(0.01)	21,928	-
BCH13C2012A	0.32	(0.02)	271,308	-
BCH19C2011A	0.22	(0.01)	107,722	-
BCP13C2011A	0.05	(0.01)	7,702	-
BCP13C2012A	-	-	-	-
BCP19C2011A	-	-	-	-
BCP19C2012A	0.15	(0.04)	1,005	-
BCPG01C2009A	-	-	-	-
BCPG01P2009A	-	-	-	-
BCPG13C2010A	-	-	-	-
BCPG13C2012A	-	-	-	-
BCPG13C2012B	0.12	(0.01)	9,816	-
BCPG16C2009A	-	-	-	-
BCPG19C2010A	-	-	-	-
BCPG19C2011A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
BCPG19C2012A	0.17	(0.01)	3,977	-
BCPG28C2012A	-	-	-	-
BCPG28C2012B	-	-	-	-
BCPG28C2012C	-	-	-	-
BCPG28C2101A	0.14	(0.01)	5,050	-
BCPG28C2103L	0.16	(0.01)	3,089	-
BDMS01C2101A	0.39	(0.02)	92,030	-
BDMS06C2010A	-	-	-	-
BDMS06C2102A	0.38	(0.01)	43,718	-
BDMS06P2009A	0.01	-	2,199	-
BDMS08C2011A	0.07	(0.01)	200	-
BDMS08C2101A	0.33	(0.01)	10,000	-
BDMS11C2011A	0.37	(0.02)	19,680	-
BDMS13C2011A	0.14	(0.01)	18,000	-
BDMS13C2012A	0.26	(0.01)	164,346	-
BDMS19C2010A	-	-	-	-
BDMS19C2011A	0.11	(0.01)	5,100	-
BDMS19C2012A	0.24	(0.02)	52,500	-
BDMS19P2010A	0.10	-	30,000	-
BDMS24C2010A	0.36	(0.02)	28,006	-
BDMS28C2011A	-	-	-	-
BDMS28C2012A	-	-	-	-
BDMS28C2012B	-	-	-	-
BDMS28C2101A	0.18	(0.01)	18,752	-
BDMS28C2102A	0.27	(0.01)	14,196	-
BDMS41C2012A	0.22	(0.01)	22,232	-
BDMS41P2011A	0.58	0.02	20,252	-
BDMS42C2101T	0.11	(0.01)	100	-
BEM01C2101A	0.14	(0.01)	4,794	-
BEM06P2009A	0.01	-	500	-
BEM08C2009A	-	-	-	-
BEM08C2102A	0.17	(0.01)	2,500	-
BEM11C2011A	-	-	-	-
BEM13C2010A	-	-	-	-
BEM13C2011A	0.15	-	40,548	-
BEM19C2010A	0.13	(0.02)	15,005	-
BEM19C2011A	0.05	(0.01)	1,389	-
BEM19P2010A	0.12	-	5,010	-
BEM28C2010A	0.09	(0.01)	6,114	-
BEM28C2012A	-	-	-	-
BEM28C2103A	0.31	-	2,535	-
BEM28C2104L	0.25	(0.01)	2,535	-
BGR101C2009A	0.09	(0.06)	2,000	-
BGR101C2012A	0.22	0.01	31,148	-
BGR101P2012A	0.48	(0.02)	28,701	-
BGR106C2010A	-	-	-	-
BGR106C2102A	0.53	0.01	36,395	-
BGR106P2011A	0.49	(0.03)	21,060	-
BGR108C2009A	-	-	-	-
BGR108C2101A	0.38	0.01	21,138	-
BGR111C2101A	0.23	0.01	22,130	-
BGR113C2011A	0.06	0.01	10,283	-
BGR113C2012A	0.31	0.01	48,143	-
BGR113P2011A	0.43	(0.02)	53,129	-
BGR119C2009A	-	-	-	-
BGR119C2011A	0.10	-	62,549	-
BGR119C2012A	0.21	0.01	63,350	-
BGR119P2010A	0.29	(0.03)	89,062	-
BGR124C2009A	-	-	-	-
BGR127C2101A	0.17	0.01	869	-
BGR127P2012A	0.28	(0.01)	9,114	-
BGR141C2010A	-	-	-	-
BGR141C2012A	0.45	0.01	46,318	-
BGR141C2101A	0.24	(0.01)	1,978	-
BGR142C2101T	0.09	-	530	-
BH13C2010A	-	-	-	-
BH13C2012A	0.22	(0.02)	37,870	-
BH19C2009A	-	-	-	-
BH19C2012A	0.26	(0.02)	51,910	-
BH19P2012A	0.45	0.01	47,549	-
BH24C2102A	0.35	(0.03)	49,378	-
BH41C2009A	-	-	-	-
BH41C2012A	0.20	(0.03)	22,000	-
BJC01C2009A	0.34	-	2	-
BJC01C2101A	0.33	(0.01)	8,859	-
BJC01P2009A	0.01	-	21	-
BJC01P2101A	0.45	(0.01)	9,116	-
BJC11C2102A	0.30	-	4,880	-
BJC13C2010A	-	-	-	-
BJC13C2011A	0.09	(0.01)	16,000	-
BJC13C2012A	-	-	-	-
BJC13P2012A	0.27	(0.01)	13,682	-
BJC19C2010A	0.02	(0.01)	483	-
BJC19C2101B	-	-	-	-
BJC19C2012A	0.22	(0.01)	20,000	-
BJC19P2012A	0.28	(0.01)	15,680	-
BJC27C2009A	0.01	-	1,100	-
BJC28C2010A	-	-	-	-
BJC28C2012A	-	-	-	-
BJC28C2012B	0.11	(0.01)	10,098	-
BJC28C2101A	0.20	(0.01)	8,619	-
BJC28C2102L	-	-	-	-
BJC41C2011A	-	-	-	-
BJC41C2012A	0.24	(0.02)	2,080	-
BPP13C2011A	0.09	(0.01)	1	-
BPP13C2012A	0.23	-	114,683	-
BPP19C2010A	0.05	-	8,000	-
BPP19C2012A	0.22	-	50,707	-
BTS01C2101A	-	-	-	-
BTS11C2011A	0.12	-	47,830	-
BTS13C2011A	-	-	-	-
BTS13C2012A	-	-	-	-
BTS13P2011A	0.16	0.01	137,431	-

Issue Date :

Tuesday September 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price
BTS19C2010A	0.03	0.01	10	-
BTS19C2011A	-	-	-	-
BTS19C2012A	0.38	(0.01)	578	-
BTS19P2012A	0.12	-	82,000	-
BTS24C2012A	-	-	-	-
BTS41C2010A	-	-	-	-
BTS41C2012A	-	-	-	-
CBG01C2012A	0.38	0.06	76,388	-
CBG01P2012A	0.70	(0.09)	91,649	-
CBG06C2011A	0.39	0.07	76,873	-
CBG08C2012A	0.52	0.08	35,941	-
CBG11C2010A	0.51	0.05	25,436	-
CBG13C2010A	0.43	0.07	8,154	-
CBG13C2011A	0.39	0.07	219,857	-
CBG13C2012A	0.26	0.04	200,330	-
CBG13P2010A	0.01	(0.01)	132	-
CBG13P2011A	0.37	(0.09)	189,473	-
CBG19C2010A	-	-	-	-
CBG19C2011A	0.51	0.08	331,626	-
CBG19C2011B	0.21	0.04	404,614	-
CBG19P2010A	0.03	(0.02)	550	-
CBG19P2011A	0.18	(0.06)	92,840	-
CBG19P2012A	0.74	(0.11)	276,888	-
CBG41C2009A	-	-	-	-
CBG41C2010A	0.39	0.08	5,251	-
CBG41C2011A	1.18	(0.02)	1,600	1.00
CBG41C2011B	0.34	0.05	34,233	-
CBG41C2012A	0.20	0.02	1,986	-
CBG41P2010A	0.15	(0.04)	4,501	-
CBG41P2012A	0.95	(0.11)	15,411	1.00
CBG42C2101T	0.72	0.08	9,947	-
CENT01C2009A	-	-	-	-
CENT01P2009A	0.02	-	941	-
CENT08C2012A	0.37	(0.04)	16,743	-
CENT11C2012A	0.15	(0.02)	2,021	-
CENT13C2010A	-	-	-	-
CENT13C2011A	0.30	(0.05)	68,030	-
CENT13P2011A	0.29	0.02	37,156	-
CENT19C2010A	0.13	(0.03)	5,235	-
CENT19C2011A	0.09	(0.02)	226	-
CENT19C20				

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday September 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719P2011A	0.06	(0.01)	7,641	-	DTAC06C2012A	0.06	(0.01)	50	-	GPSC06P2011A	0.86	0.01	26,432	-
COM719P2012A	0.19	-	93,176	-	DTAC06F2012A	0.73	0.13	20	-	GPSC08C2009A	0.01	-	53	-
COM724C2012A	0.35	(0.02)	20,869	-	DTAC08C2012A	-	-	-	-	GPSC08C2101A	0.36	(0.01)	14,772	-
COM741C2101A	0.31	(0.69)	15,832	-	DTAC08C2101A	0.18	(0.01)	14,124	-	GPSC11C2102A	0.51	(0.01)	7,750	-
CPAL01C2101A	0.35	(0.01)	220	-	DTAC13C2011A	0.05	(0.01)	1	-	GPSC13C2011A	0.07	(0.01)	210	-
CPAL01P2011A	0.59	-	43,435	-	DTAC13C2012A	0.16	(0.01)	40,734	-	GPSC13C2012A	0.26	(0.01)	33,345	-
CPAL06C2011A	0.03	-	300	-	DTAC13P2011A	0.48	-	32,457	-	GPSC13C2012B	0.42	-	207,644	-
CPAL06C2102A	0.37	(0.01)	29,551	-	DTAC16C2009A	-	-	-	-	GPSC13P2011A	0.65	-	2,200	-
CPAL06P2012A	0.62	(0.01)	40,950	-	DTAC19C2009A	-	-	-	-	GPSC13P2011B	0.33	(0.01)	71,374	-
CPAL08C2011A	-	-	-	-	DTAC19C2010A	-	-	-	-	GPSC19C2009A	-	-	-	-
CPAL08C2102A	-	-	-	-	DTAC19C2011A	0.06	(0.01)	7,000	-	GPSC19C2010A	0.07	(0.02)	201	-
CPAL08P2009A	-	-	-	-	DTAC19C2012A	0.11	-	13,560	-	GPSC19C2012A	0.31	(0.01)	44,000	-
CPAL08P2101A	0.68	(0.01)	13,700	-	DTAC19P2011A	0.41	-	31,586	-	GPSC19P2010A	0.14	-	113,378	-
CPAL11C2012A	-	-	-	-	DTAC24C2012A	-	-	-	-	GPSC19P2011A	0.81	-	46,878	-
CPAL13C2011A	0.06	(0.01)	88,266	-	DTAC28C2012A	-	-	-	-	GPSC19P2012A	0.44	-	87,297	-
CPAL13C2012A	0.24	-	234,309	-	DTAC28C2102A	0.13	-	35,462	-	GPSC24C2011A	-	-	-	-
CPAL13P2011A	0.45	-	174,459	-	DTAC28C2104L	0.18	(0.02)	36,412	-	GPSC28C2011A	-	-	-	-
CPAL19C2010A	0.01	(0.01)	2,000	-	DTAC41C2010A	-	-	-	-	GPSC28C2101A	0.35	(0.01)	29,392	-
CPAL19C2011A	-	-	-	-	DTAC41C2011A	0.04	(0.04)	998	-	GPSC28C2104L	0.28	-	21,773	-
CPAL19C2012A	0.29	(0.01)	104,615	-	DTAC41C2012A	-	-	-	-	GPSC41C2011A	-	-	-	-
CPAL19P2010A	-	-	-	-	DTAC42C2101T	0.05	(0.02)	100	-	GPSC41C2012A	0.30	(0.02)	21,333	-
CPAL19P2010B	0.43	(0.01)	130,289	-	EA06C2010A	0.08	(0.02)	43,277	-	GPSC41P2010A	0.69	0.01	26,906	-
CPAL24C2009A	0.04	(0.02)	5,000	-	EA06P2012A	0.61	-	49,543	-	GPSC42C2101T	-	-	-	-
CPAL27C2101A	0.10	(0.01)	380	-	EA08C2009A	0.04	(0.04)	510	-	GULF01C2012A	0.20	(0.01)	70,674	-
CPAL28C2010A	-	-	-	-	EA08C2101A	0.35	(0.01)	34,827	-	GULF01P2012A	0.25	(0.01)	34,218	-
CPAL28C2012A	0.05	-	200	-	EA11C2101A	0.11	(0.01)	25,510	-	GULF06C2009A	0.01	-	51,425	-
CPAL28C2012B	-	-	-	-	EA13C2011A	0.10	-	215,057	-	GULF06C2101A	0.27	(0.01)	16,050	-
CPAL28C2012C	0.08	(0.01)	10	-	EA13C2012A	0.20	(0.01)	246,090	-	GULF08C2009A	0.01	-	600	-
CPAL28C2102A	-	-	-	-	EA13P2011A	0.73	0.02	89,348	-	GULF08C2012A	0.12	(0.01)	2,629	-
CPAL28C2104L	-	-	-	-	EA16C2012A	0.13	(0.02)	16,267	-	GULF08C2102A	0.32	(0.01)	2,500	-
CPAL41C2010A	0.02	(0.04)	15	-	EA19C2010A	0.09	(0.01)	33,206	-	GULF11C2011A	-	-	-	-
CPAL41C2011A	0.17	(0.01)	28,332	-	EA19C2012A	0.19	(0.02)	169,353	-	GULF13C2011A	0.05	(0.01)	12,257	-
CPAL41P2011A	0.57	-	4,717	-	EA19P2011A	0.34	-	165,738	-	GULF13C2012A	0.14	-	74,227	-
CPAL42C2101T	0.06	(0.01)	1,100	-	EA19P2011B	0.49	-	63,801	-	GULF13P2011A	0.26	(0.02)	186,375	-
CPF01C2012A	0.08	(0.01)	5,370	-	EA24C2101A	0.27	(0.02)	101,175	-	GULF16C2012A	0.14	-	4,424	-
CPF01P2012A	0.40	-	14,908	-	EA28C2011A	0.09	(0.01)	8,999	-	GULF19C2010A	0.02	(0.01)	658	-
CPF06C2010A	0.02	-	3,868	-	EA28C2012A	0.14	(0.03)	40,704	-	GULF19C2010B	-	-	-	-
CPF06C2102A	0.27	(0.02)	6,643	-	EA28C2101A	0.14	(0.01)	17,438	-	GULF19C2012A	0.16	-	5,896	-
CPF06P2011A	0.17	-	12,345	-	EA28C2102A	0.22	(0.03)	28,392	-	GULF19C2101A	0.23	0.01	425,118	-
CPF08C2010A	0.07	-	2,000	-	EA28C2103L	0.13	-	4,156	-	GULF19P2009A	0.02	0.01	10,000	-
CPF11C2010A	-	-	-	-	EA41C2009A	-	-	-	-	GULF19P2010A	0.11	-	18,396	-
CPF13C2011A	0.04	-	10,250	-	EA41C2011A	0.09	(0.01)	28,000	-	GULF19P2010B	0.30	-	18,104	-
CPF13C2012A	0.11	(0.01)	13,183	-	EA42C2101T	0.16	(0.02)	1,229	-	GULF19P2012A	0.30	-	154,198	-
CPF13P2012A	0.36	-	33,807	-	EGC001C2101A	0.26	(0.01)	17,372	-	GULF24C2009A	-	-	-	-
CPF16C2012A	0.08	(0.01)	100	-	EGC006C2010A	-	-	-	-	GULF24C2101A	0.23	-	43,575	-
CPF19C2009A	-	-	-	-	EGC006P2009A	0.03	(0.07)	4,070	-	GULF28C2010A	-	-	-	-
CPF19C2010A	0.04	(0.01)	4,178	-	EGC013C2011A	0.05	(0.01)	1,003	-	GULF28C2012A	0.04	-	24,690	-
CPF19C2012A	0.13	-	19,873	-	EGC013C2012A	0.25	-	68,686	-	GULF28C2012B	-	-	-	-
CPF19P2010A	-	-	-	-	EGC013P2011A	0.73	0.01	64,810	-	GULF28C2101A	0.15	-	9,276	-
CPF19P2012A	0.42	0.01	4,577	-	EGC019C2010A	0.02	(0.01)	490	-	GULF28C2102A	0.18	-	24,336	-
CPF24C2012A	-	-	-	-	EGC019C2011A	-	-	-	-	GULF41C2011A	-	-	-	-
CPF28C2010A	0.35	(0.01)	200	-	EGC019C2012A	0.15	-	44,941	-	GULF41C2012A	0.16	-	18,200	-
CPF28C2011A	-	-	-	-	EGC019P2011A	0.93	0.01	96,493	-	GULF41C2102A	0.22	(0.01)	4,937	-
CPF28C2012A	0.06	-	5,200	-	EGC019P2012A	0.58	(0.01)	138,690	-	GULF41P2009A	-	-	-	-
CPF28C2012B	-	-	-	-	EGC024C2009A	-	-	-	-	GULF41P2011A	0.35	-	22,825	-
CPF28C2102A	0.15	(0.01)	6,084	-	EGC041C2010A	0.26	(0.74)	13,456	-	GULF41P2012A	0.28	-	5,000	-
CPF28C2103L	0.14	-	1,200	-	EGC042C2101T	-	-	-	-	GULF42C2010M	-	-	-	-
CPF41C2010A	-	-	-	-	EPG13C2010A	-	-	-	-	GULF42C2101T	0.10	-	19	-
CPF41C2101A	0.16	0.01	17,000	-	EPG13C2011A	0.33	(0.04)	36,621	-	GULF42P2010T	0.27	-	9,692	-
CPF41P2011A	0.32	(0.01)	7,452	-	EPG13C2012A	0.14	(0.01)	13,500	-	GUNK01C2012A	0.15	(0.03)	46,260	-
CPF42C2101T	0.07	0.01	27	-	EPG19C2010A	0.34	(0.04)	8,321	-	GUNK13C2011A	0.05	-	11,000	-
CPN01C2012A	0.19	(0.01)	48,362	-	EPG19C2011A	0.11	-	10,000	-	GUNK13C2101A	0.21	(0.79)	201,438	-
CPN06C2010A	0.08	-	30	-	EPG42C2101T	-	-	-	-	GUNK19C2010A	-	-	-	-
CPN11C2101A	0.19	0.01	56,790	-	ERW06C2010A	0.15	(0.02)	149,840	-	GUNK19C2012A	0.08	(0.02)	30,540	-
CPN13C2009A	-	-	-	-	ERW13C2010A	0.06	(0.01)	60	-	GUNK19C2101A	0.16	(0.03)	227,657	-
CPN13C2011A	0.08	(0.01)	2,200	-	ERW19C2010A	0.25	(0.03)	27,997	-	GUNK24C2012A	0.09	(0.01)	42,236	-
CPN13C2012A	0.25	(0.01)	149,510	-	ERW19C2010B	-	-	-	-	GUNK28C2012A	0.09	(0.01)	4,066	-
CPN19C2010A	-	-	-	-	ESSO01C2009A	-	-	-	-	GUNK28C2012B	-	-	-	-
CPN19C2011A	-	-	-	-	ESSO01C2012A	0.24	(0.02)	27,477	-	GUNK28C2102A	0.12	(0.02)	18,648	-
CPN19C2012A	0.20	0.01	100,831	-	ESSO01P2009A	0.01	-	1,911	-	HANA01C2012A	0.48	-	130,149	-
CPN19P2010A	0.27	(0.02)	100,600	-	ESSO01P2012A	0.54	0.01	31,940	-	HANA13C2011A	0.49	-	306,468	-
CPN24C2011A	0.10	-	6,000	-	ESSO06C2011A	0.10	(0.01)	7,854	-	HANA13C2012A	0.27	0.01	1,319,149	-
CPN41C2009A	-	-	-	-	ESSO08C2011A	0.18	(0.01)	14,940	-	HANA19C2010A	0.47	0.01	196,357	-
CPN41C2012A	0.16	(0.01)	29,059	-	ESSO13C2010A	0.06	(0.01)	3,816	-	HANA19C2012A	0.29	(0.01)	360,887	-
CPN41C2101A	-	-	-	-	ESSO13C2012A	0.21	(0.02)	78,106	-	HANA19P2011A	0.03	-	6,930	-
CPN41P2011A	0.76	(0.04)	14,568	-	ESSO19C2009A	-	-	-	-	HANA24C2012A	0.48	0.01	290,757	-
CRC01C2101A	0.25	-	36,606	-	ESSO19C2010A	0.14	(0.03)	31,000	-	HANA27P2012X	0.12	0.01	27,655	-
CRC01P2011A	0.49	(0.01)	85,114	-	ESSO19C2011A	0.08	-	9,665	-	HANA28C2012A	0.40	0.01	141,819	-
CRC08C2009A	-	-	-	-	ESSO19C2012A	0.18	(0.02)	37,505	-	HANA41C2012A	0.39	-	64,948	-
CRC08C2101A	0.20	-	28,000	-	ESSO19P2012A	0.38	0.01	140,105	-	HANA42C2101T	0.33	-	4,000	-
CRC13C2011A	0.08	-	9,790	-	ESSO24C2012A	0.12	(0.02)	11,798	-	HMPR01C2012A	0.18	(0.01)	46,924	-
CRC13C2012A	0.16	(0.01)	66,875	-	ESSO28C2101A	0.12	-	4,106	-	HMPR06C2010A	0.10	-	9,460	-
CRC13P2012A	0.24	-	125,452	-	ESSO28C2101B	0.16	(0.01)	22,815	-	HMPR06P2011A	0.19	(0.01)	19,730	-
CRC19C2010A	0.02	0.01	501	-	ESSO41C2010A	0.12	(0.07)	6,000	-	HMPR11C2011A	0.31	-	28,560	-
CRC19C2011A	0.08	(0.01)	24,299	-	ESSO41C2011A	-	-	-	-	HMPR13C2012A	0.26	-	202,975	-
CRC19C2012A	0.16	0.01	146,772	-	ESSO42C2101T	0.16	(0.02)	745	-	HMPR19C2010A	-	-	-	-
CRC19P2011A	0.21	(0.02)	186,889	-	GFPT08C2011A	0.11	(0.01)	4,000	-	HMPR19P2011A	0.30	(0.01)	85,489	-
CRC24C2101A	0.17	-	23,446	-	GFPT13C201									

Main Board Quotation

Issue Date :

Tuesday September 22, 2020

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28P2010A	0.58	0.03	825,844	-	JAS13C2011A	0.03	(0.01)	2,123	-	KTB24C2010A	0.30	(0.03)	642	-
HSI28P2010B	0.98	0.05	1,365,148	-	JAS13C2012A	0.21	(0.02)	510,037	-	KTB28C2011A	-	-	-	-
HSI28P2010C	1.63	0.11	549,312	1.00	JAS19C2009A	-	-	-	-	KTB28C2012A	-	-	-	-
HSI28P2010L	0.09	-	4,733	-	JAS19C2010A	0.02	-	26	-	KTB28C2012B	-	-	-	-
HSI28P2011L	0.17	0.01	5,407	-	JAS19C2010B	0.02	(0.01)	1	-	KTB28C2012C	-	-	-	-
HSI28P2012L	0.60	0.03	4,406	-	JAS19C2012A	0.18	(0.02)	176,616	-	KTB28C2102A	0.25	(0.03)	29,836	-
HSI28P2101L	0.50	0.03	1,517	-	JAS19C2101A	0.37	(0.04)	256,329	-	KTC01C2012A	0.35	0.02	67,770	-
HSI41C2009A	0.01	-	5,766	-	JAS19P2010A	0.28	0.01	370,690	-	KTC01P2012A	0.19	(0.02)	33,595	-
HSI41C2009B	0.01	-	300	-	JAS28C2011A	-	-	-	-	KTC08C2011A	0.22	0.01	27,277	-
HSI41C2009C	-	-	-	-	JAS28C2012A	0.03	-	362	-	KTC11P2011A	0.14	(0.01)	20,100	-
HSI41C2009D	0.09	0.08	381	-	JAS28C2012B	-	-	-	-	KTC13C2010A	0.01	-	45,515	-
HSI41C2010A	0.30	(0.06)	38,267	-	JAS28C2101A	0.14	(0.02)	24,770	-	KTC13C2010B	0.15	0.02	97,385	-
HSI41C2010B	0.11	(0.03)	52,544	-	JAS28C2102A	0.25	(0.03)	13,838	-	KTC13C2011A	0.30	0.02	403,625	-
HSI41C2010C	0.04	(0.01)	4,591	-	JAS41C2009A	-	-	-	-	KTC13P2010A	-	-	-	-
HSI41C2011A	0.09	(0.03)	8,408	-	JAS41C2011A	0.09	(0.02)	3,962	-	KTC13P2012A	0.21	(0.01)	278,606	-
HSI41C2012A	0.13	(0.02)	4,373	-	JMT06C2012A	0.06	(0.02)	16,316	-	KTC19C2010A	0.03	-	25,500	-
HSI41C2101A	0.13	(0.02)	5,547	-	JMT08C2101A	0.29	-	10,234	-	KTC19C2010B	0.20	0.01	46,113	-
HSI41P2009A	0.39	0.07	15,145	-	JMT11C2102A	0.32	0.01	8,312	-	KTC19C2012A	0.30	0.02	129,358	-
HSI41P2009B	-	-	-	-	JMT13C2011A	-	-	-	-	KTC19P2010A	0.11	(0.02)	10,000	-
HSI41P2009C	1.04	0.20	240	1.00	JMT13C2011B	0.37	-	64,141	-	KTC19P2012A	0.28	(0.72)	135,263	-
HSI41P2009D	0.12	0.06	38,001	-	JMT13C2012A	0.22	(0.01)	186,470	-	KTC24C2011A	0.29	0.03	24,503	-
HSI41P2010A	1.66	0.09	4,287	1.00	JMT19C2010A	-	-	-	-	KTC28C2011A	-	-	-	-
HSI41P2010B	1.07	0.12	7,028	1.00	JMT19C2011A	0.37	(0.01)	10,722	-	KTC28C2012A	0.11	-	1,014	-
HSI41P2010C	0.60	0.05	1,926,934	-	JMT19C2012A	0.22	(0.02)	6,194	-	KTC28C2012B	0.25	0.02	14,682	-
HSI41P2011A	1.06	0.10	40,011	1.00	JMT24C2011A	0.35	(0.01)	26,869	-	KTC28C2101A	0.27	0.02	57,344	-
HSI41P2012A	0.57	0.11	2,417	-	JMT28C2101A	0.29	0.01	15,310	-	KTC28C2103L	0.23	0.01	7,645	-
HSI41P2101A	-	-	-	-	JMT41C2012A	-	-	-	-	KTC41C2009A	-	-	-	-
INTU01C2010A	0.35	(0.03)	88,956	-	JMT42C2101T	0.21	(0.01)	100	-	KTC41C2011A	0.27	0.03	25,923	-
INTU06C2009A	-	-	-	-	KBAN01C2012A	0.58	(0.06)	59,478	-	KTC41C2012A	-	-	-	-
INTU06P2011A	0.33	0.01	101,775	-	KBAN01C2012B	0.43	(0.08)	39,787	-	KTC42C2012T	0.14	-	2,958	-
INTU13C2011A	0.10	(0.03)	400	-	KBAN01P2012A	1.03	0.09	62,826	-	LH011C2010A	0.25	(0.02)	31,340	-
INTU16C2009A	0.02	(0.03)	2,500	-	KBAN06C2011A	0.02	-	5,360	-	LH06C2012A	0.13	(0.01)	15,880	-
INTU19C2009A	-	-	-	-	KBAN06C2012A	0.17	(0.06)	59,225	-	LH11C2012A	0.17	(0.02)	17,180	-
INTU19C2012A	0.25	(0.02)	30,100	-	KBAN06P2011A	0.88	0.11	55,480	-	LH13C2010A	0.03	(0.07)	60	-
INTU19P2010A	-	-	-	-	KBAN08C2011A	0.05	(0.03)	1	-	LH19C2010A	0.12	(0.01)	15,650	-
INTU19P2012A	0.58	0.02	107,416	-	KBAN08C2101A	0.27	(0.04)	16,011	-	LH19C2011A	-	-	-	-
INTU23C2111A	0.66	(0.03)	40	-	KBAN08P2101A	1.23	0.11	58,982	1.00	LH19P2010A	0.13	0.01	24,000	-
INTU28C2010A	-	-	-	-	KBAN13C2010A	0.01	-	891	-	MAJ013C2011A	0.18	-	5,201	-
INTU28C2012A	0.12	(0.03)	3,014	-	KBAN13C2010B	-	-	-	-	MAJ019C2011A	0.33	0.01	8,211	-
INTU28C2102A	0.26	(0.02)	48,630	-	KBAN13C2011A	0.13	(0.05)	26,973	-	MEGA13C2011A	-	-	-	-
INTU41C2010A	-	-	-	-	KBAN13C2012A	0.21	(0.06)	270,943	-	MEGA16C2009A	-	-	-	-
INTU41C2012A	0.22	(0.02)	4,030	-	KBAN13P2010A	0.10	-	6,084	-	MEGA19C2011A	0.14	(0.02)	32,456	-
INTU42C2101T	-	-	-	-	KBAN13P2011A	1.10	0.11	528,499	1.00	MEGA42C2101T	-	-	-	-
IRPC01C2010A	0.16	(0.05)	10,873	-	KBAN19C2009A	-	-	-	-	MINT01C2012A	0.54	(0.14)	137,170	-
IRPC06C2010A	0.01	-	1,200	-	KBAN19C2010A	-	-	-	-	MINT01P2012A	0.35	0.06	83,116	-
IRPC06P2010A	-	-	-	-	KBAN19C2010B	-	-	-	-	MINT01P2012B	0.81	0.11	121,788	-
IRPC11C2102A	0.14	(0.02)	7,171	-	KBAN19C2011A	0.01	-	12,930	-	MINT06C2012A	0.58	(0.18)	166,140	-
IRPC13C2011A	-	-	-	-	KBAN19C2012A	0.31	(0.07)	154,618	-	MINT06P2012A	0.24	0.06	124,905	-
IRPC13C2012A	0.07	(0.02)	25	-	KBAN19C2012B	0.17	(0.06)	94,081	-	MINT08C2010A	0.27	(0.11)	67,560	-
IRPC13C2012B	0.12	(0.03)	90,318	-	KBAN19P2010A	0.73	0.09	153,332	-	MINT08P2011A	0.34	0.07	88,297	-
IRPC13P2011A	-	-	-	-	KBAN19P2010P	0.21	0.03	115,770	-	MINT11C2011A	0.52	(0.12)	123,193	-
IRPC13P2012A	0.29	0.04	154,690	-	KBAN24C2009A	-	-	-	-	MINT11P2011A	0.26	0.04	14,379	-
IRPC19C2010A	-	-	-	-	KBAN24C2012A	0.18	(0.05)	73,066	-	MINT13C2010A	0.26	(0.11)	233,853	-
IRPC19C2011A	-	-	-	-	KBAN28C2010A	-	-	-	-	MINT13C2011A	0.34	(0.13)	947,276	-
IRPC19C2011A	0.13	(0.04)	17,299	-	KBAN28C2012A	-	-	-	-	MINT13P2011A	0.25	0.05	72,192	-
IRPC19P2010A	0.52	0.04	3,250	-	KBAN28C2012B	0.07	(0.02)	6,800	-	MINT13P2012A	0.48	0.10	764,565	-
IRPC19P2012A	0.30	0.02	83,178	-	KBAN28C2101A	0.28	(0.06)	16,173	-	MINT16C2012A	0.54	(0.19)	30,740	-
IRPC24C2012A	0.06	(0.03)	1,000	-	KBAN28C2104L	0.25	(0.03)	9,196	-	MINT19C2010A	0.15	(0.08)	227,413	-
IRPC28C2012A	0.03	(0.01)	700	-	KBAN28P2012A	0.44	0.05	34,950	-	MINT19C2011A	0.62	(0.16)	302,980	-
IRPC28C2101A	0.07	(0.02)	4,000	-	KBAN41C2009A	-	-	-	-	MINT19C2011B	0.31	(0.11)	508,744	-
IRPC28C2103A	0.14	(0.03)	18,731	-	KBAN41C2011A	-	-	-	-	MINT19P2010A	0.15	0.04	193,104	-
IRPC41C2010A	-	-	-	-	KBAN41C2012A	0.26	(0.07)	116,583	-	MINT19P2011A	0.20	0.06	97,004	-
IRPC41C2010A	0.09	(0.01)	252	-	KBAN41P2010A	0.42	0.06	30,110	-	MINT19P2012A	0.55	0.11	664,121	-
IVL01C2012A	0.11	(0.01)	88,731	-	KBAN41P2011A	1.57	0.14	8,304	1.00	MINT24C2011A	0.42	(0.14)	33,168	-
IVL01C2012B	0.41	(0.05)	122,562	-	KBAN42C2101T	0.22	(0.04)	20	-	MINT28C2012A	0.18	(0.05)	46,133	-
IVL01P2012A	0.86	0.02	66,268	-	KBAN42P2011T	0.95	0.06	5,356	-	MINT28C2012B	0.31	(0.10)	113,648	-
IVL06C2010A	0.01	-	400	-	KCE01C2012A	0.38	0.01	88,317	-	MINT28C2012C	0.33	(0.15)	149,503	-
IVL06C2101A	0.25	(0.05)	79,207	-	KCE01P2011A	0.33	(0.03)	253,694	-	MINT28C2104L	0.27	(0.06)	82,292	-
IVL06P2009A	-	-	-	-	KCE06C2009A	-	-	-	-	MINT41C2010A	0.17	(0.11)	96,100	-
IVL06P2011A	0.75	0.05	70,671	-	KCE06C2012A	1.71	(0.08)	50	1.00	MINT41C2012A	0.62	(0.17)	3,723	-
IVL08C2009A	-	-	-	-	KCE06C2012B	0.57	0.01	81,904	-	MINT42C2101T	0.31	(0.11)	4,606	-
IVL08C2101A	0.30	(0.03)	48,228	-	KCE08C2009A	-	-	-	-	MINT42P2102T	0.54	0.07	3,698	-
IVL08P2011A	0.33	0.03	35,000	-	KCE08C2012A	0.45	-	45,313	-	MTC01C2012A	0.56	0.01	76,741	-
IVL11C2012A	0.11	(0.01)	6,358	-	KCE11C2010A	0.45	(0.02)	48,560	-	MTC06C2010A	0.06	(0.03)	1,000	-
IVL13C2011A	0.03	(0.01)	11,231	-	KCE13C2010A	0.32	0.01	55,853	-	MTC06C2012A	0.67	0.02	61,014	-
IVL13C2012A	0.22	(0.04)	83,672	-	KCE13C2012A	0.30	0.01	792,164	-	MTC08C2009A	-	-	-	-
IVL														

Main Board Quotation

Issue Date :

Tuesday September 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OR128C2103L	0.22	(0.02)	15,614	-	PTTE13P210A	0.42	0.01	86,095	-	S5008C2009A	-	-	-	-
OSP01C2012A	0.18	(0.02)	149,530	-	PTTE13P212A	0.61	0.02	97,833	-	S5008C2009B	-	-	-	-
OSP06C2011A	0.07	(0.01)	15,110	-	PTTE16C2009A	-	-	-	-	S5008C2012A	0.28	(0.03)	73,360	-
OSP06P2009A	-	-	-	-	PTTE19C2009A	-	-	-	-	S5008C2012B	0.40	(0.03)	68,869	-
OSP06P2102A	0.56	0.03	58,982	-	PTTE19C2009B	-	-	-	-	S5008P2009A	-	-	-	-
OSP08C2009A	-	-	-	-	PTTE19C2010A	0.07	(0.02)	300	-	S5008P2009B	0.03	-	1	-
OSP11C2102A	0.24	(0.02)	118,195	-	PTTE19C2010B	0.27	(0.05)	225,260	-	S5008P2012A	1.02	0.03	201,140	1.00
OSP13C2010A	0.01	(0.02)	6,771	-	PTTE19C2011A	0.12	(0.02)	138,544	-	S5013C2009A	-	-	-	-
OSP13C2012A	0.12	(0.01)	115,925	-	PTTE19C2011B	0.19	(0.03)	255,500	-	S5013C2009B	-	-	-	-
OSP13P2011A	0.36	0.01	81,879	-	PTTE19C2012A	0.51	(0.04)	171,285	-	S5013C2009C	0.01	-	1	-
OSP19C2009A	-	-	-	-	PTTE19P2009A	-	-	-	-	S5013C2009D	-	-	-	-
OSP19C2010A	0.02	(0.02)	1,002	-	PTTE19P2009B	-	-	-	-	S5013C2009E	-	-	-	-
OSP19C2012A	0.14	(0.01)	52,517	-	PTTE19P2010A	0.21	0.01	292,436	-	S5013C2009F	-	-	-	-
OSP19P2010A	0.25	0.01	97,268	-	PTTE19P2010B	0.36	0.01	285,698	-	S5013C2010A	0.37	(0.02)	71,265	-
OSP24C2101A	0.22	(0.02)	57,172	-	PTTE19P2012A	0.66	0.03	262,844	-	S5013C2012A	0.28	(0.04)	2,235,977	-
OSP28C2101A	0.10	(0.02)	28,308	-	PTTE24C2011A	0.11	(0.02)	21,264	-	S5013C2012B	0.32	(0.04)	1,728,877	-
OSP28C2101B	0.11	(0.03)	39,463	-	PTTE28C2011A	0.21	(0.03)	30,420	-	S5013C2012C	0.44	(0.05)	3,478,628	-
OSP41C2010A	0.03	(0.07)	1	-	PTTE28C2011B	-	-	-	-	S5013C2012D	0.39	(0.06)	4,644,360	-
OSP41C2012A	0.15	(0.06)	14,000	-	PTTE28C2012A	0.32	(0.03)	30,420	-	S5013P2009A	0.01	-	1	-
OSP42C2101T	0.09	(0.01)	437	-	PTTE28C2101A	0.42	(0.04)	65,840	-	S5013P2009B	0.01	-	3	-
PLAN06C2102A	0.28	-	23,724	-	PTTE28C2102L	0.27	(0.02)	17,876	-	S5013P2009C	-	-	-	-
PLAN13C2010A	0.03	-	31,783	-	PTTE41C2010A	-	-	-	-	S5013P2009D	0.01	-	4	-
PLAN13C2011A	0.19	0.02	67,318	-	PTTE41C2011A	0.25	(0.04)	4,956	-	S5013P2009E	0.05	-	61,444	-
PLAN19C2010A	0.66	0.02	8,062	-	PTTE41C2012A	0.38	(0.06)	59,756	-	S5013P2009F	0.01	-	51	-
PLAN19C2010B	0.08	(0.02)	1	-	PTTE41C2101A	0.49	(0.06)	8,952	-	S5013P2009G	0.01	(0.01)	5	-
PLAN19C2012A	0.20	0.02	20,891	-	PTTE41P2010A	-	-	-	-	S5013P2010A	0.73	0.01	107,596	-
PLAN24C2009A	-	-	-	-	PTTE41P2011A	0.81	0.04	38,094	-	S5013P2012A	1.07	0.04	8,008,662	1.00
PLAN27C2101A	0.17	(0.01)	600	-	PTTE42C2101T	-	-	-	-	S5013P2012B	1.20	0.05	2,949,061	1.00
PLAN28C2010A	-	-	-	-	PTTE42P2101T	0.72	0.04	7,780	-	S5013P2012C	0.75	0.05	7,618,905	-
PLAN28C2012A	-	-	-	-	PTTG01C2012A	0.31	(0.03)	12,304	-	S5016C2009A	-	-	-	-
PLAN28C2012B	0.18	0.01	5,577	-	PTTG01P2012A	1.01	0.04	38,163	1.00	S5016C2009B	-	-	-	-
PLAN42C2101T	-	-	-	-	PTTG08C2101A	0.21	(0.03)	1,602	-	S5016C2012A	0.31	(0.03)	4,452	-
PRM08C2101A	0.34	(0.03)	9,148	-	PTTG08P2010A	-	-	-	-	S5016C2012B	0.36	(0.06)	23,797	-
PRM11C2102A	0.46	(0.02)	6,360	-	PTTG11C2010A	0.06	(0.04)	6,001	-	S5016P2009A	0.02	-	20	-
PRM13C2010A	0.22	(0.02)	38,091	-	PTTG13C2010A	0.01	(0.01)	6,089	-	S5016P2009B	-	-	-	-
PRM13C2012A	0.35	(0.03)	31,168	-	PTTG13C2011A	0.11	(0.02)	5,393	-	S5016P2012A	0.91	0.03	49,581	-
PRM16C2012A	0.26	(0.02)	23,744	-	PTTG13C2012A	0.20	(0.04)	43,069	-	S5016P2012B	0.88	0.04	103,806	-
PRM19C2010A	0.49	(0.02)	27,368	-	PTTG13P2010A	0.14	0.01	30,992	-	S5016P2103Z	-	-	-	-
PRM19C2011A	0.26	(0.01)	32,189	-	PTTG13P2011A	0.61	0.04	10,591	-	S5019C2009A	0.74	(0.11)	13,464	-
PRM28C2012A	0.21	(0.01)	9,663	-	PTTG19C2009A	-	-	-	-	S5019C2009B	-	-	-	-
PRM42C2101T	0.24	(0.04)	490	-	PTTG19C2011A	0.12	(0.04)	16,344	-	S5019C2009C	-	-	-	-
PTG01C2012A	0.32	-	53,361	-	PTTG19C2012A	0.22	(0.03)	2,052	-	S5019C2009D	-	-	-	-
PTG01P2012A	0.69	(0.03)	55,380	-	PTTG19P2009A	-	-	-	-	S5019C2009E	-	-	-	-
PTG06C2010A	0.30	(0.01)	20,005	-	PTTG19P2010A	0.31	0.03	147,671	-	S5019C2009F	-	-	-	-
PTG08C2011A	0.33	-	13,897	-	PTTG19P2011A	0.33	0.02	155,302	-	S5019C2012A	0.25	(0.02)	693,786	-
PTG11C2101A	0.36	-	24,929	-	PTTG19P2011B	0.79	0.05	3,900	-	S5019C2012B	0.24	(0.04)	306,531	-
PTG13C2010A	0.13	(0.01)	51,762	-	PTTG24C2101A	0.28	(0.04)	22,935	-	S5019C2012C	0.48	(0.05)	612,168	-
PTG13C2012A	0.16	-	69,658	-	PTTG28C2011A	-	-	-	-	S5019P2009A	0.01	(0.01)	100	-
PTG13C2012B	0.31	(0.01)	155,518	-	PTTG28C2012A	0.17	(0.03)	25,357	-	S5019P2009B	-	-	-	-
PTG16C2009A	-	-	-	-	PTTG28C2102L	0.13	(0.04)	4,056	-	S5019P2009C	0.01	(0.01)	10	-
PTG19C2010A	0.30	(0.02)	44,074	-	PTTG41C2010A	0.15	(0.10)	9,237	-	S5019P2009D	0.06	-	7,000	-
PTG19C2011A	0.20	-	62,729	-	PTTG41C2011A	-	-	-	-	S5019P2009E	-	-	-	-
PTG19C2012A	0.30	(0.02)	54,403	-	PTTG41C2101A	0.17	(0.02)	7,000	-	S5019P2009F	-	-	-	-
PTG19P2010A	0.04	(0.01)	635	-	PTTG41P2010A	-	-	-	-	S5019P2012A	0.93	0.04	1,466,126	-
PTG19P2011A	0.38	(0.02)	204,090	-	PTTG41P2011A	0.74	0.04	2,485	-	S5019P2012B	0.83	0.04	1,503,305	-
PTG42C2101T	-	-	-	-	PTTG42C2012T	-	-	-	-	S5019P2012C	0.51	0.03	414,371	-
PTT01C2012A	0.18	(0.01)	30,289	-	QH19C2012A	0.12	(0.02)	5,000	-	S5024C2009A	-	-	-	-
PTT01P2012A	0.39	0.01	33,123	-	QH27C2101A	-	-	-	-	S5024C2009B	-	-	-	-
PTT06C2012A	0.09	(0.02)	7,190	-	RAT001C2101A	0.33	(0.01)	10,225	-	S5024C2009C	-	-	-	-
PTT08C2101A	0.16	(0.05)	2,396	-	RAT06C2102A	0.30	(0.02)	8,605	-	S5024C2009D	-	-	-	-
PTT08P2009A	-	-	-	-	RAT06P2010A	-	-	-	-	S5024C2009E	-	-	-	-
PTT08P2101A	0.47	0.03	22,418	-	RAT13C2010A	-	-	-	-	S5024C2009F	-	-	-	-
PTT11C2010A	0.14	(0.02)	12,530	-	RAT13C2012A	0.14	(0.03)	9,648	-	S5024C2009G	-	-	-	-
PTT13C2010A	0.01	-	5,969	-	RAT13P2011A	0.47	-	52,849	-	S5024C2012A	0.03	-	1,050	-
PTT13C2012A	0.10	(0.01)	11,745	-	RAT19C2011A	-	-	-	-	S5024C2012B	0.13	(0.05)	100	-
PTT13C2012B	0.18	(0.03)	65,567	-	RAT19C2012A	0.19	(0.02)	37,134	-	S5024C2012C	0.28	(0.04)	12,821	-
PTT13P2010A	0.11	0.01	42,072	-	RAT19C2101A	0.32	-	22,000	-	S5024C2012D	0.38	(0.06)	507,675	-
PTT13P2011A	0.35	0.03	338,667	-	RAT19P2011A	0.65	-	56,631	-	S5024C2012E	0.57	(0.08)	559,640	-
PTT16C2012A	0.11	(0.02)	1,402	-	RAT24C2012A	0.19	(0.01)	3,238	-	S5024P2009A	-	-	-	-
PTT19C2009A	-	-	-	-	RAT41C2010A	-	-	-	-	S5024P2009B	-	-	-	-
PTT19C2011A	0.07	(0.02)	1,853	-	RAT41C2012A	0.24	(0.02)	3,200	-	S5024P2009C	-	-	-	-
PTT19C2012A	0.12	(0.01)	402	-	RAT42C2102T	-	-	-	-	S5024P2009D	-	-	-	-
PTT19C2012B	0.15	(0.02)	33,351	-	RS06C2010A	-	-	-	-	S5024P2009E	0.30	0.04	1,495	-
PTT19P2009A	-	-	-	-	RS06C2012A	0.38	(0.02)	18,470	-	S5024P2012A	0.14	0.01	8,068	-
PTT19P2010A	0.13	-	5,110	-	RS08C2011A	-	-	-	-	S5024P2012B	0.47	0.02	7,968	-
PTT19P2010B	0.21	0.01	10,701	-	RS08C2103A	0.50	(0.01)	32,500	-	S5024P2012C	1.26	0.09	866,125	1.00
PTT24C2101A	0.17	(0.02)	17,910	-	RS13C2010A	-	-	-	-	S5024P2012D	0.89	0.07	822,053	-
PTT28C2011A	-	-	-	-	RS13C2011A	0.32	-	137,400	-	S5028C2009A	-	-	-	-
PTT28C2012A	0.04	(0.03)	13,200	-	RS19C2010A	-	-	-	-	S5028C2009B	0.01	-	3,225	-
PTT28C2101A	0.12	(0.02)	3,042	-	RS19C2010B	0.40	(0.03)	55,508	-	S5028C2009C	-	-	-	-
PTT28C2103L	0.18	(0.02)	14,196	-	RS19C2011A	-	-	-	-	S5028C2009D	-	-	-	-
PTT41C2010A	-	-	-	-	RS19C2011B	0.25	(0.03)	156,297	-	S5028C2009E	-	-	-	-
PTT41C2012A	-	-	-	-	RS19P2012A	0.48	-	117,669	-	S5028C2010A	0.09	(0.02)	153,980	-
PTT41C2101A	-	-	-	-	RS28C2012A	-	-	-	-	S5028C2012A	0.06	(0.01)	36,598	-
PTT41P2010A	0.10	0.01	100	-	RS28C2101A	0.33	(0.02)	36,809	-	S5028C2012B	0.10	(0.02)	190,271	-
PTT41P2011A	0.83	0.04	10	-	RS28C2101L	0.42	(0.01)	28,501	-	S5028C2012C	0.50	(0.05)	1,313,095	-
PTT41P2012A	0.49	0.03	17,008	-	RS41C2011A	0.43	(0.03)	17,832	-	S5028C2103L	0.33	(0.03)	267,358	-
PTT42C2010M	-	-	-	-	RS42C2101T	-	-	-	-	S5028P2009A	0.37	(0.01)	502	-
PTT42C2012T	-	-	-	-	S									

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Tuesday September 22, 2020				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5041C2012A	0.28	(0.04)	939,814	-	SPRC13C2010A	-	-	-	-	TCAP13C2012A	0.14	(0.02)	800	-
S5041C2012B	0.15	(0.03)	27,960	-	SPRC13C2012A	0.09	(0.03)	30,805	-	TCAP19C2010A	0.05	(0.01)	4	-
S5041C2012C	0.13	(0.02)	55,965	-	SPRC13C2012B	0.15	(0.03)	168,245	-	TCAP19C2012A	0.17	(0.01)	253	-
S5041C2012D	0.27	(0.03)	1,122,691	-	SPRC19C2010A	-	-	-	-	TCAP19P2012A	0.29	-	30,527	-
S5041P2009A	-	-	-	-	SPRC19C2012A	0.11	(0.05)	29,176	-	TCAP42C2101T	0.05	(0.01)	2,071	-
S5041P2009B	0.11	(0.01)	17	-	SPRC19P2011A	0.45	0.06	29,865	-	THAN01C2012A	1.06	(0.08)	4,094	1.00
S5041P2009C	0.46	0.04	20,609	-	SPRC28C2011A	0.03	-	9,050	-	THAN01C2012B	0.42	(0.02)	16,937	-
S5041P2009D	-	-	-	-	SPRC28C2101A	0.10	(0.03)	8,152	-	THAN06C2010A	1.08	(0.01)	400	1.00
S5041P2009E	0.81	0.08	1,917	-	SPRC42C2101T	-	-	-	-	THAN06C2102A	0.54	(0.01)	43,077	-
S5041P2009F	1.86	0.16	239	1.00	STA01C2009A	-	-	-	-	THAN08C2101A	-	-	-	-
S5041P2009G	2.64	0.18	423	2.00	STA01P2009A	0.01	-	18,474	-	THAN08C2102A	-	-	-	-
S5041P2012A	0.97	0.04	41,838	-	STA06C2012A	0.20	0.01	19,610	-	THAN08C2101A	-	-	-	-
S5041P2012B	0.84	0.04	1,930,274	-	STA08C2010A	-	-	-	-	THAN08C2102A	0.46	(0.03)	9,200	-
S5041P2012C	1.03	0.08	147,750	1.00	STA08C2011A	0.13	(0.01)	1,701	-	THAN13C2012A	0.66	(0.04)	699	-
S5041P2012D	-	-	-	-	STA08C2101A	0.33	0.01	7,010	-	THAN13C2012B	0.30	(0.02)	129,305	-
SAWA01C2012A	0.55	0.03	75,453	-	STA08C2101A	0.81	(0.03)	210	-	THAN19C2010A	0.73	(0.04)	16,129	-
SAWA01P2012A	0.61	(0.02)	45,710	-	STA13C2010A	0.09	-	98,811	-	THAN19C2011A	1.13	(0.05)	24,348	1.00
SAWA06C2010A	0.07	-	10,513	-	STA13C2010B	0.09	-	98,811	-	THAN19C2012A	0.52	(0.03)	30,180	-
SAWA06C2101A	0.61	0.03	65,651	-	STA13C2010C	0.04	(0.01)	5,887	-	THAN19C2012B	0.33	(0.03)	44,858	-
SAWA08C2011A	0.18	0.01	25,300	-	STA13C2101D	0.02	(0.01)	1,600	-	THAN42C2102T	-	-	-	-
SAWA08C2101A	0.49	0.03	16,527	-	STA13C2011A	-	-	-	-	TISCO1C2101A	0.42	(0.04)	30,803	-
SAWA13C2010A	0.04	-	20,002	-	STA13C2011B	0.12	-	41,716	-	TISCO1C2012A	0.28	-	210	-
SAWA13C2011A	0.31	0.02	742,402	-	STA13C2012A	0.19	0.02	180,867	-	TISCO1C2101A	0.02	(0.01)	1,252	-
SAWA19C2009A	0.04	(0.01)	14,000	-	STA13P2010A	0.02	(0.01)	561	-	TISCO1C2010A	0.08	(0.02)	5,000	-
SAWA19C2009B	-	-	-	-	STA13P2010B	-	-	-	-	TISCO1C2012A	0.30	(0.04)	52,868	-
SAWA19C2011A	0.18	0.01	86,884	-	STA19C2010A	-	-	-	-	TISCO41C2101A	-	-	-	-
SAWA19C2012A	0.42	0.02	354,543	-	STA19C2010B	-	-	-	-	TISCO41C2012A	0.28	(0.03)	13,000	-
SAWA19P2011A	0.28	(0.03)	96,185	-	STA19C2101C	-	-	-	-	TISCO42C2101T	-	-	-	-
SAWA24C2009A	-	-	-	-	STA19C2011A	0.61	(0.08)	21	-	TKNO1C2101A	0.24	-	45,750	-
SAWA28C2011A	0.13	-	36,504	-	STA19C2011B	0.16	0.01	41,919	-	TKNO6C2011A	0.16	(0.01)	27,902	-
SAWA28C2012A	0.27	0.02	56,436	-	STA19C2012A	0.22	-	241,198	-	TKNO6C2101A	-	-	-	-
SAWA28C2012B	0.20	-	19,752	-	STA19P2009A	-	-	-	-	TKNO8C2011A	0.12	-	10,000	-
SAWA28C2101A	0.38	0.01	57,524	-	STA19P2010A	0.05	(0.01)	10,000	-	TKN13C2010A	-	-	-	-
SAWA28C2102L	0.14	-	35,890	-	STA24C2011A	0.11	-	15,950	-	TKN13C2010B	0.06	-	500	-
SAWA41C2010A	-	-	-	-	STA28C2011A	-	-	-	-	TKN13C2012A	0.16	-	216,638	-
SAWA41C2012A	0.33	0.01	18,635	-	STA28C2011B	0.12	(0.01)	10,140	-	TKN19C2010A	-	-	-	-
SAWA42C2101T	0.12	(0.01)	100	-	STA28C2012A	1.26	0.03	108	1.00	TKN19C2011A	0.40	(0.04)	3,506	-
SCB01C2009A	0.01	(0.01)	10	-	STA28C2102L	0.14	-	1,015	-	TKN19C2011B	-	-	-	-
SCB01C2101A	0.39	(0.06)	79,265	-	STA41C2010A	-	-	-	-	TKN28C2012A	-	-	-	-
SCB01P2101A	1.02	0.08	57,853	-	STA42C2101T	0.13	-	50	-	TKN28C2012B	0.14	-	11,442	-
SCB06C2010A	0.05	(0.02)	11	-	STEC01C2101A	0.20	(0.01)	17,485	-	TKN28C2101A	-	-	-	-
SCB08C2009A	-	-	-	-	STEC01P2101A	0.54	0.01	4,111	-	TKN42C2012T	-	-	-	-
SCB08C2101A	0.28	(0.06)	19,020	-	STEC06C2010A	-	-	-	-	TMB13C2011A	0.04	(0.01)	1,240	-
SCB08P2012A	0.69	0.08	65,532	-	STEC08C2012A	-	-	-	-	TMB19C2011A	-	-	-	-
SCB11C2102A	0.35	(0.06)	31,087	-	STEC11C2102A	0.24	-	8,200	-	TMB19C2012A	-	-	-	-
SCB11P2012A	0.70	0.06	65,872	-	STEC13C2010A	0.01	-	2,500	-	TMB19C2011B	0.13	(0.02)	47,860	-
SCB13C2010A	0.01	-	2,158	-	STEC13C2012A	0.12	(0.02)	28,032	-	TMB19P2011A	0.31	0.01	79,378	-
SCB13C2011A	0.15	(0.05)	148,798	-	STEC13P2011A	0.27	-	40,700	-	TMB41C2010A	-	-	-	-
SCB13C2012A	0.36	(0.07)	439,831	-	STEC16C2009A	-	-	-	-	TOA13C2011A	0.14	0.01	5,400	-
SCB13P2010A	0.78	0.11	154,363	-	STEC19C2009A	-	-	-	-	TOA19C2010A	0.12	0.01	46,620	-
SCB19C2010A	-	-	-	-	STEC19C2011A	-	-	-	-	TOA19C2012A	0.25	(0.01)	59,332	-
SCB19C2010B	0.12	(0.05)	183,463	-	STEC19C2012A	0.13	(0.02)	29,248	-	TOA42C2101T	0.15	0.01	1	-
SCB19C2012A	0.25	(0.06)	96,758	-	STEC19P2011A	0.59	-	1,192	-	TOP01C2009A	-	-	-	-
SCB19P2010A	0.18	0.02	123,074	-	STEC19P2012A	0.36	-	7,232	-	TOP01C2012A	0.21	(0.05)	13,611	-
SCB19P2011A	1.24	0.12	7,294	1.00	STEC28C2011A	0.03	-	900	-	TOP01P2009A	0.08	(0.02)	701	-
SCB19P2011B	0.63	0.07	219,108	-	STEC28C2012A	-	-	-	-	TOP01P2012A	0.62	0.05	105,615	-
SCB24C2012A	0.21	(0.06)	49,622	-	STEC28C2101A	0.16	(0.01)	2,028	-	TOP06C2011A	0.04	-	4,002	-
SCB28C2010A	-	-	-	-	STEC28C2104L	0.19	-	6,591	-	TOP06C2102A	0.21	(0.06)	38,049	-
SCB28C2012A	0.10	(0.03)	16,002	-	STEC41C2009A	-	-	-	-	TOP06P2010A	-	-	-	-
SCB28C2012B	0.20	(0.06)	14,304	-	STEC41C2012A	-	-	-	-	TOP06P2102A	0.64	0.08	40,913	-
SCB28C2104L	0.22	(0.02)	21,295	-	STEC42P2102T	0.27	0.01	4,916	-	TOP08C2010A	0.05	(0.05)	500	-
SCB41C2011A	-	-	-	-	SUPE08C2012A	0.12	-	6,983	-	TOP08C2102A	0.38	(0.05)	32,500	-
SCB41C2011B	-	-	-	-	SUPE19C2010A	0.24	0.01	612	-	TOP11C2011A	0.16	(0.04)	17,640	-
SCB41C2012A	0.30	(0.07)	44,055	-	SUPE19C2011A	0.10	-	23,951	-	TOP13C2010A	0.01	-	16	-
SCB41P2011A	0.62	0.08	49,384	-	SUPE19C2011B	0.04	-	877	-	TOP13C2011A	0.04	(0.03)	5,000	-
SCB42C2101T	-	-	-	-	SUPE19C2012A	0.24	(0.01)	54,796	-	TOP13C2012A	0.08	(0.03)	157,172	-
SCC01C2101A	0.53	(0.01)	81,221	-	SUPE19P2011A	0.19	-	11,351	-	TOP13C2012B	0.17	(0.06)	58,987	-
SCC01P2012A	1.05	(0.01)	45,975	1.00	SUPE19P2012A	0.24	(0.76)	80,834	-	TOP13P2010A	0.29	0.05	79,216	-
SCC06C2012A	0.19	(0.01)	54,278	-	SUPE42C2101T	0.09	(0.01)	5,560	-	TOP13P2012A	0.76	0.10	2,426	-
SCC08C2011A	0.15	(0.02)	36,500	-	SUPE42P2102T	0.16	(0.01)	150	-	TOP19C2010A	0.06	(0.02)	6,000	-
SCC11C2011A	0.36	(0.02)	50,740	-	TASC01C2012A	0.20	(0.01)	67,017	-	TOP19C2101B	0.07	(0.04)	200	-
SCC13C2011A	0.17	(0.03)	59,530	-	TASC06C2009A	-	-	-	-	TOP19C2012A	0.07	(0.04)	21,513	-
SCC13C2012A	0.30	(0.01)	80,207	-	TASC06C2012A	0.08	(0.01)	14,181	-	TOP19C2101A	0.23	(0.06)	163,090	-
SCC13P2011A	0.92	-	135,501	-	TASC08C2011A	0.05	0.01	27,895	-	TOP19P2010A	0.35	0.04	226,575	-
SCC19C2010A	0.10	(0.02)	213,822	-	TASC08C2012A	0.03	-	11,547	-	TOP19P2011A	0.67	0.09	54,297	-
SCC19C2012A	0.31	(0.01)	299,057	-	TASC11C2102A	-	-	-	-	TOP24C2101A	0.21	(0.05)	65,485	-
SCC19P2010A	0.03	(0.01)	640	-	TASC13C2011A	0.01	-	277,484	-	TOP41C2010A	-	-	-	-
SCC19P2011A	0.51	(0.01)	527,165	-	TASC13C2012A	0.06	-	1,601,892	-	TOP41C2011A	0.08	(0.02)	200	-
SCC24C2012A	0.16	(0.02)	102,087	-	TASC13C2012B	0.22	(0.03)	882,618	-	TOP41C2102A	-	-	-	-
SCC28C2010A	0.06	(0.02)	400	-	TASC13P2011A	1.18	0.09	3,509	1.00	TOP41P2010A	0.30	0.05	31,546	-
SCC28C2102A	0.27	(0.01)	74,106	-	TASC13P2012A	0.45	0.04	278,831	-	TOP41P2011A	-	-	-	-
SCC28C2104L	0.25	-	40,546	-	TASC19C2009A	-	-	-	-	TOP42C2011T	-	-	-	-
SCC41C2010A	0.18	0.03	981	-	TASC19C2010A	-	-	-	-	TP113C2011A	0.20	(0.03)	29,712	-
SCC41C2011A	0.10	(0.01)	15,846	-	TASC19C2011A	0.03	(0.01)	213,105	-	TP19C2012A	0.28	(0.02)	32,255	-
SCC41C2011A	0.29	(0.71)	58,000	-	TASC19C2012A	0.20	(0.03)	612,160	-	TQM11C2102A	0.79	(0.04)	23,421	-
SCC41P2011A	0.99	(0.02)	162,217	-	TASC19P2010A	1.16	0.12	2,020	1.00	TQM13C2011A	0.40	(0.04)	336,519	-
SGP13C2011A	0.12	(0.01)	6,477	-	TASC19P2011A	-	-	-	-	TQM19C2010A	-	-	-	-
SGP1														

Main Board Quotation

Issue Date :

Tuesday September 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE13C2101A	0.29	(0.71)	104,418	-	J-W1	0.67	(0.02)	1,290	-		-	-	-	-
TRUE19C2009A	-	-	-	-	JMART-W3	5.30	0.15	11,365	5.00		-	-	-	-
TRUE19C2011A	0.05	-	1,110	-	JMART-W4	3.66	0.10	9,029	3.00		-	-	-	-
TRUE19C2012A	0.18	(0.02)	39,025	-	JMT-W2	13.30	(0.20)	13,268	13.00		-	-	-	-
TRUE19P2011A	0.29	0.01	89,828	-	MACO-W2	0.08	-	9,104	-		-	-	-	-
TRUE28C2011A	-	-	-	-	MILL-W4	0.03	(0.01)	997	-		-	-	-	-
TRUE28C2012A	0.07	(0.02)	1,422	-	MINT-W6	0.45	(0.02)	27,001	-		-	-	-	-
TRUE28C2012B	0.09	(0.02)	4,056	-	MINT-W7	7.70	(0.35)	35,350	7.00		-	-	-	-
TRUE28C2101A	0.20	(0.02)	4,066	-	NER-W1	1.54	(0.04)	82,218	1.00		-	-	-	-
TRUE28C2103L	0.22	(0.02)	6,084	-	NEX-W2	4.56	(0.10)	19,189	4.00		-	-	-	-
TRUE41C2010A	0.07	(0.02)	2	-	NFC-W1	-	-	-	-		-	-	-	-
TRUE42C2101T	-	-	-	-	NVD-W1	0.06	-	1,928	-		-	-	-	-
TTW19C2011A	0.11	-	11,000	-	ORI-W1	-	-	-	-		-	-	-	-
TTW24C2012A	0.11	(0.01)	400	-	PACE-W2	-	-	-	-		-	-	-	-
TTW27C2009A	-	-	-	-	PACE-W3	-	-	-	-		-	-	-	-
TU01C2101A	0.22	(0.02)	51,345	-	PDI-W1	0.47	(0.02)	14,067	-		-	-	-	-
TU01P2101A	0.45	0.03	83,191	-	PDJ-W4	0.58	(0.03)	6,632	-		-	-	-	-
TU06C2009A	0.01	-	2,800	-	PERM-W1	0.09	(0.02)	12,492	-		-	-	-	-
TU06P2010A	-	-	-	-	PORT-W1	0.56	0.02	20,444	-		-	-	-	-
TU08C2011A	0.16	(0.02)	9,200	-	PPPM-W4	0.11	(0.01)	400	-		-	-	-	-
TU11C2102A	0.20	(0.02)	9,810	-	PRIME-W1	0.02	-	7,801	-		-	-	-	-
TU13C2010A	0.08	(0.05)	16,393	-	PRIME-W2	0.02	(0.01)	22,712	-		-	-	-	-
TU13C2012A	0.18	(0.01)	225,914	-	SAMART-W2	0.14	-	1,317	-		-	-	-	-
TU19C2009A	-	-	-	-	SAWAD-W2	13.00	0.70	40,859	12.00		-	-	-	-
TU19C2010A	0.08	(0.02)	20,600	-	SDC-W1	-	-	-	-		-	-	-	-
TU19C2012A	0.17	(0.03)	14,415	-	SINGER-W1	6.65	-	2,850	6.00		-	-	-	-
TU19P2011A	0.12	0.01	38,000	-	SINGER-W2	4.38	0.02	1,206	4.00		-	-	-	-
TU19P2012A	0.33	0.04	18,393	-	SST-W2	-	-	-	-		-	-	-	-
TU24C2011A	0.18	(0.02)	52,461	-	TCC-W3	0.03	-	9	-		-	-	-	-
TU28C2011A	-	-	-	-	TCC-W4	0.04	-	4,000	-		-	-	-	-
TU28C2012A	0.07	(0.01)	5,490	-	TCC-W5	-	-	-	-		-	-	-	-
TU28C2103L	-	-	-	-	TGPRO-W3	0.01	-	100	-		-	-	-	-
TU41C2010A	-	-	-	-	TNITY-W1	0.10	-	10	-		-	-	-	-
TU41C2101A	0.13	(0.01)	2,361	-	TRITN-W3	0.13	(0.01)	5,174	-		-	-	-	-
TU42C2101T	-	-	-	-	TTCL-W1	0.40	(0.01)	8,120	-		-	-	-	-
TVO13C2011A	0.33	0.04	31,080	-	U-W4	-	-	-	-		-	-	-	-
TVO13C2012A	0.37	0.03	120,712	-	VGI-W2	0.77	-	206,023	-		-	-	-	-
TVO19C2011A	0.40	0.04	11,444	-	VIBHA-W3	0.11	(0.01)	17,440	-		-	-	-	-
TVO19C2012A	0.33	0.03	144,800	-	W-W3	0.04	-	6,321	-		-	-	-	-
VGI01C2012A	0.28	0.01	74,017	-	WIJK-W2	0.24	-	1,225	-		-	-	-	-
VGI06C2010A	0.03	(0.01)	18,298	-	ZMICO-W4	-	-	-	-		-	-	-	-
VGI06C2101A	0.26	0.01	27,223	-	Preferred Shares	-	-	-	-		-	-	-	-
VGI11C2101A	0.18	(0.01)	4,830	-	BH-P	-	-	-	-		-	-	-	-
VGI13C2010A	-	-	-	-	CSC-P	-	-	-	-		-	-	-	-
VGI13C2012A	0.17	-	373,470	-	JUTHA-P	-	-	-	-		-	-	-	-
VGI19C2010A	-	-	-	-	KTB-P	-	-	-	-		-	-	-	-
VGI19C2012A	0.22	-	37,604	-	SCB-P	-	-	-	-		-	-	-	-
VGI19C2012B	0.32	0.01	139,093	-	TCAP-P	-	-	-	-		-	-	-	-
VGI19C2012C	0.12	-	25,749	-	TISCO-P	-	-	-	-		-	-	-	-
VGI24C2012A	0.18	(0.01)	32,873	-	U-P	1.64	(0.02)	926	1.00		-	-	-	-
VGI28C2101A	0.15	0.01	14,172	-	Warrant (MAI)	-	-	-	-		-	-	-	-
VGI28C2103L	0.18	-	6,084	-	ALL-W1	0.58	(0.02)	55,616	-		-	-	-	-
VGI41C2011A	0.09	(0.02)	4	-	BROOK-W5	0.14	0.01	1	-		-	-	-	-
VGI42C2101T	-	-	-	-	CHAYO-W1	2.14	(0.02)	5,856	2.00		-	-	-	-
WHA01C2009A	-	-	-	-	CHO-W2	0.01	-	106,807	-		-	-	-	-
WHA01C2101A	0.24	(0.05)	38,177	-	CIG-W8	-	-	-	-		-	-	-	-
WHA01P2009A	0.01	-	1	-	D-W1	0.85	0.01	4	-		-	-	-	-
WHA01P2101A	0.76	0.04	46,623	-	DIMET-W3	-	-	-	-		-	-	-	-
WHA06C2010A	0.05	(0.01)	25,599	-	DOD-W1	0.59	-	206,554	-		-	-	-	-
WHA06P2012A	0.58	0.03	54,140	-	ECF-W3	0.10	-	6,172	-		-	-	-	-
WHA08C2011A	0.15	(0.02)	25,355	-	HPT-W1	0.30	(0.02)	1,901	-		-	-	-	-
WHA11C2101A	0.23	(0.04)	28,050	-	HYDRO-W1	0.04	-	34,017	-		-	-	-	-
WHA13C2009A	-	-	-	-	ITEL-W1	0.14	(0.01)	41,471	-		-	-	-	-
WHA13C2011A	0.09	(0.01)	60,418	-	ITEL-W2	0.44	-	59,847	-		-	-	-	-
WHA13P2011A	0.40	0.05	116,566	-	LIT-W1	0.44	-	6,266	-		-	-	-	-
WHA19C2010A	0.14	(0.04)	30,732	-	META-W4	0.01	(0.01)	72,036	-		-	-	-	-
WHA19C2011A	0.09	(0.03)	51,112	-	NEWS-W6	-	-	-	-		-	-	-	-
WHA19P2011A	0.45	0.04	65,274	-	OCEAN-W3	0.21	(0.02)	5,561	-		-	-	-	-
WHA28C2011A	0.09	(0.02)	32,196	-	RWI-W2	0.11	(0.01)	12,111	-		-	-	-	-
WHA28C2012A	0.21	(0.03)	26,987	-	SANKO-W1	-	-	-	-		-	-	-	-
WHA28C2102A	0.26	(0.04)	51,747	-	SIMAT-W3	0.47	0.03	857	-		-	-	-	-
WHA28C2102L	0.12	(0.02)	13,695	-	SIMAT-W4	2.56	-	657	2.00		-	-	-	-
WHA42C2101T	-	-	-	-	SMART-W2	0.18	0.01	6,210	-		-	-	-	-
WHAU13C2012A	0.18	-	42,378	-	SWC-W1	2.98	-	17	2.00		-	-	-	-
WHAU19C2012A	0.23	(0.01)	48,642	-	TAKUNI-W	0.02	(0.01)	1,400	-		-	-	-	-
Preferred/Foreign	-	-	-	-	TAPAC-W4	0.21	-	6,509	-		-	-	-	-
BH-Q	-	-	-	-	TVD-W2	0.22	(0.03)	61,843	-		-	-	-	-
CSC-Q	-	-	-	-	UREKA-W2	0.26	(0.01)	1,579	-		-	-	-	-
JUTHA-Q	-	-	-	-	Preferred Shares	-	-	-	-		-	-	-	-
KTB-Q	-	-	-	-	SGF-P1	-	-	-	-		-	-	-	-
SCB-Q	-	-	-	-	-	-	-	-	-		-	-	-	-
TCAP-Q	-	-	-	-	-	-	-	-	-		-	-	-	-
TISCO-Q	-	-	-	-	-	-	-	-	-		-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-		-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-		-	-	-	-
7UP-W4	0.11	-	1,742	-	-	-	-	-	-		-	-	-	-
AKR-W1	0.04	0.01	26,473	-	-	-	-	-	-		-	-	-	-
ALT-W1	0.53	(0.01)	2,839	-	-	-	-	-	-		-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-		-	-	-	-
APURE-W2	0.21	(0.01)	10,477	-	-	-	-	-	-		-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-		-	-	-	-
B-W4	0.05	0.01	525	-	-	-	-	-	-		-	-	-	-
B-W5	0.04	(0.01)	153	-	-	-	-	-	-		-	-	-	-
BKD-W2	0.07	-	910	-	-	-	-	-	-		-	-	-	-
BTS-W5	0.71	(0.02)	128,135	-	-	-	-	-	-		-	-	-	-
CGD-W4	0.06	-	408	-	-	-	-	-	-		-	-	-	-
CGH-W3	0.01	(0.01)	156	-	-	-	-	-	-		-	-	-	-
DCC-W1	1.01	0.01	25,515	1.00	-	-	-	-	-		-	-	-	-
ECL-W3	0.07	-	52,684	-	-	-	-	-	-		-	-	-	-
EMC-W6	0.03	(0.01)	28,700	-	-	-	-	-	-		-	-	-	-
EP-W3	0.12	-	3,093	-	-	-	-	-	-		-	-	-	-
GLOCQW-W4	0.46	0.01	23,529	-	-	-	-	-	-		-	-	-	-
III-W1	0.55	-	3,231	-	-	-	-	-	-		-	-	-	-