

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday October 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.30	0.08	188,752	3.29	MAJOR	15.20	(0.30)	36,979	15.27
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	-	-	-	-
VI	-	-	-	-	DIF	13.60	(0.10)	156,401	13.69	MATI	-	-	-	-
WORLD	-	-	-	-	DTAC	32.00	(0.25)	54,687	32.02	MCOT	3.70	(0.20)	5,554	3.72
WR	-	-	-	-	FORTH	6.05	(0.10)	2,253	6.04	MONO	2.76	0.14	100,562	2.75
Agribusiness	-	-	-	-	HUMAN	8.35	0.15	9,970	8.31	MPIC	1.48	0.06	145	1.44
EE	0.73	(0.02)	347,908	0.72	ILINK	5.40	0.20	10,032	5.32	NMG	-	-	-	-
GPPT	12.60	0.30	11,255	12.52	INET	3.16	0.12	36,604	3.13	PLANB	6.00	0.15	202,443	5.91
LEE	2.24	0.04	4,283	2.23	INTUCH	50.50	(0.75)	100,570	50.86	POST	-	-	-	-
MAX	0.01	-	582,975	0.01	JAS	2.78	(0.06)	580,329	2.78	PRAKIT	-	-	-	-
NER	3.04	(0.12)	1,113,838	3.06	JASIF	9.50	-	89,764	9.46	SE-ED	1.42	0.01	239	1.40
PPPM	0.33	-	1,156	0.33	JMART	15.00	0.90	215,184	14.82	TBSP	12.50	(0.20)	1	12.50
STA	26.50	-	68,024	26.64	JTS	2.52	(0.08)	10,572	2.58	TH	0.48	(0.01)	31	0.48
TRUBB	1.55	(0.02)	19,718	1.56	MFE	4.66	-	5,644	4.62	TKS	5.45	0.10	6,085	5.49
TPWC	3.38	0.04	7,655	3.44	MSC	6.05	-	198	6.01	VGI	6.45	0.10	166,687	6.43
UPOIC	3.46	(0.08)	44	3.46	PT	5.30	(0.05)	2,267	5.36	WAVE	0.68	(0.01)	54	0.69
UVAN	4.70	0.06	1,929	4.69	SAMART	4.82	-	7,867	4.81	WORK	10.90	0.20	8,924	10.75
VPO	0.38	-	11,553	0.38	SAMTEL	4.86	-	749	4.84	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.16	0.01	17,500	0.16	AEC	0.25	0.02	685,592	0.21
BAY	19.50	-	1,417	19.58	SIS	16.70	0.20	20,357	16.82	AEONTS	120.00	8.50	43,479	119.91
BBL	96.25	0.25	60,411	96.49	SVOA	1.24	0.04	101,073	1.22	AMANA	2.64	0.04	89,367	2.64
CIMBT	0.54	-	530	0.54	SYMC	4.36	-	337	4.37	ASAP	2.18	(0.02)	10,807	2.20
KBANK	77.75	0.75	175,065	77.75	SYNEX	13.70	0.40	58,220	13.58	ASK	18.00	-	2,120	18.06
KKP	37.00	(0.25)	20,194	36.92	THCOM	5.80	0.15	133,315	5.85	ASP	1.69	0.01	6,100	1.69
KTB	8.90	0.05	121,876	8.88	TRUE	2.98	(0.12)	870,289	3.00	BAM	20.70	0.90	382,918	20.33
LHFG	0.89	-	17,256	0.88	TWZ	0.06	-	108,382	0.06	BFIT	27.50	-	8,063	27.40
SCB	64.75	(0.25)	53,265	64.82	Electronic Componer	-	-	-	-	CGH	0.65	-	504	0.65
TCAP	29.25	0.25	25,311	29.25	CCET	2.26	0.06	183,865	2.26	ECL	0.77	-	32,867	0.78
TISCO	63.75	-	21,157	63.59	DELTA	164.50	8.00	41,940	162.50	FNS	2.88	(0.02)	1,989	2.89
TMB	0.89	-	1,309,814	0.89	HANA	44.50	1.00	42,319	44.32	FSS	1.28	0.02	120	1.26
Construction Materia	-	-	-	-	KCE	31.00	0.75	68,903	30.97	GBX	0.44	0.02	3,819	0.43
CCP	0.47	-	100,347	0.47	METCO	154.00	3.50	61	152.43	GL	3.08	(0.04)	80,275	3.13
COTTO	1.14	0.02	5,995	1.14	NEX	4.08	(0.14)	56,288	4.14	IFS	2.40	0.02	1,639	2.39
DCC	2.50	-	100,165	2.50	SMT	2.60	(0.14)	156,516	2.62	JMT	35.00	3.00	211,730	34.22
DCON	0.35	-	42,249	0.35	SVI	3.94	0.14	126,639	3.90	KCAR	7.60	(0.05)	326	7.60
DRT	6.30	(0.10)	3,185	6.34	TEAM	0.90	0.02	4,574	0.92	KGI	2.88	-	10,760	2.87
EPG	4.82	0.04	23,448	4.80	W	0.21	(0.01)	977,653	0.22	KTC	35.50	0.75	113,843	35.09
GEL	0.18	0.01	147,775	0.17	Energy & Utilities	-	-	-	-	MBKET	7.05	-	36	7.04
PPP	2.08	-	165	2.04	7UP	0.32	0.01	22,495	0.31	MFC	13.70	0.10	24	13.43
Q-CON	-	-	-	-	ABPIF	2.98	-	1,795	2.98	MICRO	5.45	2.80	8,399,710	4.72
RCI	3.76	(0.02)	112	3.76	ACE	2.84	(0.12)	177,066	2.87	ML	0.83	-	2,277	0.83
SCC	337.00	15.00	48,933	330.26	AI	1.84	(0.01)	168,331	1.84	MTC	50.25	1.00	43,449	50.07
SCCC	119.00	(0.50)	1,636	118.75	AKR	0.48	0.01	2,399	0.47	PE	-	-	-	-
SCP	5.90	-	149	5.94	BAFS	20.70	0.20	1,773	20.36	PL	2.00	0.01	342	1.99
SKN	2.46	0.04	2,274	2.47	BANPU	6.40	0.60	2,472,848	6.25	S11	6.20	0.05	3,562	6.19
TASCO	15.30	0.10	276,553	15.29	BCP	15.10	0.10	23,449	15.11	SAWAD	49.75	1.00	68,352	49.08
TCMC	1.15	(0.01)	52,054	1.14	BCPG	11.90	-	16,524	11.90	THANI	3.92	(0.12)	281,286	3.98
TOA	37.75	-	15,849	37.79	BGRIM	42.75	0.50	71,826	42.38	TK	6.95	(0.05)	1,578	6.96
TPIPL	1.34	-	39,143	1.34	BPP	13.10	-	33,182	13.18	TNITY	3.56	-	20	3.56
UMI	0.64	(0.03)	22,711	0.65	BRRGIF	6.05	(0.05)	30	6.06	UOBKH	3.00	(0.02)	107	2.94
VNG	3.06	0.02	278	3.09	CKP	5.60	(0.20)	92,093	5.67	ZMICO	0.59	(0.01)	6,242	0.59
WIJK	2.36	0.14	68,430	2.30	DEMCO	2.84	0.04	1,117	2.80	Food & Beverage	-	-	-	-
Petrochemicals & Ch	-	-	-	-	EA	39.50	0.25	52,250	39.45	APURE	1.82	0.02	10,410	1.82
BCT	-	-	-	-	EASTW	9.40	0.05	2,238	9.37	ASIAN	11.70	0.10	108,232	11.74
CMAN	1.21	0.01	2,131	1.20	EGATIF	11.80	-	5,437	11.84	BR	1.84	-	2,523	1.84
GC	5.25	0.05	371	5.25	EGCO	190.00	3.00	11,195	189.24	BRR	2.90	0.02	23	2.88
GCC	8.40	0.20	4,042	8.36	EP	3.76	(0.04)	12,737	3.78	CBG	117.50	0.50	23,306	117.84
GIFT	1.98	0.05	900	1.95	ESSO	6.35	0.30	257,231	6.26	CFRESH	3.86	(0.18)	23,590	3.91
IVL	20.90	(0.20)	272,344	20.90	Gpsc	58.75	1.25	80,375	57.65	CHOTI	-	-	-	-
NFC	1.55	(0.03)	10	1.56	GREEN	1.00	(0.07)	1,632	1.01	CM	2.64	(0.04)	2,927	2.66
PATO	9.90	(0.05)	40	9.90	GULF	31.00	0.50	228,031	30.53	CPF	27.75	(0.25)	351,315	27.66
PMTA	-	-	-	-	GUNKUL	2.24	-	94,327	2.24	CPI	-	-	-	-
PTTGC	40.00	0.75	118,706	39.53	IFEC	-	-	-	-	F&D	-	-	-	-
SUTHA	-	-	-	-	IRPC	2.10	0.18	1,797,071	2.01	HTC	30.75	(0.75)	22,930	31.16
TCCC	23.90	(0.40)	236	23.84	KBSPIF	9.75	(0.05)	967	9.78	ICHI	11.30	(0.20)	112,201	11.39
TPA	5.15	-	11	5.09	LANNA	6.10	0.20	4,517	6.10	KBS	3.00	(0.02)	11	3.00
UAC	3.72	(0.02)	1,098	3.74	MDX	2.22	0.04	1,874	2.21	KSL	2.12	(0.08)	106,894	2.17
UP	-	-	-	-	PDI	6.70	0.15	1,545	6.62	KTIS	2.42	-	767	2.40
VNT	22.60	(0.20)	13,346	22.76	PRIME	0.50	-	32,332	0.50	LST	4.34	-	646	4.32
WG	186.00	-	1	186.00	PTG	19.10	0.60	190,651	18.88	M	46.00	0.25	8,195	46.52
YCI	-	-	-	-	PTT	33.00	1.00	353,114	32.71	MALEE	6.30	(0.05)	1,364	6.37
Commerce	-	-	-	-	PTTEP	79.50	0.50	97,723	79.21	MINT	19.80	(0.20)	412,435	19.93
BEAUTY	1.37	(0.12)	1,644,454	1.42	RATCH	50.75	0.50	28,434	50.53	OISHI	39.75	0.25	245	39.21
BIG	0.43	(0.01)	39,866	0.43	RPC	0.46	-	14	0.46	OSP	35.75	0.75	55,805	35.45
BJC	36.50	(0.25)	27,916	36.17	SCG	3.52	(0.16)	31	3.54	PB	-	-	-	-
COL	18.70	-	23,756	18.60	SCI	1.38	(0.01)	24,480	1.40	PM	8.10	0.10	15,375	7.99
COM7	41.25	1.75	76,445	41.01	SCN	1.77	-	4,046	1.77	PRG	11.20	-	5	11.18
CPALL	60.25	-	139,497	60.43	SGP	8.65	-	3,737	8.70	RBF	9.90	0.20	91,749	9.86
CPW	2.20	0.08	138,110	2.16	SKE	0.68	0.07	214,637	0.67	SAPPE	21.10	(0.20)	5,417	21.05
CR	26.25	0.25	102,248	26.33	SOLAR	0.91	0.01	4,255	0.91	SAUCE	25.50	0.25	47	25.50
CSS	1.44	0.01	69,928	1.44	SPCG	19.80	0.30	23,470	19.66	SFP	-	-	-	-
DOHOME	15.00	-	183,667	15.19	SPRC	6.00	0.45	326,541	5.76	SNP	10.10	0.10	5	10.10
FN	1.26	(0.01)	19,265	1.26	SSP	7.05	-	3,236	6.99	SORKON	5.20	(0.10)	109	5.20
FTE	1.57	(0.01)	4,652	1.57	SUPER	0.82	(0.02)	3,188,951	0.83	SSC	-	-	-	-
GLOBAL	19.80	(0.40)	77,925	19.80	SUPEREIF	11.50	-	5,346	11.39	SSF	-	-	-	-
HMPRO	14.10	(0.30)	173,835	14.13	SUSCO	2.74	0.04	6,989	2.73	SST	2.40	(0.02)	76	2.40
ILM	12.70	(0.10)	38,988	12.67	TAE	2.26	0.02	3,003	2.26	TC	4.06	0.02	6,831	4.05
IT	2.44	-	1,104	2.44	TCC	0.18	-	5,362	0.18	TFG	4.26	(0.04)	76,464	4.28
KAMART	2.92	(0.02)	57,866	2.92	TOP	33.50	1.50	121,377	32.82	TFMAMA	197.50	-	147	197.18

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday October 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
LPH	4.30	-	202	4.30	AQ	0.02	0.01	31,641	0.02	GYT	-	-	-	-
M-CHAI	180.00	-	1	180.00	AWC	3.52	0.02	275,402	3.53	HFT	3.66	(0.02)	15,058	3.68
NEW	-	-	-	-	BLAND	1.00	0.01	36,470	1.00	IHL	2.92	0.08	48,033	2.90
NTV	41.00	0.25	29	40.99	BROCK	1.57	0.08	101	1.44	INGRS	0.46	-	14,029	0.46
PR9	7.10	0.10	10,125	7.07	CGD	0.63	0.01	34,562	0.62	IRC	12.00	(0.30)	100	11.92
PRINC	2.68	0.04	4,853	2.67	CI	0.71	0.02	1,014	0.70	PCSGH	-	-	-	-
RAM	138.00	-	29	137.24	CPN	43.25	0.75	36,578	42.94	SAT	12.80	0.60	25,165	12.69
RJH	22.10	(0.30)	1,513	22.14	ESTAR	0.34	-	716	0.34	SPG	13.20	0.20	2	13.15
RPH	5.25	0.05	1,923	5.25	EVER	0.21	-	32,727	0.21	STANLY	145.50	-	108	144.94
SKR	6.00	-	363	5.98	FPT	10.50	-	1,512	10.35	TKT	0.91	-	232	0.91
SVH	402.00	(2.00)	33	403.03	GLAND	2.10	0.02	103	2.08	TNPC	-	-	-	-
THG	18.40	(0.20)	1,684	18.43	J	1.24	-	27,998	1.26	TRU	3.48	-	66	3.51
VIBHA	1.52	-	2,822	1.52	JCK	1.56	0.05	98,653	1.56	TSC	9.10	(0.10)	5	9.03
VIH	6.25	0.05	8,001	6.19	KC	-	-	-	-	Industrial Materials				
WPH	1.53	-	1	1.53	KWG	0.70	-	1,901	0.70	ALLA	1.16	0.04	22,647	1.15
Tourism & Leisure					LALIN	5.50	-	1,494	5.45	ASEFA	3.10	-	1,594	3.09
ASIA	4.20	(0.02)	15	4.22	LH	6.90	0.10	177,801	6.86	CPT	0.84	(0.03)	14,459	0.85
CENTEL	22.40	(0.10)	26,917	22.46	LPN	4.24	0.08	40,016	4.17	CRANE	1.84	0.01	29,387	1.84
CSR	-	-	-	-	MBK	12.20	0.10	14,209	12.28	CTW	5.40	0.05	1,266	5.35
DTC	7.10	0.05	90	7.03	MJD	1.47	0.01	8,200	1.48	FMT	18.30	(0.30)	3	18.30
ERW	3.14	(0.02)	75,717	3.14	MK	3.06	(0.02)	5,723	3.06	HTECH	2.70	-	2,479	2.69
GRAND	0.52	-	516	0.52	NCH	0.88	0.01	299	0.89	KKC	0.54	-	557	0.54
LRH	31.00	0.50	1	31.00	NNCL	1.89	0.03	523	1.87	PK	1.33	(0.07)	349	1.36
MANRIN	-	-	-	-	NOBLE	18.50	(0.30)	75,924	18.48	SNC	9.80	(0.05)	1,293	9.82
OHTL	-	-	-	-	NUSA	0.29	-	7,367	0.29	STARK	2.08	-	26,749	2.08
ROH	-	-	-	-	NVD	1.13	(0.01)	611	1.13	TCJ	3.30	0.02	47	3.29
SHANG	54.00	(0.25)	12	52.00	ORI	6.40	0.10	38,693	6.31	VARO	-	-	-	-
SHR	1.94	-	17,045	1.95	PACE	-	-	-	-	Property Fund & REIT				
VRANDA	5.60	-	491	5.55	PF	0.35	0.01	60,386	0.34	AIMCG	6.00	-	115	6.00
Home & Office Produ					PLAT	2.26	-	5,570	2.24	AIMIRT	13.20	(0.10)	876	13.20
ACC	0.62	0.03	61	0.62	POLAR	-	-	-	-	AMATAR	10.10	0.10	182	10.00
AJA	0.12	-	17,437	0.12	PRECHA	0.86	(0.01)	1,473	0.87	B-WORK	11.50	(0.20)	777	11.48
DTCI	-	-	-	-	PRIN	1.64	-	6,015	1.64	BKER	5.55	-	4,989	5.56
FANCY	0.45	(0.01)	2,334	0.46	PSH	10.70	(0.10)	6,973	10.77	BKKCP	11.80	(0.10)	1	11.80
KYE	315.00	8.00	47	312.98	QH	2.20	-	90,484	2.21	BOFFICE	10.80	(0.20)	315	10.92
L&E	-	-	-	-	RICHY	0.68	0.01	3,294	0.67	CPNCG	9.85	(0.05)	4,933	9.86
MODERN	2.44	(0.02)	4,773	2.46	RML	0.58	-	17,076	0.57	CPNREIT	23.90	(0.50)	6,427	23.94
OGC	-	-	-	-	ROJNA	4.06	0.04	10,307	4.02	CPTGF	9.95	(0.05)	192	9.96
ROCK	-	-	-	-	S	1.30	(0.01)	4,691	1.31	CTARAF	4.96	-	751	4.96
SIAM	1.39	0.01	284	1.39	SAMCO	1.17	(0.01)	26	1.18	DREIT	3.86	0.04	160	3.86
TSR	3.64	0.02	39,016	3.65	SC	2.22	0.02	11,733	2.20	ERWPF	4.58	0.34	55	4.15
Insurance					SENA	2.68	-	2,110	2.67	FTREIT	14.30	-	9,040	14.37
AYUD	-	-	-	-	SF	4.40	(0.08)	27,021	4.43	FUTUREPF	19.10	(0.40)	11	19.12
BKI	279.00	(2.00)	110	279.02	SIRI	0.59	(0.01)	526,525	0.59	GAHREIT	8.05	(0.05)	24	7.82
BLA	18.40	0.80	63,787	18.23	SPALI	15.60	0.10	10,830	15.72	GOLDPF	5.80	(0.20)	201	5.24
BUI	-	-	-	-	U	1.16	0.03	15,523	1.14	GVREIT	11.60	(0.40)	277	11.79
CHARAN	24.00	2.00	7	21.89	UV	2.44	(0.02)	10,737	2.44	HPF	4.70	-	1	4.70
INSURE	-	-	-	-	WHA	2.82	-	281,149	2.81	HREIT	7.95	0.05	106	7.94
MTI	-	-	-	-	WIN	0.37	(0.02)	328	0.37	IMPACT	17.70	(0.10)	1,615	17.80
NKI	45.50	(5.00)	21	46.43	Paper & Printing Mat					KNPF	6.75	-	70	6.75
NSI	68.75	(0.50)	15	68.75	UTP	14.30	(0.10)	23,856	14.32	LHHOTEL	9.65	(0.05)	187	9.65
SEG	-	-	-	-	Fashion	-	-	-	-	LHPF	5.30	0.10	119	5.21
SMK	38.00	1.50	86	37.31	AFC	6.25	-	1	6.25	LHSC	11.70	-	65	11.40
THRE	0.95	0.02	171,997	0.95	B52	0.15	-	214	0.15	LUXF	6.30	0.05	142	6.30
THREL	2.50	0.06	12,436	2.49	BTNC	11.70	0.80	2	11.50	M-II	-	-	-	-
TIP	24.10	0.30	5,200	23.96	CPH	-	-	-	-	M-PAT	-	-	-	-
TQM	133.00	4.50	15,789	131.89	CPL	0.99	(0.02)	103	0.99	M-STOR	5.85	0.05	100	5.85
TSI	0.27	(0.01)	771	0.27	ICC	27.50	-	54	27.50	MIPF	15.00	1.20	1	15.00
TVI	3.42	0.04	37	3.41	NC	-	-	-	-	MIT	-	-	-	-
Mining					PAF	0.51	-	1,965	0.52	MULF	6.85	-	10	6.85
THL	-	-	-	-	PDJ	1.43	(0.01)	11	1.44	MNIT	-	-	-	-
Packaging					PG	4.50	(0.10)	7	4.46	MNIT2	4.00	-	99	4.00
AJ	17.40	0.10	25,928	17.68	SABINA	20.70	(0.40)	8,581	20.79	MNRF	-	-	-	-
ALUCON	156.50	1.50	1	156.50	SAWANG	12.00	(0.60)	11	12.54	POPF	10.00	(0.10)	254	10.09
BGC	12.60	0.10	23,743	12.56	SUC	33.50	(0.25)	731	33.50	PPF	11.30	(0.10)	1	11.30
CSC	51.00	1.25	2	51.38	TNL	-	-	-	-	PROSPECT	9.50	-	2	9.50
GLOCON	0.98	(0.02)	125,293	1.01	TPCORP	-	-	-	-	QHHR	5.60	-	667	5.60
NEP	0.22	(0.01)	420	0.22	TR	20.90	(0.20)	162	21.04	QHOP	2.26	-	10	2.26
PTL	23.20	-	21,297	23.38	TTI	-	-	-	-	QHPP	9.00	-	4,861	8.95
SFLEX	5.40	-	16,627	5.52	TTT	-	-	-	-	SBPF	3.12	(0.04)	7,603	2.89
SITHAI	0.54	0.01	11,536	0.52	UPF	-	-	-	-	SHREIT	4.16	0.20	7,658	4.20
SLP	0.44	(0.02)	29,708	0.45	UT	-	-	-	-	SIRIP	-	-	-	-
SMPC	12.40	0.20	9,911	12.13	WACOAL	46.25	0.75	15	45.00	SPF	12.50	-	1,741	12.49
SPACK	2.40	0.02	3,984	2.39	Transportation & Log					SPRIME	8.95	(0.05)	4	8.95
TCOAT	-	-	-	-	AAV	1.75	(0.05)	497,636	1.77	SRIPANWA	7.90	0.10	38	7.82
TFI	0.13	0.01	1,895	0.13	AOT	56.50	-	222,476	56.49	SSPF	9.20	(0.10)	5	9.12
THIP	24.60	0.10	429	24.58	ASIMAR	1.33	0.01	1,039	1.33	SSTRT	-	-	-	-
TMD	21.60	(0.80)	20	21.60	B	0.29	0.01	12,586	0.28	TIF1	8.40	-	60	8.35
TOPP	-	-	-	-	BA	5.45	0.15	3,994	5.40	TLGF	16.70	-	2,647	16.69
TPBI	4.70	0.06	1,007	4.69	BEM	8.50	(0.05)	159,858	8.54	TLHPF	9.00	-	2	9.00
TPP	13.40	0.20	11	13.25	BTS	9.60	0.10	223,108	9.58	TNPF	2.00	-	44	2.00
Personal Products &					BTSGIF	5.95	0.05	16,363	5.93	TPRIME	12.50	(0.10)	6	12.48
APCO	3.66	0.06	649	3.62	III	4.08	0.12	4,927	4.03	TTLPF	22.20	(0.10)	11	22.02
DDD	15.50	(0.60)	38,528	15.77	JUTHA	-	-	-	-	TU-PF	-	-	-	-
JCT	-	-	-	-	JWD	7.75	0.05	33,819	7.63	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	-	-	-	-	WHABT	8.40	-	31	8.40
S & J	-	-	-	-	NOK	0.61	(0.02)	1,756	0.62	WHART	14.30	-	3,388	14.31
STGT	80.50	3.75	141,124	79.30	NYT	3.14	0.04	43,821	3.14	Steel				
STHAI	-	-	-	-	PORT	2.06	(0.02)	25,119	2.06	AMC	1.44	-	183	1.44
TNR	10.70	-	42	10.45	PRM	9.15	(0.05)	74,695	9.16	BSBM	0.83	-	732	0.84
TOG	3.36	0.04	269	3.31	PSL	5.45	0.05	98,279	5.48	CEN	0.66	(0.02)	1,098	0.66
Professional Service					RCL	5.45	(0.20)	76,374	5.46	CITY	-	-	-	-
BWG	0.48	-	369,342	0.48	TFHIF	9.90	0.05	19,496	9.92	CSP	0.53	-	1,047	0.52
GENCO	0.48	-	40	0.48	THAI	3.20	(0.04)	10,751	3.21	GJS	0.09	-	10,889	0.08
PRO	-	-	-	-	TSTE	-	-	-	-	GSTEEL	-	-	-	-
SISB	8.55	0.05	6,919	8.55	TTA	3.08	0.02	42,135	3.12	INOX	0.43	0.01	2,634	0.43
Property Developmei</														

Main Board Quotation

Issue Date :

Thursday October 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AIE	0.61	0.01	104,653	-	ADVA06P2011A	0.24	(0.01)	38,250	-
ABICO	6.30	0.15	5,061	6.00	ETC	2.22	0.04	327,525	2.00	ADVA08C2009A	-	-	-	-
AU	8.90	(0.10)	46,262	8.00	PSTC	1.60	-	5,578	1.00	ADVA08C2012A	0.20	(0.02)	6,069	-
JCKH	0.30	(0.08)	1,628	-	QTC	3.98	-	529	3.00	ADVA08P2009A	-	-	-	-
KASET	1.52	-	636	1.00	SAAM	1.03	0.01	3,433	1.00	ADVA08P2101A	0.94	0.01	11,656	-
MM	2.02	0.08	1,272	1.00	SEAOIL	2.32	(0.04)	6,054	2.00	ADVA11C2011A	0.20	-	8,288	-
SUN	3.08	0.14	35,917	3.00	SR	0.61	-	3,548	-	ADVA11P2011A	0.47	-	20,010	-
TACC	6.70	-	46,666	6.00	TAKUNI	0.39	0.01	5,355	-	ADVA13C2010A	-	-	-	-
TMILL	3.06	(0.02)	2,078	3.00	TPCH	10.90	(0.20)	28,164	10.00	ADVA13C2012A	0.24	-	104,472	-
XO	10.70	1.00	244,984	10.00	TRT	1.64	0.02	55	1.00	ADVA13P2012A	0.85	-	70	-
Consumer Products					UMS	0.27	(0.03)	484	-	ADVA16C2009A	-	-	-	-
BGT	0.93	(0.07)	496	-	UPA	0.16	-	10,638	-	ADVA19C2009A	-	-	-	-
BIZ	3.28	0.08	1	3.00	UWC	0.05	-	2,631	-	ADVA19C2010A	-	-	-	-
DOD	9.50	0.10	73,544	9.00	Services (MAI)	-	-	-	-	ADVA19C2010B	-	-	-	-
ECF	1.34	(0.03)	51,454	1.00	AS	-	-	-	-	ADVA19C2012A	0.23	(0.01)	55,431	-
HPT	0.88	0.01	334	-	AKP	0.82	-	18	-	ADVA19P2009A	-	-	-	-
IP	12.30	(0.10)	16,448	12.00	AMA	4.90	0.14	32,340	4.00	ADVA19P2010A	0.18	(0.01)	107,770	-
JUBILE	17.30	-	234	17.00	ARIP	0.39	0.01	1,182	-	ADVA19P2012A	0.74	-	214,205	-
MOONG	3.76	0.04	432	3.00	ATP30	0.81	-	5,314	-	ADVA24C2009A	-	-	-	-
NPK	16.00	-	2	16.00	AUCT	14.30	0.40	51,869	13.00	ADVA24C2101A	0.27	(0.01)	28,407	-
OCEAN	0.80	-	1,720	-	BOL	5.40	0.25	52,941	5.00	ADVA28C2011A	-	-	-	-
TM	2.36	0.06	13,034	2.00	CMO	0.89	0.01	244	-	ADVA28C2012A	-	-	-	-
Financials (MAI)					D	3.22	-	1,801	3.00	ADVA28C2012B	-	-	-	-
ACAP	0.70	0.01	4,778	-	DV8	0.32	0.02	2,949	-	ADVA28C2101A	0.25	(0.01)	12,151	-
AF	0.56	-	5,086	-	EFORL	0.03	0.01	6,459	-	ADVA28C2102L	0.19	-	4,056	-
AIRA	0.89	-	62	-	ETE	0.97	(0.01)	26	-	ADVA28P2012A	0.21	-	6,084	-
ASN	4.30	(0.30)	119	4.00	FSMART	8.30	0.05	28,267	8.00	ADVA41C2010A	-	-	-	-
BROOK	0.40	0.01	25,087	-	FVC	0.40	0.02	1,633	-	ADVA41C2010B	-	-	-	-
CHAYO	8.20	0.55	360,981	8.00	GSC	2.16	(0.05)	27,153	1.00	ADVA41C2011A	0.15	(0.01)	38,000	-
GCAP	1.49	0.11	40,528	1.00	HARN	1.52	-	1,649	2.00	ADVA41P2011A	0.37	(0.01)	13,868	-
LIT	3.20	0.04	1,919	3.00	IMH	2.14	-	365	2.00	ADVA41P2101A	0.52	(0.01)	80,982	-
MITSI	1.03	0.02	5,188	1.00	JKN	8.95	(0.95)	309,490	9.00	ADVA42C2102T	0.28	(0.03)	2,010	-
SGF	0.49	(0.02)	77,692	-	KIAT	0.48	(0.01)	107,945	-	AEON13C2010A	0.01	-	3,064	-
Industrials (MAI)					KOOL	1.07	(0.05)	106,429	1.00	AEON13C2011A	0.24	0.08	154,042	-
ZS	3.08	(0.02)	1,320	3.00	LDC	1.21	0.11	22,426	1.00	AEON13C2012A	0.77	0.19	147,999	-
ADB	0.77	0.01	577	-	MORE	0.70	(0.04)	637,497	-	AEON19C2010A	0.07	0.03	10,165	-
BM	2.12	0.06	772	2.00	MPG	0.25	0.01	6,004	-	AEON19C2010B	0.22	0.08	224,960	-
CHO	0.61	0.11	326,553	-	MVP	1.25	0.07	6,229	1.00	AEON19C2011A	1.18	0.37	3,708	1.00
CHOW	1.53	(0.08)	689	1.00	NBC	0.53	0.01	6	-	AEON19C2012A	0.65	0.16	393,572	-
CIG	0.21	(0.01)	3,552	-	NCL	0.62	(0.01)	1,246	-	AEON28C2012A	0.58	0.18	196,861	-
COLOR	1.23	-	1,598	1.00	NEWS	0.01	-	10,213	-	AEON28C2101A	-	-	-	-
CPR	2.22	(0.04)	2,195	2.00	NINE	1.68	0.02	19	1.00	AEON42C2101T	0.30	0.07	18,360	-
FPI	1.42	-	1,179	1.00	OTO	3.28	0.14	22,753	3.00	AMAT01C2101A	0.25	(0.01)	34,638	-
GTB	0.80	0.02	63,503	-	PHOL	2.34	-	5,069	2.00	AMAT06C2010A	-	-	-	-
KCM	0.43	-	1,655	-	PICO	3.86	0.16	1	3.00	AMAT06C2102A	0.26	0.01	55,855	-
KUMWEL	1.19	(0.02)	160,414	1.00	QLT	4.14	(0.02)	4	4.00	AMAT08C2010A	-	-	-	-
KWM	1.00	0.01	28,146	1.00	RP	1.22	0.01	1,803	1.00	AMAT08C2101A	0.28	(0.01)	19,905	-
MBAX	6.40	0.05	24,663	6.00	SE	1.21	(0.01)	12,027	1.00	AMAT13C2010A	0.01	(0.02)	1,005	-
MGT	2.14	0.04	7,412	2.00	SLM	-	-	-	-	AMAT13C2012A	0.17	0.01	64,127	-
NDR	1.38	(0.05)	10,585	1.00	SONIC	1.03	-	1,076	1.00	AMAT19C2009A	-	-	-	-
PDG	3.48	(0.02)	455	3.00	SPA	6.20	-	10,489	6.00	AMAT19C2011A	-	-	-	-
PIMO	2.14	0.06	69,864	2.00	THMUI	0.55	-	3	-	AMAT19C2012A	0.15	-	258,922	-
PJW	1.30	(0.03)	1,083	1.00	TNDT	3.10	(0.02)	706	3.00	AMAT24C2010A	-	-	-	-
PPM	0.79	0.02	1,370	-	TNH	33.00	0.50	1	33.00	AMAT28C2012A	0.08	(0.01)	5,000	-
RWI	1.34	(0.02)	609	1.00	TNP	2.92	(0.02)	13,191	2.00	AMAT28C2101A	0.16	-	27,668	-
SALIE	0.68	(0.06)	21,582	-	TSF	-	-	-	-	AMAT28C2102L	0.10	-	1,006	-
SANKO	0.96	0.03	111	-	TVD	1.06	(0.01)	12,889	1.00	AMAT28C2103A	0.27	-	58,804	-
SELIC	2.08	(0.02)	1,878	2.00	TVT	0.64	(0.02)	1,129	-	AMAT42C2101T	0.09	(0.02)	60	-
SWC	4.16	(0.02)	165	4.00	VL	1.02	0.01	16,697	1.00	AOT01C2012A	0.53	(0.02)	47,249	-
TMC	0.65	0.05	2,900	-	WINNER	2.58	0.06	24,748	2.00	AOT01C2102T	0.33	(0.01)	32,981	-
TMI	0.63	0.01	20,397	-	YGG	11.60	(0.20)	6,134	11.00	AOT01P2012A	0.24	-	60,689	-
TMW	29.25	(0.25)	62	29.00	Technology (MAI)	-	-	-	-	AOT01P2012B	0.62	-	73,295	-
TPAC	13.80	0.20	473	13.00	APP	2.74	(0.04)	116,267	2.00	AOT01P2102T	0.52	0.01	38,647	-
TPLAS	1.57	(0.01)	3,766	1.00	COMAN	2.44	(0.06)	11,159	2.00	AOT06C2009A	-	-	-	-
UBIS	5.05	(0.05)	162	5.00	ICN	2.08	(0.02)	10,991	2.00	AOT06C2011A	0.15	(0.01)	44,262	-
UEC	0.88	0.01	2,157	-	IIG	23.40	0.10	29,785	23.00	AOT06P2011A	0.60	-	51,197	-
UKEM	0.52	-	80,482	-	INSET	3.32	0.06	48,255	3.00	AOT08C2009A	-	-	-	-
UREKA	0.79	(0.01)	1,315	-	IRCP	0.77	(0.01)	5,471	-	AOT08C2101A	0.41	(0.02)	19,091	-
YUASA	14.60	-	201	14.00	ITEL	2.76	-	22,474	2.00	AOT08P2009A	-	-	-	-
ZIGA	2.34	(0.08)	103,160	2.00	NETBAY	27.75	0.75	1,916	27.00	AOT08P2102A	0.69	0.01	64,615	-
Property & Construc					PLANET	1.42	0.14	253,161	1.00	AOT11C2011A	0.24	(0.02)	50,660	-
ALL	3.02	0.02	24,982	3.00	SICT	4.78	-	22,128	4.00	AOT11P2101A	0.38	(0.01)	68,070	-
ARIN	0.95	0.02	240	-	SIMAT	3.70	(0.04)	7,289	3.00	AOT13C2010A	-	-	-	-
ARROW	7.30	(0.05)	345	7.00	SKY	12.90	(0.10)	3,393	13.00	AOT13C2011A	0.12	-	203,788	-
BC	0.88	0.04	4,821	-	SPVI	3.08	0.02	94,330	3.00	AOT13C2012A	0.43	-	26,168	-
BSM	0.28	0.01	889	-	TPS	2.78	(0.06)	133,586	2.00	AOT13C2010A	0.33	-	364,495	-
BTW	0.81	(0.02)	2,542	-	VCOM	5.95	(0.15)	40,525	5.00	AOT13P2010A	0.26	(0.01)	54,376	-
CAZ	1.50	-	259	1.00	Unit Trust	-	-	-	-	AOT13P2011A	0.14	-	235,077	-
CHEWA	0.50	(0.01)	33,157	-	SCBSET	-	-	-	-	AOT13P2101A	0.54	(0.46)	422,472	-
CMC	0.72	-	4,165	-	ETF	-	-	-	-	AOT16C2009A	-	-	-	-
CRD	0.50	-	200	-	IDIV	7.43	0.07	1,662	7.00	AOT16C2012A	0.47	(0.03)	6,644	-
DIMET	0.15	(0.01)	66,970	-	ABFTH	-	-	-	-	AOT19C2009A	-	-	-	-
FLOYD	1.0													

Asia Plus Securities Company Limited

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
AOT41P2012A	0.19	-	48,220	-
AOT42C2010T	-	-	-	-
AOT42P2012T	0.38	0.01	1,484	-
AP01C2012A	0.13	0.01	29,621	-
AP06C2103A	0.36	(0.64)	23,310	-
AP08C2101A	0.21	0.01	38,947	-
AP13C2011A	0.12	0.01	18,535	-
AP19C2010A	-	-	-	-
AP19C2011A	0.14	-	51,003	-
AP28C2012A	-	-	-	-
AP28C2012B	0.13	-	30,378	-
AWC01C2009A	-	-	-	-
AWC01C2010A	0.36	-	54,247	-
AWC06C2011A	-	-	-	-
AWC06P2012A	0.51	(0.02)	45,856	-
AWC08C2012A	0.15	-	15,000	-
AWC11C2102A	0.36	-	29,800	-
AWC13C2010A	-	-	-	-
AWC13C2010B	-	-	-	-
AWC13C2011A	0.09	0.01	6,000	-
AWC13C2010A	0.26	0.01	186,358	-
AWC13P2011A	0.26	(0.02)	219,298	-
AWC19C2010A	-	-	-	-
AWC19C2010B	-	-	-	-
AWC19C2010C	0.06	(0.01)	5,000	-
AWC19C2010A	0.27	-	271,264	-
AWC19P2011A	0.25	(0.02)	9,798	-
AWC24C2010A	-	-	-	-
AWC28C2010A	-	-	-	-
AWC28C2010B	-	-	-	-
AWC28C2012A	-	-	-	-
AWC28C2012B	-	-	-	-
AWC28C2010A	0.20	-	39,342	-
AWC28C2103L	0.15	-	22,759	-
AWC41C2010A	-	-	-	-
AWC41C2011A	-	-	-	-
AWC41C2102A	0.21	-	47,746	-
AWC42C2101T	-	-	-	-
BANP01C2101A	0.42	0.09	134,941	-
BANP01P2101A	0.38	(0.10)	92,182	-
BANP06C2101A	-	-	-	-
BANP06C2101A	0.43	0.14	212,515	-
BANP06P2011A	0.19	(0.12)	178,858	-
BANP08C2009A	-	-	-	-
BANP08C2102A	0.40	0.09	108,044	-
BANP08P2009A	-	-	-	-
BANP13C2010A	-	-	-	-
BANP13C2011A	0.16	0.06	33,713	-
BANP13C2012A	0.33	0.12	778,005	-
BANP13P2012A	0.23	(0.09)	210,215	-
BANP19C2009A	-	-	-	-
BANP19C2010A	0.07	0.04	50	-
BANP19C2012A	0.35	0.11	471,463	-
BANP19P2010A	0.04	(0.02)	1	-
BANP19P2010B	0.24	(0.13)	56,068	-
BANP19P2012A	0.13	(0.07)	222,061	-
BANP24C2011A	-	-	-	-
BANP28C2010A	-	-	-	-
BANP28C2012A	0.16	0.05	41,750	-
BANP28C2012B	0.17	0.06	119,299	-
BANP28C2101A	0.36	0.11	112,915	-
BANP41C2010A	-	-	-	-
BANP42C2012T	-	-	-	-
BBL06C2101A	0.53	(0.02)	152,940	-
BBL06P2011A	0.55	(0.03)	63,252	-
BBL08C2009A	-	-	-	-
BBL08C2101A	0.23	-	21,500	-
BBL08P2009A	-	-	-	-
BBL08P2102A	-	-	-	-
BBL11C2011A	0.25	(0.01)	28,060	-
BBL11P2102A	0.70	(0.02)	69,760	-
BBL13C2010A	-	-	-	-
BBL13C2010B	0.01	(0.01)	1,001	-
BBL13C2012A	0.20	(0.01)	173,994	-
BBL13C2012B	0.56	(0.01)	144,856	-
BBL13P2010A	-	-	-	-
BBL13P2012A	0.65	(0.01)	85,613	-
BBL19C2009A	-	-	-	-
BBL19C2010A	-	-	-	-
BBL19C2011A	-	-	-	-
BBL19C2011B	-	-	-	-
BBL19C2012A	0.45	(0.01)	315,846	-
BBL19C2101A	0.27	(0.01)	33,292	-
BBL19P2010A	0.20	(0.01)	170,977	-
BBL19P2011A	0.60	(0.02)	164,569	-
BBL19P2012A	0.43	(0.01)	150,170	-
BBL24C2009A	-	-	-	-
BBL28C2010A	-	-	-	-
BBL28C2011A	0.08	(0.01)	75	-
BBL28C2012A	-	-	-	-
BBL28C2101A	0.15	-	39,532	-
BBL28C2104L	0.15	(0.01)	45,420	-
BBL41C2011A	-	-	-	-
BBL41C2012A	0.44	(0.01)	104,374	-
BBL41C2012B	0.17	(0.01)	181,191	-
BBL41P2010A	-	-	-	-
BBL41P2011A	0.36	(0.01)	61,918	-
BBL42C2101T	-	-	-	-
BBL42P2102T	0.42	0.01	20	-
BCH01C2101A	0.26	(0.01)	6,196	-
BCH06C2011A	0.08	(0.01)	17,900	-
BCH13C2010A	0.05	-	12	-
BCH13C2012A	0.22	(0.01)	71,304	-

Securities	Close	Change	Volume (Lot)	Average Price
BCH19C2011A	0.14	(0.01)	52,000	-
BCH19C2011A	0.02	-	2,000	-
BCH19C2012A	-	-	-	-
BCH19C2011A	-	-	-	-
BCH19C2012A	0.11	-	4	-
BCHG01C2009A	-	-	-	-
BCHG01P2009A	-	-	-	-
BCHG13C2010A	-	-	-	-
BCHG13C2012A	0.02	(0.01)	276	-
BCHG13C2012B	-	-	-	-
BCHG16C2009A	-	-	-	-
BCHG19C2010A	-	-	-	-
BCHG19C2011A	-	-	-	-
BCHG19C2012A	0.13	-	1	-
BCHG28C2012A	-	-	-	-
BCHG28C2012B	-	-	-	-
BCHG28C2012C	-	-	-	-
BCHG28C2101A	-	-	-	-
BCHG28C2103L	0.14	-	3,042	-
BDM501C2101A	0.35	0.03	38,270	-
BDM506C2010A	-	-	-	-
BDM506C2102A	0.31	0.01	44,201	-
BDM508C2011A	0.05	(0.01)	418	-
BDM508C2010A	0.28	0.01	13,500	-
BDM511C2011A	0.30	0.01	30,304	-
BDM513C2011A	0.10	0.01	41,988	-
BDM513C2012A	0.20	0.01	151,125	-
BDM519C2010A	-	-	-	-
BDM519C2011A	-	-	-	-
BDM519C2012A	0.19	0.01	123,419	-
BDM519P2010A	-	-	-	-
BDM524C2101A	0.32	0.02	19,200	-
BDM528C2011A	-	-	-	-
BDM528C2012A	0.04	(0.01)	34	-
BDM528C2012B	-	-	-	-
BDM528C2101A	0.15	0.01	19,452	-
BDM528C2102A	0.23	0.02	20,285	-
BDM541C2012A	0.18	0.01	46,556	-
BDM541P2011A	0.55	(0.04)	25,302	-
BDM542C2010T	0.09	(0.02)	100	-
BEM01C2101A	0.11	(0.01)	29,282	-
BEM08C2009A	-	-	-	-
BEM08C2102A	-	-	-	-
BEM11C2011A	-	-	-	-
BEM13C2010A	-	-	-	-
BEM13C2011A	0.08	(0.01)	519	-
BEM19C2010A	0.08	(0.02)	450	-
BEM19C2011A	-	-	-	-
BEM19C2101A	0.27	-	21,184	-
BEM19P2010A	0.09	(0.01)	100	-
BEM28C2010A	-	-	-	-
BEM28C2012A	-	-	-	-
BEM28C2103A	-	-	-	-
BEM28C2104L	0.22	-	16,731	-
BGR101C2009A	-	-	-	-
BGR101C2012A	0.13	(0.01)	70,978	-
BGR101P2012A	0.47	(0.02)	55,911	-
BGR106C2010A	0.01	-	1,150	-
BGR106C2102A	0.41	0.01	64,460	-
BGR106P2011A	0.50	(0.05)	39,270	-
BGR108C2009A	-	-	-	-
BGR108C2101A	0.30	-	34,020	-
BGR111C2101A	0.17	-	30,210	-
BGR113C2011A	-	-	-	-
BGR113C2012A	0.22	-	49,826	-
BGR113P2010A	0.47	(0.01)	2,562	-
BGR113P2101A	0.30	(0.02)	66,995	-
BGR119C2009A	-	-	-	-
BGR119C2011A	0.06	-	5,286	-
BGR119C2012A	0.14	(0.01)	177,506	-
BGR119C2101A	0.37	0.02	142,567	-
BGR119P2010A	0.28	(0.04)	60,130	-
BGR124C2009A	-	-	-	-
BGR127C2101A	0.12	(0.01)	9,770	-
BGR127P2012A	0.29	-	10,162	-
BGR141C2010A	-	-	-	-
BGR141C2012A	0.37	0.01	36,226	-
BGR141C2101A	0.17	0.01	21,000	-
BGR142C2101T	0.07	(0.01)	212	-
BH13C2010A	-	-	-	-
BH13C2012A	0.10	-	97,205	-
BH13C2101A	0.47	(0.53)	305,821	-
BH19C2009A	-	-	-	-
BH19C2012A	0.13	0.01	51,879	-
BH19P2012A	0.59	(0.04)	210,425	-
BH24C2102A	0.19	0.02	37,128	-
BH41C2012A	0.09	-	419	-
BJC01C2009A	-	-	-	-
BJC01C2101A	0.29	(0.02)	21,294	-
BJC01P2009A	-	-	-	-
BJC01P2101A	0.42	-	27,418	-
BJC06C2102A	0.24	(0.02)	17,596	-
BJC11C2102A	0.26	(0.01)	9,760	-
BJC13C2010A	-	-	-	-
BJC13C2011A	-	-	-	-
BJC13C2012A	0.19	(0.01)	13,390	-
BJC13P2012A	0.25	-	17,093	-
BJC19C2010A	-	-	-	-
BJC19C2010B	-	-	-	-
BJC19C2012A	0.19	(0.01)	130,177	-
BJC19P2012A	0.26	-	17,700	-
BJC28C2010A	-	-	-	-
BJC28C2012A	-	-	-	-

Issue Date :

Thursday October 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price
BJC28C2012B	-	-	-	-
BJC28C2010A	0.17	(0.01)	10,140	-
BJC28C2102L	0.11	-	2,028	-
BJC41C2011A	-	-	-	-
BJC41C2012A	0.18	(0.01)	10,000	-
BPP13C2011A	0.06	(0.02)	6	-
BPP13C2012A	0.16	(0.01)	17,501	-
BPP19C2010A	-	-	-	-
BPP19C2012A	0.16	(0.01)	8,027	-
BTS01C2101A	0.14	(0.01)	59,234	-
BTS11C2011A	-	-	-	-
BTS13C2011A	0.05	0.01	60	-
BTS13C2012A	0.11	(0.01)	58,619	-
BTS13P2011A	0.15	(0.01)	27,649	-
BTS19C2010A	-	-	-	-
BTS19C2011A	-	-	-	-
BTS19C2012A	0.29	-	100,842	-
BTS19P2012A	0.13	-	50	-
BTS24C2012A	-	-	-	-
BTS41C2010A	-	-	-	-
BTS41C2012A	-	-	-	-
CBG01C2012A	0.35	-	33,782	-
CBG01P2012A	0.56	(0.02)	60,993	-
CBG06C2011A	0.34	(0.01)	163,598	-
CBG08C2012A	0.52	0.01	32,080	-
CBG11C2101A	0.52	(0.01)	19,540	-
CBG13C2010A	0.27	(0.01)	596	-
CBG13C2011A	0.36	-	94,530	-
CBG13C2012A	0.25	-	221,588	-
CBG13P2010A	-	-	-	-
CBG13P2011A	0.26	(0.02)	111,296	-
CBG16C2010A	0.61	-	18,121	-
CBG19C2010A	1.14	0.04	2	1.00
CBG19C2011A	0.50	-	82,606	-
CBG19C2011B	0.19	-	114,732	-
CBG19P2010A	0.01	-	16	-
CBG19P2011A	0.11	(0.01)	145,533	-
CBG19P2012A	0.63	(0.02)	309,779	-
CBG41C2010A	-	-	-	-
CBG41C2011A	-	-	-	-
CBG41C2011B	0.34	0.02	57,364	-
CBG41C2012A	0.16	-	35,334	-
CBG41P2010A	0.07	(0.02)	2,774	-
CBG41P2012A	0.81	(0.03)	25,813	-
CBG42C2101T	0.75	0.02	13,490	-
CENT01C2009A	-	-	-	-
CENT01P2009				

Main Board Quotation

Issue Date :

Thursday October 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM706C2012A	0.78	0.09	45,780	-	CRC13P2012A	0.24	(0.02)	34,846	-	ESSO13C2010A	0.05	0.03	3,021	-
COM708C2010A	-	-	-	-	CRC19C2010A	-	-	-	-	ESSO13C2012A	0.21	0.04	239,974	-
COM708C2011A	0.57	-	1,116	-	CRC19C2011A	0.04	-	400	-	ESSO19C2009A	-	-	-	-
COM708C2102A	0.42	0.04	44,185	-	CRC19C2012A	0.11	0.01	181,067	-	ESSO19C2010A	0.11	0.01	111,540	-
COM711C2101A	0.51	0.05	37,338	-	CRC19C2101A	0.20	(0.80)	78,204	-	ESSO19C2011A	0.07	0.02	463	-
COM711P2102A	0.64	(0.07)	121,713	-	CRC19P2011A	0.22	(0.01)	107,841	-	ESSO19C2012A	0.18	0.04	115,202	-
COM713C2010A	2.24	0.02	1	2.00	CRC24C2101A	0.12	0.01	28,872	-	ESSO19P2012A	0.31	(0.06)	129,796	-
COM713C2010B	0.71	0.04	12,464	-	CRC28C2011A	-	-	-	-	ESSO24C2012A	0.12	0.02	24,666	-
COM713C2011A	0.38	0.07	214,556	-	CRC28C2012A	0.04	0.01	2,924	-	ESSO28C2101A	0.11	0.01	8,432	-
COM716C2101A	0.41	0.04	16,948	-	CRC28C2101A	0.13	-	23,370	-	ESSO28C2101B	0.15	0.02	34,434	-
COM719C2009A	-	-	-	-	CRC41C2010A	-	-	-	-	ESSO41C2010A	0.10	0.01	3,400	-
COM719C2010A	-	-	-	-	CRC41C2012A	0.11	0.02	12,000	-	ESSO41C2011A	-	-	-	-
COM719C2011A	-	-	-	-	DELT13C2011A	7.15	0.60	2,937	6.00	ESSO42C1011T	0.15	0.02	15	-
COM719C2011B	0.48	0.06	64,895	-	DOHO06C2012A	0.43	-	313,359	-	GFPT08C2011A	0.13	0.01	9,220	-
COM719C2012A	0.33	0.06	312,314	-	DOHO08C2012A	0.49	0.01	49,590	-	GFPT13C2010A	-	-	-	-
COM719P2011A	0.05	(0.01)	1,570	-	DOHO11C2101A	0.47	-	52,880	-	GFPT19C2010A	0.10	-	82,223	-
COM719P2012A	0.13	(0.04)	211,453	-	DOHO13C2011A	0.31	-	553,084	-	GFPT19C2010B	-	-	-	-
COM724C2012A	0.40	0.07	47,358	-	DOHO19C2011A	0.34	-	344,527	-	GFPT19C2012A	0.22	0.02	31,364	-
COM741C2101A	0.30	0.04	86,890	-	DOHO28C2012A	0.34	-	123,769	-	GFPT24C2012A	0.13	-	8,003	-
CPAL01C2101A	0.26	(0.01)	53,638	-	DOHO28C2102L	0.27	0.01	58,736	-	GFPT42C1011T	-	-	-	-
CPAL01P2101A	0.60	(0.01)	49,489	-	DOHO42C2012T	0.28	-	27,800	-	GLOB01C2012A	0.23	(0.01)	54,261	-
CPAL06C2011A	-	-	-	-	DTAC01C2101A	0.18	(0.01)	49,067	-	GLOB13C2011A	0.31	(0.04)	160,833	-
CPAL06C2102A	0.27	0.01	63,976	-	DTAC06C2012A	-	-	-	-	GLOB19C2010A	0.50	(0.05)	30,486	-
CPAL06P2012A	0.64	(0.01)	51,332	-	DTAC06C2103A	0.34	(0.66)	7,500	-	GLOB19C2012A	0.32	(0.03)	77,788	-
CPAL08C2011A	-	-	-	-	DTAC06P2012A	0.65	0.01	772	-	GLOB24C2010A	0.40	(0.06)	21,861	-
CPAL08C2102A	0.34	-	12,000	-	DTAC08C2012A	-	-	-	-	GPSCO1C2101A	0.16	0.01	52,451	-
CPAL08P2009A	-	-	-	-	DTAC08C2101A	0.17	(0.01)	8,100	-	GPSCO1C2102A	0.44	0.03	70,170	-
CPAL08P2101A	0.71	-	14,695	-	DTAC13C2011A	-	-	-	-	GPSCO1P2012A	0.80	(0.08)	35,779	-
CPAL11C2012A	0.13	-	18,780	-	DTAC13C2012A	0.14	(0.01)	86,401	-	GPSCO6C2011A	0.04	0.01	120	-
CPAL13C2011A	0.02	(0.02)	3,534	-	DTAC13P2011A	-	-	-	-	GPSCO6C2101A	0.22	-	22,703	-
CPAL13C2012A	0.17	-	53,675	-	DTAC13P2101A	0.29	0.01	21,228	-	GPSCO6P2011A	-	-	-	-
CPAL13C2101A	0.36	(0.64)	198,022	-	DTAC16C2009A	-	-	-	-	GPSCO8C2009A	-	-	-	-
CPAL13P2011A	0.44	(0.01)	46,601	-	DTAC19C2009A	-	-	-	-	GPSCO8C2101A	0.24	0.01	12,450	-
CPAL19C2010A	-	-	-	-	DTAC19C2010A	-	-	-	-	GPSC11C2102A	0.36	0.01	25,450	-
CPAL19C2011A	0.07	-	1,100	-	DTAC19C2011A	-	-	-	-	GPSC13C2011A	0.02	-	465	-
CPAL19C2012A	0.21	(0.01)	111,753	-	DTAC19C2012A	0.09	(0.01)	27,822	-	GPSC13C2012A	0.15	0.02	17,262	-
CPAL19P2010A	-	-	-	-	DTAC19C2101A	0.19	(0.01)	167,812	-	GPSC13C2012B	0.26	0.03	271,174	-
CPAL19P2010B	0.40	(0.01)	183,063	-	DTAC19P2011A	0.36	0.01	135,824	-	GPSC13P2011A	0.81	-	2	-
CPAL24C2009A	-	-	-	-	DTAC24C2012A	-	-	-	-	GPSC13P2011B	0.38	(0.04)	150,030	-
CPAL27C2101A	-	-	-	-	DTAC28C2012A	-	-	-	-	GPSC19C2009A	-	-	-	-
CPAL28C2010A	-	-	-	-	DTAC28C2102A	0.12	(0.02)	8,042	-	GPSC19C2010A	0.02	-	220	-
CPAL28C2012A	0.03	(0.01)	2,088	-	DTAC28C2104L	0.17	(0.01)	9,084	-	GPSC19C2012A	0.19	0.01	188,316	-
CPAL28C2012B	0.03	(0.03)	2,000	-	DTAC41C2010A	-	-	-	-	GPSC19C2101A	0.32	0.03	96,431	-
CPAL28C2012C	-	-	-	-	DTAC41C2011A	-	-	-	-	GPSC19P2010A	0.13	(0.04)	242,551	-
CPAL28C2102A	0.17	(0.01)	14,196	-	DTAC41C2012A	0.09	(0.01)	8,000	-	GPSC19P2011A	-	-	-	-
CPAL28C2104L	0.18	-	12,168	-	DTAC42C2101T	0.05	(0.01)	200	-	GPSC19P2012A	0.51	(0.06)	239,165	-
CPAL41C2010A	0.01	-	29	-	EA06C2010A	0.04	(0.02)	42,513	-	GPSC24C2011A	-	-	-	-
CPAL41C2011A	0.11	-	54,000	-	EA06C2102A	0.33	0.01	50,895	-	GPSC28C2011A	-	-	-	-
CPAL41P2011A	0.59	(0.01)	52,220	-	EA06P2012A	0.54	(0.01)	34,425	-	GPSC28C2101A	0.22	0.01	23,787	-
CPAL42C2101T	0.05	-	70,004	-	EA08C2009A	-	-	-	-	GPSC28C2104L	0.22	0.01	22,294	-
CPF01C2012A	0.08	0.03	109	-	EA08C2101A	0.31	(0.01)	12,000	-	GPSC41C2011A	-	-	-	-
CPF01C2101A	0.20	(0.01)	55,126	-	EA11C2101A	0.09	-	7,610	-	GPSC41C2012A	0.11	(0.01)	23,746	-
CPF01P2012A	0.43	(0.02)	18,748	-	EA13C2011A	0.07	(0.01)	10,745	-	GPSC41P2010A	0.82	(0.06)	29,020	-
CPF06C2010A	-	-	-	-	EA13C2012A	0.17	-	153,215	-	GPSC42C2101T	-	-	-	-
CPF06C2102A	0.20	-	67,259	-	EA13P2011A	-	-	-	-	GULF01C2012A	0.17	0.01	37,891	-
CPF06P2011A	0.18	(0.01)	52,920	-	EA13P2101A	0.33	-	24,844	-	GULF01P2012A	0.23	(0.02)	50,328	-
CPF08C2010A	0.03	-	1,251	-	EA16C2012A	0.11	(0.01)	5,824	-	GULF06C2101A	0.24	0.01	47,181	-
CPF08C2102A	0.20	-	17,200	-	EA19C2010A	0.06	(0.01)	10,586	-	GULF08C2009A	-	-	-	-
CPF11C2010A	-	-	-	-	EA19C2012A	0.16	-	136,286	-	GULF08C2012A	-	-	-	-
CPF13C2011A	0.03	(0.01)	44,325	-	EA19P2011A	0.30	(0.01)	90,282	-	GULF08C2102A	0.28	-	22,800	-
CPF13C2012A	0.07	-	19,444	-	EA19P2011B	0.43	(0.01)	36,247	-	GULF11C2011A	-	-	-	-
CPF13C2101A	0.16	(0.01)	216,227	-	EA24C2101A	0.25	-	42,045	-	GULF13C2011A	0.04	-	24,504	-
CPF13P2012A	0.41	-	138,509	-	EA28C2011A	0.07	-	3,490	-	GULF13C2012A	0.11	-	106,950	-
CPF16C2012A	-	-	-	-	EA28C2012A	0.12	(0.01)	17,196	-	GULF13C2012B	0.19	0.02	223,224	-
CPF19C2009A	-	-	-	-	EA28C2101A	0.12	-	12,168	-	GULF13P2011A	0.23	(0.01)	75,834	-
CPF19C2010A	0.01	-	2,112	-	EA28C2102A	0.20	-	17,224	-	GULF13P2012A	0.24	(0.02)	300,062	-
CPF19C2012A	0.07	(0.01)	10,114	-	EA28C2103L	-	-	-	-	GULF16C2012A	0.10	(0.01)	2,896	-
CPF19C2102A	0.20	-	94,866	-	EA41C2011A	-	-	-	-	GULF19C2010A	0.01	-	7,591	-
CPF19P2010A	-	-	-	-	EA41C2101A	0.13	(0.01)	40,746	-	GULF19C2010B	-	-	-	-
CPF19P2012A	0.45	(0.02)	6,250	-	EA42C2101T	0.14	-	15	-	GULF19C2012A	0.13	-	144,295	-
CPF24C2012A	0.04	(0.01)	1,280	-	EGCO01C2101A	0.20	0.01	10,009	-	GULF19P2010A	0.20	0.02	409,747	-
CPF28C2010A	-	-	-	-	EGCO01P2010A	0.79	(0.04)	13,602	-	GULF19P2009A	-	-	-	-
CPF28C2011A	-	-	-	-	EGCO06C2010A	0.02	-	1	-	GULF19P2010A	0.08	(0.01)	10,100	-
CPF28C2012A	0.04	-	520	-	EGCO13C2011A	0.03	-	500	-	GULF19P2010B	0.30	(0.01)	1	-
CPF28C2012B	-	-	-	-	EGCO13C2012A	0.18	0.01	35,011	-	GULF19P2012A	0.28	(0.03)	186,535	-
CPF28C2102A	0.10	-	6,085	-	EGCO13C2012B	0.28	0.02	113,809	-	GULF24C2009A	-	-	-	-
CPF28C2103L	0.11	-	3,067	-	EGCO13P2011A	-	-	-	-	GULF24C2101A	0.18	-	22,387	-
CPF41C2010A	-	-	-	-	EGCO19C2010A	-	-	-	-	GULF28C2010A	-	-	-	-
CPF41C2101A	0.10	(0.01)	16,747	-	EGCO19C2011A	-	-	-	-	GULF28C2012A	0.03	-	2,001	-
CPF41P2011A	0.36	0.01	13,603	-	EGCO19C2012A	0.10	-	139,729	-	GULF28C2012B	-	-	-	-
CPF42C2101T	0.04	(0.01)	92	-	EGCO19C2012B	0.55	0.04	65,906	-	GULF28C2101A	0.12	(0.01)	16,710	-
CPN01C2012A	0.16	0.01	12,843	-	EGCO19P2011A	0.93	(0.04)	41,370	-	GULF28C2102A	0.14	(0.01)	24,773	-
CPN01C2101A	0.43	0.02	32,590	-	EGCO19P2012A	0.59	(0.05)	89,957	-	GULF41C2011A	-	-	-	-
CPN01P2012A	0.50	(0.03)	35,548	-	EGCO24C2009A	-	-	-	-	GULF41C2012A	0.13	-	13,828	-
CPN06C2010A	-	-	-	-	EGCO41C2101A	0.17	-	15,011	-	GULF41C2102A	0.19	0.01	46,000	-
CPN11C2101A	0.16	-	8,490	-	EGCO42C2101T	0.04	-	100	-	GULF41P2011A	0.33	(0.03)	6,975	-
CPN13C2011A	-	-	-	-	EPG13C2010A	-	-	-	-	GULF41P2012A	0.26	(0.03)	104,916	-
CPN13C2012A	0.23	0.01	87,490	-	EPG13C2011A	0.28	0.01	54,865	-	GULF42C2010M	-	-	-	-
CPN19C2010A	-	-	-	-	EP									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday October 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HANA13C2012A	0.30	0.04	534,075	-	IRPC13P2012A	0.24	(0.09)	17,595	-	KBAN13P2010A	-	-	-	-
HANA16C2101A	0.47	0.04	11,483	-	IRPC19C2010A	-	-	-	-	KBAN13P2011A	0.92	(0.05)	22,285	-
HANA19C2010A	0.51	0.04	27,989	-	IRPC19C2011A	0.04	(0.04)	107	-	KBAN13P2012A	0.74	(0.04)	382,957	-
HANA19C2012A	0.33	0.03	121,262	-	IRPC19C2012A	0.45	0.17	42,853	-	KBAN19C2009A	-	-	-	-
HANA19P2011A	0.02	-	501	-	IRPC19C2101A	0.14	0.04	32,505	-	KBAN19C2010A	-	-	-	-
HANA24C2012A	0.54	0.06	134,604	-	IRPC19P2011A	0.45	(0.14)	145,267	-	KBAN19C2010B	-	-	-	-
HANA27P2012X	0.08	(0.02)	1,812	-	IRPC19P2012A	0.26	(0.09)	101,638	-	KBAN19C2011A	0.01	(0.01)	1,030	-
HANA28C2012A	0.45	0.05	67,835	-	IRPC24C2012A	0.06	0.02	40	-	KBAN19C2012A	0.30	0.01	7,985	-
HANA41C2012A	0.39	0.04	62,876	-	IRPC28C2012A	0.02	0.01	1,010	-	KBAN19C2012B	0.16	0.01	192,630	-
HANA42C2101T	0.38	-	2,200	-	IRPC28C2101A	0.07	-	25	-	KBAN19C2101A	0.58	0.02	1,022,454	-
HMPRO1C2012A	0.14	(0.01)	167	-	IRPC28C2103A	0.14	0.04	30,929	-	KBAN19P2010A	-	-	-	-
HMPRO1P2012A	0.44	0.02	47,472	-	IRPC41C2010A	-	-	-	-	KBAN19P2010P	0.12	(0.02)	56,196	-
HMPRO6C2010A	-	-	-	-	IRPC41C2101A	0.08	0.02	477	-	KBAN19P2012A	0.56	(0.04)	466,288	-
HMPRO6C2102A	0.36	(0.02)	23,000	-	IVL01C2012A	0.08	-	101	-	KBAN24C2009A	-	-	-	-
HMPRO6P2011A	0.14	-	35,595	-	IVL01C2012B	0.29	(0.02)	51,063	-	KBAN24C2012A	0.17	-	105,386	-
HMPR11C2011A	0.26	(0.02)	80,350	-	IVL01P2012A	0.91	0.02	74,203	-	KBAN28C2010A	-	-	-	-
HMPR13C2012A	0.22	(0.01)	44,070	-	IVL06C2010A	0.01	-	19,855	-	KBAN28C2012A	0.03	-	10	-
HMPR19C2010A	0.11	(0.02)	41,200	-	IVL06C2101A	0.15	(0.02)	42,975	-	KBAN28C2011B	-	-	-	-
HMPR19P2011A	0.28	0.01	171,987	-	IVL06C2103A	0.40	(0.60)	57,220	-	KBAN28C2102A	0.28	0.02	53,672	-
HMPR41C2010A	0.05	(0.08)	100	-	IVL06P2009A	-	-	-	-	KBAN28C2104L	0.25	-	39,546	-
HSI28C2009A	-	-	-	-	IVL06P2011A	0.84	0.01	44,849	-	KBAN28P2012A	0.35	(0.02)	57,756	-
HSI28C2009B	-	-	-	-	IVL08C2009A	-	-	-	-	KBAN41C2011A	-	-	-	-
HSI28C2009C	-	-	-	-	IVL08C2101A	0.21	(0.02)	32,823	-	KBAN41C2012A	0.25	-	138,679	-
HSI28C2009D	-	-	-	-	IVL08P2011A	0.36	0.01	28,808	-	KBAN41C2101A	0.46	0.01	124,440	-
HSI28C2009E	-	-	-	-	IVL08P2102A	0.92	0.02	42,658	-	KBAN41P2010A	-	-	-	-
HSI28C2010A	0.15	0.01	20,450	-	IVL11C2012A	0.07	(0.01)	16	-	KBAN41P2011A	1.26	(0.04)	5,630	1.00
HSI28C2010B	0.04	-	6,045	-	IVL13C2011A	-	-	-	-	KBAN42C2101T	-	-	-	-
HSI28C2010C	0.02	-	2,215	-	IVL13C2012A	0.13	(0.02)	310,209	-	KBAN42P2101T	0.86	(0.03)	2,960	-
HSI28C2010D	0.02	-	4,210	-	IVL13C2012B	0.04	(0.01)	120	-	KCE01C2012A	0.33	0.03	64,295	-
HSI28C2011A	0.74	0.04	211	-	IVL13C2101A	0.30	(0.70)	139,307	-	KCE01P2011A	0.27	(0.04)	43,544	-
HSI28C2011B	0.40	0.02	452	-	IVL13P2010A	0.09	(0.02)	73,601	-	KCE06C2012A	-	-	-	-
HSI28C2011C	-	-	-	-	IVL13P2012A	0.59	0.01	110,911	-	KCE06C2012B	0.52	0.04	29,178	-
HSI28C2011L	0.14	-	3,020	-	IVL16C2009A	-	-	-	-	KCE08C2009A	-	-	-	-
HSI28C2012L	0.10	-	4,670	-	IVL19C2009A	-	-	-	-	KCE08C2012A	0.43	0.04	25,758	-
HSI28C2101L	0.11	-	70	-	IVL19C2010A	-	-	-	-	KCE11C2101A	0.43	0.05	27,842	-
HSI28C2102L	0.29	(0.03)	3	-	IVL19C2010B	-	-	-	-	KCE13C2010A	0.27	(0.01)	32,402	-
HSI28P2009A	-	-	-	-	IVL19C2011A	0.07	(0.01)	23,014	-	KCE13C2012A	0.26	0.03	410,277	-
HSI28P2009B	-	-	-	-	IVL19C2012A	0.18	(0.01)	243,666	-	KCE13P2010A	0.02	(0.01)	5	-
HSI28P2009C	-	-	-	-	IVL19C2012B	0.31	(0.01)	248,948	-	KCE13P2012A	0.23	(0.03)	258,673	-
HSI28P2010A	0.30	(0.25)	5,705	-	IVL19P2010A	0.12	-	119,270	-	KCE16C2012A	0.32	0.03	10,667	-
HSI28P2010B	-	-	-	-	IVL19P2010B	0.31	0.01	155,542	-	KCE19C2009A	-	-	-	-
HSI28P2010C	-	-	-	-	IVL19P2011A	0.79	0.05	892	-	KCE19C2010A	-	-	-	-
HSI28P2010L	-	-	-	-	IVL19P2012A	0.59	0.02	137,189	-	KCE19C2010B	-	-	-	-
HSI28P2011A	-	-	-	-	IVL24C2012A	0.16	(0.02)	19,238	-	KCE19C2011A	0.30	0.03	129,020	-
HSI28P2011B	-	-	-	-	IVL28C2011A	-	-	-	-	KCE19C2012A	0.24	0.02	157,993	-
HSI28P2011C	0.70	0.02	1	-	IVL28C2012A	-	-	-	-	KCE19P2010A	-	-	-	-
HSI28P2011L	-	-	-	-	IVL28C2012B	-	-	-	-	KCE19P2012A	0.18	(0.03)	179,523	-
HSI28P2012L	-	-	-	-	IVL28C2101A	0.15	(0.01)	13,182	-	KCE24C2010A	0.51	0.04	8,530	-
HSI28P2101L	-	-	-	-	IVL28C2104L	0.19	(0.01)	15,626	-	KCE27C2101X	0.73	0.05	4,802	-
HSI28P2102L	-	-	-	-	IVL41C2010A	-	-	-	-	KCE41C2012A	0.26	0.02	43,809	-
HSI41C2009A	-	-	-	-	IVL41C2011A	-	-	-	-	KCE42C2012T	0.90	0.04	2,652	-
HSI41C2009B	-	-	-	-	IVL41C2012A	0.19	(0.02)	104,500	-	KKP13C2010A	-	-	-	-
HSI41C2009C	-	-	-	-	IVL41P2010A	-	-	-	-	KKP13C2012A	0.14	(0.02)	40,569	-
HSI41C2009D	-	-	-	-	IVL41P2012A	0.84	0.03	45,360	-	KKP19C2010A	-	-	-	-
HSI41C2010A	0.16	0.01	3,993	-	IVL41P2012B	0.39	0.01	14,680	-	KKP19C2011A	-	-	-	-
HSI41C2010B	0.05	-	101	-	IVL42C2101T	0.03	(0.01)	208	-	KKP19C2012A	0.16	-	109,374	-
HSI41C2010C	-	-	-	-	JAS08C2011A	0.04	(0.01)	4,866	-	KT801C2009A	-	-	-	-
HSI41C2011A	0.08	-	15	-	JAS13C2011A	0.02	-	8,500	-	KT801P2009A	-	-	-	-
HSI41C2011B	0.69	0.04	12	-	JAS13C2012A	0.15	(0.02)	470,857	-	KT813C2010A	-	-	-	-
HSI41C2011C	-	-	-	-	JAS19C2009A	-	-	-	-	KT813C2012A	0.13	0.01	35,538	-
HSI41C2011D	-	-	-	-	JAS19C2010A	0.02	0.01	1	-	KT819C2010A	-	-	-	-
HSI41C2011E	-	-	-	-	JAS19C2010B	-	-	-	-	KT819C2011A	-	-	-	-
HSI41C2012A	0.08	(0.01)	43	-	JAS19C2012A	0.13	(0.02)	288,677	-	KT819C2012A	-	-	-	-
HSI41C2101A	-	-	-	-	JAS19C2101A	0.30	(0.03)	149,373	-	KT819C2101A	0.31	(0.69)	1,110	-
HSI41P2009A	-	-	-	-	JAS19P2010A	0.26	0.01	150,312	-	KT819P2012A	0.54	(0.03)	100,968	-
HSI41P2009B	-	-	-	-	JAS28C2011A	-	-	-	-	KT824C2009A	-	-	-	-
HSI41P2009C	-	-	-	-	JAS28C2012A	0.03	0.01	10	-	KT824C2101A	0.24	-	23,469	-
HSI41P2009D	-	-	-	-	JAS28C2012B	-	-	-	-	KT828C2011A	-	-	-	-
HSI41P2010A	-	-	-	-	JAS28C2101A	0.10	(0.01)	5,556	-	KT828C2012A	-	-	-	-
HSI41P2010B	-	-	-	-	JAS28C2102A	0.20	-	21,252	-	KT828C2012B	-	-	-	-
HSI41P2010C	-	-	-	-	JAS41C2011A	0.06	(0.02)	150	-	KT828C2101C	-	-	-	-
HSI41P2011A	-	-	-	-	JAS41C2102A	0.29	(0.03)	81,267	-	KT828C2102A	0.20	0.01	5,563	-
HSI41P2011B	-	-	-	-	JMT06C2012A	0.52	0.16	107,200	-	KT828C2102B	0.36	0.02	79,118	-
HSI41P2011C	-	-	-	-	JMT08C2101A	0.36	0.09	55,965	-	KT828C2102C	0.13	(0.01)	43,676	-
HSI41P2011D	-	-	-	-	JMT11C2102A	0.38	0.09	124,641	-	KT828C2102D	0.22	-	34,000	-
HSI41P2011E	-	-	-	-	JMT13C2011A	1.37	0.12	60	1.00	KT828C2102E	0.10	-	10,119	-
HSI41P2012A	-	-	-	-	JMT13C2011B	0.48	0.16	463,131	-	KT828C2102F	-	-	-	-
HSI41P2101A	-	-	-	-	JMT13C2012A	0.29	0.09	606,137	-	KT828C2102G	0.13	-	140,916	-
INTU01C2101A	0.25	(0.02)	56,568	-	JMT19C2010A	-	-	-	-	KT828C2102H	0.33	0.03	581,304	-
INTU06P2011A	0.35	0.01	34,150	-	JMT19C2011A	0.48	0.16	61,685	-	KT828C2102I	-	-	-	-
INTU11C2103A	0.36	(0.06)	36,060	-	JMT19C2012A	0.30	0.09	759,308	-	KT828C2102J	0.16	(0.01)	208,279	-
INTU13C2011A	-	-	-	-	JMT24C2011A	0.46	0.13	107,674	-	KT828C2102K	0.03	0.01	34,829	-
INTU16C2009A	-	-	-	-	JMT28C2010A	0.37	0.11	101,402	-	KT828C2102L	0.21	0.02	115,557	-
INTU19C2009A	-	-	-	-	JMT41C2012A	0.28	0.08	125,703	-	KT828C2102M	0.33	0.03	216,777	-
INTU19C2012A	0.15	(0.02)	143,986	-	JMT42C2101T	0.27	0.06	11,996	-	KT828C2102N	0.06	(0.02)	10	-
INTU19P2010A	-	-	-	-	KBAN01C2012A	0.54	0.01	95,738	-	KT828C2102O	0.22	(0.01)	204,048	-
INTU19P2012A	0.62	0.01	236,598	-	KBAN01C2012B	0.40	0.01	81,676	-	KT828C2102P	0.32	0.03	44,002	-
INTU23C2111A	0.57	(0.01)	30	-	KBAN01C2102T	0.55	0.01	54,008	-	KT828C2102Q	-	-	-	-
INTU28C2010A	-	-	-	-	KBAN01P2012A	0.81	(0.05)	86,790	-	KT828C2102R	0.12	0.01	18,682	-
INTU28C2012A	0.07	-	5,564	-	KBAN01P2101A	0.78	(0.03)	43,280	-	KT828C2102S	0.27	0.02	45,283	-
INTU28C2102A	0.18	-	33,433	-	KBAN01P2102									

Main Board Quotation

Issue Date :

Thursday October 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
LH19P2010A	-	-	-	-	PLAN19C2010B	0.10	-	111,098	-	PTTE24C2011A	-	-	-	-
MAJO13C2011A	0.11	(0.03)	900	-	PLAN19C2012A	0.25	0.02	52,121	-	PTTE28C2011A	-	-	-	-
MAJO19C2011A	0.23	(0.03)	194,695	-	PLAN24C2009A	-	-	-	-	PTTE28C2011B	-	-	-	-
MEGA13C2011A	0.06	0.01	70	-	PLAN27C2010A	0.20	-	600	-	PTTE28C2012A	0.22	-	16,696	-
MEGA13C2010A	0.28	0.01	195,454	-	PLAN28C2010A	-	-	-	-	PTTE28C2010A	0.27	0.01	36,462	-
MEGA16C2009A	-	-	-	-	PLAN28C2012A	0.84	(0.08)	50	-	PTTE28C2012L	0.20	(0.01)	6,084	-
MEGA19C2011A	0.09	-	9,930	-	PLAN28C2012B	0.23	0.01	23,880	-	PTTE41C2010A	-	-	-	-
MEGA19C2010A	0.26	(0.74)	213,775	-	PLAN42C2010T	-	-	-	-	PTTE41C2011A	0.13	-	28,398	-
MEGA42C2010T	-	-	-	-	PRM08C2010A	0.39	(0.01)	10,000	-	PTTE41C2012A	0.23	-	35,226	-
MINT01C2012A	0.36	(0.02)	56,605	-	PRM11C2012A	0.52	0.01	420	-	PTTE41C2010A	0.30	-	168,606	-
MINT01C2102T	0.35	(0.01)	26,098	-	PRM13C2010A	0.23	(0.01)	17,758	-	PTTE41P2010A	-	-	-	-
MINT01P2012A	0.35	(0.01)	64,568	-	PRM13C2012A	0.40	(0.01)	17,477	-	PTTE41P2011A	0.94	(0.03)	200,464	-
MINT01P2012B	0.84	(0.01)	56,603	-	PRM16C2012A	0.28	(0.02)	2,782	-	PTTE42C2010T	-	-	-	-
MINT01P2102T	0.61	-	52,920	-	PRM19C2010A	0.54	-	2,898	-	PTTE42P2010T	0.79	(0.02)	6,800	-
MINT06C2012A	0.39	(0.02)	99,767	-	PRM19C2011A	0.29	0.02	2,950	-	PTTG01C2012A	0.25	-	19,084	-
MINT06P2012A	0.27	0.01	57,441	-	PRM28C2012A	0.24	0.01	12,168	-	PTTG01P2012A	0.92	(0.06)	26,000	-
MINT06P2102A	1.14	0.01	111,527	1.00	PRM42C2010T	-	-	-	-	PTTG08C2010A	0.19	-	11,400	-
MINT08C2010A	0.14	(0.02)	28,994	-	PTG01C2012A	0.39	0.04	79,899	-	PTTG08P2010A	0.07	(0.02)	175	-
MINT08P2011A	0.36	-	22,260	-	PTG01P2012A	0.50	(0.07)	92,518	-	PTTG11C2010A	-	-	-	-
MINT08P2102A	0.87	(0.02)	11,118	-	PTG06C2010A	0.40	0.07	44,786	-	PTTG13C2010A	-	-	-	-
MINT11C2011A	0.38	(0.01)	48,154	-	PTG06C2103A	0.65	(0.35)	21,120	-	PTTG13C2011A	0.07	-	5,094	-
MINT11P2011A	0.26	-	50,828	-	PTG08C2011A	0.45	0.07	31,909	-	PTTG13C2012A	0.16	0.01	34,274	-
MINT13C2010A	0.10	(0.01)	81,003	-	PTG11C2011A	0.45	0.04	40,510	-	PTTG13C2010A	0.30	0.03	309,948	-
MINT13C2011A	0.19	(0.03)	739,446	-	PTG13C2010A	0.15	0.04	63,008	-	PTTG13P2010A	0.09	-	6,024	-
MINT13P2011A	0.25	-	117,094	-	PTG13C2012A	0.22	0.04	178,465	-	PTTG13P2011A	0.57	(0.04)	6,010	-
MINT13P2012A	0.53	0.01	564,349	-	PTG13C2012B	0.42	0.06	339,452	-	PTTG13P2012A	0.45	(0.04)	219,189	-
MINT16C2012A	0.34	(0.02)	37,207	-	PTG16C2009A	-	-	-	-	PTTG19C2009A	-	-	-	-
MINT19C2010A	0.07	-	700	-	PTG16C2010A	0.50	0.06	15,374	-	PTTG19C2011A	0.09	0.01	3,108	-
MINT19C2011A	0.47	(0.03)	187,134	-	PTG19C2010A	0.42	0.07	21,376	-	PTTG19C2012A	0.18	-	161,743	-
MINT19C2011B	0.19	(0.01)	178,780	-	PTG19C2011A	0.26	0.04	193,642	-	PTTG19C2010A	0.34	0.02	154,362	-
MINT19P2010A	0.13	(0.01)	19,500	-	PTG19C2012A	0.42	0.06	62,983	-	PTTG19P2009A	-	-	-	-
MINT19P2011A	0.19	(0.01)	22,320	-	PTG19P2010A	0.02	-	4	-	PTTG19P2010A	0.26	(0.03)	75,776	-
MINT19P2012A	0.62	0.01	281,320	-	PTG19P2011A	0.24	(0.04)	111,459	-	PTTG19P2011A	0.30	(0.03)	153,568	-
MINT24C2011A	0.27	(0.01)	9,868	-	PTG41C2010A	0.46	0.06	46,016	-	PTTG19P2011B	-	-	-	-
MINT28C2012A	0.11	(0.01)	20,980	-	PTG42C2010T	0.29	0.03	25,940	-	PTTG24C2010A	0.24	-	41,300	-
MINT28C2012B	0.20	(0.01)	10,140	-	PTT01C2012A	0.13	0.01	29,915	-	PTTG28C2011A	-	-	-	-
MINT28C2012C	0.20	(0.01)	48,014	-	PTT01P2012A	0.36	(0.04)	58,476	-	PTTG28C2012A	0.14	0.01	17,034	-
MINT28C2104L	0.21	(0.01)	25,136	-	PTT06C2012A	0.07	0.02	30,501	-	PTTG28C2102L	0.11	-	4,056	-
MINT41C2010A	-	-	-	-	PTT06C2102A	0.15	0.02	29,500	-	PTTG41C2010A	0.08	-	12,828	-
MINT41C2012A	0.45	(0.04)	82,776	-	PTT08C2010A	0.13	0.01	7,500	-	PTTG41C2011A	-	-	-	-
MINT42C2101T	0.23	(0.01)	109	-	PTT08P2009A	-	-	-	-	PTTG41C2101A	0.13	-	32,000	-
MINT42P2102T	0.59	-	2,410	-	PTT08P2101A	0.48	(0.04)	21,708	-	PTTG41P2010A	-	-	-	-
MTC01C2012A	0.42	0.02	39,232	-	PTT11C2010A	0.11	-	56,802	-	PTTG41P2011A	0.69	(0.06)	23,964	-
MTC06C2010A	0.04	(0.01)	811	-	PTT13C2010A	-	-	-	-	PTTG41P2102A	0.43	(0.01)	131,278	-
MTC06C2102A	0.51	0.02	57,427	-	PTT13C2012A	0.06	0.01	18,100	-	PTTG42C2012T	-	-	-	-
MTC08C2009A	-	-	-	-	PTT13C2012B	0.13	0.03	201,057	-	QH19C2010A	0.12	-	23,850	-
MTC08C2011A	0.25	0.01	2,800	-	PTT13C2010A	0.21	(0.79)	224,712	-	QH27C2010A	0.15	-	1,201	-
MTC08C2102A	0.52	0.03	7,400	-	PTT13P2010A	0.08	(0.04)	125,144	-	RATC01C2010A	0.28	-	6,869	-
MTC11C2102A	0.48	0.02	14,780	-	PTT13P2011A	0.38	(0.05)	111	-	RATC01P2010A	0.68	(0.02)	20,507	-
MTC13C2010A	0.03	-	3,190	-	PTT13P2010A	0.21	(0.04)	260,543	-	RATC06C2102A	0.26	0.01	12,525	-
MTC13C2011A	0.26	0.01	97,923	-	PTT16C2012A	-	-	-	-	RATC06P2010A	-	-	-	-
MTC13P2011A	0.28	(0.03)	11,947	-	PTT19C2009A	-	-	-	-	RATC11C2103A	0.52	-	9,140	-
MTC19C2009A	-	-	-	-	PTT19C2011A	0.04	-	380	-	RATC13C2010A	-	-	-	-
MTC19C2010A	0.14	-	284,716	-	PTT19C2012A	0.08	0.02	300	-	RATC13C2012A	0.11	(0.01)	7,430	-
MTC19C2012A	0.32	0.03	239,449	-	PTT19C2012B	0.11	0.02	47,172	-	RATC13P2011A	0.41	(0.04)	41,825	-
MTC19P2010A	-	-	-	-	PTT19C2101A	0.19	0.02	50,490	-	RATC19C2011A	-	-	-	-
MTC19P2012A	0.35	(0.03)	50,092	-	PTT19P2009A	-	-	-	-	RATC19C2012A	0.16	-	73,106	-
MTC24C2009A	-	-	-	-	PTT19P2010A	0.11	(0.02)	155,940	-	RATC19C2101A	0.27	0.01	64,492	-
MTC28C2011A	0.12	-	48,788	-	PTT19P2010B	0.20	(0.07)	22,344	-	RATC19P2011A	0.58	(0.04)	8,167	-
MTC28C2012A	0.16	-	11,565	-	PTT19P2010A	0.22	(0.02)	108,611	-	RATC24C2012A	0.15	-	1,263	-
MTC28C2012B	0.32	0.02	74,768	-	PTT24C2010A	0.13	0.01	23,010	-	RATC41C2010A	-	-	-	-
MTC28C2102L	0.20	0.01	12,143	-	PTT28C2011A	-	-	-	-	RATC41C2012A	-	-	-	-
MTC41C2010A	-	-	-	-	PTT28C2012A	-	-	-	-	RATC42C2102T	-	-	-	-
MTC41C2012A	0.40	0.02	94,894	-	PTT28C2101A	-	-	-	-	RS06C2010A	-	-	-	-
MTC42C2010T	-	-	-	-	PTT28C2103L	0.14	(0.01)	8,112	-	RS06C2012A	0.34	0.01	42,351	-
ORI13C2011A	0.16	-	20,510	-	PTT41C2010A	-	-	-	-	RS08C2011A	-	-	-	-
ORI19C2010A	-	-	-	-	PTT41C2012A	-	-	-	-	RS08C2103A	0.47	-	22,500	-
ORI19C2011A	0.30	-	19,348	-	PTT41C2010A	-	-	-	-	RS13C2010A	-	-	-	-
ORI19C2012A	0.15	-	24,850	-	PTT41P2010A	0.08	(0.03)	18	-	RS13C2011A	0.27	-	69,520	-
ORI28C2011A	-	-	-	-	PTT41P2011A	0.92	(0.03)	1,102	-	RS19C2010A	2.08	(0.54)	10	2.00
ORI28C2012A	-	-	-	-	PTT41P2012A	0.51	(0.04)	36,346	-	RS19C2010B	0.35	-	123,678	-
ORI28C2012B	0.26	(0.01)	12,635	-	PTT42C2010M	-	-	-	-	RS19C2011A	-	-	-	-
ORI28C2010A	0.11	(0.01)	7,605	-	PTT42C2012T	0.04	(0.01)	100	-	RS19C2011B	0.22	0.01	481,074	-
ORI28C2103L	0.19	(0.01)	7,035	-	PTT42P2101T	0.24	(0.03)	10,868	-	RS19P2012A	0.44	-	105,278	-
OSP01C2012A	0.14	0.01	33,160	-	PTTE01C2012A	0.51	-	35,182	-	RS28C2012A	-	-	-	-
OSP01P2012A	0.49	(0.02)	34,856	-	PTTE01P2012A	1.35	(0.04)	30,056	1.00	RS28C2101A	0.31	(0.01)	27,679	-
OSP06C2011A	-	-	-	-	PTTE06C2011A	-	-	-	-	RS28C2101L	0.40	(0.01)	21,062	-
OSP06C2102A	0.23	0.02	41,466	-	PTTE06C2101A	0.41	-	122,976	-	RS41C2011A	0.40	-	83,950	-
OSP06P2009A	-	-	-	-	PTTE06P2009A	-	-	-	-	RS42C2101T	-	-	-	-
OSP06P2102A	0.54	(0.05)	18,000	-	PTTE06P2011A	0.42	(0.03)	68,000	-	S10001C2011A	0.02	-	66	-
OSP08C2009A	-	-	-	-	PTTE08C2011A	0.21	-	44,114	-	S5001C2012F	0.41	0.01	67,181	-
OSP08C2102A	0.35	0.01	4,000	-	PTTE08P2101A	1.13	(0.01)	37,108	1.00	S5001P2012F	1.15	(0.07)	427,896	1.00
OSP11C2102A	0.22	0.01	31,350	-	PTTE11C2011A	0.31	(0.01)	26,407	-	S5006C2009A	-	-	-	-
OSP13C2010A	-	-	-	-	PTTE11P2102A	0.81	(0.01)	54,740	-	S5006C2009B	-	-	-	-
OSP13C2012A	0.09	-	19,173	-	PTTE13C2010A	-	-	-	-	S5006C2009C	-	-	-	-
OSP13C2101A	0.21	(0.79)	82,490	-	PTTE13C2010B	0.02	0.01	20	-	S5006C2009D	-	-	-	-
OSP13P2011A	0.33	(0.04)	18,841	-	PTTE13C2011A	0.12	(0.01)	175,779	-	S5006C2012A	0.21	0.01	148,233	-
OSP19C2009A	-	-	-	-	PTTE13C2012A	0.37	-	272,237	-	S5006C2012B	0.71</			

Main Board Quotation

Issue Date :

Thursday October 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5013C2009A	-	-	-	-	S5041C2012C	0.06	-	5	-	SPRC01C2101A	0.24	0.05	62,191	-
S5013C2009B	-	-	-	-	S5041C2012D	0.16	0.03	99,178	-	SPRC01P2101A	0.54	(0.09)	27,817	-
S5013C2009C	-	-	-	-	S5041C2012E	0.30	0.03	826,869	-	SPRC06C2101A	-	-	-	-
S5013C2009D	-	-	-	-	S5041P2009A	-	-	-	-	SPRC06C2102A	0.23	0.07	87,675	-
S5013C2009E	-	-	-	-	S5041P2009B	-	-	-	-	SPRC06P2101A	0.22	(0.13)	71,195	-
S5013C2009F	-	-	-	-	S5041P2009C	-	-	-	-	SPRC08C2101A	-	-	-	-
S5013C2010A	0.30	-	5,691	-	S5041P2009D	-	-	-	-	SPRC11C2102A	0.25	0.04	73,627	-
S5013C2011A	0.17	0.01	489,052	-	S5041P2009E	-	-	-	-	SPRC13C2101A	-	-	-	-
S5013C2012A	0.20	-	234,640	-	S5041P2009F	-	-	-	-	SPRC13C2012A	0.12	0.03	85,307	-
S5013C2012C	0.28	0.01	429,625	-	S5041P2009G	-	-	-	-	SPRC13C2012B	0.19	0.06	238,054	-
S5013C2012D	0.23	0.02	2,896,975	-	S5041P2012A	1.01	(0.11)	137,277	1.00	SPRC19C2101A	-	-	-	-
S5013C2012E	0.39	0.04	4,831,325	-	S5041P2012B	0.86	(0.10)	1,811,509	-	SPRC19C2012A	0.15	0.03	224,295	-
S5013P2009A	-	-	-	-	S5041P2012C	1.02	(0.11)	44,559	1.00	SPRC19C2101A	0.28	0.08	136,412	-
S5013P2009B	-	-	-	-	S5041P2012E	0.77	(0.53)	323,215	-	SPRC19P2011A	0.29	(0.10)	51,769	-
S5013P2009C	-	-	-	-	SAWA01C2012A	0.52	0.03	27,426	-	SPRC28C2101A	-	-	-	-
S5013P2009D	-	-	-	-	SAWA01P2012A	0.51	(0.04)	39,488	-	SPRC28C2101A	0.13	0.03	26,364	-
S5013P2009E	-	-	-	-	SAWA06C2010A	0.03	-	18,284	-	SPRC42C2101T	-	-	-	-
S5013P2009F	-	-	-	-	SAWA06C2101A	0.62	0.06	39,921	-	SPX28C2012A	1.08	0.21	20,823	1.00
S5013P2009G	-	-	-	-	SAWA08C2011A	0.15	-	8,710	-	SPX28C2012B	0.53	0.13	7,436	-
S5013P2010A	0.79	(0.05)	14,636	-	SAWA08C2101A	0.47	0.02	8,310	-	SPX28P2012A	0.44	(0.11)	30,920	-
S5013P2012A	1.12	(0.08)	654,244	1.00	SAWA11C2103A	0.64	0.01	45,432	-	SPX28P2012B	0.27	(0.08)	6,584	-
S5013P2012B	1.24	(0.10)	180,121	1.00	SAWA13C2010A	0.02	-	2,518	-	SPX41C2012A	0.85	0.22	60,858	-
S5013P2012C	0.79	(0.09)	3,890,248	-	SAWA13C2011A	0.29	0.03	382,439	-	SPX41C2012B	0.53	0.16	58,372	-
S5013P2012D	0.52	(0.07)	7,386,905	-	SAWA16C2010A	0.46	0.02	7,921	-	SPX41C2012T	-	-	-	-
S5016C2009A	-	-	-	-	SAWA19C2009A	-	-	-	-	SPX41C2012U	1.42	0.26	33,989	1.00
S5016C2009B	-	-	-	-	SAWA19C2009B	-	-	-	-	SPX41P2012A	0.95	(0.17)	1,551	-
S5016C2012A	0.17	-	22,000	-	SAWA19C2011A	0.15	(0.01)	69,496	-	SPX41P2012B	0.69	(0.18)	39,241	-
S5016C2012B	0.21	0.03	8,170	-	SAWA19C2012A	0.41	0.03	100,646	-	SPX41P2012T	0.77	(0.23)	10	-
S5016P2009A	-	-	-	-	SAWA19P2011A	0.22	(0.02)	70,433	-	SPX41P2012U	0.60	(0.13)	49,891	-
S5016P2009B	-	-	-	-	SAWA24C2009A	-	-	-	-	STA01C2009A	-	-	-	-
S5016P2012A	0.96	(0.07)	121,416	1.00	SAWA28C2011A	0.11	0.01	12,132	-	STA01C2101A	0.28	0.01	63,924	-
S5016P2012B	0.95	(0.08)	86,823	-	SAWA28C2012A	0.24	(0.01)	10,340	-	STA01P2009A	-	-	-	-
S5016P2103Z	3.92	0.04	179	3.00	SAWA28C2012B	0.17	-	10,140	-	STA06C2012A	0.15	-	110,202	-
S5019C2009A	-	-	-	-	SAWA28C2010A	0.38	0.03	34,053	-	STA08C2101A	-	-	-	-
S5019C2009B	-	-	-	-	SAWA28C2102L	0.14	0.01	12,168	-	STA08C2011A	0.10	(0.01)	10,030	-
S5019C2009C	-	-	-	-	SAWA41C2010A	-	-	-	-	STA08C2101A	0.31	-	17,760	-
S5019C2009D	-	-	-	-	SAWA41C2012A	0.31	0.02	30,326	-	STA13C2010A	0.78	(0.10)	80	-
S5019C2009E	-	-	-	-	SAWA42C2101T	0.13	-	200	-	STA13C2010B	0.05	-	61,797	-
S5019C2009F	-	-	-	-	SCB01C2009A	-	-	-	-	STA13C2010C	0.02	-	10,340	-
S5019C2012A	0.16	0.02	67,152	-	SCB01C2101A	0.35	(0.01)	67,267	-	STA13C2010D	0.01	-	192	-
S5019C2012B	0.13	0.01	60,374	-	SCB01P2101A	0.94	-	42,702	-	STA13C2011A	0.23	(0.06)	2,168	-
S5019C2012C	0.31	0.03	1,132,326	-	SCB06C2010A	0.01	(0.03)	12	-	STA13C2011B	0.09	-	1,637	-
S5019C2012D	0.49	0.05	1,023,200	-	SCB06C2103A	0.57	(0.43)	46,886	-	STA13C2012A	0.15	-	379,422	-
S5019P2009A	-	-	-	-	SCB08C2009A	-	-	-	-	STA13P2010A	0.01	-	21,345	-
S5019P2009B	-	-	-	-	SCB08C2101A	0.27	0.01	6,600	-	STA13P2010B	-	-	-	-
S5019P2009C	-	-	-	-	SCB08P2012A	0.60	(0.01)	32,000	-	STA13P2012A	0.25	(0.01)	111,988	-
S5019P2009D	-	-	-	-	SCB11C2102A	0.33	-	16,320	-	STA19C2009A	-	-	-	-
S5019P2009E	-	-	-	-	SCB11P2012A	0.62	(0.01)	20,660	-	STA19C2010A	-	-	-	-
S5019P2009F	-	-	-	-	SCB13C2010A	-	-	-	-	STA19C2010B	-	-	-	-
S5019P2012A	0.99	(0.06)	1,412,215	1.00	SCB13C2011A	0.11	(0.01)	35,737	-	STA19C2010C	-	-	-	-
S5019P2012B	0.90	(0.10)	3,720,418	-	SCB13C2012A	0.33	(0.01)	568,265	-	STA19C2011A	-	-	-	-
S5019P2012C	0.58	(0.06)	1,968,743	-	SCB13P2010A	0.58	(0.02)	1	-	STA19C2011B	0.13	(0.01)	59,575	-
S5024C2009A	-	-	-	-	SCB13P2012A	0.58	(0.01)	144,881	-	STA19C2012A	0.20	-	179,587	-
S5024C2009B	-	-	-	-	SCB19C2010A	-	-	-	-	STA19P2009A	-	-	-	-
S5024C2009C	-	-	-	-	SCB19C2010B	-	-	-	-	STA19P2010A	-	-	-	-
S5024C2009D	-	-	-	-	SCB19C2012A	0.22	(0.01)	232,911	-	STA19P2012A	0.23	-	44,041	-
S5024C2009E	-	-	-	-	SCB19P2010A	0.11	(0.01)	79,982	-	STA24C2011A	0.09	-	100	-
S5024C2009F	-	-	-	-	SCB19P2011A	-	-	-	-	STA28C2011A	-	-	-	-
S5024C2009G	-	-	-	-	SCB19P2011B	0.54	-	126,161	-	STA28C2011B	0.09	(0.01)	12,168	-
S5024C2012A	0.02	-	10	-	SCB24C2012A	0.19	(0.01)	26,116	-	STA28C2012A	1.26	0.07	4	1.00
S5024C2012B	-	-	-	-	SCB28C2010A	-	-	-	-	STA28C2102L	0.13	-	29,062	-
S5024C2012C	0.15	0.01	7,036	-	SCB28C2012A	-	-	-	-	STA41C2010A	-	-	-	-
S5024C2012E	0.21	0.02	26,152	-	SCB28C2012B	0.18	-	39,542	-	STA42C2101T	0.12	(0.01)	1,390	-
S5024C2012F	0.65	0.06	824,067	-	SCB28C2104L	0.21	(0.01)	12,184	-	STEC01C2101A	0.14	(0.02)	27,389	-
S5024P2009A	-	-	-	-	SCB41C2011A	-	-	-	-	STEC01P2101A	0.60	0.01	33,946	-
S5024P2009B	-	-	-	-	SCB41C2011B	-	-	-	-	STEC06C2010A	-	-	-	-
S5024P2009C	-	-	-	-	SCB41C2012A	0.28	0.01	73,320	-	STEC08C2012A	0.05	(0.01)	50	-
S5024P2009D	-	-	-	-	SCB41P2011A	0.53	(0.02)	220,820	-	STEC11C2102A	0.18	(0.01)	16,100	-
S5024P2009E	-	-	-	-	SCB42C2101T	-	-	-	-	STEC13C2010A	-	-	-	-
S5024P2012A	0.14	(0.01)	8,132	-	SCC01C2101A	0.54	0.10	132,255	-	STEC13C2012A	0.07	(0.01)	5,756	-
S5024P2012B	0.51	-	24	-	SCC01P2012A	0.86	(0.19)	40,799	-	STEC13C2101A	0.18	(0.02)	27,197	-
S5024P2012C	1.45	(0.18)	211,096	1.00	SCC06C2012A	0.17	0.04	95,521	-	STEC13P2011A	0.32	0.03	30,996	-
S5024P2012D	1.04	(0.15)	1,216,147	1.00	SCC08C2011A	0.14	0.03	45,900	-	STEC16C2009A	-	-	-	-
S5024P2012E	0.64	(0.09)	777,343	-	SCC11C2011A	0.34	0.05	70,500	-	STEC19C2009A	-	-	-	-
S5028C2009A	-	-	-	-	SCC13C2011A	0.16	0.04	406,456	-	STEC19C2011A	0.02	0.01	1	-
S5028C2009B	-	-	-	-	SCC13C2012A	0.30	0.09	269,007	-	STEC19C2012A	0.08	(0.01)	11,300	-
S5028C2009C	-	-	-	-	SCC13P2011A	0.77	(0.19)	550	-	STEC19C2101A	0.15	(0.02)	48,860	-
S5028C2009D	-	-	-	-	SCC13P2101A	0.39	(0.11)	70,429	-	STEC19P2011A	-	-	-	-
S5028C2009E	-	-	-	-	SCC19C2010A	0.06	0.02	4,032	-	STEC19P2012A	0.42	0.03	8,142	-
S5028C2010A	0.02	-	107	-	SCC19C2012A	0.31	0.08	583,857	-	STEC19P2101A	0.26	0.01	12,000	-
S5028C2012A	0.03	-	3,848	-	SCC19C2101A	0.56	0.13	499,682	-	STEC28C2011A	-	-	-	-
S5028C2012B	-	-	-	-	SCC19P2010A	0.01	(0.01)	600	-	STEC28C2012A	0.07	(0.01)	50	-
S5028C2012C	0.32	0.02	852,190	-	SCC19P2011A	0.35	(0.13)	257,593	-	STEC28C2101A	0.11	(0.01)	12,279	-
S5028C2103L	0.25	-	130,917	-	SCC24C2012A	0.17	0.05	107,171	-	STEC28C2104L	0.15	(0.01)	13,689	-
S5028P2009A	-	-	-	-	SCC28C2010A	-	-	-	-	STEC41C2012A	-	-	-	-
S5028P2009B	-	-	-	-	SCC28C2102A	0.27	0.06	125,116	-	STEC42P2102T	0.32	0.02	600	-
S5028P2009C	-	-	-	-	SCC28C2104L	0.25	0.03	96,623	-	SUPE08C2012A	-	-	-	-
S5028P2009D	-	-	-	-	SCC41C2010A	-	-	-	-	SUPE08C2102A	0.21	(0.01)	16,499	-
S5028P2009E	-	-	-	-	SCC41C2011A	0.07	0.01	100	-	SUPE19C2010A	0.17	(0.04)	150	-
S5028P2010A	0.49	(0.08)	747,865	-	SCC41C2101A	0.29	0.08	146,800	-	SUPE19C2011A	0			

Main Board Quotation

Issue Date :

Thursday October 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TASC08C2012A	0.02	-	3,435	-	TOP19C2010A	0.02	(0.01)	20,000	-	WHA13C2011A	0.07	-	7,710	-
TASC11C2012A	0.04	(0.02)	300	-	TOP19C2010B	-	-	-	-	WHA13C2010A	0.27	-	39,764	-
TASC13C2011A	0.01	-	2	-	TOP19C2012A	-	-	-	-	WHA13P2011A	0.35	(0.01)	45,909	-
TASC19C2012A	0.04	-	269,185	-	TOP19C2101A	0.15	0.02	202,625	-	WHA19C2010A	0.10	(0.01)	53,608	-
TASC13C2012B	0.18	-	304,773	-	TOP19C2101B	0.27	0.04	245,106	-	WHA19C2011A	-	-	-	-
TASC13C2101A	0.33	(0.67)	219,757	-	TOP19P2010A	-	-	-	-	WHA19C2010A	0.29	(0.01)	8,132	-
TASC13P2011A	1.14	(0.01)	6	1.00	TOP19P2011A	-	-	-	-	WHA19P2011A	0.40	0.02	25,174	-
TASC13P2012A	0.41	(0.01)	110,335	-	TOP19P2101A	0.30	-	2,376	-	WHA28C2011A	-	-	-	-
TASC19C2009A	-	-	-	-	TOP24C2101A	0.15	0.02	20,717	-	WHA28C2012A	0.19	(0.01)	2,028	-
TASC19C2010A	-	-	-	-	TOP41C2010A	-	-	-	-	WHA28C2102A	0.24	(0.01)	27,619	-
TASC19C2011A	0.02	(0.01)	68,045	-	TOP41C2011A	-	-	-	-	WHA28C2102L	0.11	-	9,126	-
TASC19C2012A	0.16	0.01	165,682	-	TOP41C2102A	0.11	0.01	12,000	-	WHA42C2101T	-	-	-	-
TASC19C2101A	0.32	0.01	389,756	-	TOP41P2010A	-	-	-	-	WHAU13C2012A	0.11	(0.01)	5,808	-
TASC19P2010A	1.23	0.04	1	1.00	TOP41P2011A	1.01	(0.04)	8,790	1.00	WHAU19C2012A	0.13	(0.02)	92,602	-
TASC19P2011A	0.75	0.01	38	-	TOP42C2011T	-	-	-	-	Preferred/Foreign	-	-	-	-
TASC19P2012A	1.93	(0.06)	336	1.00	TP113C2011A	0.15	(0.01)	63,686	-	BH-Q	-	-	-	-
TASC19P2012B	0.30	(0.01)	76,941	-	TP19C2012A	0.23	(0.01)	30,171	-	CSC-Q	-	-	-	-
TASC19P2012C	0.42	(0.01)	271,708	-	TQM11C2102A	0.75	0.07	31,880	-	JUTHA-Q	-	-	-	-
TASC24C2011A	-	-	-	-	TQM13C2011A	0.34	0.05	157,814	-	KTB-Q	-	-	-	-
TASC28C2010A	-	-	-	-	TQM13C2101A	0.43	0.04	117,109	-	SCB-Q	-	-	-	-
TASC28C2012A	0.05	0.01	1,951	-	TQM19C2010A	-	-	-	-	TCAP-Q	-	-	-	-
TASC28C2012B	-	-	-	-	TQM19C2010B	0.20	0.05	18,290	-	TISCO-Q	-	-	-	-
TASC28C2012C	0.03	0.02	129	-	TQM19C2011A	0.66	0.08	160,568	-	U-Q	-	-	-	-
TASC28C2101A	-	-	-	-	TQM24C2011A	0.34	0.06	23,400	-	Warrant	-	-	-	-
TASC28C2103L	0.03	(0.01)	22	-	TQM28C2012A	0.36	0.05	52,726	-	7UP-W4	0.11	0.01	420	-
TASC41C2010A	-	-	-	-	TQM28C2102A	0.77	-	23,108	-	AKR-W1	-	-	-	-
TASC41C2011A	0.02	0.01	1,304	-	TQM28C2104L	0.44	0.03	47,074	-	ALT-W1	0.53	0.02	55,897	-
TASC41C2012A	0.18	-	16,700	-	TQM41C2011A	0.42	0.04	62,520	-	APEX-W1	-	-	-	-
TASC42C2101T	0.04	-	762	-	TQM42C2101T	-	-	-	-	APURE-W2	0.22	-	16,566	-
TCAP01C2101A	0.21	(0.01)	21,457	-	TRUE01C2101A	0.19	(0.04)	17,634	-	B-W3	-	-	-	-
TCAP13C2010A	-	-	-	-	TRUE01P2101A	0.65	0.05	84,877	-	B-W4	0.04	0.01	117	-
TCAP13C2012A	0.10	-	42,640	-	TRUE06C2009A	-	-	-	-	B-W5	0.05	0.01	1,025	-
TCAP19C2010A	-	-	-	-	TRUE06P2011A	0.33	0.06	59,665	-	BKD-W2	0.08	-	11,531	-
TCAP19C2012A	0.12	-	140,679	-	TRUE08C2012A	0.12	(0.03)	14,000	-	BTS-W5	0.59	0.02	52,500	-
TCAP19P2012A	0.31	(0.01)	124,418	-	TRUE08P2010A	0.15	0.02	22,630	-	CGD-W4	0.05	0.01	4,357	-
TCAP42C2101T	-	-	-	-	TRUE11C2101A	0.13	(0.02)	7,650	-	CGH-W3	0.02	0.01	2,805	-
THAN01C2012A	1.16	0.03	8,834	1.00	TRUE11P2101A	0.62	0.06	49,669	-	DCC-W1	1.00	-	21,679	1.00
THAN01C2012B	0.41	(0.01)	22,905	-	TRUE13C2011A	0.05	(0.02)	2,206	-	ECL-W3	0.06	(0.01)	4,665	-
THAN06C2010A	-	-	-	-	TRUE13C2101A	0.18	(0.05)	65,254	-	EMC-W6	0.03	(0.01)	27,302	-
THAN06C2102A	0.55	(0.07)	48,530	-	TRUE19C2009A	-	-	-	-	EP-W3	0.14	0.01	16,684	-
THAN08C2101A	-	-	-	-	TRUE19C2011A	0.02	(0.01)	11,279	-	GLOCON-W4	0.47	(0.02)	124,405	-
THAN08C2102A	0.50	-	7,600	-	TRUE19C2012A	0.10	(0.03)	56,311	-	III-W1	0.51	0.02	6,028	-
THAN13C2012A	0.73	(0.03)	770	-	TRUE19C2101A	0.21	(0.05)	30,346	-	J-W1	0.70	-	5,915	-
THAN13C2012B	0.30	(0.04)	110,943	-	TRUE19P2011A	0.33	0.04	190,930	-	JMART-W3	5.55	0.30	10,858	5.00
THAN19C2010A	0.76	(0.10)	14,959	-	TRUE28C2011A	-	-	-	-	JMART-W4	3.84	0.18	14,647	3.00
THAN19C2011A	1.24	0.03	14,950	1.00	TRUE28C2012A	-	-	-	-	JMT-W2	15.30	1.90	62,344	15.00
THAN19C2012A	0.55	(0.07)	26,904	-	TRUE28C2012B	-	-	-	-	MACO-W2	0.07	-	47,426	-
THAN19C2012B	0.33	(0.06)	40,152	-	TRUE28C2101A	0.13	(0.03)	10,326	-	MILL-W4	0.04	-	3,199	-
THAN42C2102T	-	-	-	-	TRUE28C2103L	0.17	(0.03)	12,168	-	MINT-W6	0.40	-	60,023	-
TISC01C2101A	0.40	(0.01)	15,073	-	TRUE41C2010A	0.01	(0.01)	2,002	-	MINT-W7	7.30	(0.15)	14,202	7.00
TISC11C2012A	0.24	(0.01)	1,030	-	TRUE41C2101A	0.13	(0.03)	31,000	-	NER-W1	1.42	(0.04)	131,879	1.00
TISC13C2010A	-	-	-	-	TRUE42C2101T	-	-	-	-	NEX-W2	4.24	(0.14)	4,905	4.00
TISC13C2012A	0.28	-	4,366	-	TTW19C2011A	0.07	-	1,000	-	NFC-W1	0.58	-	11	-
TISC19C2010A	-	-	-	-	TTW24C2012A	-	-	-	-	NVD-W1	0.06	(0.01)	1,160	-
TISC19C2010B	-	-	-	-	TU01C2101A	0.26	0.01	26,366	-	PACE-W2	-	-	-	-
TISC19C2012A	0.27	(0.01)	23,928	-	TU01P2101A	0.34	(0.02)	22,208	-	PACE-W3	-	-	-	-
TISC41C2010A	0.01	(0.02)	100	-	TU06C2009A	-	-	-	-	PDI-W1	0.44	-	2,010	-
TISC41C2012A	0.26	(0.01)	21,146	-	TU06C2102A	0.34	0.03	46,406	-	PDJ-W4	0.39	(0.05)	3,141	-
TISC42C2101T	0.11	(0.01)	159	-	TU06P2010A	-	-	-	-	PERM-W1	0.10	-	430	-
TKN01C2101A	0.21	(0.02)	57,753	-	TU06P2103A	0.34	(0.66)	11,600	-	PORT-W1	0.58	-	5,098	-
TKN06C2011A	0.13	(0.01)	72,479	-	TU08C2011A	0.18	0.01	14,030	-	PPPM-W4	0.09	(0.03)	62,524	-
TKN06C2101A	-	-	-	-	TU11C2102A	0.24	0.01	15,955	-	PRIME-W1	-	-	-	-
TKN08C2011A	0.10	(0.01)	13,200	-	TU13C2010A	0.09	-	111	-	PRIME-W2	0.02	0.01	106	-
TKN08C2102A	0.32	0.01	29,243	-	TU13C2012A	0.21	0.01	181,135	-	SAMART-W2	-	-	-	-
TKN13C2010A	0.13	(0.22)	448	-	TU19C2009A	-	-	-	-	SAWAD-W2	11.40	(0.30)	3,789	11.00
TKN13C2010B	0.03	-	23,180	-	TU19C2010A	0.09	-	810	-	SDC-W1	0.07	0.02	4,716	-
TKN13C2012A	0.14	-	443,941	-	TU19C2012A	0.20	0.01	135,342	-	SINGER-W1	6.65	0.30	2,148	6.00
TKN19C2010A	-	-	-	-	TU19P2011A	-	-	-	-	SINGER-W2	4.60	0.14	3,228	4.00
TKN19C2011A	0.39	0.03	670	-	TU19P2012A	0.24	(0.01)	32,828	-	SST-W2	0.86	0.06	85	-
TKN19C2011B	0.11	-	27,100	-	TU24C2011A	0.22	-	56,277	-	TCC-W3	0.03	(0.01)	1,004	-
TKN19C2101A	0.22	0.01	133,838	-	TU28C2011A	0.10	-	9,126	-	TCC-W4	-	-	-	-
TKN28C2012A	-	-	-	-	TU28C2012A	0.08	-	200	-	TCC-W5	-	-	-	-
TKN28C2012B	0.13	-	13,735	-	TU28C2103L	0.21	-	9,126	-	TGPRO-W3	-	-	-	-
TKN28C2101A	-	-	-	-	TU41C2010A	-	-	-	-	TNITY-W1	0.08	-	561	-
TKN42C2012T	-	-	-	-	TU41C2101A	0.15	0.02	6,000	-	TRITN-W3	0.14	-	6,983	-
TMB13C2011A	-	-	-	-	TU42C2101T	-	-	-	-	TTCL-W1	0.37	0.01	4,908	-
TMB19C2011A	0.09	(0.01)	10,204	-	TVO13C2011A	0.27	0.03	8,250	-	U-W4	-	-	-	-
TMB19C2011B	0.02	(0.01)	4,513	-	TVO13C2012A	0.32	0.03	102,402	-	VGI-W2	0.78	0.03	286,144	-
TMB19C2012A	0.13	(0.01)	2,121	-	TVO19C2011A	0.35	0.02	555	-	VIBHA-W3	0.10	-	5,401	-
TMB19P2011A	0.27	-	3,423	-	TVO19C2012A	0.30	0.04	141,700	-	W-W3	0.07	(0.01)	10,563	-
TMB41C2010A	0.01	(0.01)	436	-	VGI01C2012A	0.25	-	46,070	-	WIJK-W2	0.27	0.01	39,516	-
TOA13C2011A	-	-	-	-	VGI06C2010A	0.04	(0.02)	1	-	ZMICO-W4	0.07	-	4,517	-
TOA19C2010A	0.12	-	6,009	-	VGI06C2101A	0.23	0.01	64,468	-	Preferred Shares	-	-	-	-
TOA19C2012A	0.29	-	30,701	-	VGI11C2101A	0.17	-	9,400	-	BH-P	-	-	-	-
TOA42C2101T	-	-	-	-	VGI13C2010A	-	-	-	-	CSC-P	-	-	-	-
TOP01C2009A	-	-	-	-	VGI13C2012A	0.15	0.01	251,602	-	JUTHA-P	-	-	-	-
TOP01C2012A	0.13	0.02	85,799	-	VGI19C2010A	-	-	-	-	KTB-P	-	-	-	-
TOP01P2009A	-	-	-	-	VGI19C2012A	0.19	-	23,504	-	SCB-P	-	-	-	-
TOP01P2012A	0.66	(0.09)	47,797	-	VGI19C2012B	0.29	0.01	6,400	-	TCAP-P	-	-	-	-
TOP06C2011A	0.02	-	20	-	VGI19C2012C	0.10	(0.01)	13,046	-	TISCO-P	-	-	-	-
TOP06C2102A	0.13	0.02	59,395	-	VGI24C2012A	0.17	-	24,900	-	U-P	1.64	0.06	3	1.00
TOP06P2010A	0.02	(0.06)	18,655	-	VGI28C2101A	0.13	-	16,280	-	Warrant (MAI)	-	-	-	-
TOP06P2102A	-	-	-	-	VGI28C2103L	0.18	-	7,605	-	ALL-W1	0.57	0.01	16,318	-
TOP08C2010A	-	-	-	-										