

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday October 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.98	0.16	154,915	3.87	MAJOR	14.20	(0.30)	44,953	14.18
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	1.50	-	12	1.50
VI	-	-	-	-	DIF	13.30	(0.10)	166,091	13.30	MATI	-	-	-	-
WORLD	-	-	-	-	DTAC	33.25	-	37,196	33.10	MCOT	3.10	-	4,263	3.02
WR	-	-	-	-	FORTH	5.70	-	148	5.69	MONO	2.68	(0.08)	10,988	2.69
Agribusiness	-	-	-	-	HUMAN	8.05	(0.15)	8,885	8.03	MPIC	1.63	-	5	1.63
EE	0.73	(0.01)	142,794	0.72	ILINK	5.50	(0.30)	27,730	5.59	NMG	-	-	-	-
GPPT	11.80	-	13,384	11.70	INET	3.70	(0.26)	169,349	3.82	PLANB	5.60	(0.10)	156,755	5.62
LEE	2.20	0.02	235	2.19	INTUCH	52.25	-	59,087	52.22	POST	-	-	-	-
MAX	0.01	-	1,135,258	0.01	JAS	2.70	(0.08)	305,512	2.73	PRAKIT	7.30	(0.10)	16	7.30
NER	4.12	(0.08)	2,154,672	4.20	JASIF	9.35	-	78,793	9.36	SE-ED	1.42	0.02	264	1.42
PPPM	0.37	-	1,310	0.35	JMART	15.70	(0.20)	139,460	15.51	TBSP	15.30	3.10	1	15.30
STA	31.00	(0.50)	355,371	30.73	JTS	2.54	(0.08)	1,282	2.59	TH	0.48	(0.01)	2	0.49
TRUBB	1.66	(0.06)	38,457	1.67	MFEK	4.80	(0.10)	3,653	4.83	TKS	5.70	(0.15)	7,763	5.70
TPWC	3.44	-	18,855	3.45	MSC	6.55	0.40	6,502	6.79	VGI	6.20	(0.10)	332,488	6.25
UPOIC	3.20	(0.18)	115	3.20	PT	5.20	(0.05)	1,829	5.16	WAVE	0.68	0.01	1,073	0.67
UVAN	4.78	(0.04)	566	4.74	SAMART	5.15	(0.35)	35,372	5.28	WORK	10.40	(0.30)	36,620	10.50
VPO	0.44	-	8,963	0.44	SAMTEL	5.00	(0.10)	2,871	5.04	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.21	(0.02)	149,467	0.22	AEC	0.30	(0.02)	288,040	0.30
BAY	19.50	(0.40)	2,041	19.61	SIS	19.20	(0.80)	64,490	19.20	AEONTS	134.50	-	11,643	134.64
BBL	94.50	-	60,988	94.15	SVOA	1.40	(0.03)	115,937	1.41	AMANAHS	2.66	(0.06)	100,790	2.66
CIMBT	0.55	-	3,018	0.54	SYMC	4.28	(0.16)	148	4.30	ASAP	2.12	-	5,407	2.10
KBANK	73.25	0.25	180,791	73.33	SYNEX	14.90	(0.20)	56,646	14.89	ASK	18.40	-	2,384	18.41
KKP	37.00	0.25	44,415	37.11	THCOM	5.75	(0.35)	214,176	5.95	ASP	1.67	(0.01)	5,915	1.68
KTB	8.75	0.05	88,826	8.72	TRUE	2.98	0.02	285,716	2.96	BAM	20.20	0.20	112,932	20.12
LHFG	0.88	(0.01)	5,817	0.88	TWZ	0.06	-	116,831	0.06	BFIT	28.25	-	12,794	28.35
SCB	63.50	(1.00)	121,063	63.40	Electronic Componer	-	-	-	-	CGH	0.65	(0.01)	4,931	0.66
TCAP	28.75	0.25	30,856	28.59	CCET	2.42	(0.10)	185,428	2.42	ECL	0.77	-	11,626	0.77
TISCO	68.25	2.50	152,016	68.50	DELTA	184.00	(1.00)	45,978	184.80	FNS	2.78	(0.02)	491	2.79
TMB	0.84	-	724,007	0.84	HANA	48.25	(0.50)	185,728	48.26	FSS	1.45	(0.03)	251	1.44
Construction Materia	-	-	-	-	KCE	36.25	1.25	125,987	35.90	GBX	0.43	-	608	0.43
CCP	0.47	-	52,345	0.47	METCO	162.00	(4.50)	32	163.63	GL	2.66	(0.10)	42,644	2.74
COTTO	1.09	(0.03)	9,293	1.10	NEX	4.38	(0.18)	107,618	4.47	IFS	2.38	(0.02)	1,755	2.39
DCC	2.30	0.02	139,145	2.30	SMT	2.86	(0.10)	60,961	2.82	JMT	34.00	(0.50)	150,681	33.55
DCON	0.34	(0.01)	42,901	0.34	SVI	4.56	(0.24)	151,281	4.62	KCAR	7.60	0.10	485	7.55
DRT	6.05	(0.10)	2,660	6.05	TEAM	0.83	(0.03)	4,015	0.85	KGI	2.86	-	12,885	2.86
EPG	4.52	(0.14)	59,239	4.65	W	0.21	-	225,372	0.21	KTC	38.00	0.50	106,457	37.25
GEL	0.17	(0.01)	4,161	0.17	Energy & Utilities	-	-	-	-	MBKET	7.00	-	273	6.92
PPP	2.08	0.02	134	2.05	7UP	0.30	(0.01)	34,339	0.30	MFC	13.60	0.10	182	13.42
Q-CON	-	-	-	-	ABPIF	2.96	0.02	80	2.95	MICRO	4.08	(0.10)	430,022	4.24
RCI	3.70	(0.04)	400	3.71	ACE	2.84	(0.04)	76,707	2.85	ML	0.80	-	287	0.79
SCC	334.00	(7.00)	27,603	335.09	AI	2.02	-	212,010	2.00	MTC	51.75	(0.75)	37,271	52.02
SCCC	118.00	-	710	117.48	AKR	0.48	-	4,611	0.48	PE	-	-	-	-
SCP	5.90	-	207	5.88	BAFS	19.50	(0.30)	3,964	19.59	PL	2.02	0.02	65	2.00
SKN	2.40	(0.12)	8,133	2.47	BANPU	6.35	(0.10)	527,948	6.35	S11	6.35	-	6,732	6.31
TASCO	14.70	(0.10)	178,962	14.74	BCP	14.90	(0.20)	17,784	14.94	SAWAD	47.75	0.75	54,122	47.58
TCMC	1.13	(0.02)	68,921	1.14	BCPG	11.80	(0.10)	51,737	11.84	THANI	3.36	(0.16)	407,426	3.44
TOA	33.75	(0.75)	10,839	34.16	BGRIM	42.25	-	28,071	42.29	TK	7.00	-	808	7.00
TPIPL	1.38	-	42,907	1.38	BPP	13.40	0.10	10,865	13.28	TNITY	3.56	(0.02)	126	3.56
UMI	0.60	(0.01)	5,680	0.59	BRRGIF	6.15	(0.05)	37	6.09	UOBKH	3.04	0.04	9	2.96
VNG	3.06	(0.04)	302	3.07	CKP	4.60	(0.06)	263,830	4.62	ZMICO	0.58	(0.02)	2,985	0.58
WIJK	3.00	(0.06)	36,573	3.00	DEMCO	2.74	(0.06)	2,251	2.75	Food & Beverage	-	-	-	-
Petrochemicals & Ch	-	-	-	-	EA	41.75	-	66,562	41.81	APURE	1.99	(0.03)	45,158	1.98
BCT	41.00	1.00	233	40.53	EASTW	9.25	-	8,329	9.25	ASIAN	13.30	0.20	198,544	12.82
CMAN	1.16	(0.01)	723	1.17	EGATIF	12.00	-	1,314	11.96	BR	1.80	(0.03)	2,506	1.81
GC	5.25	-	191	5.21	EGCO	180.50	-	9,682	180.61	BRR	2.90	0.06	818	2.84
GCC	8.55	(0.20)	3,050	8.56	EP	3.82	(0.06)	11,082	3.81	CBG	116.00	(4.50)	65,164	116.73
GIFT	1.85	(0.01)	1,013	1.85	ESSO	6.15	(0.05)	91,434	6.18	CFRESH	3.92	(0.14)	16,600	3.89
IVL	23.80	0.20	370,857	23.73	Gpsc	56.25	0.25	38,582	56.21	CHOTI	-	-	-	-
NFC	-	-	-	-	GREEN	1.07	0.04	1,237	1.04	CM	2.64	-	788	2.63
PATO	10.00	(0.10)	91	10.00	GULF	30.25	(0.25)	103,788	30.24	CPF	26.25	0.25	295,125	26.07
PMTA	8.60	(0.30)	47	8.79	GUNKUL	2.24	(0.06)	427,625	2.25	CPI	1.27	0.01	116	1.26
PTTGC	41.25	(0.50)	144,130	41.52	IFEC	-	-	-	-	F&D	18.60	(0.80)	69	19.02
SUTHA	3.14	-	100	3.14	IRPC	2.08	0.02	659,521	2.07	HTC	30.00	(1.50)	22,577	29.86
TCCC	23.50	(0.30)	243	23.57	KBSPIF	9.50	-	310	9.46	ICHI	10.90	(0.10)	110,473	10.81
TPA	5.05	0.05	107	5.00	LANNA	5.95	(0.05)	932	6.00	KBS	3.06	(0.02)	557	3.08
UAC	3.70	0.02	924	3.67	MDX	2.16	(0.08)	3,856	2.18	KSL	2.26	(0.04)	45,939	2.25
UP	-	-	-	-	PDI	8.05	0.25	19,314	8.02	KTIS	2.94	(0.04)	806	2.92
VNT	23.00	(0.50)	6,047	23.04	PRIME	0.49	-	109,454	0.48	LST	4.32	(0.04)	1,134	4.34
WG	185.50	(0.50)	18	185.50	PTG	18.30	(0.50)	156,983	18.44	M	45.50	-	3,955	45.29
YCI	-	-	-	-	PTT	32.75	(0.25)	493,345	32.87	MALEE	6.30	-	1,673	6.33
Commerce	-	-	-	-	PTTEP	80.25	(0.25)	67,071	80.14	MINT	18.30	(0.40)	497,001	18.41
BEAUTY	1.31	(0.03)	157,261	1.29	RATCH	50.25	(0.50)	21,097	50.32	NRF	5.90	(0.10)	274,195	5.99
BIG	0.49	(0.01)	83,064	0.50	RPC	0.48	-	1,730	0.48	OISHI	39.75	0.25	338	39.61
BJC	32.50	(0.75)	73,318	32.32	SCG	3.48	-	8	3.48	OSP	31.75	(0.25)	116,346	31.97
COL	18.70	-	1,651	18.60	SCI	1.25	(0.05)	6,328	1.27	PB	70.50	(0.25)	34	70.73
COM7	40.75	(0.75)	53,765	40.86	SCN	1.70	0.01	3,905	1.68	PM	7.75	(0.05)	10,048	7.75
CPALL	58.50	(0.75)	307,579	58.58	SGP	8.80	0.05	3,151	8.83	PRG	-	-	-	-
CPW	2.28	(0.12)	181,465	2.25	SKE	0.60	-	10,897	0.60	RBF	9.95	(0.05)	290,368	9.85
CRG	26.50	(0.25)	85,878	26.66	SOLAR	0.91	(0.01)	3,795	0.92	SAPPE	21.00	(1.00)	9,508	21.02
CSS	1.43	(0.02)	70,633	1.44	SPCG	19.20	0.40	11,600	18.92	SAUCE	24.90	-	224	24.90
DOHOME	14.80	0.10	103,468	14.64	SPRC	5.70	(0.15)	87,102	5.70	SFP	-	-	-	-
FN	1.21	(0.05)	62,265	1.23	SSP	6.95	(0.05)	2,518	6.94	SNP	9.90	0.05	12	9.85
FTE	1.58	(0.01)	1,420	1.57	SUPER	0.87	(0.01)	4,291,755	0.87	SORKON	5.40	-	109	5.45
GLOBAL	18.40	(0.40)	84,846	18.54	SUPEREIF	11.00	-	572	10.93	SSC	-	-	-	-
HMPRO	14.00	(0.20)	186,642	14.06	SUSCO	2.70	(0.02)	18,233	2.73	SSF	6.55	(0.15)	94	6.56
ILM	12.40	(0.40)	30,989	12.55	TAE	2.28	(0.02)	7,288	2.28	SST	2.30	(0.04)	131	2.31
IT	2.50	(0.04)	1,068	2.53	TCC	0.18	-	7,052	0.18	TC	4.54	(0.10)	17,976	4.47
KAMART	3.20	(0.28)	199,015	3.30	TOP	35.50	(0.50)	67,746	35.77	TFG	4.14	(0.10)	108,504	4.18
LOXLEY	1.33	(0.03)	15,927	1.33	TPIPP	4.26	(0.02)	97,733	4.25	TFMAMA	198.00	-	66	198.05
MAKRO	39.50	(1.00)	8,993	39.55	TSE	2.56	(0.02)	24,144	2.55	TIPCO	5.55	-	4,210	5.56
MC	9.70	(0.10)	17,984	9.75	TTW	11.90	(0.30)	105,965	12.02	TKN	11.40	-		

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday October 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KDH	87.00	(1.00)	1	87.00	AP	6.10	0.05	55,818	6.07	CWT	2.08	(0.10)	78,190	2.17
LPH	4.18	0.02	513	4.17	APEX	0.08	0.01	5,002	0.07	EASON	1.15	(0.01)	96	1.15
M-CHAI	184.00	1.00	1	184.00	AQ	0.02	-	3,947	0.02	GYT	-	-	-	-
NEW	-	-	-	-	AWC	3.12	(0.20)	720,642	3.16	HFT	3.70	0.02	11,075	3.70
NTV	40.75	-	24	40.73	BLAND	0.96	-	38,929	0.96	IHL	3.36	0.18	354,486	3.31
PR9	7.05	(0.15)	9,048	7.11	BROCK	1.55	0.02	31	1.45	INGRS	0.48	-	119,800	0.49
PRINC	2.56	(0.06)	10,866	2.58	CGD	0.68	-	52,900	0.68	IRC	12.00	-	282	11.73
RAM	-	-	-	-	CI	0.70	-	826	0.69	PCSGH	4.40	-	41	4.40
RJH	22.40	-	500	22.30	CPN	41.25	(1.50)	86,386	41.54	SAT	13.30	0.50	74,518	13.44
RPH	5.15	(0.10)	4,824	5.16	ESTAR	0.32	(0.01)	10,748	0.33	SPG	12.90	(0.10)	42	12.90
SKR	6.10	-	961	6.04	EVER	0.21	-	21,859	0.21	STANLY	145.50	1.00	159	145.90
SVH	394.00	(1.00)	6	395.17	FPT	10.20	(0.10)	1,445	10.21	TKT	0.91	0.01	231	0.90
THG	18.20	(0.10)	2,348	18.29	GLAND	2.14	0.02	2,006	2.18	TNPC	0.67	(0.01)	11	0.67
VIBHA	1.51	(0.01)	8,603	1.51	J	1.33	0.02	37,006	1.31	TRU	3.50	-	6	3.48
VIH	6.20	0.10	8,176	6.08	JCK	1.42	(0.03)	47,199	1.41	TSC	9.25	0.35	5	8.98
WPH	1.53	0.01	187	1.52	KC	-	-	-	-	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	KWG	0.71	0.02	1,650	0.71	ALLA	1.14	0.01	12,082	1.13
ASIA	4.34	(0.06)	113	4.36	LALIN	5.55	-	3,158	5.48	ASEFA	3.10	(0.02)	794	3.08
CENTEL	20.40	(0.10)	56,302	20.38	LH	6.75	(0.05)	386,054	6.72	CPT	0.84	-	3,227	0.84
CSR	-	-	-	-	LPN	3.94	0.02	23,608	3.96	CRANE	1.70	(0.05)	18,935	1.72
DTC	7.00	-	1,682	6.99	MBK	11.50	(0.10)	12,141	11.46	CTW	5.60	-	222	5.57
ERW	2.52	(0.08)	261,897	2.54	MJD	1.50	-	3,382	1.48	FMT	-	-	-	-
GRAND	0.51	(0.01)	145	0.51	MK	2.92	-	1,607	2.93	HTECH	3.16	(0.26)	26,807	3.26
LRH	27.25	(0.75)	32	27.23	NCH	0.87	(0.01)	499	0.86	KKC	0.54	(0.01)	1,418	0.55
MANRIN	-	-	-	-	NNCL	1.94	-	801	1.91	PK	1.58	0.05	2,123	1.55
OHTL	318.00	-	11	318.00	NOBLE	19.00	(0.20)	61,125	19.07	SNC	9.80	(0.10)	1,732	9.83
ROH	-	-	-	-	NUSA	0.28	-	42,154	0.28	STARK	2.00	(0.02)	25,152	2.01
SHANG	51.25	-	16	50.84	NVD	1.02	(0.01)	6,259	1.04	TCJ	3.22	(0.08)	125	3.25
SHR	1.85	(0.03)	40,643	1.87	ORI	6.65	-	68,431	6.62	VARO	3.80	0.80	2	3.82
VRANDA	5.55	-	30	5.55	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
Home & Office Produ	-	-	-	-	PF	0.36	-	50,902	0.35	AIMCG	6.00	(0.05)	1,500	6.00
ACC	0.59	0.03	256	0.58	PLAT	2.08	-	6,149	2.08	AIMIRT	12.30	(0.30)	2,106	12.37
AJA	0.12	-	43,027	0.12	POLAR	-	-	-	-	AMATAR	-	-	-	-
DTCI	-	-	-	-	PRECHA	0.89	-	96	0.85	B-WORK	11.30	-	39	11.25
FANCY	0.50	-	1,522	0.49	PRIN	1.64	-	4,808	1.64	BKER	5.70	-	363	5.70
KYE	309.00	-	2	309.00	PSH	10.40	-	2,271	10.35	BKCCP	11.70	(0.10)	279	11.73
L&E	1.60	(0.01)	90	1.60	QH	2.10	(0.02)	524,610	2.10	BOFFICE	10.00	(0.70)	3,269	10.05
MODERN	2.44	-	1,323	2.44	RICHY	0.68	(0.01)	1,703	0.68	CPNCG	9.75	-	4,501	9.71
OGC	21.20	0.20	2	21.45	RML	0.56	(0.01)	24,727	0.56	CPNREIT	21.40	(0.30)	2,891	21.52
ROCK	-	-	-	-	ROJNA	3.92	(0.06)	11,597	3.92	CPTGF	9.65	-	335	9.70
SIAM	1.39	-	858	1.37	S	1.29	(0.02)	10,023	1.30	CTARAF	4.94	0.02	120	4.94
TSR	3.76	(0.20)	31,450	3.76	SAMCO	1.18	-	199	1.17	DREIT	3.82	-	55	3.82
Insurance	-	-	-	-	SC	2.22	-	36,190	2.22	ERWPF	4.20	-	100	4.20
AYUD	33.00	-	710	33.00	SENA	2.78	(0.02)	9,243	2.79	FTREIT	13.80	(0.10)	228	13.80
BKI	275.00	1.00	54	274.96	SF	4.48	-	9,357	4.46	FUTUREPF	18.70	-	100	18.70
BLA	18.00	(0.50)	26,571	17.94	SIRI	0.60	0.01	701,526	0.61	GAHREIT	8.10	-	4	8.04
BUI	-	-	-	-	SPALI	15.90	(0.10)	13,884	16.08	GOLDFP	5.20	0.05	64	5.16
CHARAN	-	-	-	-	U	1.11	-	44,047	1.11	GVREIT	10.70	(0.10)	41	10.72
INSURE	-	-	-	-	UV	2.52	(0.02)	6,212	2.52	HPF	4.70	-	98	4.67
MTI	85.75	0.75	1	85.75	WHA	2.72	(0.06)	1,342,361	2.72	HREIT	7.85	-	272	7.85
NKI	-	-	-	-	WIN	0.36	-	856	0.36	IMPACT	17.70	-	5,847	17.71
NSI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KNPF	6.85	0.05	450	6.81
SEG	26.00	-	30	26.00	UTP	13.80	(0.20)	31,219	13.83	LHHOTEL	9.55	-	13	9.57
SMK	36.00	(0.25)	71	36.06	Fashion	-	-	-	-	LHPF	5.30	(0.05)	94	5.28
THRE	1.03	(0.02)	170,993	1.03	AFC	-	-	-	-	LHSC	11.30	(0.10)	213	11.34
THREL	2.58	(0.08)	25,873	2.60	B52	0.16	-	3,902	0.15	LUXF	6.35	0.05	136	6.30
TIP	24.10	0.10	8,008	23.97	BTNC	10.00	(0.20)	2	10.00	M-II	-	-	-	-
TQM	119.50	0.50	8,375	120.18	CPH	3.28	0.28	1	3.28	M-PAT	-	-	-	-
TSI	0.28	-	2,872	0.27	CPL	1.13	(0.04)	10	1.14	M-STOR	5.85	(0.10)	48	5.82
TVI	3.30	(0.06)	138	3.30	ICC	-	-	-	-	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	2.94	(0.36)	8	2.95
THL	-	-	-	-	PAF	0.51	-	147	0.51	MJLF	6.40	(0.10)	180	6.42
Packaging	-	-	-	-	PDJ	1.45	(0.02)	2,250	1.45	MNIT	1.28	-	34	1.28
AJ	18.10	(0.10)	12,600	18.03	PG	4.36	(0.30)	11	4.67	MNIT2	5.15	1.15	1	5.15
ALUCON	153.00	(1.00)	1	153.00	SABINA	20.30	(0.40)	5,035	20.22	MNRF	-	-	-	-
BGC	9.85	(2.55)	345,695	9.79	SAWANG	10.70	-	2	10.70	POPF	10.20	-	227	10.20
CSC	51.75	3.00	608	50.66	SUC	33.50	-	5,792	33.50	PPF	11.30	-	4	11.30
GLOCON	0.94	-	50,997	0.93	TNL	-	-	-	-	PROSPECT	9.15	(0.05)	507	9.18
NEP	0.21	(0.02)	185	0.21	TPCORP	-	-	-	-	QHHR	5.65	-	115	5.69
PTL	24.00	-	34,045	24.00	TR	21.00	(0.30)	94	21.11	QHOP	-	-	-	-
SFLEX	5.60	(0.25)	72,357	5.90	TTI	-	-	-	-	QHPF	9.05	(0.10)	2,613	9.05
SITHAI	0.60	-	8,732	0.58	TTT	-	-	-	-	SBPF	-	-	-	-
SLP	0.41	-	1,537	0.41	UPF	-	-	-	-	SHREIT	3.78	(0.04)	1,680	3.78
SMPC	11.60	(0.50)	14,913	11.75	UT	-	-	-	-	SIRIP	-	-	-	-
SPACK	3.06	0.20	210,908	3.13	WACOAL	45.00	0.25	4	45.00	SPF	12.10	(0.10)	1,244	12.10
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	7.60	(0.10)	268	7.67
TFI	0.10	(0.01)	669	0.10	AAV	1.64	-	272,434	1.62	SRIPANWA	7.70	(0.15)	178	7.74
THIP	26.00	-	235	25.90	AOT	56.00	0.25	148,979	55.63	SSPF	9.10	(0.05)	9	9.06
TMD	-	-	-	-	ASIMAR	1.36	(0.01)	2,010	1.35	SSTRT	-	-	-	-
TOPP	-	-	-	-	B	0.28	-	7,977	0.28	TIF1	8.40	-	16	8.31
TPBI	5.20	0.05	719	5.08	BA	5.30	-	3,679	5.26	TLGF	16.50	(0.20)	1,586	16.54
TPP	-	-	-	-	BEM	8.50	0.05	178,658	8.49	TLHPF	8.50	-	3	8.63
Personal Products &	-	-	-	-	BTS	9.35	-	187,636	9.33	TNPF	-	-	-	-
APCO	3.76	(0.02)	656	3.71	BTSGIF	5.35	(0.20)	61,540	5.45	TPRIME	11.70	(0.20)	226	11.77
DDD	14.50	(0.60)	1,502	14.86	III	4.12	0.02	2,505	4.04	TTLPF	-	-	-	-
JCT	77.00	(0.75)	1	77.00	JUTHA	0.41	(0.02)	350	0.41	TU-PF	0.88	(0.03)	50	0.88
OCC	-	-	-	-	JWD	7.20	(0.10)	24,448	7.20	URBNPF	-	-	-	-
S & J	25.50	(0.50)	2	24.35	KWC	-	-	-	-	WHABT	-	-	-	-
STGT	90.00	1.50	122,432	89.10	NOK	0.60	-	5,837	0.59	WHART	12.90	-	1,390	12.93
STHAI	-	-	-	-	NYT	3.42	0.08	124,569	3.43	Steel	-	-	-	-
TNR	11.00	-	271	10.99	PORT	1.98	(0.06)	19,537	2.01	AMC	1.44	0.01	620	1.41
TOG	3.44	(0.02)	150	3.44	PRM	8.00	(0.45)	427,864	8.03	BSBM	0.84	(0.01)	679	0.84
Professional Service	-	-	-	-	PSL	5.00	(0.40)	130,725	5.09	CEN	0.66	-	4,305	0.69
BWG	0.47	-	246,944	0.47	RCL	4.90	(0.40)	65,748	5.00	CITY	1.85	0.02	94	1.83
GENCO	0.49	0.01	2,328	0.48	TFEIF	9.80	(0.10)	45,913	9.81	CSP	0.53			

Main Board Quotation

Issue Date :

Friday October 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	1.33	(0.01)	29,876	1.00	ADVA06C2010A	-	-	-	-
ABICO	5.55	(0.40)	8,718	5.00	AIE	0.64	(0.01)	120,394	-	ADVA06C2103A	0.58	(0.04)	31,870	-
AU	9.60	-	59,296	9.00	ETC	1.98	-	135,613	1.00	ADVA06P2011A	0.06	-	905	-
JCKH	-	-	-	-	PSTC	1.75	(0.01)	27,690	1.00	ADVA08C2012A	0.17	(0.02)	3,001	-
KASET	1.40	(0.04)	969	1.00	QTC	3.96	(0.04)	883	3.00	ADVA08C2103A	0.56	(0.04)	21,010	-
MM	1.85	(0.09)	144	1.00	SAAM	1.06	(0.06)	4,523	1.00	ADVA08P2101A	0.78	0.03	24,164	-
SUN	3.34	(0.06)	29,506	3.00	SEAOIL	2.32	(0.02)	6,458	2.00	ADVA11C2011A	0.15	(0.02)	17,642	-
TACC	6.35	(0.05)	68,489	6.00	SR	0.61	(0.01)	5,324	-	ADVA11P2011A	0.35	0.01	35,460	-
TMILL	3.24	(0.02)	2,438	3.00	TAKUNI	0.37	-	5,779	-	ADVA13C2012A	0.21	(0.03)	60,290	-
XO	9.85	(0.35)	71,544	9.00	TPCH	10.90	(0.30)	14,616	10.00	ADVA13C2101A	0.47	(0.04)	82,279	-
Consumer Products														
BGT	1.00	(0.01)	108	-	TRT	1.65	-	21	1.00	ADVA13P2012A	0.69	0.05	51,088	-
BIZ	3.34	-	1,578	3.00	UMS	0.30	-	234	-	ADVA19C2010A	0.01	-	1,000	-
DOD	8.80	(0.25)	38,303	8.00	UPA	0.18	0.02	445,018	-	ADVA19C2010B	0.01	(0.03)	250	-
ECF	1.34	(0.01)	73,155	1.00	UWC	0.05	-	53,642	-	ADVA19C2012A	0.20	(0.03)	127,190	-
HPT	0.82	(0.04)	365	-	Services (MAI)	-	-	-	-	ADVA19C2101A	0.38	(0.04)	86,531	-
IP	11.90	(0.30)	20,281	11.00	A5	-	-	-	-	ADVA19P2010A	-	-	-	-
JUBILE	17.50	-	635	17.00	AKP	0.80	(0.01)	1,618	-	ADVA19P2012A	0.57	0.03	194,227	-
MOONG	3.94	0.02	631	3.00	AMA	4.50	(0.28)	37,828	4.00	ADVA24C2101A	0.25	(0.03)	33,363	-
NPK	-	-	-	-	ARIP	0.44	0.01	5,169	-	ADVA28C2011A	-	-	-	-
OCEAN	0.80	-	349	-	ATP30	0.82	(0.01)	4,675	-	ADVA28C2012A	-	-	-	-
TM	2.30	(0.02)	3,313	2.00	AUCT	12.30	(0.50)	32,921	12.00	ADVA28C2012B	-	-	-	-
Financials (MAI)														
ACAP	0.69	(0.03)	10,235	-	BOL	5.25	-	31,389	5.00	ADVA28C2101A	0.22	(0.02)	20,386	-
AF	0.59	-	2,005	-	CMO	0.89	0.02	299	-	ADVA28C2102L	0.18	-	1,014	-
AIRA	-	-	-	-	D	3.20	(0.02)	685	3.00	ADVA28P2012A	0.15	-	26,086	-
ASN	4.52	0.34	2	4.00	DV8	0.29	(0.02)	2,003	-	ADVA41C2010A	-	-	-	-
BROOK	0.39	-	5,104	-	EFORL	0.03	-	23,317	-	ADVA41C2011A	0.11	(0.02)	39,560	-
CHAYO	7.40	(0.60)	318,969	7.00	ETE	0.95	-	2,703	-	ADVA41C2101A	0.41	(0.03)	151,026	-
GCAP	1.34	(0.02)	7,249	1.00	FSMART	7.20	-	39,080	7.00	ADVA41P2011A	0.29	0.02	21,762	-
LIT	3.16	-	661	3.00	FVC	0.40	-	5,519	-	ADVA41P2101A	0.41	0.03	215,474	-
MITSI	1.04	0.02	3,146	1.00	GSC	1.27	(0.04)	10,171	1.00	ADVA42C2102T	0.27	(0.02)	124	-
SGF	0.47	(0.01)	7,141	-	HARN	2.08	-	1,218	2.00	AEON13C2010A	0.01	-	1,000	-
Industrials (MAI)														
ZS	3.42	0.14	12,011	3.00	IMH	2.10	-	7,364	2.00	AEON13C2011A	0.33	(0.01)	50,692	-
ADB	0.77	(0.03)	528	-	JKN	9.60	(0.15)	153,116	9.00	AEON13C2012A	1.06	(0.02)	21,117	1.00
BM	2.06	0.02	750	2.00	KIAT	0.56	0.01	415,553	-	AEON13C2101A	0.48	(0.02)	201,236	-
CHO	0.52	-	46,875	-	KK	1.27	(0.05)	57,694	1.00	AEON19C2010A	0.05	(0.02)	53,439	-
CHOW	1.52	(0.01)	313	1.00	KOOL	1.05	(0.07)	68,003	1.00	AEON19C2010B	0.29	(0.02)	65,130	-
CIG	0.22	-	5,065	-	LDC	1.20	0.01	2,122	1.00	AEON19C2011A	-	-	-	-
COLOR	1.24	0.02	945	1.00	MORE	0.82	-	300,592	-	AEON19C2012A	0.95	0.05	154	-
CPR	2.32	(0.04)	2,016	2.00	MPG	0.26	0.01	1,720	-	AEON19C2101A	0.61	(0.01)	205,877	-
FPI	1.40	0.03	4,532	1.00	MVP	1.20	(0.04)	5,073	1.00	AEON19C2102A	0.47	(0.53)	40,293	-
GTB	0.78	(0.01)	19,175	-	NBC	0.52	(0.01)	424	-	AEON28C2012A	0.87	0.04	500	-
KCM	0.44	0.01	1,923	-	NCL	0.62	-	2,265	-	AEON28C2101A	2.08	(0.16)	339	2.00
KUMWEL	1.26	-	28,868	1.00	NEWS	0.01	-	187	-	AEON42C2101T	0.40	-	11,901	-
KWM	1.18	0.04	55,978	1.00	NINE	1.69	0.04	21	1.00	AMAT01C2101A	0.20	-	16,069	-
MBAX	7.30	(0.30)	37,708	7.00	OTO	3.10	0.06	2,271	3.00	AMAT06C2102A	0.19	(0.01)	76,550	-
MGT	2.54	-	37,360	2.00	PHOL	2.36	0.02	4,855	2.00	AMAT08C2010A	-	-	-	-
NDR	1.46	(0.09)	9,567	1.00	PICO	3.70	(0.14)	4	3.00	AMAT08C2101A	0.23	(0.05)	8,000	-
PDG	3.54	(0.10)	2,864	3.00	QLT	3.98	(0.12)	67	3.00	AMAT13C2012A	0.12	-	48,700	-
PIMO	2.50	0.12	275,705	2.00	RP	1.17	-	2,176	1.00	AMAT19C2011A	-	-	-	-
PJW	1.26	(0.02)	3,261	1.00	SE	1.22	-	3,905	1.00	AMAT19C2012A	0.10	(0.01)	26,004	-
PPM	0.80	0.06	1,164	-	SLM	-	-	-	-	AMAT19C2101A	0.20	(0.01)	59,315	-
RWI	1.35	-	2,365	1.00	SONIC	1.25	(0.03)	13,660	1.00	AMAT24C2010A	-	-	-	-
SALIE	0.69	(0.01)	2,680	-	SPA	5.80	(0.10)	8,092	5.00	AMAT28C2012A	-	-	-	-
SANKO	0.95	0.02	3,480	-	THMUI	0.73	(0.05)	35,881	-	AMAT28C2101A	0.12	-	2,028	-
SELIC	2.04	(0.02)	885	2.00	TNDT	2.92	(0.12)	1,638	2.00	AMAT28C2102L	0.08	-	260	-
SWC	4.34	0.04	900	4.00	TNH	33.00	0.25	291	32.00	AMAT28C2103A	0.23	(0.01)	30,688	-
TMC	0.65	(0.05)	2,516	-	TNP	3.20	(0.14)	31,668	3.00	AMAT42C2101T	0.08	-	133	-
TMI	0.61	(0.01)	10,389	-	TSF	-	-	-	-	AOT01C2012A	0.46	-	22,935	-
TMW	28.50	(0.50)	44	28.00	TVD	0.99	(0.01)	18,355	-	AOT01C2102A	0.42	-	54,081	-
TPAC	13.30	0.20	1,562	13.00	TVT	0.67	0.01	2,125	-	AOT01C2102T	0.30	-	22,409	-
TPLAS	1.66	(0.04)	8,368	1.00	VL	1.01	-	56,794	1.00	AOT01P2012A	0.16	(0.01)	77,783	-
UBIS	-	-	-	-	WINNER	2.48	(0.02)	3,036	2.00	AOT01P2012B	0.54	-	51,435	-
UEC	0.87	(0.01)	2,018	-	YGG	11.80	(0.20)	4,870	11.00	AOT01P2102T	0.50	-	15,608	-
UKEM	0.53	(0.03)	114,526	-	Technology (MAI)					AOT06C2011A	0.08	(0.01)	4,163	-
UREKA	0.79	-	219	-	APP	2.52	(0.12)	51,544	2.00	AOT06C2102A	0.39	(0.01)	34,295	-
YUASA	14.30	(0.20)	484	14.00	COMAN	2.08	(0.10)	8,140	2.00	AOT06P2011A	0.43	(0.05)	55,213	-
ZIGA	2.24	(0.06)	32,969	2.00	ICN	2.12	(0.04)	17,336	2.00	AOT08C2101A	0.36	0.01	20,543	-
Property & Construc														
ALL	3.08	(0.08)	22,558	3.00	IIG	20.30	0.30	18,913	20.00	AOT08P2102A	0.63	(0.01)	28,721	-
ARIN	0.94	(0.01)	1,210	-	INSET	3.50	(0.08)	132,520	3.00	AOT11C2011A	0.17	(0.01)	57,720	-
ARROW	7.05	(0.15)	1,251	7.00	IRCP	0.75	-	4,383	-	AOT11P2101A	0.34	(0.01)	57,433	-
BC	0.82	-	507	-	ITEL	2.88	(0.08)	55,574	2.00	AOT13C2011A	0.05	(0.01)	13,392	-
BSM	0.27	-	3,357	-	NETBAY	26.75	0.25	36,995	27.00	AOT13C2012A	0.33	-	49,544	-
BTW	-	-	-	-	PLANET	1.30	(0.03)	8,438	1.00	AOT13C2101A	0.26	-	323,949	-
CAZ	1.46	(0.01)	9,452	1.00	SICT	4.18	(0.14)	50,467	4.00	AOT13P2010A	0.05	(0.02)	1,101	-
CHEWA	0.50	(0.02)	27,131	-	SIMAT	3.86	0.08	56,576	3.00	AOT13P2011A	0.08	(0.02)	3,501	-
CMC	0.70	(0.01)	1,563	-	SKY	12.80	(0.10)	576	12.00	AOT13P2101A	0.48	(0.01)	204,215	-
CRD	0.44	(0.03)	2,728	-	SPVI	3.26	(0.26)	207,217	3.00	AOT16C2012A	0.36	(0.01)	3,944	-
DIMET	0.14	-	10,838	-	TPS	2.44	(0.06)	75,721	2.00	AOT19C2011A	0.01	-	30	-
FLOYD	0.98	(0.05)	7,314	1.00	VCOM	5.30	(0.35)	32,028	5.00	AOT19C2011B	0.09	(0.01)	40,163	-
HYDRO	0.27	(0.01)	1,192	-	Unit Trust	-	-	-	-	AOT19C2012A	0.30	-	380,097	-
JSP	0.22	-	11,379	-	SCBSET	-	-	-	-					

Main Board Quotation

Issue Date :

Friday October 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP19C2011A	0.12	-	14,002	-	BCEG28C2103L	0.14	(0.01)	6,086	-	CBG01C2102A	0.56	(0.10)	73,526	-
AP28C2012A	-	-	-	-	BDM501C2101A	0.20	(0.02)	39,754	-	CBG01P2012A	0.43	0.05	73,577	-
AP28C2012B	0.12	(0.01)	12,171	-	BDM506C2102A	0.17	(0.02)	14,552	-	CBG01P2102A	0.76	0.07	54,037	-
AWC01C2101A	0.19	(0.05)	13,838	-	BDM508C2011A	0.02	(0.01)	500	-	CBG06C2011A	0.20	(0.07)	270,526	-
AWC06C2011A	0.02	0.01	10	-	BDM508C2101A	0.16	(0.01)	5,770	-	CBG08C2012A	0.42	(0.09)	46,123	-
AWC06C2103A	0.24	(0.07)	35,434	-	BDM511C2011A	0.16	(0.02)	16,320	-	CBG11C2101A	0.44	(0.08)	17,478	-
AWC06P2012A	0.65	0.12	49,726	-	BDM513C2011A	-	-	-	-	CBG13C2011A	0.24	(0.08)	26,149	-
AWC08C2012A	0.06	(0.03)	500	-	BDM513C2012A	0.09	(0.01)	39,556	-	CBG13C2012A	0.18	(0.06)	445,132	-
AWC11C2102A	0.20	(0.10)	21,920	-	BDM513C2101A	0.27	(0.02)	64,290	-	CBG13C2101A	0.46	(0.08)	148,253	-
AWC13C2010B	-	-	-	-	BDM513P2101A	0.36	(0.64)	63,040	-	CBG13P2011A	0.14	0.01	88,397	-
AWC13C2011A	0.02	-	467	-	BDM519C2102A	-	-	-	-	CBG13P2101A	0.71	0.06	317,962	-
AWC13C2101A	0.10	(0.04)	84,775	-	BDM519C2011A	-	-	-	-	CBG16C2101A	0.50	(0.11)	29,688	-
AWC13P2011A	0.35	0.07	170,660	-	BDM519C2102A	0.09	(0.01)	26,250	-	CBG19C2101A	-	-	-	-
AWC19C2010A	-	-	-	-	BDM519C2101A	0.21	(0.01)	29,800	-	CBG19C2101A	0.39	(0.09)	66,235	-
AWC19C2010B	-	-	-	-	BDM519P2010A	0.03	(0.01)	366	-	CBG19C2011B	0.11	(0.04)	242,096	-
AWC19C2010C	-	-	-	-	BDM519P2101A	0.39	0.03	47,422	-	CBG19C2101A	0.36	(0.09)	85,823	-
AWC19C2101A	0.12	(0.05)	96,950	-	BDM524C2101A	0.19	(0.02)	11,979	-	CBG19P2010A	-	-	-	-
AWC19C2102A	0.22	(0.06)	62,400	-	BDM528C2011A	-	-	-	-	CBG19P2011A	-	-	-	-
AWC19P2011A	0.31	0.07	75,677	-	BDM528C2012A	-	-	-	-	CBG19P2012A	0.54	0.06	512,640	-
AWC24C2010A	-	-	-	-	BDM528C2012B	-	-	-	-	CBG41C2010A	-	-	-	-
AWC28C2012A	-	-	-	-	BDM528C2101A	-	-	-	-	CBG41C2011A	-	-	-	-
AWC28C2012B	0.02	(0.01)	8,000	-	BDM528C2102A	0.12	(0.01)	3,042	-	CBG41C2011B	0.24	(0.09)	55,386	-
AWC28C2101A	0.10	(0.01)	8,112	-	BDM541C2012A	-	-	-	-	CBG41C2012A	0.10	(0.05)	8,913	-
AWC28C2103L	0.10	-	9,126	-	BDM541P2011A	0.69	0.04	4,446	-	CBG41P2010A	-	-	-	-
AWC41C2010A	-	-	-	-	BDM542C2101T	0.06	(0.01)	100	-	CBG41P2012A	0.74	0.09	59,459	-
AWC41C2011A	-	-	-	-	BEM01C2101A	-	-	-	-	CBG42C2101T	0.63	(0.13)	12,053	-
AWC41C2102A	0.08	(0.04)	17,502	-	BEM08C2102A	-	-	-	-	CENT08C2012A	0.15	(0.02)	8,128	-
AWC42C2101T	-	-	-	-	BEM11C2011A	-	-	-	-	CENT11C2012A	-	-	-	-
BANP01C2101A	0.36	(0.03)	32,413	-	BEM13C2010A	-	-	-	-	CENT13C2010A	-	-	-	-
BANP01P2101A	0.34	0.02	46,492	-	BEM13C2011A	0.04	-	50	-	CENT13C2011A	-	-	-	-
BANP06C2010A	-	-	-	-	BEM13C2101A	0.26	0.01	21,046	-	CENT13C2101A	0.36	(0.02)	120,014	-
BANP06C2101A	0.36	(0.04)	51,089	-	BEM19C2010A	-	-	-	-	CENT13P2011A	0.27	0.01	128,134	-
BANP06P2011A	0.13	0.01	27,060	-	BEM19C2011A	-	-	-	-	CENT19C2010A	-	-	-	-
BANP08C2102A	0.35	(0.04)	9,300	-	BEM19C2101A	0.22	-	8,000	-	CENT19C2011A	0.02	-	200	-
BANP08P2102A	0.37	0.04	38,593	-	BEM19P2010A	-	-	-	-	CENT19C2011B	0.12	(0.01)	121	-
BANP13C2011A	0.11	(0.03)	60	-	BEM28C2012A	-	-	-	-	CENT19C2101A	0.31	(0.02)	13,959	-
BANP13C2012A	0.27	(0.03)	285,088	-	BEM28C2103A	0.22	(0.01)	9,126	-	CENT19P2011A	0.25	(0.01)	26,413	-
BANP13P2012A	0.18	0.01	87,968	-	BEM28C2104L	-	-	-	-	CENT24C2011A	0.13	(0.01)	3,168	-
BANP16C2101A	0.26	(0.04)	7,120	-	BGR101C2012A	0.07	(0.03)	100	-	CENT28C2012A	0.06	(0.02)	950	-
BANP19C2010A	0.02	(0.01)	5,000	-	BGR101C2102A	0.38	(0.01)	25,755	-	CENT28C2012B	-	-	-	-
BANP19C2012A	0.29	(0.03)	16,744	-	BGR101P2012A	0.37	(0.02)	22,740	-	CENT28C2101A	0.14	(0.01)	35,854	-
BANP19C2102A	0.22	(0.02)	87,496	-	BGR106C2102A	0.34	-	31,600	-	CENT28C2101B	-	-	-	-
BANP19P2010A	-	-	-	-	BGR106P2011A	0.35	(0.03)	27,705	-	CENT28C2103L	0.17	(0.02)	36,043	-
BANP19P2010B	-	-	-	-	BGR108C2101A	0.26	0.01	2,360	-	CHG06C2102A	0.15	-	2,933	-
BANP19P2012A	0.10	0.01	11,500	-	BGR111C2101A	0.14	0.01	1,221	-	CHG13C2010A	-	-	-	-
BANP24C2011A	-	-	-	-	BGR113C2011A	-	-	-	-	CHG13C2012A	0.11	-	21,325	-
BANP28C2012A	0.13	(0.04)	26,294	-	BGR113C2012A	0.17	-	161,250	-	CHG19C2011A	-	-	-	-
BANP28C2012B	0.12	(0.02)	20,256	-	BGR113C2101A	0.26	(0.01)	161,315	-	CK01C2101A	0.19	(0.02)	31,304	-
BANP28C2101A	0.31	(0.04)	10,851	-	BGR113P2011A	0.28	(0.02)	65	-	CK01P2101A	0.54	0.02	144,410	-
BANP41C2010A	-	-	-	-	BGR113P2101A	0.26	(0.01)	6,076	-	CK06C2102A	0.22	(0.02)	149,608	-
BANP42C2012T	0.09	(0.03)	84	-	BGR119C2011A	-	-	-	-	CK06P2012A	0.55	0.03	176,145	-
BBL06C2101A	0.38	-	48,364	-	BGR119C2012A	0.11	0.01	165,626	-	CK11C2012A	0.11	(0.01)	25,540	-
BBL06P2011A	0.44	(0.01)	42,605	-	BGR119C2101A	0.30	-	137,405	-	CK13C2010A	-	-	-	-
BBL08C2101A	0.17	-	4,840	-	BGR119P2010A	0.14	(0.03)	40,388	-	CK13C2012A	0.13	(0.03)	127,052	-
BBL08P2102A	0.93	-	31,188	-	BGR124C2101A	0.33	0.01	14,580	-	CK19C2010A	-	-	-	-
BBL11C2011A	0.16	(0.01)	32,500	-	BGR127C2101A	-	-	-	-	CK19C2011A	-	-	-	-
BBL11P2102A	0.67	(0.01)	49,040	-	BGR127P2012A	0.26	0.01	8,836	-	CK19C2012A	0.16	(0.03)	653,517	-
BBL13C2010B	-	-	-	-	BGR141C2010A	-	-	-	-	CK19P2011A	0.39	0.03	326,960	-
BBL13C2012A	0.14	-	2,780	-	BGR141C2012A	0.32	(0.08)	8,912	-	CK24C2102A	0.17	(0.02)	29,730	-
BBL13C2012B	0.38	(0.01)	339,684	-	BGR141C2101A	-	-	-	-	CK41C2011A	-	-	-	-
BBL13P2012A	0.61	0.01	101,759	-	BGR142C2101T	-	-	-	-	CK41C2012A	0.11	(0.03)	28,780	-
BBL19C2010A	-	-	-	-	BH13C2012A	0.06	(0.01)	100	-	CK42C2101T	-	-	-	-
BBL19C2011A	0.02	0.01	1	-	BH13C2101A	0.34	(0.04)	39,540	-	CKP01C2101A	-	-	-	-
BBL19C2011B	-	-	-	-	BH13P2101A	0.51	-	63,341	-	CKP01P2101A	0.68	0.03	10,378	-
BBL19C2012A	0.31	(0.01)	107,986	-	BH19C2012A	0.08	(0.01)	6,120	-	CKP06C2012A	0.08	(0.01)	39,120	-
BBL19C2101A	0.20	(0.01)	100	-	BH19C2101A	0.54	(0.04)	33,914	-	CKP08C2010A	-	-	-	-
BBL19C2101B	0.51	-	116,820	-	BH19P2012A	0.57	0.02	89,379	-	CKP08C2012A	0.07	(0.03)	1,820	-
BBL19P2010A	-	-	-	-	BH24C2102A	0.14	(0.02)	6,009	-	CKP11C2102A	0.12	(0.02)	683	-
BBL19P2011A	0.53	(0.01)	179,396	-	BH41C2012A	-	-	-	-	CKP13C2011A	-	-	-	-
BBL19P2012A	0.40	-	99,834	-	BJ01C2101A	0.15	(0.03)	41,983	-	CKP13C2101A	0.11	(0.02)	56,573	-
BBL28C2011A	-	-	-	-	BJ01P2101A	0.54	0.05	31,082	-	CKP16C2012A	0.03	(0.04)	400	-
BBL28C2012A	-	-	-	-	BJ06C2102A	0.09	(0.02)	30,170	-	CKP19C2010A	-	-	-	-
BBL28C2101A	-	-	-	-	BJC11C2102A	0.13	(0.02)	18,140	-	CKP19C2011A	0.15	(0.03)	10,070	-
BBL28C2103A	0.63	-	88,050	-	BJC13C2011A	-	-	-	-	CKP19C2011B	-	-	-	-
BBL28C2104L	0.13	0.01	29,793	-	BJC13C2012A	0.06	(0.03)	16,100	-	CKP19C2101A	0.11	(0.01)	6,269	-
BBL41C2011A	-	-	-	-	BJC13P2012A	0.33	0.03	66,039	-	CKP19P2012A	0.47	0.03	20,050	-
BBL41C2012A	0.31	(0.01)	151,674	-	BJC19C2010A	-	-	-	-	CKP24C2011A	0.04	(0.02)	40	-
BBL41C2012B	0.12	-	1,978	-	BJC19C2010B	-	-	-	-	CKP28C2011A	-	-	-	-
BBL41P2010A	-	-	-	-	BJC19C2012A	-	-	-	-	CKP28C2012A	-	-	-	-
BBL41P2011A	0.27	(0.01)	30,845	-	BJC19P2012A	0.35	0.04	68,570	-	CKP28C2012B	-	-	-	-
BBL42C2101T	0.05	-	1,054	-	BJC28C2012A	-	-	-	-	CKP28C2103A	0.13	(0.02)	25,908	-
BBL42P2102T	0.40	0.01	6,192	-	BJC28C2012B	-	-	-	-	COM706C2012A	-	-	-	-
BCH01C2101A	0.26	-	1,136	-	BJC28C2101A	0.07	(0.04)	10,000	-	COM708C2010A	-	-	-	-
BCH06C2011A	-	-	-	-	BJC28C2102L	0.07	(0.01)	100	-	COM708C2011A	0.49	(0.05)	1,002	-
BCH06C2103A	0.37	(0.05)	2,074	-	BJC41C2011A	-	-	-	-	COM708C2102A	0.37	(0.03)	30,216	-
BCH13C2010A	-	-	-	-	BJC41C2012A	-	-	-	-	COM711C2101A	0.45	(0.02)	19,207	-
BCH13C2012A	0.20	(0.02)	90	-	BPP13C2011A	-	-	-	-	COM711P2102A	0.60	0.02	71,442	-
BCH19C2011A	-	-	-	-	BPP13C2012A	0.14	-	1,800	-	COM713C2010B	-	-	-	-
BCP13C2011A	-	-	-	-	BPP19C2010A	-	-	-	-	COM713C2011A	0.29	(0.03)	11,121	-
BCP13C2012A	-	-	-	-	BPP19C2012A	0.14	0.01	3,008	-	COM713C2101				

Main Board Quotation

Issue Date :

Friday October 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL06C2102A	0.16	(0.02)	49,851	-	DOHO28C2102L	0.23	-	35,630	-	GLOB13C2011A	0.14	(0.03)	25,124	-
CPAL06P2012A	0.61	0.04	71,095	-	DOHO42C2012T	0.22	(0.01)	710	-	GLOB19C2010A	0.24	(0.06)	5,302	-
CPAL08C2011A	-	-	-	-	DTAC01C2101A	0.18	0.01	24,736	-	GLOB19C2012A	0.17	(0.03)	91,472	-
CPAL08C2102A	0.25	(0.03)	20,790	-	DTAC01P2101A	0.27	(0.01)	35,550	-	GLOB24C2010A	0.14	(0.02)	11,312	-
CPAL08P2101A	-	-	-	-	DTAC06C2012A	-	-	-	-	GPSC01C2012A	-	-	-	-
CPAL11C2012A	-	-	-	-	DTAC06C2103A	0.36	-	10,851	-	GPSC01C2101A	0.32	-	8,788	-
CPAL13C2011A	-	-	-	-	DTAC06P2012A	0.46	(0.01)	13,138	-	GPSC01P2012A	0.73	(0.03)	31,768	-
CPAL13C2012A	0.10	(0.01)	49,414	-	DTAC08C2012A	-	-	-	-	GPSC06C2011A	0.01	-	1,500	-
CPAL13C2101A	0.26	(0.02)	281,141	-	DTAC08C2101A	0.17	(0.01)	7,510	-	GPSC06C2101A	0.13	-	6,796	-
CPAL13P2011A	0.38	0.03	80,890	-	DTAC13C2011A	-	-	-	-	GPSC06P2011A	-	-	-	-
CPAL19C2010A	-	-	-	-	DTAC13C2012A	0.13	-	14,929	-	GPSC08C2101A	0.17	-	14,039	-
CPAL19C2011A	0.02	(0.01)	1,795	-	DTAC13C2101A	0.18	(0.01)	122,863	-	GPSC11C2102A	0.27	-	15,000	-
CPAL19C2012A	0.13	(0.02)	95,000	-	DTAC13P2011A	-	-	-	-	GPSC13C2011A	-	-	-	-
CPAL19C2102A	0.24	(0.03)	73,370	-	DTAC13P2101A	0.21	-	71,717	-	GPSC13C2012A	0.07	-	1,040	-
CPAL19P2010A	-	-	-	-	DTAC19C2010A	-	-	-	-	GPSC13C2012B	0.15	-	41,522	-
CPAL19P2010B	0.29	0.01	33,500	-	DTAC19C2011A	-	-	-	-	GPSC13C2101A	0.36	(0.01)	327,652	-
CPAL19P2101A	0.46	0.03	131,924	-	DTAC19C2012A	-	-	-	-	GPSC13P2011A	-	-	-	-
CPAL27C2101A	-	-	-	-	DTAC19C2101A	0.20	(0.01)	34,845	-	GPSC13P2011B	0.31	(0.02)	145,993	-
CPAL28C2012A	-	-	-	-	DTAC19P2011A	0.24	-	81,776	-	GPSC19C2101A	-	-	-	-
CPAL28C2012B	-	-	-	-	DTAC24C2012A	-	-	-	-	GPSC19C2012A	0.11	-	50,100	-
CPAL28C2012C	-	-	-	-	DTAC28C2012A	-	-	-	-	GPSC19C2101A	0.22	0.01	142,132	-
CPAL28C2102A	0.11	(0.02)	17,183	-	DTAC28C2102A	-	-	-	-	GPSC19C2101B	0.33	(0.01)	144,560	-
CPAL28C2104L	0.14	(0.02)	21,385	-	DTAC28C2103A	0.23	(0.01)	22,815	-	GPSC19P2010A	-	-	-	-
CPAL41C2010A	-	-	-	-	DTAC28C2104L	0.18	-	1,521	-	GPSC19P2011A	-	-	-	-
CPAL41C2011A	0.05	(0.01)	1,000	-	DTAC41C2010A	-	-	-	-	GPSC19P2012A	0.49	(0.02)	149,416	-
CPAL41C2101A	0.20	(0.04)	123,222	-	DTAC41C2011A	0.02	(0.02)	999	-	GPSC24C2011A	-	-	-	-
CPAL41P2011A	0.59	0.04	24,829	-	DTAC41C2012A	-	-	-	-	GPSC28C2011A	-	-	-	-
CPAL41P2101A	0.57	0.03	106,212	-	DTAC42C2101T	-	-	-	-	GPSC28C2101A	0.15	-	2,868	-
CPAL42C2101T	-	-	-	-	EA06C2010A	0.01	(0.02)	344	-	GPSC28C2103A	0.44	-	45,630	-
CPF01C2012A	-	-	-	-	EA06C2102A	0.37	-	58,523	-	GPSC28C2104L	0.18	-	1	-
CPF01C2101A	0.13	-	31,980	-	EA06P2012A	0.33	(0.01)	41,625	-	GPSC41C2011A	-	-	-	-
CPF01P2012A	0.50	0.01	22,630	-	EA08C2101A	0.34	(0.02)	21,694	-	GPSC41C2012A	-	-	-	-
CPF06C2010A	0.01	-	8,747	-	EA11C2101A	0.10	-	23,160	-	GPSC41P2010A	0.80	(0.02)	9,480	-
CPF06C2102A	0.12	-	27,476	-	EA13C2011A	0.06	-	5	-	GPSC42C2101T	-	-	-	-
CPF06P2011A	0.18	(0.01)	41,900	-	EA13C2012A	0.17	-	219,161	-	GULF01C2012A	0.11	-	31,728	-
CPF08C2010A	0.01	(0.01)	451	-	EA13C2101A	0.36	-	192,885	-	GULF01C2102A	0.26	-	8,817	-
CPF08C2102A	0.14	-	5,000	-	EA13P2011A	0.43	(0.01)	56,551	-	GULF01P2012A	0.19	-	30,142	-
CPF11C2010A	-	-	-	-	EA13P2101A	0.22	-	67,785	-	GULF01P2102A	0.33	(0.01)	32,999	-
CPF13C2011A	0.01	-	140	-	EA16C2012A	0.11	-	3,328	-	GULF06C2101A	0.17	(0.01)	18,550	-
CPF13C2012A	0.05	-	4	-	EA19C2010A	-	-	-	-	GULF08C2102A	-	-	-	-
CPF13C2101A	0.10	-	29,808	-	EA19C2012A	0.17	(0.01)	272,845	-	GULF08C2102A	-	-	-	-
CPF13P2012A	0.49	0.03	2	-	EA19C2101A	0.36	(0.01)	57,115	-	GULF11C2011A	-	-	-	-
CPF13P2101A	0.24	(0.02)	136,803	-	EA19P2011A	0.17	-	116,461	-	GULF13C2011A	0.01	-	6,200	-
CPF16C2012A	0.02	(0.01)	500	-	EA19P2011B	0.23	-	111,740	-	GULF13C2012A	0.06	(0.01)	11,794	-
CPF19C2010A	-	-	-	-	EA24C2101A	0.27	(0.01)	18,865	-	GULF13C2012B	0.13	(0.01)	24,259	-
CPF19C2012A	0.04	-	14,302	-	EA28C2011A	0.05	(0.01)	4,500	-	GULF13P2011A	0.13	(0.01)	46,204	-
CPF19C2102A	0.14	0.01	157,960	-	EA28C2012A	0.13	(0.01)	17,396	-	GULF13P2101A	0.22	-	261,513	-
CPF19P2010A	-	-	-	-	EA28C2101A	0.13	-	14,196	-	GULF16C2012A	-	-	-	-
CPF19P2012A	-	-	-	-	EA28C2102A	0.23	-	51,807	-	GULF19C2010A	0.01	-	700	-
CPF19P2101A	0.27	(0.01)	44,939	-	EA28C2103L	0.13	-	6,154	-	GULF19C2010B	-	-	-	-
CPF24C2012A	-	-	-	-	EA41C2011A	-	-	-	-	GULF19C2012A	0.09	-	9,583	-
CPF28C2011A	-	-	-	-	EA41C2101A	0.11	-	12,058	-	GULF19C2101A	0.15	(0.01)	252,122	-
CPF28C2012A	-	-	-	-	EA42C2101T	0.17	-	4,008	-	GULF19P2010A	-	-	-	-
CPF28C2012B	-	-	-	-	EGC001C2101A	0.12	-	6,701	-	GULF19P2010B	0.17	(0.02)	10	-
CPF28C2102A	0.06	-	50	-	EGC001P2010A	0.85	0.01	11,113	-	GULF19P2012A	0.26	(0.01)	3,640	-
CPF28C2103A	0.12	(0.01)	15,284	-	EGC006C2010A	-	-	-	-	GULF24C2101A	0.14	-	14,618	-
CPF28C2103L	0.08	-	100	-	EGC013C2011A	0.01	-	91	-	GULF28C2012A	0.03	0.01	10,001	-
CPF41C2010A	-	-	-	-	EGC013C2012A	0.10	-	28,381	-	GULF28C2012B	-	-	-	-
CPF41C2101A	-	-	-	-	EGC013C2012B	0.16	(0.01)	18,520	-	GULF28C2101A	-	-	-	-
CPF41P2011A	0.41	(0.01)	3,164	-	EGC013C2011A	0.53	(0.01)	28,624	-	GULF28C2102A	0.11	-	27,378	-
CPF42C2101T	0.03	0.01	7	-	EGC013P2011A	0.79	(0.01)	18,788	-	GULF41C2011A	-	-	-	-
CPN01C2012A	0.08	(0.01)	6,000	-	EGC019C2010A	-	-	-	-	GULF41C2012A	-	-	-	-
CPN01C2101A	0.33	(0.05)	38,022	-	EGC019C2011A	-	-	-	-	GULF41C2102A	0.15	-	10,000	-
CPN01P2012A	0.49	0.06	35,521	-	EGC019C2012A	0.05	-	200	-	GULF41P2011A	0.30	(0.01)	1,483	-
CPN11C2101A	0.11	(0.02)	15,019	-	EGC019C2012B	0.32	(0.01)	105,564	-	GULF41P2012A	0.25	-	12,000	-
CPN13C2011A	-	-	-	-	EGC019P2011A	0.97	0.01	22,926	-	GULF42C2010M	-	-	-	-
CPN13C2012A	0.13	(0.04)	53,363	-	EGC019P2012A	0.64	(0.01)	32,258	-	GULF42C2101T	-	-	-	-
CPN19C2010A	-	-	-	-	EGC041C2101A	0.09	-	6,360	-	GULF42P2101T	0.25	-	4,233	-
CPN19C2011A	-	-	-	-	EGC042C2101T	-	-	-	-	GUNK01C2012A	0.10	-	661	-
CPN19C2012A	0.09	(0.03)	31,050	-	EPG13C2011A	0.11	(0.03)	63,466	-	GUNK13C2011A	-	-	-	-
CPN19P2010A	0.11	0.01	29,000	-	EPG13C2012A	0.07	(0.01)	8,500	-	GUNK13C2101A	0.14	(0.03)	133,054	-
CPN24C2011A	-	-	-	-	EPG19C2010A	0.09	(0.03)	51,786	-	GUNK19C2010A	-	-	-	-
CPN41C2012A	0.07	(0.02)	17,587	-	EPG19C2011A	0.04	(0.04)	200	-	GUNK19C2012A	0.04	(0.02)	10,000	-
CPN41C2101A	0.09	(0.03)	7,912	-	EPG19C2102A	0.45	(0.55)	213,173	-	GUNK19C2101A	0.11	(0.02)	18,183	-
CPN41P2011A	0.76	0.06	14,795	-	EPG42C2101T	0.18	(0.02)	96	-	GUNK24C2012A	0.05	(0.01)	7,200	-
CRC01C2101A	0.17	(0.01)	3,735	-	ERW13C2010A	-	-	-	-	GUNK28C2012A	-	-	-	-
CRC01P2101A	0.43	-	38,937	-	ERW19C2010A	0.01	(0.01)	4,750	-	GUNK28C2012B	-	-	-	-
CRC06C2102A	0.16	(0.02)	17,170	-	ERW19C2010B	-	-	-	-	GUNK28C2102A	0.08	(0.02)	4,000	-
CRC08C2101A	0.14	(0.01)	1,000	-	ESSO01C2012A	0.14	(0.02)	11,344	-	HANA01C2012A	0.60	(0.03)	115,952	-
CRC13C2011A	-	-	-	-	ESSO01P2012A	0.41	0.02	24,908	-	HANA11C2103A	0.72	-	37,876	-
CRC13C2012A	0.08	(0.01)	33,567	-	ESSO06C2011A	-	-	-	-	HANA13C2011A	0.68	(0.06)	2,470	-
CRC13C2101A	0.17	(0.02)	74,964	-	ESSO06C2103A	0.31	(0.69)	8,950	-	HANA13C2012A	0.35	(0.03)	1,999,713	-
CRC13P2012A	0.19	0.01	106,792	-	ESSO08C2011A	0.10	(0.02)	9,600	-	HANA16C2011A	0.56	(0.03)	23,813	-
CRC19C2010A	-	-	-	-	ESSO08C2102A	0.28	(0.01)	12,917	-	HANA19C2010A	0.68	(0.03)	500	-
CRC19C2011A	0.02	(0.03)	8,000	-	ESSO13C2012A	0.13	(0.02)	89,076	-	HANA19C2012A	0.40	(0.02)	369,183	-
CRC19C2012A	0.08	(0.02)	8,500	-	ESSO19C2010A	0.04	(0.05)	130	-	HANA19C2101A	0.34	(0.66)	900,380	-
CRC19C2101A	0.18	(0.01)	13,050	-	ESSO19C2011A	0.03	(0.01)	20,245	-	HANA19P2011A	0.01	-	520	-
CRC19P2011A	0.15	-	36,000	-	ESSO19C2012A	0.12	(0.02)	105,000	-	HANA24C2012A	0.68	(0.03)	20,227	-
CRC24C2101A	0.11	-	2,315	-	ESSO19P2012A	0.28	0.01	63,083	-	HANA27P2012X	0.07	-	3,046	-
CRC28C2011A	-	-	-	-	ESSO24C2012A	0.07	(0.02)							

Main Board Quotation

Issue Date :

Friday October 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28C2010A	0.13	0.04	440,309	-	IVL19P2012A	0.26	(0.01)	63,655	-	KCE13P2010A	0.18	(0.03)	100,037	-
HSI28C2010B	0.03	-	59,442	-	IVL24C2012A	0.30	0.02	30,956	-	KCE16C2012A	0.50	0.05	20,692	-
HSI28C2010C	0.01	-	1,448	-	IVL28C2011A	-	-	-	-	KCE19C2010A	-	-	-	-
HSI28C2010L	0.01	-	221,806	-	IVL28C2012A	-	-	-	-	KCE19C2010B	-	-	-	-
HSI28C2011A	0.93	0.15	813,836	-	IVL28C2012B	0.03	(0.02)	1	-	KCE19C2011A	0.43	(0.06)	500	-
HSI28C2011B	0.49	0.09	501,530	-	IVL28C2010A	0.23	-	67,641	-	KCE19C2012A	0.38	0.05	174,805	-
HSI28C2011C	0.12	0.03	9,683	-	IVL28C2103A	0.55	0.02	136,196	-	KCE19C2102A	0.35	(0.65)	431,828	-
HSI28C2011L	0.17	0.04	3,139	-	IVL28C2104L	0.27	0.01	39,983	-	KCE19P2010A	-	-	-	-
HSI28C2012L	0.11	0.02	34,820	-	IVL41C2010A	-	-	-	-	KCE19P2012A	0.08	-	6,631	-
HSI28C2101L	0.14	0.03	118,739	-	IVL41C2011A	-	-	-	-	KCE19P2101A	0.17	(0.03)	49,311	-
HSI28C2102L	0.34	0.04	4,297	-	IVL41C2012A	0.32	0.01	112,756	-	KCE19P2102A	0.39	(0.61)	304,413	-
HSI28P2010A	0.07	(0.05)	128,688	-	IVL41P2010A	-	-	-	-	KCE24C2010A	-	-	-	-
HSI28P2010B	0.21	(0.12)	390,936	-	IVL41P2012A	0.45	(0.03)	47,720	-	KCE27C2101X	0.99	0.07	9,600	-
HSI28P2010C	0.62	(0.24)	138,853	-	IVL41P2012B	0.20	(0.01)	14,830	-	KCE41C2012A	0.38	-	7,966	-
HSI28P2010L	-	-	-	-	IVL42C2101T	0.04	-	500	-	KCE42C2012T	1.28	0.10	4,408	1.00
HSI28P2011A	0.79	(0.17)	786,729	-	JAS08C2011A	0.02	(0.01)	14,823	-	KKP13C2012A	0.11	0.01	295,811	-
HSI28P2011B	0.44	(0.13)	184,306	-	JAS08P2103A	0.62	0.03	29,351	-	KKP19C2010A	-	-	-	-
HSI28P2011C	0.25	(0.07)	10,251	-	JAS13C2011A	0.01	(0.01)	100	-	KKP19C2011A	-	-	-	-
HSI28P2011L	0.04	(0.01)	700	-	JAS13C2012A	0.09	(0.03)	50,641	-	KKP19C2012A	0.12	-	56,283	-
HSI28P2012L	0.32	(0.05)	6,531	-	JAS13C2101A	0.22	(0.04)	32,614	-	KTB13C2010A	-	-	-	-
HSI28P2101L	0.28	(0.05)	6,053	-	JAS19C2010A	-	-	-	-	KTB13C2012A	-	-	-	-
HSI28P2102L	0.31	(0.03)	1,502	-	JAS19C2010B	-	-	-	-	KTB13C2101A	0.25	-	15,935	-
HSI41C2010A	0.13	0.03	375,423	-	JAS19C2012A	0.08	(0.02)	11,060	-	KTB19C2010A	-	-	-	-
HSI41C2010B	0.03	-	300	-	JAS19C2010A	0.24	(0.02)	15,013	-	KTB19C2011A	-	-	-	-
HSI41C2010C	-	-	-	-	JAS19P2010A	0.16	0.01	34,732	-	KTB19C2012A	0.10	-	5,000	-
HSI41C2011A	0.06	-	325	-	JAS28C2011A	0.01	-	7,030	-	KTB19C2101A	0.24	(0.01)	14,000	-
HSI41C2011B	0.86	0.13	41,501	-	JAS28C2012A	-	-	-	-	KTB19P2012A	0.49	(0.02)	36,515	-
HSI41C2011C	0.44	0.09	1,405,843	-	JAS28C2012B	-	-	-	-	KTB24C2010A	0.19	-	2,616	-
HSI41C2011D	0.10	(0.05)	11,700	-	JAS28C2101A	0.08	(0.01)	7,001	-	KTB28C2011A	-	-	-	-
HSI41C2011E	0.17	0.02	10	-	JAS28C2102A	0.16	(0.01)	4,056	-	KTB28C2012A	-	-	-	-
HSI41C2012A	0.11	0.02	23,940	-	JAS41C2011A	-	-	-	-	KTB28C2012B	-	-	-	-
HSI41C2010A	0.12	0.02	13,902	-	JAS41C2102A	0.24	(0.02)	11,868	-	KTB28C2101C	-	-	-	-
HSI41P2010A	-	-	-	-	JMT06C2012A	0.40	(0.03)	107,335	-	KTB28C2102A	0.15	-	12,168	-
HSI41P2010B	0.26	(0.16)	79,535	-	JMT06C2103A	0.36	(0.64)	81,395	-	KTC01C2012A	0.39	0.01	55,075	-
HSI41P2010C	0.08	(0.06)	19,868	-	JMT08C2101A	0.29	(0.01)	60,691	-	KTC01P2012A	0.07	-	30	-
HSI41P2011A	0.44	(0.13)	5,372	-	JMT11C2102A	0.33	(0.01)	136,114	-	KTC08C2011A	0.24	(0.01)	15,500	-
HSI41P2011B	0.78	(0.17)	210,683	-	JMT13C2011A	-	-	-	-	KTC11P2011A	0.04	(0.01)	300	-
HSI41P2011C	0.42	(0.06)	3,997	-	JMT13C2011B	0.36	(0.01)	123,139	-	KTC13C2010B	-	-	-	-
HSI41P2011D	-	-	-	-	JMT13C2012A	0.21	(0.02)	1,443,307	-	KTC13C2011A	0.38	0.01	274,524	-
HSI41P2011E	-	-	-	-	JMT19C2010A	-	-	-	-	KTC13C2101A	0.34	0.02	702,433	-
HSI41P2012A	-	-	-	-	JMT19C2011A	0.34	(0.04)	69	-	KTC13P2010A	-	-	-	-
HSI41P2010A	0.29	(0.02)	1	-	JMT19C2012A	0.22	(0.02)	867,166	-	KTC13P2012A	0.08	(0.01)	5,235	-
INTU01C2101A	0.24	(0.01)	11,182	-	JMT24C2011A	0.38	(0.03)	45,091	-	KTC13P2101A	0.34	(0.02)	517,310	-
INTU06C2103A	0.38	(0.62)	19,500	-	JMT28C2101A	0.29	(0.02)	143,292	-	KTC19C2010A	0.01	-	66,190	-
INTU06P2011A	0.19	-	10,675	-	JMT41C2012A	0.20	(0.02)	111,518	-	KTC19C2010B	0.20	-	52,255	-
INTU11C2103A	0.40	(0.01)	27,365	-	JMT42C2101T	0.23	-	583	-	KTC19C2012A	0.41	0.03	28,805	-
INTU13C2011A	0.02	(0.02)	47	-	KBAN01C2012A	0.34	-	30,668	-	KTC19C2101A	0.29	(0.01)	138,324	-
INTU13C2010A	0.35	-	85,794	-	KBAN01C2012B	0.20	(0.02)	68,594	-	KTC19P2010A	-	-	-	-
INTU19C2012A	0.15	-	57,000	-	KBAN01C2102T	0.43	0.01	36,198	-	KTC19P2012A	0.13	-	80,000	-
INTU19C2010A	0.33	(0.01)	41,573	-	KBAN01P2012A	0.76	(0.05)	61,572	-	KTC19P2101A	0.37	(0.01)	215,762	-
INTU19P2010A	-	-	-	-	KBAN01P2101A	0.81	(0.02)	54,236	-	KTC24C2011A	0.36	-	23,463	-
INTU19P2012A	0.48	-	43,230	-	KBAN01P2102T	0.73	(0.01)	40,640	-	KTC28C2011A	0.02	(0.01)	500	-
INTU23C2111A	-	-	-	-	KBAN06C2011A	0.01	-	18,732	-	KTC28C2012A	0.14	0.01	16,734	-
INTU28C2012A	0.05	-	4,000	-	KBAN06C2012A	0.05	-	7,435	-	KTC28C2012B	0.30	-	62,861	-
INTU28C2102A	0.17	(0.01)	21,294	-	KBAN06C2103A	0.47	-	133,825	-	KTC28C2101A	-	-	-	-
INTU41C2012A	-	-	-	-	KBAN06P2011A	0.68	(0.04)	104,794	-	KTC28C2103L	0.29	0.01	38,025	-
INTU42C2101T	-	-	-	-	KBAN08C2011A	-	-	-	-	KTC41C2011A	-	-	-	-
IRPC01C2101A	0.12	(0.01)	25,879	-	KBAN08C2101A	0.15	0.01	5,747	-	KTC41C2012A	0.35	(0.01)	65,274	-
IRPC01P2101A	0.31	(0.01)	31,294	-	KBAN08C2103A	0.62	(0.01)	54,445	-	KTC42C2012T	0.18	-	9,010	-
IRPC06C2103A	0.25	(0.75)	17,000	-	KBAN08P2101A	1.17	(0.02)	1,040	1.00	LH01C2101A	0.17	(0.01)	18,270	-
IRPC06P2010A	-	-	-	-	KBAN13C2010B	-	-	-	-	LH06C2012A	0.06	(0.01)	125	-
IRPC11C2102A	0.12	-	20,100	-	KBAN13C2011A	0.03	-	400	-	LH11C2012A	0.10	(0.01)	24,260	-
IRPC13C2011A	-	-	-	-	KBAN13C2012A	0.08	-	18,287	-	LH13C2011A	0.16	(0.01)	47,920	-
IRPC13C2012A	0.06	(0.02)	3,503	-	KBAN13C2012B	0.19	0.01	96,705	-	LH19C2010A	0.03	(0.01)	1,000	-
IRPC13C2012B	0.09	-	45,471	-	KBAN13C2101A	0.33	-	622,660	-	LH19C2011A	-	-	-	-
IRPC13C2010A	0.35	(0.14)	2	-	KBAN13P2011A	0.94	(0.06)	20,008	-	LH19C2101A	0.18	(0.01)	29,600	-
IRPC13P2011A	-	-	-	-	KBAN13P2012A	0.77	(0.02)	510,992	-	LH19P2010A	-	-	-	-
IRPC13P2012A	0.20	(0.02)	161,193	-	KBAN16C2101A	0.41	0.01	12,097	-	MAJO13C2011A	0.03	(0.02)	13,836	-
IRPC19C2010A	-	-	-	-	KBAN19C2010A	-	-	-	-	MAJO13C2101A	0.26	(0.04)	58,632	-
IRPC19C2011A	-	-	-	-	KBAN19C2010B	-	-	-	-	MAJO19C2010A	0.13	(0.02)	29,867	-
IRPC19C2012A	0.35	(0.01)	5,395	-	KBAN19C2011A	-	-	-	-	MEGA13C2011A	-	-	-	-
IRPC19C2101A	0.11	-	19,110	-	KBAN19C2012A	0.16	0.01	106,215	-	MEGA13C2101A	0.20	(0.01)	20,803	-
IRPC19P2011A	-	-	-	-	KBAN19C2012B	0.06	-	580	-	MEGA19C2011A	0.04	-	9,652	-
IRPC19P2012A	0.22	(0.01)	17,585	-	KBAN19C2101A	0.36	0.01	482,517	-	MEGA19C2101A	0.18	-	13,240	-
IRPC24C2012A	0.04	(0.01)	4	-	KBAN19P2010A	-	-	-	-	MEGA42C2101T	-	-	-	-
IRPC28C2012A	0.01	(0.01)	62	-	KBAN19P2010P	-	-	-	-	MINT01C2012A	0.19	(0.02)	65,421	-
IRPC28C2101A	-	-	-	-	KBAN19P2012A	0.60	(0.02)	213,633	-	MINT01C2102T	0.25	(0.02)	39,932	-
IRPC28C2103A	0.11	(0.01)	9,226	-	KBAN24C2012A	0.07	-	10,500	-	MINT01P2012A	0.31	0.01	58,912	-
IRPC41C2010A	-	-	-	-	KBAN28C2012A	-	-	-	-	MINT01P2012B	0.83	0.03	36,344	-
IRPC41C2010A	-	-	-	-	KBAN28C2012B	-	-	-	-	MINT01P2102T	0.66	0.03	36,328	-
IVL01C2012A	0.08	(0.02)	49	-	KBAN28C2101A	0.15	0.01	24,336	-	MINT06C2012A	0.21	(0.02)	120,051	-
IVL01C2012B	0.38	0.01	87,095	-	KBAN28C2103A	0.47	0.01	64,840	-	MINT06P2012A	0.27	-	114,790	-
IVL01P2012A	0.49	(0.02)	121,036	-	KBAN28C2104L	0.19	0.01	53,588	-	MINT06P2102A	-	-	-	-
IVL06C2101A	0.28	0.01	155,899	-	KBAN28P2012A	0.36	(0.01)	45,238	-	MINT08C2010A	-	-	-	-
IVL06C2103A	0.69	0.02	227,140	-	KBAN41C2011A	-	-	-	-	MINT08C2102A	0.42	(0.03)	23,167	-
IVL06P2011A	0.30	(0.04)	179,255	-	KBAN41C2012A	0.12	0.01	21,200	-	MINT08P2011A	0.34	0.01	68,089	-
IVL08C2101A	0.33	-	30,725	-	KBAN41C2101A	0.26	0.01	114,444	-	MINT08P2102A	-	-	-	-
IVL08P2011A	0.13	(0.01)	16,500	-	KBAN41P2010A	-	-	-						

Main Board Quotation

Issue Date :

Friday October 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT28C2012A	-	-	-	-	PTT06C2012A	-	-	-	-	PTTG41C2010A	-	-	-	-
MINT28C2012B	0.09	(0.03)	20,084	-	PTT06C2012A	0.12	(0.01)	21,168	-	PTTG41C2011A	-	-	-	-
MINT28C2012C	0.09	(0.02)	14,956	-	PTT08C2010A	0.10	(0.01)	2,400	-	PTTG41C2011A	0.12	(0.02)	142,022	-
MINT28C2104L	0.15	(0.02)	28,035	-	PTT08P2101A	0.43	-	8,050	-	PTTG41P2011A	0.47	(0.01)	46	-
MINT41C2010A	-	-	-	-	PTT11C2010A	0.10	0.01	1	-	PTTG41P2102A	0.35	0.02	95,223	-
MINT41C2012A	0.28	(0.04)	45,248	-	PTT13C2012A	0.04	-	10,425	-	PTTG42C2012T	-	-	-	-
MINT42C2101T	0.16	(0.01)	109	-	PTT13C2012B	0.09	(0.01)	27,782	-	QH19C2012A	-	-	-	-
MINT42P2102T	0.64	0.03	5,454	-	PTT13C2010A	0.17	(0.02)	159,554	-	QH27C2101A	-	-	-	-
MTC01C2012A	0.36	(0.04)	37,060	-	PTT13P2010A	-	-	-	-	RATC01C2101A	0.21	(0.03)	9,497	-
MTC01C2102A	0.56	(0.03)	18,381	-	PTT13P2011A	0.27	-	70	-	RATC01P2101A	0.64	0.02	10,669	-
MTC06C2010A	0.01	-	8,113	-	PTT13P2101A	0.18	0.01	163,509	-	RATC06C2102A	0.20	(0.02)	6,350	-
MTC06C2102A	0.52	(0.04)	43,514	-	PTT16C2012A	0.05	-	100	-	RATC06P2010A	-	-	-	-
MTC08C2011A	0.22	(0.01)	4,200	-	PTT19C2011A	0.02	(0.02)	800	-	RATC11C2103A	0.47	-	7,851	-
MTC08C2102A	0.54	(0.02)	2,600	-	PTT19C2012A	0.05	(0.02)	1,204	-	RATC13C2012A	0.10	-	1	-
MTC11C2102A	0.49	(0.03)	4,620	-	PTT19C2012B	-	-	-	-	RATC13C2101A	0.24	(0.01)	42,525	-
MTC13C2010A	-	-	-	-	PTT19C2101A	0.16	(0.01)	58,018	-	RATC13P2011A	0.32	(0.01)	14,104	-
MTC13C2011A	0.24	(0.03)	78,315	-	PTT19P2010A	-	-	-	-	RATC19C2011A	-	-	-	-
MTC13C2101A	0.42	(0.04)	137,573	-	PTT19P2010B	0.11	-	15,908	-	RATC19C2012A	0.11	(0.01)	10,000	-
MTC13P2010A	0.15	-	18,000	-	PTT19P2101A	0.19	0.01	10,010	-	RATC19C2101A	0.21	(0.01)	1,495	-
MTC19C2010A	-	-	-	-	PTT24C2101A	0.10	(0.01)	12,316	-	RATC19P2011A	0.49	0.01	12,223	-
MTC19C2012A	0.30	(0.03)	150,425	-	PTT28C2011A	0.01	-	16	-	RATC24C2012A	0.11	-	1,406	-
MTC19P2010A	-	-	-	-	PTT28C2012A	-	-	-	-	RATC41C2010A	-	-	-	-
MTC19P2012A	0.23	-	73,450	-	PTT28C2101A	-	-	-	-	RATC41C2012A	0.15	(0.02)	1,978	-
MTC28C2011A	0.06	(0.03)	100	-	PTT28C2103A	0.18	(0.01)	9,126	-	RATC42C2102T	0.06	(0.02)	93	-
MTC28C2012A	0.15	-	10,212	-	PTT28C2103L	0.14	-	8,112	-	RS06C210A	-	-	-	-
MTC28C2012B	0.30	(0.02)	30,736	-	PTT41C2010A	-	-	-	-	RS06C2102A	0.31	(0.02)	40,451	-
MTC28C2102L	0.20	(0.01)	5,070	-	PTT41C2012A	-	-	-	-	RS08C2011A	-	-	-	-
MTC41C2010A	-	-	-	-	PTT41C2101A	-	-	-	-	RS08C2103A	0.48	(0.02)	21,179	-
MTC41C2012A	0.38	(0.02)	1,171	-	PTT41C2101B	0.17	(0.01)	91,348	-	RS13C2010A	-	-	-	-
MTC42C2101T	0.14	-	212	-	PTT41P2010A	-	-	-	-	RS13C2011A	0.22	(0.03)	116,714	-
ORI13C2011A	0.15	(0.01)	109,520	-	PTT41P2011A	-	-	-	-	RS13C2101A	0.37	0.01	104,213	-
ORI19C2010A	-	-	-	-	PTT41P2012A	0.46	-	11,864	-	RS19C2010A	-	-	-	-
ORI19C2011A	0.31	0.01	100,250	-	PTT41P2101A	0.25	0.01	61,980	-	RS19C2010B	-	-	-	-
ORI19C2012A	0.14	(0.01)	58,950	-	PTT42C2010M	-	-	-	-	RS19C2011A	-	-	-	-
ORI28C2011A	-	-	-	-	PTT42C2011T	-	-	-	-	RS19C2011B	0.17	(0.02)	111,195	-
ORI28C2012A	-	-	-	-	PTT42P2101T	0.22	0.01	4,946	-	RS19P2012A	0.31	(0.01)	92,463	-
ORI28C2012B	0.27	-	50,964	-	PTTE01C2012A	0.40	(0.02)	23,389	-	RS28C2012A	-	-	-	-
ORI28C2101A	0.11	(0.01)	59,376	-	PTTE01C2102A	0.90	(0.04)	11,679	-	RS28C2101A	0.27	(0.03)	17,504	-
ORI28C2103L	0.20	-	41,800	-	PTTE01P2012A	1.01	(0.01)	20,103	1.00	RS28P2101L	0.39	(0.04)	12,175	-
OSP01C2012A	0.05	(0.05)	1	-	PTTE01P2102A	0.58	0.01	35,770	-	RS41C2011A	0.37	(0.01)	51,216	-
OSP01C2102A	0.18	(0.01)	62,281	-	PTTE06C2011A	-	-	-	-	RS42C2101T	0.24	(0.03)	212	-
OSP01P2012A	0.61	0.01	50,845	-	PTTE06C2101A	0.35	(0.02)	39,811	-	S10001C2011A	0.02	-	189	-
OSP06C2011A	0.01	-	1	-	PTTE06P2011A	0.21	(0.01)	42,553	-	S5001C2012F	0.25	(0.04)	24,594	-
OSP06C2102A	0.10	-	24,280	-	PTTE08C2011A	0.14	(0.02)	1,580	-	S5001C2101A	0.74	(0.05)	345,512	-
OSP06P2102A	0.71	(0.01)	430	-	PTTE08P2101A	0.97	-	23,730	-	S5001P2012F	1.02	0.02	302,512	1.00
OSP08C2102A	0.22	(0.01)	7,500	-	PTTE11C2011A	0.25	(0.02)	3,006	-	S5001P2101A	0.84	0.01	387,681	-
OSP11C2102A	0.12	-	17,540	-	PTTE11P2101A	0.71	0.02	37,659	-	S5006C2012A	0.10	(0.02)	31,156	-
OSP13C2012A	0.03	-	1,035	-	PTTE13C2010B	-	-	-	-	S5006C2012B	0.31	(0.10)	477,246	-
OSP13C2101A	0.09	-	121,247	-	PTTE13C2011A	0.07	(0.02)	3,857	-	S5006P2012A	1.02	0.05	642,995	1.00
OSP13P2011A	0.45	0.01	44,281	-	PTTE13C2012A	0.31	(0.01)	89,192	-	S5006P2012B	0.49	0.04	177,868	-
OSP19C2010A	-	-	-	-	PTTE13C2101A	0.60	(0.02)	175,143	-	S5008C2012A	0.10	(0.01)	875	-
OSP19C2012A	0.04	-	20,000	-	PTTE13P2010A	0.05	(0.05)	172	-	S5008C2012B	-	-	-	-
OSP19C2101A	0.09	(0.01)	47,063	-	PTTE13P2012A	0.49	-	82,107	-	S5008C2012C	0.32	(0.06)	233,742	-
OSP19P2010A	0.27	0.01	1,030	-	PTTE19C2010A	-	-	-	-	S5008P2012A	1.02	0.03	405,983	1.00
OSP24C2101A	0.09	(0.01)	28,996	-	PTTE19C2010B	-	-	-	-	S5008P2012B	0.44	0.02	185,536	-
OSP28C2101A	0.03	(0.02)	300	-	PTTE19C2011A	-	-	-	-	S5011C2012A	0.43	(0.06)	27,446	-
OSP28C2101B	-	-	-	-	PTTE19C2011B	-	-	-	-	S5011P2012A	0.60	0.02	15,458	-
OSP41C2010A	-	-	-	-	PTTE19C2012A	0.27	(0.02)	70,662	-	S5013C2010A	0.25	(0.04)	6,543	-
OSP41C2012A	-	-	-	-	PTTE19C2101A	0.64	(0.03)	66,690	-	S5013C2012A	0.10	(0.01)	328,868	-
OSP42C2101T	-	-	-	-	PTTE19P2010A	-	-	-	-	S5013C2012B	0.11	(0.02)	51,537	-
PLAN06C2102A	0.24	(0.02)	89,579	-	PTTE19P2010B	0.11	-	12,500	-	S5013C2012C	0.17	(0.03)	137,100	-
PLAN11C2103A	0.34	(0.02)	35,119	-	PTTE19P2012A	0.58	0.01	106,164	-	S5013C2012D	0.13	(0.02)	348,068	-
PLAN13C2011A	0.12	(0.02)	54,382	-	PTTE19P2101A	0.46	-	179,964	-	S5013C2012E	0.24	(0.03)	4,629,356	-
PLAN13C2101A	0.16	(0.01)	33,245	-	PTTE24C2011A	-	-	-	-	S5013C2012F	0.35	(0.05)	5,917,870	-
PLAN19C2010A	0.43	(0.14)	10	-	PTTE28C2011A	-	-	-	-	S5013C2101A	0.53	(0.01)	18,189	-
PLAN19C2010B	0.02	(0.02)	7,800	-	PTTE28C2011B	-	-	-	-	S5013P2010A	0.83	0.01	6,530	-
PLAN19C2012A	0.15	(0.02)	176,902	-	PTTE28C2012A	0.17	(0.01)	4,060	-	S5013P2012A	1.02	0.04	626,254	1.00
PLAN27C2101A	0.13	(0.02)	615	-	PTTE28C2101A	0.21	(0.02)	12,768	-	S5013P2012B	1.09	0.02	198,088	1.00
PLAN28C2012A	0.66	(0.18)	2	-	PTTE28C2102L	0.18	(0.01)	4,056	-	S5013P2012C	0.65	0.02	6,879,942	-
PLAN28C2012B	0.14	(0.02)	38,306	-	PTTE41C2010A	-	-	-	-	S5013P2012D	0.42	0.02	8,803,223	-
PLAN42C2101T	0.10	-	126	-	PTTE41C2011A	-	-	-	-	S5013P2012E	0.32	0.01	6,207,545	-
PRM08C2101A	0.21	(0.04)	21,320	-	PTTE41C2012A	0.18	(0.01)	7,912	-	S5013P2101A	0.69	0.01	115,761	-
PRM11C2102A	0.32	(0.05)	17,524	-	PTTE41C2101A	0.24	(0.03)	204,348	-	S5016C2012A	0.09	(0.02)	300	-
PRM13C2010A	0.03	(0.03)	940	-	PTTE41P2010A	-	-	-	-	S5016C2012B	0.12	(0.01)	2	-
PRM13C2012A	0.18	(0.05)	222,626	-	PTTE41P2011A	0.75	-	14,696	-	S5016C2012C	0.40	(0.09)	135,451	-
PRM16C2012A	0.11	(0.05)	10,210	-	PTTE41P2101A	0.62	0.02	124,074	-	S5016P2012A	0.94	0.06	62,912	-
PRM19C2010A	0.24	(0.07)	8,987	-	PTTE42C2101T	0.20	(0.01)	6	-	S5016P2012B	0.80	0.05	61,169	-
PRM19C2011A	0.10	(0.03)	34,945	-	PTTE42P2101T	0.68	-	5,804	-	S5016P2103Z	-	-	-	-
PRM19C2101A	0.25	(0.06)	48,575	-	PTTG01C2012A	0.22	(0.02)	36,029	-	S5019C2012A	0.10	(0.01)	5,421	-
PRM28C2012A	0.08	(0.04)	29,498	-	PTTG01C2102A	0.42	(0.05)	74,972	-	S5019C2012B	0.07	(0.01)	10,501	-
PRM42C2101T	0.14	(0.04)	18	-	PTTG01P2012A	0.71	0.01	48,735	-	S5019C2012C	0.19	(0.03)	2,420,000	-
PTG01C2012A	0.27	(0.04)	60,579	-	PTTG01P2102A	0.46	0.02	65,522	-	S5019C2012D	0.32	(0.05)	2,279,094	-
PTG01P2012A	0.47	0.03	54,629	-	PTTG08C2101A	0.18	(0.02)	16,401	-	S5019C2012E	0.53	(0.06)	1,268,795	-
PTG06C2010A	0.14	(0.06)	69,686	-	PTTG08P2010A	-	-	-	-	S5019P2012A	0.95	0.02	1,257,842	-
PTG06C2103A	0.49	(0.07)	40,383	-	PTTG08P2102A	0.45	0.03	19,951	-	S5019P2012B	0.78	0.03	1,525,953	-
PTG08C2011A	0.28	(0.04)	34,296	-	PTTG11C2010A	-	-	-	-	S5019P2012C	0.54	0.03	5,207,603	-
PTG11C2101A	0.34	(0.04)	49,420	-	PTTG13C2011A									

Main Board Quotation

Issue Date :

Friday October 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5028C2012C	0.20	(0.03)	691,755	-	SGP42C2010T	0.16	-	6	-	SUPE19C2011A	0.05	(0.02)	23,647	-
S5028C2012D	0.26	(0.04)	993,906	-	SIRI19C2011A	-	-	-	-	SUPE19C2011B	0.01	-	100	-
S5028C2103L	0.20	(0.02)	367,321	-	SIRI19C2103A	0.14	0.02	16,021	-	SUPE19C2012A	0.20	(0.01)	195,109	-
S5028P2010A	0.22	0.01	4,948	-	SIRI42C2101T	0.03	0.01	3,700	-	SUPE19P2011A	0.08	-	1	-
S5028P2012A	1.26	0.03	581,550	1.00	SPAL06C2010A	-	-	-	-	SUPE19P2012A	0.17	-	52,300	-
S5028P2012B	0.46	0.03	439,543	-	SPAL06C2103A	0.38	(0.01)	42,883	-	SUPE42C2101T	0.07	(0.02)	4,890	-
S5028P2012C	0.55	0.04	805,106	-	SPAL13C2010A	-	-	-	-	SUPE42P2102T	-	-	-	-
S5028P2103L	0.77	0.02	480,829	-	SPAL19C2011A	0.24	(0.01)	50,001	-	TASC01C2012A	0.07	(0.01)	2,049	-
S5041C2012A	0.08	(0.02)	3,890	-	SPAL19C2011B	-	-	-	-	TASC01C2012B	0.22	(0.01)	41,287	-
S5041C2012B	0.03	(0.01)	2,557	-	SPAL27C2101A	0.12	-	1,906	-	TASC01P2012A	0.63	-	28,706	-
S5041C2012C	-	-	-	-	SPRC01C2101A	0.15	(0.03)	12,084	-	TASC06C2012A	0.02	(0.01)	2,702	-
S5041C2012D	0.09	(0.02)	8,005	-	SPRC01P2101A	0.54	0.05	29,360	-	TASC06C2102A	0.32	(0.01)	29,740	-
S5041C2012E	0.18	(0.02)	808,080	-	SPRC06C2102A	0.15	(0.02)	19,521	-	TASC08C2011A	0.04	-	12	-
S5041C2012F	0.35	(0.07)	2,615,612	-	SPRC06P2011A	0.17	0.02	64,604	-	TASC08C2012A	0.01	-	68	-
S5041C2012G	0.37	(0.63)	333,520	-	SPRC08C2011A	-	-	-	-	TASC11C2102A	0.05	-	1,000	-
S5041C2103T	0.92	(0.09)	301,621	-	SPRC11C2102A	0.19	(0.03)	16,161	-	TASC13C2011A	0.01	-	1	-
S5041P2012A	0.88	0.03	2,290,864	-	SPRC13C2012A	0.07	(0.02)	5,860	-	TASC13C2012A	0.02	-	189,491	-
S5041P2012B	0.82	0.03	72,801	-	SPRC13C2012B	0.12	(0.01)	67,412	-	TASC13C2012B	0.12	-	130,444	-
S5041P2012C	0.89	0.02	300	-	SPRC19C2010A	-	-	-	-	TASC13C2101A	0.24	(0.01)	177,263	-
S5041P2012E	0.97	0.06	249,830	-	SPRC19C2012A	0.09	(0.02)	39,950	-	TASC13P2011A	1.23	0.03	50	1.00
S5041P2012F	0.78	0.10	36,165	-	SPRC19C2101A	0.20	(0.03)	92,241	-	TASC13P2012A	0.38	-	29,532	-
S5041P2012G	1.18	0.09	70,420	1.00	SPRC19P2011A	0.28	0.03	57,079	-	TASC19C2010A	-	-	-	-
S5041P2012U	0.96	(0.04)	529,298	-	SPRC28C2011A	-	-	-	-	TASC19C2011A	0.01	-	5,409	-
S5041P2103T	1.68	0.08	455,718	1.00	SPRC28C2101A	0.10	-	6,084	-	TASC19C2012A	0.09	(0.02)	92,476	-
SAWA01C2012A	0.37	-	27,969	-	SPRC42C2101T	-	-	-	-	TASC19C2101A	0.23	(0.01)	145,953	-
SAWA01C2102A	0.46	0.01	32,055	-	SPX28C2012A	1.25	0.11	19,280	1.00	TASC19P2010A	1.19	0.10	4	1.00
SAWA01P2012A	0.45	(0.03)	49,877	-	SPX28C2012B	0.63	0.09	6,555	-	TASC19P2011A	-	-	-	-
SAWA01P2102A	0.77	(0.03)	39,238	-	SPX28C2012C	1.05	0.13	1,134	1.00	TASC19P2012A	2.00	-	1,003	2.00
SAWA06C2010A	0.01	-	500	-	SPX28C2012D	0.45	0.06	2,239	-	TASC19P2012B	0.28	-	33,876	-
SAWA06C2101A	0.45	0.02	32,040	-	SPX28C2103L	0.46	0.04	3,215	-	TASC19P2012C	0.39	(0.01)	114,559	-
SAWA08C2011A	0.07	(0.02)	400	-	SPX28P2012A	0.25	(0.04)	16,029	-	TASC24C2011A	-	-	-	-
SAWA08C2101A	0.36	0.01	9,495	-	SPX28P2012B	0.14	(0.02)	10,325	-	TASC28C2012A	0.05	(0.03)	100	-
SAWA11C2103A	0.53	-	39,494	-	SPX28P2012C	0.73	(0.09)	5,029	-	TASC28C2012B	-	-	-	-
SAWA13C2010A	-	-	-	-	SPX28P2012D	0.44	(0.05)	8,000	-	TASC28C2012C	-	-	-	-
SAWA13C2011A	0.16	-	67,316	-	SPX28P2103L	-	-	-	-	TASC28C2101A	-	-	-	-
SAWA13C2101A	0.31	0.01	34,415	-	SPX41C2012A	1.02	0.10	805	1.00	TASC28C2103L	-	-	-	-
SAWA16C2101A	0.33	-	6,764	-	SPX41C2012B	0.58	0.07	4,384	-	TASC41C2010A	-	-	-	-
SAWA19C2011A	-	-	-	-	SPX41C2012C	-	-	-	-	TASC41C2011A	-	-	-	-
SAWA19C2012A	0.28	0.01	90,003	-	SPX41C2012T	1.08	0.09	42,649	1.00	TASC41C2012A	0.12	(0.02)	15,912	-
SAWA19P2011A	0.17	(0.02)	17,523	-	SPX41C2012U	1.64	0.12	294	1.00	TASC42C2101T	0.02	-	14,845	-
SAWA28C2011A	-	-	-	-	SPX41C2103T	1.00	0.05	7,270	1.00	TCAP01C2101A	0.17	-	5,140	-
SAWA28C2012A	0.18	0.01	4,056	-	SPX41P2012A	0.56	(0.08)	17,493	-	TCAP13C2012A	-	-	-	-
SAWA28C2012B	0.09	-	100	-	SPX41P2012B	0.37	(0.06)	718	-	TCAP19C2010A	-	-	-	-
SAWA28C2101A	0.27	0.01	20,440	-	SPX41P2012C	-	-	-	-	TCAP19C2012A	0.08	(0.01)	6,000	-
SAWA28C2102L	-	-	-	-	SPX41P2012T	0.48	(0.07)	1,000	-	TCAP19C2102A	0.20	0.01	79,704	-
SAWA41C2010A	-	-	-	-	SPX41P2012U	0.36	(0.05)	3,855	-	TCAP19P2012A	0.28	(0.02)	18,965	-
SAWA41C2012A	0.20	0.01	9,536	-	SPX41P2103T	0.73	(0.07)	955	-	TCAP42C2101T	-	-	-	-
SAWA42C2101T	0.08	(0.01)	400	-	STA01C2011A	0.39	(0.02)	163,865	-	THAN01C2012A	0.56	(0.12)	5,975	-
SCB01C2101A	0.26	(0.03)	67,647	-	STA06C2012A	0.26	(0.03)	110,049	-	THAN01C2012B	0.18	(0.05)	31,052	-
SCB01P2101A	0.89	0.04	54,301	-	STA08C2010A	-	-	-	-	THAN06C2010A	-	-	-	-
SCB06C2010A	0.01	-	400	-	STA08C2011A	0.17	-	23,212	-	THAN06C2102A	0.26	(0.07)	315,643	-
SCB06C2103A	0.45	(0.05)	133,661	-	STA08C2101A	0.46	(0.04)	54,930	-	THAN08C2101A	0.49	(0.24)	10	-
SCB08C2101A	0.19	(0.02)	19,000	-	STA13C2010B	0.07	(0.06)	10,056	-	THAN08C2102A	0.26	(0.05)	29,000	-
SCB08P2012A	0.54	0.01	71,364	-	STA13C2010C	-	-	-	-	THAN13C2012A	0.32	(0.09)	781,038	-
SCB11C2102A	0.27	(0.01)	14,280	-	STA13C2010D	0.01	-	3,000	-	THAN13C2012B	0.10	(0.03)	233,424	-
SCB11P2012A	0.57	0.01	33,840	-	STA13C2011A	0.34	(0.10)	8,204	-	THAN19C2010A	0.23	(0.28)	230	-
SCB13C2010A	-	-	-	-	STA13C2011B	0.14	(0.02)	473,255	-	THAN19C2011A	-	-	-	-
SCB13C2011A	0.05	(0.01)	10,586	-	STA13C2012A	0.26	(0.02)	1,267,190	-	THAN19C2012A	0.23	(0.06)	221,551	-
SCB13C2012A	0.24	(0.03)	168,899	-	STA13C2101A	0.25	(0.75)	653,468	-	THAN19C2012B	0.11	(0.05)	142,891	-
SCB13P2010A	0.21	(0.04)	275	-	STA13P2010A	-	-	-	-	THAN42C2102T	0.15	(0.02)	112	-
SCB13P2012A	0.52	0.02	319,261	-	STA13P2012A	0.08	(0.01)	4,289	-	TISC01C2101A	0.48	0.07	64,771	-
SCB19C2010A	-	-	-	-	STA13P2012B	0.14	0.01	413,341	-	TISC11C2012A	0.28	0.05	11,616	-
SCB19C2010B	-	-	-	-	STA19C2010A	-	-	-	-	TISC13C2012A	0.33	0.06	608,285	-
SCB19C2012A	0.14	(0.02)	335,765	-	STA19C2010B	1.55	(0.17)	385	1.00	TISC19C2010A	-	-	-	-
SCB19C2101A	0.30	(0.04)	102,368	-	STA19C2010C	-	-	-	-	TISC19C2010B	0.03	(0.01)	9,800	-
SCB19P2010A	0.04	-	3,000	-	STA19C2011A	0.86	(0.14)	640	-	TISC19C2012A	0.34	0.06	297,845	-
SCB19P2011A	1.01	-	100	1.00	STA19C2011B	0.22	(0.02)	709,694	-	TISC24C2102A	0.60	0.09	29,707	-
SCB19P2011B	0.46	0.03	147,284	-	STA19C2012A	0.30	(0.03)	412,047	-	TISC41C2010A	-	-	-	-
SCB24C2012A	0.12	(0.01)	24,812	-	STA19P2010A	-	-	-	-	TISC41C2012A	0.32	0.05	111,850	-
SCB28C2012A	-	-	-	-	STA19P2012A	0.09	(0.01)	16,564	-	TISC42C2101T	0.13	0.02	9,781	-
SCB28C2012B	0.10	(0.01)	6,169	-	STA19P2101A	0.17	0.01	622,541	-	TKN01C2010A	0.31	0.04	25,115	-
SCB28C2103A	0.34	(0.02)	48,692	-	STA24C2011A	0.13	(0.02)	24,583	-	TKN06C2011A	-	-	-	-
SCB28C2104L	0.17	(0.01)	39,548	-	STA28C2011A	-	-	-	-	TKN06C2101A	-	-	-	-
SCB41C2011A	-	-	-	-	STA28C2011B	0.15	(0.02)	50,274	-	TKN08C2011A	0.15	-	10,200	-
SCB41C2011B	-	-	-	-	STA28C2012A	1.64	(0.04)	256	1.00	TKN08C2102A	0.38	(0.06)	1,000	-
SCB41C2012A	0.19	(0.02)	110,850	-	STA28C2102L	0.18	(0.02)	36,738	-	TKN13C2010B	0.01	-	71	-
SCB41P2011A	0.45	0.02	104,024	-	STA41C2010A	0.11	(0.03)	13	-	TKN13C2012A	0.17	(0.01)	461,717	-
SCB42C2101T	-	-	-	-	STA42C2101T	0.17	-	222	-	TKN13C2101A	0.29	0.01	310,294	-
SCC01C2101A	0.44	(0.06)	52,028	-	STEC01C2101A	0.12	(0.01)	8,485	-	TKN19C2010A	-	-	-	-
SCC01P2012A	0.70	0.05	37,344	-	STEC01P2101A	0.53	0.01	4,344	-	TKN19C2011A	-	-	-	-
SCC06C2012A	0.10	(0.03)	28,920	-	STEC06C2010A	-	-	-	-	TKN19C2011B	0.14	-	132,620	-
SCC08C2011A	0.08	(0.02)	5,300	-	STEC08C2012A	-	-	-	-	TKN19C2101A	0.28	-	506,286	-
SCC11C2011A	0.26	(0.03)	30,320	-	STEC11C2102A	0.16	-	9,240	-	TKN19P2101A	0.36	(0.01)	74,302	-
SCC13C2011A	0.09	(0.02)	28,890	-	STEC13C2010A	-	-	-	-	TKN28C2012A	-	-	-	-
SCC13C2012A	0.20	(0.04)	71,506	-	STEC13C2012A	0.06	-	1,603	-	TKN28C2012B	0.16	(0.01)	27,120	-
SCC13P2011A	0.65	0.07	61,134	-	STEC13C2101A	0.17	0.01	51,481	-	TKN28C2101A	-	-	-	-
SCC13P2101A	0.32</													

Main Board Quotation

Issue Date :

Friday October 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP06C2102A	0.15	(0.02)	12,444	-	VGI24C2012A	0.11	(0.02)	22,241	-	TCAP-P	-	-	-	-
TOP06C2102B	0.40	(0.03)	13,921	-	VGI28C2101A	0.08	(0.02)	21,692	-	TISCO-P	-	-	-	-
TOP06P2102A	0.52	0.01	29,275	-	VGI28C2103A	0.21	(0.02)	71,974	-	U-P	1.53	(0.01)	178	1.00
TOP08C2101A	-	-	-	-	VGI28C2103L	0.14	(0.02)	24,336	-	Warrant (MAI)	-	-	-	-
TOP08C2102A	0.32	(0.02)	8,100	-	VGI41C2011A	0.03	(0.01)	9,400	-	ALL-W1	0.58	-	27,854	-
TOP11C2011A	0.10	(0.01)	4,920	-	VGI42C2101T	-	-	-	-	BROOK-W5	0.13	0.01	48	-
TOP13C2011A	-	-	-	-	WHA01C2101A	0.15	(0.01)	38,070	-	CHAYO-W1	2.16	(0.10)	21,877	2.00
TOP13C2012A	0.05	-	100	-	WHA01P2101A	0.72	0.03	48,323	-	CHO-W2	0.01	(0.01)	60,582	-
TOP13C2012B	0.10	(0.02)	56,676	-	WHA06C2101A	-	-	-	-	CIG-W8	-	-	-	-
TOP13C2101A	0.27	(0.03)	111,032	-	WHA06C2103A	0.31	(0.69)	41,620	-	D-W1	0.71	0.02	2	-
TOP13P2101A	-	-	-	-	WHA06P2012A	0.53	0.05	50,923	-	DIMET-W3	-	-	-	-
TOP13P2012A	-	-	-	-	WHA08C2011A	0.06	(0.02)	2,124	-	DOD-W1	0.54	(0.02)	19,067	-
TOP13P2101A	0.15	-	12,337	-	WHA11C2101A	0.15	(0.02)	43,564	-	ECF-W3	0.08	-	8,568	-
TOP19C2101A	-	-	-	-	WHA13C2011A	0.02	(0.03)	1,000	-	HPT-W1	0.21	(0.04)	8,979	-
TOP19C2101B	-	-	-	-	WHA13C2101A	0.19	(0.03)	121,681	-	HYDRO-W1	-	-	-	-
TOP19C2101A	-	-	-	-	WHA13P2011A	0.33	0.03	154,257	-	ITEL-W1	0.12	-	11,588	-
TOP19C2101A	0.18	(0.02)	124,894	-	WHA19C2010A	-	-	-	-	ITEL-W2	0.42	-	56,330	-
TOP19C2101B	0.32	(0.02)	5,179	-	WHA19C2011A	0.03	(0.01)	1	-	LIT-W1	0.40	0.01	1,196	-
TOP19P2010A	0.15	-	27,000	-	WHA19C2101A	0.21	(0.03)	19,260	-	META-W4	-	-	-	-
TOP19P2011A	-	-	-	-	WHA19P2011A	0.37	0.04	50,307	-	NEWS-W6	-	-	-	-
TOP19P2101A	0.18	0.01	46,702	-	WHA28C2011A	0.02	(0.07)	100	-	OCEAN-W3	0.23	-	4,119	-
TOP24C2101A	0.17	(0.01)	17,018	-	WHA28C2012A	0.14	(0.02)	22,620	-	RWI-W2	0.12	-	3,029	-
TOP41C2010A	-	-	-	-	WHA28C2102A	0.18	(0.02)	45,662	-	SANKO-W1	-	-	-	-
TOP41C2011A	-	-	-	-	WHA28C2102L	-	-	-	-	SIMAT-W3	0.47	0.01	4,772	-
TOP41C2102A	0.15	(0.02)	42,802	-	WHA42C2101T	0.08	(0.02)	140	-	SIMAT-W4	2.28	(0.12)	965	2.00
TOP41P2010A	-	-	-	-	WHAU13C2012A	0.15	-	4,270	-	SMART-W2	0.17	-	5,830	-
TOP41P2011A	-	-	-	-	WHAU19C2012A	0.21	-	22,685	-	SWC-W1	3.08	0.18	51	3.00
TOP42C2011T	-	-	-	-	Preferred/Foreign	-	-	-	-	TAKUNI-W	0.01	(0.01)	8,284	-
TPI13C2011A	0.12	(0.03)	5,704	-	BH-Q	-	-	-	-	TAPAC-W4	0.20	(0.01)	4,938	-
TPI19C2012A	0.20	(0.05)	12,938	-	CSC-Q	-	-	-	-	TVD-W2	0.20	-	9,691	-
TQM11C2102A	0.48	-	3,744	-	JUTHA-Q	-	-	-	-	UREKA-W2	0.26	0.01	897	-
TQM13C2011A	0.11	-	29,174	-	KTB-Q	-	-	-	-	Preferred Shares	-	-	-	-
TQM13C2101A	0.24	-	136,582	-	SCB-Q	-	-	-	-	SGF-P1	-	-	-	-
TQM19C2010A	-	-	-	-	TCAP-Q	-	-	-	-	-	-	-	-	-
TQM19C2010B	0.03	0.01	42	-	TISCO-Q	-	-	-	-	-	-	-	-	-
TQM19C2011A	0.34	(0.01)	73,223	-	U-Q	-	-	-	-	-	-	-	-	-
TQM19C2101A	0.29	(0.01)	9,586	-	Warrant	-	-	-	-	-	-	-	-	-
TQM24C2011A	0.13	-	1,060	-	7UP-W4	0.10	-	1,200	-	-	-	-	-	-
TQM28C2012A	0.14	(0.01)	29,985	-	AEC-W6	0.15	-	334,666	-	-	-	-	-	-
TQM28C2102A	0.47	-	19,194	-	AKR-W1	0.02	-	39,703	-	-	-	-	-	-
TQM28C2104L	0.31	(0.01)	8,086	-	ALT-W1	0.74	0.05	82,207	-	-	-	-	-	-
TQM41C2011A	0.15	(0.02)	27,195	-	APEX-W1	-	-	-	-	-	-	-	-	-
TQM42C2101T	0.30	(0.01)	240	-	APURE-W2	0.23	(0.01)	16,411	-	-	-	-	-	-
TRUE01C2101A	0.16	(0.01)	9,265	-	B-W3	-	-	-	-	-	-	-	-	-
TRUE01P2101A	0.61	0.01	10,315	-	B-W4	0.04	0.01	1	-	-	-	-	-	-
TRUE06C2103A	0.28	(0.02)	26,502	-	B-W5	0.04	-	3,801	-	-	-	-	-	-
TRUE06P2011A	0.16	(0.02)	22,200	-	BKD-W2	0.08	0.01	11,656	-	-	-	-	-	-
TRUE08C2012A	-	-	-	-	BTS-W5	0.56	-	54,484	-	-	-	-	-	-
TRUE08P2010A	-	-	-	-	CGD-W4	0.05	(0.01)	2,655	-	-	-	-	-	-
TRUE11C2101A	0.10	(0.01)	8,160	-	CGH-W3	0.02	-	25,950	-	-	-	-	-	-
TRUE11P2101A	0.56	(0.01)	18,887	-	CWT-W5	0.47	(0.03)	170,228	-	-	-	-	-	-
TRUE13C2011A	-	-	-	-	DCC-W1	0.94	-	41,213	-	-	-	-	-	-
TRUE13C2101A	0.14	(0.01)	15,452	-	ECL-W3	0.04	-	73,122	-	-	-	-	-	-
TRUE19C2011A	-	-	-	-	EMC-W6	0.03	-	56,973	-	-	-	-	-	-
TRUE19C2012A	0.07	(0.01)	4,000	-	EP-W3	0.02	(0.03)	227,813	-	-	-	-	-	-
TRUE19C2101A	0.17	-	35,000	-	GLOCON-W4	0.43	-	60,068	-	-	-	-	-	-
TRUE19P2011A	0.25	(0.02)	127,852	-	III-W1	0.50	(0.01)	1,241	-	-	-	-	-	-
TRUE28C2011A	-	-	-	-	J-W1	0.67	(0.02)	2,307	-	-	-	-	-	-
TRUE28C2012A	-	-	-	-	JMART-W3	5.60	(0.25)	7,072	5.00	-	-	-	-	-
TRUE28C2012B	-	-	-	-	JMART-W4	3.86	(0.12)	4,499	3.00	-	-	-	-	-
TRUE28C2101A	0.10	-	16,224	-	JMT-W2	14.80	(0.70)	16,740	14.00	-	-	-	-	-
TRUE28C2103L	0.15	-	24,336	-	MACO-W2	0.07	-	34,357	-	-	-	-	-	-
TRUE41C2010A	-	-	-	-	MILL-W4	0.03	-	20,213	-	-	-	-	-	-
TRUE41C2101A	0.07	(0.02)	6,000	-	MINT-W6	0.23	(0.02)	31,479	-	-	-	-	-	-
TRUE42C2101T	-	-	-	-	MINT-W7	6.70	(0.05)	6,583	6.00	-	-	-	-	-
TTW19C2011A	-	-	-	-	NER-W1	2.38	(0.02)	283,059	2.00	-	-	-	-	-
TTW24C2012A	-	-	-	-	NEX-W2	4.42	(0.20)	26,698	4.00	-	-	-	-	-
TU01C2101A	0.35	0.03	42,118	-	NFC-W1	0.50	(0.22)	55	-	-	-	-	-	-
TU01P2101A	0.21	(0.02)	29,143	-	NVD-W1	0.06	(0.01)	637	-	-	-	-	-	-
TU06C2102A	0.49	0.06	47,636	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU06P2010A	-	-	-	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU06P2103A	0.19	(0.03)	11,398	-	PDI-W1	0.45	0.01	40,848	-	-	-	-	-	-
TU08C2011A	0.27	0.05	14,961	-	PDJ-W4	0.42	(0.02)	1,549	-	-	-	-	-	-
TU11C2102A	0.33	0.03	29,008	-	PERM-W1	0.10	-	305	-	-	-	-	-	-
TU13C2012A	0.29	0.04	366,002	-	PORT-W1	0.56	-	692	-	-	-	-	-	-
TU19C2010A	0.12	0.03	1	-	PPPM-W4	0.11	(0.01)	432	-	-	-	-	-	-
TU19C2012A	0.30	0.04	48,056	-	PRIME-W1	-	-	-	-	-	-	-	-	-
TU19C2102A	0.23	0.01	49,248	-	PRIME-W2	0.01	(0.01)	36,000	-	-	-	-	-	-
TU19P2011A	-	-	-	-	SAMART-W2	0.15	(0.01)	16,593	-	-	-	-	-	-
TU19P2012A	0.11	(0.02)	13,200	-	SAWAD-W2	9.40	(0.25)	2,882	9.00	-	-	-	-	-
TU24C2011A	0.36	0.04	31,661	-	SDC-W1	0.09	(0.02)	70,377	-	-	-	-	-	-
TU28C2011A	0.13	0.02	33,682	-	SINGER-W1	7.85	(0.20)	1,729	7.00	-	-	-	-	-
TU28C2012A	0.11	0.01	2,028	-	SINGER-W2	4.52	(0.22)	483	4.00	-	-	-	-	-
TU28C2103A	0.34	0.04	39,255	-	SST-W2	0.70	(0.01)	45	-	-	-	-	-	-
TU28C2103L	0.26	0.02	18,252	-	TCC-W3	0.03	(0.01)	3,876	-	-	-	-	-	-
TU41C2010A	-	-	-	-	TCC-W4	0.03	-	500	-	-	-	-	-	-
TU41C2101A	0.22	0.03	55,604	-	TCC-W5	0.10	0.02	310	-	-	-	-	-	-
TU42C2101T	0.24	0.03	334	-	TGPRO-W3	0.01	-	2	-	-	-	-	-	-
TVO13C2011A	0.24	(0.09)	2,527	-	TNITY-W1	0.07	-	6,823	-	-	-	-	-	-
TVO13C2012A	0.29	(0.04)	191,927	-	TRITN-W3	0.14	0.01	113	-	-	-	-	-	-
TVO19C2011A	0.34	(0.09)	990	-	TTCL-W1	0.37	(0.01)	5,579	-	-	-	-	-	-
TVO19C2012A	0.26	(0.04)	146,020	-	U-W4	-	-	-	-	-	-	-	-	-
TVO19C2101A	0.18	(0.04)	245,392	-	VGI-W2	0.75	(0.01)	157,071	-	-	-	-	-	-
VGI01C2012A	0.18	(0.02)	83,827	-	VIBHA-W3	0.11	0.01	4,139	-	-	-	-	-	-
VGI06C2010A	-	-	-	-	W-W3	0.07	-	789	-	-	-	-	-	-
VGI06C2101A	0.14	(0.03)	174,237	-	WIJK-W2	0.28	(0.02)	19,830	-	-	-	-	-	-
VGI11C2101A	0.12	(0.02)	19,320	-	ZMICO-W4	0.08	-	62	-	-	-	-	-	-
VGI13C2012A	0.10	-	116,866	-	Preferred Shares	-	-	-	-	-	-	-	-	-
VGI13C2101A	0.16	(0.01)	346,202	-	BH-P	-	-	-	-	-	-	-	-	-
VGI19C2010A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
VGI19C2012A	0.13	(0.02)	105,105	-	JUTHA-P	-	-	-	-	-	-	-	-	-
VGI19C2012B	0.21	(0.02)	133,385	-	KTB-P	-	-	-	-	-	-	-	-	-
VGI19C2012C	0.06	(0.01)	24,000	-	SCB-P	-	-	-	-	-	-	-	-	-