

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Monday October 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.72	(0.26)	112,109	3.80	MAJOR	14.10	(0.10)	21,793	14.08
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	-	-	-	-
VI	-	-	-	-	DIF	12.80	(0.50)	375,502	13.03	MATI	3.84	0.02	41	3.93
WORLD	-	-	-	-	DTAC	31.75	(1.50)	81,042	31.62	MCOT	3.06	(0.04)	2,333	3.07
WR	-	-	-	-	FORTH	5.60	(0.10)	126	5.67	MONO	2.62	(0.06)	20,769	2.66
Agribusiness					HUMAN	8.05	-	15,399	8.01	MPIC	-	-	-	-
EE	0.70	(0.03)	186,959	0.70	ILINK	5.10	(0.40)	24,925	5.18	NMG	-	-	-	-
GPPT	11.60	(0.20)	11,861	11.64	INET	3.46	(0.24)	90,008	3.56	PLANB	5.25	(0.35)	399,288	5.33
LEE	2.20	-	3,045	2.20	INTUCH	52.00	(0.25)	83,357	52.18	POST	1.49	0.13	60	1.42
MAX	0.01	-	2,442,292	0.01	JAS	2.62	(0.08)	453,437	2.64	PRAKIT	7.30	-	18	7.27
NER	4.38	0.26	2,472,339	4.18	JASIF	9.15	(0.20)	253,393	9.23	SE-ED	1.40	(0.02)	705	1.41
PPPM	0.35	(0.02)	1,731	0.36	JMART	15.10	(0.60)	139,214	15.10	TBSP	-	-	-	-
STA	30.75	(0.25)	220,063	30.73	JTS	2.42	(0.12)	3,809	2.45	TH	0.47	(0.01)	721	0.46
TRUBB	1.64	(0.02)	25,801	1.61	MFEK	4.74	(0.06)	3,886	4.75	TKS	5.50	(0.20)	5,599	5.53
TWPC	3.36	(0.08)	8,672	3.38	MSC	6.45	(0.10)	2,367	6.36	VGI	5.90	(0.30)	403,319	5.97
UPOIC	3.20	-	129	3.05	PT	5.10	(0.10)	1,171	5.13	WAVE	0.69	0.01	1,353	0.68
UVAN	4.72	(0.06)	138	4.70	SAMART	4.88	(0.27)	25,127	4.95	WORK	9.35	(1.05)	58,822	9.60
VPO	0.43	(0.01)	1,233	0.42	SAMTEL	4.92	(0.08)	1,414	4.91	Finance & Securities	-	-	-	-
Banking					SDC	0.18	(0.03)	48,732	0.20	AEC	0.28	(0.02)	166,780	0.28
BAY	18.80	(0.70)	4,080	19.02	SIS	18.50	(0.70)	32,898	18.67	AEONTS	132.00	(2.50)	19,404	128.95
BBL	90.25	(4.25)	118,235	91.67	SVOA	1.32	(0.08)	81,431	1.33	AMANAH	2.52	(0.14)	165,021	2.53
CIMBT	0.54	(0.01)	5,605	0.53	SYMC	4.12	(0.16)	172	4.14	ASAP	2.00	(0.12)	10,946	2.01
KBANK	70.75	(2.50)	259,748	70.92	SYNEK	14.40	(0.50)	53,736	14.45	ASK	18.00	(0.40)	5,756	18.10
KKP	35.75	(1.25)	36,426	36.14	THCOM	5.55	(0.20)	69,913	5.59	ASP	1.67	-	17,417	1.67
KTB	8.40	(0.35)	278,837	8.49	TRUE	2.92	(0.06)	584,081	2.93	BAM	20.00	(0.20)	179,970	19.88
LHFG	0.86	(0.02)	46,125	0.87	TWZ	0.06	-	191,677	0.06	BFIT	27.75	(0.50)	6,879	27.60
SCB	60.75	(2.75)	203,055	61.08	Electronic Componer	-	-	-	-	CGH	0.65	-	5,982	0.64
TCAP	27.50	(1.25)	73,501	27.68	CCET	2.38	(0.04)	267,878	2.39	ECL	0.72	(0.05)	33,337	0.74
TISCO	68.00	(0.25)	87,610	67.51	DELTA	186.00	2.00	31,874	186.15	FNS	2.78	-	581	2.73
TMB	0.82	(0.02)	1,670,636	0.81	HANA	49.25	1.00	192,610	49.10	FSS	1.38	(0.07)	329	1.41
Construction Materia					KCE	38.25	2.00	253,410	37.75	GBX	0.41	(0.02)	3,692	0.42
CCP	0.46	(0.01)	62,455	0.46	METCO	162.00	-	13	160.23	GL	2.42	(0.24)	35,476	2.49
COTTO	1.06	(0.03)	3,617	1.06	NEX	4.12	(0.26)	88,495	4.19	IFS	2.36	(0.02)	3,533	2.33
DCC	2.30	-	117,089	2.28	SMT	2.70	(0.16)	56,210	2.71	JMT	32.50	(1.50)	64,477	32.78
DCON	0.33	(0.01)	69,077	0.34	SVI	5.10	0.54	600,901	4.96	KCAR	7.50	(0.10)	740	7.53
DRT	5.90	(0.15)	9,516	5.91	TEAM	0.84	0.01	2,592	0.81	KGI	2.76	(0.10)	31,079	2.76
EPG	4.40	(0.12)	47,444	4.43	W	0.20	(0.01)	700,021	0.20	KTC	37.00	(1.00)	105,766	37.28
GEL	0.17	-	33,968	0.17	Energy & Utilities	-	-	-	-	MBKET	6.90	(0.10)	367	6.89
PPP	2.04	(0.04)	372	2.03	7UP	0.29	(0.01)	274,829	0.30	MFC	13.60	-	229	13.31
Q-CON	-	-	-	-	ABPIF	2.96	-	1,055	2.94	MICRO	4.10	0.02	171,183	4.09
RCI	3.70	-	735	3.70	ACE	2.74	(0.10)	124,446	2.73	ML	0.77	(0.03)	723	0.77
SCC	334.00	-	26,019	334.14	AI	1.92	(0.10)	213,032	1.94	MTC	51.00	(0.75)	45,954	50.74
SCCC	117.00	(1.00)	821	116.21	AKR	0.46	(0.02)	11,144	0.47	PE	-	-	-	-
SCP	5.80	(0.10)	1,419	5.81	BAFS	18.60	(0.90)	4,746	18.81	PL	1.98	(0.04)	1,888	1.98
SKN	2.36	(0.04)	6,280	2.34	BANPU	6.15	(0.20)	445,159	6.22	S11	6.20	(0.15)	8,371	6.23
TASCO	14.30	(0.40)	150,233	14.41	BCP	14.60	(0.30)	38,243	14.64	SAWAD	46.75	(1.00)	53,025	46.59
TCMC	1.07	(0.06)	102,538	1.06	BCPG	11.60	(0.20)	31,866	11.70	THANI	3.24	(0.12)	252,118	3.24
TOA	32.75	(1.00)	16,508	33.00	BGRIM	42.25	-	41,920	42.29	TK	6.90	(0.10)	2,058	6.91
TPIPL	1.38	-	82,016	1.36	BPP	13.30	(0.10)	19,637	13.20	TNITY	3.54	(0.02)	79	3.54
UMI	0.58	(0.02)	2,754	0.57	BRRGIF	6.15	-	40	6.06	UOBKH	3.00	(0.04)	183	2.91
VNG	3.02	(0.04)	1,292	3.02	CKP	4.42	(0.18)	179,052	4.49	ZMICO	0.57	(0.01)	4,106	0.56
WIJK	3.04	0.04	171,293	3.10	DEMCO	2.64	(0.10)	3,977	2.67	Food & Beverage	-	-	-	-
Petrochemicals & Ch					EA	41.75	-	65,887	41.10	APURE	1.92	(0.07)	24,740	1.94
BCT	41.00	-	245	40.89	EASTW	9.15	(0.10)	10,172	9.16	ASIAN	13.10	(0.20)	105,131	13.17
CMAN	1.16	-	2,225	1.16	EGATIF	11.80	(0.20)	39,749	11.84	BR	1.74	(0.06)	4,326	1.75
GC	5.20	(0.05)	1,673	5.20	EGCO	178.00	(2.50)	18,503	178.74	BRR	2.62	(0.28)	4,010	2.75
GCC	8.20	(0.35)	5,424	8.25	EP	3.68	(0.14)	17,398	3.73	CBG	112.50	(3.50)	108,167	110.06
GIFT	1.78	(0.07)	3,192	1.79	ESSO	5.95	(0.20)	114,880	6.03	CFRESH	3.52	(0.40)	19,498	3.58
IVL	23.60	(0.20)	443,903	23.65	GPSC	56.50	0.25	57,666	56.25	CHOTTI	-	-	-	-
NFC	1.40	(0.08)	101	1.36	GREEN	1.10	0.03	6,002	1.09	CM	2.60	(0.04)	1,415	2.59
PATO	9.95	(0.05)	29	9.80	GULF	30.00	(0.25)	186,118	29.97	CPF	26.00	(0.25)	296,363	25.99
PMTA	-	-	-	-	GUNKUL	2.20	(0.04)	233,762	2.22	CPI	1.25	(0.02)	130	1.25
PTTGC	40.25	(1.00)	166,726	40.18	IFEC	-	-	-	-	F&D	19.00	0.40	54	19.00
SUTHA	3.14	-	794	3.14	IRPC	2.02	(0.06)	522,060	2.03	HTC	29.00	(1.00)	10,863	28.84
TCCC	23.30	(0.20)	318	22.94	KBSPIF	9.35	(0.15)	1,365	9.35	ICHI	10.00	(0.90)	221,410	10.16
TPA	5.05	-	40	5.01	LANNA	5.90	(0.05)	1,235	5.95	KBS	3.04	(0.02)	508	3.06
UAC	3.70	-	571	3.67	MDX	2.16	-	2,793	2.12	KSL	2.32	0.06	118,095	2.32
UP	12.20	(1.80)	22	12.20	PDI	7.65	(0.40)	14,060	7.87	KTIS	2.84	(0.10)	1,282	2.81
VNT	22.80	(0.20)	7,117	22.75	PRIME	0.46	(0.03)	83,662	0.46	LST	4.30	(0.02)	2,842	4.32
WG	186.00	0.50	30	186.00	PTG	17.70	(0.60)	137,974	17.78	M	44.00	(1.50)	7,533	44.27
YCI	-	-	-	-	PTT	32.50	(0.25)	371,453	32.47	MALEE	6.00	(0.30)	2,035	6.12
Commerce					PTTEP	78.25	(2.00)	128,068	78.79	MINT	17.80	(0.50)	464,307	17.84
BEAUTY	1.27	(0.04)	103,209	1.26	RATCH	50.25	-	24,919	50.35	NRF	5.15	(0.75)	231,253	5.32
BIG	0.44	(0.05)	106,653	0.45	RPC	0.48	-	1,057	0.47	OISHI	39.00	(0.75)	216	38.69
BJC	32.50	-	28,839	32.35	SCG	3.38	(0.10)	91	3.44	OSP	32.00	0.25	131,999	31.75
COL	18.70	-	7,714	18.60	SCI	1.24	(0.01)	5,292	1.21	PB	70.75	0.25	10	70.43
COM7	39.75	(1.00)	66,196	39.94	SCN	1.70	-	3,403	1.67	PM	7.40	(0.35)	14,720	7.39
CPALL	58.50	-	253,975	57.97	SGP	8.85	0.05	6,412	8.81	PRG	-	-	-	-
CPW	2.12	(0.16)	142,812	2.12	SKE	0.59	(0.01)	14,388	0.59	RBF	9.70	(0.25)	107,893	9.74
CRC	24.80	(1.70)	304,391	24.97	SOLAR	0.87	(0.04)	11,725	0.88	SAPPE	19.60	(1.40)	19,969	19.84
CSS	1.36	(0.07)	66,292	1.38	SPCG	19.10	(0.10)	20,090	19.02	SAUCE	24.90	-	27	24.81
DOHOME	14.10	(0.70)	103,255	14.30	SPRC	5.55	(0.15)	101,259	5.54	SFP	-	-	-	-
FN	1.14	(0.07)	35,226	1.17	SSP	6.85	(0.10)	3,807	6.84	SNP	10.00	0.10	73	9.81
FTE	1.55	(0.03)	462	1.56	SUPER	0.84	(0.03)	3,018,431	0.85	SORKON	5.20	(0.20)	25	5.26
GLOBAL	17.60	(0.80)	112,560	17.80	SUPEREIF	10.70	(0.30)	8,686	10.84	SSC	32.25	(0.25)	18	32.22
HMPRO	13.10	(0.90)	453,503	13.24	SUSCO	2.64	(0.06)	17,352	2.69	SSF	-	-	-	-
ILM	11.70	(0.70)	12,682	11.80	TAE	2.20	(0.08)	10,224	2.21	SST	2.30	-	60	2.31
IT	2.50	-	1,996	2.45	TCC	0.17	(0.01)	8,735	0.17	TC	4.34	(0.20)	16,729	4.33
KAMART	3.12	(0.08)	89,627	3.10	TOP	34.50	(1.00)	60,894	34.78	TFG	3.92	(0.22)	143,801	3.93
LOXLEY	1.30	(0.03)	14,931	1.30	TPIPP	4.20	(0.06)	76,534	4.21	TFMAMA	197.50	(0.50)	162	197.16
MAKRO	39.75	0.25	11,476	39.45	TSE	2.40	(0.16)	52,808	2.45	TIPCO	5.35	(0.20)	9,415	5.43

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Monday October 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KDH	84.25	(2.75)	13	84.52	AP	5.80	(0.30)	128,361	5.86	CWT	2.00	(0.08)	22,280	1.99
LPH	4.14	(0.04)	2,146	4.12	APEX	0.07	(0.01)	12,037	0.07	EASON	1.25	0.10	59	1.17
M-CHAI	181.50	(2.50)	3	181.00	AQ	0.01	(0.01)	40,414	0.02	GYT	195.50	(4.50)	3	195.50
NEW	-	-	-	-	AWC	3.14	0.02	624,136	3.08	HFT	3.60	(0.10)	12,354	3.60
NTV	40.25	(0.50)	195	40.29	BLAND	0.94	(0.02)	208,210	0.93	IHL	3.32	(0.04)	366,771	3.46
PR9	6.80	(0.25)	6,721	6.84	BROCK	1.43	(0.12)	309	1.45	INGRS	0.44	(0.04)	50,296	0.45
PRINC	2.54	(0.02)	5,762	2.54	CGD	0.64	(0.04)	36,298	0.66	IRC	11.70	(0.30)	221	11.68
RAM	139.50	(0.50)	72	139.85	CI	0.68	(0.02)	2,307	0.65	PCSGH	4.40	-	181	4.40
RJH	22.20	(0.20)	1,088	22.01	CPN	38.25	(3.00)	156,916	38.83	SAT	13.20	(0.10)	47,499	13.35
RPH	5.15	-	2,768	5.05	ESTAR	0.33	0.01	7,159	0.32	SPG	-	-	-	-
SKR	6.10	-	364	6.05	EVER	0.20	(0.01)	35,505	0.20	STANLY	145.00	(0.50)	388	144.10
SVH	391.00	(3.00)	9	392.22	FPT	9.95	(0.25)	1,997	9.96	TKT	0.89	(0.02)	571	0.90
THG	17.90	(0.30)	2,632	18.04	GLAND	2.16	0.02	51	2.10	TNPC	0.67	-	200	0.67
VIBHA	1.50	(0.01)	17,316	1.51	J	1.24	(0.09)	19,403	1.26	TRU	3.50	-	4	3.49
VIH	6.00	(0.20)	3,583	6.06	JCK	1.39	(0.03)	23,114	1.40	TSC	-	-	-	-
WPH	1.51	(0.02)	1,128	1.51	KC	-	-	-	-	Industrial Materials				
Tourism & Leisure					KWG	0.70	(0.01)	2,826	0.70	ALLA	1.11	(0.03)	7,581	1.11
ASIA	4.28	(0.06)	1	4.28	LALIN	5.30	(0.25)	11,395	5.31	ASEFA	3.04	(0.06)	1,450	3.05
CENTEL	19.50	(0.90)	62,716	19.77	LH	6.60	(0.15)	330,749	6.61	CPT	0.80	(0.04)	10,474	0.80
CSR	-	-	-	-	LPN	3.70	(0.24)	83,537	3.77	CRANE	1.58	(0.12)	25,865	1.65
DTC	7.00	-	1,896	6.92	MBK	10.80	(0.70)	44,270	10.98	CTW	5.40	(0.20)	155	5.37
ERW	2.36	(0.16)	234,958	2.38	MJD	1.47	(0.03)	3,649	1.47	FMT	18.30	(0.60)	2	18.30
GRAND	0.52	0.01	17,680	0.51	MK	2.88	(0.04)	5,300	2.89	HTECH	3.18	0.02	7,555	3.14
LRH	27.25	-	5	27.25	NCH	0.87	-	213	0.85	KKC	0.55	0.01	1,775	0.54
MANRIN	-	-	-	-	NNCL	1.87	(0.07)	1,914	1.88	PK	1.49	(0.09)	2,275	1.55
OHTL	-	-	-	-	NOBLE	18.30	(0.70)	42,208	18.36	SNC	9.65	(0.15)	1,897	9.71
ROH	-	-	-	-	NUSA	0.26	(0.02)	50,912	0.27	STARK	1.96	(0.04)	111,911	1.98
SHANG	-	-	-	-	NVD	1.05	0.03	1,451	1.06	TCJ	3.18	(0.04)	330	3.18
SHR	1.79	(0.06)	25,612	1.80	ORI	6.55	(0.10)	66,584	6.51	VARO	3.84	0.04	3	3.87
VRANDA	5.50	(0.05)	523	5.52	PACE	-	-	-	-	Property Fund & REIT				
Home & Office Produ					PF	0.34	(0.02)	192,332	0.35	AIMCG	5.85	(0.15)	462	5.91
ACC	0.59	-	435	0.58	PLAT	2.04	(0.04)	15,607	2.02	AIMIRT	12.20	(0.10)	1,410	12.38
AJA	0.11	(0.01)	16,076	0.12	POLAR	-	-	-	-	AMATAR	10.00	(0.10)	70	9.97
DTCI	-	-	-	-	PRECHA	0.83	(0.06)	183	0.83	B-WORK	11.50	0.20	9	11.37
FANCY	0.50	-	365	0.49	PRIN	1.64	-	7,362	1.64	BKER	5.60	(0.10)	1,317	5.63
KYE	307.00	(2.00)	14	308.57	PSH	10.10	(0.30)	10,908	10.10	BKKCP	11.70	-	656	11.70
L&E	1.62	0.02	311	1.60	QH	2.04	(0.06)	371,569	2.06	BOFFICE	10.10	0.10	105	10.02
MODERN	2.40	(0.04)	1,009	2.40	RICHY	0.68	-	722	0.67	CPNCG	9.55	(0.20)	3,738	9.57
OGC	-	-	-	-	RML	0.56	-	11,931	0.57	CPNREIT	20.50	(0.90)	4,425	20.84
ROCK	-	-	-	-	ROJNA	3.80	(0.12)	9,199	3.82	CPTGF	9.60	(0.05)	39	9.62
SIAM	1.38	(0.01)	1,661	1.37	S	1.25	(0.04)	8,433	1.26	CTARAF	4.90	(0.04)	2,084	4.91
TSR	3.36	(0.40)	35,593	3.49	SAMCO	1.19	0.01	492	1.17	DREIT	3.78	(0.04)	920	3.78
Insurance					SC	2.22	-	54,917	2.20	ERWPF	4.10	(0.10)	145	4.17
AYUD	32.75	(0.25)	64	32.75	SENA	2.62	(0.16)	69,660	2.63	FTREIT	13.40	(0.40)	2,455	13.35
BKI	275.00	-	46	274.09	SF	4.32	(0.16)	24,160	4.34	FUTUREPF	18.70	-	28	18.79
BLA	17.20	(0.80)	16,940	17.42	SIRI	0.58	(0.02)	795,952	0.59	GAHREIT	8.05	(0.05)	29	7.81
BUI	-	-	-	-	SPALI	16.00	0.10	16,931	16.04	GOLDPF	5.25	0.05	3	5.18
CHARAN	-	-	-	-	U	1.07	(0.04)	34,902	1.08	GVREIT	10.40	(0.30)	96	10.52
INSURE	-	-	-	-	UV	2.40	(0.12)	21,780	2.42	HPF	4.68	(0.02)	62	4.68
MTI	85.75	-	45	84.92	WHA	2.54	(0.18)	1,080,287	2.57	HREIT	7.80	(0.05)	1,235	7.76
NKI	47.00	-	1	47.00	WIN	0.36	-	420	0.35	IMPACT	17.30	(0.40)	2,056	17.38
NSI	67.00	(1.00)	1	67.00	Paper & Printing Mat					KNPF	6.75	(0.10)	120	6.75
SEG	26.00	-	70	25.68	UTP	13.20	(0.60)	54,900	13.48	LHHOTEL	9.35	(0.20)	725	9.44
SMK	36.00	-	39	36.22	Fashion					LHPF	5.10	(0.20)	525	5.16
THRE	0.98	(0.05)	204,755	0.99	AFC	-	-	-	-	LHSC	10.90	(0.40)	1,419	10.99
THREL	2.42	(0.16)	27,917	2.46	B52	0.14	(0.02)	8,023	0.15	LUXF	6.30	(0.05)	1,971	6.10
TIP	23.70	(0.40)	3,867	23.82	BTNC	-	-	-	-	M-II	-	-	-	-
TQM	115.00	(4.50)	12,297	115.76	CPH	-	-	-	-	M-PAT	2.70	(0.26)	1	2.70
TSI	0.28	-	10,515	0.27	CPL	1.05	(0.08)	1,115	1.05	M-STOR	-	-	-	-
TVI	3.34	0.04	6	3.35	ICC	-	-	-	-	MIPF	-	-	-	-
Mining					NC	-	-	-	-	MIT	2.94	-	96	2.94
THL	-	-	-	-	PAF	0.49	(0.02)	3,720	0.48	MLF	6.30	(0.10)	215	6.30
Packaging					PDJ	1.39	(0.06)	2,683	1.40	MNIT	1.40	0.12	7	1.30
AJ	17.30	(0.80)	6,192	17.57	PG	4.70	0.34	17	4.72	MNIT2	5.05	(0.10)	10	5.05
ALUCON	155.00	2.00	5	153.50	SABINA	19.40	(0.90)	6,052	19.52	MNRF	2.70	(0.26)	247	2.83
BGC	9.35	(0.50)	89,470	9.58	SAWANG	-	-	-	-	POPF	10.00	(0.20)	499	10.06
CSC	49.50	(2.25)	89	49.46	SUC	33.50	-	3,184	33.50	PPF	11.30	-	507	11.30
GLOCON	0.93	(0.01)	65,323	0.93	TNL	-	-	-	-	PROSPECT	9.15	-	1,036	9.04
NEP	0.21	-	5,128	0.21	TPCORP	9.00	-	39	8.77	QHHR	5.50	(0.15)	659	5.52
PTL	23.70	(0.30)	30,571	23.63	TR	21.20	0.20	89	20.93	QHOP	2.36	0.14	1	2.36
SFLEX	5.60	-	30,032	5.58	TTI	-	-	-	-	QHPF	8.85	(0.20)	4,675	8.91
SITHAI	0.60	-	4,439	0.59	TTT	53.75	(0.25)	4	53.13	SBPF	2.74	(0.60)	333	2.59
SLP	0.40	(0.01)	258	0.40	UPF	-	-	-	-	SHREIT	3.74	(0.04)	240	3.75
SMPC	10.50	(1.10)	32,717	10.70	UT	-	-	-	-	SIRIP	8.40	-	200	8.40
SPACK	3.06	-	98,356	3.10	WACOAL	45.50	0.50	2	45.50	SPF	11.80	(0.30)	6,837	11.89
TCOAT	-	-	-	-	Transportation & Log					SPRIME	7.40	(0.20)	306	7.47
TFI	0.10	-	3,109	0.09	AAV	1.55	(0.09)	202,985	1.57	SRIPANWA	7.70	-	412	7.70
THIP	25.00	(1.00)	517	24.91	AOT	53.50	(2.50)	450,641	53.77	SSPF	9.05	(0.05)	84	8.95
TMD	21.90	(0.20)	2	21.80	ASIMAR	1.35	(0.01)	960	1.34	SSTRT	-	-	-	-
TOPP	-	-	-	-	B	0.29	-	68,623	0.29	TIF1	8.40	-	46	8.35
TPBI	5.15	(0.05)	390	5.10	BA	5.05	(0.25)	13,760	5.08	TLGF	15.90	(0.60)	5,571	15.99
TPP	12.90	(0.30)	76	12.91	BEM	8.15	(0.35)	717,251	8.16	TLHPF	9.00	0.50	91	8.52
Personal Products &					BTS	9.00	(0.35)	976,301	8.95	TNPF	1.99	(0.05)	229	2.02
APCO	3.74	(0.02)	245	3.71	BTSIGIF	4.96	(0.39)	125,736	5.03	TPRIME	11.40	(0.30)	115	11.43
DDD	14.00	(0.50)	1,405	14.17	III	4.06	(0.06)	1,814	4.07	TTLPF	-	-	-	-
JCT	-	-	-	-	JUTHA	0.41	-	197	0.39	TU-PF	0.87	(0.01)	100	0.87
OCC	-	-	-	-	JWD	6.90	(0.30)	37,291	6.98	URBNPF	-	-	-	-
S & J	25.50	-	1	25.50	KWC	275.00	(4.00)	2	275.00	WHABT	-	-	-	-
STGT	88.50	(1.50)	148,342	89.28	NOK	0.60	-	1,459	0.57	WHART	12.70	(0.20)	5,352	12.83
STHAI	-	-	-	-	NYT	3.56	0.14	341,452	3.55	Steel				
TNR	10.90	(0.10)	336	10.86	PORT	1.99	0.01	23,248	1.97	AMC	1.38	(0.06)	1,713	1.38
TOG	3.38	(0.06)	86	3.39	PRM	7.60	(0.40)	175,518	7.69	BSBM	0.83	(0.01)	3,414	0.84
Professional Service					PSL	4.78	(0.22)	78,236	4.82	CEN	0.65	(0.01)	1,660	0.64
BWG	0.43	(0.04)	431,484	0.44	RCL	5.35	0.45	51,380	5					

## Main Board Quotation

Issue Date :

Monday October 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AGE	1.25	(0.08)	37,898	1.00	ADVA06C2010A	-	-	-	-
ABICO	5.15	(0.40)	6,506	5.00	AIE	0.61	(0.03)	276,199	-	ADVA06C2103A	0.56	(0.02)	83,441	-
AU	9.15	(0.45)	35,538	9.00	ETC	1.81	(0.17)	291,477	1.00	ADVA06P2011A	0.05	(0.01)	4,005	-
JCKH	0.31	(0.02)	54	-	PSTC	1.65	(0.10)	99,539	1.00	ADVA08C2012A	0.17	-	6,001	-
KASET	1.30	(0.10)	2,477	1.00	QTC	3.90	(0.06)	579	3.00	ADVA08C2103A	0.56	-	62,280	-
MM	1.84	(0.01)	107	1.00	SAAM	0.96	(0.10)	6,013	-	ADVA08P2101A	0.77	(0.01)	20,258	-
SUN	3.24	(0.10)	21,449	3.00	SEAOIL	2.26	(0.06)	1,477	2.00	ADVA11C2011A	0.14	(0.01)	45,881	-
TACC	6.05	(0.30)	58,447	6.00	SR	0.58	(0.03)	14,885	-	ADVA11P2011A	0.35	-	38,130	-
TMILL	3.16	(0.08)	4,375	3.00	TAKUNI	0.37	-	2,493	-	ADVA13C2012A	0.20	(0.01)	115,077	-
XO	9.40	(0.45)	57,231	9.00	TPCH	10.60	(0.30)	6,099	10.00	ADVA13C2101A	0.45	(0.02)	146,552	-
Consumer Products	-	-	-	-	TRT	1.61	(0.04)	7	1.00	ADVA13P2012A	0.66	(0.03)	45,720	-
BGT	-	-	-	-	UMS	0.29	(0.01)	1	-	ADVA19C2010A	-	-	-	-
BIZ	3.34	-	1,509	3.00	UPA	0.17	(0.01)	127,141	-	ADVA19C2010B	-	-	-	-
DOD	8.05	(0.75)	77,781	8.00	UWC	0.05	-	74,401	-	ADVA19C2012A	0.19	(0.01)	192,518	-
ECF	1.30	(0.04)	106,573	1.00	Services (MAI)	-	-	-	-	ADVA19C2101A	0.37	(0.01)	205,123	-
HPT	0.81	(0.01)	171	-	A5	-	-	-	-	ADVA19P2010A	-	-	-	-
IP	10.90	(1.00)	27,052	10.00	AKP	0.78	(0.02)	1,871	-	ADVA19P2012A	0.55	(0.02)	151,992	-
JUBILE	17.10	(0.40)	723	17.00	AMA	4.32	(0.18)	12,124	4.00	ADVA24C2101A	0.24	(0.01)	47,201	-
MOONG	3.86	(0.08)	639	3.00	ARIP	0.42	(0.02)	205	-	ADVA28C2011A	-	-	-	-
NPK	-	-	-	-	ATP30	0.80	(0.02)	7,152	-	ADVA28C2012A	-	-	-	-
OCEAN	0.78	(0.02)	4,773	-	AUCT	11.50	(0.80)	46,904	11.00	ADVA28C2012B	-	-	-	-
TM	2.26	(0.04)	3,923	2.00	BOL	5.30	0.05	21,954	5.00	ADVA28C2101A	0.21	(0.01)	32,620	-
Financials (MAI)	-	-	-	-	CMO	0.88	(0.01)	1,528	-	ADVA28C2102L	0.17	(0.01)	8,112	-
ACAP	0.68	(0.01)	3,617	-	D	3.16	(0.04)	777	3.00	ADVA28P2012A	0.14	(0.01)	22,408	-
AF	0.60	0.01	5,800	-	DV8	0.31	0.02	4,240	-	ADVA41C2010A	-	-	-	-
AIRA	0.83	(0.03)	501	-	EFORL	0.03	-	86,304	-	ADVA41C2011A	0.10	(0.01)	29,670	-
ASN	4.22	(0.30)	9	4.00	ETE	0.92	(0.03)	1,098	-	ADVA41C2101A	0.39	(0.02)	205,622	-
BROOK	0.39	-	2,374	-	FSMART	7.00	(0.20)	15,482	6.00	ADVA41P2011A	0.28	(0.01)	23,762	-
CHAYO	7.25	(0.15)	100,543	7.00	FVC	0.38	(0.02)	10,553	-	ADVA41P2101A	0.40	(0.01)	81,126	-
GCAP	1.30	(0.04)	2,966	1.00	GSC	1.22	(0.05)	13,515	1.00	ADVA42C2102T	0.27	-	4,610	-
LIT	3.12	(0.04)	819	3.00	HARN	2.06	(0.02)	6,398	2.00	AEON01C2102A	0.47	(0.53)	20,070	-
MITSI	1.03	(0.01)	2,963	1.00	IMH	2.04	(0.06)	3,710	2.00	AEON13C2010A	-	-	-	-
SGF	0.44	(0.03)	33,638	-	JKN	9.00	(0.60)	78,579	9.00	AEON13C2011A	0.30	(0.03)	50,057	-
Industrials (MAI)	-	-	-	-	KIAT	0.53	(0.03)	304,459	-	AEON13C2012A	1.03	(0.03)	18,758	-
ZS	3.28	(0.14)	3,574	3.00	KK	1.18	(0.09)	44,906	1.00	AEON13C2101A	0.47	(0.01)	223,767	-
ADB	0.74	(0.03)	3,254	-	KOOL	0.90	(0.15)	120,563	-	AEON19C2010A	0.03	(0.02)	111,168	-
BM	2.02	(0.04)	419	2.00	LDC	1.20	-	1,480	1.00	AEON19C2010B	0.26	(0.03)	48,212	-
CHO	0.47	(0.05)	73,680	-	MORE	0.78	(0.04)	295,638	-	AEON19C2011A	1.47	(0.45)	50	1.00
CHOW	1.50	(0.02)	1,176	1.00	MPG	0.25	(0.01)	1,304	-	AEON19C2012A	0.79	(0.16)	448	-
CIG	0.21	(0.01)	11,147	-	MVP	1.17	(0.03)	1,205	1.00	AEON19C2101A	0.59	(0.02)	60,853	-
COLOR	1.21	(0.03)	834	1.00	NBC	0.54	0.02	100	-	AEON19C2102A	0.46	(0.01)	89,730	-
CPR	2.22	(0.10)	1,754	2.00	NCL	2.60	(0.02)	3,838	-	AEON28C2012A	0.78	(0.09)	4,051	-
FPI	1.41	0.01	22,466	1.00	NEWS	0.01	-	2,153	-	AEON28C2101A	1.78	(0.30)	339	1.00
GTB	0.72	(0.06)	7,786	-	NINE	1.64	(0.05)	13	1.00	AEON42C2101T	0.36	(0.04)	18,598	-
KCM	0.43	(0.01)	6,236	-	OTO	3.04	(0.06)	2,322	3.00	AMAT01C2101A	0.15	(0.05)	24,772	-
KUMWEL	1.20	(0.06)	13,573	1.00	PHOL	2.28	(0.08)	4,106	2.00	AMAT06C2102A	0.13	(0.06)	48,243	-
KWM	1.09	(0.09)	38,959	1.00	PICO	-	-	-	-	AMAT08C2010A	-	-	-	-
MBAX	6.85	(0.45)	43,173	7.00	QLT	3.88	(0.10)	98	3.00	AMAT08C2101A	0.18	(0.05)	3,000	-
MGT	2.38	(0.16)	25,225	2.00	RP	1.19	0.02	1,960	1.00	AMAT13C2012A	0.07	(0.05)	2,730	-
NDR	1.37	(0.09)	7,582	1.00	SE	1.22	-	1,029	1.00	AMAT19C2011A	-	-	-	-
PDG	3.48	(0.06)	1,767	3.00	SLM	-	-	-	-	AMAT19C2012A	0.07	(0.03)	11	-
PIMO	2.34	(0.16)	201,500	2.00	SONIC	1.19	(0.06)	9,199	1.00	AMAT19C2101A	0.14	(0.06)	92,896	-
PJW	1.24	(0.02)	1,892	1.00	SPA	5.60	(0.20)	10,925	5.00	AMAT24C2010A	-	-	-	-
PPM	0.72	(0.08)	958	-	THMUI	0.68	(0.05)	19,222	-	AMAT28C2012A	0.03	(0.02)	10,000	-
RWI	1.30	(0.05)	2,884	1.00	TNDT	2.88	(0.04)	375	2.00	AMAT28C2101A	0.08	(0.04)	2,000	-
SALIE	0.65	(0.04)	804	-	TNH	31.75	(1.25)	838	31.00	AMAT28C2102L	0.06	(0.02)	25,005	-
SANKO	0.97	0.02	868	-	TNP	3.20	-	12,133	3.00	AMAT28C2103A	0.18	(0.05)	9,141	-
SELIC	1.99	(0.05)	1,501	2.00	TSF	-	-	-	-	AMAT42C2101T	0.05	(0.03)	4,760	-
SWC	4.34	-	1,019	4.00	TVD	0.95	(0.04)	8,277	-	AOT01C2012A	0.37	(0.09)	147,340	-
TMC	0.66	0.01	531	-	TVT	0.67	-	1,788	-	AOT01C2102A	0.34	(0.08)	103,476	-
TMI	0.61	-	10,553	-	VL	1.00	(0.01)	49,507	1.00	AOT01C2102T	0.26	(0.04)	54,690	-
TMW	28.75	0.25	69	28.00	WINNER	2.46	(0.02)	2,240	2.00	AOT01P2012A	0.19	0.03	133,938	-
TPAC	13.00	(0.30)	141	12.00	YGG	11.00	(0.80)	9,232	11.00	AOT01P2012B	0.62	0.08	110,440	-
TPLAS	1.53	(0.13)	7,054	1.00	Technology (MAI)	-	-	-	-	AOT01P2102T	0.55	0.05	67,171	-
UBIS	4.90	(0.02)	286	4.00	APP	2.36	(0.16)	46,224	2.00	AOT06C2011A	0.04	(0.04)	17,143	-
UEC	0.84	(0.03)	3,756	-	COMAN	2.00	(0.08)	2,460	2.00	AOT06C2102A	0.29	(0.10)	89,297	-
UKEM	0.50	(0.03)	91,693	-	ICN	2.00	(0.12)	37,137	2.00	AOT06P2011A	0.58	0.15	122,474	-
UREKA	0.79	-	7,136	-	IIG	19.40	(0.90)	9,012	19.00	AOT08C2101A	0.27	(0.09)	51,860	-
YUASA	14.30	-	267	14.00	INSET	3.38	(0.12)	93,132	3.00	AOT08P2102A	0.71	0.08	173,898	-
ZIGA	2.02	(0.22)	76,805	2.00	IRCP	0.71	(0.04)	9,047	-	AOT11C2011A	0.13	(0.04)	84,105	-
Property & Construc	-	-	-	-	ITEL	2.80	(0.08)	39,584	2.00	AOT11P2010A	0.39	0.05	148,717	-
ALL	2.98	(0.10)	55,814	3.00	NETBAY	26.00	(0.75)	4,815	25.00	AOT13C2011A	0.02	(0.03)	9,882	-
ARIN	0.93	(0.01)	1,237	-	PLANET	1.15	(0.15)	11,150	1.00	AOT13C2012A	0.22	(0.11)	229,521	-
ARROW	6.95	(0.10)	1,939	6.00	SICT	4.00	(0.18)	26,685	4.00	AOT13C2101A	0.19	(0.07)	222,166	-
BC	0.81	(0.01)	3,846	-	SIMAT	3.76	(0.10)	6,401	3.00	AOT13P2010A	0.06	0.01	1,902	-
BSM	0.26	(0.01)	2,633	-	SKY	12.30	(0.50)	4,838	12.00	AOT13P2011A	0.11	0.03	352,236	-
BTW	0.79	(0.02)	3,590	-	SPVI	3.14	(0.12)	105,880	3.00	AOT13P2101A	0.56	0.08	651,215	-
CAZ	1.42	(0.04)	1,666	1.00	TPS	2.32	(0.12)	32,744	2.00	AOT16C2012A	0.27	(0.09)	12,452	-
CHEWA	0.47	(0.03)	31,470	-	VCOM	5.15	(0.15)	38,262	5.00	AOT19C2011A	-	-	-	-
CMC	0.67	(0.03)	5,772	-	Unit Trust	-	-	-	-	AOT19C2011B	0.06	(0.03)	65	

## Main Board Quotation

## Issue Date :

Monday October 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP19C2010A	-	-	-	-	BCPG28C2012C	-	-	-	-	BTS19C2012A	0.16	(0.04)	126,901	-
AP19C2011A	0.10	(0.02)	1	-	BCPG28C2010A	0.09	(0.01)	16,168	-	BTS19P2012A	0.16	0.03	120,561	-
AP28C2012A	-	-	-	-	BDMS08C2010A	0.13	(0.01)	35,420	-	BTS24C2012A	0.01	(0.05)	160	-
AP28C2012B	0.09	(0.03)	9,126	-	BDM501C2010A	0.19	(0.01)	32,022	-	BTS41C2010A	-	-	-	-
AWC01C2010A	0.18	(0.01)	18,752	-	BDM506C2010A	0.15	(0.02)	19,315	-	BTS41C2012A	-	-	-	-
AWC06C2011A	-	-	-	-	BDM508C2011A	-	-	-	-	CBG01C2012A	0.19	(0.04)	76,947	-
AWC06C2103A	0.24	-	87,240	-	BDM508C2101A	0.15	(0.01)	2,150	-	CBG01C2102A	0.49	(0.07)	55,343	-
AWC06P2012A	0.67	0.02	28,300	-	BDM511C2010A	0.14	(0.02)	20,260	-	CBG01P2012A	0.47	0.04	58,126	-
AWC08C2012A	0.06	-	500	-	BDM513C2011A	0.03	(0.01)	660	-	CBG01P2102A	0.81	0.05	68,482	-
AWC11C2102A	0.19	(0.01)	12,860	-	BDM513C2012A	0.08	(0.01)	14,210	-	CBG06C2011A	0.15	(0.05)	36,942	-
AWC13C2010B	-	-	-	-	BDM513C2101A	0.25	(0.02)	81,867	-	CBG08C2012A	0.35	(0.07)	36,376	-
AWC13C2011A	-	-	-	-	BDM513P2102A	0.37	0.01	10,027	-	CBG11C2101A	0.39	(0.05)	23,395	-
AWC13C2101A	0.09	(0.01)	2,285	-	BDM519C2010A	-	-	-	-	CBG13C2011A	0.18	(0.06)	29,104	-
AWC13P2011A	0.34	(0.01)	168,016	-	BDM519C2011A	-	-	-	-	CBG13C2012A	0.15	(0.03)	185,935	-
AWC19C2010A	-	-	-	-	BDM519C2012A	0.08	(0.01)	30	-	CBG13C2101A	0.40	(0.06)	213,658	-
AWC19C2010B	-	-	-	-	BDM519C2102A	0.20	(0.01)	42,000	-	CBG13P2011A	0.16	0.02	10,709	-
AWC19C2010C	-	-	-	-	BDM519P2010A	0.04	0.01	4,000	-	CBG13P2101A	0.77	0.06	45,694	-
AWC19C2101A	0.12	-	11,148	-	BDM519P2102A	0.39	-	71,278	-	CBG16C2101A	0.43	(0.07)	22,000	-
AWC19C2102A	0.20	(0.02)	4,043	-	BDM52C2010A	0.17	(0.02)	9,272	-	CBG19C2010A	-	-	-	-
AWC19P2011A	0.31	-	67,326	-	BDM528C2011A	-	-	-	-	CBG19C2011A	0.33	(0.06)	137,983	-
AWC24C2010A	-	-	-	-	BDM528C2012A	-	-	-	-	CBG19C2011B	0.08	(0.03)	57,404	-
AWC28C2012A	-	-	-	-	BDM528C2012B	-	-	-	-	CBG19C2101A	0.32	(0.04)	217,855	-
AWC28C2012B	-	-	-	-	BDM528C2101A	-	-	-	-	CBG19P2010A	-	-	-	-
AWC28C2101A	0.07	(0.03)	11,000	-	BDM528C2102A	0.11	(0.01)	4,066	-	CBG19P2011A	0.07	0.03	9,935	-
AWC28C2103L	-	-	-	-	BDM541C2012A	0.06	(0.03)	8,000	-	CBG19P2012A	0.59	0.05	260,763	-
AWC41C2010A	-	-	-	-	BDM541P2011A	0.72	0.03	1,482	-	CBG41C2010A	-	-	-	-
AWC41C2011A	-	-	-	-	BDM542C2010T	-	-	-	-	CBG41C2011A	0.82	(0.62)	20	-
AWC41C2102A	0.08	-	4,000	-	BEM01C2101A	0.07	(0.03)	20	-	CBG41C2011B	0.18	(0.06)	21,664	-
AWC42C2101T	0.02	(0.03)	1	-	BEM08C2102A	0.10	(0.03)	23,550	-	CBG41C2012A	0.07	(0.03)	1,000	-
BANP01C2101A	0.33	(0.03)	134,278	-	BEM11C2011A	-	-	-	-	CBG41P2010A	0.02	0.01	897	-
BANP01P2101A	0.36	0.02	49,555	-	BEM13C2010A	-	-	-	-	CBG41P2012A	0.83	0.09	54,967	-
BANP06C2010A	-	-	-	-	BEM13C2011A	0.03	(0.01)	1,000	-	CBG42C2101T	0.54	(0.09)	46,691	-
BANP06C2101A	0.32	(0.04)	60,739	-	BEM13C2101A	0.20	(0.06)	72,208	-	CENT01C2103A	0.44	(0.56)	16,322	-
BANP06P2011A	0.15	0.02	41,905	-	BEM19C2010A	-	-	-	-	CENT08C2012A	0.12	(0.03)	9,430	-
BANP08C2102A	0.32	(0.03)	25,005	-	BEM19C2011A	-	-	-	-	CENT11C2012A	-	-	-	-
BANP08P2102A	0.40	0.03	52,033	-	BEM19C2101A	0.18	(0.04)	32,720	-	CENT13C2010A	-	-	-	-
BANP13C2011A	-	-	-	-	BEM19P2010A	0.03	(0.06)	10	-	CENT13C2011A	0.07	(0.02)	50	-
BANP13C2012A	0.22	(0.05)	299,902	-	BEM28C2012A	0.03	0.01	30	-	CENT13C2101A	0.29	(0.07)	117,133	-
BANP13P2012A	0.19	0.01	42,480	-	BEM28C2103A	0.17	(0.05)	26,356	-	CENT13P2011A	0.32	0.05	16,021	-
BANP16C2101A	0.24	(0.02)	13,010	-	BEM28C2104L	0.16	(0.03)	8,084	-	CENT19C2010A	-	-	-	-
BANP19C2010A	-	-	-	-	BGR101C2012A	-	-	-	-	CENT19C2011A	-	-	-	-
BANP19C2012A	0.25	(0.04)	81,477	-	BGR101C2102A	0.38	-	27,994	-	CENT19C2011B	0.09	(0.03)	433	-
BANP19C2102A	0.19	(0.03)	247,614	-	BGR10P2012A	0.36	(0.01)	18,954	-	CENT19C2101A	0.25	(0.06)	27,491	-
BANP19P2010A	-	-	-	-	BGR106C2102A	0.33	(0.01)	34,186	-	CENT19P2011A	0.30	0.05	88,164	-
BANP19P2010B	0.12	0.01	99,544	-	BGR106P2011A	0.35	-	34,264	-	CENT24C2011A	0.09	(0.04)	4,348	-
BANP19P2012A	0.11	0.01	147,494	-	BGR108C2101A	0.26	-	11,120	-	CENT28C2012A	-	-	-	-
BANP24C2011A	0.06	(0.04)	1	-	BGR111C2101A	0.13	(0.01)	3,760	-	CENT28C2012B	-	-	-	-
BANP28C2012A	0.12	(0.01)	43,554	-	BGR113C2011A	-	-	-	-	CENT28C2101A	0.11	(0.03)	14,211	-
BANP28C2012B	0.10	(0.02)	18,310	-	BGR113C2012A	0.17	-	13,945	-	CENT28C2101B	0.04	(0.01)	390	-
BANP28C2101A	0.28	(0.03)	62,091	-	BGR113C2101A	0.25	(0.01)	29,550	-	CENT28C2103L	0.15	(0.02)	20,480	-
BANP41C2010A	-	-	-	-	BGR113P2011A	-	-	-	-	CHG06C2102A	0.14	(0.01)	7,097	-
BANP42C2012T	-	-	-	-	BGR113P2101A	0.25	(0.01)	74,866	-	CHG13C2010A	-	-	-	-
BBL06C2101A	0.26	(0.12)	87,893	-	BGR119C2011A	0.02	(0.02)	3	-	CHG13C2012A	0.10	(0.01)	15,129	-
BBL06P2011A	0.56	0.12	97,444	-	BGR119C2012A	0.11	-	242	-	CHG19C2011A	0.06	(0.01)	6,000	-
BBL08C2101A	0.13	(0.04)	455	-	BGR119C2101A	0.30	-	74,207	-	CK01C2101A	0.12	(0.07)	59,959	-
BBL08P2102A	1.05	0.12	64,726	1.00	BGR119P2010A	0.13	(0.01)	17,885	-	CK01P2101A	0.70	0.16	38,522	-
BBL11C2011A	0.11	(0.05)	18,300	-	BGR124C2101A	0.32	(0.01)	11,952	-	CK06C2102A	0.13	(0.09)	156,883	-
BBL11P2102A	0.76	0.09	65,155	-	BGR127C2101A	-	-	-	-	CK06P2012A	0.78	0.23	77,942	-
BBL13C2010B	-	-	-	-	BGR127P2012A	0.25	(0.01)	4,446	-	CK11C2012A	0.07	(0.04)	17,200	-
BBL13C2012A	0.10	(0.04)	150,123	-	BGR141C2010A	-	-	-	-	CK13C2010A	-	-	-	-
BBL13C2012B	0.26	(0.12)	78,988	-	BGR141C2012A	0.32	-	5,178	-	CK13C2012A	0.11	(0.02)	17,504	-
BBL13P2012A	0.69	0.08	231,088	-	BGR141C2101A	0.12	-	5,956	-	CK19C2010A	-	-	-	-
BBL19C2010A	-	-	-	-	BGR142C2101T	-	-	-	-	CK19C2011A	-	-	-	-
BBL19C2011A	0.02	-	500	-	BH01C2103A	0.22	(0.78)	8,262	-	CK19C2012A	0.09	(0.07)	187,989	-
BBL19C2011B	-	-	-	-	BH13C2012A	0.05	(0.01)	3,096	-	CK19P2011A	0.58	0.19	65,192	-
BBL19C2012A	0.22	(0.09)	57,994	-	BH13C2101A	0.33	(0.01)	39,892	-	CK24C2102A	0.11	(0.06)	44,365	-
BBL19C2101A	0.16	(0.04)	282,491	-	BH13P2101A	0.51	-	145,259	-	CK41C2011A	-	-	-	-
BBL19C2101B	0.38	(0.13)	109,970	-	BH19C2012A	-	-	-	-	CK41C2012A	0.05	(0.06)	68,500	-
BBL19P2010A	0.13	0.02	9,800	-	BH19C2101A	0.52	(0.02)	59,038	-	CK42C2101T	-	-	-	-
BBL19P2011A	0.63	0.10	345,582	-	BH19P2012A	0.57	-	101,157	-	CKP01C2101A	-	-	-	-
BBL19P2012A	0.47	0.07	179,986	-	BH24C2102A	0.14	-	6,458	-	CKP01P2101A	0.72	0.04	15,030	-
BBL28C2011A	-	-	-	-	BH41C2012A	-	-	-	-	CKP06C2012A	0.06	(0.02)	9,291	-
BBL28C2012A	-	-	-	-	BJC01C2101A	0.15	-	19,226	-	CKP08C2010A	-	-	-	-
BBL28C2101A	0.07	(0.03)	2,562	-	BJC01P2101A	0.52	(0.02)	12,711	-	CKP08C2012A	0.06	(0.01)	1,010	-
BBL28C2103A	0.51	(0.12)	98,696	-	BJC06C2102A	0.09	-	12,740	-	CKP11C2102A	0.11	(0.01)	17,621	-
BBL28C2104L	0.10	(0.03)	34,329	-	BJC11C2102A	0.14	0.01	10,050	-	CKP13C2011A	0.03	(0.01)	5,561	-
BBL41C2011A	-	-	-	-	BJC13C2011A	-	-	-	-	CKP13C2101A	0.10	(0.01)	75,539	-
BBL41C2012A	0.23	(0.08)	181,000	-	BJC13C2012A	-	-	-	-	CKP16C2012A	-	-	-	-
BBL41C2012B	-	-	-	-	BJC13C2101A	0.16	(0.84)	21,350	-	CKP19C2010A	-	-	-	-
BBL41P2010A	-	-	-	-	BJC13P2012A	0.32	(0.01)	25,438	-	CKP19C2011A	0.12	(0.03)	22,381	-
BBL41P2011A	0.34	0.07	81,344	-	BJC19C2010A	-	-	-	-	CKP19C2011B	0.02	(0.01)	417	-
BBL42C2101T	0.04	(0.01)	100	-	BJC19C2010B	-	-	-	-	CKP19C2101A	0.09	(0.02)	28,999	-
BBL42P2102T	0.45	0.05	13,700	-	BJC19C2012A	-	-	-	-	CKP19P2012A	0.50	0.03	24,573	-
BCH01C2101A	0.20	(0.06)	8,764	-	BJC19C2103A	0.20	(0.80)	37,000	-	CKP24C2011A	-	-	-	-
BCH06C2011A	-	-	-	-	BJC19P2012A	0.34	(0.01)	24,686	-	CKP28C2011A	-	-	-	-
BCH06C2103A	0.32	(0.05)	18,328	-	BJC28C2012A	0.03	(0.04)	10	-	CKP28C2012A	-	-	-	-
BCH13C2010A	-	-	-	-	BJC28C2012B	-	-	-	-	CKP28C2012B	-	-	-	-
BCH13C2012A	0.16	(0.04)	35,308	-	BJC28C2101A	-	-	-	-	CKP28C2103A	0.12	(0.01)	42,546	-
BCH19C2011A	0.08	(0.04)	10,000	-	BJC28C2102L	0.06	(0.01)	833	-	COM706C2012A				

## Main Board Quotation

## Issue Date :

Monday October 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719P2012A	0.10	0.01	165,816	-	DOHO06C2012A	0.27	(0.07)	51,982	-	ESSO42C2101T	0.10	(0.01)	1	-
COM719P2010A	0.33	0.02	305,710	-	DOHO08C2012A	0.34	(0.07)	40,780	-	GFPT08C2011A	-	-	-	-
COM724C2012A	0.27	(0.06)	34,406	-	DOHO11C2101A	0.34	(0.06)	46,474	-	GFPT13C2010A	-	-	-	-
COM741C2101A	0.22	(0.03)	57,775	-	DOHO13C2011A	0.15	(0.06)	45,557	-	GFPT19C2010A	-	-	-	-
CPAL01C2101A	0.17	(0.02)	94,131	-	DOHO13C2101A	0.18	(0.05)	193,846	-	GFPT19C2101B	-	-	-	-
CPAL01P2010A	0.58	(0.01)	87,152	-	DOHO19C2011A	0.20	(0.06)	46,809	-	GFPT19C2012A	0.11	(0.01)	36,780	-
CPAL06C2011A	-	-	-	-	DOHO19C2101A	0.21	(0.05)	106,397	-	GFPT24C2012A	-	-	-	-
CPAL06C2102A	0.15	(0.01)	55,505	-	DOHO28C2012A	0.19	(0.08)	34,636	-	GFPT42C2101T	0.05	(0.01)	800	-
CPAL06P2012A	0.62	0.01	93,484	-	DOHO28C2102L	0.20	(0.03)	26,414	-	GLOB01C2012A	0.10	-	720	-
CPAL08C2011A	-	-	-	-	DOHO42C2012T	0.19	(0.03)	2,514	-	GLOB13C2011A	0.10	(0.04)	18,834	-
CPAL08C2102A	0.23	(0.02)	30,854	-	DTAC01C2101A	0.13	(0.05)	49,364	-	GLOB19C2010A	0.16	(0.08)	7,078	-
CPAL08P2101A	-	-	-	-	DTAC01P2101A	0.32	0.05	33,135	-	GLOB19C2012A	0.14	(0.03)	32,687	-
CPAL11C2012A	-	-	-	-	DTAC06C2012A	-	-	-	-	GLOB24C2010A	0.09	(0.05)	960	-
CPAL13C2011A	-	-	-	-	DTAC06C2103A	0.28	(0.08)	48,409	-	GPSCO1C2012A	-	-	-	-
CPAL13C2012A	0.09	(0.01)	44,581	-	DTAC06P2012A	0.58	0.12	27,945	-	GPSCO1C2101A	0.31	(0.01)	33,727	-
CPAL13C2101A	0.25	(0.01)	299,515	-	DTAC08C2012A	-	-	-	-	GPSCO1P2012A	0.71	(0.02)	60,418	-
CPAL13P2011A	0.36	(0.02)	33,820	-	DTAC08C2101A	0.13	(0.04)	14,500	-	GPSCO6C2011A	-	-	-	-
CPAL19C2010A	-	-	-	-	DTAC13C2011A	-	-	-	-	GPSCO6C2101A	0.12	(0.01)	23,703	-
CPAL19C2011A	0.02	-	450	-	DTAC13C2012A	0.10	(0.03)	45,649	-	GPSCO6P2011A	-	-	-	-
CPAL19C2012A	0.12	(0.01)	111,324	-	DTAC13C2101A	0.13	(0.05)	74,717	-	GPSCO8C2101A	0.16	(0.01)	20,000	-
CPAL19C2102A	0.23	(0.01)	232,990	-	DTAC13P2011A	0.29	0.01	16	-	GPSC11C2102A	0.26	(0.01)	24,500	-
CPAL19P2010A	0.02	0.01	1	-	DTAC13P2101A	0.24	0.03	142,214	-	GPSC13C2011A	-	-	-	-
CPAL19P2010B	0.28	(0.01)	30,942	-	DTAC19C2010A	-	-	-	-	GPSC13C2012A	0.07	-	12,770	-
CPAL19P2101A	0.46	-	272,182	-	DTAC19C2011A	-	-	-	-	GPSC13C2012B	0.14	(0.01)	46,807	-
CPAL27C2101A	-	-	-	-	DTAC19C2012A	0.07	(0.02)	16,221	-	GPSC13C2101A	0.36	-	335,476	-
CPAL28C2012A	-	-	-	-	DTAC19C2101A	0.15	(0.05)	124,607	-	GPSC13P2011A	-	-	-	-
CPAL28C2012B	-	-	-	-	DTAC19P2011A	0.30	0.06	138,674	-	GPSC13P2011B	0.28	(0.03)	126,291	-
CPAL28C2012C	-	-	-	-	DTAC24C2012A	-	-	-	-	GPSC19C2010A	-	-	-	-
CPAL28C2102A	0.11	-	21,184	-	DTAC28C2012A	-	-	-	-	GPSC19C2012A	0.11	-	93,655	-
CPAL28C2104L	0.13	(0.01)	12,168	-	DTAC28C2102A	0.09	(0.03)	4,150	-	GPSC19C2101A	0.21	(0.01)	325,979	-
CPAL41C2010A	-	-	-	-	DTAC28C2103A	0.18	(0.05)	64,268	-	GPSC19C2101B	0.33	-	285,291	-
CPAL41C2011A	-	-	-	-	DTAC28C2104L	0.15	(0.03)	18,252	-	GPSC19P2010A	-	-	-	-
CPAL41C2101A	0.20	-	104,692	-	DTAC41C2010A	-	-	-	-	GPSC19P2011A	0.87	(0.02)	100	-
CPAL41P2011A	0.59	-	25,245	-	DTAC41C2011A	-	-	-	-	GPSC19P2012A	0.47	(0.02)	111,878	-
CPAL41P2101A	0.58	0.01	189,198	-	DTAC41C2012A	-	-	-	-	GPSC24C2011A	-	-	-	-
CPAL42C2101T	-	-	-	-	DTAC42C2101T	0.03	(0.02)	91	-	GPSC28C2011A	-	-	-	-
CPF01C2012A	0.07	(0.01)	100	-	EA06C2010A	0.01	-	115	-	GPSC28C2010A	0.14	(0.01)	12,140	-
CPF01C2101A	0.12	(0.01)	3,720	-	EA06C2102A	0.36	(0.01)	80,288	-	GPSC28C2103A	0.43	(0.01)	50,630	-
CPF01P2012A	0.48	(0.02)	9,321	-	EA06P2012A	0.32	(0.01)	41,266	-	GPSC28C2104L	0.17	(0.01)	12,169	-
CPF06C2010A	0.01	-	2,074	-	EA08C2101A	0.34	-	12,005	-	GPSC41C2011A	0.02	(0.04)	1,120	-
CPF06C2102A	0.12	-	96,390	-	EA11C2101A	0.10	-	15,600	-	GPSC41C2012A	-	-	-	-
CPF06P2011A	0.18	-	38,530	-	EA13C2011A	0.05	(0.01)	10,520	-	GPSC41P2010A	0.76	(0.04)	11,664	-
CPF08C2010A	0.01	-	200	-	EA13C2012A	0.16	(0.01)	68,460	-	GPSC42C2101T	0.03	(0.04)	500	-
CPF08C2102A	0.12	(0.02)	15,000	-	EA13C2101A	0.35	(0.01)	74,988	-	GULF01C2012A	0.10	(0.01)	74,968	-
CPF11C2010A	-	-	-	-	EA13P2011A	0.40	(0.03)	46,108	-	GULF01C2102A	0.24	(0.02)	52,425	-
CPF13C2011A	0.01	-	761	-	EA13P2101A	0.21	(0.01)	93,602	-	GULF01P2012A	0.19	-	115,661	-
CPF13C2012A	0.05	-	501	-	EA16C2012A	0.10	(0.01)	832	-	GULF01P2102A	0.34	0.01	48,210	-
CPF13C2101A	0.09	(0.01)	89,427	-	EA19C2010A	-	-	-	-	GULF06C2101A	0.16	(0.01)	38,475	-
CPF13P2012A	0.46	(0.03)	2	-	EA19C2012A	0.17	-	273,323	-	GULF08C2012A	0.07	(0.03)	1,150	-
CPF13P2101A	0.25	0.01	137,658	-	EA19C2101A	0.36	-	79,068	-	GULF08C2102A	0.23	(0.02)	17,916	-
CPF16C2012A	-	-	-	-	EA19P2011A	0.17	-	119,735	-	GULF11C2011A	-	-	-	-
CPF19C2010A	-	-	-	-	EA19P2011B	0.22	(0.01)	146,375	-	GULF13C2011A	-	-	-	-
CPF19C2012A	0.04	-	500	-	EA24C2101A	0.27	-	12,438	-	GULF13C2012A	-	-	-	-
CPF19C2102A	0.13	(0.01)	175,460	-	EA28C2011A	0.04	(0.01)	14,020	-	GULF13C2012B	0.12	(0.01)	307,733	-
CPF19P2010A	-	-	-	-	EA28C2012A	0.13	-	26,364	-	GULF13P2011A	0.12	(0.01)	54,286	-
CPF19P2012A	-	-	-	-	EA28C2101A	0.12	(0.01)	6,084	-	GULF13P2101A	0.22	-	58,197	-
CPF19P2101A	0.28	0.01	143,976	-	EA28C2102A	0.22	(0.01)	59,462	-	GULF16C2012A	-	-	-	-
CPF24C2012A	-	-	-	-	EA28C2103L	0.12	(0.01)	12,306	-	GULF19C2010A	-	-	-	-
CPF28C2011A	-	-	-	-	EA41C2011A	-	-	-	-	GULF19C2010B	-	-	-	-
CPF28C2012A	-	-	-	-	EA41C2101A	0.11	-	15,824	-	GULF19C2012A	0.08	(0.01)	600	-
CPF28C2012B	-	-	-	-	EA42C2101T	0.16	(0.01)	3,741	-	GULF19C2101A	0.14	(0.01)	369,656	-
CPF28C2102A	0.06	-	1,100	-	EGCO01C2101A	0.11	(0.01)	28,142	-	GULF19P2010A	-	-	-	-
CPF28C2103A	-	-	-	-	EGCO01P2101A	0.86	0.01	27,494	-	GULF19P2010B	-	-	-	-
CPF28C2103L	-	-	-	-	EGCO06C2010A	0.01	(0.01)	2,068	-	GULF19P2012A	0.27	0.01	271,295	-
CPF41C2010A	-	-	-	-	EGCO13C2011A	-	-	-	-	GULF24C2010A	0.13	(0.01)	23,706	-
CPF41C2101A	-	-	-	-	EGCO13C2012A	0.09	(0.01)	4,309	-	GULF24C2012A	0.02	(0.01)	18,701	-
CPF41P2011A	0.43	0.02	741	-	EGCO13C2012B	0.14	(0.02)	14,594	-	GULF28C2012B	-	-	-	-
CPF42C2101T	0.03	-	2	-	EGCO13C2101A	0.48	(0.05)	93,681	-	GULF28C2101A	0.08	(0.03)	4,000	-
CPN01C2012A	-	-	-	-	EGCO13P2011A	0.82	0.03	27,430	-	GULF28C2102A	0.10	(0.01)	53,580	-
CPN01C2101A	0.23	(0.10)	51,368	-	EGCO19C2010A	-	-	-	-	GULF41C2011A	-	-	-	-
CPN01P2012A	0.60	0.11	57,353	-	EGCO19C2011A	-	-	-	-	GULF41C2012A	0.08	(0.03)	8,912	-
CPN11C2101A	0.07	(0.04)	2,526	-	EGCO19C2012A	0.05	-	110	-	GULF41C2102A	0.14	(0.01)	145,500	-
CPN13C2011A	-	-	-	-	EGCO19C2012B	0.31	(0.01)	80,146	-	GULF41P2011A	0.29	(0.01)	10,898	-
CPN13C2012A	0.10	(0.03)	18,827	-	EGCO19P2011A	0.99	0.02	31,613	-	GULF41P2012A	0.25	-	119,704	-
CPN19C2010A	-	-	-	-	EGCO19P2012A	0.67	0.03	90,902	-	GULF42C2010M	-	-	-	-
CPN19C2011A	0.01	(0.03)	1,100	-	EGCO41C2101A	0.08	(0.01)	8,020	-	GULF42C2101T	0.06	(0.01)	600	-
CPN19C2012A	0.05	(0.04)	12	-	EGCO42C2101T	-	-	-	-	GULF42P2101T	0.25	-	5,639	-
CPN19C2102A	0.18	(0.82)	87,624	-	EPG13C2011A	0.07	(0.04)	64,000	-	GUNK01C2012A	0.08	(0.02)	21	-
CPN19P2010A	0.17	0.06	61,413	-	EPG13C2012A	0.05	(0.02)	20,400	-	GUNK13C2011A	-	-	-	-
CPN24C2011A	-	-	-	-	EPG19C2010A	0.06	(0.03)	30,000	-	GUNK13C2101A	0.12	(0.02)	137,314	-
CPN41C2012A	0.05	(0.02)	1,103	-	EPG19C2011A	-	-	-	-	GUNK19C2010A	-	-	-	-
CPN41C2101A	0.05	(0.04)	1,210	-	EPG19C2102A	0.37	(0.08)	147,574	-	GUNK19C2012A	-	-	-	-
CPN41P2011A	0.99	0.23	21,554	-	EPG42C2101T	0.15	(0.03)	7,200	-	GUNK19C2101A	0.09	(0.02)	2,138	-
CRC01C2101A	0.12	(0.05)	42,883	-	ERW13C2010A	-	-	-	-	GUNK24C2012A	-	-	-	-
CRC01P2101A	0.51	0.08	125,119	-	ERW19C2010A	-	-	-	-	GUNK28C2012A	0.05	(0.01)	100	-
CRC06C2102A	0.11	(0.05)	45,631	-	ERW19C2010B	-	-	-	-	GUNK28C2012B	-	-	-	-
CRC08C2101A	0.09	(0.05)	14,836	-	ESSO01C2012A	0.12	(0.02)	8,541	-	GUNK28C2102A	0.07	(0.01)	14,100	-
CRC13C2011A	-	-	-	-	ESSO01P2012A	0.44	0.03	17,646	-	HANA01C2012A	0.63	0.03	259,027	-
CRC13C2012A	0.07	(0.01)	7	-	ESSO06C2011A	-	-	-	-	HANA11C2103A	0.76	0.04	48,	



## Main Board Quotation

Issue Date :

Monday October 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HMPR06C2010A	-	-	-	-	IVL13C2012B	-	-	-	-	KCE01C2012A	0.53	0.07	87,631	-
HMPR06C2102A	0.21	(0.08)	47,046	-	IVL13C2101A	0.47	(0.04)	360,020	-	KCE01C2101A	0.58	0.08	88,487	-
HMPR06P2011A	0.12	0.05	140	-	IVL13P2012A	0.24	-	288,236	-	KCE01P2011A	0.09	(0.02)	20	-
HMPR11C2011A	0.14	(0.06)	48,920	-	IVL19C2010A	-	-	-	-	KCE01P2101A	0.34	(0.05)	82,287	-
HMPR13C2012A	0.11	(0.05)	85,107	-	IVL19C2010B	-	-	-	-	KCE06C2012A	-	-	-	-
HMPR19C2010A	-	-	-	-	IVL19C2011A	0.09	(0.02)	709,480	-	KCE06C2012B	0.92	0.13	73,767	-
HMPR19C2102A	0.17	(0.07)	154,344	-	IVL19C2012A	0.28	(0.02)	1,063,147	-	KCE08C2012A	0.75	0.11	16,790	-
HMPR19P2011A	0.29	0.07	188,665	-	IVL19C2012B	0.49	(0.03)	220,827	-	KCE11C2101A	0.69	0.08	67,188	-
HMPR41C2010A	-	-	-	-	IVL19P2010A	-	-	-	-	KCE13C2010A	0.59	0.12	611	-
HSI28C2010A	0.13	-	400,126	-	IVL19P2010B	0.06	-	48,000	-	KCE13C2012A	0.49	0.08	840,698	-
HSI28C2010B	0.03	-	1,102	-	IVL19P2011A	0.33	0.01	316,193	-	KCE13P2010A	-	-	-	-
HSI28C2010C	0.01	-	9,192	-	IVL19P2012A	0.26	-	165,841	-	KCE13P2012A	0.06	(0.03)	19,740	-
HSI28C2010L	0.01	-	20	-	IVL24C2012A	0.26	(0.04)	39,219	-	KCE13P2101A	0.14	(0.04)	146,349	-
HSI28C2011A	1.02	0.09	1,137,605	1.00	IVL28C2011A	0.01	-	20	-	KCE16C2012A	0.58	0.08	14,198	-
HSI28C2011B	0.54	0.05	1,079,233	-	IVL28C2012A	-	-	-	-	KCE19C2010A	-	-	-	-
HSI28C2011C	0.12	-	14,717	-	IVL28C2012B	-	-	-	-	KCE19C2011A	0.51	0.08	1,000	-
HSI28C2011L	0.18	0.01	4,345	-	IVL28C2101A	0.21	(0.02)	55,228	-	KCE19C2012A	0.46	0.08	117,165	-
HSI28C2012L	0.12	0.01	48,802	-	IVL28C2103A	0.52	(0.03)	175,522	-	KCE19C2102A	0.42	0.07	485,484	-
HSI28C2101L	0.15	0.01	102,113	-	IVL28C2104L	0.26	(0.01)	85,196	-	KCE19P2010A	-	-	-	-
HSI28C2102L	0.37	0.03	9,179	-	IVL41C2010A	-	-	-	-	KCE19P2012A	0.05	(0.03)	3,311	-
HSI28P2010A	0.03	(0.04)	71,711	-	IVL41C2011A	-	-	-	-	KCE19P2101A	0.13	(0.04)	98,438	-
HSI28P2010B	0.11	(0.10)	266,658	-	IVL41C2012A	0.29	(0.03)	50,472	-	KCE19P2102A	0.32	(0.07)	328,192	-
HSI28P2010C	0.41	(0.21)	118,774	-	IVL41P2010A	-	-	-	-	KCE24C2010A	0.94	0.15	100	-
HSI28P2010L	0.01	-	7,880	-	IVL41P2012A	0.46	0.01	59,372	-	KCE27C2101X	1.08	0.09	18,605	1.00
HSI28P2011A	0.65	(0.14)	707,935	-	IVL41P2012B	0.20	-	14,830	-	KCE41C2012A	0.46	0.08	2,966	-
HSI28P2011B	0.35	(0.09)	44,973	-	IVL42C2101T	0.03	(0.01)	67	-	KCE42C2012T	1.40	0.12	5,336	1.00
HSI28P2011C	0.20	(0.05)	25,402	-	JAS08C2011A	-	-	-	-	KKP13C2012A	0.09	(0.02)	30,484	-
HSI28P2011L	0.03	(0.01)	700	-	JAS08P2103A	0.65	0.03	27,060	-	KKP19C2010A	-	-	-	-
HSI28P2012L	0.27	(0.05)	10,282	-	JAS13C2011A	0.01	-	1,050	-	KKP19C2011A	-	-	-	-
HSI28P2101L	0.26	(0.02)	100	-	JAS13C2012A	0.08	(0.01)	10,573	-	KKP19C2012A	0.10	(0.02)	71,575	-
HSI28P2102L	0.28	(0.03)	910	-	JAS13C2101A	0.18	(0.04)	51,754	-	KTB13C2010A	-	-	-	-
HSI41C2010A	0.17	0.04	206,424	-	JAS13C2102A	-	-	-	-	KTB13C2012A	-	-	-	-
HSI41C2010B	0.03	-	350	-	JAS19C2010A	-	-	-	-	KTB13C2101A	0.20	(0.05)	12,118	-
HSI41C2010C	-	-	-	-	JAS19C2012A	0.06	(0.02)	12,280	-	KTB19C2010A	-	-	-	-
HSI41C2011A	0.07	0.01	10	-	JAS19C2101A	0.19	(0.05)	27,462	-	KTB19C2011A	-	-	-	-
HSI41C2011B	0.96	0.10	14,020	-	JAS19P2010A	0.17	0.01	12,001	-	KTB19C2012A	0.08	(0.02)	100	-
HSI41C2011C	0.48	0.04	1,654,173	-	JAS28C2011A	-	-	-	-	KTB19C2101A	0.20	(0.04)	10,000	-
HSI41C2011D	0.11	0.01	500	-	JAS28C2012A	0.01	(0.02)	5,401	-	KTB19P2010A	0.56	0.07	49,498	-
HSI41C2011E	-	-	-	-	JAS28C2012B	-	-	-	-	KTB24C2101A	0.16	(0.03)	1,368	-
HSI41C2012A	0.13	0.02	16,723	-	JAS28C2101A	0.06	(0.02)	7,630	-	KTB28C2010A	-	-	-	-
HSI41C2101A	0.13	0.01	15,301	-	JAS28C2102A	0.13	(0.03)	2,028	-	KTB28C2012B	-	-	-	-
HSI41P2010A	-	-	-	-	JAS41C2011A	0.02	(0.02)	1,700	-	KTB28C2101C	-	-	-	-
HSI41P2010B	0.18	(0.08)	2,193	-	JAS41C2102A	0.18	(0.06)	36,648	-	KTB28C2102A	0.12	(0.03)	3,042	-
HSI41P2010C	0.06	(0.02)	420	-	JMT06C2012A	0.31	(0.09)	57,692	-	KT01C2012A	0.36	(0.03)	78,778	-
HSI41P2011A	0.38	(0.06)	24,106	-	JMT06C2103A	0.30	(0.06)	40,594	-	KT01P2012A	0.08	0.01	20	-
HSI41P2011B	0.67	(0.11)	809,412	-	JMT08C2101A	0.25	(0.04)	26,200	-	KT08C2011A	0.22	(0.02)	33,000	-
HSI41P2011C	0.36	(0.06)	8,841	-	JMT11C2102A	0.28	(0.05)	65,590	-	KT01P2011A	0.04	-	350	-
HSI41P2011D	-	-	-	-	JMT13C2011A	-	-	-	-	KT01P2012A	0.08	0.01	20	-
HSI41P2011E	-	-	-	-	JMT13C2011B	0.27	(0.09)	4,520	-	KT08C2011A	0.22	(0.02)	33,000	-
HSI41P2012A	0.27	(0.08)	848	-	JMT13C2012A	0.17	(0.04)	217,754	-	KT01P2011A	0.04	-	350	-
HSI41P2101A	0.25	(0.04)	11	-	JMT19C2010A	-	-	-	-	KT01P2012A	0.56	0.07	49,498	-
INTU01C2101A	0.23	(0.01)	25,826	-	JMT19C2011A	-	-	-	-	KT01P2012A	0.16	(0.03)	1,368	-
INTU01P2011A	0.63	(0.37)	20,837	-	JMT19C2012A	0.17	(0.05)	545,220	-	KT01P2012A	0.20	(0.04)	10,000	-
INTU06C2103A	0.38	-	24,200	-	JMT24C2011A	0.30	(0.08)	17,051	-	KT01P2012A	0.56	0.07	49,498	-
INTU06P2011A	0.18	(0.01)	22,900	-	JMT28C2101A	0.24	(0.05)	44,060	-	KT01P2012A	0.16	(0.03)	1,368	-
INTU11C2103A	0.40	-	38,990	-	JMT41C2012A	0.16	(0.04)	40,248	-	KT01P2012A	0.36	(0.03)	78,778	-
INTU13C2011A	-	-	-	-	JMT42C2101T	0.19	(0.04)	2,600	-	KT01P2012A	0.08	0.01	20	-
INTU13C2101A	0.32	(0.03)	157,778	-	KBAN01C2012A	0.28	(0.06)	59,543	-	KT01P2012A	0.22	(0.02)	33,000	-
INTU19C2012A	0.14	(0.01)	24,892	-	KBAN01C2012B	0.16	(0.04)	15,869	-	KT01P2012A	0.04	-	350	-
INTU19C2101A	0.32	(0.01)	19,220	-	KBAN01C2102A	0.44	(0.56)	55,899	-	KT01P2012A	0.12	(0.03)	3,042	-
INTU19P2010A	-	-	-	-	KBAN01C2102T	0.38	(0.05)	51,088	-	KT01P2012A	0.36	(0.03)	78,778	-
INTU19P2012A	0.48	-	152,941	-	KBAN01P2012A	0.89	0.13	57,356	-	KT01P2012A	0.08	0.01	20	-
INTU23C2111A	-	-	-	-	KBAN01P2101A	0.91	0.10	30,865	-	KT01P2012A	0.22	(0.02)	33,000	-
INTU28C2012A	-	-	-	-	KBAN01P2102T	0.79	0.06	29,352	-	KT01P2012A	0.04	-	350	-
INTU28C2102A	0.17	-	15,210	-	KBAN06C2011A	0.01	-	400	-	KT01P2012A	0.04	-	350	-
INTU41C2012A	-	-	-	-	KBAN06C2012A	0.02	(0.03)	707	-	KT01P2012A	0.16	(0.03)	40,289	-
INTU42C2101T	-	-	-	-	KBAN06C2103A	0.38	(0.09)	103,929	-	KT01P2012A	0.08	0.01	20	-
IRPC01C2101A	0.11	(0.01)	3,558	-	KBAN06P2011A	0.85	0.17	123,594	-	KT01P2012A	0.22	(0.02)	33,000	-
IRPC01P2101A	0.33	0.02	14,512	-	KBAN08C2011A	-	-	-	-	KT01P2012A	0.04	-	350	-
IRPC06C2103A	0.22	(0.03)	15,180	-	KBAN08C2101A	0.11	(0.04)	5,750	-	KT01P2012A	0.16	(0.03)	40,289	-
IRPC06P2010A	-	-	-	-	KBAN08C2103A	0.51	(0.11)	63,755	-	KT01P2012A	0.08	0.01	20	-
IRPC11C2102A	0.11	(0.01)	5,547	-	KBAN08P2101A	1.27	0.10	5,617	1.00	KT01P2012A	0.12	(0.03)	3,042	-
IRPC13C2011A	-	-	-	-	KBAN13C2010B	-	-	-	-	KT01P2012A	0.08	0.01	20	-
IRPC13C2012A	-	-	-	-	KBAN13C2011A	0.05	0.02	2	-	KT01P2012A	0.04	-	350	-
IRPC13C2012B	0.08	(0.01)	31,819	-	KBAN13C2012A	0.06	(0.02)	19,410	-	KT01P2012A	0.16	(0.03)	40,289	-
IRPC13C2101A	-	-	-	-	KBAN13C2101A	0.13	(0.06)	61,334	-	KT01P2012A	0.08	0.01	20	-
IRPC13P2011A	-	-	-	-	KBAN13C2102A	0.25	(0.08)	343,632	-	KT01P2012A	0.12	(0.03)	3,042	-
IRPC13P2012A	0.22	0.02	36,973	-	KBAN13P2011A	1.10	0.16	6,545	1.00	KT01P2012A	0.08	0.01	20	-
IRPC19C2010A	-	-	-	-	KBAN13P2012A	0.85	0.08	753,230	-	KT01P2012A	0.16	(0.02)	16,059	-
IRPC19C2011A	0.02	(0.02)	100	-	KBAN16C2010A	0.30	(0.11)	12,447	-	KT01P2012A	0.08	0.01	20	-
IRPC19C2012A	0.31	(0.04)	734	-	KBAN19C2010A	-	-	-	-	KT01P2012A	0.08	0.01	20	-
IRPC19C2101A	0.10	(0.01)	4,009	-	KBAN19C2010B	-	-	-	-	KT01P2012A	0.08	0.01	20	-
IRPC19P2011A	-	-	-	-	KBAN19C2011A	-	-	-	-	KT01P2012A	0.08	0.01	20	-
IRPC19P2012A	0.25	0.03	52,561	-	KBAN19C2012A	0.11	(0.05)	70,671	-	KT01P2012A	0.08	0.01	20	-
IRPC24C2012A	-	-	-	-	KBAN19C2012B	0.04	(0.02)	5,003	-	KT01P2012A	0.08	0.01	20	-
IRPC28C2012A	-	-	-	-	KBAN19C2101A	0.28	(0.08)	674,593	-	KT01P2012A	0.08	0.01	20	-
IRPC28C2101A	-	-	-	-	KBAN19P2010A	0.46	(0.08)	4,000	-	KT01P2012A	0.08	0.01		

## Main Board Quotation

Issue Date :

Monday October 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT13C2011A	0.04	(0.03)	150,942	-	PTG13C2012A	0.10	(0.03)	63,500	-	PTTG13C2012A	0.12	(0.03)	34,511	-
MINT13C2010A	0.25	(0.04)	487,052	-	PTG13C2012B	0.22	(0.06)	150,554	-	PTTG13C2010A	0.26	(0.04)	371,439	-
MINT13P2011A	0.24	0.02	40,700	-	PTG16C2010A	0.29	(0.06)	10,200	-	PTTG13P2010A	-	-	-	-
MINT13P2012A	0.61	0.04	138,469	-	PTG19C2010A	0.16	(0.08)	6,985	-	PTTG13P2011A	0.38	(0.05)	110	-
MINT16C2012A	0.13	(0.05)	18,085	-	PTG19C2011A	0.11	(0.03)	40,828	-	PTTG13P2012A	0.35	0.02	265,823	-
MINT19C2010A	-	-	-	-	PTG19C2012A	0.22	(0.06)	228,422	-	PTTG19C2010A	0.05	(0.02)	3,276	-
MINT19C2011A	0.24	(0.04)	161,550	-	PTG19P2010A	0.01	-	1	-	PTTG19C2012A	0.14	(0.03)	164,295	-
MINT19C2011B	0.05	(0.01)	12,173	-	PTG19P2011A	0.22	0.03	144,516	-	PTTG19C2010A	0.31	(0.04)	252,806	-
MINT19P2010A	0.10	0.01	2,000	-	PTG19P2010A	0.57	0.06	177,579	-	PTTG19P2010A	0.09	0.01	32,000	-
MINT19P2011A	0.20	0.02	220,022	-	PTG24C2102A	0.25	(0.05)	19,483	-	PTTG19P2011A	0.20	0.01	301,795	-
MINT19P2012A	-	-	-	-	PTG41C2101A	0.24	(0.07)	28,812	-	PTTG19P2011B	-	-	-	-
MINT19P2010A	0.52	0.05	333,998	-	PTG42C2101T	0.19	(0.04)	6,410	-	PTTG24C2101A	0.21	(0.03)	17,998	-
MINT24C2011A	0.10	(0.03)	16,937	-	PTT01C2012A	0.08	(0.02)	757	-	PTTG28C2011A	-	-	-	-
MINT28C2012A	-	-	-	-	PTT01C2102A	0.26	-	59,252	-	PTTG28C2010A	0.09	(0.03)	16,881	-
MINT28C2012B	-	-	-	-	PTT01P2012A	0.26	-	152,634	-	PTTG28C2102L	0.09	(0.02)	3,042	-
MINT28C2012C	0.06	(0.03)	34,790	-	MINT28C2102A	0.32	0.01	73,818	-	PTTG28C2103A	0.26	(0.05)	52,672	-
MINT28C2014L	0.13	(0.02)	42,588	-	PTT06C2012A	-	-	-	-	PTTG41C2010A	-	-	-	-
MINT41C2010A	-	-	-	-	PTT06C2102A	0.11	(0.01)	49,812	-	PTTG41C2011A	-	-	-	-
MINT41C2012A	0.24	(0.04)	43,648	-	PTT08C2101A	0.09	(0.01)	400	-	PTTG41C2101A	0.10	(0.02)	50,000	-
MINT42C2101T	0.13	(0.03)	3,320	-	PTT08P2101A	0.44	0.01	9,930	-	PTTG41P2011A	0.58	0.11	3,302	-
MINT42P2102T	0.68	0.04	5,510	-	PTT11C2101A	0.08	(0.02)	28	-	PTTG41P2102A	0.36	0.01	144,234	-
MTC01C2012A	0.33	(0.03)	33,733	-	PTT13C2012A	0.04	-	5,000	-	PTTG42C2012T	-	-	-	-
MTC01C2102A	0.51	(0.05)	24,158	-	PTT13C2012B	0.08	(0.01)	250	-	QH19C2012A	-	-	-	-
MTC06C2010A	0.01	-	3	-	PTT13C2101A	0.16	(0.01)	250,531	-	QH27C2101A	-	-	-	-
MTC06C2102A	0.47	(0.05)	45,885	-	PTT13P2010A	-	-	-	-	RATC01C2101A	0.22	0.01	1,752	-
MTC08C2011A	0.18	(0.04)	11,600	-	PTT13P2011A	0.25	(0.02)	200	-	RATC01P2101A	0.62	(0.02)	17,703	-
MTC08C2102A	0.48	(0.06)	7,150	-	PTT13P2101A	0.18	-	44,084	-	RATC06C2102A	0.20	-	18,250	-
MTC11C2102A	0.45	(0.04)	13,960	-	PTT16C2012A	0.04	-	100	-	RATC06P2010A	-	-	-	-
MTC13C2010A	-	-	-	-	PTT19C2011A	-	-	-	-	RATC11C2103A	0.47	-	11,504	-
MTC13C2011A	0.20	(0.04)	96,801	-	PTT19C2012A	0.05	-	1,608	-	RATC13C2012A	-	-	-	-
MTC13C2010A	0.39	(0.03)	135,538	-	PTT19C2102B	0.07	(0.02)	30,000	-	RATC13C2101A	0.23	(0.01)	90,551	-
MTC13P2011A	0.15	-	16,046	-	PTT19C2101A	0.15	(0.01)	138,481	-	RATC13P2011A	0.31	(0.01)	65,493	-
MTC19C2010A	-	-	-	-	PTT19P2010A	-	-	-	-	RATC19C2011A	0.01	(0.01)	625	-
MTC19C2012A	0.27	(0.03)	108,696	-	PTT19P2010B	0.11	-	34,721	-	RATC19C2012A	0.11	-	22,104	-
MTC19P2010A	-	-	-	-	PTT19P2010A	0.20	0.01	170,399	-	RATC19C2101A	0.21	-	44,244	-
MTC19P2012A	0.24	0.01	380,259	-	PTT24C2101A	0.10	-	1	-	RATC19P2011A	0.47	(0.02)	26,797	-
MTC28C2011A	0.04	(0.02)	270	-	PTT28C2011A	-	-	-	-	RATC24C2012A	0.10	(0.01)	5,206	-
MTC28C2012A	0.12	(0.03)	8,112	-	PTT28C2012A	-	-	-	-	RATC41C2010A	-	-	-	-
MTC28C2012B	0.26	(0.04)	28,029	-	PTT28C2101A	-	-	-	-	RATC41C2012A	0.15	-	4,956	-
MTC28C2102L	0.18	(0.02)	18,752	-	PTT28C2103A	-	-	-	-	RATC42C2102T	-	-	-	-
MTC41C2010A	-	-	-	-	PTT28C2103L	0.13	(0.01)	18,252	-	RS06C2010A	-	-	-	-
MTC41C2012A	0.33	(0.05)	19,268	-	PTT41C2010A	-	-	-	-	RS06C2012A	0.24	(0.07)	74,169	-
MTC42C2101T	0.12	(0.02)	1,249	-	PTT41C2012A	-	-	-	-	RS08C2011A	-	-	-	-
OR113C2011A	0.13	(0.02)	31,482	-	PTT41C2101A	0.03	(0.12)	510	-	RS08C2103A	0.42	(0.06)	32,355	-
OR119C2010A	-	-	-	-	PTT41C2101B	0.15	(0.02)	212,022	-	RS13C2010A	-	-	-	-
OR119C2011A	0.28	(0.03)	44,725	-	PTT41P2010A	-	-	-	-	RS13C2011A	0.15	(0.07)	37,898	-
OR119C2012A	0.13	(0.01)	42,639	-	PTT41P2011A	-	-	-	-	RS13C2101A	0.29	(0.08)	202,934	-
OR128C2011A	-	-	-	-	PTT41P2012A	-	-	-	-	RS19C2010A	-	-	-	-
OR128C2012A	-	-	-	-	PTT41P2101A	0.26	0.01	22,782	-	RS19C2010B	0.21	(0.21)	500	-
OR128C2012B	0.25	(0.02)	43,439	-	PTT42C2010M	-	-	-	-	RS19C2011A	-	-	-	-
OR128C2101A	0.10	(0.01)	25,762	-	PTT42C2012T	0.03	(0.01)	50	-	RS19C2011B	0.13	(0.04)	300,048	-
OR128C2103L	0.18	(0.02)	24,843	-	PTT42P2101T	0.22	-	11,000	-	RS19P2012A	0.36	0.05	208,769	-
OSP01C2012A	0.10	0.05	51	-	PTTE01C2012A	0.34	(0.06)	39,114	-	RS28C2012A	-	-	-	-
OSP01C2102A	0.19	0.01	86,392	-	PTTE01C2102A	0.81	(0.09)	37,365	-	RS28C2101A	0.22	(0.05)	24,178	-
OSP01P2012A	0.59	(0.02)	55,407	-	PTTE01P2012A	1.05	0.04	39,677	1.00	RS28C2101L	0.35	(0.04)	32,802	-
OSP06C2011A	0.01	-	7,400	-	PTTE01P2102A	0.62	0.04	43,206	-	RS41C2011A	0.30	(0.07)	26,966	-
OSP06C2102A	0.10	-	31,754	-	PTTE06C2011A	-	-	-	-	RS42C2101T	0.22	(0.02)	12,800	-
OSP06P2102A	-	-	-	-	PTTE06C2101A	0.29	(0.06)	109,885	-	S10001C2011A	0.02	-	141	-
OSP08C2102A	0.22	-	14,500	-	PTTE06P2011A	0.24	0.03	63,596	-	S5001C2012F	0.21	(0.04)	18,064	-
OSP11C2102A	0.12	-	20,660	-	PTTE08C2011A	0.11	(0.03)	2,170	-	S5001C2012G	0.34	(0.66)	484,658	-
OSP13C2012A	0.03	-	1,000	-	PTTE08P2101A	1.04	0.07	52,265	1.00	S5001C2101A	0.63	(0.11)	432,743	-
OSP13C2101A	0.10	0.01	68,869	-	PTTE11C2011A	0.21	(0.04)	26,052	-	S5001P2012F	1.10	0.08	498,360	1.00
OSP13C2102A	0.20	(0.80)	57,535	-	PTTE11P2102A	0.74	0.03	55,977	-	S5001P2012G	0.62	(0.38)	396,874	-
OSP13P2011A	0.40	(0.05)	23,058	-	PTTE13C2010B	-	-	-	-	S5001P2101A	0.95	0.11	451,457	-
OSP19C2010A	-	-	-	-	PTTE13C2011A	0.05	(0.02)	2,387	-	S5006C2012A	0.07	(0.03)	37,802	-
OSP19C2012A	0.04	-	5,161	-	PTTE13C2012A	0.25	(0.06)	45,050	-	S5006C2012B	0.19	(0.12)	558,606	-
OSP19C2101A	0.10	0.01	45,620	-	PTTE13C2101A	0.53	(0.07)	110,304	-	S5006P2012A	1.26	0.24	716,811	1.00
OSP19C2103A	0.23	(0.77)	80,640	-	PTTE13P2010A	-	-	-	-	S5006P2012B	0.68	0.19	148,944	-
OSP19P2010A	0.27	-	20	-	PTTE13P2012A	0.52	0.03	215,575	-	S5008C2012A	0.07	(0.03)	1,028	-
OSP19P2102A	0.28	(0.72)	51,500	-	PTTE19C2010A	-	-	-	-	S5008C2012B	0.11	(0.06)	9	-
OSP24C2101A	0.09	-	29,401	-	PTTE19C2010B	-	-	-	-	S5008C2012C	0.22	(0.10)	126,214	-
OSP28C2101A	-	-	-	-	PTTE19C2011A	-	-	-	-	S5008P2012A	1.14	0.12	349,839	1.00
OSP28C2101B	-	-	-	-	PTTE19C2011B	-	-	-	-	S5008P2012B	0.52	0.08	559,948	-
OSP41C2010A	-	-	-	-	PTTE19C2012A	0.22	(0.05)	119,615	-	S5011C2012A	0.35	(0.08)	12,730	-
OSP41C2012A	-	-	-	-	PTTE19C2101A	0.57	(0.07)	119,877	-	S5011P2012A	0.66	0.06	28,085	-
OSP42C2101T	-	-	-	-	PTTE19P2010A	0.05	(0.04)	30	-	S5013C2010A	0.22	(0.03)	592	-
PLAN06C2102A	0.18	(0.06)	87,514	-	PTTE19P2010B	0.12	0.01	7,500	-	S5013C2012A	0.06	(0.04)	347,223	-
PLAN11C2103A	0.29	(0.05)	91,482	-	PTTE19P2012A	0.64	0.06	133,628	-	S5013C2012B	0.09	(0.02)	23,736	-
PLAN13C2011A	0.08	(0.04)	46,310	-	PTTE19P2101A	0.51	0.05	113,428	-	S5013C2012C	0.13	(0.04)	283,332	-
PLAN13C2101A	0.12	(0.04)	60,698	-	PTTE24C2011A	-	-	-	-	S5013C2012D	0.08	(0.05)	281,507	-
PLAN19C2010A	0.38	(0.05)	4	-	PTTE28C2011A	-	-	-	-	S5013C2012E	0.16	(0.08)	1,360,683	-
PLAN19C2010B	0.01	(0.01)	284	-	PTTE28C2011B	-	-	-	-	S5013C2012F	0.25	(0.10)	4,828,978	-
PLAN19C2012A	0.11	(0.04)	24,400	-	PTTE28C2012A	0.13	(0.04)	22,308	-	S5013C2012G	0.28	(0.72)	7,817,425	-
PLAN27C2101A	0.11	(0.02)	5,401	-	PTTE28C2101A	0.16	(0.05)	45,067	-	S5013C2101A	0.49	(0.04)	215,111	-
PLAN28C2012A	0.60	(0.06)	7	-	PTTE28C2102L	0.16	(0.02)	2,028	-	S5013P2010A	0.89	0.06	2,259	-
PLAN28C2012B	0.09	(0.05)	40,284	-	PTTE41C2010A	-	-	-	-	S5013P2012A	1.13	0.11	435,523	1.00
PLAN42C2101T	-	-	-	-	PTTE41C2011A	0.08	(0.02)	1,18						

## Main Board Quotation

## Issue Date :

Monday October 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5019P2012B	0.95	0.17	3,298,118	-	SCC11C2011A	0.25	(0.01)	30,302	-	STEC08C2012A	-	-	-	-
S5019P2012C	0.66	0.12	6,191,503	-	SCC13C2011A	0.08	(0.01)	42,237	-	STEC11C2102A	0.12	(0.04)	6,088	-
S5024C2012A	0.01	-	5,815	-	SCC13C2012A	0.18	(0.02)	45,964	-	STEC13C2010A	-	-	-	-
S5024C2012B	0.03	(0.05)	1,133	-	SCC13P2011A	0.63	(0.02)	62,708	-	STEC13C2012A	0.04	(0.02)	15,020	-
S5024C2012C	-	-	-	-	SCC13P2010A	0.30	(0.02)	105,825	-	STEC13C2101A	0.11	(0.06)	45,176	-
S5024C2012D	0.07	(0.03)	934	-	SCC19C2010A	-	-	-	-	STEC13P2011A	0.28	0.06	51,193	-
S5024C2012E	0.11	(0.06)	2,613	-	SCC19C2012A	0.22	-	139,780	-	STEC19C2011A	-	-	-	-
S5024C2012F	0.25	(0.13)	205,414	-	SCC19C2010A	0.44	(0.01)	210,404	-	STEC19C2012A	0.05	(0.02)	178	-
S5024C2012G	0.41	(0.19)	396,248	-	SCC19P2010A	-	-	-	-	STEC19C2101A	0.09	(0.05)	19,439	-
S5024C2103A	0.40	(0.09)	134,539	-	SCC19P2011A	0.19	(0.01)	128,330	-	STEC19P2011A	-	-	-	-
S5024P2012A	0.13	0.01	6,583	-	SCC19P2010A	0.67	(0.01)	89,435	-	STEC19P2012A	-	-	-	-
S5024P2012B	0.50	0.06	283	-	SCC24C2012A	0.10	(0.02)	24,842	-	STEC19P2101A	0.25	0.03	41,100	-
S5024P2012C	1.64	0.30	467,055	1.00	SCC28C2102A	0.20	(0.01)	33,479	-	STEC28C2011A	-	-	-	-
S5024P2012D	1.15	0.25	730,120	1.00	SCC28C2104L	0.21	(0.02)	24,294	-	STEC28C2102A	-	-	-	-
S5024P2012E	0.67	0.13	856,825	-	SCC41C2010A	-	-	-	-	STEC28C2101A	0.06	(0.03)	6,021	-
S5024P2103A	0.83	0.11	190,994	-	SCC41C2011A	-	-	-	-	STEC28C2104L	0.11	(0.03)	12,168	-
S5028C2010A	0.01	-	2,094	-	SCC41C2010A	0.20	(0.01)	149,130	-	STEC41C2012A	-	-	-	-
S5028C2012A	0.01	(0.01)	405	-	SCC41P2011A	0.64	-	2,966	-	STEC42P2102T	0.32	0.04	4,150	-
S5028C2012B	-	-	-	-	SCC41P2102A	0.55	(0.01)	89,455	-	SUPE08C2012A	0.07	(0.03)	1,000	-
S5028C2012C	0.14	(0.06)	489,841	-	SGP13C2011A	-	-	-	-	SUPE08C2102A	0.19	(0.02)	9,890	-
S5028C2012D	0.17	(0.09)	583,924	-	SGP19C2011A	0.13	0.01	1,209	-	SUPE08P2102A	0.34	0.02	14,220	-
S5028C2103L	0.17	(0.03)	145,200	-	SGP42C2101T	0.15	(0.01)	400	-	SUPE19C2010A	0.15	(0.02)	831	-
S5028P2010A	0.24	0.02	914	-	SIRI19C2011A	-	-	-	-	SUPE19C2011A	0.04	(0.01)	5,670	-
S5028P2012A	1.38	0.12	445,584	1.00	SIRI19C2103A	0.12	(0.02)	39,854	-	SUPE19C2101B	-	-	-	-
S5028P2012B	0.50	0.04	35,333	-	SIRI42C2101T	-	-	-	-	SUPE19C2102A	0.16	(0.04)	103,795	-
S5028P2012C	0.67	0.12	184,093	-	SPAL06C2010A	-	-	-	-	SUPE19P2011A	0.08	-	510	-
S5028P2103L	0.82	0.05	388,861	-	SPAL06C2103A	0.38	-	15,400	-	SUPE19P2012A	0.19	0.02	136,016	-
S5041C2012A	0.06	(0.02)	10,150	-	SPAL13C2010A	-	-	-	-	SUPE42C2101T	-	-	-	-
S5041C2012B	0.02	(0.01)	5,000	-	SPAL13C2102A	0.31	(0.69)	77,182	-	SUPE42P2102T	0.13	-	1,500	-
S5041C2012C	-	-	-	-	SPAL19C2011A	0.25	0.01	21,161	-	TASC01C2012A	0.04	(0.03)	12,496	-
S5041C2012D	-	-	-	-	SPAL19C2011B	0.06	(0.03)	1	-	TASC01C2012B	0.19	(0.03)	27,497	-
S5041C2012E	0.12	(0.06)	321,464	-	SPAL27C2010A	0.11	(0.01)	2,032	-	TASC01P2012A	0.66	0.03	22,756	-
S5041C2012F	0.26	(0.09)	1,746,266	-	SPRC01C2011A	0.14	(0.01)	23,940	-	TASC06C2012A	0.02	-	17,444	-
S5041C2012G	0.28	(0.09)	599,810	-	SPRC01P2101A	0.57	0.03	20,488	-	TASC06C2102A	0.28	(0.04)	40,235	-
S5041C2103T	0.75	(0.17)	246,890	-	SPRC06C2102A	0.12	(0.03)	70,546	-	TASC08C2011A	0.03	(0.01)	129	-
S5041P2012A	1.02	0.14	2,216,959	1.00	SPRC06P2011A	0.19	0.02	79,428	-	TASC08C2102A	0.02	0.01	501	-
S5041P2012B	0.94	0.12	80,974	-	SPRC08C2011A	-	-	-	-	TASC11C2102A	0.04	(0.01)	5,350	-
S5041P2012C	1.03	0.14	43,700	1.00	SPRC11C2102A	0.17	(0.02)	76,615	-	TASC13C2011A	-	-	-	-
S5041P2012E	1.12	0.15	66,312	1.00	SPRC13C2012A	0.06	(0.01)	1,020	-	TASC13C2012A	0.01	(0.01)	48,350	-
S5041P2012F	0.90	0.12	69,142	-	SPRC13C2012B	0.09	(0.03)	71,728	-	TASC13C2012B	0.09	(0.03)	150,658	-
S5041P2012G	1.32	0.14	19,960	1.00	SPRC19C2010A	-	-	-	-	TASC13C2101A	0.21	(0.03)	105,467	-
S5041P2012U	1.09	0.13	572,454	1.00	SPRC19C2012A	0.07	(0.02)	20,000	-	TASC13P2011A	1.28	0.05	10	1.00
S5041P2103T	1.85	0.17	99,120	1.00	SPRC19C2101A	0.17	(0.03)	334,118	-	TASC13P2012A	0.40	0.02	7,357	-
S5042C2102T	0.43	(0.57)	352,191	-	SPRC19P2011A	0.30	0.02	29,839	-	TASC19C2010A	-	-	-	-
SAWA01C2012A	0.34	(0.03)	34,557	-	SPRC28C2011A	-	-	-	-	TASC19C2011A	0.01	-	346	-
SAWA01C2102A	0.42	(0.04)	33,726	-	SPRC28C2101A	-	-	-	-	TASC19C2102A	0.07	(0.02)	27,262	-
SAWA01P2012A	0.46	0.01	60,738	-	SPRC42C2101T	-	-	-	-	TASC19C2101A	0.20	(0.03)	315,793	-
SAWA01P2102A	0.79	0.02	36,744	-	SPX28C2012A	1.29	0.04	8,943	1.00	TASC19P2010A	1.27	0.08	2	1.00
SAWA06C2010A	0.01	-	1,481	-	SPX28C2012B	0.64	0.01	5,086	-	TASC19P2011A	0.81	0.03	1	-
SAWA06C2101A	0.40	(0.05)	57,065	-	SPX28C2012C	1.07	0.02	296	1.00	TASC19P2012A	2.16	0.16	41	2.00
SAWA08C2011A	0.05	(0.02)	60	-	SPX28C2012D	0.45	-	5,717	-	TASC19P2012B	0.30	0.02	136,966	-
SAWA08C2101A	0.32	(0.04)	33,500	-	SPX28C2103L	0.47	0.01	1,576	-	TASC19P2012C	0.42	0.03	47,460	-
SAWA11C2103A	0.49	(0.04)	25,030	-	SPX28P2012A	0.23	(0.02)	8,955	-	TASC24C2011A	-	-	-	-
SAWA13C2010A	-	-	-	-	SPX28P2012B	0.12	(0.02)	20,822	-	TASC28C2012A	-	-	-	-
SAWA13C2011A	0.13	(0.03)	66,014	-	SPX28P2012C	0.66	(0.07)	3,203	-	TASC28C2012B	0.01	(0.01)	4,728	-
SAWA13C2101A	0.27	(0.04)	62,096	-	SPX28P2012D	0.40	(0.04)	1,350	-	TASC28C2012C	-	-	-	-
SAWA16C2101A	0.29	(0.04)	15,812	-	SPX28P2103L	0.32	(0.02)	273	-	TASC28C2101A	-	-	-	-
SAWA19C2011A	-	-	-	-	SPX41C2012A	1.07	0.05	2,105	1.00	TASC28C2103L	0.03	0.01	39	-
SAWA19C2012A	0.25	(0.03)	192,357	-	SPX41C2012B	0.62	0.04	8,537	-	TASC41C2010A	-	-	-	-
SAWA19P2011A	0.19	0.02	207,877	-	SPX41C2012C	0.25	(0.75)	10	-	TASC41C2011A	-	-	-	-
SAWA28C2011A	-	-	-	-	SPX41C2012T	1.13	0.05	12,779	1.00	TASC41C2012A	0.10	(0.02)	8,010	-
SAWA28C2012A	0.15	(0.03)	24,330	-	SPX41C2012U	1.70	0.06	60	1.00	TASC42C2101T	0.01	(0.01)	5,690	-
SAWA28C2012B	-	-	-	-	SPX41C2103T	1.04	0.04	2,246	1.00	TCAP01C2101A	0.14	(0.03)	16,244	-
SAWA28C2101A	0.23	(0.04)	46,935	-	SPX41P2012A	0.51	(0.05)	470	-	TCAP13C2012A	-	-	-	-
SAWA28C2102L	-	-	-	-	SPX41P2012B	0.35	(0.02)	221	-	TCAP19C2010A	-	-	-	-
SAWA41C2010A	-	-	-	-	SPX41P2012C	-	-	-	-	TCAP19C2012A	0.07	(0.01)	1,000	-
SAWA41C2012A	-	-	-	-	SPX41P2012T	-	-	-	-	TCAP19C2102A	0.16	(0.04)	43,821	-
SAWA42C2101T	-	-	-	-	SPX41P2012U	0.33	(0.03)	456	-	TCAP19P2012A	0.33	0.05	18,766	-
SCB01C2101A	0.20	(0.06)	60,050	-	SPX41P2103T	0.70	(0.03)	675	-	TCAP42C2101T	0.02	(0.01)	3,222	-
SCB01C2103A	0.42	(0.58)	65,959	-	STA01C2101A	0.37	(0.02)	254,602	-	THAN01C2012A	0.45	(0.11)	8,873	-
SCB01P2101A	0.99	0.10	90,713	-	STA06C2012A	0.24	(0.02)	88,538	-	THAN01C2012B	0.14	(0.04)	16,735	-
SCB06C2010A	-	-	-	-	STA08C2010A	-	-	-	-	THAN06C2010A	-	-	-	-
SCB06C2103A	0.34	(0.11)	194,510	-	STA08C2011A	0.14	(0.03)	23,999	-	THAN06C2102A	0.21	(0.05)	136,847	-
SCB08C2101A	0.15	(0.04)	21,700	-	STA08C2101A	0.43	(0.03)	40,601	-	THAN08C2101A	0.44	(0.05)	850	-
SCB08P2012A	0.64	0.10	133,004	-	STA13C2010B	0.01	(0.06)	24,431	-	THAN08C2102A	0.22	(0.04)	22,435	-
SCB11C2102A	0.21	(0.06)	60,316	-	STA13C2010C	-	-	-	-	THAN13C2012A	0.27	(0.05)	297,713	-
SCB11P2012A	0.66	0.09	131,742	-	STA13C2010D	0.01	-	2	-	THAN13C2012B	0.07	(0.03)	88,188	-
SCB13C2010A	-	-	-	-	STA13C2011A	0.35	0.01	4,335	-	THAN19C2010A	0.15	(0.08)	510	-
SCB13C2011A	0.03	(0.02)	3,000	-	STA13C2011B	0.12	(0.02)	240,917	-	THAN19C2011A	0.44	(0.46)	3,962	-
SCB13C2012A	0.17	(0.07)	207,965	-	STA13C2012A	0.24	(0.02)	1,157,234	-	THAN19C2012A	0.18	(0.05)	95,579	-
SCB13P2010A	0.28	0.07	345	-	STA13C2101A	0.23	(0.02)	508,418	-	THAN19C2012B	0.09	(0.02)	33,651	-
SCB13P2012A	0.61	0.09	531,726	-	STA13P2010A	-	-	-	-	THAN42C2102T	0.12	(0.03)	2,445	-
SCB19C2010A	-	-	-	-	STA13P2012A	0.09	0.01	2,018	-	TISC01C2101A	0.46	(0.02)	40,239	-
SCB19C2010B	-	-	-	-	STA13P2012B	0.13	(0.01)	155,205	-	TISC11C2012A	0.27	(0.01)	20,811	-
SCB19C2012A	0.09	(0.05)	222,715	-	STA19C2010A	-	-	-	-	TISC13C2012A	0.32	(0.01)	107,096	-
SCB19C2101A	0.21	(0.09)												



