

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Wednesday October 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	4.08	0.24	380,563	4.02	MAJOR	13.80	(0.20)	31,383	13.84
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	1.59	0.09	2	1.52
VI	-	-	-	-	DIF	12.80	0.10	153,838	12.83	MATI	-	-	-	-
WORLD	-	-	-	-	DTAC	31.00	(0.25)	68,706	31.04	MCOT	3.04	(0.02)	516	3.04
WR	-	-	-	-	FORTH	5.65	(0.10)	436	5.70	MONO	2.66	0.04	51,533	2.60
Agribusiness	-	-	-	-	HUMAN	8.25	0.05	21,267	8.32	MPIC	1.63	(0.01)	136	1.50
EE	0.70	(0.01)	10,267	0.70	ILINK	5.35	0.20	10,220	5.32	NMG	-	-	-	-
GPPT	11.70	0.10	8,226	11.76	INET	3.60	(0.02)	109,867	3.67	PLANB	5.35	-	94,291	5.43
LEE	2.22	0.04	3,654	2.22	INTUCH	52.00	-	76,917	51.91	POST	1.41	(0.06)	139	1.21
MAX	0.01	-	501,310	0.01	JAS	2.66	0.04	282,083	2.64	PRAKIT	-	-	-	-
NER	4.84	0.52	6,047,740	4.60	JASIF	9.20	-	145,640	9.27	SE-ED	1.40	0.02	1,020	1.39
PPPM	0.40	0.01	11,368	0.40	JMART	15.20	-	74,906	15.33	TBSP	-	-	-	-
STA	32.00	(0.75)	399,482	32.18	JTS	2.34	(0.04)	1,842	2.37	TH	0.50	0.01	1,255	0.48
TRUBB	1.79	0.07	148,228	1.77	MFEF	4.72	(0.04)	2,027	4.72	TKS	5.50	0.05	3,424	5.48
TWPC	3.36	0.02	3,913	3.36	MSC	6.45	-	167	6.42	VGI	6.05	-	156,237	6.14
UPOIC	-	-	-	-	PT	5.10	-	369	5.12	WAVE	0.67	-	355	0.67
UVAN	4.80	0.06	723	4.78	SAMART	4.96	0.04	6,581	4.94	WORK	9.55	(0.10)	16,384	9.64
VPO	0.43	-	1,361	0.43	SAMTEL	4.92	-	447	4.94	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.19	-	13,507	0.19	AEC	0.32	-	148,846	0.31
BAY	18.90	0.10	8,717	18.95	SIS	22.40	3.50	92,364	20.68	AEONTS	123.50	(2.50)	12,708	124.62
BBL	95.50	3.75	115,217	94.61	SVOA	1.39	0.02	128,507	1.40	AMANA	2.58	(0.02)	96,811	2.60
CIMBT	0.55	0.01	3,465	0.54	SYMC	4.26	0.24	148	4.02	ASAP	2.02	0.05	5,381	1.99
KBANK	75.75	2.50	370,832	75.00	SYNEX	14.30	(0.20)	45,062	14.50	ASK	18.20	0.10	4,983	18.08
KKP	37.50	0.50	51,753	37.46	THCOM	5.65	0.20	71,391	5.62	ASP	1.68	0.01	5,597	1.68
KTB	8.70	0.20	336,386	8.63	TRUE	2.84	0.02	530,647	2.85	BAM	20.10	0.30	153,946	20.09
LHFG	0.85	-	52,229	0.85	TWZ	0.06	-	36,360	0.06	BFIT	29.50	1.75	13,484	28.85
SCB	65.00	3.75	192,614	64.00	Electronic Componer	-	-	-	-	CGH	0.66	0.01	845	0.65
TAPC	27.50	0.50	55,762	27.41	CCET	2.38	0.02	113,004	2.38	ECL	0.73	0.01	7,173	0.73
TISCO	69.50	1.00	70,769	69.22	DELTA	184.00	2.50	17,325	185.10	FNS	2.74	(0.02)	1,524	2.77
TMB	0.83	0.02	1,950,262	0.83	HANA	50.50	1.50	103,271	49.84	FSS	1.47	(0.01)	1,091	1.51
Construction Materia	-	-	-	-	KCE	41.00	2.50	214,815	39.83	GBX	0.42	0.01	2,116	0.42
CCP	0.47	-	18,251	0.46	METCO	-	-	-	-	GL	2.40	(0.02)	23,127	2.43
COTTO	1.08	0.01	2,147	1.10	NEX	4.16	-	94,835	4.20	IFS	2.34	0.04	497	2.30
DCC	2.34	-	147,900	2.34	SMT	2.88	0.14	20,924	2.82	JMT	33.00	-	51,149	33.35
DCON	0.34	-	15,103	0.34	SVI	5.40	-	186,962	5.52	KCAR	7.55	0.05	1,512	7.52
DRT	5.85	(0.05)	2,685	5.90	TEAM	0.85	-	700	0.86	KGI	2.80	0.04	11,991	2.78
EPG	4.68	0.30	143,727	4.61	W	0.21	-	525,438	0.20	KTC	37.75	0.75	91,884	37.63
GEL	0.17	-	7,397	0.17	Energy & Utilities	-	-	-	-	MBKET	6.90	-	52	6.90
PPP	2.08	-	10	2.08	7UP	0.30	-	13,576	0.30	MFC	13.50	(0.10)	57	13.42
Q-CON	-	-	-	-	ABPIF	2.94	0.02	567	2.94	MICRO	4.68	(0.06)	730,267	4.75
RCI	3.70	(0.02)	370	3.70	ACE	2.72	0.04	157,459	2.71	ML	0.80	0.03	850	0.80
SCC	341.00	2.00	31,446	340.31	AI	1.92	-	100,694	1.94	MTC	51.75	0.25	47,950	51.45
SCCC	117.50	1.00	659	117.60	AKR	0.47	-	3,923	0.47	PE	-	-	-	-
SCP	5.80	-	1,120	5.83	BAFS	19.00	0.10	1,379	18.94	PL	2.00	0.01	196	2.00
SKN	2.30	(0.02)	4,297	2.31	BANPU	6.40	(0.10)	441,246	6.45	S11	6.30	0.05	1,509	6.29
TASCO	14.50	(0.20)	93,974	14.62	BCP	14.70	0.30	31,587	14.62	SAWAD	45.75	(0.50)	107,052	46.24
TCMC	1.04	-	18,578	1.04	BCPG	11.70	-	15,875	11.73	THANI	3.20	-	794,344	3.18
TOA	33.00	(0.75)	9,466	33.39	BGRIM	41.00	(0.25)	44,693	41.08	TK	6.85	-	749	6.85
TPIPL	1.38	0.01	55,745	1.37	BPP	13.30	-	24,073	13.41	TNITY	3.60	0.06	70	3.57
UMI	0.57	-	5,376	0.57	BRRGIF	6.15	0.10	11	6.07	UOBKH	3.00	0.10	3	2.99
VNG	3.02	0.02	55	3.09	CKP	4.32	(0.08)	225,119	4.38	ZMICO	0.59	0.01	822	0.58
WIJK	3.04	0.06	56,459	3.06	DEMCO	2.70	0.04	571	2.69	Food & Beverage	-	-	-	-
Petrochemicals & Ch	-	-	-	-	EA	40.75	0.25	62,509	40.92	APURE	2.02	0.05	89,559	2.02
BCT	-	-	-	-	EASTW	9.05	0.05	4,811	9.05	ASIAN	13.00	(0.10)	74,467	13.12
CMAN	1.19	0.04	525	1.18	EGATIF	11.90	-	2,056	11.87	BR	1.72	(0.01)	2,584	1.71
GC	5.25	0.05	505	5.25	EGCO	172.50	(0.50)	11,041	173.12	BRR	2.78	0.04	593	2.71
GGC	8.50	0.15	164	8.39	EP	3.76	0.04	8,252	3.77	CBG	114.00	(1.50)	41,152	114.78
GIFT	1.74	-	699	1.75	ESSO	6.05	0.10	77,252	6.07	CFRESH	3.34	(0.16)	25,075	3.39
IVL	23.20	-	325,991	23.22	Gpsc	54.00	(0.50)	63,042	54.09	CHOTTI	-	-	-	-
NFC	-	-	-	-	GREEN	1.12	0.03	2,124	1.10	CM	2.60	0.02	452	2.60
PATO	10.10	-	5	10.02	GULF	29.50	(0.25)	194,369	29.61	CPF	25.75	-	308,953	25.84
PMTA	8.70	0.10	22	8.80	GUNKUL	2.16	(0.08)	748,304	2.16	CPI	1.26	0.01	899	1.25
PTTGC	40.00	0.50	98,578	39.92	IFEC	-	-	-	-	F&D	-	-	-	-
SUTHA	-	-	-	-	IRPC	2.02	-	479,719	2.02	HTC	30.75	1.00	8,034	30.59
TCCC	23.20	0.20	127	22.98	KBSPIF	9.20	(0.05)	330	9.22	ICHI	10.50	(0.20)	121,606	10.73
TPA	-	-	-	-	LANNA	6.00	-	1,918	6.02	KBS	3.04	(0.08)	1,142	3.04
UAC	3.72	-	36	3.71	MDX	2.14	(0.02)	937	2.12	KSL	2.28	(0.10)	84,080	2.33
UP	13.00	0.80	136	12.25	PDI	8.25	0.50	28,033	8.20	KTIS	2.88	0.06	190	2.85
VNT	22.60	-	1,442	22.71	PRIME	0.47	0.01	33,286	0.46	LST	4.32	0.02	273	4.31
WG	186.00	-	12	186.00	PTG	18.60	0.40	90,604	18.54	M	44.50	0.75	2,581	44.14
YCI	-	-	-	-	PTT	32.25	-	497,351	32.13	MALEE	5.75	(0.05)	1,525	5.79
Commerce	-	-	-	-	PTTEP	80.00	2.25	160,068	79.57	MINT	18.10	(0.30)	423,942	18.29
BEAUTY	1.28	0.01	42,752	1.28	RATCH	49.50	(0.50)	41,431	49.65	NRF	5.20	(0.30)	85,492	5.28
BIG	0.45	0.01	42,448	0.45	RPC	0.50	0.01	5,030	0.49	OISHI	39.00	0.25	166	38.62
BJC	32.00	(0.50)	72,564	32.27	SCG	3.46	0.06	184	3.48	OSP	31.75	(0.25)	134,718	31.99
COL	18.70	-	30,394	18.69	SCI	1.22	(0.02)	2,380	1.25	PB	70.50	(0.25)	6	70.71
COM7	40.50	0.50	48,090	40.32	SCN	1.71	0.01	2,160	1.69	PM	7.50	(0.05)	2,699	7.49
CPALL	58.25	-	150,201	58.38	SGP	9.15	0.20	40,697	9.16	PRG	-	-	-	-
CPW	2.24	(0.04)	109,029	2.32	SKE	0.61	0.02	24,252	0.60	RBF	9.90	0.10	158,440	9.92
CRC	26.75	1.00	128,701	26.32	SOLAR	0.87	0.01	2,284	0.87	SAPPE	20.10	0.20	11,679	20.35
CSS	1.41	0.02	32,070	1.42	SPCG	19.70	-	10,873	19.68	SAUCE	24.90	-	5	24.90
DOHOME	14.70	0.50	242,523	14.87	SPRC	5.55	-	103,955	5.62	SFP	-	-	-	-
FN	1.20	0.04	35,989	1.20	SSP	6.90	-	6,177	6.79	SNP	9.80	(0.05)	101	9.80
FTE	1.55	-	260	1.56	SUPER	0.84	0.01	3,075,827	0.84	SORKON	5.20	-	23	5.22
GLOBAL	18.20	0.10	76,655	18.22	SUPEREIF	10.80	-	5,642	10.69	SSC	-	-	-	-
HMPRO	13.50	0.10	280,007	13.50	SUSCO	2.64	-	9,938	2.67	SSF	-	-	-	-
ILM	11.90	0.20	22,208	11.84	TAE	2.22	-	4,796	2.22	SST	2.26	(0.04)	539	2.26
IT	2.40	(0.10)	731	2.42	TCC	0.18	-	257	0.18	TC	4.22	0.06	7,094	4.24
KAMART	3.28	0.18	84,792	3.18	TOP	35.25	0.50	56,232	35.12	TFG	4.08	0.12	83,492	4.06
LOXLEY	1.30	0.01	2,804	1.28	TPIPP	4.20	(0.04)	73,080	4.23	TFMAMA	1			

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Wednesday October 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KDH	85.00	0.75	9	84.94	AP	6.15	0.15	76,470	6.12	CWT	2.06	0.07	74,680	2.08
LPH	4.14	0.06	705	4.11	APEX	0.08	0.01	4,906	0.07	EASON	1.19	-	20	1.19
M-CHAI	182.00	0.50	1	182.00	AQ	0.02	-	32,647	0.02	GYT	-	-	-	-
NEW	-	-	-	-	AWC	3.02	(0.08)	442,185	3.04	HFT	3.68	0.12	19,375	3.67
NTV	40.00	(0.50)	86	40.12	BLAND	0.95	-	80,207	0.95	IHL	3.46	0.26	240,073	3.39
PR9	7.25	0.40	7,989	7.13	BROCK	1.44	-	100	1.44	INGRS	0.43	(0.03)	20,678	0.44
PRINC	2.64	0.04	2,466	2.60	CGD	0.66	-	93,436	0.67	IRC	11.70	0.10	189	11.69
RAM	139.50	1.50	130	139.49	CI	-	-	-	-	PCSGH	-	-	-	-
RJH	22.20	0.10	161	22.22	CPN	38.50	0.25	113,634	38.83	SAT	13.60	(0.10)	72,442	13.95
RPH	5.20	-	1,716	5.18	ESTAR	0.33	0.01	2,901	0.32	SPG	13.00	-	1	13.00
SKR	6.35	0.30	1,392	6.18	EVER	0.21	0.01	4,609	0.20	STANLY	145.00	-	166	145.35
SVH	391.00	-	2	391.00	FPT	9.70	(0.25)	3,474	9.81	TKT	0.88	(0.01)	552	0.92
THG	18.10	(0.10)	2,204	18.03	GLAND	2.16	-	284	2.09	TNPC	0.68	0.02	1	0.68
VIBHA	1.50	(0.01)	22,864	1.50	J	1.24	0.02	11,131	1.25	TRU	3.50	-	11	3.46
VIH	6.05	0.05	4,701	5.97	JCK	1.42	0.03	32,459	1.42	TSC	-	-	-	-
WPH	1.53	-	11	1.53	KC	-	-	-	-	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	KWG	0.70	0.01	1,233	0.70	ALLA	1.14	0.02	2,506	1.13
ASIA	4.30	0.02	23	4.30	LALIN	5.35	-	1,380	5.31	ASEFA	3.10	(0.02)	309	3.09
CENTEL	20.60	1.00	62,286	20.28	LH	6.50	(0.05)	251,260	6.56	CPT	0.82	-	2,389	0.83
CSR	71.75	1.75	1	71.75	LPN	3.82	0.02	20,276	3.82	CRANE	1.64	0.04	11,541	1.63
DTC	6.95	(0.05)	935	6.95	MBK	10.80	(0.40)	5,652	10.86	CTW	5.40	-	40	5.40
ERW	2.46	0.04	185,465	2.50	MJD	1.46	0.01	17,420	1.42	FMT	-	-	-	-
GRAND	0.52	-	3,034	0.52	MK	2.90	0.02	561	2.91	HTECH	3.16	-	3,814	3.17
LRH	26.75	(0.50)	2	26.88	NCH	0.86	0.01	430	0.85	KKC	0.57	0.01	146	0.56
MANRIN	-	-	-	-	NNCL	1.88	0.03	1,788	1.87	PK	1.51	(0.05)	742	1.54
OHTL	-	-	-	-	NOBLE	19.40	0.50	37,456	19.29	SNC	9.70	(0.05)	1,049	9.69
ROH	-	-	-	-	NUSA	0.26	-	31,050	0.26	STARK	1.99	0.02	26,159	1.98
SHANG	50.00	0.50	6	48.83	NVD	1.06	(0.01)	190	1.06	TCJ	3.28	0.10	860	3.17
SHR	1.79	-	16,249	1.79	ORI	6.80	0.15	53,545	6.75	VARO	3.70	(0.18)	7	3.41
VRANDA	5.50	-	227	5.51	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
Home & Office Produ	-	-	-	-	PF	0.34	(0.01)	93,646	0.35	AIMCG	5.85	(0.05)	3,919	5.90
ACC	0.59	-	535	0.59	PLAT	2.02	-	15,125	2.05	AIMIRT	12.40	0.20	77	12.40
AJA	0.12	0.01	13,997	0.12	POLAR	-	-	-	-	AMATAR	10.00	-	24	9.96
DTCI	-	-	-	-	PRECHA	0.86	0.02	27	0.86	B-WORK	11.30	(0.20)	165	11.30
FANCY	0.50	-	3,983	0.49	PRIN	1.64	-	226	1.63	BKER	5.50	(0.10)	1,293	5.49
KYE	306.00	-	10	305.70	PSH	10.00	-	5,942	10.01	BKCCP	11.70	-	12	11.70
L&E	1.62	-	1	1.62	QH	2.12	0.02	183,774	2.11	BOFFICE	10.00	0.05	42	10.11
MODERN	2.42	0.02	773	2.39	RICHY	0.68	-	17	0.67	CPNCG	9.40	(0.05)	3,155	9.43
OGC	-	-	-	-	RML	0.56	(0.01)	2,153	0.56	CPNREIT	18.90	(1.10)	20,553	19.64
ROCK	10.00	(0.30)	1	10.00	ROJNA	3.86	0.04	992	3.84	CPTGF	9.50	-	16	9.45
SIAM	1.39	-	446	1.37	S	1.19	(0.05)	32,719	1.21	CTARAF	-	-	-	-
TSR	3.44	0.04	11,843	3.50	SAMCO	1.19	-	58	1.20	DREIT	3.76	-	110	3.76
Insurance	-	-	-	-	SC	2.22	-	13,406	2.22	ERWPF	4.10	-	20	4.10
AYUD	33.00	0.25	234	33.00	SENA	2.66	0.02	4,693	2.65	FTREIT	13.00	-	3,059	12.93
BKI	275.00	-	32	274.94	SF	4.26	(0.04)	11,440	4.28	FUTUREPF	18.70	0.10	44	18.70
BLA	17.00	0.10	11,027	17.05	SIRI	0.60	0.01	302,652	0.60	GAHREIT	8.05	-	21	8.00
BUI	8.90	-	15	8.90	SPALI	16.00	(0.40)	50,466	16.13	GOLDPF	5.10	(0.15)	86	5.27
CHARAN	-	-	-	-	U	1.09	-	15,494	1.10	GVREIT	10.50	-	33	10.49
INSURE	-	-	-	-	UV	2.38	-	6,390	2.38	HPF	4.68	-	30	4.68
MTI	-	-	-	-	WHA	2.50	(0.06)	957,631	2.54	HREIT	7.50	(0.20)	1,877	7.57
NKI	45.50	(1.50)	28	45.07	WIN	0.36	-	100	0.36	IMPACT	16.90	0.10	11,239	17.15
NSI	69.75	3.00	1	69.75	Paper & Printing Mat	-	-	-	-	KNPF	-	-	-	-
SEG	26.00	1.40	1	26.00	UTP	14.30	0.40	34,197	14.08	LHHOTEL	9.25	-	310	9.23
SMK	37.25	0.25	80	37.03	Fashion	-	-	-	-	LHPF	5.25	-	1,749	5.10
THRE	1.11	(0.03)	297,571	1.11	AFC	-	-	-	-	LHSC	10.90	-	886	10.89
THREL	2.56	0.06	26,880	2.56	B52	0.13	(0.01)	3,512	0.14	LUXF	5.75	(0.40)	50	6.08
TIP	23.50	0.10	3,130	23.57	BTNC	-	-	-	-	M-II	-	-	-	-
TQM	111.50	(4.00)	17,919	114.43	CPH	-	-	-	-	M-PAT	2.76	0.06	407	3.00
TSI	0.28	-	78	0.27	CPL	1.05	0.02	68	1.05	M-STOR	5.85	-	225	5.82
TVI	3.30	-	1,201	3.30	ICC	-	-	-	-	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	2.90	-	5,000	2.90
THL	-	-	-	-	PAF	0.49	0.02	232	0.49	MJLF	6.25	0.25	54	6.25
Packaging	-	-	-	-	PDJ	1.40	0.04	290	1.40	MNIT	1.49	0.04	211	1.45
AJ	17.80	0.30	9,886	17.99	PG	4.72	0.02	10	4.72	MNIT2	-	-	-	-
ALUCON	154.00	-	4	152.75	SABINA	19.90	0.20	1,477	19.93	MNRF	-	-	-	-
BGC	8.95	0.15	51,748	8.94	SAWANG	-	-	-	-	POPF	10.10	0.10	110	10.10
CSC	49.50	-	31	48.88	SUC	33.75	-	1,771	33.49	PPF	11.30	-	140	11.26
GLOCON	0.93	0.01	13,682	0.92	TNL	-	-	301	-	PROSPECT	9.10	0.10	727	9.12
NEP	-	-	-	-	TPCORP	-	-	-	-	QHHR	5.50	-	442	5.53
PTL	22.50	(1.50)	216,877	23.90	TR	21.10	0.10	121	21.00	QHOP	-	-	-	-
SFLEX	5.65	0.10	7,587	5.57	TTI	-	-	-	-	QHPF	8.85	-	1,301	8.89
SITHAI	0.60	(0.01)	3,490	0.61	TTT	52.75	(1.00)	3	53.50	SBPF	2.54	0.04	8	2.57
SLP	0.40	-	12	0.41	UPF	-	-	-	-	SHREIT	3.98	(0.10)	2	3.98
SMPC	9.95	0.20	13,499	10.02	UT	-	-	-	-	SIRIP	8.40	-	300	8.40
SPACK	3.08	0.04	34,782	3.10	WACOAL	-	-	-	-	SPF	11.80	0.20	1,916	11.70
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	7.05	(0.15)	160	7.10
TFI	0.10	-	3,049	0.10	AAV	1.57	-	106,112	1.58	SRIPANWA	7.70	-	206	7.67
THIP	25.50	0.50	160	25.40	AOT	55.00	0.75	230,325	54.92	SSPF	-	-	-	-
TMD	-	-	-	-	ASIMAR	1.37	-	1,104	1.37	SSTRT	5.30	-	362	5.10
TOPP	-	-	-	-	B	0.29	0.01	19,275	0.30	TIF1	8.40	-	56	8.30
TPBI	5.15	-	271	5.12	BA	5.00	(0.05)	1,079	5.03	TLGF	15.90	-	1,862	15.85
TPP	11.90	(0.70)	417	11.97	BEM	8.20	0.05	321,972	8.25	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BTS	9.10	0.05	309,138	9.12	TNPF	-	-	-	-
APCO	3.70	(0.08)	1,327	3.76	BTSGIF	5.10	(0.10)	56,945	5.08	TPRIME	10.50	(0.50)	1,484	10.64
DDD	14.50	0.20	818	14.53	III	4.08	(0.02)	346	4.07	TLPF	-	-	-	-
JCT	-	-	-	-	JUTHA	0.43	0.03	152	0.42	TU-PF	-	-	-	-
OCC	-	-	-	-	JWD	7.15	0.05	22,948	7.17	URBNPF	-	-	-	-
S & J	-	-	-	-	KWC	-	-	-	-	WHABT	-	-	-	-
STGT	89.00	(2.75)	206,415	89.91	NOK	0.59	-	158	0.59	WHART	12.10	(0.20)	12,467	12.14
STHAI	-	-	-	-	NYT	3.54	(0.02)	155,326	3.63	Steel	-	-	-	-
TNR	-	-	-	-	PORT	2.14	0.15	68,312	2.10	AMC	1.38	-	3,699	1.39
TOG	3.42	0.04	270	3.40	PRM	8.10	0.30	278,506	8.04	BSBM	0.83	-	450	0.84
Professional Service	-	-	-	-	PSL	4.66	(0.22)	184,698	4.84	CEN	0.67	-	1,781	0.67
BWG	0.43	(0.01)	101,887	0.44	RCL	5.50	0.25	14,486	5.42	CITY	1.84	0.02	574	1.84
GENCO	0.47	-	2,787	0.47	TFEIF	9.50	-	30,524	9.49	CSP	-	-	-	-
PRO	-	-	-	-	THAI	3.04	0.02	6,745	3.02	GJS	0.08	-	5,318	0.08
SISB	8.10	(0.05)	1,204	8.13	TSTE	-	-	-	-	GSTEEL	-	-	-	-
SO	6.05	0.40	67,523	5.95	TTA	2.80	0.02	8,366	2.81	INOX	0.41	-	6,585	0.40
Property Developer	-	-	-	-	WICE	4.88	0.24	119,045	4.95	LHK	2.20	-	663	2.20
A	4.98	-	40	4.98	Automotive	-	-							

## Main Board Quotation

Issue Date :

Wednesday October 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	ABM	0.93	0.01	5,812	-	ADVA01P2012A	0.59	(0.01)	22,384	-
ABICO	5.40	(0.05)	1,109	5.00	AGE	1.26	0.01	8,519	1.00	ADVA06C2103A	-	-	-	-
AU	9.05	0.05	30,809	9.00	AIE	0.65	0.01	125,978	-	ADVA06C2103A	0.51	(0.03)	39,171	-
JCKH	0.30	(0.01)	76	-	ETC	1.81	-	91,466	1.00	ADVA06P2011A	0.03	(0.02)	240	-
KASET	1.30	-	201	1.00	PSTC	1.64	-	13,401	1.00	ADVA08C2012A	0.14	(0.01)	13,000	-
MM	2.00	0.12	2,152	1.00	QTC	3.94	0.04	1,958	3.00	ADVA08C2103A	0.52	(0.02)	26,994	-
SUN	3.56	0.28	124,542	3.00	SAAM	1.02	0.01	1,239	1.00	ADVA08P2101A	0.79	0.01	17,570	-
TACC	6.20	0.10	32,773	6.00	SEAOIL	2.26	0.02	1,191	2.00	ADVA11C2011A	-	-	-	-
TMILL	3.20	0.04	1,296	3.00	SR	0.61	0.03	890	-	ADVA11P2011A	0.34	(0.01)	24,040	-
XO	10.00	0.35	87,378	10.00	TAKUNI	0.36	-	2,831	-	ADVA13C2012A	0.17	(0.01)	58,845	-
Consumer Products	-	-	-	-	TPCH	10.80	0.10	3,172	10.00	ADVA13C2101A	0.41	(0.02)	171,254	-
BGT	1.00	0.01	2	-	TRT	1.64	0.04	261	1.00	ADVA13P2012A	0.67	-	36,107	-
BIZ	3.38	0.04	1,572	3.00	UMS	-	-	-	-	ADVA19C2010A	-	-	-	-
DOD	8.50	0.20	23,479	8.00	UPA	0.16	(0.01)	31,522	-	ADVA19C2010B	-	-	-	-
ECF	1.34	0.01	24,113	1.00	UWC	0.04	(0.01)	3,630	-	ADVA19C2012A	0.16	(0.02)	94,528	-
HPT	0.85	0.04	24	-	Services (MAI)	-	-	-	-	ADVA19C2101A	0.32	(0.02)	190,439	-
IP	11.00	0.20	8,082	11.00	AS	-	-	-	-	ADVA19P2010A	-	-	-	-
JUBILE	17.30	0.20	61	17.00	AKP	0.72	(0.03)	14,337	-	ADVA19P2012A	0.57	0.01	103,624	-
MOONG	3.94	0.04	395	3.00	AMA	4.38	0.08	26,445	4.00	ADVA24C2101A	0.21	(0.02)	16,497	-
NPK	-	-	-	-	ARIP	0.42	0.02	38	-	ADVA28C2011A	-	-	-	-
OCEAN	0.78	-	1,098	-	ATP30	0.81	0.02	9,769	-	ADVA28C2012A	-	-	-	-
TM	2.26	(0.02)	1,212	2.00	AUCT	12.40	0.20	18,600	12.00	ADVA28C2012B	-	-	-	-
Financials (MAI)	-	-	-	-	BOL	5.55	0.10	13,287	5.00	ADVA28C2101A	0.19	(0.01)	10,141	-
ACAP	0.70	0.02	904	-	CMO	0.87	-	161	-	ADVA28C2102L	0.15	(0.01)	8	-
AF	0.59	-	3	-	D	3.20	0.02	43	3.00	ADVA28P2012A	-	-	-	-
AIRA	0.88	0.07	21	-	DVB	0.30	(0.01)	1,609	-	ADVA41C2010A	-	-	-	-
ASN	-	-	-	-	EFORL	0.03	0.01	67,723	-	ADVA41C2011A	-	-	-	-
BROOK	0.39	-	2,410	-	ETE	0.93	0.01	498	-	ADVA41C2101A	0.35	(0.03)	132,271	-
CHAYO	7.45	(0.05)	43,954	7.00	FSMART	7.00	(0.05)	14,393	7.00	ADVA41P2011A	0.29	-	1,483	-
GCAP	1.31	0.01	876	1.00	FVC	0.39	-	73	-	ADVA41P2101A	0.41	0.01	76,391	-
LIT	3.10	0.02	333	3.00	GSC	1.20	(0.01)	3,200	1.00	ADVA42C2102T	0.25	(0.01)	3,900	-
MITSI	1.04	0.01	403	1.00	HARN	2.06	(0.02)	515	2.00	AEON01C2102A	0.38	(0.03)	16,851	-
SGF	0.44	-	9,092	-	IMH	2.06	-	85	2.00	AEON13C2010A	-	-	-	-
Industrials (MAI)	-	-	-	-	JKN	9.10	(0.20)	53,087	9.00	AEON13C2011A	0.17	(0.04)	19,712	-
ZS	3.38	0.06	485	3.00	KIAT	0.56	0.02	332,838	-	AEON13C2012A	0.79	(0.11)	11,327	-
ADB	0.76	-	125	-	KK	1.19	(0.02)	22,703	1.00	AEON13C2101A	0.33	(0.04)	142,465	-
BM	2.04	-	471	2.00	KOOL	0.97	0.04	44,679	-	AEON19C2010A	0.01	(0.01)	2,050	-
CHO	0.50	0.02	79,631	-	LDC	1.19	0.03	248	1.00	AEON19C2010B	0.11	(0.05)	50,266	-
CHOW	1.50	0.02	403	1.00	MORE	0.74	(0.02)	331,983	-	AEON19C2011A	-	-	-	-
CIG	0.21	-	348	-	MPG	0.23	(0.01)	13,787	-	AEON19C2012A	0.74	(0.04)	5	-
COLOR	1.22	(0.03)	45	1.00	MVP	1.19	0.01	451	1.00	AEON19C2101A	0.40	(0.06)	135,430	-
CPR	2.30	0.06	231	2.00	NBC	-	-	-	-	AEON19C2102A	0.32	(0.04)	54,310	-
FPI	1.45	0.01	6,211	1.00	NCL	0.61	(0.01)	199	-	AEON28C2012A	0.58	(0.07)	431	-
GTB	0.71	(0.01)	2,431	-	NEWS	0.01	-	581	-	AEON28C2101A	-	-	-	-
KCM	0.42	(0.01)	2,622	-	NINE	1.63	(0.02)	18	1.00	AEON42C2101T	0.29	(0.03)	6,008	-
KUMWEL	1.24	0.02	6,909	1.00	OTO	3.08	(0.08)	782	3.00	AMAT01C2101A	0.16	0.02	41,501	-
KWM	1.14	0.04	5,251	1.00	PHOL	2.30	-	934	2.00	AMAT06C2102A	0.15	0.03	161,487	-
MBAX	7.25	0.25	21,113	7.00	PICO	3.78	0.08	2	3.00	AMAT08C2010A	0.01	(0.02)	35	-
MGT	2.48	0.10	17,906	2.00	QLT	4.10	0.10	90	4.00	AMAT08C2101A	0.19	0.02	26,380	-
NDR	1.40	0.06	3,744	1.00	RP	1.17	(0.02)	265	1.00	AMAT13C2012A	0.08	0.01	4,460	-
PDG	3.54	0.02	29	3.00	SE	1.19	-	113	1.00	AMAT19C2011A	-	-	-	-
PIMO	2.44	0.02	145,256	2.00	SLM	-	-	-	-	AMAT19C2012A	0.07	0.01	26,693	-
PJW	1.27	-	594	1.00	SONIC	1.26	0.06	4,858	1.00	AMAT19C2101A	0.16	0.03	309,237	-
PPM	0.72	(0.05)	186	-	SPA	5.80	0.15	4,322	5.00	AMAT24C2010A	-	-	-	-
PRAPAT	1.47	0.01	984,455	1.00	THMUI	0.68	(0.01)	6,427	-	AMAT28C2012A	-	-	-	-
RWI	1.33	0.01	1,616	1.00	TNDT	2.86	(0.02)	75	2.00	AMAT28C2101A	0.09	0.01	2,528	-
SALEE	0.67	-	322	-	TNH	32.75	1.50	481	32.00	AMAT28C2102L	0.06	-	2,009	-
SANKO	0.98	0.02	332	-	TNP	3.28	-	11,173	3.00	AMAT28C2103A	0.19	0.02	71,424	-
SELIC	2.02	0.02	316	2.00	TSD	-	-	-	-	AMAT42C2101T	0.06	0.01	1,135	-
SWC	4.32	(0.02)	292	4.00	TVD	0.95	0.01	5,838	-	AOT01C2012A	0.42	0.03	109,187	-
TMC	0.66	0.01	1,625	-	TVT	0.67	-	88	-	AOT01C2102A	0.39	0.03	59,444	-
TMI	0.62	0.01	39,797	-	VL	1.00	-	20,705	-	AOT01C2102T	0.28	0.01	59,758	-
TMW	29.25	0.25	66	29.00	WINNER	2.40	(0.02)	1,767	2.00	AOT01P2012A	0.15	(0.02)	35,626	-
TPAC	13.00	-	155	13.00	YGG	11.20	(0.10)	2,498	11.00	AOT01P2012B	0.52	(0.04)	137,147	-
TPLAS	1.53	(0.01)	3,110	1.00	Technology (MAI)	-	-	-	-	AOT01P2102T	0.50	(0.02)	45,189	-
UBIS	5.00	-	133	5.00	APP	2.42	(0.02)	24,325	2.00	AOT06C2011A	0.05	0.01	1,058	-
UEC	0.86	0.02	736	-	COMAN	2.06	0.06	1,093	2.00	AOT06C2102A	0.36	0.04	66,624	-
UKEM	0.51	0.01	79,908	-	ICN	2.08	0.06	10,963	2.00	AOT06P2011A	0.46	(0.02)	2,707	-
UREKA	0.79	-	339	-	IIG	20.20	0.50	13,907	20.00	AOT08C2101A	0.33	0.04	32,540	-
YUASA	14.40	-	45	14.00	INSET	3.50	0.08	90,458	3.00	AOT08P2102A	0.64	(0.04)	18,573	-
ZIGA	2.08	0.02	31,317	2.00	IRCP	0.70	0.01	1,611	-	AOT11C2011A	0.15	0.01	38,280	-
Property & Construc	-	-	-	-	ITEL	2.96	0.04	20,284	2.00	AOT11P2101A	0.34	(0.03)	58,492	-
ALL	2.98	-	32,517	2.00	NETBAY	25.75	-	995	25.00	AOT13C2011A	0.03	-	10,968	-
ARIN	0.94	0.01	950	-	PLANET	1.18	-	1,240	1.00	AOT13C2012A	0.29	0.04	364,032	-
ARROW	6.95	0.10	130	6.00	SICT	4.14	0.12	13,727	4.00	AOT13C2101A	0.23	0.03	488,104	-
BC	0.85	0.01	1	-	SIMAT	3.88	(0.02)	5,063	3.00	AOT13P2010A	-	-	-	-
BSM	0.25	(0.01)	4,630	-	SKY	12.30	(0.20)	2,492	12.00	AOT13P2011A	0.07	(0.01)	650	-
BTW	0.74	(0.04)	2,032	-	SPVI	3.32	0.02	172,906	3.00	AOT13P2101A	0.48	(0.04)	311,971	-
CAZ	1.47	-	125	1.00	TPS	2.36	(0.04)	6,455	2.00	AOT16C2012A	0.33	0.04	10,778	-
CHEWA	0.47	(0.01)	26,036	-	VCOM	5.20	-	9,350	5.00	AOT19C2011A	-	-	-	-
CMC	0.70	0.02	508	-	Unit Trust	-	-	-	-	AOT19C2011B	0.07	0.01	3,260	-
CRD	0.42	-	160	-	SCBSET	-	-	-	-	AOT19C2012A	0.26	0.02		

## Main Board Quotation

## Issue Date :

Wednesday October 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP19C2010A	-	-	-	-	BCPG28C2012A	-	-	-	-	BTS13C2012A	0.06	-	9,932	-
AP19C2011A	0.12	0.02	24,501	-	BCPG28C2012B	-	-	-	-	BTS13C2012A	0.28	(0.01)	89,260	-
AP28C2012A	-	-	-	-	BCPG28C2012C	-	-	-	-	BTS13P2011A	0.11	(0.01)	73,552	-
AP28C2012B	-	-	-	-	BCPG28C2010A	-	-	-	-	BTS13P2102A	0.31	(0.02)	102,065	-
AWC01C2101A	0.16	(0.02)	28,224	-	BCPG28C2103L	0.13	-	33,462	-	BTS19C2010A	-	-	-	-
AWC06C2011A	0.01	(0.01)	10	-	BDM501C2101A	0.17	-	96,410	-	BTS19C2011A	-	-	-	-
AWC06C2103A	0.19	(0.03)	16,401	-	BDM506C2102A	0.13	(0.01)	31,969	-	BTS19C2012A	0.17	-	24,280	-
AWC06P2012A	0.69	0.04	23,064	-	BDM508C2011A	-	-	-	-	BTS19C2102A	0.33	(0.67)	41,300	-
AWC08C2012A	-	-	-	-	BDM508C2101A	0.13	(0.02)	12,000	-	BTS19P2012A	0.13	(0.01)	42,350	-
AWC11C2102A	0.17	(0.02)	14,380	-	BDM511C2011A	0.12	(0.01)	35,921	-	BTS19P2102A	0.40	(0.60)	44,661	-
AWC13C2010B	-	-	-	-	BDM513C2011A	-	-	-	-	BTS24C2012A	-	-	-	-
AWC13C2011A	-	-	-	-	BDM513C2012A	0.07	-	8,226	-	BTS41C2010A	-	-	-	-
AWC13C2101A	-	-	-	-	BDM513C2101A	0.22	(0.02)	206,948	-	BTS41C2012A	-	-	-	-
AWC13P2011A	0.38	0.05	650	-	BDM513P2102A	0.38	(0.01)	102,119	-	CBG01C2012A	0.19	(0.02)	47,764	-
AWC19C2010A	-	-	-	-	BDM519C2010A	-	-	-	-	CBG01C2102A	0.51	(0.03)	38,421	-
AWC19C2010B	-	-	-	-	BDM519C2011A	-	-	-	-	CBG01P2012A	0.41	-	47,658	-
AWC19C2010C	-	-	-	-	BDM519C2012A	-	-	-	-	CBG01P2102A	0.75	-	24,981	-
AWC19C2101A	0.09	(0.03)	58,954	-	BDM519C2102A	0.17	(0.02)	87,225	-	CBG06C2011A	0.14	(0.02)	32,002	-
AWC19C2102A	0.18	(0.02)	46,385	-	BDM519P2010A	-	-	-	-	CBG08C2012A	0.37	(0.02)	27,904	-
AWC19P2011A	0.32	0.03	31,913	-	BDM519P2102A	0.40	(0.01)	133,968	-	CBG11C2101A	0.40	(0.02)	35,384	-
AWC24C2010A	-	-	-	-	BDM524C2010A	0.16	(0.01)	16,904	-	CBG13C2011A	0.18	(0.03)	14,449	-
AWC24C2103A	0.24	(0.04)	4,200	-	BDM528C2011A	-	-	-	-	CBG13C2012A	0.15	(0.02)	56,892	-
AWC28C2012A	-	-	-	-	BDM528C2012A	-	-	-	-	CBG13C2101A	0.41	(0.03)	152,516	-
AWC28C2012B	-	-	-	-	BDM528C2012B	-	-	-	-	CBG13P2011A	0.12	(0.02)	2,642	-
AWC28C2101A	-	-	-	-	BDM528C2101A	0.06	-	2,000	-	CBG13P2101A	0.73	0.02	103,750	-
AWC28C2103L	-	-	-	-	BDM528C2102A	0.10	-	8,312	-	CBG16C2101A	0.44	(0.03)	23,710	-
AWC41C2010A	-	-	-	-	BDM541C2012A	0.06	-	19,868	-	CBG19C2010A	0.68	(0.11)	58	-
AWC41C2011A	-	-	-	-	BDM541P2011A	0.74	-	7,104	-	CBG19C2011A	0.33	(0.04)	89,820	-
AWC41C2102A	0.07	-	4,700	-	BDM542C2101T	-	-	-	-	CBG19C2101B	0.09	-	12,100	-
AWC42C2101T	-	-	-	-	BEM01C2101A	-	-	-	-	CBG19C2101A	0.32	(0.02)	159,656	-
BANP01C2101A	0.37	(0.01)	41,330	-	BEM08C2102A	0.10	-	13,580	-	CBG19P2010A	-	-	-	-
BANP01P2101A	0.30	(0.01)	310	-	BEM11C2011A	-	-	-	-	CBG19P2011A	0.04	(0.01)	419	-
BANP06C2010A	-	-	-	-	BEM13C2010A	-	-	-	-	CBG19P2012A	0.54	0.01	164,444	-
BANP06C2101A	0.37	(0.02)	34,896	-	BEM13C2011A	-	-	-	-	CBG41C2011A	-	-	-	-
BANP06P2011A	0.10	-	21,615	-	BEM13C2101A	0.20	0.01	88,540	-	CBG41C2011B	0.21	(0.01)	65,488	-
BANP08C2102A	0.37	-	11,410	-	BEM13P2102A	0.30	(0.02)	68,262	-	CBG41C2012A	-	-	-	-
BANP08P2102A	0.33	-	1,028	-	BEM19C2010A	-	-	-	-	CBG41P2010A	-	-	-	-
BANP13C2011A	-	-	-	-	BEM19C2011A	-	-	-	-	CBG41P2012A	0.75	0.01	32,466	-
BANP13C2012A	0.28	-	202,519	-	BEM19C2101A	0.18	0.01	55,820	-	CBG42C2101T	0.57	(0.02)	30,168	-
BANP13P2011A	0.15	-	29,500	-	BEM19C2102A	0.31	(0.69)	60,780	-	CENT01C2103A	0.51	0.07	26,303	-
BANP16C2101A	0.27	-	4,400	-	BEM19P2010A	-	-	-	-	CENT08C2012A	0.15	0.03	11,225	-
BANP19C2010A	0.01	(0.01)	1	-	BEM19P2102A	0.40	(0.60)	33,738	-	CENT11C2012A	-	-	-	-
BANP19C2012A	0.30	(0.01)	46,680	-	BEM28C2012A	-	-	-	-	CENT13C2010A	-	-	-	-
BANP19C2102A	0.22	(0.02)	70,489	-	BEM28C2103A	0.18	0.01	29,378	-	CENT13C2011A	0.06	0.01	933	-
BANP19P2010A	-	-	-	-	BEM28C2104L	0.17	-	11,126	-	CENT13C2101A	0.35	0.06	178,963	-
BANP19P2010B	0.07	(0.01)	18	-	BGR101C2012A	-	-	-	-	CENT13P2011A	0.22	(0.08)	157,266	-
BANP19P2012A	0.09	0.01	50	-	BGR101C2102A	0.33	(0.02)	40,629	-	CENT19C2010A	-	-	-	-
BANP24C2011A	-	-	-	-	BGR101P2012A	0.38	(0.01)	21,894	-	CENT19C2011A	-	-	-	-
BANP28C2012A	0.14	-	4,000	-	BGR106C2102A	0.28	(0.01)	31,668	-	CENT19C2011B	0.11	0.03	6,356	-
BANP28C2012B	0.13	-	78,915	-	BGR106P2011A	0.38	(0.01)	17,300	-	CENT19C2101A	0.32	0.07	28,002	-
BANP28C2101A	0.32	(0.01)	18,196	-	BGR108C2101A	0.22	-	6,000	-	CENT19P2011A	0.20	(0.08)	138,711	-
BANP42C2012T	-	-	-	-	BGR111C2101A	0.11	(0.01)	26,800	-	CENT24C2011A	0.11	0.03	7,428	-
BBL06C2101A	0.36	0.08	99,722	-	BGR113C2011A	-	-	-	-	CENT28C2012A	0.05	(0.01)	890	-
BBL06P2011A	0.34	(0.14)	91,253	-	BGR113C2012A	0.13	(0.01)	75,263	-	CENT28C2012B	0.04	0.01	1,000	-
BBL08C2101A	0.17	0.03	7,631	-	BGR113C2101A	0.21	(0.01)	79,568	-	CENT28C2101A	0.14	0.04	67,634	-
BBL08P2102A	0.86	(0.12)	34,712	-	BGR113P2011A	-	-	-	-	CENT28C2101B	0.04	-	1,000	-
BBL11C2011A	0.15	0.02	40,720	-	BGR113P2101A	0.28	0.01	61,641	-	CENT28C2103L	0.17	0.02	36,505	-
BBL11P2102A	0.62	(0.09)	59,556	-	BGR119C2011A	-	-	-	-	CHG06C2102A	0.21	0.04	41,056	-
BBL13C2010B	-	-	-	-	BGR119C2012A	0.07	(0.01)	1,003	-	CHG13C2010A	-	-	-	-
BBL13C2012A	0.13	0.03	215,375	-	BGR119C2101A	0.25	(0.01)	44,764	-	CHG13C2012A	0.15	0.03	118,111	-
BBL13C2012B	0.37	0.08	581,274	-	BGR119P2010A	0.13	(0.01)	68,465	-	CHG19C2011A	-	-	-	-
BBL13P2012A	0.55	(0.09)	107,584	-	BGR124C2101A	0.27	(0.01)	11,474	-	CK01C2101A	0.12	-	17,600	-
BBL19C2010A	-	-	-	-	BGR127C2101A	-	-	-	-	CK01P2101A	0.68	-	29,361	-
BBL19C2011A	0.02	-	200	-	BGR127P2012A	0.27	-	3,672	-	CK06C2102A	0.13	-	32,800	-
BBL19C2011B	-	-	-	-	BGR141C2010A	-	-	-	-	CK06P2012A	-	-	-	-
BBL19C2012A	0.31	0.07	585,061	-	BGR141C2012A	0.27	0.01	15,425	-	CK11C2012A	-	-	-	-
BBL19C2101A	0.21	0.04	221,288	-	BGR141C2101A	-	-	-	-	CK13C2010A	-	-	-	-
BBL19C2101B	0.52	0.11	539,917	-	BGR142C2101T	-	-	-	-	CK13C2012A	0.10	(0.01)	200	-
BBL19P2010A	0.06	(0.07)	1,800	-	BH01C2103A	0.21	0.01	12,350	-	CK19C2010A	-	-	-	-
BBL19P2011A	0.46	(0.11)	299,914	-	BH13C2012A	0.04	-	8,000	-	CK19C2011A	-	-	-	-
BBL19P2012A	0.36	(0.06)	283,949	-	BH13C2101A	0.32	0.02	74,224	-	CK19C2012A	0.10	-	48,059	-
BBL24C2102A	0.66	0.14	73,214	-	BH13P2101A	0.51	(0.03)	95,452	-	CK19C2103A	0.24	(0.01)	141,126	-
BBL28C2011A	-	-	-	-	BH19C2012A	0.06	-	3,000	-	CK19P2011A	-	-	-	-
BBL28C2012A	-	-	-	-	BH19C2101A	0.48	0.02	77,398	-	CK24C2102A	0.11	-	29,990	-
BBL28C2101A	0.09	0.02	2,500	-	BH19P2012A	0.57	(0.03)	128,720	-	CK41C2011A	-	-	-	-
BBL28C2103A	0.64	0.11	135,780	-	BH24C2102A	0.13	0.01	11,601	-	CK41C2012A	-	-	-	-
BBL28C2104L	0.12	0.02	32,120	-	BH41C2012A	-	-	-	-	CK42C2101T	0.04	(0.05)	20	-
BBL41C2011A	-	-	-	-	BJC01C2101A	0.13	(0.01)	38,644	-	CKP01C2101A	-	-	-	-
BBL41C2012A	0.30	0.06	136,541	-	BJC01P2101A	0.53	(0.01)	38,097	-	CKP01P2101A	0.76	0.03	15,541	-
BBL41C2012B	-	-	-	-	BJC06C2102A	0.07	(0.02)	36,070	-	CKP06C2012A	0.04	(0.01)	7,100	-
BBL41P2011A	0.22	(0.07)	20,748	-	BJC11C2102A	0.12	(0.01)	27,410	-	CKP08C2010A	-	-	-	-
BBL41P2102A	0.96	(0.13)	198,154	-	BJC13C2011A	-	-	-	-	CKP08C2012A	0.06	-	30	-
BBL42C2101T	0.05	0.01	35	-	BJC13C2012A	0.06	-	1,980	-	CKP11C2102A	0.10	-	6,160	-
BBL42P2102T	0.38	(0.04)	6,860	-	BJC13C2101A	0.14	(0.01)	132,094	-	CKP13C2011A	-	-	-	-
BCH01C2101A	0.21	-	5,076	-	BJC13P2012A	0.33	(0.01)	44,706	-	CKP13C2101A	0.10	0.01	400	-
BCH06C2011A	-	-	-	-	BJC19C2010A	-	-	-	-	CKP16C2012A	0.02	-	1,785	-
BCH06C2103A	0.32	-	8,400	-	BJC19C2010B	-	-	-	-	CKP19C2010A	-	-	-	-
BCH13C2010A	-	-	-	-	BJC19C2011A	-	-	-	-	CKP19C2011A	0.09	(0.02)	8,021	-
BCH13C2012A	0.16	0.01	25,622	-	BJC19C2103A	0.18	(0.02)	127,639	-	CKP19C2011B	-	-	-	-
BCH19C2011A	-	-	-	-	BJC19P2012A	0.34	-	101,594	-	CKP19C2101A	0.08	-	603	-
BCP13C2011A	-	-	-	-	BJC28C2012A	0.02	(0.0							

## Main Board Quotation

Issue Date :

Wednesday October 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM713C2010B	-	-	-	-	CRC19C2101A	0.18	0.03	89,331	-	ESSO19C2012A	0.10	0.01	40,668	-
COM713C2011A	0.24	-	12,710	-	CRC19P2011A	0.12	(0.04)	108,086	-	ESSO19C2103A	0.27	0.02	50,566	-
COM713C2101A	0.27	0.01	102,281	-	CRC24C2101A	0.10	0.02	2,100	-	ESSO19P2012A	0.29	(0.01)	83,470	-
COM716C2101A	0.32	0.02	11,932	-	CRC28C2011A	-	-	-	-	ESSO24C2012A	-	-	-	-
COM719C2010A	-	-	-	-	CRC28C2012A	-	-	-	-	ESSO28C2101A	-	-	-	-
COM719C2011A	-	-	-	-	CRC28C2101A	0.11	0.02	8,113	-	ESSO28C2101B	-	-	-	-
COM719C2011B	0.36	0.02	18,361	-	CRC41C2012A	0.08	0.02	270	-	ESSO41C2011A	-	-	-	-
COM719C2012A	0.24	0.01	169,323	-	DELT13C2011A	8.90	0.20	152	8.00	ESSO42C2101T	0.10	-	200	-
COM719P2011A	-	-	-	-	DOHO06C2012A	0.30	0.04	133,370	-	GFPT08C2011A	-	-	-	-
COM719P2012A	0.09	(0.02)	4,074	-	DOHO08C2012A	0.40	0.05	75,211	-	GFPT13C2010A	-	-	-	-
COM719P2101A	0.30	(0.02)	84,489	-	DOHO11C2101A	0.39	0.04	56,126	-	GFPT19C2010A	-	-	-	-
COM724C2012A	0.31	0.03	25,265	-	DOHO13C2011A	0.17	0.03	142,032	-	GFPT19C2010B	-	-	-	-
COM741C2101A	0.22	0.01	36,482	-	DOHO13C2101A	0.21	0.03	461,438	-	GFPT19C2012A	0.11	0.01	5,250	-
CPAL01C2101A	0.15	(0.02)	19,799	-	DOHO19C2011A	0.23	0.04	216,390	-	GFPT24C2012A	-	-	-	-
CPAL01P2101A	0.58	(0.01)	32,201	-	DOHO19C2101A	0.24	0.03	351,314	-	GFPT42C2101T	0.05	-	500	-
CPAL06C2011A	-	-	-	-	DOHO28C2012A	0.23	0.04	71,854	-	GLOB01C2012A	-	-	-	-
CPAL06C2102A	0.14	-	10,920	-	DOHO28C2102L	0.22	0.02	51,378	-	GLOB13C2011A	0.11	-	32,438	-
CPAL06P2012A	0.59	(0.01)	41,209	-	DOHO42C2012T	0.21	0.03	17,030	-	GLOB19C2010A	0.19	-	13,096	-
CPAL08C2011A	-	-	-	-	DTAC01C2101A	0.12	(0.01)	26,793	-	GLOB19C2012A	0.15	-	209,220	-
CPAL08C2102A	0.23	-	8,157	-	DTAC01P2101A	0.33	0.01	40,282	-	GLOB24C2010A	0.08	(0.02)	1,314	-
CPAL08P2101A	-	-	-	-	DTAC06C2012A	-	-	-	-	GPSCO1C2012A	-	-	-	-
CPAL11C2012A	-	-	-	-	DTAC06C2103A	0.25	(0.01)	45,707	-	GPSCO1C2101A	0.25	(0.01)	41,705	-
CPAL13C2011A	-	-	-	-	DTAC06P2012A	-	-	-	-	GPSCO1P2012A	0.79	0.01	38,466	-
CPAL13C2012A	0.08	-	14,605	-	DTAC08C2012A	-	-	-	-	GPSCO6C2011A	0.02	0.01	1	-
CPAL13C2101A	0.24	-	94,550	-	DTAC08C2101A	0.12	(0.01)	3,000	-	GPSCO6C2101A	0.08	(0.01)	3,806	-
CPAL13P2011A	0.34	(0.02)	17,811	-	DTAC13C2011A	0.02	(0.01)	9,000	-	GPSCO6P2011A	-	-	-	-
CPAL19C2010A	0.01	-	1,423	-	DTAC13C2012A	0.08	(0.01)	16,001	-	GPSCO8C2101A	0.13	(0.01)	6,500	-
CPAL19C2011A	0.02	-	380	-	DTAC13C2101A	0.11	(0.02)	134,069	-	GPSC11C2102A	0.21	(0.02)	11,250	-
CPAL19C2012A	0.11	-	124,740	-	DTAC13P2011A	-	-	-	-	GPSC13C2011A	-	-	-	-
CPAL19C2102A	0.21	(0.01)	767	-	DTAC13P2101A	0.25	0.01	41,897	-	GPSC13C2102A	0.05	-	2,288	-
CPAL19P2010A	-	-	-	-	DTAC19C2010A	-	-	-	-	GPSC13C2102B	0.10	(0.01)	4,882	-
CPAL19P2010B	0.23	(0.04)	20,773	-	DTAC19C2011A	0.01	(0.04)	200	-	GPSC13C2101A	0.28	(0.02)	179,609	-
CPAL19P2101A	0.45	(0.01)	63,672	-	DTAC19C2012A	0.06	(0.01)	62	-	GPSC13P2011A	-	-	-	-
CPAL24C2103A	0.33	(0.01)	12,628	-	DTAC19C2101A	0.13	(0.02)	73,701	-	GPSC13P2011B	0.33	-	114,520	-
CPAL27C2101A	-	-	-	-	DTAC19P2011A	0.31	0.02	11,920	-	GPSC19C2010A	-	-	-	-
CPAL28C2012A	0.01	(0.02)	3	-	DTAC24C2012A	-	-	-	-	GPSC19C2102A	0.08	-	263	-
CPAL28C2012B	-	-	-	-	DTAC28C2012A	-	-	-	-	GPSC19C2101A	0.15	(0.01)	115,762	-
CPAL28C2012C	-	-	-	-	DTAC28C2102A	-	-	-	-	GPSC19C2101B	0.25	(0.02)	239,961	-
CPAL28C2102A	0.10	-	4,656	-	DTAC28C2103A	0.16	(0.02)	12,278	-	GPSC19P2010A	0.05	-	55,001	-
CPAL28C2104L	0.13	-	6,084	-	DTAC28C2104L	0.14	(0.01)	9,126	-	GPSC19P2011A	-	-	-	-
CPAL41C2011A	-	-	-	-	DTAC41C2010A	-	-	-	-	GPSC19P2012A	0.55	0.01	106,005	-
CPAL41C2101A	0.20	0.01	24,000	-	DTAC41C2011A	-	-	-	-	GPSC24C2011A	-	-	-	-
CPAL41P2011A	0.58	(0.02)	11,864	-	DTAC41C2012A	-	-	-	-	GPSC28C2011A	0.01	-	150	-
CPAL41P2101A	0.57	-	61,150	-	DTAC42C2101T	-	-	-	-	GPSC28C2101A	0.11	-	18,252	-
CPAL42C2101T	-	-	-	-	EA06C2010A	0.01	-	352	-	GPSC28C2103A	0.36	(0.02)	53,630	-
CPF01C2012A	0.02	(0.05)	11	-	EA06C2102A	0.32	0.02	79,831	-	GPSC28C2104L	0.15	-	4,043	-
CPF01C2101A	0.11	(0.01)	14,000	-	EA06P2012A	0.33	(0.02)	33,162	-	GPSC41C2011A	-	-	-	-
CPF01P2012A	0.49	(0.02)	4,483	-	EA08C2101A	0.31	-	15,001	-	GPSC41C2012A	-	-	-	-
CPF06C2010A	-	-	-	-	EA11C2101A	-	-	-	-	GPSC41P2010A	-	-	-	-
CPF06C2102A	0.11	-	42,409	-	EA13C2011A	0.04	-	540	-	GPSC42C2101T	-	-	-	-
CPF06P2011A	0.16	(0.01)	31,040	-	EA13C2012A	0.14	-	45,659	-	GULF01C2012A	-	-	-	-
CPF08C2010A	-	-	-	-	EA13C2101A	0.30	-	75,889	-	GULF01C2102A	0.22	(0.01)	42,715	-
CPF08C2102A	0.12	-	5,000	-	EA13P2011A	0.43	(0.03)	36,908	-	GULF01P2012A	0.18	-	41,747	-
CPF11C2010A	-	-	-	-	EA13P2101A	0.22	-	82,822	-	GULF01P2102A	0.34	0.01	19,910	-
CPF13C2011A	-	-	-	-	EA16C2012A	-	-	-	-	GULF06C2101A	0.14	(0.01)	18,900	-
CPF13C2012A	0.04	-	6,563	-	EA19C2010A	0.01	-	4,040	-	GULF08C2012A	0.05	-	1,000	-
CPF13C2101A	0.08	(0.01)	49,728	-	EA19C2012A	0.15	0.01	179,837	-	GULF08C2102A	0.22	-	6,500	-
CPF13P2012A	-	-	-	-	EA19C2101A	0.32	0.01	138,594	-	GULF11C2011A	-	-	-	-
CPF13P2101A	0.25	(0.01)	81,932	-	EA19P2011A	0.17	(0.01)	163,677	-	GULF13C2011A	-	-	-	-
CPF16C2012A	-	-	-	-	EA19P2011B	0.23	(0.01)	49,306	-	GULF13C2102A	0.05	-	27,087	-
CPF19C2010A	-	-	-	-	EA24C2101A	0.25	0.01	15,304	-	GULF13C2012B	0.11	-	171,048	-
CPF19C2012A	-	-	-	-	EA28C2011A	0.03	(0.01)	100	-	GULF13P2011A	0.12	(0.01)	26,047	-
CPF19C2102A	0.12	(0.01)	161,075	-	EA28C2012A	0.11	-	16,224	-	GULF13P2101A	0.23	-	68,046	-
CPF19P2010A	-	-	-	-	EA28C2101A	0.11	-	8,112	-	GULF16C2012A	-	-	-	-
CPF19P2012A	-	-	-	-	EA28C2102A	0.19	-	39,546	-	GULF19C2010A	-	-	-	-
CPF19P2101A	0.28	(0.01)	29,187	-	EA28C2103L	0.11	-	16,224	-	GULF19C2101B	-	-	-	-
CPF24C2012A	-	-	-	-	EA41C2011A	-	-	-	-	GULF19C2102A	0.07	-	1,155	-
CPF28C2011A	-	-	-	-	EA41C2101A	0.09	(0.01)	3,958	-	GULF19C2101A	0.12	(0.01)	165,199	-
CPF28C2012A	-	-	-	-	EA42C2101T	0.15	0.01	413	-	GULF19P2010A	0.02	(0.01)	80	-
CPF28C2012B	-	-	-	-	EGCO01C2101A	0.08	-	3,149	-	GULF19P2010B	-	-	-	-
CPF28C2102A	0.05	(0.01)	1,000	-	EGCO1P2010A	0.93	(0.01)	21,948	-	GULF19P2012A	0.28	0.01	168,644	-
CPF28C2103A	0.11	-	9,126	-	EGCO06C2010A	0.01	-	2,781	-	GULF24C2101A	0.12	-	8,125	-
CPF28C2103L	-	-	-	-	EGCO13C2011A	-	-	-	-	GULF28C2012A	0.02	0.01	252	-
CPF41C2010A	-	-	-	-	EGCO13C2012A	-	-	-	-	GULF28C2012B	-	-	-	-
CPF41C2101A	-	-	-	-	EGCO13C2012B	0.10	(0.01)	45,734	-	GULF28C2101A	-	-	-	-
CPF41P2011A	0.42	(0.01)	982	-	EGCO13C2101A	0.40	-	49,746	-	GULF28C2102A	0.09	-	20,818	-
CPF42C2101T	0.02	-	4,420	-	EGCO13P2011A	0.90	(0.01)	44,938	-	GULF41C2011A	-	-	-	-
CPN01C2012A	0.04	(0.04)	21	-	EGCO19C2010A	-	-	-	-	GULF41C2012A	-	-	-	-
CPN01C2101A	0.23	0.01	90,233	-	EGCO19C2011A	-	-	-	-	GULF41C2102A	0.12	(0.02)	3,100	-
CPN01P2012A	0.57	(0.02)	41,931	-	EGCO19C2012A	0.03	-	115	-	GULF41P2011A	0.32	(0.02)	6,132	-
CPN11C2101A	-	-	-	-	EGCO19C2012B	0.22	(0.01)	179,999	-	GULF41P2012A	0.27	0.01	19,842	-
CPN13C2011A	-	-	-	-	EGCO19P2011A	1.07	(0.02)	37,606	1.00	GULF42C2010M	-	-	-	-
CPN13C2012A	0.08	0.01	6,101	-	EGCO19P2012A	0.74	-	88,617	-	GULF42C2101T	0.06	-	100	-
CPN19C2010A	-	-	-	-	EGCO41C2101A	-	-	-	-	GULF42P2101T	0.25	(0.01)	860	-
CPN19C2011A	-	-	-	-	EGCO42C2101T	-	-	-	-	GUNK01C2012A	-	-	-	-
CPN19C2012A	-	-	-	-	EPG13C2011A	0.10	0.04	75,320	-	GUNK13C2011A	-	-	-	-
CPN19C2102A	0.18	-	85,732	-	EPG13C2012A	0.07	0.02	61,200	-	GUNK13C2101A	0.11	(0.02)	249,269	-
CPN19P2010A	0.13	(0.03)	3,500	-	EPG19C2010A	-	-	-	-	GUNK19C2010A	-	-	-	-
CPN24C2011A	-	-	-	-	EPG19C2011A	0.04	0.01	10,230	-	GUNK19C2012A	-	-	-	-
CPN41C2012A	0.03	(0.02)	103	-	EPG19C2102A	0.49	0.13	365,878	-	GUNK19C2101A	0.08	(0.02)	12,087	-
CPN41C2101A	0.05	-	2,507	-	EPG42C2101T	0.19	0.04	10,400	-	GUNK24C2012A	0.03	(0.02)	22,050	-

## Main Board Quotation

Issue Date :

Wednesday October 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HANA24C2012A	0.76	0.06	9,195	-	IVL06C2103A	0.59	(0.01)	172,704	-	KBAN28P2012A	0.27	(0.06)	24,423	-
HANA27P2012X	-	-	-	-	IVL06P2011A	0.32	(0.01)	113,904	-	KBAN41C2011A	-	-	-	-
HANA28C2012A	0.66	0.02	150	-	IVL08C2101A	0.28	-	30,000	-	KBAN41C2012A	0.13	0.03	16,994	-
HANA41C2012A	0.54	0.03	25,211	-	IVL08P2011A	0.13	-	6,000	-	KBAN41C2101A	0.29	0.05	126,713	-
HANA42C2101T	0.51	0.03	4,450	-	IVL08P2102A	0.60	-	55,223	-	KBAN41P2011A	-	-	-	-
HMPR01C2012A	-	-	-	-	IVL11C2012A	-	-	-	-	KBAN41P2101B	0.59	(0.09)	84,023	-
HMPR01P2012A	0.42	(0.02)	41,250	-	IVL13C2011A	-	-	-	-	KBAN42C2101T	0.13	0.01	1,300	-
HMPR06C2010A	-	-	-	-	IVL13C2012A	0.15	-	625,021	-	KBAN42P2101T	0.81	(0.09)	5,854	-
HMPR06C2102A	0.24	0.01	35,240	-	IVL13C2012B	0.04	-	33	-	KCE01C2012A	0.64	0.11	90,098	-
HMPR06P2011A	0.07	(0.01)	1,000	-	IVL13C2101A	0.42	(0.01)	394,472	-	KCE01C2101A	0.67	0.09	63,798	-
HMPR11C2011A	0.16	0.01	51,510	-	IVL13P2012A	0.25	(0.02)	273,017	-	KCE01P2011A	0.07	(0.01)	40	-
HMPR13C2012A	0.13	0.01	88,650	-	IVL19C2010A	-	-	-	-	KCE01P2101A	0.27	(0.06)	80,994	-
HMPR13C2102A	0.28	(0.72)	289,805	-	IVL19C2010B	-	-	-	-	KCE06C2012A	-	-	-	-
HMPR19C2010A	-	-	-	-	IVL19C2011A	0.08	-	1,001	-	KCE06C2012B	1.00	0.07	400	1.00
HMPR19C2102A	0.20	-	37,267	-	IVL19C2012A	0.24	-	409,985	-	KCE08C2012A	0.89	0.13	13,710	-
HMPR19P2011A	0.24	(0.01)	73,500	-	IVL19C2012B	0.43	(0.01)	101,336	-	KCE11C2101A	0.83	0.12	59,111	-
HMPR41C2010A	-	-	-	-	IVL19P2010A	-	-	-	-	KCE13C2010A	0.85	0.23	533	-
HSI28C2010A	0.11	0.01	304,464	-	IVL19P2010B	-	-	-	-	KCE13C2012A	0.63	0.12	135,622	-
HSI28C2010B	0.01	(0.01)	16,535	-	IVL19P2011A	0.34	(0.01)	141,757	-	KCE13C2102A	0.48	(0.52)	766,502	-
HSI28C2010C	0.01	-	1,123	-	IVL19P2012A	0.27	-	358,180	-	KCE13P2010A	-	-	-	-
HSI28C2010L	0.01	-	23	-	IVL24C2012A	0.23	-	13,449	-	KCE13P2012A	0.04	(0.02)	15,541	-
HSI28C2011A	1.05	0.08	87,883	1.00	IVL28C2011A	-	-	-	-	KCE13P2101A	0.11	(0.02)	157,032	-
HSI28C2011B	0.55	0.05	114,726	-	IVL28C2012A	-	-	-	-	KCE16C2012A	0.71	0.10	14,180	-
HSI28C2011C	0.12	0.01	26,969	-	IVL28C2012B	-	-	-	-	KCE19C2010A	-	-	-	-
HSI28C2011L	0.19	0.02	28,078	-	IVL28C2101A	0.19	-	59,183	-	KCE19C2010B	-	-	-	-
HSI28C2012L	0.13	0.01	16,803	-	IVL28C2103A	0.48	-	87,243	-	KCE19C2011A	0.66	0.06	2,584	-
HSI28C2101L	0.15	-	119,962	-	IVL28C2104L	0.24	-	39,976	-	KCE19C2012A	0.59	0.13	96,544	-
HSI28C2102L	0.39	0.03	1,296	-	IVL41C2011A	-	-	-	-	KCE19C2102A	0.52	0.10	350,178	-
HSI28P2010A	0.01	(0.01)	7,340	-	IVL41C2012A	0.26	-	20,989	-	KCE19P2010A	-	-	-	-
HSI28P2010B	0.06	(0.04)	111,652	-	IVL41P2010A	-	-	-	-	KCE19P2012A	0.05	-	1,560	-
HSI28P2010C	0.29	(0.12)	469,710	-	IVL41P2012A	0.47	-	21,504	-	KCE19P2101A	0.10	(0.03)	170,289	-
HSI28P2010L	0.01	-	36	-	IVL41P2012B	0.21	(0.01)	29,802	-	KCE19P2102A	0.24	(0.07)	59,361	-
HSI28P2011A	0.58	(0.08)	479,116	-	IVL42C2101T	-	-	-	-	KCE24C2010A	-	-	-	-
HSI28P2011B	0.30	(0.05)	76,768	-	JAS08C2011A	-	-	-	-	KCE27C2101X	1.24	0.12	8,889	1.00
HSI28P2011C	0.16	(0.03)	20,811	-	JAS08P2103A	0.65	0.01	18,927	-	KCE41C2012A	0.54	0.04	41,524	-
HSI28P2011L	0.03	-	906	-	JAS13C2011A	-	-	-	-	KCE42C2012T	1.54	0.08	3,198	1.00
HSI28P2012L	0.25	(0.02)	12,591	-	JAS13C2012A	0.08	(0.02)	11,559	-	KKP13C2012A	0.11	0.01	61,846	-
HSI28P2101L	0.23	(0.03)	194	-	JAS13C2101A	0.17	(0.01)	28,052	-	KKP13C2102A	0.29	(0.71)	112,729	-
HSI28P2102L	0.26	(0.02)	510	-	JAS19C2010A	-	-	-	-	KKP19C2010A	-	-	-	-
HSI41C2010A	0.14	0.01	186,657	-	JAS19C2010B	-	-	-	-	KKP19C2011A	-	-	-	-
HSI41C2010B	0.02	(0.01)	420	-	JAS19C2012A	0.07	-	14	-	KKP19C2012A	0.12	-	88,144	-
HSI41C2010C	-	-	-	-	JAS19C2101A	0.18	(0.01)	8,374	-	KTBI3C2010A	-	-	-	-
HSI41C2011A	0.09	0.02	200	-	JAS19P2010A	0.14	(0.01)	20,250	-	KTBI3C2012A	0.05	(0.02)	3,403	-
HSI41C2011B	1.00	0.09	5,289	1.00	JAS28C2011A	-	-	-	-	KTBI3C2101A	0.23	0.02	36,659	-
HSI41C2011C	0.50	0.03	720,140	-	JAS28C2012A	0.01	(0.02)	1	-	KTBI9C2010A	-	-	-	-
HSI41C2011D	-	-	-	-	JAS28C2012B	-	-	-	-	KTBI9C2011A	-	-	-	-
HSI41C2011E	-	-	-	-	JAS28C2101A	-	-	-	-	KTBI9C2012A	-	-	-	-
HSI41C2012A	0.12	-	63,460	-	JAS28C2102A	0.13	-	4,563	-	KTBI9C2101A	0.22	0.01	72,050	-
HSI41C2101A	0.14	0.01	15,956	-	JAS41C2011A	-	-	-	-	KTBI9P2012A	0.48	(0.06)	37,675	-
HSI41P2010A	-	-	-	-	JAS41C2102A	0.20	0.02	6,956	-	KTBI9P2010A	0.17	0.01	5,457	-
HSI41P2010B	0.09	(0.06)	810	-	JMT06C2012A	0.32	(0.01)	52,784	-	KTBI9P2011A	-	-	-	-
HSI41P2010C	0.03	(0.03)	202	-	JMT06C2103A	0.31	(0.01)	57,259	-	KTBI9P2012A	-	-	-	-
HSI41P2011A	0.32	(0.05)	20,964	-	JMT08C2101A	0.26	0.01	24,310	-	KTBI9P2010A	-	-	-	-
HSI41P2011B	0.58	(0.07)	1,004,597	-	JMT11C2102A	0.29	0.01	46,537	-	KTBI9P2011A	-	-	-	-
HSI41P2011C	0.31	(0.04)	2,120	-	JMT13C2011A	-	-	-	-	KTBI9P2012A	0.13	0.01	22,815	-
HSI41P2011D	-	-	-	-	JMT13C2011B	0.30	0.01	60	-	KTBI9P2010A	-	-	-	-
HSI41P2011E	-	-	-	-	JMT13C2012A	0.18	0.01	270,216	-	KTBI9P2011A	0.36	0.02	59,398	-
HSI41P2012A	0.23	(0.04)	470	-	JMT19C2010A	-	-	-	-	KTBI9P2012A	0.23	0.02	28,500	-
HSI41P2101A	-	-	-	-	JMT19C2011A	-	-	-	-	KTBI9P2010A	-	-	-	-
INTU01C2101A	0.22	(0.01)	68,802	-	JMT19C2012A	0.18	-	290,341	-	KTBI9P2011A	-	-	-	-
INTU01P2101A	0.62	-	42,728	-	JMT24C2011A	0.33	0.01	13,468	-	KTBI9P2012A	0.35	0.03	209,270	-
INTU06C2103A	0.36	-	35,552	-	JMT28C2101A	0.24	-	47,624	-	KTBI9P2010A	0.32	0.03	491,030	-
INTU06P2011A	0.15	(0.02)	53,355	-	JMT41C2012A	0.17	-	41,804	-	KTBI9P2011A	-	-	-	-
INTU11C2103A	0.38	(0.01)	56,870	-	JMT42C2101T	0.20	-	1,000	-	KTBI9P2012A	0.07	(0.01)	257	-
INTU13C2011A	-	-	-	-	KBAN01C2012A	0.37	0.04	39,501	-	KTBI9P2010A	0.32	(0.03)	166,340	-
INTU13C2101A	0.30	(0.02)	450,572	-	KBAN01C2012B	0.22	0.03	37,882	-	KTBI9P2011A	-	-	-	-
INTU19C2012A	0.13	-	30,536	-	KBAN01C2102A	0.61	0.08	74,824	-	KTBI9P2012A	-	-	-	-
INTU19C2101A	0.31	-	342,496	-	KBAN01C2102T	0.47	0.05	31,582	-	KTBI9P2010A	0.17	0.02	22,814	-
INTU19P2010A	-	-	-	-	KBAN01P2012A	0.60	(0.10)	54,816	-	KTBI9P2011A	0.37	0.03	33,606	-
INTU19P2012A	0.46	(0.01)	252,004	-	KBAN01P2101A	0.70	(0.08)	34,052	-	KTBI9P2012A	0.29	0.02	279,924	-
INTU23C2111A	0.58	(0.01)	20	-	KBAN01P2102T	0.67	(0.04)	14,055	-	KTBI9P2010A	-	-	-	-
INTU28C2012A	-	-	-	-	KBAN06C2011A	0.01	-	2,800	-	KTBI9P2011A	0.12	(0.01)	212,228	-
INTU28C2102A	0.16	-	3,042	-	KBAN06C2012A	0.06	0.01	5,229	-	KTBI9P2012A	0.35	(0.03)	336,070	-
INTU41C2010A	-	-	-	-	KBAN06C2103A	0.55	0.09	156,503	-	KTBI9P2010A	0.35	0.03	8,296	-
INTU42C2101T	-	-	-	-	KBAN06P2011A	0.47	(0.14)	112,314	-	KTBI9P2011A	-	-	-	-
IRPC01C2101A	0.11	-	24,098	-	KBAN08C2011A	0.47	-	-	-	KTBI9P2012A	0.12	0.01	15,311	-
IRPC01P2101A	0.34	-	8,879	-	KBAN08C2012A	0.47	-	-	-	KTBI9P2010A	0.28	0.02	40,657	-
IRPC06C2103A	0.22	-	19,590	-	KBAN08C2101A	0.16	0.03	13,375	-	KTBI9P2011A	0.32	(0.08)	10	-
IRPC06P2010A	-	-	-	-	KBAN08C2103A	0.69	0.07	58,746	-	KTBI9P2012A	0.28	0.02	54,756	-
IRPC11C2102A	0.10	-	384	-	KBAN08P2101A	0.99	(0.13)	7,880	1.00	KTBI9P2010A	-	-	-	-
IRPC13C2011A	-	-	-	-	KBAN13C2010B	-	-	-	-	KTBI9P2011A	0.36	0.04	50,288	-
IRPC13C2012A	0.04	(0.02)	5,001	-	KBAN13C2011A	0.03	(0.02)	3,282	-	KTBI9P2012A	0.17	0.02	3,781	-
IRPC13C2012B	0.07	-	74,240	-	KBAN13C2012A	0.09	0.01	38,127	-	LH01C2101A	0.15	0.01	4,386	-
IRPC13C2101A	-	-	-	-	KBAN13C2012B	0.21	0.04	186,835	-	LH06C2012A	0.04	-	250	-
IRPC13P2011A	-	-	-	-	KBAN13C2101A	0.39	0.07	515,021	-	LH11C2012A	-	-	-	-
IRPC13P2012A	0.22	-	112,127	-	KBAN13P2011A	0.77	(0.10)	2,160	-	LH13C2101A	0.13	-	46,189	-
IRPC19C2010A	-	-	-	-	KBAN13P2012A	0.63	(0.10)	623,915	-	LH19C2010A	-	-	-	-
IRPC19C2011A	-	-	-	-	KBAN16C2101A	0.46	0.08	9,596	-	LH19C2011A	0.02	-	50	-
IRPC19C2012A	0.27	0.01	1,014	-	KBAN19C2010A	-	-	-	-	LH1				

## Main Board Quotation

Issue Date :

Wednesday October 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT06C2012A	0.17	(0.02)	114,365	-	PRM19C2010A	0.24	0.04	60,177	-	PTTG01P2012A	0.72	(0.04)	13,057	-
MINT06P2012A	0.28	0.02	15,788	-	PRM28C2012A	0.07	0.02	1,000	-	PTTG01P2102A	0.48	(0.02)	31,295	-
MINT06P2102A	1.30	0.09	39,950	1.00	PRM42C2101T	0.13	0.02	600	-	PTTG08C2101A	0.15	-	7,900	-
MINT08C2010A	0.02	-	1,126	-	PTG01C2012A	0.26	0.01	19,372	-	PTTG08P2010A	-	-	-	-
MINT08C2102A	0.40	(0.01)	43,451	-	PTG01P2012A	0.41	(0.04)	35,770	-	PTTG08P2102A	0.46	(0.03)	15,000	-
MINT08P2011A	0.32	0.02	25,210	-	PTG06C2010A	0.10	0.01	3,403	-	PTTG11C2010A	-	-	-	-
MINT08P2102A	1.07	0.24	800	1.00	PTG06C2103A	0.50	0.03	24,150	-	PTTG13C2011A	-	-	-	-
MINT11C2011A	0.19	(0.02)	31,020	-	PTG08C2011A	0.27	0.02	16,400	-	PTTG13C2012A	0.11	-	-	-
MINT11P2011A	0.22	-	16,992	-	PTG11C2011A	0.34	0.01	12,921	-	PTTG13C2101A	0.25	0.02	340,089	-
MINT13C2010A	-	-	-	-	PTG13C2012A	0.11	-	73,496	-	PTTG13P2010A	-	-	-	-
MINT13C2011A	0.05	(0.01)	12,976	-	PTG13C2012B	0.29	0.03	136,687	-	PTTG13P2011A	-	-	-	-
MINT13C2101A	0.26	(0.03)	309,414	-	PTG16C2101A	0.36	0.03	7,590	-	PTTG13P2012A	0.34	(0.03)	98,504	-
MINT13P2011A	0.21	0.01	54,414	-	PTG19C2010A	0.22	0.02	1,000	-	PTTG19C2011A	-	-	-	-
MINT13P2012A	0.54	0.02	27,772	-	PTG19C2011A	0.13	-	58,465	-	PTTG19C2101A	0.13	-	61,775	-
MINT13P2101A	0.44	(0.56)	219,454	-	PTG19C2012A	0.28	0.02	145,866	-	PTTG19C2101A	0.29	0.01	347,939	-
MINT16C2012A	0.15	(0.01)	5,172	-	PTG19P2010A	-	-	-	-	PTTG19P2010A	-	-	-	-
MINT19C2010A	-	-	-	-	PTG19P2011A	0.15	(0.03)	119,480	-	PTTG19P2011A	0.19	(0.03)	161,981	-
MINT19C2011A	0.25	(0.03)	170,490	-	PTG19P2011A	0.46	(0.05)	162,253	-	PTTG19P2011B	-	-	-	-
MINT19C2011B	0.05	(0.01)	52,518	-	PTG24C2102A	0.31	0.02	7,192	-	PTTG24C2101A	0.21	0.01	16,788	-
MINT19C2102A	0.37	(0.03)	254,508	-	PTG41C2101A	0.30	0.02	24,405	-	PTTG28C2011A	-	-	-	-
MINT19P2010A	0.05	-	524	-	PTG42C2101T	0.23	0.01	4,020	-	PTTG28C2102A	0.08	-	5,172	-
MINT19P2011A	0.15	-	59,888	-	PTT01C2012A	0.07	-	2,503	-	PTTG28C2102L	-	-	-	-
MINT19P2012A	-	-	-	-	PTT01C2102A	0.24	-	141,474	-	PTTG28C2103A	0.26	0.01	38,522	-
MINT19P2101A	0.48	0.02	260,919	-	PTT01P2012A	0.26	(0.01)	70,584	-	PTTG41C2011A	-	-	-	-
MINT24C2011A	0.11	(0.01)	4,435	-	PTT01P2102A	0.32	(0.01)	47,824	-	PTTG41C2101A	0.09	-	500	-
MINT28C2012A	-	-	-	-	PTT06C2012A	-	-	-	-	PTTG41C2102A	0.32	0.03	135,840	-
MINT28C2012B	-	-	-	-	PTT06C2102A	0.09	(0.01)	5,402	-	PTTG41P2011A	-	-	-	-
MINT28C2012C	0.06	(0.02)	4,500	-	PTT08C2101A	-	-	-	-	PTTG41P2102A	0.37	(0.01)	90,639	-
MINT28C2104L	0.14	(0.01)	21,294	-	PTT08P2101A	0.44	(0.03)	1,002	-	PTTG42C2012T	-	-	-	-
MINT41C2012A	0.27	(0.01)	16,835	-	PTT11C2101A	-	-	-	-	QH19C2012A	-	-	-	-
MINT42C2101T	0.14	(0.01)	600	-	PTT13C2012A	0.03	-	11,253	-	QH27C2101A	-	-	-	-
MINT42P2102T	0.65	0.03	2,600	-	PTT13C2012B	0.07	(0.03)	34	-	RATC01C2101A	0.20	(0.02)	5,808	-
MTC01C2012A	0.32	(0.02)	28,200	-	PTT13C2101A	0.15	-	389,834	-	RATC01P2101A	0.63	0.01	15,072	-
MTC01C2102A	0.54	0.01	37,427	-	PTT13P2010A	-	-	-	-	RATC06C2102A	0.17	(0.02)	44,330	-
MTC06C2010A	-	-	-	-	PTT13P2011A	-	-	-	-	RATC06P2010A	-	-	-	-
MTC06C2102A	0.50	-	69,859	-	PTT13P2101A	0.18	-	305,334	-	RATC11C2103A	0.42	(0.03)	6,150	-
MTC08C2011A	0.17	(0.01)	7,600	-	PTT16C2012A	-	-	-	-	RATC13C2012A	-	-	-	-
MTC08C2102A	0.49	(0.02)	12,740	-	PTT19C2011A	-	-	-	-	RATC13C2101A	0.20	(0.02)	17,983	-
MTC11C2102A	0.46	(0.01)	18,530	-	PTT19C2012A	-	-	-	-	RATC13P2011A	0.32	0.02	28,274	-
MTC13C2010A	-	-	-	-	PTT19C2012B	0.06	(0.01)	15,300	-	RATC19C2011A	-	-	-	-
MTC13C2011A	0.21	-	212,171	-	PTT19C2101A	0.13	(0.01)	174,100	-	RATC19C2012A	0.08	(0.03)	26,000	-
MTC13C2101A	0.40	-	216,394	-	PTT19P2010A	-	-	-	-	RATC19C2101A	0.18	(0.02)	63,564	-
MTC13P2011A	0.12	(0.01)	40,616	-	PTT19P2010B	0.10	-	20,000	-	RATC19P2011A	0.49	0.02	13,682	-
MTC19C2010A	-	-	-	-	PTT19P2101A	0.20	(0.01)	182,100	-	RATC24C2012A	-	-	-	-
MTC19C2012A	0.28	-	164,091	-	PTT24C2010A	-	-	-	-	RATC41C2012A	0.13	(0.02)	6,956	-
MTC19P2010A	-	-	-	-	PTT28C2011A	-	-	-	-	RATC42C2102T	0.05	(0.01)	40	-
MTC19P2012A	0.21	(0.01)	154,008	-	PTT28C2012A	-	-	-	-	RS06C2010A	-	-	-	-
MTC28C2011A	0.04	-	500	-	PTT28C2010A	-	-	-	-	RS06C2012A	0.25	-	6,752	-
MTC28C2012A	0.12	(0.01)	29,406	-	PTT28C2103A	0.15	-	25,815	-	RS08C2011A	-	-	-	-
MTC28C2012B	0.27	-	57,972	-	PTT28C2103L	0.12	-	18,252	-	RS08C2103A	0.43	-	9,930	-
MTC28C2102L	0.19	-	20,252	-	PTT41C2010A	-	-	-	-	RS13C2010A	-	-	-	-
MTC41C2012A	0.33	(0.01)	44,378	-	PTT41C2012A	-	-	-	-	RS13C2011A	0.16	-	14,817	-
MTC42C2101T	0.12	(0.01)	2,001	-	PTT41C2101A	-	-	-	-	RS13C2101A	0.31	0.01	161,510	-
OR113C2011A	0.15	0.01	92,278	-	PTT41C2101B	0.15	0.01	102,672	-	RS19C2010A	-	-	-	-
OR119C2010A	0.69	(0.44)	1	-	PTT41P2011A	-	-	-	-	RS19C2010B	-	-	-	-
OR119C2011A	0.31	0.01	84,696	-	PTT41P2012A	0.49	-	8,898	-	RS19C2011A	-	-	-	-
OR119C2012A	0.15	0.01	14,734	-	PTT41P2101A	0.26	(0.01)	78,782	-	RS19C2011B	0.13	-	58,479	-
OR128C2011A	-	-	-	-	PTT42C2010M	-	-	-	-	RS19C2102A	0.34	0.02	82,681	-
OR128C2012A	-	-	-	-	PTT42C2012T	-	-	-	-	RS19P2012A	0.31	(0.03)	29,495	-
OR128C2012B	0.28	0.03	36,931	-	PTT42P2101T	0.22	(0.01)	6,400	-	RS28C2012A	-	-	-	-
OR128C2101A	0.11	0.01	33,721	-	PTTE01C2012A	0.35	0.02	31,978	-	RS28C2101A	0.25	0.01	8,112	-
OR128C2103L	0.21	0.01	12,675	-	PTTE01C2102A	0.88	0.07	72,145	-	RS28C2101L	0.38	0.01	6,591	-
OSP01C2012A	0.10	-	20	-	PTTE01P2012A	0.91	(0.13)	57,678	-	RS41C2011A	0.32	-	22,780	-
OSP01C2102A	0.18	-	73,685	-	PTTE01P2102A	0.55	(0.07)	48,489	-	RS42C2101T	0.23	-	2,764	-
OSP01P2012A	0.60	0.02	68,677	-	PTTE06C2011A	-	-	-	-	S10001C2011A	0.01	(0.01)	1,106	-
OSP06C2011A	-	-	-	-	PTTE06C2101A	0.32	0.05	160,405	-	S5001C2012F	0.20	-	104,587	-
OSP06C2102A	0.09	-	31,330	-	PTTE06P2011A	0.16	(0.06)	64,605	-	S5001C2012G	0.34	0.01	312,440	-
OSP06P2102A	0.71	0.01	28,475	-	PTTE08C2011A	0.11	0.01	15,500	-	S5001C2101A	0.64	0.02	430,247	-
OSP08C2102A	0.21	-	29,500	-	PTTE08P2101A	0.93	(0.12)	60,912	-	S5001P2012F	1.04	(0.04)	319,751	1.00
OSP11C2102A	0.11	-	37,170	-	PTTE11C2011A	0.22	0.02	39,220	-	S5001P2012G	0.59	(0.02)	306,088	-
OSP13C2012A	-	-	-	-	PTTE11P2102A	0.67	(0.08)	70,398	-	S5001P2101A	0.89	(0.05)	580,586	-
OSP13C2101A	0.08	-	92,523	-	PTTE13C2010B	-	-	-	-	S5006C2012A	0.07	0.01	9,066	-
OSP13C2102A	0.19	-	243,776	-	PTTE13C2011A	0.06	0.01	2,855	-	S5006C2012B	0.19	-	130,496	-
OSP13P2011A	0.41	-	43,846	-	PTTE13C2012A	0.28	0.05	276,885	-	S5006P2012A	1.12	(0.10)	567,910	1.00
OSP19C2010A	-	-	-	-	PTTE13C2101A	0.57	0.07	475,122	-	S5006P2012B	0.58	(0.06)	54,235	-
OSP19C2012A	0.04	-	20	-	PTTE13P2010A	-	-	-	-	S5008C2012A	0.06	(0.01)	33	-
OSP19C2101A	0.09	-	51,700	-	PTTE13P2012A	0.44	(0.09)	153,575	-	S5008C2012B	0.11	-	5,014	-
OSP19C2103A	0.22	-	269,601	-	PTTE19C2010A	-	-	-	-	S5008C2012C	0.22	0.01	159,825	-
OSP19P2010A	-	-	-	-	PTTE19C2010B	-	-	-	-	S5008P2012A	1.07	(0.06)	188,056	1.00
OSP19P2102A	0.28	(0.01)	106,715	-	PTTE19C2011A	-	-	-	-	S5008P2012B	0.48	(0.03)	223,506	-
OSP24C2101A	0.09	-	1	-	PTTE19C2011B	-	-	-	-	S5011C2012A	0.34	-	40	-
OSP28C2101A	-	-	-	-	PTTE19C2012A	0.24	0.04	499,352	-	S5011P2012A	0.65	(0.02)	14,682	-
OSP28C2101B	-	-	-	-	PTTE19C2101A	0.62	0.08	421,250	-	S5013C2010A	0.21	-	282	-
OSP41C2012A	-	-	-	-	PTTE19P2010A	-	-	-	-	S5013C2012A	0.06	(0.01)	121,673	-
OSP42C2101T	-	-	-	-	PTTE19P2010B	-	-	-	-	S5013C2012B	0.08	-	3,448	-
PLAN06C2102A	0.18	(0.01)	28,903	-	PTTE19P2012A	0.53	(0.11)	584,560	-	S5013C2012C	0.12	0.01	254,699	-
PLAN11C2103A	0.29	(0.01)	12,848	-	PTTE19P2101A	0.45	(0.06)	469,418	-	S5013C2012D	0.08	-	128,719	-
PLAN13C2011A	0.07	(0.01)	21,956	-	PTTE24C2011A	-	-	-	-	S5013C2012E	0.17	0.01	511,249	-
PLAN13C2101A	0.12	(0.01)	59,769	-										

## Main Board Quotation

Issue Date :

Wednesday October 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5016P2012B	0.85	(0.09)	49,839	-	SCB41C2011A	-	-	-	-	STA24C2011A	0.14	(0.03)	18,650	-
S5016P2103Z	-	-	-	-	SCB41C2011B	-	-	-	-	STA28C2011A	-	-	-	-
S5019C2012A	0.06	-	3,592	-	SCB41C2012A	0.20	0.07	209,061	-	STA28C2011B	0.16	(0.04)	115,946	-
S5019C2012B	0.05	0.01	13,955	-	SCB41P2011A	0.35	(0.16)	21,892	-	STA28C2012A	1.76	(0.06)	5	1.00
S5019C2012C	0.13	-	4,008	-	SCB41P2012A	0.73	(0.16)	231,410	-	STA28C2102L	0.20	(0.01)	39,193	-
S5019C2012D	0.22	0.01	3,727,702	-	SCB42C2101T	-	-	-	-	STA41C2010A	0.13	(0.02)	62	-
S5019C2012E	0.40	0.02	4,029,795	-	SCC01C2101A	0.48	0.01	70,313	-	STA42C2101T	0.19	-	1,420	-
S5019P2012A	1.02	(0.04)	335,466	1.00	SCC01P2012A	0.58	(0.04)	53,376	-	STEC01C2101A	-	-	-	-
S5019P2012B	0.85	(0.07)	389,219	-	SCC06C2012A	0.11	0.01	64,615	-	STEC01P2101A	0.63	0.01	89,704	-
S5019P2012C	0.60	(0.05)	4,753,583	-	SCC08C2011A	0.08	0.01	11,410	-	STEC06C2101A	-	-	-	-
S5024C2012A	-	-	-	-	SCC11C2011A	0.27	0.02	22,360	-	STEC08C2012A	-	-	-	-
S5024C2012B	0.04	0.01	30	-	SCC13C2011A	0.08	-	2,580	-	STEC11C2102A	0.11	(0.01)	16,800	-
S5024C2012C	0.04	-	360	-	SCC13C2012A	0.21	-	625,646	-	STEC13C2010A	-	-	-	-
S5024C2012D	0.07	0.01	15,857	-	SCC13P2011A	0.53	(0.04)	69,529	-	STEC13C2012A	0.03	(0.01)	2	-
S5024C2012E	0.11	-	502	-	SCC13P2101A	0.25	(0.02)	50,636	-	STEC13C2101A	0.09	(0.02)	107,369	-
S5024C2012F	0.25	0.01	79,933	-	SCC19C2010A	-	-	-	-	STEC13P2011A	0.31	0.02	68,558	-
S5024C2012G	0.43	0.03	347,551	-	SCC19C2012A	0.25	0.01	348,860	-	STEC19C2011A	-	-	-	-
S5024C2012H	0.69	(0.31)	334,261	-	SCC19C2101A	0.50	0.02	533,676	-	STEC19C2012A	-	-	-	-
S5024C2103A	0.41	0.02	77,852	-	SCC19P2010A	-	-	-	-	STEC19C2101A	0.08	(0.01)	10,900	-
S5024P2012A	0.12	(0.01)	1,350	-	SCC19P2011A	0.13	(0.03)	218,684	-	STEC19P2011A	-	-	-	-
S5024P2012B	0.47	(0.02)	10,373	-	SCC19P2101A	0.58	(0.03)	296,797	-	STEC19P2012A	-	-	-	-
S5024P2012C	1.51	(0.11)	199,164	1.00	SCC24C2012A	0.13	-	19,652	-	STEC19P2101A	0.28	0.02	315,418	-
S5024P2012D	1.02	(0.09)	442,424	1.00	SCC28C2102A	0.23	0.02	50,707	-	STEC28C2011A	-	-	-	-
S5024P2012E	0.59	(0.06)	910,001	-	SCC28C2104L	0.24	0.01	39,516	-	STEC28C2012A	0.03	(0.02)	20	-
S5024P2103A	0.78	(0.04)	148,184	-	SCC41C2010A	-	-	-	-	STEC28C2101A	-	-	-	-
S5028C2010A	-	-	-	-	SCC41C2011A	-	-	-	-	STEC28C2104L	0.11	-	18,252	-
S5028C2012A	0.02	0.01	99	-	SCC41C2101A	0.23	0.01	95,052	-	STEC41C2012A	-	-	-	-
S5028C2012B	-	-	-	-	SCC41P2011A	0.50	(0.07)	10,593	-	STEC42P2102T	0.34	0.01	9,291	-
S5028C2012C	0.14	0.01	360,102	-	SCC41P2102A	0.50	(0.02)	102,077	-	SUPE08C2012A	0.07	-	50	-
S5028C2012D	0.17	0.01	509,521	-	SGP13C2011A	-	-	-	-	SUPE08C2102A	0.18	(0.01)	14,700	-
S5028C2103L	0.17	-	152,768	-	SGP19C2011A	0.14	0.02	25,423	-	SUPE08P2102A	0.33	-	14,228	-
S5028P2010A	0.15	(0.05)	3,112	-	SGP42C2101T	0.18	0.02	9,900	-	SUPE19C2010A	0.13	0.01	1,120	-
S5028P2012A	1.35	(0.03)	167,600	1.00	SIRI19C2011A	-	-	-	-	SUPE19C2011A	0.03	(0.01)	29,570	-
S5028P2012B	0.46	(0.04)	78,047	-	SIRI19C2103A	0.12	-	12,810	-	SUPE19C2101B	-	-	-	-
S5028P2012C	0.62	(0.05)	781,285	-	SIRI42C2101T	-	-	-	-	SUPE19C2012A	0.16	-	129,564	-
S5028P2103L	0.80	(0.03)	185,924	-	SPAL06C2010A	-	-	-	-	SUPE19P2011A	-	-	-	-
S5041C2012A	0.05	-	1,200	-	SPAL06C2103A	0.36	(0.04)	39,630	-	SUPE19P2012A	0.18	(0.01)	47,042	-
S5041C2012B	0.02	-	400	-	SPAL13C2010A	-	-	-	-	SUPE42C2101T	0.05	(0.02)	2,701	-
S5041C2012C	0.03	-	1,000	-	SPAL13C2102A	0.29	(0.03)	54,805	-	SUPE42P2102T	0.13	-	600	-
S5041C2012D	0.06	0.01	701	-	SPAL19C2011A	0.23	(0.04)	46,438	-	TASC01C2012A	0.02	(0.02)	4,431	-
S5041C2012E	0.12	-	1	-	SPAL19C2011B	-	-	-	-	TASC01C2012B	0.19	(0.01)	23,633	-
S5041C2012F	0.25	-	905,533	-	SPAL27C2101A	0.11	-	4,009	-	TASC01P2012A	0.62	-	23,265	-
S5041C2012G	0.28	0.01	515,670	-	SPRC01C2101A	0.14	-	30,725	-	TASC06C2012A	-	-	-	-
S5041C2103T	0.78	0.05	276,942	-	SPRC01P2101A	0.53	(0.02)	19,107	-	TASC06C2102A	0.29	(0.01)	30,594	-
S5041P2012A	0.94	(0.06)	1,101,473	-	SPRC06C2102A	0.12	0.01	67,969	-	TASC08C2011A	-	-	-	-
S5041P2012B	0.85	(0.08)	1,181,973	-	SPRC06P2011A	0.16	(0.01)	58,469	-	TASC08C2012A	0.01	-	61	-
S5041P2012C	0.95	(0.06)	44,226	-	SPRC08C2011A	-	-	-	-	TASC11C2102A	0.04	(0.01)	3,839	-
S5041P2012E	1.01	(0.09)	37,529	1.00	SPRC11C2102A	0.17	-	19,520	-	TASC13C2011A	0.01	-	801	-
S5041P2012F	0.80	(0.08)	64,880	-	SPRC13C2012A	0.05	-	60	-	TASC13C2012A	0.02	-	22,836	-
S5041P2012G	1.25	(0.07)	1,000	1.00	SPRC13C2012B	0.09	-	48,819	-	TASC13C2012B	0.10	(0.01)	94,508	-
S5041P2012U	1.02	(0.07)	48,476	1.00	SPRC19C2010A	-	-	-	-	TASC13C2101A	0.22	(0.01)	104,915	-
S5041P2103T	1.78	(0.07)	97,172	1.00	SPRC19C2012A	0.08	0.01	20,500	-	TASC13P2011A	-	-	-	-
S5042C2102T	0.44	0.01	13,245	-	SPRC19C2101A	0.16	(0.01)	158,009	-	TASC13P2012A	0.37	0.01	65,059	-
SAWA01C2012A	0.30	(0.02)	40,921	-	SPRC19P2011A	0.27	(0.02)	29,224	-	TASC19C2010A	-	-	-	-
SAWA01C2102A	0.38	(0.02)	67,501	-	SPRC28C2011A	-	-	-	-	TASC19C2011A	-	-	-	-
SAWA01P2012A	0.46	(0.01)	49,064	-	SPRC28C2101A	-	-	-	-	TASC19C2012A	0.08	-	22,340	-
SAWA01P2102A	0.80	(0.01)	38,599	-	SPRC42C2101T	-	-	-	-	TASC19C2101A	0.21	(0.01)	249,467	-
SAWA06C2010A	0.01	-	141	-	SPX28C2012A	1.07	(0.05)	23,924	1.00	TASC19P2010A	-	-	-	-
SAWA06C2101A	0.36	(0.02)	64,996	-	SPX28C2012B	0.49	(0.02)	1,240	-	TASC19P2011A	-	-	-	-
SAWA08C2011A	-	-	-	-	SPX28C2012C	0.74	(0.08)	1,714	-	TASC19P2012A	2.02	(0.14)	2,000	2.00
SAWA08C2101A	0.30	(0.02)	18,500	-	SPX28C2102D	0.32	(0.04)	9,141	-	TASC19P2012B	0.27	-	57,396	-
SAWA11C2103A	0.47	(0.01)	45,095	-	SPX28C2103L	0.39	(0.01)	6,139	-	TASC19P2012C	0.38	0.01	34,894	-
SAWA13C2010A	-	-	-	-	SPX28P2012A	0.27	0.01	15,234	-	TASC24C2011A	-	-	-	-
SAWA13C2011A	0.10	(0.02)	89,534	-	SPX28P2012B	0.15	0.01	253,857	-	TASC28C2012A	-	-	-	-
SAWA13C2101A	0.25	(0.01)	339,320	-	SPX28P2012C	0.79	0.02	2,255	-	TASC28C2012B	-	-	-	-
SAWA16C2101A	0.27	(0.02)	12,466	-	SPX28P2012D	0.46	-	2,010	-	TASC28C2012C	-	-	-	-
SAWA19C2011A	0.05	0.01	10	-	SPX28P2103L	0.33	(0.02)	800	-	TASC28C2101A	-	-	-	-
SAWA19C2012A	0.21	(0.02)	240,131	-	SPX41C2012A	0.80	(0.05)	8,596	-	TASC28C2103L	-	-	-	-
SAWA19P2011A	0.19	0.01	87,510	-	SPX41C2012B	0.42	(0.04)	40,773	-	TASC41C2010A	-	-	-	-
SAWA28C2011A	-	-	-	-	SPX41C2012C	0.22	(0.02)	20	-	TASC41C2011A	-	-	-	-
SAWA28C2012A	0.14	(0.01)	26,324	-	SPX41C2012T	0.92	(0.04)	15,532	-	TASC41C2012A	0.10	(0.01)	3,956	-
SAWA28C2012B	-	-	-	-	SPX41C2012U	1.44	(0.05)	12	1.00	TASC42C2101T	0.02	-	902	-
SAWA28C2101A	0.21	(0.02)	30,661	-	SPX41C2103T	0.89	(0.02)	1,216	-	TCAP01C2101A	0.13	-	39,100	-
SAWA28C2102L	-	-	-	-	SPX41P2012A	0.57	-	4,959	-	TCAP13C2012A	0.04	(0.05)	3,417	-
SAWA41C2010A	0.03	(0.02)	10,798	-	SPX41P2012B	0.40	0.02	1,883	-	TCAP19C2010A	-	-	-	-
SAWA41C2012A	0.15	(0.01)	8,413	-	SPX41P2012C	-	-	-	-	TCAP19C2012A	0.06	(0.01)	2,000	-
SAWA42C2101T	-	-	-	-	SPX41P2012T	-	-	-	-	TCAP19C2102A	0.15	-	93,750	-
SCB01C2101A	0.27	0.06	56,611	-	SPX41P2012U	0.39	0.01	2,130	-	TCAP19P2012A	0.32	(0.02)	13,187	-
SCB01C2103A	0.57	0.13	56,958	-	SPX41P2103T	0.78	-	239	-	TCAP42C2101T	-	-	-	-
SCB01P2101A	0.78	(0.17)	55,176	-	STA01C2101A	0.42	(0.03)	211,987	-	THAN01C2012A	0.41	(0.01)	52,400	-
SCB06C2010A	-	-	-	-	STA06C2012A	0.28	(0.04)	132,113	-	THAN01C2012B	0.13	-	49,279	-
SCB06C2103A	0.49	0.14	160,149	-	STA08C2010A	-	-	-	-	THAN06C2010A	-	-	-	-
SCB08C2101A	0.22	0.06	23,212	-	STA08C2011A	0.17	(0.02)	23,108	-	THAN06C2102A	0.19	(0.01)	105,100	-
SCB08P2012A	0.46	(0.14)	58,197	-	STA08C2101A	0.48	(0.06)	51,729	-	THAN08C2101A	0.35	(0.06)	201	-
SCB11C2102A	0.28	0.06	53,447	-	STA13C2010B	-	-	-	-	THAN08C2102A	0.20	(0.01)	94,240	-
SCB11P2012A	0.49	(0.13)	75,864	-	STA13C2010C	-	-	-	-	THAN13C2010A	0.25	-	636,505	-
SCB13C2010A	-	-	-	-	STA13C2010D	-	-	-	-	THAN13C2012B	0.06	(0.01)	68,558	-



## Main Board Quotation

Issue Date :

Wednesday October 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN06C2011A	0.08	(0.02)	660	-	TU08C2011A	0.22	0.01	11,870	-	PDJ-W4	0.41	(0.02)	881	-
TKN06C2101A	-	-	-	-	TU11C2102A	0.29	(0.01)	23,250	-	PERM-W1	0.09	0.01	1,430	-
TKN08C2011A	0.06	(0.01)	190	-	TU13C2012A	0.25	-	68,495	-	PORT-W1	0.55	0.02	809	-
TKN08C2102A	0.30	0.01	1,650	-	TU13P2101A	0.17	(0.01)	26,206	-	PPPM-W4	0.11	-	731	-
TKN13C2010B	-	-	-	-	TU19C2010A	0.08	-	19	-	PRIME-W1	-	-	-	-
TKN13C2012A	0.09	-	382,324	-	TU19C2012A	0.26	-	56,172	-	PRIME-W2	0.02	0.01	22,303	-
TKN13C2101A	0.17	(0.01)	754,546	-	TU19C2102A	0.21	0.01	49,057	-	SAMART-W2	0.13	(0.02)	8,965	-
TKN19C2010A	0.54	(0.01)	42	-	TU19P2011A	-	-	-	-	SAWAD-W2	8.15	(0.20)	2,843	8.00
TKN19C2011A	-	-	-	-	TU19P2012A	0.11	-	59,370	-	SDC-W1	0.08	(0.02)	44,499	-
TKN19C2011B	0.08	-	1,390	-	TU24C2011A	0.31	0.01	27,103	-	SINGER-W1	7.75	0.25	1,182	7.00
TKN19C2101A	0.18	-	136,491	-	TU28C2011A	0.09	-	15,500	-	SINGER-W2	4.64	(0.10)	55	4.00
TKN19C2102A	0.28	0.01	517,901	-	TU28C2012A	0.09	(0.01)	125	-	SST-W2	0.71	0.04	86	-
TKN19P2101A	0.44	(0.01)	24,717	-	TU28C2103A	0.30	(0.01)	29,822	-	TCC-W3	0.04	0.01	495	-
TKN28C2012A	0.62	0.06	1,310	-	TU28C2103L	0.24	-	9,226	-	TCC-W4	0.04	-	2,055	-
TKN28C2012B	0.10	0.01	13,006	-	TU41C2101A	0.19	(0.01)	37,736	-	TCC-W5	0.10	-	33	-
TKN28C2101A	0.49	(0.19)	7	-	TU42C2101T	0.21	-	1,880	-	TGPRO-W3	0.01	-	10,000	-
TKN42C2012T	-	-	-	-	TVO13C2011A	0.27	-	6,409	-	TNITY-W1	0.08	0.01	1,101	-
TMB13C2011A	-	-	-	-	TVO13C2012A	0.29	(0.02)	172,285	-	TRITN-W3	0.14	0.01	39,501	-
TMB19C2011A	-	-	-	-	TVO19C2011A	-	-	-	-	TTCL-W1	0.36	-	10,360	-
TMB19C2011B	-	-	-	-	TVO19C2012A	0.26	(0.02)	72,676	-	U-W4	-	-	-	-
TMB19C2012A	0.06	0.01	26,808	-	TVO19C2101A	0.19	(0.01)	296,431	-	VGI-W2	0.72	(0.01)	217,164	-
TMB19P2011A	0.25	(0.05)	300	-	VGI01C2012A	0.15	(0.01)	90,183	-	VIBHA-W3	0.10	-	12,529	-
TMB41C2010A	-	-	-	-	VGI06C2010A	-	-	-	-	W-W3	0.07	0.01	5	-
TOA13C2011A	0.03	(0.02)	20	-	VGI06C2101A	0.12	(0.01)	41,971	-	WIJK-W2	0.30	0.01	18,114	-
TOA13C2102A	0.22	(0.03)	36,408	-	VGI11C2101A	0.11	-	6,700	-	ZMICO-W4	0.08	-	2,887	-
TOA19C2010A	-	-	-	-	VGI13C2012A	0.06	(0.01)	15,465	-	Preferred Shares	-	-	-	-
TOA19C2012A	0.11	(0.01)	41,786	-	VGI13C2101A	0.13	(0.01)	277,713	-	BH-P	-	-	-	-
TOA42C2101T	-	-	-	-	VGI19C2010A	-	-	-	-	CSC-P	-	-	-	-
TOP01C2012A	0.10	-	69,234	-	VGI19C2012A	0.12	-	17,256	-	JUTHA-P	-	-	-	-
TOP01C2102A	0.45	0.02	47,268	-	VGI19C2012B	0.17	(0.01)	127,269	-	KTB-P	-	-	-	-
TOP01P2012A	0.38	(0.03)	35,335	-	VGI19C2012C	0.05	-	78	-	SCB-P	-	-	-	-
TOP01P2102A	0.32	(0.03)	44,135	-	VGI24C2012A	0.09	-	8,410	-	TCAP-P	-	-	-	-
TOP06C2011A	0.01	-	210	-	VGI28C2101A	-	-	-	-	TISCO-P	-	-	-	-
TOP06C2102A	0.13	0.01	31,025	-	VGI28C2103A	0.19	(0.01)	40,025	-	U-P	1.51	-	489	1.00
TOP06C2102B	0.38	0.02	44,560	-	VGI28C2103L	0.13	-	33,462	-	Warrant (MAI)	-	-	-	-
TOP06P2102A	0.52	(0.05)	27,455	-	VGI41C2011A	-	-	-	-	ALL-W1	0.55	-	8,921	-
TOP08C2010A	-	-	-	-	VGI42C2101T	-	-	-	-	BROOK-W5	0.13	-	467	-
TOP08C2102A	0.30	0.02	13,090	-	WHA01C2101A	0.10	(0.01)	31,642	-	CHAYO-W1	2.20	0.02	5,584	2.00
TOP11C2011A	-	-	-	-	WHA01P2101A	0.83	0.02	34,198	-	CHO-W2	0.01	-	1,016	-
TOP13C2011A	-	-	-	-	WHA06C2010A	-	-	-	-	CIG-W8	-	-	-	-
TOP13C2012A	0.03	-	3,000	-	WHA06C2103A	0.20	(0.03)	42,246	-	D-W1	0.71	-	6	-
TOP13C2012B	0.09	0.01	20,050	-	WHA06P2012A	0.65	0.04	35,219	-	DIMET-W3	-	-	-	-
TOP13C2101A	0.25	0.02	255,263	-	WHA08C2011A	-	-	-	-	DOD-W1	0.50	0.01	10,526	-
TOP13P2010A	-	-	-	-	WHA11C2101A	0.10	(0.01)	57,533	-	ECF-W3	0.07	(0.01)	3,498	-
TOP13P2012A	-	-	-	-	WHA13C2011A	-	-	-	-	HPT-W1	0.22	0.01	1,000	-
TOP13P2101A	0.15	(0.02)	91,296	-	WHA13C2101A	0.12	(0.02)	12,441	-	HYDRO-W1	0.03	-	53	-
TOP19C2010A	-	-	-	-	WHA13P2011A	0.45	0.04	450	-	ITEL-W1	0.11	-	16,887	-
TOP19C2010B	-	-	-	-	WHA19C2010A	-	-	-	-	ITEL-W2	0.36	-	28,662	-
TOP19C2012A	-	-	-	-	WHA19C2011A	-	-	-	-	LIT-W1	0.38	-	2,020	-
TOP19C2101A	0.16	0.01	73,460	-	WHA19C2101A	0.13	(0.02)	246,955	-	META-W4	-	-	-	-
TOP19C2101B	0.30	0.02	123,567	-	WHA19P2011A	-	-	-	-	NEWS-W6	-	-	-	-
TOP19P2010A	0.13	(0.02)	5,069	-	WHA28C2011A	-	-	-	-	OCEAN-W3	0.24	(0.01)	100	-
TOP19P2011A	-	-	-	-	WHA28C2012A	0.08	(0.02)	2,091	-	RWI-W2	0.11	0.01	8,661	-
TOP19P2011A	0.18	(0.01)	39,151	-	WHA28C2102A	0.11	(0.02)	4,567	-	SANKO-W1	-	-	-	-
TOP24C2101A	0.15	-	41,761	-	WHA28C2102L	-	-	-	-	SIMAT-W3	0.45	-	530	-
TOP41C2010A	-	-	-	-	WHA42C2101T	-	-	-	-	SIMAT-W4	2.22	(0.08)	56	2.00
TOP41C2011A	-	-	-	-	WHAU13C2012A	0.13	-	1,286	-	SMART-W2	0.16	-	2,266	-
TOP41C2102A	0.13	-	24,090	-	WHAU19C2012A	0.17	(0.02)	15,594	-	SWC-W1	3.00	0.10	60	3.00
TOP41P2011A	-	-	-	-	Preferred/Foreign	-	-	-	-	TAKUNI-W	0.02	0.01	9,560	-
TOP42C2011T	-	-	-	-	BH-Q	-	-	-	-	TAPAC-W4	0.20	0.01	7,641	-
TPI13C2011A	0.09	(0.01)	18,862	-	CSC-Q	-	-	-	-	TVD-W2	0.18	-	26,876	-
TPI19C2012A	0.18	(0.01)	44,000	-	JUTHA-Q	-	-	-	-	UREKA-W2	0.24	-	1,080	-
TQM11C2102A	0.36	(0.06)	15,283	-	KTB-Q	-	-	-	-	Preferred Shares	-	-	-	-
TQM13C2011A	0.03	(0.03)	63,107	-	SCB-Q	-	-	-	-	SGF-P1	-	-	-	-
TQM13C2101A	0.16	(0.04)	156,223	-	TCAP-Q	-	-	-	-	-	-	-	-	-
TQM19C2010A	-	-	-	-	TISCO-Q	-	-	-	-	-	-	-	-	-
TQM19C2010B	-	-	-	-	U-Q	-	-	-	-	-	-	-	-	-
TQM19C2011A	0.22	(0.05)	28,005	-	Warrant	-	-	-	-	-	-	-	-	-
TQM19C2101A	0.20	(0.04)	35,288	-	7UP-W4	0.11	-	758	-	-	-	-	-	-
TQM24C2011A	0.09	(0.01)	230	-	AEC-W6	0.13	-	102,487	-	-	-	-	-	-
TQM28C2012A	0.07	(0.03)	26,892	-	AKR-W1	0.03	-	7,402	-	-	-	-	-	-
TQM28C2102A	0.33	(0.07)	66,308	-	ALT-W1	0.77	0.11	204,841	-	-	-	-	-	-
TQM28C2104L	0.25	(0.04)	50,198	-	APEX-W1	0.01	-	193	-	-	-	-	-	-
TQM41C2011A	0.10	(0.02)	8,297	-	APURE-W2	0.23	(0.01)	110,921	-	-	-	-	-	-
TQM42C2101T	0.22	(0.05)	3,590	-	B-W3	-	-	-	-	-	-	-	-	-
TRUE01C2101A	0.12	-	20,592	-	B-W4	0.04	-	142	-	-	-	-	-	-
TRUE01P2101A	0.65	(0.02)	6,467	-	B-W5	0.05	0.01	2,061	-	-	-	-	-	-
TRUE06C2103A	0.23	0.01	18,500	-	BKD-W2	0.08	0.01	1	-	-	-	-	-	-
TRUE06P2011A	0.17	(0.03)	16,600	-	BTS-W5	0.51	0.01	204,616	-	-	-	-	-	-
TRUE08C2012A	-	-	-	-	CGD-W4	0.05	0.01	1,464	-	-	-	-	-	-
TRUE08P2010A	-	-	-	-	CGH-W3	0.01	(0.01)	10,768	-	-	-	-	-	-
TRUE11C2101A	-	-	-	-	CWT-W5	0.46	0.01	110,581	-	-	-	-	-	-
TRUE11P2101A	0.60	(0.02)	16,686	-	DCC-W1	0.95	0.02	34,854	-	-	-	-	-	-
TRUE13C2011A	0.01	-	8	-	ECL-W3	0.03	0.01	24,149	-	-	-	-	-	-
TRUE13C2101A	0.11	-	40,944	-	EMC-W6	0.02	(0.01)	31,090	-	-	-	-	-	-
TRUE19C2011A	-	-	-	-	EP-W3	0.02	(0.01)	772	-	-	-	-	-	-
TRUE19C2012A	0.05	-	4,348	-	GLOCON-W4	0.41	-	6,100	-	-	-	-	-	-
TRUE19C2101A	0.13	-	41,538	-	III-W1	0.50	-	2,345	-	-	-	-	-	-
TRUE19P2011A	0.29	(0.01)	37,444	-	J-W1	0.63	0.01	2,091	-	-	-	-	-	-
TRUE28C2011A	-	-	-	-	JMART-W3	5.40	0.05	2,381	5.00	-	-	-	-	-
TRUE28C2012A	-	-	-	-	JMART-W4	3.84	0.04	870	3.00	-	-	-	-	-
TRUE28C2012B	-	-	-	-	JMT-W2	14.00	0.10	3,324	14.00	-	-	-	-	-
TRUE28C2101A	0.07	(0.01)	200	-	MACO-W2	0.07	-	18,716	-	-	-	-	-	-
TRUE28C2103L	0.12	(0.01)	4,563	-	MILL-W4	-	-	-	-	-	-	-	-	-
TRUE41C2101A	0.05	(0.02)	1,000	-	MINT-W6	0.23	0.01	25,256	-	-	-	-	-	-
TRUE42C2101T	-	-	-	-	MINT-W7	6.30	-	14,219	6.00	-	-	-	-	-
TTW19C2011A	-	-	-	-	NER-W1	2.82	0.22	620,692	2.00	-	-	-	-	-
TTW24C2012A	-	-	-	-	NEX-W2	4.20	-	11,219	4.00	-	-	-	-	-
TU01C2101A	0.32	-	74,465	-	NFC-W1	-	-	-	-	-	-	-	-	-
TU01P2101A	0.21	-	38,639	-	NVD-W1	0.05	(0.01)	377	-	-	-	-	-	-
TU06C2102A	0.4													