

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Wednesday October 28, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	4.04	(0.02)	84,378	4.05	MAJOR	13.50	(0.10)	23,431	13.56
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	-	-	-	-
VI	-	-	-	-	DIF	12.80	0.10	63,171	12.79	MATI	3.90	0.08	12	3.90
WORLD	-	-	-	-	DTAC	31.25	(0.50)	34,706	31.47	MCOT	2.90	(0.04)	800	2.93
WR	-	-	-	-	FORTH	5.60	-	69	5.65	MONO	2.68	-	52,854	2.62
Agribusiness	-	-	-	-	HUMAN	8.20	-	5,407	8.14	MPIC	1.61	0.02	91	1.39
EE	0.69	(0.01)	123,113	0.68	ILINK	5.15	(0.15)	6,903	5.20	NMG	-	-	-	-
GFPT	11.60	0.30	16,282	11.45	INET	3.70	(0.12)	143,203	3.80	PLANB	5.50	0.10	124,556	5.45
LEE	2.22	(0.02)	772	2.21	INTUCH	52.75	0.25	84,049	52.61	POST	1.36	(0.03)	38	1.30
MAX	0.01	-	135,856	0.01	JAS	2.62	0.02	194,514	2.60	PRAKIT	7.45	0.20	54	7.33
NER	4.98	0.20	2,233,688	4.91	JASIF	9.30	0.10	51,594	9.25	SE-ED	1.55	(0.02)	2	1.55
PPPM	0.39	-	1,210	0.39	JMART	15.70	-	66,126	15.71	TBSP	12.50	-	2	12.50
STA	34.00	2.00	542,576	32.96	JTS	2.22	(0.08)	2,908	2.25	TH	0.47	(0.02)	45	0.48
TRUBB	2.14	0.10	460,579	2.12	MFEK	4.72	0.04	540	4.71	TKS	5.65	0.05	1,029	5.68
TPWC	3.40	-	10,544	3.40	MSC	6.20	0.05	183	6.18	VGI	6.10	-	65,690	6.10
UPOIC	3.20	(0.02)	36	3.12	PT	5.15	-	228	5.16	WAVE	0.70	(0.04)	2,022	0.72
UVAN	4.84	(0.02)	290	4.86	SAMART	4.92	0.06	4,301	4.89	WORK	9.70	0.15	16,639	9.66
VPO	0.41	-	1,276	0.41	SAMTEL	4.90	-	440	4.90	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.20	0.01	5,797	0.19	AEC	0.25	(0.01)	143,096	0.24
BAY	18.90	-	3,275	18.98	SIS	20.30	(0.60)	20,206	20.58	AEONTS	124.50	3.50	13,949	123.32
BBL	96.00	2.00	134,262	95.99	SVOA	1.44	0.01	230,748	1.47	AMANA	2.60	-	39,404	2.61
CIMBT	0.53	-	2,297	0.54	SYMC	4.02	(0.10)	809	3.99	ASAP	2.00	0.05	1,478	1.99
KBANK	75.00	0.75	154,309	75.13	SYNEX	15.50	(0.20)	34,522	15.70	ASK	18.10	0.30	4,438	17.91
KKP	39.25	-	83,204	39.67	THCOM	5.70	0.05	85,980	5.71	ASP	1.66	(0.02)	41,626	1.67
KTB	8.60	0.05	257,817	8.65	TRUE	2.74	(0.02)	284,112	2.76	BAM	20.10	(0.20)	85,763	20.21
LHFG	0.87	0.03	52,173	0.87	TWZ	0.06	-	11,369	0.05	BFIT	27.25	0.25	7,534	27.25
SCB	66.00	0.75	136,388	65.88	Electronic Componer	-	-	-	-	CGH	0.66	-	21	0.66
TCAP	27.75	0.75	73,291	27.39	CCET	2.30	(0.04)	81,051	2.33	ECL	0.72	(0.01)	6,086	0.72
TISCO	70.75	(0.25)	45,727	70.83	DELTA	186.00	11.00	46,559	183.59	FNS	2.90	(0.08)	1,279	2.89
TMB	0.82	-	2,508,506	0.83	HANA	46.75	(1.25)	102,894	47.39	FSS	1.47	(0.02)	305	1.50
Construction Materia	-	-	-	-	KCE	40.25	(1.00)	109,027	40.74	GBX	0.42	0.01	108	0.42
CCP	0.46	-	42,090	0.46	METCO	168.00	4.00	28	165.54	GL	2.10	(0.16)	73,139	2.18
COTTO	1.21	(0.03)	55,229	1.22	NEX	4.36	(0.02)	118,409	4.42	IFS	2.36	0.02	222	2.31
DCC	2.30	(0.02)	165,302	2.33	SMT	2.94	0.14	54,855	2.91	JMT	33.00	(0.25)	49,946	33.21
DCON	0.33	(0.01)	10,890	0.33	SVI	5.30	(0.05)	42,919	5.33	KCAR	7.60	-	435	7.58
DRT	5.85	(0.10)	9,903	5.86	TEAM	0.88	0.03	983	0.89	KGI	2.78	0.04	12,918	2.76
EPG	4.86	0.10	95,505	4.83	W	0.21	0.01	1,160,640	0.20	KTC	38.75	-	115,761	38.18
GEL	0.19	0.01	74,000	0.18	Energy & Utilities	-	-	-	-	MBKET	6.85	-	370	6.87
PPP	2.06	(0.02)	463	2.03	7UP	0.30	-	6,592	0.30	MFC	13.50	(0.10)	15	13.43
Q-CON	4.60	(0.10)	150	4.61	ABPIF	2.96	-	166	2.96	MICRO	4.56	(0.02)	115,578	4.58
RCI	3.70	-	300	3.70	ACE	2.48	0.06	119,144	2.49	ML	0.80	0.02	324	0.76
SCC	345.00	(1.00)	19,660	345.83	AI	1.98	(0.02)	161,193	2.01	MTC	54.25	1.00	89,902	53.94
SCCC	117.00	-	1,805	117.22	AKR	0.47	-	1,488	0.47	PE	-	-	-	-
SCP	5.80	-	304	5.80	BAFS	19.60	0.10	1,701	19.78	PL	1.98	-	733	1.98
SKN	2.46	0.04	694	2.46	BANPU	6.95	(0.05)	1,023,154	6.99	S11	6.25	0.05	1,886	6.20
TASCO	15.50	1.10	554,373	15.15	BCP	14.70	(0.20)	24,803	14.88	SAWAD	49.75	1.50	133,311	49.44
TCMC	1.05	-	22,783	1.06	BCPG	11.50	0.10	32,933	11.54	THANI	3.48	0.16	1,092,315	3.45
TOA	32.50	(0.25)	13,999	32.81	BGRIM	40.50	-	56,518	40.71	TK	6.95	-	294	6.95
TPIPL	1.39	0.01	81,683	1.39	BPP	13.40	-	30,305	13.54	TNITY	3.52	(0.04)	37	3.52
UMI	0.57	(0.01)	2,141	0.58	BRRGIF	6.10	(0.05)	22	6.11	UOBKH	3.00	-	28	2.90
VNG	3.02	(0.02)	854	3.02	CKP	4.28	(0.02)	267,677	4.34	ZMICO	0.58	-	1,444	0.58
WIJK	3.00	(0.10)	58,240	3.03	DEMCO	2.62	(0.06)	811	2.64	Food & Beverage	-	-	-	-
Petrochemicals & Ch	-	-	-	-	EA	39.75	(0.25)	68,136	39.98	APURE	2.20	(0.06)	139,920	2.20
BCT	42.00	-	484	42.00	EASTW	9.25	-	3,132	9.21	ASIAN	13.50	(0.20)	90,301	13.59
CMAN	1.21	0.03	9,175	1.21	EGATIF	11.90	0.10	3,042	11.82	BR	1.70	0.03	2,605	1.70
GC	5.25	-	626	5.22	EGCO	168.50	(2.50)	21,374	169.43	BRR	2.68	(0.02)	2,995	2.71
GCC	7.30	-	1,512	7.33	EP	3.90	(0.08)	18,719	3.94	CBG	113.00	(0.50)	41,144	113.73
GIFT	1.74	0.01	835	1.75	ESSO	6.15	0.05	189,492	6.18	CFRESH	3.50	0.02	19,371	3.58
IVL	22.90	0.30	379,069	22.85	Gpsc	53.00	(0.50)	69,865	53.55	CHOTI	-	-	-	-
NFC	1.41	0.01	1	1.41	GREEN	1.10	-	467	1.10	CM	2.60	(0.04)	1,004	2.59
PATO	10.20	0.10	11	10.10	GULF	28.50	0.50	234,781	28.57	CPF	25.50	0.25	182,939	25.65
PMTA	9.00	-	20	8.99	GUNKUL	2.02	(0.02)	495,934	2.04	CPI	1.29	0.01	1,338	1.29
PTTGC	40.50	-	138,909	40.80	IFEC	-	-	-	-	F&D	-	-	-	-
SUTHA	3.10	(0.04)	20	3.10	IRPC	2.02	-	287,424	2.02	HTC	30.50	(0.25)	7,315	30.84
TCCC	23.00	(0.10)	116	23.02	KBSPIF	8.95	(0.05)	1,922	8.95	ICHI	10.70	-	104,447	10.86
TPA	5.10	-	10	5.11	LANNA	6.10	-	2,135	6.10	KBS	3.04	(0.02)	257	3.07
UAC	3.72	-	119	3.70	MDX	2.24	0.12	4,474	2.22	KSL	2.30	(0.02)	21,653	2.33
UP	12.90	(0.10)	33	13.06	PDI	8.00	(0.05)	3,570	8.05	KTIS	2.80	-	116	2.80
VNT	24.80	0.30	13,045	24.67	PRIME	0.46	-	33,251	0.47	LST	4.30	(0.06)	299	4.32
WG	186.00	-	1	186.00	PTG	18.70	0.20	111,410	18.58	M	46.75	0.25	6,703	46.34
YCI	-	-	-	-	PTT	31.50	(0.50)	516,059	31.79	MALEE	5.65	-	670	5.68
Commerce	-	-	-	-	PTTEP	78.50	(1.00)	118,557	79.08	MINT	17.40	0.20	589,678	17.41
BEAUTY	1.28	0.03	74,087	1.27	RATCH	48.75	-	24,587	48.72	NRF	5.95	0.25	235,943	5.91
BIG	0.47	0.01	50,279	0.46	RPC	0.48	-	362	0.49	OISHI	39.00	-	259	38.92
BJC	30.25	(0.25)	33,027	30.35	SCG	3.42	(0.02)	13	3.42	OSP	32.00	-	62,540	31.96
COL	18.80	(0.10)	4,480	18.81	SCI	1.26	(0.01)	857	1.25	PB	70.00	(0.50)	9	70.31
COM7	43.00	(0.25)	39,012	43.04	SCN	1.68	(0.01)	2,335	1.67	PM	7.50	0.10	1,614	7.47
CPALL	55.25	(0.25)	194,885	55.19	SGP	9.05	(0.05)	24,567	9.05	PRG	10.80	0.20	2	10.75
CPW	2.38	-	101,985	2.43	SKE	0.56	-	32,002	0.56	RBF	10.00	(0.10)	82,524	10.09
CRG	26.50	(1.25)	125,605	26.79	SOLAR	0.88	0.01	3,053	0.88	SAPPE	21.20	(0.60)	6,723	21.74
CSS	1.43	0.02	26,304	1.42	SPCG	20.40	0.60	34,142	20.14	SAUCE	24.90	-	8	24.90
DOHOME	15.20	0.20	119,759	15.27	SPRC	5.40	(0.15)	155,010	5.56	SFP	-	-	-	-
FN	1.23	0.01	50,304	1.24	SSP	6.75	(0.05)	5,058	6.75	SNP	9.75	-	531	9.71
FTE	1.53	0.01	1,379	1.54	SUPER	0.82	-	1,709,118	0.83	SORKON	5.60	0.10	30	5.52
GLOBAL	18.80	0.30	82,690	18.75	SUPEREIF	10.40	(0.10)	2,819	10.49	SSC	-	-	-	-
HMPRO	14.30	0.20	388,053	14.10	SUSCO	2.64	(0.04)	10,678	2.67	SSF	6.00	(0.70)	382	5.69
ILM	11.60	-	11,898	11.60	TAE	2.24	0.02	5,027	2.23	SST	2.22	(0.02)	655	2.24
IT	2.50	0.06	194	2.40	TCC	0.18	0.01	6,470	0.17	TC	4.44	(0.06)	5,657	4.49
KAMART	3.34	-	23,299	3.35	TOP	33.75	(0.50)	107,489	34.35	TFG	4.12	-	39,383	4.14
LOXLEY	1.30	-	2,944	1.30	TIPIP	4.24	0.02	25,952	4.24	TFMAMA	197.00	0.50	28	197.41
MAKRO	40.50	0.50	4,079	40.61	TSE	2.54	(0.02)	22,732	2.55	TIPCO	5.65	0.20	11,600	5.62
MC	10.30	(0.20)	32,809	10.53	TTW	11.50	(0.10)	53,179	11.54	TKN	11.70	0.30	1	

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Wednesday October 28, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KDH	-	-	-	-	ANAN	1.43	0.02	14,116	1.43	AH	12.20	-	6,786	12.21
LPH	4.20	0.02	354	4.17	AP	6.40	0.05	147,090	6.38	CWT	2.06	0.04	38,134	2.07
M-CHAI	182.00	-	13	182.19	APEX	0.08	0.01	2,002	0.08	EASON	1.20	-	45	1.20
NEW	-	-	-	-	AQ	0.01	(0.01)	14,351	0.02	GYT	200.00	7.00	4	197.00
NTV	40.00	(0.50)	125	40.00	AWC	2.88	(0.06)	411,910	2.91	HFT	3.68	(0.06)	34,755	3.73
PR9	8.35	0.40	79,922	8.29	BLAND	0.99	(0.01)	24,047	0.99	IHL	3.30	(0.10)	42,590	3.34
PRINC	2.62	0.02	5,552	2.58	BROCK	1.45	0.04	18	1.42	INGRS	0.44	-	13,005	0.44
RAM	139.50	(0.50)	60	139.57	CGD	0.66	-	14,632	0.66	IRC	11.80	0.10	412	11.73
RJH	21.50	0.10	1,125	21.67	CI	0.67	(0.01)	390	0.66	PCSGH	4.40	-	515	4.40
RPH	5.25	-	3,959	5.25	CPN	38.75	0.75	84,333	38.80	SAT	13.90	(0.30)	31,869	14.11
SKR	6.60	0.05	1,122	6.57	ESTAR	0.33	-	6,799	0.33	SPG	13.00	-	7	13.14
SVH	391.00	(1.00)	7	391.71	EVER	0.20	-	5,643	0.20	STANLY	143.50	(2.50)	611	144.40
THG	18.10	0.10	3,248	18.02	FPT	9.85	-	394	9.95	TKT	0.90	(0.01)	58	0.90
VIBHA	1.47	-	86,681	1.46	GLAND	2.16	-	3	2.16	TNPC	0.67	(0.01)	400	0.67
VIH	6.10	(0.05)	6,965	6.10	J	1.24	(0.01)	7,852	1.25	TRU	3.52	0.02	578	3.55
WPH	1.50	-	71	1.51	JCK	1.40	0.01	30,663	1.40	TSC	8.90	0.05	60	8.90
Tourism & Leisure	-	-	-	-	KC	-	-	-	-	Industrial Materials	-	-	-	-
ASIA	4.28	(0.08)	7	4.30	KWG	0.68	(0.02)	282	0.69	ALLA	1.12	-	1,729	1.13
CENTEL	20.40	0.10	41,520	20.64	LALIN	5.50	0.10	6,669	5.49	ASEFA	3.10	(0.02)	238	3.11
CSR	70.00	(1.75)	26	69.45	LH	6.50	-	178,937	6.50	CPT	0.84	-	5,784	0.83
DTC	6.95	-	303	6.98	LPN	3.82	0.08	21,912	3.79	CRANE	1.58	(0.02)	8,923	1.59
ERW	2.30	(0.04)	192,051	2.35	MBK	11.00	(0.20)	10,654	11.14	CTW	5.50	-	120	5.50
GRAND	0.51	-	5,100	0.51	MJD	1.49	0.02	947	1.48	FMT	18.40	(0.10)	1	18.40
LRH	28.00	-	88	26.76	MK	2.92	-	3,025	2.92	HTECH	3.04	-	2,834	3.05
MANRIN	22.60	0.60	5	22.38	NCH	0.86	0.01	95	0.85	KKC	0.56	-	74	0.56
OHTL	-	-	-	-	NNCL	1.85	(0.02)	1,637	1.85	PK	1.56	0.01	1,110	1.55
ROH	-	-	-	-	NOBLE	19.90	0.20	26,959	19.91	SNC	9.80	(0.15)	844	9.84
SHANG	46.75	0.25	14	46.64	NUSA	0.26	-	54,120	0.26	STARK	1.50	(0.42)	5,509,415	1.53
SHR	1.80	0.01	17,214	1.80	NVD	1.05	0.02	825	1.03	TCJ	3.28	0.02	43	3.27
VRANDA	5.50	0.05	846	5.41	ORI	6.90	-	63,254	6.94	VARO	-	-	-	-
Home & Office Produ	-	-	-	-	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
ACC	0.56	(0.03)	15	0.56	PF	0.34	0.01	62,925	0.33	AIMCG	5.95	0.05	3,171	5.90
AJA	0.12	-	16,623	0.12	PLAT	2.02	-	13,162	2.02	AIMIRT	12.30	-	393	12.25
DTCI	-	-	-	-	POLAR	-	-	-	-	AMATAR	9.95	-	20	9.93
FANCY	-	-	-	-	PRECHA	0.81	0.01	159	0.80	B-WORK	11.20	(0.30)	110	11.20
KYE	303.00	(2.00)	10	304.50	PRIN	1.64	-	1,493	1.64	BKER	5.55	-	1,508	5.57
L&E	-	-	-	-	PSH	10.10	0.10	3,830	10.08	BKKCP	11.80	-	592	11.80
MODERN	2.40	-	238	2.38	QH	2.14	(0.02)	154,909	2.13	BOFFICE	9.95	-	754	9.95
OGC	-	-	-	-	RICHY	0.68	-	2,540	0.66	CPNCG	9.40	-	979	9.40
ROCK	-	-	-	-	RML	0.56	-	18,262	0.56	CPNREIT	18.30	0.70	7,250	18.00
SIAM	1.38	(0.03)	1,284	1.39	ROJNA	3.84	(0.04)	10,549	3.83	CPTGF	9.30	-	293	9.32
TSR	3.66	0.06	25,431	3.73	S	1.11	(0.02)	20,384	1.12	CTARAF	4.94	-	59	4.94
Insurance	-	-	-	-	SAMCO	1.17	-	788	1.16	DREIT	3.74	(0.02)	559	3.74
AYUD	33.00	-	47	33.00	SC	2.28	0.02	11,147	2.28	ERWPF	4.52	0.50	1	4.52
BKI	274.00	(1.00)	63	274.02	SENA	2.72	-	2,426	2.72	FTREIT	13.10	(0.10)	789	13.01
BLA	17.50	0.30	7,742	17.56	SF	4.30	0.08	6,158	4.24	FUTUREPF	17.20	(0.80)	866	17.33
BUI	-	-	-	-	SIRI	0.59	-	110,992	0.60	GAHREIT	7.95	-	21	7.81
CHARAN	22.30	-	10	22.30	SPALI	16.10	(0.10)	9,466	16.13	GOLDPF	5.80	(0.15)	20	5.80
INSURE	-	-	-	-	U	1.10	-	13,777	1.10	GVREIT	10.40	0.10	562	10.34
MTI	83.00	-	29	83.04	UV	2.26	(0.02)	16,675	2.27	HPF	-	-	-	-
NKI	-	-	-	-	WHA	2.50	(0.02)	1,322,493	2.54	HREIT	7.45	(0.05)	816	7.46
NSI	68.00	-	9	68.00	WIN	0.35	-	310	0.35	IMPACT	17.90	0.20	7,273	17.77
SEG	-	-	-	-	Paper & Printing Mat	-	-	-	-	KNPFP	-	-	-	-
SMK	36.50	0.25	17	36.50	UTP	13.20	(0.50)	91,321	13.30	LHHOTEL	9.30	0.05	21	9.30
THRE	1.17	0.08	995,184	1.16	Fashion	-	-	-	-	LHPF	5.20	(0.05)	21	5.23
THREL	2.56	0.02	33,828	2.58	AFC	-	-	-	-	LHSC	10.30	(0.10)	197	10.20
TIP	23.60	0.10	2,355	23.62	B52	0.15	0.02	3,148	0.14	LUXF	6.05	(0.05)	7	6.19
TQM	114.50	2.00	10,078	114.19	BTNC	-	-	-	-	M-II	7.00	-	92	7.00
TSI	0.28	-	1,523	0.28	CPH	3.10	-	101	3.00	M-PAT	2.98	-	7	2.98
TVI	3.28	-	456	3.28	CPL	1.09	(0.01)	971	1.09	M-STOR	-	-	-	-
Mining	-	-	-	-	ICC	27.25	-	15	27.05	MIPF	15.00	-	1	15.00
THL	-	-	-	-	NC	-	-	-	-	MIT	3.14	0.30	1,933	2.80
Packaging	-	-	-	-	PAF	0.49	-	804	0.49	MJLF	5.85	(0.15)	198	5.93
AJ	18.80	0.80	39,024	18.69	PDJ	1.39	(0.01)	1,504	1.40	MNIT	1.34	-	8	1.28
ALUCON	153.00	-	8	153.13	PG	-	-	-	-	MNIT2	-	-	-	-
BGC	8.25	0.10	45,517	8.27	SABINA	21.00	(0.10)	1,628	20.98	MNRF	2.96	0.02	89	2.97
CSC	52.00	2.00	405	51.63	SAWANG	-	-	-	-	POPF	10.00	-	814	10.00
GLOCON	0.92	(0.01)	64,620	0.94	SUC	33.75	-	5	33.85	PPF	11.30	-	1	11.30
NEP	0.22	-	3,024	0.22	TNL	-	-	-	-	PROSPECT	9.05	0.05	887	9.02
PTL	23.50	-	14,139	23.50	TPCORP	9.00	0.30	2	9.00	QHHR	5.35	(0.05)	325	5.40
SCGP	34.25	(1.50)	1,926,639	34.89	TR	22.50	0.50	531	22.36	QHOP	2.28	(0.08)	75	2.30
SFLEX	5.60	(0.10)	10,892	5.62	TTI	-	-	-	-	QHPP	8.90	-	3,104	8.86
SITHAI	0.61	0.01	6,313	0.59	TTT	53.50	(1.50)	56	53.03	SBPF	2.56	0.24	100	2.58
SLP	0.40	0.01	128	0.40	UPF	54.00	0.25	6	54.00	SHREIT	3.86	(0.14)	2,580	3.90
SMPC	11.20	(0.10)	9,434	11.30	UT	-	-	-	-	SIRIP	8.35	(0.05)	200	8.38
SPACK	3.20	0.10	70,411	3.19	WACOAL	44.25	3.50	5	43.30	SPF	11.50	(0.10)	1,553	11.51
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	7.05	(0.05)	581	7.10
TFI	0.11	0.01	11,787	0.11	AAV	1.53	0.02	156,553	1.54	SRIPANWA	7.60	0.10	74	7.53
THIP	26.00	0.50	111	25.76	AOT	53.00	(1.25)	307,979	53.16	SSPF	9.10	-	2	9.13
TMD	21.90	0.10	13	21.68	ASIMAR	1.41	0.02	2,789	1.40	SSTRT	5.30	0.05	1	5.30
TOPP	-	-	-	-	B	0.28	-	235	0.29	TIF1	8.35	-	50	8.35
TPBI	5.10	-	155	5.03	BA	5.10	(0.05)	1,517	5.10	TLGF	15.00	(0.40)	3,472	15.13
TPP	11.70	0.20	48	11.69	BEM	8.20	-	314,835	8.18	TLHPF	8.20	(0.05)	45	8.21
Personal Products &	-	-	-	-	BTS	8.90	(0.05)	346,790	8.90	TNPF	1.99	0.06	5	1.99
APCO	3.78	(0.02)	1,128	3.72	BTSIGF	4.92	0.02	36,432	4.90	TPRIME	10.60	0.10	24	10.64
DDD	14.40	-	283	14.45	III	4.24	0.08	7,406	4.21	TLPF	22.30	(0.70)	15	22.27
JCT	79.00	2.00	6	79.00	JUTHA	0.43	-	8	0.43	TU-PF	-	-	-	-
OCC	8.95	0.05	17	8.92	JWD	7.10	(0.10)	29,121	7.14	URBNPF	-	-	-	-
S & J	-	-	-	-	KWC	-	-	-	-	WHABT	-	-	-	-
STGT	88.50	0.50	131,058	88.18	NOK	0.56	(0.03)	635	0.58	WHART	12.30	-	9,357	12.24
STHAI	-	-	-	-	NYT	3.38	0.06	76,673	3.39	Steel	-	-	-	-
TNR	11.00	(0.10)	100	11.00	PORT	2.16	-	25,877	2.16	AMC	1.35	(0.02)	38	1.34
TOG	3.42	(0.06)	186	3.42	PRM	7.85	-	81,523	7.84	BSBM	0.84	0.01	1,086	0.83
Professional Service	-	-	-	-	PSL	5.10	(0.10)	79,661	5.10	CEN	-	-	-	-

## Main Board Quotation

Issue Date :

Wednesday October 28, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	Resources (MAI)	-	-	-	-	ADVA01C2101A	0.49	-	49,014	-
ABICO	5.40	-	340	5.00	ABM	0.96	0.02	3,896	-	ADVA01P2012A	0.51	(0.04)	41,621	-
AU	8.90	(0.05)	6,265	8.00	AGE	1.27	0.01	78,616	1.00	ADVA06C2010A	-	-	-	-
JCKH	0.32	-	15	-	AIE	0.66	-	327,610	-	ADVA06C2103A	0.50	-	65,423	-
KASET	1.21	(0.02)	273	1.00	ETC	1.74	(0.01)	111,155	1.00	ADVA06P2011A	-	-	-	-
MM	1.98	-	50	1.00	PSTC	1.56	(0.02)	52,705	1.00	ADVA08C2012A	0.12	-	8,000	-
SUN	4.16	0.02	162,477	4.00	QTC	3.94	0.02	180	3.00	ADVA08C2103A	0.51	-	32,535	-
TACC	6.65	0.15	61,820	6.00	SAAM	0.98	(0.04)	1,773	-	ADVA08P2101A	0.70	(0.03)	12,570	-
TMILL	3.20	-	106	3.00	SEAOIL	2.28	0.02	665	2.00	ADVA11C2011A	0.10	-	41,340	-
XO	10.40	0.40	76,039	10.00	SR	0.62	(0.03)	2,315	-	ADVA11C2104A	0.59	0.01	30,810	-
<b>Consumer Products</b>														
BGT	1.16	(0.03)	7,309	1.00	TAKUNI	0.38	-	4,864	-	ADVA11P2011A	0.29	(0.02)	9,063	-
BIZ	3.36	-	1,367	3.00	TPCH	10.50	0.10	2,966	10.00	ADVA13C2012A	0.16	0.01	91,931	-
DOD	8.90	0.15	42,211	8.00	TRT	1.65	0.07	1	1.00	ADVA13C2101A	0.40	0.01	183,959	-
ECF	1.31	0.01	29,687	1.00	UMS	-	-	-	-	ADVA13P2012A	0.60	(0.02)	49,662	-
HPT	0.75	(0.01)	122	-	UPA	0.18	-	321,874	-	ADVA19C2010A	-	-	-	-
IP	11.60	0.10	2,909	11.00	UWC	0.06	0.01	44,751	-	ADVA19C2010B	-	-	-	-
JUBILE	17.20	(0.10)	105	17.00	<b>Services (MAI)</b>					ADVA19C2012A	0.15	0.01	167,240	-
MOONG	3.90	(0.04)	151	3.00	A5	-	-	-	-	ADVA19C2101A	0.31	-	359,100	-
NPK	-	-	-	-	AKP	0.72	-	687	-	ADVA19P2010A	-	-	-	-
OCEAN	0.75	(0.02)	2,762	-	AMA	4.60	0.04	14,508	4.00	ADVA19P2012A	0.50	(0.01)	155,042	-
TM	2.26	(0.02)	835	2.00	ARIP	0.44	0.01	2	-	ADVA24C2101A	0.21	0.01	20,215	-
<b>Financials (MAI)</b>														
ACAP	0.69	(0.01)	2,965	-	ATP30	0.80	(0.01)	1,563	-	ADVA28C2011A	-	-	-	-
AF	0.61	0.03	81	-	AUCT	12.30	(0.10)	30,672	12.00	ADVA28C2012A	0.02	-	6,001	-
AIRA	0.88	0.07	55	-	BOL	5.90	(0.10)	14,487	5.00	ADVA28C2012B	-	-	-	-
ASN	4.22	0.02	2	4.00	CMO	0.83	(0.04)	651	-	ADVA28C2101A	0.17	-	24,338	-
BROOK	0.39	-	2,322	-	D	3.26	-	448	3.00	ADVA28C2102L	0.15	0.01	3,042	-
CHAYO	7.70	0.15	39,073	7.00	DV8	0.29	(0.01)	2,837	-	ADVA28P2012A	0.12	(0.01)	7,626	-
GCAP	1.29	(0.02)	5,392	1.00	EFORL	0.03	-	7,382	-	ADVA41C2010A	-	-	-	-
LIT	3.04	-	379	3.00	ETE	1.00	0.09	21,171	-	ADVA41C2011A	-	-	-	-
MITSI	1.03	(0.01)	1,193	1.00	FSMART	7.00	(0.10)	12,739	7.00	ADVA41P2011A	0.35	0.01	72,296	-
SGF	0.45	-	21,566	-	FVC	0.39	0.01	6,564	-	ADVA41P2012A	0.25	(0.02)	11,864	-
<b>Industrials (MAI)</b>														
ZS	3.30	(0.04)	1,059	3.00	GSC	1.21	0.03	1,635	1.00	ADVA41P2101A	0.35	(0.02)	33,504	-
ADB	0.77	-	993	-	HARN	2.08	-	338	2.00	ADVA42C2102T	0.24	-	2,401	-
BM	2.28	-	2,521	2.00	IMH	1.97	(0.07)	977	1.00	AEON01C2102A	0.37	0.03	33,784	-
CHO	0.50	0.01	55,420	-	JKN	9.20	(0.10)	62,270	9.00	AEON13C2010A	-	-	-	-
CHOW	1.55	0.04	477	1.00	KIAT	0.63	-	386,568	-	AEON13C2011A	0.14	0.03	66,332	-
CIG	0.21	-	1,302	-	KK	1.32	0.02	177,754	1.00	AEON13C2012A	0.80	0.08	3,552	-
COLOR	1.23	-	238	1.00	KOOL	0.94	(0.01)	30,198	-	AEON13C2101A	0.31	0.04	169,009	-
CPR	2.28	(0.02)	55	2.00	LDC	1.19	-	180	1.00	AEON19C2010A	-	-	-	-
FPI	1.40	(0.02)	1,859	1.00	MORE	0.84	0.01	548,944	-	AEON19C2010B	0.04	0.01	240	-
GTB	0.70	-	5,662	-	MPG	0.23	0.01	211	-	AEON19C2011A	0.98	0.13	20	-
KCM	0.44	-	2,279	-	MVP	1.21	0.01	81	1.00	AEON19C2012A	0.68	0.12	801	-
KUMWEL	1.21	-	9,073	1.00	NBC	0.54	0.02	240	-	AEON19C2101A	0.38	0.05	272,213	-
KWM	1.15	0.02	8,549	1.00	NCL	0.62	-	503	-	AEON19C2102A	0.31	0.03	128,902	-
MBAX	7.65	-	18,285	7.00	NEWS	0.01	-	86	-	AEON28C2012A	-	-	-	-
MGT	2.48	(0.04)	9,815	2.00	NINE	1.65	0.02	27	1.00	AEON28C2101A	-	-	-	-
NDR	1.59	0.03	11,294	1.00	OTO	3.26	(0.02)	2,413	3.00	AEON28C2103A	0.34	0.04	67,948	-
PDG	3.56	0.06	289	3.00	PHOL	2.30	(0.02)	1,224	2.00	AEON28C2104L	0.25	0.02	56,701	-
PIMO	2.58	(0.06)	396,661	2.00	PICO	3.80	0.02	1	3.00	AEON42C2101T	0.28	0.03	4,653	-
PJW	1.27	-	1,623	1.00	QLT	4.06	0.14	11	3.00	AMAT01C2101A	0.15	0.02	41,866	-
PPM	0.74	(0.02)	72	-	RP	1.19	0.01	305	1.00	AMAT06C2102A	0.13	0.01	87,038	-
PRAPAT	1.27	0.02	338,325	1.00	SE	1.21	0.01	714	1.00	AMAT08C2010A	0.01	-	35	-
RWI	1.30	-	1,730	1.00	SLM	-	-	-	-	AMAT08C2101A	0.18	0.02	17,774	-
SALEE	0.64	0.03	948	-	SONIC	1.27	0.01	5,951	1.00	AMAT13C2012A	0.07	0.01	4,549	-
SANKO	0.96	0.01	362	-	SPA	5.70	(0.05)	2,501	5.00	AMAT13C2102A	0.24	0.03	358,016	-
SELIC	1.99	-	3,611	1.00	THMUJ	0.65	(0.02)	6,647	-	AMAT19C2011A	-	-	-	-
SWC	4.42	(0.02)	356	4.00	TNDT	2.88	-	98	2.00	AMAT19C2012A	0.07	-	4,056	-
TMC	0.66	-	72	-	TNH	32.75	0.25	2	32.00	AMAT19C2101A	0.15	0.02	303,653	-
TMI	0.61	-	14,310	-	TNP	3.34	0.02	52,794	3.00	AMAT24C2010A	-	-	-	-
TMW	29.50	-	26	29.00	TSF	-	-	-	-	AMAT24C2103A	0.33	(0.67)	37,585	-
TPAC	13.00	-	31	12.00	TVD	0.94	-	973	-	AMAT28C2012A	-	-	-	-
TPLAS	1.51	-	9,473	1.00	TVT	0.68	0.01	1,418	-	AMAT28C2101A	-	-	-	-
UBIS	-	-	-	-	VL	1.00	-	257,224	1.00	AMAT28C2102L	0.06	0.01	5,001	-
UEC	0.84	-	276	-	WINNER	2.36	(0.06)	2,459	2.00	AMAT28C2103A	0.19	0.03	33,462	-
UKEM	0.51	(0.01)	8,305	-	YGG	11.30	0.10	3,311	11.00	AMAT42C2101T	-	-	-	-
UREKA	0.81	0.03	4,031	-	<b>Technology (MAI)</b>					AOT01C2012A	0.32	(0.05)	68,598	-
YUASA	14.50	-	197	14.00	APP	2.44	0.02	24,515	2.00	AOT01C2102A	0.30	(0.04)	30,579	-
ZIGA	2.18	0.08	123,354	2.00	COMAN	2.06	-	865	2.00	AOT01C2102T	0.24	(0.02)	61,408	-
<b>Property &amp; Construc</b>														
ALL	3.06	(0.04)	23,822	3.00	ICN	2.14	(0.04)	6,523	2.00	AOT01P2012A	0.15	-	74,486	-
ARIN	0.93	0.01	546	-	IIG	20.50	1.60	32,207	20.00	AOT01P2012B	0.57	0.05	66,735	-
ARROW	7.00	(0.10)	56	7.00	INSET	3.62	(0.06)	133,802	3.00	AOT01P2102T	0.53	0.02	43,751	-
BC	0.83	0.04	3,830	-	IRCP	0.68	0.01	3,347	-	AOT06C2011A	-	-	-	-
BSM	0.26	-	804	-	ITEL	3.04	0.06	28,680	3.00	AOT06C2102A	0.25	(0.05)	45,889	-
BTW	0.79	0.02	208	-	NETBAY	25.50	-	1,951	25.00	AOT06P2011A	0.46	-	800	-
CAZ	1.50	-	163	1.00	PLANET	1.19	-	974	1.00	AOT08C2101A	0.24	(0.03)	30,300	-
CHEWA	0.50	0.03	56,622	-	SICT	4.34	0.10	19,358	4.00	AOT08P2102A	0.69	0.05	64,712	-
CMC	0.69	(0.01)	1,697	-	SIMAT	3.68	-	4,722	3.00	AOT11C2011A	0.09	(0.02)	18,040	-
CRD	0.42	0.01	679	-	SKY	11.90	(0.10)	2,089	11.00	AOT11P2101A	0.36	0.02	92,531	-
DHOUSE	0.61	(0.01)	296,753	-	SPVI	3.42	0.02	90,257	3.00	AOT13C2011A	-	-	-	-
DIMET	0.11	-	51,945	-	TPS	2.38	-	9,846	2.00	AOT13C2012A	0.17	(0.05)	304,514	-
FLOYD	0.91	0.01	5,307	-	VCOM	5.45	(0.15)	12,736	5.00	AOT13C2101A	0.16	(0.02)	164,789	-
HYDRO	0.24	-	535	-	<b>Unit Trust</b>					AOT13P2010A	-	-	-	-
JSP	0.21	-	1,828											

## Main Board Quotation

Issue Date :

Wednesday October 28, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT42C2101T	-	-	-	-	BGP19C2102A	0.22	(0.01)	4,012	-	BJC28C2103A	0.14	0.01	20,224	-
AOT42P2012T	0.36	0.02	2,403	-	BCPG13C2012A	0.03	(0.01)	30	-	BJC41C2011A	-	-	-	-
AP01C2012A	0.11	-	6,180	-	BCPG13C2012B	-	-	-	-	BJC41C2012A	-	-	-	-
AP06C2103A	0.40	0.01	19,150	-	BCPG13C2102A	0.18	0.01	32,555	-	BPP13C2011A	-	-	-	-
AP08C2101A	0.22	0.01	3,100	-	BCPG19C2010A	-	-	-	-	BPP13C2012A	0.12	-	30,220	-
AP13C2011A	0.09	-	10,000	-	BCPG19C2011A	-	-	-	-	BPP19C2010A	-	-	-	-
AP19C2010A	-	-	-	-	BCPG19C2012A	-	-	-	-	BPP19C2012A	0.12	-	48,705	-
AP19C2011A	0.12	(0.01)	6,191	-	BCPG19C2101A	0.18	-	2,232	-	BTS01C2101A	0.07	(0.02)	3	-
AP28C2012A	-	-	-	-	BCPG28C2012A	-	-	-	-	BTS01C2103A	0.36	(0.02)	14,131	-
AP28C2012B	0.12	-	14,084	-	BCPG28C2012B	-	-	-	-	BTS01P2103A	0.55	0.02	10,342	-
AWC01C2101A	0.12	(0.01)	8,470	-	BCPG28C2012C	-	-	-	-	BTS11C2011A	-	-	-	-
AWC06C2011A	-	-	-	-	BCPG28C2010A	-	-	-	-	BTS13C2011A	-	-	-	-
AWC06C2103A	0.14	(0.02)	15,345	-	BCPG28C2103A	0.12	0.01	1	-	BTS13C2012A	-	-	-	-
AWC06P2012A	-	-	-	-	BDM501C2010A	0.15	-	49,237	-	BTS13C2102A	0.23	(0.01)	42,670	-
AWC08C2012A	-	-	-	-	BDM506C2102A	0.12	0.01	37,840	-	BTS13P2011A	0.09	-	18,048	-
AWC11C2102A	0.13	(0.01)	13,360	-	BDM508C2011A	-	-	-	-	BTS13P2102A	0.32	0.01	111,426	-
AWC13C2011A	-	-	-	-	BDM508C2101A	0.11	-	2,000	-	BTS19C2010A	-	-	-	-
AWC13C2101A	-	-	-	-	BDM511C2011A	0.09	-	29,300	-	BTS19C2011A	-	-	-	-
AWC13C2102A	0.22	(0.02)	103,060	-	BDM511P2010A	0.51	(0.01)	31,161	-	BTS19C2012A	-	-	-	-
AWC13P2011A	-	-	-	-	BDM513C2011A	-	-	-	-	BTS19C2102A	0.26	(0.02)	21,201	-
AWC19C2010A	-	-	-	-	BDM513C2012A	0.05	-	18,004	-	BTS19P2012A	0.14	-	19,955	-
AWC19C2010B	-	-	-	-	BDM513C2101A	0.19	-	176,848	-	BTS19P2102A	0.41	-	202	-
AWC19C2010C	-	-	-	-	BDM513P2102A	0.37	(0.01)	104,034	-	BTS24C2012A	-	-	-	-
AWC19C2101A	0.07	-	4	-	BDM519C2010A	-	-	-	-	BTS41C2010A	0.01	-	2,000	-
AWC19C2102A	0.13	(0.01)	18,562	-	BDM519C2011A	-	-	-	-	BTS41C2012A	0.01	(0.01)	4	-
AWC19P2011A	0.33	0.02	20,189	-	BDM519C2012A	0.05	-	440	-	CBG01C2012A	0.15	(0.01)	42,194	-
AWC24C2010A	-	-	-	-	BDM519C2102A	0.15	-	105,090	-	CBG01C2102A	0.47	(0.01)	49,692	-
AWC24C2103A	0.19	-	3,147	-	BDM519P2010A	-	-	-	-	CBG01C2103T	0.36	(0.01)	26,288	-
AWC28C2012A	0.02	0.01	100	-	BDM519P2012A	0.40	-	76,292	-	CBG01P2012A	0.38	-	50,754	-
AWC28C2012B	-	-	-	-	BDM524C2101A	0.13	(0.01)	10,455	-	CBG01P2102A	0.74	(0.01)	23,425	-
AWC28C2101A	-	-	-	-	BDM528C2011A	0.01	-	100	-	CBG06C2011A	0.09	(0.01)	27,375	-
AWC28C2103L	-	-	-	-	BDM528C2012A	-	-	-	-	CBG06C2102A	0.50	(0.02)	57,863	-
AWC41C2010A	-	-	-	-	BDM528C2012B	0.01	(0.02)	303	-	CBG08C2012A	0.32	(0.01)	21,200	-
AWC41C2011A	-	-	-	-	BDM528C2101A	-	-	-	-	CBG11C2101A	0.37	-	12,500	-
AWC41C2102A	-	-	-	-	BDM528C2102A	-	-	-	-	CBG13C2011A	0.14	-	1,117	-
AWC42C2101T	-	-	-	-	BDM528C2103A	0.18	-	34,420	-	CBG13C2012A	0.13	-	92,384	-
BANP01C2101A	0.45	(0.01)	82,583	-	BDM541C2012A	-	-	-	-	CBG13C2101A	0.37	(0.01)	164,345	-
BANP01P2101A	0.22	(0.01)	86,502	-	BDM541P2011A	-	-	-	-	CBG13P2011A	0.08	(0.02)	800	-
BANP06C2101A	0.51	(0.02)	105,417	-	BDM542C2101T	-	-	-	-	CBG13P2101A	0.70	-	93,450	-
BANP06P2011A	-	-	-	-	BEM01C2101A	-	-	-	-	CBG16C2101A	0.41	(0.01)	12,784	-
BANP08C2102A	0.45	(0.02)	59,521	-	BEM08C2102A	0.10	-	4,500	-	CBG19C2010A	-	-	-	-
BANP08P2102A	0.24	-	32,180	-	BEM11C2011A	-	-	-	-	CBG19C2011A	0.28	(0.01)	244,070	-
BANP11C2104A	0.45	0.01	56,930	-	BEM13C2011A	0.01	-	1	-	CBG19C2011B	-	-	-	-
BANP13C2011A	0.14	-	243,550	-	BEM13C2101A	0.18	-	59,210	-	CBG19C2101A	0.28	(0.01)	232,110	-
BANP13C2012A	0.38	(0.03)	455,005	-	BEM13P2102A	0.29	-	72,056	-	CBG19P2010A	-	-	-	-
BANP13P2012A	0.09	-	47,356	-	BEM19C2010A	-	-	-	-	CBG19P2011A	-	-	-	-
BANP16C2101A	0.37	(0.01)	5,703	-	BEM19C2011A	-	-	-	-	CBG19P2012A	0.50	(0.01)	44,559	-
BANP19C2010A	-	-	-	-	BEM19C2101A	0.16	(0.03)	32,120	-	CBG24C2102A	0.50	(0.50)	14,217	-
BANP19C2012A	0.39	(0.02)	36,284	-	BEM19C2102A	0.29	-	97,267	-	CBG41C2011A	-	-	-	-
BANP19C2102A	0.30	(0.01)	604,878	-	BEM19P2010A	-	-	-	-	CBG41C2011B	0.16	(0.02)	17,974	-
BANP19P2010A	-	-	-	-	BEM19P2102A	0.38	(0.01)	106,960	-	CBG41C2012A	0.06	(0.01)	2	-
BANP19P2010B	-	-	-	-	BEM28C2012A	-	-	-	-	CBG41P2010A	-	-	-	-
BANP19P2012A	-	-	-	-	BEM28C2103A	0.16	(0.01)	3,549	-	CBG41P2012A	0.72	-	30,883	-
BANP19P2102A	0.28	0.01	164,130	-	BEM28C2104L	0.16	(0.02)	3,042	-	CBG42C2101T	0.52	-	9,053	-
BANP24C2011A	-	-	-	-	BGR101C2012A	-	-	-	-	CENT01C2103A	0.48	-	22,444	-
BANP28C2012A	0.18	-	81,156	-	BGR101C2102A	0.29	-	46,249	-	CENT08C2012A	0.12	-	7,350	-
BANP28C2012B	0.16	(0.01)	75,951	-	BGR101P2012A	0.35	(0.03)	54,297	-	CENT11C2012A	-	-	-	-
BANP28C2101A	0.41	(0.01)	2,000	-	BGR106C2102A	0.24	(0.01)	63,735	-	CENT13C2010A	-	-	-	-
BANP42C2012T	0.12	-	36,650	-	BGR106P2011A	0.33	(0.02)	31,780	-	CENT13C2011A	0.04	-	194	-
BBL06C2101A	0.34	0.05	78,301	-	BGR108C2101A	0.19	0.01	16,273	-	CENT13C2101A	0.31	(0.01)	127,781	-
BBL06P2011A	0.24	(0.08)	81,721	-	BGR111C2101A	0.09	-	9,300	-	CENT13P2011A	0.18	-	89,037	-
BBL08C2101A	0.16	0.01	7,110	-	BGR113C2011A	-	-	-	-	CENT19C2010A	-	-	-	-
BBL08C2103A	1.03	0.07	113,153	1.00	BGR113C2012A	0.11	0.01	91,026	-	CENT19C2011A	-	-	-	-
BBL08P2102A	0.80	(0.07)	36,347	-	BGR113C2101A	0.18	0.01	210,856	-	CENT19C2011B	-	-	-	-
BBL11C2011A	0.13	0.01	49,720	-	BGR113P2011A	-	-	-	-	CENT19C2101A	0.27	(0.01)	18,657	-
BBL11C2104A	0.78	0.06	74,762	-	BGR113P2101A	0.26	(0.01)	110,714	-	CENT19P2011A	0.16	(0.01)	18,979	-
BBL11P2102A	0.57	(0.06)	50,360	-	BGR19C2011A	0.01	-	804	-	CENT24C2011A	0.08	(0.01)	8,806	-
BBL13C2012A	0.12	0.01	192,781	-	BGR19C2012A	0.06	-	513	-	CENT28C2012A	-	-	-	-
BBL13C2012B	0.33	0.04	567,653	-	BGR19C2101A	0.22	-	122,411	-	CENT28C2012B	-	-	-	-
BBL13P2012A	0.48	(0.06)	86,759	-	BGR19P2010A	0.04	(0.04)	100	-	CENT28C2101A	0.11	(0.01)	22,933	-
BBL19C2010A	-	-	-	-	BGR124C2101A	0.23	-	13,041	-	CENT28C2101B	-	-	-	-
BBL19C2011A	-	-	-	-	BGR127C2101A	-	-	-	-	CENT28C2103L	0.16	-	22,252	-
BBL19C2011B	-	-	-	-	BGR127P2012A	0.26	-	9,032	-	CHG06C2102A	0.22	(0.01)	5,085	-
BBL19C2012A	0.27	0.03	203,803	-	BGR141C2010A	-	-	-	-	CHG13C2012A	0.15	-	26,189	-
BBL19C2101A	0.20	0.02	332,337	-	BGR141C2011A	0.24	-	13,868	-	CHG19C2011A	-	-	-	-
BBL19C2101B	0.49	0.05	517,115	-	BGR141C2101A	-	-	-	-	CK01C2101A	0.09	(0.01)	1,784	-
BBL19P2010A	-	-	-	-	BGR142C2101T	-	-	-	-	CK01P2101A	0.72	(0.08)	28,864	-
BBL19P2011A	0.37	(0.07)	204,210	-	BH01C2103A	0.20	-	9,022	-	CK06C2102A	0.10	0.02	24,301	-
BBL19P2012A	0.30	(0.05)	190,670	-	BH13C2012A	0.04	-	490	-	CK06P2012A	-	-	-	-
BBL24C2102A	0.64	0.07	48,343	-	BH13C2101A	0.30	0.02	168,960	-	CK11C2012A	-	-	-	-
BBL28C2011A	-	-	-	-	BH13P2101A	0.45	(0.02)	87,536	-	CK13C2012A	0.04	-	700	-
BBL28C2012A	-	-	-	-	BH19C2012A	0.05	(0.02)	916	-	CK13C2102A	0.25	0.04	222,867	-
BBL28C2101A	-	-	-	-	BH19C2101A	0.46	-	359,267	-	CK19C2010A	-	-	-	-
BBL28C2103A	0.63	0.06	162,493	-	BH19P2012A	0.51	(0.02)	257,056	-	CK19C2011A	-	-	-	-
BBL28C2104L	0.12	0.01	9,126	-	BH24C2102A	0.12	0.01	11,466	-	CK19C2012A	0.06	0.01	10,001	-
BBL41C2011A	-	-	-	-	BH41C2012A	-	-	-	-	CK19C2103A	0.20	0.03	359,182	-
BBL41C2012A	0.30	0.04	45,516	-	BJC01C2101A	-	-	-	-	CK19P2011A	-	-	-	-
BBL41C2012B	-	-	-	-	BJC01P2101A	0.60	(0.01)	14,791	-	CK19P2102A	0.43	(0.04)	213,427	-
BBL41C2102A	0.81	0.08	244,605	-	BJC06C2102A	-	-	-	-	CK24C2102A	-	-	-	-
BBL41P2011A	0.15	(0.05)	13,338	-	BJC11C2102A	0.08	(0.03)	9,440	-	CK41C2011A	-	-	-	-
BBL41P2102A	0.90	(0.08)	126,838	-	BJC13C2011A	-	-	-	-	CK41C2012A	0.04	0.01	1,000	-
BBL42C2101T	0.05	0.01	100	-	BJC13C2012A	-	-	-	-	CK42C				

## Main Board Quotation

Issue Date :

Wednesday October 28, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP19C2010A	-	-	-	-	CPN01P2012A	0.53	(0.04)	44,024	-	EGCO19C2010A	-	-	-	-
CKP19C2011A	0.07	-	10,000	-	CPN06C2103A	0.25	0.02	129,952	-	EGCO19C2011A	-	-	-	-
CKP19C2011B	-	-	-	-	CPN11C2101A	0.07	0.01	220	-	EGCO19C2012A	-	-	-	-
CKP19C2101A	0.07	-	300	-	CPN13C2011A	-	-	-	-	EGCO19C2012B	0.15	(0.03)	283,297	-
CKP19C2102A	0.32	(0.01)	97,981	-	CPN13C2102A	0.06	-	221	-	EGCO19C2102A	0.53	(0.06)	194,052	-
CKP19P2012A	0.52	-	42,583	-	CPN13C2102A	0.34	(0.66)	337,592	-	EGCO19P2011A	1.10	0.05	15,818	1.00
CKP24C2011A	-	-	-	-	CPN19C2010A	-	-	-	-	EGCO19P2012A	0.77	0.05	201,256	-
CKP28C2011A	-	-	-	-	CPN19C2011A	-	-	-	-	EGCO41C2101A	-	-	-	-
CKP28C2012A	-	-	-	-	CPN19C2012A	-	-	-	-	EGCO42C2101T	-	-	-	-
CKP28C2012B	0.01	(0.02)	9	-	CPN19C2102A	0.17	0.01	136,722	-	EPG13C2011A	-	-	-	-
CKP28C2103A	0.10	-	24,028	-	CPN19P2010A	0.03	(0.08)	30,000	-	EPG13C2012A	0.07	-	460	-
COM706C2012A	-	-	-	-	CPN24C2011A	-	-	-	-	EPG13C2102A	0.49	0.04	106,942	-
COM708C2010A	-	-	-	-	CPN41C2101A	-	-	-	-	EPG19C2010A	-	-	-	-
COM708C2011A	-	-	-	-	CPN41C2101A	-	-	-	-	EPG19C2011A	-	-	-	-
COM708C2102A	0.41	(0.02)	29,339	-	CPN41P2011A	0.86	(0.11)	43	-	EPG19C2102A	0.54	0.06	39,810	-
COM711C2101A	0.51	(0.01)	12,100	-	CRC01C2101A	0.14	(0.02)	42,342	-	EPG42C2101T	0.21	0.01	46	-
COM711P2102A	0.50	0.03	7,862	-	CRC01P2101A	0.39	0.02	51,408	-	ERW13C2010A	-	-	-	-
COM713C2010B	-	-	-	-	CRC06C2102A	0.14	(0.04)	80,902	-	ERW19C2010A	-	-	-	-
COM713C2011A	0.31	(0.03)	6,304	-	CRC08C2101A	0.12	(0.01)	17,000	-	ERW19C2010B	-	-	-	-
COM713C2101A	0.33	(0.01)	148,204	-	CRC11P2104A	0.62	0.03	33,166	-	ESS001C2012A	0.11	-	44,806	-
COM716C2101A	0.39	(0.01)	9,210	-	CRC13C2011A	0.01	-	200	-	ESS001P2012A	0.35	(0.02)	76,230	-
COM719C2010A	-	-	-	-	CRC13C2012A	0.07	-	14,208	-	ESS006C2011A	-	-	-	-
COM719C2011A	-	-	-	-	CRC13C2101A	0.15	(0.04)	65,013	-	ESS006C2103A	0.30	0.02	128,013	-
COM719C2011B	-	-	-	-	CRC13P2012A	0.15	0.02	70,851	-	ESS008C2011A	-	-	-	-
COM719C2012A	0.29	(0.01)	304,245	-	CRC19C2010A	-	-	-	-	ESS008C2102A	0.24	0.01	72,699	-
COM719P2011A	0.01	-	600	-	CRC19C2011A	-	-	-	-	ESS013C2012A	0.11	0.01	78,048	-
COM719P2012A	0.05	-	9,020	-	CRC19C2012A	0.07	(0.01)	2	-	ESS019C2010A	-	-	-	-
COM719P2101A	0.21	-	73,960	-	CRC19C2101A	0.16	(0.04)	110,529	-	ESS019C2011A	-	-	-	-
COM724C2012A	0.37	(0.03)	26,672	-	CRC19P2011A	0.09	-	20,000	-	ESS019C2012A	0.10	0.01	101,432	-
COM741C2101A	0.28	(0.02)	49,672	-	CRC24C2101A	0.10	-	8,592	-	ESS019C2103A	0.26	(0.01)	547,801	-
CPAL01C2101A	0.10	-	1,288	-	CRC28C2011A	-	-	-	-	ESS019P2012A	0.23	(0.02)	205,672	-
CPAL01P2101A	0.68	-	37,118	-	CRC28C2012A	-	-	-	-	ESS024C2012A	-	-	-	-
CPAL06C2011A	-	-	-	-	CRC28C2101A	0.11	(0.01)	15,231	-	ESS028C2101A	-	-	-	-
CPAL06C2102A	0.07	-	13,784	-	CRC41C2102A	0.07	(0.01)	140	-	ESS028C2101B	-	-	-	-
CPAL06P2012A	0.76	0.04	106	-	DEL13C2011A	8.70	0.60	497	8.00	ESS041C2011A	-	-	-	-
CPAL08C2011A	0.01	(0.02)	200	-	DOHO06C2012A	0.33	0.01	64,936	-	ESS042C2101T	0.10	-	4,800	-
CPAL08C2102A	0.15	(0.01)	6,103	-	DOHO08C2012A	0.43	0.02	33,546	-	GFPT08C2011A	-	-	-	-
CPAL08P2101A	-	-	-	-	DOHO11C2101A	0.42	0.02	29,832	-	GFPT13C2010A	-	-	-	-
CPAL11C2012A	-	-	-	-	DOHO13C2011A	0.17	(0.01)	19,163	-	GFPT19C2010A	-	-	-	-
CPAL13C2011A	0.01	-	500	-	DOHO13C2101A	0.23	0.01	194,423	-	GFPT19C2010B	-	-	-	-
CPAL13C2012A	0.04	(0.01)	301	-	DOHO19C2011A	0.24	0.01	197,876	-	GFPT19C2012A	0.09	-	553	-
CPAL13C2101A	0.15	(0.01)	85,893	-	DOHO19C2101A	0.26	0.01	260,492	-	GFPT24C2012A	-	-	-	-
CPAL13C2102A	0.32	(0.68)	90,315	-	DOHO28C2012A	0.24	0.02	43,172	-	GFPT42C2101T	-	-	-	-
CPAL13P2011A	0.41	0.01	16,782	-	DOHO28C2102L	0.24	0.01	38,407	-	GLOB01C2012A	-	-	-	-
CPAL19C2010A	-	-	-	-	DOHO42C2012T	0.23	0.01	3,060	-	GLOB013C2011A	0.11	0.01	19,712	-
CPAL19C2011A	-	-	-	-	DTAC01C2101A	0.11	(0.01)	26,722	-	GLOB19C2010A	-	-	-	-
CPAL19C2012A	0.06	(0.01)	18,300	-	DTAC01P2101A	0.30	0.01	28,202	-	GLOB19C2012A	0.16	0.01	67,817	-
CPAL19C2102A	0.12	(0.02)	50,378	-	DTAC06C2012A	-	-	-	-	GLOB24C2010A	0.06	(0.02)	3,000	-
CPAL19P2010A	-	-	-	-	DTAC06C2103A	0.24	(0.02)	50,957	-	GPSCO1C2012A	-	-	-	-
CPAL19P2010B	-	-	-	-	DTAC06P2012A	-	-	-	-	GPSCO1C2011A	0.21	(0.01)	54,946	-
CPAL19P2101A	0.53	-	30,016	-	DTAC08C2012A	-	-	-	-	GPSCO1P2012A	0.77	0.01	34,215	-
CPAL24C2103A	0.23	(0.01)	9,731	-	DTAC08C2101A	0.12	-	3,000	-	GPSCO6C2011A	0.01	-	301	-
CPAL27C2101A	-	-	-	-	DTAC13C2011A	-	-	-	-	GPSCO6C2101A	0.06	(0.01)	5,418	-
CPAL28C2012A	-	-	-	-	DTAC13C2012A	0.07	-	22,200	-	GPSCO6P2011A	-	-	-	-
CPAL28C2012B	-	-	-	-	DTAC13C2101A	0.10	(0.02)	188,126	-	GPSCO8C2101A	0.11	-	10,302	-
CPAL28C2012C	-	-	-	-	DTAC13P2011A	-	-	-	-	GPSCO8C2103A	0.47	(0.02)	24,350	-
CPAL28C2102A	-	-	-	-	DTAC13P2101A	0.21	-	61,674	-	GPSC11C2102A	0.18	(0.01)	13,752	-
CPAL28C2103A	0.15	(0.01)	6,184	-	DTAC19C2010A	-	-	-	-	GPSC13C2011A	-	-	-	-
CPAL28C2104L	0.09	-	350	-	DTAC19C2011A	-	-	-	-	GPSC13C2012A	0.05	-	80	-
CPAL41C2011A	-	-	-	-	DTAC19C2012A	0.04	(0.01)	1,502	-	GPSC13C2012B	0.08	-	10,331	-
CPAL41C2101A	0.11	(0.01)	29,674	-	DTAC19C2101A	0.12	(0.02)	155,038	-	GPSC13P2011A	0.23	(0.02)	356,652	-
CPAL41P2011A	0.74	0.03	1,776	-	DTAC19P2011A	0.26	0.02	17,079	-	GPSC13P2011A	-	-	-	-
CPAL41P2101A	0.67	0.01	76,226	-	DTAC24C2012A	-	-	-	-	GPSC13P2011B	0.29	-	40,506	-
CPAL42C2101T	0.01	(0.01)	100	-	DTAC28C2012A	-	-	-	-	GPSC13P2102A	0.54	0.01	53,742	-
CPF01C2012A	-	-	-	-	DTAC28C2102A	0.08	(0.01)	1	-	GPSC19C2010A	-	-	-	-
CPF01C2101A	0.10	-	21,560	-	DTAC28C2103A	0.16	(0.01)	25,350	-	GPSC19C2012A	-	-	-	-
CPF01P2012A	0.49	(0.02)	10	-	DTAC28C2104L	0.14	-	9,126	-	GPSC19C2101A	0.12	(0.01)	228,052	-
CPF06C2102A	0.09	(0.01)	26,661	-	DTAC41C2010A	-	-	-	-	GPSC19C2101B	0.20	(0.02)	148,236	-
CPF06P2011A	0.13	(0.04)	2,200	-	DTAC41C2011A	-	-	-	-	GPSC19P2010A	-	-	-	-
CPF08C2010A	-	-	-	-	DTAC41C2012A	-	-	-	-	GPSC19P2011A	-	-	-	-
CPF08C2102A	0.11	-	5,500	-	DTAC42C2101T	0.03	-	100	-	GPSC19P2012A	0.53	-	15,264	-
CPF08P2103A	-	-	-	-	EA06C2102A	0.25	(0.01)	77,556	-	GPSC19P2102A	0.61	0.01	170,965	-
CPF11C2010A	-	-	-	-	EA06P2012A	0.32	-	41,235	-	GPSC24C2011A	-	-	-	-
CPF11C2104A	0.23	0.01	25,478	-	EA08C2101A	0.26	(0.02)	45,015	-	GPSC28C2011A	-	-	-	-
CPF11P2104A	0.48	(0.02)	9,027	-	EA11C2101A	0.07	(0.03)	500	-	GPSC28C2101A	0.09	-	2,028	-
CPF13C2011A	-	-	-	-	EA13C2011A	0.02	-	600	-	GPSC28C2103A	0.31	(0.02)	56,283	-
CPF13C2012A	0.03	-	700	-	EA13C2012A	0.10	(0.01)	123,526	-	GPSC28C2104L	0.13	-	10,287	-
CPF13C2101A	0.07	0.01	29,547	-	EA13C2101A	0.25	(0.01)	314,776	-	GPSC41C2011A	-	-	-	-
CPF13C2102A	0.15	-	17,342	-	EA13P2011A	0.42	0.01	49,780	-	GPSC41C2012A	-	-	-	-
CPF13P2012A	-	-	-	-	EA13P2101A	0.22	-	104,755	-	GPSC41P2010A	-	-	-	-
CPF13P2101A	0.25	-	9,494	-	EA16C2012A	-	-	-	-	GPSC42C2101T	-	-	-	-
CPF16C2012A	-	-	-	-	EA19C2010A	-	-	-	-	GULF01C2012A	0.06	(0.03)	176	-
CPF19C2010A	-	-	-	-	EA19C2012A	0.10	(0.01)	238,070	-	GULF01C2102A	0.18	0.01	74,830	-
CPF19C2012A	0.02	(0.01)	18,701	-	EA19C2101A	0.27	-	401,362	-	GULF01P2012A	0.20	(0.01)	79,035	-
CPF19C2102A	0.12	0.01	518	-	EA19P2011A	0.15	(0.01)	18,139	-	GULF01P2102A	0.36	(0.02)	54,083	-
CPF19P2010A	-	-	-	-	EA19P2011B	0.20	(0.01)	162,542	-	GULF06C2101A	0.10	-	42,967	-
CPF19P2012A	-	-	-	-	EA24C2101A	0.21	0.01	5,244	-	GULF08C2102A	-	-	-	-
CPF19P2101A	0.27	(0.01)	3,848	-	EA28C2011A	0.03	0.02	1,110	-	GULF08C2102A	0.18	0.01	8,000	-
CPF24C2012A	0.01	-	5,130	-	EA28C2012A	0.09	-	10	-	GULF11C2011A	-	-	-	-
CPF28C2011A	-	-	-	-	EA28C2101A	0.08	-	4,000	-	GULF11C2104A	0.26	0.01	52,243	-
CPF28C2012A	-	-	-	-	EA28C2102A	0.15	(0.01)	57,256	-	GULF11P2104A	0.52	(0.03)	43,376	-
CPF28C2012B	-	-	-	-	EA28C2103L									



## Main Board Quotation

Issue Date :

Wednesday October 28, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF19P2010A	-	-	-	-	INTU01P2101A	0.56	(0.01)	34,916	-	JMT13C2011B	0.23	(0.03)	2,030	-
GULF19P2010B	-	-	-	-	INTU06C2103A	0.38	0.01	35,610	-	JMT13C2012A	0.15	(0.01)	73,511	-
GULF19P2012A	0.28	(0.03)	24,225	-	INTU06P2011A	0.10	(0.01)	18,850	-	JMT19C2010A	-	-	-	-
GULF19P2102A	0.25	(0.75)	118,666	-	INTU11C2103A	0.40	-	58,243	-	JMT19C2011A	-	-	-	-
GULF24C2101A	0.08	-	5,120	-	INTU13C2011A	-	-	-	-	JMT19C2012A	0.16	(0.01)	374,575	-
GULF28C2012A	0.02	-	23	-	INTU13C2101A	0.30	(0.01)	268,657	-	JMT24C2011A	0.29	(0.01)	10,285	-
GULF28C2012B	-	-	-	-	INTU19C2012A	0.12	-	131,468	-	JMT28C2010A	0.22	(0.01)	25,470	-
GULF28C2101A	-	-	-	-	INTU19C2101A	0.32	0.01	219,187	-	JMT28C2104L	0.19	-	24,773	-
GULF28C2102A	0.06	-	110	-	INTU19P2010A	-	-	-	-	JMT41C2012A	0.14	(0.01)	29,936	-
GULF41C2011A	-	-	-	-	INTU19P2012A	0.40	-	112,136	-	JMT42C2101T	0.17	(0.01)	5,000	-
GULF41C2012A	-	-	-	-	INTU23C2111A	-	-	-	-	KBAN01C2012A	0.32	0.01	27,884	-
GULF41C2102A	0.09	0.01	25,746	-	INTU28C2012A	0.03	-	2,000	-	KBAN01C2012B	0.18	0.01	34,908	-
GULF41P2011A	0.36	(0.04)	15,592	-	INTU28C2102A	0.15	-	24,336	-	KBAN01C2102A	0.55	0.02	44,286	-
GULF41P2012A	0.27	(0.02)	133,645	-	INTU41C2012A	-	-	-	-	KBAN01C2102T	0.44	0.01	29,362	-
GULF42C2010M	-	-	-	-	INTU42C2101T	-	-	-	-	KBAN01P2012A	0.53	(0.05)	79,723	-
GULF42C2101T	-	-	-	-	IRPC01C2101A	0.10	-	11,714	-	KBAN01P2101A	0.67	(0.04)	33,820	-
GULF42P2101T	0.27	(0.02)	3,820	-	IRPC01P2101A	-	-	-	-	KBAN01P2102T	0.66	(0.02)	6,613	-
GUNK01C2012A	0.10	-	1	-	IRPC06C2103A	0.21	-	5,700	-	KBAN06C2011A	0.01	-	8,899	-
GUNK13C2011A	-	-	-	-	IRPC11C2102A	-	-	-	-	KBAN06C2012A	0.05	0.02	1,421	-
GUNK13C2101A	0.07	-	28,390	-	IRPC13C2011A	-	-	-	-	KBAN06C2103A	0.49	0.03	100,795	-
GUNK19C2010A	-	-	-	-	IRPC13C2012A	-	-	-	-	KBAN06P2011A	0.39	(0.07)	70,794	-
GUNK19C2012A	-	-	-	-	IRPC13C2012B	0.06	-	12,000	-	KBAN06P2103A	0.59	(0.04)	40,055	-
GUNK19C2101A	-	-	-	-	IRPC13C2101A	-	-	-	-	KBAN08C2011A	-	-	-	-
GUNK19C2103A	0.13	(0.01)	54,589	-	IRPC13C2102A	0.19	0.01	41,242	-	KBAN08C2101A	0.14	0.01	5,000	-
GUNK24C2012A	0.01	(0.01)	3,000	-	IRPC13P2011A	-	-	-	-	KBAN08C2103A	0.64	0.02	28,800	-
GUNK28C2012A	-	-	-	-	IRPC13P2012A	0.20	-	20,102	-	KBAN08P2101A	0.97	(0.05)	25,221	-
GUNK28C2012B	-	-	-	-	IRPC19C2010A	-	-	-	-	KBAN13C2010B	-	-	-	-
GUNK28C2102A	-	-	-	-	IRPC19C2011A	-	-	-	-	KBAN13C2011A	0.02	-	30	-
GUNK28C2103A	0.09	-	14,168	-	IRPC19C2012A	0.23	-	1,000	-	KBAN13C2012A	0.08	0.01	6,302	-
HANA01C2012A	0.51	(0.06)	32,019	-	IRPC19C2101A	0.09	-	81	-	KBAN13C2012B	0.17	0.01	75,640	-
HANA01C2102A	0.29	(0.04)	35,626	-	IRPC19C2103A	0.19	-	6,156	-	KBAN13C2101A	0.34	0.03	640,833	-
HANA06C2102A	0.42	(0.05)	93,613	-	IRPC19P2011A	-	-	-	-	KBAN13P2011A	-	-	-	-
HANA11C2103A	0.66	(0.05)	13,691	-	IRPC19P2012A	-	-	-	-	KBAN13P2012A	0.59	(0.03)	322,723	-
HANA13C2011A	0.55	(0.20)	10	-	IRPC24C2012A	-	-	-	-	KBAN16C2101A	0.41	0.01	11,028	-
HANA13C2012A	0.26	(0.05)	806,483	-	IRPC28C2012A	0.01	-	1	-	KBAN19C2010A	-	-	-	-
HANA13P2101A	0.48	0.04	178,623	-	IRPC28C2101A	-	-	-	-	KBAN19C2101B	-	-	-	-
HANA16C2101A	0.48	(0.06)	14,352	-	IRPC28C2103A	-	-	-	-	KBAN19C2011A	0.01	-	4,988	-
HANA19C2010A	-	-	-	-	IRPC41C2010A	0.01	-	654	-	KBAN19C2012A	0.14	0.01	56,326	-
HANA19C2012A	0.32	(0.05)	68,021	-	IRPC41C2101A	-	-	-	-	KBAN19C2012B	0.05	-	8,030	-
HANA19C2101A	0.26	(0.04)	347,521	-	IVL01C2012A	0.09	0.02	1	-	KBAN19C2101A	0.36	0.01	519,111	-
HANA19P2011A	-	-	-	-	IVL01C2012B	0.26	0.01	44,452	-	KBAN19P2010A	-	-	-	-
HANA19P2101A	0.48	0.03	191,129	-	IVL01C2102A	0.10	-	36,717	-	KBAN19P2010P	-	-	-	-
HANA24C2012A	0.59	(0.05)	6,210	-	IVL01C2102B	0.49	0.02	55,007	-	KBAN19P2012A	0.45	(0.04)	115,623	-
HANA27P2012X	0.06	0.03	4,110	-	IVL01C2103T	0.37	0.01	44,781	-	KBAN24C2012A	-	-	-	-
HANA28C2012A	-	-	-	-	IVL01P2012A	0.47	(0.02)	26,502	-	KBAN24C2103A	0.58	0.02	35,094	-
HANA28C2104L	0.24	(0.03)	20,524	-	IVL01P2102A	0.68	(0.03)	43,367	-	KBAN28C2012A	-	-	-	-
HANA41C2012A	0.43	(0.03)	11,867	-	IVL06C2101A	0.16	0.01	9,062	-	KBAN28C2012B	-	-	-	-
HANA42C2101T	0.40	(0.04)	3,252	-	IVL06C2103A	0.53	0.02	246,223	-	KBAN28C2101A	0.13	0.01	20,280	-
HMPR01C2012A	0.07	-	20	-	IVL06P2011A	0.29	(0.04)	310	-	KBAN28C2103A	0.48	0.02	74,584	-
HMPR01C2103A	0.40	(0.01)	403,429	-	IVL08C2010A	0.24	0.01	26,414	-	KBAN28C2104L	0.19	0.01	24,336	-
HMPR01P2012A	0.32	(0.03)	89,819	-	IVL08P2011A	0.10	(0.02)	21,009	-	KBAN28P2012A	0.24	(0.02)	28,472	-
HMPR06C2102A	0.30	0.01	88,802	-	IVL08P2102A	0.58	(0.02)	60,265	-	KBAN41C2011A	-	-	-	-
HMPR06P2011A	-	-	-	-	IVL11C2012A	-	-	-	-	KBAN41C2012A	0.10	-	3,956	-
HMPR11C2011A	0.17	-	49,400	-	IVL13C2011A	-	-	-	-	KBAN41C2101A	0.25	0.01	62,100	-
HMPR13C2012A	0.14	-	120,894	-	IVL13C2012A	0.11	-	504,182	-	KBAN41P2011A	-	-	-	-
HMPR13C2102A	0.34	0.02	266,207	-	IVL13C2012B	-	-	-	-	KBAN41P2101B	0.59	(0.02)	138,165	-
HMPR19C2010A	-	-	-	-	IVL13C2101A	0.35	0.02	751,957	-	KBAN42C2101T	0.12	0.01	2,800	-
HMPR19C2102A	0.24	0.01	98,226	-	IVL13P2012A	0.23	(0.02)	559,897	-	KBAN42P2101T	0.81	(0.01)	580	-
HMPR19P2011A	0.14	(0.02)	229,244	-	IVL19C2010A	-	-	-	-	KCE01C2012A	0.57	(0.05)	53,932	-
HMPR41C2010A	-	-	-	-	IVL19C2010B	-	-	-	-	KCE01C2101A	0.64	(0.04)	80,115	-
HSI28C2010A	0.01	-	3,753	-	IVL19C2011A	0.04	-	50,000	-	KCE01P2011A	0.03	(0.02)	220	-
HSI28C2010B	0.01	-	22	-	IVL19C2012A	0.19	-	322,313	-	KCE01P2101A	0.26	0.02	87,031	-
HSI28C2010C	0.01	-	22	-	IVL19C2012B	0.37	0.03	655,806	-	KCE06C2012A	-	-	-	-
HSI28C2010L	0.01	-	22	-	IVL19P2010A	-	-	-	-	KCE06C2012B	-	-	-	-
HSI28C2011A	0.79	(0.15)	159,341	-	IVL19P2010B	-	-	-	-	KCE06C2102A	0.60	(0.05)	38,895	-
HSI28C2011B	0.38	(0.10)	262,770	-	IVL19P2011A	0.29	(0.06)	146,218	-	KCE08C2012A	0.85	(0.02)	108	-
HSI28C2011C	0.06	(0.03)	12,680	-	IVL19P2012A	0.24	(0.03)	361,596	-	KCE08C2103A	0.51	(0.04)	44,180	-
HSI28C2011L	0.12	(0.03)	104,609	-	IVL24C2012A	0.17	-	15,260	-	KCE11C2101A	0.77	(0.06)	48,410	-
HSI28C2012L	0.10	(0.01)	6,623	-	IVL28C2011A	-	-	-	-	KCE13C2010A	0.77	(0.03)	4	-
HSI28C2101L	0.11	(0.02)	30,090	-	IVL28C2012A	-	-	-	-	KCE13C2012A	0.56	(0.07)	10,548	-
HSI28C2102L	0.32	(0.05)	1,540	-	IVL28C2012B	-	-	-	-	KCE13C2102A	0.42	(0.05)	777,855	-
HSI28P2010A	0.01	-	1,038	-	IVL28C2101A	0.15	0.01	42,560	-	KCE13P2010A	-	-	-	-
HSI28P2010B	0.01	-	22	-	IVL28C2103A	0.43	0.01	126,890	-	KCE13P2012A	0.03	-	19,297	-
HSI28P2010C	0.04	(0.01)	44,441	-	IVL28C2104L	0.22	0.01	64,238	-	KCE13P2101A	0.09	-	8,583	-
HSI28P2010L	0.01	-	22	-	IVL41C2011A	-	-	-	-	KCE16C2012A	0.66	(0.07)	6,464	-
HSI28P2011A	0.51	0.06	501,515	-	IVL41C2012A	0.21	-	49,472	-	KCE19C2010A	-	-	-	-
HSI28P2011B	0.25	0.03	162,508	-	IVL41P2010A	-	-	-	-	KCE19C2010B	-	-	-	-
HSI28P2011C	0.11	-	3,629	-	IVL41P2012A	0.46	(0.04)	48,989	-	KCE19C2011A	0.71	0.02	300	-
HSI28P2011L	0.03	0.02	357	-	IVL41P2012B	0.22	(0.02)	9,223	-	KCE19C2012A	0.51	(0.06)	20,951	-
HSI28P2012L	0.21	0.02	4,594	-	IVL42C2101T	-	-	-	-	KCE19C2102A	0.47	(0.04)	145,088	-
HSI28P2101L	0.20	-	511	-	JAS08C2011A	-	-	-	-	KCE19C2102B	0.35	(0.65)	240,064	-
HSI28P2102L	0.25	0.01	3,222	-	JAS08P2103A	0.65	-	10,300	-	KCE19P2010A	-	-	-	-
HSI41C2010A	0.02	(0.04)	5,340	-	JAS13C2011A	0.01	-	1,108	-	KCE19P2012A	-	-	-	-
HSI41C2010B	-	-	-	-	JAS13C2012A	0.06	0.01	16,601	-	KCE19P2101A	0.08	(0.01)	18,250	-
HSI41C2010C	-	-	-	-	JAS13C2101A	0.16	0.01	50,766	-	KCE19P2102A	0.23	0.01	101,775	-
HSI41C2011A	0.06	(0.02)	1	-	JAS19C2010A	-	-	-	-	KCE24C2010A	-	-	-	-
HSI41C2011B	0.83	(0.14)	6,349	-	JAS19C2010B	-	-	-	-	KCE27C2101X	1.23	(0.02)	4,755	1.00
HSI41C2011C	0.37	(0.10)	1,286,510	-	JAS19C2012A	0.05	-	500	-	KCE41C2012A	0.58	-	4,736	-
HSI41C2011D	-	-	-	-	JAS19C2101A	0.17	-	3,985	-	KCE42C2012T	1.59	(0.04)	4,110	1.00
HSI41C2011E	-													

## Main Board Quotation

Issue Date :

Wednesday October 28, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KT28C2011A	0.01	-	10	-	MTC28C2012A	0.14	0.01	10,140	-	PTT19P2101A	0.21	0.02	219,031	-
KT28C2012A	-	-	-	-	MTC28C2012B	0.32	0.05	82,099	-	PTT24C2101A	-	-	-	-
KT28C2012B	-	-	-	-	MTC28C2102L	0.21	0.01	56,849	-	PTT28C2011A	-	-	-	-
KT28C2101C	-	-	-	-	MTC41C2012A	0.41	0.05	52,357	-	PTT28C2012A	-	-	-	-
KT28C2102A	0.12	0.01	14,254	-	MTC42C2101T	0.14	0.01	3,400	-	PTT28C2101A	-	-	-	-
KT28C2103A	0.27	-	29,372	-	ORI13C2011A	0.15	-	30,404	-	PTT28C2103A	0.13	(0.01)	55,221	-
KTC01C2012A	0.37	(0.01)	47,626	-	ORI19C2010A	-	-	-	-	PTT28C2103L	0.11	-	4,056	-
KTC01P2012A	0.03	-	120	-	ORI19C2011A	0.32	-	15,609	-	PTT41C2101A	-	-	-	-
KTC08C2011A	0.23	-	31,300	-	ORI19C2012A	0.14	-	7,267	-	PTT41C2102A	-	-	-	-
KTC11C2104A	0.47	(0.01)	50,005	-	ORI28C2011A	-	-	-	-	PTT41C2101A	-	-	-	-
KTC11P2011A	-	-	-	-	ORI28C2012A	-	-	-	-	PTT41C2101B	0.11	(0.02)	164,625	-
KTC11P2104A	0.55	-	39,077	-	ORI28C2012B	0.28	(0.01)	48,544	-	PTT41P2011A	-	-	-	-
KTC13C2101B	-	-	-	-	ORI28C2101A	0.11	-	24,371	-	PTT41P2012A	0.47	-	9,987	-
KTC13C2101A	0.37	(0.01)	185,590	-	ORI28C2103L	0.21	(0.01)	22,815	-	PTT41P2101A	0.26	-	19,784	-
KTC13C2101A	0.33	(0.01)	367,857	-	OSP01C2102A	0.10	-	2	-	PTT42C2101M	-	-	-	-
KTC13P2101A	-	-	-	-	OSP01C2102A	0.16	(0.01)	37,022	-	PTT42C2101T	-	-	-	-
KTC13P2012A	0.05	-	800	-	OSP01P2012A	0.56	(0.01)	6,785	-	PTT42P2101T	0.22	0.01	9,200	-
KTC13P2101A	0.27	-	311,616	-	OSP06C2101A	-	-	-	-	PTTE01C2012A	0.28	(0.03)	50,463	-
KTC19C2101A	-	-	-	-	OSP06C2102A	0.08	(0.01)	5,000	-	PTTE01C2102A	0.78	(0.05)	55,362	-
KTC19C2102A	-	-	-	-	OSP06P2102A	-	-	-	-	PTTE01C2103T	0.50	(0.02)	32,456	-
KTC19C2101A	0.39	(0.01)	30,327	-	OSP08C2102A	0.19	(0.01)	21,000	-	PTTE01P2102A	0.85	-	50,905	-
KTC19C2101A	0.31	(0.01)	285,845	-	OSP11C2102A	0.10	(0.01)	6,340	-	PTTE01P2103T	0.73	0.02	32,170	-
KTC19P2010A	-	-	-	-	OSP13C2102A	0.02	-	2,200	-	PTTE06C2101A	-	-	-	-
KTC19P2012A	-	-	-	-	OSP13C2101A	0.07	(0.01)	24,870	-	PTTE06C2101A	0.26	(0.03)	105,288	-
KTC19P2101A	0.30	-	213,211	-	OSP13C2102A	0.18	-	42,378	-	PTTE06P2011A	0.11	0.01	29,053	-
KTC24C2011A	0.37	(0.01)	10,400	-	OSP13P2011A	0.35	(0.01)	8,328	-	PTTE06P2102A	0.72	0.04	76,454	-
KTC28C2011A	-	-	-	-	OSP19C2010A	-	-	-	-	PTTE08C2011A	-	-	-	-
KTC28C2012A	0.12	(0.01)	15,376	-	OSP19C2012A	0.03	-	800	-	PTTE08P2101A	0.96	0.06	57,518	-
KTC28C2012B	0.29	(0.01)	50,872	-	OSP19C2101A	0.08	-	6,200	-	PTTE11C2011A	0.17	(0.02)	14,643	-
KTC28C2101A	-	-	-	-	OSP19C2103A	0.21	-	54,300	-	PTTE11P2102A	0.68	0.02	61,832	-
KTC28C2103L	0.29	-	64,882	-	OSP19P2010A	-	-	-	-	PTTE13C2011A	0.03	(0.03)	718	-
KTC41C2011A	-	-	-	-	OSP19P2102A	0.27	-	14,801	-	PTTE13C2012A	0.20	(0.02)	201,652	-
KTC41C2012A	0.38	0.01	19,791	-	OSP24C2101A	0.07	(0.01)	46	-	PTTE13C2101A	0.48	(0.04)	374,996	-
KTC42C2012T	0.18	-	10,500	-	OSP28C2101A	-	-	-	-	PTTE13P2012A	0.41	0.01	156,908	-
LH01C2101A	0.12	(0.01)	5,475	-	OSP28C2101B	-	-	-	-	PTTE19C2010A	-	-	-	-
LH06C2012A	-	-	-	-	OSP28C2103B	0.20	-	15,278	-	PTTE19C2010B	-	-	-	-
LH11C2012A	-	-	-	-	OSP28C2104L	0.21	(0.01)	15,168	-	PTTE19C2011A	-	-	-	-
LH13C2101A	0.11	-	21,986	-	OSP41C2012A	-	-	-	-	PTTE19C2011B	-	-	-	-
LH19C2010A	-	-	-	-	OSP42C2101T	-	-	-	-	PTTE19C2012A	0.19	(0.02)	279,743	-
LH19C2011A	-	-	-	-	PLAN06C2102A	0.19	0.01	20,903	-	PTTE19C2101A	0.52	(0.04)	486,998	-
LH19C2101A	0.13	-	25,050	-	PLAN11C2103A	0.30	0.01	11,301	-	PTTE19P2010A	-	-	-	-
LH19P2010A	-	-	-	-	PLAN13C2011A	0.07	0.01	12,541	-	PTTE19P2010B	-	-	-	-
MAJ013C2011A	-	-	-	-	PLAN13C2101A	0.13	-	24,045	-	PTTE19P2012A	0.51	0.02	131,768	-
MAJ013C2101A	0.18	(0.01)	2,414	-	PLAN19C2010A	-	-	-	-	PTTE19P2101A	0.43	0.02	321,139	-
MAJ019C2011A	0.06	(0.03)	190	-	PLAN19C2010B	-	-	-	-	PTTE24C2011A	-	-	-	-
MEGA13C2011A	0.02	0.01	50	-	PLAN19C2012A	0.11	0.01	10,254	-	PTTE28C2011A	-	-	-	-
MEGA13C2101A	0.17	(0.01)	52,113	-	PLAN27C2101A	0.23	-	47,704	-	PTTE28C2011B	-	-	-	-
MEGA19C2011A	-	-	-	-	PLAN28C2012A	-	-	-	-	PTTE28C2012A	0.11	(0.01)	2,028	-
MEGA19C2101A	0.15	(0.01)	154,068	-	PLAN28C2012B	0.09	0.01	6,029	-	PTTE28C2101A	0.14	(0.01)	60,281	-
MEGA42C2101T	-	-	-	-	PLAN42C2101T	-	-	-	-	PTTE28C2102L	0.14	(0.01)	44,336	-
MINT01C2012A	0.10	-	121,677	-	PRM08C2101A	0.16	0.01	3,000	-	PTTE28C2103A	0.56	(0.04)	106,082	-
MINT01C2102A	0.31	-	122,505	-	PRM11C2102A	0.27	0.01	10,902	-	PTTE41C2010A	-	-	-	-
MINT01P2012A	0.29	(0.02)	104,887	-	PRM13C2010A	-	-	-	-	PTTE41C2011A	-	-	-	-
MINT01P2012B	0.85	(0.02)	52,070	-	PRM13C2012A	0.12	-	50,771	-	PTTE41C2012A	-	-	-	-
MINT01P2102T	0.70	(0.02)	50,091	-	PRM16C2012A	-	-	-	-	PTTE41C2101A	0.17	(0.02)	17,787	-
MINT06C2012A	0.11	-	80,381	-	PRM19C2010A	-	-	-	-	PTTE41C2101B	0.49	(0.05)	258,410	-
MINT06P2012A	0.31	(0.02)	108,587	-	PRM19C2011A	0.05	-	651	-	PTTE41P2011A	0.70	0.04	200	-
MINT06P2102A	-	-	-	-	PRM19C2101A	0.18	(0.01)	39,992	-	PTTE41P2101A	0.60	0.03	223,142	-
MINT08C2010A	0.01	-	400	-	PRM28C2012A	-	-	-	-	PTTE42C2101T	0.15	(0.01)	3,008	-
MINT08C2102A	0.31	-	42,441	-	PRM42C2101T	0.10	(0.01)	800	-	PTTG01C2101A	0.67	0.03	5,730	-
MINT08P2011A	0.32	(0.03)	46,786	-	PTG01C2012A	0.24	0.01	53,396	-	PTTG01C2012A	0.17	(0.01)	37,400	-
MINT08P2102A	-	-	-	-	PTG01P2012A	0.36	(0.03)	58,164	-	PTTG01C2102A	0.39	0.01	28,678	-
MINT11C2011A	0.12	(0.01)	58,300	-	PTG06C2010A	0.01	(0.02)	820	-	PTTG01P2012A	0.63	(0.03)	21,103	-
MINT11P2011A	0.22	(0.02)	32,382	-	PTG06C2103A	0.49	0.01	50,421	-	PTTG01P2102A	0.44	(0.02)	26,469	-
MINT11P2104A	0.72	(0.01)	63,859	-	PTG08C2011A	0.24	0.02	34,200	-	PTTG08C2101A	0.15	-	8,100	-
MINT13C2011A	0.02	(0.01)	7,100	-	PTG11C2101A	0.33	-	31,332	-	PTTG08C2103A	0.48	-	31,100	-
MINT13C2101A	0.19	0.01	362,140	-	PTG13C2012A	0.09	-	9,370	-	PTTG08P2010A	0.01	-	1,200	-
MINT13P2011A	0.20	(0.02)	85,967	-	PTG13C2012B	0.26	0.01	327,416	-	PTTG08P2102A	0.42	(0.01)	23,000	-
MINT13P2012A	0.60	(0.03)	15,432	-	PTG16C2101A	0.34	0.01	15,984	-	PTTG11C2010A	-	-	-	-
MINT13P2101A	0.46	(0.03)	428,097	-	PTG19C2010A	0.15	(0.03)	2,000	-	PTTG11C2104A	0.48	-	59,846	-
MINT16C2012A	0.09	-	21	-	PTG19C2011A	0.11	-	315,915	-	PTTG11P2101A	0.64	(0.02)	59,290	-
MINT19C2010A	-	-	-	-	PTG19C2012A	0.26	0.01	269,927	-	PTTG13C2011A	0.02	-	203	-
MINT19C2011A	0.17	-	9,577	-	PTG19P2010A	-	-	-	-	PTTG13C2012A	0.11	0.01	28,239	-
MINT19C2011B	0.02	-	4,900	-	PTG19P2011A	0.12	(0.01)	61,964	-	PTTG13C2101A	0.25	0.01	195,992	-
MINT19C2102A	0.29	0.01	492,319	-	PTG19P2101A	0.42	(0.03)	207,809	-	PTTG13P2010A	-	-	-	-
MINT19P2010A	-	-	-	-	PTG24C2102A	0.30	0.01	18,617	-	PTTG13P2011A	0.27	(0.15)	6,000	-
MINT19P2011A	0.15	(0.01)	135,396	-	PTG41C2101A	0.29	0.01	93,871	-	PTTG13P2012A	0.29	(0.01)	113,661	-
MINT19P2012A	-	-	-	-	PTG42C2101T	0.23	0.03	9,690	-	PTTG19C2011A	0.03	(0.01)	1,000	-
MINT19P2101A	0.52	(0.03)	312,022	-	PTT01C2012A	0.06	(0.01)	236	-	PTTG19C2012A	0.13	-	110,300	-
MINT24C2011A	0.06	-	3,400	-	PTT01C2102A	0.21	(0.02)	79,680	-	PTTG19C2101A	0.30	-	163,216	-
MINT28C2012A	-	-	-	-	PTT01C2103T	0.17	(0.83)	5,930	-	PTTG19P2010A	-	-	-	-
MINT28C2012B	-	-	-	-	PTT01P2012A	0.23	-	109,726	-	PTTG19P2011A	0.14	(0.01)	81,719	-
MINT28C2012C	-	-	-	-	PTT01P2102A	0.32	-	84,536	-	PTTG19P2011B	-	-	-	-
MINT28C2103A	0.29	-	117,854	-	PTT01P2103T	0.25	-	55,375	-	PTTG19P2102A	0.41	(0.02)	73,340	-
MINT28C2104L	0.11	-	38,725	-	PTT06C2012A	-	-	-	-	PTTG24C2101A	0.21	0.01	13,682	-
MINT41C2012A	0.18	(0.01)	34,706	-	PTT06C2102A	0.07	(0.01)	8,454	-	PTTG28C2011A	-	-	-	-
MINT42C2101T	0.11	-	5,630	-	PTT08C2101A	-	-	-	-	PTTG28C2012A	0.08	0.01	1,000	-
MINT42P2102T	0.69	(0.02)	13,408	-	PTT08C2103A	0.25	(0.02)	32,806	-	PTTG28C2102L	-	-	-	-
MTC01C2012A	0.36	0.01	79,798	-	PTT08P2101A	-	-	-	-	PTTG28C2103A	0.27	0.01	38,504	-
MTC01C2102A	0.60	0.05	56,339	-	PTT11C2101A	0.06								

## Main Board Quotation

Issue Date :

Wednesday October 28, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RATC13C2101A	0.16	-	72,919	-	S5028P2103L	0.81	0.01	250,035	-	SCC41C2101A	0.23	-	35,704	-
RATC13P2011A	0.28	(0.01)	31,922	-	S5041C2012A	0.03	(0.01)	2,000	-	SCC41C2101B	0.54	(0.01)	152,582	-
RATC19C2011A	-	-	-	-	S5041P2012B	0.01	-	1,600	-	SCC41P2011A	0.42	-	2,730	-
RATC19C2012A	-	-	-	-	S5041C2012C	-	-	-	-	SCC41P2102A	0.44	(0.01)	77,068	-
RATC19C2101A	0.14	(0.01)	20,000	-	S5041C2012D	0.04	(0.01)	100	-	SGP13C2011A	-	-	-	-
RATC19P2011A	0.45	(0.01)	8,508	-	S5041C2012E	-	-	-	-	SGP13C2102A	0.37	(0.02)	116,472	-
RATC24C2012A	-	-	-	-	S5041C2012F	0.19	-	1,700	-	SGP19C2011A	0.11	(0.01)	4,051	-
RATC41C2012A	0.09	(0.01)	61	-	S5041C2012G	0.21	(0.02)	897,476	-	SGP19C2102A	0.40	(0.01)	75,623	-
RATC42C2102T	-	-	-	-	S5041C2012H	0.46	(0.04)	1,016,448	-	SGP42C2101T	0.15	(0.02)	12	-
RS06C2101A	-	-	-	-	S5041C2103T	0.64	(0.03)	1,029,209	-	SIRI19C2011A	-	-	-	-
RS06C2012A	0.22	0.01	11,975	-	S5041C2103U	-	-	-	-	SIRI19C2103A	0.11	-	30	-
RS08C2011A	-	-	-	-	S5041P2012A	0.96	0.01	414,031	-	SIRI42C2101T	-	-	-	-
RS08C2103A	0.41	0.01	4,862	-	S5041P2012B	0.88	0.02	1,319,999	-	SPAL06C2103A	0.36	(0.02)	17,444	-
RS13C2011A	0.10	-	1,808	-	S5041P2012C	0.93	(0.03)	37,092	-	SPAL13C2102A	0.29	(0.01)	26,372	-
RS13C2101A	0.29	0.02	62,157	-	S5041P2012E	-	-	-	-	SPAL19C2011A	0.21	(0.01)	16,210	-
RS19C2010A	-	-	-	-	S5041P2012F	0.78	-	24,780	-	SPAL19C2011B	-	-	-	-
RS19C2010B	-	-	-	-	S5041P2012G	1.08	(0.07)	25	1.00	SPAL27C2101A	-	-	-	-
RS19C2011A	-	-	-	-	S5041P2012U	1.09	0.03	36	1.00	SPRC01C2101A	0.12	-	45,914	-
RS19C2011B	0.10	0.01	65,608	-	S5041P2103T	1.87	0.04	60,774	1.00	SPRC01P2101A	0.52	(0.01)	20,134	-
RS19C2102A	0.31	0.02	41,556	-	S5042C2101G	0.44	(0.04)	175,311	-	SPRC06C2102A	0.10	(0.01)	57,422	-
RS19P2012A	0.27	(0.03)	46,546	-	S5042C2102T	0.40	0.01	700	-	SPRC06P2011A	0.11	0.01	50,250	-
RS28C2012A	-	-	-	-	S5042P2101G	0.64	0.03	172,684	-	SPRC08C2011A	-	-	-	-
RS28C2101A	0.22	0.02	6,084	-	S5042P2102T	0.60	0.01	59,536	-	SPRC11C2102A	0.15	(0.01)	39,460	-
RS28C2101L	0.35	0.01	7,701	-	SAWA01C2012A	0.37	0.03	57,341	-	SPRC13C2012A	0.04	(0.01)	1,000	-
RS41C2011A	0.29	0.01	7,912	-	SAWA01C2102A	0.49	0.04	35,800	-	SPRC13C2012B	0.07	-	24,866	-
RS42C2101T	0.21	-	878	-	SAWA01C2103T	0.37	0.04	57,909	-	SPRC19C2101A	-	-	-	-
SI0001C2011A	0.02	0.01	400	-	SAWA01P2012A	0.33	(0.04)	26,719	-	SPRC19C2012A	0.05	(0.01)	32,000	-
S5001C2012F	0.15	(0.01)	10,426	-	SAWA01P2102A	0.64	(0.06)	28,949	-	SPRC19C2101A	0.14	-	276,993	-
S5001C2012G	0.27	(0.02)	105,869	-	SAWA06C2010A	0.49	0.07	106,969	-	SPRC19P2011A	0.25	(0.01)	17,116	-
S5001C2101A	0.54	(0.04)	721,141	-	SAWA08C2011A	-	-	-	-	SPRC28C2011A	-	-	-	-
S5001P2012F	1.02	-	520,039	1.00	SAWA08C2101A	0.39	0.05	34,838	-	SPRC28C2101A	-	-	-	-
S5001P2012G	0.60	0.02	323,618	-	SAWA11C2103A	0.57	0.05	79,333	-	SPRC42C2101T	-	-	-	-
S5001P2101A	0.92	0.01	322,786	-	SAWA13C2011A	0.14	0.02	209,561	-	SPX28C2012A	0.71	(0.21)	32,721	-
S5006C2012A	0.05	-	359	-	SAWA13C2101A	0.33	0.04	338,936	-	SPX28C2012B	0.28	(0.10)	11,011	-
S5006C2012B	0.10	(0.03)	150,783	-	SAWA16C2101A	0.35	0.04	7,087	-	SPX28C2012C	0.33	(0.17)	13,142	-
S5006P2012A	1.15	0.02	575,212	1.00	SAWA19C2011A	-	-	-	-	SPX28C2012D	0.16	(0.08)	5,180	-
S5006P2012B	0.54	0.01	126,354	-	SAWA19C2012A	0.30	0.04	531,845	-	SPX28C2103L	0.26	(0.06)	4,541	-
S5008C2012A	0.05	-	121	-	SAWA19P2011A	0.08	(0.03)	14,400	-	SPX28P2012A	0.31	0.05	15,600	-
S5008C2012B	-	-	-	-	SAWA28C2011A	-	-	-	-	SPX28P2012B	0.16	0.03	15,888	-
S5008C2012C	0.15	(0.01)	64,096	-	SAWA28C2012A	0.19	0.04	23,510	-	SPX28P2012C	0.96	0.16	2,395	-
S5008C2012D	0.33	(0.03)	512,691	-	SAWA28C2012B	-	-	-	-	SPX28P2012D	0.50	0.04	2,000	-
S5008P2012A	1.08	0.02	395,917	1.00	SAWA28C2101A	0.28	0.04	85,564	-	SPX28P2103L	0.38	0.03	57	-
S5008P2012B	0.47	0.01	282,523	-	SAWA28C2102L	0.11	-	2,028	-	SPX41C2012A	0.44	(0.17)	20,448	-
S5011C2012A	0.28	(0.04)	11,400	-	SAWA41C2010A	-	-	-	-	SPX41C2012B	0.19	(0.11)	64,758	-
S5011P2012A	0.65	0.01	20,900	-	SAWA41C2012A	0.20	0.03	46,880	-	SPX41C2012C	0.12	(0.03)	7,499	-
S5013C2010A	0.18	-	110	-	SAWA42C2101T	0.09	0.02	650	-	SPX41C2012T	0.60	(0.17)	6,800	-
S5013C2012A	0.04	(0.01)	52,286	-	SCB01C2101A	0.27	0.01	58,295	-	SPX41C2012U	1.06	(0.20)	54,675	1.00
S5013C2012B	0.05	(0.01)	7,757	-	SCB01C2103A	0.58	0.02	36,115	-	SPX41C2103T	0.65	(0.13)	2,732	-
S5013C2012C	0.08	(0.01)	35,608	-	SCB01C2103T	0.40	0.02	23,914	-	SPX41P2012A	0.75	0.14	20,895	-
S5013C2012D	0.05	-	91,646	-	SCB01P2101A	0.70	(0.04)	24,833	-	SPX41P2012B	0.53	0.13	2,040	-
S5013C2012E	0.11	(0.01)	282,153	-	SCB01P2103T	0.53	0.02	9,596	-	SPX41P2012C	-	-	-	-
S5013C2012F	0.17	(0.03)	2,630,134	-	SCB06C2101A	0.01	-	172	-	SPX41P2012T	0.60	0.06	2,119	-
S5013C2012G	0.19	(0.03)	5,385,632	-	SCB06C2103A	0.51	0.03	94,296	-	SPX41P2012U	0.48	0.10	1,930	-
S5013C2012H	0.31	(0.03)	7,730,111	-	SCB08C2101A	0.21	0.01	17,000	-	SPX41P2103T	0.88	0.09	2	-
S5013C2101A	0.47	(0.01)	46,707	-	SCB08P2012A	0.38	(0.02)	42,030	-	STA01C2101A	0.48	0.08	270,681	-
S5013P2010A	0.91	-	981	-	SCB11C2102A	0.28	0.01	27,762	-	STA06C2012A	0.35	0.09	236,302	-
S5013P2012A	1.06	0.02	482,465	1.00	SCB11P2012A	0.43	(0.03)	57,600	-	STA08C2010A	-	-	-	-
S5013P2012B	1.13	0.01	73,656	1.00	SCB13C2011A	-	-	-	-	STA08C2011A	0.22	0.08	35,022	-
S5013P2012C	0.69	0.01	7,429,160	-	SCB13C2012A	0.25	-	163,851	-	STA08C2101A	0.57	0.10	49,288	-
S5013P2012D	0.42	0.01	6,527,699	-	SCB13C2102A	0.47	0.03	153,047	-	STA13C2010C	-	-	-	-
S5013P2012E	0.31	-	10,264,703	-	SCB13P2012A	0.35	(0.03)	119,119	-	STA13C2010D	-	-	-	-
S5013P2012F	0.41	-	8,198,324	-	SCB19C2010A	-	-	-	-	STA13C2011A	-	-	-	-
S5013P2101A	0.74	0.02	7,099	-	SCB19C2010B	-	-	-	-	STA13C2011B	0.16	0.05	630,855	-
S5016C2012A	-	-	-	-	SCB19C2012A	0.15	0.02	165,479	-	STA13C2012A	0.34	0.09	1,994,463	-
S5016C2012B	0.05	(0.02)	1	-	SCB19C2101A	0.34	0.02	350,545	-	STA13C2101A	0.32	0.07	1,085,141	-
S5016C2012C	0.20	(0.02)	25,508	-	SCB19P2010A	-	-	-	-	STA13P2012A	0.03	(0.02)	7,232	-
S5016P2012A	0.99	0.01	17,368	-	SCB19P2011A	-	-	-	-	STA13P2012B	0.06	(0.03)	44,292	-
S5016P2012B	0.87	0.01	89,037	-	SCB19P2011B	0.27	(0.03)	161,193	-	STA19C2010A	-	-	-	-
S5016P2103Z	-	-	-	-	SCB24C2012A	0.14	0.01	18,636	-	STA19C2010B	-	-	-	-
S5019C2012A	0.05	-	368	-	SCB28C2012A	-	-	-	-	STA19C2010C	-	-	-	-
S5019C2012B	0.03	-	30,500	-	SCB28C2012B	0.10	-	6,084	-	STA19C2011A	1.12	0.16	84	1.00
S5019C2012C	0.08	0.01	478	-	SCB28C2103A	0.38	0.02	59,357	-	STA19C2011B	0.30	0.08	317,040	-
S5019C2012D	0.16	(0.02)	248,565	-	SCB28C2104L	0.19	0.01	18,759	-	STA19C2012A	0.39	0.09	235,857	-
S5019C2012E	0.29	(0.02)	3,836,674	-	SCB41C2011A	-	-	-	-	STA19C2102A	0.34	0.07	1,277,175	-
S5019P2012A	1.04	0.01	668,063	1.00	SCB41C2011B	-	-	-	-	STA19P2010A	-	-	-	-
S5019P2012B	0.85	0.01	619,314	-	SCB41C2012A	0.20	-	15,834	-	STA19P2012A	0.04	(0.02)	1,758	-
S5019P2012C	0.63	0.02	3,968,320	-	SCB41C2102A	0.64	0.02	214,098	-	STA19P2101A	0.09	(0.04)	359,494	-
S5019P2012D	0.38	0.01	4,240,663	-	SCB41P2011A	-	-	-	-	STA24C2011A	0.16	0.04	19,392	-
S5024C2012A	-	-	-	-	SCB41P2102A	0.69	(0.03)	98,939	-	STA28C2011A	-	-	-	-
S5024C2012B	-	-	-	-	SCB42C2101T	-	-	-	-	STA28C2011B	-	-	-	-
S5024C2012C	-	-	-	-	SCC01C2101A	0.48	(0.01)	32,260	-	STA28C2012A	1.94	0.19	1,100	1.00
S5024C2012D	0.04	-	2	-	SCC01P2012A	0.48	(0.01)	51,205	-	STA28C2102L	0.22	0.03	33,556	-
S5024C2012E	0.07	-	201	-	SCC06C2012A	0.10	-	196	-	STA28C2103A	0.40	0.08	150,965	-
S5024C2012F	0.16	(0.01)	18,255	-	SCC08C2011A	-	-	-	-	STA41C2010A	0.13	0.01	1	-
S5024C2012G	0.27	(0.04)	166,950	-	SCC11C2011A	0.24	(0.01)	10,160	-	STA42C2101T	0.21	0.04	6,101	-
S5024C2012H	0.49	(0.05)	373,688	-	SCC13C2011A	0.07								



## Main Board Quotation

Issue Date :

Wednesday October 28, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STEC28C2012A	-	-	-	-	TMB19C2103A	0.18	(0.01)	21,000	-	TV013C2011A	0.24	(0.02)	2,100	-
STEC28C2010A	-	-	-	-	TMB19P2011A	0.23	(0.02)	33	-	TV013C2012A	0.29	-	23,365	-
STEC28C2103A	0.13	0.01	55,622	-	TMB41C2010A	0.01	-	6	-	TV019C2011A	-	-	-	-
STEC28C2104L	-	-	-	-	TOA13C2011A	-	-	-	-	TV019C2012A	0.26	(0.01)	36,853	-
STEC41C2012A	-	-	-	-	TOA13C2102A	0.20	(0.01)	43,304	-	TV019C2101A	0.19	-	510	-
STEC42P2102T	0.35	(0.03)	6,733	-	TOA19C2010A	-	-	-	-	VG010C2012A	0.14	(0.01)	27,202	-
SUPE08C2012A	0.06	(0.01)	3,230	-	TOA19C2012A	0.08	-	23,320	-	VG010C2103A	0.31	-	20,282	-
SUPE08C2102A	0.16	-	9,798	-	TOA19C2103A	0.27	(0.73)	161,335	-	VG010C2104A	0.01	-	16,205	-
SUPE08P2102A	0.32	(0.02)	3,045	-	TOA42C2101T	-	-	-	-	VG010C2101A	0.11	-	4,908	-
SUPE19C2010A	0.07	-	11,855	-	TOP01C2012A	0.08	(0.02)	3,470	-	VG010C2103A	0.36	-	18,673	-
SUPE19C2011A	0.03	0.01	1,507	-	TOP01C2102A	0.37	(0.03)	45,998	-	VG111C2101A	0.10	-	12,180	-
SUPE19C2011B	-	-	-	-	TOP01P2012A	0.38	(0.01)	29,095	-	VG113C2012A	0.06	-	717	-
SUPE19C2012A	0.13	(0.01)	149,200	-	TOP01P2102A	0.34	-	19,366	-	VG113C2101A	0.12	(0.01)	84,903	-
SUPE19P2011A	-	-	-	-	TOP06C2011A	-	-	-	-	VG192C2010A	-	-	-	-
SUPE19P2012A	0.16	(0.02)	3,351	-	TOP06C2102A	0.09	(0.01)	23,876	-	VG192C2012A	-	-	-	-
SUPE42C2101T	0.05	-	800	-	TOP06C2102B	0.29	(0.03)	26,350	-	VG192C2012B	0.16	(0.01)	8,693	-
SUPE42P2102T	-	-	-	-	TOP06P2102A	0.61	0.02	23,735	-	VG192C2012C	0.04	(0.01)	1,028	-
TASC01C2012A	0.03	0.01	18,880	-	TOP08C2010A	0.01	-	186	-	VG124C2012A	-	-	-	-
TASC01C2012B	0.22	0.05	95,977	-	TOP08C2102A	0.24	-	9,400	-	VG28C2101A	-	-	-	-
TASC01P2012A	0.47	(0.12)	49,490	-	TOP11C2011A	-	-	-	-	VG28C2103A	0.18	(0.01)	33,996	-
TASC06C2012A	0.02	-	8,250	-	TOP11P2104A	0.60	-	28,980	-	VG28C2103L	0.12	-	24,336	-
TASC06C2102A	0.36	0.09	110,383	-	TOP13C2011A	-	-	-	-	VG41C2011A	-	-	-	-
TASC08C2011A	0.02	(0.01)	3,583	-	TOP13C2012A	-	-	-	-	VG42C2101T	-	-	-	-
TASC08C2012A	0.01	-	520	-	TOP13C2012B	0.06	-	10,922	-	WHA01C2101A	0.09	(0.01)	8,399	-
TASC11C2102A	0.05	-	720	-	TOP13C2101A	0.18	(0.02)	220,601	-	WHA01P2101A	0.80	0.01	38,032	-
TASC13C2011A	0.01	-	103	-	TOP13P2010A	-	-	-	-	WHA06C2101A	0.01	-	15	-
TASC13C2012A	0.02	-	44,798	-	TOP13P2012A	-	-	-	-	WHA06C2103A	0.19	(0.01)	104,410	-
TASC13C2012B	0.12	0.03	306,645	-	TOP13P2101A	0.15	-	42,490	-	WHA06P2012A	-	-	-	-
TASC13C2101A	0.27	0.07	637,298	-	TOP19C2010A	-	-	-	-	WHA08C2011A	0.03	(0.01)	500	-
TASC13P2011A	1.12	(0.06)	101	1.00	TOP19C2010B	-	-	-	-	WHA11C2101A	0.09	(0.01)	34,340	-
TASC13P2012A	0.27	(0.08)	190,577	-	TOP19C2012A	-	-	-	-	WHA13C2011A	-	-	-	-
TASC19C2010A	-	-	-	-	TOP19C2101A	0.12	-	63,289	-	WHA13C2101A	0.11	-	53,042	-
TASC19C2011A	0.01	-	430	-	TOP19C2101B	0.23	(0.01)	57,998	-	WHA13P2011A	0.39	(0.06)	131	-
TASC19C2012A	0.09	0.02	20,917	-	TOP19P2010A	-	-	-	-	WHA19C2010A	-	-	-	-
TASC19C2101A	0.26	0.07	654,548	-	TOP19P2011A	-	-	-	-	WHA19C2011A	-	-	-	-
TASC19P2010A	1.00	(0.23)	30	1.00	TOP19P2101A	0.20	-	137,838	-	WHA19C2101A	0.12	(0.01)	97,236	-
TASC19P2011A	-	-	-	-	TOP19P2102A	0.42	-	83,751	-	WHA19P2011A	0.44	(0.01)	200	-
TASC19P2012A	-	-	-	-	TOP24C2101A	0.12	(0.04)	6,210	-	WHA28C2011A	-	-	-	-
TASC19P2012B	0.20	(0.06)	59,055	-	TOP41C2010A	-	-	-	-	WHA28C2012A	0.08	-	6,000	-
TASC19P2012C	0.27	(0.09)	126,760	-	TOP41C2011A	-	-	-	-	WHA28C2102A	0.11	-	20,500	-
TASC24C2011A	-	-	-	-	TOP41C2102A	0.11	0.01	21,917	-	WHA28C2102L	-	-	-	-
TASC28C2012A	0.09	0.05	302	-	TOP41P2011A	-	-	-	-	WHA42C2101T	-	-	-	-
TASC28C2012B	-	-	-	-	TOP42C2011T	0.01	-	1,680	-	WHAU13C2012A	0.17	-	6,000	-
TASC28C2012C	-	-	-	-	TPI13C2011A	-	-	-	-	WHAU19C2012A	0.25	-	2,211	-
TASC28C2101A	0.03	(0.01)	70	-	TPI19C2012A	0.16	-	19,164	-	Preferred/Foreign	-	-	-	-
TASC28C2103L	0.03	0.01	3,614	-	TQM11C2102A	0.38	0.02	14,375	-	BH-Q	-	-	-	-
TASC41C2010A	0.01	-	700	-	TQM13C2011A	0.01	-	9,528	-	CSC-Q	-	-	-	-
TASC41C2011A	0.02	-	31,501	-	TQM13C2101A	0.16	-	77,088	-	JUTHA-Q	-	-	-	-
TASC41C2012A	0.12	0.02	17,824	-	TQM19C2010A	1.44	0.16	10	1.00	KTB-Q	-	-	-	-
TASC42C2101T	0.02	-	30,502	-	TQM19C2010B	-	-	-	-	SCB-Q	-	-	-	-
TCAP01C2101A	0.11	(0.01)	30,526	-	TQM19C2011A	0.20	-	15,785	-	TCAP-Q	-	-	-	-
TCAP13C2012A	-	-	-	-	TQM19C2101A	0.19	-	22,151	-	TISCO-Q	-	-	-	-
TCAP19C2010A	-	-	-	-	TQM24C2011A	0.05	-	992	-	U-Q	-	-	-	-
TCAP19C2012A	-	-	-	-	TQM28C2012A	0.06	-	4,202	-	Warrant	-	-	-	-
TCAP19C2102A	0.14	-	8,224	-	TQM28C2102A	0.33	-	25,526	-	7UP-W4	0.10	0.01	2,364	-
TCAP19P2012A	0.32	-	29,615	-	TQM28C2104L	0.26	0.01	31,094	-	AEC-W6	0.10	(0.01)	197,807	-
TCAP42C2101T	-	-	-	-	TQM41C2011A	0.08	-	30,000	-	AKR-W1	0.03	-	613	-
THAN01C2012A	0.57	0.13	58,698	-	TQM42C2101T	0.23	0.01	19	-	ALT-W1	0.76	(0.01)	56,424	-
THAN01C2012B	0.16	0.02	41,175	-	TRQE01C2101A	0.09	-	4,093	-	APEX-W1	-	-	-	-
THAN06C2102A	0.27	0.05	90,126	-	TRUE01P2101A	0.69	-	6,680	-	APURE-W2	0.24	(0.01)	64,376	-
THAN08C2101A	0.52	0.10	107,451	-	TRUE06C2103A	0.18	-	13,055	-	B-W3	-	-	-	-
THAN08C2102A	0.26	0.04	158,809	-	TRUE06P2011A	0.11	(0.03)	11,740	-	B-W4	0.04	0.01	88	-
THAN13C2012A	0.33	0.06	572,319	-	TRUE08C2012A	-	-	-	-	B-W5	0.05	-	232	-
THAN13C2012B	0.09	0.03	65,356	-	TRUE08P2010A	-	-	-	-	BKD-W2	0.07	(0.01)	1,646	-
THAN19C2010A	0.17	0.08	33	-	TRUE11C2101A	0.06	(0.01)	1,000	-	BTS-W5	0.49	(0.02)	53,676	-
THAN19C2011A	0.65	0.21	8,709	-	TRUE11P2101A	0.64	0.01	6,810	-	CGD-W4	0.04	(0.01)	9,080	-
THAN19C2012A	0.23	0.04	152,165	-	TRUE13C2011A	-	-	-	-	CGH-W3	0.02	-	10,737	-
THAN19C2012B	0.11	0.03	40,757	-	TRUE13C2101A	0.08	-	8,816	-	CWT-W5	0.44	-	36,039	-
THAN19C2102A	0.47	0.07	187,296	-	TRUE19C2011A	-	-	-	-	DCC-W1	0.92	-	113,570	-
THAN19P2102A	0.44	(0.06)	116,023	-	TRUE19C2012A	0.03	(0.01)	300	-	ECL-W3	0.03	-	35,684	-
THAN42C2102T	0.14	0.03	5,900	-	TRUE19C2101A	0.09	(0.01)	20,000	-	EMC-W6	0.03	-	48,584	-
TISC01C2101A	0.51	(0.02)	34,290	-	TRUE19C2103A	0.23	(0.02)	17,111	-	EP-W3	0.09	-	195,118	-
TISC11C2012A	0.30	-	13,343	-	TRUE19P2011A	0.29	-	20,484	-	GLOCON-W4	0.40	(0.01)	38,432	-
TISC13C2012A	0.36	(0.02)	184,362	-	TRUE28C2011A	-	-	-	-	III-W1	0.50	-	4,657	-
TISC19C2010A	-	-	-	-	TRUE28C2012A	-	-	-	-	J-W1	0.60	-	1,854	-
TISC19C2010B	-	-	-	-	TRUE28C2012B	-	-	-	-	JMART-W3	5.60	0.05	3,114	5.00
TISC19C2012A	0.36	(0.02)	92,258	-	TRUE28C2101A	0.05	-	100	-	JMART-W4	3.84	(0.02)	820	3.00
TISC24C2102A	0.66	(0.02)	10,646	-	TRUE28C2103L	0.10	(0.01)	9,126	-	JMT-W2	14.30	0.20	7,258	14.00
TISC41C2010A	0.01	-	1,100	-	TRUE41C2101A	-	-	-	-	MACO-W2	0.06	-	62,230	-
TISC41C2012A	0.37	(0.02)	19,780	-	TRUE42C2101T	-	-	-	-	MILL-W4	0.04	-	26,017	-
TISC42C2101T	0.13	(0.01)	1,400	-	TTW19C2011A	-	-	-	-	MINT-W6	0.25	0.01	68,894	-
TKN01C2101A	0.31	0.02	42,885	-	TTW24C2012A	-	-	-	-	MINT-W7	6.35	0.10	11,793	6.00
TKN06C2011A	-	-	-	-	TU01C2101A	0.33	(0.01)	18,526	-	NER-W1	2.96	0.12	196,155	2.00
TKN06C2101A	-	-	-	-	TU01P2101A	0.18	-	20,464	-	NEX-W2	4.30	(0.12)	20,394	4.00
TKN08C2011A	0.08	(0.01)	185	-	TU06C2102A	0.46	(0.01)	5,869	-	NFC-W1	0.58	0.02	5	-
TKN08C2102A	0.40	0.02	1	-	TU06P2103A	0.16	-	3,925	-	NVD-W1	0.06	(0.01)	301	-
TKN13C2012A	0.16	0.01	380,486	-	TU08C2011A	0.21	(0.01)	3,102	-	PACE-W2	-	-	-	-
TKN13C2101A	0.28	0.03	803,402	-	TU11C2102A	0.30	(0.01)	7,771	-	PACE-W3	-	-	-	-
TKN19C2010A	0.92	0.11	2	-	TU13C2012A	0.25	(0.01)	87,833	-	PDI-W1	0.42	-	5,352	-
TKN19C2011A	0.45	-	2,756	-	TU13P2101A	0.14	-	6,374	-	PDJ-W4	0.42	0.01	8,987	-
TKN19C2011B	0.13	0.01	83,746	-	TU19C2010A	-	-	-	-	PERM-W1	0.09	-	2,002	-
TKN19C2101A	0.28	(0.01)	8,643	-	TU19C2012A	0.26	(0.02)	14,248	-	PORT-W1	0.56	(0.01)	8,056	-
TKN19C2102A	0.39	0.03	534,851	-	TU1									

